

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

SAORSTÁT ÉIREANN

ROINN RIALTAIS AITIÚLA AGUS SLAINTE PUIBLÍ.

(Department of Local Government and Public Health.)

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

FOR THE YEAR

1931.

DUBLIN:

PUBLISHED BY THE STATIONERY OFFICE.

To be purchased through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 5 NASSAU STREET, DUBLIN, C.2.

1932.

Price Two Shillings.

(P. No. 760.)

CONTENTS.

PART I.

REPORT :—

	Page
INTRODUCTORY REMARKS	vii
GENERAL SUMMARY	vii

MOVEMENT OF POPULATION :—

Estimated populations, Natural Increase, Emigration and Immigration ...	viii-ix
---	---------

MARRIAGES :

Number, modes of celebration and rates, 1921-31	x
Civil condition of persons married	x
Marriage-rates for counties, county boroughs and provinces, in 1910-12, 1925-7 and 1931	xi
Marriage-rates in Northern Ireland, England and Wales, and Scotland ...	xi
Marriage-rates in Saorstát Éireann by quarters	xi
Signatures in marriage registers or certificates	xi
Minors	xii
Re-marriages	xii
Number of licences issued	xii
Number of buildings registered for the solemnization of Protestant Marriages ...	xii
Number of licencers	xii

BIRTHS :

Numbers and rates	xiii
Birth-rates in Northern Ireland, England and Wales, and Scotland	xiii
Illegitimate Births	xiii
Proportion of Male to Female Births	xiv
Births by quarters	xiv
Multiple Births	xiv

REPORT—Continued.

DEATHS :		Page
Numbers and rates	...	xv
Standardization of rates	...	xv
Uncorrected, corrected and standardized rates in Administrative Areas	...	xvi
Crude and standardized rates during the last Six Census triennial periods	...	xvii
Crude and standardized rates for Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, distinguishing urban and rural areas	...	xvii
Deaths by quarters	...	xviii
Deaths in Institutions	...	xviii
Causes of Death :—		
The Fourth Decennial Revision of the Nomenclature of Causes of Death	...	xviii
General observations	...	xxiii
Epidemic Diseases	...	xxiii
Influenza	...	xxv
Tuberculosis	...	xxv
Cancer	...	xxix
Other General Diseases	...	xxxiii
Circulatory, Respiratory Diseases, etc.	...	xxxiv
Childbirth	...	xxxiv
Violence	...	xxxvi
Uncertified Deaths	...	xxxvi
Inquests,	...	xxxvi
Ages at Death	...	xxxvi
Infant Mortality, Legitimate and Illegitimate	...	xxxvii
METEOROLOGY	...	xl-xli

DIAGRAMS.

No. 1	Marriage, Birth and Death Rates, 1901-31. Emigration, 1924-31	vi
No. 2.	Number of Deaths from Principal Causes, 1931 and 1921-30	xxii
No. 3.	Death-rates from Diphtheria in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-31	xxiv
No. 4.	Death-rates from Tuberculosis in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-31	xxvi
No. 5.	Death-rates from Tuberculosis by Age-periods, Males and Females, 1912-14, and 1931	xxviii
No. 6.	Death-rates from Cancer in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-31	xxxii
No. 7.	Infant Mortality in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-31	xxxviii

PART II.—APPENDED TABLES.

TABLE No. 1.	Estimated Populations, 1801-1931	2
„ 2.	Ages of the Population, by sexes, Censuses 1851-1926—numbers and proportions per cent.	3-5
„ 3.	Numbers of Marriages, Births and Deaths, and Natural Increase, 1864-1931	6
„ 4.	Annual Marriage, Birth and Death-Rates, Infant Mortality and Natural Increase, 1864-1931	7
„ 5.	Marriages, Births, and Deaths, by Quarters, 1921-31	8
„ 6.	Deaths (Numbers and rates) by Causes, 1864-1910	9

PART II.—APPENDED TABLES—*Continued.*

TABLE NO.		Page
6A.	Number of Deaths by Causes, 1911-31	10-11
7.	Death-rates by Causes, 1911-31	12-13
8.	Deaths (numbers and rates) by sexes and ages, 1864-1931 ...	14-16
9.	Infant Mortality, by Causes, 1921-31	17
10.	„ by Causes, Ages and Sexes, 1931	18-19
11.	„ by Causes in certain urban areas and aggregate rural areas, 1931	20
12.	„ by Age-periods, in certain urban areas and aggregate rural areas, 1931	21
13.	„ Illegitimate Infants, by Causes and Ages, 1931 ...	22
14.	Deaths of Legitimate and Illegitimate Infants, and rates per 1,000 Births, 1923-31, compared	22
15.	Infant Mortality, Illegitimate Infants, by Administrative Areas, 1931.	23
16.	Marriage, Birth and Death-rates—Administrative Areas, 1931 ...	24
17.	Birth-rates and Death-rates in Urban and Rural areas, by Counties, etc., 1931	25-27
18.	Birth-rates and Death-rates in aggregate Urban and Rural areas, 1901-1931	28
19.	Death-rates, by Sexes, at different Age-periods in aggregate Urban Districts and aggregate Rural Districts, 1928-31 ...	29

PART III.—ABSTRACTS, 1931.

ABSTRACT I.	Marriages, Births (distinguishing Illegitimate Births), and Deaths registered in Administrative Areas	32-39
II.	Marriages registered in Administrative Areas, ...	40-41
III.	Total Births and Deaths by sexes, and Ages at Death, by Administrative Areas	42-44
IV.	Causes of Death, (Detailed International List), by sexes and ages ...	46-67
V.	Causes of Death (Short List), by Sexes, Ages and Place of Occurrence in Saorstát Éireann in each Administrative Area (as under):—	68-139

	Page		Page		Page
Saorstát Éireann	68-9	Dublin ...	74-5	Meath ...	88-9
		Dublin City ...	76-7	Monaghan ...	138-9
Leinster	70-1	Galway ...	122-3	Offaly ...	90-1
Munster	98-9	Kerry ...	106-7	Roscommon ...	128-9
Connaught	120-1	Kildare ...	78-9	Sligo ...	130-1
Ulster (part of)	132-3	Kilkenny ...	80-1	Tipperary N.R.	112-3
		Leitrim ...	124-5	Tipperary S.R.	114-5
Carlow	72-3	Laoighis ...	82-3	Waterford ...	116-7
Cavan ...	134-5	Limerick ...	108-9	Waterford Co.	
Clare ...	100-1	Limerick Co. Boro'	110-1	Boro'	118-9
Cork ...	102-3	Longford ...	84-5	Westmeath ...	92-3
Cork Co. Boro'	104-5	Louth ...	86-7	Wexford ...	94-5
Donegal	136-7	Mayo ...	126-7	Wicklow ...	96-7


ABSTRACT VI.	Causes of Death by Administrative Counties, distinguishing Urban and Rural districts, arranged by Provinces	140-175
--------------	--	---------

Index to Superintendent Registrars' Districts	176
--	-----

APPENDIX	Number of Searches at the General Register Office during the years 1864-1930, with the amounts of Fees received ...	177
----------	---	-----

SAORSTAT ÉIREANN.

DIAGRAM NO.1 MARRIAGE, BIRTH, AND DEATH RATES, 1901 to 1931.
 EMIGRATION, 1924 to 1931.



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1931.

TO THE MINISTER OF LOCAL GOVERNMENT AND PUBLIC HEALTH.

This Report presents the numerical results of registration during the year 1931. It is arranged in three sections: I. Text, calling attention to the more important and significant statistical facts in population, marriages, births and deaths during the year; II. Tables, showing the principal figures in comparison with preceding periods back to the commencement of registration; III. Abstracts, giving the actual numbers registered during 1931, for the country as a whole, and (corrected for transferred births and deaths in institutions), for the different administrative areas.

GENERAL SUMMARY.

The population of Saorstát Éireann in the middle of 1931 was estimated to be 2,957,000 persons. This is an increase of 11,000 over the number in 1930. With the exception of 1918 and 1919, when abnormal conditions prevailed, it is almost the first time in the greater part of a century that the population has not declined. There has been a decrease in the marriages and in the births registered. Deaths have increased.

The number of marriages registered was 13,133, being 498 less than the number in the preceding year, and 1,112 less than the average (14,245) for the ten years 1921-30. Expressed in rates per 1,000 of population, the marriage rate in 1931 was 4.44, in 1930 4.63, and in 1921-30 4.76. The marriage-rate in Saorstát Éireann is low as compared with other countries. In Northern Ireland the rate for 1931 was 5.89 per 1,000, in England and Wales 7.8, and in Scotland 6.75.

The number of births in 1931, 57,086, was the lowest ever recorded. The average annual number for 1921-30 was 60,406. The birth-rate was 19.30 per 1,000, in the preceding year 19.81, and the average annual rate in 1921-30, 20.21. Between the periods 1911-15 and 1927-31 there has been a fall of 11.7 per cent. In Northern Ireland the birth-rate in 1931 was 20.52, in England and Wales 15.8, and in Scotland 19.04.

Statistics of fertility will be found in the reports for the years 1928, 1929, and 1930. As these figures refer to particular age-groups of the population they are confined to periods near a Census, and are not calculated for every year.

The number of illegitimate births, though low in comparison with other countries, is increasing, and in 1931 was higher than in any preceding year. It was 1,925, or 3.37 per cent. of the total births, as compared with a percentage of 3.19 in 1930, 2.80 for 1925-7, and 2.17 for 1910-12. In Northern Ireland the percentage in 1931 was 4.97, in England and Wales 4.4, and in Scotland 7.22.

The number of deaths during the year was 42,947. This is 1,245 more than in 1930. It is equal to a rate of 14.52 per 1,000.

In Northern Ireland the crude death-rate in 1931 was 14.43, in England and Wales 12.3, and in Scotland 13.26.

When the effect of the differences between the age and sex constitutions of the populations of these countries is adjusted by standardization, the rates comparable with 14.52 for Saorstát Éireann become 15.13 for Northern Ireland, 13.79 for England and Wales, and 15.01 for Scotland.

The changes made in the International List of Causes of Death at the Fourth Revision, in 1929, by the International Commission at Paris are carried out in this Report, which marks the beginning of another decade. The differences in the new list as compared with the previous one are discussed in the body of the Report, in the Section dealing with the causes of death.

The principal causes in 1931 occupy substantially the same relative positions as in previous years, as will appear from Diagram No. 2, except for influenza and the epidemic diseases, which are subject to wide periodic fluctuations, and some grouped causes that have been re-arranged in accordance with the Revision.

An increase in the deaths from tuberculosis has occurred as compared with the previous year, the numbers being 3,902 and 3,825 respectively, but as compared with 1921-30, the number is 455 less than the average. The rate for 1931 was 1·32; for 1930, 1·30; and for 1921-30, 1·46.

The mortality from cancer, on the other hand, shows a slight decrease. The total number of deaths was 3,294, which is 35 less than in 1930. The rates were 1·11 and 1·13 in the respective years.

Deaths from diseases and accidents of pregnancy and child-birth numbered 246, or 4·31 per 1,000 births, as against an average of 290, and a rate of 4·81 in the ten years 1921-30. The rate in respect of such deaths for all urban districts in 1931 was 4·00 per 1,000 births, and for all rural districts, 4·49, in comparison with 4·21 and 5·07, respectively, in 1930.

The deaths of 3,935 infants under one year of age occurred during the year. This is equivalent to 69 per 1,000 births. The corresponding rate for the preceding year was 68, and the average for the preceding ten years, 70. The wide disparity between urban and rural rates continues, though slightly less marked than in other years; the former was 88 and the latter 58, as compared with 90 and 56 in 1930.

Among legitimate infants the mortality was 62 per 1,000 births, and among the illegitimate it was 267. For Northern Ireland the legitimate infant death-rate was 70 and the illegitimate 146; and for England and Wales the corresponding rates were 64 and 111, respectively.

The number of deaths attributed to violence was 945. These comprise 108 suicidal, 29 homicidal, one execution, and 807 accidental deaths. The numbers in 1930 were 83, 22, 0 and 754 respectively. Of the accidental deaths in 1931, 178 were caused by road traffic, and 10 by railway vehicles.

TABLE A.—Showing for each of the years 1921-31 the estimated Population*; the number of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years 1921-30; also particulars relating to Northern Ireland for the year 1931.

YEARS.	*Estimated Population in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1921	3,096,000	15,102	61,010	44,537	4·88	19·71	14·29
1922	3,022,000	15,141	58,849	44,547	5·01	19·47	14·74
1923	3,014,000	15,632	61,690	42,217	5·19	20·47	14·01
1924	3,005,000	14,822	63,402	45,189	4·93	21·10	15·03
1925	2,985,000	13,820	62,069	43,650	4·63	20·79	14·62
1926	2,969,000	13,570	61,176	41,740	4·57	20·60	14·06
1927	2,957,000	13,418	60,064	43,677	4·54	20·31	14·77
1928	2,949,000	13,716	59,176	41,792	4·65	20·07	14·17
1929	2,946,000	13,593	58,280	42,991	4·61	19·78	14·59
1930	2,946,000	13,631	58,353	41,702	4·63	19·81	14·16
Yearly Average, 1921-1930 ...	2,988,900	14,245	60,406	43,203	4·76	20·21	14·45
1931	2,957,000	13,133	57,086	42,947	4·44	19·30	14·52

NORTHERN IRELAND, 1931.

1931	1,251,000	7,369	25,673	18,049	5·89	20·52	14·43
-------------	-----------	-------	--------	--------	------	-------	-------

* See page 2.

MOVEMENT OF POPULATION.

The population of Saorstát Éireann is estimated to have been 2,957,000 persons in the middle of 1931, 1,505,000 males and 1,452,000 females. The figures are derived by adding the number of births and immigrants to and deducting the number of deaths and emigrants from the estimate for 1930. It represents a net increase of 11,000 persons. This substantial

increase is a distinct change from the downward movement which has hitherto annually marked the population. The change is entirely due to an abrupt decline in emigration; the natural increase of births over deaths being lower than in previous years. The number of emigrants has now fallen so low as to be more than counterbalanced by the number of immigrants.

In Table 1, page 2, will be found the estimated populations, by sexes, for years from 1801-1931.

TABLE B.—Showing the average annual excess of births over deaths (natural increase), the net migration, and the actual variations in the populations in the years 1864-71 and in the intercensal periods between 1871 and 1926, with the average annual rates per 1,000 of the mean population; also similar particulars for the years 1927-1931.

Intercensal Period, &c.	Average Annual Excess of Births over Deaths (Natural Increase)		Average Annual Net Migration Outwards (—); Inwards (+)		Average Annual variation in Population	
	Number	Per 1,000 of Mean Population	Number	Per 1,000 of Mean Population	Number	Per 1,000 of Mean Population
1864-71	39,603	9.5	-74,881	-17.9	-35,278	- 8.4
1871-81	31,855	8.1	-50,172	-12.7	-18,317	- 4.6
1881-91	19,600	5.4	-59,733	-16.3	-40,133	-10.9
1891-1901	14,954	4.5	-39,641	-11.9	-24,687	- 7.4
1901-1911	17,940	5.6	-26,154	- 8.2	- 8,214	- 2.6
1911-1926	15,820	5.1	-26,946	- 8.8	-11,126	- 3.7
Year 1927	16,377	5.5	-25,225	- 8.5	- 8,848	- 3.0
" 1928	17,384	5.9	-21,910	- 7.4	- 4,526	- 1.5
" 1929	15,289	5.2	-18,145	- 6.2	- 2,856	- 1.0
" 1930	16,651	5.7	-12,907	- 4.4	+ 3,744	+ 1.3
" 1931	14,139	4.8	+ 2,545	+ 0.8	+16,684	+ 5.6

Emigration and immigration—The returns furnished by the Department of Industry and Commerce show that the number of emigrants and immigrants to and from places out of Europe and not within the Mediterranean Sea during the year 1931 were 1,557 and 4,102, respectively, including 890 and 2,923 to and from the United States—the corresponding figures for Canada being 145 and 367; for Australia 164 and 227; for New Zealand 42 and 98; for the Union of South Africa 65 and 101; for India 111 and 155; and for other countries 140 and 231, respectively. It will be noted that in every instance the immigrants into Saorstát Éireann outnumber the emigrants.

The following Table gives particulars of emigrants and their destinations in 1931 as compared with the seven years preceding:—

TABLE C.—Number of Saorstát Éireann EMIGRANTS and IMMIGRANTS to and from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1924-31.

YEAR	Number of Emigrants by Destinations								Number of Immigrants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1924	12,234	5,241	1,138	192	160	112	234	19,311	3,392
1925	26,546	1,861	1,076	290	170	136	223	30,302	2,791
1926	26,367	1,994	1,268	236	166	109	219	30,359	1,983
1927	23,947	1,815	1,036	132	106	87	186	27,309	2,084
1928	21,775	1,598	808	114	155	115	235	24,800	2,890
1929	18,119	1,760	497	92	74	125	215	20,882	2,737
1930	14,295	1,047	398	124	58	92	188	16,202	3,295
Average 1924-30	20,469	2,188	889	168	127	111	214	24,166	2,739
1931	890	145	164	42	65	111	140	1,557	4,102

MARRIAGES.

There were 13,133 marriages registered during the year 1931, equivalent to a rate of 4.44 per 1,000 of the estimated population; this rate is 0.19 below that for the previous year, and 0.32 below the average for the ten years 1921-30.

Of the 13,133 marriages, 12,228 were of Catholics, and 905 those of persons belonging to other denominations. A decrease of 442 has occurred in Catholic marriages and a decrease of 55 in others. The total number of the latter comprise 652, celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 126 in Presbyterian Meeting-houses; 56 in "Registered Buildings" belonging to various other religious denominations; 65 by civil contract in the Registrars' offices; and 6 according to the Jewish rites. Each of these numbers represents a decrease from 1930.

According to the Census of 1926, Catholics represented 92.6 per cent. of the population, Protestant Episcopalians 5.5 per cent., Presbyterians 1.1, Methodists 0.4 and all other denominations 0.4.

In 1931 Catholic marriages were 93.1 per cent. of the total marriages, which is slightly above the proportion of Catholics in the population.

The rate per 1,000 of the estimated Catholic population represented by the number of marriages of Catholics was 4.47 or 0.33 under the average rate for the preceding ten years, and the rate for other marriages was equivalent to 4.14 per 1,000 of all persons other than Catholics in the population, which is 0.21 below the average rate for the ten years 1921-30, as shown in the following table:—

TABLE D.—MARRIAGES registered in 1931, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1921 ...	970	180	88	155	—	9	1,402	13,700	15,102	4.94	4.35	4.88
1922 ...	856	154	78	127	—	11	1,226	13,915	15,141	5.02	4.95	5.01
1923 ...	752	154	53	83	5	9	1,066	14,576	15,632	5.26	4.38	5.19
1924 ...	709	143	54	65	1	15	987	13,835	14,822	4.99	4.21	4.93
1925 ...	671	112	70	54	2	14	923	12,897	13,820	4.68	4.07	4.63
1926 ...	672	144	48	87	1	18	970	12,600	13,570	4.58	4.41	4.57
1927 ...	612	163	52	73	5	12	917	12,501	13,418	4.56	4.19	4.54
1928 ...	653	122	61	55	1	12	934	12,782	13,716	4.68	4.28	4.65
1929 ...	660	116	60	74	1	12	923	12,670	13,593	4.64	4.23	4.61
1930 ...	667	131	66	83	3	11	961	12,670	13,631	4.64	4.41	4.63
Yearly Average 1921-30	722	142	63	89	2	12	1,030	13,215	14,245	4.80	4.35	4.76
1931 ...	652	126	56	65	—	6	905	12,228	13,133	4.47	4.14	4.44

In the Abstract of Marriages, pages 38-9, particulars are given of the condition of the persons married in 1931. From these it is found that marriages between bachelors and spinsters comprised 91.7 per cent. of the total marriages; those of widowers and spinsters 5.2 per cent.; bachelors and widows 2.0 per cent.; and those of widowers and widows 1.1 per cent. Combining the appropriate groups it is seen that of the men married 6.3 per cent. were widowers, and of the women 3.1 per cent. were widows, or in 83 instances in every 1,000 marriages, one or both of the contracting parties had been in the married state before. (See Table F.).

In the following Table, the county, county borough and provincial rates per 1,000 of the population are given for 1931 in comparison with the annual averages in 1910-12 and 1925-7.

TABLE E.—MARRIAGE-RATES (per 1,000 of the population) for counties, county boroughs and provinces, 1910-12, 1925-7, and 1931.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1910-12	Annual Average 1925-7	Year 1931		Annual Average 1910-12	Annual Average 1925-7	Year 1931
SAORSTAT EIREANN ...	4.95	4.58	4.44	Kerry ...	4.43	4.18	3.35
Carlow ...	4.91	4.30	3.94	Limerick ...	3.30	3.61	3.71
Dublin ...	5.62	5.43	5.89	Limerick Co. Boro' ...	8.62	9.36	8.06
City of Dublin ...	7.51	7.57	6.99	Tipperary N.R. ...	5.22	4.53	3.77
Kildare ...	4.26	3.91	3.95	Tipperary S.R. ...	4.73	3.80	3.86
Kilkenny ...	4.90	3.92	3.27	Waterford ...	4.48	4.11	4.06
Laoighis ...	4.16	3.35	2.95	Waterford Co. Boro' ...	5.26	4.89	6.00
Longford ...	4.43	4.39	3.41	Munster Province ...	4.84	4.41	4.23
Louth ...	4.93	3.99	4.27	Galway ...	3.76	3.65	3.44
Meath ...	4.81	3.48	3.57	Leitrim ...	4.59	4.37	3.70
Offaly ...	4.96	4.28	4.07	Mayo ...	3.91	3.78	4.01
Westmeath ...	4.83	4.01	3.84	Roscommon ...	4.47	3.97	3.36
Wexford ...	4.74	4.36	4.41	Sligo ...	4.47	4.34	3.49
Wicklow ...	4.55	3.97	4.27	Connaught Province ...	4.10	3.90	3.64
Leinster Province ...	5.57	5.22	5.18	Cavan ...	5.06	4.27	3.42
Clare ...	3.75	3.55	3.58	Donegal ...	4.14	3.68	3.63
Cork ...	4.34	3.53	3.38	Monaghan ...	4.87	3.94	3.55
Cork Co. Borough ...	7.99	8.21	8.79	Ulster Province (pt. of) ...	4.55	3.90	3.55

From the foregoing table it will be observed that the marriage rates vary considerably as between county and county borough areas, the highest in 1931, 8.79, being recorded for Cork county borough, and the lowest, 2.95, for Laoighis county. Between these the five areas having the highest rates were Limerick county borough (8.06), City of Dublin (6.99), Waterford county borough (6.00), Dublin county (5.89), and Wexford county (4.41), and the lowest areas were the counties of Kilkenny (3.27), Kerry (3.35), Roscommon (3.36), Cork (3.38), and Longford (3.41).

The similarity of the relative positions in the different areas during the three periods will be observed, but in making comparisons of this kind it needs to be borne in mind that marriages, like births and deaths, must be registered in the area in which they take place, and this area is not in many cases that of residence of the parties, or even of one of them.

Among the provinces the highest rate is found in Leinster, *viz.*, 5.18 per 1,000, followed by Munster 4.23, Connaught 3.64, and Ulster (part of) 3.55.

In 1931 the marriage-rate for Northern Ireland was 5.89, for England and Wales 7.8, and for Scotland 6.75, as compared with the low rate for Saorstát Éireann, *viz.*, 4.44 per 1,000.

The marriage-rates by quarters for the years 1921-31, distinguishing Catholic marriages and other marriages, are given in Table 5.

The marriage-rate for the first quarter of the year 1931 was 4.76 per 1,000 of the population, for the second 4.23, for the third 4.84, and for the fourth 3.93. An unusual tendency is disclosed by these figures.

Hitherto, with the exception of the year 1929, Catholic marriage-rates have always been highest in the first quarter, while for all other marriages the third quarter was most favoured by the parties, with the least preference for the first quarter. In 1929 the rate for the third quarter was higher than that for the first, and in the year under review, taking all marriages into account, the quarterly rates have again assumed this order. While this is not absolutely the case with Catholic marriages by themselves in 1931, the approach of the rate for the third quarter to that for the first is sufficiently close to mark a tendency to deviate from a customary position.

Evidence of the progress of elementary education is afforded by the signatures of the contracting parties in the marriage registers or certificates. In the year 1931 there were 12,868, or 98.0 per cent., of the husbands, and 12,995, or 99.0 per cent., of the wives who wrote their names, as against 14,706, or 97.4 per cent., of the husbands, and 14,945, or 99.0 per cent., of the wives in 1921.

The particulars for each of the years 1921-31 are given in the following table (F), as well as those relating to persons not of full age, and re-marriages.

TABLE F.—Showing as regards Marriages in Saorstát Éireann, during the years 1921-31, the proportion of PERSONS WHO SIGNED THEIR NAMES, of PERSONS NOT OF FULL AGE, and of RE-MARRIAGES.

YEAR	Total Marriages	Signed their Names in Writing		Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	of 100 Men Married	of 100 Women Married	Widowers	Widows
						of 100 Men Married	of 100 Women Married
1921	15,102	97.38	98.96	1.37	6.14	7.04	4.52
1922	15,141	97.35	98.30	1.56	6.22	6.91	4.34
1923	15,632	97.37	98.61	1.25	5.09	6.82	4.34
1924	14,822	98.00	98.91	1.27	4.63	6.29	3.61
1925	13,890	97.95	99.09	1.05	5.45	6.85	3.79
1926	13,570	97.83	98.72	1.50	6.53	6.33	3.21
1927	13,418	97.98	98.76	1.39	7.05	6.33	3.26
1928	13,716	97.62	98.62	1.58	7.28	6.37	3.40
1929	13,593	97.79	98.82	1.49	7.09	6.53	2.98
1930	13,631	98.08	98.94	1.91	7.41	6.68	3.23
1931	13,133	97.98	98.95	1.52	7.33	6.31	3.02

The entry of "Minor," or "Full Age" satisfies the requirements of the law as far as the ages of the contracting parties to marriages in Ireland are concerned. This circumstance, which is taken advantage of in the vast majority of cases, is to be regretted, as a record of the ages of the persons married would be of much value for statistical purposes.

The proportion of husbands who married under age was highest in the province of Leinster, viz., 1.8 per cent., in Munster it was 1.4, in Connaught 0.9, and in Ulster (part of) 1.6, while the percentage of wives who were minors was for Leinster 9.0, for Munster 6.0, for Connaught 4.9, and for Ulster (part of) 7.7, the proportions for Saorstát Éireann as a whole being 1.5 for males and 7.3 for females.

In Northern Ireland, the proportion per cent. of males married in 1931 who were under age was 3.1, and of females 12.9.

In England and Wales the corresponding proportions were 4.4 and 15.9; and in 1930 they were 6.1 and 19.7 in Scotland.

It will thus be seen that the percentage of persons married in Saorstát Éireann who were minors is much below that of Great Britain.

The number of Licences issued by the Registrars during the year 1931 for Marriages in Registered Buildings and in the Registrars' Offices in Saorstát Éireann, was 113. On 31st December, 1931, the number of such Registrars of Marriages authorized to grant Licences for Marriages under 33 and 34 Vic. cap. 110 and 34 and 35 Vic. cap. 49, was 101.

Marriage Licences issued by Licensing Ministers of the Protestant Episcopal Church amounted to 587. The number of Licensing Ministers on the 31st December was 145.

The number of Licences for Marriage issued by the Licensing Ministers of the Presbyterian bodies in Saorstát Éireann during the year 1931 was 114 (113 by the General Assembly and one by the Synod of Munster). The number of Licensing Ministers on the 31st December, 1931, was 48, of whom 46 were with the General Assembly and 2 with the United Presbytery or Synod of Munster.

In Ireland there being no civil restrictions as to time or place for celebrating marriages between Catholics, a registration of the churches and chapels of the Catholic Church is not necessary. With reference to other religious bodies, a record is kept of the places of Divine Worship, in which marriages may lawfully be solemnized otherwise than by special licence. On 31st December, 1931, there were 1,066 churches and chapels of the Protestant Episcopal Church, 152 registered Presbyterian Meeting-houses (150 General Assembly and 2 United Presbytery or Synod of Munster), and 170 "Registered Buildings" belonging to the various other religious denominations.

The number of "Registered Buildings" belonging to the several religious bodies in which marriages may be lawfully solemnized is shown in the following list:—

Denominations			No. of Places of Worship	Denominations			No. of Places of Worship
Methodists	...	...	130	Salvation Army	...	...	2
Reformed Presbyterians	...	...	5	Seceders	...	...	2
Baptists	...	...	8	"The Catholic Apostolic Church"	...	...	1
Independents or Congregationalists	...	...	6	Welsh Presbyterians	...	...	1
Christian Brethren	...	...	10	"Udenominational"	...	...	4
Moravians or United Brethren	...	...	1				
				TOTAL	...	...	170

BIRTHS.

The number of births registered during the year 1931 was 57,086, which is equal to a rate of 19·30 per 1,000 of the population.

This is the lowest level that has yet been reached by births in this country. The number is 1,267 and the rate 0·51 below the figures in 1930, and 3,320 and 0·91 respectively below the average for 1921-30. These figures indicate the continuance of a decline in the birth-rate which has been apparent almost since the commencement of registration. The highest birth-rate in the Saorstát Éireann area was reached in the year 1871, the average for the ten years 1871-80 being 26·31. During the next ten years the rate fell to 22·88, and during 1891-1900 to 22·20. There was a slight recovery in the next decade when the average rate reached 22·54, but in 1911-20 it fell to 21·50, and in the ten years just completed to 20·21.

A similar decline has been observed in almost all European and some other countries for which statistics are available. Of the neighbouring countries, the birth-rate in England and Wales was 35·4 in 1871-80, but 15·8 in 1931, and in Scotland the rate was 34·9 in 1871-80, and 19·0 in 1931. The birth-rate in Northern Ireland in 1931 was 20·5.

The births in different parts of Saorstát Éireann are given in Abstract I., both as registered and as corrected for those occurring in institutions situated outside the area of the parents' residence.

The birth-rates calculated on the latter numbers are given in Tables 16 and 17 for provinces, counties, county boroughs and urban and rural areas. For the province of Leinster the rate was 21·11, for Munster 18·72, for Connaught 17·42, and for Ulster (part of) 16·81 per 1,000, as compared with 21·33, 19·24, 17·89 and 17·64, respectively, in 1930.

Among the counties and county boroughs the rates varied from 25·22 for Limerick county borough, to 15·69 for Sligo county, and of the intermediate rates the five highest were 25·02 for the City of Dublin, 24·67 for Cork county borough, 22·82 for Waterford county borough, 20·41 for Limerick county, and 20·30 for Kildare county, the lowest being 15·91 for Roscommon, 16·64 for Cork, 16·76 for Clare, and 16·80 for Mayo, Cavan and Monaghan.

The county boroughs and urban districts in the aggregate show a rate of 23·21 in 1931, and the combined rural districts 17·64, as compared with 23·67 and 18·16 respectively, in the preceding year.

The birth-rate for Belfast county borough in 1931 was 22·9, for Londonderry 24·8, for London 15·0, for Edinburgh 16·2, and for Glasgow 20·9.

Information in respect of fertility is given in the Annual Report for 1929.

Illegitimate Births.—Illegitimate births numbered 1,925, and constituted 3·4 per cent. of the total births registered. This number is 62 above that recorded in 1930, and the percentage is the highest hitherto known in Saorstát Éireann, and by reason of the fall in the total births is proportionately a greater increase than the number. Expressed in terms of the population, however, the increase is in a lower ratio, as the population has risen; the rate in 1930 was 0·63 per 1,000 and in 1931 0·65.

The ratio per cent. of total births in Northern Ireland in 1931 was 5·0, in England and Wales 4·4, and in Scotland 7·2.

The percentages, by provinces, are shown in the following statement for the years 1925-31:—

		Illegitimate Births—per cent. of Total Births.						
		1925.	1926.	1927.	1928.	1929.	1930.	1931.
Saorstát Éireann	...	2·68	2·81	2·93	3·02	3·18	3·19	3·37
Leinster		3·25	3·36	3·47	3·47	3·64	3·85	3·96
Munster		2·69	2·90	2·79	3·17	3·37	3·13	3·39
Connaught		1·13	1·30	1·41	1·66	1·56	1·46	1·68
Ulster (part of)		3·02	2·77	3·83	3·02	3·45	3·61	3·71

Table 16 supplies the information as regards illegitimacy in 1931 by provinces, counties, and county boroughs. The five highest counties were Carlow (5·96 per 100 total births), Laoighis (5·88), Waterford (5·80), Wexford (5·68), and Kildare (5·52), and the lowest five were Roscommon (1·13), Mayo (1·24), Galway (1·75), Cork county borough (1·86) and Waterford county borough (2·30).

Proportion of Males to Females.—The total number of births in 1931 comprises 29,409 boys and 27,677 girls. These numbers are in the proportion of 1,063 males to every 1,000 females, a ratio higher than in any of the last seven years. The ratio has been subject to unusual variations in recent years, not so much in extent as in the lowness to which it fell. The lowest ratio ever recorded occurred in 1929, being 1,031, and the previous lowest, two years before (1927), was 1,039. In the adjacent years it closely approached the average (1,053) for 1921-30, being 1,051 in 1928, 1,053 in 1926, and 1,052 in 1925. In England and Wales the proportion of males born alive to 1,000 females was 1,049 in 1931, which was 6 above the average for the five preceding years, and in Scotland the proportion was 1,038, which was 8 below the average for the five years.

Table 4 shows the proportions for Saorstát Éireann by periods covering the years 1864-1931.

The male children born in wedlock in 1931 numbered 28,438, and the female 26,723, or 1,064 of the former to every 1,000 of the latter, and of the illegitimate children 971 were males and 954 females, or 1,018 boys to every 1,000 girls.

The following statement shows the total number of infants, by sexes, whose births were registered during each quarter of 1931:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	7,438	7,783	7,338	6,850	29,409
Females	6,866	7,359	7,072	6,380	27,677
TOTAL	14,304	15,142	14,410	13,230	57,086

Of the total births 51·6 per cent. were registered in the first six months (181 days) and 48·4 per cent. in the second six months (184 days).

Multiple Births.—There was an increase in the number and proportion of multiple births. Twins numbered 1,514, or 2·65 per cent., of the total number of infants whose births were registered, and 18, or 0·03 per cent., were triplets. In 1930 these percentages were 2·08 and 0·03, respectively.

The number of mothers of living children during the year was 56,317. Of these, 55,554, or 98·65 per cent., gave birth to single infants, 757, or 1·34 per cent., to twins, and 6, or 0·01, per cent., to triplets.

The infants born in wedlock (55,161) include 53,683 single infants, 1,460 twins and 18 triplets, each group bearing the same proportion to the whole as with all the births registered.

Illegitimate infants (in number 1,925) include 1,871 single, or 97·19 per cent. of the total illegitimate infants, and 54 twin infants, or 2·81 per cent.

Of the total infants born alive, resulting from multiple births, 741 were males, and 791 females.

It should be borne in mind that the figures given above relate to live births, as still births are not registered in this country, and that, therefore, the birth of one living child and one still born or one living child and two still born is counted as a single birth, and the birth of two living children and one still born is counted as a twin birth.

DEATHS.

The total number of deaths registered in 1931 was 42,947. This is an increase of 1,245 deaths above the number in 1930, but 256 less than the average number during 1921-30. Considering this mortality in terms of its ratio to the population, the death-rate in 1931 is higher than that for the previous year and for the average of the ten years; the rate in 1931 being 14.52, in 1930 14.16, and in 1921-30 14.45 per 1,000.

The number of deaths of males was 21,754, equal to 14.45 per 1,000 of the estimated male population, and the deaths of females 21,193, equal to 14.60 per 1,000 of the estimated female population.

For Northern Ireland the crude death rate per 1,000 in 1931 was 14.43; for England and Wales 12.3, and for Scotland 13.26.

In Abstract I. the total number of deaths as registered in each county, county borough and superintendent registrar's district is given, as well as the number corrected by *transfers*, i.e., the transfer to each area of deaths of residents of that area which occurred elsewhere in Saorstát Éireann, and, necessarily, the exclusion from each area of deaths of persons belonging to other areas. In Tables 16 and 17, rates based on the latter numbers are given for provincial, county, urban and rural areas.

Rates based on the deaths so corrected represent the frequency of death in the population of the particular area, but an altogether just comparison between the mortalities of different areas cannot be made by such means. Mortality varies according to sex and age, and the age and sex constitution of the population varies in different localities. To institute a true comparison, it is necessary to reduce the mortality experienced in different areas to a common basis which will provide a uniform age and sex constitution of population. This can be done by applying the death-rates of males and females in age-groups in the given areas to some standard population adopted for the purpose. Such a process is known as the *standardization of death-rates*; it has been employed in these Reports for the last three years, and a detailed description and example appeared in the Annual Report for 1930. For distinction, ordinary rates calculated directly on the population are known as *crude rates*.

The double effect of these adjustments is given in Table (G) on the next page. Rates calculated on the registered numbers in each county and county borough are arranged beside the corrected rates and the standardized rates, and the differences shown in cols. 4 and 5. The greatest differences arising from correction occur in the county boroughs and adjacent counties, corresponding, as it is to be expected, with the location of the larger institutions: the rate for the City of Dublin is lowered from 17.46 to 15.84, and for the county borough of Waterford from 18.84 to 15.91; in these places the institutions are mostly within the city boundaries, and consequently large numbers of patients are received into the cities from outside localities; while, conversely, the rate for Cork county borough is raised from 14.80 to 16.47, and for Limerick county borough from 13.03 to 15.97, important institutions in these cases being situated outside the city areas.

The value of this adjustment is obvious, as it corrects the effect of displacement due to the presence of Public institutions in certain localities. The adjustment made in standardization, however, is equally important. It is based on figures already corrected for institutions, but relates to the disturbance caused by variations in the constitution of different local populations; these, as already explained, are reduced to a basis of common comparability. The important effect of this second adjustment is again seen in the rates for the county boroughs, which are all raised. This increase arises from the fact that the city populations have a constitution more favourable (a greater proportion of young persons, and more females than males) to a low rate than the country as a whole, and also shows that the cities have, comparatively, a heavier mortality.

DEATHS.

The total number of deaths registered in 1931 was 42,947. This is an increase of 1,245 deaths above the number in 1930, but 256 less than the average number during 1921-30. Considering this mortality in terms of its ratio to the population, the death-rate in 1931 is higher than that for the previous year and for the average of the ten years; the rate in 1931 being 14·52, in 1930 14·16, and in 1921-30 14·45 per 1,000.

The number of deaths of males was 21,754, equal to 14·45 per 1,000 of the estimated male population, and the deaths of females 21,193, equal to 14·60 per 1,000 of the estimated female population.

For Northern Ireland the crude death rate per 1,000 in 1931 was 14·43; for England and Wales 12·3, and for Scotland 13·26.

In Abstract I. the total number of deaths as registered in each county, county borough and superintendent registrar's district is given, as well as the number corrected by *transfers*, i.e., the transfer to each area of deaths of residents of that area which occurred elsewhere in Saorstát Éireann, and, necessarily, the exclusion from each area of deaths of persons belonging to other areas. In Tables 16 and 17, rates based on the latter numbers are given for provincial, county, urban and rural areas.

Rates based on the deaths so corrected represent the frequency of death in the population of the particular area, but an altogether just comparison between the mortalities of different areas cannot be made by such means. Mortality varies according to sex and age, and the age and sex constitution of the population varies in different localities. To institute a true comparison, it is necessary to reduce the mortality experienced in different areas to a common basis which will provide a uniform age and sex constitution of population. This can be done by applying the death-rates of males and females in age-groups in the given areas to some standard population adopted for the purpose. Such a process is known as the *standardization of death-rates*; it has been employed in these Reports for the last three years, and a detailed description and example appeared in the Annual Report for 1930. For distinction, ordinary rates calculated directly on the population are known as *crude rates*.

The double effect of these adjustments is given in Table (G) on the next page. Rates calculated on the registered numbers in each county and county borough are arranged beside the corrected rates and the standardized rates, and the differences shown in cols. 4 and 5. The greatest differences arising from correction occur in the county boroughs and adjacent counties, corresponding, as it is to be expected, with the location of the larger institutions: the rate for the City of Dublin is lowered from 17·46 to 15·84, and for the county borough of Waterford from 18·84 to 15·91; in these places the institutions are mostly within the city boundaries, and consequently large numbers of patients are received into the cities from outside localities; while, conversely, the rate for Cork county borough is raised from 14·80 to 16·47, and for Limerick county borough from 13·03 to 15·97, important institutions in these cases being situated outside the city areas.

The value of this adjustment is obvious, as it corrects the effect of displacement due to the presence of Public institutions in certain localities. The adjustment made in standardization, however, is equally important. It is based on figures already corrected for institutions, but relates to the disturbance caused by variations in the constitution of different local populations; these, as already explained, are reduced to a basis of common comparability. The important effect of this second adjustment is again seen in the rates for the county boroughs, which are all raised. This increase arises from the fact that the city populations have a constitution more favourable (a greater proportion of young persons, and more females than males) to a low rate than the country as a whole, and also shows that the cities have, comparatively, a heavier mortality.

TABLE G.

TABLE G.—Showing the effect on the Death-rates in 1931, in Counties, County Boroughs, and Provinces, of correction for Transfers and of standardization for age and sex constitution, based on the distribution of the population of Saorstát Éireann, as a whole, as shown by the Census of 1926.

COUNTIES, ETC.	Death-rates in 1931 per 1,000 population.				
	Un-corrected. (Crude) (1).	Corrected for Transfers. (Crude) (2).	Standard- ized Rates. (3).	Effect of Correction (col 2 on col. 1). (4).	Effect of Standard- ization (col. 3 on col. 2). (5).
Carlow	15.26	15.20	14.90	— 0.06	— 0.30
Dublin	14.50	14.07	16.00	— 0.43	+ 1.93
City of Dublin	17.46	15.84	18.82	— 1.62	+ 2.98
Kildare	13.06	14.53	15.79	+ 1.47	+ 1.26
Kilkenny	15.13	15.62	15.66	+ 0.49	+ 0.04
Laoighis	15.66	16.01	15.13	+ 0.35	— 0.88
Longford	14.63	15.36	13.79	+ 0.73	— 1.57
Louth	13.52	14.27	14.69	+ 0.75	+ 0.42
Meath	13.91	14.86	14.91	+ 0.95	+ 0.05
Offaly	14.28	15.08	14.73	+ 0.80	— 0.35
Westmeath	14.80	14.48	14.38	— 0.32	— 0.10
Wexford	16.12	16.37	16.07	+ 0.25	— 0.30
Wicklow	13.89	15.94	15.89	+ 2.05	— 0.05
Province of Leinster	15.72	15.48	16.57	— 0.24	+ 1.09
Clare	12.56	12.92	11.47	+ 0.36	— 1.45
Cork	14.62	14.07	14.21	— 0.55	+ 0.14
Cork County Borough	14.86	16.47	19.62	+ 1.67	+ 3.15
Kerry	12.10	12.32	12.36	+ 0.22	+ 0.04
Limerick	15.57	14.42	14.57	— 1.15	+ 0.15
Limerick County Borough	13.03	15.97	19.06	+ 2.94	+ 3.09
Tipperary N.R.	13.76	14.70	14.43	+ 0.94	— 0.27
Tipperary S.R.	14.23	14.23	14.74	0.00	+ 0.51
Waterford	13.77	15.16	14.62	+ 1.39	— 0.54
Waterford County Borough	18.84	15.91	17.84	— 2.93	+ 1.93
Province of Munster	14.07	14.16	14.42	+ 0.09	+ 0.26
Galway	12.55	12.53	11.64	— 0.02	— 0.89
Leitrim	14.31	15.28	12.89	+ 0.97	— 2.39
Mayo	11.76	12.02	10.83	+ 0.26	— 1.19
Roscommon	12.97	13.62	11.55	+ 0.65	— 2.07
Sligo	15.00	14.97	13.17	— 0.03	— 1.80
Province of Connaught	12.86	13.13	11.71	+ 0.27	— 1.42
Cavan	13.94	14.65	13.07	+ 0.71	— 1.58
Donegal	13.28	13.25	11.77	— 0.03	— 1.48
Monaghan	14.65	14.40	12.88	— 0.25	— 1.53
Province of Ulster (part of)	13.76	13.88	12.37	+ 0.12	— 1.51
Saorstát Éireann	14.52	14.52	14.52	—	—

The rate for Cork was increased from 16.47 to 19.62 per 1,000, which, as in the past two years, is the highest standardized rate for county and county borough areas. Limerick comes next with a standardized rate of 19.06, to which it was raised from 15.97, followed by Dublin (18.82) increased from 15.84, and Waterford, with a rate of 17.84, to which it was raised from 15.91.

At the same time the rates for rural areas are lowered by standardization. This is particularly apparent in the table for the Counties of Connaught. Leitrim is reduced by 2.39 per 1,000, or from 15.28 to 12.89, and Roscommon by 2.07, or from 13.62 to 11.55.

Further standardized rates are given in Table 17.

The rates above considered refer to total populations. Standardized rates for the sexes separately are calculated in the same way, except that for them the total standard population alone at each age-group is used for each sex, and not the standard male and female populations separately.

The crude mortality* in the City of Dublin for males in 1931 was 16·90 per 1,000 of the male population, and for females 15·42 per 1,000 of the number of females in the population. The standardized rates were 20·38 per 1,000 for males, and 17·24 per 1,000 for females.

In Cork county borough the crude rates* for males and females were 16·55 and 16·38, and the standardized rates 20·45 and 18·80, respectively.

In Limerick county borough the crude rates* for males and females were 17·06 and 14·95 and the standardized rates 20·94 and 17·19.

In Waterford county borough the crude rate* for males was 15·54 and for females 16·15 and the standardized rates 18·07 and 17·72.

Taking the county boroughs and urban districts in the aggregate, the results show that the crude death rate* for both sexes was 15·46 per 1,000 of the population, the rate for males being 16·05 and for females 14·93, while for rural areas the rate for persons was 14·12, for males 13·91 and for females 14·34.

As the result of standardization the rates for urban districts in the aggregate are raised considerably, and the rates for the sexes show a wider divergence, 19·20 for males and 16·60 for females; but the rates for the aggregate of the rural areas come closer to each other, being 13·36 for males and 13·18 for females.

Thus the true mortality among the males in the population of urban areas is 5·84 per 1,000, or 43·7 per cent., and among the females 3·42 per 1,000 or 25·9 per cent., above that prevailing in rural areas, whereas if the comparison were based on the crude rates alone, the mortality for males in urban areas would show an excess over rural of not more than 15·4 per cent., and for females of 4·1 per cent.

An example of the modifications, made by standardization, of the death-rates at different times in Saorstát Éireann area is afforded by the following statement, which shows the average annual death-rates, by sexes, in 1925-7, as compared with the crude rates in the triennial periods centring in each of the five preceding censuses.

AVERAGE ANNUAL DEATH-RATES—AS RECORDED (CRUDE) AND STANDARDIZED—PER 1,000 OF POPULATION.											
	1870-2		1880-2		1890-2		1900-2		1910-2		1925-7
	Crude.	Standard-ized	Crude.	Standard-ized	Crude.	Standard-ized	Crude.	Standard-ized	Crude.	Standard-ized	Recorded death-rate
Persons	16·85	19·03	17·77	20·44	17·91	20·99	17·75	20·36	16·35	15·91	14·48
Males	17·33	19·44	18·10	20·75	17·83	21·06	17·85	20·38	16·32	16·35	14·33
Females	16·39	18·57	17·45	20·11	17·99	20·90	17·65	20·31	16·37	15·49	14·63

The following statement shows the effect of standardization on the rates for Northern Ireland, England and Wales, and Scotland, together with those for Belfast and London, and the aggregate of the rural areas of England and Wales, and Scotland, as compared with the corresponding areas of Saorstát Éireann in 1931 :—

AREA.					Crude Death-rate per 1,000	Standardized Death-rate per 1,000
Saorstát Éireann	...	...	...	...	14·52	14·52
Northern Ireland	...	...	...	...	14·43	15·13
England and Wales	...	...	...	...	12·3	13·79
Scotland	...	...	...	...	13·26	15·01
Aggregate	{ Saorstát Éireann				14·12	13·26
Rural	{ England and Wales				12·05	11·72
Districts	{ Scotland				12·6	13·26
Cities	{ Dublin				15·84	18·82
	{ Belfast				14·22	17·57
	{ London				12·44	14·36

As the result of standardization the mortality for Saorstát Éireann as a whole in 1931 is lower than that for Northern Ireland and Scotland, but higher than for England and Wales.

The standardized mortality for Dublin city (18·82 per 1,000), is 7·1 per cent. higher than that for Belfast (17·57), and 31·0 per cent. higher than the rate for London (14·36).

* Corrected for transfers.

The standardized rate for the rural districts of Saorstát Éireann is 0·01 higher than that for the rural areas of Scotland and 1·54 higher than that for the aggregate of rural districts in England and Wales.

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1931.

—	1st Quarter	2nd Quarter.	3rd Quarter	4th Quarter.	Total.
Males	6,908	5,675	4,296	4,875	21,754
Females	6,778	5,618	4,068	4,729	21,193
TOTAL	13,686	11,293	8,364	9,604	42,947

Of the total deaths 24,979, or 58·2 per cent. were recorded during the first six months, and 17,968, or 41·8 per cent., in the second six months.

The annual rate per 1,000 of the population represented by deaths registered in the first quarter of the year was 18·5; in the second quarter, 15·3; in the third, 11·3; and in the fourth, 13·0, as compared with 17·2, 14·6, 11·5 and 13·4 for the four quarters of 1930, and 17·4, 15·4, 11·8, and 13·2, respectively, for the four quarters of the ten years, 1921-30 (Table 5). These figures show that the excess of mortality in 1931 occurred in the first half of the year and principally in the first quarter.

DEATHS IN INSTITUTIONS.

Abstract V. gives particulars relating to deaths by certain causes in institutions, and for each county and county borough. Of the 42,947 deaths 3,742, or 8·7 per cent., took place in general and special hospitals, 1,141, or 2·7 per cent., in mental hospitals, and 6,780, or 15·8 per cent., in county homes and hospitals or in workhouse hospitals, county infirmaries and district hospitals, leaving 31,284, or 72·8 per cent., that occurred elsewhere, chiefly at deceased's own homes.

CAUSES OF DEATH.

The causes of the deaths which were registered in Saorstát Éireann during 1931 are given in detail by sexes and ages in Abstract IV. This year marks the commencement of another decade, and certain changes have been made in the list of causes in accordance with the Fourth Decennial Revision undertaken by the International Commission at Paris in 1929, but none are of sufficient magnitude to have any material effect on the comparability of the figures with past years. The actual list in full is apparent in the Abstract. The chief differences from the list in use during 1921-30 are the following:—

I.—FORMER TITLES DISCARDED.

NUMBER AND CAUSE IN 1920 LIST. (In use during 1921-30).			PLACE IN WHICH INCLUDED IN 1929 LIST. (For use during 1931-40).	
12	Miliary fever	...	...	44 Other infectious or parasitic diseases.
13	Mumps	...	...	...
15	Cholera nostras	...	119-120	Diarrhoea and Enteritis.
19	Spirochaetosis ictero-haemorrhagica	...	...	39 Other diseases due to protozoa.
25	Other endemic and epidemic diseases	...	...	44 Other infectious and parasitic diseases.
36b	Tuberculosis of bones	...	...	27 Tuberculosis of other bones and joints.
39	Soft chancre	...	...	...
40b	Gonorrhoeal or purulent ophthalmia	...	...	35 Gonococcal infection and other venereal diseases.
84a	Idiocy; Imbecility	...	...	87e Other diseases of the nervous system.
84b	Cerebral tumour	...	...	54-5 Tumours non-malignant or not specified.
92	Embolism and thrombosis (not cerebral)	...	...	94 Disease of the coronary arteries.
			...	99 " " arteries.
			...	100 " " veins.
			...	111b Embolism and infarct. of lungs.

95	Haemorrhage (without stated cause)	...	103	Other diseases of the circulatory system.
127	Other diseases of digestive system	...		Numbers of Group IX : Digestive diseases.
130	Chyluria	...	133	Other diseases of the kidney.
137	Tumour of the ovary	...	54, 55	Tumours, non-malignant or not specified.
138	Pelvic abscess, salpingitis	...	139	Non-venereal diseases of the female genital organs.
139	Tumour of the uterus	...	54, 55	Tumours, non-malignant or not specified.
140	Non-puerperal uterine haemorrhage	...	139	Non-venereal diseases of the female genital organs.
150	Puerperal diseases of the breast	...	150	Other or not specified puerperal conditions.
157	Amputation	...	156b	Diseases of other organs of locomotion.
186	Mines and quarries	...	176-195	According to the nature of the injury ; with supplementary tabulation for the means of injury, <i>e.g.</i> , class of vehicle, etc.
187	Machinery	...		
188a	Crushing, etc.— by Vehicles	...		
b	„ „ by other means	...		
201	Fracture (cause not specified)	...	194b	Other accidents.

II.—NEW TITLES INTRODUCED.

1929 LIST.		PLACE IN WHICH FORMERLY INCLUDED IN 1920 LIST.	
39	Other diseases due to protozoa ...	...	19 Spirochaetosis ictero-haemorrhagica.
		...	25 Other endemic and epidemic diseases.
55	Tumours, nature not specified ...	...	50 Tumours, non-malignant.
58	Gout	...	52 Chronic Rheumatism, Osteo-arthritis, Gout.
64	Osteomalacia	...	155 Diseases of the bones.
66a	Simple goitre	...	60b Other diseases of the thyroid gland.
c	Myxodema : cretinism	...	
70a	Haemorrhagic conditions : purpura	...	
b	„ „ haemophilia	...	
74	Other "diseases" of the blood and haemato- poietic organs.	...	69 Other general diseases.
89a	Otitis and other diseases of ear	...	86 Disease of the ear and mastoid sinus.
92	Chronic endocarditis : valvular disease	...	90a Valvular disease of heart.
		...	90c Other heart diseases.
93a	Acute myocarditis	...	88 Acute endocarditis and myocarditis.
c	Chronic myocarditis ; myocardial degenera- tion	...	
d	Other and not specified myocardial disease	...	90c Other heart diseases.
94	Disease of coronary arteries ; and angina	...	89 Angina pectoris.
	pectoris	...	90c Other heart diseases.
95a	Other diseases of heart : functional	...	90c Other heart diseases.
102	Idiopathic abnormalities of blood pressure	...	96 Other diseases of circulatory system.
111b	Embolism, infarct. of lung ...	...	92 Embolism and Thrombosis (not cerebral).
		...	103 Congestion and Infarct. of lung.
114a	Chronic interstitial pneumonia ...	...	107 Other respiratory diseases.
115b	Disease of tonsils	...	109 Disease of pharynx and tonsils.
115c	Other diseases of buccal cavity and pharynx	...	108b Disease of buccal cavity.
		...	109 Disease of pharynx and tonsils.
127	Diseases of gall-bladder and biliary passages	...	124 Other diseases of the liver.
132	Nephritis, not specified (over 10 years)	...	129 Chronic Nephritis.
139a	Non-venereal diseases of the female genital organs : Ovary, Fallopian tubes, para- metrium.	...	138 Pelvic abscess, salpingitis.
		...	141 Other diseases of the female genital organs.
b	„ „ Uterus	...	140 Non-puerperal uterine haemorrhage.
		...	141 Other diseases of the female genital organs.
c	„ „ Breast	...	142 Non-puerperal disease of the breast.
d	„ „ Others	...	141 Other diseases of the female genital organs.
140	Abortion with septic conditions ...	...	146 Puerperal sepsis.
144a	Placenta prævia	...	144 Puerperal haemorrhage.

147	Other toxæmias of pregnancy ...	143c	Other accidents of pregnancy.
		148	Puerperal albuminaria and convulsions.
148b	Puerperal embolism, sudden death ...	147	Phlegmasia alba dolens, puerperal embolism and sudden death in the puerperium.
		145	Other accidents of childbirth.
150	Other or unspecified puerperal conditions ...	149	Childbirth not assignable elsewhere.
		150	Puerperal diseases of the breast.
154	Osteomyelitis ...	155	Diseases of the bones.
157a	Congenital malformations: hydrocephalus	159	Congenital malformations.
b	" spina bifida, meningocele ...		
c	" heart ...		
d	" monstrosities ...		
e	" others ...		
161b	Icterus neonatorum ...	160	Congenital debility, icterus and sclerema.
161c	Sclerema and other diseases of early infancy	160	Congenital debility, icterus and sclerema.
		162b	Other diseases peculiar to early infancy.
187	Cataclysm ...	Group XIV.	External Causes, according to nature of injury.
198	Capital punishment ...	202	Other external violence.

III.—TITLES TRANSFERRED TO DIFFERENT GROUPS.

CAUSE.	GROUP AND NO. IN 1920 LIST.	GROUP AND NO. IN 1929 LIST.
	II. (43-69) General Diseases ...	<i>Divided into—</i> II. (45-55) Cancer and other tumours. III. (56-69) Rheumatism: diseases of nutrition, and of endocrine glands, and other general diseases. IV. (70-74) Diseases of blood and hæmatopoietic organs. V. (75-77) Chronic poisoning.
Hydatid tumour of liver	VI. (121) Diseases of digestive system.	I. (41) Infectious and parasitic diseases.
Ankylostomiasis ...	VI. (115) " "	I. (40) "
Intestinal parasites ...	VI. (116) " "	I. (42) "
Gangrene ...	IX. (151) Diseases of skin ...	VII. (98) Diseases of circulatory system.
Osteomalacia ...	X. (155) Diseases of bones and organs of locomotion.	III. (64) Rheumatism, disease of nutrition and of endocrine glands, and other general diseases.
Lack of care ...	XII. (163) Diseases of early infancy.	XVII. (194a) Deaths from violence.

IV.—NAMES OF TITLES CHANGED.

1920 LIST	1929 LIST.
1a Enteric Fever ...	1. Typhoid fever.
4 Mediterranean Fever ...	5. Undulant fever.
14. Asiatic cholera ...	12. Cholera.
24. Meningococcal Meningitis ...	18. Cerebro-spinal fever.
65b Lymphadenoma ...	72b Aleukaemia
116. Intestinal parasites ...	42. Diseases due to helminths.

Deaths by causes for counties, county boroughs, and urban and rural districts (Abstracts V. and VI.), and in Saorstát Éireann for previous years (Tables 6A and 7), are given according to a Short List as under. This List differs in some respects from the Abridged International List; chiefly in the omission of certain causes which seldom occur in this country, and in the retention of a number for "Other defined causes," instead of a division into groups similar to the Detailed List. The relation between the Short List and the Detailed List is as follows:—

SHORT LIST NO.	CAUSE OF DEATH.	INTERNATIONAL DETAILED LIST.
1	... Typhoid fever (including paratyphoid) ...	1 and 2
2	... Typhus ...	3
3	... Measles ...	7
4	... Scarlet fever ...	8
5	... Whooping-cough ...	9
6	... Diphtheria ...	10
7	... Dysentery ...	13
8	... Influenza ...	11 a & b
9	... Encephalitis lethargica ...	17
10	... Cerebro-spinal fever ...	18
11	... Tuberculosis of respiratory system ...	23
12	... Other tuberculous diseases ...	24-32
13	... Cancer ...	45-53
14	... Diabetes mellitus ...	59
15	... Cerebral haemorrhage, etc. ...	82a, b, c, d, e
16	... Heart disease ...	90-95b
17	... Other circulatory diseases ...	96-103
18	... Bronchitis ...	106 a, b, c
19	... Pneumonia (all forms) ...	107-9
20	... Other respiratory diseases ...	104-5b, 110a-114c
21	... Gastric and duodenal ulcer ...	117 a & b
22	... Diarrhoea and enteritis (under 2 years) ...	119
23	... Appendicitis ...	121
24	... Cirrhosis of the liver ...	124
25	... Other diseases of liver, etc. ...	125a-127
26	... Other digestive diseases ...	115a & 116, 118a & b, 120a & b, 122a-123, 128-9
27	... Acute and chronic nephritis ...	130-132
28	... Puerperal sepsis ...	140 & 145
29	... Other puerperal causes ...	141-144b, 146-150
30	... Congenital debility, etc. ...	157a-161c
31	... Senility ...	162
32	... Suicide ...	163-171
33	... Other violence ...	172-198
34	... Other defined causes ...	*
35	... Causes ill-defined or unknown ...	199-200c

* Other numbers not included in other headings

This list preserves comparability with previous reports, except in Nos. 15, 17 and 30, to which certain additions have been made, and in Nos. 25, 26 and 31, which are now introduced for the first time. The exact difference in No. 15 is that Cerebral Softening (82c), Hemiplegia (82d), and Other forms of paralysis (82e), have been added; in No. 17, that it is not now confined to Arterio-sclerosis (97), but includes all the numbers shown; and in No. 30 that the whole group of diseases peculiar to early infancy is comprised, "Other diseases of early infancy" having been formerly omitted.

The figures shown in Tables 6A and 7 have been revised back to 1921 in accordance with the new list. For the years 1911-20, the former figures are continued, and the disparity indicated by the list numbers on the table.

[DIAGRAM.

Deaths by causes for counties, county boroughs, and urban and rural districts (Abstracts V. and VI.), and in Saorstát Éireann for previous years (Tables 6A and 7), are given according to a Short List as under. This List differs in some respects from the Abridged International List; chiefly in the omission of certain causes which seldom occur in this country, and in the retention of a number for "Other defined causes," instead of a division into groups similar to the Detailed List. The relation between the Short List and the Detailed List is as follows:—

SHORT LIST No.	CAUSE OF DEATH.	INTERNATIONAL DETAILED LIST.
1	... Typhoid fever (including paratyphoid) ...	1 and 2
2	... Typhus ...	3
3	... Measles ...	7
4	... Scarlet fever ...	8
5	... Whooping-cough ...	9
6	... Diphtheria ...	10
7	... Dysentery ...	13
8	... Influenza ...	11 a & b
9	... Encephalitis lethargica ...	17
10	... Cerebro-spinal fever ...	18
11	... Tuberculosis of respiratory system ...	23
12	... Other tuberculous diseases ...	24-32
13	... Cancer ...	45-53
14	... Diabetes mellitus ...	59
15	... Cerebral hæmorrhage, etc. ...	82a, b, c, d, e
16	... Heart disease ...	90-95b
17	... Other circulatory diseases ...	96-103
18	... Bronchitis ...	106 a, b, c
19	... Pneumonia (all forms) ...	107-9
20	... Other respiratory diseases ...	104-5b, 110a-114c
21	... Gastric and duodenal ulcer ...	117 a & b
22	... Diarrhoea and enteritis (under 2 years) ...	119
23	... Appendicitis ...	121
24	... Cirrhosis of the liver ...	124
25	... Other diseases of liver, etc. ...	125a-127
26	... Other digestive diseases ...	115a & 116, 118a & b, 120a & b, 122a-123, 128-9
27	... Acute and chronic nephritis ...	130-132
28	... Puerperal sepsis ...	140 & 145
29	... Other puerperal causes ...	141-144b, 146-150
30	... Congenital debility, etc. ...	157a-161c
31	... Senility ...	162
32	... Suicide ...	163-171
33	... Other violence ...	172-198
34	... Other defined causes ...	*
35	... Causes ill-defined or unknown ...	199-200c

* Other numbers not included in other headings

This list preserves comparability with previous reports, except in Nos. 15, 17 and 30, to which certain additions have been made, and in Nos. 25, 26 and 31, which are now introduced for the first time. The exact difference in No. 15 is that Cerebral Softening (82c), Hemiplegia (82d), and Other forms of paralysis (82e), have been added; in No. 17, that it is not now confined to Arterio-sclerosis (97), but includes all the numbers shown; and in No. 30 that the whole group of diseases peculiar to early infancy is comprised, "Other diseases of early infancy" having been formerly omitted.


The figures shown in Tables 6A and 7 have been revised back to 1921 in accordance with the new list. For the years 1911-20, the former figures are continued, and the disparity indicated by the list numbers on the table.

[DIAGRAM.

The relative mortality from the numerically most important causes of death can be seen in the following diagram, together with the average mortality from the same causes during the ten years 1921-30.

DIAGRAM NO.2. DEATHS FROM THE PRINCIPAL CAUSES.

NUMBERS AND RATES per 1,000, during 1931 and 1921-30.



The numbers of deaths from some of these principal causes are shown in the statement which follows for the year 1931, compared with 1930, and the averages for the ten years 1921-1930.

CAUSES	Number of Deaths registered			CAUSES.	Number of Deaths registered		
	Years.		Average 10 years 1921-30		Years.		Average 10 years 1921-30
	1931	1930			1931	1930	
Typhoid Fever	68	70	108	Heart Disease	6,024	5,958	4,981
Typhus	11	4	10	Bronchitis	2,594	2,528	2,750
Measles	372	158	253	Pneumonia	2,698	2,442	2,476
Scarlet Fever	74	41	78	Diarrhoea and Enteritis under two years of age	533	492	592
Whooping-cough	139	352	365	Nephritis	1,275	1,320	1,132
Diphtheria	317	386	282	Puerperal Sepsis	66	81	101
Dysentery	4	2	11	Other Puerperal causes	180	197	190
Influenza	1,472	614	1,221	Congenital debility, mal- formation, premature birth, etc., ...	1,764	1,844	1,788
Encephalitis Lethargica	36	47	40	Senility	7,151	7,118	8,300
Cerebro-Spinal Fever	19	11	17	Violence	945	859	1,112
Tuberculous Diseases	3,902	3,825	4,357				
Cancer	3,294	3,329	2,933				
Cerebral hæmorrhage, throm- bosis, hemiplegia, etc.	2,431	2,363	2,077				

All the more important changes which have taken place in the different causes can be seen from this table. The changes fall into two groups—the causes which have increased in number, and those that have decreased. In the first group, the greatest increase is found in influenza, which caused 858 deaths more than in 1930, followed by pneumonia, which increased by 256, measles by 214, violence by 86, tuberculosis by 77, cerebral hæmorrhage, etc., by 68, bronchitis by 66, diarrhoea and enteritis of children under 2, by 41, scarlet fever by 33, senility by 33, cerebro-spinal fever by 8, typhus by 7, and dysentery by 2. In the second group the following diseases caused fewer deaths in 1931 than in 1930:—Whooping-cough, decrease (213); congenital debility, etc. (80); diphtheria (69); nephritis (45); cancer (35); other puerperal causes (17); puerperal sepsis (15); encephalitis lethargica (11); and typhoid fever (2).

Comparing these two groups with the similar groups of the previous year, it is notable that, with the exception of five diseases, the increases or decreases in 1931 counteract to greater or less extent the decreases or increases in 1930. This fluctuating movement takes place in some degree with all diseases, but essentially in the epidemic diseases, which periodically rise and fall. In other diseases the annual change is proportionally less pronounced, and in a few it is a progressive movement either up or downwards. Two of the exceptions named above are of this kind, viz., deaths from cerebral hæmorrhage, etc., and from heart disease; the deaths from these diseases having increased annually with little intermission for the past ten years. The other three diseases which remain in the same group as in 1930 are epidemic diseases, viz., typhoid fever, whooping-cough and measles, the first two still decreasing and the last still increasing. The periods of fluctuation may vary over several years, and for this reason it is important to compare the mortality of the year, not only with that for the previous year, but with preceding periods. This is done generally throughout the following notes, the period most convenient and most commonly used being the ten years 1921-30.

The rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* in the aggregate are shown in Table 16, which gives the information by provinces, counties and county boroughs; from this table it will be seen that the rate for all areas in 1931 was 0.51 per 1,000 of the population, varying from 0.19 for Waterford county, 0.20 for Sligo county, and 0.22 for Meath county, to 1.72 for Limerick county borough, 1.19 for the City of Dublin, and 0.79 for Cork county borough.

Table 17 shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 0.96 per 1,000 of the population, being three times the rate for rural districts—0.32 per 1,000.

Enteric Fever.—There were 68 deaths from enteric fever (of males 37 and of females 31), including 3 from paratyphoid fever. This is 2 below the number recorded in 1930, and 40 below the average for the ten years 1921-30. Thirteen deaths appertained to urban areas and 55 to rural (see Abstract VI), yielding rates of 1.5 and 2.7 per 100,000 of the respective populations. Similar rates occur from year to year, placing this disease among the few which cause a heavier rural than urban mortality.

Typhus.—An increase in deaths from typhus was registered, the number being 11, or 7 above the number in 1930, and one above the average. Six of the 11 deaths in 1930 were those of males and 5 of females.

Small-Pox.—No death from small-pox has occurred since 1907, when one was registered.

Measles.—There were 372 deaths from measles (199 of males and 173 of females). This is a considerable increase over the numbers during the two preceding years (158 in 1930, and 139 in 1929), and over the average for the ten years 1921-30, viz., 253, but is very near the number in 1928 (369). Of the 372 deaths, 340 were those of children under 5 years of age, including 242 under 2 years. The urban mortality is greatly in excess of the rural, viz., 33.4 per 100,000 as compared with 3.7.

Scarlet Fever.—Seventy-four deaths from this disease were registered. This is 33 above the low number in 1930, but 4 below the average for the preceding ten years, 78. Of the 74 deaths, 39 were those of males and 35 of females.

Whooping-cough.—Deaths from whooping-cough numbered 139. This number is the smallest ever recorded for this disease. It is considerably less than half the average (365) for the preceding ten years, and is 213 below the number in 1930. All of the deaths in 1931, except 7, were those of children under 5 years of age, 66 being those of infants under one year of age. The total number comprised 72 males and 67 females.

The deaths recorded for urban areas numbered 56 and for rural areas 83; in 1930 these numbers were 151 and 201 respectively.

Diphtheria.—Deaths from this disease numbered 317, or 10.7 per 100,000 of the estimated population, as compared with 386, or 13.1 per 100,000 in 1930 and an average of 282 (rate 9.4) for the ten years 1921-30. Of the 317 deaths, 150 were those of males and 167 of females, and 258 were of children under 10 years of age, or more than 81 per cent. of the total at all ages.

* Typhoid fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

The rate of mortality in urban areas is nearly twice as great as the rate in rural areas, the respective rates being 15.9 and 8.5 per 100,000 of the population. In 1930 the rates were 22.7 and 9.0, respectively.

Particulars by ages and sexes, details for counties and county boroughs and for urban and rural areas are shown in Abstracts IV to VI. From these it seems that there was a more even distribution of the disease over the country than the year before. Nevertheless, an excessive rate is still found in the county boroughs of Cork and Dublin, for which 27 and 72 deaths respectively were registered, equivalent to rates of 34.4 and 17.5 per 100,000. The rate for Limerick county borough is also high, viz., 20.3. Among administrative counties the highest rates are found in Offaly (28.5), Kildare (20.7) Longford (17.6), Tipperary, S.R. (16.0) and Carlow (14.5). The remaining counties give rates approximately the same as the general rate or below it. No deaths from diphtheria were registered for Waterford county.

The following statement gives the death-rates from this cause for aggregates of urban and rural districts for each year from 1901.


STATEMENT showing Death-rates from Diphtheria, per 100,000 of the estimated populations, in Urban and Rural Districts of Saorstát Éireann during the years 1901 to 1931.*

YEAR	Urban Districts	Rural Districts	YEAR	Urban Districts	Rural Districts
1901 ...	9.6	5.0	1916 ...	8.0	6.0
1902 ...	12.0	7.2	1917 ...	6.8	5.8
1903 ...	9.5	7.2	1918 ...	6.3	4.4
1904 ...	5.9	6.5	1919 ...	9.1	4.8
1905 ...	7.1	6.2	1920 ...	18.6	5.3
1906 ...	8.2	7.2	1921 ...	21.3	12.5
1907 ...	9.9	4.4	1922 ...	15.7	12.3
1908 ...	10.3	6.1	1923 ...	10.4	9.1
1909 ...	11.2	8.0	1924 ...	8.8	5.1
1910 ...	10.7	6.3	1925 ...	7.7	4.3
1911 ...	17.0	5.3	1926 ...	12.0	4.5
1912 ...	15.9	5.0	1927 ...	13.8	4.7
1913 ...	13.1	3.8	1928 ...	12.1	5.8
1914 ...	12.7	4.3	1929 ...	16.5	7.7
1915 ...	11.8	6.0	1930 ...	22.7	9.0
			1931 ...	15.9	8.5

* See Note (†) to Table 18.

In the following Diagram the trend of the mortality from this disease is shown during the present century, represented by the rates per 100,000 of the population of Saorstát Éireann (distinguishing urban and rural districts), Northern Ireland, England and Wales, and Scotland.

DIAGRAM NO.3. DEATHS FROM DIPHTHERIA, 1901 to 1931.



Dysentery.—To this cause 4 deaths were attributed, as compared with 2 in 1930, and an average of 11 for the preceding ten years.

Diarrhoea and Enteritis (children under 2 years).—The number of deaths of children attributed to these causes during the year 1931 was 533; this is an increase of 41 over the number in 1930, but 59 less than the average (592) for 1921-1930, and is represented by a rate of 9.3 per 1,000 births registered.

The urban excess of mortality is specially marked under this heading, being 15.1 per 1,000 births as compared with 6.1 for rural areas; the rates for 1930 were in similar proportion to each other, *viz.*, 14.8 and 4.9.

Influenza.—An epidemic of influenza occurred in the early part of the year, and the deaths registered were more than twice as many as in the previous year, *viz.*, 1,472, as compared with 614, and 251 more than the average in 1921-30. The proportion registered in the first quarter of the year was 51 per cent., followed by 34 per cent. in the second, 6 per cent. in the third, and 9 per cent. in the fourth. The rate per 1,000 of the population represented by the total was 0.50.

Of the 1,472 deaths, 692 were those of males and 780 of females.

This disease is among the very few causes which have an excess rural mortality: 1,123 deaths, or 0.54 per 1,000 of the rural population, related to rural areas, and 349, or 0.40 per 1,000, appertained to urban areas; the corresponding figures in 1930 were 0.24 and 0.13 respectively.

Of the total deaths from influenza 444 were described as associated with pulmonary complications, and 1,028 were returned as from influenza without qualification, or were complicated with maladies other than pulmonary.

Erysipelas.—There were 33 deaths (16 of males and 17 of females) from this cause, as compared with 37 in 1930.

Encephalitis Lethargica.—Encephalitis lethargica caused 36 deaths. This number is 11 less than the number in 1930, and, except for 1929, is also less than for any year since 1923. The average for 1921-30 was 40. Sixteen of the 36 deaths were of males and 20 of females.

Cerebro-spinal Fever.—This disease caused 19 deaths (10 of males and 9 of females), or 8 above the number for 1930, and 2 above the average for the 10 years 1921-30.

Tetanus.—The number of deaths from tetanus was 20, those of males being 15 and of females 5, as against a total of 25 (21 of males and 4 of females) in 1930.

TUBERCULOSIS.

An increase in deaths from all forms of tuberculosis occurred in 1931, raising the total to 3,902, as compared with 3,825 in 1930, and 3,875 in 1929, but not above any annual number registered earlier. The increase has been registered entirely among females, of whom 106 more deaths occurred than in 1930. Male deaths decreased by 29. The rate for 1931, owing to the increased population, is not greater than in 1929, being 1.32 for both years, but is 0.02 higher than in 1930, and considerably above the rates recorded in Great Britain, *viz.*, 0.90 in England and Wales, and 0.87 in Scotland. The corresponding rate in Northern Ireland in 1931 was 1.22.

When the rates for the latter areas are standardized, the resulting rates show the mortality for Saorstát Éireann in a still more unfavourable light, as follows:—Northern Ireland, 1.19; England and Wales, 0.86; Scotland, 0.86.

The total number of deaths of males from tuberculosis was 1,893, equal to a rate of 1.26 per 1,000 of the male population, and the number of deaths of females, 2,009, equal to a rate of 1.38 per 1,000 of the female population, as will be seen from Table H below. The female rate continues to be in excess, as it has been since 1918. This is in the reverse order to Great Britain. In England and Wales the rate for males in 1931 was 1.04 per 1,000 and for females 0.76; and in Scotland 0.94 and 0.80 respectively.

TABLE H.—Showing, by sexes, the mortality from tuberculosis in Saorstát Éireann during each of the years 1921-31.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number	Per cent.	Number	Per cent.
1921 ...	2,337	1.46	2,487	1.66	4,824	1.56	—	—	298	5.8
1922 ...	2,316	1.51	2,298	1.54	4,614	1.53	—	—	210	4.4
1923 ...	2,222	1.46	2,246	1.51	4,468	1.48	—	—	146	3.2
1924 ...	2,264	1.49	2,318	1.56	4,582	1.52	114	2.6	—	—
1925 ...	2,807	1.53	2,366	1.61	4,673	1.57	91	2.0	—	—
1926 ...	2,167	1.44	2,195	1.50	4,362	1.47	—	—	311	6.7
1927 ...	2,138	1.43	2,163	1.48	4,301	1.45	—	—	61	1.4
1928 ...	2,004	1.34	2,043	1.41	4,047	1.37	—	—	254	5.9
1929 ...	1,910	1.28	1,965	1.36	3,875	1.32	—	—	172	4.3
1930 ...	1,922	1.28	1,903	1.31	3,825	1.30	—	—	50	1.3
Average, 1921-1930,	2,159	1.42	2,198	1.49	4,357	1.46	—	—	999*	20.7 *
1931 ...	1,893	1.26	2,009	1.38	3,902	1.32	77	2.0	—	—


* Decrease in 1930 as compared with 1921.

The foregoing table shows that the decline in the number of deaths from tuberculosis between 1921 and 1930 amounted to 20·7 per cent. The deaths for 1930 were the fewest ever recorded; but the increase in 1931 does not materially alter the position. Forty-six more deaths took place in 1931 among the population of urban areas than in 1930, and 31 more in rural areas. The total urban rate is considerably in excess of the rural rate; in 1931 the former was 1·81 per 1,000 and the latter 1·11, and in 1930 1·76 and 1·10, respectively.

The increase in 1931 occurred altogether in deaths from pulmonary tuberculosis, which numbered 3,051 as against 2,964 in 1930. Deaths from other forms of tuberculosis decreased by 10, the total number in 1931 being 851. These 851 deaths were distributed under the different forms of tuberculosis by which such deaths are classified, as follows: tuberculosis of the central nervous system, 265 (152 males and 113 females); tuberculosis of the intestines and peritoneum, 201 (77 males and 124 females); tuberculosis of the vertebral column, 65 (37 males and 28 females); tuberculosis of the bones and joints, 69 (40 males and 29 females); tuberculosis of other organs, 63 (28 males and 35 females); and disseminated tuberculosis, 188 (93 males and 95 females).

Diagram No. 4 illustrates the variations in the mortality from tuberculosis in Ireland, England and Wales, and Scotland, since 1901, and shows the almost continuous decline in the disease. From the diagram it may be seen that the curve for Saorstát Éireann follows the variations of that for Scotland, whereas the curve for Northern Ireland is very similar to that for England and Wales.

DIAGRAM NO. 4. DEATHS FROM TUBERCULOSIS, 1901 to 1931.




In the following Table and Diagram (No. 5) the mortality from tuberculous disease at different age periods is shown for each sex during the period 1912-14, as compared with 1929, 1930, and 1931. The great reduction at all age periods and for each sex is apparent. The decrease in 1931 as compared with 1912-14 was 36·8 per cent. for all persons, 40·8 per cent. for males, and 32·7 for females. The greatest decrease has occurred at ages under 15, the rate under 5 years being 55·4 per cent. less than in 1912-14; at 5-10 years 57·5 per cent. less, and at 10-15, 44·9 per cent. less. At the age-period, however, where the most deaths occur, the least decrease is apparent, viz., at 20-25 years, the rate being only 20·6 per cent. less than in 1912-14. The rates at the age-periods up to 45 years are high compared with those for the neighbouring countries. At ages 15-20 the rate for males in England and Wales was 0·78 per 1,000, and for females 1·14, whereas in Saorstát Éireann the corresponding rates were 1·18 and 1·92. At ages 20-25 the rate for males in England and Wales was 1·18 per 1,000 of the male population at this age, and for females 1·36, the corresponding rates for Saorstát Éireann being just double, viz., 2·31 and 2·72. At the age period 25-35 the rates for males and females were 1·23 and 1·13 in England and Wales, in Scotland 1·08 and 1·02, and in Saorstát Éireann, 2·14 and 2·58. At the age period 35-45 the rate for males in England and Wales was 1·46 and for females 0·81; in Scotland the rates were 1·22 and 0·81, while for Saorstát Éireann the corresponding rates were 1·80 and 1·70.

TABLE J.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at same age, in Saorstát Éireann, during the period 1912-14, and during the years 1929, 1930, and 1931.

PERIODS	DEATH-RATES PER 1,000 OF THE POPULATION AT SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up.
M A L E S .												
1912-14...	2·13	1·92	0·76	0·77	1·87	3·06	3·55	3·28	2·50	1·94	0·89	0·32
1929 ...	1·28	0·87	0·42	0·42	1·10	2·11	2·15	1·96	1·54	1·18	0·69	0·28
1930 ...	1·28	0·91	0·42	0·38	1·25	2·22	2·28	1·74	1·53	1·24	0·53	0·18
1931 ...	1·26	0·90	0·30	0·42	1·18	2·31	2·14	1·80	1·40	1·29	0·61	0·18
F E M A L E S .												
1912-14...	2·05	1·80	0·84	1·37	2·77	3·26	3·36	2·80	1·96	1·33	0·54	0·21
1929 ...	1·36	0·82	0·37	0·71	2·08	2·77	2·37	1·73	1·23	0·79	0·47	0·17
1930 ...	1·31	0·69	0·35	0·71	1·96	2·35	2·34	1·62	1·40	0·98	0·46	0·19
1931 ...	1·38	0·76	0·38	0·77	1·92	2·72	2·58	1·70	1·33	1·00	0·42	0·10
P E R S O N S .												
1912-14...	2·09	1·86	0·80	1·07	2·31	3·16	3·45	3·05	2·23	1·63	0·71	0·26
1929 ...	1·32	0·85	0·40	0·56	1·58	2·43	2·26	1·85	1·39	0·99	0·58	0·22
1930 ...	1·30	0·80	0·39	0·54	1·60	2·28	2·31	1·68	1·47	1·12	0·49	0·18
1931 ...	1·32	0·83	0·34	0·59	1·54	2·51	2·36	1·75	1·37	1·15	0·51	0·14

DIAGRAM NO.5. AGE-MORTALITY FROM TUBERCULOSIS.



Abstracts V. and VI. give the details regarding deaths from tuberculosis, for provinces, counties, county boroughs, and urban and rural districts, while Tables 16 and 17 supply the rates per 1,000 of the population for these areas.

It will be seen from Table 16 that the highest tuberculosis mortality for county or county borough areas related to the following:—Waterford county borough (2.21), Cork county borough (2.11), City of Dublin (2.01), Louth (1.72), Limerick county borough (1.65), and Wicklow county (1.51); the counties having the lowest rates being Roscommon (0.60), Clare (0.87), Monaghan (0.91), Limerick (0.93), and Cavan (0.95).

Syphilis, &c.—Thirty-three deaths (18 of males and 15 of females) were ascribed to syphilis, this being 13 more than the number in 1930. Thirteen of the deaths (8 of males and 5 of females) were those of infants under one year of age.

Four deaths (all of them males) were ascribed to gonococcal infection.

There were 11 deaths (all of males) from general paralysis of the insane; 7 deaths (4 males and 3 females) from locomotor ataxy, and 33 deaths (of males 23, and of females 10) from aneurysm.

Purulent Infection, Septicæmia.—Under this heading 104 deaths were returned (54 being those of males, and 50 of females), as against 157 in the preceding year.

Other Infectious or Parasitic Diseases.—The remaining deaths included in the group of infectious and parasitic diseases comprise 9 (7 males and 2 females) from acute poliomyelitis, 2 (one male and one female) from anthrax, 6 (males) from malaria, one (male) from "sleeping sickness," one (male) from Weil's disease, 5 (2 males and 3 females) from helminthiasis and worm fever, 2 (males) from mycoses, one (female) from chicken-pox, one (female) from german measles, one (female) from epidemic rose-rash, 4 (one male and 3 females) from mumps, and one (male) from glandular fever.

CANCER.

Deaths from cancer in 1931 numbered 3,294. This is 35 below the number in 1930. The decrease occurred only among females, for whom 52 deaths less were registered; among males there was an increase of 17. The total number of deaths of males was 1,753, and of females, 1,541. There is not a very great divergence between urban and rural rates for this disease: in urban districts, where 1,059 deaths were registered, the rate was 1.20, and in rural districts there were 2,235 deaths registered, giving a rate of 1.08. In 1930 the respective rates were 1.21 and 1.10.

The average annual rate per 1,000 of the mean population represented by deaths from cancer registered in the years 1881-1890 was 0.37; during 1891-1900 it was 0.48; during 1901-1910 it was 0.68; during 1911-1920 it was 0.84; and during 1921-1930 it was 0.98.

The rates per 1,000 of the population represented by all deaths, by deaths of males and by deaths of females from cancer in 1931 were 1.11, 1.17, and 1.06 respectively. The corresponding rates in 1930 were 1.13, 1.16, and 1.10.

In Northern Ireland the rate for both sexes was 1.25, for males 1.19, and for females 1.30. In England and Wales the respective rates were 1.48, 1.45 and 1.52, and in Scotland 1.48, 1.40 and 1.55.

When standardized the total rate for Northern Ireland is increased to 1.32 per 1,000, for England and Wales to 1.58, and for Scotland to 1.64.

The trend of cancer mortality in these areas from the year 1901, as well as in the urban and rural areas of Saorstát Éireann from 1923, based on rates unadjusted for the differences in the age and sex constitution of their populations, is given in the diagram on page xxxii.

Of the 3,294 deaths comprised under the description of cancer, 1,908 were returned as from carcinoma, 150 as from sarcoma, and 1,236 as from cancer, or malignant disease without specification.

Table (K.), pp. xxx-i shows the deaths from cancer by sexes, ages, and parts affected.

TABLE K.—Showing the deaths from CANCER* registered

International List Nos.	Parts Affected.	MALES.													Total.
		AGES AT DEATH.													
		Under 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and Upwards	
45	Jaw ..	.	.	.	2	1	3	4	7	16	11	7	6	6	63
	Lip ..	.	.	.	.	.	.	2	1	8	10	9	10	13	53
	Mouth ..	.	.	.	.	.	1	3	5	1	6	3	2	1	22
	Nose ..	.	.	.	.	.	.	2	.	.	1	.	1	1	5
	Tongue ..	.	.	.	.	.	5	6	9	13	19	7	13	9	81
	Tonsil ..	.	.	.	.	.	3	.	.	3	.	.	1	2	9
	Pharynx ..	.	1	.	.	.	2	1	4	2	2	.	2	1	15
46	Liver, Gall Bladder ..	1	.	1	.	2	6	4	15	24	17	23	12	12	117
	Oesophagus ..	.	.	.	.	.	2	3	12	15	14	16	6	6	74
	Peritoneum ..	.	.	.	.	.	.	.	1	1	2	2	1	.	7
	Rectum ..	.	.	1	2	.	5	4	18	20	24	27	26	15	142
	Mesentery ..	.	.	.	1	.	.	.	.	.	.	.	.	.	1
	Intestine ..	.	.	.	1	1	5	5	22	35	37	34	41	30	211
	Pancreas ..	.	.	.	.	.	.	5	2	3	5	5	6	3	29
Stomach ..	4	.	1	2	2	12	27	52	63	73	84	63	44	427	
47	Larynx, Trachea ..	.	.	.	.	.	3	4	10	7	4	8	5	6	47
	Lung ..	.	.	2	1	.	1	2	4	1	2	1	2	.	16
	Mediastinum ..	1	.	.	.	1	.	1	3	3	1	.	.	1	11
48	Uterus ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
49	Ovary ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Vagina ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Vulva ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
50	Breast ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
51	Bladder (Male) ..	.	.	.	.	.	.	.	2	4	4	3	5	5	23
	Kidney (Male) ..	2	.	.	.	.	.	.	2	.	1	1	.	1	7
	Penis ..	.	.	.	.	.	.	.	1	1	1	1	4	.	7
	Prostate ..	.	.	.	.	.	.	3	3	4	7	13	12	12	54
	Scrotum ..	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Testicle ..	.	.	.	.	.	1	.	1	.	1	2	.	1	6
52	Ear ..	.	.	.	.	.	.	.	2	.	1	3	3	.	9
	Face ..	.	.	.	.	1	1	1	3	4	7	3	15	8	43
	Other Skin ..	.	.	.	.	.	.	.	1	.	1	1	.	2	5
53	Abdomen ..	.	.	.	1	.	1	.	1	2	2	2	4	.	13
	Bladder (Fem.) ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Eye ..	.	.	1	.	.	1	1	.	.	1	1	1	1	7
	Groin ..	.	.	.	.	.	.	2	1	3	.	1	.	.	7
	Kidney (Fem.) ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Neck ..	1	.	1	.	1	1	4	19	9	7	8	8	7	66
	Pelvis ..	.	.	.	.	.	.	.	1	1	.	.	.	1	2
	Spine ..	.	1	.	.	1	.	.	1	1	1	1	.	.	6
	Spleen ..	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Thorax ..	.	.	.	.	.	.	.	.	.	1	1	.	.	3
	Throat ..	.	.	.	1	.	.	6	10	10	18	12	10	5	72
	Thyroid ..	.	.	.	.	.	.	.	1	2	1	1	.	.	4
	Arm, Leg ..	3	.	2	1	.	.	2	4	3	5	1	3	5	29
	Axilla ..	.	.	.	.	.	.	1	.	.	.	1	1	.	3
	Brain ..	.	.	1	.	.	.	1	.	1	.	.	.	.	3
	Parotid ..	.	.	.	.	.	1	.	3	.	.	.	2	.	6
	Rib, Sternum ..	.	.	1	.	.	.	.	.	.	1	.	.	1	3
	Shoulder ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Other and Undefined ..	1	1	1	.	1	2	2	3	3	13	6	7	3	43
TOTAL ..		13	3	12	12	11	56	94	224	262	302	289	272	203	1,753
Deaths from Cancer per 100,000 living of the same age ..		2.2	2.4	11.3	13.0	12.6	65.2	108.2	261.9	390.9	563.4	561.9	726.2	513.1	116.5


* Including Carcinoma, Sarcoma

during the year 1931, by Sexes, Ages, and parts affected.

FEMALES.															Total Males and Fe- males
AGES AT DEATH															
Un- der 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and Up- wards	TOTAL		
2	.	.	.	2	.	1	2	3	3	3	2	3	21	84	
.	.	.	.	.	.	.	.	.	.	3	2	.	5	58	
.	.	.	.	.	.	.	.	.	1	.	1	.	2	24	
.	.	.	.	.	.	.	.	.	.	1	.	.	1	6	
.	.	.	.	.	1	.	1	1	.	.	2	1	6	87	
.	.	.	.	.	.	.	.	1	2	.	.	.	3	12	
.	.	.	.	.	1	.	2	.	.	.	.	.	3	18	
.	1	.	2	2	4	7	11	15	23	25	28	15	133	250	
.	1	.	1	1	2	5	4	4	11	4	3	2	38	112	
.	.	.	.	.	.	4	.	.	2	1	2	2	12	19	
.	.	.	1	1	7	3	4	12	9	9	14	10	70	212	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
.	.	.	2	3	7	16	20	23	34	33	31	22	191	402	
.	.	.	1	1	.	.	4	5	5	3	3	3	25	54	
.	1	2	5	6	11	30	32	36	66	60	48	38	335	762	
.	.	.	.	2	.	3	3	2	4	2	1	2	19	66	
.	.	.	2	.	1	1	3	1	2	1	2	1	14	30	
.	.	.	.	.	2	2	.	1	.	1	.	.	6	17	
.	.	2	8	6	16	12	30	20	25	16	12	12	159	159	
.	.	2	.	.	4	2	5	4	2	5	.	1	25	25	
.	.	.	1	.	.	2	1	.	2	2	.	3	11	11	
.	.	.	.	.	.	2	.	1	2	.	2	.	7	7	
.	1	1	6	7	13	34	43	35	39	22	22	20	243	243	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	23	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	
.	.	1	.	.	.	1	.	1	.	.	.	.	3	12	
1	.	.	.	.	1	1	1	3	2	2	11	17	37	80	
.	.	.	.	.	.	.	.	.	3	.	.	3	8	13	
1	.	.	.	3	2	1	4	4	4	4	2	2	27	40	
.	.	.	.	.	.	1	.	2	4	.	4	5	16	16	
.	.	.	1	.	.	.	.	.	.	1	.	2	4	11	
.	.	.	.	.	.	.	.	.	.	1	.	.	1	8	
.	.	.	.	.	.	.	.	3	1	1	1	.	6	6	
.	.	.	.	.	.	1	3	1	2	5	5	1	20	86	
.	.	.	.	.	1	1	1	1	.	1	.	.	4	6	
1	.	.	.	.	.	1	.	1	.	1	1	1	6	12	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	
.	.	1	.	.	1	1	1	2	2	1	3	3	14	86	
.	.	.	.	1	1	2	1	1	.	1	1	.	6	10	
.	.	.	.	.	.	.	.	2	1	1	3	2	15	44	
.	.	.	.	.	.	.	.	.	.	1	1	.	2	5	
.	.	.	.	.	2	.	.	1	.	.	.	.	3	6	
.	.	.	.	.	.	.	.	1	.	1	.	.	2	8	
.	.	.	.	.	.	.	.	1	3	.	1	2	7	10	
.	.	.	.	.	.	.	.	.	.	1	.	1	2	2	
.	.	.	.	2	4	1	1	6	5	2	6	2	29	72	
5	5	9	30	37	83	136	179	194	259	214	214	176	1,541	3,294	
0-9	4-4	8-3	33-3	42-2	100-9	167-6	234-4	334-2	507-7	434-4	482-2	365-0	106-1	111-4	

and Cancer, Malignant Disease;

DIAGRAM NO. 6. DEATHS FROM CANCER, 1901 to 1931.



Tumours.—Deaths from tumours are now classified under two headings: (1) those caused by tumours definitely described as non-malignant (No. 54 in the International List), and (2) those caused by tumours whose nature was not determined, or not specified in the certificate of the cause of death (No. 55). As further information could not be obtained, the greater number have had to be placed in the second or more indefinite class, *i.e.*, 79, as compared with 49 in the first class.

The 49 non-malignant tumours comprise 8 cerebral (of males 4 and of females 4); 11 of the ovary; 13 of the uterus; 5 of the bladder (4 males and one female); 2 (females) of the pancreas; 2 (females) of the abdomen; and one each of the following sites:—intestine, kidney, larynx, parotid, spine and tongue; and 2 of unstated site.

The 79 tumours of undetermined nature include 39 (27 of males and 12 of females) of the brain, 6 of the ovary, 4 of the uterus, 28 (10 males and 18 females) of other sites, and 2 of unstated site. The 28 other sites comprise 10 of the abdomen, 3 of intestine, 3 of mediastinum, 2 of kidney, 2 of liver, 2 of pelvis, and one of each of the following :—larynx, lung, pancreas, prostate, spleen and thorax.

Rheumatism.—There were 111 deaths (57 of males and 54 of females) from rheumatic fever, 221 deaths (110 of males and 111 of females) from chronic rheumatism, and 96 (32 males and 64 females) from rheumatic arthritis and osteo-arthritis.

Diabetes.—To this cause 243 deaths were attributed. This number is 8 above that for the year 1930, and 16 above the average for the 10 years 1921-30.

The deaths in 1931 afford a rate of 8 per 100,000, as compared with a rate of 10 in Northern Ireland, 15 in England and Wales, and 14 in Scotland.

There is a greater mortality of males from this disease in Saorstát Éireann than of females the respective numbers were 132 and 111, and the rates 8·8 and 7·6 per 100,000. In Great Britain the reverse order prevails; in England and Wales the male rate was 12 and the female 17, and in Scotland 9 and 18, respectively. For observations on the recent course of this disease reference should be made to the reports for the years 1928, 1929 and 1930.

Other General Diseases.—Among these were one death (a male) from scurvy, 30 from rickets, one (a male) from osteomalacia, 2 from disease of the pituitary gland, 14 (all females) from simple goitre, 38 (4 males and 34 females) from exophthalmic goitre, 6 (3 males and 3 females) from myxœdema, cretinism, 8 (6 males and 2 females) from tetany, 2 from other diseases of the thyroid gland (one male and one female), 5 from diseases of thymus (4 males and one female), 31 (11 of males and 20 of females) from diseases of the adrenals, 4 (one male and 3 females) from toxæmia, 2 (one male and one female) from diabetes insipidus; one (a female) from acidosis, and one (a female) from hæmolytic jaundice.

Anæmia.—Deaths from pernicious anæmia numbered 196, consisting of 96 deaths of males and 100 of females. These numbers are nearly the same as in 1930, when 198 deaths were registered, those of males being 99 and of females 99, and also as during the period 1926-30, when 200 (97 males and 103 females) were registered on the average each year.

The total number of deaths from other anæmias was 92, those of males being 38 and those of females 54. The average total number for the five years preceding was 76, males 29 and females 47.

Other Diseases of the Blood and Blood-forming Organs.—There were 24 deaths from purpura (17 males and 7 females); 8 (6 males and 2 females) from hæmophilia; 39 (26 males and 13 females) from leukæmia; 23 (15 males and 8 females) from aleukæmia (lymphadenoma, Hodgkin's disease); one (male) from Banti's disease; 2 (males) from other diseases of the spleen; and one (male) from polycythæmia.

Alcoholism.—Ten deaths were ascribed to alcoholism, all being of males. Cirrhosis of the liver caused 89 deaths, 66 being those of males and 23 of females. All except 4 males and one female were aged 30 years and upwards.

Meningitis and Encephalitis.—Deaths from meningitis numbered 256 (deaths of males numbering 138, and of females 118) as compared with 298, 147 and 151 respectively in 1930.

The number of deaths from encephalitis (not returned as encephalitis lethargica) was 15, and from cerebral abscess 19, as against 39 for these two diseases combined in 1930.

Cerebral Hæmorrhage, Hemiplegia, etc.—The combined number of deaths under this heading (No. 82 in the International List) was 2,431, comprising 1,060 deaths of males and 1,371 of females. The diseases comprised in these numbers are cerebral hæmorrhage, 1,412 deaths (621 males and 791 females); cerebral thrombosis and embolism, 204 deaths (88 males and 116 females); cerebral softening, 16 deaths (9 males and 7 females); hemiplegia, 457 deaths (195 males and 262 females); and other paralysis of unstated origin, 342 deaths (147 males and 195 females). This is the fifth successive year in which an increase has been recorded for the total of these diseases. The total number is 68 above the number recorded in 1930, and 354 above the average for the 10 years 1921-30.

Epilepsy.—There were 169 deaths (of males 98 and of females 71) from epilepsy, as compared with 174 in the preceding year.

Convulsions (under 5 years of age).—The number of deaths ascribed to convulsions of children under 5 years of age was 452 (of males 244, and of females 208); of these 387, or 85·6 per cent., were those of infants under one year of age, constituting 9·8 per cent. of the deaths from all causes of infants under one year of age registered during the year.

Heart Disease.—To this group, 6,024 deaths (of males 3,008, and of females 3,016) were assigned, equivalent to a rate of 2.04 per 1,000 of the estimated population, and contributing 14.0 per cent. to the mortality from all causes. The number is 66 above that for 1930, and 1,043 above the average (4,981) for the ten years 1921-30.

Of the 6,024 deaths, 32 were ascribed to pericarditis, 99 to acute endocarditis, 1,681 to chronic endocarditis and valvular disease, 22 to acute myocarditis, 98 to fatty degeneration, 909 to chronic myocarditis and myocardial degeneration, 992 to unspecified myocardial disease, 182 to disease of the coronary arteries, and angina pectoris, and in 2,009 instances the particular form of heart disease was unstated, or was other than those enumerated above.

Other Circulatory Diseases.—There were 540 deaths from the causes included in this group, 303 being those of males and 237 of females. This number is 31 above the number registered in 1930, and 101 above the average for the preceding 10 years.

Of the diseases which comprise the group, arterio-sclerosis is the most conspicuous, causing 304 deaths; followed by gangrene, 110 deaths; aneurysm (referred to above), 33 deaths; idiopathic abnormalities of blood pressure, 26 deaths; diseases of the veins, 24 deaths; other diseases of the arteries, 21 deaths; of the lymphatic system, 12 deaths; and other diseases of the circulatory system, 10 deaths.

Bronchitis.—The deaths from this cause numbered 2,594 (of males, 1,259, and of females, 1,335), being equivalent to a rate of 0.88 per 1,000 of the population, and 6.0 per cent. of the total number of deaths from all causes. The number of deaths is 66 above the number for 1930, but 156 below the average for the ten years 1921-30.

Pneumonia.—Deaths from pneumonia (all forms) amounted to 2,698, and afford a rate of 0.91 per 1,000 of the population; they comprise 1,192 from broncho-pneumonia, 294 from lobar pneumonia, and 1,212 from pneumonia (not otherwise defined).

The 2,698 deaths, including 1,493 deaths of males and 1,205 of females, are 222 above the average for the ten years 1921-30, and 256 above the number in 1930.

Pleurisy; Empyema.—The number of deaths classed to empyema regarding which an originating cause other than pleurisy could not be ascertained, was 18; the males numbering 10, and the females 8; and the deaths registered from other pleurisy were 89, 50 being deaths of males, and 39 of females.

There were also 7 other deaths returned as having been caused by empyema, but as the result of special enquiries, sufficient information was obtained to enable them to be classified to other causes, namely, 3 to pneumonia, 3 to influenza, and one to tuberculosis.

Ulcer of the Stomach and Duodenum.—To this cause 334 deaths were attributed, 238 being those of males and 96 of females. The total number is one below the number in 1930, but 60 above the average (274) for the ten years 1921-30.

Appendicitis.—There were 183 deaths from appendicitis (of males 119, and of females 64), being 14 above the average (169) for the ten years preceding.

Cirrhosis of the Liver.—Deaths from this cause numbered 89 (males 66 and females 23), and are 6 under the average for the ten years 1921-30.

Acute and Chronic Nephritis.—The number of deaths from acute nephritis (including nephritis not characterised as acute or chronic of persons under 10 years of age) was 185 (104 of males and 81 of females) and from chronic nephritis 565 (309 of males and 256 of females), and from nephritis not described as either acute or chronic of persons over 10 years, 525 (292 males and 233 females), constituting a total of 1,275 deaths, which is 45 below those for 1930, and 143 above the average for the ten years 1921-30.

PREGNANCY AND CHILDBIRTH.

The mortality of women during pregnancy and childbirth is classified under three headings, namely (1) septic conditions, (2) intrinsic accidents and diseases of pregnancy and childbirth, and (3) diseases or causes associated with pregnancy and childbirth. To the first group 66 deaths were attributed in the year 1931, to the second, 180, and to the third 26; so that altogether the deaths of childbearing women numbered 272. This number, which is 22 below that for the year 1930, represents a rate of 4.76 per 1,000 of the total births registered, as

compared with 5·04 in the year 1930, and with an average rate of 5·28 per 1,000 for the decade 1921-30.

Table M shows that the deaths actually classed to childbirth caused 32 deaths less than in 1930, puerperal septic diseases having decreased by 15 and diseases and accidents of pregnancy and childbirth by 17, but in associated causes (where the deaths have been classed to the complicating diseases) there was an increase of 10.

Tables 16 and 17 give the rates per 1,000 births for deaths from puerperal conditions and from accidents of pregnancy or childbirth, by provinces, counties and county boroughs and groups of urban and rural areas.

TABLE L.—Showing the number of deaths of women in 1931 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.*

CAUSES OF DEATH.					ALL AGES.	AGES				
						15—	20—	30—	40—	45 yrs. and up
Totals	...	...	...	...	272	4	75	163	28	2
Scarlet Fever	..	...	...	...	3	.	1	2	.	.
Influenza	...	...	...	...	3	.	3	.	.	.
Pulmonary Tuberculosis	..	...	...	...	2	.	1	1	.	.
Ovarian Cyst	...	...	...	...	1	.	1	.	.	.
Rheumatoid Arthritis	...	...	...	...	1	.	.	1	.	.
Diabetes	...	...	...	...	1	.	1	.	.	.
Heart Disease	...	...	...	...	8	.	.	7	1	.
Pneumonia	...	...	...	...	2	.	1	1	.	.
Appendicitis	...	...	...	...	1	.	.	1	.	.
Catarrhal Jaundice	...	...	...	...	1	.	.	1	.	.
Cholecystitis	...	...	...	...	1	.	1	.	.	.
Chronic Nephritis	...	...	...	...	2	.	.	2	.	.
Abortion with Septic Conditions	...	...	...	...	3	.	1	.	2	.
Abortion without „	...	...	...	...	2	.	1	.	1	.
Ectopic Gestation	...	...	...	...	1	.	.	.	1	.
Other Accidents of Pregnancy	...	...	...	...	8	1	.	3	2	.
Puerperal Hæmorrhage (a) Placenta prævia	...	...	...	...	23	.	5	15	3	.
„ (b) Other	...	...	...	...	38	.	9	24	5	.
Puerperal Sepsis	...	...	...	...	63	.	25	33	5	.
Puerperal Albuminuria: Convulsions	...	...	...	...	44	2	9	26	6	1
Other toxæmias of pregnancy	...	...	...	...	19	.	4	13	1	1
Plegmasia Alba Dolens: Thrombosis	...	...	...	...	7	.	1	6	.	.
Puerperal Embolism	...	...	...	...	6	.	1	5	.	.
Other Accidents of Childbirth	...	...	...	...	18	.	5	13	.	.
Other or not stated puerperal Conditions	...	...	...	...	14	1	3	9	1	.

* These deaths are included in the general tables of Causes of Deaths.

TABLE M.—Showing the number of deaths of women directly attributable to, or associated with, PREGNANCY or CHILDBIRTH, during each of the years 1921-31, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years 1921-30.

YEARS.	Deaths from Puerperal Septic Diseases.		Deaths from Accidents of Pregnancy or Childbirth.		Total Deaths from Puerperal Septic Diseases and Accidents of Pregnancy or Childbirth.		Deaths from causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by or associated with Pregnancy or Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1921	108	1·77	194	3·18	302	4·95	34	0·56	336	5·51
1922	118	2·01	215	3·65	333	5·66	37	0·63	370	6·29
1923	117	1·90	180	2·92	297	4·82	31	0·50	328	5·32
1924	102	1·61	201	3·17	303	4·78	27	0·43	330	5·21
1925	105	1·69	186	3·00	291	4·69	21	0·34	312	5·03
1926	115	1·88	184	3·01	299	4·89	30	0·49	329	5·38
1927	77	1·28	194	3·23	271	4·51	20	0·33	291	4·84
1928	103	1·74	189	3·19	292	4·93	26	0·44	318	5·37
1929	80	1·37	159	2·73	239	4·10	44	0·75	283	4·85
1930	81	1·39	197	3·38	278	4·77	16	0·27	294	5·04
Average, 1921-30	100	1·66	190	3·15	290	4·81	29	0·47	319	5·28
1931	66	1·16	180	3·15	246	4·31	26	0·45	272	4·76

VIOLENCE.

The number of deaths due to violent or external causes during 1931 was 945. This is 86 above the number recorded for 1930, and 56 above the average (889) for the five years 1926-30.

The deaths in 1931 comprise 108 by suicide, 29 by homicide, one execution, and 807 other deaths by violence, the great majority of which were definitely stated to have been accidental. Compared with the previous year, suicide has increased by 25, homicide by 7, and other violent deaths by 53.

Eighty-three of the suicidal cases were males and 25 females; in 14 cases poisoning was the means resorted to to cause death, coal gas being used in 3 instances, strychnine in 2, and the following substances in the remaining 9 deaths: carbolic acid, copper sulphate, hydrocyanic acid, lysol, phosphorus, prussic acid, rat poison, an unnamed "corrosive" poison, and a patent drug.

The 29 deaths by homicide comprise 22 of males (including 13 infants under one year of age) and 7 of females (including 3 infants under one year of age).

Among accidental deaths, 18 (12 males and 6 females) were caused by poisons or poisonous gases; four of the deaths were due to ptomaine poisoning, 3 to water contaminated by a new zinc pump, 3 to suffocation by smoke, 2 to strychnine, and one by a gas not described; the remaining deaths were occasioned by the accidental administration of belladonna, carbolic acid, Jeye's fluid, lysol, and potassium cyanide respectively.

Burns and scalds caused 169 deaths (76 males and 93 females), of which 75 were those of children under 5 years of age. Deaths from accidental drowning numbered 118 (93 of males and 25 of females). Deaths by accidental injury from firearms were 10 (9 of males and one female).

Deaths caused by vehicles numbered 188 (146 of males and 42 of females). Of these deaths 126 were caused by motor driven, 32 by horse-drawn, and 10 by railway vehicles; 17 were ascribed to bicycles, and 3 to trams. Compared with the previous year, the total number has increased by one. There was a decrease of 11 in fatalities due to motor traffic, and a decrease of 2 in deaths by railway vehicles, but 7 more deaths have been attributed to horse-drawn vehicles and 7 more to bicycles.

Of the 126 motor vehicles involved in fatal accidents, 58 were described as "motors" or motor cars, 31 as motor lorries or vans, 18 as motor-cycles, 16 as buses, one as a tractor, one as a taxi, and one as an ambulance.

 UNCERTIFIED CAUSES.

Among the 42,947 deaths registered, 8,784 were not certified by medical practitioners, nor were inquests into their causes held. They constitute 20·5 per cent. of the total mortality in 1931, as against an average of 25·3 for the ten years 1921-30. The number of uncertified deaths in urban areas in 1931 was 2·9 per cent. of the total number of deaths relating thereto, the corresponding percentage for rural areas being 28·7.

INQUESTS.

According to returns furnished by the registrars the number of certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1931 was 1,122, or one inquest for every 38 deaths registered.

AGES AT DEATH.

Deaths of children under 5 years of age numbered 5,827, or 13·6 per cent. of the deaths at all ages; they included 3,201 deaths of males, or 14·7 per cent. of the male mortality at all ages, and 2,626 deaths of females, or 12·4 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards amounted to 19,915, constituting 46·4 per cent. of the total number of deaths at all ages, and include 9,805 of males, or 45·1 per cent. of the total deaths of males, and 10,110 of females, or 47·7 per cent. of the deaths of females at all ages.

Among the deaths of persons at these ages 15,787, or 36·8 per cent. of the total deaths, were 70 years of age or over.

Deaths of persons aged 95 years or upwards numbered 249 (of males 106 and of females 143), and they include 42 (males 17 and females 25), whose ages at death were returned as 100 years or upwards.

The ages in detail of the persons whose deaths were registered in the year are given in Abstract III.

The following statement shows the variations in the death-rates at different age-periods between 1930 and 1931 :—

DEATH-RATES FOR EACH AGE PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS.	PERSONS.			MALES.			FEMALES.		
	1931.	1930.	Increase or Decrease in 1931.	1931.	1930.	Increase or Decrease in 1931.	1931.	1930.	Increase or Decrease in 1931.
Under 5 years	20.36	20.12	+0.24	21.93	22.26	—0.33	18.72	17.90	+0.82
5— ...	2.27	2.59	—0.32	2.47	2.67	—0.20	2.07	2.50	—0.43
10— ...	1.77	1.75	+0.02	1.59	1.62	—0.03	1.95	1.90	+0.05
15— ...	3.01	3.01	0.00	2.82	2.79	+0.03	3.20	3.23	—0.03
20— ...	4.33	4.15	+0.18	4.18	4.00	+0.18	4.48	4.32	+0.16
25— ...	4.76	4.40	+0.36	4.48	4.27	+0.21	5.04	4.53	+0.51
30— ...	5.36	5.55	—0.19	4.63	5.05	—0.42	6.10	6.07	+0.03
35— ...	6.21	6.06	+0.15	5.70	5.50	+0.20	6.72	6.62	+0.10
40— ...	7.23	7.00	+0.23	6.95	7.02	—0.07	7.52	6.99	+0.53
45— ...	8.95	9.16	—0.21	8.72	8.70	+0.02	9.19	9.64	—0.45
50— ...	13.93	13.53	+0.40	14.32	12.93	+1.39	13.50	14.20	—0.70
55— ...	19.94	20.33	—0.39	20.01	19.86	+0.15	19.86	20.88	—1.02
60— ...	34.40	33.49	+0.91	35.39	34.04	+1.35	33.36	32.92	+0.44
65— ...	40.99	40.22	+0.77	41.86	42.08	—0.22	40.09	38.28	+1.81
70— ...	74.56	68.52	+6.04	81.99	75.36	+6.63	68.28	62.76	+5.52
75— ...	96.50	92.75	+3.75	103.66	97.16	+6.50	90.60	89.13	+1.47
85— ...	171.38	169.58	+1.80	169.72	174.05	—4.33	172.72	166.00	+6.72
95 and upwards	303.66	286.41	+17.25	296.92	304.23	—7.31	308.86	272.73	+36.13
All Ages ...	14.52	14.16	+0.36	14.45	14.08	+0.37	14.60	14.24	+0.36

In Table 8 are given the number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during 1864-70 and each subsequent decennium.

INFANT MORTALITY.


The number of deaths of infants under one year of age registered during the year 1931 was 3,935, equivalent to a rate of 69 per 1,000 births, as compared with 68 per 1,000 in 1930, and an average of 70 for the ten years 1921-30.

The deaths of male infants numbered 2,229, being equal to 76 per 1,000 births of males, and the deaths of female infants, 1,706, or 62 per 1,000 births of females, the corresponding rates for 1930 being 77 and 58 respectively.

For Northern Ireland the infant mortality in 1931 was 73 per 1,000 births; for England and Wales the rate was 66; and for Scotland 82 per 1,000 births.

The following Diagram (No. 7) shows the experience of each of these countries in infant mortality since 1901, as compared with Saorstát Éireann.

DIAGRAM NO. 7. INFANT MORTALITY, 1901 to 1931.



From Table 10, which gives the infant mortality rates by sexes, ages and causes, it will be seen that mortality from congenital debility (16.00), premature birth (8.58), diarrhoea and enteritis (8.27), pneumonia (7.72), convulsions (6.78), congenital malformations (3.38), and bronchitis (3.17), in the aggregate, is equivalent to 53.90 per 1,000 births, or 78 per cent. of the total infant mortality.

Of the deaths of infants, 38.4 per cent. were under one month old, 12.1 per cent. between one and two months; 9.5 per cent. between 2 and 3 months; 18.2 per cent. were aged 3 and under 6 months, and 21.8 in every 100 were aged 6 and under 12 months old.

Urban and Rural Infant Mortality.

There were 1,809 deaths of infants recorded for urban areas, equivalent to 88 per 1,000 of the corresponding births, and the number of such deaths in rural areas was 2,126, or 58 per 1,000 rural births.

The infant mortality for Belfast in 1931 was 90 per 1,000 births; for Londonderry 97; for London 65; for Liverpool 94; for Edinburgh 69; and for Glasgow 104.

A reference to Table 11 shows the heavy rate of infant mortality which prevails in urban districts as compared with rural districts, more especially for urban areas of 10,000 inhabitants and upwards; in this group the aggregate rate is 91 per 1,000 births. This rate is due chiefly

to the high mortality in the City of Dublin, the county boroughs of Limerick and Waterford and the Urban Districts of Galway and Tralee, for of the towns composing the group the remaining show rates generally much below the aggregate figure. The individual rates for the 12 areas over 10,000 are as follows:—Limerick county borough, 120; Tralee, 106; Galway, 97; City of Dublin, 94; Waterford county borough, 92; Sligo, 91; Kilkenny, 88; Dundalk, 76; Wexford, 76; Dun Laoghaire, 75; Drogheda, 71; and Cork county borough, 70. Deaths of infants in urban districts of less than 10,000 inhabitants were equivalent to a rate of 78 per 1,000 births.

The following statement gives the infant mortality for each sex for urban and rural areas:—

Statement showing the INFANT MORTALITY per 1,000 Births, by sexes, and at different periods of life in 1931, in relation to urban and rural areas.

AGES.	SAORSTAT EIREANN											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas,			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	29.91	31.27	28.45	29.22	31.77	26.51	29.77	31.37	28.05	24.64	27.19	21.95
1-2 Months ...	11.65	13.98	9.15	8.32	8.75	7.85	10.96	12.91	8.88	6.86	7.50	6.20
2-3 „ ...	8.64	9.24	8.00	7.13	8.75	5.40	8.33	9.14	7.47	5.53	6.50	4.50
3-6 „ ...	15.01	17.17	12.70	17.11	20.25	13.75	15.45	17.80	12.92	10.97	10.80	11.14
6-12 „ ...	25.56	30.32	20.45	16.15	14.27	18.16	23.63	27.04	19.98	10.15	11.12	9.12
Under one year ...	90.77	101.98	78.75	77.93	83.79	71.67	88.14	98.26	77.30	58.15	63.11	52.91

This table shows the very large proportion of infants who die before completing their first month of life. Thirty-four per cent. of the infants who died in urban areas, and 42 per cent. of those in rural districts, were under one month old. This age period is sub-divided in Table 12, and it will be seen from it that, of the total mortality rate for urban areas, 7.75, or 8.8 per cent., and for rural areas 7.25, or 12.5 per cent., were deaths of infants under one day old. The higher mortality of males throughout in every case except two (6-12 months for urban areas under 10,000 population, and 3-6 months in rural areas) can also be seen from the table, and also the excessive mortality that is experienced in urban areas as compared with rural.

DEATHS OF ILLEGITIMATE INFANTS.

The number of deaths of illegitimate infants under one year of age registered during the year 1931 was 514, consisting of 276 deaths of males and 238 of females. Based on the number of illegitimate births registered, the resulting mortality rate is 267 per 1,000 births for both sexes, 284 per 1,000 for males and 249 for 1,000 births for females, as compared with 251, 302, and 198, respectively, in 1930. In other words, one out of every 4 illegitimate infants born alive in 1931 died before the completion of its first year of life.

The illegitimate infant mortality, as derived from the records for 1931, is more than 4 times the mortality among legitimate infants, which was 62 per 1,000 births for both sexes, 69 per 1,000 for males and 55 per 1,000 births for females.

Table 13 shows the number of deaths by causes and at different periods of life under one year of age. Rates for each cause by age-periods are not given, as no inference of value could be drawn from figures based on such small numbers. Rates are, however, given for all deaths at each age period. It would appear from this table that at every period of life the mortality among illegitimate infants is much in excess of that for all infants as shown in Table 10.

Table 15 now presents the deaths of the illegitimate infants corrected for transfers, that is, arranged according to the county of residence of the mothers. It will be observed that the great proportion of such deaths take place in institutions. Thus, of 27 deaths for Dublin county 18 took place in institutions, and of the 134 city deaths, the number in institutions was 123, so that only 20 of the 161 deaths for Dublin county and city did not occur in institutions.

E. P. McCARRON,

Registrar-General.

METEOROLOGY : OBSERVATIONS, 1931.

1931. Month.	Temperature.							Rainfall.		Atmospheric Pressure					Prevalent Winds.
	Abs. Highest.	Date.	Abs. Lowest.	Date.	Mean Daily Max.	Mean Daily Min.	Mean Temper- ature.	Amount.	No. of days.	Mean Pressure	Highest Pressure	Date.	Lowest Pressure	Date.	
	°F.		°F.		°F.	°F.	°F.	Inches.		Inches.	Inches.		Inches.		
January ...	52.1	16 & 31	27.2	5th	44.5	35.9	40.2	1.297	16	29.900	30.527	7th	28.954	23rd	W., W.S.W.
February ...	57.0	25th	31.2	19th	47.1	37.0	42.1	1.114	17	29.861	30.318	4th	29.807	16th	W., W.N.W.
March ...	57.2	27th	26.1	10th	46.9	37.2	41.9	1.374	13	29.908	30.488	24th	29.470	13th	E., S.E.
April ...	65.1	11th	34.9	3rd	53.4	42.1	47.8	2.719	17	29.903	30.380	13th	29.118	25th	W., E.
May ...	66.3	26th	37.1	2 & 3	58.6	46.8	52.7	3.606	23	29.792	30.215	8th	29.541	30th	E.S.E.
June ...	73.2	27th	45.0	20th	64.4	52.6	58.5	3.690	19	29.959	30.351	15th	29.560	10th	W., E.
July ...	69.5	11th	51.1	16th	64.8	54.2	59.5	3.617	23	29.760	30.147	21st	29.437	25th	S.W., W.N.W.
August ...	72.3	6th	44.2	26th	63.7	52.7	58.2	3.126	13	29.918	30.355	26th	29.086	19th	E., N.E.
September ...	65.0	17 & 18	40.9	11th	59.4	48.8	54.1	4.840	12	30.215	30.685	25 & 26	29.439	3rd	W., Calm.
October ...	68.0	4th	29.4	26th	55.9	44.3	50.1	0.666	8	30.138	30.667	14th	29.558	23rd	W., S.
November ...	63.2	2nd	33.4	16th	52.0	43.0	47.5	3.817	21	29.627	30.404	16th	28.508	10th	W., S.
December ...	58.3	4th	31.4	30th	49.6	41.7	45.7	0.987	16	30.243	30.674	20th	29.329	20th	W., W.S.W.
Extremes & Means	73.2	June 27	26.1	Mar. 10	55.0	44.7	49.9	30.853	198	29.969	30.685	Sept. 25 & 26	28.508	Nov. 10	W., E.

METEOROLOGY.

The foregoing table and the following observations taken at 40 Fitzwilliam Square, Dublin, have been kindly furnished by Sir John W. Moore, M.A., M.D., D.P.H., Dublin; D.Sc., Oxon., F.R.C.P.I., F.R.Met.Soc.

The rainfall during 1931 measured 30·853 inches, or 3·483 inches more than the average annual measurement during the thirty-five years 1881-1915, viz., 27·370 inches. The seasonal distribution differed from that of 1930 in that the first quarter was the driest and not the second, but, like 1930, the greatest amount fell this year during the third quarter, to the extent of 38 per cent. of the year's total. The distribution during each calendar quarter was as follows:—3·785 inches in the first, 10·015 inches in the second, 11·583 inches in the third, and 5·470 inches in the fourth.

There were 198 "rain-days" in the year (*i.e.*, days on which not less than .005 inch of rain fell). This was equal to the average for 1881-1915. On two occasions the rainfall exceeded one inch in twenty-four hours, viz., on 19th May, when 1·028 inch was recorded, and on 3rd September, when the amount was 2·927 inches.

January was cold, dull and damp. Almost without intermission winds from off the Atlantic passed eastwards across Ireland. A distinctly cold period ushered in the New Year, the mean temperature of the first ten days being as low as 35·1°, accompanied by thick frosts. The characteristics of February were a normal mean temperature, frequent but not heavy rain, and winds from westerly points reaching gale force on several occasions. In the second week a singularly mild spell occurred, the thermometer rising to 56·0° on the 9th. A cold spell followed, but towards the end of the month a warm period again set in, culminating on the 25th with a temperature of 57·0°. March was a cold month: the coldest period of the winter was ushered in by an easterly gale on the 6th, followed by falls of snow on the 7th, and a frost which reached its greatest intensity on the night of the 9th. Warm air from the Atlantic spread over Ireland on the 13th, and the following few days were mild and springlike. For the last five days there were south-easterly winds, clouds and frequent rain.

April commenced with a heavy downpour of cold rain, sleet and hail. The Eastertide was dull and rainy. A change to southerly winds and warmer weather took place on the 8th, but on the 12th a relapse into winter was caused by a Polar air current and cold showers, with hail in places, and cold weather continued till the 23rd, when a series of deep atmospheric depressions caused unsettled and wet weather. May was unsettled, cloudy, dull and rainy: in the first week there was changeable, frequent, but not heavy, rainfall, and an advance in temperature. In the second week there was much cloud at times and a showery tendency: the next week was fine at first, though with low atmospheric pressure; a heavy electrical downpour on the 19th-20th yielded 1·028 inch of rain. The last week of the month was very unsettled, with frequent rain. June was disappointing as a summer month. It opened with very broken weather, though the 4th was a beautiful day of bright sunshine and genial temperature, but a rainy period followed, the heaviest rainfall of the month, .899 inch, occurring on the 5th. From the 10th to 13th the weather was again fine and seasonable, but from the latter date till the 19th rain fell every day. A much warmer spell with high and steady atmospheric pressure followed the summer solstice, and the highest temperature of the month occurred on the 27th, viz., 73·2°.

July, although of average mean temperature, failed in any way to redeem the summer of 1931. For the third month in succession the rainfall in Dublin exceeded 3½ inches. August was dry at the beginning and also during the last eleven days, but nevertheless produced 3·126 inches of rain on 13 days. The month opened with a fine spell of bright summer-like weather, which gave place on the 5th to a fortnight of very changeable, unsettled showery and cool conditions. A rainstorm of exceptional intensity ushered in September: it lasted for the greater part of the first three days and led to serious flooding in the counties of Dublin and Wicklow. In Dublin City the rainfall of those days amounted to 3·940 inches and at Delgany to 5·04 inches; the amounts for the 24 hours ended at 9 a.m. on the 4th, being 2·927 and 3·20 inches at the two places respectively. This memorable rainfall was associated with a strong north-easterly wind. It was followed by a spell of cold, but chiefly fine dry weather; during the latter part of the month the sky continued densely clouded.

October was a fine month of average temperature, high atmospheric pressure, winds of light or moderate strength, and a small rainfall. November proved to be a mild, but very rainy, month. During the last days the barometer rose fast, and became uniformly high, with the result that the air felt calm, temperature gave way, and fog prevailed. December, as a whole, was a distinctly mild month. There were, however, two periods of what may be called seasonable winter weather. The first was brief, viz., from the 5th to the 7th, but the second was more marked, beginning on the 28th and culminating on the 30th, when the temperature rose no higher than 37·2° during the day. The month and year closed with clouded skies and a warm "sou'-wester."

Particulars regarding meteorological observations taken at the Ordnance Survey Office, Phoenix Park, and at Roche's Point, Co. Cork, are published in the Quarterly Returns of Marriages, Births and Deaths.

PART II.

Appended Tables.

TABLE 1.—SAORSTÁT ÉIREANN: ESTIMATED POPULATION, middle of years 1801 to 1931, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1869	4,090	2,012	2,078	1901	3,213	1,607	1,606
1811	4,746	2,363	2,383	1870	4,062	1,996	2,066	1902	3,200	1,603	1,597
1821	5,421	2,676	2,745	1871	4,042	1,986	2,056	1903	3,185	1,599	1,586
1831	6,194	3,033	3,161	1872	4,023	1,975	2,048	1904	3,175	1,597	1,578
1841	6,545	3,235	3,310	1873	3,989	1,955	2,034	1905	3,165	1,594	1,571
1842	6,546	3,235	3,311	1874	3,966	1,944	2,022	1906	3,160	1,593	1,567
1843	6,546	3,234	3,312	1875	3,951	1,940	2,011	1907	3,151	1,589	1,562
1844	6,560	3,240	3,320	1876	3,949	1,942	2,007	1908	3,145	1,588	1,557
1845	6,559	3,239	3,320	1877	3,956	1,947	2,009	1909	3,142	1,589	1,553
1846	6,538	3,227	3,311	1878	3,952	1,948	2,004	1910	3,139	1,588	1,551
1847	6,316	3,113	3,203	1879	3,939	1,944	1,995	1911	3,132	1,586	1,546
1848	5,999	2,950	3,049	1880	3,891	1,920	1,971	1912	3,120	1,581	1,539
1849	5,684	2,789	2,895	1881	3,847	1,901	1,946	1913	3,103	1,572	1,531
1850	5,375	2,633	2,742	1882	3,808	1,882	1,926	1914	3,092	1,568	1,524
1851	5,079	2,486	2,593	1883	3,745	1,853	1,892	1915	3,068	1,546	1,522
1852	4,927	2,413	2,514	1884	3,703	1,834	1,869	1916	3,068	1,549	1,519
1853	4,807	2,358	2,449	1885	3,671	1,820	1,851	1917	3,065	1,551	1,514
1854	4,704	2,311	2,393	1886	3,642	1,808	1,834	1918	3,066	1,553	1,513
1855	4,638	2,281	2,357	1887	3,600	1,788	1,812	1919	3,102	1,598	1,504
1856	4,594	2,261	2,333	1888	3,554	1,766	1,788	1920	3,103	1,598	1,505
1857	4,540	2,234	2,306	1889	3,516	1,748	1,768	1921	3,096	1,599	1,497
1858	4,506	2,217	2,289	1890	3,482	1,733	1,749	1922	3,022	1,529	1,493
1859	4,471	2,190	2,272	1891	3,449	1,718	1,731	1923	3,014	1,526	1,488
1860	4,428	2,179	2,249	1892	3,408	1,697	1,711	1924	3,005	1,521	1,484
1861	4,393	2,164	2,229	1893	3,382	1,684	1,698	1925	2,985	1,512	1,473
1862	4,377	2,158	2,219	1894	3,362	1,675	1,687	1926	2,969	1,505	1,464
1863	4,328	2,134	2,194	1895	3,333	1,662	1,671	1927	2,957	1,499	1,458
1864	4,263	2,103	2,160	1896	3,314	1,653	1,661	1928	2,949	1,496	1,453
1865	4,223	2,084	2,139	1897	3,298	1,646	1,652	1929	2,946	1,496	1,450
1866	4,163	2,051	2,112	1898	3,283	1,640	1,643	1930	2,946	1,497	1,449
1867	4,130	2,033	2,097	1899	3,265	1,631	1,634	1931	2,957	1,505	1,452
1868	4,109	2,022	2,087	1900	3,234	1,616	1,618				

NOTE.—The above populations, from 1801 to 1910, are derived from the estimated populations of Ireland, already published in previous Annual Reports, by applying to those populations the proportion borne by the Saorstát Éireann area, as disclosed at each Census. The variations between the proportions at each successive Census were distributed regularly over the intercensal periods.

The populations of Ireland were obtained as follows:—

From 1801 to 1831 by adopting the rates of increase of the male and female population between 1821 and 1831, as shown by the Irish Census Reports of 1831—the first complete Census of Ireland having been taken in 1821.

1832—1841.—By adopting the rate of increase between the population of 1831 and 1841, according to the Irish Census Report of 1841.

1842—1846.—By taking the English average birth-rate of 1 in 31, and death-rate of 1 in 45, and deducting the annual emigration from Ireland according to the returns received from the Emigration Commissioners in England.

1847—1851.—The English birth-rate, as above, was used, deducting the number of deaths and the number of emigrants in each year, as given in the Irish Census Reports of 1851. An allowance, proportioned to the number of recorded deaths and the number of emigrants being made in each year for the excess of the number thus arrived at for 1851 over the actual population according to the Census of that year.

1852—1871.—The English birth and death rates, as above, were used, deducting the number of emigrants, according to the returns obtained by the Registrar-General for Ireland, and allowing for excess over Census numbers for 1861 and 1871, as explained for the last period.

1872—1910.—By adding the births registered in each year to the estimated population for the previous year, deducting the deaths and the number of emigrants, and adjusting the results for the years 1872-81, 1882-91, 1892-1901, and 1902-1911, to allow for the discrepancy between the numbers thus arrived at for 1881, 1891, 1901 and 1911, respectively, and the population as shown by the Census in each of these years.

From 1911 to date, the populations were estimated by adding the births registered to the population of the area at the Census of 1911, and deducting the deaths registered and the emigrants enumerated each year. (From 1922 the *net* number of emigrants has been employed in the estimates, the number of immigrants having become available through the Department of Industry and Commerce). Adjustments were made during 1915-1921 to cover the movements of British military: and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

TABLE 2.—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN AREA, according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
PERSONS.															
1851 ...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861 ...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871 ...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881 ...	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891 ...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901 ...	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911 ...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926 ...	55,391	222,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
PROPORTION PER CENT.															
1851 ...	1·96	7·67	12·40	13·91	12·54	9·74	12·92	11·14	8·50	5·86	2·37	0·83	0·13	0·03	100
1861 ...	2·34	9·54	10·37	10·28	11·74	10·72	12·93	10·42	9·60	7·51	3·08	1·24	0·20	0·03	100
1871 ...	2·46	9·59	11·77	11·72	9·68	8·40	13·42	9·95	8·93	8·13	4·14	1·49	0·27	0·05	100
1881 ...	2·03	9·13	12·19	12·02	10·85	9·19	12·02	10·68	8·44	7·22	4·17	1·78	0·24	0·04	100
1891 ...	1·87	8·01	10·96	11·97	11·92	9·38	12·41	10·18	9·69	7·15	4·10	1·95	0·36	0·05	100
1901 ...	1·87	7·80	10·09	10·44	10·83	10·06	14·47	10·62	9·26	8·07	4·33	1·79	0·32	0·05	100
1911 ...	1·88	7·90	9·88	9·66	9·67	8·57	14·47	12·12	8·89	6·46	7·50	2·63	0·34	0·03	100
1926 ...	1·86	7·82	9·58	9·94	9·63	8·08	13·42	11·60	11·16	7·77	6·17	2·47	0·47	0·03	100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, 3,128 (1,872 males and 1,256 females); in 1881, 1,909 (1,093 males and 816 females); in 1891, 1,460 (696 males and 764 females).

TABLE 2 (*contd.*).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN AREA, according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
PROPORTION PER CENT.															
1851	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.62	0.37	0.04	100
1901	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926	1.86	7.84	9.60	10.01	9.69	8.26	13.22	11.51	11.46	8.02	5.91	2.19	0.41	0.02	100

* See note (*) on page 3.

TABLE 2 (*contd.*).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN AREA, according to the Census Returns from 1851 to 1926.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	80,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,928	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
PROPORTION PER CENT.															
1851	1·88	7·38	11·91	13·32	12·29	9·81	13·28	11·58	8·72	6·30	2·44	0·91	0·14	0·04	100
1861	2·27	9·27	10·08	9·87	11·70	10·63	12·85	10·97	9·85	7·75	3·19	1·32	0·21	0·04	100
1871	2·41	9·28	11·44	11·25	9·71	8·59	13·73	10·07	9·29	8·27	4·07	1·56	0·28	0·05	100
1881	1·97	8·91	11·91	11·60	10·86	9·08	12·35	11·04	8·56	7·54	4·13	1·75	0·25	0·05	100
1891	1·83	7·87	10·75	11·70	11·74	8·94	12·61	10·71	10·02	7·24	4·21	1·97	0·36	0·05	100
1901	1·83	7·70	9·95	10·22	10·80	9·95	14·37	10·78	9·70	8·27	4·23	1·81	0·33	0·06	100
1911	1·88	7·88	9·84	9·61	9·54	8·24	14·55	11·74	8·79	6·63	8·16	2·74	0·36	0·04	100
1926	1·86	7·80	9·55	9·88	9·57	7·90	13·62	11·70	10·85	7·51	6·45	2·75	0·53	0·03	100

* See note (*) on page 3.

TABLE 3.—SAORSTÁT ÉIREANN: NUMBER OF MARRIAGES, BIRTHS, DEATHS, and the NATURAL INCREASE (excess of Births over Deaths), 1864-1931.

PERIOD.			Mar- riages.	BIRTHS.							DEATHS.			Natural Increase.
				Total.	Legitimate.			Illegitimate.			Total.	Males.	Females	
					Total.	Males.	Females	Total.	Males.	Females				
Average, 1864-70	...	21,150	106,926	104,342	53,623	50,719	2,584	1,304	1,280	67,323	33,878	33,445	39,603	
„ 1871-80	...	18,014	104,379	102,674	52,726	49,948	1,705	878	827	71,611	36,224	35,387	32,768	
„ 1881-90	...	14,692	83,762	82,187	42,261	39,926	1,575	816	759	64,220	32,233	31,987	19,542	
„ 1891-1900	...	14,805	73,995	72,527	37,229	35,298	1,468	753	715	58,994	29,468	29,526	15,001	
„ 1901-10	...	15,325	71,380	69,912	35,912	34,000	1,468	754	714	53,577	27,031	26,546	17,803	
„ 1911-20	...	15,785	66,507	64,912	33,391	31,521	1,595	815	780	51,453	26,131	25,322	15,054	
1921	...	15,102	61,010	59,407	30,468	28,939	1,603	865	738	44,537	23,038	21,499	16,473	
1922	...	15,141	58,849	57,329	29,530	27,799	1,520	814	706	44,547	22,748	21,799	14,302	
1923	...	15,632	61,690	60,066	30,960	29,106	1,624	848	776	42,217	21,561	20,656	19,473	
1924	...	14,822	63,402	61,725	31,865	29,860	1,677	848	829	45,180	22,821	22,359	18,222	
1925	...	13,820	62,069	60,407	30,947	29,460	1,662	871	791	43,650	22,118	21,532	18,419	
1926	...	13,570	61,176	59,460	30,533	28,927	1,716	849	867	41,740	20,844	20,896	19,436	
1927	...	13,418	60,054	58,296	29,714	28,582	1,758	892	866	43,677	21,812	21,865	16,377	
1928	...	13,716	59,176	57,388	29,405	27,983	1,788	922	866	41,792	20,933	20,859	17,384	
1929	...	13,593	58,280	56,427	28,635	27,792	1,853	948	905	42,991	21,547	21,444	15,289	
1930	...	13,631	58,353	56,490	28,973	27,517	1,863	940	923	41,702	21,075	20,627	16,651	
Average, 1921-30	...	14,245	60,406	58,700	30,103	28,597	1,706	880	826	43,203	21,850	21,353	17,203	
1931	...	13,133	57,086	55,161	28,438	26,723	1,925	971	954	42,947	21,754	21,193	14,139	

TABLE 4.—ANNUAL MARRIAGE, BIRTH AND DEATH RATES, INFANT MORTALITY (Deaths of Infants under one year per 1,000 Births), and Natural Increase, 1864-1931.

PERIOD.		MARRIAGES.	BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
		Rate per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Rate per 1,000 Population.	Infant Mortality per 1,000 Births.	
					Per 1,000 Population.	Per 100 Total Births.				
1864-70	...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80	...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90	...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10	...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20	...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921	...	4.88	19.71	19.19	0.52	2.63	1,056	14.39	72.61	5.32
1922	...	5.01	19.47	18.97	0.50	2.58	1,065	14.74	68.89	4.73
1923	...	5.19	20.47	19.93	0.54	2.63	1,064	14.01	66.43	6.46
1924	...	4.93	21.10	20.54	0.56	2.65	1,066	15.03	71.65	6.07
1925	...	4.63	20.79	20.23	0.56	2.68	1,052	14.62	67.92	6.17
1926	...	4.57	20.60	20.02	0.58	2.81	1,053	14.06	74.41	6.54
1927	...	4.54	20.31	19.72	0.59	2.93	1,039	14.77	70.84	5.54
1928	...	4.65	20.07	19.46	0.61	3.02	1,051	14.17	67.87	5.90
1929	...	4.61	19.78	19.15	0.63	3.18	1,031	14.59	70.38	5.19
1930	...	4.63	19.81	19.18	0.63	3.19	1,052	14.16	67.95	5.65
1921-30	...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931	...	4.44	19.30	18.65	0.65	3.37	1,063	14.52	68.93	4.78

TABLE 5.—Showing by Quarterly Periods the number of MARRIAGES, BIRTHS AND DEATHS registered in SAORSTÁT ÉIREANN during each of the years 1921-31; with the average annual rates for the ten years 1921-30 and for 1931 per 1,000 of the population represented thereby.

YEAR	Marriages.															Births.					Deaths.				
	Catholic.					All Other.					Total.					Quarter ending the last day of				Total.	Quarter ending the last day of				Total.
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.										
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.		
1921	3,735	3,418	3,493	3,054	13,700	318	377	405	302	1,402	4,053	3,795	3,898	3,356	15,102	15,550	16,184	15,272	14,004	61,010	12,992	11,861	9,835	9,849	44,537
1922	4,450	3,413	3,047	3,005	13,915	331	331	324	240	1,226	4,781	3,744	3,371	3,245	15,141	14,899	15,692	14,456	13,802	58,849	13,676	12,517	8,713	9,641	44,547
1923	3,942	3,894	3,670	3,070	14,576	193	278	336	249	1,056	4,135	4,172	4,006	3,319	15,632	15,201	16,264	15,458	14,767	61,690	11,840	11,363	8,734	10,280	42,217
1924	4,234	3,155	3,446	3,000	13,835	191	259	313	224	987	4,425	3,414	3,759	3,224	14,822	15,989	16,567	16,432	14,414	63,402	14,534	11,938	8,933	9,775	45,180
1925	3,919	3,030	3,181	2,767	12,897	192	269	278	184	923	4,111	3,299	3,459	2,951	13,820	15,245	16,426	16,057	14,341	62,069	12,998	11,733	9,073	9,846	43,650
1926	3,589	3,015	3,188	2,808	12,600	177	275	309	209	970	3,766	3,290	3,497	3,017	13,570	14,824	16,228	15,600	14,524	61,176	11,548	10,898	8,746	10,548	41,740
1927	3,642	2,847	3,156	2,856	12,501	171	228	295	223	917	3,813	3,075	3,451	3,079	13,418	14,892	15,834	15,302	14,026	60,054	13,410	11,816	8,651	9,800	43,677
1928	3,572	2,995	3,245	2,970	12,782	176	256	312	190	934	3,748	3,251	3,557	3,160	13,716	14,593	15,840	14,868	13,875	59,176	12,578	11,062	8,561	9,591	41,792
1929	3,177	3,106	3,427	2,960	12,670	165	277	293	188	923	3,342	3,383	3,720	3,148	13,593	14,151	15,345	14,993	13,791	58,280	13,960	10,895	8,524	9,612	42,991
1930	3,760	2,843	3,191	2,876	12,670	204	234	298	225	961	3,964	3,077	3,489	3,101	13,631	14,481	15,305	14,862	13,705	58,353	12,666	10,751	8,435	9,850	41,702
Average for ten years, 1921-1930	3,802	3,172	3,304	2,937	13,215	212	278	317	223	1,030	4,014	3,450	3,621	3,160	14,245	14,983	15,968	15,330	14,125	60,406	13,020	11,483	8,821	9,879	43,203
1931	3,348	2,875	3,269	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,304	15,142	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947
Equivalent Annual Rate per 1,000 living:—																									
Average, 1921-1930	5.5	4.6	4.8	4.3	4.8	3.6	4.7	5.4	3.8	4.4	5.4	4.6	4.8	4.2	4.8	20.1	21.4	20.5	18.9	20.2	17.4	15.4	11.8	13.2	14.5
1931	4.9	4.2	4.8	4.0	4.5	3.1	4.6	5.7	3.1	4.1	4.8	4.2	4.8	3.9	4.4	19.3	20.5	19.5	17.9	19.3	18.5	15.3	11.3	13.0	14.5

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864–1910.

CAUSES OF DEATH.		ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
		1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES	...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Enteric fever	...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus	...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.	...		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox	...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles	...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever	...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping-cough	...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria	...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza	...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera	...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery	...	404	198	986	942		9.7	5.0	26.9	28.3	
Diarrhœa	...	1,456	1,300				35.1	32.8			
Pulmonary Tuberculosis.	...	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other Tuberculous diseases.	...	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer	...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia	...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4†
Other respiratory diseases.	...					6,334†					200.8†
Puerperal sepsis	...					234					274
Other puerperal conditions.	...	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide	...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence	...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1931, with similar particulars for NORTHERN IRELAND during 1931 and 1921-30.

List Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Annual Average 1911-20.
	ALL CAUSES ...	51,140	50,480	52,184	49,674	53,713	50,627	51,713	53,682	55,776	45,521	51,453
1	Typhoid fever ...	267	184	204	207	181	209	191	190	132	180	195
2	Typhus ...	33	33	47	27	29	27	38	29	24	30	32
3	Measles ...	332	594	555	691	307	218	372	437	99	227	383
4	Scarlet fever ...	193	202	142	223	236	184	74	56	64	109	148
5	Whooping-cough ...	531	506	488	453	486	525	375	499	287	795	494
6	Diphtheria ...	266	249	196	205	232	200	187	152	185	378	225
7	Dysentery ...	13	16	19	21	20	17	17	12	29	18	13
8	Influenza ...	682	643	786	435	1,082	712	1,004	6,788	7,468	696	2,030
9	Encephalitis lethargica	.	.	.	.	.	.	.	.	4	17	2
10	Cerebro-spinal fever ...	16	15	11	12	65	40	44	46	25	21	30
11	Tuberculosis of respiratory system.	5,287	5,231	5,176	5,020	5,431	5,160	5,320	5,142	4,532	3,975	5,027
12	Other tuberculous diseases	1,366	1,330	1,340	1,324	1,294	1,311	1,346	1,350	1,307	1,147	1,312
13	Cancer ...	2,427	2,510	2,668	2,567	2,553	2,679	2,633	2,618	2,672	2,588	2,591
14	Diabetes mellitus ...	247	264	267	259	274	239	252	209	209	235	245
15 (pt. of)	Cerebral hæmorrhage ...	1,367	1,357	1,444	1,427	1,514	1,439	1,500	1,287	1,438	1,375	1,415
16	Heart disease ...	5,066	5,213	5,310	5,367	5,682	5,373	5,255	4,603	5,020	4,591	5,148
17 (pt. of)	Arterio-sclerosis ...	83	85	105	89	103	101	127	119	149	137	110
18	Bronchitis ...	4,587	4,608	4,529	4,145	5,027	4,164	4,544	3,761	4,355	3,516	4,324
19	Pneumonia all forms	2,693	2,702	2,551	2,398	2,789	2,544	2,702	3,928	3,601	2,626	2,853
20	Other respiratory diseases	844	880	869	865	857	808	837	726	802	701	819
21	Gastric and duodenal Ulcer	221	229	226	246	226	242	233	240	222	204	229
22	Diarrhoea and enteritis under 2 years	1,388	584	1,259	814	813	767	697	610	634	571	814
23	Appendicitis ...	102	109	140	127	140	111	150	133	121	161	129
24	Cirrhosis of liver ...	239	223	223	244	215	197	138	130	113	109	183
27	Acute & chr. nephritis...	1,089	1,171	1,203	1,164	1,153	1,213	1,203	1,111	1,124	1,065	1,150
28	Puerperal sepsis ...	117	164	139	164	139	159	101	93	96	122	129
29	Other puerperal causes	226	239	233	196	219	213	197	202	195	204	212
30 (pt. of)	Congenital debility and malformation: premature birth	2,304	2,128	2,341	2,102	2,156	2,073	2,069	1,902	1,953	1,987	2,101
32	Suicide ...	95	116	103	90	81	68	53	65	83	61	82
33	Other violent deaths...	1,209	1,085	1,163	1,187	1,232	1,548	1,199	926	881	1,218	1,165
34	Other defined causes ...	16,665	16,164	16,935	16,243	17,724	16,831	17,515	15,079	16,565	15,246	16,497
35	Causes ill-defined or unknown	1,194	1,655	1,512	1,362	1,453	1,255	1,340	1,239	1,387	1,211	1,361

* Deaths from Nos. 25, 26 and 31 and also from parts of Nos. 15, 17 and 30 are included in No. 34 'Other defined causes,' for 1911-20. See page xxi.

TABLE 6A (contd.).—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1931.

ist. os.*	CAUSES OF DEATH.	SAORSTÁT ÉIREANN.												NORTHERN IRELAND.	
		1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921- 30.	1931.	1931.	Annual Average 1921- 30.
	ALL CAUSES ...	44,537	44,547	42,217	45,180	43,650	41,740	43,677	41,792	42,991	41,702	43,203	42,047	18,049	18,999
1	Typhoid fever ...	140	96	142	123	105	126	98	94	88	70	108	68	15	34
2	Typhus ...	17	18	19	5	9	8	11	7	7	4	10	11	.	1
3	Measles ...	141	458	171	198	198	519	175	369	139	158	253	372	208	15
4	Scarlet fever ...	110	73	66	65	70	134	81	79	62	41	78	74	34	.
5	Whooping-cough...	216	201	454	621	429	258	448	279	393	352	365	139	84	21
6	Diphtheria ...	461	401	285	186	158	197	218	225	304	386	282	317	61	99
7	Dysentery ...	27	9	15	4	13	6	13	8	9	2	11	4	.	1
8	Influenza ...	648	1,812	621	2,073	1,171	654	2,099	858	1,659	614	1,221	1,472	575	655
9	Encephalitis lethargica	31	19	16	55	51	43	57	46	34	47	40	36	48	34
10	Cerebro-spinal fever	23	11	17	28	12	17	12	18	21	11	17	19	9	7
11	Tuberculosis of respiratory system	3,864	3,694	3,524	3,692	3,667	3,369	3,409	3,189	2,999	2,964	3,437	3,051	1,130	1,436
12	Other tuberculous diseases	960	920	944	890	1,006	993	892	858	876	861	920	851	396	474
13	Cancer ...	2,609	2,523	2,730	2,903	2,801	3,021	3,113	3,190	3,116	3,329	2,933	3,294	1,564	1,406
14	Diabetes mellitus	215	239	224	212	222	226	232	232	229	235	227	243	120	123
15	Cerebral hemorrhage, etc.	1,878	1,927	1,991	2,058	2,081	2,027	2,066	2,188	2,191	2,363	2,077	2,431	1,303	1,275
16	Heart disease ...	4,427	4,609	4,643	4,792	4,965	4,656	5,031	5,117	5,616	5,958	4,981	6,024	3,062	2,637
17	Other circulatory diseases	386	340	373	398	448	474	456	500	505	509	439	540	422	313
18	Bronchitis ...	3,013	3,345	2,866	2,926	2,654	2,433	2,610	2,427	2,696	2,528	2,750	2,594	946	1,278
19	Pneumonia, all forms	2,303	2,792	2,102	2,667	2,338	2,314	2,833	2,358	2,608	2,442	2,476	2,698	1,123	1,256
20	Other respiratory diseases	678	714	681	763	737	666	684	758	790	753	722	781	291	280
21	Gastric and duodenal ulcer	201	216	267	292	270	264	271	340	284	335	274	334	164	125
22	Diarrhoea and enteritis under 2 years	883	443	513	515	640	815	493	569	559	492	592	533	219	307
23	Appendicitis ...	139	147	164	159	156	189	185	194	154	205	169	183	96	92
24	Cirrhosis of liver ...	118	98	94	88	90	113	106	89	91	62	95	89	39	30
25	Other diseases of liver, etc.	149	146	134	127	106	133	143	128	150	162	138	168	69	68
26	Other digestive diseases	1,380	1,223	1,219	1,160	1,136	1,150	1,076	1,094	1,125	1,153	1,172	1,033	412	512
27	Acute and chr. nephritis	1,024	996	1,043	1,062	1,128	1,145	1,117	1,213	1,271	1,320	1,132	1,275	505	448
28	Puerperal sepsis ...	108	118	117	102	105	115	77	103	80	81	101	66	43	138
29	Other puerperal causes	194	215	180	201	186	184	194	189	159	197	190	180	89	
30	Congenital debility, etc.	1,814	1,639	1,716	1,925	1,814	1,867	1,738	1,745	1,778	1,844	1,788	1,764	855	1,004
31	Senility ...	8,688	8,749	8,489	9,034	9,091	7,872	8,198	7,997	7,762	7,118	8,300	7,151	1,951	2,233
32	Suicide ...	79	65	74	96	88	97	96	98	111	83	89	108	63	65
33	Other violent deaths	2,031	1,366	1,315	833	728	792	749	785	860	776	1,023	837	470	474
34	Other defined causes	3,597	3,326	3,368	3,490	3,530	3,623	3,680	3,533	3,338	3,430	3,491	3,351	1,542	1,563
35	Causes ill-defined or unknown.	1,985	1,599	1,640	1,437	1,447	1,240	1,016	915	927	817	1,302	856	141	183

* See page xxi.

TABLE 7.—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1931, with similar particulars for NORTHERN IRELAND, during 1931 and 1921-30.

List Nos.*	CAUSES OF DEATH.	SAORSTAT ÉIREANN.										Annual Average 1911-20.
		1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	
	ALL CAUSES ...	1633.1	1618.2	1681.7	1606.5	1750.7	1650.2	1687.2	1750.9	1798.1	1467.0	1664.4
1	Typhoid fever ...	8.5	5.9	6.6	6.7	5.9	6.8	6.2	6.2	4.3	5.8	6.3
2	Typhus ...	1.1	1.1	1.5	0.9	0.9	0.9	1.2	1.0	0.8	1.0	1.0
3	Measles ...	10.6	19.0	17.9	22.3	10.0	7.0	12.1	14.3	3.2	7.3	12.4
4	Scarlet fever ...	6.2	6.5	4.6	7.2	7.7	6.0	2.4	1.8	2.1	3.5	4.8
5	Whooping-cough ...	17.0	16.2	15.7	14.7	15.8	17.1	12.2	16.3	9.3	25.6	16.0
6	Diphtheria ...	8.5	8.0	6.3	6.6	7.6	6.5	6.1	5.0	6.0	12.2	7.3
7	Dysentery ...	0.4	0.5	0.6	0.7	0.6	0.6	0.6	0.4	0.9	0.6	0.6
8	Influenza ...	21.8	20.6	25.3	14.1	35.3	23.2	32.8	221.4	240.7	22.4	65.8
9	Encephalitis lethargica	.	.	.	.	.	.	.	.	0.1	0.5	0.1
10	Cerebro-spinal fever ...	0.5	0.5	0.4	0.4	2.1	1.3	1.4	1.5	0.8	0.7	1.0
11	Tuberculosis of respiratory system	168.8	167.7	166.8	162.4	177.0	168.2	173.6	167.7	146.1	128.1	162.6
12	Other tuberculosis ...	43.6	42.6	43.2	42.8	42.2	42.7	43.9	44.0	42.1	37.0	42.4
13	Cancer, malignant disease.	77.5	80.4	86.0	83.0	83.2	87.3	85.9	85.4	86.1	83.4	83.8
14	Diabetes mellitus ...	7.9	8.5	8.6	8.4	8.9	7.8	8.2	6.8	6.7	7.6	7.9
15 (pt. of)	Cerebral hæmorrhage	43.6	43.5	46.5	46.2	49.3	46.9	48.9	42.0	46.4	44.3	45.8
16	Heart disease ...	161.7	167.1	171.1	173.6	185.2	175.1	171.5	150.1	161.8	148.0	166.5
17 (pt. of)	Arterio-sclerosis ...	2.6	2.7	3.4	2.9	3.4	3.3	4.1	3.9	4.8	4.4	3.5
18	Bronchitis ...	146.5	147.7	146.0	134.0	163.9	135.7	148.3	122.7	140.4	113.3	139.8
19	Pneumonia, all forms	86.0	86.6	82.2	77.5	90.9	82.9	88.2	128.1	116.1	84.6	92.3
20	Other respiratory diseases	26.9	28.2	27.9	28.0	27.9	26.3	27.3	23.7	25.9	22.6	26.5
21	Gastric and duodenal ulcer	7.1	7.3	7.3	8.0	7.4	7.9	7.6	7.8	7.2	6.6	7.4
22	Diarrhæa and enteritis under 2 years	44.3	18.7	40.6	26.3	26.5	25.0	22.8	19.9	20.4	18.4	26.3
23	Appendicitis ...	3.3	3.5	4.5	4.1	4.6	3.6	4.9	4.3	3.9	5.2	4.2
24	Cirrhosis of liver ...	7.6	7.1	7.2	7.9	7.0	6.4	4.5	4.3	3.6	3.5	5.9
27	Acute and chronic nephritis	34.8	37.5	38.8	37.6	37.6	39.6	30.3	36.2	36.2	34.3	37.2
28	Puerperal sepsis ...	3.7	5.3	4.5	5.3	4.5	5.2	3.3	3.0	3.1	3.9	4.2
29	Other puerperal causes	7.2	7.7	7.5	6.3	7.1	7.0	6.4	6.6	6.3	6.6	6.9
30 (pt. of)	Congenital debility and Malformation: premature birth.	73.6	68.2	75.4	68.0	70.3	67.7	67.5	62.0	63.0	64.0	68.0
32	Suicide ...	3.0	3.7	3.3	2.9	2.6	2.2	1.7	2.1	2.7	2.0	2.6
33	Other violent deaths ...	38.6	34.8	37.5	38.4	40.2	50.5	39.1	30.2	28.4	39.3	37.7
34	Other defined causes...	532.1	518.1	545.8	525.3	577.7	548.6	571.5	491.8	534.0	491.3	533.6
35	Causes ill-defined or unknown	38.1	53.0	48.7	44.0	47.4	40.9	43.7	40.4	44.7	39.0	44.0

* See Note (*) on page 10.

TABLE 7 (*contd.*).—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1931.

List Nos.*	CAUSES OF DEATH.	SAORSTÁT ÉIREANN.												NORTHERN IRELAND.	
		1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921-30.	1931.	1931.	Annual Average 1921-30.
	ALL CAUSES ...	1438.5	1474.1	1400.7	1503.5	1462.3	1405.9	1477.1	1417.2	1459.3	1415.5	1445.4	1452.4	1442.8	1514.1
1	Typhoid fever ...	4.5	3.2	4.7	4.1	3.5	4.2	3.3	3.2	3.0	2.4	3.6	2.3	1.2	2.7
2	Typhus ...	0.5	0.6	0.6	0.2	0.3	0.3	0.4	0.2	0.2	0.1	0.3	0.4	.	0.1
3	Measles ...	4.6	15.1	5.7	6.6	6.6	17.5	5.9	12.5	4.7	5.4	8.5	12.6	16.6	12.1
4	Scarlet fever ...	3.6	2.4	2.2	2.2	2.3	4.5	2.7	2.7	2.1	1.4	2.6	2.5	2.7	4.5
5	Whooping-cough	7.0	6.6	15.1	20.7	14.4	8.7	15.2	9.5	13.3	11.9	12.2	4.7	6.7	19.1
6	Diphtheria ...	14.9	13.3	9.5	6.2	5.3	6.6	7.4	7.6	10.3	13.1	9.4	10.7	4.9	7.9
7	Dysentery ...	0.9	0.3	0.5	0.1	0.4	0.2	0.4	0.3	0.3	0.1	0.3	0.1	.	0.1
8	Influenza ...	20.9	60.0	20.6	69.0	39.2	22.0	71.0	29.1	56.3	20.8	40.9	49.8	46.0	52.2
9	Encephalitis lethargica	1.0	0.6	0.5	1.8	1.7	1.5	1.9	1.6	1.2	1.6	1.3	1.2	3.8	2.7
10	Cerebro-spinal fever	0.7	0.4	0.6	0.9	0.4	0.6	0.4	0.6	0.7	0.4	0.6	0.6	0.7	0.6
11	Tuberculosis of respiratory system	124.8	122.2	116.9	122.9	122.9	113.5	115.3	108.2	101.8	100.6	114.9	103.2	90.3	114.4
12	Other tuberculous diseases	31.0	30.4	31.3	29.6	33.7	33.4	30.2	29.1	29.7	29.2	30.8	28.8	31.7	37.7
13	Cancer ...	84.3	83.5	90.6	96.6	93.9	101.7	105.2	108.2	105.8	113.0	98.3	111.4	125.0	112.1
14	Diabetes mellitus	6.9	7.9	7.4	7.1	7.4	7.6	7.8	7.9	7.8	8.0	7.6	8.2	9.6	9.8
15	Cerebral hæmorrhage, etc.	60.6	63.8	66.1	68.5	69.7	68.3	69.9	74.2	74.4	80.2	69.6	82.2	104.2	101.6
16	Heart disease ...	143.0	152.5	154.0	159.5	166.3	156.8	170.1	173.5	190.6	202.2	166.8	203.7	244.8	210.3
17	Other circulatory diseases	12.5	11.3	12.4	13.2	15.0	16.0	15.4	16.9	17.1	17.3	14.7	18.3	33.7	24.9
18	Bronchitis ...	97.3	110.7	95.1	97.4	88.9	81.9	88.3	82.3	91.5	85.8	91.9	87.7	75.6	101.8
19	Pneumonia, all forms	74.4	92.4	69.7	88.8	78.3	77.9	95.8	80.0	88.5	82.9	82.9	91.3	89.8	100.1
20	Other respiratory diseases	21.9	23.6	22.6	25.4	24.7	22.4	23.1	25.7	26.8	25.6	24.2	26.4	23.3	22.3
21	Gastric and duodenal ulcer	6.5	7.1	8.9	9.7	9.0	8.9	9.2	11.5	9.6	11.4	9.2	11.3	13.1	9.0
22	Diarrhoea and enteritis under 2 years	28.5	14.7	17.0	17.1	21.5*	27.5	16.7	19.3	19.0	16.7	19.8	18.0	17.5	24.5
23	Appendicitis ...	4.5	4.9	5.4	5.3	5.2	6.4	6.3	6.6	5.2	7.0	5.7	6.2	7.7	7.4
24	Cirrhosis of liver...	3.8	3.2	3.1	2.9	3.0	3.8	3.6	3.0	3.1	2.1	3.2	3.0	3.1	2.3
25	Other diseases of liver, etc.	4.8	4.8	4.4	4.2	3.6	4.5	4.8	4.3	5.1	5.5	4.6	5.7	5.5	5.4
26	Other digestive diseases	44.6	40.5	40.4	38.6	38.1	38.7	36.4	37.1	38.2	39.1	39.2	34.9	32.9	40.8
27	Acute and chronic nephritis	33.1	33.0	34.6	35.3	37.8	38.6	37.8	41.1	43.2	44.8	37.9	43.1	40.4	35.7
28	Puerperal sepsis...	3.5	3.9	3.9	3.4	3.5	3.9	2.6	3.5	2.7	2.7	3.4	2.2	3.4	11.0
29	Other puerperal causes	6.3	7.1	6.0	6.7	6.3	6.2	6.5	6.4	5.4	6.7	6.4	6.1	7.1	
30	Congenital debility, etc.	58.6	54.2	56.9	64.1	60.8	62.9	58.8	59.2	60.4	62.6	59.8	59.8	68.3	80.0
31	Senility ...	280.6	289.5	281.7	300.6	304.5	265.1	277.3	271.2	263.5	241.6	277.5	241.8	156.0	177.9
32	Suicide ...	2.5	2.2	2.5	3.2	3.0	3.3	3.2	3.3	3.8	2.8	3.0	3.7	5.0	5.2
33	Other violent deaths.	65.6	45.2	43.6	27.7	24.4	26.7	25.3	26.6	29.2	26.3	34.1	28.3	37.6	37.8
34	Other defined causes	116.2	110.1	111.8	116.1	118.2	122.0	124.5	119.8	113.3	116.5	116.8	113.3	123.3	124.6
35	Causes ill-defined or unknown	64.1	52.9	54.4	47.8	48.5	41.8	34.4	31.0	31.5	27.7	43.4	28.9	11.3	14.6

* See page xxi.

TABLE 8.—SAORSTÁT ÉIREANN. NUMBER OF DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1931.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921 ...	44,537	6,633	908	716	1,186	1,544	2,536	3,102	3,283	5,125	8,255	8,351	2,554	344
1922 ...	44,547	6,537	867	640	1,097	1,422	2,481	2,751	3,477	5,595	8,715	8,117	2,541	307
1923 ...	42,217	6,071	768	648	1,064	1,310	2,311	2,573	3,606	5,097	8,014	7,871	2,580	304
1924 ...	45,180	6,889	662	604	1,008	1,240	2,312	2,617	3,968	5,506	9,012	8,285	2,794	283
1925 ...	43,650	6,356	689	581	1,044	1,167	2,301	2,483	3,698	5,372	8,700	8,111	2,815	333
1926 ...	41,740	6,781	784	570	963	1,077	2,128	2,457	3,682	5,247	8,287	6,961	2,516	287
1927 ...	43,677	6,396	739	500	978	1,083	2,243	2,529	3,822	5,677	9,043	7,567	2,813	287
1928 ...	41,792	5,963	698	506	897	1,055	1,951	2,263	3,754	5,622	8,946	7,109	2,753	275
1929 ...	42,991	5,992	714	500	879	1,035	1,977	2,360	3,796	5,896	9,518	7,428	2,639	257
1930 ...	41,702	5,739	730	514	853	989	1,948	2,230	3,715	6,025	9,621	6,745	2,359	234
Average 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249

Rates per 1,000 of corresponding population.

1864-70 ...	16·23	35·11	5·59	3·17	4·13	6·30	7·89	9·31	13·82	24·94	61·15	123·76	233·44
1871-80 ...	18·06	37·97	5·41	3·35	5·13	6·69	8·45	10·18	14·31	28·38	66·37	143·83	284·60
1881-90 ...	17·56	34·52	4·75	3·32	4·96	6·93	8·85	10·21	14·64	28·52	66·19	135·84	269·29
1891-1900 ...	17·70	35·51	4·15	3·20	4·96	6·89	8·71	10·11	14·51	28·10	62·96	139·82	289·88
1901-10 ...	16·91	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79
1911-20 ...	16·64	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00
1921 ...	14·39	22·08	3·04	2·34	3·97	6·07	5·98	8·54	10·03	22·28	40·94	107·63	200·50
1922 ...	14·74	22·28	2·97	2·15	3·7	5·73	6·00	7·76	10·89	24·93	44·23	106·97	201·39
1923 ...	14·01	20·75	2·64	2·18	3·6	5·30	5·60	7·27	11·32	22·77	40·78	104·01	204·50
1924 ...	15·03	23·62	2·28	2·04	3·48	5·03	5·62	7·42	12·50	24·67	46·00	109·80	218·82
1925 ...	14·62	21·93	2·39	1·97	3·63	4·76	5·63	7·09	11·72	24·23	44·71	108·21	225·39
1926 ...	14·06	23·50	2·75	1·93	3·36	4·48	5·34	7·13	11·11	22·75	45·22	94·98	188·84
1927 ...	14·77	22·34	2·61	1·70	3·44	4·53	5·66	7·37	11·59	24·71	49·54	103·66	209·70
1928 ...	14·17	20·89	2·47	1·72	3·15	4·42	4·93	6·61	11·41	24·54	49·14	97·66	205·39
1929 ...	14·59	21·01	2·53	1·71	3·10	4·35	5·00	6·90	11·55	25·76	52·34	102·14	196·63
1930 ...	14·16	20·12	2·59	1·75	3·01	4·15	4·93	6·52	11·30	26·33	52·91	92·75	176·06
Average 1921-30 ...	14·45	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72
1931 ...	14·52	20·36	2·27	1·77	3·01	4·33	5·03	6·71	11·40	26·53	56·04	96·50	178·72

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons; and during 1871-80 for an average annual number of 44 persons.

TABLE 8 (contd.).—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1931.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921 ...	23,038	3,608	430	346	607	894	1,390	1,617	1,800	2,640	4,179	4,023	1,330	174
1922 ...	22,748	3,652	442	294	524	801	1,253	1,412	1,875	2,921	4,246	3,954	1,220	154
1923 ...	21,561	3,320	395	288	481	769	1,190	1,278	1,971	2,642	3,997	3,831	1,249	150
1924 ...	22,821	3,796	348	286	467	650	1,112	1,248	2,132	2,885	4,435	3,929	1,307	136
1925 ...	22,118	3,474	342	276	500	571	1,072	1,242	1,934	2,841	4,351	3,966	1,307	152
1926 ...	20,844	3,676	363	239	452	534	993	1,177	1,883	2,724	4,116	3,365	1,197	125
1927 ...	21,812	3,483	375	236	461	535	1,074	1,228	1,993	3,014	4,477	3,491	1,314	131
1928 ...	20,933	3,226	346	234	444	510	933	1,086	1,895	2,965	4,425	3,461	1,274	134
1929 ...	21,547	3,307	362	247	399	509	913	1,163	1,977	3,191	4,727	3,417	1,217	118
1930 ...	21,075	3,233	384	242	405	495	916	1,077	1,852	3,139	4,960	3,187	1,077	108
Average 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106

Rates per 1,000 of corresponding population

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09	
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18	
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81	
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23	
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22	
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29	
1921 ...	14.41	23.19	2.78	2.18	3.91	6.64	6.43	8.60	10.41	21.81	42.46	110.44	226.51	
1922 ...	14.88	24.55	2.98	1.94	3.53	6.22	6.06	7.85	11.34	25.24	45.12	113.52	216.41	
1923 ...	14.13	22.36	2.67	1.90	3.24	5.98	5.77	7.12	11.94	22.87	42.55	110.20	220.77	
1924 ...	15.00	25.65	2.36	1.89	3.16	5.07	5.41	6.98	12.96	25.06	47.37	113.39	242.72	
1925 ...	14.63	23.62	2.34	1.84	3.40	4.48	5.24	6.98	11.83	24.82	46.75	115.14	246.70	
1926 ...	13.85	25.18	2.51	1.58	3.09	4.29	5.00	6.80	10.92	22.58	46.32	102.07	201.04	
1927 ...	14.55	23.96	2.60	1.57	3.18	4.32	5.42	7.12	11.60	25.08	50.57	106.32	220.62	
1928 ...	13.99	22.23	2.41	1.56	3.06	4.12	4.71	6.31	11.06	24.73	50.09	105.61	215.41	
1929 ...	14.40	22.79	2.52	1.65	2.75	4.12	4.62	6.76	11.53	26.61	53.50	104.25	204.19	
1930 ...	14.08	22.26	2.67	1.62	2.79	4.00	4.63	6.25	10.80	26.16	56.10	97.16	181.11	
Average 1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55	
1931 ...	14.45	21.93	2.47	1.59	2.82	4.18	4.55	6.32	11.50	26.84	58.77	103.66	176.62	

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males; and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—NUMBER OF DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1931.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
.. 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
.. 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
.. 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
.. 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
.. 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921	21,499	3,025	478	370	579	650	1,146	1,485	1,483	2,485	4,076	4,328	1,224	170
1922	21,799	2,885	425	346	573	621	1,228	1,339	1,602	2,674	4,469	4,163	1,321	153
1923	20,656	2,751	373	360	583	541	1,121	1,295	1,635	2,455	4,017	4,040	1,331	154
1924	22,359	3,093	314	318	541	590	1,200	1,369	1,836	2,621	4,577	4,356	1,397	147
1925	21,532	2,882	347	305	544	596	1,229	1,241	1,764	2,531	4,349	4,145	1,418	181
1926	20,896	3,105	421	331	511	543	1,135	1,280	1,799	2,523	4,171	3,596	1,319	162
1927	21,865	2,913	364	264	517	548	1,169	1,301	1,829	2,663	4,566	4,076	1,499	156
1928	20,859	2,737	352	272	453	545	1,018	1,177	1,859	2,657	4,521	3,648	1,479	141
1929	21,444	2,685	352	253	480	526	1,064	1,197	1,819	2,705	4,791	4,011	1,422	139
1930	20,627	2,506	346	272	448	494	1,032	1,153	1,863	2,886	4,661	3,558	1,282	126
Average 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921	...	14.36	20.86	3.32	2.52	4.05	5.44	5.52	8.47	9.61	22.79	39.50	105.15	178.40
1922	...	14.60	19.95	2.96	2.36	4.01	5.21	5.93	7.66	10.40	24.59	43.43	101.41	189.14
1923	...	13.88	19.09	2.60	2.47	4.10	4.55	5.43	7.43	10.65	22.65	39.17	98.74	191.22
1924	...	15.07	21.52	2.20	2.18	3.81	4.98	5.83	7.88	12.00	24.25	44.75	106.75	199.33
1925	...	14.62	20.20	2.45	2.11	3.86	5.07	6.02	7.19	11.61	23.59	42.83	102.34	207.99
1926	...	14.27	21.96	3.01	2.29	3.65	4.69	5.60	7.48	11.33	22.94	44.18	89.18	179.12
1927	...	15.00	20.68	2.61	1.83	3.71	4.76	5.89	7.63	11.57	24.31	48.57	101.49	200.99
1928	...	14.36	19.50	2.54	1.90	3.26	4.75	5.14	6.93	11.80	24.34	48.25	91.15	197.42
1929	...	14.79	19.17	2.54	1.77	3.46	4.59	5.39	7.05	11.56	24.83	51.24	100.41	190.60
1930	...	14.24	17.90	2.50	1.90	3.23	4.32	5.23	6.80	11.85	26.51	49.88	89.13	172.02
Average 1921-30		14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931	...	14.60	18.72	2.07	1.95	3.20	4.48	5.52	7.11	11.28	26.18	53.45	90.60	180.40

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females; and during 1871-80 for an average annual number of 15 females.

TABLE 9.—Showing the INFANT MORTALITY (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, registered in the eleven years 1921-31.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931
ALL CAUSES	72.61	68.89	66.43	71.65	67.92	74.41	70.84	67.87	70.38	67.95	68.93
Measles (7)	0.48	1.44	0.50	0.75	0.63	1.59	0.47	1.15	0.44	0.46	1.40
Scarlet Fever (8)	0.05	0.10	0.03	0.08	0.03	0.03	0.08	0.04	0.05	0.02	0.07
Whooping Cough (9)	1.57	1.22	3.52	4.12	3.27	1.81	3.40	2.40	3.38	3.24	1.16
Diphtheria (10)	0.35	0.44	0.19	0.18	0.13	0.25	0.29	0.19	0.35	0.16	0.25
Influenza (11)	0.53	1.48	0.65	1.86	0.89	0.54	2.15	0.81	1.16	0.24	1.09
Tuberculosis of Nervous System (24).	0.35	0.37	0.37	0.21	0.48	0.31	0.22	0.37	0.19	0.45	0.35
Tuberculosis of Intestines and Peritoneum (25).	0.36	0.46	0.39	0.24	0.37	0.47	0.48	0.30	0.58	0.19	0.23
Other Tuberculous Diseases (23, 26-32).	0.75	0.82	0.46	0.61	0.50	0.70	1.00	0.58	0.67	0.72	0.93
Syphilis (34)	0.52	0.36	0.28	0.15	0.27	0.28	0.27	0.25	0.19	0.15	0.23
Meningitis (79)	0.93	0.92	0.89	0.70	0.89	1.34	1.19	1.05	1.01	0.79	0.86
Convulsions (86)	8.88	8.75	8.18	8.02	8.12	8.39	7.92	8.05	6.90	6.34	6.78
Bronchitis (106)	4.67	5.30	5.12	4.74	3.75	4.22	4.23	3.72	3.88	3.77	3.17
Pneumonia (107-9)	4.93	7.14	5.15	7.26	5.69	6.11	7.60	6.01	7.24	7.35	7.72
Inflammation of Stomach (118a)	2.15	2.21	1.86	1.50	1.34	1.60	1.45	1.05	1.29	1.32	1.24
Diarrhoea and Enteritis (119)	12.52	6.49	7.17	7.03	8.89	11.97	7.18	8.43	8.49	7.25	8.27
Congenital Malformations (157)	1.38	1.80	1.85	2.41	2.24	2.16	2.42	2.62	2.78	3.29	3.38
Congenital Debility (158)*	20.73	18.15	18.80	20.27	19.48	19.35	17.86	17.30	17.61	17.20	16.00
Premature Birth (159) ...	6.38	6.49	5.92	6.59	6.52	8.04	7.26	6.98	7.48	8.48	8.58
Injury at Birth (160) ...							0.40	0.56	0.74	0.84	0.96
Other Diseases peculiar to Early Infancy (161)* ...	1.02	1.00	0.94	0.73	0.50	0.42	0.67	1.42	1.18	1.20	1.49
Suffocation (Overlying) (182)...	0.11	0.07	0.13	0.14	0.10	0.15	0.12	0.14	0.27	0.10	0.26
Other Causes	3.95	3.88	4.03	4.06	3.83	4.68	4.13	4.45	4.50	4.44	4.48

* For the years 1921-30, some of the deaths now included in Other Diseases peculiar to Early Infancy (161) were assigned to Congenital Debility (158).

TABLE 10.—Showing INFANT MORTALITY, by certain causes, by age-periods and by sexes, in the year 1931.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES AND FEMALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	7.43	8.55	3.49	3.12	3.90	26.49	8.34	6.53	12.58	14.99	68.93
Measles (7)	.	.	.	0.02	.	0.02	0.03	0.02	0.03	1.30	1.40
Scarlet Fever (8)	.	.	.	.	.	.	.	.	0.02	0.05	0.07
Whooping Cough (9)	.	.	0.02	.	0.02	0.04	0.16	0.09	0.38	0.49	1.16
Diphtheria (10)	.	.	.	.	0.05	0.05	0.02	0.04	0.02	0.12	0.25
Influenza (11)	.	.	0.02	0.03	0.04	0.09	0.05	0.14	0.30	0.51	1.09
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	.	0.09	0.26	0.35
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	.	.	.	.	0.02	0.05	0.19	0.26
Other Tuberculous Diseases (23, 26-32)	.	.	0.01	.	0.02	0.03	0.16	0.09	0.32	0.33	0.93
Syphilis (34)	.	.	.	0.02	0.02	0.04	0.05	.	0.05	0.09	0.23
Meningitis (79)	.	.	0.02	0.02	0.05	0.09	0.02	0.07	0.14	0.54	0.86
Convulsions (86)	0.26	0.91	0.39	0.33	0.54	2.43	1.09	0.65	1.28	1.33	6.78
Bronchitis (106)	.	0.05	0.16	0.24	0.09	0.54	0.40	0.42	0.79	1.02	3.17
Pneumonia (107-9)	0.02	0.02	0.09	0.19	0.21	0.53	0.63	0.52	2.10	3.94	7.72
Inflammation of Stomach (118a)	.	0.02	0.03	0.04	.	0.09	0.35	0.16	0.33	0.31	1.24
Diarrhoea and Enteritis (119)	0.02	0.09	0.10	0.21	0.45	0.87	1.26	1.58	2.84	1.72	8.27
Congenital Malformations (157)	0.44	0.70	0.28	0.23	0.28	1.93	0.42	0.26	0.42	0.35	3.38
Congenital Debility (158) ...	2.24	2.63	1.16	0.77	1.35	8.15	2.52	1.86	2.45	1.02	16.00
Premature Birth (159) ...	2.82	2.91	0.84	0.67	0.49	7.73	0.51	0.17	0.09	0.08	8.58
Injury at Birth (160) ...	0.40	0.40	0.07	0.02	0.07	0.96	.	.	.	.	0.96
Other Diseases peculiar to early Infancy (161) ...	0.58	0.49	0.18	0.10	0.03	1.38	0.09	0.02	.	.	1.49
Suffocation (overlying) (182) ...	.	0.03	.	0.07	0.04	0.14	0.09	0.03	.	.	0.26
Other Causes	0.65	0.30	0.12	0.16	0.15	1.38	0.49	0.39	0.88	1.34	4.48

TABLE 10.—*contd.*—Showing INFANT MORTALITY, by certain causes by age-periods and by sexes, in the year 1931.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES ...	7.62	9.11	3.88	3.64	4.45	28.70	9.45	7.45	13.33	16.86	75.79
Measles (7) ...	.	.	.	.	.	.	0.03	.	0.03	1.57	1.63
Scarlet Fever (8) ...	.	.	.	.	.	.	.	.	.	0.03	0.03
Whooping Cough (9) ...	.	.	0.03	.	.	0.03	0.17	0.03	0.38	0.65	1.26
Diphtheria (10) ...	.	.	.	.	0.03	0.03	0.04	0.03	0.03	0.14	0.27
Influenza (11) ...	.	.	.	0.03	.	0.03	0.07	0.20	0.44	0.48	1.23
Tuberculosis of the Nervous System (24) ...	.	.	.	.	.	.	.	.	0.03	0.38	0.41
Tuberculosis of Intestines and Peritoneum (25) ...	.	.	.	.	.	.	.	.	0.10	0.27	0.37
Other Tuberculous Diseases (23, 26-32) ...	.	.	.	.	0.03	0.03	0.17	0.07	0.45	0.27	0.99
Syphilis (34) ...	.	.	.	0.04	0.03	0.07	0.10	.	0.07	0.03	0.27
Meningitis (79) ...	.	.	0.03	.	0.07	0.10	0.03	0.14	0.10	0.68	1.05
Convulsions (86) ...	0.31	0.88	0.37	0.41	0.58	2.55	1.12	0.78	1.16	1.60	7.21
Bronchitis (106) ...	.	0.07	0.14	0.30	0.07	0.58	0.44	0.58	0.78	1.02	3.40
Pneumonia (107-9) ...	.	.	0.14	0.27	0.20	0.61	0.75	0.58	2.28	4.38	8.60
Inflammation of Stomach (118a) Diarrhoea and Enteritis (119)	.	0.03	0.07	0.07	.	0.17	0.38	0.20	0.31	0.27	1.33
Congenital Malformations (157)	0.34	0.71	0.24	0.21	0.37	1.87	0.51	0.34	0.55	0.27	3.54
Congenital Debility (158) ...	1.90	2.86	1.53	0.95	1.50	8.74	2.86	1.84	2.54	1.02	17.00
Premature Birth (159) ...	3.09	2.96	0.85	0.75	0.48	8.13	0.54	0.07	0.10	0.07	8.91
Injury at Birth (160) ...	0.55	0.51	0.07	0.03	0.10	1.26	.	.	.	.	1.26
Other Diseases peculiar to Early Infancy (161) ...	0.61	0.58	0.14	0.10	.	1.43	0.10	.	.	.	1.53
Suffocation (overlying) (182) ...	.	0.07	.	0.03	0.07	0.17	0.03	.	.	.	0.20
Other Causes ...	0.82	0.34	0.20	0.14	0.27	1.77	0.61	0.58	0.95	1.63	5.54

FEMALES.

ALL CAUSES ...	7.23	7.95	3.07	2.57	3.32	24.14	7.15	5.56	11.78	13.01	61.64
Measles (7) ...	.	.	.	0.03	.	0.03	0.04	0.04	0.03	1.01	1.15
Scarlet Fever (8) ...	.	.	.	.	.	.	.	.	0.04	0.07	0.11
Whooping Cough (9) ...	.	.	.	.	0.04	0.04	0.14	0.14	0.40	0.33	1.05
Diphtheria (10) ...	.	.	.	.	0.07	0.07	.	0.03	.	0.11	0.21
Influenza (11) ...	.	.	0.03	0.04	0.07	0.14	0.04	0.07	0.15	0.54	0.94
Tuberculosis of the Nervous System (24) ...	.	.	.	.	.	.	.	.	0.14	0.15	0.29
Tuberculosis of Intestines and Peritoneum (25) ...	.	.	.	.	.	.	.	0.03	.	0.11	0.14
Other Tuberculous Diseases (23, 26-32) ...	.	.	0.04	.	.	0.04	0.14	0.11	0.18	0.40	0.87
Syphilis (34) ...	.	.	.	.	.	.	.	.	0.04	0.14	0.18
Meningitis (79) ...	.	.	.	0.04	0.03	0.07	.	.	0.18	0.40	0.65
Convulsions (86) ...	0.22	0.94	0.40	0.25	0.50	2.31	1.04	0.51	1.41	1.05	6.32
Bronchitis (106) ...	.	0.04	0.18	0.18	0.11	0.51	0.36	0.25	0.80	1.01	2.93
Pneumonia (107-9) ...	0.04	0.03	0.03	0.11	0.22	0.43	0.51	0.47	1.91	3.47	6.79
Inflammation of Stomach (118a) Diarrhoea and Enteritis (119)	0.04	0.07	0.14	0.11	0.25	0.61	1.01	1.12	2.64	1.30	6.68
Congenital Malformations (157)	0.54	0.69	0.33	0.25	0.18	1.99	0.33	0.18	0.29	0.43	3.22
Congenital Debility (158) ...	2.60	2.39	0.76	0.58	1.19	7.52	2.17	1.88	2.35	1.01	14.93
Premature Birth (159) ...	2.53	2.85	0.83	0.58	0.51	7.30	0.47	0.29	0.07	0.11	8.24
Injury at Birth (160) ...	0.25	0.29	0.07	.	0.04	0.65	.	.	.	.	0.65
Other Diseases peculiar to Early Infancy (161) ...	0.54	0.40	0.22	0.11	0.07	1.34	0.07	0.04	.	.	1.45
Suffocation (overlying) (182) ...	.	.	.	0.11	.	0.11	0.14	0.07	.	.	0.32
Other Causes ...	0.47	0.25	0.04	0.18	0.04	0.98	0.36	0.22	0.79	1.01	3.36

TABLE 11.—Showing INFANT MORTALITY, by certain causes, for each of the under-mentioned areas or groups of areas in 1931. (Corrected for transfers to area of residence.)

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED																
CAUSES OF DEATH.		CITIES AND BOROUGHES.					ALL URBAN AREAS.				RURAL DISTRICTS IN PROVINCES.					
		City of Dublin.	Borough of Dun Laoghaire.	Cork.	Limerick.	Waterford.	10,000 population & upwards.	Under 10,000 population.			Total Urban Areas.	Total Rural Districts.	Leinster.	Munster.	Connaught.	Ulster (part of).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)			
ALL CAUSES	...	...	93·71	74·88	70·25	119·60	92·11	90·77	77·93	88·14	58·15	68·57	59·12	45·40	55·53	
Measles (7)	...	...	4·26	7·80	·	8·04	·	3·80	0·71	3·17	0·41	0·66	0·56	·	0·22	
Scarlet Fever (8)	...	...	0·19	·	·	·	·	0·12	·	0·10	0·05	0·09	0·08	·	·	
Whooping Cough (9)	...	...	1·84	·	1·55	·	·	1·65	0·71	1·46	0·99	0·66	0·79	1·72	0·87	
Diphtheria (10)	...	...	0·78	·	·	·	·	0·49	·	0·39	0·16	0·28	0·08	0·23	·	
Influenza (11)	...	...	0·39	·	·	1·00	·	0·31	0·71	0·39	1·48	1·78	1·11	1·49	1·74	
Tuberculosis of the Nervous System (24).			0·68	·	1·03	·	1·64	0·61	0·24	0·54	0·25	0·47	0·32	·	·	
Tuberculosis of Intestines and Peritoneum (25).			0·29	·	1·03	·	1·64	0·43	0·24	0·39	0·19	0·19	0·08	0·23	0·44	
Other Tuberculous Diseases (23, 26-32).			0·87	·	5·68	·	·	1·23	1·43	1·27	0·74	1·22	0·55	0·46	0·65	
Syphilis (34)	...	...	0·48	·	0·52	·	·	0·37	0·24	0·34	0·16	0·19	0·24	·	0·22	
Meningitis (79)	...	...	1·15	3·12	2·07	1·00	1·64	1·53	0·95	1·41	0·55	0·75	0·56	0·46	0·22	
Convulsions (86)	...	...	5·14	9·36	8·27	31·16	16·45	8·21	11·88	8·96	5·55	5·73	5·71	5·62	4·57	
Bronchitis (106)	...	...	3·78	1·56	2·58	2·01	6·58	3·43	2·85	3·31	3·09	3·57	2·86	2·29	4·14	
Pneumonia (107-9)	...	...	16·67	18·72	4·13	8·04	3·29	13·18	7·60	12·03	5·31	4·60	6·19	4·93	5·23	
Inflammation of Stomach (118a).			0·78	1·56	2·07	10·05	·	1·59	1·66	1·61	1·04	1·32	1·35	0·34	0·87	
Diarrhoea and Enteritis (119)			12·01	4·68	14·46	27·13	19·74	13·61	12·83	13·45	5·36	5·64	7·62	2·87	3·27	
Congenital Malformations (157).			5·42	1·56	4·65	3·02	6·58	4·97	3·56	4·68	2·65	3·66	2·06	2·18	2·83	
Congenital Debility (158)	...	...	12·79	6·24	9·30	9·05	11·51	12·50	16·87	13·40	17·45	20·76	18·73	12·95	14·81	
Premature Birth (159)	...	...	15·99	12·48	10·33	10·05	9·87	14·04	8·08	12·81	6·21	9·58	4·76	4·13	6·31	
Injury at Birth (160)	...	...	2·04	1·56	·	2·01	·	1·47	0·95	1·36	0·74	1·03	0·55	0·46	1·09	
Other Diseases peculiar to early Infancy (161)	...	...	2·62	3·12	·	2·01	1·65	2·08	1·91	2·05	1·17	1·32	0·79	0·80	2·61	
Suffocation (overlying) (162).			0·10	·	·	·	1·65	0·12	·	0·10	0·36	0·75	0·32	0·11	·	
Other Causes	...	...	5·43	3·12	2·58	5·03	9·87	5·03	4·51	4·92	4·24	4·32	3·81	4·13	5·44	

TABLE 12.—Showing INFANT MORTALITY, by age-periods, for the undermentioned Urban and Rural areas in 1931. (Corrected for transfers to area of residence).

AREAS.	NUMBER OF DEATHS OF INFANTS AT AGES:—										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total Under 1 Year
City of Dublin	99	97	40	49	53	338	119	83	144	283	967
Borough of Dún Laoghaire ...	2	10	.	.	2	14	5	1	8	20	48
Cork County Borough ...	9	16	3	6	7	41	15	19	32	29	136
Limerick „ „ ...	5	10	4	2	3	24	19	13	25	38	119
Waterford „ „ ...	5	5	1	1	4	16	10	7	9	14	56
Urban Areas 10,000 population and upwards.	134	153	57	71	73	488	190	141	245	417	1,481
Urban Areas under 10,000 ...	25	49	17	16	16	123	35	30	72	68	328
TOTAL URBAN AREAS ...	159	202	74	87	89	611	225	171	317	485	1,809
TOTAL RURAL DISTRICTS ...	265	286	125	91	134	901	251	202	401	371	2,126
Province of Leinster (Rural)	115	93	43	29	46	326	111	63	118	112	730
„ Munster „ ...	65	109	44	28	53	299	83	79	146	138	745
„ Connaught „ ...	49	42	26	20	23	160	37	35	90	74	396
„ Ulster „ (Part of)	36	42	12	14	12	116	20	25	47	47	255
ALL AREAS ...	424	488	199	178	223	1,512	476	373	718	856	3,935

INFANT MORTALITY PER 1,000 BIRTHS.

City of Dublin	9.59	9.40	3.88	4.75	5.14	32.76	11.53	8.04	13.96	27.42	93.71
Borough of Dún Laoghaire	3.12	15.60	.	.	3.12	21.84	7.80	1.56	12.48	31.20	74.88
Cork County Borough ...	4.65	8.26	1.55	3.10	3.62	21.18	7.75	9.81	16.53	14.98	70.25
Limerick „ „ ...	5.02	10.05	4.02	2.01	3.02	24.12	19.10	13.06	25.13	38.19	119.60
Waterford „ „ ...	8.22	8.22	1.65	1.65	6.58	26.32	16.45	11.51	14.80	23.03	92.11
Urban Areas 10,000 population and upwards.	8.21	9.38	3.49	4.35	4.48	29.91	11.65	8.64	15.01	25.56	90.77
Urban Areas under 10,000 ...	5.94	11.64	4.04	3.80	3.80	29.22	8.32	7.13	17.11	16.15	77.93
TOTAL URBAN AREAS ...	7.75	9.84	3.60	4.24	4.34	29.77	10.96	8.33	15.45	23.63	88.14
TOTAL RURAL DISTRICTS ...	7.25	7.82	3.42	2.49	3.66	24.64	6.86	5.53	10.97	10.15	58.15
Province of Leinster (Rural)	10.80	8.74	4.04	2.72	4.32	30.62	10.43	5.92	11.08	10.52	68.57
„ Munster „	5.16	8.65	3.49	2.22	4.21	23.73	6.58	6.27	11.59	10.95	59.12
„ Connaught „	5.62	4.82	2.98	2.29	2.64	18.35	4.24	4.01	10.32	8.48	45.40
„ Ulster „ (Part of)	7.84	9.15	2.61	3.05	2.61	25.26	4.35	5.44	10.24	10.24	55.53
ALL AREAS ...	7.43	8.55	3.49	3.12	3.90	26.49	8.34	6.53	12.58	14.99	68.93

TABLE 13.—Showing the MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in the year 1931.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
Measles (7) ...	•	•	•	•	•	•	•	•	•	13	13
Scarlet Fever (8) ...	•	•	•	•	•	•	•	•	•	1	1
Whooping Cough (9) ...	•	•	•	•	•	•	•	1	1	4	6
Diphtheria (10) ...	•	•	•	•	1	1	1	•	1	1	4
Influenza (11) ...	•	•	•	•	1	1	•	•	2	3	6
Tuberculosis of the Nervous System (24) ...	•	•	•	•	•	•	•	•	1	•	1
Tuberculosis of Intestines and Peritoneum (25) ...	•	•	1	•	•	1	2	•	3	3	9
Other Tuberculous Diseases (23, 26-32) ...	•	•	•	•	•	•	3	2	3	3	11
Syphilis (34) ...	•	•	•	•	1	1	•	•	3	4	8
Meningitis (79) ...	•	•	•	•	2	2	1	•	•	6	9
Convulsions (86) ...	•	2	1	•	1	4	2	•	7	5	18
Bronchitis (106) ...	•	1	•	2	1	4	3	3	6	3	19
Pneumonia (107-9) ...	•	•	•	2	2	4	2	1	6	9	22
Inflammation of Stomach (118a) ...	•	•	•	1	•	1	5	1	2	1	10
Diarrhoea and Enteritis (119) ...	•	1	•	3	3	7	22	22	24	14	89
Congenital Malformations (157) ...	3	5	•	•	2	10	4	•	4	1	19
Congenital Debility (158) ...	6	10	8	8	15	47	37	23	34	6	147
Premature Birth (159) ...	5	17	7	4	4	37	7	2	•	•	46
Injury at Birth (160) ...	2	•	•	•	•	2	•	•	•	•	2
Other diseases peculiar to early Infancy (161) ...	4	2	1	•	•	7	2	•	•	•	9
Suffocation (overlying) (182) ...	•	1	•	1	1	3	1	1	•	•	5
Other Causes ...	32	11	2	1	1	47	2	3	2	6	60
ALL CAUSES ...	52	50	20	22	35	179	94	59	99	83	514

Rate per 1,000 Illegitimate Births registered.

All Causes ...	27·01	25·97	10·39	11·43	18·18	92·98	48·83	30·65	51·43	43·12	267·01
----------------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------

TABLE 14.—DEATHS OF LEGITIMATE AND ILLEGITIMATE INFANTS under one year of age, and rates per 1,000 of corresponding Births, in the years 1923-31.

		INFANT MORTALITY.								
		1923	1924	1925	1926	1927	1928	1929	1930	1931
Legitimate	{ Numbers	3,539	4,014	3,739	3,999	3,748	3,467	3,556	3,498	3,421
	{ Rates ...	59	65	62	67	64	60	63	62	62
Illegitimate	{ Numbers	559	529	477	553	506	549	546	467	514
	{ Rates ...	344	315	287	322	288	307	295	251	267

TABLE 15.—Showing by age-periods the number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE in each county and county borough during the year 1931, distinguishing deaths in Institutions. (*Corrected for transfers.*)

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institutions.	Elsewhere.
SAORSTAT ÉIREANN	52	50	20	22	35	179	94	59	99	83	514	421	93
Carlow ...	1	.	.	.	1	2	.	.	1	.	3	1	2
Dublin ...	1	7	1	.	.	9	3	1	9	5	27	18	9
City of Dublin ...	10	9	4	4	15	42	30	12	15	35	134	123	11
Kildare ...	1	.	.	.	1	2	2	.	1	.	5	4	1
Kilkenny ...	5	2	.	.	1	8	1	3	1	.	13	13	.
Laoighis ...	2	.	.	.	.	2	2	.	2	1	7	6	1
Longford ...	2	.	1	1	1	5	1	.	2	.	8	7	1
Louth ...	3	.	2	.	.	5	.	1	2	2	10	4	6
Meath ...	1	.	1	1	.	3	3	1	1	1	9	7	2
Offaly ...	.	2	.	1	1	4	4	1	1	.	10	10	.
Westmeath ...	1	.	.	.	1	2	1	.	3	1	7	6	1
Wexford ...	.	1	3	1	.	5	4	.	2	3	14	10	4
Wicklow ...	.	.	1	.	.	1	.	3	4	6	14	12	2
PROVINCE OF LEINSTER	27	21	13	8	21	90	51	22	44	54	261	221	40
Clare ...	1	4	.	1	.	6	3	5	6	2	22	20	2
Cork ...	5	4	1	2	4	16	8	6	11	5	46	33	13
Cork Co. Borough...	2	.	2	.	1	5	1	2	4	.	12	11	1
Kerry ...	.	1	1	3	.	5	6	3	5	1	20	19	1
Limerick ...	3	3	.	2	.	8	5	4	7	5	29	19	10
Limerick Co. Borough	.	.	.	.	.	.	1	2	1	1	5	3	2
Tipperary, North Riding.	1	1	.	.	.	2	2	.	1	.	5	4	1
Tipperary, South Riding.	.	1	1	.	.	2	2	4	3	4	15	13	2
Waterford ...	.	1	.	1	1	3	2	1	.	1	7	6	1
Waterford Co. Borough.	1	.	.	.	.	1	3	1	1	.	6	4	2
PROVINCE OF MUNSTER	13	15	5	9	6	48	33	28	39	19	167	132	35
Galway ...	4	1	.	.	.	5	1	2	3	2	13	10	3
Leitrim ...	1	1	.	3	1	6	1	.	1	.	8	7	1
Mayo ...	.	1	.	.	2	3	2	.	1	2	8	7	1
Roscommon ...	.	1	.	.	.	1	.	4	.	2	7	4	3
Sligo ...	2	.	.	.	.	2	1	.	3	.	6	4	2
PROVINCE OF CONNAUGHT.	7	4	.	3	3	17	5	6	8	6	42	32	10
Cavan ...	2	4	1	1	3	11	2	1	5	3	22	20	2
Donegal ...	3	4	1	1	2	11	3	1	3	1	19	13	6
Monaghan ...	.	2	.	.	.	2	.	1	.	.	3	3	.
PROVINCE OF ULSTER (Part of).	5	10	2	2	5	24	5	3	8	4	44	36	8

TABLE 16.—Showing by Provinces, Counties, and County Boroughs, the Rates for MARRIAGES, BIRTHS, DEATHS from ALL CAUSES (including Standardized rates for the latter); from the PRINCIPAL EPIDEMIC DISEASES,* and from TUBERCULOSIS, per 1,000 of the population; with the MORTALITY from PUERPERAL CONDITIONS and INFANT MORTALITY, per 1,000 Births, in 1931.

COUNTIES AND COUNTY BOROUGH BY PROVINCES.	Popula- tion, Census 1926.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes corrected for Trans- fers.	All Causes Stand- ardized.	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	From Puer- peral Sepsis.	From Other Puer- peral condi- tions.	Deaths of Infants under One Year of age.
SAORSTAT ÉIREANN †	2,971,992	4.44	19.30	3.37	14.52	14.52	0.51	1.32	1.16	3.15	69
Carlow ...	34,476	3.94	19.96	5.96	15.20	14.90	0.41	1.04	1.45	2.91	57
Dublin ...	100,528	5.89	18.37	3.68	14.07	16.00	0.48	1.45	2.17	3.25	91
Dublin City †	405,126	6.99	25.02	3.25	15.84	18.82	1.19	2.01	1.16	1.65	94
Kildare ...	58,028	3.95	20.30	5.52	14.53	15.79	0.52	1.50	.	5.09	70
Kilkenny ...	70,990	3.27	18.20	4.10	15.62	15.66	0.58	0.97	0.77	3.86	76
Laoighis ...	51,540	2.95	19.13	5.88	16.01	15.13	0.25	1.40	4.06	3.04	70
Longford...	39,847	3.41	18.97	3.17	15.36	13.79	0.40	1.23	.	2.65	69
Louth ...	62,739	4.27	18.97	3.95	14.27	14.69	0.35	1.72	0.84	3.36	65
Meath ...	62,969	3.57	17.91	3.99	14.86	14.91	0.22	1.14	.	2.66	59
Offaly ...	52,592	4.07	17.66	4.20	15.08	14.73	0.49	1.48	1.08	6.46	72
Westmeath ...	56,818	3.84	18.36	2.97	14.48	14.38	0.40	1.48	0.96	1.92	70
Wexford ...	95,848	4.41	18.92	5.68	16.37	16.07	0.30	1.43	.	2.76	66
Wicklow ...	57,591	4.27	18.84	4.79	15.94	15.89	0.50	1.51	2.76	0.92	78
PROVINCE OF LEINSTER	1,149,092	5.18	21.11	3.96	15.48	16.57	0.69	1.61	1.15	2.56	81
Clare ...	95,064	3.58	16.76	2.70	12.92	11.47	0.32	0.87	0.63	5.02	55
Cork ...	287,257	3.38	16.64	3.54	14.07	14.21	0.32	1.15	1.46	2.30	64
Cork Co. Borough	78,490	8.79	24.67	1.86	16.47	19.62	0.79	2.11	1.03	4.13	70
Kerry ...	149,171	3.35	17.26	2.68	12.32	12.36	0.46	1.19	1.94	4.66	59
Limerick ...	100,895	3.71	20.41	4.52	14.42	14.57	0.56	0.93	0.49	1.94	71
Limerick Co. Borough	39,448	8.06	25.22	2.61	15.97	19.06	1.72	1.65	1.01	3.02	120
Tipperary, North Riding.	59,645	3.77	19.08	2.81	14.70	14.43	0.52	1.29	.	4.39	61
Tipperary, South Riding.	81,370	3.86	18.08	5.10	14.23	14.74	0.69	1.23	1.36	5.44	61
Waterford ...	51,915	4.06	19.26	5.80	15.16	14.62	0.19	1.37	1.00	3.00	65
Waterford Co. Boro.	26,647	6.00	22.82	2.30	15.91	17.84	0.68	2.21	1.64	3.29	92
PROVINCE OF MUNSTER	969,902	4.23	18.72	3.39	14.16	14.42	0.51	1.26	1.16	3.53	67
Galway ...	169,366	3.44	19.53	1.75	12.53	11.64	0.33	0.96	0.60	3.02	49
Leitrim ...	55,907	3.70	17.42	2.36	15.28	12.89	0.29	1.06	.	2.05	45
Mayo ...	172,690	4.01	16.80	1.24	12.02	10.83	0.27	0.98	0.34	4.82	47
Roscommon ...	88,556	3.36	15.91	1.13	13.62	11.55	0.26	0.60	1.50	2.26	47
Sligo ...	71,388	3.49	15.69	2.68	14.97	13.17	0.20	1.19	3.57	2.68	54
PROVINCE OF CONNAUGHT	552,907	3.64	17.42	1.68	13.13	11.71	0.28	0.95	0.93	3.32	48
Cavan ...	82,452	3.42	16.80	2.82	14.65	13.07	0.23	0.95	2.17	3.61	67
Donegal ..	152,508	3.63	16.83	4.29	13.25	11.77	0.28	1.08	1.95	4.29	55
Monaghan ..	65,131	3.55	16.80	3.47	14.40	12.88	0.25	0.91	.	5.48	43
PROVINCE OF ULSTER (part of).	300,091	3.55	16.81	3.71	13.88	12.37	0.26	1.01	1.59	4.36	56

* Enteric Fever, Typhus, Smallpox, Measles, Scarlet Fever, Whooping-cough, Diphtheria, Dysentery and Diarrhoeal Diseases.

† The rates for Saorstát Éireann and the City of Dublin are calculated on the estimated population in the middle of 1931.

TABLE 17.—BIRTH, DEATH, PUERPERAL and INFANT MORTALITY RATES for Urban and Rural Areas, 1931, in provinces and in administrative counties, with the standardized rates for Deaths from all Causes.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puerperal Sepsis.	Other Puerperal Conditions.	Infants under One Year of Age.
			All Causes Corrected for Transfers.	All Causes Standardized.	Principal Epidemic Diseases.*	Tuber- culosis.			
ALL COUNTY BOR- OUGHS AND UR- BAN DISTRICTS	876,677	23·21	15·46	17·90	0·96	1·81	1·12	2·87	88
ALL RURAL DIS- TRICTS ...	2,095,315	17·64	14·12	13·26	0·32	1·11	1·18	3·31	58
COUNTY BOROUGHS AND URBAN DIS- TRICTS, over 10,000 Population ...	669,656	24·09	15·69	18·52	1·07	1·93	1·16	2·45	91
CITY OF DUBLIN	405,126	25·02	15·84	18·82	1·19	2·01	1·16	1·65	94
Borough of Dun Laoghaire ...	35,111	18·11	14·04	15·81	0·37	1·07	3·12	1·56	75
Cork County Borough	78,490	24·67	16·47	19·62	0·79	2·11	1·03	4·13	70
Limerick County Borough ...	39,448	25·22	15·97	19·06	1·72	1·65	1·01	3·02	129
Waterford County Borough ...	26,647	22·82	15·91	17·84	0·68	2·21	1·64	3·29	92
Galway U.D. ...	14,227	25·44	14·55	16·85	1·48	1·97	·	2·76	97
Dundalk U.D. ...	13,996	21·51	12·65	15·99	0·86	2·00	·	3·32	76
Drogheda U.D. ...	12,716	23·20	15·89	17·66	0·31	1·65	·	6·78	71
Wexford U.D. ...	11,879	23·23	17·17	20·45	0·17	1·94	·	·	76
Sligo U.D. ...	11,437	19·15	13·12	14·18	0·61	1·05	4·57	4·57	91
Trillick U.D. ...	10,533	15·19	15·00	18·85	1·33	2·09	·	1·25	106
Kilkenny U.D. ...	10,046	20·31	15·43	17·66	1·49	1·49	·	9·80	88
URBAN DISTRICTS, under 10,000 Popu- lation ...	207,021	20·33	14·71	16·00	0·57	1·44	0·95	4·51	78
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	561,718	24·23	15·89	18·64	1·04	1·92	1·10	2·13	91
Province of Munster	249,022	22·30	15·79	17·96	0·90	1·78	1·08	3·96	86
Province of Conn- aught.	43,536	20·90	12·75	14·23	0·74	1·29	1·10	5·49	76
Province of Ulster (part of).	22,401	20·22	11·61	13·00	0·27	0·98	2·21	6·62	57
ALL RURAL DIS- TRICTS IN :—									
Province of Leinster	587,374	18·12	15·09	14·82	0·36	1·31	1·22	3·10	69
Province of Munster	720,880	17·49	13·59	13·29	0·37	1·08	1·19	3·33	59
Province of Conn- aught.	509,371	17·12	13·16	11·50	0·24	0·92	0·92	3·10	45
Province of Ulster (part of).	277,690	16·54	14·07	12·32	0·26	1·01	1·52	4·14	56

TABLE 17.—(contd.)—BIRTH, DEATH, PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1931, in province and in administrative counties, with the standardized rates for Deaths from all Causes.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puerperal Sepsis.	Other Puerperal Condi- tions.	Infants under One Year of Age.
			All Causes Corrected for Transfers.	All Causes Standard- ized.	Principal Epidemic Diseases.*	Tuber- culosis.			
CARLOW COUNTY									
Carlow U.D. ...	7,163	20·10	15·92	17·53	0·28	1·95	.	6·94	104
Total R.D.'s ...	27,313	19·92	15·01	14·27	0·44	0·81	1·84	1·84	44
DUBLIN COUNTY.									
Total U.D.'s ...	39,140	17·96	14·00	15·57	0·46	1·07	2·84	1·42	75
Total R.D.'s ...	61,388	18·64	14·11	16·33	0·49	1·69	1·75	4·37	101
KILDARE COUNTY.									
Total U.D.'s ...	6,902	19·41	13·91	14·44	0·29	1·45	.	7·46	67
Total R.D.'s ...	51,126	20·42	14·61	16·02	0·55	1·51	.	4·79	71
KILKENNY COUNTY.									
Kilkenny U.D. ...	10,046	20·31	15·43	17·66	1·49	1·49	.	9·80	88
Total R.D.'s ...	60,944	17·85	15·65	15·30	0·43	0·89	0·92	2·76	74
LAOIGHIS COUNTY.									
Total R.D.'s ...	51,540	19·13	16·01	15·13	0·25	1·40	4·06	3·04	70
LONGFORD COUNTY.									
Total U.D.'s ...	4,954	22·20	15·95	18·34	0·20	2·02	.	.	82
Total R.D.'s ...	34,893	18·51	15·28	13·24	0·43	1·12	.	3·10	67
LOUTH COUNTY.									
Total U.D.'s ...	26,712	22·31	14·19	16·78	0·60	1·83	.	5·03	74
Total R.D.'s ...	36,027	16·49	14·32	13·40	0·17	1·64	1·68	1·68	56
MEATH COUNTY.									
Total U.D.'s ...	7,173	22·58	13·24	15·50	0·42	1·95	.	.	62
Total R.D.'s ...	55,796	17·31	15·07	14·81	0·20	1·04	.	3·11	58
OFFALY.									
Total U.D.'s ...	8,332	23·88	17·04	18·24	0·60	2·28	5·03	10·05	70
Total R.D.'s ...	44,260	16·49	14·71	14·15	0·47	1·33	.	5·48	73
WESTMEATH COUNTY									
Athlone U.D. ...	7,540	22·94	14·59	19·79	0·80	1·46	.	.	98
Total R.D.'s ...	49,278	17·65	14·47	13·86	0·34	1·48	1·15	2·30	64
WEXFORD COUNTY.									
Total U.D.'s ...	22,433	22·51	17·83	19·75	0·62	1·92	.	3·96	91
Total R.D.'s ...	73,415	17·82	15·92	15·07	0·20	1·28	.	2·29	57
WICKLOW COUNTY.									
Total U.D.'s ...	16,197	22·16	17·16	19·12	0·68	1·67	.	.	89
Total R.D.'s ...	41,394	17·54	15·46	14·89	0·43	1·45	4·13	1·38	73
CLARE COUNTY.									
Total U.D.'s ...	8,863	22·11	14·78	16·19	0·79	1·58	.	5·10	92
Total R.D.'s ...	86,201	16·21	12·73	11·05	0·27	0·80	0·72	5·01	50

* See note * on page 24.

TABLE 17.—(contd.)—BIRTH, DEATH, PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1931, in provinces and in administrative counties, with the standardized rates for Deaths from all Causes.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puerperal Sepsis.	Other Puerperal Condi- tions.	Infants under One Year of Age.
			All Causes Corrected for Transfers.	All Causes Standard- ized.	Principal Epidemic Diseases.*	Tuber- culosis.			
CORK COUNTY.									
Total U.D.'s ...	37,796	16.59	14.50	15.33	0.32	1.03	1.59	1.59	78
Total R.D.'s ...	249,461	16.65	14.00	14.07	0.32	1.16	1.44	2.41	62
KERRY COUNTY.									
Total U.D.'s ...	18,778	16.08	14.86	16.93	1.44	1.60	.	13.25	116
Total R.D.'s ...	130,393	17.43	11.96	11.76	0.32	1.14	2.20	3.52	51
LIMERICK COUNTY.									
Total R.D.'s ...	100,895	20.41	14.42	14.57	0.56	0.93	0.49	1.94	71
TIPPERARY, NORTH RIDING.									
Total U.D.'s ...	11,572	25.84	15.47	17.63	0.86	2.25	.	.	74
Total R.D.'s ...	48,073	17.45	14.52	13.70	0.44	1.06	.	5.96	56
TIPPERARY, SOUTH RIDING.									
Total U.D.'s ...	22,221	20.66	16.38	17.30	0.86	1.62	2.18	6.54	78
Total R.D.'s ...	59,149	17.11	13.42	13.73	0.63	1.08	0.99	4.94	52
WATERFORD COUNTY.									
Dungarvan U.D.	5,207	25.35	16.13	15.93	0.19	1.73	.	.	68
Total R.D.'s ...	46,708	18.58	15.05	14.50	0.19	1.33	1.15	3.46	65
GALWAY COUNTY.									
Total U.D.'s ...	19,472	23.32	12.53	14.04	1.13	1.59	.	4.41	86
Total R.D.'s ...	149,894	19.03	12.53	11.32	0.23	0.87	0.70	2.80	43
LEITRIM COUNTY.									
Total R.D.'s ...	55,907	17.42	15.28	12.89	0.29	1.06	.	2.05	45
MAYO COUNTY.									
Total U.D.'s ...	12,627	18.77	12.75	14.59	0.24	1.03	.	8.44	42
Total R.D.'s ...	160,063	16.65	11.96	10.59	0.27	0.98	0.38	4.50	47
ROSCOMMON COUNTY.									
Total R.D.'s ...	83,556	15.91	13.62	11.55	0.26	0.60	1.50	2.26	47
SLIGO COUNTY. ...									
Sligo U.D. ...	11,437	19.15	13.12	14.18	0.61	1.05	4.57	4.57	91
Total R.D.'s ...	59,951	15.03	15.33	12.96	0.12	1.22	3.33	2.22	46
CAVAN COUNTY.									
Total U.D.'s ...	5,899	25.94	14.75	17.19	0.34	0.68	6.54	6.54	131
Total R.D.'s ...	76,553	16.09	14.64	12.79	0.22	0.97	1.62	3.25	59
DONEGAL COUNTY.									
Total U.D.'s ...	5,956	18.47	10.91	13.22	0.34	1.18	.	9.09	18
Total R.D.'s ...	146,552	16.76	13.34	11.74	0.27	1.08	2.04	4.07	57
MONAGHAN COUNTY.									
Total U.D.'s ...	10,546	18.02	10.24	10.78	0.19	1.04	.	5.26	21
Total R.D.'s ...	54,585	16.56	15.21	13.19	0.26	0.88	.	5.53	48

* See note * on page 24.

TABLE 18.—Showing (1) for each of the years 1901-22, for Urban Districts (including County Boroughs) and Rural Districts of Saorstát Éireann the rates per 1,000 of the population represented by the aggregate Births, Deaths from all Causes, Deaths from the Principal Epidemic Diseases, and from Tuberculosis,* also Infant Mortality (Deaths of Infants under one year of age per 1,000 Births); all the rates for these years being based on figures† partially corrected for Deaths in Institutions: and (2) corresponding rates for each of the years 1923-31, based on fully corrected figures.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.†		TUBERCULOSIS* (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1901 ...	24.90	20.83	22.22	15.48	1.67	0.57	—	—	150	74
1902 ...	26.83	20.68	22.25	15.27	1.85	0.57	—	—	142	75
1903 ...	26.70	20.59	20.64	15.80	1.24	0.63	—	—	132	75
1904 ...	27.26	21.20	21.38	16.33	1.56	0.62	—	—	143	75
1905 ...	27.21	20.94	19.77	15.31	1.18	0.55	—	—	180	72
1906 ...	26.88	21.40	19.74	15.03	1.35	0.49	3.68	2.15	181	69
1907 ...	26.14	21.15	20.40	15.79	1.42	0.42	3.76	2.12	133	69
1908 ...	26.95	21.19	20.19	15.98	1.53	0.55	3.68	2.07	134	72
1909 ...	26.64	21.61	19.18	15.90	1.36	0.58	3.27	2.01	127	70
1910 ...	26.38	21.57	18.58	15.96	1.08	0.57	3.12	1.91	125	73
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	21.24	19.08	15.52	13.44	1.35	0.43	1.87	1.30	110	56
1927 ...	23.93	18.82	15.88	14.31	0.98	0.33	1.96	1.25	99	56
1928 ...	23.69	18.56	14.76	13.93	0.99	0.37	1.75	1.21	91	56
1929 ...	23.55	18.21	15.52	14.21	0.89	0.38	1.80	1.11	93	58
1930 ...	23.67	18.16	14.96	13.81	0.92	0.34	1.76	1.10	90	56
1931 ...	23.21	17.64	15.46	14.12	0.96	0.32	1.81	1.11	88	58

* Figures for Tuberculosis (all forms) are not available by Urban and Rural Districts for the years 1901-5.

† For the years preceding 1923, the institution Births and Deaths in a Registrar's District containing an Urban District and relating to the latter were assigned to the Urban District. The remaining institution deaths as well as births and deaths occurring in institutions situated in entirely rural Registrars' Districts were, with a few exceptions, referred to rural areas.

The exceptions were in the case of births and deaths relating to residents of Dublin Registration Area occurring in institutions situated in Bray No. 2 and Killiney Registrars' Districts, births and deaths relating to Cork county borough residents in Cork Rural No. 1 and 2, and births and deaths of Limerick county borough residents in Limerick Rural. The events in these cases were assigned to the area of residence.

The figures for the years 1901 to 1922, which are thus partially corrected for deaths in institutions, and those for the years 1923 to 1931, which are fully corrected, were derived from information published in the Quarterly Returns and Annual Reports, respectively. The particulars given relate to the urban and rural areas as existing in the respective years.

* See note (*) on page 24

TABLE 19.—Showing, by sexes, the rates represented by deaths from all causes in each of the years 1928–31, at different ages per 1,000 of the corresponding population for (1) Aggregate Urban Districts,* (2) Aggregate Rural Districts, of Saorstát Éireann

(1). AGGREGATE URBAN DISTRICTS.*

YEAR.	Death-rates per 1,000 of Population at same age.											
	All Ages	Under 1 year†	Under 5 years	5–	10–	15–	20–	25–	35–	45–	55–	65 and up
MALES.												
1928	15.16	97	33.42	3.35	1.62	3.72	4.39	4.78	8.90	16.19	36.05	79.00
1929	15.67	105	33.92	3.78	1.80	3.18	4.47	5.22	9.51	17.21	36.09	82.56
1930	15.44	105	34.15	3.50	1.95	3.61	4.42	5.22	8.55	15.14	37.92	82.06
1931	16.05	98	34.14	3.64	2.01	3.43	4.82	5.16	8.83	17.80	37.32	87.78

FEMALES.

1928	14.41	84	29.24	3.70	2.37	3.13	4.35	5.09	7.21	14.35	29.40	70.50
1929	15.38	81	28.77	3.33	2.01	4.24	4.48	5.77	7.41	14.91	31.38	79.93
1930	14.51	73	25.97	3.79	2.39	4.34	4.43	4.84	7.14	15.36	31.55	72.27
1931	14.93	77	27.89	2.61	2.34	3.70	4.82	5.70	7.83	13.19	31.69	77.28

(2). AGGREGATE RURAL DISTRICTS.

MALES.

1928	13.57	61	17.07	2.06	1.54	2.81	4.00	4.69	5.22	9.28	21.36	71.76
1929	13.96	65	17.67	2.05	1.60	2.59	3.97	4.34	5.61	9.57	23.83	72.91
1930	13.60	62	16.65	2.36	1.50	2.48	3.82	4.36	5.27	9.27	22.64	71.62
1931	13.91	63	16.23	2.03	1.45	2.59	3.90	4.29	5.27	9.31	23.78	74.56

FEMALES.

1928	14.31	50	14.93	2.09	1.71	3.32	4.98	5.16	6.75	10.53	22.29	68.58
1929	14.47	51	14.61	2.23	1.67	3.07	4.64	5.15	6.84	10.06	22.12	71.18
1930	14.04	50	13.93	1.97	1.70	2.68	4.21	5.43	6.58	10.22	24.34	66.69
1931	14.34	53	14.18	1.84	1.78	2.94	4.22	5.37	6.67	10.36	23.76	69.27

*Areas as existing in the respective years.

†Per 1,000 births.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1931, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion Census, 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
SAORSTAT EIREANN ...	17,024,481	2,971,992	13,133	57,086	—	—	57,086	1,925	—	—	1,925	42,947	—	—	42,947	14,139
PROVINCES																
No. I.—LEINSTER ...	4,851,136	1,149,092	5,952	24,486	349	117	24,254	991	57	27	961	18,066	319	45	17,792	6,462
II.—MUNSTER ...	5,962,803	969,902	4,103	18,107	90	138	18,155	622	30	23	615	13,642	46	135	13,731	4,424
III.—CONNAUGHT ...	4,230,822	552,907	2,012	9,520	39	151	9,632	137	2	27	162	7,111	6	153	7,258	2,374
IV.—ULSTER (part of) ...	1,979,720	300,091	1,066	4,973	30	102	5,045	175	1	13	187	4,128	20	58	4,166	879

PROVINCE OF LEINSTER

1. CARLOW ...	221,485	34,476	136	667	9	30	688	34	—	7	41	526	34	32	524	164
2. DUBLIN ...	208,920	100,528	502	1,230	22	639	1,847	8	—	60	68	1,458	359	315	1,414	433
3. CITY OF DUBLIN ...	18,781	405,126	2,881	11,693	1,431	57	10,319	551	218	2	335	7,199	865	197	6,531	3,788
4. KILDARE ...	418,644	58,028	229	1,083	18	113	1,178	45	1	21	65	758	6	91	843	335
5. KILKENNY ...	509,470	70,990	232	1,274	20	38	1,292	40	2	15	53	1,074	8	43	1,109	183
6. LAOIGHIS ...	424,892	51,540	152	921	6	71	986	35	—	23	58	807	20	38	825	161
7. LONGFORD ...	257,985	39,847	136	737	7	26	756	20	—	4	24	583	2	31	612	144
8. LOUTH ...	202,814	62,739	268	1,182	32	40	1,190	40	—	7	47	848	3	50	895	295
9. MEATH ...	577,816	62,969	225	1,034	12	106	1,128	35	—	10	45	876	8	68	936	192
10. OFFALY ...	493,637	52,592	214	898	11	42	929	32	—	7	39	751	5	47	793	136
11. WESTMEATH ...	435,604	56,818	218	1,001	18	60	1,043	27	2	6	31	841	50	32	823	220
12. WEXFORD ...	580,894	95,848	423	1,800	25	38	1,813	87	3	19	103	1,545	7	31	1,569	244
13. WICKLOW ...	500,244	57,591	246	966	18	137	1,085	37	—	15	52	800	17	135	918	167

ABSTRACT I.—(continued).
PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS AND DEATHS 1931.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No. 1. CARLOW	221,185	34,476	136	667	9	30	688	34	—	7	41	526	34	32	524	164
2. Dublin Co.																
2. BALROTHERY	84,405	19,336	63	282	3	94	373	3	—	12	15	284	92	74	266	107
3. DUBLIN (part of)	97,566	31,058	143	330	4	242	568	2	—	22	24	499	202	136	433	135
4. RATHDOWN	26,949	50,134	386	618	17	305	906	3	—	26	29	675	92	132	715	191
3. City of Dublin.																
5. DUBLIN (part of)	18,781	405,126	2,881	11,693	1,431	57	10,319	551	218	2	335	7,199	865	197	6,531	3,788
4. Kildare Co.																
6. ATHY	130,460	16,690	65	350	22	21	349	30	12	6	24	253	42	42	253	96
7. CELBRIDGE	53,703	8,116	19	104	4	38	138	2	—	11	13	79	—	43	122	16
8. NAAS	234,481	33,222	145	629	12	74	691	13	—	15	28	426	36	78	468	223
5. Kilkenny Co.																
9. CALLAN	62,169	7,370	26	124	1	8	131	3	—	1	4	89	—	42	131	—
10. CASTLECOMER	57,867	8,745	28	140	—	9	149	4	—	3	7	126	—	20	146	3
11. KILKENNY	133,462	23,569	91	508	43	21	486	9	3	6	12	406	99	19	326	160
12. THOMASTOWN	225,444	27,909	81	447	13	36	470	24	3	7	28	406	26	69	449	21
13. URLINGFORD	30,528	3,397	6	55	2	3	56	—	—	2	2	47	—	10	57	— 1
6. Laoighis Co.																
14. ABBEYLEIX	200,641	22,199	62	388	10	32	410	5	—	12	17	342	21	40	361	49
15. MOUNTMELICK	224,251	29,341	90	533	11	54	576	30	6	17	41	465	46	45	464	112

PROVINCE OF MUNSTER.

14. CLARE	787,768	95,064	340	1,536	10	67	1,593	38	2	7	43	1,194	1	35	1,228	365
15. CORK	1,840,905	287,257	972	4,521	121	380	4,780	224	61	6	169	4,200	361	202	4,041	739
16. CORK CO. BORO' ...	2,685	78,490	690	2,263	398	71	1,936	13	1	24	36	1,162	200	331	1,293	643
17. KERRY	1,161,708	149,171	499	2,546	31	60	2,575	59	—	10	69	1,805	2	35	1,838	737
18. LIMERICK	661,573	100,895	374	1,923	42	178	2 59	108	21	6	93	1,571	194	78	1,455	604
19. LIMERICK CO. ...	2,386	39,448	318	1,127	163	31	995	9	—	17	26	514	76	192	630	365
BOROUGH																
20. TIPPERARY N.R. ...	493,255	59,645	225	1,097	19	60	1,138	36	8	4	32	821	11	67	877	261
21. TIPPERARY S.R. ...	558,034	81,370	314	1,499	53	25	1,471	69	1	7	75	1,158	38	38	1,158	313
22. WATERFORD	453,051	51,915	211	942	6	64	1,000	41	—	17	58	715	21	98	787	213
23. WATERFORD CO. ...	1,438	26,647	160	653	50	5	608	25	12	1	14	502	95	17	424	184
BOROUGH																

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,639	169,366	582	3,309	39	37	3,307	49	1	10	58	2,126	36	32	2,122	1,185
25. LEITRIM	376,774	55,907	207	950	6	30	974	20	—	3	23	800	—	54	854	120
26. MAYO	1,333,941	172,690	693	2,858	15	59	2,902	28	—	8	36	2,030	6	51	2,075	827
27. ROSCOMMON	608,540	83,556	281	1,295	8	42	1,329	14	1	2	15	1,084	12	66	1,138	191
28. SLIGO	443,928	71,888	249	1,108	14	26	1,120	26	1	5	30	1,071	28	26	1,069	51

PROVINCE OF ULSTER (Part of)

29. CAVAN	467,162	82,452	282	1,339	11	57	1,385	34	1	6	39	1,149	7	66	1,208	177
30. DONEGAL	1,193,573	152,508	553	2,561	14	19	2,566	106	1	5	110	2,025	12	7	2,020	546
31. MONAGHAN	318,985	65,131	231	1,073	10	31	1,094	35	—	3	38	954	28	12	938	156

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT I.—(continued).
PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS AND DEATHS 1931.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No. 1. CARLOW	221,485	34,476	136	667	9	30	688	34	—	7	41	526	34	32	524	164
2. Dublin Co.																
2. BALROTHERY	84,405	19,336	63	282	3	94	373	3	—	12	15	284	92	74	266	107
3. DUBLIN (part of)	97,566	31,058	143	330	4	242	568	2	—	22	24	499	202	136	433	135
4. RATHDOWN	26,949	50,134	386	618	17	305	906	3	—	26	29	675	92	132	715	191
3. City of Dublin.																
5. DUBLIN (part of)	18,781	405,126	2,881	11,693	1,431	57	10,319	551	218	2	335	7,199	865	197	6,531	3,788
4. Kildare Co.																
6. ATHY	130,460	16,690	65	350	22	21	349	30	12	6	24	253	42	42	253	96
7. CELBRIDGE	53,703	8,116	19	104	4	38	138	2	—	11	13	79	—	43	122	16
8. NAAS	234,481	33,222	145	629	12	74	691	13	—	15	28	426	36	78	468	223
5. Kilkenny Co.																
9. CALLAN	62,169	7,370	26	124	1	8	131	3	—	1	4	89	—	42	131	—
10. CASTLECOMER	57,867	8,745	28	140	—	9	149	4	—	3	7	126	—	20	146	3
11. KILKENNY	133,462	23,569	91	508	43	21	486	9	3	6	12	406	99	19	326	160
12. THOMASTOWN	225,444	27,909	81	447	13	36	470	24	3	7	28	406	26	69	449	21
13. URLINGFORD	30,528	3,397	6	55	2	3	56	—	—	2	2	47	—	10	57	— 1
6. Laoighis Co.																
14. ABBEYLEIX	200,641	22,199	62	388	10	32	410	5	—	12	17	342	21	40	361	49
15. MOUNTMELICK	224,251	29,341	90	533	11	54	576	30	6	17	41	465	46	45	464	112

7. Longford Co.																	
16. BALLYMAHON ...	...	69,834	7,796	27	127	1	9	135	2	—	2	4	98	—	25	123	12
17. GRANARD ...	...	84,678	13,335	27	247	1	21	267	2	—	4	6	164	—	34	198	69
18. LONGFORD ...	...	103,423	18,716	82	363	21	12	354	16	4	2	14	321	47	17	291	63
8. Louth Co.																	
19. ARDEE ...	...	67,239	11,030	44	189	8	20	201	6	—	12	18	154	22	23	155	46
20. DROGHEDA ...	...	41,979	18,278	92	403	37	18	384	21	11	2	12	279	15	23	287	97
21. DUNDALK ...	...	93,596	33,431	132	590	9	24	605	13	2	6	17	415	4	42	453	152
9. Meath Co																	
22. DUNSHAUGHLIN ...	...	106,757	7,776	35	100	—	46	146	—	—	5	5	72	—	47	119	27
23. KILLS ...	...	103,420	13,108	40	207	2	29	234	—	—	9	9	118	—	52	170	64
24. NAVAN ...	...	132,153	22,708	82	349	8	57	398	6	—	9	15	363	82	48	329	69
25. OLDCASTLE ...	...	44,099	4,876	17	83	—	11	94	1	—	4	5	61	—	15	76	18
26. TRIM... ..	...	141,387	14,501	51	295	59	20	256	28	20	3	11	262	55	35	242	14
10. Offaly Co.																	
27. BIRR ...	...	248,866	24,401	91	360	1	29	388	3	—	8	11	306	3	64	367	21
28. EDENDERRY ...	...	81,156	6,728	17	106	3	13	116	2	—	4	6	90	1	11	100	16
29. TULLAMORE ...	...	163,615	21,463	106	432	25	18	425	27	9	4	22	355	51	22	326	99
11. Westmeath Co.																	
30. ATHLONE ...	...	98,984	19,004	71	341	12	29	358	3	1	5	7	249	6	19	262	96
31. DELVIN ...	...	110,986	10,342	38	155	1	30	184	3	—	2	5	133	3	40	170	14
32. MULLINGAR ...	...	225,634	27,472	109	505	34	30	501	21	6	4	19	459	84	16	391	110
12. Wexford Co.																	
33. ENNISCORTHY ...	...	193,384	29,878	131	600	48	16	568	60	31	3	32	553	100	38	491	77
34. GOREY ...	...	130,103	14,358	53	11	6	21	249	2	—	8	10	201	1	22	222	27
35. NEW ROSS ...	...	124,397	20,141	82	342	4	27	365	7	1	15	21	290	4	57	343	22
36. WEXFORD... ..	...	133,010	31,471	157	624	26	33	631	18	—	22	40	501	39	51	513	118
13. Wicklow Co.																	
37. BALTINGLASS ...	...	154,966	10,393	45	155	2	24	177	4	—	6	10	146	1	35	180	— 3
38. RATHDRUM ...	...	262,200	39,394	182	704	25	107	786	30	7	12	35	568	37	101	632	154
39. SHILLELAGH ...	...	83,078	7,804	19	107	1	16	122	3	—	4	7	86	1	21	106	16

ABSTRACT 1.—(continued).
PROVINCE OF MUNSTER.—MARRIAGES, BIRTHS AND DEATHS, 1931.
 SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion Census, 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths, as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
No. 14. Clare Co.																
40. BALLYVAGHAN	71,629	3,495	8	49	3	1	47	—	—	—	—	35	—	5	40	7
41. COROFIN	61,381	4,109	10	57	—	2	59	—	—	—	—	36	—	6	42	17
42. ENNIS	113,324	18,732	80	311	10	17	318	—	—	9	9	341	93	17	265	53
43. ENNISTYMON	99,600	15,137	29	240	2	15	253	—	—	4	4	151	1	27	177	76
44. KILLADYSERT	62,615	7,415	31	130	—	7	137	—	—	3	3	72	—	17	89	48
45. KILRUSH	137,507	22,642	101	438	31	8	415	35	22	—	13	300	26	30	304	111
46. SCARRIFF	241,712	23,534	81	311	—	53	364	3	—	11	14	259	1	53	311	53
No. 15. Cork Co.																
47. BANDON	101,482	15,233	57	281	38	32	275	2	—	7	9	194	7	45	232	43
48. BANTRY	107,277	11,322	36	166	4	18	180	3	—	4	7	142	1	21	162	18
49. CASTLETOWN	74,296	9,362	27	129	—	4	133	1	—	—	1	77	—	17	94	39
50. CLONAKILTY	80,994	15,695	63	277	13	14	278	11	4	2	9	267	41	15	241	37
51. CORK, part of	167,841	56,090	216	927	158	189	958	137	107	1	31	1,214	549	81	746	212
52. DUNMANWAY	103,920	11,377	31	171	3	27	195	—	—	—	—	152	1	25	176	19
53. FERMOY	196,733	26,785	79	418	11	36	443	19	2	7	24	331	11	40	360	83
54. KANTURK	185,659	21,421	97	404	10	31	425	5	—	9	14	277	3	40	314	111
55. KINSALE	80,129	12,659	34	158	1	24	181	2	—	9	11	135	—	37	172	9
56. MACROOM	179,153	19,080	72	276	19	30	287	4	1	6	9	198	2	49	245	42
57. MALLOW	169,102	24,468	97	432	13	54	473	26	6	4	24	377	35	53	395	78
58. MIDLETON	109,380	17,883	54	236	6	41	271	6	2	12	16	214	9	45	250	21
59. MILLSTREET	74,939	9,585	11	154	2	15	167	—	—	—	—	125	5	11	131	36
60. SKIBBEREEN	113,371	20,056	56	281	4	12	289	1	—	3	4	257	9	32	280	9
61. SKULL	57,669	7,060	22	96	—	9	105	3	—	1	4	88	—	7	105	—
62. YOUGHAL	36,960	9,181	20	115	4	9	120	4	—	2	6	152	27	14	138	- 18

16. Cork Co Borough																	
63. CORK, part of	2,685	78,490	690	2,263	398	71	1,936	13	1	24	36	1,162	200	331	1,293	643	
17. Kerry Co.																	
64. CAHERCIVEEN	198,101	18,224	53	247	—	13	260	3	—	4	7	219	—	27	246	14	
65. DINGLE	126,454	15,855	34	223	3	5	225	—	—	—	—	168	—	12	180	45	
66. KENMARE	198,416	11,432	23	194	2	9	201	—	—	4	4	91	—	21	112	89	
67. KILLARNEY	251,430	33,257	160	590	32	17	575	30	18	3	15	522	104	16	434	141	
68. LISTOWEL	165,500	29,552	100	605	18	25	612	11	—	9	2	337	—	26	363	249	
69. TRALEE	221,807	40,851	129	687	21	36	702	15	3	11	23	468	25	60	503	199	
18. Limerick Co.																	
70. CROOM	83,369	10,087	38	325	159	13	179	69	61	1	9	186	66	27	147	122	
71. KILMALLOCK	164,342	24,284	98	422	3	90	509	14	—	35	49	281	—	83	364	55	
72. LIMERICK, part of ...	142,823	25,417	81	463	22	120	561	21	16	11	16	486	199	60	347	214	
73. NEWCASTLE	143,840	23,884	90	446	1	58	503	3	—	12	15	417	101	31	347	156	
74. RATHKEALE	127,199	17,223	67	267	3	43	307	1	—	3	4	201	—	49	250	57	
19. Limerick Co. Borough																	
75. LIMERICK, part of ...	2,386	39,448	318	1,127	163	31	995	9	—	17	26	514	76	192	630	365	
20. Tipperary N.R.																	
76. BORRISOKANE	109,667	9,213	19	125	1	17	141	—	—	3	3	75	—	28	103	38	
77. NENAGH	183,392	20,792	67	408	16	31	423	5	—	6	11	318	7	37	348	75	
78. ROSCREA	57,541	7,586	31	143	7	6	142	10	7	2	5	131	27	15	119	23	
79. THURLES	142,655	22,054	108	421	15	26	432	21	9	1	13	297	23	33	307	125	
21. Tipperary S.R.																	
80. CARRICK-ON-SUIR ...	26,118	6,893	30	149	1	9	157	1	—	2	3	89	—	10	99	58	
81. CASHEL	222,782	26,000	98	479	47	26	458	55	31	—	24	395	79	38	354	104	
82. CLOGHEEN	117,415	12,348	46	178	2	22	198	—	—	8	8	155	1	34	188	10	
83. CLONMEL	47,305	13,777	61	261	16	14	259	7	2	9	14	257	84	29	202	57	
84. TIPPERARY	144,414	22,352	79	432	62	29	399	6	—	20	26	262	5	58	315	84	
22. Waterford Co.																	
85. DUNGARVAN	144,323	18,287	70	357	16	8	349	22	4	2	20	303	56	18	265	84	
86. KILMACTHOMAS ...	64,595	6,321	21	125	—	11	136	4	—	1	5	61	—	29	90	4	
87. LISMORE	97,178	10,802	46	158	2	14	170	5	—	5	10	139	2	37	174	— 4	
88. WATERFORD, part of ...	146,955	16,505	74	302	3	46	345	10	—	13	23	212	11	57	258	87	
23. Waterford Co. Borough																	
89. WATERFORD, part of ...	1,438	26,647	160	653	50	5	608	25	12	1	14	502	95	17	424	184	

ABSTRACT I.—(continued).
PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS AND DEATHS, 1931.
 SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion Census, 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No.																
90. BALLINASLOE	125,574	15,064	84	245	6	25	264	1	—	3	4	166	47	38	157	107
91. CLIFDEN	193,692	13,760	33	209	2	17	224	3	—	3	6	168	—	23	191	33
92. GALWAY	198,512	34,294	164	966	162	14	818	33	21	1	13	613	175	25	463	355
93. GLENAMADDY	82,958	11,639	13	196	1	10	205	—	—	4	4	152	—	25	177	28
94. GORT	106,321	10,750	28	162	—	16	178	2	—	1	3	107	—	24	131	47
95. LOUGHREA	198,917	19,257	48	319	3	48	364	2	—	10	12	244	65	41	220	144
96. MOUNTBELLEW	102,407	12,652	35	200	—	7	207	—	—	2	2	127	—	14	141	66
97. OUGHTERARD	173,438	14,494	34	303	6	15	312	5	—	6	11	157	—	29	186	126
98. PORTUMNA	77,262	8,356	53	156	3	12	165	—	—	1	1	72	—	22	94	71
99. TUAM	208,558	29,100	90	553	5	22	570	3	2	1	2	320	10	52	362	208
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,587	10,422	33	136	1	13	148	—	—	2	2	137	11	19	145	3
101. MANORHAMILTON	177,423	21,791	75	388	12	8	384	20	9	1	12	379	37	29	371	13
102. MOHILL	135,764	23,694	99	426	2	18	442	—	—	9	9	284	—	54	338	104
26. Mayo Co.																
103. BALLINA	251,108	28,929	119	523	4	17	536	2	—	6	8	288	2	54	340	196
104. BALLINROBE	147,105	18,293	80	298	2	14	310	—	—	4	4	203	16	29	216	94
105. BELMULLETT	179,761	13,720	106	238	1	5	242	4	—	1	5	109	—	11	120	122
106. CASTLEBAR	141,211	23,879	80	394	38	6	362	20	15	1	6	412	170	4	246	116
107. CLAREMORRIS	110,789	20,573	85	343	4	10	349	2	—	1	3	249	—	48	297	52

108. SWINFORD	156,063	36,994	119	553	3	24	574	—	—	4	4	450	11	47	486	88
109. WESTPORT	347,904	30,302	104	509	4	24	529	—	—	6	6	319	1	52	370	159
27. Roscommon Co.																
110. BOYLE	122,372	18,656	53	260	5	12	267	4	1	2	5	257	3	34	288	— 21
111. CASTLEREAGH	163,690	27,152	90	409	4	9	414	1	—	1	2	302	—	63	365	49
112. ROSCOMMON	322,478	37,748	138	626	5	27	648	9	3	2	8	525	70	30	485	163
28. Sligo Co.																
113. DROMORE WEST	97,543	10,834	23	161	2	6	165	1	—	3	4	130	1	20	149	16
114. SLIGO	220,516	44,698	185	739	22	18	735	25	6	5	24	720	83	23	660	75
115. TOBERCOURRY	125,869	15,856	41	208	1	13	220	—	—	2	2	221	—	39	260	— 40

PROVINCE OF ULSTER (Part of).—MARRIAGES, BIRTHS AND DEATHS, 1931.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

29. Cavan Co.																
116. BAILIEBOROUGH	113,901	21,473	73	322	3	51	370	1	—	12	13	240	—	64	304	66
117. BAWNBOY	102,420	12,232	41	183	3	9	189	1	—	2	3	140	—	20	160	29
118. CAVAN	250,841	48,747	168	834	35	27	826	32	13	4	23	769	59	34	744	82
30. Donegal Co.																
119. BALLYSHANNON	41,628	8,848	28	129	12	8	125	3	—	2	5	115	15	17	117	8
120. DONEGAL	160,441	16,552	64	269	4	15	280	8	—	6	14	242	11	17	248	32
121. DUNFANAGHY	126,123	14,252	33	274	6	6	274	9	—	4	13	151	—	13	164	110
122. GLENTIES	258,505	30,081	90	441	6	13	448	6	1	4	9	345	5	37	377	71
123. INISHOWEN	160,021	25,035	96	388	1	5	392	6	—	3	9	346	2	10	354	38
124. LETTERKENNY	160,377	18,909	90	369	4	5	370	16	—	4	20	267	50	17	234	136
125. MILLFORD	112,089	16,884	56	255	3	8	260	6	—	3	9	196	—	25	221	39
126. STRANORLAR	174,389	21,947	96	436	26	7	417	52	22	1	31	363	65	7	305	112
31. Monaghan Co.																
127. CARRICKMACROSS	65,680	13,740	63	200	1	20	219	1	—	4	5	163	—	38	201	18
128. CASTLEBLAYNEY	63,834	13,932	43	248	22	7	233	20	8	1	13	237	53	19	203	30
129. CLONES	64,288	12,352	44	195	4	11	202	4	—	1	5	171	—	23	204	— 2
130. MONAGHAN	125,183	25,107	81	430	8	18	440	10	—	5	15	383	73	20	330	110

* See note (*) on page 33.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
SAORSTÁT ÉIREANN ...	13,133	12,228	905	652	126	56	65	.	6	3,518	3,128	3,579	2,908
PROVINCES.													
LEINSTER ...	5,952	5,395	557	414	48	36	54	.	5	1,203	1,456	1,812	1,481
MUNSTER ...	4,103	3,997	106	89	6	5	5	.	1	1,351	882	1,015	855
CONNAUGHT ...	2,012	1,972	40	38	.	2	.	.	.	656	539	476	341
ULSTER (part of) ...	1,066	864	202	111	72	13	6	.	.	308	251	276	231

PROVINCE OF

CARLOW ...	136	128	8	8	.	.	.	.	.	23	35	39	39
DUBLIN ...	592	500	92	79	9	3	1	.	.	96	157	199	140
CITY OF DUBLIN	2 881	2,564	317	201	30	28	53	.	5	547	672	953	709
KILDARE ...	229	221	8	8	.	.	.	.	.	51	65	57	56
KILKENNY ...	232	226	6	6	.	.	.	.	.	52	59	66	55
LAOIGHIS ...	152	132	20	20	.	.	.	.	.	31	38	45	38
LONGFORD ...	136	127	9	9	.	.	.	.	.	38	31	36	31
LOUTH ...	268	253	15	7	5	3	.	.	.	69	61	71	67
MEATH ...	225	212	13	12	1	.	.	.	.	44	60	61	60
OFFALY ...	214	205	9	9	.	.	.	.	.	53	58	49	54
WESTMEATH ...	213	214	4	4	.	.	.	.	.	56	39	47	76
WEXFORD ...	423	397	26	24	1	1	.	.	.	98	111	128	86
WICKLOW ...	246	216	30	27	2	1	.	.	.	45	70	61	70

PROVINCE OF

CLARE ...	340	338	2	2	.	.	.	.	.	139	66	71	64
CORK ...	972	922	50	45	.	4	1	.	.	331	197	228	216
CORK CO. BOROUGH	690	666	24	15	5	1	2	.	1	189	162	193	146
KERRY ...	499	498	1	1	.	.	.	.	.	197	90	110	102
LIMERICK ...	374	370	4	4	.	.	.	.	.	151	79	72	72
LIMERICK CO. BOROUGH	318	311	7	6	.	.	1	.	.	79	82	80	77
TIPPERARY, N.R.	225	218	7	6	.	.	1	.	.	92	38	47	48
TIPPERARY, S.R.	314	310	4	4	.	.	.	.	.	95	67	92	60
WATERFORD ...	211	210	1	1	.	.	.	.	.	42	60	59	50
WATERFORD CO. BOROUGH.	160	154	6	5	1	.	.	.	.	36	41	63	20

PROVINCE OF

GALWAY ...	582	575	7	7	.	.	.	.	.	182	150	143	102
LEITRIM ...	207	198	9	8	.	1	.	.	.	62	51	61	33
MAYO ...	693	687	6	6	.	.	.	.	.	255	175	137	126
ROSCOMMON ...	281	279	2	2	.	.	.	.	.	94	94	66	27
SLIGO ...	249	233	16	15	.	1	.	.	.	63	69	64	53

PROVINCE OF

QAVAN ...	282	231	51	43	6	1	1	.	.	85	55	84	58
DONEGAL ...	553	449	104	52	43	6	3	.	.	166	127	130	130
MONAGHAN ...	231	184	47	16	23	6	2	.	.	57	69	62	43

registered in the Year 1931.

MARRIAGES.								Signed the Marriage Register with Marks				PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age				Cases in which		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Men.	Women.	
12,047	257	689	140	829	397	199	962	265	138	42	319	SAORSTAT ÉIREANN.
5,432	132	325	63	388	195	105	534	67	37	11	82	PROVINCES. LEINSTER.
3,776	73	210	44	254	117	59	248	56	50	13	80	MUNSTER.
1,867	32	97	16	113	48	18	98	81	27	14	80	CONNAUGHT.
972	20	57	17	74	37	17	82	61	24	4	77	ULSTER (part of).

LEINSTER

122	6	6	2	8	8	.	12	3	.	.	3	CARLOW.
545	15	27	5	32	20	8	34	3	1	.	4	DUBLIN.
2,636	58	147	40	187	98	71	298	15	19	5	24	CITY OF DUBLIN.
207	7	14	1	15	8	4	24	4	3	2	3	KILDARE.
208	7	15	2	17	9	3	8	1	.	.	1	KILKENNY.
134	3	10	5	15	8	.	7	1	.	.	1	LAGHIS.
123	2	9	2	11	4	.	6	4	1	.	5	LONGFORD.
248	7	13	.	13	7	2	16	6	1	.	7	LOUTH.
199	11	15	.	15	11	1	21	.	.	.	5	MEATH.
194	6	13	1	14	7	2	25	6	1	1	1	OFFALY.
199	2	17	.	17	2	.	15	1	1	1	1	WESTMEATH.
382	6	32	3	35	9	9	49	16	7	2	19	WEXFORD.
235	2	7	2	9	4	5	19	7	3	.	10	WICKLOW.

MUNSTER

304	16	14	6	20	22	5	15	7	7	1	12	CLARE.
897	18	51	6	57	24	5	53	11	5	1	14	CORK.
638	4	34	14	48	18	13	38	6	4	.	10	CORK CO. BOROUGH.
464	9	23	3	26	12	4	14	13	11	6	12	KERRY.
343	7	23	1	24	8	5	22	2	5	1	5	LIMERICK.
295	5	14	4	18	9	6	27	7	6	1	11	LIMERICK CO. BOROUGH.
209	6	9	1	10	7	3	16	2	2	.	4	TIPPERARY, N.R.
287	4	19	4	23	8	3	7	3	1	.	3	TIPPERARY, S.R.
191	.	17	3	20	3	2	17	2	3	1	7	WATERFORD.
148	4	6	2	8	6	9	32	3	3	2	2	WATERFORD CO. BOROUGH.

CONNAUGHT

541	13	26	2	28	15	5	33	29	9	5	28	GALWAY.
185	3	15	4	19	7	2	7	7	.	.	7	LETTRIM.
654	9	26	4	30	13	6	28	22	11	4	25	MAYO.
254	4	20	3	23	7	.	15	10	2	1	10	ROSCOMMON.
233	3	10	3	13	6	5	15	13	5	4	10	SLIGO.

ULSTER (part of)—

255	6	16	5	21	11	3	27	12	3	.	15	CAVAN.
514	9	22	8	30	17	11	44	41	16	3	51	DONEGAL.
203	5	19	4	23	9	3	11	8	5	1	11	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages in the year 1931—by Provinces and Counties.

Provinces and Counties.		TOTAL	AGES AT DEATH																									
		BIRTHS	TOTAL	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards		
		DEATHS	DEATHS																									
SAORSTÁT EIREANN	Persons	57,086	42,947	3,935	938	442	287	225	5,827	644	519	856	1,034	1,020	977	1,086	1,216	1,504	2,256	2,494	3,599	4,128	6,101	7,044	2,393	249		
	Males	29,409	21,754	2,229	486	215	147	124	3,201	357	240	411	520	477	428	497	597	758	1,225	1,341	1,897	2,153	3,071	3,419	1,056	106		
	Females	27,677	21,193	1,706	452	227	140	101	101	2,626	287	279	445	514	543	549	589	619	746	1,031	1,153	1,702	1,975	3,030	3,625	1,337	143	
LEINSTER	Persons	24,254	17,792	1,964	596	249	133	111	3,053	294	237	394	442	445	417	505	563	700	1,043	1,117	1,490	1,654	2,169	2,469	728	72		
	Males	12,492	8,982	1,101	298	117	72	61	1,649	171	114	196	224	199	188	241	283	367	590	616	776	832	1,082	1,137	288	29		
	Females	11,762	8,810	863	298	132	61	50	1,404	123	123	198	218	246	229	264	280	333	453	501	714	822	1,087	1,332	440	43		
MUNSTER	Persons	18,155	13,731	1,225	221	119	87	69	1,721	210	154	246	355	349	320	357	409	484	734	806	1,218	1,381	1,971	2,201	770	75		
	Males	9,296	6,966	708	120	60	43	36	967	108	65	118	173	170	136	165	209	237	382	421	631	740	1,004	1,081	323	26		
	Females	8,859	6,775	517	101	59	44	33	754	102	89	128	182	179	184	192	200	247	352	385	557	641	967	1,120	447	49		
CONNUGHT	Persons	9,632	7,258	465	74	49	41	29	658	90	72	156	139	146	165	140	148	201	293	344	535	661	1,223	1,560	661	66		
	Males	4,980	3,669	271	42	26	20	17	376	50	32	72	72	73	79	62	64	91	168	176	291	338	608	765	321	31		
	Females	4,652	3,589	194	32	23	21	12	282	40	40	84	67	73	86	78	84	110	125	168	244	323	615	795	340	35		
ULSTER (part of)	Persons	5,045	4,166	281	47	25	26	16	395	50	56	60	98	80	75	84	96	119	186	227	386	432	738	814	234	36		
	Males	2,641	2,147	149	26	12	12	10	209	28	29	25	51	35	25	29	41	63	85	128	199	243	377	436	124	20		
	Females	2,404	2,019	132	21	13	14	6	186	22	27	35	47	45	50	55	55	56	101	99	187	189	361	378	110	16		
LEINSTER.																												
CARLOW	Persons	688	524	39	8	4	4	1	56	7	8	6	10	10	9	13	20	24	40	44	48	52	62	79	29	7		
	Males	331	258	19	2	3	1	1	26	3	5	2	5	5	3	6	12	14	20	22	26	31	26	34	13	5		
	Females	357	266	20	6	1	3	.	30	4	3	4	5	5	6	7	8	10	20	22	22	21	36	45	16	2		
DUBLIN	Persons	1,847	1,414	168	29	16	8	9	230	24	19	39	37	23	43	43	47	57	79	95	103	118	165	230	58	1		
	Males	948	682	101	15	7	4	3	130	12	10	22	19	14	17	15	27	28	46	51	52	59	74	87	18	1		
	Females	899	732	67	14	9	4	6	100	12	9	17	18	9	26	28	20	29	33	44	51	59	91	143	40	3		
CITY OF DUBLIN.	Persons	10,319	6,581	967	399	154	77	58	1,655	122	75	167	191	206	160	215	231	298	390	415	525	491	577	630	173	10		
	Males	5,317	3,226	548	209	80	41	33	911	73	32	81	94	84	78	104	123	167	232	210	257	220	252	254	53	1		
	Females	5,002	3,305	419	190	74	36	25	744	49	43	86	97	122	82	111	108	131	158	205	268	271	325	376	120	9		
KILDARE	Persons	1,178	843	83	13	4	3	4	107	19	14	18	25	28	24	22	25	47	43	65	89	65	106	119	24	3		
	Males	619	451	43	6	2	1	2	54	10	8	10	15	13	16	12	8	23	26	39	53	42	53	59	8	2		
	Females	559	392	40	7	2	2	2	53	9	6	8	10	15	8	10	17	24	17	26	36	23	53	60	16	1		
KILKENNY	Persons	1,292	1,109	98	30	8	10	5	151	23	16	17	19	21	22	17	29	37	69	63	78	116	169	201	57	4		
	Males	692	570	57	14	3	6	3	83	13	4	9	10	14	9	8	12	11	41	39	41	63	86	98	27	2		
	Females	600	539	41	16	5	4	2	68	10	12	8	9	7	13	9	17	26	28	24	37	53	83	103	30	2		
LAOIGHIS	Persons	986	825	69	10	7	4	3	95	9	9	12	15	22	17	23	30	21	47	52	73	92	130	129	45	6		
	Males	539	433	43	6	1	2	2	54	4	5	6	9	7	7	13	17	8	30	31	40	42	72	69	18	1		
	Females	447	392	26	4	6	2	1	39	5	4	6	6	15	10	13	13	17	21	33	50	58	60	50	27	5		
LONGFORD	Persons	756	612	52	4	3	2	1	62	6	6	16	15	8	18	18	12	13	32	27	67	77	89	104	35	7		
	Males	390	309	28	1	1	1	1	31	3	4	8	6	3	10	9	5	7	20	15	32	43	43	50	17	3		
	Females	366	303	24	3	2	1	.	31	3	2	8	9	5	8	9	7	6	12	12	35	34	46	54	18	3		

LOUTH	{	Persons	1,190	895	77	13	7			109	15	14	17	19	17	23	31	28	32	55	41	72	76	152	146	43	5
		Males	615	455	37	12				61	11	6	8	11	7	10	17	16	14	31	26	37	37	70	71	19	3
		Females	575	440	40	1	4	3	1	3	48	4	8	9	8	10	13	14	12	18	24	15	35	39	82	75	24
MEATH	{	Persons	1,128	936	66	13	6	2	8	95	12	9	24	26	17	17	19	23	31	62	69	84	99	149	158	40	2
		Males	531	505	33	4	2	1	4	44	9	4	13	14	9	9	9	13	17	30	39	47	55	94	82	17	2
		Females	597	431	33	9	4	1	4	51	3	5	11	12	8	8	10	10	14	32	30	37	44	55	76	23	2
OFFALY	{	Persons	929	793	67	12	6	3	1	89	11	17	19	15	15	15	21	19	25	45	49	59	55	125	138	39	7
		Males	487	417	36	4	2	2	1	45	3	12	8	11	7	4	11	9	16	23	23	40	36	73	77	17	2
		Females	442	376	31	8	4	1	1	44	8	5	11	4	8	11	10	10	9	22	26	19	49	52	61	22	5
WEST-MEATH.	{	Persons	1,043	823	73	13	11	3	3	103	15	13	21	20	14	24	22	20	35	42	52	62	95	98	139	147	1
		Males	543	437	42	7	3	2	2	56	9	5	12	8	9	9	9	8	19	22	27	34	57	53	76	23	1
		Females	500	386	31	6	8	1	1	47	6	8	9	12	5	15	13	12	16	20	25	28	38	45	63	24	1
WEXFORD	{	Persons	1,813	1,569	120	28	15	10	6	179	13	27	29	34	35	29	45	44	45	89	85	143	169	243	252	99	9
		Males	919	777	66	11	7	5	4	93	10	13	14	17	15	9	20	18	22	44	53	74	90	128	111	42	4
		Females	894	792	54	17	8	5	2	86	3	14	15	17	20	20	25	26	23	45	32	69	79	115	141	57	5
WICKLOW	{	Persons	1,085	918	85	24	8	1	6	124	18	10	9	16	29	16	16	35	35	50	60	87	119	104	144	39	7
		Males	561	462	48	7	2	1	3	61	11	6	3	5	12	7	8	15	21	25	41	43	57	58	69	16	4
		Females	524	456	37	17	6	1	3	63	7	4	6	11	17	9	8	20	14	25	19	44	62	46	75	23	3
MUNSTER.																											
CLARE	{	Persons	1,593	1,228	88	12	5	7	2	114	17	11	20	25	25	23	32	33	29	41	62	96	113	213	249	112	13
		Males	812	628	44	4	2	4	1	54	7	8	7	15	15	7	15	15	15	18	33	53	65	115	129	52	5
		Females	781	600	44	8	3	3	2	60	10	3	13	10	10	16	17	18	14	23	29	43	48	98	120	60	8
CORK CO.	{	Persons	4,780	4,041	306	42	28	22	22	420	73	53	74	101	92	102	87	117	138	221	247	367	388	588	703	247	23
		Males	2,467	2,061	162	31	13	11	13	230	40	21	41	47	41	46	44	67	57	118	132	205	210	326	335	94	7
		Females	2,313	1,980	144	11	15	11	9	190	33	32	33	54	51	56	43	50	81	103	115	162	178	262	368	153	16
CORK CO. BOROUGH.	{	Persons	1,936	1,293	136	34	18	16	15	219	20	16	20	42	46	41	49	67	67	79	83	114	117	136	141	34	2
		Males	995	617	78	20	6	6	9	119	10	6	8	24	24	18	20	37	37	45	43	48	51	51	65	11	1
		Females	941	676	58	14	12	10	6	100	10	10	12	18	22	23	29	30	30	34	40	66	66	85	76	23	2
KERRY	{	Persons	2,575	1,838	151	27	12	12	7	209	23	20	36	55	50	47	57	47	55	88	90	157	177	282	313	119	13
		Males	1,290	960	104	13	8	6	3	134	10	10	19	29	21	16	21	25	30	45	41	85	103	148	172	48	3
		Females	1,285	878	47	14	4	6	4	75	13	10	17	26	29	31	36	22	25	43	49	72	74	134	141	71	10
LIMERICK CO.	{	Persons	2,059	1,455	146	26	15	10	4	201	13	13	31	42	20	27	35	39	38	77	84	116	162	188	266	95	8
		Males	1,059	736	85	17	6	5	2	115	5	6	15	22	7	15	19	16	20	36	49	57	85	88	128	49	4
		Females	1,000	719	61	9	9	5	2	86	8	7	16	20	13	12	16	23	18	41	35	59	77	100	138	46	4
LIMERICK CO. BOROUGH.	{	Persons	995	630	119	29	14	8	6	176	20	9	15	18	19	14	16	24	34	37	48	53	41	61	36	9	4
		Males	519	325	71	12	10	4	2	99	9	5	8	7	8	8	7	12	15	20	26	34	19	32	14	2	1
		Females	476	305	48	17	4	4	4	77	11	4	7	11	11	6	9	12	19	17	22	19	22	29	22	7	1
TIPPERARY, N.E.	{	Persons	1,138	877	69	16	6	4	4	99	16	6	9	15	29	21	20	23	22	45	47	68	130	144	133	46	4
		Males	575	462	43	9	3	3	2	60	8	3	4	8	16	10	8	11	11	28	30	33	78	68	65	18	3
		Females	563	415	26	7	3	1	2	39	8	3	5	7	13	11	12	12	11	17	17	35	52	76	68	28	1
TIPPERARY, S.R.	{	Persons	1,471	1,158	89	17	11	4	2	123	14	13	19	28	36	21	23	32	45	76	77	118	132	168	177	52	4
		Males	738	575	51	7	9	2	1	70	10	3	8	11	19	5	11	16	24	37	42	61	69	84	82	22	1
		Females	733	583	38	10	2	2	1	53	4	10	11	17	17	16	12	16	21	39	35	57	63	84	95	30	3

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages in the year 1931.

Provinces and Counties.		TOTAL BIRTHS.	AGES AT DEATH																								
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	
WATER- FORD CO.	Persons	1,000	787	65	8	7	.	3	83	6	7	12	11	24	17	26	16	33	45	42	61	79	137	135	47	6	
	Males	506	394	33	4	3	.	2	42	3	1	4	6	16	8	11	5	18	22	18	37	43	65	67	25	3	
	Females	494	393	32	4	4	.	1	41	3	6	8	5	8	9	15	11	15	23	24	24	36	72	68	22	3	
WATERFORD CO. BOROUGH	Persons	608	424	56	10	3	4	4	77	8	6	10	18	8	7	12	11	23	25	26	38	42	54	48	9	2	
	Males	335	198	37	3	.	2	2	44	6	2	4	4	3	3	9	5	10	13	7	18	17	27	24	2	.	
	Females	273	226	19	7	3	2	2	33	2	4	6	14	5	4	3	6	13	12	19	20	25	27	24	7	2	
CONNAUGHT.																											
GALWAY	Persons	3,307	2,122	163	34	19	19	7	242	31	22	50	44	37	53	49	44	67	76	99	133	174	299	465	218	19	
	Males	1,652	1,090	87	18	8	9	6	128	17	10	23	22	21	26	26	20	32	45	53	78	92	140	234	116	7	
	Females	1,655	1,032	76	16	11	10	1	114	14	12	27	22	16	27	23	24	35	31	46	55	82	159	231	102	12	
LEITRIM	Persons	974	854	44	8	4	4	4	64	4	8	14	14	20	15	16	18	16	33	49	89	87	190	156	56	5	
	Males	494	413	24	4	2	2	2	34	1	4	8	7	9	6	5	4	6	15	22	47	43	97	67	35	3	
	Females	480	441	20	4	2	2	2	30	3	4	6	7	11	9	11	14	10	18	27	42	44	93	89	21	2	
MAYO	Persons	2,902	2,075	135	13	10	8	9	175	34	31	50	40	50	45	36	38	55	99	79	144	166	341	451	223	18	
	Males	1,493	1,060	84	8	4	3	4	103	21	13	22	17	23	20	13	16	26	64	47	81	87	171	225	103	8	
	Females	1,409	1,015	51	5	6	5	5	72	13	18	28	23	27	25	23	22	29	35	32	63	79	170	226	120	10	
ROSCOMMON.	Persons	1,329	1,138	62	7	7	7	6	89	8	6	24	15	11	29	20	25	27	42	58	87	115	211	267	92	12	
	Males	736	586	35	5	6	5	3	54	5	3	13	11	6	15	6	14	13	26	28	39	58	108	137	41	9	
	Females	593	552	27	2	1	2	3	35	3	3	11	4	5	14	14	11	14	16	30	48	57	103	130	51	3	
SLIGO	Persons	1,120	1,069	61	12	9	3	3	88	13	5	18	26	28	23	19	23	36	43	59	82	119	182	221	72	12	
	Males	605	520	41	7	6	1	2	57	6	2	6	15	14	12	12	10	14	18	26	46	58	92	102	26	4	
	Females	515	549	20	5	3	2	1	31	7	3	12	11	14	11	7	13	22	25	33	36	61	90	119	46	8	
ULSTER (part of).																											
CAVAN	Persons	1,385	1,208	93	14	6	9	2	124	17	15	8	27	24	22	25	20	34	46	67	181	128	223	224	65	8	
	Males	732	630	51	6	4	4	2	67	7	8	2	15	13	6	10	9	17	22	37	69	75	113	119	37	4	
	Females	653	578	42	8	2	5	.	57	10	7	6	12	11	16	15	11	17	24	30	62	53	110	105	28	4	
DONEGAL	Persons	2,566	2,020	141	16	13	12	9	191	28	29	45	52	34	40	38	45	61	81	105	155	186	351	422	132	25	
	Males	1,358	1,042	81	10	8	6	6	108	19	14	21	25	14	13	8	18	34	35	58	79	105	184	225	68	14	
	Females	1,208	978	60	6	5	6	3	83	9	15	24	27	20	27	30	27	27	46	47	76	81	167	197	64	11	
MONAGHAN	Persons	1,094	938	47	17	6	5	5	80	5	12	7	19	22	13	21	31	24	59	55	100	118	164	168	37	3	
	Males	551	475	17	10	3	2	2	34	2	7	2	11	8	6	11	14	12	28	33	51	63	89	92	19	2	
	Females	543	463	30	7	3	3	3	46	3	5	5	8	14	7	10	17	12	31	22	49	55	84	76	18	1	

ABSTRACT IV.

Causes of Death.

ABSTRACT IV.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES A											
		All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years
	Total Deaths (All Causes) { M. F.	21,754 21,193	844 668	278 198	219 154	392 326	496 360	2,229 1,706	486 452	215 227	147 140	124 101	3,201 2,626
(1-44)	I. Infectious and Para-sitic Diseases. { M. F.	3,245 3,397	9 12	19 14	10 13	47 28	114 82	199 149	169 169	74 91	62 67	58 32	562 508
1	Typhoid Fever .. { M. F.	35 30	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Paratyphoid Fever { M. F.	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Typhus .. { M. F.	6 5	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
7	Measles .. { M. F.	199 173	. 1	1 1	. 1	1 1	46 28	48 32	82 80	31 30	12 14	5 6	178 162
8	Scarlet Fever.. { M. F.	39 35	. .	. .	. .	. 1	1 2	1 3	6 6	4 3	. 7	7 1	18 20
9	Whooping-cough .. { M. F.	72 67	1 1	5 4	1 4	11 11	19 9	37 29	16 16	10 7	5 8	1 3	69 63
10	Diphtheria .. { M. F.	150 167	1 2	1 .	1 1	1 .	4 3	8 6	13 16	11 14	12 16	21 13	65 65
11	Influenza .. { M. F.	692 780	1 4	2 1	6 2	13 4	14 15	36 26	13 10	7 10	5 2	3 1	64 49
	(a) With respiratory complications. { M. F.	219 225	. .	. 1	1 .	7 .	4 5	12 6	8 5	1 1	3 .	1 .	25 12
	(b) Without Respiratory Complications. { M. F.	473 555	1 4	2 .	5 2	6 4	10 10	24 20	5 5	6 9	2 2	2 1	39 37
13	Dysentery .. { M. F.	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .
15	Erysipelas .. { M. F.	16 17	. 1	. .	. .	. .	. .	1 1	1 .	1 .	. .	. .	1 2
16	Acute polio-myelitis { M. F.	7 2	. .	. .	. .	. .	. .	. .	1 1	2 1	1 .	1 .	4 2
17	Encephalitis Lethargica { M. F.	16 20	. .	. .	. .	. .	. .	. .	1 1	1 .	. .	1 .	1 2
18	Cerebro-Spinal Fever .. { M. F.	10 9	. .	. .	. .	. .	1 1	1 1	1 1	. 1	. .	. .	2 3
20	Anthrax .. { M. F.	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
22	Tetanus .. { M. F.	15 5	1 .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	2 .
23-32	Tuberculosis (All Forms). { M. F.	1,893 2,009	1 1	5 4	2 4	17 9	27 18	52 36	32 30	8 17	22 16	18 7	132 106
23	Tuberculosis of Respiratory System. { M. F.	1,466 1,585	. .	. .	. .	5 1	4 6	9 7	9 4	3 2	4 6	3 2	28 21
24-32	Tuberculosis other than Respiratory. { M. F.	427 424	1 1	5 4	2 4	12 8	23 12	43 29	23 26	5 15	18 10	15 5	104 85
24	Tuberculosis of the Central Nervous System { M. F.	152 113	. .	. .	. .	1 4	11 4	12 8	13 8	4 3	11 3	9 2	49 24
25	Tuberculosis of Intestines and Peritoneum. { M. F.	77 124	. .	. .	1 .	3 .	8 3	11 4	4 11	. 5	2 4	3 2	20 26
26	Tuberculosis of Vertebral Column. { M. F.	37 28	. .	. .	. .	1 .	. .	1 .	. .	2 .	1 .	. .	1 3

NOTE.—No deaths occurred from the following diseases, shown in the International List:—

4. Relapsing Fever. 5. Undulant Fever. 6. Small-pox. 12. Cholera. 14. Plague. 19. Glanders. 21. Rabies.

at different Periods of Life in the Year 1931.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	International List Nos.
357 287	240 279	411 445	520 514	477 543	428 549	497 589	597 619	758 746	1,225 1,031	1,341 1,153	1,897 1,702	2,153 1,975	3,071 3,030	3,419 3,625	1,056 1,337	106 143	1
148 160	104 156	209 291	305 338	274 313	200 237	207 190	165 161	160 135	169 143	153 128	162 144	143 153	148 194	119 127	16 18	1 1	(1-44)
1	1	7	5	3	5	5	2	1	1	2	3	2	.	.	.	.	1
.	2	9	3	3	1	3	2	2	1	1	.	.	.	.	.	.	2
.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	3
.	.	.	.	1	1	1	1	1	1	2	1	1	.	.	.	.	7
13 8	5 3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	8
5 4	7 4	3 1	2 1	1	3	1	1	2	.	.	.	.	.	.	.	.	9
3 3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
59 69	15 23	6 3	2 3	1 2	1	1	.	1	.	.	.	.	.	.	.	.	11
9 14	5 6	12 6	6 16	16 7	8 9	17 21	19 19	24 22	38 33	51 59	83 91	98 123	121 169	104 118	16 17	1 1	11a
2 5	1 1	2 2	2 10	7 3	3 4	8 12	14 8	11 7	19 11	16 17	23 27	25 36	30 40	28 28	3 2	.	11b
7 9	4 5	10 4	4 6	9 4	5 5	9 9	5 11	13 15	19 22	35 42	60 64	73 87	91 129	76 90	13 15	1 1	13
.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	15
1	.	.	.	.	.	1	.	2	1	2	2	4	2	2	.	.	16
2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17
1 2	3 1	1 3	1	2	2	2	2	1	2	1	2	1	.	.	.	.	18
3 3	2 1	1 1	.	1 1	.	.	.	.	1	.	.	.	.	.	.	.	20
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	22
5 1	1	1	1	1	.	1	1	1	.	.	.	.	2	1	.	.	23-32
43 52	63 111	172 266	287 312	248 294	178 217	176 156	135 133	125 106	117 103	89 64	67 45	34 21	20 18	7 4	1	.	23
8 16	28 60	121 226	243 270	212 257	156 188	149 133	117 116	117 88	101 83	77 51	59 39	30 17	13 16	7 3	1	.	24-32
35 36	35 51	51 40	44 42	36 37	22 29	27 23	18 17	8 18	16 20	12 13	8 6	4 4	7 2	1	.	.	24
22 25	18 26	24 16	15 14	8 4	5	3 1	4 1	1 1	2 1	.	1	.	.	.	.	.	25
8 7	4 13	8 9	8 15	9 11	3 9	6 9	3 5	2 6	4 11	1 1	1	1	1	.	.	.	26
1 1	1 2	7 6	4	5 1	3 3	5 2	1	2	2 3	2 2	1	2 1	3 1	.	.	.	

ABSTRACT IV.—continued.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES A'											
		All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	To Un- der 1 year
	Infectious and Parasitic Diseases—continued.												
27	Tuberculosis of Other {M. Bones and Joints... {F.	40 29	.	.	.	.	.	.	.	.	.	1	.
28	Tuberculosis of Skin {M. and Subcutaneous {F. Tissues.	3 4	.	.	.	.	.	.	.	.	.	.	.
29	Tuberculosis of Lym- {M. phatic System. . . {F.	9 8	.	1	.	1	1	2 1	2 1	1	.	.	.
30	Tuberculosis of Genito- {M. Urinary System. . . {F.	13 21	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Other {M. Organs. {F.	3 2	.	.	.	.	1	1	.	.	1	.	.
32	Disseminated Tubercu- {M. losis. {F.	93 95	1 1	5 3	2 3	7 3	3 4	18 14	4 6	1 4	3 3	2 1	2 2
34	Syphilis {M. P. {F.	18 15	2 .	3 .	.	2 1	1 4	8 5	2 2	4	.	.	1 1
35	Gonococcal Infection and {M. Other Venereal Disease {F.	4	.	.	.	.	.	.	.	.	.	.	.
36	Purulent Infection, {M. Septicæmia. . . {F.	54 50	1 2	2 4	1	2 1	1	5 9	3 3	1	1 1	1	1 1
38	Malaria {M. P. {F.	6	.	.	.	.	.	.	.	.	.	.	.
39	Other Diseases due to {M. Protozoa. {F.	2	.	.	.	.	.	.	.	.	.	.	.
42	Other Diseases due to {M. Helminths. . . . {F.	2 3	.	.	.	.	1	1	.	1	2	.	.
43	Mycoses {M. P. {F.	2	1	.	.	.	.	1	.	.	.	.	.
44	Other Infectious or Para- {M. sitic Diseases. . . {F.	2 6	.	.	.	.	1	1	3	1	2 1	.	.
(45-55)	II. Cancer and Other Tumours. {M. F.	1,802 1,620	.	1	.	.	1	2	2 1	1 1	1 1	2	1
45-53	Cancer, Malignant Dis- {M. ease. {F.	1,753 1,541	.	1	.	.	1	2	1	.	1 1	1	1
54	Non-malignant Tumours {M. P. {F.	12 37	.	.	.	.	.	.	1	.	.	1	1
55	Tumours of unspecified {M. nature {F.	37 42	.	.	.	.	.	.	1	1	.	.	1
(56-69)	III. Rheumatism, Dis- eases of Nutrition and of Endocrine Glands, and Other General Diseases. {M. F.	382 435	3 1	1	1	4 2	5 1	14 5	7 2	4 4	3 6	1	2 17
56	Rheumatic Fever . . {M. P. {F.	57 54	.	.	.	.	.	.	.	.	1	1	2
57	Chronic Rheumatism, {M. Osteo-Arthritis {F.	142 175	.	.	.	.	.	.	.	.	.	.	.
	(a) Chronic Rheuma- {M. tism. {F.	110 111	.	.	.	.	.	.	.	.	.	.	.
	(b) Rheumatoid Ar- {M. thritis, Osteo-Arthritis {F.	32 64	.	.	.	.	.	.	.	.	.	.	.
59	Diabetes Mellitus . . {M. P. {F.	132 111	.	.	.	.	.	.	.	1 1	1	.	1

NOTE.—No deaths occurred from the following diseases, shown in the International List:—

33. Leprosy 37. Yellow Fever. 40. Ankylostomiasis. 41. Hydatid Cysts. 58. Gout.

at different Periods of Life in the Year 1931.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	International List Nos.
1 1	6 5	2 1	6 1	3 6	2 3	5 1	3 3	2 2	1 1	2 3	4 1	1 1	2 1	1 1	1 1	1 1	27
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	30
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	31
3 2	6 4	10 7	10 8	9 10	6 10	5 8	5 5	1 5	3 3	5 3	1 2	1 1	1 1	1 1	1 1	1 1	32
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	34
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	35
4 2	3 3	3 2	1 1	2 2	2 4	3 3	5 3	3 1	2 3	3 2	4 1	4 3	2 4	3 2	1 1	1 1	36
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	38
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	39
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	42
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	43
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	44
3 1	4 6	6 1	6 8	14 9	12 34	19 39	59 93	98 147	226 183	265 202	309 264	292 229	275 219	188 159	17 21	1 2	(45-55)
1 1	1 2	6 1	3 5	12 9	12 30	11 37	56 83	94 136	224 179	262 194	302 259	289 214	272 214	185 152	17 21	1 2	45 53
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54
2	3	1	2	1	1	7	3	4	2	3	4	2	2	1	1	1	55
7 5	17 17	13 13	12 14	12 10	7 8	8 17	10 16	16 21	31 32	29 33	48 47	42 66	58 65	41 44	2 10	1 1	(56-69)
6 3	11 14	9 6	4 4	5 2	2 1	5 1	3 4	4 4	1 3	2 2	2 2	2 4	3 1	1 1	1 1	1 1	56
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	57
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	57a
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	57b
1	6 2	4 2	7 4	4 3	3 1	5 3	4 1	6 4	8 10	10 13	26 17	18 16	18 17	11 15	1 1	1 1	59

ABSTRACT IV.—continued.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	To Un-der 1 year.
	III. Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.—con.												
60	Scurvy {M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
63	Rickets {M. F.	17 13	. .	. .	1 .	4 .	4 1	8 2	6 2	1 2	2 5	. .	. .
64	Osteomalacia .. {M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
65	Diseases of the Pituitary Gland. {M. F.	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
66	Diseases of the Thyroid and Parathyroid Glands {M. F.	14 54	2 1	1 .	1 .	. 1	. .	4 2	. .	2 1	. .	. .	. .
	(a) Simple Goitre .. {M. F.	. 14	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	(b) Exophthalmic Goitre. {M. F.	4 34	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	(c) Myxœdema : Cretinism. {M. F.	3 3	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
	(d) Tetany {M. F.	6 2	2 1	1 .	1 .	. 1	. .	4 2	. .	2 .	. .	. .	. .
	(e) Other {M. F.	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
67	Diseases of the Thymus {M. F.	4 1	1 .	. .	. .	. 1	1 .	2 1	1 .	. .	. .	. .	. .
68	Diseases of the Adrenals {M. F.	11 20	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
69	Other General Diseases {M. F.	2 6	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
(70-74)	IV. Diseases of the Blood and Hæmopoietic Organs. {M. F.	202 184	2 .	2 1	. .	1 1	1 1	6 3	2 2	5 .	1 1	1 4	. .
70	Hæmorrhagic Con- ditions. {M. F.	23 9	2 .	2 1	. .	1 .	. .	5 1	. .	1 .	1 .	1 1	. .
	(a) Purpura {M. F.	17 7	1 .	2 1	. .	1 .	. .	4 1	. .	1 .	1 .	. 1	. .
	(b) Hæmophilia .. {M. F.	6 2	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	. .
71	Anæmias ... {M. F.	134 154	. .	. .	. .	. 1	1 1	1 2	1 1	3 .	. 1	. 3	. .
	(a) Pernicious Anæmia {M. F.	96 100	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
	(b) Other Anæmias and Chlorosis. {M. F.	38 54	. .	. .	. .	. 1	1 1	1 2	1 1	2 .	. 1	. 3	. .
72	Leukæmias, Aleukæmias. {M. F.	41 21	. .	. .	. .	. .	. .	. .	1 1	1 .	. .	. .	. .
	(a) Leukæmia .. {M. F.	26 13	. .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	. .
	(b) Aleukæmia (Lymphadenoma ; Hodgkin's Disease). {M. F.	15 8	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
73	Diseases of the Spleen .. {M. F.	3 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
74	Other Diseases of the Blood and Hæmopoietic Organs. {M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .

NOTE.—No deaths occurred from the following diseases, shown in the International List :—
 61. Beri-beri. 62. Pellagra.

at different Periods of Life in the Year 1931.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	International List Nos.
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	60
1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	63
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	64
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	65
1	.	3	4	2	4	1	1	1	2	5	1	7	2	1	.	.	66
.	.	.	.	1	2	.	.	1	1	2	.	6	1	.	.	.	66a
.	.	3	3	2	2	2	1	7	1	3	1	.	1	.	.	.	66b
1	.	.	1	.	.	1	.	.	1	.	.	.	.	1	.	.	66c
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66d
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	66e
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	67
.	.	2	1	1	2	1	2	1	.	5	1	3	1	1	1	.	68
.	1	.	.	.	.	1	.	1	.	.	1	2	.	2	.	.	69
5	8	6	4	7	4	14	8	14	19	21	27	21	20	8	1	.	(70-74)
5	4	4	5	4	9	10	15	18	22	20	22	17	12	7	.	.	70
2	2	.	1	2	1	2	.	1	.	1	2	1	1	2	.	.	70a
1	1	.	1	2	.	2	.	1	.	.	2	1	1	2	.	.	70b
2	1	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	71
2	4	5	1	5	2	8	3	12	14	15	21	17	14	5	1	.	71a
2	3	2	2	2	8	7	13	16	21	19	19	16	11	6	.	.	71b
1	3	1	1	3	2	7	2	10	10	11	13	15	13	4	1	.	72
2	1	4	1	2	.	1	1	2	4	4	8	2	1	1	.	.	72a
1	1	.	1	2	2	3	5	3	8	4	8	5	2	2	.	.	72b
1	1	1	2	1	1	4	5	2	1	5	4	3	4	1	.	.	73
2	1	1	3	1	.	3	4	1	2	2	2	3	3	1	.	.	74
1	.	1	1	1	.	2	1	1	.	1	1	.	1	.	.	.	75
.	1	1	3	.	.	1	1	1	2	3	2	.	1	1	.	.	76
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	77
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	78
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	79

ABSTRACT IV.—continued.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(75-77)	V. Chronic Poisoning. { M. F.	12	.	.	.	.	.	.	.	.	.	.	.
75	Alcoholism, Acute or Chronic. { M. F.	10	.	.	.	.	.	.	.	.	.	.	.
77	Chronic Poisoning by Mineral Substances: (a) Occupational Lead Poisoning. { M. F.	2	.	.	.	.	.	.	.	.	.	.	.
(78-89)	VI. Diseases of the Nervous System and Sense Organs. { M. F.	1,885 2,012	78 66	34 29	28 14	40 44	76 42	256 195	37 30	18 19	15 8	11 13	337 265
78	Encephalitis .. { M. F.	27 7	.	.	.	1	.	1	.	1	2	.	4
	(a) Abscess of Brain .. { M. F.	16 3	.	.	.	.	.	.	.	1	1	.	2
	(b) Others .. { M. F.	11 4	.	.	.	1	.	1	.	.	1	.	2
79	Simple Meningitis .. { M. F.	138 118	3 2	1	4	3 5	20 11	31 18	14 10	6 7	3 4	7 7	61 46
80	Tabs Dorsalis (Locomotor Ataxy). { M. F.	4 3	.	.	.	.	.	.	.	.	.	.	.
81	Other Diseases of the Spinal Cord. { M. F.	67 38	.	.	.	.	.	.	.	.	1	.	1
82	Cerebral Haemorrhage, Apoplexy, etc. { M. F.	1,060 1,371	.	.	1	.	1	2	1	.	2 1	1	5 2
	(a) Cerebral Haemorrhage. { M. F.	621 791	.	.	.	.	1	1	1	.	1 1	.	3 1
	(b) Cerebral Thrombosis, Embolism. { M. F.	88 116	.	.	.	.	.	.	.	.	.	.	.
	(c) Cerebral Softening { M. F.	9 7	.	.	.	.	.	.	.	.	.	.	.
	(d) Hemiplegia .. { M. F.	195 262	.	.	.	.	.	.	.	.	.	.	.
	(e) Other Forms of Paralysis. { M. F.	147 195	.	.	1	.	.	1	.	.	1	1	2 1
83	General Paralysis of Insane. { M. F.	11	.	.	.	.	.	.	.	.	.	.	.
84	Other Forms of Insanity { M. F.	90 71	.	.	.	.	.	.	.	.	.	.	.
85	Epilepsy .. { M. F.	98 71	.	.	.	.	4	4	1 1	1	.	1	7 1
86	Convulsions (under 5 years) { M. F.	244 208	75 64	33 29	23 14	34 39	47 29	212 175	19 17	9 11	4 2	3	244 208
87	Other Diseases of Nervous System. { M. F.	113 105	.	.	.	.	1 1	1 1	1	1	1 1	2 1	5 4
	(a) Chorea .. { M. F.	4 5	.	.	.	.	.	.	1	.	.	.	1
	(b) Neuritis .. { M. F.	13 14	.	.	.	.	.	.	.	.	.	.	.
	(c) Paralysis Agitans.. { M. F.	30 18	.	.	.	.	.	.	.	.	.	.	.
	(d) Disseminated Sclerosis. { M. F.	18 14	.	.	.	.	.	.	.	.	.	.	.
	(e) Other .. { M. F.	48 54	.	.	.	.	1 1	1 1	.	1	1 1	2 1	5 3

NOTE.—No deaths occurred from the following diseases, shown in the International List:—
 76. Chronic poisoning by other organic substances. 77b. Chronic poisoning by other mineral substances.

at different Periods of Life in the Year 1931.

DEATH																		International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards		
.	.	.	.	1	.	2	.	3	2	2	1	.	1	.	.	.	} (75-77) 75 77a	
.	.	.	.	1	.	2	.	3	1	1	1	.	1	.	.	.		
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.		
40 21	25 19	39 36	32 33	19 27	28 26	33 43	57 63	73 76	108 120	133 136	206 221	242 276	277 317	204 277	32 55	1	} (78-89) 78 78a 78b 79 80 81 82 82a 82b 82c 82d 82e 83 84 85 86 87 87a 87b 87c 87d 87e	
2	1	4	.	1	3	2	3	2	2	2	1	1	.	1	.	.		
1	.	2	.	1	2	1	2	2	1	2	1	1	.	.	.	.		
1	1	2	.	.	1	1	1	1	1	.	.	1	1	.	1	.		
23 12	16 10	12 22	6 9	5 4	3 1	.	2 4	2 1	4 3	2 1	.	2	.	.	1	.		
.	.	.	.	.	1	.	.	1	.	1	2	.	1	.	.	.		
.	1	1	1	1	1	1	4	4	8	12	6	14	9	5	1	.		
4	3	6	4	2	8	12	24	34	65	92	162	187	242	180	30	.		
.	2	2	4	2	12	20	34	53	95	104	189	250	292	252	52	1		
.	.	3	1	1	2	7	14	18	33	59	103	104	144	115	12	.		
1	.	.	1	2	7	10	24	35	59	58	108	146	167	144	33	.		
.	.	2	.	2	1	1	2	1	13	8	13	15	19	12	2	.		
.	.	.	.	.	1	2	2	3	8	8	20	18	21	26	3	.		
.	.	.	.	.	.	.	.	1	1	.	1	1	4	2	2	.		
1	.	.	1	1	2	3	1	5	12	21	27	40	40	30	11	.		
.	.	.	1	1	.	4	4	5	13	24	39	46	64	52	9	.		
2	1	3	2	2	3	1	7	9	7	4	18	27	35	21	5	.		
.	2	.	2	2	4	4	4	10	14	14	25	40	38	29	5	1		
.	.	.	.	.	1	1	2	2	1	2	.	1	1	.	.	.		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
.	.	1	4	1	2	7	8	7	9	15	14	18	3	1	.	.		
.	.	.	2	2	3	8	11	3	6	12	10	6	5	3	.	.		
3	3	8	10	6	7	6	9	7	8	2	6	6	7	3	1	.		
.	1	4	9	9	5	6	5	8	5	4	3	4	5	1	1	.		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4 6	1 3	4 6	6 4	2 3	2 1	4 4	2 4	11 5	11 7	6 10	15 14	11 11	13 9	14 13	2 1	.		
1	1	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.		
.	.	.	.	1	.	.	.	2	1	4	1	2	3	2	4	1		
.	.	.	.	.	.	.	1	2	4	5	5	7	4	7	1	.		
.	.	.	.	.	.	.	.	.	.	5	4	2	1	5	1	.		
.	.	1	1	2	1	3	1	3	1	1	5	1	1	.	1	.		
4 5	2	3 4	5 4	1 1	2	1 2	2	3 4	3 2	2 2	4 9	3 5	5 5	7 4	.	.		

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death	AGES A7											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	VI. Diseases of the Nervous System and Sense Organs												
	—contd.												
88	Diseases of the Eye .. {M. F.	2 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
89	Diseases of the Ear and Mastoid Sinus. {M. F.	31 17	. .	. .	. .	2 .	3 1	5 1	2 1	. 1	2 .	1 1	10 4
	(a) Otitis, and Other Diseases of the Ear. {M. F.	20 8	. .	. .	. .	1 .	2 .	3 .	. .	. 1	1 .	1 .	5 1
	(b) Diseases of the Mastoid Sinus. {M. F.	11 9	. .	. .	. .	1 .	1 1	2 1	2 1	. .	1 .	1 1	5 3
(90-103)	VII. Diseases of the Circulatory System. {M. F.	3,311 3,253	1 .	. .	. .	. .	1 .	2 .	1 1	. .	1 .	4 3	8 4
90-95	Heart Diseases ... {M. F.	3,008 3,016	. .	. .	. .	. .	. .	. .	1 1	. .	1 .	4 2	6 3
90	Pericarditis .. {M. F.	20 12	. .	. .	. .	. .	. .	. .	. 1	. .	. .	2 .	2 1
91	Acute Endocarditis {M. F.	51 48	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
92	Chronic Endocarditis, Valvular Disease. {M. F.	829 852	. .	. .	. .	. .	. .	. .	. .	. .	1 .	2 1	3 1
93	Diseases of the Myocardium. {M. F.	1,011 1,010	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .
	(a) Acute Myocarditis {M. F.	15 7	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .
	(b) Fatty Heart .. {M. F.	58 40	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	(c) Chronic Myocarditis {M. F.	456 453	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	(d) Other, and not specified. {M. F.	482 510	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
94	Diseases of the Coronary Arteries: Angina Pectoris. {M. F.	119 63	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
95	Other Heart Diseases {M. F.	978 1,031	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .
	(a) Functional .. {M. F.	112 115	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	(b) Other, and not stated. {M. F.	866 916	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .
96	Aneurysm (other than Heart) {M. F.	23 10	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
97	Arterio-Sclerosis .. {M. F.	171 133	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
98	Gangrene .. {M. F.	63 47	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
99	Other Diseases of the Arteries. {M. F.	13 8	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
100	Diseases of the Veins .. {M. F.	10 14	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
101	Diseases of Lymphatic System. {M. F.	4 8	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	1 .
102	Idiopathic Abnormalities of Blood Pressure. {M. F.	14 12	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
103	Other Diseases of the Circulatory System. {M. F.	5 5	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	1 .

at different Periods of Life in the Year 1931.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	International List Nos.
.	1	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.	88
4	1	3	1	2	1	.	3	3	.	.	.	2	.	1	.	.	89
3	1	1	1	2	1	.	1	1	.	.	1	2	.	.	.	.	89a
3	1	.	1	.	1	.	1	1	.	.	.	1	.	.	.	.	89b
1	.	2	1	.	.	.	1	.	.	.	1	1	.	1	.	.	89b
2	.	1	1	.	.	.	.	.	.	.	1	1	.	.	.	.	89b
15	13	30	26	30	30	46	79	118	231	282	469	576	701	570	83	4	(90-103)
7	19	29	25	32	47	76	92	137	223	277	450	518	614	585	112	6	(90-103)
14	13	29	26	28	30	43	74	111	217	264	430	527	628	496	68	4	90-
7	19	29	25	31	40	74	86	129	209	267	427	483	569	512	102	4	95
.	1	2	.	1	2	2	1	1	4	2	1	3	1	2	.	.	90
.	.	.	.	1	.	.	2	1	1	1	1	.	.	.	.	.	91
9	2	9	4	2	2	3	6	2	3	1	4	1	.	3	.	.	92
1	2	7	2	4	3	10	7	2	3	1	1	4	1	.	.	.	92
1	5	10	9	10	12	11	27	45	64	74	111	140	167	132	8	.	92
3	8	13	13	12	11	23	28	46	68	65	118	128	161	133	21	.	92
1	1	3	2	7	8	15	17	24	66	93	153	187	214	174	39	4	93
1	3	3	4	4	9	11	22	37	63	95	120	179	201	204	52	3	93
.	1	2	2	.	.	.	1	2	.	3	1	1	1	1	.	.	93a
1	1	1	1	.	.	.	.	.	.	.	1	1	1	.	.	.	93a
.	.	.	1	.	2	1	1	4	7	13	10	9	9	5	2	.	93b
.	.	.	.	.	.	1	1	4	2	5	3	5	10	8	.	.	93b
1	.	1	1	1	5	11	9	10	25	37	68	78	103	84	21	2	93c
.	.	1	.	2	3	5	7	13	29	38	55	73	97	100	28	2	93c
.	2	.	3	3	3	3	7	11	34	40	74	99	102	84	16	2	93d
.	.	.	3	2	4	6	14	20	32	52	61	100	93	96	24	1	93d
.	.	.	.	.	1	1	3	6	11	19	21	21	22	14	.	.	94
.	.	.	.	.	.	3	3	7	8	5	14	12	7	6	1	.	94
3	4	7	6	11	5	11	20	33	69	75	141	175	224	173	21	.	95
2	6	5	6	10	17	27	27	36	66	100	173	160	199	167	28	1	95
.	1	1	1	1	1	3	4	5	13	14	20	17	15	15	2	.	95a
1	2	1	1	2	2	3	4	1	11	11	26	11	24	12	4	.	95a
3	4	6	5	10	4	8	16	28	56	61	121	158	209	158	19	.	95b
1	4	5	5	8	15	24	23	35	55	89	147	149	175	155	24	1	95b
.	.	.	.	.	.	.	1	3	1	3	6	3	3	3	1	.	96
.	.	.	.	.	.	.	1	1	.	3	.	1	.	3	.	.	96
.	.	.	.	.	1	1	2	2	7	9	20	30	46	45	11	.	97
.	.	.	.	.	.	.	2	2	7	2	14	19	30	48	7	1	97
.	.	.	.	.	1	.	2	1	3	2	6	7	15	24	4	.	98
.	.	.	.	.	.	.	.	.	2	2	1	9	10	18	2	1	98
.	.	1	.	.	.	1	.	.	.	1	3	2	6	.	.	.	99
.	.	.	.	.	.	.	1	1	.	.	3	2	1	.	.	.	99
.	.	.	.	1	1	1	2	2	1	1	1	1	2	.	.	.	100
1	.	.	.	.	.	.	.	.	2	.	1	1	.	1	.	.	101
.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	101
.	.	.	.	.	1	.	1	2	2	2	2	3	1	2	.	.	102
.	.	.	.	1	2	1	.	.	.	1	1	.	2	.	.	.	103
.	.	.	.	.	.	1	.	.	.	1	1	2	.	.	.	.	103

ABSTRACT IV.—Continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(104-114)	VIII. Diseases of the Respiratory System. {M. F.	3,188 2,885	38 26	38 25	39 21	92 78	167 133	374 283	167 153	63 74	26 30	22 25	652 565
104	Diseases of the Nasal Fossae. {M. F.	5 2	.	.	.	.	.	.	.	.	.	.	.
105	<i>Diseases of the Larynx</i> {M. F.	23 20	1 .	.	1 .	.	1 4	3 4	4 3	3 1	4 3	.	14 11
	(a) Croup .. {M. F.	10 4	.	.	1 .	.	1 2	2 2	3 .	1 .	1 .	.	7 2
	(b) Other Diseases of the Larynx {M. F.	13 16	1 .	.	.	.	2 .	1 2	1 3	2 1	3 .	.	7 9
106	<i>Bronchitis</i> .. {M. F.	1,259 1,335	17 14	13 10	17 7	23 22	30 28	100 81	16 26	9 18	1 5	5 3	131 133
	(a) Acute .. {M. F.	243 285	13 13	9 9	6 3	5 10	9 8	42 43	6 10	1 6	1 1	1 1	51 61
	(b) Chronic .. {M. F.	250 216	.	.	.	.	1 1	1 1	.	.	.	.	1 1
	(c) Not otherwise defined. {M. F.	766 834	4 1	4 1	11 4	18 12	20 19	57 37	10 16	8 12	.	4 2	79 71
107-9	<i>Pneumonia, All Forms</i> {M. F.	1,493 1,205	18 12	22 14	17 13	67 53	129 96	253 188	147 119	50 54	20 21	17 20	487 402
107	Broncho-Pneumonia .. {M. F.	625 567	9 7	16 8	15 8	42 37	91 64	173 124	95 80	30 33	13 16	9 11	320 264
108	Lobar Pneumonia .. {M. F.	167 127	1 .	1 .	.	3 3	7 5	11 9	13 7	4 3	1 .	2 2	30 22
109	Pneumonia (not other- wise defined). {M. F.	701 511	8 5	6 5	2 5	22 13	31 27	69 55	39 32	16 18	7 4	6 7	137 116
110	<i>Pleurisy</i> ... {M. F.	60 47	.	.	.	.	1 .	1 .	1 .	.	1 .	.	2 1
	(a) Empyema .. {M. F.	10 8	.	.	.	.	.	.	1 .	.	1 .	.	1 1
	(b) Other Pleurisy .. {M. F.	50 39	.	.	.	.	1 .	1 .	.	.	.	.	1 .
111	<i>Congestion and Hemor- rhagic Infarct of Lungs, etc.</i> {M. F.	132 139	2 .	3 1	3 1	2 3	4 4	14 9	2 1	1 1	.	1 .	15 13
	(a) Congestion of Lungs {M. F.	124 127	2 .	3 1	3 1	2 3	4 4	14 9	2 1	1 1	.	1 .	15 13
	(b) Embolism, Infarct of Lungs. {M. F.	8 12	.	.	.	.	.	.	.	.	.	.	.
112	Asthma .. {M. F.	169 110	.	.	.	.	1 .	1 .	1 .	.	.	.	1 1
113	Pulmonary Emphysema {M. F.	13 5	.	.	.	.	.	.	.	.	.	1 .	1 .
114	<i>Other Respiratory Diseases (Tubercu- losis excepted).</i> {M. F.	34 22	.	.	1 .	.	1 1	2 1	1 1	.	1 .	.	2 3
	(a) Chronic Interstitial Pneumonia. {M. F.	7 2	.	.	.	.	.	.	.	.	.	.	.
	(b) Gangrene of the Lung. {M. F.	8 2	.	.	.	.	1 .	1 .	.	.	.	.	1 .
	(c) Other .. {M. F.	19 18	.	.	1 .	.	1 .	2 .	1 .	.	1 .	.	2 2

at different Periods of Life in the Year 1931.

DEATH.																	95 & up- wards	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
46 30	14 15	36 22	50 40	42 35	62 54	71 58	96 64	109 76	199 122	218 160	303 282	339 337	484 530	389 391	72 93	6 11	(104- 114)	
1	.	.	1 1	1	.	.	.	.	.	.	1	.	1	1	.	.	104	
3 3	1 1	.	1	.	2 1	.	.	.	1	1	.	1	1	.	.	.	105	
2 2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	105a	
1 1	1	.	1	.	2 1	.	.	.	1	1	.	1	1	.	.	.	105b	
7 4	2 3	4 3	5 7	5 6	13 9	15 8	25 19	30 26	61 47	77 70	147 143	167 186	296 344	223 251	49 68	2 8	106	
3 1	1 1	1 1	2	3	3 2	4	5	7 7	9 8	11 16	21 30	28 33	53 63	39 41	10 11	.	106a	
1	1	1	2	2	2 2	3 1	7 2	7 3	16 12	18 13	33 29	41 35	62 54	46 45	9 14	1 2	106b	
4 2	3	2	3 5	2 4	8 5	12 3	15 12	16 16	36 27	48 41	93 84	98 118	181 227	138 165	30 43	1 6	106c	
31 18	11 11	27 15	31 21	30 22	36 35	47 41	54 34	55 41	96 51	111 62	99 94	123 107	127 134	112 93	13 22	2 2	107- 9	
11 8	6 5	5 8	12 6	9 4	4 8	11 8	13	10 12	22 15	26 18	30 43	40 37	46 57	55 48	8 11	1 2	107	
4 1	1 2	5 1	3 5	4 3	9 3	8 9	9 8	8 9	19 8	15 12	11 10	13 13	14 12	12 8	2 1	.	108	
16 9	4 4	17 6	16 10	17 15	23 24	28 24	36 13	37 20	55 28	70 32	58 41	70 57	67 65	46 37	3 10	1	109	
2 2	.	2 2	4 5	4 2	3 1	1 3	2 1	8 1	7 2	4 1	5 8	2 7	6 8	8 3	.	.	110	
1	.	1	1 3	.	1	1	.	3	1	.	1 2	.	1	.	.	.	110a	
2 1	.	1 2	3 2	4 2	2 1	3	2 1	5 1	6 2	4 1	4 6	2 7	6 7	8 3	.	.	110b	
2 2	.	2 2	3 5	1 3	1 2	3 3	4 5	3 5	9 10	10 9	10 17	14 18	21 20	24 22	8 3	2	111	
1 2	.	2 1	3 3	1 3	1	2 2	3 3	3 4	6 8	9 9	10 17	14 18	20 20	24 21	8 3	2	111a	
1	.	1	2	.	2	1 1	1 2	1	3 2	1	.	.	1	1	.	.	111b	
1	.	1	4 1	2	5 5	4 3	7 4	13 3	20 7	9 14	31 19	24 13	31 22	16 16	2	.	112	
.	.	.	1	.	.	.	2	.	1	1	2	6	.	.	.	.	113	
.	.	.	.	1	2 1	1	2 1	.	5 3	5 3	8	2 3	2 1	4 6	.	1	114	
.	.	.	.	.	.	.	.	.	2	1 1	.	2 1	.	2	.	.	114a	
.	.	.	.	1	1	.	.	.	.	2	3	.	1	.	.	.	114b	
.	.	.	.	.	1 1	1	2 1	.	3 3	2 2	5	1	1	2 6	.	1	114c	

ABSTRACT IV.—*Continued*—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1931.

DEATH.																	95 & up- wards	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
29 34	17 12	26 15	26 13	23 23	28 20	39 26	40 28	60 44	91 74	83 71	107 80	110 68	105 106	83 59	16 17	1 1	(115- 129)	
5 7	1 .	2 4	1 .	1 .	1 1	1 .	1 3	2 1	2 3	1 .	2 1	1 2	1 2	1 .	1 .	1 .	115	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	115a	
2 5	1 .	1 1	1 .	1 .	1 .	1 .	1 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	115b	
2 2	1 .	1 2	1 .	1 1	1 1	1 .	1 .	1 .	1 3	1 .	2 .	2 .	1 1	1 .	1 .	1 .	115c	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	116	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	117	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	117a	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	117b	
3 2	1 .	1 .	3 .	1 .	4 .	2 .	2 5	4 8	12 19	9 13	20 16	16 18	19 32	21 19	7 9	1 .	118	
3 2	1 .	1 .	1 .	1 .	3 .	2 .	1 3	1 5	6 11	8 7	15 14	15 15	15 21	16 11	6 7	1 .	118a	
1 .	1 .	1 .	3 .	1 .	1 .	1 .	1 2	3 3	6 8	1 6	5 2	7 3	4 11	5 8	1 2	1 .	118b	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	119	
3 10	1 3	1 .	1 1	1 3	2 2	2 4	5 2	5 5	3 6	6 14	6 12	11 7	12 14	9 11	2 1	1 .	120	
13 12	10 6	16 5	8 4	8 4	6 4	5 1	8 5	7 3	9 7	6 4	5 .	6 2	1 1	3 1	1 .	1 .	121	
3 1	1 .	2 1	4 2	1 1	3 3	2 3	3 1	3 3	8 12	14 10	16 14	19 13	22 19	21 10	5 2	1 .	122	
1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	4 6	4 4	6 6	4 5	9 4	12 3	1 .	1 .	122a	
3 1	1 .	2 1	2 2	1 .	2 3	1 2	2 1	3 2	4 6	10 6	10 8	15 8	13 15	9 7	5 1	1 .	122b	
1 .	1 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 2	2 2	4 4	5 3	9 3	2 2	1 .	1 .	123	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	11 2	9 1	7 4	14 2	6 7	5 1	1 .	1 .	124	
1 .	1 .	1 .	1 .	1 .	1 .	2 1	3 .	4 4	3 4	3 3	8 7	3 5	4 4	6 2	1 1	1 .	125	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	125a	
1 .	1 .	1 .	1 .	1 .	1 .	2 .	3 .	4 4	3 4	3 3	8 7	3 4	4 4	6 2	1 1	1 .	125b	
1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	3 .	1 7	3 3	1 4	2 4	2 2	1 .	1 .	126	
1 .	1 .	1 .	1 .	1 .	1 .	3 .	2 .	1 2	2 3	3 .	1 3	4 3	3 7	1 6	1 .	1 .	127	

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	IX. Diseases of the Digestive System.—contd.												
128	Diseases of the Pancreas. {M. F.	10 11	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
129	Peritonitis, without stated cause. {M. F.	26 20	• •	• •	• •	• •	• •	1 1	• •	• •	• •	1 1	2 2
(130-139)	X. Non-Venereal Diseases of the Genito-Urinary System and Annexa. {M. F.	1,018 638	• •	1 •	2 •	3 1	1 1	7 2	4 4	1 1	1 1	2 3	15 11
130-132	Nephritis, Acute and Chronic. {M. F.	705 570	• •	1 •	2 •	3 •	1 1	7 1	4 3	• 1	1 1	2 2	14 8
130	Acute Nephritis (including unspecified under 10 years of age). {M. F.	104 81	• •	1 •	2 •	3 •	1 1	7 1	4 3	• 1	1 1	2 2	14 8
131	Chronic Nephritis {M. F.	309 256	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
132	Nephritis, unspecified (over 10 years of age) {M. F.	292 233	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
133	Other Diseases of the Kidney. {M. F.	28 25	• •	• •	• •	1 •	• •	• 1	• •	1 •	• •	• 1	1 2
134	Urinary Calculi .. {M. F.	2 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
135	Diseases of the Bladder {M. F.	102 30	• •	• •	• •	• •	• •	• •	• 1	• •	• •	• •	• 1
	(a) Cystitis .. {M. F.	88 27	• •	• •	• •	• •	• •	• •	• 1	• •	• •	• •	• 1
	(b) Other Diseases of the Bladder. {M. F.	14 3	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
136	Diseases of the Urethra. {M. F.	8 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
	(a) Stricture of the Urethra. {M. F.	5 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
	(b) Other Diseases of the Urethra. {M. F.	3 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
137	Diseases of the Prostate M.	171	•	•	•	•	•	•	•	•	•	•	•
138	Non-venereal Diseases of the male Genital Organs .. M.	2	•	•	•	•	•	•	•	•	•	•	•
139	Non-venereal Diseases of the Female Genital Organs. F.	13	•	•	•	•	•	•	•	•	•	•	•
	(a) Diseases of the Ovary, Fallopian tube and Parametrium .. F.	6	•	•	•	•	•	•	•	•	•	•	•
	(b) Diseases of the Uterus .. F.	6	•	•	•	•	•	•	•	•	•	•	•
	(d) Other .. F.	1	•	•	•	•	•	•	•	•	•	•	•

NOTE.—No deaths occurred from the following diseases, shown in the International List:—
139c. Non-Venereal diseases of the Breast.

at different Periods of Life in the Year 1931.

DEATH.

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1931.

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	
.	.	4	17	49	70	77	27	2	.	.	.	.	.	.	.	.	(140- 150)
.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	140
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	141
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	142
.	.	1	.	2	2	1	2	.	.	.	.	.	.	.	.	.	143
.	.	.	2	12	16	23	8	.	.	.	.	.	.	.	.	.	144
.	.	.	.	5	5	10	3	.	.	.	.	.	.	.	.	.	144a
.	.	.	2	7	11	13	5	.	.	.	.	.	.	.	.	.	144b
.	.	.	6	19	18	15	5	.	.	.	.	.	.	.	.	.	145
.	.	2	5	4	13	13	6	1	.	.	.	.	.	.	.	.	146
.	.	.	.	4	6	7	1	1	.	.	.	.	.	.	.	.	147
.	.	.	.	2	4	7	.	.	.	.	.	.	.	.	.	.	148
.	.	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	148c
.	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	148i
.	.	.	2	3	7	6	.	.	.	.	.	.	.	.	.	.	149
.	.	1	1	2	4	5	1	.	.	.	.	.	.	.	.	.	150
1	1	3	1	1	1	2	2	1	5	2	5	2	9	7	1	.	(151- 155)
.	.	1	.	.	.	.	1	1	3	.	2	.	3	1	.	.	151
1	1	3	1	1	1	1	1	.	2	1	2	2	3	4	.	.	152
.	.	.	1	.	.	1	.	2	2	1	1	4	3	2	1	.	153
14 3	6 6	6 2	1 1	3 1	2	1	2 2	2	2 1	2	1	1 2	5 1	2	.	.	(15 15)
13 3	5 5	5 2	1 1	2	2	1	2 2	1	1 1	.	.	1	2	.	.	.	154
.	1	1	.	.	.	.	.	.	1	1	.	.	1	1	.	.	154
1	1	.	.	1	.	.	.	1	.	1	1	1	2	1	.	.	154
.	.	.	.	1	.	.	.	.	.	.	1	1	1	1	.	.	154
1	1	.	.	1	.	.	.	1	.	1	1	1	1	1	.	.	154
.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	154

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(157)	XIV. Congenital Malformations. {M. 118 F. 103		55	15	10	16	8	104	5	1	1	3	114
157	Congenital Malformations: (a) Congenital Hydrocephalus. {M. 17 F. 11		55	9	5	8	12	89	5	2	2	.	98
	(b) Spina Bifida and Meningocele {M. 29 F. 37												
	(c) Congenital Malformation of Heart. {M. 39 F. 36												
	(d) Monstrosities .. {M. 2 F. 2												
	(e) Other Congenital Malformations. {M. 33 F. 17												
(158-161)	XV. Diseases of Early Infancy. {M. 844 F. 699		575	103	56	78	32	844	.	.	.	.	844
158	Congenital Debility .. {M. 500 F. 413		465	75	61	67	31	699	.	.	.	.	699
159	Premature Birth .. {M. 262 F. 228								.	.	.	.	
160	Injury at Birth ... {M. 37 F. 18								.	.	.	.	
161	Other Diseases of Early Infancy. {M. 45 F. 40								.	.	.	.	
	(a) Atelectasis .. {M. 21 F. 21								.	.	.	.	
	(b) Icterus Neonatorum. {M. 14 F. 10								.	.	.	.	
	(c) Sclerema and Others. {M. 10 F. 9								.	.	.	.	
(162)	XVI. Old Age :												
162	Old Age .. {M. 3,278 F. 3,873								.	.	.	.	
(163-198)	XVII. Deaths from Violence. {M. 638 F. 307		31	3	2	1	3	40	18	18	21	6	103
163-171	Suicide .. {M. 83 F. 25								.	.	.	.	
172-175	Homicide; Infanticide. {M. 22 F. 7								.	.	.	.	
176-198	Other Deaths by Violence. {M. 533 F. 275								.	.	.	.	
177	Food Poisoning .. {M. 2 F. 2								.	.	.	.	
178	Accidental Absorption of Toxic Gas. {M. 3 F. 1								.	.	.	.	
179	Other Acute Accidental Poisoning. {M. 7 F. 3								.	.	.	.	
181	Accidental Burns (Conflagration excepted). {M. 76 F. 93								.	.	.	.	

NOTE.—No deaths occurred from the following causes, shown in the International List :—
 176. Attack by venomous animals.
 180. Conflagration.

at different Periods of Life in the Year 1931.

DEATH.																	95 & up- wards	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
2 1	1 2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	(157)	
1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157a	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157b	
1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	157c	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157d	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157e	
1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	(158- 161)	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	158	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	160	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161a	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161b	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161c	
.	.	.	.	.	.	.	.	.	.	.	.	57 58	736 843	1,626 1,864	767 988	92 120	162	
32 14	23 13	25 11	38 5	38 9	37 14	29 9	35 8	35 8	46 10	41 21	48 23	36 17	32 21	26 38	14 11	.	163- 198	
.	.	1 2	3 .	4 1	7 4	5 4	10 2	12 2	10 1	12 1	3 2	9 3	3 .	4 3	.	.	163- 171	
.	.	.	1 .	2 .	.	.	1 .	.	1 .	1 .	2 .	1 1	1 .	1 .	.	.	172- 175	
32 14	23 13	24 9	34 5	32 8	30 10	24 5	24 6	23 6	36 8	29 19	43 21	26 13	28 21	22 34	14 11	.	176- 198	
.	.	.	.	.	1 .	.	.	1 1	.	.	.	.	.	.	.	.	177	
2	.	.	.	.	.	.	.	.	.	1 .	.	.	.	.	.	.	178	
.	1 .	.	.	.	.	.	1 .	.	1 .	1 .	.	.	.	.	.	.	179	
7 6	1 4	5	1	3	5	2	3	1 .	2 .	1 5	3 3	3 6	4 3	7 11	4 4	.	181	

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	XVII. Deaths from Violence. —contd.												
182	Accidental Mechanical Suffocation. {M. F.	15 12	6 3	1 4	1 2	.	.	8 10	.	2	.	.	10 11
183	Accidental Drowning .. {M. F.	93 25	.	1	.	.	.	1	3 3	1	1 1	.	5 5
184	Accidental Injury by Firearms. {M. F.	9 1	.	.	.	.	.	.	.	.	.	.	.
185	Accidental Injury by cutting or piercing Instruments. {M. F.	2 .	.	.	.	.	.	.	.	.	.	.	.
186	Accidental Injury by Fall, Crushing, etc. {M. F.	243 69	.	.	.	.	.	.	1 2	.	3 2	3	7 4
188	Injury by Animals .. {M. F.	10 2	.	.	.	.	.	.	.	1	.	.	1
189	Hunger or Thirst .. {M. F.	1 2	.	.	.	.	.	.	1	.	.	.	1
191	Excessive Heat .. {M. F.	1 .	.	.	.	.	.	.	.	.	1	.	1
192	Lightning .. {M. F.	1 1	.	.	.	.	.	.	.	.	.	.	.
193	Electricity (Lightning excepted). {M. F.	2 .	.	.	.	.	.	.	.	.	.	.	.
194	Neglect; Other and Unstated Forms of Accidental Violence. {M. F.	50 61	12 13	2	.	.	.	14 13	1	1 1	1 1	.	17 15
	(a) Lack of Care, Inattention at Birth. {M. F.	14 13	12 13	2	.	.	.	14 13	.	.	.	.	14 13
	(b) Others .. {M. F.	36 48	.	.	.	.	.	.	1	1 1	1 1	.	3 2
195	Violent Deaths of Unstated Nature. {M. F.	13 3	.	.	.	.	.	.	.	.	.	1	1
196	Wounds of War .. {M. F.	4 .	.	.	.	.	.	.	.	.	.	.	.
198	Capital Punishment .. {M. F.	1 .	.	.	.	.	.	.	.	.	.	.	.
(199-200)	XVIII. Ill-defined Diseases. {M. F.	395 461	9 4	2 1	2 1	.	2	15 8	19 20	9 11	4 3	1 1	48 43
199	Sudden Death .. {M. F.	33 28	.	.	.	.	.	.	.	.	.	.	.
200	Cause of Death Unstated or Ill-defined. {M. F.	362 433	9 4	2 1	2 1	.	2	15 8	19 20	9 11	4 3	1 1	48 43
	(a) Heart Failure .. {M. F.	187 236	.	.	.	.	.	.	.	.	.	.	.
	(b) Other Ill-defined Causes. {M. F.	151 182	3 2	1	2 1	.	2	8 4	19 20	9 10	4 3	1 1	41 38
	(c) Cause not specified {M. F.	24 15	6 2	1	.	1	.	7 4	.	1	.	.	7 5

NOTE.—No deaths occurred from the following causes, shown in the International List:—

187. Cataclysm.

190. Excessive cold.

197. Execution of civilians by belligerent armies.

at different Periods of Life in the Year 1931.

DEATH.																95 & up-wards	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—		
.	.	1	.	1	.	.	.	.	1	1	.	1	.	1	.	.	182
6	8	7	9	9	8	2	2	6	10	5	8	3	1	2	2	.	183
.	1	2	.	2	.	.	1	4	.	4	2	1	1	1	.	.	184
.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	185
.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	186
17	9	13	18	16	18	18	17	12	20	15	24	15	13	7	4	.	188
7	6	2	3	3	1	2	2	1	5	6	7	1	7	10	2	.	189
.	.	.	.	2	.	1	1	.	.	1	2	2	.	.	.	.	191
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	192
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	193
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194
.	1	.	1	1	1	1	1	2	2	1	4	2	9	4	3	.	194a
.	1	.	.	.	.	.	.	.	2	2	3	5	10	11	5	.	194b
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	195
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	196
.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	198
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	1	2	3	4	4	11	12	12	25	28	91	137	9	2	.	.	(199-200)
3	4	2	5	7	6	13	13	20	35	41	98	162	8	1	.	.	199
.	.	.	.	.	1	1	2	1	2	5	5	15	1	1	.	.	200
6	1	2	3	4	4	10	10	11	23	23	86	122	8	1	.	.	200a
3	4	2	5	7	5	13	10	18	32	38	92	154	6	1	.	.	200b
2	.	1	2	1	3	8	6	7	18	18	54	67	.	.	.	.	200c
3	.	1	1	3	1	2	2	4	3	3	30	52	4	1	.	.	
3	4	2	4	2	2	2	3	3	6	10	36	61	6	.	.	.	
1	1	.	.	.	.	2	.	1	4	2	2	3	4	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

ABSTRACT V.—Causes of Death in SAORSTÁT ÉIREANN, by Sexes, Ages, and Places of Occurrence in the Year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	42,947 {	21,754 21,193	2,229 1,706	972 920	597 566	931 959	905 1,092	1,094 1,208	1,983 1,777	3,238 2,855	5,224 5,005	4,581 5,105	2,079 1,663	611 530	3,839 2,941	15,225 16,059	4,063 4,721	
1	Typhoid Fever (including Para-M. typhoid). F. }	68 {	37 31	. .	. 2	2 2	12 12	8 5	7 5	4 3	2 4	2 .	. .	1 4	9 2	22 22	5 3	. .	
2	Typhus M. F. }	11 {	6 5	. .	. .	. .	. .	1 1	1 2	3 1	1 .	. 1	. .	. .	. .	6 3	. 2	. .	
3	Measles M. F. }	372 {	199 173	48 32	130 130	18 11	2 .	1 .	. .	. .	. .	. .	. .	47 43	. .	25 28	127 102	5 3	
4	Scarlet Fever... ..M. F. }	74 {	39 35	1 3	17 17	12 8	5 2	. 4	2 1	2 .	. .	. .	. .	12 10	. .	15 15	12 10	. .	
5	Whooping-cough M. F. }	139 {	72 67	37 29	32 34	3 4	. .	. .	. .	. .	. .	. .	. .	2 3	. .	5 7	65 57	19 16	
6	Diphtheria M. F. }	317 {	150 167	8 6	57 59	74 92	8 6	2 2	1 1	. 1	. .	. .	. .	47 49	. .	74 83	29 35	4 3	
7	Dysentery M. F. }	4 {	2 2	. .	1 .	. .	. .	1 .	. 1	. .	. 1	. .	. .	. .	1 .	. .	2 1	. .	
8	Influenza M. F. }	1,472 {	692 780	36 26	28 23	14 20	18 22	24 16	36 40	62 55	134 150	219 292	121 136	10 8	17 26	61 41	604 705	186 236	
9	Encephalitis Lethargica M. F. }	36 {	16 20	. .	1 2	4 3	2 3	2 4	2 3	1 3	4 1	. 1	. .	2 2	2 2	6 7	6 9	. .	
10	Cerebro-spinal Fever M. F. }	19 {	10 9	1 1	1 2	5 4	1 1	1 1	. .	1 .	. .	. .	. .	4 3	. .	3 4	3 2	. .	
11	Tuberculosis of Respiratory System. M. F. }	3,051 {	1,466 1,585	9 7	19 14	36 76	364 496	368 445	266 249	218 171	136 90	43 33	7 4	323 262	124 86	307 339	712 898	36 84	
12	Other Tuberculous Diseases M. F. }	851 {	427 424	43 29	61 56	70 87	95 82	58 66	45 40	24 38	20 19	11 6	. 1	100 95	15 19	141 114	171 196	8 7	
13	Cancer M. F. }	3,294 {	1,753 1,541	2 .	3 1	2 3	9 6	24 39	67 120	318 315	564 453	561 428	203 176	198 188	16 25	433 238	1,106 1,090	54 42	
14	Diabetes Mellitus M. F. }	245 {	132 111	. .	1 2	6 3	11 6	7 4	9 4	14 14	36 30	36 33	12 15	13 11	. 3	31 15	88 82	11 9	

15	Cerebral Hemorrhage, Etc. (No. M. 82).	F.	2,431	1,060 1,371	2 2	3 2	7 2	10 6	10 19	36 54	99 148	254 293	429 542	210 305	53 50	24 30	181 211	802 1,080	161 225
16	Heart Disease ...	M. F.	6,024	3,008 3,016	. .	6 3	27 26	55 54	58 71	117 160	328 338	694 694	1,155 1,052	568 618	152 118	119 104	596 442	2,141 2,352	231 253
17	Other Circulatory Diseases	M. F.	540	303 237	2 .	. 1	1 .	1 .	2 8	8 8	21 22	57 33	122 80	89 85	29 19	9 4	73 47	192 167	8 6
18	Bronchitis ...	M. F.	2,594	1,259 1,335	100 81	31 52	9 7	9 10	18 15	40 27	91 73	224 213	463 530	274 327	46 23	15 12	207 172	891 1,128	194 214
19	Pneumonia (All Forms)	M. F.	2,698	1,493 1,205	253 188	234 214	42 29	58 36	66 57	101 75	151 92	210 156	250 241	128 117	184 106	52 29	199 109	1,058 961	60 58
20	Other Respiratory Diseases	M. F.	781	436 345	21 14	13 16	9 9	19 16	20 17	26 20	66 33	87 73	110 96	65 51	32 21	8 6	69 26	327 292	34 31
21	Gastric and Duodenal Ulcer	M. F.	334	238 96	. .	. .	1 .	10 2	19 12	36 15	57 18	56 26	48 16	11 7	52 8	3 .	66 19	117 69	19 5
22	Diarrhea and Enteritis (under 2 M. years).	M. F.	533	318 215	287 185	31 30	. .	. .	. .	. .	. .	. .	. .	. .	58 37	. 1	50 30	210 147	14 8
23	Appendicitis ...	M. F.	183	119 64	. .	8 5	23 18	24 9	14 8	13 6	16 10	11 4	7 3	3 1	45 23	. .	61 28	13 13	3 1
24	Cirrhosis of the Liver	M. F.	89	66 23	. .	1 .	. .	1 .	2 1	6 2	15 5	16 5	20 9	5 1	13 2	. .	10 5	43 16	. .
25	Other Diseases of the Liver, Etc.	M. F.	168	68 100	1 2	3 1	. .	1 3	2 4	6 8	12 18	16 26	17 27	10 11	11 29	1 .	7 14	49 57	4 6
26	Other Digestive Diseases	M. F.	1,033	523 510	69 47	48 47	22 28	16 14	14 18	18 23	51 67	91 90	123 119	71 57	55 49	8 19	109 55	351 387	52 46
27	Acute and Chronic Nephritis	M. F.	1,275	705 570	7 1	7 7	16 8	23 22	22 35	42 56	120 111	149 121	230 141	89 68	85 57	5 7	151 100	464 406	28 30
28	Puerperal Sepsis ...	F.	66	66	. .	. .	. .	6 .	38 .	22 .	. .	. .	. .	. .	24 .	. .	22 .	20 .	. .
29	Other Puerperal Causes	M. F.	180	180	. .	. .	. .	15 .	81 .	82 2	. .	. .	. .	. .	45 .	1 .	46 .	88 .	3 .
30	Congenital Debility, Etc. (Nos. M. 157-161) ...	M. F.	1,764	962 802	948 788	10 9	3 3	1 1	. 1	. .	. .	. .	. .	. .	164 153	. 2	155 131	643 516	246 201
31	Senility ...	M. F.	7,151	3,278 3,873	. .	. .	. .	. .	. .	. .	. .	. .	793 901	2,485 2,972	10 12	52 54	240 216	2,976 3,591	2,185 2,669
32	Suicide ...	M. F.	108	83 25	. .	. .	. .	4 2	11 5	15 6	22 3	15 3	12 3	4 3	8 3	1 .	8 1	66 21	. .
33	Other Violence ...	M. F.	837	555 282	40 31	63 44	55 27	59 14	64 18	49 11	59 15	74 41	56 35	36 46	111 52	4 1	108 77	332 152	9 7
34	Other Defined Causes ...	M. F.	3,351	1,884 1,467	299 228	130 114	129 89	108 106	78 84	122 141	161 166	268 190	371 246	188 103	201 146	127 94	401 261	1,155 966	201 199
35	Causes ill-defined or unknown	M. F.	856	395 461	15 8	33 35	7 7	5 7	8 13	23 26	37 55	119 139	146 170	2 1	11 8	. 2	19 13	365 438	291 359

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER by Sexes, Ages, and Places of Occurrence in the Year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	17,792 }	8,982 8,810	1,101 863	548 541	285 246	420 416	387 475	524 544	957 786	1,392 1,215	1,914 1,909	1,454 1,815	1,511 1,199	267 254	1,530 1,159	5,674 6,218	903 974		
1	Typhoid Fever (including Para- M. F. } typhoid.)	13 }	7 6	. .	. .	1 .	3 1	1 1	1 1	. 2	. 1	1 .	. .	1 3	1 1	3 2	2 .	. .		
2	Typhus M. F. }	}	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	295 }	159 136	36 24	107 102	14 10	2 .	. .	. .	. .	. .	. .	. .	45 43	. .	20 20	94 73	4 1		
4	Scarlet Fever M. F. }	32 }	21 11	. 3	12 7	7 1	1 .	. .	. .	1 .	. .	. .	. .	11 10	. .	5 .	5 1	. .		
5	Whooping-cough M. F. }	60 }	32 28	18 14	13 13	1 1	. .	. .	. .	. .	. .	. .	. .	2 3	. .	. 1	30 24	1 .		
6	Diphtheria M. F. }	149 }	68 81	6 5	30 29	28 42	2 4	1 .	1 1	. 1	. .	. .	. .	40 39	. .	20 32	8 10	2 1		
7	Dysentery M. F. }	2 }	. 2	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .		
8	Influenza M. F. }	562 }	274 288	15 9	12 12	4 7	7 10	10 8	20 14	27 23	53 60	88 89	38 56	6 5	6 17	26 14	236 252	48 41		
9	Encephalitis Lethargica M. F. }	21 }	9 12	. .	. 1	3 2	1 2	2 3	. 1	1 2	2 1	. .	. .	2 1	2 2	3 3	2 6	. .		
10	Cerebro-spinal Fever M. F. }	10 }	6 4	1 .	1 .	3 2	. 1	1 1	. .	. .	. .	. .	. .	4 3	. .	2 1	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	1426 }	726 700	5 5	14 13	19 33	183 215	169 200	149 117	95 66	68 37	17 12	7 2	206 155	51 34	116 119	353 392	6 22		
12	Other Tuberculous Diseases M. F. }	426 }	221 205	21 11	38 37	42 48	53 39	30 29	23 14	6 17	4 5	4 5	. .	79 67	4 6	48 39	90 93	4 3		
13	Cancer M. F. }	1,356 }	699 657	. .	2 .	1 2	4 4	7 16	30 63	158 125	222 186	201 186	74 75	116 120	7 13	155 82	421 442	14 6		
14	Diabetes Mellitus M. F. }	93 }	47 46	. .	. .	1 2	5 1	4 3	5 2	5 8	10 15	12 11	5 4	6 8	. 2	14 5	27 31	2 3		

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. F. }	1,060 {	450 610	1 .	2 1	3 .	4 3	5 4	14 25	57 73	103 129	175 224	86 151	46 38	13 16	75 91	316 465	41 53
16	Heart Disease ...	M. F. }	2,594 {	1,252 1,342	. .	3 2	11 7	18 27	19 33	56 75	172 149	319 298	426 450	228 301	104 86	67 46	243 182	838 1,028	57 58
17	Other Circulatory Diseases	M. F. }	253 {	137 116	. .	. .	1 .	1 .	. 3	2 3	13 13	29 17	51 36	40 44	26 10	3 4	25 19	83 83	2 2
18	Bronchitis ...	M. F. }	1,227 {	606 621	50 37	15 30	4 1	5 6	10 6	15 12	54 45	120 108	213 225	120 150	43 18	4 6	133 94	426 503	30 37
19	Pneumonia (All Forms)	M. F. }	1,387 {	762 625	146 111	155 147	24 12	24 20	27 24	53 41	86 43	100 72	95 95	52 60	155 96	27 21	96 43	484 465	13 13
20	Other Respiratory Diseases	M. F. }	333 {	188 145	11 10	5 10	5 1	5 5	8 6	17 11	35 12	34 28	48 41	20 21	23 14	4 4	34 7	127 120	5 2
21	Gastric and Duodenal Ulcer	M. F. }	120 {	89 31	. .	. .	. .	3 .	7 4	13 4	25 12	21 9	14 1	6 1	32 4	1 .	16 4	40 23	4 .
22	Diarrhœa and Enteritis (under 2 years).	M. F. }	244 {	138 106	122 94	16 12	. .	. .	. .	. .	. .	. .	. .	. .	45 31	. .	9 10	84 65	4 4
23	Appendicitis ...	M. F. }	69 {	40 29	. .	4 2	7 9	10 1	5 5	3 3	6 4	3 2	1 2	1 1	24 8	. .	14 14	2 7	1 .
24	Cirrhosis of the Liver	M. F. }	46 {	37 9	. .	1 .	. .	. .	1 .	3 .	11 2	10 5	10 5	1 .	12 1	. .	6 1	19 7	. .
25	Other Diseases of Liver, Etc.	M. F. }	88 {	32 56	. 2	1 .	. .	1 .	. 1	3 7	4 10	10 16	7 14	6 6	7 22	1 .	2 1	22 33	1 1
26	Other Digestive Diseases	M. F. }	412 {	200 212	30 18	14 26	7 8	6 6	7 11	6 11	22 34	41 40	41 36	26 22	37 34	6 11	44 16	113 151	15 7
27	Acute and Chronic Nephritis	M. F. }	623 {	343 280	4 .	5 3	7 3	13 14	11 15	22 23	67 59	71 55	106 63	37 43	68 48	1 7	72 50	202 175	7 6
28	Puerperal Sepsis ...	M. F. }	28	28	. .	. .	. .	3 .	17 .	8 .	. .	. .	. .	. .	18 .	. .	5 .	5 .	. .
29	Other Puerperal Causes	M. F. }	62	62	. .	. .	. .	6 .	26 .	29 .	1 .	. .	. .	. .	26 .	1 .	13 .	22 .	. .
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	911 {	505 406	498 401	4 4	2 1	1 .	. .	. .	. .	. .	. .	. .	136 118	. 2	69 59	300 227	93 66
31	Senility ...	M. F. }	1,895 {	829 1,066	. .	. .	. .	. .	. .	. .	. .	. .	205 246	624 820	6 9	22 30	108 87	693 940	409 508
32	Suicide ...	M. F. }	34 {	27 7	. .	. .	. .	1 .	3 3	7 .	8 1	3 1	5 .	. 2	6 3	. .	1 .	20 4	. .
33	Other Violence ...	M. F. }	361 {	238 123	18 15	27 21	28 16	21 3	31 11	23 3	26 5	27 15	21 20	16 14	85 37	1 .	27 23	125 62	5 5
34	Other Defined Causes ...	M. F. }	1,358 {	727 631	118 103	58 56	58 37	43 44	26 42	51 70	65 66	108 82	134 89	66 42	129 114	46 29	139 98	413 390	56 45
35	Causes ill-defined or unknown	M. F. }	242 {	111 131	1 1	8 11	4 1	3 1	1 3	7 6	13 13	34 36	39 59	1 .	9 7	. 1	5 4	97 119	79 87

ABSTRACT V—continued—No. 1.—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	524 {	258 266	19 20	7 10	8 7	7 9	8 11	18 15	34 30	48 44	57 57	52 63	18 8	6 11	38 38	196 209	40 53
1	Typhoid Fever (including Para-typhoid). M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	3 {	1 2	. 1	1 1	. 1	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .	1 .	. .
4	Scarlet Fever... .. M. F. }	2 {	. 2	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .
5	Whooping-cough M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
6	Diphtheria M. F. }	5 {	2 3	. 1	1 1	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 3	1 .	. .
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	19 {	16 9	1 .	2 1	1 1	. 1	. .	. .	. .	2 1	3 2	. 3	. .	. .	2 1	8 8	1 3
9	Encephalitis Lethargica M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of Respiratory System. M. F. }	34 {	20 14	. .	. 1	. 1	4 5	3 3	4 1	4 2	3 1	2 .	. .	1 1	. 1	4 5	14 8	. .
12	Other Tuberculous Diseases M. F. }	2 {	. 2	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .
13	Cancer M. F. }	41 {	14 27	. .	1 .	. .	. .	. 2	4 4	4 4	3 13	4 5	. 1	3 1	. 2	3 2	8 22	. 1
14	Diabetes Mellitus M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .

15	Cerebral Haemorrhage, Etc. (No. M. 82).	M. F. }	45 {	13	.	.	.	.	1	2	3	4	3	.	3	.	10	1
				32	.	.	.	1	1	1	5	10	8	6	3	2	27	4
16	Heart Disease ...	...M. F. }	123 {	70	.	.	.	1	.	1	10	23	26	9	1	1	52	8
				53	.	.	.	.	.	1	9	11	21	11	.	3	40	4
17	Other Circulatory Diseases	...M. F. }	9 {	5	.	.	.	1	.	.	.	2	2	.	2	.	3	1
				4	.	.	.	.	.	.	1	2	1	2	.	1	3	.
18	Bronchitis ...	...M. F. }	20 {	10	.	.	.	.	.	1	1	2	4	3	.	1	9	1
				10	1	.	.	.	1	1	1	4	2	.	.	1	9	.
19	Pneumonia (All Forms)	...M. F. }	15 {	6	.	.	.	.	1	.	1	2	1	1	1	.	4	.
				9	.	.	1	2	.	1	1	.	4	.	.	1	9	.
20	Other Respiratory Diseases	...M. F. }	9 {	5	.	.	1	.	.	1	3	.	.	1	.	.	5	.
				4	.	.	.	.	.	1	.	1	.	1	.	1	3	.
21	Gastric and Duodenal Ulcer	...M. F. }	4 {	2	.	.	.	.	.	.	2	.	.	.	1	.	1	.
				2	.	.	.	.	.	.	1	1	.	.	.	.	2	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	4 {	3	2	1	.	.	.	.	.	.	.	.	1	.	2	.
				1	1	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis ...	...M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.
24	Cirrhosis of the Liver	...M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.
25	Other Diseases of the Liver, Etc.	M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.
26	Other Digestive Diseases	...M. F. }	7 {	6	1	.	.	.	.	.	.	3	1	1	1	.	4	.
				1	.	.	.	.	1	.	.	.	.	.	.	1	1	.
27	Acute and Chronic Nephritis	...M. F. }	11 {	6	.	.	1	.	1	.	3	.	1	.	2	.	6	.
				5	.	1	.	.	2	.	1	1	.	.	.	.	3	.
28	Puerperal Sepsis ...	...F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.
29	Other Puerperal Causes	...F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	1	1	.
30	Congenital Debility, Etc. (Nos. 157-161)	M. F. }	30 {	14	14	.	.	.	.	.	.	.	.	.	1	.	11	5
				16	16	.	.	.	.	.	.	.	.	.	.	3	14	8
31	Senility ...	...M. F. }	85 {	39	.	.	.	.	.	.	.	.	4	35	.	.	38	21
				46	.	.	.	.	.	.	.	.	10	36	.	2	44	31
32	Suicide ...	...M. F. }	2 {	2	.	.	.	.	1	1	.	.	.	.	1	.	1	.
33	Other Violence ...	...M. F. }	10 {	7	.	.	.	.	.	2	.	2	1	1	1	.	5	.
				3	1	.	1	.	.	.	.	1	.	.	.	3	.	.
34	Other Defined Causes ...	...M. F. }	30 {	12	1	.	3	.	.	3	1	.	3	1	2	1	9	1
				18	1	4	.	.	2	3	3	4	.	1	1	5	9	1
35	Causes ill-defined or unknown	...M. F. }	7 {	3	.	1	.	.	.	1	.	1	.	.	1	.	1	1
				4	.	.	.	.	.	.	2	1	1	.	.	.	4	1

ABSTRACT V—continued—No. 2.—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	1,414 {	682 732	101 67	29 33	22 21	41 35	31 35	42 48	74 62	103 95	133 150	106 186	130 112	23 33	91 72	438 515	18 7		
1	Typhoid Fever (including Para- M. typhoid). F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.		
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. F. }	18 {	9 9	4 4	5 4	1	.	.	.	.	.	.	.	1	.	2 1	7 7	.		
4	Scarlet Fever M. F. }	3 {	1 2	.	1 2	.	.	.	.	.	.	.	.	1	.	1	1	.		
5	Whooping-cough M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.		
6	Diphtheria M. F. }	7 {	2 5	1	1 2	1	.	.	.	.	.	.	.	1 3	.	.	1 2	.		
7	Dysentery M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. F. }	38 {	13 25	2	1	.	1 2	1	3	1	2 4	2 4	5 10	2	3	.	13 20	.		
9	Encephalitis Lethargica ...M. F. }	5 {	2 3	.	1	1	1	1	1	.	.	.	.	.	1	1 1	2	.		
10	Cerebro-spinal Fever M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.		
11	Tuberculosis of Respiratory M. System. F. }	114 {	64 50	.	1	.	22 22	17 14	14 10	3 2	5 1	1	2	17 15	6 2	9 7	32 26	.		
12	Other Tuberculous Diseases ...M. F. }	32 {	18 14	3 1	3 2	2 4	6 2	3 1	1 1	1	.	2	.	8 6	.	2	8 8	.		
13	Cancer M. F. }	144 {	69 75	.	.	1	1	1 1	4 6	18 17	25 14	14 20	5 17	16 14	2	7 4	46 55	.		
14	Diabetes Mellitus M. F. }	5 {	4 1	.	.	.	.	.	1	.	1	2	1	1	.	1	2 1	.		

15	Cerebral Hemorrhage, Etc. (No. M. 82).	102	46	.	1	.	.	.	1	8	9	18	9	2	2	4	38	.
			56	.	.	.	.	.	2	7	10	20	17	6	3	3	44	.
16	Heart Disease M. F.	209	93	.	.	.	1	3	7	13	16	32	21	10	8	14	61	2
			116	.	.	.	2	3	6	11	20	34	41	2	4	16	94	.
17	Other Circulatory Diseases ...M. F.	36	14	.	.	.	.	.	1	1	1	6	5	2	1	1	10	.
			22	.	.	.	.	1	1	1	4	5	10	4	.	2	16	.
18	Bronchitis M. F.	93	42	5	.	.	1	.	3	6	13	15	1	.	.	11	30	1
			51	3	3	.	.	1	2	4	10	18	5	.	1	11	34	1
19	Pneumonia (All Forms) ...M. F.	107	53	16	8	4	1	1	4	3	9	5	2	8	2	6	37	1
			54	7	10	2	.	.	4	7	6	9	9	4	5	5	40	.
20	Other Respiratory Diseases ...M. F.	35	18	1	.	.	1	.	1	3	2	7	3	1	1	4	12	.
			17	1	.	.	.	1	1	8	3	3	3	2	1	1	13	.
21	Gastric and Duodenal Ulcer ...M. F.	13	9	.	.	.	2	.	1	2	1	3	.	6	.	1	2	.
			4	.	.	.	.	.	1	1	2	.	1	.	.	4	4	.
22	Diarrhoea and Enteritis (under 2 M. years).	18	10	9	1	.	.	.	.	.	.	.	.	2	.	2	6	.
			8	8	.	.	.	.	.	.	.	.	.	2	.	2	4	.
23	Appendicitis M. F.	5	1	.	.	1	.	1	.	1	.	1	1	2	.	.	2	.
			4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver ...M. F.	9	8	.	.	.	.	.	.	2	5	1	.	5	.	.	3	.
			1	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
25	Other Diseases of Liver, Etc. ...M. F.	8	4	.	.	.	.	.	.	.	1	2	2	1	.	1	3	.
			4	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.
26	Other Digestive Diseases ...M. F.	33	15	2	1	.	.	.	3	5	3	1	4	.	.	4	7	.
			18	4	3	.	1	1	3	4	1	.	3	.	.	2	13	.
27	Acute and Chronic Nephritis ...M. F.	62	27	1	.	.	2	1	2	1	7	9	6	7	.	5	15	.
			35	.	1	.	.	1	2	7	9	5	8	5	2	6	22	.
28	Puerperal Sepsis F.	4	4	.	.	.	.	3	1	.	.	.	.	3	.	.	1	.
29	Other Puerperal Causes ...F.	6	6	.	.	.	.	3	3	.	.	.	.	3	.	.	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	67	40	40	.	.	.	.	.	.	.	.	.	9	.	2	29	9
			27	27	.	.	.	.	.	.	.	.	.	7	2	2	16	1
31	Senility M. F.	86	29	.	.	.	.	.	.	.	.	5	24	.	.	3	26	1
			57	.	.	.	.	.	.	.	.	14	43	2	7	1	47	5
32	Suicide M. F.	4	3	.	.	.	.	.	2	1	.	.	.	1	.	.	2	.
			1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
33	Other Violence M. F.	42	27	5	1	5	2	5	2	2	2	1	1	12	.	1	14	.
			15	2	1	4	.	.	1	1	3	3	3	4	.	1	10	.
34	Other Defined Causes M. F.	99	57	13	6	7	3	.	1	9	5	8	5	15	2	9	31	3
			42	9	1	6	3	1	5	2	5	6	4	11	1	6	24	.
35	Causes ill-defined or unknown ...M. F.	7	3	.	1	.	.	1	.	.	1	1	.	1	.	1	2	1
			4	.	1	.	.	.	.	.	1	1	.	1	.	1	2	.

ABSTRACT V—continued—No. 3.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	6,531 {	3,226 3,305	548 419	363 325	105 92	175 183	162 204	227 219	399 289	467 473	472 596	308 505	1,124 900	89 99	444 388	1,569 1,918	34 29	
1	Typhoid Fever (including Para- M. } typhoid). F. }	4 {	2 2	. .	. .	1 .	1 .	. 1	. .	. 1	. .	. .	. .	1 2	. .	. .	1 .	. .	
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } F. }	223 {	122 101	29 15	91 81	1 5	1 .	. .	. .	. .	. .	. .	. .	43 37	. .	14 6	65 58	1 .	
4	Scarlet Fever... .. M. } F. }	19 {	11 8	. 2	7 5	4 1	. .	. .	. .	. .	. .	. .	. .	10 8	. .	. .	1 .	. .	
5	Whooping-cough M. } F. }	31 {	16 15	10 9	6 6	. .	. .	. .	. .	. .	. .	. .	. .	1 3	. .	. 1	15 11	. .	
6	Diphtheria M. } F. }	72 {	38 34	5 3	23 19	8 11	1 1	1 .	. .	. .	. .	. .	. .	37 32	. .	. .	1 2	. .	
7	Dysentery M. } F. }	2 {	2 .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	
8	Influenza M. } F. }	122 {	56 66	4 .	1 1	. .	1 2	2 4	8 6	11 7	12 18	11 14	6 14	6 1	1 8	6 2	43 55	. .	
9	Encephalitis Lethargica M. } F. }	6 {	2 4	. .	. .	1 .	. .	2 .	. .	1 .	. .	2 .	. .	1 .	. 2	. .	1 2	. .	
10	Cerebro-spinal Fever M. } F. }	6 {	5 1	1 .	1 .	2 1	. .	1 .	. .	. .	. .	. .	. .	4 1	. .	1 .	. .	. .	
11	Tuberculosis of Respiratory System. M. } F. }	630 {	331 299	4 3	10 5	7 11	78 94	74 83	70 51	55 27	26 19	5 5	2 1	138 104	16 15	46 56	131 124	. 1	
12	Other Tuberculous Diseases M. } F. }	197 {	96 101	9 3	18 23	24 23	23 19	15 16	4 4	2 8	1 .	. 2	. .	61 55	. 3	9 5	26 38	. .	
13	Cancer M. } F. }	450 {	220 230	. .	1 .	. 1	3 1	3 7	7 23	52 40	75 72	49 64	30 22	75 80	4 2	35 14	106 134	. .	
14	Diabetes Mellitus M. } F. }	30 {	10 20	. .	. .	1 2	1 1	1 .	. .	1 .	3 .	2 .	1 .	4 .	. .	1 .	5 .	. .	

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F.	352	143	1	1	3	1	3	3	21	33	53	24	38	2	30	73	2
				209	.	.	.	2	1	14	19	42	79	52	29	7	41	132	2
16	Heart Disease ...	M. F.	872	382	.	3	5	7	6	25	67	98	107	64	81	26	48	227	3
				490	.	1	4	11	17	55	47	117	143	115	74	21	69	326	6
17	Other Circulatory Diseases	M. F.	102	55	.	.	.	.	1	9	10	22	13	19	1	11	24	1	
				47	.	.	.	.	1	9	5	14	17	6	2	11	28	.	
18	Bronchitis ...	M. F.	569	263	25	9	3	2	4	12	34	65	71	38	39	2	70	152	3
				306	14	9	1	3	5	5	29	66	109	65	11	1	65	229	.
19	Pneumonia (All Forms)	M. F.	773	430	99	119	11	17	15	33	48	41	28	19	138	13	36	243	2
				343	73	105	6	15	12	22	15	33	55	27	89	10	16	228	2
20	Other Respiratory Diseases	M. F.	145	80	9	4	1	1	4	12	17	13	15	4	19	1	13	47	.
				65	7	5	1	5	3	6	5	13	13	7	11	1	2	51	.
21	Gastric and Duodenal Ulcer	M. F.	24	20	.	.	.	.	2	4	8	2	3	1	16	.	1	3	.
				4	.	.	.	.	1	2	.	1	.	.	2	.	.	2	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F.	139	79	71	8	.	.	.	.	.	.	.	.	37	.	3	39	.
				60	53	7	.	.	.	.	.	.	.	.	23	.	7	30	.
23	Appendicitis ...	M. F.	19	14	.	1	2	2	2	1	2	2	1	1	13	.	1	.	.
				5	.	1	2	1	.	1	.	.	.	.	4	.	.	1	.
24	Cirrhosis of the Liver	M. F.	14	9	.	1	.	.	1	2	2	1	2	.	5	.	2	2	.
				5	.	.	.	.	.	1	2	2	2	.	1	.	.	4	.
25	Other Diseases of Liver, Etc.	M. F.	38	10	.	.	.	1	.	2	.	4	2	1	6	1	.	3	.
				28	1	.	.	.	1	2	8	7	5	4	17	.	.	11	.
26	Other Digestive Diseases	M. F.	129	58	16	5	2	1	4	3	8	8	9	2	22	5	10	21	.
				71	3	12	2	3	6	4	15	13	9	4	19	8	4	40	.
27	Acute and Chronic Nephritis	M. F.	237	128	3	3	1	5	7	13	34	26	26	10	51	.	28	49	1
				109	.	2	2	4	8	13	28	16	23	13	37	.	15	57	.
28	Puerperal Sepsis ...	F.	12	12	.	.	.	2	7	3	.	.	.	.	11	.	.	1	.
29	Other Puerperal Causes	F.	17	17	.	.	.	1	8	8	.	.	.	.	15	.	.	2	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F.	403	216	214	1	.	1	.	.	.	.	.	.	103	.	23	90	3
				187	187	.	.	.	.	.	.	.	.	.	98	.	19	70	3
31	Senility ...	M. F.	281	93	.	.	.	.	.	.	.	.	23	70	6	4	17	66	5
				188	.	.	.	.	.	.	.	.	45	143	6	10	20	152	6
32	Suicide ...	M. F.	10	8	.	.	.	1	.	2	2	1	2	.	4	.	.	4	.
				2	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
33	Other Violence ...	M. F.	129	88	6	17	11	11	10	7	10	8	5	3	67	.	2	19	1
				41	3	12	7	1	3	.	2	6	5	2	29	.	2	10	1
34	Other Defined Causes ...	M. F.	442	222	42	31	17	15	6	17	15	30	30	19	74	13	35	100	3
				220	43	28	11	17	17	17	23	24	23	17	82	6	28	104	2
35	Causes ill-defined or unknown	M. F.	32	17	.	1	1	1	.	1	1	6	6	.	5	.	2	10	11
				15	.	3	.	.	.	2	.	6	4	.	4	1	2	8	3

ABSTRACT V—continued.—No. 4.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	843 {	451 392	43 40	11 13	18 15	25 18	29 23	20 27	49 41	92 62	95 76	69 77	40 24	16 14	98 49	297 305	21 31
1	Typhoid Fever (including Para- M. typhoid). F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	6 {	3 3	. .	1 2	1 1	1 .	. .	. .	. .	. .	. .	. .	1 1	. .	2 .	. .	. .
4	Scarlet Fever... ..M. F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
5	Whooping-cough M. F. }	2 {	1 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .
6	Diphtheria M. F. }	12 {	4 8	. .	1 1	3 6	. .	. .	. .	1 .	. .	. .	. .	1 1	. .	2 6	1 1	. .
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	17 {	8 9	1 .	. 1	1 .	. .	. .	1 .	1 1	2 2	1 3	2 1	. .	1 .	. .	8 8	. 1
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal Fever M. F. }	1 {	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
11	Tuberculosis of Respiratory M. System. F. }	74 {	39 35	. 1	1 .	1 1	8 14	11 9	7 5	6 2	4 2	1 1	. .	7 4	3 1	5 3	24 27	. .
12	Other Tuberculous Diseases ...M. F. }	13 {	9 4	. .	1 .	2 2	1 .	3 .	1 .	. 2	1 .	. .	. .	. .	. .	4 2	5 2	. 1
13	Cancer M. F. }	74 {	41 33	. .	. .	. .	. .	1 .	1 3	10 6	14 15	13 5	2 4	3 3	. 1	11 3	27 26	. .
14	Diabetes Mellitus M. F. }	6 {	3 .	. .	. .	. .	. .	1 .	1 .	. .	1 .	. .	. .	. .	. .	2 .	1 .	. .

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F. }	44	{	23	.	.	.	1	1	1	2	7	7	4	2	3	18	2
					21	.	.	.	.	1	1	7	4	6	3	1	2	17	.
16	Heart Disease ...	M. F. }	146	{	81	.	.	.	2	1	1	8	30	28	13	2	10	23	4
					65	.	.	.	2	2	1	11	15	21	13	4	12	49	3
17	Other Circulatory Diseases	M. F. }	11	{	6	.	.	.	.	.	1	.	1	1	4	1	1	4	.
					5	.	.	.	.	.	1	.	2	1	1	.	1	4	.
18	Bronchitis ...	M. F. }	46	{	21	1	.	.	1	.	1	1	4	7	6	.	2	19	.
					25	3	.	.	.	.	.	2	4	6	10	2	1	21	1
19	Pneumonia (All Forms)	M. F. }	52	{	31	9	3	.	2	2	1	5	4	1	4	3	2	23	.
					21	4	3	.	.	1	2	1	4	3	3	.	2	19	.
20	Other Respiratory Diseases	M. F. }	16	{	9	1	.	2	2	1	.	2	.	1	.	.	3	6	.
					7	.	1	.	.	1	2	.	.	3	.	1	6	.	.
21	Gastric and Duodenal Ulcer	M. F. }	7	{	6	.	.	.	.	2	.	2	1	1	.	2	2	.	.
					1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	9	{	4	3	1	.	.	.	.	.	.	.	.	1	.	2	.
					5	4	1	.	.	.	.	.	.	.	.	.	.	5	.
23	Appendicitis ...	M. F. }	8	{	5	.	.	2	3	.	.	.	.	.	.	3	2	.	.
					3	.	.	1	.	2	.	.	.	.	.	1	1	.	.
24	Cirrhosis of the Liver	M. F. }	2	{	2	.	.	.	.	.	.	1	.	1	.	.	1	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	1	{	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. F. }	25	{	12	1	.	.	1	.	.	2	5	2	1	1	4	7	1
					13	.	.	.	.	1	3	3	3	3	3	1	.	12	.
27	Acute and Chronic Nephritis	M. F. }	24	{	18	.	.	.	1	.	.	3	6	6	2	1	2	15	.
					6	.	.	.	.	1	1	1	.	2	1	.	1	5	.
28	Puerperal Sepsis ...	F. }	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	6	{	6	.	.	.	.	3	3	.	.	.	.	3	.	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	45	{	24	24	.	.	.	.	.	.	.	.	.	5	4	15	4
					21	20	.	1	.	.	.	.	.	.	.	1	3	17	4
31	Senility ...	M. F. }	89	{	40	.	.	.	.	.	.	.	.	11	29	.	10	30	9
					49	.	.	.	.	.	.	.	.	15	34	.	4	45	19
32	Suicide ...	M. F. }	3	{	3	.	.	.	.	1	.	1	.	1	.	.	.	3	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	20	{	13	1	.	3	.	1	1	2	4	1	.	1	3	9	.
					7	1	2	1	1	1	.	.	.	1	.	.	1	5	.
34	Other Defined Causes ...	M. F. }	74	{	40	1	2	4	3	4	4	4	5	11	2	6	1	25	.
					34	6	1	1	.	2	6	4	8	5	1	3	5	23	.
35	Causes ill-defined or unknown	M. F. }	9	{	4	.	.	.	1	.	.	1	1	1	.	.	2	2	1
					5	.	1	.	.	.	.	2	2	2	.	.	5	5	2

ABSTRACT V—continued—No. 5.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	1,109 {	570 539	57 41	26 27	17 22	19 17	23 20	20 26	52 54	80 61	149 136	127 135	32 21	16 6	107 81	415 431	108 109	
1	Typhoid Fever (including Para-M. typhoid). F. }	2 {	1 1	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	1 .	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	6 {	3 3	1 .	1 1	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	3 2		
4	Scarlet Fever... ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Whooping-cough M. F. }	18 {	10 8	6 3	4 5	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	10 8		
6	Diphtheria M. F. }	6 {	3 3	. .	1 2	2 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	3 3	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	44 {	32 12	. .	5 .	. 1	1 1	3 .	. .	2 1	5 1	8 5	8 3	. .	3 .	1 .	29 11		
9	Encephalitis Lethargica ..M. F. }	1 {	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	55 {	29 26	1 .	1 .	2 4	6 7	10 7	2 4	4 2	3 1	. 1	. .	11 7	3 1	3 2	12 16		
12	Other Tuberculous Diseases ..M. F. }	14 {	8 6	. 1	2 1	1 3	2 1	1 .	2 .	. .	. .	. .	. .	3 1	. .	2 3	3 2		
13	Cancer M. F. }	78 {	33 45	. .	. .	. .	1 .	. .	1 2	9 12	8 9	13 17	2 4	3 2	. .	11 12	19 31		
14	Diabetes Mellitus M. F. }	4 {	4 .	. .	. .	. .	. .	. .	1 .	2 .	. .	. .	1 .	. .	. .	. .	4 .		

15	Cerebral Hæmorrhage, Etc. (No. M. S2).	F. } 74 {	33 41	.	.	.	2	.	.	3	2	18	8	1	1	3	28	10
				.	.	.	.	1	.	4	11	12	15	1	.	4	36	7
16	Heart Disease ...	M. } 157 {	80	.	.	2	2	2	5	8	15	30	16	.	2	19	59	5
		F. }	77	.	1	.	2	3	5	14	11	27	14	1	.	15	61	5
17	Other Circulatory Diseases	M. } 11 {	8	.	.	.	.	.	.	1	2	3	2	.	.	5	3	.
		F. }	3	.	.	.	.	.	.	.	1	1	1	.	.	3	3	.
18	Bronchitis ...	M. } 69 {	40	5	.	.	2	.	3	5	17	8	8	1	.	5	34	4
		F. }	29	3	3	.	.	1	.	6	8	8	8	.	.	3	26	4
19	Pneumonia (All Forms)	M. } 61 {	36	1	4	3	1	1	1	6	9	8	2	2	1	10	23	.
		F. }	25	1	5	2	.	2	2	3	4	5	1	.	.	4	21	1
20	Other Respiratory Diseases	M. } 12 {	6	.	.	.	.	.	1	1	4	2	.	.	.	2	4	1
		F. }	6	.	.	.	.	.	.	.	4	4	.	.	.	6	2	.
21	Gastric and Duodenal Ulcer	M. } 9 {	5	.	.	.	.	.	.	3	2	.	.	.	.	2	3	1
		F. }	4	.	.	.	.	1	.	3	.	.	.	.	.	1	3	.
22	Diarrhœa and Enteritis (under 2 M. years).	M. } 9 {	4	4	.	.	.	.	.	.	.	.	.	1	.	.	3	.
		F. }	5	4	1	.	.	.	.	.	.	.	.	1	.	.	4	2
23	Appendicitis ...	M. } 6 {	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.
		F. }	4	.	1	2	.	1	.	.	.	.	.	.	.	3	1	.
24	Cirrhosis of the Liver	M. } 7 {	6	.	.	.	.	.	.	.	3	3	.	.	.	1	5	.
		F. }	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
25	Other Diseases of Liver, Etc.	M. } 1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F. }	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
26	Other Digestive Diseases	M. } 33 {	15	2	1	1	1	.	.	1	3	4	2	.	.	3	12	.
		F. }	18	2	2	2	1	.	1	1	3	4	2	1	.	1	16	.
27	Acute and Chronic Nephritis	M. } 22 {	11	.	.	.	.	.	3	2	.	4	2	1	.	1	9	.
		F. }	11	.	.	.	1	.	2	2	.	1	1	1	.	.	10	1
28	Puerperal Sepsis ...	F. } 1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. } 5 {	5	.	.	.	.	2	2	1	.	.	.	.	.	2	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161) ...	M. } 52 {	30	28	1	1	.	.	.	.	.	.	.	4	.	10	16	8
		F. }	22	20	2	.	.	.	.	.	.	.	.	3	.	4	15	6
31	Senility ...	M. } 202 {	90	.	.	.	.	.	.	.	.	22	68	.	2	11	77	54
		F. }	112	.	.	.	.	.	.	.	.	28	84	.	2	12	98	66
32	Suicide ...	M. } 3 {	1	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		F. }	2	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
33	Other Violence ...	M. } 21 {	16	2	2	1	1	1	1	2	2	2	2	1	1	2	12	.
		F. }	5	2	.	.	.	.	.	.	1	2	.	.	.	1	4	.
34	Other Defined Causes ...	M. } 101 {	53	8	1	2	2	1	4	7	14	8	6	3	3	12	35	5
		F. }	48	4	2	6	2	2	5	4	5	16	2	3	2	8	35	8
35	Causes ill-defined or unknown	M. } 25 {	15	.	2	.	.	1	.	1	3	7	1	.	.	.	15	12
		F. }	10	.	1	1	.	.	.	1	4	3	.	.	.	.	10	5

ABSTRACT V—continued—No. 6.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. } F. }	825 {	433 392	43 26	11 13	9 9	15 12	14 25	30 23	38 30	71 54	114 108	88 92	25 11	20 10	75 46	313 325	99 99		
1	Typhoid Fever (including Para-M. } typhoid) F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. } F. }	5 {	2 3	1	2 1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1	2 2	. .		
4	Scarlet Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Whooping-cough M. } F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
6	Diphtheria M. } F. }	4 {	1 3	. .	. .	1 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 2	1 .	. .		
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. } F. }	30 {	14 16	1 2	. 2	. .	1 .	1 .	1 2	1 1	4 1	3 7	2 1	. .	. .	1 .	13 16	3 2		
9	Encephalitis Lethargica ...M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory System. M. } F. }	54 {	26 28	. .	. .	1 .	4 4	4 12	4 4	6 2	4 4	3 2	. .	4 2	6 2	1 4	15 20	1 2		
12	Other Tuberculous Diseases ...M. } F. }	18 {	10 8	. .	1 .	2 1	4 2	1 3	1 1	1 .	1 .	. 1	. .	1 1	1 .	4 2	4 5	1 1		
13	Cancer M. } F. }	45 {	27 18	. .	. .	. .	. .	. .	2 1	5 4	7 5	9 8	4 .	3 2	1 1	5 2	18 13	1 1		
14	Diabetes Mellitus M. } F. }	9 {	3 6	. .	. .	. .	1 .	. 1	1 .	. .	. 2	1 3	. .	1 .	. .	1 .	1 6	. .		

15	Cerebral Hæmorrhage, Etc. (No. M. S2).	F. } 74 {	33	.	.	.	2	.	.	3	2	18	8	1	1	3	28	10
			41	.	.	.	.	1	.	4	11	12	13	1	.	4	36	7
16	Heart Disease ...	M. } 157 {	80	.	.	2	2	2	5	8	15	30	16	.	2	19	59	5
		F. }	77	.	1	.	2	3	5	14	11	27	14	1	.	15	61	5
17	Other Circulatory Diseases	M. } 11 {	8	.	.	.	.	.	.	1	2	3	2	.	.	5	3	.
		F. }	3	.	.	.	.	.	.	1	1	1	1	.	.	.	3	.
18	Bronchitis ...	M. } 69 {	40	5	.	.	2	.	3	5	17	8	8	1	.	5	34	4
		F. }	29	3	3	.	.	1	.	6	8	8	.	.	.	3	26	4
19	Pneumonia (All Forms)	M. } 61 {	36	1	4	3	1	1	1	6	9	8	2	2	1	10	23	.
		F. }	25	1	5	2	.	2	2	3	4	5	1	.	.	4	21	1
20	Other Respiratory Diseases	M. } 12 {	6	.	.	.	.	.	1	1	4	2	.	.	.	2	4	1
		F. }	6	.	.	.	.	.	.	.	4	4	.	.	.	.	6	2
21	Gastric and Duodenal Ulcer	M. } 9 {	5	.	.	.	.	.	.	3	2	.	.	.	.	2	3	1
		F. }	4	.	.	.	.	1	.	3	.	.	.	.	.	1	3	.
22	Diarrhoea and Enteritis (under 2 years).	M. } 9 {	4	4	.	.	.	.	.	.	.	.	.	1	.	.	3	.
		F. }	5	4	1	.	.	.	.	.	.	.	.	1	.	.	4	2
23	Appendicitis ...	M. } 6 {	2	.	1	.	1	.	.	.	.	.	.	1	.	1	.	.
		F. }	4	.	1	2	.	1	.	.	.	.	.	.	.	3	1	.
24	Cirrhosis of the Liver	M. } 7 {	6	.	.	.	.	.	.	.	3	3	.	.	.	1	5	.
		F. }	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. } 1 {	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
		F. }	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. } 33 {	15	2	1	1	.	.	1	3	4	2	.	.	.	3	12	.
		F. }	18	2	2	2	1	.	1	1	3	4	2	1	.	1	16	.
27	Acute and Chronic Nephritis	M. } 22 {	11	.	.	.	1	.	3	2	.	4	2	1	.	1	9	.
		F. }	11	.	.	.	.	.	2	2	.	1	1	1	.	.	10	1
28	Puerperal Sepsis ...	F. } 1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. } 5 {	5	.	.	.	.	2	2	1	.	.	.	.	.	2	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161)	M. } 52 {	30	28	1	1	.	.	.	.	.	.	.	4	.	10	16	8
		F. }	22	20	2	.	.	.	.	.	.	.	.	3	.	4	15	6
31	Senility ...	M. } 202 {	90	.	.	.	.	.	.	.	.	22	68	.	2	11	77	54
		F. }	112	.	.	.	.	.	.	.	.	28	84	.	2	12	98	66
32	Suicide ...	M. } 3 {	1	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		F. }	2	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
33	Other Violence ...	M. } 21 {	16	2	2	1	1	1	2	2	2	2	2	1	1	2	12	.
		F. }	5	2	.	.	.	.	.	1	2	2	.	.	.	1	4	.
34	Other Defined Causes ...	M. } 101 {	53	8	1	2	2	1	4	7	14	8	6	3	3	12	35	5
		F. }	48	4	2	6	2	2	5	4	5	16	2	3	2	8	35	8
35	Causes ill-defined or unknown	M. } 25 {	15	.	2	.	1	.	.	1	3	7	1	.	.	.	15	12
		F. }	10	.	1	1	.	.	.	1	4	3	.	.	.	.	10	5

ABSTRACT V—continued—No. 6.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. F. }	825 {	433 392	43 26	11 13	9 9	15 12	14 25	30 23	38 30	71 54	114 108	88 92	25 11	20 10	75 46	313 325	99 99		
1	Typhoid Fever (including Para-typhoid) M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	5 {	2 3	. 1	2 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	2 2	. .		
4	Scarlet Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Whooping-cough M. F. }	1 {	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .		
6	Diphtheria M. F. }	4 {	1 3	. .	. .	1 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1 2	. 1	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	30 {	14 16	1 2	. 2	. .	1 .	1 .	1 2	1 1	4 1	3 7	2 1	. .	. .	. 1	13 16	3 2		
9	Encephalitis Lethargica M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	54 {	26 28	. .	. .	1 .	4 4	4 12	4 4	6 2	4 4	3 2	. .	4 2	6 2	1 4	15 20	1 2		
12	Other Tuberculous Diseases M. F. }	18 {	10 8	. .	1 .	2 1	4 2	1 3	1 1	1 .	. 1	. .	. .	1 1	1 .	4 2	4 5	1 1		
13	Cancer M. F. }	45 {	27 18	. .	. .	. .	. .	. .	2 1	5 4	7 5	9 8	4 .	3 2	1 1	5 2	18 13	1 1		
14	Diabetes Mellitus M. F. }	9 {	3 6	. .	. .	. .	1 .	. 1	1 .	. .	. 2	1 3	. .	1 .	. .	. 1	1 6	. .		

15	Cerebral Hamorrhage, Etc. (No. M. 82).	F.	34	12	.	.	.	.	.	2	2	3	4	1	1	.	1	10	4
				22	.	.	.	.	.	1	4	6	8	3	.	.	4	18	4
16	Heart Disease ...	M.	140	75	.	.	1	2	.	3	9	21	24	15	1	5	18	51	5
		F.		65	.	.	.	1	3	3	5	13	26	14	.	.	8	57	2
17	Other Circulatory Diseases	M.	5	3	.	.	.	.	.	1	.	.	2	.	.	.	.	3	.
		F.		2	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
18	Bronchitis ...	M.	42	28	3	.	.	1	1	.	1	7	12	3	.	1	6	21	1
		F.		14	2	.	.	.	.	.	.	4	7	1	.	.	1	13	1
19	Pneumonia (All Forms)	M.	39	22	1	3	.	.	1	3	2	5	6	1	.	1	4	17	.
		F.		17	.	6	.	.	.	1	1	3	5	1	.	.	2	15	1
20	Other Respiratory Diseases	M.	9	4	.	.	1	.	.	.	.	1	2	.	.	.	1	3	.
		F.		5	.	.	.	.	.	1	1	1	2	1	1	.	.	4	.
21	Gastric and Duodenal Ulcer	M.	11	9	.	.	.	.	1	3	.	2	1	2	2	.	3	4	.
		F.		2	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	M.	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Appendicitis ...	M.	5	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
		F.		4	.	.	1	.	.	.	2	1	.	.	.	.	3	1	.
24	Cirrhosis of the Liver	M.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M.	5	2	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.
		F.		3	.	.	.	.	.	.	1	1	1	.	2	.	.	1	.
26	Other Digestive Diseases	M.	24	13	1	.	1	.	1	3	1	3	1	2	1	.	3	9	.
		F.		11	4	.	1	.	.	2	2	1	2	1	1	.	1	9	1
27	Acute and Chronic Nephritis	M.	20	9	.	.	.	1	1	1	2	2	2	.	.	.	2	7	1
		F.		11	.	.	.	1	.	1	1	2	4	3	.	.	1	10	.
28	Puerperal Sepsis ...	F.	4	4	.	.	.	1	2	1	.	.	.	.	.	.	2	2	.
29	Other Puerperal Causes	F.	3	3	.	.	.	1	.	2	.	.	.	.	.	.	1	2	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M.	42	28	27	1	.	.	.	.	.	.	.	.	4	.	4	20	15
		F.		14	13	1	.	.	.	.	.	.	.	.	.	.	3	11	8
31	Senility ...	M.	161	75	.	.	.	.	.	.	.	.	23	52	.	.	10	65	52
		F.		86	.	.	.	.	.	.	.	.	20	66	.	1	6	79	62
32	Suicide ...	M.	2	2	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M.	13	7	1	.	1	1	2	1	1	1	1	1	2	.	1	4	.
		F.		6	1	1	.	1	1	.	.	1	1	.	.	.	.	6	.
34	Other Defined Causes ...	M.	75	46	6	1	2	.	2	4	4	7	15	5	3	5	9	29	7
		F.		29	3	1	2	2	2	6	4	5	4	.	2	6	3	18	3
35	Causes ill-defined or unknown	M.	21	9	.	2	.	.	.	.	1	2	2	.	.	.	.	9	8
		F.		12	.	1	.	.	.	.	2	2	7	.	.	.	12	10	

ABSTRACT V—contd.—No. 7—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.			
	ALL CAUSES M. } F. }	612 {	309 303	28 24	3 7	7 5	14 17	13 13	14 16	27 18	47 47	86 80	70 76	9 5	4 9	52 41	244 248	131 142		
1	Typhoid Fever (including Para- M. } typhoid). F. }	3 {	1 2	. .	. .	. .	1 1	. .	. .	. .	1 .	. .	. .	. .	. .	2 .	1 .	. .		
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. } F. }	2 {	. 2	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	1 .		
4	Scarlet Fever... ..M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Whooping-cough M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
6	Diphtheria M. } F. }	7 {	2 5	1 .	1 .	2 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 .	2 2	1 .		
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. } F. }	49 {	29 20	. .	. .	. .	. .	. .	2 .	2 1	5 9	18 10	2 .	. .	. .	. .	29 20	18 12		
9	Encephalitis Lethargica ...M. } F. }	1 {	. 1	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. } System. F. }	39 {	21 18	. .	. .	1 .	5 6	5 8	3 2	3 2	3 .	1 .	. .	2 1	2 2	4 2	13 13	2 5		
12	Other Tuberculous Diseases ...M. } F. }	10 {	4 6	. .	1 1	1 1	1 3	. .	1 .	1 .	1 .	1 .	. .	. .	2 .	2 2	2 2	. .		
13	Cancer M. } F. }	30 {	18 12	. .	. .	. .	. .	. .	1 1	5 3	6 4	6 2	. 2	1 .	1 1	7 3	10 8	2 1		
14	Diabetes Mellitus M. } F. }	4 {	3 1	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .	2 .	1 .	. .		

15	Cerebral Haemorrhage, Etc. (No. 82).	M. } F. }	24 {	6 18	.	.	.	.	.	.	1	2	1 2	1 10	1 6	.	.	.	3 3	3 15	2 7
16	Heart Disease ...	M. } F. }	50 {	29 21	.	.	.	.	1	.	2	2	9 6	12 8	5 3	.	.	.	11 5	18 16	2 2
17	Other Circulatory Diseases	M. } F. }	5 {	3 2	.	.	.	.	.	.	.	.	2 1	1 1	1	.	.	.	2 1	1 1	1
18	Bronchitis ...	M. } F. }	30 {	12 18	2 1	1 2	.	.	1	.	1 2	.	1 2	6 10	1	.	.	.	1 1	11 17	8 8
19	Pneumonia (All Forms)	M. } F. }	28 {	16 12	1 1	.	.	.	.	.	2 2	3 5	4 3	6 1	1	.	.	.	2 1	14 11	4 4
20	Other Respiratory Diseases	M. } F. }	5 {	3 2	.	.	.	.	.	1	1 1	.	1 1	.	.	.	.	.	1 .	2 .	1 .
21	Gastric and Duodenal Ulcer	M. } F. }	5 {	4 1	.	.	.	.	.	1 1	1	.	2	.	.	.	.	.	4 1	2 .	2 .
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	4 {	2 2	2 2	.	.	.	.	.	.	.	.	.	.	.	.	.	2 2	2 1	2 1
23	Appendicitis ...	M. } F. }	3 {	1 2	.	.	.	1	.	.	1	.	.	1	.	.	.	.	1 1	1 .	1 .
24	Cirrhosis of the Liver	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. } F. }	4 {	2 2	.	.	.	.	.	.	1	1 1	1 1	.	.	.	.	.	2 2	.	.
26	Other Digestive Diseases	M. } F. }	16 {	10 6	1	.	1	.	.	.	.	4 1	3 2	1 3	1	.	.	.	1 6	8 1	5 1
27	Acute and Chronic Nephritis	M. } F. }	20 {	12 8	.	1	1	.	1	.	1	4 4	3 1	2 1	1 1	.	.	.	2 6	10 6	2 1
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	2	2	.	.	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	32 {	17 15	17 15	.	.	.	.	.	.	.	.	.	.	2 1	.	.	4 2	11 12	8 9
31	Senility ...	M. } F. }	143 {	65 78	.	.	.	.	.	.	.	.	.	14 20	51 58	.	.	1 2	3 5	61 71	50 59
32	Suicide ...	M. } F. }	2 {	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	1	.
33	Other Violence ...	M. } F. }	17 {	11 6	.	1	1	3	2 2	.	1	1 1	3 1	1 1	.	.	1	.	3 2	8 3	2
34	Other Defined Causes ...	M. } F. }	39 {	20 19	5 3	.	1	2 5	3 1	.	3	3	2 3	7 3	1 .	3 1	1 1	3 5	13 12	6 7	.
35	Causes ill-defined or unknown	M. } F. }	38 {	16 22	1	.	1	.	1	.	2 1	3 2	6 8	4 9	.	.	.	.	16 22	13 20	.

ABSTRACT V—continued—No. 8—Causes of Death in Administrative County of LOUTH, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	895 {	455 440	37 40	24 8	17 12	19 17	17 23	33 26	45 42	63 50	107 121	93 101	16 13	11 11	109 72	319 344	25 42		
1	Typhoid Fever (including Para- M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	6 {	6 .	1 .	3 .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	4 .	. .		
4	Scarlet Fever... ..M. F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .		
5	Whooping-cough M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
6	Diphtheria M. F. }	4 {	2 2	. .	. .	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 1	. 1	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	23 {	13 10	1 .	1 .	. .	. .	. .	2 .	2 4	1 1	4 3	2 2	. 1	. 1	3 .	10 8	1 .		
9	Encephalitis Lethargica ...M. F. }	1 {	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. F. }	86 {	42 44	. .	2 .	2 6	8 12	11 12	11 5	2 7	6 1	. 1	. .	. 1	1 4	21 12	20 27	. 2		
12	Other Tuberculous Diseases ...M. F. }	22 {	11 11	. .	2 .	1 2	5 1	. 2	3 3	. 3	. .	. .	. .	1 1	. .	3 6	7 4	1 .		
13	Cancer M. F. }	95 {	50 45	. .	. .	. .	. .	1 1	4 5	9 4	16 10	14 19	6 6	3 3	. .	8 10	39 32	. .		
14	Diabetes Mellitus M. F. }	3 {	1 2	. .	. .	. .	. .	. .	. .	. 1	1 1	. .	. .	. .	. .	. .	1 2	. .		

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	...M. F. }	50 {	26	.	.	.	.	.	2	2	6	13	5	.	1	4	21	.
				24	.	.	.	.	.	.	.	4	10	6	.	.	7	17	.
16	Heart Disease ...	...M. F. }	131 {	61	.	.	.	1	.	1	8	15	28	12	1	4	10	46	.
				70	.	.	.	2	1	3	8	12	24	16	.	3	5	62	2
17	Other Circulatory Diseases	...M. F. }	19 {	12	.	.	.	.	.	.	1	1	4	6	.	1	1	10	.
				7	.	.	.	.	.	.	.	.	5	2	.	1	1	5	.
18	Bronchitis ...	...M. F. }	47 {	21	.	1	.	.	.	.	2	2	13	4	.	.	6	15	.
				26	2	.	.	.	.	.	1	3	16	3	.	.	2	24	2
19	Pneumonia (All Forms)	...M. F. }	42 {	21	5	5	.	.	.	2	3	1	4	1	.	1	3	17	.
				21	6	2	.	.	2	2	.	6	3	.	.	.	21	.	
20	Other Respiratory Diseases	...M. F. }	18 {	10	.	.	.	.	.	1	2	3	.	4	.	.	1	9	.
				8	.	1	.	.	.	.	3	1	2	1	.	.	1	7	.
21	Gastric and Duodenal Ulcer	...M. F. }	8 {	6	.	.	.	.	.	.	3	1	1	1	1	.	2	3	1
				2	.	.	.	.	.	.	1	1	.	.	.	.	2	2	.
22	Diarrhoea and Enteritis (under 2 M. years).	...M. F. }	11 {	7	5	2	.	.	.	.	.	.	.	.	.	.	1	6	.
				4	4	.	.	.	.	.	.	.	.	.	.	.	.	4	.
23	Appendicitis ...	...M. F. }	4 {	3	.	1	.	1	1	.	.	.	.	.	1	.	2	.	.
				1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	...M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	...M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
26	Other Digestive Diseases	...M. F. }	22 {	10	.	2	1	.	.	.	1	2	2	2	1	.	2	7	2
				12	.	1	1	.	.	.	1	3	4	2	2	.	.	10	.
27	Acute and Chronic Nephritis	...M. F. }	22 {	16	.	.	1	1	.	.	4	3	6	1	.	1	4	11	.
				6	.	.	.	.	1	.	2	2	1	.	1	1	1	3	.
28	Puerperal Sepsis ...	...F. }	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
29	Other Puerperal Causes	...F. }	4	4	.	.	.	.	1	3	.	.	.	.	.	.	1	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	...M. F. }	34 {	17	16	.	1	.	.	.	.	.	.	.	2	.	5	10	1
				17	17	.	.	.	.	.	.	.	.	.	1	.	3	13	2
31	Senility ...	...M. F. }	127 {	54	.	.	.	.	.	.	.	.	12	42	.	1	15	38	15
				73	.	.	.	.	.	.	.	.	16	57	.	.	14	59	29
32	Suicide ...	...M. F. }	2 {	2	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
33	Other Violence ...	...M. F. }	18 {	13	1	2	1	.	3	2	.	1	3	.	1	.	4	8	.
				5	1	.	.	.	.	.	2	.	1	1	1	.	1	3	.
34	Other Defined Causes ...	...M. F. }	89 {	46	8	3	6	3	1	7	1	4	6	7	4	1	9	32	1
				43	10	3	1	2	2	3	2	5	10	5	1	1	6	35	4
35	Causes ill-defined or unknown	...M. F. }	4 {	2	.	.	.	.	.	.	2	.	.	.	.	.	.	2	2
				2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1

ABSTRACT V—continued—No. 9—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. F. }	936 {	505 431	33 33	11 18	13 8	27 23	18 16	22 20	47 46	86 67	149 99	99 101	14 18	18 8	141 78	332 327	58 47	
1	Typhoid Fever (including Para- typhoid). M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
2	Typhus M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
3	Measles M. F. }	3 {	· 3	1	2	·	·	·	·	·	·	·	·	·	·	3	·	·	
4	Scarlet Fever... ..M. F. }	3 {	2 1	1	·	2	·	·	·	·	·	·	·	1	·	·	2	·	
5	Whooping-cough M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
6	Diphtheria M. F. }	5 {	3 2	·	·	3 2	·	·	·	·	·	·	·	·	·	3 2	·	·	
7	Dysentery M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
8	Influenza M. F. }	29 {	13 16	1 2	·	1	·	1	1	1 1	3 3	4 5	1 5	· 1	·	1	13 14	· 2	
9	Encephalitis Lethargica ...M. F. }	1 {	1	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	
10	Cerebro-spinal Fever M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
11	Tuberculosis of Respiratory System. M. F. }	51 {	29 22	·	·	·	12 10	5 6	6 3	3 ·	· 3	2 ·	1 ·	3 3	3 1	6 5	17 13	·	
12	Other Tuberculous Diseases ...M. F. }	21 {	11 10	·	1 3	2 1	5 4	2 2	1 ·	·	·	·	·	·	1 ·	4 3	6 7	1	
13	Cancer M. F. }	110 {	58 52	·	·	1	1	·	3 5	10 17	12 11	21 12	12 5	2 4	1 1	23 14	32 33	·	
14	Diabetes Mellitus M. F. }	5 {	2 3	·	·	·	·	1 1	·	1	·	1 1	·	·	·	2 2	· 1	·	

15	Cerebral Hemorrhage, etc. (No. 82).	M. F. }	65	41 24	.	.	.	.	.	.	4 3	11 7	14 11	12 3	.	.	13 4	28 20	3 2
16	Heart Disease ...	M. F. }	172	94 78	.	.	1	1	1	4	12 10	17 20	39 26	19 18	2 1	1 1	33 9	58 67	7 6
17	Other Circulatory Diseases	M. F. }	13	5 8	.	.	.	.	.	.	1	3	3 3	2 1	.	.	1	4 8	.
18	Bronchitis ...	M. F. }	44	24 20	1	.	.	.	.	1	2 3	6 3	12 3	4 9	.	.	5	19 20	.
19	Pneumonia (All Forms)	M. F. }	49	34 15	3 1	1 2	.	1 1	2	2	2 2	11 1	10 6	2 2	2 1	3 1	12 2	17 12	1
20	Other Respiratory Diseases	M. F. }	16	9 7	.	1 1	.	.	.	.	1	2 2	4 2	1 1	.	.	1	8 7	.
21	Gastric and Duodenal Ulcer	M. F. }	6	6	.	.	.	.	1	.	.	2	1	2	2	.	2	2	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	3	2 1	2 1	.	.	.	.	.	.	.	.	.	1	.	.	2	.
23	Appendicitis ...	M. F. }	3	2 1	.	.	.	1	.	1	.	1	.	.	1	.	2	.	.
24	Cirrhosis of the Liver	M. F. }	3	1 2	.	.	.	.	.	.	1	.	1 1	.	1	.	1	1	.
25	Other Diseases of Liver, Etc.	M. F. }	3	1 2	.	.	.	.	.	1	.	.	1	1	.	.	1	1 1	.
26	Other Digestive Diseases	M. F. }	18	10 8	3	1 2	.	1	1	.	.	1 2	1 1	2	.	1	4 2	5 6	1
27	Acute and Chronic Nephritis	M. F. }	40	28 17	.	1	.	2	1	1	3 2	7 4	8 6	3	.	.	8 2	15 15	.
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	3	3	.	.	.	1	1	1	.	.	.	.	.	.	3	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	37	15 22	15 22	.	.	.	.	.	.	.	.	.	2	.	2 7	13 13	3 6
31	Senility ...	M. F. }	111	49 62	.	.	.	.	.	.	.	.	14 11	35 51	.	6 2	4 8	39 52	26 25
32	Suicide ...	M. F. }	2	1 1	.	.	.	.	1 1	.	.	.	.	.	.	.	.	1 1	.
33	Other Violence ...	M. F. }	14	9 5	2 1	1	1	.	1	1	2	.	1	1 1	.	.	3 2	6 3	.
34	Other Defined Causes ...	M. F. }	83	46 37	7 2	6 7	2 2	3 5	2 1	1 4	6 3	8 7	9 4	2 2	2 2	2 2	13 7	29 26	6 2
35	Causes ill-defined or unknown	M. F. }	23	14 9	.	.	.	1 1	.	2	1 2	5 1	5 5	.	2	.	.	14 7	10 4

ABSTRACT V—continued—No. 10—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	793 {	417 376	36 31	9 13	15 13	19 15	11 19	20 20	39 31	63 45	109 101	96 88	15 12	12 8	92 63	298 293	102 101	
1	Typhoid Fever (including Para-M. F. } typhoid).	2 {	2	.	.	.	1	.	1	.	.	.	.	.	.	2	.	.	
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	5 {	5	.	1	4	.	.	.	.	.	.	.	.	.	.	5	2	
4	Scarlet Fever... ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. F. }	2 {	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	
6	Diphtheria M. F. }	15 {	5 10	.	1 2	3 8	1	.	.	.	.	.	.	.	.	5 9	1	1	
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	30 {	12 18	1	1	.	1	.	1	2	2 4	8 7	2	.	.	1 1	11 17	4 6	
9	Encephalitis Lethargica M. F. }	2 {	2	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.	
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. F. } System.	53 {	28 25	.	1	1	5 7	8 7	7 3	4 3	3 1	2	.	8 4	4 1	2 2	14 18	1 4	
12	Other Tuberculous Diseases M. F. }	25 {	15 10	7 3	3	1	2 2	1	4	1	.	1	.	1	.	7 8	7 2	1	
13	Cancer M. F. }	53 {	38 15	.	.	.	.	.	1 5	10 3	13 3	11 1	3 5	2 1	1 1	10 2	25 11	4 1	
14	Diabetes Mellitus M. F. }	3 {	3	.	.	.	1	.	.	.	1	.	1	.	.	2	1	.	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F.	40	14	.	.	.	.	.	1	1	4	4	4	.	.	4	10	1
				26	.	.	.	.	.	.	4	6	9	7	.	.	2	24	5
16	Heart Disease ...	M. F.	115	56	.	.	.	2	1	2	11	16	17	7	.	1	12	43	9
				59	.	.	.	.	2	2	6	14	29	6	.	4	6	49	6
17	Other Circulatory Diseases	M. F.	4	3	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.
				1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
18	Bronchitis ...	M. F.	37	21	.	1	1	.	1	.	1	3	9	5	.	1	3	17	2
				16	.	.	.	.	.	.	1	5	6	4	.	.	1	15	5
19	Pneumonia (All Forms)	M. F.	31	16	2	1	1	1	.	.	1	.	7	3	.	1	2	13	1
				15	1	1	.	.	.	1	2	1	3	6	.	.	2	13	4
20	Other Respiratory Diseases	M. F.	9	5	.	.	.	.	.	.	1	1	.	3	.	.	1	4	1
				4	1	1	.	.	.	.	.	.	2	.	.	.	.	4	.
21	Gastric and Duodenal Ulcer	M. F.	3	2	.	.	.	.	.	.	1	1	.	.	.	.	1	2	.
				1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.
				1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Appendicitis ...	M. F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F.	4	4	.	.	.	.	.	1	2	.	1	.	.	.	.	4	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F.	6	3	.	1	.	.	.	.	.	1	.	1	.	.	.	3	.
				3	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.
26	Other Digestive Diseases	M. F.	18	4	.	.	.	.	.	.	.	3	3	1	.	.	2	2	.
				14	2	.	1	1	1	.	2	4	3	.	3	.	3	8	.
27	Acute and Chronic Nephritis	M. F.	27	15	.	.	1	1	.	2	4	4	4	1	1	.	1	13	.
				12	.	.	.	1	.	2	3	3	.	3	.	.	2	10	.
28	Puerperal Sepsis ...	F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F.	6	6	.	.	.	.	4	2	.	.	.	.	2	.	2	2	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F.	37	20	19	1	.	.	.	.	.	.	.	.	1	.	3	16	8
				17	17	.	.	.	.	.	.	.	.	.	1	.	5	11	6
31	Senility ...	M. F.	172	96	.	.	.	.	.	.	.	35	61	.	1	24	71	56	
				76	.	.	.	.	.	.	.	23	53	.	1	10	65	46	
32	Suicide ...	M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F.	12	7	.	1	.	.	1	1	.	3	.	1	.	.	3	4	1
				5	.	1	.	.	2	1	.	.	.	1	.	.	3	2	.
34	Other Defined Causes ...	M. F.	57	33	6	.	2	5	.	.	1	9	6	4	2	3	6	22	6
				24	5	1	3	2	2	2	3	2	3	1	1	1	1	21	3
35	Causes ill-defined or unknown	M. F.	21	6	.	3	1	.	.	.	1	1	3	.	.	.	1	6	5
				15	.	.	.	.	.	.	.	1	11	.	.	.	.	14	14

ABSTRACT V—contd.—No. 11—Causes of Death in Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1931

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.			
	ALL CAUSES M. F. }	823 {	437 386	42 31	14 16	14 14	20 21	18 20	17 25	41 36	61 53	110 83	100 87	15 15	13 12	93 69	316 290	89 87		
1	Typhoid Fever (including Para-M. typhoid). M. F. }	1 {	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	6 {	4 2	. .	1 2	3 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	4 1	1 .		
4	Scarlet Fever... ..M. F. }	1 {	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .	. .	. .		
5	Whooping-cough M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
6	Diphtheria M. F. }	5 {	2 3	. .	2 1	1 .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	1 2	1 .	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	41 {	21 20	2 .	. 1	. 1	2 1	1 .	1 1	. .	3 5	10 9	2 2	. .	1 .	8 2	12 18	8 4		
9	Encephalitis Lethargica M. F. }	4 {	3 1	. .	. .	1 1	. .	2 .	. .	. .	. .	. .	. .	. .	1 .	2 1	. .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	64 {	27 37	. .	. 3	1 3	13 11	3 8	5 7	2 5	3 .	. .	. .	1 .	1 2	11 16	14 19	2 4		
12	Other Tuberculous Diseases M. F. }	20 {	11 9	. .	4 1	1 4	1 2	2 .	1 1	1 1	1 .	. .	. .	1 1	. .	6 5	4 3	. .		
13	Cancer M. F. }	61 {	33 28	. .	. .	. .	. 1	1 2	1 5	6 2	10 8	13 10	2 .	. 3	. 2	15 5	18 18	1 1		
14	Diabetes Mellitus M. F. }	5 {	5 .	. .	. .	. .	. .	. .	. .	1 .	1 .	1 .	2 .	. .	. .	. .	5 .	. .		

15	Cerebral Hemorrhage, etc. (No. 82).	M. } F. }	54	19 } 35 }	.	.	.	.	1	1	3	4	7	4	1	1	2	15	4
16	Heart Disease ...	M. } F. }	108	51 } 57 }	.	.	.	1	2	2	7	10	19	11	.	1	6	44	3
17	Other Circulatory Diseases	M. } F. }	14	9 } 5 }	.	.	.	.	.	1	3	3	3	4	.	.	1	8	1
18	Bronchitis ...	M. } F. }	38	23 } 15 }	3	.	.	.	.	1	2	9	8	3	1	.	5	17	2
19	Pneumonia (All Forms)	M. } F. }	50	30 } 20 }	3	2	1	.	2	3	5	6	7	1	2	.	8	22	1
20	Other Respiratory Diseases	M. } F. }	11	6 } 5 }	.	.	1	.	.	1	2	1	2	2	3	.	2	3	.
21	Gastric and Duodenal Ulcer	M. } F. }	8	5 } 3 }	.	.	.	.	.	1	5	2	.	.	.	.	1	4	.
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	9	3 } 6 }	3	6	.	.	.	.	.	.	.	.	1	2	.	2	1
23	Appendicitis ...	M. } F. }	5	4 } 1 }	.	1	1	.	1	1	.	.	.	.	.	.	4	.	.
24	Cirrhosis of the Liver	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. } F. }	2	2	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
26	Other Digestive Diseases	M. } F. }	18	8 } 10 }	.	1	.	1	1	.	1	2	3	2	1	2	1	5	1
27	Acute and Chronic Nephritis	M. } F. }	38	25 } 13 }	.	.	1	1	1	.	4	4	11	5	2	.	5	18	1
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. }	2	2	.	.	.	2	.	.	.	.	.	.	.	.	1	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	42	24 } 18 }	24	.	.	.	.	.	.	.	.	.	2	.	1	21	10
31	Senility ...	M. } F. }	124	68 } 56 }	.	.	.	.	.	.	.	16	52	.	6	3	59	44	.
32	Suicide ...	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. } F. }	23	15 } 8 }	.	1	1	2	3	1	4	2	1	3	.	.	1	14	1
34	Other Defined Causes ...	M. } F. }	50	29 } 21 }	6	1	3	1	4	2	3	4	2	7	2	1	10	16	5
35	Causes ill-defined or unknown	M. } F. }	17	8 } 9 }	1	1	.	.	.	1	.	2	4	3	.	.	.	8	5

ABSTRACT V—continued—No. 12—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1931

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	1,569 {	777 792	66 54	27 32	23 17	31 32	24 40	38 51	66 68	127 101	218 194	157 203	27 18	24 18	122 104	604 652	138 178
1	Typhoid Fever (including Para- M. typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	4 {	2 2	1	1 2	.	.	.	.	.	.	.	.	.	.	1 2	1	.
4	Scarlet Fever... ..M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
5	Whooping-cough M. F. }	2 {	1 1	.	1 1	.	.	.	.	.	.	.	.	1	.	.	1	.
6	Diphtheria M. F. }	2 {	1 1	.	.	1	.	1	.	.	.	.	.	.	.	1 1	.	.
7	Dysentery M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	54 {	23 31	1 2	.	1	.	3	2 1	4 2	7 4	4 10	4 6	.	1 3	2 4	20 24	3 6
9	Encephalitis Lethargica M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever M. F. }	2 {	1 1	.	.	1	.	1	.	.	.	.	.	1	.	1	.	.
11	Tuberculosis of Respiratory M. System. F. }	103 {	46 57	.	.	2 3	16 12	14 18	9 14	1 7	2 2	1 .	1 .	10 7	4 1	1 2	31 47	3
12	Other Tuberculous Diseases M. F. }	34 {	15 19	1 3	4 2	4 5	1 2	2 3	1 2	1 .	1 1	1 .	.	.	1 1	2 3	12 15	1
13	Cancer M. F. }	110 {	61 49	.	.	.	.	2	1 2	11 9	21 17	22 14	6 5	1 2	.	9 10	51 37	5 1
14	Diabetes Mellitus M. F. }	14 {	9 5	.	.	.	1	.	2	2	2 1	2 3	1	.	.	3	6 5	1

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. F. }	99 {	43 56	.	.	.	.	.	2	4	11	20	6	.	2	2	39	8
16	Heart Disease ...	M. F. }	255 {	124 181	.	.	1	4	2	4	11	29	52	25	4	3	27	90	7
17	Other Circulatory Diseases	M. F. }	4 {	3 1	.	.	.	.	.	.	.	2	1	.	1	.	1	1	.
18	Bronchitis ...	M. F. }	183 {	72 61	5 6	4 7	.	1	2	.	1	3	9	32	18	.	9	63	10
19	Pneumonia (All Forms)	M. F. }	60 {	26 34	3 4	3 5	1	1	5	2	3	4	5	4	.	.	5	21	2
20	Other Respiratory Diseases	M. F. }	24 {	15 9	.	.	.	.	1	4	2	8	.	.	.	1	5	9	2
21	Gastric and Duodenal Ulcer	M. F. }	14 {	9 5	.	.	.	1	.	2	2	4	.	.	.	.	2	7	.
22	Diarrhœa and Enteritis (under 2 years).	M. F. }	20 {	13 7	10 6	3 1	.	.	.	.	.	.	.	.	2	.	1	12	1
23	Appendicitis ...	M. F. }	5 {	1 4	.	.	2	.	.	.	1	1	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M. F. }	2 {	2	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.
25	Other Diseases of Liver, Etc.	M. F. }	12 {	2 10	.	.	.	.	1	.	.	1	5	2	1	1	.	2	.
26	Other Digestive Diseases	M. F. }	44 {	25 19	1 2	3 3	.	1	.	3	4	5	7	4	2	.	4	19	5
27	Acute and Chronic Nephritis	M. F. }	60 {	32 37	.	.	.	2	.	1	2	6	16	5	2	.	12	18	2
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	5 {	5	.	.	.	1	1	3	.	.	.	.	1	1	2	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	53 {	34 19	34 18	.	.	.	.	.	.	.	.	.	1	.	6	27	15
31	Senility ...	M. F. }	232 {	98 134	.	.	.	.	.	.	.	.	23	75	.	1	4	93	60
32	Suicide ...	M. F. }	3 {	3	.	.	.	.	.	.	2	1	.	.	.	.	.	3	.
33	Other Violence ...	M. F. }	33 {	19 14	.	1 3	3	1	3	2	2	2	1	4	.	.	1	18	.
34	Other Defined Causes ...	M. F. }	152 {	89 63	10 9	6 5	9	5	2	8	9	15	20	5	4	11	21	53	12
35	Causes ill-defined or unknown	M. F. }	24 {	7 17	.	.	1	.	1	1	4	4	2	.	.	.	7	5	7

ABSTRACT V—contd.—No. 13—Causes of Death in Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	918 {	462 456	48 37	13 26	17 11	8 17	19 26	23 28	46 39	84 63	115 108	89 101	46 42	15 15	68 38	333 361	40 49	
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } F. }	8 {	2 6	1 2	. 4	1 .	. .	. .	. .	. .	. .	. .	. .	3 .	. .	1 2	1 1	. .	
4	Scarlet Fever... ..M. } F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	
5	Whooping-cough M. } F. }	2 {	. 2	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	
6	Diphtheria M. } F. }	5 {	3 2	1 .	. .	1 2	. .	. .	1 .	. .	. .	. .	. .	1 2	. .	1 .	1 .	1 .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	66 {	30 36	1 2	2 3	2 2	. 2	1 .	1 .	2 3	5 7	12 10	4 7	. .	. 1	3 2	27 33	4 7	
9	Encephalitis Lethargica ...M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory M. } System. F. }	69 {	24 45	. 1	. 1	1 3	2 11	4 13	7 8	2 5	6 2	1 .	1 1	4 6	1 2	3 3	16 34	. 1	
12	Other Tuberculous Diseases ...M. } F. }	18 {	11 7	1 .	1 1	1 2	2 1	1 1	2 2	1 .	. .	2 .	. .	3 2	1 .	2 .	5 5	. .	
13	Cancer M. } F. }	65 {	37 28	. .	. .	. .	. .	. 3	2 1	9 4	12 5	12 9	2 6	4 5	. .	11 1	22 22	. .	
14	Diabetes Mellitus M. } F. }	4 {	3 1	. .	. .	. .	. .	. .	. .	1 .	. 1	2 .	. .	. .	. .	. .	3 1	. .	

15	Cerebral Haemorrhage, etc (No. 82).	M. } F. }	77 {	31 46	.	1	.	.	.	.	2	2 3	8 9	13 22	8 9	1 1	1 2	6 10	23 33	4 5
16	Heart Disease ...	...M. } ...F. }	116 {	56 60	.	.	1	1	.	1	3	6 8	20 15	16 21	11 11	2 6	5 1	6 4	43 49	2 3
17	Other Circulatory Diseases	...M. } ...F. }	20 {	11 9	.	.	1	.	.	.	.	4 1	3 5	3 3	1 .	.	.	1 1	9 8	.
18	Bronchitis ...	...M. } ...F. }	59 {	29 30	1 1	5	.	.	1	1	1	2 3	8 4	8 9	8 7	1 .	.	9 2	19 28	1 .
19	Pneumonia (All Forms)	...M. } ...F. }	80 {	41 39	3 9	6 4	3	.	2	2	5 1	5 6	9 12	6 4	1 2	3 4	4	33 33	1 .	
20	Other Respiratory Diseases	...M. } ...F. }	24 {	18 6	.	.	.	1	3	.	2 1	2 3	6 3	4 1	.	1 .	2	15 6	.	
21	Gastric and Duodenal Ulcer	...M. } ...F. }	8 {	6 2	.	.	.	.	1	2	1	.	2	.	2 1	1	.	3 1	.	
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	13 {	7 6	7 4	2	.	.	.	.	.	.	.	.	2	.	.	5 6	1	
23	Appendicitis ...	...M. } ...F. }	4 {	4	.	.	2	1	.	1	.	.	.	.	4	.	.	.	.	
24	Cirrhosis of the Liver	...M. } ...F. }	3 {	3	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.	
25	Other Diseases of Liver, Etc.	...M. } ...F. }	6 {	4 2	.	.	.	.	.	2	2	1	.	1	.	1	.	3 1	.	
26	Other Digestive Diseases	...M. } ...F. }	25 {	14 11	2 1	1	.	.	.	.	1 3	2 1	3 3	5 2	3 2	1	.	7 8	1	
27	Acute and Chronic Nephritis	...M. } ...F. }	31 {	21 10	.	1	1	.	1	1	1 3	3 3	11 2	2 1	3 .	2	2	16 6	1 1	
28	Puerperal Sepsis ...	...F. }	3	3	.	.	.	.	2	1	.	.	.	.	2	.	.	1	.	
29	Other Puerperal Causes	...F. }	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	37 {	26 11	26 11	.	.	.	.	.	.	.	.	.	3 3	.	2 1	21 7	4 1	
31	Senility ...	...M. } ...F. }	82 {	33 49	.	.	.	.	.	.	.	.	3 5	30 44	.	2	3 3	30 43	16 19	
32	Suicide ...	...M. } ...F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
33	Other Violence ...	...M. } ...F. }	9 {	6 3	.	1	1	.	.	1	1	1 1	1	1	2	.	2 1	4	.	
34	Other Defined Causes ...	...M. } ...F. }	67 {	34 33	5 5	1 3	1	1	5 3	5	5 3	5 5	9 3	2 5	9 2	2	4 6	19 25	1 4	
35	Causes ill-defined or unknown	...M. } ...F. }	14 {	7 7	.	.	.	.	.	1 1	2	2 3	2 3	.	2	.	.	5 7	5 6	

ABSTRACT V—continued—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. } F. }	18,731 {	6,956 6,775	708 517	259 237	173 191	291 310	306 363	374 392	619 599	1,052 942	1,744 1,608	1,430 1,616	428 343	216 166	1,483 1,162	4,829 5,104	1,135 1,465
1	Typhoid Fever (including Para- M. } typhoid). F. }	29 {	16 13	. .	. .	1 1	4 3	3 2	5 3	1 1	1 3	1 .	. .	. 1	8 1	8 9	. 2	. .
2	Typhus M. } F. }	6 {	4 2	. .	. .	. .	. .	1 .	1 .	3 .	. .	1 .	. .	. .	. .	4 2	. .	. .
3	Measles M. } F. }	60 {	32 28	10 7	20 20	1 1	. .	1 .	. .	. .	. .	. .	. .	2 .	. .	4 4	26 24	1 1
4	Scarlet Fever... ..M. } F. }	27 {	11 16	1 .	4 8	3 5	2 .	. 3	1 .	. .	. .	. .	. .	1 .	. .	5 10	5 6	. .
5	Whooping-cough M. } F. }	31 {	16 15	8 7	7 7	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	5 4	11 11	2 .
6	Diphtheria M. } F. }	112 {	51 61	1 .	21 19	26 39	2 2	1 1	. .	. .	. .	. .	. .	6 9	. .	34 38	11 14	. 1
7	Dysentery M. } F. }	2 {	. 2	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	1 .	. .	1 .	. .
8	Influenza M. } F. }	452 {	208 244	6 9	7 3	6 5	8 6	6 4	10 18	22 16	41 54	62 93	40 36	4 3	6 2	25 13	173 226	39 71
9	Encephalitis Lethargica M. } F. }	10 {	4 6	. .	1 .	. .	1 1	. 1	1 2	. 1	1 .	1 1	. .	. 1	. .	3 3	1 2	. .
10	Cerebro-spinal Fever M. } F. }	3 {	2 1	. .	1 .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	1 .	. .
11	Tuberculosis of Respiratory System. M. } F. }	968 {	440 528	1 .	1 1	9 21	108 175	119 144	69 81	80 61	43 30	10 14	. 1	79 56	55 26	121 150	185 296	5 17
12	Other Tuberculous Diseases M. } F. }	254 {	120 134	20 14	19 16	22 26	18 19	11 22	8 16	10 13	8 6	4 1	. 1	16 20	6 9	49 46	49 59	1 1
13	Cancer M. } F. }	1,090 {	596 494	2 .	1 1	. 1	2 2	13 13	27 28	92 119	201 142	193 136	65 52	62 51	6 3	168 109	360 331	10 8
14	Diabetes Mellitus M. } F. }	77 {	38 39	. .	. 2	1 .	4 3	1 1	2 .	4 4	14 8	10 14	2 7	3 3	. 1	8 6	27 29	2 2

15	Cerebral Hemorrhage, Etc. (No. M. 82).	F.	714	309	.	.	3	4	2	14	22	78	130	56	6	5	68	230	34
		F.		405	.	.	2	1	11	18	46	91	165	71	10	10	75	310	54
16	Heart Disease ...	M. F.	2,101	1,087	.	2	10	22	24	48	104	230	462	185	39	42	247	759	82
		F.		1,014	.	.	16	14	24	59	119	249	348	185	31	42	169	772	83
17	Other Circulatory Diseases	M. F.	154	83	2	.	.	.	1	5	5	11	33	26	2	4	27	50	2
		F.		71	.	1	.	.	5	4	3	9	24	25	7	.	15	49	1
18	Bronchitis ...	M. F.	703	315	26	10	2	1	3	17	21	57	112	66	3	3	51	258	39
		F.		388	25	8	3	.	5	7	20	61	160	99	3	2	49	334	51
19	Pneumonia (All Forms)	M. F.	753	430	61	45	9	19	27	31	49	72	82	35	26	21	72	311	13
		F.		323	48	37	10	10	22	18	32	46	73	27	6	5	49	263	15
20	Other Respiratory Diseases	M. F.	263	139	4	6	.	7	7	6	18	30	35	26	8	4	27	100	7
		F.		124	1	4	1	9	6	8	12	28	38	17	6	2	14	102	8
21	Gastric and Duodenal Ulcer	M. F.	122	83	.	.	.	4	7	15	17	19	19	2	17	1	32	33	1
		F.		39	.	.	.	1	4	8	5	10	8	3	3	.	12	24	.
22	Diarrhoea and Enteritis (under 2 years).	M. F.	225	137	127	10	.	.	.	.	.	.	.	.	10	.	36	91	3
		F.		88	73	15	.	.	.	.	.	.	.	.	4	1	19	64	.
23	Appendicitis ...	M. F.	72	43	.	2	8	11	4	7	5	2	3	1	14	.	23	6	.
		F.		29	.	3	6	8	2	3	6	.	1	.	14	.	10	5	1
24	Cirrhosis of the Liver	M. F.	26	17	.	.	.	1	.	.	4	2	9	1	.	.	3	14	.
		F.		9	.	.	.	.	.	1	1	3	3	1	.	.	3	6	.
25	Other Diseases of Liver, Etc.	M. F.	43	20	.	1	.	.	1	2	4	3	7	2	3	.	4	13	2
		F.		23	.	1	.	2	2	.	4	4	7	3	4	.	9	10	1
26	Other Digestive Diseases	M. F.	356	187	27	23	9	3	5	11	13	29	42	25	14	1	48	124	17
		F.		169	18	14	14	4	2	6	22	30	59	20	9	3	28	129	12
27	Acute and Chronic Nephritis	M. F.	355	204	3	2	6	6	7	12	30	47	64	27	13	2	48	141	5
		F.		151	1	1	4	5	10	19	24	39	59	9	9	.	28	114	7
28	Puerperal Sepsis ...	F.	21	21	.	.	.	1	10	10	.	.	.	.	4	.	10	7	.
29	Other Puerperal Causes	F.	64	64	.	.	.	5	32	27	.	.	.	.	19	.	19	26	2
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F.	499	273	270	3	.	.	.	.	.	.	.	.	22	.	55	196	75
		F.		226	221	3	1	.	1	.	.	.	.	.	26	.	40	160	63
31	Senility ...	M. F.	2,399	1,079	.	.	.	.	.	.	.	.	287	792	4	8	93	974	659
		F.		1,320	.	.	.	.	.	.	.	.	303	1,017	3	19	86	1,212	887
32	Suicide ...	M. F.	40	29	.	.	.	1	4	5	7	8	3	1	2	1	4	22	.
		F.		11	.	.	.	2	.	4	2	.	2	1	.	.	.	11	.
33	Other Violence ...	M. F.	282	187	12	19	16	27	28	16	18	20	24	7	22	1	45	119	1
		F.		95	12	15	7	5	4	4	7	19	6	16	14	.	33	48	1
34	Other Defined Causes ...	M. F.	1,153	678	124	42	38	34	29	50	81	94	115	71	48	42	157	431	60
		F.		475	81	43	26	31	26	36	63	82	82	25	26	38	95	316	61
35	Causes ill-defined or unknown	M. F.	265	118	3	13	1	1	2	11	9	41	37	.	2	.	8	108	75
		F.		147	.	14	1	1	5	11	18	47	50	.	1	1	4	141	117

ABSTRACT V—continued—No. 14.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH ₂												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	1,228 {	628 600	44 44	10 16	15 13	22 23	22 26	30 35	33 37	86 72	180 146	186 188	18 17	22 9	131 109	457 465	162 208	
1	Typhoid Fever (including Para- M. typhoid). F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
4	Scarlet Fever... ..M. F. }	3 {	1 2	.	2	.	1	.	.	.	.	.	.	.	.	1	1 1	.	
5	Whooping-cough M. F. }	4 {	2 2	2 1	1	.	.	.	.	.	.	.	.	.	.	2 1	1	.	
6	Diphtheria M. F. }	8 {	2 6	.	1	2 5	.	.	.	.	.	.	.	.	.	4	2 2	.	
7	Dysentery M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
8	Influenza M. F. }	27 {	14 13	.	1	1	.	.	.	1	1 1	6 8	6 2	.	.	.	14 13	3 7	
9	Encephalitis Lethargica ...M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. System. F. }	68 {	33 35	.	.	.	8 12	8 9	9 8	4 2	3 4	1	.	6 8	7	12 10	8 17	.	
12	Other Tuberculous Diseases ...M. F. }	15 {	6 9	.	1	1	2 2	.	1 4	.	1	1	.	1	1	4 3	2 4	.	
13	Cancer M. F. }	86 {	45 41	.	.	.	1	1	3 3	4 8	17 12	15 9	5 7	3	.	14 11	31 27	1	
14	Diabetes Mellitus M. F. }	5 {	2 3	.	.	.	.	1	.	.	1	1 2	.	1	.	1	2 1	1	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	57 {	32 25	.	.	1	1	.	1	2	8	15	5	.	.	3	29	10
16	Heart Disease ...	M. } F. }	151 {	85 66	.	.	2	1	3	1	6	17	38	18	2	8	19	56	3
17	Other Circulatory Diseases	M. } F. }	7 {	5 2	.	.	.	.	1	1	.	1	2	1	.	2	1	2	.
18	Bronchitis ...	M. } F. }	58 {	30 28	1	1	1	.	.	3	.	5	10	9	.	.	7	23	6
19	Pneumonia (All Forms)	M. } F. }	51 {	31 20	2	2	1	.	2	1	5	5	11	2	1	2	2	26	1
20	Other Respiratory Diseases	M. } F. }	21 {	14 7	1	.	.	.	1	.	2	4	4	3	2	.	3	9	.
21	Gastric and Duodenal Ulcer	M. } F. }	8 {	5 3	.	.	.	.	1	2	.	.	2	.	.	.	3	2	1
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	13 {	6 7	6	7	.	.	.	.	.	.	.	.	.	.	6	4	.
23	Appendicitis ...	M. } F. }	3 {	2 1	.	.	1	.	1	.	.	.	.	1	.	.	1	1	.
24	Cirrhosis of the Liver	M. } F. }	4 {	4	.	.	.	.	.	.	.	.	4	.	.	.	.	4	.
25	Other Diseases of Liver, Etc.	M. } F. }	3 {	2 1	.	1	.	.	.	.	1	.	1	.	.	.	1	1	1
26	Other Digestive Diseases	M. } F. }	39 {	23 16	1	1	1	2	.	2	1	6	5	5	.	1	10	13	2
27	Acute and Chronic Nephritis	M. } F. }	29 {	15 14	.	.	1	1	1	3	2	1	4	5	1	.	6	9	.
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. }	8	8	.	.	.	1	4	3	.	.	.	.	1	.	2	5	1
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	40 {	20 20	20	20	.	.	.	.	.	.	.	.	2	.	7	11	3
31	Senility ...	M. } F. }	350 {	165 185	.	.	.	.	.	.	.	.	42	123	.	.	17	148	118
32	Suicide ...	M. } F. }	4 {	2 2	.	.	.	1	1	.	1	.	1	.	.	.	1	1	.
33	Other Violence ...	M. } F. }	32 {	23 9	2	.	5	4	4	.	1	4	3	1	.	.	3	20	.
34	Other Defined Causes ...	M. } F. }	88 {	46 42	9	4	1	2	1	2	5	8	11	3	5	3	9	29	4
35	Causes ill-defined or unknown	M. } F. }	43 {	13 30	.	3	1	1	1	3	2	5	4	.	.	.	1	13	9
																		24	

ABSTRACT V—continued—No. 15.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES M. F. }	4,041 {	2,061 1,980	162 144	68 46	61 65	88 87	87 107	111 93	175 184	337 277	536 440	436 537	134 130	68 49	391 305	1,468 1,496	340 454
1	Typhoid Fever (including Para- M. F. } typhoid).	2 {	2 .	. .	. .	. .	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	3 {	1 2	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 1	. .
4	Scarlet Fever... ..M. F. }	14 {	6 8	1 .	1 3	2 2	1 .	. 3	1 .	. .	. .	. .	. .	. .	. .	4 6	2 2	. .
5	Whooping-cough M. F. }	11 {	7 4	3 2	4 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 2	4 2	1 .
6	Diphtheria M. F. }	32 {	14 18	. .	4 3	9 12	1 2	. 1	. .	. .	. .	. .	. .	1 1	. .	11 11	2 6	. 1
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	143 {	69 74	3 1	4 1	2 2	1 3	4 2	5 5	4 6	16 17	18 27	12 10	1 3	3 .	5 2	60 69	8 17
9	Encephalitis Lethargica ...M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .
10	Cerebro-spinal Fever M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
11	Tuberculosis of Respiratory M. F. } System.	258 {	117 141	1 .	. .	2 2	33 44	34 44	15 20	21 19	11 6	. 5	. 1	28 20	17 11	30 40	42 70	1 3
12	Other Tuberculous Diseases ...M. F. }	71 {	35 36	6 5	7 2	7 9	5 3	2 9	2 1	2 4	3 3	1 .	. .	4 8	3 1	15 15	13 12	1 1
13	Cancer M. F. }	339 {	190 149	1 .	1 .	. 1	. .	3 4	7 6	30 35	60 48	65 39	23 16	25 25	. 2	47 28	118 94	5 3
14	Diabetes Mellitus M. F. }	23 {	11 12	. .	. 1	. .	1 1	. .	. .	. .	2 3	6 2	1 5	. 2	. 1	. 1	10 9	. .

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	195	85 110	.	.	2 1	2	.	7 5	5 16	26 26	30 37	13 21	3 4	4 2	16 16	62 88	4 6
16	Heart Disease M. F.	625	341 284	.	1	1 6	11 4	6 8	14 13	32 31	68 66	148 93	60 63	17 11	17 20	64 44	243 209	33 24
17	Other Circulatory Diseases ...M. F.	59	34 25	.	1	.	.	1 2	1 1	2 .	3 3	16 8	11 10	1	1	10 10	23 14	1
18	Bronchitis M. F.	205	90 115	7 10	5 1	1 1	.	2 1	1 4	8 7	18 18	32 49	16 24	3	1	12 9	78 102	17 17
19	Pneumonia (All Forms) ...M. F.	254	142 112	14 18	10 9	6 5	2 4	3 5	13 3	19 12	26 21	32 21	17 14	6 2	12 3	20 12	104 95	7 7
20	Other Respiratory Diseases ...M. F.	95	48 47	1	1	1	3 4	2 3	5 3	1 5	14 8	10 11	11 11	3 2	1	7 5	37 40	3 3
21	Gastric and Duodenal Ulcer ...M. F.	35	25 10	.	.	.	1	2	4 3	7 2	6 2	7 1	.	6 2	1	8 2	10 6	.
22	Diarrhœa and Enteritis (under 2 years).	29	17 12	15 11	2 1	.	.	.	.	.	.	.	.	2 1	1	2 1	13 9	.
23	Appendicitis M. F.	37	22 15	.	2 2	2 2	5 5	2 1	7 2	1 3	2 .	1 .	.	6 9	.	14 3	2 3	.
24	Cirrhosis of the Liver ...M. F.	7	3 4	.	.	.	.	.	1	1	1 1	1 2	1	.	.	1	3 3	.
25	Other Diseases of Liver, Etc. ...M. F.	16	8 8	.	1	.	1	1	2	2 1	1 1	2 3	1	3 1	.	1 3	4 4	1
26	Other Digestive Diseases ...M. F.	93	55 38	9	5 6	3 4	2	1	3	3 6	13 11	7 9	5	2	.	12 7	38 29	6 2
27	Acute and Chronic Nephritis ...M. F.	92	47 45	.	1	3 1	3 2	4 1	4 3	2 9	9 13	17 14	4 2	2 3	.	10 5	35 37	1 4
28	Puerperal Sepsis F.	7	7	.	.	.	1	3	3	.	.	.	.	1	.	4	2	.
29	Other Puerperal Causes ...F.	11	11	.	.	.	.	6	5	.	.	.	.	3	.	2	6	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	147	72 75	71 73	1 1	.	.	1	.	.	.	.	.	5 11	.	9 9	58 55	16 26
31	Senility M. F.	747	320 427	.	.	.	.	.	.	.	.	79 87	241 340	2 3	1	22 23	295 400	201 306
32	Suicide M. F.	18	13 5	.	.	.	1	2 2	2 2	2 2	5 2	2 .	.	1	.	2	10 5	.
33	Other Violence M. F.	77	54 23	6 5	2 1	3 4	9 4	7 1	3 1	6 .	6 4	10 1	2 2	3 4	.	14 6	37 13	1
34	Other Defined Causes M. F.	333	197 136	21 19	15 9	14 10	9 6	13 6	11 11	21 22	34 22	40 20	19 11	12 8	7 6	47 37	131 85	11 12
35	Causes ill-defined or unknown ...M. F.	61	35 26	3 .	2 1	1 .	.	.	3 2	4 4	11 9	11 10	.	.	.	2 1	33 25	24 20

ABSTRACT V—continued—No. 16.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	Un-certified Deaths.	
	ALL CAUSES M. F. }	1,293 {	617 676	78 58	41 42	16 20	32 30	42 45	57 59	82 64	91 106	102 151	76 101	126 103	18 14	148 130	325 429	11 20	
1	Typhoid Fever (including Para- M. typhoid). F. }	1 {	1	.	.	.	.	.	1*	.	.	.	.	.	.	1	.	.	
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet Fever... ..M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. F. }	5 {	1 4	1 2	2	.	.	.	.	.	.	.	.	.	.	1	1 3	.	
6	Diphtheria M. F. }	27 {	13 14	.	8 7	4 7	1	.	.	.	.	.	.	4 8	.	9 4	2	.	
7	Dysentery M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	31 {	14 17	.	.	.	.	1 1	2 3	5 1	3 7	2 4	1 1	1	3	.	10 17	1	
9	Encephalitis Lethargica ..M. F. }	6 {	3 3	.	1	.	1 1	1	1	1	.	.	.	1	.	2 2	1	.	
10	Cerebro-spinal Fever M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
11	Tuberculosis of Respiratory M. System. F. }	123 {	62 61	.	1 1	4	12 15	16 17	11 14	13 6	8 3	1 1	.	30 20	5 2	9 11	18 28	.	
12	Other Tuberculous Diseases ..M. F. }	43 {	22 21	11 4	4 7	1 1	2 3	1 2	2 2	1 2	.	.	.	4 4	.	11 12	7 5	.	
13	Cancer M. F. }	100 {	52 48	.	.	.	1	2	6 4	12 8	17 11	13 18	4 4	21 13	1	6 6	24 29	.	
14	Diabetes Mellitus M. F. }	4 {	2 2	.	.	.	1	1	.	1	1	.	.	2	.	.	2	.	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	55	15	.	.	.	.	.	1	1	4	8	1	1	7	7	1
				40	.	.	.	.	.	5	4	13	14	4	.	6	29	.
16	Heart Disease ...	...M. } ...F. }	249	121	.	.	3	2	3	10	15	27	49	12	15	2	29	75
				128	.	.	3	2	3	11	18	39	36	16	13	5	29	81
17	Other Circulatory Diseases	...M. } ...F. }	11	4	.	.	.	.	.	1	1	.	1	1	.	2	2	.
				7	.	.	.	.	1	.	1	.	2	2	3	.	4	.
18	Bronchitis ...	...M. } ...F. }	82	28	1	1	.	1	1	7	4	5	6	2	1	1	3	23
				54	4	1	.	.	2	1	5	8	22	11	.	1	9	44
19	Pneumonia (All Forms)	...M. } ...F. }	89	55	5	10	.	6	10	4	3	12	3	2	10	4	16	25
				34	3	8	.	1	2	3	1	5	10	1	3	1	4	26
20	Other Respiratory Diseases	...M. } ...F. }	27	11	.	.	.	1	.	5	2	2	1	1	.	1	5	4
				16	.	.	.	1	1	1	1	6	5	1	.	2	14	.
21	Gastric and Duodenal Ulcer	...M. } ...F. }	10	4	.	.	.	.	1	1	1	1	.	.	4	.	1	4
				6	.	.	.	.	.	2	.	2	2	.	1	.	.	.
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	29	15	15	.	.	.	.	.	.	.	.	.	1	.	3	11
				14	13	1	.	.	.	.	.	.	.	1	.	1	1	12
23	Appendicitis ...	...M. } ...F. }	8	5	.	.	.	2	1	.	2	.	.	.	2	.	2	1
				3	.	.	1	2	.	.	.	.	.	2	.	1	.	.
24	Cirrhosis of the Liver	...M. } ...F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1
25	Other Diseases of Liver, Etc.	...M. } ...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	...M. } ...F. }	31	18	4	3	2	.	1	3	1	2	1	1	6	.	3	9
				13	1	.	2	.	1	.	4	2	3	.	1	.	2	10
27	Acute and Chronic Nephritis	...M. } ...F. }	25	13	.	.	1	.	1	2	3	2	1	3	5	.	5	3
				12	.	.	.	2	2	3	1	2	1	1	2	.	4	6
28	Puerperal Sepsis ...	...F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	...F. }	8	8	.	.	.	1	4	3	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	49	28	28	.	.	.	.	.	.	.	.	.	2	.	8	18
				21	19	1	1	.	.	.	.	.	.	6	.	4	11	2
31	Senility ...	...M. } ...F. }	139	56	.	.	.	.	.	.	.	.	12	44	1	.	15	40
				83	.	.	.	.	.	.	.	.	26	57	.	2	19	62
32	Suicide ...	...M. } ...F. }	4	4	.	.	.	1	1	.	2	.	.	.	.	.	.	4
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	...M. } ...F. }	29	16	.	4	1	3	3	1	3	1	.	.	8	.	1	7
				13	2	4	.	.	1	1	2	1	.	2	5	.	3	5
34	Other Defined Causes ...	...M. } ...F. }	97	51	13	9	4	.	1	3	2	11	4	3	4	1	10	33
				46	10	9	1	1	3	5	7	2	7	1	8	2	6	30
35	Causes ill-defined or unknown	...M. } ...F. }	7	3	.	.	.	.	.	1	1	1	.	.	.	.	1	2
				4	.	.	.	.	.	1	.	3	.	.	.	.	3	2

ABSTRACT V—continued—No. 17.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospi- tals.	County Homes and Hosps. District Hosps. and Co. Infir- maries.	Else- where.	Un- certified Deaths.
	ALL CAUSES M. F. }	1,838 }	960 878	104 47	30 28	20 23	48 43	37 60	46 58	75 68	126 121	251 208	223 222	25 21	35 20	176 127	724 710	290 338
1	Typhoid Fever (including Para- M. typhoid). F. }	8 }	2 6	.	.	1	.	.	2	1	3	1	.	.	.	2 5	1	.
2	Typhus M. F. }	1 }	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
3	Measles M. F. }	14 }	8 6	2 3	6 3	.	.	.	.	.	.	.	.	.	.	1	7 6	1 1
4	Scarlet Fever... ..M. F. }	4 }	2 2	.	2 1	1	.	.	.	.	.	.	.	1	.	.	1 2	.
5	Whooping-cough M. F. }	1 }	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
6	Diphtheria M. F. }	9 }	5 4	.	1 2	4 2	.	.	.	.	.	.	.	1	.	3 3	1 1	.
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	89 }	38 51	2 3	.	2	3 1	1 1	1 3	5 3	7 14	11 21	6 5	1	.	7 1	30 50	15 26
9	Encephalitis Lethargica ...M. F. }	1 }	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory System. M. F. }	147 }	66 81	.	.	2 4	16 31	15 23	8 10	12 9	11 3	2 1	.	3	10 5	20 29	33 47	2 7
12	Other Tuberculous Diseases ...M. F. }	31 }	13 18	1	1 2	3 2	3 5	1 4	1 3	3 1	.	1	.	2	1 3	7 7	5 6	.
13	Cancer M. F. }	117 }	71 46	.	1	.	1	1	2	12 11	24 13	24 14	9 4	1 3	1	24 13	45 30	1
14	Diabetes Mellitus M. F. }	13 }	5 8	.	1	.	1	.	.	1	2 1	2 5	.	.	.	2 2	3 6	.

15	Cerebral Hemorrhage, Etc. (No. M. 82).	F. }	94	{	45	.	.	.	.	1	3	4	11	17	9	.	1	11	33	8
					49	.	.	.	1	2	.	5	10	21	10	.	.	6	43	17
16	Heart Disease ...	M. F. }	212	{	123	.	.	2	2	4	9	8	24	57	17	.	2	20	101	22
					89	.	.	1	3	4	8	12	25	25	11	1	2	11	75	16
17	Other Circulatory Diseases	M. F. }	19	{	7	.	.	.	.	1	2	.	1	2	3	.	.	3	4	.
					12	.	.	.	.	1	2	.	2	4	3	2	.	1	9	.
18	Bronchitis ...	M. F. }	76	{	41	3	.	.	.	2	.	.	20	11	.	.	.	7	34	10
					35	.	1	.	.	1	2	.	5	15	11	.	.	3	32	9
19	Pneumonia (All Forms)	M. F. }	92	{	53	19	4	.	1	2	2	4	6	8	7	2	2	3	46	1
					39	7	6	2	.	3	3	4	5	6	3	1	.	4	34	1
20	Other Respiratory Diseases	M. F. }	30	{	21	1	2	.	2	1	.	4	3	5	3	1	1	6	13	2
					9	1	.	.	.	1	.	1	3	3	.	1	1	2	5	.
21	Gastric and Duodenal Ulcer	M. F. }	20	{	16	.	.	.	1	1	3	3	4	4	.	2	.	8	6	.
					4	.	.	.	.	.	1	.	.	2	1	.	.	1	3	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	32	{	22	22	.	.	.	.	.	.	.	.	.	.	.	14	8	.
					10	9	1	.	.	.	.	.	.	.	.	.	.	5	5	.
23	Appendicitis ...	M. F. }	9	{	5	.	.	2	2	.	.	1	.	.	.	3	.	1	1	.
					4	.	1	1	.	.	.	1	.	1	.	1	.	2	1	1
24	Cirrhosis of the Liver	M. F. }	4	{	4	.	.	.	1	.	.	1	.	2	.	.	.	1	3	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	5	{	2	.	.	.	.	2	.	.	.	1	1	.	.	1	1	.
					3	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.
26	Other Digestive Diseases	M. F. }	51	{	21	2	4	1	.	1	.	1	2	8	2	.	1	4	16	4
					30	1	2	4	.	1	3	2	8	6	3	4	1	3	22	4
27	Acute and Chronic Nephritis	M. F. }	53	{	29	1	.	.	1	2	2	1	7	10	5	3	.	4	22	3
					24	.	.	2	.	4	2	3	6	5	2	.	.	3	21	3
28	Puerperal Sepsis ...	F. }	5	{	5	.	.	.	.	1	4	.	.	.	.	.	.	2	3	.
29	Other Puerperal Causes	F. }	12	{	12	.	.	.	1	6	5	.	.	.	.	2	.	4	6	1
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	48	{	35	33	2	.	.	.	.	.	.	.	.	1	.	6	28	24
					13	13	.	.	.	.	.	.	.	.	.	.	.	1	12	8
31	Senility ...	M. F. }	408	{	195	.	.	.	.	.	.	.	.	58	137	.	.	2	193	167
					213	.	.	.	.	.	.	.	.	49	164	.	1	4	208	189
32	Suicide ...	M. F. }	2	{	2	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	29	{	20	1	4	.	3	2	2	4	3	1	.	1	.	7	12	.
					9	1	1	1	.	1	.	1	2	.	2	.	.	3	6	.
34	Other Defined Causes ...	M. F. }	142	{	92	16	4	3	11	5	8	10	9	13	13	5	16	10	61	16
					50	9	4	3	1	2	5	6	6	11	3	3	7	8	32	13
35	Causes ill-defined or unknown	M. F. }	60	{	16	.	.	.	.	1	3	2	6	4	.	.	.	1	15	13
					44	.	2	.	.	2	4	5	15	16	.	.	.	1	43	42

ABSTRACT V—*contd.*—No. 18.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1931

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	Un-certified Deaths.	
	ALL CAUSES M. F. }	1,455 {	736 719	85 61	30 25	11 15	37 36	22 25	35 39	56 59	106 94	173 177	181 188	32 9	15 10	139 108	550 592	120 166	
1	Typhoid Fever (including Para- M. F. } typhoid).	2 {	1 1	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .	
2	Typhus M. F. }	4 {	3 1	. .	. .	. .	. .	1 .	. .	3 .	. .	. .	. .	. .	. .	3 1	. .	. .	
3	Measles M. F. }	8 {	6 2	3 .	3 2	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	5 2	. .	
4	Scarlet Fever... ..M. F. }	4 {	1 3	. .	1 .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	1 1	. .	
5	Whooping-cough M. F. }	4 {	3 1	. .	3 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 1	. .	
6	Diphtheria M. F. }	7 {	4 3	1 .	2 .	1 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 3	1 .	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	59 {	20 39	1 4	1 .	1 1	1 .	. .	1 3	. 1	5 7	4 16	6 7	1 .	. .	. 1	19 38	5 15	
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	1 {	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
11	Tuberculosis of Respiratory M. F. } System.	83 {	32 51	. .	. .	1 19	12 13	6 7	6 7	3 6	3 5	2 .	. .	2 .	4 2	6 7	20 42	1 5	
12	Other Tuberculous Diseases ...M. F. }	11 {	8 3	1 1	. .	. .	2 .	. 1	1 .	1 .	1 1	2 .	. .	2 .	. .	3 2	3 1	. .	
13	Cancer M. F. }	113 {	65 48	. .	. .	. .	. .	4 .	2 2	10 12	20 10	22 15	7 9	4 1	1 1	14 14	46 32	1 1	
14	Diabetes Mellitus M. F. }	11 {	5 6	. .	. .	. .	1 1	. .	1 .	1 1	2 1	. 1	. 2	1 .	. .	1 2	3 4	. .	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	64 {	28 36	.	.	1	.	1	.	1	3	6 8	13 17	6 7	1	2	3	25 30	1 4
16	Heart Disease ...	M. } F. }	220 {	100 120	.	.	3	5 2	1 3	6 7	10 10	19 27	35 36	24 32	3	3 2	22 17	72 101	4 9	
17	Other Circulatory Diseases	M. } F. }	18 {	14 4	1	.	.	.	.	.	.	1	6 3	6 1	.	.	6 1	8 3	.	
18	Bronchitis ...	M. } F. }	83 {	41 42	4 1	.	.	.	.	1	3	6 7	13 17	14 17	.	.	4 5	37 37	1 7	
19	Pneumonia (All Forms)	M. } F. }	69 {	40 29	5 7	5 3	1 1	4 2	5	1 1	3	9 4	6 6	1 5	.	1	5 2	34 27	1 2	
20	Other Respiratory Diseases	M. } F. }	33 {	18 15	.	1	.	1 1	.	2	3 1	4 3	4 7	5 1	1	1	3 2	14 12	2	
21	Gastric and Duodenal Ulcer	M. } F. }	19 {	9 10	.	.	.	1 1	1	.	2 1	4 4	1 1	1 2	2	.	4 4	3 6	.	
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	28 {	20 8	17 6	3 2	.	.	.	.	.	.	.	.	1	.	4	15 8	.	
23	Appendicitis ...	M. } F. }	5 {	3 2	.	.	2	1	.	.	1	1	.	.	.	.	3 1	1	.	
24	Cirrhosis of the Liver	M. } F. }	5 {	2 3	.	.	.	.	.	.	1	.	1 2	1 1	.	.	1 2	1 1	.	
25	Other Diseases of Liver, Etc.	M. } F. }	5 {	5	.	.	.	.	.	.	1	.	3	1	1	.	2	2	.	
26	Other Digestive Diseases	M. } F. }	37 {	16 21	3 3	1	.	1 1	.	1	1 3	3 3	3 5	6 5	.	.	7 5	9 16	2 1	
27	Acute and Chronic Nephritis	M. } F. }	50 {	30 20	.	1	.	1	2	1 4	3 4	9 2	13 5	4 1	1	.	11 6	18 14	.	
28	Puerperal Sepsis ...	F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
29	Other Puerperal Causes	F. }	4 {	4	.	.	.	.	2	2	.	.	.	.	2	.	.	2	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	70 {	36 34	36 34	.	.	.	.	.	.	.	.	.	2 3	.	4 5	30 26	16 7	
31	Senility ...	M. } F. }	222 {	101 121	.	.	.	.	.	.	.	.	24 28	77 93	1	.	1	100 120	65 91	
32	Suicide ...	M. } F. }	4 {	3 1	.	.	.	1	.	1	.	.	.	1	1	.	.	2 1	.	
33	Other Violence ...	M. } F. }	29 {	17 12	1 1	1 4	2	1	1	3 1	2 1	1 1	2 2	3 2	1 1	1	4 4	11 7	1	
34	Other Defined Causes ...	M. } F. }	147 {	91 56	12 4	3 5	2 2	5 8	1	10 3	9 12	12 6	17 11	20 3	7	5 2	27 14	52 40	9 7	
35	Causes ill-defined or unknown	M. } F. }	35 {	18 17	.	7 6	.	.	1 1	.	2 2	.	4 3	6 3	1	.	.	17 17	13 14	

ABSTRACT V—continued—No. 19.—Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.
	ALL CAUSES M. F. }	630 {	325 305	71 48	28 29	14 15	15 18	16 17	19 21	35 36	60 41	51 51	16 29	44 26	4 8	95 89	182 182	11 9
1	Typhoid Fever (including Para- M. F. } typhoid).	1 {	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	23 {	8 15	4 4	4 11	.	.	.	.	.	.	.	.	.	.	2 2	6 13	.
4	Scarlet Fever... ..M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
5	Whooping-cough M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Diphtheria M. F. }	8 {	2 6	.	2 2	4	.	.	.	.	.	.	.	.	.	2 6	.	.
7	Dysentery M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
8	Influenza M. F. }	11 {	5 6	1	.	.	1	.	1	3 2	1	1 1	.	.	.	2 2	3 4	.
9	Encephalitis Lethargica M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro spinal Fever M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory M. F. } System.	56 {	24 32	.	.	2 2	5 9	9 8	4 7	4 4	.	.	.	1 1	1 3	11 16	11 12	.
12	Other Tuberculous Diseases M. F. }	9 {	3 6	.	1	1 2	1	1	1	1	.	.	.	2 3	.	2	1 1	.
13	Cancer M. F. }	47 {	29 18	.	.	.	.	1	3 1	3 6	16 6	4 4	3	2 2	.	16 8	11 8	.
14	Diabetes Mellitus M. F. }	2 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	28	14	.	.	.	.	.	.	1	2	6	4	2	2	.	2	10	2
			14	.	.	.	.	.	.	2	2	4	5	2	.	.	5	9	.
16	Heart Disease M. } F. }	64	33	.	.	2	1	2	2	5	13	9	1	1	.	2	11	21	.
			31	.	.	.	.	.	3	6	10	7	3	1	.	.	11	17	.
17	Other Circulatory Diseases ...M. } F. }	3	2	1	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.
			1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
18	Bronchitis M. } F. }	46	21	1	2	.	.	.	1	2	10	2	3	1	.	.	9	11	1
			25	1	1	.	.	.	2	2	8	9	4	.	.	.	6	19	.
19	Pneumonia (All Forms) ...M. } F. }	43	25	4	6	1	2	1	2	1	2	7	.	4	.	.	5	16	1
			18	4	1	1	1	1	2	3	2	3	.	.	.	.	3	15	.
20	Other Respiratory Diseases ...M. } F. }	17	6	.	2	.	.	2	1	1	2	1	.	.	.	.	1	5	2
			11	.	1	.	.	.	2	2	2	3	.	.	.	.	.	11	.
21	Gastric and Duodenal Ulcer ...M. } F. }	3	3	.	.	.	1	.	.	2	.	.	.	1	.	.	.	2	.
			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhœa and Enteritis (under 2 M. } years). F. }	34	19	18	1	.	.	.	.	.	.	.	.	3	.	.	1	15	.
			15	9	6	.	.	.	.	.	.	.	.	2	.	.	2	11	.
23	Appendicitis M. } F. }	2	1	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
24	Cirrhosis of the Liver ...M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc. ...M. } F. }	4	2	.	.	.	1	.	.	.	1	1	1	.	.	.	1	1	.
			2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases ...M. } F. }	35	18	4	2	2	.	1	3	4	2	.	.	2	.	.	4	12	1
			17	7	2	.	.	.	2	3	2	.	.	.	.	.	2	15	.
27	Acute and Chronic Nephritis ...M. } F. }	13	11	2	.	.	.	.	1	4	1	3	.	1	1	.	1	8	.
			2	.	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
28	Puerperal Sepsis F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
29	Other Puerperal Causes ...F. }	3	3	.	.	.	.	3	.	.	.	.	.	3	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. M. } 157-161). F. }	26	15	15	.	.	.	.	.	.	.	.	.	6	.	.	1	8	1
			11	11	.	.	.	.	.	.	.	.	.	4	.	.	3	4	.
31	Senility M. } F. }	52	20	.	.	.	.	.	.	.	14	6	.	1	.	.	11	8	1
			32	.	.	.	.	.	.	.	14	18	.	.	.	.	13	19	1
32	Suicide M. } F. }	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence M. } F. }	19	13	.	4	.	1	.	2	.	1	1	.	9	.	.	2	2	.
			6	.	1	1	1	.	.	.	2	.	1	4	.	.	1	1	.
34	Other Defined Causes M. } F. }	70	42	22	2	4	4	1	4	3	1	1	.	4	1	.	8	29	5
			28	11	4	3	3	2	.	3	.	2	.	2	2	.	5	19	5
35	Causes ill-defined or unknown ...M. } F. }	7	6	.	1	.	.	.	.	1	5	.	.	1	.	.	3	2	.
			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

ABSTRACT V—continued—No. 20.—Causes of Death in Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	877 {	462 415	43 26	17 13	11 11	12 12	26 24	19 24	39 28	63 52	146 128	86 97	24 14	19 9	101 68	318 324	89 96		
1	Typhoid Fever (including Para- M. typhoid). F. }	5 {	4 1	. .	. .	. .	. .	1 1	1 .	1 .	1 .	. .	. .	. .	4 .	. 1	. .	. .		
2	Typhus M. F. }	1 {	1 .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .		
3	Measles M. F. }	5 {	2 2	. .	3 2	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	2 2	. .		
4	Scarlet Fever... ..M. F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .		
5	Whooping-cough M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
6	Diphtheria M. F. }	6 {	3 3	. .	2 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	2 1	1 2	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	39 {	22 17	. .	. .	1 .	1 .	. .	1 2	1 .	6 1	11 8	2 5	. .	. .	6 6	16 11	7 3		
9	Encephalitis Lethargica ...M. F. }	2 {	1 1	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	1 1	. .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. System. F. }	58 {	30 28	. .	. .	1 1	4 8	9 9	3 1	6 2	4 5	3 2	. .	4 3	4 1	7 10	15 14	1 1		
12	Other Tuberculous Diseases ...M. F. }	19 {	12 7	. 1	2 .	3 2	. 1	2 1	1 .	1 1	3 .	. .	1 .	2 .	1 1	6 2	3 4	. .		
13	Cancer M. F. }	76 {	37 39	. .	. .	. .	. .	3 3	1 3	3 7	11 11	16 11	3 4	3 1	. .	10 5	24 33	2 2		
14	Diabetes Mellitus M. F. }	7 {	5 2	. .	. .	. .	. .	. .	. .	1 .	. .	3 .	1 .	. .	. .	. .	5 .	1 .		

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	55 {	21 34	.	.	.	1	.	1	1	2	9	8	.	.	7	14	3
					.	.	.	.	.	1	2	6	18	7	.	.	8	26	11
16	Heart Disease ...	M. F. }	137 {	71 66	.	1	.	1	1	2	5	14	37	10	1	3	21	47	10
					.	.	.	.	3	3	4	15	32	9	.	3	8	54	9
17	Other Circulatory Diseases	M. F. }	7 {	7	.	.	.	.	.	.	.	1	2	4	.	.	1	6	.
18	Bronchitis ...	M. F. }	36 {	18 18	3	.	.	.	1	.	1	1	10	4	.	1	1	16	2
					1	.	.	.	1	.	.	1	10	5	.	.	2	16	3
19	Pneumonia (All Forms)	M. F. }	47 {	28 19	5	2	1	1	2	3	5	3	5	3	1	1	6	21	2
					1	3	.	.	2	1	4	.	7	1	.	2	16	1	
20	Other Respiratory Diseases	M. F. }	10 {	6 4	1	.	.	.	1	1	.	.	4	2	1	.	6	3	1
					.	.	.	.	.	.	.	.	2	1	1	.	3	.	
21	Gastric and Duodenal Ulcer	M. F. }	6 {	4 2	.	.	.	.	1	1	1	1	2	.	1	.	3	.	
					.	.	.	.	1	.	.	.	.	.	.	.	2	.	
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	13 {	8 5	7 4	1 1	.	.	.	.	.	.	.	.	1	.	1	6	1
							.	.	.	.	.	.	.	.	.	.	5	.	
23	Appendicitis ...	M. F. }	4 {	3 1	.	.	1	1	.	.	.	.	1	.	1	.	2	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
25	Other Diseases of Liver, Etc.	M. F. }	3 {	2 1	.	.	.	.	.	.	1	1	.	.	1	.	.	2	1
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Digestive Diseases	M. F. }	28 {	17 11	2 1	3 1	2	1	1	2	1	3	3	2	1	4	12	1	
							.	.	.	.	2	1	2	1	2	.	5	1	
27	Acute and Chronic Nephritis	M. F. }	27 {	15 12	.	.	1	.	.	1	5	5	3	1	1	3	11	.	
					.	.	1	.	.	2	1	6	1	1	.	3	9	.	
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Puerperal Causes	F. }	5	5	.	.	.	.	.	5	.	.	.	.	2	.	3	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	34 {	20 14	20 14	.	.	.	.	.	.	.	.	.	3	.	4	13	9
						.	.	.	.	.	.	.	.	.	.	1	13	6	
31	Senility ...	M. F. }	187 {	68 69	.	.	.	.	.	.	.	.	20	48	.	1	5	62	38
					.	.	.	.	.	.	.	.	14	55	.	2	4	63	46
32	Suicide ...	M. F. }	2 {	2	.	.	.	.	.	1	.	.	1	.	.	.	2	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	M. F. }	19 {	14 5	1	2	1	1	6	1	1	.	3	1	2	.	4	10	.
					.	.	.	.	.	.	.	.	1	2	.	.	1	4	.
34	Other Defined Causes ...	M. F. }	71 {	41 30	4	3	2	2	1	3	4	8	10	4	5	5	9	22	5
					4	3	1	2	3	2	2	5	7	1	2	1	4	23	8
35	Causes ill-defined or unknown	M. F. }	16 {	8 8	.	.	.	.	.	.	1	1	6	.	.	1	7	5	5
					.	.	.	.	.	.	2	2	4	.	.	.	8	.	

ABSTRACT V—continued—No. 21.—Causes of Death in Administrative County of TIPPERARY S.R., by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Elsewhere.	Un-certified Deaths
	ALL CAUSES M. F. }	1,158 {	575 583	51 38	19 15	13 14	19 28	24 33	27 28	61 60	103 92	153 147	105 123	14 14	14 17	137 119	410 433	67 89
1	Typhoid Fever (including Para- M. typhoid). F. }	8 {	5 3	.	.	.	2 2	1 .	2 1	.	.	.	.	.	4 1	1 2	.	.
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	4 {	4	1	2	.	.	1	.	.	.	.	.	.	.	1	3	.
4	Scarlet Fever... ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Whooping-cough M. F. }	4 {	2 2	1 2	.	1 .	.	.	.	.	.	.	.	.	.	.	2 2	.
6	Diphtheria M. F. }	13 {	7 6	.	3 1	4 5	.	.	.	.	.	.	.	.	.	3 5	4 1	.
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	24 {	12 12	.	1 .	1 .	.	.	.	1 .	1 2	5 6	3 2	.	.	1 1	11 11	1
9	Encephalitis Lethargica ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory M. System. F. }	80 {	30 50	.	.	1 2	5 17	7 12	6 5	10 9	1 2	.	.	4 2	1 .	9 16	16 32	.
12	Other Tuberculous Diseases ..M. F. }	20 {	10 10	.	2 .	2 2	3 2	3 1	3 .	2 .	.	.	.	1 .	2 .	3 2	7 5	.
13	Cancer M. F. }	111 {	61 50	1 .	.	1 .	2 .	1 2	12 15	20 15	18 13	6 5	.	4 2	2 .	20 10	35 38	1
14	Diabetes Mellitus M. F. }	6 {	3	.	.	.	.	.	1	.	2	.	.	.	.	1	2	.

15	Cerebral Haemorrhage, Etc (No. M. 82).	F.	91	43	.	.	.	.	.	2	4	12	20	5	.	.	16	27	3
		F.		48	.	.	.	.	2	.	8	13	19	6	1	2	15	30	5
16	Heart Disease ...	M.	215	106	.	.	.	.	3	2	10	24	48	19	.	3	30	73	8
		F.		109	.	.	1	2	1	7	13	28	37	20	2	1	18	88	9
17	Other Circulatory Diseases	M.	15	9	.	.	.	.	.	1	1	3	2	2	.	.	3	6	1
		F.		6	.	.	.	.	.	.	1	.	4	1	1	.	5	.	.
18	Bronchitis ...	M.	51	15	3	.	.	.	.	.	2	3	7	.	.	.	1	14	.
		F.		36	2	.	1	.	.	.	1	8	15	9	.	.	6	30	4
19	Pneumonia (All Forms)	M.	64	36	3	3	.	3	4	3	5	6	7	2	2	.	12	22	.
		F.		28	3	3	.	2	6	2	3	4	4	1	.	.	12	16	.
20	Other Respiratory Diseases	M.	22	9	.	.	.	.	.	.	2	2	3	2	.	1	1	7	.
		F.		13	.	2	.	1	.	.	2	2	4	2	2	.	2	9	.
21	Gastric and Duodenal Ulcer	M.	4	3	.	.	.	.	.	.	.	1	2	.	.	.	.	3	.
		F.		1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
22	Diarrhoea and Enteritis (under 2 M. years).	M.	27	19	16	3	.	.	.	.	.	.	.	.	.	.	3	16	2
		F.		8	7	1	.	.	.	.	.	.	.	.	.	.	5	3	.
23	Appendicitis ...	M.	3	2	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.
		F.		1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M.	2	2	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M.	3	2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
		F.		1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
26	Other Digestive Diseases	M.	14	8	.	3	.	.	.	.	.	1	4	.	.	.	2	6	.
		F.		6	1	.	.	.	.	1	1	1	1	1	.	1	1	4	.
27	Acute and Chronic Nephritis	M.	34	24	.	.	.	1	.	1	6	7	7	2	.	.	4	20	1
		F.		10	1	.	.	.	.	1	.	6	2	.	2	.	8	.	.
28	Puerperal Sepsis ...	F.	2	2	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
29	Other Puerperal Causes	F.	8	8	.	.	.	.	6	2	.	.	.	.	.	.	4	4	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M.	35	15	15	.	.	.	.	.	.	.	.	.	.	.	6	9	1
		F.		20	19	1	.	.	.	.	.	.	.	.	.	.	6	14	5
31	Senility ...	M.	179	74	.	.	.	.	.	.	.	.	15	59	.	2	4	68	38
		F.		105	.	.	.	.	.	.	.	.	29	76	.	5	2	98	57
32	Suicide ...	M.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M.	18	10	.	.	.	2	2	1	.	3	2	.	.	.	1	9	.
		F.		8	.	3	.	.	.	.	1	1	.	3	.	.	5	3	.
34	Other Defined Causes ...	M.	81	51	11	1	5	1	1	6	5	11	6	4	3	1	15	32	5
		F.		30	3	3	2	1	3	3	2	7	4	2	1	4	5	20	4
35	Causes ill-defined or unknown	M.	19	12	.	1	.	.	.	1	1	5	4	.	.	.	.	12	7
		F.		7	.	1	.	.	.	.	.	2	4	.	.	1	6	3	.

ABSTRACT V—continued—No. 22—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	787 {	394 393	33 32	9 9	4 9	10 13	24 17	16 26	40 38	55 48	108 108	95 93	7 6	16 17	95 48	276 322	43 76
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	1 1	.	.	.	1 1	.	.	.	.	.	.	.	.	1	1	.
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Scarlet Fever... .. M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Whooping-cough M. F. }	2 {	2	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.
6	Diphtheria M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	16 {	8 8	.	1	.	.	.	2 1	1 4	2 1	2 2	.	.	.	2	6 8	1
9	Encephalitis Lethargica M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory System. M. F. }	51 {	26 25	.	.	3	7 9	12 7	2 5	3	2	1	.	1	6 1	6 4	14 19	1
12	Other Tuberculous Diseases M. F. }	20 {	5 15	2	1	1 5	2	1	2	1	1	.	.	1 1	1 1	.	3 13	.
13	Cancer M. F. }	65 {	31 34	.	.	.	.	1	3 5	3 12	11 7	10 8	4 1	1	1	10 7	19 27	1
14	Diabetes Mellitus M. F. }	2 {	1 1	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	46 {	16	.	.	.	.	.	1	1	2	1	9	5	.	.	1	15	2
				30	.	.	.	.	.				4	18	4	.	.	6	23	5
16	Heart Disease ...	M. F. }	150 {	73	.	.	1	.	1	1	8	18	29	15	.	.	2	17	54	1
				77	.	.	.	.	2	10	13	36	16	.	2	.	2	9	64	12
17	Other Circulatory Diseases	M. F. }	11 {	6	.	.	.	.	.	.	.	2	2	2	2	.	1	1	4	.
				5	.	.	.	.	.	.	.	2	2	3	.	.	.	.	5	1
18	Bronchitis ...	M. F. }	42 {	25	2	1	.	.	.	2	1	4	9	6	6	1	1	5	18	3
				17	1	1	.	.	1	1	1	6	6	.	.	.	1	16	2	2
19	Pneumonia (All Forms)	M. F. }	26 {	11	2	2	.	.	.	2	2	2	2	1	1	.	.	2	9	.
				15	4	.	.	.	.	2	2	1	5	.	.	.	3	12	.	.
20	Other Respiratory Diseases	M. F. }	5 {	4	.	.	.	.	.	.	.	1	2	1	.	.	.	.	4	1
				1	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	1
21	Gastric and Duodenal Ulcer	M. F. }	10 {	8	.	.	.	.	2	2	.	1	2	1	.	1	.	4	3	.
				2	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	6 {	4	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.
				2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.
23	Appendicitis ...	M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	2 {	2	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	3 {	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
				2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
26	Other Digestive Diseases	M. F. }	16 {	6	1	1	.	.	.	.	.	.	2	2	.	.	.	1	5	.
				10	2	2	.	.	.	.	1	.	2	3	.	.	.	1	9	2
27	Acute and Chronic Nephritis	M. F. }	25 {	15	.	1	.	.	.	.	3	3	5	3	.	.	1	2	12	.
				10	.	.	.	.	.	1	1	4	4	.	.	.	.	1	9	.
28	Puerperal Sepsis ...	F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
29	Other Puerperal Causes	F. }	3 {	3	.	.	.	.	1	2	.	.	.	.	.	.	.	1	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	32 {	19	19	.	.	.	.	.	.	.	.	.	.	1	.	4	14	2
				13	13	.	.	.	.	.	.	.	.	.	.	1	.	1	11	5
31	Senility ...	M. F. }	139 {	69	.	.	.	.	.	.	.	.	21	48	.	.	1	16	52	27
				70	.	.	.	.	.	.	.	.	16	54	.	.	4	6	60	38
32	Suicide ...	M. F. }	2 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
				1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
33	Other Violence ...	M. F. }	18 {	13	.	1	1	2	3	2	1	.	2	1	.	.	.	4	9	.
				5	1	.	.	.	1	.	.	2	1	.	.	.	.	2	3	.
34	Other Defined Causes ...	M. F. }	79 {	44	5	.	1	.	5	4	11	6	8	4	.	1	2	16	26	4
				35	7	2	1	.	4	4	4	6	6	1	.	.	8	4	22	4
35	Causes ill-defined or unknown	M. F. }	12 {	5	.	2	.	.	.	.	.	2	1	.	.	.	.	.	5	2
				7	.	1	.	.	.	1	1	1	3	.	.	.	.	7	4	4

ABSTRACT V—continued—No. 23—Causes of Death in Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. } F. }	424 {	198 226	37 19	7 14	8 6	8 20	6 9	14 9	23 25	25 39	44 52	26 33	4 3	5 13	70 59	119 151	2 9		
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. } F. }	2 {	2 .	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .		
4	Scarlet Fever... ..M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Whooping-cough M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
6	Diphtheria M. } F. }	2 {	1 1	. 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .		
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. } F. }	13 {	6 7	. .	1 .	. .	1 1	. .	1 .	1 .	1 .	2 1	2 2	. .	2 .	2 .	4 5	. 1		
9	Encephalitis Lethargica ...M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. } System. F. }	44 {	20 24	. .	. .	1 2	6 11	3 2	5 4	4 4	. .	1 1	. .	1 1	. 1	11 7	8 15	. .		
12	Other Tuberculous Diseases ...M. } F. }	15 {	6 9	1 1	1 4	3 3	. 1	1 .	. .	. .	. .	. .	. .	1 .	. .	. 1	5 8	. .		
13	Cancer M. } F. }	36 {	15 21	. .	. .	. .	. .	. .	. .	3 5	5 9	6 5	1 2	1 1	. .	7 7	7 13	. .		
14	Diabetes Mellitus M. } F. }	4 {	3 .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	1 .	. .	. .	1 .	2 .	. .		

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F. }	29 {	10	.	.	.	.	.	2	3	1	2	5	2	.	.	2	8	.	1
				19	.	.	.	.	.	.	.	2	3	6	3	.	1	8	10	.	
16	Heart Disease ...	M. F. }	78 {	34	.	.	1	.	.	1	1	5	6	12	9	1	.	14	17	.	
				44	.	.	.	.	.	1	1	4	10	21	7	.	2	8	35	.	
17	Other Circulatory Diseases	M. F. }	4 {	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	
				2	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	
18	Bronchitis ...	M. F. }	24 {	6	1	.	.	.	.	.	.	1	3	3	1	.	.	2	4	.	
				18	3	1	.	.	.	.	.	2	3	4	5	.	.	3	15	1	
19	Pneumonia (All Forms)	M. F. }	18 {	9	2	1	.	.	.	2	2	2	1	1	.	.	.	1	8	.	
				9	.	2	.	.	.	2	.	2	3	.	.	.	.	2	7	1	
20	Other Respiratory Diseases	M. F. }	3 {	2	.	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.	
				1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	
21	Gastric and Duodenal Ulcer	M. F. }	7 {	6	.	.	.	.	.	1	2	1	2	.	.	.	.	5	1	.	
				1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	14 {	7	7	.	.	.	.	.	.	.	.	.	.	.	.	1	6	.	
				7	5	2	.	.	.	.	.	.	.	.	.	.	.	2	5	.	
23	Appendicitis ...	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	Cirrhosis of the Liver	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Other Diseases of Liver, Etc.	M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Digestive Diseases	M. F. }	12 {	5	1	.	1	.	.	.	2	.	1	1	.	.	.	1	4	1	
				7	1	.	.	.	.	.	.	4	.	1	.	.	.	2	5	.	
27	Acute and Chronic Nephritis	M. F. }	7 {	5	.	.	.	.	.	.	1	3	1	.	.	.	.	2	3	.	
				2	.	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.	
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
29	Other Puerperal Causes	F. }	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	18 {	13	13	.	.	.	.	.	.	.	.	.	.	.	.	6	7	.	
				5	5	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	
31	Senility ...	M. F. }	26 {	11	.	.	.	.	.	.	.	.	2	9	.	2	.	1	8	.	
				15	.	.	.	.	.	.	.	.	4	11	.	4	.	1	10	2	
32	Suicide ...	M. F. }	2 {	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.	
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	M. F. }	12 {	7	1	1	.	1	.	2	.	1	.	1	.	.	.	5	2	.	
				5	1	1	.	.	.	.	1	.	1	1	.	.	.	3	2	.	
34	Other Defined Causes ...	M. F. }	45 {	23	11	1	2	.	5	.	2	1	6	.	.	1	.	6	16	.	
				22	3	2	1	.	.	.	2	3	5	1	.	4	.	4	14	.	
35	Causes ill-defined or unknown	M. F. }	5 {	2	.	.	.	.	.	1	.	1	1	.	.	.	.	2	1	.	
				3	.	.	.	.	.	.	1	1	.	.	.	.	.	3	3	.	

ABSTRACT V—continued—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths	
	ALL CAUSES M. F. }	7,258 {	3,669 3,589	271 194	105 88	82 80	144 151	152 159	126 162	259 235	467 412	946 938	1,117 1,170	105 91	83 73	538 403	2,943 3,022	1,354 1,578	
1	Typhoid Fever (including Para- typhoid). M. F. }	19 {	8 11	. .	. .	. .	2 8	4 2	1 1	. .	. .	. .	. .	. .	. .	7 10	1 1	. .	
2	Typhus M. F. }	4 {	2 2	. .	. .	. .	. .	1 .	. 1	. 1	. 1	. .	. .	. .	. .	. 2	. 2	. .	
3	Measles M. F. }	12 {	8 4	2 .	3 4	3 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	7 3	. 1	
4	Scarlet Fever... .. M. F. }	3 {	1 2	. .	1 .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 1	. .	
5	Whooping-cough M. F. }	32 {	16 16	9 6	7 8	7 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 2	16 14	8 12	
6	Diphtheria M. F. }	39 {	24 15	1 1	5 5	14 7	4 .	. 1	. 1	. .	. .	. .	. .	. .	. .	17 8	7 7	1 1	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	303 {	128 175	10 5	6 7	3 7	3 3	5 4	4 4	7 9	19 18	40 86	31 32	. .	4 7	6 8	118 160	62 88	
9	Encephalitis Lethargica M. F. }	5 {	3 2	. .	1 .	1 .	. .	. .	. 1	. .	. 1	. .	. .	. .	. .	1 .	3 1	. .	
10	Cerebro-spinal Fever M. F. }	2 {	1 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	
11	Tuberculosis of Respiratory System. M. F. }	417 {	197 220	2 1	3 .	4 14	47 66	56 61	30 30	31 27	16 17	8 4	. .	31 42	14 15	50 38	102 125	16 26	
12	Other Tuberculous Diseases M. F. }	109 {	52 57	1 2	2 2	4 9	14 19	8 9	10 5	4 6	7 5	2 .	. .	3 6	5 4	25 19	19 28	3 1	
13	Cancer M. F. }	541 {	297 244	. .	. .	. .	3 .	2 4	7 18	47 51	97 80	102 57	39 34	17 14	2 3	77 34	201 193	21 21	
14	Diabetes Mellitus M. F. }	52 {	34 18	. .	1 .	3 1	2 2	2 .	2 1	4 .	7 6	10 5	3 3	1 .	. .	6 1	27 17	7 .	

15	Cerebral Hemorrhage, etc. (No. 82).	M. F. }	337	160 177	.	1 1	1 .	2 .	3 3	5 5	14 13	33 38	66 73	35 44	1 1	5 1	29 29	125 146	40 65
16	Heart Disease ...	M. F. }	764	376 388	.	1 1	2 1	13 10	11 11	8 13	33 34	86 88	142 151	80 79	7 1	3 12	62 59	304 316	43 61
17	Other Circulatory Diseases	M. F. }	59	36 23	.	.	.	.	.	1 .	3 3	6 3	14 9	12 8	1 2	1 .	7 4	27 17	1 3
18	Bronchitis ...	M. F. }	399	208 191	12 11	5 9	2 1	2 3	2 4	5 5	9 5	30 22	89 81	52 50	.	6 4	15 21	187 164	84 67
19	Pneumonia (All Forms)	M. F. }	349	185 164	31 16	19 15	5 5	11 5	11 7	12 10	13 9	21 26	41 50	21 21	3 2	4 2	19 13	159 147	20 21
20	Other Respiratory Diseases	M. F. }	118	64 54	1 3	1 1	2 5	4 1	4 2	2 1	9 7	17 10	14 12	10 12	1 .	.	6 1	57 53	12 13
21	Gastric and Duodenal Ulcer	M. F. }	56	40 16	.	.	1 .	2 1	5 2	4 1	9 1	6 4	11 4	2 3	1 .	1 .	13 2	25 14	7 5
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	45	31 14	29 12	2 2	.	.	.	.	.	.	.	.	3 1	.	4 1	24 12	3 2
23	Appendicitis ...	M. F. }	30	27 3	.	2 .	5 1	2 .	3 .	3 .	3 .	5 2	3 .	1 .	6 1	.	17 1	4 1	2 .
24	Cirrhosis of the Liver	M. F. }	15	10 5	.	.	.	.	1 1	3 1	.	3 2	1 1	2 .	1 1	.	1 1	8 3	.
25	Other Diseases of Liver, Etc.	M. F. }	25	12 13	1 .	1 .	.	.	1 .	.	3 3	1 3	3 5	2 1	1 2	.	1 1	10 10	4 .
26	Other Digestive Diseases	M. F. }	159	82 77	8 7	6 6	5 2	5 3	1 2	.	7 6	15 13	23 27	12 7	2 3	1 4	13 6	66 64	14 21
27	Acute and Chronic Nephritis	M. F. }	169	90 79	.	1 .	2 1	3 2	6 5	11 8	18 13	38 28	12 11	3 .	1 .	26 18	60 61	12 8	
28	Puerperal Sepsis ...	F. }	9	9	.	.	.	1	6	2	.	.	.	.	1	.	4	4	.
29	Other Puerperal Causes	F. }	32	32	.	.	.	2	16	14	.	.	.	.	.	.	7	25	1
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	213	114 99	111 95	2 2	1 1	.	.	.	.	.	.	.	3 7	.	17 23	94 69	50 38
31	Senility ...	M. F. }	2,048	967 1,081	.	.	.	.	.	.	.	.	211 251	756 830	.	17 4	22 27	928 1,050	801 943
32	Suicide ...	M. F. }	26	20 6	.	.	.	.	4 2	2 2	6 .	3 1	3 1	2 .	.	.	2 1	18 5	.
33	Other Violence ...	M. F. }	113	79 34	6 2	10 4	8 .	4 2	4 2	6 3	10 2	15 6	6 5	10 8	1 .	1 .	23 14	54 20	1 .
34	Other Defined Causes...	M. F. }	516	282 234	39 29	20 10	16 17	20 17	17 10	10 24	24 27	31 26	71 47	34 27	19 5	18 17	65 45	180 167	55 68
35	Causes ill-defined or unknown	M. F. }	238	115 123	8 4	8 7	1 4	1 5	4 5	4 7	11 16	29 34	48 41	1 .	.	.	5 2	110 121	91 104

ABSTRACT V—continued—No. 24—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.	
	ALL CAUSES M. F. }	2,122 {	1,090 1,032	87 76	41 38	27 26	45 49	47 43	46 47	77 66	131 101	232 241	357 345	36 22	20 15	186 123	848 872	396 446	
1	Typhoid Fever (including Para- M. F. } typhoid).	4 {	3 1	. .	. .	. 1	. 1	. 1	. 1	. .	. .	. .	. .	. .	. .	2 1	1 .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	10 {	7 3	2 .	3 3	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	6 2	. .	
4	Scarlet Fever... ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
5	Whooping-cough M. F. }	8 {	2 6	. 2	2 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 6	2 5	
6	Diphtheria M. F. }	16 {	11 5	1 .	2 2	6 2	. .	. .	1 1	. .	. .	. .	. .	. .	. .	9 3	2 2	. 1	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	72 {	27 45	1 3	3 2	1 3	1 .	1 3	3 2	1 5	5 1	3 13	8 13	. .	1 1	3 4	23 41	11 19	
9	Encephalitis Lethargica M. F. }	4 {	2 2	. .	1 1	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	1 .	2 1	. .	
10	Cerebro-spinal Fever M. F. }	1 {	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
11	Tuberculosis of Respiratory System. M. F. }	133 {	69 64	1 .	1 .	2 3	16 22	17 16	12 9	14 7	5 7	1 .	. .	17 14	3 3	16 11	33 36	7 5	
12	Other Tuberculous Diseases M. F. }	29 {	14 15	1 1	1 .	2 4	3 4	. .	2 .	1 5	2 1	2 .	. .	. 2	. 2	10 5	4 6	1 .	
13	Cancer M. F. }	179 {	98 81	. .	. .	. 1	. 2	. 2	5 7	21 15	29 27	27 20	15 10	6 3	. 2	26 14	66 62	4 4	
14	Diabetes Mellitus M. F. }	13 {	10 3	. .	. 1	. 1	. 1	. 1	1 1	1 2	2 1	2 1	2 .	. .	. .	4 .	6 3	3 1	

15	Cerebral Hemorrhage, Etc. (No. M. 82).	F.	77	36	.	1	.	.	2	2	3	6	13	9	.	1	9	26	6
				41	.	1	.	.	.	.	4	7	16	13	.	.	6	35	14
16	Heart Disease ...	M.	239	111	.	.	.	7	5	4	8	31	38	18	2	1	27	81	8
		F.		128	.	1	.	3	5	2	8	22	56	31	.	3	14	111	20
17	Other Circulatory Diseases	M.	11	8	.	.	.	.	.	.	1	2	1	4	.	.	2	6	.
		F.		3	.	.	.	.	.	.	.	2	2	1	.	.	3	3	.
18	Bronchitis ...	M.	82	49	3	1	1	1	1	2	2	6	22	12	.	1	2	46	24
		F.		33	2	2	1	1	3	2	1	3	12	7	.	.	4	29	13
19	Pneumonia (All Forms)	M.	96	51	6	6	2	2	6	2	6	4	12	5	.	2	9	40	6
		F.		45	3	5	3	3	3	5	2	5	12	4	1	.	5	39	2
20	Other Respiratory Diseases	M.	30	18	.	1	1	3	.	.	1	4	5	3	.	.	2	16	6
		F.		12	1	.	1	.	1	1	1	1	5	1	.	.	1	11	2
21	Gastric and Duodenal Ulcer	M.	13	9	.	.	.	.	1	2	1	1	2	2	.	.	3	6	1
		F.		4	.	.	.	.	.	1	.	2	1	.	.	.	1	3	1
22	Diarrhoea and Enteritis (under 2 M. years).	M.	18	14	14	.	.	.	.	.	.	.	.	.	2	.	1	11	.
		F.		4	3	1	.	.	.	.	.	.	.	.	.	.	.	4	.
23	Appendicitis ...	M.	5	5	.	1	2	1	1	.	.	.	.	.	1	.	3	1	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M.	5	4	.	.	.	.	.	1	.	2	1	.	.	.	1	3	.
		F.		1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
25	Other Diseases of Liver, Etc.	M.	5	3	.	.	.	.	.	.	1	1	1	.	.	.	1	2	1
		F.		2	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.
26	Other Digestive Diseases	M.	47	20	3	3	.	1	1	.	1	4	5	2	.	2	5	15	3
		F.		27	5	2	.	1	2	3	.	3	9	2	1	.	2	22	6
27	Acute and Chronic Nephritis	M.	48	26	.	.	1	1	.	1	4	4	13	3	2	.	7	17	3
		F.		22	.	.	1	1	1	2	2	2	9	4	.	.	6	16	.
28	Puerperal Sepsis ...	F.	2	2	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.
29	Other Puerperal Causes	F.	10	10	.	.	.	1	4	5	.	.	.	.	.	.	5	5	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M.	67	32	31	.	1	.	.	.	.	.	.	.	1	.	4	27	11
		F.		35	34	1	.	.	.	.	.	.	.	.	.	.	9	26	15
31	Senility ...	M.	605	304	.	.	.	.	.	.	.	.	48	256	.	7	.	297	264
		F.		301	.	.	.	.	.	.	.	.	54	247	.	1	.	300	274
32	Suicide ...	M.	6	5	.	.	.	.	.	1	1	2	1	.	.	.	1	4	.
		F.		1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
33	Other Violence ...	M.	41	31	2	5	1	1	2	4	4	7	2	3	.	.	8	23	.
		F.		10	1	2	.	1	.	1	.	2	1	2	.	.	3	7	.
34	Other Defined Causes...	M.	180	92	15	10	5	4	6	3	4	7	24	14	5	4	27	56	14
		F.		88	19	6	4	8	.	2	10	10	19	10	1	2	24	61	30
35	Causes ill-defined or unknown	M.	66	29	7	1	.	.	2	1	1	7	9	1	.	.	3	26	22
		F.		37	2	5	3	3	1	4	6	5	8	.	.	.	1	36	33

ABSTRACT V—continued—No. 25—Causes of Death in Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1931

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	854 {	413 441	24 20	10 10	5 7	15 13	15 20	9 25	21 28	69 69	140 137	105 112	9 9	9 11	56 50	339 371	157 179		
1	Typhoid Fever (including Para-typhoid). M. F. }	4 {	3 1	. .	. .	. .	2 1	. 1	. .	. .	. .	. .	. .	. .	. .	3 1	. .	. .		
2	Typhus M. F. }	2 {	. 2	. .	. .	. .	. .	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. 2	. .		
3	Measles M. F. }	1 {	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. 1		
4	Scarlet Fever... ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Whooping-cough M. F. }	3 {	2 1	1 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 1	1 1		
6	Diphtheria M. F. }	1 {	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	38 {	14 24	. .	. .	. .	. 1	. .	. 2 1	. 2 5	. 6 13	. 3 5	. .	. 1	. .	. 14 23	. 8 13			
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	43 {	19 24	. .	. .	. 3	8 3	5 9	2 3	2 2	2 3	. 1	. .	3 2	. 2	5 2	11 18	. 3		
12	Other Tuberculous Diseases ...M. F. }	16 {	8 8	. .	1 1	1 1	1 2	. 2	. 1	1 1	4 1	. .	. 2 1	. 1	1 2	4 5	. 1	1 3		
13	Cancer M. F. }	58 {	28 30	. .	. .	. .	. .	. .	. 2	3 3	11 16	10 6	5 3	1 2	. .	8 2	19 26	1 3		
14	Diabetes Mellitus M. F. }	9 {	6 3	. .	. .	. .	. 1	. .	1 1	2 .	2 .	1 .	. 1	. .	. .	6 3	. 2	2 3		

15	Cerebral Hemorrhage, etc. (No. 82).	M. } F. }	56 {	27 29	.	.	.	.	2	1	1	8	13	4	.	.	5	22	6
16	Heart Disease ...	...M. } ...F. }	94 {	47 47	.	.	.	1	1	1	2	12	19	12	1	.	5	41	2
17	Other Circulatory Diseases	...M. } ...F. }	5 {	2 3	.	.	.	.	.	.	.	1	1	1	.	.	1	2	.
18	Bronchitis ...	...M. } ...F. }	71 {	33 38	4 3	.	.	.	.	1	1	5	16	6	.	3	3	27	13
19	Pneumonia (All Forms)	...M. } ...F. }	45 {	19 26	2 1	2 1	.	1	2	2	1	1	7	2	.	1	3	15	3
20	Other Respiratory Diseases	...M. } ...F. }	8 {	5 3	1 3	.	.	.	1	.	2	1	1	1	.	.	.	5	1
21	Gastric and Duodenal Ulcer	...M. } ...F. }	7 {	4 3	.	.	.	1	.	.	1	1	1	1	.	.	1	3	.
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	5 {	2 3	1 3	1	.	.	.	.	.	.	.	.	.	.	.	2	1
23	Appendicitis ...	...M. } ...F. }	3 {	2 1	.	.	1	1	.	.	.	1	.	.	1	.	2	.	.
24	Cirrhosis of the Liver	...M. } ...F. }	4 {	1 3	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
25	Other Diseases of Liver, Etc.	...M. } ...F. }	4 {	1 3	.	.	.	.	.	1	1	.	1	.	1	.	.	1	1
26	Other Digestive Diseases	...M. } ...F. }	21 {	9 12	.	1	1	1	.	.	.	3	2	1	.	.	1	8	3
27	Acute and Chronic Nephritis	...M. } ...F. }	27 {	15 12	.	.	.	.	1	3	2	11	1	1	.	.	2	12	5
28	Puerperal Sepsis ...	...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	...F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	20 {	10 10	10 10	.	.	.	.	.	.	.	.	.	1	.	3	7	6
31	Senility ...	...M. } ...F. }	204 {	99 105	.	.	.	.	.	.	.	.	34	65	.	1	4	94	83
32	Suicide ...	...M. } ...F. }	5 {	2 3	.	.	.	.	1	2	.	1	1	.	.	.	.	2	.
33	Other Violence ...	...M. } ...F. }	11 {	9 2	1 .	1 1	2 .	.	1	.	.	4	.	.	.	.	2	7	.
34	Other Defined Causes ...	...M. } ...F. }	57 {	29 28	4 2	1 2	2 2	1 2	2 1	1 3	4 3	2 2	11	3	1	3	8	17	8
35	Causes ill-defined or unknown	...M. } ...F. }	30 {	17 13	.	2 1	.	2	1	1	1	7	7	.	.	.	1	17	15

ABSTRACT V—continued—No. 26—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	2,075 {	1,060 1,015	84 51	19 21	34 31	39 51	43 52	29 45	90 64	128 95	258 249	336 366	25 29	25 16	125 100	885 870	437 502		
1	Typhoid Fever (including Para-typhoid). M. F. }	8 {	1 7	. .	. .	. .	5 .	1 2	. .	. .	. .	. .	. .	. .	. .	1 6	1 .	. .		
2	Typhus M. F. }	2 {	2 .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	2 .	. .	. .		
3	Measles M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
4	Scarlet Fever... ..M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
5	Whooping-cough M. F. }	15 {	7 8	7 2	. 4	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 2	7 6	3 5		
6	Diphtheria M. F. }	10 {	6 4	. 1	. 2	5 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	5 1	1 3	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	105 {	52 53	6 2	1 2	2 2	1 1	3 1	1 1	2 1	6 5	17 32	13 6	. .	3 3	2 2	47 48	23 31		
9	Encephalitis Lethargica M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
10	Cerebro-spinal Fever M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
11	Tuberculosis of Respiratory System. M. F. }	146 {	66 80	1 1	2 .	2 6	15 28	20 21	8 10	9 10	5 3	4 1	. .	6 14	7 2	14 18	39 46	6 14		
12	Other Tuberculous Diseases M. F. }	24 {	14 10	. .	. .	1 3	4 2	5 1	2 3	1 .	1 1	. .	. .	. 1	1 2	7 3	6 4	1 1		
13	Cancer M. F. }	149 {	86 63	. .	. .	. .	1 .	. 2	2 4	13 19	31 16	27 14	12 8	4 6	1 .	13 5	68 52	13 10		
14	Diabetes Mellitus M. F. }	15 {	8 7	. .	. .	2 .	. 1	1 .	. .	. .	1 3	4 3	. .	. .	. .	1 1	7 6	1 .		

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. } F. }	85 {	44 41	.	.	1	1	1	1	5	7	18 21	10 9	.	1	3 4	40 37	12 17
16	Heart Disease ...	...M. } ...F. }	170 {	89 81	.	1	1	3 3	2 3	2 4	15 13	35 21	18 26	10	1	2	17 11	71 67	18 21
17	Other Circulatory Diseases	...M. } ...F. }	20 {	14 6	.	.	.	.	1	2 1	2 1	6 2	3 2	1 1	1	4 1	8 4	1	
18	Bronchitis ...	...M. } ...F. }	125 {	66 59	2 4	2 2	1	1	1	2	4	10 4	27 27	20 17	1	1	4 6	61 52	35 29
19	Pneumonia (All Forms)	...M. } ...F. }	107 {	58 49	13 7	6 4	3 2	4	1 4	2 1	4 1	9 6	10 12	6 12	2 1	1	4 4	51 44	6 12
20	Other Respiratory Diseases	...M. } ...F. }	36 {	21 15	.	1	1	1	2 1	2 1	4 3	6 3	2 4	3 2	1	2 15	18 15	3 4	
21	Gastric and Duodenal Ulcer	...M. } ...F. }	23 {	17 6	.	.	1	1	1	4 1	4 1	6 1	1	1	.	4 6	12 6	6 2	
22	Diarrhoea and Enteritis (under 2 years).	2 M. } F. }	9 {	4 5	4 5	.	.	.	.	.	.	.	.	1 1	.	3 4	1 2		
23	Appendicitis ...	...M. } ...F. }	11 {	10 1	.	.	2	.	1	3	3 1	1	.	1	.	7 1	2 1	2	
24	Cirrhosis of the Liver	...M. } ...F. }	5 {	4 1	.	.	.	.	1	1	1	.	2	1 1	.	3	.		
25	Other Diseases of Liver, Etc.	...M. } ...F. }	5 {	2 3	.	.	.	1	.	.	1	1	1	.	.	2 3	2		
26	Other Digestive Diseases	...M. } ...F. }	47 {	26 21	3 1	1	2	1	.	1	3 3	6 8	9 8	4 1	1 1	5 2	19 17	4 4	
27	Acute and Chronic Nephritis	...M. } ...F. }	30 {	17 13	.	.	.	.	1	2 2	4 2	6 5	4 4	.	.	3 1	14 12	2 5	
28	Puerperal Sepsis ...	...F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.		
29	Other Puerperal Causes	...F. }	14	14	.	.	1	8	5	.	.	.	.	.	.	1	13	1	
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	59 {	35 24	33 22	2 1	.	1	.	.	.	.	.	1 2	.	6 6	28 16	15 5	
31	Senility ...	...M. } ...F. }	629 {	288 341	.	.	.	.	.	.	.	.	59 73	229 268	.	1 1	6 13	281 327	241 296
32	Suicide ...	...M. } ...F. }	3 {	3	.	.	.	.	.	3	.	.	.	.	.	3	.		
33	Other Violence ...	...M. } ...F. }	23 {	11 12	.	1 1	.	1	.	3 1	2 3	1 5	3 5	.	1	4 4	6 8	.	
34	Other Defined Causes ...	...M. } ...F. }	138 {	77 61	15 4	4 2	8 10	6 4	3 2	2 10	9 4	8 6	13 9	9 10	5 4	5 8	11 49	56 49	20 19
35	Causes ill-defined or unknown	...M. } ...F. }	57 {	29 28	.	1	1	1	2	2 1	4 3	8 10	12 11	.	.	29 28	24 28	24 22	

ABSTRACT V—continued—No. 27—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.	
	ALL CAUSES M. } F. }	1,138 {	586 552	35 27	19 8	8 6	24 15	21 19	20 25	39 30	67 78	166 160	187 184	21 15	14 8	91 67	460 462	207 251	
1	Typhoid Fever (including Para- M. } typhoid). F. }	3 {	1 2	.	.	.	2	1	.	.	.	.	.	.	.	1 2	.	.	
2	Typhus M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet Fever... ..M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
5	Whooping-cough M. } F. }	4 {	4	1	3	.	.	.	.	.	.	.	.	.	.	.	4	1	
6	Diphtheria M. } F. }	10 {	7 3	.	3	3 2	1	1	.	.	.	.	.	.	.	3 2	4 1	1	
7	Dysentery M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. } F. }	41 {	17 24	1	2	.	1	.	.	2 1	3 5	4 12	7 3	.	1	1 2	16 21	8 11	
9	Encephalitis Lethargica ...M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. } System. F. }	44 {	25 19	.	.	.	6 6	7 4	6 5	3 1	2 2	1 1	.	2 5	2 4	10 2	11 8	2 4	
12	Other Tuberculous Diseases ...M. } F. }	6 {	2 4	1	.	.	1 2	1 1	.	.	.	.	.	1 1	.	1 2	1	.	
13	Cancer M. } F. }	67 {	33 34	.	.	.	1	1	3	5 7	8 12	15 8	3 4	3 3	1	12 5	17 26	1	
14	Diabetes Mellitus M. } F. }	9 {	5 4	.	.	.	.	.	.	1	1 1	2 1	1 2	.	.	.	5 4	1	

15	Cerebral Hemorrhage, etc. (No. 82).	M. F. }	69	32	.	.	.	1	.	.	1	10	13	7	1	3	7	21	9
				37	.	.	.	.	.	.	3	7	14	13	.	.	6	31	16
16	Heart Disease ...	M. F. }	128	70	.	.	.	1	3	1	8	13	25	19	2	.	9	59	9
				58	.	.	.	3	1	3	5	15	23	8	.	1	11	46	8
17	Other Circulatory Diseases	M. F. }	14	7	.	.	.	.	.	.	1	2	4	.	.	.	7	.	3
				7	.	.	.	.	.	.	1	2	4	.	.	1	6	.	3
18	Bronchitis ...	M. F. }	60	30	1	.	.	1	.	3	1	5	14	5	.	.	4	26	8
				30	2	1	.	.	.	1	2	7	9	8	.	.	8	22	5
19	Pneumonia (All Forms)	M. F. }	47	31	4	4	.	2	.	3	2	4	10	2	1	.	3	27	2
				16	3	.	.	.	.	.	3	7	3	3	.	.	16	1	1
20	Other Respiratory Diseases	M. F. }	19	11	.	.	.	.	.	.	2	4	3	2	.	.	11	.	.
				8	.	.	.	.	.	.	1	3	1	3	.	.	8	.	.
21	Gastric and Duodenal Ulcer	M. F. }	6	4	.	.	.	1	1	.	2	.	.	.	.	.	2	2	.
				2	.	.	.	.	.	.	.	1	.	1	.	.	2	2	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	4	3	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.
				1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.
23	Appendicitis ...	M. F. }	7	6	.	1	.	.	1	1	.	1	2	.	3	.	2	1	.
				1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	5	4	.	1	.	.	.	.	2	.	1	.	1	.	.	3	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
26	Other Digestive Diseases	M. F. }	22	12	2	1	2	3	.	.	1	.	2	1	.	.	2	10	.
				10	.	2	.	.	.	.	3	2	1	1	1	.	1	8	3
27	Acute and Chronic Nephritis	M. F. }	32	16	.	.	.	1	2	1	2	4	4	2	.	.	10	6	1
				16	.	1	.	.	1	2	2	2	7	1	.	.	8	8	.
28	Puerperal Sepsis ...	F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
29	Other Puerperal Causes	F. }	3	3	.	.	.	.	2	1	.	.	.	.	.	.	1	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	37	19	19	.	.	.	.	.	.	.	.	.	1	.	2	16	10
				18	17	.	1	.	.	.	.	.	.	.	3	.	1	14	9
31	Senility ...	M. F. }	352	169	.	.	.	.	.	.	.	.	42	127	.	8	4	157	134
				183	.	.	.	.	.	.	.	.	53	130	.	.	.	183	162
32	Suicide ...	M. F. }	3	1	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
				2	.	.	.	.	1	.	.	.	1	.	.	.	1	1	.
33	Other Violence ...	M. F. }	16	10	2	1	.	.	2	1	.	1	3	.	.	.	4	6	.
				6	.	.	.	.	2	1	.	.	3	.	.	.	3	3	.
34	Other Defined Causes ...	M. F. }	77	43	2	2	3	5	2	2	3	8	12	4	6	.	12	25	2
				34	3	.	1	1	5	8	2	5	6	3	2	2	8	22	6
35	Causes ill-defined or unknown	M. F. }	50	24	.	3	.	.	1	1	4	2	13	.	.	.	1	23	18
				26	1	.	1	.	.	.	4	10	10	.	.	.	26	26	23

ABSTRACT V—continued—No. 23—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.
	ALL CAUSES M. F. }	1,069 {	520 549	41 20	16 11	8 10	21 23	26 25	22 20	32 47	72 69	150 151	132 173	14 16	15 23	80 63	411 447	157 200
1	Typhoid Fever (including Para- M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Scarlet Fever... .. M. F. }	1 {	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
5	Whooping-cough M. F. }	2 {	1 1	. 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	1 1
6	Diphtheria M. F. }	2 {	. 2	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	47 {	18 29	2 .	2 1	. 2	1 1	. .	. 1	. 1	3 2	10 16	. 5	. .	. 2	. .	18 27	12 14
9	Encephalitis Lethargica M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of Respiratory System. M. F. }	51 {	18 33	. .	. .	. 2	2 7	7 11	2 3	3 7	2 2	2 1	. .	3 7	2 4	5 5	8 17	1 .
12	Other Tuberculous Diseases M. F. }	34 {	14 20	. .	. 1	. 1	5 9	2 5	6 1	1 1	. 2	. .	. .	. 1	. 3	6 7	5 12	. .
13	Cancer M. F. }	88 {	52 36	. .	. .	. .	. .	1 .	. 2	6 7	18 9	23 9	4 9	3 .	. 1	18 8	31 27	2 4
14	Diabetes Mellitus M. F. }	6 {	5 .	. .	1 .	. .	1 .	. .	. .	. .	2 .	1 .	. .	1 .	. .	1 .	3 1	. .

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. F. }	50 {	21	.	.	.	.	.	1	4	2	9	5	.	.	5	16	7
				29	.	.	.	.	.	1	2	12	8	6	1	1	7	20	5
16	Heart Disease ...	M. F. }	133 {	59	.	1	1	2	.	3	2	17	25	13	2	1	4	52	6
				74	.	.	.	.	2	.	.	16	29	22	.	4	15	55	8
17	Other Circulatory Diseases	M. F. }	9 {	5	.	.	.	.	.	.	1	4	.	.	1	.	1	4	.
				4	.	.	.	.	.	2	.	2	.	.	1	.	1	2	.
18	Bronchitis ...	M. F. }	61 {	30	2	2	1	.	.	1	1	4	10	9	.	1	2	27	4
				31	.	1	.	1	.	.	.	5	15	9	1	3	1	26	8
19	Pneumonia (All Forms)	M. F. }	54 {	26	6	1	.	3	2	3	.	3	2	6	.	.	.	26	3
				28	2	5	.	1	.	2	4	4	8	2	.	.	1	27	2
20	Other Respiratory Diseases	M. F. }	25 {	9	.	.	.	.	1	.	2	1	4	1	.	.	2	7	2
				16	1	.	3	.	.	3	2	2	5	5	.	.	.	16	6
21	Gastric and Duodenal Ulcer	M. F. }	7 {	6	.	.	.	.	2	1	1	.	2	.	.	1	3	2	.
				1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	9 {	8	7	1	.	.	.	.	.	.	.	.	.	.	2	6	1
				1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
23	Appendicitis ...	M. F. }	4 {	4	.	.	.	.	1	1	.	1	.	1	1	.	3	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	6 {	2	1	.	.	.	.	.	.	1	.	1	.	.	.	2	.
				4	.	.	.	.	.	2	1	1	.	1	1	.	.	3	.
26	Other Digestive Diseases	M. F. }	22 {	15	.	1	1	.	.	.	2	2	5	4	1	.	.	14	4
				7	1	1	.	.	.	.	1	2	1	1	.	1	.	6	3
27	Acute and Chronic Nephritis	M. F. }	32 {	16	.	.	.	.	1	3	2	4	4	2	.	1	4	11	3
				16	.	.	.	1	2	1	5	3	2	2	.	.	2	14	1
28	Puerperal Sepsis ...	F. }	4	4	.	.	.	1	2	1	.	.	.	.	1	.	1	2	.
29	Other Puerperal Causes	F. }	3	3	.	.	.	.	.	3	.	.	.	.	.	.	.	3	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	30 {	18	18	.	.	.	.	.	.	.	.	.	.	2	16	8	
				12	12	.	.	.	.	.	.	.	.	.	1	1	10	6	
31	Senility ...	M. F. }	258 {	107	.	.	.	.	.	.	.	.	28	79	.	.	8	99	79
				151	.	.	.	.	.	.	.	.	42	109	.	2	6	143	120
32	Suicide ...	M. F. }	9 {	9	.	.	.	.	3	1	2	.	1	2	.	.	1	8	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	22 {	18	1	2	5	2	1	.	3	1	2	1	1	.	5	12	1
				4	1	.	.	.	.	.	1	1	.	1	.	.	3	1	.
34	Other Defined Causes ...	M. F. }	64 {	41	3	3	.	4	4	2	4	6	11	4	2	6	7	26	11
				23	1	.	.	2	2	1	8	3	4	2	2	5	2	14	4
35	Causes ill-defined or unknown	M. F. }	35 {	16	1	1	.	.	1	.	1	5	7	.	.	.	1	15	12
				19	.	1	.	.	1	1	1	6	9	.	.	.	19	18	

ABSTRACT V—continued—Causes of Death in PROVINCE OF ULSTER, part of, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.	
	ALL CAUSES M. F. }	4,166 {	2,147 2,019	149 132	60 54	57 49	76 82	60 95	70 110	148 157	327 286	620 550	580 504	35 30	45 37	288 237	1,779 1,715	671 704	
1	Typhoid Fever (including Para- M. typhoid). F. }	7 {	6 1	. .	. .	. 1	. 3	. .	. .	2 .	1 .	. .	. .	. .	. .	4 1	2 .	. .	
2	Typhus M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. 1	. .	. .	
3	Measles M. F. }	5 {	. 5	1 .	. 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 3	. 2	. .	
4	Scarlet Fever... ..M. F. }	12 {	6 6	. .	1 1	2 1	1 2	. 1	1 1	1 .	. .	. .	. .	. .	. .	5 4	1 2	. .	
5	Whooping-cough M. F. }	16 {	8 8	2 2	5 6	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	8 8	8 4	
6	Diphtheria M. F. }	17 {	7 10	. .	1 6	6 4	. .	. .	. .	. .	. .	. .	. .	1 1	. .	3 5	3 4	1 .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	155 {	82 73	5 3	3 1	1 1	. 3	3 .	2 4	6 7	21 18	29 24	12 12	. .	1 .	4 6	77 67	37 33	
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	4 {	1 3	. 1	. .	. 2	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. 2	1 1	. .	
11	Tuberculosis of Respiratory System. M. F. }	240 {	103 137	1 1	1 .	4 8	26 40	24 40	18 21	12 17	9 6	8 3	. 1	7 9	4 11	20 32	72 85	9 19	
12	Other Tuberculous Diseases ...M. F. }	62 {	34 28	1 2	2 1	2 4	10 5	9 6	4 5	4 2	1 3	1 .	. .	2 2	. .	19 10	13 16	. 2	
13	Cancer M. F. }	307 {	161 146	. .	. .	1 .	. 2	. 6	3 11	21 20	44 45	65 49	25 15	3 3	1 6	33 13	124 124	9 7	
14	Diabetes Mellitus M. F. }	21 {	13 8	. .	. .	1 .	. .	. .	. 1	1 2	5 1	4 3	2 1	3 .	. .	3 3	7 7	. .	

15	Cerebral Hæmorrhage, etc (No. 82).	M. F. }	320	141 179	1 .	.	.	2	1	3 6	6 16	40 35	58 80	33 39	1 .	1 3	9 16	131 159	46 53
16	Heart Disease ...	...M. F. }	565	293 272	.	.	4 2	2 3	4 3	5 13	19 36	59 59	125 103	75 53	2 .	7 4	44 32	240 236	49 51
17	Other Circulatory Diseases	...M. F. }	74	47 27	.	.	.	.	1 .	1 3	.	11 4	24 11	11 8	.	1 .	14 9	32 18	3 .
18	Bronchitis ...	...M. F. }	265	130 135	12 8	1 5	1 2	1 1	3 .	3 2	7 3	17 22	49 64	36 28	.	2 .	8 8	120 127	41 59
19	Pneumonia (All Forms)	...M. F. }	209	116 93	15 13	15 15	4 2	4 1	1 4	5 6	3 8	17 12	32 23	20 9	2 .	1 .	12 4	104 86	14 9
20	Other Respiratory Diseases	...M. F. }	67	45 22	5 .	1 1	2 2	3 1	1 3	1 .	4 2	6 7	13 5	9 1	1 .	2 4	43 17	10 8	
21	Gastric and Duodenal Ulcer	...M. F. }	36	26 10	.	.	.	1 .	2 .	4 2	6 .	10 3	4 3	1 .	2 1	5 1	19 8	7 .	
22	Diarrhœa and Enteritis (under 2 years.)	M. F. }	19	12 7	9 6	3 1	.	.	.	.	.	.	.	.	1 .	1 .	11 6	4 2	
23	Appendicitis ...	...M. F. }	12	9 3	.	.	3 2	1 .	2 1	.	2 .	1 .	.	.	1 .	7 3	1 .	.	
24	Cirrhosis of the Liver	...M. F. }	2	2 .	.	.	.	.	.	.	.	1 .	.	1 .	.	.	2 .	.	
25	Other Diseases of Liver, Etc.	...M. F. }	12	4 8	.	.	.	1 .	1 .	1 .	1 1	2 3	.	1 .	1 .	3 .	4 4	1 .	
26	Other Digestive Diseases	...M. F. }	106	54 52	4 4	5 1	1 4	2 1	1 3	1 2	9 5	6 7	17 17	8 8	2 3	4 5	48 43	6 6	
27	Acute and Chronic Nephritis	...M. F. }	128	68 60	.	.	3 .	2 1	1 5	2 6	12 15	13 17	22 11	13 5	1 .	1 .	5 4	61 56	4 9
28	Puerperal Sepsis ...	...F. }	8	8	.	.	.	1 .	5 .	2 .	.	.	.	1 .	.	3 .	4 .	.	
29	Other Puerperal Causes	...F. }	22	22	.	.	.	2 .	7 .	12 .	1 .	.	.	.	.	7 .	15 .	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	141	70 71	69 71	1 .	.	.	.	.	.	.	.	.	3 2	14 9	53 60	28 34	
31	Senility ...	...M. F. }	809	403 406	.	.	.	.	.	.	.	.	90 101	313 305	.	5 1	17 16	381 389	316 331
32	Suicide ...	...M. F. }	8	7 1	.	.	.	2 .	.	1 .	1 .	1 1	1 .	1 .	.	1 .	6 1	.	
33	Other Violence ...	...M. F. }	81	51 30	4 2	7 4	3 4	7 4	1 1	4 1	5 1	12 1	5 4	3 8	3 1	13 7	34 22	2 1	
34	Other Defined Causes ...	...M. F. }	324	197 127	18 15	10 5	17 9	11 14	6 6	11 11	21 10	35 20	51 28	17 9	5 1	21 10	40 23	131 93	30 25
35	Causes ill-defined or unknown	...M. F. }	111	51 60	3 3	4 3	1 1	.	1 .	1 2	4 8	15 22	22 20	1 .	.	1 3	50 57	46 51	

ABSTRACT V—continued—No. 29.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. F. }	1,208 {	630 578	51 42	16 15	15 17	17 18	19 27	19 26	39 41	106 92	188 163	160 137	18 13	13 15	97 79	502 471	193 198		
1	Typhoid Fever (including Para- M. typhoid). F. }	2 {	2 .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	2 .	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	3 {	. 3	1 .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	1 .	. .		
4	Scarlet Fever... ..M. F. }	1 {	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
5	Whooping-cough M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
6	Diphtheria M. F. }	8 {	3 5	. 2	. .	3 3	. .	. .	. .	. .	. .	. .	. .	1 1	. .	2 3	1 .	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	45 {	27 18	3 .	. .	. .	. 1	2 .	. 1	2 1	6 5	10 6	4 4	. .	. .	1 .	26 18	13 6		
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. System. F. }	60 {	26 34	. .	. .	2 1	7 10	9 11	3 4	1 4	1 3	3 .	. 1	3 3	2 5	8 4	13 22	2 4		
12	Other Tuberculous Diseases ...M. F. }	18 {	10 8	1 .	1 .	. 2	3 1	3 1	1 1	1 .	. 2	1 .	. .	2 .	. .	2 3	6 5	. .		
13	Cancer M. F. }	91 {	49 42	. .	. .	. .	. .	. 2	1 2	6 8	16 14	20 13	6 3	2 1	3 .	11 2	36 36	4 2		
14	Diabetes Mellitus M. F. }	8 {	4 4	. .	. .	1 .	. .	. .	1 1	1 .	1 1	1 1	1 1	2 .	. .	1 3	1 1	. .		

15	Cerebral Haemorrhage, Etc. (No. M. 82).	M. F. }	83 {	43	1	.	.	.	.	.	3	1	4	16	15	8	.	.	3	40	17
				40	.	.	.	.	.	.	1	.	.	11	21	3	.	2	4	34	13
16	Heart Disease ...	M. F. }	198 {	102	.	.	1	.	1	3	4	22	44	24	29	1	2	24	75	11	
				96	.	.	.	.	.	6	10	24	37	17	17	.	2	24	70	17	
17	Other Circulatory Diseases	M. F. }	10 {	5	.	.	.	.	.	.	.	2	1	2	1	.	.	1	4	1	
				5	.	.	.	.	.	.	.	3	1	1	1	.	.	.	5	.	
18	Bronchitis ...	M. F. }	90 {	44	3	1	1	.	1	.	.	5	21	12	10	.	.	5	39	11	
				46	2	1	1	.	.	.	.	9	23	10	10	.	.	2	44	17	
19	Pneumonia (All Forms)	M. F. }	62 {	35	5	4	1	1	.	1	2	6	8	7	5	.	.	6	29	3	
				27	5	3	1	.	1	1	2	2	7	5	5	.	.	2	25	5	
20	Other Respiratory Diseases	M. F. }	18 {	12	.	.	1	1	.	1	3	2	3	1	.	1	.	2	10	.	
				6	.	.	2	.	.	.	2	2	2	.	.	.	.	.	5	1	
21	Gastric and Duodenal Ulcer	M. F. }	7 {	5	.	.	.	.	.	1	2	2	.	.	.	1	.	1	4	1	
				2	.	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.	
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	5 {	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	3	1	
				2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
23	Appendicitis ...	M. F. }	4 {	2	.	.	1	.	.	.	1	.	.	.	.	.	.	1	1	.	
				2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Other Diseases of Liver, Etc.	M. F. }	4 {	3	.	.	.	.	.	.	1	2	.	.	.	1	.	.	3	1	
				1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
26	Other Digestive Diseases	M. F. }	24 {	11	1	2	.	.	.	.	1	1	5	1	2	1	.	1	9	.	
				13	.	.	2	.	2	.	1	3	3	2	2	2	.	1	10	.	
27	Acute and Chronic Nephritis	M. F. }	31 {	19	.	.	1	.	.	.	1	2	9	6	.	.	.	1	18	.	
				12	.	.	.	.	3	1	4	3	.	1	.	.	.	1	11	2	
28	Puerperal Sepsis ...	F. }	3	3	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.	.	
29	Other Puerperal Causes	F. }	5	5	.	.	.	1	.	4	.	.	.	.	.	.	.	2	3	.	
30	Congenital Debility, Etc. (Nos. M. 157-161)	M. F. }	50 {	27	27	.	.	.	.	.	.	.	.	.	.	1	.	10	16	8	
				23	23	.	.	.	.	.	.	.	.	.	.	1	.	3	19	7	
31	Senility ...	M. F. }	220 {	104	.	.	.	.	.	.	.	.	23	81	.	.	1	2	101	90	
				116	.	.	.	.	.	.	.	.	32	84	.	.	.	3	113	99	
32	Suicide ...	M. F. }	3 {	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2	.	
				1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
33	Other Violence ...	M. F. }	20 {	10	2	2	.	1	1	1	1	1	1	2	2	2	1	1	7	2	
				10	2	2	1	1	.	.	.	.	2	2	2	1	.	5	4	.	
34	Other Defined Causes...	M. F. }	91 {	60	7	3	3	2	2	4	7	11	18	3	3	8	11	38	9	.	
				31	7	2	.	4	3	3	2	3	5	2	.	3	8	20	8	.	
35	Causes ill-defined or unknown	M. F. }	43 {	21	.	2	1	.	1	.	3	9	5	.	.	.	1	20	19	.	
				22	.	2	.	.	.	1	3	6	10	.	.	.	1	21	17	.	

ABSTRACT V—contd.—No. 30.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	2,020	1,042 978	81 60	27 23	33 24	46 51	27 47	26 57	69 73	137 123	289 248	307 272	8 10	14 12	110 103	910 853	385 392		
1	Typhoid Fever (including Para- M. typhoid). F. }	5	4 1	. .	. .	1 .	2 .	. .	. .	1 .	1 .	. .	. .	. .	. .	2 1	2 .	. .		
2	Typhus M. F. }	1	. 1	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. 1	. .	. .		
3	Measles M. F. }	1	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .		
4	Scarlet Fever... ..M. F. }	8	4 4	. .	. .	1 .	1 2	. 1	1 1	1 .	. .	. .	. .	. .	. .	3 3	1 1	. .		
5	Whooping-cough M. F. }	13	8 5	2 2	5 3	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	8 5	8 3		
6	Diphtheria M. F. }	7	4 3	. .	1 2	3 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	3 2	1 .		
7	Dysentery M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	89	43 46	2 2	1 1	1 1	. 2	1 .	2 3	3 5	10 10	15 17	8 5	. .	. .	3 6	40 40	19 23		
9	Encephalitis Lethargica ...M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. F. }	3	1 2	. .	. .	2 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. 2	1 .	. .		
11	Tuberculosis of Respiratory M. System. F. }	132	57 75	1 1	. .	2 5	14 25	13 22	7 10	7 8	8 1	5 3	. .	. 2	1 3	11 21	45 49	6 15		
12	Other Tuberculous Diseases ...M. F. }	33	19 14	1 1	1 .	1 2	7 2	3 2	2 4	3 2	1 .	. .	. .	. 1	. .	14 4	5 9	. 1		
13	Cancer M. F. }	143	75 68	. .	. .	1 .	. .	1 2	2 6	8 8	18 23	31 22	14 7	. 1	1 1	12 6	62 60	4 5		
14	Diabetes Mellitus M. F. }	5	4 1	. .	. .	. .	. .	. .	. .	. .	2 1	1 .	1 .	1 .	. .	2 .	1 .	. .		

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	153	{	58	.	.	.	2	1	3	5	13	23	17	.	1	2	55	17
					95	.	.	.				6	14	41	28	1	1	8	85	32
16	Heart Disease ...	...M. F. }	227	{	128	.	.	4	2	2	1	6	28	56	29	1	5	8	114	32
					99	.	.	.	2	2	5	14	17	39	20	.	2	3	94	23
17	Other Circulatory Diseases	...M. F. }	50	{	31	.	.	.	.	.	1	3	5	18	8	.	1	11	19	2
					19	.	.	.	.	.		1	1	8	6	.	.	9	10	.
18	Bronchitis ...	...M. F. }	90	{	48	8	.	.	1	1	2	3	5	14	14	.	.	3	45	18
					42	5	3	1	.	.	.	2	6	16	9	.	.	6	36	19
19	Pneumonia (All Forms)	...M. F. }	100	{	57	10	8	3	2	1	2	.	5	16	10	.	.	1	56	11
					45	6	9	.	2	2	3	3	5	11	4	1	.	2	40	3
20	Other Respiratory Diseases	...M. F. }	34	{	24	3	1	1	1	.	.	.	2	9	7	.	.	.	24	9
					10	.	1	.	1	2	.	.	4	2	.	.	.	3	7	5
21	Gastric and Duodenal Ulcer	...M. F. }	18	{	13	.	.	.	.	2	1	2	7	2	1	1	.	1	11	4
					5	.	.	.	.	.	1	.	.	2	.	.	.	.	5	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	7	{	6	5	1	.	.	.	.	.	.	.	.	.	.	.	6	3
					1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis ...	...M. F. }	4	{	4	.	.	2	.	.	.	1	1	.	.	1	.	3	.	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	...M. F. }	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	...M. F. }	8	{	1	.	.	.	1	.	1	.	3	1	.	.	.	3	1	.
					7	.	.	.	1	1	.	1	.	.	.	.	.	.	4	.
26	Other Digestive Diseases	...M. F. }	52	{	25	3	.	1	.	1	1	6	1	7	5	.	.	1	24	4
					27	2	.	2	1	1	2	2	2	9	6	1	1	3	22	4
27	Acute and Chronic Nephritis	...M. F. }	65	{	31	.	.	1	1	.	1	8	7	9	4	.	1	2	28	2
					34	.	.	.	.	1	2	8	11	8	4	.	.	1	33	7
28	Puerperal Sepsis ...	...F. }	5	{	5	.	.	.	1	2	2	.	.	.	.	1	.	.	4	.
29	Other Puerperal Causes	...F. }	11	{	11	.	.	.	.	5	5	1	.	.	.	.	.	5	6	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	69	{	33	37	1	.	.	.	.	.	.	.	.	2	.	4	32	18
					31	31	.	.	.	.	.	.	.	.	.	1	.	1	29	21
31	Senility ...	...M. F. }	448	{	225	.	.	.	.	.	.	.	.	51	174	.	.	7	218	188
					223	.	.	.	.	.	.	.	.	48	175	.	1	1	221	192
32	Suicide ...	...M. F. }	2	{	2	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	...M. F. }	35	{	22	1	2	2	6	.	.	3	4	1	3	.	.	4	18	.
					13	.	1	3	3	.	1	.	.	2	3	.	.	.	13	1
34	Other Defined Causes ...	...M. F. }	152	{	86	5	5	9	8	4	2	10	14	17	12	2	4	15	65	18
					66	6	2	5	9	1	6	7	15	11	4	1	3	11	51	13
35	Causes ill-defined or unknown	...M. F. }	50	{	24	3	1	.	.	.	1	1	4	14	.	.	.	.	24	21
					26	3	.	1	.	.	1	3	10	7	1	.	.	1	25	25

ABSTRACT V—contd.—No. 31.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1931.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. F. }	938 {	475 463	17 30	17 16	9 8	13 13	14 21	25 27	40 43	84 71	143 139	113 95	9 7	18 10	81 55	367 391	93 114		
1	Typhoid Fever (including Para-M. typhoid). F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	1 {	. 1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .		
4	Scarlet Fever... ..M. F. }	3 {	2 1	. .	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 2 1	. .	. .		
5	Whooping-cough M. F. }	3 {	. 3	. .	. 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 3	. 1		
6	Diphtheria M. F. }	2 {	. 2	. .	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. 1	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	21 {	12 9	. 1	. 2	. .	. .	. .	. .	. 1 1	. 5 3	. 4 1	. 3	. .	. 1	. .	. 11 9	. 5 4		
9	Encephalitis Lethargica ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. F. }	1 {	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .		
11	Tuberculosis of Respiratory System. M. F. }	48 {	20 28	. .	. 1 2	. 5 5	. 2 7	. 8 7	. 4 5	. .	. 2	. .	. .	. 4 4	. 1 3	. 1 7	. 14 14	. 1 .		
12	Other Tuberculous Diseases ..M. F. }	11 {	5 6	. .	. 1	. 1 2	. 3 3	. 1 .	. .	. .	. .	. .	. .	. 1	. .	. 3 3	. 2 2	. 1		
13	Cancer M. F. }	73 {	37 36	. .	. .	. .	. 1 2	. .	. 7 3	. 10 4	. 14 8	. 14 14	. 5 5	. 1 1	. 2	. 10 5	. 26 28	. 1 .		
14	Diabetes Mellitus M. F. }	8 {	5 3	. .	. .	. .	. .	. .	. .	. 2	. 2	. 2 1	. 1	. .	. .	. .	. 5 3	. .		

15	Cerebral Hæmorrhage, Etc. (No. M 82).	M.F. }	84 {	40	.	.	.	.	.	.	2	1	11	20	8	.	.	4	36	12
				44	.	.	.	.	.	.	.	6	10	18	8	.	.	4	40	8
16	Heart Disease ...	...M.F. }	140 {	63	.	.	1	1	.	2	1	9	9	25	17	.	.	12	51	6
				77	.	.	.	.	.	2	2	12	18	27	16	.	.	5	72	11
17	Other Circulatory Diseases	...M.F. }	14 {	11	.	.	.	.	.	1	.	.	4	5	1	.	.	2	9	.
				3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3	.
18	Bronchitis ...	...M.F. }	85 {	38	1	.	.	1	.	1	1	4	7	14	10	.	2	.	36	12
				47	1	1	.	1	.	2	2	1	7	25	9	.	.	.	47	23
19	Pneumonia (All Forms)	...M.F. }	47 {	24	.	3	.	1	1	.	2	1	6	8	3	.	.	5	19	.
				23	2	3	1	1	1	2	3	5	5	.	.	1	1	.	21	1
20	Other Respiratory Diseases	...M.F. }	15 {	9	2	.	.	1	1	.	1	2	1	1	1	.	.	1	9	1
				6	.	.	.	.	1	.	.	3	1	1	.	.	.	1	5	2
21	Gastric and Duodenal Ulcer	...M.F. }	11 {	8	.	.	.	1	.	.	2	1	2	1	.	1	.	3	4	2
				3	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
22	Diarrhœa and Enteritis (under 2 years).	2 M.F. }	7 {	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
				4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4	2
23	Appendicitis ...	...M.F. }	4 {	3	.	.	.	1	2	.	.	.	.	.	.	.	.	3	.	.
				1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	...M.F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	...M.F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	...M.F. }	30 {	18	.	3	.	2	.	.	.	2	4	5	2	1	.	2	15	2
				12	2	1	.	.	.	.	2	2	2	5	.	.	.	1	11	2
27	Acute and Chronic Nephritis	...M.F. }	32 {	18	.	.	1	1	1	1	3	3	4	4	3	1	.	2	15	2
				14	.	.	.	1	1	3	3	3	3	3	.	.	.	2	12	.
28	Puerperal Sepsis ...	...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	...F. }	6	6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	6	.
30	Congenital Debility, Etc. (Nos. 157-161).	M.F. }	22 {	5	5	.	.	.	.	.	.	.	.	.	.	.	.	5	5	2
				17	17	.	.	.	.	.	.	.	.	.	.	.	.	.	12	6
31	Senility ...	...M.F. }	141 {	74	.	.	.	.	.	.	.	.	.	16	58	.	4	8	62	38
				67	.	.	.	.	.	.	.	.	.	21	46	.	.	12	55	40
32	Suicide ...	...M.F. }	3 {	3	.	.	.	.	.	1	.	.	.	1	1	.	.	1	2	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	...M.F. }	26 {	19	1	3	1	.	.	3	1	7	3	.	.	1	1	8	9	.
				7	.	1	.	.	1	.	1	1	.	3	.	.	.	2	5	.
34	Other Defined Causes ...	...M.F. }	81 {	51	6	2	5	1	.	5	4	10	16	2	.	.	9	14	28	3
				30	2	1	4	1	2	2	1	2	12	3	.	4	4	22	4	.
35	Causes ill-defined or unknown	...M.F. }	18 {	6	.	1	.	.	.	.	.	2	2	3	.	.	.	1	6	6
				12	.	1	.	.	.	.	.	6	3	.	.	.	.	11	11	9

ABSTRACT VI.—CAUSES OF DEATH, &c., during the year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.						SAORSTAT EIREANN.		PROVINCE OF LEINSTER	
							Total U.D.'s.*	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.
	ALL CAUSES	...	...	...	...	{M. F.	6,747 6,927	15,007 14,266	4,411 4,516	4,571 4,294
1	Typhoid fever (including paratyphoid)	...	...	...	...	{M. F.	8 5	29 26	4 3	3 3
2	Typhus	...	...	...	...	{M. F.	. .	6 5	. .	. .
3	Measles	...	...	...	...	{M. F.	165 130	34 43	139 108	20 28
4	Scarlet Fever	...	...	...	...	{M. F.	15 12	24 23	14 10	7 1
5	Whooping-cough	...	...	...	...	{M. F.	23 23	49 34	22 23	10 5
6	Diphtheria	...	...	...	...	{M. F.	72 69	78 98	45 38	23 43
7	Dysentery	...	...	...	...	{M. F.	2 1	. 1	2 .	. .
8	Influenza	...	...	...	...	{M. F.	159 190	533 590	103 114	171 174
9	Encephalitis lethargica	...	...	...	...	{M. F.	5 8	11 12	2 5	7 7
10	Cerebro-spinal fever	...	...	...	...	{M. F.	6 2	4 7	6 1	. 3
11	Tuberculosis of respiratory system	...	...	...	...	{M. F.	599 617	867 968	416 410	310 290
12	Other tuberculous diseases	...	...	...	...	{M. F.	195 192	232 232	127 128	94 77
13	Cancer	...	...	...	...	{M. F.	540 519	1,213 1,022	343 328	356 329
14	Diabetes mellitus	...	...	...	...	{M. F.	32 37	100 74	19 24	28 22
15	Cerebral hæmorrhage, etc. (No. 82)...	...	...	...	...	{M. F.	326 456	734 915	218 297	232 313
16	Heart disease	...	...	...	...	{M. F.	942 1,105	2,066 1,911	548 711	704 631
17	Other circulatory diseases	...	...	...	...	{M. F.	107 93	196 144	72 66	65 50

19	Pneumonia (all forms)	{M. F.	681 571	812 634	509 427	253 198	
20	Other respiratory diseases	{M. F.	155 139	281 206	104 84	84 61	
21	Gastric and duodenal ulcer	{M. F.	64 24	174 72	37 10	52 21	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	182 128	136 87	100 75	38 31	
23	Appendicitis	{M. F.	31 15	88 49	18 8	22 21	
24	Cirrhosis of the liver	{M. F.	19 7	47 16	17 5	20 4	
25	Other diseases of liver, etc.	{M. F.	23 40	45 60	17 35	15 21	
26	Other digestive diseases	{M. F.	171 161	352 349	93 92	107 120	
27	Acute and chronic nephritis	{M. F.	250 198	455 372	179 151	164 129	
28	Puerperal sepsis	F.	23	43	15	13	
29	Other puerperal causes	F.	59	121	29	33	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	387 326	575 476	283 232	222 174	
31	Senility	{M. F.	336 557	2,942 3,316	150 296	679 770	
32	Suicide	{M. F.	28 5	55 20	15 3	12 4	
33	Other violence	{M. F.	182 97	373 185	115 62	123 61	
34	Other defined causes	{M. F.	566 509	1,318 958	334 317	393 314	
35	Causes ill-defined or unknown	{M. F.	49 53	346 408	33 27	78 104	
Deaths under one year of age			{M. F.	1,043 766	1,186 940	706 528	395 335
,, 65 years and upwards			{M. F.	1,933 2,515	7,872 7,595	1,182 1,619	2,186 2,105
Uncertified Deaths			{M. F.	174 221	3,889 4,500	89 86	814 888
Number of Births			{M. F.	10,615 9,910	18,794 17,767	7,053 6,555	5,439 5,207
Population (Census, 1926)				876,677	2,095,315	561,718	587,374

*Including Cities and Boroughs.

ABSTRACT VI—continued—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CARLOW COUNTY				DUBLIN COUNTY.							CITY OF DUBLIN
		U.D.	R.D.	Urban Districts.		Rural S.R. Districts.			TOTAL U.D.'s.	TOTAL R.D.'s.			
		Carlow U.D. (1)	Carlow S.R.D. Rural (1)	Dun-laoghaire (4)	Howth (3)	Bal-rothery (2)	Dublin (3)	Rath-down (4)					
	ALL CAUSES {M. F.	63 51	195 215	232 265	18 33	125 141	203 179	104 114	250 298	432 434	3,226 3,305		
1	Typhoid fever (including paratyphoid) ... {M. F.	. .	. .	. 1	. .	. .	. .	. .	. 1	. .	2 2		
2	Typhus {M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles {M. F.	. .	1 2	6 2	. .	1 1	2 5	. 1	6 2	3 7	122 101		
4	Scarlet fever {M. F.	. .	2 .	1 .	2 .	. .	. .	. .	1 2	. .	11 8		
5	Whooping-cough {M. F.	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	16 15		
6	Diphtheria {M. F.	1 .	1 3	. .	1 .	. 1	1 4	. .	1 .	1 5	38 34		
7	Dysentery {M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .		
8	Influenza {M. F.	4 2	6 7	4 9	1 3	2 5	4 7	2 1	5 12	8 13	56 66		
9	Encephalitis lethargica {M. F.	. .	. .	. .	. .	. 1	1 1	1 1	. .	2 3	2 4		
10	Cerebro-spinal fever {M. F.	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	5 1		
11	Tuberculosis of respiratory system ... {M. F.	8 5	12 9	15 15	. 1	10 8	28 14	11 12	15 16	49 34	331 299		
12	Other tuberculous diseases {M. F.	1 .	1 .	5 3	1 2	4 2	8 6	. 1	6 5	12 9	96 101		
13	Cancer {M. F.	4 2	10 25	26 36	3 1	6 12	20 14	14 12	29 37	40 38	220 230		
14	Diabetes mellitus {M. F.	. .	1 .	3 1	. .	. .	1 .	. .	3 1	1 .	10 20		
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	5 6	8 26	15 24	2 2	8 9	11 10	10 11	17 26	29 30	143 209		
16	Heart disease {M. F.	17 17	53 36	42 55	2 5	13 19	26 20	10 17	44 60	49 56	382 490		
17	Other circulatory diseases {M. F.	. .	5 .	6 .	. .	2 .	4 .	2 .	. .	. .	. .		

18	Bronchitis	{M. F.	3 1	7 9	9 18	1 1	12 15	10 10	10 7	10 19	32 32	263 306	
19	Pneumonia (all forms)	{M. F.	1 9	5 9	17 22	1 4	8 9	15 11	12 8	18 26	35 28	430 343	
20	Other respiratory diseases	{M. F.	1 1	4 3	4 6	. .	7 4	4 3	3 4	4 6	14 11	80 65	
21	Gastric and duodenal ulcer	{M. F.	1 1	2 1	4 2	. .	. 1	3 .	2 1	4 2	5 2	20 4	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 1	2 1	1 2	. 2	4 1	2 3	3 .	1 4	9 4	79 60	
23	Appendicitis	{M. F.	. .	1 .	1 .	. .	4 .	. .	. .	1 .	4 .	14 5	
24	Cirrhosis of the liver	{M. F.	. .	1 .	4 .	. .	1 .	3 1	. .	4 .	4 1	9 5	
25	Other diseases of the liver, etc.	{M. F.	. .	1 .	3 .	. .	1 3	. .	1 .	3 .	1 4	10 28	
26	Other digestive diseases	{M. F.	3 .	3 1	7 6	. .	2 4	5 5	1 3	7 6	8 12	58 71	
27	Acute and chronic nephritis	{M. F.	2 1	4 4	9 16	1 1	6 2	5 9	6 7	10 17	17 18	128 109	
28	Puerperal sepsis	F.	. .	1 .	2 .	. .	1 .	1 .	. .	2 .	2 .	12 .	
29	Other puerperal causes	F.	1 .	1 .	1 .	. .	2 .	3 .	. .	1 .	5 .	17 .	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	7 4	7 12	12 4	2 .	6 5	16 10	4 8	14 4	26 23	216 187	
31	Senility	{M. F.	. 4	39 42	6 9	. 6	14 19	7 19	2 4	6 15	23 42	93 188	
32	Suicide	{M. F.	. .	2 .	2 .	1 .	. .	. .	1 .	3 .	1 .	8 2	
33	Other violence... ..	{M. F.	3 .	4 3	8 7	1 1	2 3	10 3	6 1	9 8	18 7	88 41	
34	Other defined causes	{M. F.	1 4	11 14	21 14	1 2	16 6	14 14	5 6	22 16	35 26	222 220	
35	Causes ill-defined or unknown	{M. F.	1 2	2 2	1 .	. .	. 3	2 1	. .	1 .	2 4	17 15	
Deaths under one year of age			{M. F.	9 6	10 14	32 16	3 2	21 11	31 24	14 14	35 18	66 49	548 419
,, 65 years and upwards			{M. F.	9 18	100 102	92 140	7 16	50 68	52 67	38 45	99 156	140 180	780 1,101
Uncertified Deaths			{M. F.	5 7	35 46	4 .	. .	7 5	7 1	. 1	4 .	14 7	34 29
Number of Births			{M. F.	55 89	276 268	347 294	34 28	192 181	237 269	138 127	381 322	567 577	5,317 5,002
Population (Census, 1926)				7,163	27,313	35,111	4,029	19,336	27,029	15,023	39,140	61,388	405,126

ABSTRACT VI—continued—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KILDARE COUNTY					KILKENNY COUNTY								
		Urban Districts		Rural S.R.D.'s.			Total U.D.'s.	Total R.D.'s.	Urban District K'kenney (11)	Rural S.R.D.'s.					Total R.D.'s.
		Athy (6)	Naas (8)	Athy (6)	Cel-bridge (7)	Naas (8)				Callan (9)	Castle-comer (10)	K'kenney (11)	Thomas-town (12)	Urling-ford (13)	
	ALL CAUSES	M. 21 F. 27	27 21	104 101	54 68	245 175	48 48	403 344	69 86	69 62	79 67	89 82	229 220	35 22	501 453
1	Typhoid fever (including paratyphoid) ...	M. . F. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 1
2	Typhus	M. . F. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	M. . F. 1	. .	. 1	1 1	2 .	. 1	3 2	2 1	. 1	. .	1 .	. 1	. .	1 2
4	Scarlet fever	M. . F. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .
5	Whooping-cough	M. . F. .	. .	. .	. .	1 1	. .	1 1	6 6	. 1	. 1	. .	4 .	. .	4 2
6	Diphtheria	M. . F. .	. .	. 1	1 1	3 6	. .	4 8	. .	. 1	1 .	2 1	. 1	. .	3 3
7	Dysentery	M. . F. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	M. 2 F. 2	. 1	. 3	. .	4 3	2 3	6 6	1 2	3 1	5 1	6 3	10 2	7 3	31 10
9	Encephalitis lethargica	M. . F. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .
10	Cerebro-spinal fever	M. . F. .	. .	. 1	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of respiratory system ...	M. 2 F. 5	1 1	8 5	7 7	21 17	3 6	36 29	5 6	4 4	3 2	7 3	10 11	. .	24 20
12	Other tuberculous diseases	M. . F. .	. 1	. 2	1 .	6 3	. 1	9 3	2 2	1 .	2 .	2 .	3 2	. .	6 4
13	Cancer	M. 5 F. 2	3 3	7 9	5 8	21 11	8 5	33 28	1 7	2 7	4 5	4 9	22 15	. 2	32 38
14	Diabetes mellitus	M. 1 F. .	. .	. 1	. 1	2 1	1 .	2 3	. .	. .	. .	2 .	2 .	. .	4 .
15	Cerebral hæmorrhage, etc. (No. 82) ...	M. . F. 1	3 1	5 5	4 3	11 11	3 2	20 19	4 4	3 5	3 4	5 6	17 21	1 1	29 37
16	Heart disease	M. 1 F. 2	4 2	13 17	7 12	56 32	5 4	76 61	7 17	16 14	14 8	13 9	28 25	2 4	73 60
17	Other circulatory diseases	M. . F. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .

18	Bronchitis	{M. F.	1 2	1 1	4 4	2 6	13 12	2 3	19 22	5 5	4 2	12 8	3 1	14 11	2 2	35 24	
19	Pneumonia (all forms)	{M. F.	1 1	4 2	9 6	1 6	17 6	4 3	27 18	6 2	8 2	3 1	8 7	8 13	3 .	30 23	
20	Other respiratory diseases	{M. F.	2 2	2 1	. .	1 .	6 4	2 3	7 4	. .	. .	2 1	. 1	3 4	1 .	6 6	
21	Gastric and duodenal ulcer	{M. F.	1 .	1 .	2 .	. 1	2 .	2 .	4 1	1 .	. .	. .	1 .	2 3	1 1	4 4	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 .	. .	2 2	. .	2 2	. 1	4 4	. .	1 .	1 1	. .	1 3	1 1	4 5	
23	Appendicitis	{M. F.	1 .	1 .	1 .	. .	4 1	1 1	4 2	. .	1 .	1 1	. .	1 2	. .	2 4	
24	Cirrhosis of the liver	{M. F.	. .	1 .	. .	. .	1 .	1 .	1 .	. .	2 .	1 .	. .	4 .	. .	6 1	
25	Other diseases of the liver, etc.	{M. F.	. .	. .	. .	1 .	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	
26	Other digestive diseases	{M. F.	1 .	. .	1 3	2 1	8 9	1 .	11 13	2 5	3 .	1 3	. 1	8 8	1 1	13 13	
27	Acute and chronic nephritis	{M. F.	1 .	1 2	6 1	5 .	6 2	1 3	17 3	2 2	3 .	2 2	2 2	2 5	. .	9 9	
28	Puerperal sepsis	F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	
29	Other puerperal causes	F.	. .	1 .	1 .	1 .	3 .	1 .	5 .	2 .	. .	. .	2 .	1 .	. .	3 .	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	1 1	. 1	10 5	3 4	10 10	1 2	23 19	7 3	1 2	4 4	3 4	11 7	4 2	23 19	
31	Senility	{M. F.	1 .	2 1	14 20	5 8	19 19	2 2	38 47	5 6	15 11	9 15	17 21	41 57	3 2	85 106	
32	Suicide	{M. F.	1 .	. .	. .	. .	2 .	1 .	2 .	1 .	. .	. .	. .	1 1	. .	1 1	
33	Other violence... ..	{M. F.	1 1	1 1	6 1	3 2	2 2	2 2	11 5	. .	. .	1 1	3 1	9 3	3 .	16 5	
34	Other defined causes	{M. F.	3 2	2 .	12 12	4 3	19 17	5 2	35 32	6 12	1 8	12 3	7 5	23 18	4 2	47 36	
35	Causes ill-defined or unknown	{M. F.	. 2	1 .	. 1	1 1	2 1	1 2	3 3	5 1	. 1	3 1	2 3	4 3	1 1	10 9	
Deaths under one year of age			{M. F.	2 2	3 2	15 11	4 8	19 17	5 4	38 36	11 7	5 3	7 9	6 5	22 14	6 3	46 34
,, 65 years and upwards			{M. F.	3 4	8 8	39 44	19 20	95 77	11 12	153 141	26 31	43 29	33 30	46 41	111 126	17 14	250 240
Uncertified Deaths			{M. F.	. .	2 .	6 10	1 2	14 17	. 2	21 29	6 3	5 4	10 12	19 24	60 60	8 6	102 106
Number of Births			{M. F.	37 32	38 27	135 145	75 63	334 292	75 59	544 500	114 90	64 67	82 67	153 129	244 226	35 21	578 510
Population (Census, 1926)				3,460	3,442	13,230	8,116	29,780	6,902	51,126	10,046	7,370	8,745	13,523	27,909	3,397	60,944

ABSTRACT VI—continued—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	Laoighis County			Longford County						
		Rural S.R.D.'s.		TOTAL R.D.'s.	Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.
		Abbey- leix (14)	Mount- mellick (15)		Granard U.D. (17)	Longford U.D. (18)	Bally- mahon (16)	Granard (17)	Longford (18)		
	ALL CAUSES	M. F.	188 245 173 219	433 392	12 6	33 28	54 69	102 78	108 122	45 34	264 269
1	Typhoid fever (including paratyphoid) ...	M. F.	. .	. .	. .	1 .	. 1	. 1	. .	1 .	. 2
2	Typhus	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	M. F.	. 2 3	2 3	. .	. .	. .	. 1	. 1	. .	. 2
4	Scarlet fever	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .
5	Whooping-cough	M. F.	1 .	1 .	. .	. .	. .	. .	. .	. .	. .
6	Diphtheria	M. F.	1 2	. 1 3	1 3	. .	. .	2 3	2 3	. .	2 5
7	Dysentery	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	M. F.	6 8	8 16	14 .	4 1	1 2	2 6	15 11	7 1	24 19
9	Encephalitis lethargica	M. F.	. .	. .	. .	1 .	. .	. .	. .	1 .	. .
10	Cerebro-spinal fever	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of respiratory system ...	M. F.	8 16	18 12	26 28	2 .	3 4	6 6	4 3	6 5	16 14
12	Other tuberculous diseases	M. F.	4 3	6 5	10 8	. .	1 1	1 1	3 1	1 3	4 5
13	Cancer	M. F.	12 7	15 11	27 18	. .	3 2	2 2	5 3	8 5	15 10
14	Diabetes mellitus	M. F.	2 1	1 5	3 6	. .	. .	. .	1 1	2 1	3 1
15	Cerebral hæmorrhage, etc. (No. 82) ...	M. F.	5 7	7 15	12 22	. .	. .	1 5	. 7	5 6	6 18
16	Heart disease	M. F.	29 31	46 34	75 65	2 .	3 2	8 7	11 4	5 8	24 19

18	Bronchitis	{M. F.	14 8	14 6	28 14	. 3	1 2	5 4	6 9	. 3	12 15		
19	Pneumonia (all forms)	{M. F.	9 7	13 10	22 17	. 3	3 4	3 3	7 5	. 3	13 12		
20	Other respiratory diseases	{M. F.	3 2	1 3	4 5	. 1	. 1	1 .	. .	2 1	1 1		
21	Gastric and duodenal ulcer	{M. F.	4 .	5 2	9 2	. .	. .	4 .	1 .	. .	4 1		
22	Diarrhoea and enteritis (under 2 years)	{M. F.	. .	3 .	3 .	. .	. .	1 .	2 1	. .	2 2		
23	Appendicitis	{M. F.	1 2	. 2	1 4	. .	. .	1 .	1 1	. .	1 2		
24	Cirrhosis of the liver	{M. F.	. .	1 .	1 .	. .	. .	. .	. .	. .	. .		
25	Other diseases of liver, etc.	{M. F.	1 1	1 2	2 3	. 1	. .	1 .	1 1	. 1	2 1		
26	Other digestive diseases	{M. F.	7 3	6 8	13 11	. .	2 1	3 1	3 4	. 2	8 6		
27	Acute and chronic nephritis	{M. F.	6 5	3 6	9 11	1 .	5 .	1 3	3 1	2 4	6 8		
28	Puerperal sepsis	F.	. .	4 .	4 .	. .	. .	. .	. .	. .	. .		
29	Other puerperal causes	F.	2 .	1 .	3 .	. .	1 .	. .	1 .	. .	. 2		
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	14 5	14 9	28 14	. 1	4 2	3 3	5 6	5 3	4 3	13 12	
31	Senility	{M. F.	34 40	41 46	75 86	1 2	. 6	21 17	20 20	23 33	1 8	64 70	
32	Suicide	{M. F.	. .	2 .	2 .	1 .	. .	. .	1 .	1 .	1 .		
33	Other violence... ..	{M. F.	2 2	5 4	7 6	. .	2 2	. .	4 1	5 3	2 2	9 4	
34	Other defined causes	{M. F.	16 10	30 19	46 29	. 1	3 1	4 4	5 3	8 10	3 2	17 17	
35	Causes ill-defined or unknown	{M. F.	6 10	3 2	9 12	. 1	. 2	. 6	7 7	9 6	. 3	16 19	
Deaths under one year of age			{M. F.	19 11	24 15	43 26	. 1	6 2	5 5	7 10	6 3	22 21	
,, 65 years and upwards			{M. F.	89 86	113 114	202 200	6 2	7 12	37 35	50 38	56 69	13 14	143 142
Uncertified Deaths			{M. F.	57 53	42 46	99 99	1 3	3 5	21 34	49 36	57 64	4 8	127 134
Number of Births			{M. F.	217 193	322 254	539 447	13 8	53 36	74 61	117 129	133 132	66 44	324 322
Population (Census, 1926)				22,199	29,341	51,540	1,269	3,685	7,796	12,066	15,031	4,954	34,893

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LOUTH COUNTY								MEATH COUNTY									
		Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.	
		Drog- heda (20)	Dun- dalk (21)	Ardee (19)	Drog- heda (20)	Dun- dalk (21)			An Uaimh (24)	Cean- nanus Mor (23)	Trim (26)	Dun- shaugh lin (22)	Kells (23)	Navan (24)	Old- castle (25)	Trim (26)			
	ALL CAUSES { F.	100 102	94 83	80 75	49 36	132 144	194 185	261 255	32 24	9 12	7 11	78 41	83 66	140 133	39 37	117 107	48 47	457 384	
1	Typhoid fever (including paratyphoid) { F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus { F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles { F.	2	2	2	.	.	4	2	.	.	1	1	.	.	.	1	1	2	
4	Scarlet fever { F.	.	1	.	.	.	1	.	.	.	.	.	1	1	.	1	.	2	
5	Whooping-cough { F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Diphtheria { F.	.	2	1	.	1	2	2	.	.	.	1	2	1	.	1	.	3	
7	Dysentery { F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza { F.	3 1	5 2	1 3	2 .	2 4	8 3	5 7	.	1 3	1 .	3 .	5 4	3 1	.	1 7	2 3	11 13	
9	Encephalitis lethargica { F.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	1	
10	Cerebro-spinal fever { F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system ... { F.	8 8	7 15	13 5	1 5	13 11	15 23	27 21	4 2	.	2 1	6 1	6 2	6 4	.	7 9	4 5	25 17	
12	Other tuberculous diseases { F.	3 2	3 3	.	2 2	3 3	6 5	5 6	2 1	1 .	1 .	1 .	2 .	1 2	1 1	3 5	4 1	7 9	
13	Cancer { F.	18 9	9 9	4 9	5 3	14 15	27 18	28 27	5 2	1 2	1 .	10 5	8 10	18 16	5 4	10 13	7 4	51 48	
14	Diabetes mellitus { F.	1	.	.	.	1 1	1	1	1	1	.	1	.	2	.	.	2	3	
15	Cerebral hæmorrhage, etc. (No. 82) ... { F.	4 5	8 8	4 4	4 2	6 5	12 13	14 11	1 2	2 1	1 .	6 1	12 3	10 8	2 4	8 4	3 4	38 20	
16	Heart disease { F.	14 17	12 15	7 11	10 3	18 24	26 32	35 38	2 3	2 2	2 2	21 11	9 8	28 33	5 6	25 13	6 7	88 71	
17	Other circulatory diseases { M.	.	3	5	1	3	3	9	.	.	.	.	2	1	.	.	.	.	

18	Bronchitis...	...	...	{M. F.	7 7	2	5 5	1 1	8 12	7 9	14 17	2 1	.	.	1 1	4 2	4 2	6 7	1 7	2 7	22 18
19	Pneumonia (all forms)	...	...	{M. F.	5 8	5 4	3 2	2 1	6 7	10 12	11 9	3 1	.	.	1 2	3 1	4 8	8 2	13 3	4 3	30 12
20	Other respiratory diseases	...	...	{M. F.	3 3	.	2 1	2 1	3 3	3 3	7 5	1 1	.	.	.	1 3	1 3	6 1	1 2	1 1	9 6
21	Gastric and duodenal ulcer...	...	...	{M. F.	1 1	3 1	1 1	.	1 1	4 1	2 1	.	.	.	.	2 1	2 1	.	2 1	.	6
22	Diarrhoea and enteritis (under 2 years)...	...	...	{M. F.	2 1	3 4	.	1 1	1 1	5 4	2 1	2 1	.	.	.	.	.	1 1	.	2 1	1
23	Appendicitis	...	...	{M. F.	1 1	1 1	.	.	1 1	2 1	1 1	.	.	.	.	.	2 1	.	.	.	2 1
24	Cirrhosis of the liver	...	...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	1 1	1 1	.	.	.	1 2
25	Other diseases of liver, etc...	...	...	{M. F.	.	.	.	.	1 1	.	1 1	.	.	.	.	.	.	1 1	.	1 1	1 1
26	Other digestive diseases	...	...	{M. F.	1 1	4 1	1 3	1 1	4 7	4 2	6 10	2 1	.	.	.	1 3	3 2	2 2	2 3	2 1	8 7
27	Acute and chronic nephritis	...	...	{M. F.	1 1	1 1	7 2	.	4 2	5 2	11 4	2 3	.	1 1	.	3 2	4 2	9 6	1 1	4 2	21 13
28	Puerperal sepsis	...	...	F.	.	.	.	.	1 1	.	1 1	.	.	.	.	.	.	.	.	.	.
29	Other puerperal causes	...	...	F.	2	1	1	.	.	3	1	.	.	.	.	.	1	1	1	.	3
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	3 3	5 6	2 4	3 2	4 2	8 9	9 8	1 1	.	2 2	.	1 4	5 5	7 5	4 4	2 2	14 20
31	Senility	...	...	{M. F.	10 18	6 5	10 15	8 13	20 22	16 23	38 50	.	1 3	1 1	.	6 5	9 11	11 15	9 6	13 21	48 58
32	Suicide	...	...	{M. F.	1 1	1 1	.	.	.	2 1	.	.	.	.	.	1 1	.	1 1	.	.	1 1
33	Other violence	...	...	{M. F.	1 1	2 2	5 1	.	5 1	3 3	10 2	1 1	.	.	.	1 1	3 1	3 1	1 2	1 1	8 5
34	Other defined causes	...	...	{M. F.	13 12	8 5	7 3	6 2	12 21	21 17	25 26	3 3	.	1 1	.	7 4	7 5	13 13	3 3	12 9	42 34
35	Causes ill-defined or unknown	...	...	{M. F.	.	.	1 1	.	2 1	.	2 2	1 1	.	1 1	.	4 2	2 1	3 3	3 2	4 1	13 8
Deaths under one year of age					{M. F.	9 12	11 12	4 5	7 2	6 9	20 24	17 16	6 1	.	3 3	2 4	4 8	11 9	5 6	5 2	27 29
,, 65 years and upwards					{M. F.	29 45	34 29	39 46	29 21	69 81	63 74	137 148	8 6	3 6	2 3	35 19	46 29	70 71	23 16	61 50	235 185
Uncertified Deaths					{M. F.	1 3	1 1	5 12	4 4	15 22	1 4	24 38	.	1 1	1 1	4 4	12 7	12 12	13 6	16 16	57 45
Number of Births					{M. F.	170 125	150 151	99 102	40 49	156 148	320 276	295 299	39 44	24 18	17 20	69 77	83 109	155 160	46 48	98 121	451 515
Population (Census 1926)						12,716	13,996	11,080	5,562	19,435	26,712	36,027	3,652	2,196	1,325	7,776	10,912	19,056	4,876	13,176	55,796

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		OFFALY COUNTY						WESTMEATH COUNTY					
			Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban District	Rural S.R.D.'s.			TOTAL R.D.'s.
			Birr (27)	Tulla- more (29)	Birr (27)	Eden- derry (28)	Tulla- more (29)				Athlone (30)	Athlone (30)	Delvin (31)	
	ALL CAUSES	{M. F.	33 33	48 28	151 150	56 44	129 121	81 61	336 315	63 47	90 62	89 81	195 196	374 339
1	Typhoid fever (including paratyphoid) ...	{M. F.	. .	1 .	1 .	. .	. .	1 .	1 .	. .	. .	. .	1 .	1 .
2	Typhus	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	{M. F.	. .	. .	1 .	3 .	1 .	. .	5 .	1 .	. 1	1 .	2 1	3 2
4	Scarlet fever	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .
5	Whooping-cough	{M. F.	. .	. .	. .	. .	2 .	. .	2 .	. .	. .	. .	1 .	1 .
6	Diphtheria	{M. F.	. .	1 1	. 2	1 .	3 7	1 1	4 9	1 2	. .	. .	1 1	1 1
7	Dysentery	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	{M. F.	1 .	1 2	7 7	2 3	1 6	2 2	10 16	1 3	4 4	5 2	11 11	20 17
9	Encephalitis lethargica	{M. F.	. .	. .	1 .	. .	1 .	. .	2 .	. .	. .	1 .	3 .	3 1
10	Cerebro-spinal fever	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of respiratory system ...	{M. F.	2 4	4 3	9 9	3 1	10 8	6 7	22 18	2 5	3 6	9 8	13 18	25 32
12	Other tuberculous diseases	{M. F.	1 .	2 3	8 2	1 1	3 4	3 3	12 7	3 1	1 1	1 2	6 5	8 8
13	Cancer	{M. F.	3 .	4 1	17 7	6 2	8 5	7 1	31 14	8 3	6 2	4 9	15 14	25 25
14	Diabetes mellitus	{M. F.	. .	1 .	1 .	. .	1 .	1 .	2 .	. .	. .	4 .	1 .	5 .
15	Cerebral hæmorrhage, etc. (No. 82) ...	{M. F.	1 1	3 .	1 17	2 2	7 6	4 1	10 25	1 4	9 8	2 7	7 16	18 31
16	Heart disease	{M. F.	7 13	2 2	20 22	15 13	12 9	9 15	47 44	9 10	13 9	10 11	19 27	42 47
17	Other circulatory diseases	{M. F.	1 .	. .	1 .	. .	1 .	1 .	2 .	1 .	. .	2 .	6 .	8 .

18	Bronchitis	{M. F.	2 2	6 .	7 8	1 2	5 4	8 2	13 14	2 1	9 7	5 3	7 4	21 14
19	Pneumonia (all forms)	{M. F.	1 1	1 1	10 8	2 1	3 4	1 2	15 13	9 3	4 3	2 4	15 10	21 17
20	Other respiratory diseases	{M. F.	1 1	. .	3 2	. .	1 1	1 1	4 3	1 .	2 .	1 1	2 4	5 5
21	Gastric and duodenal ulcer	{M. F.	. .	. .	1 .	1 1	. .	. .	2 1	. .	1 .	1 2	3 1	5 3
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 .	1 .	. .	. .	. .	1 1	. .	2 .	. 3	2 .	1 1	1 6
23	Appendicitis	{M. F.	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	1 .	3 1	4 1
24	Cirrhosis of the liver	{M. F.	2 .	. .	. .	1 .	1 .	2 .	2 .	. .	. .	. .	. .	. .
25	Other diseases of liver, etc.	{M. F.	. 1	1 .	1 1	1 1	. .	1 1	2 2	1 .	1 .	. .	. .	1 .
26	Other digestive diseases	{M. F.	. .	2 2	1 4	1 1	1 7	2 2	2 12	1 .	2 .	1 3	4 7	7 10
27	Acute and chronic nephritis	{M. F.	1 .	. .	6 6	2 1	6 5	1 .	14 12	5 1	2 2	7 1	11 9	20 12
28	Puerperal sepsis	F.	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	1 .
29	Other puerperal causes	F.	2 .	. .	. .	2 .	2 .	2 .	4 .	. .	. .	1 .	1 .	2 .
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	1 1	2 4	7 6	5 1	5 5	3 5	17 12	5 3	4 1	6 2	9 12	19 15
31	Senility	{M. F.	5 4	8 6	34 29	7 9	42 28	13 10	83 66	2 7	18 8	18 14	30 27	66 49
32	Suicide	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
33	Other violence... ..	{M. F.	1 1	. .	3 .	1 .	2 4	1 1	6 4	2 2	3 2	1 .	9 4	13 6
34	Other defined causes	{M. F.	3 2	8 1	11 9	1 2	10 10	11 3	22 21	4 2	7 3	6 4	12 12	25 19
35	Causes ill-defined or unknown	{M. F.	. .	1 .	. 10	2 1	3 4	1 .	5 15	2 .	1 1	2 2	3 6	6 9
Deaths under one year of age			{M. F.	1 1	6 6	13 11	6 3	10 10	7 7	29 24	13 4	6 5	8 15	29 27
,, 65 years and upwards			{M. F.	16 19	23 7	77 80	22 26	67 57	39 26	166 163	16 18	56 32	49 80	194 152
Uncertified Deaths			{M. F.	1 1	5 2	42 61	13 10	41 27	6 3	96 98	5 6	23 11	24 26	84 81
Number of Births			{M. F.	39 33	66 61	163 153	61 55	158 140	105 94	382 348	88 85	92 93	96 88	267 234
Population (Census, 1926)				3,402	4,930	20,999	6,728	16,533	8,332	44,260	7,540	11,464	10,342	27,472

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		WEXFORD COUNTY								WICKLOW COUNTY											
			Urban Districts.			Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.			
			Ennis- corthy (33)	New Ross (35)	Wex- ford (36)	Ennis- corthy (33)	Gorey (34)	New- Ross (35)	Wex- ford (36)			Ark- low (38)	Bray (38)	Wick- low (38)	Baltin- glass (37)	Rath- drum (38)	Shill- clagh (39)					
	ALL CAUSES	...	...	...	{M. F.	56 44	41 55	98 106	205 186	110 112	108 139	159 150	195 205	582 587	32 29	74 93	23 27	95 85	183 171	55 51	129 149	333 307
1	Typhoid fever (including paratyphoid)			{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	...	...	...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles	...	...	...	{M. F.	1 .	1 .	.	.	1 .	1 .	.	2 .	2 .	.	2 .	.	.	4 .	.	2 .	4 .
4	Scarlet fever	...	...	...	{M. F.	.	.	.	.	.	.	1 .	.	1 .	.	1 .	.	.	.	.	1 .	.
5	Whooping-cough	...	...	...	{M. F.	.	1 .	.	.	.	1 .	.	1 .	1 .	.	.	1 .	.	1 .	.	1 .	1 .
6	Diphtheria	...	...	...	{M. F.	.	1 .	.	.	.	.	.	1 .	1 .	.	1 .	.	1 .	2 .	.	1 .	3 1
7	Dysentery...	...	...	...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	...	...	...	{M. F.	3 2	1 2	2 5	11 7	4 6	2 4	. 5	6 9	17 22	2 2	2 3	7 3	2 2	13 24	4 2	11 8	19 28
9	Encephalitis lethargica	...	...	...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever	...	...	...	{M. F.	.	.	1 .	1 .	.	.	.	1 .	1 .	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system	...	...	...	{M. F.	5 5	2 6	5 9	13 15	5 6	5 10	11 6	12 20	34 37	4 4	5 9	1 1	4 11	7 17	3 3	10 14	14 31
12	Other tuberculous diseases	...	...	...	{M. F.	1 .	. 1	4 5	7 2	. 1	1 3	2 7	5 6	10 13	. .	1 2	. .	7 2	3 3	. .	1 2	10 5
13	Cancer	...	...	...	{M. F.	4 2	2 4	9 5	15 11	11 9	9 9	11 9	15 11	46 38	3 1	6 7	5 .	6 6	12 8	5 6	14 8	23 20
14	Diabetes mellitus	...	...	...	{M. F.	. .	. 1	1 .	1 .	1 1	3 1	3 2	1 1	8 4	1 .	. 1	. .	1 .	1 .	. .	1 1	2 .
15	Cerebral hæmorrhage, etc. (No. 82)	...	...	...	{M. F.	3 3	3 1	10 10	9 15	4 9	3 10	11 8	16 14	27 42	4 2	6 9	. 3	7 7	11 15	3 10	10 14	21 32
16	Heart disease	...	...	...	{M. F.	6 11	7 9	12 19	26 28	20 18	20 28	33 18	25 39	99 92	2 1	11 14	. 3	11 13	21 23	11 6	13 18	43 42
17	Other circulatory diseases	...	...	...	{M. F.	1 .	1 .	. .	. .	1 .	. .	. .	2 .	1 .	. .	. .	. .	7 .	3 .	1 .	. .	11 .

18	Bronchitis...	...	...	{M. F.	7 2	2 4	9 11	24 21	9 9	15 6	6 8	18 17	54 44	4 7	3 5	2 2	2 1	18 14	2 1	7 14	22 16	
19	Pneumonia (all forms)	...	...	{M. F.	1 2	2 2	3 5	6 6	3 6	8 7	3 6	6 9	20 25	5 5	15 14	2 5	6 6	15 8	3 1	17 24	24 15	
20	Other respiratory diseases	...	...	{M. F.	2 2	5 2	1 1	3 1	3 2	1 3	1 1	8 2	7 7	1 1	2 1	1 1	12 4	3 1	2 1	16 5		
21	Gastric and duodenal ulcer...	...	...	{M. F.	1 1	1 1	2 1	2 2	1 1	1 1	3 1	3 1	6 4	1 1	3 1	1 1	2 1	1 1	3 1	3 1		
22	Diarrhoea and enteritis (under 2 years)	...	...	{M. F.	3 3	3 2	2 2	2 1	1 1	2 2	2 2	8 2	5 5	2 2	1 1	1 1	6 2	1 3	1 3	6 3		
23	Appendicitis	...	...	{M. F.	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	1 3	1 1	1 1	1 1	4 1	1 1	1 1	4 1		
24	Cirrhosis of the liver	...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	3 1	1 1	1 1	3 1		
25	Other diseases of liver, etc....	...	...	{M. F.	1 1	1 1	1 1	5 5	2 2	1 1	1 1	1 1	1 9	1 1	1 1	2 1	1 1	1 1	1 2	3 1		
26	Other digestive diseases	...	...	{M. F.	2 2	2 2	5 2	7 7	3 3	4 7	4 1	7 4	18 15	1 1	3 1	1 1	4 3	6 5	2 1	4 1	10 10	
27	Acute and chronic nephritis	...	...	{M. F.	4 1	1 3	4 4	12 8	1 1	5 10	5 10	9 8	23 29	5 5	2 3	1 1	6 3	5 2	8 4	13 6		
28	Puerperal sepsis	...	...	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 3	3 3	1 1	1 1	1 1	1 1	1 1	1 1	3 1		
29	Other puerperal causes	...	...	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 3	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	1 1	2 2	8 3	7 7	6 2	6 5	4 5	11 5	23 14	1 1	5 4	1 1	9 5	8 5	3 5	6 6	20 6	
31	Senility	...	...	{M. F.	3 3	4 4	6 13	27 28	21 25	8 22	36 39	6 20	92 114	4 2	1 5	1 2	9 15	12 17	7 8	5 9	28 40	
32	Suicide	...	...	{M. F.	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
33	Other violence	...	...	{M. F.	1 1	1 1	4 4	4 2	2 3	2 2	9 6	4 1	15 13	1 1	5 2	4 1	9 8	10 12	5 5	10 8	24 25	
34	Other defined causes	...	...	{M. F.	9 9	6 7	10 12	26 12	14 5	11 6	13 12	25 28	64 35	1 1	5 6	4 1	9 8	10 12	5 5	10 8	24 25	
35	Causes ill-defined or unknown	...	...	{M. F.	2 1	1 1	1 1	1 7	1 1	2 3	2 4	2 2	5 15	1 1	1 1	1 1	5 3	5 1	2 2	5 6		
Deaths under one year of age					{M. F.	10 2	7 6	14 7	14 13	7 7	8 7	6 12	31 15	35 39	1 1	11 12	3 4	11 3	18 16	4 1	15 17	33 20
,, 65 years and upwards					{M. F.	15 20	14 19	37 50	100 82	68 70	58 79	83 77	66 89	309 308	18 10	21 42	8 13	51 47	78 65	28 32	47 65	157 144
Uncertified Deaths					{M. F.	4 3	4 4	14 11	38 47	25 29	23 38	34 46	18 18	120 160	3 1	2 2	2 1	12 14	12 20	11 11	5 4	35 45
Number of Births					{M. F.	73 60	55 41	136 140	214 221	131 118	130 139	180 175	264 241	655 653	45 38	115 95	28 38	100 77	214 213	59 63	188 171	373 353
Population (Census, 1926)						5,543	5,011	11,879	24,335	14,358	15,130	19,592	22,433	73,415	4,535	8,637	3,025	10,393	23,197	7,804	16,197	41,394

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	PROVINCE OF MUNSTER		CLARE COUNTY										TOTAL U.D.'s.	TOTAL R.D.'s.
		TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts		Rural S.R.D.'s.									
				Ennis (42)	Kil-rush (45)	Bally-vaughan (40)	Corofin (41)	Ennis (42)	Ennis-tymon (43)	Killa-dysert (44)	Kil-rush (45)	Scarriff (46)			
	ALL CAUSES {M. F.	1,932 2,000	5,024 4,775	42 35	26 28	27 13	23 19	94 94	100 77	48 41	114 136	154 157	68 63	560 537	
1	Typhoid fever (including paratyphoid) {M. F.	3 2	13 11	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	
2	Typhus {M. F.	• •	4 2	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	
3	Measles {M. F.	20 20	12 8	• 1	• •	• •	• •	• •	• •	• •	• •	• •	1 •	• •	
4	Scarlet fever {M. F.	1 •	10 16	• •	• •	• •	• •	1 •	• •	• 1	• •	1 •	• •	1 2	
5	Whooping-cough {M. F.	1 6	15 9	• •	1 •	• •	1 •	• •	• •	• •	• •	2 •	• 1	2 1	
6	Diphtheria {M. F.	24 28	27 33	2 2	• •	• •	1 •	• •	• •	• 1	• 2	• •	2 2	• 4	
7	Dysentery {M. F.	• 1	• 1	• •	• •	• •	• •	1 •	• •	• •	• •	• •	• •	• 1	
8	Influenza {M. F.	49 67	159 177	1 •	• •	1 •	1 •	• 3	4 2	• •	5 6	2 2	1 •	13 13	
9	Encephalitis lethargica {M. F.	3 3	1 3	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	
10	Cerebro-spinal fever {M. F.	• 1	2 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	
11	Tuberculosis of respiratory system ... {M. F.	156 176	284 352	4 •	2 4	1 •	• •	4 7	9 5	2 1	8 8	3 10	6 4	27 31	
12	Other tuberculous diseases {M. F.	58 54	62 80	• 2	2 •	• •	• •	2 1	• •	• 2	2 3	• 1	2 2	4 7	
13	Cancer {M. F.	163 147	433 347	2 2	3 1	1 1	3 3	7 8	7 4	5 1	10 7	7 14	5 3	40 38	
14	Diabetes mellitus {M. F.	12 9	26 30	• •	• •	• •	• •	1 •	• •	• •	2 •	• 2	• •	2 3	
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	87 128	222 277	2 2	3 2	2 •	1 •	5 2	2 1	4 7	2 5	11 6	5 4	27 21	
16	Heart disease {M. F.	340 337	747 677	10 6	4 2	2 1	3 1	15 13	7 6	4 5	20 17	20 15	14 8	71 58	
17	Other circulatory diseases {M. F.	23 •	60 •	2 •	• •	• •	• •	1 •	• •	• 2	• •	• •	• •	• •	

18	Bronchitis...	...	...	M. F.	85 142	230 246	1 1	3	2 1	1 1	3 4	7 8	2 1	5 5	6 7	4 1	26 27
19	Pneumonia (all forms)	...	...	M. F.	146 113	284 210	2 1	1	1 1	3	4 3	6 2	1 2	6 2	8 8	2 2	29 18
20	Other respiratory diseases	...	...	M. F.	35 46	104 78	1	2	1	1	1	2 1	1 1	2	6 3	1 2	13 5
21	Gastric and duodenal ulcer	...	...	M. F.	22 12	61 27	.	.	2	.	.	.	.	1 1	2 2	.	5 3
22	Diarrhoea and enteritis (under 2 years)...	...	...	M. F.	67 51	70 37	1	.	.	.	2 1	.	.	2 3	2 2	1	6 6
23	Appendicitis	...	...	M. F.	10 6	33 23	.	.	.	.	.	.	1	1	1	.	2 1
24	Cirrhosis of the liver	...	...	M. F.	2 1	15 8	.	.	1	.	.	.	2	.	1	.	4
25	Other diseases of liver, etc...	...	...	M. F.	6 4	14 19	.	.	.	.	.	1	.	.	1 1	.	2 1
26	Other digestive diseases	...	...	M. F.	67 56	120 113	2 1	1	1	3 4	2 2	4 1	1 1	3 2	6 5	3 1	20 15
27	Acute and chronic nephritis	...	...	M. F.	55 39	149 112	1	1	1	1	3 3	2 2	1	6 5	2 1	1 1	14 13
28	Puerperal sepsis	...	...	F.	6	15	.	.	.	.	.	.	.	.	1	.	1
29	Other puerperal causes	...	...	F.	22	42	1	.	1	.	1	2	1	2	.	1	7
30	Congenital debility, etc. (Nos. 157-161)	...	...	M. F.	85 70	188 156	1 3	1 3	.	2	4 2	2 1	3 2	1 3	8 4	2 6	18 14
31	Senility	...	...	M. F.	145 221	934 1,099	4 3	3 4	10 7	5 2	26 30	33 31	12 12	30 46	42 50	7 7	158 178
32	Suicide	...	...	M. F.	9 2	20 9	.	1	.	.	1	.	.	.	1 1	1	2 1
33	Other violence	...	...	M. F.	55 32	132 63	3 1	.	2	.	3 2	2 2	1	3 3	9 1	3 1	20 8
34	Other defined causes	...	...	M. F.	190 164	488 321	5 5	3 5	.	2 2	7 6	11 7	2 3	6 7	10 7	8 10	38 32
35	Causes ill-defined or unknown	...	...	M. F.	13 19	105 128	1	2	.	1 1	3 3	1 2	4	8	4 13	3	13 27
Deaths under one year of age					M. F.	280 200	428 317	4 7	2 5	1	2	8 4	4 6	4 2	9 9	6 12	38 32
,, 65 years and upwards					M. F.	596 732	2,578 2,492	15 9	12 10	19 8	12 11	54 51	57 43	32 25	68 81	97 96	339 315
Uncertified Deaths					M. F.	60 94	1,075 1,371	2 2	2 5	11 8	7 5	25 28	38 34	11 10	22 56	44 60	158 201
Number of Births					M. F.	2,869 2,685	6,427 6,174	64 52	45 35	23 24	34 25	95 107	135 118	71 66	171 164	174 190	703 694
Population (Census, 1926)						249,022	720,880	5,518	3,345	3,495	4,109	13,214	15,137	7,415	19,297	23,534	86,201

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY														
		Urban Districts										Rural S.R.D.'s				
		Clonakilty (50)	Cobh (51)	Fermoy (53)	Kinsale (55)	Ma-room (56)	Mallow (57)	Midleton (58)	Passage West (51)	Skibbereen (60)	Youghal (62)	Bandon (47)	Bantry (48)	Castletown (49)	Clonakilty (50)	Cork (51)
	ALL CAUSES {M. F.	19 25	52 43	24 30	10 32	19 16	49 32	23 12	20 20	25 24	42 31	117 115	78 84	48 46	106 91	309 302
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
4	Scarlet fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5	Whooping-cough {M. F.	.	.	.	.	.	.	.	.	.	.	1 1	2	.	.	2
6	Diphtheria {M. F.	.	1	1	1	.	.	.	.	.	.	2 1	1	1	.	4 4
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	1 2	2 4	.	2 1	2 3	2	1	1	2	2 1	6 6	2 3	1	5 2	8 8
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	2 1	1	1 2	.	2	2	1 2	2	.	3 1	12 7	6 5	5 1	6 8	17 26
12	Other tuberculous diseases ... {M. F.	1	1 2	.	1 1	1	1	.	3 1	.	.	2 6	1 1	1	1	7 11
13	Cancer {M. F.	2 3	5 4	2 3	2	1 1	4 2	1	1 2	1 1	2 3	9 8	7 7	6 2	14 8	25 28
14	Diabetes mellitus {M. F.	.	1	.	.	.	1	.	.	.	.	.	2	1	1	1 3
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	1	4 5	.	4	4 2	4	1	2 3	2	1 2	3 6	1	1 1	5 5	20 22
16	Heart disease {M. F.	1 3	9 4	8 9	3 4	3 3	14 10	5 2	3 1	7 2	12 6	18 14	5 13	3 6	17 6	67 54
17	Other circulatory diseases ... {M. F.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.

18	Bronchitis	{M. F.	1 4	3 2	1 3	2 3	1 3	1 3	1 3	2 3	5 3	1 3	4 3	19 3	6 3				
19	Pneumonia (all forms)	{M. F.	1 1	5 1	2 2	3 2	5 2	4 2	3 2	5 15	5 7	5 3	8 2	27 16	5 3				
20	Other respiratory diseases	{M. F.	1 1	3 2	1 1	1 1	2 1	1 2	1 1	2 5	1 2	1 2	1 3	5 3	4 4				
21	Gastric and duodenal ulcer	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 1	2 1	1 1	1 1	1 1	2 1	2 1	1 1	1 1	1 1	2 1	5 2	1 1				
23	Appendicitis	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
24	Cirrhosis of the liver	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
25	Other diseases of liver, etc.	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
26	Other digestive diseases	{M. F.	1 1	2 1	1 1	1 1	2 1	1 1	1 1	2 1	2 1	1 1	1 1	6 6	2 2				
27	Acute and chronic nephritis	{M. F.	1 1	3 1	1 1	2 1	1 1	1 1	4 2	2 5	3 1	1 2	1 5	5 5	3 1				
28	Puerperal sepsis	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
29	Other puerperal causes	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	2 3	3 4	1 4	1 4	1 6	1 2	1 3	1 7	2 3	3 3	4 3	9 9	3 5				
31	Senility	{M. F.	2 3	4 4	3 4	3 4	2 1	3 6	2 2	2 3	2 4	1 7	18 23	19 29	14 15	18 33	33 43	9 16	
32	Suicide	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
33	Other violence	{M. F.	1 1	1 1	1 1	1 1	2 1	1 1	1 1	2 1	3 2	3 2	6 7	8 7	3 1				
34	Other defined causes	{M. F.	3 2	5 5	3 3	1 1	1 1	3 1	2 2	1 3	2 1	6 8	15 8	6 3	3 7	5 7	31 21	11 9	
35	Causes ill-defined or unknown	{M. F.	1 2	1 2	1 1	1 1	1 1	1 1	1 1	1 1	2 1	5 2	2 2	4 1	4 1				
Deaths under one year of age			{M. F.	3 6	4 2	2 3	2 3	5 2	3 3	3 2	8 1	12 6	9 4	2 3	9 4	23 23	8 6		
,, 65 years and upwards			{M. F.	7 17	16 13	11 10	7 13	9 11	20 16	7 4	6 8	16 12	10 13	51 53	32 44	26 27	58 61	126 134	45 39
Uncertified Deaths			{M. F.	2 3	5 1	2 2	1 2	2 4	1 1	2 1	1 4	2 16	24 31	16 21	26 41	17 24	17 32	17 32	17 32
Number of Births			{M. F.	21 32	73 52	45 31	16 22	20 21	34 37	24 14	36 30	13 32	39 35	155 120	95 85	75 58	123 102	388 379	100 95
Population (Census, 1926)				2,770	7,077	4,510	2,747	2,413	4,562	2,732	3,019	2,627	5,339	15,233	11,322	9,362	12,925	45,994	11,377

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY—continued.												CORK COUNTY BOROUGH
		Rural S.R.D.'s.										TOTAL U.D.'s.	TOTAL R.D.'s.	
		Fermoy (53)	Kanturk (54)	Kinsale (55)	Macroom (56)	Mallow (57)	Midleton (58)	Millstreet (59)	Skibberdeen (60)	Skull (61)	Youghal (62)			
	ALL CAUSES {M. F.	161 145	155 159	70 60	108 102	154 160	112 103	71 60	106 125	56 49	34 31	283 265	1,778 1,715	617 676
1	Typhoid fever (including paratyphoid) {M. F.	.	2	.	.	.	.	.	.	.	.	.	2	1
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	2	.	.	.	.	.	.	.	.	.	.	1 2	.
4	Scarlet fever {M. F.	2	1	1	.	2 2	.	1 3	1	.	.	.	6 8	.
5	Whooping-cough {M. F.	.	1	.	.	.	1	.	2	.	.	1	7 3	1 4
6	Diphtheria {M. F.	2 4	1 1	2	1	2	2	.	.	.	.	1 2	13 16	13 14
7	Dysentery... .. {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	2 3	7 7	4 3	5 3	6 6	5 7	4 1	2 3	1 2	1	9 17	60 57	14 17
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	1	3 3
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	1	1
11	Tuberculosis of respiratory system ... {M. F.	7 8	7 11	4 3	6 3	7 17	10 10	4 3	2 10	3 3	2 4	14 13	103 128	62 61
12	Other tuberculous diseases {M. F.	2 2	2	1 3	2 1	1 4	4 2	1	1	.	1	8 4	27 32	22 21
13	Cancer {M. F.	21 8	8 9	15 7	15 11	16 13	5 7	6 2	8 10	7 2	1 1	19 21	171 128	52 48
14	Diabetes mellitus {M. F.	1 1	1	.	.	1 2	1 1	1	.	1	.	1 1	10 11	2 2
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	3 9	7 8	1 6	7 2	3 10	4 4	2 2	3 7	2	2	16 21	69 89	15 40
16	Heart disease {M. F.	18 17	20 19	11 7	13 13	29 29	26 19	5 6	8 14	12 6	6 6	65 44	276 240	121 128
17	Other circulatory diseases {M. F.	4	3	2	1	2	3	.	1	.	1	6	66	.

18	Bronchitis...	...	...	{M. F.	5 6	4 8	1 2	2 3	7 10	8 6	11 10	10 10	1 .	2 2	13 20	77 95	28 54	
19	Pneumonia (all forms)	...	...	{M. F.	5 3	12 6	2 1	5 6	11 13	9 7	3 2	12 5	6 2	3 .	22 18	120 94	55 34	
20	Other respiratory diseases	...	...	{M. F.	4 5	3 5	1 1	1 .	15 3	3 .	3 .	5 1	1 .	1 .	8 7	40 40	11 16	
21	Gastric and duodenal ulcer...	...	...	{M. F.	1 2	1 .	1 .	4 2	3 1	1 .	1 .	2 2	1 .	3 .	5 3	20 7	4 6	
22	Diarrhoea and enteritis (under 2 years)	...	...	{M. F.	1 .	1 .	1 .	1 .	2 .	1 .	1 .	1 .	2 2	1 .	4 4	13 8	15 14	
23	Appendicitis	...	...	{M. F.	1 2	1 2	1 .	1 1	1 1	3 .	1 1	2 .	1 .	2 .	3 .	19 15	5 3	
24	Cirrhosis of the liver	...	...	{M. F.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 4	1 .	
25	Other diseases of liver, etc....	...	...	{M. F.	3 .	1 .	1 .	1 .	1 .	1 .	1 1	1 .	1 .	1 .	1 .	7 8	1 .	
26	Other digestive diseases	...	...	{M. F.	5 3	1 3	1 .	7 8	7 5	3 3	3 2	4 1	1 .	1 .	11 3	44 35	18 13	
27	Acute and chronic nephritis	...	...	{M. F.	3 .	3 3	2 .	1 .	7 3	1 3	2 1	5 2	1 2	3 2	8 7	39 38	13 12	
28	Puerperal sepsis	...	...	F.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	6 .	2 .	
29	Other puerperal causes	...	...	F.	3 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	10 .	8 .	
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	13 5	8 11	1 4	4 6	3 8	1 1	1 .	2 8	4 1	1 .	10 8	62 67	28 21	
31	Senility	...	...	{M. F.	44 36	41 51	11 14	19 27	9 13	12 18	12 10	23 37	8 19	6 5	24 38	296 389	56 83	
32	Suicide	...	...	{M. F.	1 .	1 .	1 1	1 .	1 .	1 .	1 .	1 1	1 .	1 .	2 .	11 5	4 .	
33	Other violence	...	...	{M. F.	3 .	2 1	1 1	1 1	5 4	5 1	2 .	3 1	2 .	1 .	7 2	47 21	16 13	
34	Other defined causes	...	...	{M. F.	15 9	15 7	4 6	15 7	14 11	11 7	11 10	9 6	6 2	3 4	23 19	174 117	51 46	
35	Causes ill-defined or unknown	...	...	{M. F.	4 5	5 3	2 .	3 .	1 2	1 .	2 .	1 5	1 .	1 .	2 3	33 23	3 4	
Deaths under one year of age					{M. F.	16 8	13 20	1 6	5 6	16 15	6 6	2 2	4 9	7 4	1 1	28 21	134 123	78 58
,, 65 years and upwards					{M. F.	83 63	84 86	39 32	58 58	65 74	52 48	39 33	59 71	26 27	20 10	109 117	863 860	178 252
Uncertified Deaths					{M. F.	31 43	45 60	8 6	19 34	17 18	15 21	14 9	35 58	10 18	6 5	16 17	324 437	11 20
Number of Births					{M. F.	188 179	216 209	79 64	117 129	189 213	122 111	93 74	124 120	60 45	22 24	321 306	2,146 2,007	995 941
Population (Census, 1926)						22,275	21,421	9,912	16,667	19,906	15,151	9,585	17,429	7,060	3,842	37,796	249,461	78,490

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts, and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KERRY COUNTY.										TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts			Rural S.R.D.'s.								
		Kill- arney (67)	Lis- towel (68)	Tralee (69)	Caher- civeen (64)	Dingle (65)	Ken- mare (66)	Kill- arney (67)	Lis- towel (68)	Tralee (69)			
	ALL CAUSES	M. F.	42 39	15 25	84 74	127 119	84 96	58 54	214 139	179 144	157 188	141 138	819 740
1	Typhoid Fever (including Paratyphoid) ...	M. F.	.	.	1	.	1	.	.	2 4	.	1	2 5
2	Typhus	M. F.	.	.	.	.	.	.	.	1	.	.	1
3	Measles	M. F.	.	.	5 3	2 1	1 1	.	.	1	.	5 3	3 3
4	Scarlet Fever... ..	M. F.	.	.	.	1 1	.	1 1	.	.	.	.	2 2
5	Whooping-cough	M. F.	.	.	.	.	.	.	1	.	.	.	1
6	Diphtheria	M. F.	.	.	1	2 1	.	.	1	3 1	.	1	5 3
7	Dysentery	M. F.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	M. F.	1 5	.	8 3	2	5 3	1	6 6	5 11	10 23	9 8	29 43
9	Encephalitis Lethargica	M. F.	.	.	.	.	1	.	.	.	.	.	1
10	Cerebro-spinal Fever	M. F.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory System ...	M. F.	5 2	.	6 10	10 12	7 12	4 2	17 9	9 13	8 20	11 13	55 68
12	Other Tuberculous Diseases	M. F.	.	.	3 3	1 1	.	1 1	3 2	2 4	3 7	3 3	10 15
13	Cancer	M. F.	4 7	2	5 7	3 7	8 6	10 2	15 6	13 4	11 7	11 14	60 32
14	Diabetes Mellitus	M. F.	.	1	2 1	.	1	.	2 1	1 1	.	2 4	3 4
15	Cerebral Haemorrhage, Etc. (No. 82) ...	M. F.	2 2	.	4 7	7 9	6 2	3 4	9 12	8 6	6 5	6 11	39 38
16	Heart Disease	M. F.	7 4	5 4	12 7	11 2	9 11	5 3	32 22	17 15	25 21	24 15	99 74
17	Other Circulatory Diseases	M. F.	.	.	.	.	.	.	.	.	.	.	.

18	Bronchitis	...	...	M. F.	1 2	2 2	3 3	7 10	1 1	2 2	13 7	8 3	6 3	4 4	37 31
19	Pneumonia (All Forms)	...	...	M. F.	2 2	1 3	7 3	3 8	7 3	1 4	10 6	17 7	5 3	10 8	43 31
20	Other Respiratory Diseases	...	...	M. F.	1 1	1 1	1 2	1 1	3 2	3 1	5 1	4 .	2 .	3 4	18 5
21	Gastric and Duodenal Ulcer	...	...	M. F.	1 1	1 .	1 .	5 .	3 .	1 .	4 .	1 .	2 1	2 1	14 3
22	Diarrhoea and Enteritis (under 2 years)	...	...	M. F.	9 3	1 .	2 2	1 .	1 .	1 .	5 2	4 2	1 .	12 5	10 5
23	Appendicitis	...	...	M. F.	1 .	1 .	1 .	1 1	1 .	1 .	1 .	2 2	1 1	1 .	5 4
24	Cirrhosis of the Liver	...	...	M. F.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	3 .
25	Other Diseases of Liver, etc.	...	...	M. F.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	2 2
26	Other Digestive Diseases	...	...	M. F.	1 2	1 2	2 5	3 3	1 1	1 .	1 5	5 5	7 7	4 9	17 21
27	Acute and Chronic Nephritis	...	...	M. F.	3 .	4 .	4 3	1 .	1 1	3 .	8 3	7 7	5 7	7 3	22 21
28	Puerperal Sepsis	...	...	F.	1 .	1 .	1 .	1 .	1 .	2 .	1 .	1 .	2 .	1 .	5 .
29	Other Puerperal Causes	...	...	F.	1 .	2 .	2 .	1 .	1 .	1 .	2 .	4 .	1 .	4 .	8 .
30	Congenital Debility, etc. (Nos. 157-161)	...	...	M. F.	1 .	1 .	2 1	2 1	1 .	1 .	13 2	10 4	7 4	2 2	33 11
31	Senility	...	...	M. F.	2 .	3 3	6 4	39 38	22 34	16 19	35 34	36 32	38 47	9 9	186 204
32	Suicide	...	...	M. F.	1 .	1 .	2 .	1 .	2 .	2 .	5 .	2 .	5 .	4 .	16 7
33	Other Violence	...	...	M. F.	1 .	1 .	2 2	1 .	3 .	2 .	5 .	2 1	5 2	4 2	16 7
34	Other Defined Causes	...	...	M. F.	4 1	3 .	7 6	20 13	6 8	5 3	15 6	21 4	14 6	11 10	81 40
35	Causes ill-defined or unknown	...	...	M. F.	1 .	1 .	1 .	3 6	2 3	3 3	6 7	1 6	1 17	1 2	16 42
Deaths under one year of age					M. F.	10 5	1 2	13 4	7 7	8 2	2 2	23 6	24 11	16 8	80 36
„ 65 years and upwards					M. F.	13 17	8 8	26 18	69 68	46 49	29 34	114 72	90 76	79 88	427 387
Uncertified Deaths					M. F.	5 .	3 .	5 1	66 63	26 41	19 18	66 60	49 57	59 90	285 329
Number of Births					M. F.	50 34	32 26	75 85	124 136	122 103	97 104	231 260	288 266	271 271	1,133 1,140
Population (Census, 1926)						5,328	2,917	10,533	18,224	15,855	11,432	27,929	26,635	30,318	130,393

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LIMERICK COUNTY						LIMERICK COUNTY BOROUGH	TIPPERARY NORTH RIDING								TOTAL U.D.'s.	TOTAL R.D.'s.
		Rural S.R.D.'s.					Urban Districts			Rural S.R.D.'s.								
		Croom (70)	Kil-mallock (71)	Limerick (72)	New-castle (73)	Rath-keale (74)	Nenagh (77)		Temple more (79)	Thurles (79)	Borris-okane (76)	Nenagh (77)	Roscrea (78)	Thurles (79)				
	ALL CAUSES	M. F.	75 72	189 175	172 175	178 169	122 128	736 719	325 305	40 39	12 12	29 47	57 46	143 136	58 61	123 84	81 98	381 317
1	Typhoid fever (including paratyphoid)	M. F.	.	1	1	.	.	1 1	1	.	.	.	1	1	1	1	.	4 1
2	Typhus	M. F.	.	1	1	.	2	3 1	.	.	.	.	.	1	.	.	.	1
3	Measles	M. F.	.	.	2	.	4	6 2	8 15	3	.	1	.	1	.	.	3 1	1
4	Scarlet fever	M. F.	.	1	1	1	.	1 3	1	.	.	.	.	.	1	.	.	1
5	Whooping-cough	M. F.	3	.	.	1	.	3 1	.	.	.	.	.	.	.	.	.	.
6	Diphtheria	M. F.	1	1 1	1	1	2	4 3	2 6	.	1	.	.	1 2	.	1 1	1	2 3
7	Dysentery	M. F.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
8	Influenza	M. F.	5	2 5	7 16	8 5	3 8	20 39	5 6	1	1	2 5	2 1	2 2	7 6	8 2	3 6	19 11
9	Encephalitis lethargica	M. F.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1 1
10	Cerebro-spinal fever	M. F.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system	M. F.	3 4	9 12	7 13	10 16	3 6	32 51	24 32	5 5	1 1	5 2	5 1	5 8	2 7	7 4	11 8	19 20
12	Other tuberculous diseases	M. F.	1 1	3	.	1	3	8 3	3 6	3	1	2 1	1 1	1 2	1 1	4 2	6 1	6 6
13	Cancer	M. F.	8 3	16 13	19 9	11 15	11 8	65 48	29 18	.	1	5	10 5	12 13	5 7	9 6	1 8	36 31
14	Diabetes mellitus	M. F.	.	1 1	4 2	1	2	5 6	1 1	.	.	.	1	1 1	1 1	2	.	5 2
15	Cerebral hæmorrhage, etc. (No. 82)	M. F.	5 5	11 9	6 10	2 6	4 6	28 36	14 14	2 5	.	.	4 2	5 12	4 1	6 14	2 5	19 29
16	Heart disease	M. F.	18 15	21 28	22 33	22 25	17 19	100 120	33 31	5 8	3	5 5	4 9	26 23	5 4	26 14	10 16	61 50
17	Other circulatory diseases	M. F.	2	5	2	2	3	14	2	.	.	.	.	.	.	.	.	.

18	Bronchitis	{M. F.	5 8	10 8	9 11	12 8	5 7	41 42	21 25	1 2	2 2	1 1	2 2	10 8	3 1	1 5	2 4	16 14	
19	Pneumonia (all forms)	{M. F.	2 4	15 12	3 4	14 3	6 6	40 29	25 18	4 2	1 1	3 6	3 3	10 3	4 1	3 3	8 9	20 10	
20	Other respiratory diseases	{M. F.	. .	4 6	3 2	7 3	4 4	18 15	6 11	1 .	. .	. .	1 1	4 1	. .	2 .	1 .	5 4	
21	Gastric and duodenal ulcer	{M. F.	1 .	2 4	1 .	5 2	2 2	9 10	3 .	. .	. .	1 1	1 .	2 .	1 1	1 .	4 1	.	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	4 2	6 3	6 2	2 1	2 .	20 8	19 15	1 1	1 .	1 1	1 1	2 1	. 1	2 1	3 2	5 3	
23	Appendicitis	{M. F.	. .	1 .	. .	3 .	1 .	3 2	1 1	1 .	. .	. .	. .	2 .	1 .	. .	1 .	3 .	
24	Cirrhosis of the liver	{M. F.	. .	. .	1 1	1 1	. 1	2 3	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	
25	Other diseases of liver, etc....	{M. F.	. .	. .	. .	4 .	1 .	5 .	2 2	1 .	. .	. .	. .	1 .	1 .	. .	1 .	1 1	
26	Other digestive diseases	{M. F.	1 2	6 5	2 3	3 6	4 5	16 21	18 17	. 1	. .	2 2	1 .	6 5	5 2	4 .	2 3	15 8	
27	Acute and chronic nephritis	{M. F.	4 1	9 3	4 6	8 4	5 6	30 20	11 2	2 1	. 1	1 3	1 1	5 2	1 .	5 4	3 5	12 7	
28	Puerperal sepsis	F.	. .	. .	. .	. .	1 .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
29	Other puerperal causes	F.	. .	2 .	1 .	. .	1 .	4 .	3 .	. .	. .	. .	1 .	1 .	3 .	. .	. .	5 .	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	1 6	11 11	7 5	11 9	6 3	36 34	15 11	4 2	2 2	3 2	3 1	3 5	2 .	3 2	9 6	11 8	
31	Senility	{M. F.	5 5	28 25	27 35	26 37	15 19	101 121	20 32	1 2	1 1	2 7	10 9	25 21	9 17	20 12	4 10	64 59	
32	Suicide	{M. F.	. .	1 .	2 .	. .	1 .	3 1	1 .	. .	. .	1 .	. .	1 .	. .	. .	1 .	1 .	
33	Other violence	{M. F.	3 1	3 5	5 2	3 3	3 1	17 12	13 6	1 1	1 .	. .	1 2	6 .	1 1	4 1	2 1	12 4	
34	Other defined causes	{M. F.	10 8	21 14	28 12	16 11	16 11	91 56	42 28	5 4	2 .	2 2	4 4	10 9	5 4	13 7	9 6	32 24	
35	Causes ill-defined or unknown	{M. F.	. .	4 2	4 3	9 7	1 5	18 17	6 1	. .	. .	1 1	2 1	2 4	1 .	3 2	. 1	8 7	
Deaths under one year of age			{M. F.	7 11	27 21	19 11	20 11	12 7	85 61	71 48	5 2	3 2	6 4	5 3	14 8	3 2	7 5	14 8	29 18
,, 65 years and upwards			{M. F.	40 36	97 76	82 98	75 85	60 70	354 365	67 80	11 20	4 6	10 23	31 26	68 71	38 29	70 50	25 49	207 176
Uncertified Deaths			{M. F.	7 14	32 28	33 43	37 55	11 26	120 166	11 9	1 3	2 1	3 7	11 10	35 40	6 16	31 19	6 11	83 85
Number of Births			{M. F.	97 82	258 251	287 274	256 247	161 146	1,059 1,000	519 476	50 72	20 25	65 67	76 65	149 152	71 71	144 111	135 164	440 399
Population (Census, 1926)				10,087	24,284	25,417	23,884	17,223	100,895	39,448	4,524	2,233	4,815	9,213	16,268	7,586	15,006	11,572	48,073

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

CAUSES OF DEATH, ETC.		TIPPERARY SOUTH RIDING										WATERFORD COUNTY							WATER- FORD COUNTY BOROUGH (89)
		Urban Districts				Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Dist. Dun- garvan (85)	Rural S.R.D.'s.				TOTAL R.D.'s.	
		Carrick- on-Suir (80)	Cashel (81)	Clon- mel (83)	Tipper- ary (84)	Carrick- on-Suir (80)	Cashel (81)	Clogheen (82)	Clon- mel (83)	Tipper- ary (84)				Dun- garvan (85)	Kilmac- thomas (86)	Lis- more (87)	Water- ford (88)		
ALL CAUSES ...	{M. F.	29 42	24 26	78 66	46 53	12 16	154 150	98 90	28 30	106 110	177 187	398 396	42 42	94 87	51 39	80 94	127 131	352 351	198 226
Typhoid fever (including paratyphoid).	{M. F.	.	1 .	.	1 .	.	2 2	.	.	1 1	2 .	3 3	.	1 .	.	1 .	.	1 1	.
Typhus ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles ...	{M. F.	.	.	2 .	.	.	.	.	1 .	1 .	2 .	2 .	.	.	.	.	.	.	2 .
Scarlet fever ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ...	{M. F.	.	.	.	.	.	1 1	1 1	.	.	.	2 2	.	.	.	1 .	1 .	2 .	.
Diphtheria ...	{M. F.	.	1 .	4 1	.	.	2 2	.	1 2	.	4 2	3 4	.	.	.	.	.	.	1 1
Dysentery ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza ...	{M. F.	1 .	.	2 2	2 .	2 .	5 3	1 1	.	4 1	2 5	10 7	1 .	3 1	1 .	2 2	2 4	8 7	6 7
Encephalitis lethargica ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal fever ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of respiratory system.	{M. F.	2 2	. 5	2 7	2 5	.	6 14	8 9	2 3	8 5	6 -19	24 31	2 2	8 7	1 1	8 8	7 7	24 23	20 24
Other tuberculous diseases	{M. F.	3 1	. .	3 3	1 .	1 .	3 1	2 .	1 .	1 .	6 5	4 5	2 3	1 2	1 3	2 .	1 5	3 12	6 9
Cancer ...	{M. F.	5 7	5 .	10 1	8 3	2 4	13 14	8 8	3 3	7 10	28 11	33 39	3 3	7 7	4 1	3 7	14 16	28 31	15 21
Diabetes mellitus ...	{M. F.	.	.	2 .	.	.	.	1 .	1 .	1 1	2 .	1 3	1 .	.	.	1 .	.	1 .	3 1
Cerebral hæmorrhage, etc. (No. 82).	{M. F.	2 2	2 1	6 6	4 2	1 2	9 17	8 5	3 .	8 13	14 -11	29 37	5 3	2 10	3 5	3 6	3 6	11 27	10 19
Heart disease ...	{M. F.	3 5	8 12	15 16	7 8	1 2	32 23	17 17	.	23 20	33 41	73 68	6 10	17 16	7 4	14 17	29 30	67 67	34 44
Other circulatory diseases	{M. F.	2 2	. .	1 .	1 1	.	4 2	1 1	.	.	4 3	5 3	2 .	1 1	.	1 2	2 1	4 5	2 2

Bronchitis ...	M. F.	2 6	1 3	3 4	1 3	2 7	1 3	1 4	3 6	7 16	8 20	.	6 4	2 2	5 2	12 9	25 17	6 18	
Pneumonia (all forms) ...	M. F.	3 1	2 .	2 1	8 10	.	7 9	5 5	2 2	7 12	21 16	3 .	2 3	1 .	3 .	6 8	11 12	9 9	
Other respiratory diseases	M. F.	2 1	1 .	2 .	1 1	.	1 .	3 2	2 4	3 5	6 8	.	1 .	1 .	1 .	2 .	4 1	2 1	
Gastric and duodenal ulcer	M. F.	.	.	.	.	.	3 .	1 .	.	.	3 1	2 .	1 .	1 .	1 .	3 1	6 2	6 1	
Diarrhoea and enteritis (under 2 years).	M. F.	1 1	1 .	1 .	3 2	.	10 2	.	3 3	6 3	13 5	1 .	1 1	1 .	2 .	.	3 2	7 7	
Appendicitis ...	M. F.	.	.	1 1	.	.	.	1 .	.	1 1	1 .	.	.	.	.	1 .	1 .	.	
Cirrhosis of the liver ...	M. F.	.	.	.	.	.	2 .	.	.	.	2 .	.	.	1 .	1 .	.	2 .	.	
Other diseases of liver, etc.	M. F.	.	.	1 .	.	.	.	.	1 1	1 .	1 1	1 .	1 .	1 .	.	.	1 1	1 .	
Other digestive diseases	M. F.	2 .	.	2 .	3 1	.	1 .	1 2	1 .	5 3	3 3	1 .	1 3	1 2	1 3	2 2	5 10	5 7	
Acute and chronic nephritis	M. F.	1 1	.	3 3	1 1	1 .	11 3	4 .	2 2	5 5	19 5	2 2	5 2	2 .	2 5	4 1	13 8	5 2	
Puerperal sepsis ...	F.	.	.	.	1 .	.	.	.	1 .	1 .	1 .	.	1 .	.	.	.	1 .	1 .	
Other puerperal causes	F.	2 .	.	1 .	.	.	1 .	2 .	2 .	3 .	5 .	.	1 .	.	1 .	1 .	3 .	2 .	
Congenital debility, etc. (Nos. 157-161).	M. F.	3 .	1 .	2 2	2 4	.	3 3	2 1	5 4	4 10	11 10	2 1	5 2	4 .	2 1	6 9	17 12	13 5	
Senility ...	M. F.	2 3	1 1	3 13	3 .	5 3	23 35	26 19	3 2	11 26	6 20	68 85	8 7	19 14	14 11	14 24	61 63	11 15	
Suicide ...	M. F.	.	.	.	.	.	.	.	1 .	.	1 .	.	.	.	1 .	1 .	1 .	2 .	
Other violence...	M. F.	.	.	1 1	.	1 .	1 3	2 1	3 2	3 1	9 7	2 1	4 .	1 .	1 2	5 2	11 4	7 5	
Other defined Causes	M. F.	1 2	3 1	12 2	4 4	1 .	9 6	7 6	5 3	10 5	20 9	31 21	3 4	7 8	5 2	16 9	13 12	41 31	23 22
Causes ill-defined or un- known.	M. F.	.	.	.	1 .	.	5 2	2 3	1 .	4 1	12 6	1 .	2 3	2 1	1 .	1 1	5 6	2 3	
Deaths under one year of age	M. F.	1 6	3 2	9 2	6 7	.	13 9	6 3	1 2	12 7	19 17	32 21	3 6	6 5	5 3	8 5	11 13	30 26	37 19
„ 65 years and upwards	M. F.	8 18	11 10	19 26	11 15	8 11	80 79	59 41	11 12	51 60	49 69	209 206	24 18	46 45	26 22	44 49	63 67	179 183	70 85
Uncertified Deaths	M. F.	2 5	1 4	1 1	.	2 1	23 32	20 23	4 3	14 20	4 10	63 79	1 2	16 26	9 8	10 24	7 16	42 74	2 9
Number of Births	M. F.	52 65	23 32	106 85	43 53	17 23	209 194	100 98	37 31	151 152	224 235	514 498	74 58	107 110	60 76	81 89	184 161	432 436	335 273
Population (Census, 1926) ...		4,657	2,953	9,056	5,555	2,236	23,047	12,348	4,721	16,797	22,221	59,149	5,207	13,080	6,321	10,802	16,505	46,708	26,647

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	PROVINCE OF CONNAUGHT		GALWAY COUNTY												TOTAL U.D.'s.	TOTAL R.D.'s.
		TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts		Rural S.R.D.'s.											
				Ballinasloe (90)	Galway (92)	Ballinasloe (90)	Clifden (91)	Galway (92)	Glennamaddy (93)	Gort (94)	Loughrea (95)	Mountbellew (96)	Oughteraud (97)	Portlanna (98)	Tuam (99)		
	ALL CAUSES {M. P.	282 273	3,387 3,316	25 12	108 99	63 57	103 88	132 124	93 84	60 71	118 102	75 66	94 92	55 39	164 198	133 111	957 921
1	Typhoid fever (including paratyphoid) {M. F.	1 .	7 11	. .	. .	. .	1 1	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	3 1
2	Typhus {M. F.	. .	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles {M. F.	6 2	2 2	. .	6 2	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	6 2	1 1
4	Scarlet fever {M. F.	. .	1 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
5	Whooping-cough {M. F.	2 .	16 14	. .	. .	1 .	. .	1 .	1 .	. .	. .	3 .	. .	1 .	1 .	. .	2 6
6	Diphtheria {M. F.	2 2	22 13	. .	2 .	. .	. .	2 .	1 .	. .	2 .	. .	1 3	2 .	1 2	2 .	9 5
7	Dysentery {M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza {M. F.	6 7	122 168	. .	3 .	1 1	3 3	1 8	3 2	3 1	2 2	1 1	8 13	. 2	5 9	3 .	27 42
9	Encephalitis lethargica {M. F.	. .	3 2	. .	. .	. .	. .	. .	1 .	1 .	. .	1 .	. .	. .	1 .	. .	2 2
10	Cerebro-spinal fever {M. F.	. .	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .
11	Tuberculosis of respiratory system ... {M. F.	18 23	179 197	3 .	12 10	5 2	3 7	8 7	6 6	2 2	7 9	3 1	9 11	3 1	8 8	15 10	54 54
12	Other tuberculous diseases {M. F.	8 7	44 50	. .	4 2	. 1	1 .	. 3	1 .	1 3	2 1	. 1	2 1	. 1	3 2	4 2	10 13
13	Cancer {M. F.	23 33	274 211	1 2	11 16	8 6	8 10	14 6	8 6	3 1	9 10	6 1	8 5	6 2	16 16	12 18	86 63
14	Diabetes mellitus {M. F.	1 2	33 16	. .	1 .	. .	2 1	1 .	1 .	. .	. .	1 .	1 1	1 .	3 .	1 .	10 2
15	Cerebral haemorrhage, etc. (No. 82)... {M. F.	15 18	145 159	3 1	4 7	3 1	2 5	4 3	2 1	3 3	5 2	2 6	1 1	2 .	5 11	7 8	29 33
16	Heart disease {M. F.	40 42	336 346	3 3	15 13	6 11	5 5	6 8	5 9	3 12	20 12	9 11	10 12	14 9	15 23	18 16	93 112
17	Other circulatory diseases {M. F.	7 .	29 23	2 .	1 .	1 .	1 .	1 .	. .	. .	. .	. .	. .	2 1	1 1	3 .	5 3

18	Bronchitis	{M. F.	10 16	198 175	1 .	2 3	1 2	5 7	7 5	6 1	2 2	3 3	5 .	4 1	2 .	13 4	3 3	46 30	
19	Pneumonia (all forms)	{M. F.	18 20	167 144	. .	3 6	2 3	5 2	6 5	3 2	4 5	3 9	6 2	1 2	8 3	10 6	3 6	48 39	
20	Other respiratory diseases	{M. F.	8 8	56 46	1 .	3 2	. .	2 1	1 3	2 .	2 2	1 .	1 1	2 .	. .	3 3	4 2	14 10	
21	Gastric and duodenal ulcer	{M. F.	3 1	37 15	. .	1 1	2 .	1 .	1 .	. .	. .	2 .	1 .	. .	2 .	1 1	1 1	8 3	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	15 2	16 12	1 .	10 1	1 .	. .	. .	. .	1 .	1 2	. 1	. .	. .	. .	11 1	3 3	
23	Appendicitis	{M. F.	2 .	25 3	. .	. .	2 .	1 .	. .	. .	. .	2 .	. .	. .	. .	. .	. .	5 .	
24	Cirrhosis of the liver	{M. F.	. 1	10 4	. .	. .	. .	1 .	1 .	. .	2 .	. .	. .	. .	. .	1 .	. .	4 1	
25	Other diseases of liver, etc.	{M. F.	. 1	12 12	. .	1 .	. .	. .	. .	. .	2 .	. .	. .	1 .	. .	1 .	1 .	3 1	
26	Other digestive diseases	{M. F.	7 9	75 68	1 .	2 5	1 2	2 1	4 4	1 .	1 1	2 1	2 3	. 2	1 1	3 7	3 5	17 22	
27	Acute and chronic nephritis	{M. F.	10 4	80 75	. .	2 .	2 4	. .	4 3	2 2	1 3	2 4	3 .	3 3	2 1	5 2	2 .	24 22	
28	Puerperal sepsis	F.	1	8	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	2 .	
29	Other puerperal causes	F.	5	27	1	1	. .	. .	2 .	. .	. .	2 .	. .	3 .	. .	1 .	2 .	8 .	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	14 15	100 84	. 2	9 5	3 3	5 5	. 6	1 3	1 1	4 4	. 1	1 .	3 2	5 3	9 7	23 28	
31	Senility	{M. F.	30 20	937 1,061	6 .	7 6	15 14	40 25	56 47	41 43	15 27	32 21	22 23	22 18	4 7	44 70	13 6	291 295	
32	Suicide	{M. F.	3 .	17 6	. .	1 .	1 .	. .	. .	1 .	1 .	. 1	1 .	. .	. .	. .	1 .	4 1	
33	Other violence	{M. F.	9 3	70 31	1 .	4 1	2 .	2 2	6 1	2 1	2 .	4 1	1 1	5 .	. 1	2 2	5 1	26 9	
34	Other defined causes	{M. F.	25 26	257 208	2 2	8 11	3 3	11 10	9 8	6 5	8 5	12 12	9 4	5 8	5 4	14 16	10 13	82 75	
35	Causes ill-defined or unknown	{M. F.	1 3	114 120	. 1	1 2	3 4	2 2	1 3	1 1	2 1	2 3	1 6	11 7	. 1	5 6	1 3	28 34	
Deaths under one year of age			{M. F.	44 25	227 169	2 2	24 11	6 4	8 8	5 11	2 2	7 11	6 .	1 4	9 7	5 6	12 8	26 13	61 63
,, 65 years and upwards			{M. F.	104 113	1,959 1,995	14 5	29 35	27 31	64 55	76 74	57 54	34 45	64 47	53 41	60 44	25 24	86 131	43 40	546 546
Uncertified Deaths			{M. F.	16 28	1,338 1,550	2 2	5 6	22 20	54 47	78 66	44 52	21 41	39 35	25 40	43 41	9 7	54 39	7 8	389 438
Number of Births			{M. F.	453 457	4,527 4,195	61 31	170 192	84 88	112 112	217 239	101 104	101 77	169 195	100 107	159 153	83 82	295 275	231 223	1,421 1,432
Population (Census, 1926)				48,536	509,371	5,245	14,227	9,819	13,760	20,067	11,639	10,750	19,257	12,652	14,494	8,356	29,100	19,472	149,894

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LEITRIM COUNTY				MAYO COUNTY											TOTAL U.D.'s.	TOTAL R.D.'s.
		Rural S.R.D.'s.			TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.									
		Car-on-Shannon (100)	Manor-hamilton (101)	Mohill (102)		Ballina (103)	Castle-bar (106)	West-port (109)	Ballina (103)	Ballin-robe (104)	Bel-mullet (105)	Castle-bar (106)	Clare-morris (107)	Swine-ford (108)	West-port (109)			
	ALL CAUSES	M. 78 F. 67	169 202	166 172	413 441	39 35	20 16	24 27	147 119	111 105	67 53	102 108	149 148	239 247	162 157	83 78	977 937	
1	Typhoid fever (including paratyphoid) {	M. 2 F. 1	.	1 .	3 1	.	1 .	.	.	2 .	.	.	4 .	1 .	.	1 .	7 .	
2	Typhus	M. . F. .	.	2 .	2 .	.	.	.	.	.	2 .	.	.	.	.	.	2 .	
3	Measles	M. . F. .	.	1 .	1 .	.	.	.	.	.	.	.	.	.	1 .	.	1 .	
4	Scarlet fever	M. . F. .	.	.	.	.	.	.	.	.	.	.	1 .	.	.	.	1 .	
5	Whooping-cough	M. . F. .	1 1	1 .	2 1	2 .	.	.	4 3	1 .	.	1 2	.	1 .	1 .	2 .	7 6	
6	Diphtheria	M. . F. .	.	1 .	1 .	.	.	.	2 .	3 2	1 .	.	1 .	1 .	.	.	6 4	
7	Dysentery	M. . F. .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza	M. 5 F. 4	5 10	4 10	14 24	2 .	3 1	1 1	13 10	3 5	2 3	1 3	9 12	9 8	9 10	6 2	46 51	
9	Encephalitis lethargica	M. . F. .	.	.	.	.	.	.	1 .	.	.	.	.	.	.	.	1 .	
10	Cerebro-spinal fever	M. . F. .	.	.	.	.	.	.	.	.	.	.	.	.	1 .	.	1 .	
11	Tuberculosis of respiratory system	M. 2 F. 4	5 15	12 5	19 24	2 8	.	1 .	10 13	7 9	2 2	8 1	8 7	19 18	10 20	2 10	64 70	
12	Other tuberculous diseases	M. . F. 1	5 5	3 2	8 8	1 .	.	.	2 4	3 .	.	2 .	1 1	1 3	6 .	1 .	13 19	
13	Cancer	M. 4 F. 4	13 20	11 6	28 30	2 2	3 1	3 2	9 10	8 5	9 5	2 2	16 9	21 19	13 8	8 5	78 58	
14	Diabetes mellitus	M. 1 F. .	2 3	3 .	6 3	.	.	1 .	2 1	2 .	1 1	1 1	.	1 1	1 2	1 .	8 6	
15	Cerebral haemorrhage, etc. (No. 82)... ..	M. 2 F. 3	10 12	15 13	27 29	3 6	.	5 .	4 4	5 5	1 2	4 4	8 5	9 7	5 7	8 7	36 34	
16	Heart disease	M. 11 F. 7	16 15	20 25	47 47	6 2	3 4	3 4	16 12	3 7	2 2	12 6	7 12	26 22	11 10	12 10	77 71	
17	Other circulatory diseases	M. . F. .	2 2	1 .	2 3	2 .	1 .	.	8 .	.	.	1 .	2 2	4 4	1 .	3 .	11 6	

18	Bronchitis	{ M. F.	9 7	9 7	15 24	33 38	1 1	1 1	1 2	12 7	5 5	6 2	9 6	3 6	20 20	8 9	3 4	63 55	
19	Pneumonia (all forms)	{ M. F.	4 6	10 8	5 12	19 26	8 1	1 1	4 4	8 3	2 6	4 3	6 3	9 13	9 5	11 10	9 6	49 43	
20	Other respiratory diseases	{ M. F.	2 3	2 3	1 1	5 3	1 2	2 2	2 2	2 1	2 2	1 1	1 3	3 3	4 3	5 1	3 4	18 11	
21	Gastric and duodenal ulcer	{ M. F.	1 1	1 1	4 2	4 3	1 1	1 1	1 1	4 1	4 2	1 1	1 1	1 1	4 1	1 1	1 1	16 6	
22	Diarrhoea and enteritis (under 2 years)	{ M. F.	1 3	1 3	1 1	2 3	1 1	1 1	1 1	1 1	1 1	2 2	1 1	2 1	1 1	1 1	1 1	4 5	
23	Appendicitis	{ M. F.	1 1	1 1	1 1	2 1	1 1	2 1	2 1	1 1	1 1	1 1	3 1	1 1	1 1	2 1	2 1	8 1	
24	Cirrhosis of the liver	{ M. F.	1 1	1 1	1 2	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 4	
25	Other diseases of liver, etc.	{ M. F.	1 1	1 1	2 2	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 3	
26	Other digestive diseases	{ M. F.	4 4	4 4	1 8	9 12	1 1	1 1	1 1	2 4	2 1	1 1	5 2	2 2	5 5	7 4	2 3	24 18	
27	Acute and chronic nephritis	{ M. F.	2 7	8 7	5 5	15 12	4 1	1 1	1 1	1 1	1 2	1 2	2 2	1 1	4 3	4 4	4 2	13 11	
28	Puerperal sepsis	F.	1 1	1 1	1 1	2 1	1 1	1 1	1 1	2 1	1 1	2 1	1 1	1 1	4 4	2 2	2 2	12 12	
29	Other puerperal causes	F.	1 1	1 1	1 1	2 1	1 1	1 1	1 1	2 1	1 1	2 1	1 1	1 1	4 4	2 2	2 2	12 12	
30	Congenital debility, etc. (Nos. 157-161)	{ M. F.	1 5	7 5	3 4	10 10	1 2	1 1	1 1	3 2	5 1	1 2	6 2	13 8	6 3	6 4	3 3	35 21	
31	Senility	{ M. F.	19 24	40 52	40 29	99 105	4 3	2 1	2 1	32 27	32 38	17 13	37 60	55 53	67 93	40 52	8 5	280 336	
32	Suicide	{ M. F.	1 1	1 1	2 2	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	3 3	
33	Other violence	{ M. F.	1 1	5 2	3 3	9 2	1 1	1 1	1 1	1 4	2 2	1 1	3 1	2 1	2 2	3 1	1 1	11 11	
34	Other defined causes	{ M. F.	6 3	16 16	7 9	29 28	2 3	2 3	6 4	10 6	14 6	6 3	4 7	8 5	14 15	11 9	10 10	67 51	
35	Causes ill-defined or unknown	{ M. F.	4 5	6 5	7 8	17 13	1 1	1 1	1 1	3 4	6 5	9 4	3 4	2 2	2 6	4 3	1 1	29 28	
Deaths under one year of age			{ M. F.	2 3	15 11	7 6	24 20	2 2	2 1	1 2	12 5	9 3	8 5	6 6	10 11	21 8	13 8	5 5	79 46
,, 65 years and upwards			{ M. F.	49 46	105 111	91 92	245 249	17 13	7 7	14 11	81 67	59 63	33 25	64 82	87 88	138 155	94 94	38 31	556 574
Uncertified Deaths			{ M. F.	30 35	62 77	65 67	157 179	3 5	1 3	1 2	57 55	42 55	54 37	70 78	48 66	103 124	58 77	5 10	432 492
Number of Births			{ M. F.	72 76	198 186	224 218	494 480	55 59	24 37	28 34	224 198	156 154	126 116	173 128	172 177	294 280	241 226	107 130	1,386 1,279
Population (Census, 1926)				10,422	21,791	23,694	55,907	4,873	4,266	3,488	24,056	18,293	13,720	19,613	20,573	36,994	26,814	12,627	160,063

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	ROSCOMMON COUNTY				SLIGO COUNTY				
		Rural S.R.D.'s.			TOTAL R.D.'s.	U.D.	Rural S.R.D.'s.			TOTAL R.D.'s.
		Boyle (110)	Castle- rea (111)	Ros- common (112)		Sligo (114)	Dromore West (113)	Sligo (114)	Tober- curry (115)	
	ALL CAUSES {M. F.	145 143	173 192	268 217	586 552	66 84	72 77	262 248	120 140	454 465
1	Typhoid fever (including paratyphoid) {M. F.	1	.	1	1 2	.	.	.	.	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	.	.	.	.	.	.	.	.	.
4	Scarlet fever {M. F.	.	.	1	1	.	.	1	.	1
5	Whooping-cough {M. F.	2	1	1	4	.	1	.	1	1
6	Diphtheria {M. F.	2	1	4 3	7 3	2	.	.	.	.
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	3 8	7 5	7 11	17 24	2	3 4	10 13	5 10	18 27
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system {M. F.	3 5	10 9	12 5	25 19	1 3	6 10	8 15	3 5	17 30
12	Other tuberculous diseases {M. F.	1 1	.	1 1	2 4	3 5	1	7 9	3 6	11 15
13	Cancer {M. F.	9 6	10 15	14 13	33 34	3 10	13 5	21 13	15 8	49 26
14	Diabetes mellitus {M. F.	.	2	5 2	5 4	1	1	3	1	4 1
15	Cerebral haemorrhage, etc. (No. 82) {M. F.	12 11	8 8	12 18	32 37	.	2 4	13 15	6 7	21 26
16	Heart disease {M. F.	19 16	27 18	24 24	70 58	10 16	12 11	24 33	13 14	49 58
17	Other circulatory diseases {M. F.	1	1	6 6	7 7	1	.	4 4	.	4 4

18	Bronchitis	{M. F.	10 5	13 5	7 15	30 31	9 6	1 2	16 13	6 6	22 20	
19	Pneumonia (all forms)	{M. F.	11 5	5 10	15 1	31 16	6 8	1 2	13 10	6 8	20 20	
20	Other respiratory diseases	{M. F.	1 3	5 4	5 1	11 8	1 2	1 1	6 4	2 9	8 14	
21	Gastric and duodenal ulcer	{M. F.	2 1	. .	2 1	4 2	1 .	1 .	4 1	. .	5 1	
22	Diarrhoea and enteritis (under 2 years) {M. F.	{M. F.	. .	1 .	2 1	3 1	4 1	. .	1 .	3 .	. .	
23	Appendicitis	{M. F.	2 .	3 .	1 1	6 1	. .	. .	4 .	. .	4 .	
24	Cirrhosis of the liver	{M. F.	. .	. .	. .	. .	. .	. .	1 .	. .	1 .	
25	Other diseases of liver, etc....	{M. F.	2 .	1 .	1 1	4 1	. .	1 .	. 2	1 2	2 4	
26	Other digestive diseases	{M. F.	3 4	2 2	7 4	12 10	2 1	3 .	2 2	8 4	13 6	
27	Acute and chronic nephritis	{M. F.	3 6	5 2	8 8	16 16	4 2	3 5	5 7	4 2	12 14	
28	Puerperal sepsis	F.	1	.	1	2	1	1	1	1	3	
29	Other puerperal causes	F.	.	.	3	3	1	.	2	.	2	
30	Congenital debility, etc. (Nos. 157-161) {M. F.	{M. F.	4 7	3 4	12 7	19 18	5 5	1 1	10 5	2 1	13 7	
31	Senility	{M. F.	35 41	59 73	75 69	169 183	9 9	13 27	67 71	18 44	98 142	
32	Suicide	{M. F.	1 .	1 .	1 .	1 2	2 .	2 .	1 .	4 .	7 .	
33	Other violence	{M. F.	2 2	2 1	6 3	10 6	4 1	1 .	11 3	2 .	14 3	
34	Other defined causes	{M. F.	7 5	12 15	24 14	43 34	5 3	4 2	22 11	10 7	36 20	
35	Causes ill-defined or unknown	{M. F.	7 9	4 7	13 10	24 26	. .	2 4	11 11	3 4	16 19	
Deaths under one year of age			{M. F.	8 9	9 9	18 9	35 27	13 7	3 1	18 8	7 4	28 13
,, 65 years and upwards			{M. F.	85 81	113 126	155 137	353 344	23 42	40 48	149 145	70 89	259 282
Uncertified Deaths			{M. F.	40 51	67 96	100 104	207 251	4 10	19 33	102 90	32 67	153 190
Number of Births			{M. F.	142 125	235 179	359 289	736 593	115 104	87 78	289 227	114 106	490 411
Population (Census, 1926)				18,656	27,152	37,748	83,556	11,437	10,834	33,261	15,856	59,951

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		PROVINCE OF ULSTER (part of)	CAVAN COUNTY									DONEGAL COUNTY					
				Urban Districts			Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.			
				TOTAL U.D.'s.	TOTAL R.D.'s.	Bel- turbet (118)	Cavan (118)	Coote- hill (118)	Baillie- boro' (116)			Bawn- boy (117)	Cavan (118)	Bun- crana (123)	Bun- doran (119)	Letter- kenny (124)	Bally- shannon (119)	Done- gal (120)
	ALL CAUSES	M. F.	122 138	2,025 1,881	9 12	18 21	13 14	162 142	89 71	339 318	40 47	590 531	10 9	9 9	10 18	52 47	118 130	97 67
1	Typhoid fever (including paratyphoid)	M. F.	.	6 1	.	.	.	.	.	2	.	2	.	.	.	.	.	.
2	Typhus	M. F.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles	M. F.	.	5	.	.	.	2	1	.	.	3	.	.	.	.	1	.
4	Scarlet fever	M. F.	2	6 4	.	.	.	.	1	.	.	1	.	.	2	.	.	1
5	Whooping-cough	M. F.	2	8 6	.	.	.	.	.	.	.	.	.	.	.	.	1	.
6	Diphtheria	M. F.	1 1	6 9	.	1	1	1	.	2 3	1 1	2 4	.	.	.	.	.	.
7	Dysentery	M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	M. F.	1 2	81 71	1 1	.	.	1 2	10 5	15 10	1 1	26 17	.	.	1	1 3	6 5	2 3
9	Encephalitis lethargica	M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever	M. F.	.	1 3	.	.	.	.	.	.	.	.	.	.	.	1	.	.
11	Tuberculosis of respiratory system	M. F.	9 8	94 129	.	1	1	8 11	4 4	13 17	1 2	25 32	.	1	4 1	.	4 13	10 3
12	Other tuberculous diseases	M. F.	2 3	33 25	1	.	.	4 3	3 .	3 4	1	10 7	.	.	.	2 2	5 .	1
13	Cancer	M. F.	11 11	150 135	.	2 2	1 1	17 13	6 3	23 23	3 3	46 39	1 3	1	1	8 2	9 7	4 2
14	Diabetes mellitus	M. F.	2	13 6	.	2	.	1	.	3 2	2	4 2	.	.	.	1	1	.
15	Cerebral haemorrhage, etc. (No. 82)	M. F.	6 13	135 166	1 1	3 2	.	5 10	7 3	27 24	4 3	39 37	1 1	.	1	3 5	6 18	2 2
16	Heart disease	M. F.	14 15	279 257	1 .	2 2	4 2	32 27	8 11	55 54	7 4	95 92	1 1	2 .	3	8 4	15 17	6 .

18	Bronchitis ...	{ M. F.	3 6	129 129	1 2	2 1	8 10	10 25	3 3	43 43	1 1	1 1	3 3	1 1
19	Pneumonia (all forms) ...	{ M. F.	8 11	108 82	3 2	3 4	10 6	2 2	20 13	3 6	32 21	1 1	8 5	5 4
20	Other respiratory diseases ...	{ M. F.	8 1	37 21	3 1	1 2	2 1	5 3	4 3	8 6	1 1	1 1	1 4	1 1
21	Gastric and duodenal ulcer ...	{ M. F.	2 1	24 9	1 1	1 1	1 1	3 2	5 2	5 2	1 1	2 1	1 1	1 1
22	Diarrhoea and enteritis (under 2 years) ...	{ M. F.	12 7	12 7	1 1	1 1	1 1	3 1	3 1	3 1	1 1	1 1	1 1	1 1
23	Appendicitis ...	{ M. F.	1 1	8 2	1 1	1 1	2 1	1 1	2 2	2 2	1 1	1 1	1 1	1 1
24	Cirrhosis of the liver ...	{ M. F.	2 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other diseases of liver, etc....	{ M. F.	4 8	4 8	1 1	1 1	2 1	1 1	3 1	3 1	1 1	1 1	1 1	1 1
26	Other digestive diseases ...	{ M. F.	4 4	50 48	1 1	1 1	3 5	2 2	6 5	1 1	11 12	2 1	3 3	1 3
27	Acute and chronic nephritis ...	{ M. F.	6 4	62 56	2 1	1 2	4 4	2 1	9 5	4 2	15 10	1 1	3 7	1 3
28	Puerperal sepsis ...	F.	1	7	1	1	1	2	1	2	1	1	1	1
29	Other puerperal causes ...	F.	3	19	1	1	2	1	4	4	1	1	1	1
30	Congenital debility, etc. (Nos. 157-161) ...	{ M. F.	5 9	65 62	3 3	3 1	7 2	4 2	12 12	4 7	23 16	1 1	3 2	3 4
31	Senility ...	{ M. F.	11 20	392 386	1 3	1 1	28 26	23 21	51 65	2 4	102 112	1 2	5 6	27 23
32	Suicide ...	{ M. F.	1 1	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Other violence ...	{ M. F.	3 3	48 30	1 1	1 1	4 1	1 1	5 9	10 10	1 1	1 1	3 1	2 1
34	Other defined causes ...	{ M. F.	17 12	180 115	2 1	1 3	12 10	5 1	39 16	4 4	56 27	1 1	6 3	15 10
35	Causes ill-defined or unknown ...	{ M. F.	2 4	49 56	1 1	1 1	5 4	3 2	12 15	1 1	20 21	1 1	2 4	6 4
Deaths under one year of age ...			{ M. F.	13 13	136 119	1 3	4 6	5 1	12 8	6 2	23 22	10 10	41 32	6 2
,, 65 years and upwards ...			{ M. F.	51 51	1,149 1,003	4 4	6 2	6 5	87 74	53 49	192 166	16 11	332 289	22 24
Uncertified Deaths ...			{ M. F.	9 13	662 691	1 1	3 1	1 1	42 40	43 38	103 117	5 3	188 195	8 7
Number of Births ...			{ M. F.	240 213	2,401 2,191	11 13	44 34	33 18	190 180	98 91	356 317	88 65	644 588	56 59
Population (Census, 1926) ...				22,401	277,690	1,807	3,060	1,532	21,473	12,232	42,848	5,899	76,553	2,309

ABSTRACT VI.—continued.—CAUSES OF DEATH, BY SEXES, &c., during the Year 1931, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		DONEGAL COUNTY—contd.							MONAGHAN COUNTY									
			Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts				Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.
			Glenties (122)	Inish-owen (123)	Letter-kenny (124)	Mil-ford (125)	Stran-olar (126)			Carrick-macross (127)	Castle-blayne (128)	Clones (129)	Mon-aghan (130)	Carrick-macross (127)	Castle-blayne (128)	Clones (129)	Mon-aghan (130)		
	ALL CAUSES	M. F.	189 188	170 165	102 104	117 104	168 137	29 36	1,013 942	10 17	11 9	14 16	18 13	87 87	104 79	81 93	150 149	53 55	422 408
1	Typhoid fever (including para-typhoid).	M. F.	. .	. .	1 1	1 .	2 .	. 4	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Typhus	M. F.	. .	. .	. .	. .	1 .	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	M. F.	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .
4	Scarlet fever	M. F.	. .	. .	1 .	2 .	1 1	2 .	4 2	. .	. .	. .	. .	. .	. .	1 1	1 .	. 2	1 .
5	Whooping-cough	M. F.	. .	6 2	. 1	2 .	. .	. 8	. 5	. .	. .	2 .	. .	. .	. .	. .	1 .	2 .	1 .
6	Diphtheria	M. F.	2 .	1 2	. 1	1 .	. .	. 4	. 3	. .	. .	. .	. .	. .	1 .	. .	1 .	. 2	. .
7	Dysentery	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	M. F.	12 12	5 12	4 5	3 3	10 2	. 1	43 45	. .	. .	. .	. .	4 1	3 3	1 2	4 3	. 12	9 .
9	Encephalitis lethargica	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal fever	M. F.	. .	. .	. .	1 .	1 .	. 1	. 2	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .
11	Tuberculosis of respiratory system.	M. F.	15 20	5 17	1 7	7 2	10 6	5 2	52 73	. 1	2 .	1 1	2 .	6 9	3 5	4 3	4 7	3 4	17 24
12	Other tuberculous diseases	M. F.	. 5	3 2	2 2	2 2	. 5	. .	19 14	. .	. .	1 1	1 1	. 1	2 2	1 .	1 1	2 2	3 4
13	Cancer	M. F.	11 12	14 12	8 4	7 13	12 12	2 4	73 64	. 1	2 1	3 .	1 2	7 6	6 4	5 8	13 14	6 4	31 32
14	Diabetes mellitus	M. F.	. .	1 .	. .	1 .	1 .	. 4	. 1	. .	. .	. .	. .	1 .	3 1	. .	1 2	. .	5 3
15	Cerebral hæmorrhage, etc. (No. 82)	M. F.	14 20	10 11	8 10	8 17	6 10	1 2	57 93	. 3	. 2	. 1	1 2	7 6	6 6	9 11	17 13	1 8	39 36
16	Heart disease	M. F.	27 22	18 14	16 10	18 10	17 17	3 4	125 95	. 3	1 2	. 1	3 1	9 13	18 9	13 17	19 31	4 7	59 70
17	Other circulatory diseases	M. F.	1 .	1 .	5 .	3 .	9 .	3 .	28 .	. 2	. .	. .	. .	1 .	7 .	. .	. .	. .	. .

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER OR NUMBERS of each Superintendent Registrar's District in Abstracts I and VI, in which the numbers run consecutively from 1 to 130. In Abstract VI, the Urban and Rural parts of these areas are distinguished].

A.			K.			P.					
Abbeyleix	...	14	Clones	...	129	Kanturk	...	54	Portumna	...	98
Ardee	...	19	Clonmel	...	83	Kells	...	23	R.		
Athlone	...	30	Cork	...	51, 63	Kenmare	...	66	Rathdown	...	4
Athy	...	6	Corofin	...	41	Kilkenny	...	11	Rathdrum	...	38
B.			Croom	...	70	Killadysert	...	44	Rathkeale	...	74
Bailieborough	...	116	D.			Killarney	...	67	Roscommon	...	112
Ballina	...	103	Delvin	...	31	Kilmacthomas	...	86	Roscrea	...	78
Ballinasloe	...	90	Dingle	...	65	Kilmallock	...	71	S.		
Ballinrobe	...	104	Donegal	...	120	Kilrush	...	45	Scarriff	...	46
Ballymahon	...	16	Drogheda	...	20	Kinsale	...	55	Shillelagh	...	39
Ballyshannon	...	119	Dromore West	...	113	L.			Skibbereen	...	60
Ballyvaghan	...	40	Dublin	...	3, 5	Letterkenny	...	124	Skull	...	61
Balrothery	...	2	Dundalk	...	21	Limerick	...	72, 75	Sligo	...	114
Baltinglass	...	37	Dunfanaghy	...	121	Lismore	...	87	Stranorlar	...	126
Bandon	...	47	Dungarvan	...	85	Listowel	...	68	Swineford	...	108
Bantry	...	48	Dunmanway	...	52	Longford	...	18	T.		
Bawnboy	...	117	Dunshaughlin	...	22	Loughrea	...	95	Thomastown	...	12
Belmullet	...	105	E.			M.			Thurles	...	79
Birr	...	27	Edenderry	...	28	Macroom	...	56	Tipperary	...	84
Borrisokane	...	76	Ennis	...	42	Mallow	...	57	Tobercurry	...	115
Boyle	...	110	Enniscorthy	...	33	Manorhamilton	...	101	Tralee	...	69
C.			Ennistymon	...	43	Middleton	...	58	Trim	...	26
Caherciveen	...	64	F.			Milford	...	125	Tuam	...	99
Callan	...	9	Fermoy	...	53	Millstreet	...	59	Tullamore	...	29
Carlow	...	1	G.			Mohill	...	102	U.		
Carrickmacross	...	127	Galway	...	92	Monaghan	...	130	Urlingford	...	13
Carrick-on-Shannon	...	100	Glennamaddy	...	93	Mount Bellew	...	96	W.		
Carrick-on-Suir	...	80	Glenties	...	122	Mountmellick	...	15	Waterford	...	88, 89
Cashel	...	81	Gorey	...	34	Mullingar	...	32	Westport	...	109
Castlebar	...	106	Gort	...	94	N.			Wexford	...	36
Castleblayney	...	128	Granard	...	17	Naas	...	8	Y.		
Castlecomer	...	10	I.			Navan	...	24	Youghal	...	62
Castlereagh	...	111	Inishowen	...	123	Nenagh	...	77			
Castletown	...	49				Newcastle	...	73			
Cavan	...	118				New Ross	...	35			
Celbridge	...	7				O.					
Claremorris	...	107				Oldecastle	...	25			
Clifden	...	91				Oughterard	...	97			
Clogheen	...	82									
Clonakilty	...	50									

APPENDIX I.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 68 years 1864-1931.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	6	1898	4,132	3,207	613	1	2
1865	41	20	4	12	0	1899	4,133	3,201	616	13	6
1866	55	34	7	0	0	1900	4,558	3,481	672	7	6
1867	46	26	5	12	0	1901	4,843	3,733	718	18	0
1868	69	42	9	13	0	1902	4,871	3,719	716	16	6
1869	80	34	8	15	0	1903	4,944	3,796	731	12	6
1870	93	54	11	10	0	1904	5,183	3,958	769	19	7
1871	112	67	14	6	6	1905	5,110	3,954	759	8	5
1872	120	76	15	14	0	1906	5,714	4,409	849	6	0
1873	100	106	21	14	0	1907	5,877	4,544	875	0	2
1874	166	107	22	6	6	1908	5,984	4,670	894	19	7
1875	244	166	33	15	0	1909	6,220	4,761	920	8	0
1876	270	185	36	16	0	1910	6,387	4,903	944	18	4
1877	312	202	42	14	0	1911	6,128	4,778	914	9	11
1878	391	286	55	15	0	1912	6,811	5,160	998	7	2
1879	522	399	78	0	0	1913	6,462	4,972	957	9	0
1880	753	596	114	7	0	1914	7,552	6,140	1,157	10	0
1881	743	583	111	8	6	1915	7,398	5,898	1,118	7	0
1882	852	688	120	11	0	1916	7,729	6,198	1,172	1	2
1883	1,036	773	149	1	6	1917	8,151	6,475	1,225	13	6
1884	1,254	966	185	3	0	1918	10,702	8,499	1,611	11	6
1885	1,412	1,116	212	8	0	1919	11,513	8,998	1,712	16	0
1886	1,527	1,173	225	7	4	1920	11,484	8,810	1,688	2	0
1887	1,693	1,307	251	7	0	1921	11,419	8,499	1,646	0	6
1888	1,778	1,404	266	9	0	1922	18,413	7,675	1,892	9	6
1889	1,986	1,561	297	4	6	1923	19,377	8,808	2,076	0	0
1890	2,448	2,042	383	2	9	1924	23,947	14,367	3,003	0	6
1891	2,815	2,297	433	1	6	1925	33,945	45,435	8,940	12	0
1892	3,209	2,534	489	17	0	1926	48,193	77,347	13,493	5	6
1893	3,559	2,733	532	2	2	1927	45,802	72,665	12,391	17	6
1894	3,492	2,678	512	7	0	1928	37,462	56,365	8,804	0	6
1895	3,482	2,618	508	8	0	1929	39,650	61,182	10,412	2	6
1896	4,046	3,103	596	10	6	1930	29,901	41,744	7,884	14	6
1897	3,917	2,960	572	3	0	1931	16,540	14,548	3,162	2	6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

19	Pneumonia		8			10	9	1	57	1	1	1	1	11	6	6	2	5	3	19
			5	4	3	6	12	1	42		1		3	2	5	2	10	1	19	
20	Other respiratory diseases	{M.	8	1	1	7	3	1	23			1	2	2	2	1	1	3	6	
		{F.	3			1	1	1	9					1	1	2			6	
21	Gastric and duodenal ulcer	{M.	1	6		2	2		13		1	1		2		1	3	2	6	
		{F.	2			1	1	1	4					2		1			3	
22	Diarrhoea and enteritis (under 2 years).	{M.	1	2			2		6					1	1		1		3	
		{F.			1				1					1		1	2		4	
23	Appendicitis	{M.	1				1		4				1				2	1	2	
		{F.										1						1		
24	Cirrhosis of the liver	{M.													1				1	
		{F.																		
25	Other diseases of liver, etc.	{M.	1			2	1		1											
		{F.	1	1					7											
26	Other digestive diseases	{M.	2	4	2	7	4	2	23	2				3	4	2	7	2	16	
		{F.	7	2	2	2	2	1	26			2		3	2	4	1	2	10	
27	Acute and chronic nephritis	{M.	7	4	5	9	1	1	30				1	6	4	3	4	1	17	
		{F.	5	2	4	1	9	1	33	1				3	1	4	5	1	13	
28	Puerperal sepsis	F.		1	1	1			5											
29	Other puerperal causes	F.	2		4	1	1	1	10				1	1	2	1	1	1	5	
30	Congenital debility, etc. (Nos. 157-161).	{M.	7	6	3	1	10	1	37					2	1	1	1		5	
		{F.	4	7	4	1	5	1	30			1		4	5	2	5	1	16	
31	Senility	{M.	34	46	29	10	35	3	222	2		3	1	9	14	19	26	6	68	
		{F.	33	55	23	17	29	6	217	5	1	4		13	8	13	23	10	57	
32	Suicide	{M.				1			2					2			1		3	
		{F.																		
33	Other violence	{M.	4	5		3	3	1	21		1		1	1	3	5	8	2	17	
		{F.	2	2	4	2	3		13					3		3	1		7	
34	Other defined causes	{M.	15	17	3	9	8	4	82	4	1	1	3	10	6	9	17	9	42	
		{F.	21	9	7	3	8	3	63	1	2	2		2	6	9	8	5	25	
35	Causes ill-defined or unknown	{M.	2	2		4	3	1	23						2	1	3		6	
		{F.	1	5	4	6		2	24	1				5	2	2	2	1	11	
Deaths under one year of age		{M.	16	10	5	9	21		81		1		2	5	2	3	4	3	14	
		{F.	10	13	8	6	9	2	58			1		6	7	5	11	1	29	
,, 65 years and upwards		{M.	99	103	66	68	96	14	582	6	3	7	5	44	60	49	82	21	235	
		{F.	109	92	47	55	69	16	504	9	4	7	4	39	35	54	82	24	210	
Uncertified Deaths		{M.	86	92	34	32	37	2	383				2	20	13	20	38	2	91	
		{F.	89	84	45	36	32	7	335			2	1	34	19	15	43	3	111	
Number of Births		{M.	234	174	175	153	221	54	1,304	22	12	25	39	85	112	70	186	98	453	
		{F.	214	167	146	107	196	56	1,152	16	22	18	36	96	87	89	179	92	451	
Population (Census, 1926)			30,081	22,726	16,601	16,884	21,947	8,956	146,552	1,995	1,550	2,365	4,636	11,745	19,329	8,225	86,477			

APPENDIX I.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 68 years 1864-1931.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	6	1898	4,132	3,207	613	1	2
1865	41	20	4	12	0	1899	4,133	3,201	616	13	6
1866	55	34	7	0	0	1900	4,558	3,481	672	7	6
1867	46	26	5	12	0	1901	4,843	3,733	718	18	0
1868	69	42	9	13	0	1902	4,871	3,719	716	16	6
1869	80	34	8	15	0	1903	4,944	3,796	731	12	6
1870	93	54	11	10	0	1904	5,183	3,958	769	19	7
1871	112	67	14	6	6	1905	5,110	3,954	759	8	5
1872	120	76	15	14	0	1906	5,714	4,409	849	6	0
1873	100	106	21	14	0	1907	5,877	4,544	875	0	2
1874	166	107	22	6	6	1908	5,984	4,670	894	19	7
1875	244	166	33	15	0	1909	6,220	4,761	920	8	0
1876	270	185	36	16	0	1910	6,387	4,903	944	18	4
1877	312	202	42	14	0	1911	6,128	4,778	914	9	11
1878	391	286	55	15	0	1912	6,811	5,160	998	7	2
1879	522	399	78	0	0	1913	6,462	4,972	957	9	0
1880	753	596	114	7	0	1914	7,552	6,140	1,157	10	0
1881	743	583	111	8	6	1915	7,398	5,898	1,118	7	0
1882	852	688	129	11	0	1916	7,729	6,198	1,172	1	2
1883	1,036	773	149	1	6	1917	8,151	6,475	1,225	13	6
1884	1,254	966	185	3	0	1918	10,702	8,499	1,611	11	6
1885	1,412	1,116	212	8	0	1919	11,513	8,998	1,712	16	0
1886	1,527	1,173	225	7	4	1920	11,484	8,810	1,688	2	0
1887	1,693	1,307	251	7	0	1921	11,419	8,499	1,646	0	6
1888	1,778	1,404	266	9	0	1922	18,413	7,675	1,892	9	6
1889	1,986	1,561	297	4	6	1923	19,377	8,808	2,076	0	0
1890	2,448	2,042	383	2	9	1924	23,947	14,367	3,008	0	6
1891	2,815	2,297	433	1	6	1925	33,945	45,435	8,940	12	0
1892	3,209	2,534	489	17	0	1926	48,193	77,347	13,493	5	6
1893	3,559	2,733	532	2	2	1927	45,802	72,665	12,831	17	6
1894	3,492	2,678	512	7	0	1928	37,462	56,965	9,904	0	6
1895	3,482	2,618	508	8	0	1929	39,650	61,182	10,412	2	6
1896	4,046	3,103	596	10	6	1930	29,901	41,744	7,384	14	6
1897	3,917	2,960	572	3	0	1931	16,540	14,548	3,162	2	6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.