

Note:

Due to the nature of the scanning technology,
no guarantee can be made regarding specific
letter and number translations.

Vital

SAORSTÁT ÉIREANN

ROINN RIALTAIS AITIÚLA AGUS SLÁINTE PUIBLI.
(Department of Local Government and Public Health.)

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

FOR THE YEAR

1934.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE

To be purchased through the
PUBLICATIONS SALE OFFICE, 6 NASSAU STREET, DUBLIN C.2
or through any bookseller.

1935.

SAORSTÁT ÉIREANN

ROINN RIALTAIS AITIÚLA AGUS SLÁINTE PUIBLI.
(Department of Local Government and Public Health.)

ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
FOR THE YEAR
1934.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE

To be purchased through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 5 NASSAU STREET, DUBLIN, C.2.
or through any bookseller.

1935.

Price Two Shillings.

(P. No. 1818.)

CONTENTS.

PART I.

REPORT :—

INTRODUCTORY REMARKS	...	...	...	...	...	...	...	Page
GENERAL SUMMARY	...	...	...	...	...	...	...	vii

MOVEMENT OF POPULATION :—

Estimated population, Natural Increase, Emigration and Immigration	...	...	...	...	...	...	...	ix
--	-----	-----	-----	-----	-----	-----	-----	----

MARRIAGES :

Numbers, modes of celebration and rates, 1924-34	...	...	...	...	...	...	...	x
Civil condition of persons married	...	...	...	...	...	...	...	x
Marriage-rates for counties, county boroughs and provinces, in 1910-12, 1925-7 and 1934	...	...	...	...	...	...	...	xi
Marriage-rates in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	...	xi
Marriage-rates in Saorstát Éireann by quarters	...	...	...	...	...	...	...	xi
Minors	...	...	...	...	...	...	...	xii
Re-marriages	...	...	...	...	...	...	...	xii
Licences for marriage issued	...	...	...	...	...	...	...	xii
Buildings registered for the solemnisation of Protestant Marriages	...	...	...	...	...	...	...	xii
Persons authorised to grant licences for marriage	...	...	...	...	...	...	...	xii

BIRTHS :

Numbers and rates	...	...	...	...	...	...	...	xiii
Birth-rates in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	...	xiii
Illegitimate Births	...	...	...	...	...	...	...	xiii
Registration of Births under Legitimacy Act (1931)	...	...	...	...	...	...	...	xiv
Proportion of Male to Female Births	...	...	...	...	...	...	...	xiv
Births by quarters	...	...	...	...	...	...	...	xiv
Multiple Births	...	...	...	...	...	...	...	xiv

REPORT—Continued.

DEATHS :	Page
Numbers and rates	xv
Standardisation of rates	xv
Standardised rates in Administrative Areas	xvi
Crude and standardised rates during the last six Census periods ...	xvii
Deaths by quarters	xvii
Deaths in Institutions	xvii
Uncertified Deaths	xviii
Inquests	xviii
 Causes of Death :—	
General observations	xviii
Principal Causes	xix
Epidemic Diseases	xx
Influenza	xxii
Tuberculosis	xxiii
Cancer	xxvi
Other General Diseases	xxx
Circulatory, Respiratory Diseases, etc.	xxx-xxxi
Childbirth	xxxi
Violence	xxxiii
 Ages at Death	xxxiii
Infant Mortality	xxxiv
METEOROLOGY	xxxvi

DIAGRAMS.

No. 1. Marriage, Birth and Death Rates, 1901-34. Emigration and Immigration, 1924-34	vi
No. 2. Death-rates from Diphtheria in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1911-34	xxii
No. 3. Death-rates from Tuberculosis in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1911-34	xxiv
No. 4. Death-rates from Cancer in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1911-34	xxvii
No. 5. Infant Mortality in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1911-34	xxxv

PART II.—TABLES.

TABLE No. 1. Estimated Populations, 1801-1934	2
" 2. Ages of the Population, by sexes, Censuses 1851-1926—numbers and proportions per cent.	3-5
" 3. Numbers of Marriages, Births and Deaths, and Natural Increase, 1864-1934	6
" 4. Annual Marriage, Birth and Death-Rates, Infant Mortality and Natural Increase, 1864-1934	7
" 5. Marriages, Births, and Deaths, by Quarters, 1924-34	8
" 6. Deaths (Numbers and rates) by Causes, 1864-1910	9

PART II.—TABLES—*Continued.*

TABLE NO.		Page
6A.	Numbers of Deaths by Causes, 1911-30	10-11
7.	Death-rates by Causes, 1911-30	12-13
7A.	Deaths (numbers and rates) by Causes, 1931-1934 Saorstát Éireann and Northern Ireland	14
8.	Deaths (numbers and rates) by sexes and ages, 1864-1934	15-17
9.	Infant Mortality, by Causes, 1924-34	18
10.	„ by Causes, Ages and Sexes, 1934	19-20
11.	„ by Causes in certain urban areas and aggregate rural areas, 1934	21
12.	„ Illegitimate Infants, by Causes and Ages, 1934	22
13.	„ Illegitimate Infants, by Administrative Areas, 1934	23
14.	Marriages, Births and Deaths—Administrative Areas, 1934	24
15.	Marriage, Birth and Death-rates—Administrative Areas, 1934	25
16.	Birth-rates and Death-rates in Urban and Rural areas, etc., 1934	26
17.	Birth-rates and Death-rates in aggregate Urban and Rural areas, 1901-1934	27
18.	Death-rates, by Sexes, at different Age-periods in aggregate Urban Districts and aggregate Rural Districts, 1930-34	28

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, Births (distinguishing Illegitimate Births), and Deaths registered in Administrative Areas	30-37
„ II.	Marriages registered in Administrative Areas	38-39
„ III.	Total Births and Deaths by sexes, and Ages at Death, by Administrative Areas	40-42
„ IV.	Causes of Death, (Intermediate and Detailed International Lists), by sexes and ages	44-65
„ V.	Causes of Death (Short List), by Sexes, Ages and Place of Occurrence in Saorstát Éireann in each Administrative Area (as under):—	66-137


	Page		Page		Page
Saorstát Éireann	66-67	Dublin	72-73	Meath	86-87
		Dublin City	74-75	Monaghan	136-137
Leinster	68-69	Galway	120-121	Offaly	88-89
Munster	96-97	Kerry	104-105	Roscommon	126-127
Connaught	118-119	Kildare	76-77	Sligo	128-129
Ulster (part of)	130-131	Kilkenny	78-79	Tipperary N.R.	110-111
		Leitrim	122-123	Tipperary S.R.	112-113
Carlow	70-71	Laoighis	80-81	Waterford	114-115
Cavan	132-133	Limerick	106-107	Waterford Co.	
Clare	98-99	Limerick Co. Boro'	108-109	Boro'	116-117
Cork	100-101	Longford	82-83	Westmeath	90-91
Cork Co. Boro'	102-103	Louth	84-85	Wexford	92-93
Donegal	134-135	Mayo	124-125	Wicklow	94-95

ABSTRACT VI.	Causes of Death by Administrative Counties, distinguishing Urban and Rural districts, arranged by Provinces	138-175
--------------	--	---------

Index to Superintendent Registrars' Districts	176
APPENDIX I. Alterations in Registrar's Districts	177
APPENDIX II. Numbers of Searches at the General Register Office during the years 1864-1934, with the amounts of Fees received	178

DIAGRAM No.1. Marriage Birth, and Death Rates 1911 to 1934.

Emigration and Immigration 1924 to 1934.



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1934.

TO THE MINISTER FOR LOCAL GOVERNMENT AND PUBLIC HEALTH.

This Report deals with the numbers of marriages, births and deaths registered during the year 1934, and also contains information regarding population, emigration, immigration and meteorology. The Report is arranged in three sections :—Section I—The Text, which includes a brief general summary of the principal facts disclosed in the report, and also calls attention to the significant features of the statistics relating to the population, marriages, births and deaths during the year ; Section II—The Tables, showing comparative figures since the commencement of registration ; and Section III—The Abstracts, giving the numbers registered during 1934 for Saorstát Éireann as a whole, and for the different administrative areas.

Mi na Samhna, 1935.

E. P. McCARRON,
Registrar-General.

GENERAL SUMMARY.

It is estimated that the population of Saorstát Éireann in the middle of 1934 was 3,013,000 persons. This number shows an increase of 20,000 when compared with the figure for 1933 and of 41,000 when compared with the population as recorded at the Census of 1926.

The numbers of marriages and births registered during the year 1934 show an increase over the figures for the year 1933 and a considerable decrease is shown in the number of deaths recorded.

The marriages registered numbered 14,251—an increase of 259 when compared with the figure for the preceding year, and of 579 over the average number (13,672) for the ten years 1924–33. The rates per 1,000 of population were 4·73 in 1934 ; 4·67 in 1933 ; and the average rate for the decennial period 1924–33 was 4·61.

In Northern Ireland the marriage rate for 1934 was 6·43 ; in England and Wales, 8·44 ; and in Scotland, 7·49.

During the year 1934 the number of births recorded was 57,897, a figure which is 533 more than that for 1933. The average annual number during the period 1924–33 was 59,320. The birth-rate for 1934 was 19·22 per 1,000 ; for 1933 it was 19·17 ; and the for period 1924–33 the average rate was 19·98.

The birth-rate in Northern Ireland for 1934 was 19·83, in England and Wales 14·77, and in Scotland 18·00.

The number of illegitimate births registered was 2,030, equal to 3·51 per cent. of the total births, as compared with 3·49 for 1933 and 3·23 for 1932. In Northern Ireland the percentage for 1934 was 5·16, in England and Wales 4·3, and in Scotland 6·89.

The deaths registered during the year numbered 39,083—a decrease of 1,456 when compared with the figure for the previous year. The rate per 1,000 of the population was 12·97 for 1934, 13·54 for 1933 and 14·39 for the decennial period 1924–33.

In Northern Ireland the death-rate for 1934 was 13·70, in England and Wales 11·78, and in Scotland 12·92.

During the year heart disease accounted for 17 per cent. of the deaths registered, tuberculosis and cancer for 9 per cent. each, cerebral haemorrhage and pneumonia for 6 per cent. each, and bronchitis for 5 per cent.

The deaths ascribed to tuberculosis (all forms) numbered 3,514. This figure is 4 more than for the year 1933 in which the number was the lowest yet recorded. The rate per 1,000 of the population for 1934 was 1·17 ; for 1933 it was also 1·17 and for the decennial period 1924–33 it was 1·37.

Deaths from cancer numbered 3,405, an increase of 139 when compared with the figure for the preceding year. The number in that year was 3,266, and in 1932 it was 3,312. The rates were 1·13, 1·09 and 1·11 in the respective years.

During the year 1934 the number of deaths attributed to diseases and accidents of pregnancy and childbirth numbered 271. This number is equivalent to a rate of 4·68 per 1,000 births, compared with an average of 4·60 in the ten years 1924–33. The rate for these deaths for all urban districts was 3·71 per 1,000 births, and for all rural districts, 5·25, in comparison with 3·19 and 5·17 respectively, in 1933.

The deaths of 3,664 infants under one year of age were registered during the year. This figure is 78 less than that for the preceding year, and is equivalent to a rate of 63 per 1,000 births. The corresponding rate for the previous year was 65. The rates per 1,000 births for urban and rural areas were 78 and 55, respectively, in 1934; and 85 and 54 in 1933.

Among legitimate infants the mortality was 56 per 1,000 births, and among illegitimate it was 265. For Northern Ireland the legitimate infant death-rate was 66, and the illegitimate, 137, and for England and Wales the corresponding rates were 57 and 95 respectively.

The number of deaths ascribed to violence was 968. This figure includes 104 due to suicide, 26 to homicide, one to capital punishment, 38 to violence (nature unknown), and 799 to accidental causes. During the year 1933, there were 103 suicidal, 13 homicidal and 901 other violent deaths. The number of deaths recorded in 1934 as attributable to road traffic was 172, compared with 217 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1934, authority was issued for the registration of 1,218 births and 156 deaths.

Vaccinations.—The number of successful primary vaccinations for the year 1934 as returned by the Registrars of Births was 34,429, equivalent to 59 per cent. of the total births registered.

Searches and Certificates.—The number of searches made during the year 1934, in the registers of marriages, births and deaths in respect of which fees were received, was 25,611, the certificates issued numbered 12,445, and the amount of fees received was £3,329 5s. 0d. In the year 1933 the figures were as follows—Searches, 23,360; certificates, 11,477, and fees, £3,052 16s. 6d.

TABLE A.—Showing for each of the years 1924–34 the estimated Population* ; the numbers of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years 1924–33; also particulars relating to Northern Ireland for the year 1934.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1924	3,005,000	14,822	63,402	45,180	4·93	21·10	15·03
1925	2,985,000	13,820	62,069	43,650	4·63	20·79	14·62
1926	2,969,000	13,570	61,176	41,740	4·57	20·60	14·06
1927	2,957,000	13,418	60,054	43,677	4·54	20·31	14·77
1928	2,949,000	13,716	59,176	41,792	4·65	20·07	14·17
1929	2,946,000	13,593	58,280	42,991	4·61	19·78	14·59
1930	2,946,000	13,631	58,353	41,702	4·63	19·81	14·16
1931	2,957,000	13,133	57,086	42,947	4·44	19·30	14·52
1932	2,974,000	13,029	56,240	42,984	4·38	18·91	14·45
1933	2,993,000	13,992	57,364	40,539	4·67	19·17	13·54
Yearly Average, 1924–1933 ...	2,968,100	13,672	59,320	42,720	4·61	19·98	14·39
1934	3,013,000	14,251	57,897	39,083	4·73	19·22	12·97

NORTHERN IRELAND, 1934.

1934	1,279,000	8,230	25,365	17,521	6·43	19·83	13·70
-------------	-----------	-------	--------	--------	------	-------	-------

* See page 2.

MOVEMENT OF POPULATION.

It is estimated that the population at the middle of 1934 was 3,013,000 persons; of this number 1,535,000 were males and 1,478,000 females. This estimate has been made by adding the number of births and immigrants in each year to the population at the Census of 1926 and deducting from the resulting figure the number of deaths and emigrants. The estimated population thus arrived at shows an increase of 20,000 persons above the corresponding estimated population for the year 1933 and an increase of 41,000 over the Census population. Since the year 1930 there has been an increase each year in the estimated population. This is due to the decline in the number of emigrants, which, since the year mentioned, has been exceeded each year by the number of immigrants. This has had the effect of increasing the population as well as the natural increase therein, i.e., the excess of births over deaths. In Table B below is shown the natural increase, the net migration and the consequent variation in the population for a series of years.

In Table I, page 2, is given the estimated population, by sexes, for each of the years from 1851 to 1934.

TABLE B.—Showing the average excess of births over deaths (natural increase), the net migration, and the actual variations in the population in the period 1864-71 and in the intercensal periods between 1871 and 1926, with the average rates per 1,000 of the population; also similar particulars for the years 1927-1934.

Intercensal Period, &c.	Average Excess of Births over Deaths (Natural Increase)		Average Net Migration Outwards (—); Inwards (+)		Average variation in Population	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	-74,881	-17.9	-35,278	- 8.4
1871-81	31,855	8.1	-50,172	-12.7	-18,317	- 4.6
1881-91	19,600	5.4	-59,733	-16.3	-40,133	-10.9
1891-1901	14,954	4.5	-39,641	-11.9	-24,687	- 7.4
1901-11	17,940	5.6	-26,154	- 8.2	- 8,214	- 2.6
1911-26	15,820	5.1	-26,946	- 8.8	-11,126	- 3.7
Year 1927	16,377	5.5	-25,225	- 8.5	- 8,848	- 3.0
" 1928	17,384	5.9	-21,910	- 7.4	- 4,526	- 1.5
" 1929	15,289	5.2	-18,145	- 6.2	- 2,856	- 1.0
" 1930	16,651	5.7	-12,907	- 4.4	+ 3,744	+ 1.3
" 1931	14,139	4.8	+ 2,545	+ 0.8	+16,684	+ 5.6
" 1932	13,256	4.5	+ 4,173	+ 1.4	+17,429	+ 5.9
" 1933	16,825	5.6	+ 2,217	+ 0.7	+19,042	+ 6.3
" 1934	18,814	6.2	+ 1,051	+ 0.3	+19,865	+ 6.6

Emigration and Immigration.—The statements received from the Department of Industry and Commerce show that the numbers of emigrants to and immigrants from places out of Europe and not within the Mediterranean Sea during the year 1934 were 1,178 and 2,229 respectively, including 550 to and 1,577 from the United States—the corresponding figures for Canada being 88 and 151, for Australia 142 and 128; for New Zealand 32 and 34; for the Union of South Africa 82 and 64; for India 96 and 83; and for other countries 188 and 192, respectively. With the exception of Australia, the Union of South Africa, and India the immigrants into Saorstát Éireann from the areas specified outnumber the emigrants thereto.

The following Table gives particulars of emigrants and their destinations in 1934 as compared with the eight years preceding:—

TABLE C.—Number of EMIGRANTS and IMMIGRANTS (of Saorstát Éireann and alien nationality) to and from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1926-34.

YEAR	Number of Emigrants by Destinations								Number of Immigrants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1926	26,367	1,994	1,268	236	166	109	219	30,359	1,983
1927	23,947	1,815	1,036	132	106	87	186	27,309	2,084
1928	21,775	1,598	808	114	155	115	235	24,800	2,890
1929	18,119	1,760	497	92	74	125	215	20,882	3,737
1930	14,295	1,047	398	124	58	92	188	16,302	4,295
1931	890	145	164	42	65	111	140	1,557	4,102
1932	315	86	178	20	72	72	128	871	5,044
1933	422	62	187	33	44	95	132	975	3,192
Average 1926-33	13,266	1,063	567	99	93	101	180	15,369	3,466
1934	550	88	142	32	82	96	188	1,178	2,229

MARRIAGES.

The number of marriages registered during the year 1934 was 14,251. This figure is 259 more than that recorded for the previous year and is the highest since the year 1924. When compared with the average number for the decennial period ending with 1933, the number of marriages for the year under review shows an increase of 579.

The rate per 1,000 of the estimated population represented by the number of marriages recorded during the year 1934 was 4.73 per 1,000. This figure is 0.06 above that for the previous year, 0.35 more than that for the year 1932 and 0.12 over the yearly average rate for the period from 1924 to 1933 inclusive.

During the year 1934 the number of marriages celebrated in accordance with the rites and ceremonies of the Catholic church amounted to 13,431 (equal to 94.3 per cent. of the total), and the other marriages numbered 820. When compared with the figures for 1933 the number of Catholic marriages shows an increase of 338 and the number of all other marriages a decrease of 79. The number of the latter marriages in 1934 include 562 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 125 in Presbyterian Meeting-houses; 65 in "Registered Buildings" belonging to various other religious denominations; 56 by civil contract in the Registrars' offices; 2 according to the usages of the Society of Friends, and 10 according to the Jewish rites. Comparing these figures with those for 1933, the number according to the rites and ceremonies of the Protestant Episcopal Church shows a decrease of 84; in Presbyterian Meeting-houses an increase of 6; in "Registered Buildings" an increase of 14, and in the Registrars' offices a decrease of 14 marriages.

At the time of the Census of 1926, Catholics represented 92.6 per cent. of the population, Protestant Episcopalians 5.5 per cent., Presbyterians 1.1, Methodists 0.4, and all other denominations 0.4.

The number of Catholic marriages is equivalent to a rate of 4.81 per 1,000 of the estimated Catholic population, or 0.17 above the average rate for the preceding ten years, and the rate for all other marriages was 3.68 per 1,000 of all persons other than Catholics in the population, or 0.51 below the average. Corresponding rates for each year from 1924 to 1933 are shown in Table D. below. It must be borne in mind that the estimates of population on which the rates have been calculated are based on the respective proportions according to the Census of 1926.

TABLE D.—MARRIAGES registered in 1934, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1924 ...	709	143	54	65	1	15	987	13,835	14,822	4.99	4.21	4.93
1925 ...	671	112	70	54	2	14	923	12,897	13,820	4.68	4.07	4.63
1926 ...	672	144	48	87	1	18	970	12,600	13,570	4.58	4.41	4.57
1927 ...	612	163	52	73	5	12	917	12,501	13,418	4.56	4.19	4.54
1928 ...	653	122	61	85	1	12	934	12,782	13,716	4.66	4.28	4.65
1929 ...	660	116	60	74	1	12	923	12,670	13,593	4.64	4.23	4.61
1930 ...	667	131	66	83	3	11	961	12,670	13,631	4.64	4.41	4.63
1931 ...	652	126	56	65	—	6	905	12,228	13,133	4.47	4.14	4.44
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4.42	3.87	4.38
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4.72	4.06	4.67
Yearly Average 1924-33	653	130	58	72	2	12	927	12,745	13,672	4.64	4.19	4.61
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4.61	3.68	4.73

In Abstract II, on pages 38 and 39, further particulars are given regarding the persons married. From this it will be seen that marriages contracted between bachelors and spinsters were 92.4 per cent. of the total marriages; those of widowers and spinsters, 5.0 per cent.; bachelors and widows, 1.7 per cent.; and those of widowers and widows, 0.9 per cent. These figures show that of the men married 5.9 per cent. were widowers, and of the women 2.6 per cent. were widows, or in 85 instances in every 1,000 marriages, one or both of the contracting parties had been married before. (See Table F.).

TABLE E.—MARRIAGE-RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1934, together with comparative figures for the periods 1910 to 1912 and 1925 to 1927, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1910-12	Annual Average 1925-7	Year 1934		Annual Average 1910-12	Annual Average 1925-7	Year 1934
SAORSTÁT ÉIREANN ...	4.95	4.58	4.73	Kerry ...	4.43	4.18	3.35
Carlow ...	4.91	4.30	4.64	Limerick ...	3.30	3.61	3.62
Dublin ...	5.62	5.43	7.16	Limerick Co. Boro' ...	8.62	9.36	8.42
City of Dublin ...	7.51	7.57	8.37	Tipperary N.R. ...	5.22	4.53	3.87
Kildare ...	4.26	3.91	5.17	Tipperary S.R. ...	4.73	3.80	3.58
Kilkenny ...	4.90	3.92	3.75	Waterford ...	4.48	4.11	3.93
Leighlin ...	4.16	3.35	3.88	Waterford Co. Boro' ...	5.26	4.89	5.18
Longford ...	4.43	4.39	4.59	Munster ...	4.84	4.41	4.24
Louth ...	4.93	3.98	5.13	Galway ...	3.76	3.65	4.08
Meath ...	4.81	3.48	4.18	Leitrim ...	4.59	4.37	3.70
Offaly ...	4.96	4.28	3.84	Mayo ...	3.91	3.78	3.26
Westmeath ...	4.83	4.01	4.17	Roscommon ...	4.47	3.97	3.18
Wexford ...	4.74	4.36	4.31	Sligo ...	4.47	4.34	3.24
Wicklow ...	4.55	3.97	4.46	Connaught ...	4.10	3.90	3.54
Leinster ...	5.57	5.22	6.15	Cavan ...	5.06	4.27	3.92
Clare ...	3.75	3.55	3.91	Donegal ...	4.14	3.68	3.35
Cork ...	4.34	3.53	3.31	Monaghan ...	4.87	3.94	4.22
Cork Co. Borough ...	7.99	8.21	9.31	Ulster (pt. of)... ...	4.55	3.90	3.70

The outstanding feature of this table is the marked difference shown between the marriage rate for the urban and rural areas. The highest rates were those for the county boroughs, viz.:—Cork 9.31 per 1,000 of the population, Limerick 8.42, Dublin 8.37 and Waterford 5.18; the rate for Dublin County (exclusive of the county borough) was 7.16 per 1,000. On the other hand the lowest rates for the year 1934 were recorded in Roscommon 3.18 per 1,000, Sligo 3.24, Mayo 3.26, Cork (excluding the county borough) 3.31 and Kerry and Donegal each 3.35 per 1,000.

As marriages must be registered in the area in which they take place, the figures upon which the rates given above are calculated include marriages of persons who are not residents of the areas in which the marriages were registered. It is apparent from the records for the urban areas that many of the marriages registered therein are of persons from the surrounding rural areas and often from distant parts of the country.

The rates for the provinces varied from 6.15 for Leinster to 4.24 for Munster, 3.70 for Ulster (part of) and 3.54 for Connaught. The corresponding rates for 1933 were 5.60 for Leinster, 4.50 for Munster, 3.82 for Ulster (part of) and 3.71 for Connaught.

The marriage-rate for Northern Ireland in 1934 was 6.43, for England and Wales 8.44, and for Scotland 7.49, as compared with 4.73 for Saorstát Éireann. In the preceding year the rates were as follows:—Northern Ireland 6.00, England and Wales 7.85, Scotland 6.97, and Saorstát Éireann 4.67 per 1,000.

In Table 5 the number of marriages, distinguishing Catholic and other marriages, is shown by quarterly periods for each of the years 1924-34, together with the average rate for the ten years 1924-33 and for the year 1934. In the first quarter of 1934 the rate per 1,000 of the population was 4.3, in the second 4.7, in the third 5.4, and in the fourth 4.5. For the preceding year the corresponding figures were 4.8 for the first quarter, 4.6 for the second, 4.7 for the third, and 4.5 for the fourth quarter.

From the same Table it is apparent that the rate for Catholic marriages was highest in the third quarter of the year and that there is little difference between the rates for the other quarters. The rate for the remaining marriages was also highest in the third quarter and lowest in the first. When compared with the average rates for the previous ten years the rates for all marriages registered by quarterly periods show that the preference formerly shown for the first quarter is now shown for the third quarter of the year.

TABLE F.—Showing the proportion of PERSONS NOT OF FULL AGE, and of RE-MARRIAGES during the years 1922 to 1934.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1922	15,141	1.56	6.22	6.91	4.34
1923	15,632	1.25	5.09	6.82	3.65
1924	14,822	1.27	4.63	6.29	3.61
1925	13,820	1.05	5.45	6.85	3.79
1926	13,570	1.50	6.53	6.33	3.21
1927	13,418	1.39	7.05	6.33	3.26
1928	13,716	1.58	7.38	6.37	3.40
1929	13,593	1.49	7.09	6.53	2.98
1930	13,631	1.91	7.41	6.68	3.23
1931	13,133	1.52	7.33	6.81	3.02
1932	13,029	1.73	7.71	5.73	2.87
1933	13,992	1.62	7.53	5.20	2.22
1934	14,261	1.82	7.82	5.90	2.61

The Schedules to the Acts 7 and 8 Vic., cap. 81, and 26 and 27 Vic., cap. 90, indicate that the law does not require that the ages of the contracting parties should be entered in the Register Book or Certificate. All that is necessary is that each party should be described as "of full age" or "minor," as the case may be, so that a complete record of the ages of the persons married is not available.

The proportion of husbands who married under age was highest in the province of Leinster, viz., 2.4 per cent., in Munster the proportion was 1.6, in Connaught 0.9, and in Ulster (part of) 0.8, while the percentage of wives who were minors for Leinster was 9.4, for Munster 6.8, for Connaught 4.4, and for Ulster (part of) 7.6, the proportions for Saorstát Éireann as a whole being 1.8 for husbands and 7.8 for wives.

In Northern Ireland, the proportion per cent. of males married in 1934 who were under age was 3.4, and of females 13.3. In England and Wales for the year 1933, the proportions were 4.1 and 15.8, and in Scotland the corresponding figures were 6.0 and 20.0, respectively.

During the year 1934 the number of Licences issued by the Registrars for Marriages in Registered Buildings and in the Registrars' Offices, was 127. On 31st December, 1934, the number of such Registrars of Marriages authorized to grant Licences for Marriages (under 7 and 8 Vic., cap. 81) was 101.

Marriage Licences issued by Licensing Ministers of the Protestant Episcopal Church amounted to 579. The number of Licensing Ministers on the 31st December was 145.

The number of Licences for Marriage issued by the Licensing Ministers of the Presbyterian bodies in Saorstát Éireann during the year 1934 was 120, all of which were issued by Ministers of the General Assembly. The number of Licensing Ministers on the 31st December, 1934, was 49, of whom 47 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,057 churches and chapels of the Protestant Episcopal Church were, on 31st December, 1934, licensed for the solemnisation of marriages, and that 149 Presbyterian Meeting-houses (147 General Assembly and 2 United Presbytery or Synod of Munster), and 169 Separate Buildings belonging to various other religious denominations were registered for the solemnization of marriages. The several religious bodies to whom the 169 Separate Buildings belonged are shown in the following list :—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	129	Salvation Army	2
Reformed Presbyterians	5	Seceders	2
Baptists	8	"The Catholic Apostolic Church"	1
Independents of Congregationalists	6	Welsh Presbyterians	1
Christian Brethren	10	"Undenominational"	4
Moravians or United Brethren	1		
		TOTAL	169

BIRTHS.

The births registered during the year 1934 numbered 57,897. This figure is 533 more than that recorded for 1933, in which year the number was 1,124 in excess of that for the year 1932. The rate per 1,000 of the estimated population represented by the number for the year 1934 was 19·22 compared with 19·17 for 1933 and 18·91 for 1932. In comparing these rates the remarks on page ix regarding the increasing population must be borne in mind.

In Table 4 the birth rate for a series of periods extending from 1864 (the year in which the civil registration of births commenced) to 1930 is given, as well as the rates for the individual years from 1924 to 1934. In the period from 1864 to 1870 the rate was 25·79 per 1,000 as compared with 20·21 for the decennial period 1921-30. A review of the rates for the past ten years reveals the fact that during each of the first five years the rate exceeded 20 per 1,000 of the population. During the following years the rate fell below that figure and in 1932 the rate was 18·91, the lowest yet recorded. The rates for 1933 and 1934 show increases of 1·4 and 1·6 per cent. respectively, when compared with that for the year 1932.

A decline has also occurred in most European and other countries for which statistics are available. In this country, however, the birth-rate has always been low, and the fall is not so marked proportionately as it is elsewhere. If due regard is had to the low proportion of married persons and the later age at which marriage takes place, the birth-rate is high.

The birth-rate in Northern Ireland in 1934 was 19·83; in England and Wales it was 14·77; and in Scotland it was 18·00. The corresponding rates for the year 1933 were for Northern Ireland, 19·36; for England and Wales 14·4; and for Scotland, 17·62 per 1,000.

In Abstract I, commencing on page 30, is shown the number of births in different parts of Saorstát Éireann, both as registered and as corrected by the transfer to the area of the parents' residence of births which occurred outside such area.

The birth-rates calculated on the corrected figures are given for provinces, counties, county boroughs and urban and rural areas in Tables 15 and 16. For the province of Leinster the rate was 22·08, for Munster 18·43, for Connaught 17·40, and for Ulster (part of) 16·75, as compared with 21·40, 18·62, 17·68 and 16·45, respectively, in 1933. An increase of 0·68 is shown in the rate for Leinster and of 0·30 in that for Ulster (part of) while in Munster there is a decrease of 0·19 and in Connaught of 0·25.

The highest birth-rates are found in the county boroughs, the rate for Dublin being 25·65, for Limerick 25·63, for Waterford 23·64, for Cork 23·52, followed by 22·39 for Dublin county, 21·82 for Kildare and 20·35 for Louth county. The lowest rates were 15·39 for Roscommon, 15·99 for Leitrim, 16·20 for Clare county, 16·46 for Cavan, 16·53 for Cork county, 16·68 for Donegal county and 16·69 for Longford county.

When a comparison of the rates for the county boroughs and urban districts in the aggregate and for the combined rural districts with the rates in the preceding year is made it appears that the urban rate shows an increase of 0·50 per 1,000, being 24·07 as against 23·57 in 1933, while the corresponding rural rates were 17·16 and 17·30, respectively, a decrease of 0·14. In Table 17 the birth rates for the urban and rural areas are shown for a number of years.

The birth-rate for Belfast county borough in 1934 was 21·9, for Londonderry 26·9, for London 13·4, for Liverpool 20·5, for Edinburgh 15·7, and for Glasgow 19·6.

Illegitimate Births.—Illegitimate births numbered 2,030, equal to 3·5 per cent. of the total births registered, and equivalent to a rate of 0·67 per 1,000 of the population. The number of such births registered is 26 more than that recorded for the previous year; the percentage of the total births registered is 3·51 compared with 3·49 for 1933, and the rate per 1,000 of the population (0·67) is the same for each of the years.

The ratio per cent. of total births for Northern Ireland for 1934 was 5·16, for England and Wales it was 4·3, and for Scotland 6·89.

The percentages, by provinces, are shown in the following statement for the years 1927-34:—

AREA	Illegitimate Births—per cent. of Total Births.							
	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.
Saorstát Éireann	2·93	3·02	3·18	3·19	3·37	3·23	3·49	3·51
Leinster ...	3·47	3·47	3·64	3·85	3·96	3·73	4·15	3·87
Munster ...	2·79	3·17	3·37	3·13	3·39	3·26	3·33	3·54
Connaught ...	1·41	1·66	1·56	1·46	1·68	1·35	1·90	2·06
Ulster (part of) ...	3·83	3·02	3·45	3·61	3·71	4·30	3·99	4·34

In Tables 14 and 15 the number of illegitimate births and the proportion per cent. of the total births registered are shown for each of the provinces, counties and county boroughs for the year 1934. The rates for the counties range from Carlow (6·86 per cent. of the total births), Wexford (6·46), Wicklow (6·01), Kilkenny (5·01), and Laoighis (5·00) to Mayo (1·40), Cork county borough (1·57), Waterford county borough (1·75), Sligo (2·07), and Leitrim (2·13).

Legitimacy Act (1931).—During 1934, the authority of the Registrar General for the re-registration of births under the Legitimacy Act, 1931, was issued in 39 cases. The number of cases for the preceding year was 15.

Proportion of Males to Females.—The births for 1934 include 29,825 of boys and 28,072 of girls. These numbers are in the proportion of 1,062 males to every 1,000 females, a ratio which is 11 more than the average (1,051) for 1924-33. In England and Wales in 1934, the proportion of males born alive to 1,000 females was 1,055, which was 10 above the average for the ten preceding years, and in Scotland the proportion was 1,046, which was 3 below the average for the decennial period ending with the year 1933.

Table 4 shows the proportion of males to females for Saorstát Éireann by periods for the years 1864-1933.

The male children born in wedlock in 1934 numbered 28,787, and the female 27,080, or 1,063 of the former to every 1,000 of the latter, and of the illegitimate children 1,038 were males and 992 females, or 1,046 boys to every 1,000 girls.

The following statement shows the total number of infants, by sexes, whose births were registered during each quarter of 1934 :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	7,491	7,704	7,552	7,078	29,825
Females	7,030	7,305	7,182	6,555	28,072
TOTAL	14,521	15,009	14,734	13,633	57,897

Of the total births, 51 per cent. were registered in the first six months (181 days).

In Table 5 the number of births registered in each quarter of the years 1924 to 1933 is shown, together with the average figures for the period and the equivalent annual rate represented thereby, compared with the figures and rates for the year 1934. In the first quarter the rate for 1934 was 0·3 below the average, and in the second, third and fourth quarters the respective rates were 1·2, 0·9 and 0·6 below the average for the corresponding period of the preceding ten years.

Multiple Births.—The number of infants born alive in multiple births was 1,359, consisting of 663 pairs of twins and 11 sets of triplets, as compared with 1,419 (696 pairs of twins and 9 sets of triplets) for the year 1933. The twins for 1934 were 2·29 per cent. of the total number of infants whose births were registered, and the triplets 0·06. In 1933 these percentages were 2·43 and 0·05, respectively.

The number of mothers of living children whose births were registered during the year was 57,212. Of these, 56,538, or 98·82 per cent., gave birth to single infants, 663, or 1·16 per cent., to twins, and 11, or 0·02 per cent., to triplets.

The infants born in wedlock (55,867) comprised 54,534 single infants, 1,300 twins and 33 triplets, these groups bearing the proportions of 97·61 per cent., 2·33 per cent., and 0·06 per cent. to the total number of legitimate births, respectively.

Illegitimate infants included 2,004 single infants and 26 twin infants, or 98·72 per cent., and 1·28 per cent., respectively, of the 2,030 illegitimate infants registered. For the year 1933 the illegitimate infants recorded included 1,973 single infants, 28 twin infants, and 3 triplet infants.

Of the total infants born alive in multiple births for the year 1934, 670 were males, and 689 females.

It should be noted that the figures given above relate to live births, as still births are not registered, and that, therefore, the birth of one living child and one still born or one living child and two stillborn is counted as a single birth, and the birth of two living children and one still born is counted as a twin birth.

DEATHS.

The deaths of 39,083 persons were registered during the year 1934. This figure, which is the lowest yet recorded, is 1,456 less than that for the preceding year—a fall of 3·6 per cent. The rate per 1,000 of the estimated population for the year 1934 was 12·97, which is 0·57 less than the rate for 1933 and also 1·42 below the average rate for the ten years 1924 to 1933, inclusive. In Table 4 the average death rates for the period from 1864 to 1870, for each decennial period from 1871 to 1930, and for individual years since 1924 are shown. Since the year 1931 a steady fall in the rate is apparent; the rates for the years 1931 to 1934 being respectively 14·52, 14·45, 13·54 and 12·97 per 1,000.

The deaths of males recorded for 1934 numbered 19,920 and the deaths of females 19,163, or 12·98 and 12·97 per 1,000 of the respective male and female populations. The rate for males shows a decrease of 0·54 and that for females a decrease of 0·60 per 1,000 as compared with the corresponding figures for 1933.

For Northern Ireland the death rate in 1934 was 13·70; for England and Wales 11·78, and for Scotland 12·92. The corresponding figures for 1933 were respectively 14·28, 12·3 and 13·20.

The number of deaths registered in each county, county borough and superintendent registrar's district is given in Abstract I, as well as the number resulting from the transfer to the district of usual residence of deaths of persons which occurred elsewhere in Saorstát Éireann. In Tables 15 and 16, rates based on the numbers so corrected are given for each of the provinces, counties and county boroughs and also for urban and rural areas. During the year 1934 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 13·68 and 12·67 per 1,000 compared with 14·86 and 12·99 for 1933. The figures for 1934 show a decrease of 1·18 in the rate for urban areas and of 0·32 in the corresponding rate for rural areas. A comparative statement of the rates for these areas for a series of years are given in Table 17.

The rates based on the number of deaths registered after correction for residence as indicated above represent the frequency of death in the population of the particular area, but a fair comparison between the mortality for different areas cannot be made by such means. The incidence of mortality is effected by the age and sex constitution of the population, factors which vary in different localities. To institute a true comparison, it is necessary to reduce the mortality for different areas to a common basis which will provide a uniform age and sex constitution of population. This has been done by applying the death-rates of males and females in age-groups in the counties and county boroughs to a standard population adopted for the purpose. Such a process is known as the standardisation of death-rates; it has been employed in these Reports for the last five years, and a detailed description and example appeared in the Annual Report for 1930.

The standard population used is that of Saorstát Éireann according to the Census of 1926. Owing to the period which has elapsed since the date of the last Census, it is necessary to accept standardised rates with reserve. The essential basis of standardisation is age-distribution, which has undergone considerable change in recent years owing to fluctuation in the general population.

The effect of standardisation is shown in Table (G) on the next page. Rates calculated on the number of deaths for each county and county borough obtained as a result of the application of the system of transfer mentioned above are set forth, together with the standardised rate for each area and the difference is shown in Col. 3.

An examination of the Table in question shows that the result of standardisation is generally to increase the rate for the larger urban areas and the counties situated in close proximity thereto, and to reduce the rate for purely rural areas. In the county borough of Dublin the rate is increased by 3·53, in Cork county borough by 3·07, in Limerick county borough by 3·11, and in Waterford county borough by 1·71.

TABLE G.

TABLE G.—Showing the Death-rates in 1934 for Counties, County Boroughs and Provinces.

COUNTIES, ETC.	Death-rates in 1934 per 1,000 population.		
	Corrected for Transfers.	Standardised Rates.	Effect of Standardisation
	(1)	(2)	(3)
Carlow	13.26	13.03	—0.23
Dublin	14.00	15.87	+1.87
City of Dublin	13.50	17.03	+3.53
Kildare	12.60	13.73	+1.13
Kilkenny	13.64	13.65	+0.01
Laoighis	14.14	13.34	—0.80
Longford	14.00	12.22	—1.78
Louth	14.22	14.65	+0.43
Meath	13.83	13.90	+0.07
Offaly	13.35	13.10	—0.25
Westmeath	13.62	13.52	—0.10
Wexford	14.36	14.13	—0.23
Wicklow	13.20	13.22	+0.02
Province of Leinster	13.88	14.89	+1.01
Clare	11.69	10.39	—1.20
Cork	12.68	12.83	+0.15
Cork County Borough	14.91	17.98	+3.07
Kerry	11.68	11.68	0.00
Limerick	13.17	13.29	+0.12
Limerick County Borough	13.38	16.49	+3.11
Tipperary N.R.	13.55	13.14	—0.41
Tipperary S.R.	12.84	13.38	+0.54
Waterford	13.62	13.15	—0.47
Waterford County Borough	13.89	15.60	+1.71
Province of Munster	12.83	13.07	+0.24
Galway	12.58	11.76	—0.82
Leitrim	12.65	10.73	—1.92
Mayo	11.16	10.14	—1.02
Roscommon	13.07	11.22	—1.85
Sligo	12.94	11.51	—1.43
Province of Connaught	12.26	11.04	—1.22
Cavan	13.04	11.60	—1.44
Donegal	12.85	11.44	—1.41
Monaghan	13.48	11.96	—1.52
Province of Ulster (part of)	13.04	11.61	—1.43
Saorstát Éireann	12.97	12.97	—

The following statement, which gives the average annual death-rates, by sexes, for the years 1925-7, compared with the crude rates for certain triennial periods at the time of each of the five preceding censuses affords an opportunity of showing the manner in which the crude death rates are affected by the process of standardisation.

The triennial periods selected for comparison are those containing each of the years in which the census of population was taken, viz., 1871, 1881, 1891, 1901, 1911 and 1926. It may be assumed that the age and sex constitution of the average population in each of these

triennial periods differed little from that enumerated in the actual Census figure for the particular year.

	AVERAGE ANNUAL DEATH-RATES—AS RECORDED (CRUDE) AND STANDARDISED—PER 1,000 OF POPULATION.										
	1870-2		1880-2		1890-2		1900-2		1910-2		1925-7
	Crude	Standardised	Crude	Standardised	Crude	Standardised	Crude	Standardised	Crude	Standardised	Death-rate
Persons	16.85	19.03	17.77	20.44	17.91	20.99	17.75	20.36	16.35	15.91	14.48
Males	17.33	19.44	18.10	20.75	17.83	21.06	17.85	20.38	16.32	16.35	14.33
Females	16.39	18.57	17.45	20.11	17.99	20.90	17.65	20.31	16.37	15.49	14.63

From this statement it appears that the decrease which has taken place in the death-rate in recent years is much greater than appears from a comparison of crude rates. The decrease between the rates for 1870-2 and 1925-7 appears to be 2.37 per 1,000 when the crude rates are compared but when the standardised rates for the periods is compared difference is shown to be 4.55 per 1,000.

Similar differences are shown for the other periods except 1910-12; for that period the death-rate for all persons is reduced by standardisation. This is due to the fact that the Census results for 1911 showed a high percentage of aged persons.

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1934.

			1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total.
Males	...	...	5,887	5,126	4,194	4,713	19,920
Females	...	...	5,725	4,899	4,051	4,488	19,163
TOTAL	...	...	11,612	10,025	8,245	9,201	39,083

Of the total deaths 21,637, or 55.4 per cent. were recorded during the first six months, and 17,446, or 44.6 per cent., in the second six months.

In the first quarter of the year the deaths registered were equal to a rate of 15.4 per 1,000 of the population; in the second, 13.3; in the third, 10.9; and in the fourth 12.2. Compared with the rates for the previous year, the first quarter shows a decrease of 1.9 per 1,000, the second an increase of 0.3, the third a decrease of 0.1 and the fourth of 0.8 per 1,000.

In Table 5 the rates for each quarter of 1934 are shown, together with the average figures for the preceding ten years. Decreases are shown in the rate for each quarter, when compared with the average; in the first quarter of 2.3 per 1,000 (equivalent to a fall of 13 per cent.); and in the second, third and fourth quarters, respectively, of 1.7 (or 11 per cent), 0.7 and 1.0 per 1,000.

DEATHS IN INSTITUTIONS.

In Abstract V information is given relating to deaths in institutions, for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 3,984, in mental hospitals, 1,128, and in county homes and hospitals, etc., 6,667; and 27,304 occurred elsewhere, chiefly at the homes of deceased. These figures are in the respective proportions of 10.2, 2.9, 17.1, and 69.8 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institution treatment. In 1924 the percentages of deaths in the three classes of institution were 8.0, 2.4, and 13.0, respectively, 76.6 per cent. dying at their own homes.

UNCERTIFIED CAUSES.

The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or the coroner was 7,163. This figure is equal to a rate of 18.3 per cent. of the total deaths registered during the year. For the year 1933 the ratio was 18.6 and for the decennial period 1924-33 the average was 23.1 per cent.

The vast majority of the uncertified deaths are registered in rural districts; the percentages for these districts in 1934 being 25.6; whereas in urban areas it was only 2.4.

INQUESTS.

The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1934 was 1,212, or one in every 32 deaths registered, as compared with one inquest in every 31 deaths in 1933. The number of such deaths for the year 1934 include 1,001 cases in which inquests were held and 211 cases in which death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths registered during 1934 are given, according to the Intermediate and Detailed International Lists, by sexes and ages in Abstract IV. In Abstract V the causes of death classified in accordance with the Short List (see the Annual Report for 1931, p. xxi) are given for provinces, counties, and county boroughs, and in Abstract VI similar information is shown for urban and rural districts.

The number of deaths registered during the year 1934 was 1,456 less than that recorded for the previous year and when the figures for the principal causes of death for the years 1933 and 1934 are compared it is evident that the causes in which the most noteworthy decreases occurred were influenza—a fall of 1,102 deaths; senility—a decrease of 330; bronchitis of 204; and pneumonia of 158 deaths. On the other hand an increase of 139 was recorded in the number of deaths from cancer, 101 from cerebral haemorrhage, and of 352 in deaths from diseases of the heart.

A table showing the figures for the chief causes for the years 1933 and 1934, compared with the average number of deaths recorded during the decennial period ending with 1933, is given on page xx. When compared with the average, the number of deaths recorded during 1934 ascribed to senility shows a decrease of 2,103; influenza of 716; bronchitis a decrease of 608; tuberculosis (all forms) of 561 and measles of 200 deaths. The deaths registered in which the cause of death was given as cancer (all forms) increased by 270 and an increase of 1,132 is shown in the deaths returned as being caused by one or other forms of heart disease. In the following pages of the text further details regarding the principal causes of death are given and attention is drawn to the chief facts relating to mortality statistics.

In Table H the proportion of deaths from the principal causes among the population as a whole and at certain age-periods is given. From this table it appears that heart disease is the cause of the largest proportion of deaths, namely, 168 in every 1,000 deaths; next in order are senility (143), all forms of tuberculosis (90), cancer (87), pneumonia (62), cerebral haemorrhage, etc. (59) and bronchitis (50). These seven causes thus account for 66 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the headings of congenital malformations and diseases of early infancy in Abstract IV (including debility and premature birth) is given as the cause in 452 in every 1,000 deaths compared with 464 in every 1,000 deaths for the preceding year. Other fatal diseases at this age-period are diarrhoea and enteritis, pneumonia, bronchitis and whooping-cough.

The heavy mortality from measles, scarlet fever, whooping-cough, diphtheria, tuberculosis, bronchitis and pneumonia among children between the ages of one and 15 years is also evident in this table. Between the ages of 15 and 44 years tuberculosis (all forms) was the cause of the majority of the deaths and subsequent to that age cancer, cerebral haemorrhage and heart disease are the chief factors in the mortality.

TABLE H.—Showing the relative frequency of Deaths at certain Age-periods from the principal Causes in 1934.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD												
		All Ages	Under 1	1-5	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
—	ALL CAUSES . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	2	.	.	1	23	15	14	10	8	4	1	1	.
2	Typhus	.	.	.	.	.	.	1	.	.	.	.	.	.
3	Measles	1	4	15	14	6	6	1	.	.	.	.	.	.
4	Scarlet fever	2	.	28	26	6	7	5	5	1	1	.	.	.
5	Whooping-cough . . .	7	47	77	15	2	.	.	.	.	.	.	.	.
6	Diphtheria	9	2	87	215	97	14	4	2	3	2	.	.	.
7	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	18	7	21	8	13	5	17	12	15	16	20	30	11
9	Encephalitis lethargica	1	.	.	5	.	1	3	2	2	2	.	.	.
10	Cerebro-spinal fever .	.	1	2	1	2	3	1	.	.	.	.	.	.
11	Tuberculosis of respiratory system.	70	5	15	18	137	397	443	380	246	100	36	9	1
12	Other tuberculous diseases	20	13	88	122	124	118	88	68	36	16	4	3	1
13	Cancer	87	1	4	6	10	5	9	31	89	185	182	110	47
14	Diabetes mellitus . . .	7	.	2	4	10	10	5	6	7	11	13	7	4
15	Cerebral hemorrhage, etc. (No. 82).	59	.	4	6	8	10	9	15	30	69	83	98	61
16	Heart disease	168	.	8	33	82	42	60	73	117	172	248	262	175
17	Other circulatory diseases	17	1	2	3	.	.	2	4	10	21	28	25	21
18	Bronchitis	50	52	33	12	13	12	13	12	22	36	51	74	58
19	Pneumonia (all forms) .	62	106	232	99	61	38	39	56	68	65	65	51	27
20	Other respiratory diseases	17	7	18	14	17	18	18	13	22	27	24	19	10
21	Gastric and duodenal ulcer	7	.	.	.	2	4	10	11	21	17	13	6	2
22	Diarrhoea and enteritis (under 2 years).	12	119	31	.	.	.	.	.	.	.	.	.	.
23	Appendicitis	5	.	12	30	29	16	11	12	9	6	3	1	1
24	Cirrhosis of the liver .	2	.	.	.	.	1	.	.	4	3	4	2	.
25	Other diseases of liver, etc.	4	1	2	3	.	1	2	4	6	6	6	5	3
26	Other digestive diseases .	24	31	42	71	32	14	18	16	30	27	30	22	12
27	Acute and chronic nephritis	30	3	8	11	21	14	23	36	37	47	45	38	20
28	Puerperal sepsis	3	.	.	.	.	.	12	34	13	.	.	.	.
29	Other puerperal causes .	4	.	.	.	.	4	15	36	37	1	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	43	452	12	8	15	.	1	.	.	.	.	.	.
31	Senility	143	.	.	.	.	.	.	.	.	.	.	136	504
32	Suicide	3	.	.	.	.	1	5	9	10	6	4	1	.
33	Other violence	22	13	89	93	55	81	49	31	29	27	17	12	10
34	Other defined causes . .	84	132	136	166	229	156	109	116	116	110	89	61	30
35	Causes ill-defined or unknown.	17	3	32	11	6	7	8	6	12	23	34	27	2

The number of deaths from the principal causes recorded for each of the years 1933 and 1934 are compared in the following statement with the annual average number for the decennial period ending with the year 1933.

CAUSES	Number of Deaths registered			CAUSES	Number of Deaths registered		
	Years.		Average 10 years 1924-33		Years.		Average 10 years 1924-33
	1934	1933			1934	1933	
Typhoid Fever	89	75	93	Heart Disease	6,585	6,233	5,453
Typhus	4	3	7	Bronchitis	1,956	2,160	2,564
Measles	50	125	250	Pneumonia	2,418	2,576	2,553
Scarlet Fever	82	79	78	Diarrhoea and Enteritis under two years of age	474	563	576
Whooping-cough	283	289	350	Nephritis	1,169	1,149	1,190
Diphtheria	341	418	279	Puerperal Sepsis	104	80	89
Dysentery	1	.	6	Other Puerperal causes	167	175	184
Influenza	689	1,791	1,405	Congenital debility, mal formation, premature birth, etc., ...	1,686	1,767	1,802
Encephalitis Lethargica	23	32	43	Senility	5,572	5,902	7,675
Cerebro-Spinal Fever ...	14	17	17	Violence	968	1,017	913
Tuberculous Diseases ...	3,514	3,510	4,075				
Cancer	3,405	3,266	3,135				
Cerebral hæmorrhage, throm- bosis, hemiplegia, etc. ...	2,303	2,202	2,211				

In Table 15 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* in the aggregate are given by provinces, counties and county boroughs; the rates in the county boroughs are the highest, that for Cork county borough being 1·07; Waterford county borough, 1·05; Limerick county borough, 0·91; and Dublin county borough, 0·73 per 1,000. The highest county rates are Louth 0·72, Kerry 0·59, Dublin county 0·57, and Limerick county 0·52. The five lowest rates are those for the counties of Longford (0·08), Laoighis (0·19), Donegal (0·20), and each of Tipperary (North Riding) and Mayo (0·23).

Table 16 shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 0·73 per 1,000 of the population, compared with 0·32 for the rural districts.

Typhoid Fever.—The number of deaths due to this disease rose from 75 for the year 1933 to 89 (53 males and 36 females) for the year 1934. The average figure for the ten years 1924-1933 was 93. Of the deaths for the year under review 24 or 2·7 per 100,000 of the population were recorded for urban areas and 65 or 3·1 for rural areas. The corresponding rates for 1933 were 1·9 and 2·8, respectively.

Typhus.—Four deaths from typhus were registered, being one more than the number for 1933, and 3 below the average. All of the deaths were recorded for rural areas.

Small-Pox.—No death from small-pox was registered since 1907, when one was recorded.

Measles.—The number of deaths from this disease fell from 250 in the year 1932 to 125 in the following year and further declined to 50 in 1934. This number is 200 below the average for the ten years 1924-33. Of the 50 deaths, 32 were of children under 5 years of age. The urban mortality was 2·1 per 100,000 of the population as compared with 1·5 for the rural areas.

Scarlet Fever.—Deaths from scarlet fever numbered 82. This is 3 more than the number in 1933, and 4 above the average for the preceding ten years. Of the 82 deaths, 39 were those of males and 43 of females.

*Typhoid fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

Whooping-cough.—Deaths from whooping-cough numbered 283, compared with 289 for 1933 and an average of 350 for the decennial period ending with 1933. All, except 11 of the 289 deaths, were those of children under 5 years of age, 172 being those of infants under one year of age. Included in the total were 124 of males and 159 of females. The death-rates for urban and rural areas were 16·6 and 6·3, respectively.

Diphtheria.—During the year 1934 the number of deaths from this disease was 341—140 males and 201 females. The total is 77 less than that for the previous year, but is 62 more than the average for the decennial period from 1924-1933. Included in the number registered were 263 of children under ten years of age, equivalent to 77 per cent of the number recorded.

The total deaths from diphtheria are equal to a rate of 11·3 per 100,000 of the estimated population, the respective rates for the urban and rural areas being 19·2 and 8·0. The corresponding rates for 1933 were 14·0 for the whole country, 22·8 for the aggregate urban areas and 10·2 for the rural districts.

In Abstracts IV to VI information regarding the deaths from this cause is given for each of the counties and county boroughs and also for urban and rural areas. From a comparison of the rates per 100,000 of the population represented by the number of deaths recorded for the counties and county boroughs, it is found that the highest rate was for Limerick county borough, viz., (43) per 100,000, followed by Cork county borough (33), Waterford county borough (30), Clare (19), Dublin county borough (18), Westmeath (18) and Kildare (17). The lowest rates were in each of Meath and Tipperary county, North Riding (3), each of Roscommon and Kilkenny (4), Cavan (5), and each of Mayo and Carlow (6). There were no deaths from diphtheria for Longford or Sligo county.


The death-rates from this cause for the aggregate urban and rural districts for each year from 1901 are shown in the following statement :—

STATEMENT showing Death-rates from Diphtheria, per 100,000 of the estimated population in the aggregate Urban and Rural Districts of Saorstát Éireann during the years 1901 to 1934.

YEAR	Urban Districts	Rural Districts	YEAR	Urban Districts	Rural Districts
1901 ...	9·6	5·0	1918 ...	6·3	4·4
1902 ...	12·0	7·2	1919 ...	9·1	4·8
1903 ...	9·5	7·2	1920 ...	18·6	5·3
1904 ...	5·9	6·5	1921 ...	21·3	12·5
1905 ...	7·1	6·2	1922 ...	15·7	12·3
1906 ...	8·2	7·2	1923 ...	10·4	9·1
1907 ...	9·9	4·4	1924 ...	8·8	5·1
1908 ...	10·3	6·1	1925 ...	7·7	4·3
1909 ...	11·2	8·0	1926 ...	12·0	4·5
1910 ...	10·7	6·3	1927 ...	13·8	4·7
1911 ...	17·0	5·3	1928 ...	12·1	5·8
1912 ...	15·9	5·0	1929 ...	16·5	7·7
1913 ...	13·1	3·8	1930 ...	22·7	9·0
1914 ...	12·7	4·3	1931 ...	15·9	8·5
1915 ...	11·8	6·0	1932 ...	19·8	9·9
1916 ...	8·0	6·0	1933 ...	22·8	10·2
1917 ...	6·8	5·8	1934 ...	19·2	8·0

In the Diagram, on p. xxii, the trend of the mortality from this disease since 1911 is shown by a comparison of the rates per 100,000 of the population for Saorstát Éireann, Northern Ireland, England and Wales, and Scotland.

DIAGRAM No. 2. Deaths from Diphtheria 1911 to 1934.



Diarrhoea and Enteritis (children under 2 years).—The number of deaths of children attributed to these causes in 1934 was 474; this number is 89 less than the number in 1933 and 102 under the average for 1924-33, and is equal to a rate of 8.2 per 1,000 births registered.

The urban mortality was equivalent to a rate of 12.7 per 1,000 births, compared with 5.5 for rural areas; the corresponding rates for the year 1933 were 16.8 and 5.8 respectively.

Influenza.—Deaths attributed to this disease numbered 689, a fall of no less than 1,102 when compared with the number recorded for 1933. The figure for 1934 is the lowest since 1930, and is 716 below the average figure for the years 1924-1933. As usual, deaths from this disease were most numerous in the first quarter of the year, viz., 43 per cent., followed by 32 per cent. in the second quarter, 10 per cent. in the third, and 15 per cent. in the fourth. The rate per 1,000 of the population represented by the number for the year was 0.23, compared with 0.60 for 1933.

Of the 689 deaths, 320 were those of males and 369 of females.

The number of deaths for the rural areas was 587, as compared with 1,376 in 1933; the respective rates being 0.28 and 0.65 per 1,000 of the rural population. The number of deaths which appertained to urban areas was 102, as compared with 416 for 1933, equivalent to rates of 0.11 and 0.47 respectively.

In 173 instances the deaths attributed to influenza were described as associated with respiratory complications, and in the remaining cases—516 in number—the cause was given as influenza without qualification, or as complicated with maladies other than respiratory.

Erysipelas.—There were 46 deaths (30 of males and 16 of females) from erysipelas, as compared with 38 in the previous year.

Encephalitis Lethargica.—The number of deaths recorded from this disease was 23, which is 9 less than the figure for 1933 and 20 less than the average for the period 1924-33; it is the lowest figure recorded in any year since 1923. Sixteen of the deaths were of males and 7 of females.

Cerebro-spinal Fever.—This disease caused 14 deaths (9 of males and 5 of females). The number for 1933 and also the average for the 10 years 1924-33 was 17.

Tetanus.—The number of deaths ascribed to tetanus was 29, those of males being 26 and of females 3. For 1933 the numbers were 16, 12 and 4, respectively.

TUBERCULOSIS.

During the year 1934 the number of deaths recorded as being due to all forms of tuberculosis was 3,514. This figure is 4 more than that for the year 1933, but is 561 below the annual average number from this cause for the period of ten years ended with 1933. The rate per 1,000 of the population for 1934 is 1·17, which is the same as that for the previous year, but 0·20 less than the average rate for the decennial period mentioned above. For England and Wales the rate for 1934 was 0·76 per 1,000, for Scotland it was 0·75, and for Northern Ireland 1·12. The figures for 1933 for these areas were respectively 0·82, 0·80 and 1·15 per 1,000.

In Table J. the mortality from this disease during the last eleven years is given. An interesting comparison is made between the death rates for males and females during the period. The rate for females during the period covered by the table is in excess of that for males; in 1934 the rates differed but little, that for males being 1·16 and the rate for females 1·17 per 1,000 of the respective populations. In Northern Ireland the rate for males in 1934 was 1·10, and for females 1·14 per 1,000; in England and Wales 0·90 and 0·64; and in Scotland 0·83 and 0·68, respectively.

TABLE J.—Showing, by sexes, the mortality from Tuberculosis in Saorstát Éireann during each of the years 1924-34.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number	Per cent.	Number	Per cent.
1924 ...	2,264	1·49	2,318	1·56	4,582	1·52	114	2·6	—	—
1925 ...	2,307	1·53	2,366	1·61	4,673	1·57	91	2·0	—	—
1926 ...	2,167	1·44	2,195	1·50	4,362	1·47	—	—	311	6·7
1927 ...	2,138	1·43	2,163	1·48	4,301	1·45	—	—	61	1·4
1928 ...	2,004	1·34	2,043	1·41	4,047	1·37	—	—	254	5·9
1929 ...	1,910	1·28	1,965	1·36	3,875	1·32	—	—	172	4·3
1930 ...	1,922	1·28	1,903	1·31	3,825	1·30	—	—	50	1·3
1931 ...	1,893	1·26	2,009	1·38	3,902	1·32	77	2·0	—	—
1932 ...	1,834	1·21	1,842	1·26	3,676	1·24	—	—	226	5·8
1933 ...	1,766	1·16	1,744	1·10	3,510	1·17	—	—	166	4·5
Average, 1924-1933	2,021	1·34	2,055	1·41	4,075	1·37	—	—	1,072*	23·4*
1934 ...	1,785	1·16	1,720	1·17	3,514	1·17	4	0·1	—	—


* Decrease in 1933 as compared with 1924.

The deaths from tuberculosis registered in 1934 for the aggregate urban districts numbered 1,399, as compared with 1,451 for the previous year. For the rural districts the number for 1934 was 2,115 and for the previous year 2,059. The rate per 1,000 of the population for the urban areas fell from 1·63 to 1·56, while that for the rural areas increased from 0·98 to 1·00 per 1,000 of the population.

Deaths from pulmonary tuberculosis numbered 2,726, compared with in 2,755 in 1933; and the respective numbers for these years from other forms of tuberculosis were 788 and 755. The deaths in 1934 included under the heading of other forms of tuberculosis are as follows:—Tuberculosis of the central nervous system, 249 (116 males and 133 females); tuberculosis of the intestines and peritoneum, 182 (89 males and 93 females); tuberculosis of the vertebral column, 77 (41 males and 36 females); tuberculosis of the bones and joints, 71 (44 males and 27 females); tuberculosis of other organs and parts, 57 (32 males and 25 females); and disseminated tuberculosis, 152 (87 males and 65 females).

Diagram No. 3 shows the rate of mortality from tuberculosis for Saorstát Éireann, Northern Ireland, England and Wales, and Scotland from 1911 to 1934. An almost continuous decline in the disease is evident. The curves for Saorstát Éireann and Northern Ireland differ but little, especially since 1926, and the proximity of the curve for England and Wales to that for Scotland is remarkable.

DIAGRAM No. 3. Deaths from Tuberculosis 1911 to 1934.



The mortality from tuberculosis at different age-periods for each sex during each of the years 1930 to 1934 is shown in the following table. A comparison of the rates for the years 1930 and 1934 shows that at most of the age-periods a reduction has taken place. In

the case of persons under 20 years of age the death rate for 1934 shows a fall of 18.9 per cent.; the rate for males being 20.9 per cent. less, and that for females 17.3 per cent. less than that for the year 1930. At the age-period from 20 to 44 years, when the mortality from tuberculosis is highest, the rate for 1934 fell by 4.6 per cent.; the corresponding reductions for males and females were respectively 5.8 and 3.0 per cent. when compared with the rates for 1930.

TABLE K.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at same age during each of the years 1930 to 1934.

PERIODS	DEATH-RATES PER 1,000 OF THE POPULATION AT SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up,
MALES.												
1930 ...	1.28	0.91	0.42	0.38	1.25	2.22	2.28	1.74	1.53	1.24	0.53	0.18
1931 ...	1.26	0.90	0.30	0.42	1.18	2.31	2.14	1.80	1.40	1.29	0.61	0.18
1932 ...	1.21	0.73	0.36	0.36	1.15	2.31	1.99	1.89	1.28	1.13	0.75	0.23
1933 ...	1.16	0.55	0.29	0.33	1.19	2.03	2.13	1.72	1.32	1.16	0.57	0.15
1934 ...	1.16	0.70	0.25	0.29	1.10	2.07	2.01	1.80	1.31	1.16	0.72	0.22
FEMALES.												
1930 ...	1.31	0.69	0.35	0.71	1.96	2.35	2.34	1.62	1.40	0.98	0.46	0.19
1931 ...	1.38	0.76	0.38	0.77	1.92	2.72	2.58	1.70	1.33	1.00	0.42	0.10
1932 ...	1.26	0.55	0.31	0.62	1.92	2.52	2.29	1.58	1.10	1.04	0.52	0.21
1933 ...	1.19	0.75	0.30	0.51	1.62	2.67	2.13	1.48	1.05	0.89	0.34	0.12
1934 ...	1.17	0.64	0.39	0.54	1.50	2.36	2.18	1.58	0.95	0.84	0.50	0.18
PERSONS.												
1930 ...	1.30	0.80	0.39	0.54	1.60	2.28	2.31	1.68	1.47	1.12	0.49	0.18
1931 ...	1.32	0.83	0.34	0.59	1.54	2.51	2.36	1.75	1.37	1.15	0.51	0.14
1932 ...	1.24	0.64	0.34	0.49	1.53	2.41	2.14	1.74	1.20	1.09	0.63	0.22
1933 ...	1.17	0.65	0.30	0.42	1.40	2.34	2.13	1.60	1.19	1.03	0.45	0.14
1934 ...	1.17	0.67	0.32	0.41	1.30	2.20	2.09	1.69	1.14	1.01	0.61	0.20

In Abstracts V. and VI. particulars of the deaths from tuberculosis, for provinces, counties, county boroughs, and urban and rural districts are shown, while in Tables 14, 15 and 16 the numbers and rates per 1,000 of the population are given for these areas.

It will be seen from Table 15 that the highest mortality from tuberculosis for county or county borough areas was recorded for the following:—Dublin county borough (1.70), Cork county borough (1.63), each of Louth and Waterford county borough (1.50), Dublin county (1.49), Kildare (1.41) and Wexford (1.40).; the counties having the lowest rates being Leitrim (0.79), Tipperary county, South Riding (0.85), Cavan (0.86), Longford (0.88), each of Roscommon and Mayo (0.90), and Cork county (0.94).

Syphilis, etc.—Thirteen deaths (7 of males and 6 of females) were ascribed to syphilis, this being 5 less than the number for each of the years 1933 and 1932. Six of the deaths (4 males and 2 females) were those of infants under one year of age.

Four deaths (3 males and one female) were ascribed to gonococcal infection and other venereal diseases.

There were 13 deaths (12 males and one female) from general paralysis of the insane; 11 deaths (10 males and one female) from locomotor ataxy, and 27 deaths (males 17, and females 10) from aneurysm.

Purulent Infection, Septicaemia.—Under this heading 133 deaths were returned (83 being those of males, and 50 of females), as against 117 in the preceding year.

Other Infectious or Parasitic Diseases.—The remaining deaths included in the group of infectious and parasitic diseases include 3 (2 males and one female) from acute poliomyelitis, one (male) from anthrax, 2 (males) from malaria, 7 (4 males and 3 females) from other diseases due to helminths, 7 (4 males and 3 females) from mycoses, 2 (one male and one female) from German measles, 6 (3 males and 3 females) from varicella, and 2 (one male and one female) from mumps.

CANCER.

The deaths classified under this heading numbered 3,405—1,797 of males and 1,608 of females. Of the total deaths, 2,162 (1,099 males and 1,063 females) were returned as being due to carcinoma, 133 (79 males and 54 females) to sarcoma, and 1,110 (619 males and 491 females) to cancer or malignant disease, not otherwise defined.

The deaths from cancer for 1934 are 139 more than that recorded for 1933, an increase of 7 being shown in the deaths of males and of 132 in the deaths of females registered. Of the increase 100 were under the heading of carcinoma, 15 of sarcoma, and 24 of cancer. The annual average number of deaths from cancer (all forms) returned for the decennial period from 1924 to 1933 was 3,135, compared with 3,405 in the year under review.

The deaths for 1934 constitute 9 per cent. of the total deaths registered from all causes and are equivalent to a rate of 1·13 per 1,000 of the population. The rate for 1933 was 1·09 per 1,000. In 1934 the rate for males was 1·17 per 1,000 of the male population and for females the rate was 1·09 per 1,000. In 1933 the rate for males was 1·17 and for females 1·00 per 1,000.

In Northern Ireland the rate for both sexes was 1·29, for males 1·23 and for females 1·34. In England and Wales the respective rates were 1·56, 1·53 and 1·59, and in Scotland 1·53, 1·48 and 1·58.

In the diagram on page xxvii the trend of cancer mortality in these areas from the year 1911, is shown.

Deaths from cancer in the urban districts, where 1,163 deaths were registered, afford a rate of 1·30, and in rural districts, where 2,243 deaths were registered, a rate of 1·06. In 1933 the respective rates were 1·23 and 1·04.


In Table (L.), pp. xxviii-xxix, the mortality from cancer by sexes, ages, and parts affected, together with the rate per 100,000 living at certain age-periods is shown. From 35 to 55 years of age the female rate exceeds in each instance the corresponding rate for males, but subsequently the rates for males are in excess, particularly at later periods of life. The excess in the female rate in middle life is attributable to the large proportion of deaths of women from cancer of the uterus and breast; on the other hand the male excess in later life is due to the mortality from cancer of the buccal cavity and the digestive organs.

Tumours—Deaths from tumours are classified under two headings: (1) those caused by tumours definitely described as non-malignant (No. 54 in the International List), and (2) those caused by tumours whose nature was not determined, or was not specified in the entry of the cause of death (No. 55). The deaths in 1934 in the first group numbered 55, and those in the second 97.

The 55 non-malignant tumours comprise 7 described as cerebral (4 of males and 3 of females); 16 of the ovary; 14 of the uterus; 6 of the bladder (3 males and 3 females); 3 (females) of the abdomen; 2 (one male and one female) of the intestines; one each of the following sites:—jaw, pancreas, parotid, pharynx and spine; and 2 of ill-defined or unstated site.

The 97 tumours of undetermined nature include 37 (15 of males and 22 of females) of the brain, 6 of the ovary, 53 (27 males and 26 females) of other sites, and one of unstated or ill-defined site. The 53 other sites comprise 7 of intestine, 6 of abdomen, 5 of mediastinum, 5 of stomach, 4 of lung, 4 of spine, 3 of œsophagus, 3 of pelvis and 2 each of breast, kidney and liver, and one of each of the following:—axilla, bladder, jaw, larynx, neck, orbit, pancreas, pharynx, tongue and pituitary body.

DIAGRAM No.4. Deaths from Cancer 1911 to 1934.



Rheumatism.—There were 136 deaths (64 of males and 72 of females) from rheumatic fever, 159 deaths (75 of males and 84 of females) from chronic rheumatism, and 118 (49 males and 69 females) from rheumatoid arthritis and osteo-arthritis.

TABLE L.—Showing the deaths from CANCER* registered

International List Nos.	Parts Affected.	MALES.														Total.
		AGES AT DEATH.														
		Under 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up-wards		
45	Jaw ..	1	1	.	.	.	2	4	11	8	11	10	12	7	67	
	Lip ..	.	.	.	.	2	.	2	2	7	9	6	10	12	50	
	Mouth ..	.	.	.	.	.	2	4	4	4	6	2	3	6	31	
	Nose ..	.	.	.	.	.	.	2	.	.	.	1	.	1	4	
	Tongue ..	.	.	.	2	.	2	10	13	20	15	20	18	8	108	
	Tonsil ..	.	.	.	.	.	1	1	1	3	2	3	.	1	12	
46	Pharynx ..	.	.	.	.	1	.	1	2	1	4	3	2	3	17	
	Liver, Gall Bladder ..	.	.	.	1	2	7	7	13	16	26	18	15	15	120	
	Esophagus ..	.	.	1	1	.	2	4	15	12	11	12	7	8	73	
	Peritoneum ..	.	.	.	.	1	.	.	.	.	.	.	.	.	1	
	Rectum ..	.	.	3	.	.	2	6	15	19	23	26	25	9	128	
	Mesentery ..	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
	Intestine ..	.	.	.	2	4	5	8	24	39	49	51	36	23	241	
	Pancreas ..	.	.	.	2	1	.	2	6	3	3	7	.	.	24	
	Stomach ..	.	.	.	3	7	17	27	46	57	76	88	76	43	440	
47	Larynx, Trachea ..	.	.	.	.	.	.	.	5	12	9	7	2	4	39	
	Lung ..	.	1	1	2	1	2	.	3	2	5	1	3	3	24	
	Mediastinum ..	.	1	1	1	.	.	.	2	3	1	3	1	.	13	
48	Uterus ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
49	Ovary ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Vagina ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Vulva ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
50	Breast ..	.	.	.	.	.	2	.	1	1	.	.	.	.	4	
51	Bladder (Male) ..	.	.	.	.	1	1	1	5	5	3	1	4	3	24	
	Kidney (Male) ..	.	.	1	1	.	.	.	.	.	1	1	1	1	6	
	Penis ..	.	.	.	.	.	.	1	.	.	2	1	.	1	6	
	Prostate ..	.	.	.	.	.	.	.	2	8	12	17	14	8	61	
	Scrotum ..	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
	Testicle ..	.	.	1	2	.	.	.	.	2	1	.	.	1	7	
52	Ear ..	.	.	.	.	.	.	.	2	1	.	.	7	5	15	
	Face ..	.	.	.	.	.	.	.	.	1	7	7	7	13	35	
	Other Skin ..	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
53	Abdomen ..	.	1	1	.	.	.	.	2	3	2	1	1	1	12	
	Bladder (Fem.) ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Eye ..	.	.	.	.	.	.	1	.	.	.	.	.	1	2	
	Groin ..	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
	Kidney (Fem.) ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Neck ..	2	.	.	1	.	1	2	8	12	11	13	13	11	74	
	Pelvis ..	.	.	.	.	.	.	.	3	1	.	.	.	.	4	
	Spine ..	.	.	.	.	.	2	1	.	1	.	.	1	.	5	
	Spleen ..	.	.	.	1	.	1	.	.	.	.	.	1	.	3	
	Thorax ..	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
	Throat ..	.	.	.	.	1	2	5	5	11	15	11	11	7	68	
	Thyroid ..	.	.	.	.	.	.	.	.	1	1	1	1	.	4	
	Arm, Leg ..	2	2	.	2	.	1	2	4	1	3	4	2	9	32	
	Axilla ..	.	.	.	.	.	.	.	.	.	1	2	.	.	3	
	Brain ..	.	.	1	1	.	.	.	.	.	1	.	.	.	3	
	Parotid ..	.	.	.	1	.	.	.	1	1	1	2	.	1	7	
	Rib, Sternum ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Shoulder ..	1	.	.	.	.	.	.	.	1	.	2	.	.	4	
	Other and Undefined ..	1	1	.	.	.	.	.	3	6	4	2	1	3	21	
TOTAL ..		7	7	11	23	21	52	89	201	262	318	324	274	208	1,797	
Deaths from Cancer per 100,000 living of the same age ..		1.2	5.5	10.1	24.4	23.6	59.3	100.4	230.4	383.3	581.7	617.6	717.2	515.4	117.1	

*Including Carcinoma, Sarcoma

during the year 1934, by Sexes, Ages, and parts affected.

FEMALES.														Total Males and Fe- males
AGES AT DEATH														
Un- der 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL	
.	.	.	.	.	.	2	1	1	4	7	3	2	20	87
.	.	.	.	.	.	.	.	.	.	.	2	2	4	54
.	.	.	.	.	1	.	1	.	.	.	.	2	4	35
.	.	.	.	.	.	1	1	2	.	.	1	.	4	8
.	.	.	.	.	1	3	1	2	1	1	3	.	12	120
.	.	.	.	.	.	.	.	.	2	1	.	.	3	15
.	.	.	.	.	.	2	.	.	1	1	.	.	4	21
1	.	1	1	4	.	14	12	18	23	25	24	24	147	267
.	.	.	.	2	2	2	6	8	8	4	3	6	41	114
1	.	.	.	.	.	.	2	1	1	4	1	.	10	11
.	.	1	5	1	2	5	3	4	12	14	10	8	65	193
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
1	.	1	2	5	6	13	21	33	35	36	40	34	227	468
.	.	.	.	.	1	3	3	4	4	5	6	1	27	51
.	.	1	2	6	10	26	43	50	64	60	50	36	348	788
.	.	1	.	2	.	1	.	3	3	1	.	1	12	51
.	.	.	.	.	.	2	5	4	2	1	1	.	15	39
.	.	.	.	1	.	1	1	1	1	.	2	.	7	20
1	1	.	1	8	18	16	28	31	25	21	17	15	182	182
.	.	1	1	.	1	1	2	1	6	1	3	.	17	17
.	.	.	.	.	.	.	1	.	1	.	.	.	2	2
.	.	.	.	.	.	1	1	1	2	1	1	.	7	7
1	.	2	2	13	19	21	36	37	33	31	26	22	243	247
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
.	.	.	.	.	.	.	.	.	.	.	.	.	.	61
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
.	.	.	.	.	1	1	1	3	.	.	1	.	6	21
.	.	.	.	.	.	1	1	2	1	4	14	12	36	71
.	.	.	.	.	.	.	1	.	.	2	.	1	4	5
1	.	.	.	2	1	3	2	3	2	6	4	2	22	34
.	.	.	.	.	1	.	2	3	1	2	2	2	17	17
.	.	.	.	.	.	.	.	1	.	2	.	1	4	6
2	.	.	.	.	.	.	.	1	.	.	.	.	1	2
.	.	.	.	.	.	.	.	1	1	.	1	1	6	6
1	.	.	.	.	.	4	1	3	4	1	2	1	16	90
.	.	.	.	.	.	1	2	.	.	1	.	.	5	9
.	.	.	.	.	.	.	1	1	.	1	.	.	3	8
.	.	.	.	.	.	.	.	1	.	.	.	.	1	4
.	.	.	.	.	1	2	.	4	3	3	3	3	19	87
.	.	.	.	.	.	1	1	2	.	2	.	.	7	11
2	1	1	1	1	.	2	1	4	2	4	1	4	24	56
.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
.	.	.	.	.	.	1	.	.	.	.	.	.	1	4
.	.	.	.	.	1	.	.	.	.	.	2	.	3	10
.	.	.	.	1	.	.	1	.	.	.	1	1	4	4
.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
2	.	.	.	.	.	6	5	3	1	4	3	3	27	48
13	2	9	15	48	65	135	188	233	243	244	229	184	1,608	3,405
2.3	1.7	8.2	16.4	53.8	77.6	163.4	241.9	394.3	468.0	486.5	506.9	374.9	108.8	113.0

and Cancer, Malignant Disease.

Diabetes.—The number of deaths from diabetes recorded was 267. Statistics of mortality from this disease in Saorstát Éireann are available from 1911 and are shown in Tables 6A, 7 and 7A. During the years 1911 to 1917 the average number of deaths was 257; in each of the years 1918 and 1919 the figure fell to 209, rising in 1920 to 235. The average number for the decennial period ended with 1930 was 227 and for the years 1932 and 1933 the number was 239 and 251, respectively.

In the year 1934 the rate per 100,000 of the population represented by the deaths from this disease was 9 compared with 12 in Northern Ireland, 16 in England and Wales and 15 in Scotland.

The mortality of females from this disease in Saorstát Éireann in 1934 is greater than that of males, the respective numbers being 135 and 132 and the rates 9·1 and 8·6 per 100,000. In England and Wales the female rate was 19 and the male 13, in Scotland 20 and 10 and in Northern Ireland 13 and 11 respectively.

Other General Diseases.—The remaining deaths in the group of general diseases include one (male) from gout, 2 (males) from scurvy, 23 (13 males and 10 females) from rickets, (2 females) from osteomalacia, 17 (2 males and 15 females) from simple goitre, 48 (11 males and 37 females) from exophthalmic goitre, 8 (one male and 7 females) from myxoedema, cretinism, 5 (3 males and 2 females) from tetany, one (female) from other disease of the thyroid and parathyroid glands, 2 (males) from diseases of the pituitary gland, 9 (4 males and 5 females) from diseases of the thymus, 19 (9 males and 10 females) from diseases of the adrenals, 4 (3 males and one female) from toxæmia, 2 (females) from acidosis, one (male) from amyloid disease, one (male) from diabetes insipidus, one (female) from cyclical vomiting and one (female) from obesity.

Anæmia.—Deaths from pernicious anæmia numbered 224, consisting of 110 deaths of males and 114 of females. The total number is 9 above that for 1933 and 9 below the figure for 1932.

The number of deaths from other anæmias was 70, those of males being 28 and those of females, 42. The number for 1933 was 111, males 33 and females 78.

Other Diseases of the Blood and Blood-forming Organs.—There were 22 deaths from purpura (10 males and 12 females); 7 (3 males and 4 females) from hæmophilia; 33 (17 males and 16 females) from leukæmia; 25 (16 males and 9 females) from aleukæmia (lymphadenoma, Hodgkin's disease); and 5 (one male and 4 females) from diseases of the spleen.

Alcoholism.—Ten deaths were ascribed to alcoholism, all being of males. Cirrhosis of the liver caused 69 deaths, 45 being those of males and 24 of females. All except one female were 35 years of age, or over.

Meningitis and Encephalitis.—There were 245 deaths from meningitis (deaths of males numbering 138 and of females 107), as compared with 266, 137, and 129, respectively, in 1933.

The number of deaths described as from encephalitis (not returned as encephalitis lethargica) was 17, and from cerebral abscess 21, compared with 21 and 14 respectively for the preceding year.

Cerebral Haemorrhage, Hemiplegia, etc.—The number of deaths classified under this heading (No. 82 in the International List) which fell from 2,503 in 1932 to 2,202 in 1933, rose to 2,303 in 1934. The average for the 10 years 1924-33 was 2,211. Of the total, cerebral haemorrhage caused 1,368 deaths (581 males and 787 females); cerebral thrombosis and embolism, 220 deaths (93 males and 127 females); cerebral softening, 33 deaths (12 males and 21 females); hemiplegia, 443 deaths (199 males and 244 females); and other paralysis of unstated origin, 239 deaths (107 males and 132 females).

Epilepsy.—There were 156 deaths (of males 89 and of females 67) from epilepsy. This number is 7 more than in the preceding year.

Convulsions (under 5 years of age).—The number of deaths ascribed to convulsions of children under 5 years of age was 358 (of males 201, and of females 157); of these 313, or 87·4 per cent., were those of infants under one year of age, constituting 8·5 per cent. of all deaths of infants during the year.

Heart Disease.—During the year under review, heart disease was the most frequent cause of death. The figure under this heading constitutes 16·8 per cent. of the mortality from all causes in 1934, and is equivalent to a rate of 2·19 per 1,000 of the population. The deaths registered from this cause numbered 6,585, which is 352 over that for 1933, and 1,132 above the average (5,453) for the ten years 1924-33.

Of the 6,585 deaths, 37 were ascribed to pericarditis, 117 to acute endocarditis, 1,607 to chronic endocarditis and valvular disease, 31 to acute myocarditis, 87 to fatty degeneration,

1,297 to chronic myocarditis and myocardial degeneration, 1,471 to unspecified myocardial disease, 256 to diseases of the coronary arteries and angina pectoris, and in 1,682 instances the particular form of heart disease was unstated, or was other than those enumerated above.

Other Circulatory Diseases.—There were 682 deaths from the causes included in this group, 362 being those of males and 320 of females. This number is 54 above that in 1933, and 83 above the figure for 1932.

Of the diseases included in this group, arterio-sclerosis is the most numerous, causing 353 deaths; followed by idiopathic abnormalities of blood pressure, 117 deaths; gangrene 114 deaths; other diseases of the arteries, 33 deaths; aneurysm, 27 deaths; diseases of the veins, 22 deaths; diseases of the lymphatic system, 9 deaths; and other diseases of the circulatory system, 7 deaths.

Bronchitis.—Bronchitis caused 1,956 deaths (males 962, and females 994). This number is equal to a rate of 0·65 per 1,000 of the population and constitutes 5·0 per cent. of the total deaths registered. Of this number 458 were described as acute, 354 as chronic, and in 1,144 cases the form of the disease was not distinguished. The total number is 204 below that for 1933 and 608 below the average for the ten years 1924-33.

Pneumonia.—Deaths from all forms of this disease amounted to 2,418, and afford a rate of 0·80 per 1,000 of the population; the total includes 1,031 from broncho-pneumonia, 381 from lobar pneumonia, and 1,006 from pneumonia (not otherwise defined). Of the total 1,399 deaths were of males, and 1,019 of females.

The average number during the ten years 1924-33 was 2,553, and during 1933 the number recorded was 2,576.

Pleurisy; Empyema.—The number of deaths classed to empyema, regarding which an originating cause could not be ascertained, was 27 (the males numbering 21, and the females 6) in comparison with 22, 14 and 8, respectively, for last year. The deaths registered from other forms of pleurisy were 83, including 54 deaths of males and 29 of females; the figure for 1933 being 85 (51 males and 34 females).

Ulcer of the Stomach and Duodenum.—Deaths from this cause numbered 281; of this number 199 were males and 82 females. The total number is 23 below that for 1933 and 47 below the figure for 1932.

Appendicitis.—There were 176 deaths from appendicitis (of males 106, and of females 70). This number is 28 below that for 1933. Thirty-seven of the deaths for 1934 were of children under 10 years of age.

Cirrhosis of the Liver.—Deaths from this disease in 1934 numbered 69 (males 45 and females 24), compared with 71 in 1933 and 77 in 1932. Of the deaths from this cause 38 of the males and 22 of the females were of persons aged 45 years and upwards.

Acute and Chronic Nephritis.—The total number of deaths from nephritis was 1,169 (males 662 and females 507) showing an increase of 20 compared with the figure for 1933, but a decrease of 54 compared with that for 1932, and of 21 in comparison with the average number of deaths from this cause for the ten years 1924-33. Of the total, 174 were described as acute (including deaths from nephritis undefined of persons under 10 years of age) 558 from chronic forms of the disease and 437 from undefined forms of nephritis of persons aged 10 years and upwards.

PREGNANCY AND CHILDBIRTH.

The deaths of women during pregnancy and childbirth are classified under three headings, namely, (1) deaths from septic conditions, (2) deaths from accidents and diseases of pregnancy and childbirth, and (3) deaths not classed to pregnancy or childbirth but returned as associated therewith. To the first group 104 deaths were attributed in the year 1934, to the second, 167, and to the third, 33; so that altogether the deaths of childbearing women numbered 304. This number, which is 8 above that for the year 1933, represents a rate of 5·25 per 1,000 of the total births registered, as compared with 5·16 in the year 1933, and an average rate of 5·06 for the decade 1924-33.

As will be seen from Table N, deaths from puerperal septic diseases have increased by 24 in comparison with the figure for 1933, whilst the number of deaths in each of the other two groups shown in the table have decreased by 8.

Deaths from puerperal septic diseases and other puerperal conditions are shown (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 14 to 16.

TABLE M.

TABLE M.—Showing the number of deaths of women in 1934 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.*

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
TOTAL	304	3	30	54	97	74	44	2
Scarlet Fever	3	.	1	1	1	.	.	.
Influenza	2	.	.	.	.	1	1	.
Pulmonary Tuberculosis	4	.	.	1	1	2	.	.
Other Forms of Tuberculosis	2	.	.	.	2	.	.	.
Rheumatic Fever	1	.	1	.	.	.	.	.
Pernicious Anaemia	1	.	.	.	.	1	.	.
Epilepsy	1	.	.	1	.	.	.	.
Heart Disease	8	.	.	2	1	2	3	.
Pneumonia	3	.	.	1	2	.	.	.
Other respiratory diseases	4	.	1	.	3	.	.	.
Appendicitis	1	.	.	.	.	1	.	.
Acute Yellow Atrophy of liver	1	.	.	1	.	.	.	.
Chronic Nephritis	1	.	.	.	.	1	.	.
Violence	1	.	.	.	1	.	.	.
Abortion with Septic Conditions	4	.	1	.	2	.	1	.
Abortion without Septic Conditions	4	.	.	1	.	3	.	.
Ectopic Gestation	1	.	.	1	.	.	.	.
Other Accidents of Pregnancy	3	.	.	.	2	.	1	.
Puerperal Haemorrhage (a) Placenta praevia	17	1	.	1	7	3	5	.
" " (b) Other	26	.	2	4	5	8	7	.
Puerperal Sepsis	100	.	11	26	36	22	5	.
Puerperal Albuminuria; Convulsions	47	1	10	10	10	5	10	1
Other toxæmias of Pregnancy	10	.	.	1	3	5	1	.
Plegmasia Alba Dolens; Thrombosis	12	.	.	.	3	5	3	1
Puerperal Embolism	9	.	2	1	3	2	1	.
Other Accidents of Childbirth... ..	34	1	.	2	14	13	4	.
Other or not stated Puerperal Conditions	4	.	1	.	1	.	2	.

* These deaths are included in the general tables of Causes of Deaths

TABLE N.—Showing the number of deaths of women directly attributable to, or associated with PREGNANCY or CHILDBIRTH, during each of the years 1924-34, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years, 1924-33.

YEARS.	Deaths from Puerperal Septic Diseases.		Deaths from Accidents of Pregnancy and Childbirth.		Total Deaths from Puerperal Septic Diseases and Accidents of Pregnancy and Childbirth.		Deaths from causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1924 ...	102	1.61	201	3.17	303	4.78	27	0.43	330	5.21
1925 ...	105	1.69	186	3.00	291	4.69	21	0.34	312	5.03
1926 ...	115	1.88	184	3.01	299	4.89	30	0.49	329	5.38
1927 ...	77	1.28	194	3.23	271	4.51	20	0.33	291	4.84
1928 ...	103	1.74	189	3.19	292	4.93	26	0.44	318	5.37
1929 ...	80	1.37	159	2.73	239	4.10	44	0.75	283	4.85
1930 ...	81	1.39	197	3.38	278	4.77	16	0.27	294	5.04
1931 ...	66	1.16	180	3.15	246	4.31	26	0.45	272	4.76
1932 ...	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98
1933 ...	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
Average, 1924-33 ...	89	1.49	184	3.11	273	4.60	28	0.47	301	5.06
1934 ...	104	1.80	167	2.88	271	4.68	33	0.57	304	5.25

VIOLENCE.

The number of deaths assigned to the group of violent or external causes (Group xvii., Abstract IV) during 1934 was 968. In comparison with 1933 this figure shows a decrease of 49, mainly due to a decline in the number of deaths by vehicles. The average figure for the five years 1929-33 from this group of causes was 954.

Deaths by suicide numbered 104, by homicide 26 (the term "homicide" is used to include infanticide); there was one by capital punishment and there were 837 classed to other deaths by violence, 799 of which were definitely stated to be accidental, and 38 deaths in which the nature of the violence was unknown. The number of deaths by suicide is one more and by homicide 13 more than the corresponding figures for 1933.

Eighty-seven of the suicidal cases were males and 17 females. In 10 cases poisoning was the means used to cause death, including strychnine in 3 instances, coal gas in 2, and death was caused by each of cocaine, Jeyes Fluid, belladonna, lysol and "corrosive poison" in the remaining 5 cases. The mode of death of the remaining 94 deaths by suicide, was by hanging or strangulation in 33 instances, by drowning in 29, by cutting or piercing instruments in 18, by firearms in 5, by jumping from a height in 2, by jumping under a train in one case, and in 6 instances the means used was not stated.

Deaths by homicide numbered 26—19 of males and 7 of females; 3 of the males and 4 of the females were infants under one year of age.

There were 10 accidental deaths from poisons and poisonous gases; 2 of which were due to lysol, 3 to food poisoning, 2 to suffocation by poisonous gases and in the other 3 instances death was caused by acetic acid, iodine and "bromidia."

Burns and scalds caused 183 deaths (76 males and 107 females), of which 82 were those of children under 5 years of age.

Deaths from accidental drowning numbered 95 (78 of males and 17 of females). This number is 31 less than that for 1933.

A decrease of 48 took place in accidental deaths caused by vehicles. The number was 188 (132 of males and 56 of females). Deaths from motor-driven vehicles decreased to 121, the number in the previous year having been 149; deaths from horse-drawn vehicles numbered 26, which is 9 less than the number ascribed to this class of vehicle in 1933. Deaths by railway vehicles numbered 13 in 1933 and 14 in 1934. An increase of 3 occurred in the number of fatal accidents due to bicycles, the numbers being 19 for 1934, and 16 for 1933. Deaths attributed to tramcars numbered 2 during 1934. In 6 instances the motive power of the vehicles was not stated, being described as "lorry."

The 121 deaths attributed to motor vehicles include 68 described as caused by "motors" or motor cars, 30 by motor lorries or vans, 13 by buses, 2 by trailers, 7 by motor-cycles, and one by an aeroplane accident.

One death by execution was recorded during the year.

The 38 deaths in which the form of violence was not stated (i.e., accidental, homicidal or suicidal) included 23 from drowning, 2 from gunshot wounds, one from injuries caused by a train, 6 from poison (one from each of the following: carbon monoxide, coal gas, lysol, mercury compound, strychnine, and "poison"); and in the remaining 6 instances the nature or means of violence was not stated.

AGES AT DEATH.

The deaths of 4,959 children under 5 years of age were registered during 1934. This number is 12·7 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 13·7 per cent. of the male mortality and the rate for females 11·6 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards numbered 18,162, constituting 46·5 per cent. of the total number of deaths, and include 8,915 deaths of males, or 44·8 per cent. of the total deaths of males, and 9,247 of females, or 48·3 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 14,058, or 36·0 per cent. of the total deaths.

There were 202 deaths of persons aged 95 years or upwards (83 being males and 119 females), and those that were stated to have reached 100 years and upwards were 31 (11 males and 20 females).

The ages in detail of the persons whose deaths were registered in the year are given in Abstract III.

The following statement shows the variations in the death-rates at different age-periods between 1933 and 1934 :—

DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1934	1933	Increase or Decrease in 1934	1934	1933	Increase or Decrease in 1934	1934	1933	Increase or Decrease in 1934
Under 5 years ..	17·00	18·58	—1·58	18·37	20·12	—1·75	15·58	16·97	—1·39
5— ..	2·28	2·55	—0·27	2·18	2·32	—0·14	2·37	2·79	—0·42
10— ..	1·59	1·59	—	1·46	1·55	—0·09	1·72	1·63	+0·09
15— ..	2·52	2·72	—0·20	2·44	2·62	—0·18	2·60	2·83	—0·23
20— ..	4·11	4·27	—0·16	4·20	4·19	+0·01	4·01	4·34	—0·33
25— ..	4·27	4·65	—0·38	4·21	4·69	—0·48	4·33	4·60	—0·27
30— ..	5·14	5·19	—0·05	4·60	4·87	—0·27	5·71	5·52	+0·19
35— ..	5·74	6·19	—0·45	5·56	5·99	—0·43	5·91	6·40	—0·49
40— ..	6·28	6·76	—0·48	6·12	6·53	—0·41	6·45	7·01	—0·56
45— ..	7·70	8·33	—0·63	7·58	8·64	—1·06	7·83	7·99	—0·16
50— ..	12·08	13·09	—1·01	11·81	13·01	—1·20	12·38	13·18	—0·80
55— ..	18·69	19·02	—0·33	18·89	18·50	+0·39	18·46	19·61	—1·15
60— ..	32·06	32·58	—0·52	34·99	35·29	—0·30	28·98	29·73	—0·75
65— ..	40·00	38·29	+1·71	42·03	40·04	+1·99	37·87	36·47	+1·40
70— ..	67·49	69·41	—1·92	72·92	74·53	—1·61	62·89	65·09	—2·20
75— ..	86·67	90·24	—3·57	90·36	94·49	—4·13	83·62	86·73	—3·11
85— ..	125·32	142·86	—17·54	126·20	140·93	—14·73	124·60	144·41	—19·81
95 and upwards	241·92	197·83	+44·09	228·02	199·45	+28·57	252·65	196·58	+56·07
All Ages ..	12·97	13·54	—0·57	12·98	13·52	—0·54	12·97	13·57	—0·60

In Table 8 the number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during 1864-70, the decennial periods from 1871 to 1930, and each year from 1924 to 1934 are given.

INFANT MORTALITY.


The deaths of 3,664 infants under one year of age were registered during 1934. This number is equivalent to a rate of 63 per 1,000 births, as compared with 65 for last year, and an average of 70 for the ten years 1924-33. The rate for 1934 is the lowest yet recorded, being nearly 31 per cent. lower than the average rate recorded for the first ten years of the present century. (See Table 4).

Of the total for the year under review 2,086 were those of males and 1,578 of females; the males were equal to a rate of 70 per 1,000 births of males, and the females to a rate of 56 per 1,000 births of females. The corresponding rates for 1933 were 73 and 57, respectively.

The infant mortality rate in Northern Ireland for 1934 was 70 per 1,000 births; in England and Wales, 59; and in Scotland, 78.

In the following Diagram (No. 5) the infant mortality rates for England and Wales, Scotland and Northern Ireland since 1911, as compared with that for Saorstát Éireann are shown.

DIAGRAM No.5. Infant Mortality 1911 to 1934.



During the year 1934 the highest rates of infant mortality were due to congenital debility (equal to a rate of 13.78 per 1,000 births), premature birth (8.07), diarrhoea and enteritis (7.50), pneumonia (6.72), convulsions (5.41), congenital malformations (3.54), bronchitis (3.26), and whooping-cough (2.97). In the aggregate these causes represent 81 per cent. of the total infant mortality, equivalent to a rate of 51.25 per 1,000 births. (See Table 10).

The deaths of infants during the first month of life were 38.7 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13.2, between 2 and 3 months, 10.7; at 3 and under 6 months, it was 18.8, and from 6 to 12 months old, it was 18.5.

Urban and Rural Infant Mortality.

A decrease in infant mortality was recorded for 1934 in the aggregate urban areas, where the number of deaths of infants was 1,681, as compared with 1,790 in 1933, the respective rates being 78 and 85. The mortality for rural areas shows a slight increase, 1,983 infant deaths having been registered as against 1,952 the previous year; the rates per 1,000 births are respectively 55 and 54.

Table 11 shows the high rate of infant mortality prevailing in urban districts as compared with rural districts, more especially in urban areas of 10,000 inhabitants and upwards (Twelve Principal Towns); for these towns in the aggregate the rate is 81 per 1,000 births, as compared with 87 for the preceding year.

The rates for the individual towns are as follows, ranging from the highest to the lowest:—Sligo 124; Kilkenny 107; Dundalk 93; Galway and Waterford each 92; Dun Laoghaire 88; Dublin, 80; Cork, 78; Limerick, 76; Tralee, 74; Wexford, 70; and Drogheda, 38.

Deaths of infants in urban districts of less than 10,000 inhabitants were equivalent to a rate of 67 per 1,000 births, the rate for 1933 being 79.

The infant mortality rate for Belfast in 1934 was 81 per 1,000 births; for Londonderry it was 90; for London, 67; for Liverpool, 80; for Edinburgh, 62, and for Glasgow, 98 per 1,000 births.

The following statement shows the INFANT MORTALITY per 1,000 Births, by sexes at different periods of life in 1934 for the urban and rural areas in Saorstát Éireann.

AGES.	SAORSTAT ÉIREANN											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	28.09	33.45	22.31	24.90	30.85	18.25	27.44	32.91	21.49	22.77	24.38	21.08
1-2 Months ...	11.60	13.36	9.70	9.96	11.14	8.64	11.26	12.90	9.48	6.64	7.21	6.03
2-3 „ ...	8.04	8.64	7.39	9.51	10.28	8.64	8.34	8.98	7.65	5.86	6.40	5.30
3-6 „ ...	15.39	16.72	13.94	12.45	12.86	12.00	14.79	15.92	13.55	10.19	10.55	9.81
6-12 „ ...	17.48	18.97	15.88	10.64	10.28	11.04	16.08	17.17	14.90	9.14	10.55	7.67
Under one year ...	80.60	91.14	69.22	67.46	75.41	58.57	77.91	87.88	67.07	54.60	59.09	49.89

This statement shows the very large proportion of infants who died before completing their first month of life. Thirty-five per cent. of the infants who died in urban areas, and 42 per cent. of those in rural districts, were under one month old. The contrast between the male and female mortality of infants is also apparent; in every instance the male mortality exceeds that of the females.

Deaths of Illegitimate Infants.

The number of deaths of illegitimate infants under one year of age registered during the year 1934 was 538, consisting of 270 deaths of males and 268 of females.

Table 12 shows the number of such deaths by causes and at different periods of life under one year of age. In Table 13 the deaths of illegitimate infants by counties and county boroughs, arranged according to the county of residence of the mothers, are shown. It will be observed that the great proportion of such deaths take place in institutions. Thus, of 53 deaths for Dublin county 44 took place in institutions, and of the 104 deaths for Dublin City, the number in institutions was 74, so that only 39 of the 157 deaths for Dublin county and city did not occur in institutions. In Cork city and county only 7 of the 54 deaths of illegitimate infants occurred elsewhere than in institutions.

METEOROLOGY.

Particulars regarding meteorological observations taken at the Ordnance Survey Office, Phoenix Park, and at Roche's Point, Co. Cork, are published in the Quarterly Returns of Marriages, Births and Deaths. The following abstract of observations at Phoenix Park during the year is reproduced by permission of the Director of Ordnance Survey.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS FOR THE YEAR 1934. AT THE ORDNANCE SURVEY OFFICE, PHENIX PARK, DUBLIN.

Latitude 53° 21' 48" 25 North. Longitude 6° 20' 59" 15 West. Height above M.S.L. 155.3 Feet.

1934	BAROMETER							TEMPERATURE,						
	Corrected for Altitude and reduced to 32° Fah.							Self-Registering Thermometers.						
	MEAN				Highest in Month	Lowest in Month	Range	Highest in Month	Lowest in Month	Range	MEAN			
	9.0 a.m.	9.0 p.m.	Mean	Range							Of all High- est	Of all Low- est	Temp.	Range
January ..	29.965	29.982	29.974	0.017	30.789	29.009	1.780	55.4	23.8	31.6	49.1	37.1	43.1	12.0
February ..	30.489	30.468	30.479	0.021	30.963	29.761	1.202	53.3	23.7	29.6	47.5	33.9	40.7	13.6
March ..	29.655	29.669	29.662	0.014	30.360	28.605	1.755	58.8	28.6	30.2	49.3	35.6	42.5	13.7
April ..	29.744	29.736	29.740	0.008	30.249	29.151	1.098	63.6	28.0	35.6	51.9	38.4	45.1	13.5
May ..	30.044	30.048	30.046	0.004	30.450	29.263	1.187	70.7	35.0	35.7	59.4	44.8	52.1	14.6
June ..	30.061	30.052	30.057	0.009	30.372	29.416	0.956	76.9	42.3	34.6	66.4	50.8	58.6	15.6
July ..	30.007	30.010	30.009	0.003	30.379	29.445	0.934	85.7	44.0	41.7	72.5	53.2	62.9	19.3
August ..	29.824	29.846	29.835	0.022	30.207	29.314	0.893	74.3	38.6	35.7	65.8	50.5	58.1	15.3
September ..	29.829	29.850	29.840	0.021	30.375	29.351	1.024	73.7	36.4	37.3	64.5	48.9	56.7	15.6
October ..	29.911	29.929	29.920	0.018	30.445	28.662	1.783	63.2	30.0	33.2	56.6	44.9	50.8	11.7
November ..	30.082	30.082	30.082	0.000	30.587	29.288	1.299	55.7	28.0	27.7	49.2	38.7	44.0	10.5
December ..	29.412	29.427	29.420	0.015	30.046	28.390	1.656	56.0	29.2	26.8	52.0	42.6	47.3	9.4
TOTAL ..	359.023	359.099	359.064	0.152	365.222	349.655	15.567	787.3	387.6	399.7	684.2	519.4	601.9	164.8
MEAN ..	29.918	29.925	29.922	0.013	30.435	29.138	1.297	65.6	32.3	33.3	57.0	43.3	50.2	13.7

1934	TEMPERATURE,					RAIN			SUNSHINE—Hours and Tenths	CLOUD		WIND									
	Hygrometer					Number of Days Rain or Snow fell	Total Amount for Month mm.	Greatest Amount that fell in 24 hours mm.		Monthly Total	Daily Mean	Number of Days it blew in certain directions at 9.0 a.m.									
	9.0 A.M. MEAN											N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
	Dry Bulb	Wet Bulb	Dew Point	Elastic Force of Vapour M.B.	Hu- midity %																
January ..	41.7	40.3	38.4	8.1	87	17	50.0	14.8	71.4	141	5	0	0	0	1	10	15	3	1	1	
February ..	37.8	36.7	35.3	7.0	90	7	3.7	1.3	82.2	140	5	0	0	0	0	3	11	4	9	1	
March ..	41.0	38.9	35.8	7.2	82	15	58.9	10.7	114.7	145	5	0	2	4	2	6	6	7	4	0	
April ..	45.4	42.5	38.6	8.1	81	19	57.0	10.4	135.8	165	5	6	4	4	2	3	4	3	3	1	
May ..	52.5	48.6	44.2	10.1	74	15	32.4	11.1	184.9	173	6	2	0	3	1	4	2	12	7	0	
June ..	58.7	54.5	50.7	12.8	76	15	45.1	9.2	190.8	150	5	0	3	13	0	3	2	6	3	0	
July ..	64.5	59.0	54.6	14.6	72	13	45.0	10.2	217.2	169	5	0	0	10	1	5	1	11	3	0	
August ..	59.5	55.3	52.1	13.5	79	21	83.6	22.1	144.4	208	7	0	1	0	3	4	9	10	0	4	
September ..	57.1	53.7	50.6	12.7	80	21	77.4	12.8	143.4	123	4	0	0	3	2	13	3	8	0	1	
October ..	50.4	48.1	45.4	10.6	83	21	52.2	13.4	98.3	196	6	0	0	1	1	8	8	9	4	0	
November ..	43.6	42.3	40.7	8.8	89	10	46.2	14.1	44.2	237	8	4	1	1	0	5	9	4	4	2	
December ..	46.9	45.4	43.7	9.8	88	26	112.0	26.7	54.2	223	7	0	1	7	3	8	5	6	0	1	
TOTAL	599.1	565.3	530.1	123.3	381	200	663.5	156.8	1481.5	2070	68	12	12	46	16	72	75	83	38	11	
MEAN ..	49.9	47.1	44.2	10.3	81.8	16.7	55.3	13.1	123.6	173	5.7	-	-	-	-	-	-	-	-	-	

The highest Barometer during the Year was 30.963 on February 15th, at 9 p.m. Wind—Calm.
 The lowest " " " " 28.390 on December 15th, at 9 a.m. Wind—N.E.
 The highest Temperature " " 85.7 on July 10th.
 The lowest " " " " 23.7 on February 18th.
 Rain or Snow fell on 200 days during the Year.
 The greatest Rainfall in 24 hours was 26.7 mms. on December 4th, with Wind East.
 The prevailing Wind was W. on 83 days.
 Calm 11 days.

PART II.

Tables.

TABLE 1.—SAORSTÁT ÉIREANN: ESTIMATED POPULATION, middle of years 1801 to 1934, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801 ...	4,154	2,085	2,069	1875 ...	3,951	1,940	2,011	1905 ...	3,165	1,594	1,571
1811 ...	4,746	2,363	2,383	1876 ...	3,949	1,942	2,007	1906 ...	3,160	1,593	1,567
1821 ...	5,421	2,676	2,745	1877 ...	3,956	1,947	2,009	1907 ...	3,151	1,589	1,562
1831 ...	6,194	3,033	3,161	1878 ...	3,952	1,948	2,004	1908 ...	3,145	1,588	1,557
1841 ...	6,545	3,235	3,310	1879 ...	3,939	1,944	1,995	1909 ...	3,142	1,589	1,553
				1880 ...	3,891	1,920	1,971	1910 ...	3,139	1,588	1,551
1851 ...	5,079	2,486	2,593	1881 ...	3,847	1,901	1,946	1911 ...	3,132	1,586	1,546
1852 ...	4,927	2,413	2,514	1882 ...	3,808	1,852	1,926	1912 ...	3,120	1,581	1,539
1853 ...	4,807	2,358	2,449	1883 ...	3,745	1,853	1,892	1913 ...	3,103	1,572	1,531
1854 ...	4,704	2,311	2,393	1884 ...	3,703	1,834	1,869	1914 ...	3,092	1,568	1,524
1855 ...	4,638	2,281	2,357	1885 ...	3,671	1,820	1,851	1915 ...	3,068	1,546	1,522
1856 ...	4,594	2,261	2,333	1886 ...	3,642	1,808	1,834	1916 ...	3,068	1,549	1,519
1857 ...	4,540	2,234	2,306	1887 ...	3,600	1,788	1,812	1917 ...	3,065	1,551	1,514
1858 ...	4,506	2,217	2,289	1888 ...	3,554	1,766	1,788	1918 ...	3,066	1,553	1,513
1859 ...	4,471	2,199	2,272	1889 ...	3,516	1,748	1,768	1919 ...	3,102	1,598	1,604
1860 ...	4,428	2,179	2,249	1890 ...	3,482	1,733	1,749	1920 ...	3,103	1,598	1,505
1861 ...	4,393	2,164	2,229	1891 ...	3,449	1,718	1,731	1921 ...	3,096	1,599	1,497
1862 ...	4,377	2,158	2,219	1892 ...	3,408	1,697	1,711	1922 ...	3,022	1,529	1,493
1863 ...	4,328	2,134	2,194	1893 ...	3,382	1,684	1,698	1923 ...	3,014	1,526	1,488
1864 ...	4,263	2,103	2,160	1894 ...	3,362	1,675	1,687	1924 ...	3,005	1,521	1,484
1865 ...	4,223	2,084	2,139	1895 ...	3,333	1,662	1,671	1925 ...	2,985	1,512	1,473
1866 ...	4,163	2,051	2,112	1896 ...	3,314	1,653	1,661	1926 ...	2,969	1,505	1,464
1867 ...	4,130	2,033	2,097	1897 ...	3,298	1,646	1,652	1927 ...	2,957	1,499	1,458
1868 ...	4,109	2,022	2,087	1898 ...	3,283	1,640	1,643	1928 ...	2,949	1,496	1,453
1869 ...	4,090	2,012	2,078	1899 ...	3,265	1,631	1,634	1929 ...	2,946	1,496	1,450
1870 ...	4,062	1,996	2,066	1900 ...	3,234	1,616	1,618	1930 ...	2,946	1,497	1,449
1871 ...	4,042	1,986	2,056	1901 ...	3,213	1,607	1,606	1931 ...	2,957	1,452	1,452
1872 ...	4,023	1,975	2,048	1902 ...	3,200	1,603	1,597	1932 ...	2,974	1,514	1,460
1873 ...	3,989	1,955	2,034	1903 ...	3,185	1,599	1,586	1933 ...	2,993	1,524	1,469
1874 ...	3,966	1,944	2,022	1904 ...	3,175	1,597	1,578	1934 ...	3,013	1,535	1,478

NOTE.—The above population, from 1801 to 1910, is derived from the estimated population of Ireland, already published in previous Annual Reports, by applying to the population the proportion in the Saorstát Éireann area, as disclosed at each Census. The variations between the proportions at each successive Census were distributed regularly over the intercensal periods.

The population of Ireland was obtained as follows:—

From 1801 to 1831 by adopting the rates of increase of the male and female population between 1821 and 1831, as shown by the Irish Census Reports of 1831—the first complete Census of Ireland having been taken in 1821.

1832—1841.—By adopting the rate of increase between the population of 1831 and 1841, according to the Irish Census Report of 1841.

1842—1846.—By taking the English average birth-rate of 1 in 31, and death-rate of 1 in 45, and deducting the annual emigration from Ireland according to the returns received from the Emigration Commissioners in England.

1847—1851.—The English birth-rate, as above, was used, deducting the number of deaths and the number of emigrants in each year, as given in the Irish Census Reports of 1851; an allowance, proportioned to the number of recorded deaths and the number of emigrants being made in each year for the excess of the number thus arrived at for 1851 over the actual population according to the Census of that year.

1852—1871.—The English birth and death rates, as above, were used, deducting the number of emigrants, according to the returns obtained by the Registrar-General for Ireland, and allowing for excess over Census numbers for 1861 and 1871, as explained for the last period.

1872—1910.—By adding the births registered in each year to the estimated population for the previous year, deducting the deaths and the number of emigrants, and adjusting the results for the years 1872-81, 1882-91, 1892-1901, and 1902-1911, to allow for the discrepancy between the numbers thus arrived at for 1881, 1891, 1901 and 1911, respectively, and the population as shown by the Census in each of these years.

From 1911 to date, the population was estimated by adding to the population of the area at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movement of the population. From 1922 the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the

TABLE 2.—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN, according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.															Total Population,*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards		
PERSONS.																
1851 ...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550	
1861 ...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,822	330,301	135,456	54,561	8,735	1,451	4,402,111	
1871 ...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187	
1881 ...	78,630	353,148	471,705	465,016	419,663	355,534	464,989	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020	
1891 ...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694	
1901 ...	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823	
1911 ...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688	
1926 ...	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992	
PROPORTION PER CENT.																
1851 ...	1·96	7·67	12·40	13·91	12·54	9·74	12·92	11·14	8·50	5·86	2·37	0·83	0·13	0·03	100	
1861 ...	2·34	9·54	10·37	10·28	11·74	10·72	12·93	10·42	9·60	7·51	3·08	1·24	0·20	0·03	100	
1871 ...	2·46	9·59	11·77	11·72	9·68	8·40	13·42	9·95	8·93	8·13	4·14	1·49	0·27	0·05	100	
1881 ...	2·03	9·13	12·19	12·02	10·85	9·19	12·02	10·68	8·44	7·22	4·17	1·78	0·24	0·04	100	
1891 ...	1·87	8·01	10·96	11·97	11·92	9·38	12·41	10·18	9·69	7·15	4·10	1·95	0·36	0·05	100	
1901 ...	1·87	7·80	10·09	10·44	10·83	10·06	14·47	10·62	9·26	8·07	4·33	1·79	0·32	0·05	100	
1911 ...	1·88	7·90	9·88	9·66	9·67	8·57	14·47	12·12	8·89	6·46	7·50	2·63	0·34	0·03	100	
1926 ...	1·86	7·82	9·58	9·94	9·63	8·08	13·42	11·60	11·16	7·77	6·17	2·47	0·47	0·03	100	

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females); and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.														Total Population,
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851 ...	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861 ...	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871 ...	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881 ...	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891 ...	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901 ...	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911 ...	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926 ...	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
PROPORTION PER CENT.															
1851 ...	2·05	7·98	12·91	14·52	12·80	9·66	12·55	10·67	8·26	5·41	2·30	0·75	0·12	0·02	100
1861 ...	2·42	9·82	10·67	10·71	11·77	10·81	13·02	9·85	9·34	7·26	2·96	1·16	0·18	0·03	100
1871 ...	2·52	9·91	12·11	12·21	9·65	8·20	13·11	9·82	8·56	7·99	4·20	1·42	0·26	0·04	100
1881 ...	2·09	9·35	12·49	12·45	10·84	9·31	11·68	10·32	8·31	6·89	4·21	1·81	0·22	0·03	100
1891 ...	1·92	8·16	11·17	12·23	12·11	9·82	12·20	9·65	9·36	7·06	3·99	1·92	0·37	0·04	100
1901 ...	1·90	7·91	10·23	10·66	10·87	10·16	14·54	10·47	8·82	7·87	4·44	1·77	0·32	0·04	100
1911 ...	1·88	7·93	9·91	9·70	9·78	8·89	14·39	12·48	8·99	6·30	6·87	2·53	0·32	0·03	100
1926 ...	1·86	7·84	9·60	10·01	9·69	8·26	13·22	11·51	11·46	8·02	5·91	2·19	0·41	0·02	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN according to the Census Returns from 1851 to 1926.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	80,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,997	467	1,465,103
PROPORTION PER CENT.															
1851	1·88	7·38	11·91	13·32	12·29	9·81	13·28	11·58	8·72	6·30	2·44	0·91	0·14	0·04	100
1861	2·27	9·27	10·08	9·87	11·70	10·63	12·85	10·97	9·85	7·75	3·19	1·32	0·21	0·04	100
1871	2·41	9·28	11·44	11·25	9·71	8·59	13·73	10·07	9·29	8·27	4·07	1·56	0·28	0·05	100
1881	1·97	8·91	11·91	11·60	10·86	9·08	12·35	11·04	8·56	7·54	4·13	1·75	0·25	0·05	100
1891	1·83	7·87	10·75	11·70	11·74	8·94	12·61	10·71	10·02	7·24	4·21	1·97	0·36	0·05	100
1901	1·83	7·70	9·95	10·22	10·80	9·95	14·37	10·78	9·70	8·27	4·23	1·81	0·33	0·06	100
1911	1·88	7·88	9·84	9·61	9·54	8·24	14·55	11·74	8·79	6·63	3·16	2·74	0·36	0·04	100
1926	1·86	7·80	9·55	9·88	9·57	7·90	13·62	11·70	10·85	7·51	6·45	2·75	0·53	0·03	100

* See note (*) on page 3.

TABLE 3.—SAORSTÁT ÉIREANN: NUMBER OF MARRIAGES, BIRTHS, DEATHS, and the NATURAL INCREASE (excess of Births over Deaths), 1864-1934.

PERIOD.			Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.	
				TOTAL (including Illegitimate)			Legiti- mate.	Illegitimate.			Total.	Males.		Females
				Total	Males.	Females		Total.	Total.	Males.				
Average.	1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
"	1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
"	1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
"	1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
"	1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
"	1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
"	1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1924	...	...	14,822	63,402	32,713	30,689	61,725	1,677	848	829	45,180	22,821	22,359	18,222
1925	...	...	13,820	62,069	31,818	30,251	60,407	1,662	871	791	43,650	22,118	21,532	18,419
1926	...	...	13,570	61,176	31,382	29,794	59,460	1,716	849	867	41,740	20,844	20,896	19,436
1927	...	...	13,418	60,054	30,606	29,448	58,296	1,758	892	866	43,677	21,812	21,865	16,377
1928	...	...	13,716	59,176	30,327	28,849	57,388	1,788	922	866	41,792	20,933	20,859	17,384
1929	...	...	13,593	58,280	29,583	28,697	56,427	1,853	948	905	42,991	21,547	21,444	15,289
1930	...	...	13,631	58,353	29,913	28,440	56,490	1,863	940	923	41,702	21,075	20,627	16,651
1931	...	...	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
1932	...	...	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	...	...	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
Average, 1924-33	...	...	13,672	59,320	30,397	28,923	57,514	1,807	915	892	42,720	21,532	21,189	16,600
1934	...	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814

TABLE 4.—ANNUAL MARRIAGE, BIRTH AND DEATH RATES, INFANT MORTALITY (Deaths of Infants under one year per 1,000 Births), and Natural Increase, 1864-1934.

PERIOD.		MARRIAGES.	BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
		Rate per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Rate per 1,000 Population.	Infant Mortality per 1,000 Births.	
					Per 1,000 Population.	Per Cent. Total Births.				
1864-70	...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80	...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90	...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10	...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20	...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30	...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1924	...	4.93	21.10	20.54	0.56	2.65	1,066	15.03	71.65	6.07
1925	...	4.63	20.79	20.23	0.56	2.68	1,052	14.62	67.92	6.17
1926	...	4.57	20.60	20.02	0.58	2.81	1,053	14.06	74.41	6.54
1927	...	4.54	20.31	19.72	0.59	2.93	1,039	14.77	70.84	5.54
1928	...	4.65	20.07	19.46	0.61	3.02	1,051	14.17	67.87	5.90
1929	...	4.61	19.78	19.15	0.63	3.18	1,031	14.59	70.38	5.19
1930	...	4.63	19.81	19.18	0.63	3.19	1,052	14.16	67.95	5.65
1931	...	4.44	19.30	18.65	0.65	3.37	1,063	14.52	68.93	4.78
1932	...	4.38	18.91	18.30	0.61	3.23	1,053	14.45	72.19	4.46
1933	...	4.67	19.17	18.50	0.67	3.49	1,050	13.54	65.23	5.63
1924-33	...	4.61	19.98	19.38	0.61	3.06	1,051	14.39	69.74	5.59
1934	...	4.73	19.22	18.54	0.67	3.51	1,062	12.97	63.28	6.24

TABLE 5 -- Showing by Quarterly Periods the number of MARRIAGES, BIRTHS AND DEATHS registered in SAORSTÁT ÉIREANN during each of the years 1924-34; with the average annual rates for the ten years 1924-33 and for 1934 per 1,000 of the population.

YEAR	Marriages.															Births.					Deaths.				
	Catholic.					All Other.					Total.														
	Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of				
	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	March.	June.	Sept.	Dec.	Total.	March.	June.	Sept.	Dec.	Total.
1924	4,234	3,155	3,446	3,000	13,835	191	259	313	224	987	4,425	3,414	3,759	3,224	14,822	15,989	16,567	16,432	14,414	63,402	14,534	11,988	8,933	9,775	45,180
1925	3,919	3,030	3,181	2,767	12,897	192	269	278	184	923	4,111	3,299	3,459	2,951	13,820	15,245	16,426	16,057	14,341	62,069	12,998	11,733	9,073	9,846	43,650
1926	3,589	3,015	3,188	2,808	12,600	177	275	309	209	970	3,766	3,290	3,497	3,017	13,570	14,824	16,228	15,600	14,524	61,176	11,548	10,898	8,746	10,548	41,740
1927	3,642	2,847	3,156	2,856	12,501	171	228	295	223	917	3,813	3,075	3,451	3,079	13,418	14,892	15,834	15,302	14,026	60,054	13,410	11,816	8,651	9,800	43,677
1928	3,572	2,995	3,245	2,970	12,782	176	256	312	190	934	3,748	3,251	3,557	3,160	13,716	14,593	15,840	14,868	13,875	59,176	12,578	11,062	8,561	9,591	41,792
1929	3,177	3,106	3,427	2,960	12,670	165	277	293	188	923	3,342	3,383	3,720	3,148	13,593	14,151	15,345	14,993	13,791	58,280	13,960	10,895	8,524	9,612	42,991
1930	3,760	2,843	3,191	2,876	12,670	204	234	298	225	961	3,964	3,077	3,489	3,101	13,631	14,481	15,305	14,862	13,705	58,353	12,666	10,751	8,435	9,850	41,702
1931	3,348	2,875	3,269	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,304	15,142	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947
1932	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	13,585	14,804	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984
1933	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539
Average for ten years, 1924-1933	3,571	3,002	3,258	2,914	12,745	176	251	299	201	927	3,747	3,253	3,557	3,115	13,672	14,576	15,650	15,225	13,869	59,320	13,149	11,136	8,641	9,794	42,720
1934	3,130	3,348	3,763	3,190	13,431	141	214	272	193	820	3,271	3,562	4,035	3,333	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083
Equivalent Annual Rate per 1,000 living :—																									
Average, 1924-1933	5.2	4.4	4.7	4.2	4.6	3.2	4.6	5.4	3.7	4.2	5.0	4.4	4.8	4.2	4.6	19.6	21.1	20.5	18.7	20.0	17.7	15.0	11.6	13.2	14.4
1934	4.5	4.8	5.4	4.6	4.8	2.5	3.8	4.9	3.5	3.7	4.3	4.7	5.4	4.5	4.7	19.3	19.9	19.6	18.1	19.2	15.4	13.3	10.9	12.2	13.0

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864–1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.		ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
		1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES	...	67,323	71,611	64,220	58,994	53,577	1622·7	1806·4	1756·2	1770·1	1691·4
Typhoid fever	...	2,973	660*	514	492	263	71·5	16·7*	14·1	14·7	8·3
Typhus	...		575*	462	166	60		14·5*	12·5	5·0	1·9
Simple continued fever.	...		1,067*	393	110	26		26·9*	10·6	3·3	0·8
Small-pox	...	150	628	7	21	5	3·5	15·8	0·2	0·6	0·2
Measles	...	702	882	654	515	348	17·0	22·2	17·9	15·5	11·0
Scarlet fever	...	2,001	1,640	720	291	110	48·1	41·3	19·5	8·7	3·5
Whooping-cough	...	1,257	1,366	1,037	821	661	30·3	34·5	28·4	24·7	20·9
Diphtheria	...	196	214	206	177	228	4·7	5·4	5·6	5·3	7·2
Influenza	...	127	69	155	1,537	963	3·0	1·7	4·4	46·3	30·4
Simple cholera	...	455	56	28	70	775	10·9	1·4	0·8	2·1	24·4
Dysentery	...	404	198	986	942		9·7	5·0	26·9	28·3	
Diarrhoea	...	1,456	1,300				35·1	32·8			
Pulmonary Tuberculosis.	...	6,777	6,960	7,026	6,669	6,263	163·4	175·5	192·3	200·2	197·6
Other Tuberculous diseases.	...	—	—	1,904	1,938	1,774	—	—	52·0	58·2	56·0
Cancer	...	—	—	1,362	1,608	2,157	—	—	37·4	48·3	68·2
Pneumonia	...	10,169	10,605	11,217	9,522	2,661†	244·9	267·7	306·5	285·4	84·4‡
Other respiratory diseases.	...					6,334†				200·8‡	
Puerperal sepsis	...	234	274	244	199	150	5·7	6·9	6·7	6·0	4·8
Other puerperal conditions.	...	516	456	370	299	260	12·4	11·5	10·1	9·0	8·2
Suicide	...	1,650	1,531	80†	90	96	39·8	38·6	2·2†	2·7	3·0
Other violence	...			1,286†	1,281	1,156			35·4†	38·5	36·5

* Average for 9 years 1872-80.

† Average for 9 years 1883-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1930.

List Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Annual Average 1911-20
	ALL CAUSES ...	51,149	50,489	52,184	49,674	53,713	50,627	51,713	53,682	55,776	45,521	51,453
1	Typhoid fever ...	267	184	204	207	181	209	191	190	132	180	195
2	Typhus ...	33	33	47	27	29	27	38	29	24	30	32
3	Measles ...	332	594	555	691	307	218	372	437	99	227	383
4	Scarlet fever ...	193	202	142	223	236	184	74	56	64	109	148
5	Whooping-cough ...	531	506	488	453	486	525	375	499	287	795	494
6	Diphtheria ...	266	249	196	205	232	200	187	152	185	378	225
7	Dysentery ...	13	16	19	21	20	17	17	12	29	18	18
8	Influenza ...	682	643	786	435	1,082	712	1,004	6,788	7,468	696	2,030
9	Encephalitis lethargica	—	—	—	—	—	—	—	—	4	17	2
10	Cerebro-spinal fever ...	16	15	11	12	65	40	44	46	25	21	30
11	Tuberculosis of respiratory system.	5,287	5,231	5,176	5,020	5,431	5,160	5,320	5,142	4,582	3,975	5,027
12	Other tuberculous diseases	1,366	1,330	1,340	1,324	1,294	1,311	1,346	1,350	1,307	1,147	1,312
13	Cancer ...	2,427	2,510	2,668	2,567	2,553	2,679	2,633	2,618	2,672	2,588	2,591
14	Diabetes mellitus ...	247	264	267	259	274	239	252	209	209	235	245
15 (pt. of)	Cerebral hæmorrhage	1,367	1,357	1,444	1,427	1,514	1,439	1,500	1,287	1,438	1,375	1,415
16	Heart disease ...	5,066	5,213	5,310	5,367	5,682	5,373	5,255	4,603	5,020	4,591	5,148
17 (pt. of)	Arterio-sclerosis ...	83	85	105	89	103	101	127	119	149	137	110
18	Bronchitis ...	4,587	4,608	4,529	4,145	5,027	4,164	4,544	3,761	4,355	3,516	4,324
19	Pneumonia, all forms	2,693	2,702	2,551	2,398	2,789	2,544	2,702	3,928	3,601	2,626	2,853
20	Other respiratory diseases	844	880	869	865	857	808	837	726	802	701	819
21	Gastric and duodenal ulcer	221	229	226	246	226	242	233	240	222	204	229
22	Diarrhoea and enteritis under 2 years	1,388	584	1,259	814	813	767	697	610	634	571	814
23	Appendicitis ...	102	109	140	127	140	111	150	133	121	161	129
24	Cirrhosis of liver ...	239	223	223	244	215	197	138	130	113	109	183
27	Acute & chr. nephritis...	1,089	1,171	1,203	1,164	1,153	1,213	1,203	1,111	1,124	1,065	1,150
28	Puerperal sepsis ...	117	164	139	164	139	159	101	93	96	122	129
29	Other puerperal causes	226	239	233	196	219	213	197	202	195	204	212
30 pt. of)	Congenital debility and malformation: pre-mature birth	2,304	2,123	2,341	2,102	2,156	2,073	2,069	1,902	1,953	1,987	2,101
32	Suicide ...	95	116	103	90	81	68	53	65	83	61	82
33	Other violent deaths...	1,209	1,085	1,163	1,187	1,232	1,548	1,199	926	881	1,218	1,165
34	Other defined causes ...	16,665	16,164	16,935	16,243	17,724	16,831	17,515	15,079	16,565	15,246	16,497
35	Causes ill-defined or unknown	1,194	1,655	1,512	1,362	1,453	1,255	1,340	1,239	1,387	1,211	1,361

*Deaths from Nos. 25, 26 and 31 and also from parts of Nos. 15, 17 and 30 are included in No. 34 Other defined causes, for 1911-20 See page xxi. of Annual Report for 1931.

TABLE 6A (contd.).—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1930.

List Nos.	CAUSES OF DEATH.	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921-30.
	ALL CAUSES ...	44,537	44,547	42,217	45,180	43,650	41,740	43,677	41,792	42,991	41,702	43,203
1	Typhoid fever ...	140	96	142	123	105	126	98	94	88	70	108
2	Typhus ...	17	18	19	5	9	8	11	7	7	4	10
3	Measles ...	141	458	171	198	198	519	175	369	139	158	253
4	Scarlet fever ...	110	73	66	65	70	134	81	79	62	41	78
5	Whooping-cough...	216	201	454	621	429	258	448	279	393	352	365
6	Diphtheria ...	461	401	285	186	158	197	218	225	304	386	282
7	Dysentery ...	27	9	15	4	13	6	13	8	9	2	11
8	Influenza ...	648	1,812	621	2,073	1,171	654	2,099	858	1,659	614	1,221
9	Encephalitis lethargica	31	19	16	55	51	43	57	46	34	47	40
10	Cerebro-spinal fever	23	11	17	28	12	17	12	18	21	11	17
11	Tuberculosis of respiratory system	3,864	3,694	3,524	3,692	3,667	3,369	3,409	3,189	2,999	2,964	3,437
12	Other tuberculous diseases	960	920	944	890	1,006	993	892	858	876	861	920
13	Cancer ...	2,609	2,523	2,730	2,903	2,801	3,021	3,113	3,190	3,116	3,329	2,933
14	Diabetes mellitus	215	239	224	212	222	226	232	232	229	235	227
15	Cerebral hemorrhage, etc.	1,878	1,927	1,991	2,058	2,081	2,027	2,066	2,188	2,191	2,363	2,077
16	Heart disease ...	4,427	4,609	4,643	4,792	4,965	4,656	5,031	5,117	5,616	5,958	4,981
17	Other circulatory diseases	386	340	373	398	448	474	456	500	505	509	439
18	Bronchitis ...	3,013	3,345	2,866	2,926	2,654	2,433	2,610	2,427	2,696	2,528	2,750
19	Pneumonia, all forms	2,303	2,792	2,102	2,667	2,338	2,314	2,833	2,358	2,608	2,442	2,476
20	Other respiratory diseases	678	714	681	763	737	666	684	758	790	753	722
21	Gastric and duodenal ulcer	201	216	267	292	270	264	271	340	284	335	274
22	Diarrhoea and enteritis under 2 years	883	443	513	515	640	815	493	569	559	492	592
23	Appendicitis ...	139	147	164	159	156	189	185	194	154	205	169
24	Cirrhosis of liver ...	118	98	94	88	90	113	106	89	91	62	95
25	Other diseases of liver, etc.	149	146	134	127	106	133	143	128	150	162	138
26	Other digestive diseases	1,380	1,223	1,219	1,160	1,136	1,150	1,076	1,094	1,125	1,153	1,172
27	Acute and chr. nephritis	1,024	996	1,043	1,062	1,128	1,145	1,117	1,213	1,271	1,320	1,132
28	Puerperal sepsis ...	108	118	117	102	105	115	77	103	80	81	101
29	Other puerperal causes	194	215	180	201	186	184	194	189	159	197	190
30	Congenital debility, etc.	1,814	1,639	1,716	1,925	1,814	1,867	1,738	1,745	1,778	1,844	1,788
31	Senility ...	8,688	8,749	8,489	9,034	9,091	7,872	8,198	7,997	7,762	7,118	8,300
32	Suicide ...	79	65	74	96	88	97	96	98	111	83	89
33	Other violent deaths	2,031	1,366	1,315	833	728	792	749	785	860	776	1,023
34	Other defined causes	3,597	3,326	3,368	3,490	3,530	3,623	3,680	3,533	3,338	3,430	3,491
35	Causes ill-defined or unknown.	1,985	1,599	1,640	1,437	1,447	1,240	1,016	915	927	817	1,302

TABLE 7.—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1930.

List Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Annus Averag 1911-30
	ALL CAUSES ...	1633.1	1618.2	1681.7	1606.5	1750.7	1650.2	1687.2	1750.9	1798.1	1467.0	1664.4
1	Typhoid fever ...	8.5	5.9	6.6	6.7	5.9	6.8	6.2	6.2	4.3	5.8	6.4
2	Typhus ...	1.1	1.1	1.5	0.9	0.9	0.9	1.2	1.0	0.8	1.0	1.1
3	Measles ...	10.6	19.0	17.9	22.3	10.0	7.0	12.1	14.3	3.2	7.3	12.0
4	Scarlet fever ...	6.2	6.5	4.6	7.2	7.7	6.0	2.4	1.8	2.1	3.5	4.8
5	Whooping-cough ...	17.0	16.2	15.7	14.7	15.8	17.1	12.2	16.3	9.3	25.6	16.0
6	Diphtheria ...	8.5	8.0	6.3	6.6	7.6	6.5	6.1	5.0	6.0	12.2	7.0
7	Dysentery ...	0.4	0.5	0.6	0.7	0.6	0.6	0.6	0.4	0.9	0.6	0.6
8	Influenza ...	21.8	20.6	25.3	14.1	35.3	23.2	32.8	221.4	240.7	22.4	65.0
9	Encephalitis lethargica	—	—	—	—	—	—	—	—	0.1	0.5	0.1
10	Cerebro-spinal fever ...	0.5	0.5	0.4	0.4	2.1	1.3	1.4	1.5	0.8	0.7	1.0
11	Tuberculosis of respira- tory system	168.8	167.7	166.8	162.4	177.0	168.2	173.6	167.7	146.1	128.1	162.0
12	Other tuberculous diseases	43.6	42.6	43.2	42.8	42.2	42.7	43.9	44.0	42.1	37.0	42.0
13	Cancer, malignant disease.	77.5	80.4	86.0	83.0	83.2	87.3	85.9	85.4	86.1	83.4	83.0
14	Diabetes mellitus ...	7.9	8.5	8.6	8.4	8.9	7.8	8.2	6.8	6.7	7.6	7.9
15 (pt. of)	Cerebral hemorrhage	43.6	43.5	46.5	46.2	49.3	46.9	48.9	42.0	46.4	44.3	45.0
16	Heart disease ...	161.7	167.1	171.1	173.6	185.2	175.1	171.5	150.1	161.8	148.0	166.0
17 (pt. of)	Arterio-sclerosis ...	2.6	2.7	3.4	2.9	3.4	3.3	4.1	3.9	4.8	4.4	3.0
18	Bronchitis ...	146.5	147.7	146.0	134.0	163.9	135.7	148.3	122.7	140.4	113.3	139.0
19	Pneumonia, all forms	86.0	86.6	82.2	77.5	90.9	82.9	88.2	128.1	116.1	84.6	92.0
20	Other respiratory diseases	26.9	28.2	27.9	28.0	27.9	26.3	27.3	23.7	25.9	22.6	26.0
21	Gastric and duodenal ulcer	7.1	7.3	7.3	8.0	7.4	7.9	7.6	7.8	7.2	6.6	7.0
22	Diarrhoea and enteritis under 2 years	44.3	18.7	40.6	26.3	26.5	25.0	22.8	19.9	20.4	18.4	26.0
23	Appendicitis ...	3.3	3.5	4.5	4.1	4.6	3.6	4.9	4.3	3.9	5.2	4.0
24	Cirrhosis of liver ...	7.6	7.1	7.2	7.9	7.0	6.4	4.5	4.3	3.6	3.5	5.0
27	Acute and chronic ne- phritis	34.8	37.5	38.8	37.6	37.6	39.6	39.3	36.2	36.2	34.3	37.0
28	Puerperal sepsis ...	3.7	5.3	4.5	5.3	4.5	5.2	3.3	3.0	3.1	3.9	4.0
29	Other puerperal causes	7.2	7.7	7.5	6.3	7.1	7.0	6.4	6.6	6.3	6.6	6.0
30 (pt. of)	Congenital debility and Malformation: premature birth.	73.6	68.2	75.4	68.0	70.3	67.7	67.5	62.0	63.0	64.0	68.0
32	Suicide ...	3.0	3.7	3.3	2.9	2.6	2.2	1.7	2.1	2.7	2.0	2.0
33	Other violent deaths ...	38.6	34.8	37.5	38.4	40.2	50.5	39.1	30.2	28.4	39.3	37.0
34	Other defined causes...	532.1	518.1	545.8	525.3	577.7	548.6	571.5	491.8	534.0	491.3	533.0
35	Causes ill-defined or un- known	38.1	53.0	48.7	44.0	47.4	40.9	43.7	40.4	44.7	39.0	44.0

* See Note (*) on page 10.

TABLE 7 (contd.).—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1930.

List Nos.	CAUSES OF DEATH.	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921-30.
	ALL CAUSES ...	1438.5	1474.1	1400.7	1503.5	1462.3	1405.9	1477.1	1417.2	1459.3	1415.5	1445.4
1	Typhoid fever ...	4.5	3.2	4.7	4.1	3.5	4.2	3.3	3.2	3.0	2.4	3.6
2	Typhus ...	0.5	0.6	0.6	0.2	0.3	0.3	0.4	0.2	0.2	0.1	0.3
3	Measles ...	4.6	15.1	5.7	6.6	6.6	17.5	5.9	12.5	4.7	5.4	8.5
4	Scarlet fever ...	3.6	2.4	2.2	2.2	2.3	4.5	2.7	2.7	2.1	1.4	2.6
5	Whooping-cough	7.0	6.6	15.1	20.7	14.4	8.7	15.2	9.5	13.3	11.9	12.2
6	Diphtheria ...	14.9	13.3	9.5	6.2	5.3	6.6	7.4	7.6	10.3	13.1	9.4
7	Dysentery ...	0.9	0.3	0.5	0.1	0.4	0.2	0.4	0.3	0.3	0.1	0.3
8	Influenza ...	20.9	60.0	20.6	69.0	39.2	22.0	71.0	29.1	56.3	20.8	40.9
9	Encephalitis lethargica	1.0	0.6	0.5	1.8	1.7	1.5	1.9	1.6	1.2	1.6	1.3
10	Cerebro-spinal fever	0.7	0.4	0.6	0.9	0.4	0.6	0.4	0.6	0.7	0.4	0.6
11	Tuberculosis of respiratory system	124.8	122.2	116.9	122.9	122.9	113.5	115.3	108.2	101.8	100.6	114.9
12	Other tuberculous diseases	31.0	30.4	31.3	29.6	33.7	33.4	30.2	29.1	29.7	29.2	30.8
13	Cancer ...	84.3	83.5	90.6	96.6	93.9	101.7	105.2	108.2	105.8	113.0	98.3
14	Diabetes mellitus	6.9	7.9	7.4	7.1	7.4	7.6	7.8	7.9	7.8	8.0	7.6
15	Cerebral hemorrhage, etc.	60.6	63.8	66.1	68.5	69.7	68.3	69.9	74.2	74.4	80.2	69.6
16	Heart disease ...	143.0	152.5	154.0	159.5	166.3	156.8	170.1	173.5	190.6	202.2	166.3
17	Other circulatory diseases	12.5	11.3	12.4	13.2	15.0	16.0	15.4	16.9	17.1	17.3	14.7
18	Bronchitis ...	97.3	110.7	95.1	97.4	88.9	81.9	88.3	82.3	91.5	85.8	91.9
19	Pneumonia, all forms	74.4	92.4	69.7	88.8	78.3	77.9	95.8	80.0	88.5	82.9	82.9
20	Other respiratory diseases	21.9	23.6	22.6	25.4	24.7	22.4	23.1	25.7	26.8	25.6	24.2
21	Gastric and duodenal ulcer	6.5	7.1	8.9	9.7	9.0	8.9	9.2	11.5	9.6	11.4	9.2
22	Diarrhoea and enteritis under 2 years	28.5	14.7	17.0	17.1	21.5	27.5	16.7	19.3	19.0	16.7	19.8
23	Appendicitis ...	4.5	4.9	5.4	5.3	5.2	6.4	6.3	6.6	5.2	7.0	5.7
24	Cirrhosis of liver...	3.8	3.2	3.1	2.9	3.0	3.8	3.6	3.0	3.1	2.1	3.2
25	Other diseases of liver, etc.	4.8	4.8	4.4	4.2	3.6	4.5	4.8	4.3	5.1	5.5	4.6
26	Other digestive diseases	44.6	40.5	40.4	38.6	38.1	38.7	36.4	37.1	38.2	39.1	39.2
27	Acute and chronic nephritis	33.1	33.0	34.6	35.3	37.8	38.6	37.8	41.1	43.2	44.8	37.9
28	Puerperal sepsis ...	3.5	3.9	3.9	3.4	3.5	3.9	2.6	3.5	2.7	2.7	3.4
29	Other puerperal causes	6.3	7.1	6.0	6.7	6.3	6.2	6.5	6.4	5.4	6.7	6.4
30	Congenital debility, etc.	58.6	54.2	56.9	64.1	60.8	62.9	58.8	59.2	60.4	62.6	59.8
31	Senility ...	280.6	289.5	281.7	300.6	304.5	265.1	277.3	271.2	263.5	241.6	277.5
32	Suicide ...	2.5	2.2	2.5	3.2	3.0	3.3	3.2	3.3	3.8	2.8	3.0
33	Other violent deaths.	65.6	45.2	43.6	27.7	24.4	26.7	25.3	26.6	29.2	26.3	34.1
34	Other defined causes	116.2	110.1	111.8	116.1	118.2	122.0	124.5	119.8	113.3	116.5	116.8
35	Causes ill-defined or unknown	64.1	52.9	54.4	47.8	48.5	41.8	34.4	31.0	31.5	27.7	43.4

TABLE 7A.—DEATHS AND DEATH RATES FROM VARIOUS CAUSES, 1931 to 1934
SAORSTÁT ÉIREANN AND NORTHERN IRELAND.

No.	CAUSES OF DEATH.	NUMBER OF DEATHS.					DEATH-RATE PER 100,000 OF POPULATION.				
		SAORSTÁT ÉIREANN				NORTHERN IRELAND	SAORSTÁT ÉIREANN				NORTHERN IRELAND
		1931	1932	1933	1934	1934	1931	1932	1933	1934	1934
	ALL CAUSES ...	42,947	42,984	40,539	39,083	17,521	1,452.4	1,445.3	1,354.5	1,297.1	1,369.9
1	Typhoid fever (including paratyphoid.)	68	82	75	89	17	2.3	2.8	2.5	3.0	1.3
2	Typhus ...	11	8	3	4	.	0.4	0.3	0.1	0.1	.
3	Measles ...	372	250	125	50	102	12.6	8.4	4.2	1.7	8.0
4	Scarlet fever ...	74	92	79	82	53	2.5	3.1	2.6	2.7	4.1
5	Whooping-cough ...	139	294	289	233	100	4.7	9.9	9.6	9.4	7.8
6	Diphtheria ...	317	383	418	341	114	10.7	12.9	14.0	11.3	8.9
7	Dysentery ...	4	3	.	1	.	0.1	0.1	.	0.0	.
8	Influenza ...	1,472	1,655	1,791	689	339	49.8	55.6	59.8	22.9	26.5
9	Encephalitis lethargica	36	32	32	23	46	1.2	1.1	1.1	0.8	3.6
10	Cerebro-spinal fever	19	17	17	14	6	0.6	0.6	0.6	0.5	0.5
11	Tuberculosis of respiratory system.	3,051	2,858	2,755	2,726	1,071	103.2	96.1	92.0	90.5	83.7
12	Other tuberculous diseases.	851	818	755	788	364	28.8	27.5	25.2	26.2	28.5
13	Cancer ...	3,294	3,312	3,266	3,405	1,649	111.4	111.4	109.1	113.0	128.9
14	Diabetes mellitus ...	243	239	251	267	155	8.2	8.0	8.4	8.9	12.1
15	Cerebral hæmorrhage, etc. (No. 82).	2,431	2,503	2,202	2,303	1,389	82.2	84.2	73.6	76.4	108.6
16	Heart disease ...	6,024	6,136	6,233	6,585	3,075	203.7	206.3	208.3	218.6	240.4
17	Other circulatory diseases.	540	599	628	682	467	18.3	20.1	21.0	22.6	36.5
18	Bronchitis ...	2,594	2,616	2,160	1,956	817	87.7	88.0	72.2	64.9	63.9
19	Pneumonia, all forms	2,698	2,691	2,576	2,418	997	91.3	90.5	86.1	80.2	78.0
20	Other respiratory diseases.	781	785	684	660	265	26.4	26.4	22.9	21.9	20.7
21	Gastric and duodenal ulcer.	334	328	304	281	132	11.3	11.0	10.2	9.3	10.3
22	Diarrhoea and enteritis (under 2 years).	533	581	563	474	194	18.0	19.5	18.8	15.7	15.2
23	Appendicitis ...	183	221	204	176	125	6.2	7.4	6.8	5.8	9.8
24	Cirrhosis of the liver	89	77	71	69	41	3.0	2.6	2.4	2.3	3.2
25	Other diseases of the liver, etc.	168	177	147	161	96	5.7	6.0	4.9	5.3	7.5
26	Other digestive diseases.	1,033	1,072	928	932	375	34.9	36.0	31.0	30.9	29.3
27	Acute and chronic nephritis.	1,275	1,223	1,149	1,169	470	43.1	41.1	38.4	38.8	36.7
28	Puerperal sepsis ...	66	78	80	104	55	2.2	2.6	2.7	3.5	4.3
29	Other puerperal causes	180	178	175	167	104	6.1	6.0	5.8	5.5	8.1
30	Congenital debility, etc. (Nos. 157-161).	1,764	1,776	1,767	1,686	983	59.8	59.7	59.0	56.0	76.9
31	Senility ...	7,151	6,626	5,902	5,572	1,726	241.8	222.8	197.2	184.9	134.9
32	Suicide ...	108	110	103	104	66	3.7	3.7	3.4	3.5	5.2
33	Other violence ...	837	867	914	864	524	28.3	29.2	30.5	27.7	41.0
34	Other defined causes	3,351	3,502	3,246	3,288	1,471	113.3	117.7	108.5	109.1	115.1
35	Causes ill-defined or unknown.	856	795	647	670	133	28.9	26.7	21.6	22.2	10.4

TABLE 8.—SAORSTÁT ÉIREANN. NUMBER OF DEATHS³ OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1934.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,311	7,654	2,636	291
1924 ...	45,180	6,889	662	604	1,008	1,240	2,312	2,617	3,968	5,506	9,012	8,285	2,794	283
1925 ...	43,650	6,356	689	581	1,044	1,167	2,301	2,483	3,698	5,372	8,700	8,111	2,815	333
1926 ...	41,740	6,781	784	570	963	1,077	2,128	2,457	3,682	5,247	8,287	6,961	2,516	287
1927 ...	43,677	6,396	739	500	978	1,083	2,243	2,529	3,822	5,677	9,043	7,567	2,813	287
1928 ...	41,792	5,963	698	506	897	1,055	1,951	2,263	3,754	5,622	8,946	7,109	2,753	275
1929 ...	42,991	5,992	714	500	879	1,035	1,977	2,360	3,796	5,896	9,518	7,428	2,639	257
1930 ...	41,702	5,739	730	514	853	989	1,948	2,230	3,715	6,025	9,621	6,745	2,359	234
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
1932 ...	42,984	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,850	2,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
Average 1924-33 ...	42,720	6,121	712	526	915	1,075	2,087	2,273	3,736	5,758	9,344	7,277	2,537	259
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,098	3,311	5,800	9,731	6,446	1,783	202

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1924 ...	15.03	23.62	2.28	2.04	3.41	5.03	5.62	7.42	12.50	24.67	46.00	109.80	218.82
1925 ...	14.62	21.93	2.39	1.97	3.63	4.76	5.63	7.09	11.72	24.23	44.71	108.21	225.39
1926 ...	14.06	23.59	2.75	1.93	3.36	4.48	5.34	7.13	11.11	22.75	45.22	94.98	188.84
1927 ...	14.77	22.34	2.61	1.70	3.44	4.53	5.66	7.37	11.59	24.71	49.54	103.66	209.70
1928 ...	14.17	20.89	2.47	1.72	3.15	4.42	4.93	6.61	11.41	24.54	49.14	97.66	205.39
1929 ...	14.59	21.01	2.53	1.71	3.10	4.35	5.00	6.90	11.55	25.76	52.34	102.14	196.63
1930 ...	14.16	20.12	2.59	1.75	3.01	4.15	4.93	6.52	11.30	26.33	52.91	92.75	176.06
1931 ...	14.52	20.36	2.27	1.77	3.01	4.33	5.03	6.71	11.40	26.53	56.04	96.50	178.72
1932 ...	14.45	20.45	2.57	1.67	3.10	4.32	5.14	6.50	10.86	27.22	56.80	93.31	166.80
1933 ...	13.54	18.58	2.55	1.59	2.72	4.27	4.90	6.47	10.66	25.19	52.24	90.24	145.90
Average 1924-33 ...	14.39	21.29	2.50	1.79	3.20	4.46	5.22	6.87	11.41	25.19	50.49	98.93	189.23
1934 ...	12.97	17.00	2.28	1.59	2.52	4.11	4.67	6.00	9.85	24.78	52.32	86.67	131.78

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons; and during 1871-80 for an average annual number of 44 persons.

TABLE 8 (contd.).—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1934.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	853	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,860	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1924 ...	22,821	3,796	348	286	467	650	1,112	1,248	2,132	2,885	4,435	3,929	1,397	136
1925 ...	22,118	3,474	342	276	500	571	1,072	1,242	1,934	2,841	4,351	3,966	1,397	152
1926 ...	20,844	3,676	363	239	452	534	993	1,177	1,883	2,724	4,116	3,365	1,197	125
1927 ...	21,812	3,483	375	236	461	535	1,074	1,228	1,993	3,014	4,477	3,491	1,314	131
1928 ...	20,933	3,226	346	234	444	510	933	1,086	1,895	2,965	4,425	3,461	1,274	134
1929 ...	21,547	3,307	362	247	399	509	913	1,163	1,977	3,191	4,727	3,417	1,217	118
1930 ...	21,075	3,233	384	242	405	495	916	1,077	1,852	3,139	4,960	3,187	1,077	108
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106
1932 ...	21,801	3,235	366	226	412	545	965	1,108	1,850	3,358	5,384	3,255	1,001	96
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	72
Average 1924-33 ...	21,532	3,360	358	246	434	540	984	1,152	1,939	3,053	4,701	3,465	1,182	118
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801	83

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.83	7.08	11.44	24.50	48.08	107.81	217.55
1924 ...	15.00	25.65	2.36	1.89	3.16	5.07	5.41	6.98	12.96	25.06	47.37	113.39	242.72
1925 ...	14.63	23.62	2.34	1.84	3.40	4.48	5.24	6.98	11.83	24.82	46.75	115.14	246.70
1926 ...	13.85	25.18	2.51	1.58	3.09	4.29	5.00	6.80	10.92	22.58	46.32	102.07	201.04
1927 ...	14.55	23.96	2.60	1.57	3.18	4.32	5.42	7.12	11.60	25.08	50.57	106.32	220.62
1928 ...	13.99	22.23	2.41	1.56	3.06	4.12	4.71	6.31	11.06	24.73	50.09	105.61	215.41
1929 ...	14.40	22.79	2.52	1.65	2.75	4.12	4.62	6.76	11.53	26.61	53.50	104.25	204.19
1930 ...	14.08	22.26	2.67	1.62	2.79	4.00	4.63	6.25	10.80	26.16	56.10	97.16	181.11
1931 ...	14.45	21.93	2.47	1.59	2.82	4.18	4.55	6.32	11.60	26.84	58.77	103.66	176.62
1932 ...	14.40	22.03	2.52	1.49	2.81	4.36	4.82	6.36	10.67	27.67	60.21	98.10	165.74
1933 ...	13.52	20.12	2.32	1.55	2.62	4.19	4.78	3.26	10.81	25.96	54.57	94.49	144.10
Average 1924-33 ...	14.29	22.98	2.47	1.63	2.97	4.31	4.92	6.61	11.37	25.55	52.43	104.02	199.83
1934 ...	12.98	18.37	2.18	1.46	2.44	4.20	4.39	5.84	9.68	26.04	55.05	90.36	131.72

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males; and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—NUMBER OF DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1934.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1924	22,359	3,093	314	318	541	590	1,200	1,369	1,836	2,621	4,577	4,356	1,397	147
1925	21,532	2,882	347	305	544	596	1,229	1,241	1,764	2,531	4,349	4,145	1,418	181
1926	20,896	3,105	421	331	511	543	1,135	1,280	1,799	2,523	4,171	3,596	1,319	162
1927	21,865	2,913	364	264	517	548	1,169	1,301	1,829	2,663	4,566	4,076	1,499	156
1928	20,859	2,737	352	272	453	545	1,018	1,177	1,859	2,657	4,521	3,648	1,479	141
1929	21,444	2,685	352	253	480	526	1,064	1,197	1,819	2,705	4,791	4,011	1,422	139
1930	20,627	2,506	346	272	448	494	1,032	1,153	1,863	2,886	4,661	3,558	1,282	126
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,929	2,409	331	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,131	92
Average 1924-33	21,189	2,761	354	280	481	535	1,103	1,221	1,798	2,706	4,642	3,812	1,355	141
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1924	...	15.07	21.52	2.20	2.18	3.81	4.98	5.83	7.88	12.00	24.25	44.75	106.75	199.33
1925	...	14.62	20.20	2.45	2.11	3.86	5.07	6.02	7.19	11.61	23.59	42.83	102.84	207.99
1926	...	14.27	21.96	3.01	2.29	3.65	4.69	5.69	7.48	11.33	22.94	44.18	89.18	179.12
1927	...	15.00	20.68	2.61	1.83	3.71	4.76	5.89	7.63	11.57	24.31	48.57	101.49	200.99
1928	...	14.36	19.50	2.54	1.90	3.26	4.75	5.14	6.93	11.80	24.34	48.25	91.15	197.42
1929	...	14.79	19.17	2.54	1.77	3.46	4.59	5.39	7.05	11.56	24.83	51.24	100.41	190.60
1930	...	14.24	17.90	2.50	1.90	3.23	4.32	5.23	6.80	11.85	26.51	49.88	89.13	172.02
1931	...	14.60	18.72	2.07	1.95	3.20	4.48	5.52	7.11	11.28	26.18	53.45	90.60	180.40
1932	...	14.51	18.81	2.63	1.86	3.40	4.28	5.46	6.65	11.08	26.72	53.57	89.35	167.66
1933	...	13.57	16.97	2.79	1.63	2.83	4.34	5.02	6.70	10.50	24.34	50.03	86.73	147.35
Average 1924-33	...	14.50	19.54	2.53	1.94	3.44	4.63	5.52	7.14	11.46	24.80	48.68	94.71	184.29
1934	...	12.97	15.58	2.37	1.72	2.60	4.01	4.96	6.17	10.04	23.38	49.72	83.62	131.82

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females; and during 1871-80 for an average annual number of 15 females.

TABLE 9.—INFANT MORTALITY (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, registered in the eleven years 1924-34.

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
			1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934
ALL CAUSES	...	...	71.65	67.92	74.41	70.84	67.87	70.38	67.95	68.93	72.19	65.23	63.26
Measles (7)	...	...	0.75	0.63	1.59	0.47	1.15	0.44	0.46	1.40	1.00	0.80	0.26
Scarlet Fever (8)	...	...	0.08	0.03	0.03	0.08	0.04	0.05	0.02	0.07	0.07	0.03	0.00
Whooping-cough (9)	...	...	4.12	3.27	1.81	3.40	2.40	3.38	3.24	1.16	2.60	2.54	2.90
Diphtheria (10)	...	...	0.18	0.13	0.25	0.29	0.19	0.35	0.16	0.25	0.23	0.23	0.10
Influenza (11)	...	...	1.86	0.89	0.54	2.15	0.81	1.16	0.24	1.09	1.12	0.94	0.40
Tuberculosis of Nervous System (24).			0.21	0.48	0.31	0.22	0.37	0.19	0.45	0.35	0.32	0.31	0.40
Tuberculosis of Intestines and Peritoneum (25).			0.24	0.37	0.47	0.48	0.30	0.58	0.19	0.26	0.27	0.26	0.20
Other Tuberculous Diseases (23, 26-32).			0.61	0.50	0.70	1.00	0.58	0.67	0.72	0.93	0.35	0.30	0.40
Syphilis (34)	...	...	0.15	0.27	0.28	0.27	0.25	0.19	0.15	0.23	0.11	0.14	0.10
Meningitis (79)	...	...	0.70	0.89	1.34	1.19	1.05	1.01	0.79	0.86	0.96	0.89	0.50
Convulsions (86)	...	...	8.02	8.12	8.39	7.92	8.05	6.90	6.34	6.78	6.54	5.61	5.40
Bronchitis (106)	...	...	4.74	3.75	4.22	4.28	3.72	3.88	3.77	3.17	3.96	2.79	3.20
Pneumonia (107-9)	...	...	7.26	5.69	6.11	7.60	6.01	7.24	7.35	7.72	8.44	6.99	6.70
Inflammation of Stomach (118a)			1.50	1.34	1.60	1.45	1.05	1.29	1.32	1.24	1.62	1.19	1.00
Diarrhoea and Enteritis (119)			7.03	8.89	11.97	7.18	8.43	8.49	7.20	8.27	9.33	8.92	7.50
Congenital Malformations (157)			2.41	2.24	2.16	2.42	2.62	2.78	3.29	3.38	3.40	3.59	3.40
Congenital Debility (158)*			20.27	19.48	19.35	17.86	17.30	17.61	17.20	16.00	16.46	14.38	13.10
Premature Birth (159)	...	} 6.59	6.52	8.04	7.26	6.98	7.48	8.48	8.58	8.53	9.59	8.00	
Injury at Birth (160)	...				0.40	0.56	0.74	0.84	0.96	0.82	0.65	1.10	
Other Diseases peculiar to Early Infancy (161)*	...				0.67	1.42	1.18	1.20	1.49	1.69	2.06	2.00	
Suffocation (Overlying) (182),...					0.12	0.14	0.27	0.10	0.26	0.12	0.09	0.00	
Lack of Care (194a)	...				0.48	0.71	0.48	0.45	0.47	0.43	0.40	0.00	
Other Causes	...				3.65	3.74	4.02	3.99	4.01	3.82	3.03	4.00	

* For the years 1923-30, some of the deaths now included in Other Diseases peculiar to Early Infancy (161) were assigned to Congenital Debility (158).

TABLE 10.—INFANT MORTALITY, by certain causes, age-periods, and sexes, in the year 1934.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES AND FEMALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	6.62	8.25	3.42	2.63	3.59	24.51	8.35	6.79	11.90	11.73	63.28
Measles (7)	.	.	.	.	0.02	0.02	.	0.02	0.01	0.17	0.22
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	0.02	0.02
Whooping-cough (9)	.	.	0.02	0.02	0.13	0.17	0.35	0.36	0.78	1.31	2.97
Diphtheria (10)	.	.	0.02	.	.	0.02	0.02	0.02	.	0.10	0.16
Influenza (11)	.	.	.	0.04	.	0.04	0.04	0.13	0.10	0.16	0.47
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	.	0.14	0.26	0.40
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	.	.	.	0.02	0.05	0.05	0.17	0.29
Other Tuberculous Diseases (23, 26-32)	.	.	.	.	0.02	0.02	0.02	0.02	0.20	0.14	0.40
Syphilis (34)	.	.	0.01	0.02	.	0.03	0.02	0.02	0.03	.	0.10
Meningitis (79)	.	0.01	0.02	.	.	0.03	0.02	0.03	0.15	0.36	0.59
Convulsions (86)	0.24	1.04	0.31	0.51	0.47	2.37	0.85	0.50	0.81	0.88	5.41
Bronchitis (106)	.	0.03	0.12	0.09	0.11	0.35	0.59	0.38	0.87	1.07	3.26
Pneumonia (107-9)	0.02	0.09	0.07	0.13	0.19	0.50	0.78	0.81	1.86	2.75	6.72
Inflammation of Stomach (118a)	.	.	0.02	0.03	0.05	0.10	0.31	0.21	0.33	0.14	1.09
Diarrhœa and Enteritis (119)	.	0.05	0.05	0.16	0.43	0.69	1.21	1.54	2.44	1.62	7.50
Congenital Malformations (157)	0.40	0.76	0.38	0.27	0.26	2.07	0.41	0.33	0.40	0.33	3.54
Congenital Debility (158)	1.71	2.37	0.93	0.86	1.11	6.98	2.40	1.55	2.07	0.78	13.78
Premature Birth (159)	2.57	2.52	1.04	0.47	0.44	7.04	0.55	0.28	0.16	0.02	8.05
Injury at Birth (160)	0.54	0.50	0.10	.	0.02	1.16	.	0.01	.	.	1.17
Other Diseases peculiar to early Infancy (161)	0.94	0.55	0.22	0.12	0.12	1.95	0.07	0.05	.	.	2.07
Suffocation (overlying) (182)	.	0.07	.	.	0.01	0.08	0.06	0.02	0.06	.	0.22
Lack of Care (194a)	0.10	0.14	0.02	0.02	.	0.28	0.01	.	.	.	0.29
Other Causes	0.10	0.12	0.09	0.09	0.21	0.61	0.62	0.44	1.44	1.45	4.56

TABLE 10.—*contd.*—INFANT MORTALITY, by certain causes, age-periods, and sexes, in the year 1934.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	To un- ly
ALL CAUSES	7.28	9.56	3.92	2.85	3.99	27.60	9.35	7.38	12.57	13.04	69
Measles (7)	.	.	.	.	.	.	.	0.04	0.03	0.20	0
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	.	0
Whooping-cough (9)	.	.	.	0.03	0.17	0.20	0.17	0.34	0.57	1.37	2
Diphtheria (10)	.	.	.	.	.	.	.	0.03	.	0.07	0
Influenza (11)	.	.	.	0.03	.	0.03	0.03	0.10	0.14	0.14	0
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	.	0.17	0.30	0
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	.	.	.	.	0.10	.	0.24	0
Other Tuberculous Diseases (23, 26-32)	.	.	.	.	0.04	0.04	.	0.03	0.13	0.14	0
Syphilis (34)	.	.	0.03	0.04	.	0.07	0.03	.	0.03	.	0
Meningitis (79)	.	0.04	0.03	.	.	0.07	0.03	0.07	0.20	0.40	0
Convulsions (86)	0.27	1.31	0.40	0.40	0.40	2.78	1.07	0.50	0.91	1.04	6
Bronchitis (106)	.	0.03	0.17	0.10	0.17	0.47	0.74	0.47	0.91	1.10	3
Pneumonia (107-9)	0.03	0.10	0.03	0.07	0.24	0.47	1.04	1.07	2.15	3.18	7
Inflammation of Stomach (118a) Diarrhea and Enteritis (119)	.	.	0.03	0.07	0.10	0.20	0.30	0.17	0.34	0.16	1
Congenital Malformations (157)	0.23	0.80	0.40	0.34	0.40	2.17	0.54	0.37	0.37	0.34	3
Congenital Debility (158) ...	1.84	2.28	1.01	0.87	1.21	7.21	2.72	1.61	2.01	0.77	14
Premature Birth (159) ...	3.02	3.29	1.34	0.47	0.40	8.52	0.40	0.30	0.13	.	9
Injury at Birth (160) ...	0.74	0.64	0.10	.	0.03	1.51	.	0.03	.	.	1
Other Diseases peculiar to Early Infancy (161) ...	1.01	0.60	0.24	0.13	0.10	2.08	0.13	0.07	.	.	2
Suffocation (overlying) (182) ...	.	0.10	.	.	.	0.10	0.07	0.03	0.03	.	0
Lack of Care (194a) ...	0.07	0.17	.	0.03	.	0.27	0.03	.	.	.	0
Other Causes	0.07	0.10	0.07	0.10	0.23	0.57	0.84	0.54	1.74	1.78	1

FEMALES.

ALL CAUSES	5.91	6.87	2.89	2.39	3.17	21.23	7.30	6.16	11.19	10.33	50
Measles (7)	.	.	.	.	0.04	0.04	.	.	.	0.14	0
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	0.04	0
Whooping-cough (9)	.	.	0.04	.	0.10	0.14	0.53	0.39	1.00	1.25	0
Diphtheria (10)	.	.	0.04	.	.	0.04	0.03	.	.	0.14	0
Influenza (11)	.	.	.	0.04	.	0.04	0.03	0.18	0.07	0.18	0
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	.	0.11	0.21	0
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	.	.	.	0.04	.	0.10	0.11	0
Other Tuberculous Diseases (23, 26-32)	.	.	.	.	.	.	0.04	.	0.28	0.14	0
Syphilis (34)	.	.	.	.	.	.	.	0.03	0.04	.	0
Meningitis (79)	.	.	.	.	.	.	.	.	0.07	0.32	0
Convulsions (86)	0.22	0.75	0.21	0.21	0.53	1.92	0.61	0.50	0.71	0.71	0
Bronchitis (106)	.	0.04	0.07	0.07	0.04	0.22	0.46	0.28	0.82	1.03	0
Pneumonia (107-9)	.	0.07	0.11	0.21	0.14	0.53	0.50	0.57	1.57	2.28	0
Inflammation of Stomach (118a) Diarrhea and Enteritis (119)	.	.	0.04	0.14	0.36	0.54	1.21	0.32	0.25	0.32	0
Congenital Malformations (157)	0.57	0.71	0.36	0.21	0.11	1.96	0.29	0.28	0.43	0.42	0
Congenital Debility (158) ...	1.57	2.45	0.85	0.86	1.00	6.73	2.07	1.50	2.14	0.75	1
Premature Birth (159) ...	2.10	1.70	0.71	0.47	0.50	5.48	0.71	0.25	0.18	0.04	0
Injury at Birth (160) ...	0.32	0.36	0.11	.	0.79	.	.	.	.	.	0
Other Diseases peculiar to Early Infancy (161) ...	0.85	0.50	0.21	0.11	0.14	1.81	.	0.04	.	.	0
Suffocation (overlying) (182) ...	.	0.04	.	.	0.03	0.07	0.07	.	0.07	.	0
Lack of Care (194a) ...	0.14	0.11	0.03	.	.	0.28	.	.	.	.	0
Other Causes	0.14	0.14	0.11	0.07	0.18	0.64	0.39	0.32	1.14	1.11	0

TABLE 11.—INFANT MORTALITY, by certain causes, for each of the under-mentioned areas or groups of areas in 1934. (Corrected for transfers to area of residence.)

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED												
			CITIES AND BOROUGHES.					ALL URBAN AREAS.				RURAL DISTRICTS IN PROVINCES.			
								10,000 population & upwards.	Under 10,000 population.			Total Urban Areas.	Total Rural Districts.	Leinster.	Munster.
			City of Dublin.	Borough of Dun Laoghaire.	Cork.	Limerick.	Waterford.			(6)	(7)				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)		
ALL CAUSES	...	...	79.72	88.11	78.00	76.16	92.06	80.60	67.47	77.91	54.60	57.02	60.74	46.63	47.36
Measles (7)	...	...	0.28	.	0.54	.	3.17	0.35	.	0.28	0.19	0.09	0.08	0.23	0.66
Scarlet Fever (8)	...	...	.	.	.	.	.	.	.	0.03	0.09	.	.	.	.
Whooping-cough (9)	...	...	4.60	1.47	4.33	.	.	4.31	2.26	3.89	2.42	2.83	3.36	1.28	1.10
Diphtheria (10)	...	...	0.37	.	.	.	.	0.23	0.23	0.23	0.11	.	0.16	0.23	.
Influenza (11)	...	...	0.18	.	.	.	.	0.23	0.23	0.23	0.61	0.36	0.98	0.35	0.66
Tuberculosis of the Nervous System (24).	...	...	1.10	.	1.08	.	.	0.93	0.45	0.83	0.14	0.09	0.16	.	0.44
Tuberculosis of Intestines and Peritoneum (25).	...	...	0.28	.	.	.	.	0.17	.	0.14	0.39	0.09	0.74	0.12	0.66
Other Tuberculous Diseases (23, 26-32).	...	...	0.83	.	0.54	.	1.59	0.70	0.45	0.65	0.25	0.27	0.16	0.35	0.22
Syphilis (34)	...	...	0.28	.	.	.	.	0.17	0.45	0.23	0.03	.	.	0.12	.
Meningitis (79)	...	...	1.01	2.94	1.63	.	.	1.05	0.23	0.88	0.41	0.55	0.49	0.12	0.44
Convulsions (86)	...	...	3.40	4.40	4.88	11.87	7.94	5.13	7.70	5.65	5.26	6.30	4.59	5.58	3.94
Bronchitis (106)	...	...	3.77	1.47	4.33	3.96	12.70	3.96	3.40	3.85	2.92	2.19	3.44	2.21	4.60
Pneumonia (107-9)	...	...	15.45	4.41	6.50	8.90	1.59	12.01	4.75	10.52	4.46	4.29	5.49	4.53	1.97
Inflammation of Stomach (118a).	...	...	0.74	5.87	0.54	9.89	1.59	1.81	1.36	1.72	0.71	0.91	0.99	0.35	0.22
Diarrhoea and Enteritis (119)	...	...	10.30	11.75	17.34	10.88	22.22	12.30	9.06	11.63	5.04	5.02	7.38	2.21	4.17
Congenital Malformations (157).	...	...	4.96	8.81	3.25	1.98	3.17	4.49	5.66	4.73	2.83	3.10	2.54	3.37	1.97
Congenital Debility (158)	...	...	9.47	10.28	9.21	15.82	12.70	10.20	16.75	11.54	15.11	14.87	15.74	15.00	14.25
Premature Birth (159)	...	...	12.23	16.15	13.00	4.94	14.28	12.01	8.15	11.22	6.17	7.76	6.56	3.72	5.92
Injury at Birth (160)	...	...	2.57	2.94	1.08	0.99	.	2.16	0.68	1.85	0.77	0.55	0.66	0.93	1.32
Other Diseases peculiar to early Infancy (161)	...	...	3.03	7.34	1.08	2.97	1.59	2.74	1.81	2.55	1.79	2.46	1.64	1.28	1.53
Suffocation (overlying) (182).	...	...	0.28	.	.	.	1.59	0.29	.	0.23	0.22	0.27	0.25	0.23	.
Lack of Care (194a)	...	...	0.18	1.47	.	.	.	0.23	.	0.19	0.36	0.18	0.66	0.35	.
Other Causes	...	...	4.41	8.81	8.67	3.96	7.93	5.13	3.85	4.87	4.38	4.75	4.67	4.07	3.29

TABLE 12.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in the year 1934.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year
Measles (7) ...	.	.	.	.	1	1	.	.	.	.	1
Whooping Cough (9) ...	.	.	.	.	.	.	.	1	5	8	14
Diphtheria (10) ...	.	.	1	.	.	1	.	.	.	.	1
Influenza (11) ...	.	.	.	.	.	.	1	2	2	1	6
Tuberculosis of the Nervous System (24) ...	.	.	.	.	.	.	.	.	1	2	3
Tuberculosis of Intestines and Peritoneum (25) ...	.	.	.	.	.	.	.	3	2	1	6
Other Tuberculous Diseases (23, 26-32) ...	.	.	.	.	.	.	.	.	5	1	6
Syphilis (34) ...	.	.	.	1	1	2	.	2	2	.	4
Meningitis (79) ...	.	.	.	.	.	.	.	.	.	5	5
Convulsions (86) ...	.	6	1	3	2	12	2	3	3	4	22
Bronchitis (106) ...	.	.	2	2	.	4	8	4	12	4	28
Pneumonia (107-9) ...	.	.	.	1	3	4	7	4	15	15	41
Inflammation of Stomach (118a)	.	1	.	.	.	1	3	3	5	.	9
Diarrhœa and Enteritis (119)	.	.	.	1	6	7	13	14	32	7	69
Congenital Malformations (157)	2	.	2	1	1	14	3	3	3	3	28
Congenital Debility (158) ...	5	10	8	9	15	47	33	26	27	5	133
Premature Birth (159) ...	10	15	13	2	4	44	7	2	2	.	65
Injury at Birth (160) ...	3	2	1	.	1	7	.	.	.	.	7
Other diseases peculiar to early infancy (161) ...	3	2	1	1	1	8	.	.	1	.	13
Suffocation (overlying) (182)	.	1	.	.	.	1	.	1	2	.	4
Lack of Care (194a) ...	7	6	.	1	.	14	.	.	.	.	21
Other Causes ...	2	1	4	.	7	14	9	4	14	10	58
ALL CAUSES ...	32	52	33	22	42	181	86	72	133	66	533

TABLE 13.—The number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE by age-periods in each county and county borough during the year 1934, distinguishing deaths in Institutions. (*Corrected for transfers.*)

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institutions.	Elsewhere.
SAORSTAT ÉIREANN	32	52	33	22	41	180	85	73	132	68	538	412	126
Carlow ...	.	.	.	2	.	2	2	.	1	2	7	7	.
Dublin ...	2	5	3	1	6	17	8	7	13	8	53	44	9
City of Dublin ...	6	7	4	3	6	26	21	16	25	16	104	74	30
Kildare ...	.	2	.	.	1	3	2	2	5	2	14	11	3
Kilkenny ...	1	1	.	.	2	4	1	1	4	3	13	8	5
Laoighis ...	1	3	1	1	.	6	4	.	1	2	13	8	5
Longford ...	2	2	.	1	1	6	2	3	.	1	12	9	3
Louth ...	1	.	.	2	1	4	1	.	1	.	6	3	3
Meath ...	.	2	.	.	.	2	.	1	.	1	4	4	.
Offaly ...	.	1	1	1	1	4	.	.	2	.	6	6	.
Westmeath ...	1	1	.	.	1	3	.	2	2	.	7	3	1
Wexford ...	1	3	.	.	2	6	2	2	9	2	21	16	5
Wicklow ...	.	3	.	.	2	5	3	.	.	3	11	10	1
PROVINCE OF LEINSTER	15	30	9	11	23	88	46	34	63	40	271	203	68
Clare ...	2	1	1	1	1	6	1	1	1	2	11	6	5
Cork ...	3	3	.	2	.	8	1	10	15	5	39	36	3
Cork Co. Borough...	1	2	2	.	.	5	1	2	6	1	15	11	4
Kerry ...	.	4	4	.	3	11	3	4	7	.	25	21	4
Limerick ...	2	1	1	1	1	6	3	5	9	.	23	14	9
Limerick Co. Borough	.	1	.	.	1	2	2	.	.	.	4	2	2
Tipperary, North Riding.	.	3	1	1	2	7	2	2	4	1	16	11	5
Tipperary, South Riding.	.	.	1	.	2	3	4	2	2	1	12	10	2
Waterford ...	2	2	1	.	.	5	4	.	2	2	13	10	3
Waterford Co. Borough.	1	.	.	.	.	1	.	.	2	.	3	3	.
PROVINCE OF MUNSTER	11	17	11	5	10	54	21	26	48	12	161	124	37
Galway ...	2	.	1	1	2	6	2	2	9	6	25	18	7
Leitrim ...	1	1	2	.	.	4	2	3	1	1	11	11	.
Mayo ...	1	.	.	.	2	3	1	2	4	2	12	11	1
Roscommon ...	.	1	3	2	.	6	3	2	5	1	17	16	1
Sligo ...	.	1	3	1	.	5	2	1	.	2	10	8	2
PROVINCE OF CONNAUGHT.	4	3	9	4	4	24	10	10	19	12	75	64	11
Cavan ...	.	1	1	1	1	4	.	.	1	1	6	6	.
Donegal ...	1	1	2	1	2	7	7	2	1	3	20	13	7
Monaghan ...	1	.	1	.	1	3	1	1	.	.	5	2	3
PROVINCE OF ULSTER (Part of).	2	2	4	2	4	14	8	3	2	4	31	21	10

TABLE 14—MARRIAGES, BIRTHS and DEATHS from ALL CAUSES ; from the PRINCIPAL EPIDEMIC DISEASES* ; from TUBERCULOSIS and PUERPERAL CONDITIONS ; ILLEGITIMATE BIRTHS and Deaths of INFANTS under one year of age, by Provinces, Counties and County Boroughs in 1934.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM					Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Puerperal Sepsis.	Other Puerperal Con- ditions.	
SAORSTÁT ÉIREANN ...	14,251	57,897	2,030	39,083	1,324	3,514	104	167	3,664
Carlow ...	160	685	47	457	10	35	—	3	48
Dublin ...	7 9	2,247	73	1,405	57	150	4	3	162
City of Dublin ...	3,548	10,875	303	5,724	309	720	13	28	867
Kildare ...	300	1,266	57	731	25	82	2	6	90
Kilkenny ...	266	1,357	68	968	30	68	2	8	101
Laoighis ...	200	900	45	729	10	63	2	1	44
Longford ...	183	665	24	558	3	35	1	1	27
Louth ...	322	1,277	52	892	45	94	4	—	78
Meath ...	263	1,149	55	871	18	71	4	4	65
Offaly ...	202	978	33	702	20	62	3	5	46
Westmeath ...	237	1,076	42	774	18	68	2	6	50
Wexford ...	413	1,797	116	1,376	31	134	4	9	121
Wicklow ...	257	1,098	66	760	20	77	2	2	55
LEINSTER ...	7,070	25,370	981	15,947	596	1,659	43	76	1,754
Clare ...	372	1,540	47	1,102	30	96	3	3	62
Cork ...	956	4,749	172	3,642	102	271	6	21	311
Cork Co. Borough ...	731	1,846	29	1,170	84	128	4	2	144
Kerry ...	500	2,482	79	1,742	88	163	7	11	133
Limerick ...	365	1,986	97	1,329	52	110	3	9	160
Limerick Co. Borough	332	1,011	33	528	36	51	—	2	77
Tipperary N.R. ...	231	1,123	32	808	14	61	3	—	67
Tipperary S.R. ...	291	1,588	88	1,045	33	69	7	1	106
Waterford ...	204	923	45	707	15	52	—	1	58
Waterford Co. Boro'	138	630	11	370	28	40	—	—	58
MUNSTER ...	4,114	17,878	633	12,443	482	1,041	33	50	1,176
Galway ...	691	3,300	78	2,131	56	169	9	9	195
Leitrim ...	207	894	19	707	23	44	3	2	41
Mayo ...	563	2,933	41	1,927	40	156	6	12	114
Roscommon ...	266	1,286	35	1,092	28	75	1	3	62
Sligo ...	231	1,208	25	924	30	77	—	2	79
CONNAUGHT ...	1,958	9,621	198	6,781	177	521	19	28	491
Cavan ...	323	1,357	66	1,075	22	71	3	4	64
Donegal ..	511	2,544	114	1,959	31	156	5	6	127
Monaghan ...	275	1,127	38	878	16	66	1	3	52
ULSTER (part of)	1,109	5,028	218	3,912	69	293	9	13	243

* Typhoid fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

TABLE 15.—MARRIAGE, BIRTH, and DEATH-RATES (including Standardised Death-rates) from ALL CAUSES; and Death-rates from the PRINCIPAL EPIDEMIC DISEASES,* and from TUBERCULOSIS, per 1,000 of the population; and rates from PUERPERAL CONDITIONS, and INFANT MORTALITY per 1,000 Births; by Provinces, Counties and County Boroughs, in 1934.

PROVINCES AND COUNTIES.	Popula- tion, Census 1926.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes corrected for Trans- fers.	All Causes Stand- ardised.	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	From Puer- peral Sepsis.	From Other Puer- peral condi- tions.	Deaths of Infant under One Year of age.
SAORSTÁT ÉIREANN †	2,971,992	4.73	19.22	3.51	12.97	12.97	0.44	1.17	1.80	2.88	63
Carlow ...	34,476	4.64	19.87	6.86	13.26	13.03	0.29	1.02	.	4.38	70
Dublin ...	100,354	7.16	22.39	3.25	14.00	15.87	0.57	1.49	1.78	1.34	72
Dublin City †	405,300	8.37	25.65	2.79	13.50	17.03	0.73	1.70	1.20	2.57	80
Kildare ...	58,028	5.17	21.82	4.50	12.60	13.73	0.43	1.41	1.58	4.74	71
Kilkenny ...	70,990	3.75	19.12	5.01	13.64	13.65	0.42	0.96	1.47	5.90	74
Laoighis ...	51,540	3.88	17.46	5.00	14.14	13.34	0.19	1.22	2.22	1.11	49
Longford...	39,847	4.59	16.69	3.61	14.00	12.22	0.08	0.88	1.50	1.50	41
Louth ...	62,739	5.13	20.35	4.07	14.22	14.65	0.72	1.50	3.13	.	61
Meath ...	62,969	4.18	18.25	4.79	13.83	13.90	0.29	1.13	3.48	3.48	57
Offaly ...	52,592	3.84	18.60	3.37	13.35	13.10	0.38	1.18	3.07	5.11	47
Westmeath ...	56,818	4.17	18.94	3.90	13.62	13.52	0.32	1.20	1.86	5.58	46
Wexford ...	95,848	4.81	18.75	6.46	14.36	14.13	0.32	1.40	2.23	5.01	67
Wicklow ...	57,591	4.46	19.07	6.01	13.20	13.22	0.35	1.34	1.82	1.82	50
LEINSTER ...	1,149,092	6.15	22.08	3.87	13.88	14.89	0.52	1.44	1.69	3.00	69
Clare ...	95,064	3.91	16.20	3.05	11.59	10.39	0.32	1.01	1.95	1.95	40
Cork ...	287,257	3.31	16.53	3.62	12.68	12.83	0.36	0.94	1.26	4.42	65
Cork Co. Borough	78,490	9.31	23.52	1.57	14.91	17.98	1.07	1.63	2.17	1.08	78
Kerry ...	149,171	3.35	16.64	3.18	11.68	11.68	0.59	1.09	2.82	4.43	54
Limerick ...	100,895	3.62	19.68	4.88	13.17	13.29	0.52	1.09	1.51	4.53	81
Limerick Co. Borough	39,448	8.42	25.63	3.26	13.38	16.49	0.91	1.29	.	1.98	76
Tipperary, North Riding.	59,645	3.87	18.83	2.85	13.55	13.14	0.23	1.02	2.67	.	60
Tipperary, South Riding.	81,370	3.58	19.52	5.54	12.84	13.38	0.41	0.85	4.41	0.63	67
Waterford ...	51,915	3.93	17.78	4.88	13.62	13.15	0.29	1.00	.	1.08	63
Waterford Co. Boro.	26,647	5.18	23.64	1.75	13.89	15.60	1.05	1.50	.	.	92
MUNSTER ...	969,902	4.24	18.43	3.54	12.83	13.07	0.50	1.07	1.85	2.80	66
Galway ...	169,366	4.08	19.48	2.36	12.53	11.76	0.33	1.00	2.73	2.73	59
Leitrim ...	55,907	3.70	15.99	2.13	12.65	10.73	0.41	0.79	3.36	2.24	46
Mayo ...	172,690	3.26	16.98	1.40	11.16	10.14	0.23	0.90	2.05	4.09	39
Roscommon ...	83,556	3.18	15.39	2.72	13.07	11.22	0.34	0.90	0.78	2.33	48
Sligo ...	71,388	3.24	16.92	2.07	12.94	11.51	0.42	1.08	.	1.66	65
CONNAUGHT	552,907	3.54	17.40	2.06	12.26	11.04	0.32	0.94	1.97	2.91	51
Cavan ...	82,452	3.92	16.46	4.86	13.04	11.60	0.27	0.86	2.21	2.95	47
Donegal ..	152,508	3.35	16.68	4.48	12.84	11.44	0.20	1.02	1.97	2.36	50
Monaghan ..	65,131	4.22	17.30	3.37	13.48	11.96	0.25	1.01	0.89	2.66	46
ULSTER (part of).	300,091	3.70	16.75	4.34	13.04	11.61	0.23	0.98	1.79	2.59	43

*See note * on previous page.

† The rates for Saorstát Éireann and the City of Dublin are calculated on the population estimated to the middle of 1934. The estimated population for the City of Dublin was 424,000.

TABLE 16—BIRTH, DEATH, PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1934, in provinces and in administrative counties.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.				DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.			Puerperal Sepsis.	Other Puerperal Conditions.	Infants under One Year of Age.
			All Causes Corrected for Transfers.	Principal Epidemic Diseases.*	Tuberculosis.			
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	876,851	24·07	13·68	0·73	1·56	1·53	2·18	78
ALL RURAL DISTRICTS	2,095,141	17·16	12·67	0·32	1·00	1·95	3·30	55
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	669,830	24·89	13·85	0·79	1·65	1·40	2·21	81
CITY OF DUBLIN† ...	405,300	25·65	13·50	0·73	1·70	1·20	2·57	80
Borough of Dun Laoghaire† ...	35,111	19·40	15·47	0·43	1·25	·	1·47	88
Cork County Borough	78,490	23·52	14·91	1·07	1·63	2·17	1·08	78
Limerick County Borough ...	39,448	25·63	13·38	0·91	1·29	·	1·98	76
Waterford County Borough ...	26,647	23·64	13·89	1·05	1·50	·	·	92
Galway U.D. ...	14,227	28·89	15·46	0·77	2·25	2·43	·	92
Dundalk U.D. ...	13,996	22·94	15·08	1·14	2·07	6·23	·	93
Drogheda U.D. ...	12,716	38·70	14·08	0·79	1·10	2·74	·	38
Wexford U.D. ...	11,879	25·17	14·98	0·42	2·10	10·03	6·69	70
Sligo U.D. ...	11,437	22·65	14·08	0·96	1·31	·	3·86	124
Tralee U.D. ...	10,533	20·51	10·54	1·33	1·52	·	·	74
Kilkenny U.D. ...	10,046	24·29	15·03	0·60	1·99	·	8·20	107
URBAN DISTRICTS, under 10,000 Population ...	207,021	21·34	13·10	0·52	1·28	2·04	2·04	67
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN:—								
Province of Leinster	561,892	25·64	14·13	0·71	1·70	1·39	2·57	78
Province of Munster	249,022	22·80	13·96	0·89	1·43	1·59	1·23	77
Province of Connaught	43,536	23·45	13·02	0·64	1·56	2·94	2·94	88
Province of Ulster (part of).	22,401	20·85	12·14	0·27	0·98	2·14	·	58
ALL RURAL DISTRICTS IN:—								
Province of Leinster	587,200	18·67	13·63	0·34	1·20	2·10	3·56	57
Province of Munster	720,880	16·92	12·44	0·36	0·95	1·97	3·52	61
Province of Connaught	509,371	16·88	12·20	0·29	0·89	1·86	2·91	47
Province of Ulster (part of).	277,690	16·42	13·11	0·23	0·98	1·75	2·85	47

* See note * on page 24

† The rates for the City of Dublin and the Borough of Dun Laoghaire have been calculated on the population estimated to the middle of 1934.

TABLE 17.—Showing (1) for each of the years 1901-22, for Urban Districts (including County Boroughs) and Rural Districts of Saorstát Éireann, the rates per 1,000 of the population represented by the aggregate Births, Deaths from all Causes, Deaths from the Principal Epidemic Diseases, and from Tuberculosis,* also Infant Mortality (Deaths of Infants under one year of age per 1,000 Births); all the rates for these years being based on figures† partially corrected for Deaths in Institutions; and (2) corresponding rates for each of the years 1923-34, based on fully corrected figures.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.‡		TUBERCULOSIS* (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1901	24.90	20.83	22.22	15.48	1.67	0.57	—	—	150	74
1902	26.83	20.68	22.25	15.27	1.85	0.57	—	—	142	75
1903	26.70	20.59	20.64	15.80	1.24	0.63	—	—	132	75
1904	27.26	21.20	21.38	16.33	1.56	0.62	—	—	143	75
1905	27.21	20.94	19.77	15.31	1.18	0.55	—	—	130	72
1906	26.88	21.40	19.74	15.03	1.35	0.49	3.68	2.15	131	69
1907	26.14	21.15	20.40	15.79	1.42	0.42	3.76	2.12	133	69
1908	26.95	21.19	20.19	15.98	1.53	0.55	3.68	2.07	134	72
1909	26.64	21.61	19.18	15.90	1.36	0.58	3.27	2.01	127	70
1910	26.38	21.57	18.58	15.96	1.08	0.57	3.12	1.91	125	73
1911	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926	24.24	19.08	15.52	13.44	1.35	0.43	1.87	1.30	110	56
1927	23.93	18.82	15.88	14.31	0.98	0.33	1.96	1.25	99	56
1928	23.69	18.56	14.76	13.93	0.99	0.37	1.75	1.21	91	56
1929	23.55	18.21	15.52	14.21	0.89	0.38	1.80	1.11	93	58
1930	23.67	18.16	14.96	13.81	0.92	0.34	1.76	1.10	90	56
1931	23.21	17.64	15.46	14.12	0.96	0.32	1.81	1.11	88	58
1932	23.34	17.02	15.30	14.09	1.04	0.37	1.55	1.10	95	59
1933	23.57	17.30	14.86	12.99	0.91	0.35	1.63	0.98	85	54
1934	24.07	17.16	13.68	12.67	0.73	0.32	1.56	1.00	78	55

* Figures for Tuberculosis (all forms) are not available by Urban and Rural Districts for the years 1901-5.

† For the year 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions.

The rates given relate to the urban and rural areas as existing in the respective years.

‡ See note * on page 24.

TABLE 18.—DEATH-RATES at different AGES per 1,000 of the corresponding populations for (1) Aggregate Urban Districts,* (2) Aggregate Rural Districts, of Saorstát Éireann, in each of the years 1930-34.

(1). AGGREGATE URBAN DISTRICTS.*

YEAR.	Death-rates per 1,000 of Population at same age.											
	All Ages	Under 1 year†	Under 5 years	5-	10-	15-	20-	25-	35-	45-	55-	65 and up
MALES.												
1930	15.44	105	34.15	3.50	1.95	3.61	4.42	5.22	8.55	15.14	37.92	82.0
1931	16.05	98	34.14	3.64	2.01	3.43	4.82	5.16	8.83	17.80	37.32	87.0
1932	15.62	105	34.21	3.42	1.71	3.00	4.71	5.77	8.67	16.33	37.00	87.0
1933	15.82	97	31.56	3.50	2.03	3.51	4.43	5.82	9.37	18.10	37.67	85.0
1934	14.54	88	27.19	3.52	1.91	2.87	4.99	4.76	8.59	15.66	36.57	81.0

FEMALES.

1930	14.51	73	25.97	3.79	2.39	4.34	4.43	4.84	7.14	15.36	31.55	72.0
1931	14.93	77	27.89	2.61	2.34	3.70	4.82	5.70	7.83	13.19	31.69	77.0
1932	15.02	84	28.97	3.77	2.46	3.64	4.12	5.58	7.24	13.87	32.21	79.0
1933	14.48	72	25.57	4.48	2.34	3.36	4.64	5.17	6.68	13.60	29.72	77.0
1934	13.47	67	22.33	3.79	2.29	3.09	3.87	5.13	6.65	13.01	27.07	73.0

(2). AGGREGATE RURAL DISTRICTS.

MALES.

1930	13.60	62	16.65	2.36	1.50	2.48	3.82	4.36	5.27	9.27	22.64	71.6
1931	13.91	63	16.23	2.03	1.45	2.59	3.90	4.29	5.27	9.31	23.78	74.5
1932	14.01	64	16.50	2.19	1.42	2.75	4.22	4.41	5.42	8.74	25.01	73.4
1933	12.86	59	15.13	1.90	1.39	2.31	4.15	4.37	5.04	8.40	22.79	67.1
1934	12.71	59	14.76	1.73	1.34	2.33	3.96	4.33	4.83	7.82	23.48	66.7

FEMALES.

1930	14.04	50	13.93	1.97	1.70	2.68	4.21	5.43	6.58	10.22	24.34	66.6
1931	14.34	53	14.18	1.84	1.78	2.94	4.22	5.37	6.67	10.36	23.76	69.2
1932	14.18	53	13.92	2.16	1.62	3.27	4.35	5.36	6.30	9.79	24.35	67.4
1933	13.20	48	12.98	2.13	1.37	2.59	4.18	4.96	6.73	9.18	22.25	62.9
1934	12.90	50	12.59	1.84	1.52	2.40	4.15	4.93	6.00	8.85	22.17	62.0

*Areas as existing in the respective years.

†Per 1,000 births.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1934, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion, Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
SAORSTAT ÉIREANN ...	17,024,481	2,971,992	14,251	57,897	—	—	57,897	2,030	—	—	2,030	39,083	—	—	39,083	18,814
PROVINCES																
I.—LEINSTER ...	4,851,136	1,149,092	7,070	25,545	388	213	25,370	981	103	103	981	16,150	289	86	15,947	9,423
II.—MUNSTER ...	5,962,808	969,902	4,114	17,936	208	150	17,878	707	110	36	633	12,406	82	119	12,443	5,435
III.—CONNUGHT ...	4,230,822	552,907	1,958	9,463	45	203	9,621	151	3	50	198	6,658	15	138	6,781	2,840
IV.—ULSTER (part of) ...	1,979,720	300,091	1,109	4,953	29	104	5,028	191	1	28	218	3,869	17	60	3,912	1,116

PROVINCE OF LEINSTER

1. CARLOW ...	221,485	34,476	160	640	3	48	685	28	1	20	47	444	16	29	457	228
2. DUBLIN ...	208,920	100,554	719	1,326	19	940	2,247	9	—	64	73	1,265	224	364	1,465	842
3. CITY OF DUBLIN ...	18,781	405,200	3,548	12,673	1,869	71	10,875	600	301	4	303	6,476	890	138	5,724	5,151
4. KILDARE ...	418,644	58,028	300	1,126	20	160	1,266	24	2	35	57	657	6	80	731	535
5. KILKENNY ...	509,470	70,990	266	1,300	16	73	1,357	38	1	31	68	946	19	41	968	389
6. LAOIGHIS ...	424,892	51,540	200	844	11	67	900	22	1	24	45	703	17	43	729	171
7. LONGFORD ...	257,935	39,847	183	645	15	35	665	22	3	5	24	527	6	37	558	107
8. LOUTH ...	202,814	62,739	322	1,252	24	49	1,277	41	1	12	52	846	1	47	892	385
9. MEATH ...	577,816	62,969	263	1,048	12	113	1,149	34	1	22	55	824	18	65	871	278
10. OFFALY ...	493,637	52,592	202	938	5	45	978	15	—	18	33	638	4	68	702	276
11. WESTMEATH ...	435,604	56,818	237	1,033	15	58	1,076	24	1	19	42	806	67	35	774	302
12. WEXFORD ...	580,894	95,848	413	1,767	21	51	1,797	95	2	23	116	1,343	6	39	1,376	421
13. WICKLOW ...	500,244	57,591	257	953	13	158	1,098	29	—	37	66	675	16	101	760	338

PROVINCE OF MUNSTER.

14. CLARE	787,768	95,064	372	1,475	8	73	1,540	20	1	28	47	1,065	3	40	1,102	438
15. CORK	1,840,905	287,257	950	4,504	156	401	4,749	242	81	11	172	3,822	403	223	3,642	1,107
16. CORK CO. BORO' ...	2,685	78,490	781	2,173	412	85	1,846	9	7	27	29	1,052	248	366	1,170	676
17. KERRY	1,161,708	149,171	500	2,433	25	74	2,482	49	1	31	79	1,691	5	56	1,742	740
18. LIMERICK	661,573	100,895	365	1,868	52	170	1,986	112	27	12	97	1,413	168	84	1,329	657
19. LIMERICK CO.	2,386	39,448	332	1,118	155	48	1,011	9	2	26	33	427	71	172	528	483
20. TIPPERARY N.R. ...	493,255	59,645	231	1,225	164	62	1,123	169	146	9	32	825	63	46	808	315
21. TIPPERARY S.R. ...	558,034	81,370	291	1,573	50	65	1,588	49	—	39	88	1,041	34	38	1,045	543
22. WATERFORD	453,051	51,915	204	851	18	90	923	31	2	16	45	632	19	94	707	216
23. WATERFORD CO. BOROUGH ...	1,438	26,647	138	716	101	15	630	17	11	5	11	438	84	16	370	260

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,639	169,366	691	3,283	40	57	3,300	66	2	14	78	2,145	53	39	2,131	1,169
25. LEITRIM	376,774	55,907	207	868	9	35	894	11	—	8	19	656	—	51	707	187
26. MAYO	1,333,941	172,690	563	2,874	12	71	2,933	32	1	10	41	1,886	2	43	1,927	1,006
27. ROSCOMMON	608,540	83,556	266	1,231	12	67	1,286	20	1	16	35	1,033	15	74	1,092	194
28. SLIGO	443,928	71,388	231	1,207	26	27	1,208	22	3	6	25	938	28	14	924	284

PROVINCE OF ULSTER (Part of)

29. CAVAN	467,162	82,452	323	1,304	16	69	1,357	48	1	19	66	1,010	2	67	1,075	282
30. DONEGAL	1,193,573	152,508	511	2,546	16	14	2,544	109	—	5	114	1,968	16	7	1,959	585
31. MONAGHAN	318,985	65,131	275	1,103	8	32	1,127	34	—	4	38	891	27	14	878	249

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT 1.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1934.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Population, Census 1926	Total Number of Marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as corrected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No. 1. CARLOW	221,485	34,476	160	640	3	48	685	28	1	20	47	444	16	29	457	228
2. Dublin Co.																
2. BALBOTHERRY	84,405	19,396	96	290	2	122	410	1	—	11	12	234	49	85	270	140
3. DUBLIN (part of)	97,566	30,884	184	419	2	394	811	2	—	26	28	364	117	150	397	414
4. RATHDOWN	26,949	10,134	439	617	15	424	1,026	6	—	27	33	667	80	151	738	288
3. City of Dublin.																
5. DUBLIN (part of)	18,781	405,300	3,548	12,673	1,869	71	10,875	600	301	4	303	6,476	890	138	5,724	5,151
4. Kildare Co.																
6. ATHY	130,460	16,690	89	355	21	31	365	17	5	8	20	213	27	38	224	141
7. CELBRIDGE	53,703	8,116	37	105	4	39	140	3	—	5	8	57	—	33	90	50
8. NAAS	234,181	33,222	174	666	10	105	761	4	—	25	29	387	31	61	417	344
5. Kilkenny Co.																
9. CALLAN	62,169	7,370	26	120	1	20	139	2	—	9	11	60	—	23	83	56
10. CASTLECOMER	57,867	8,745	45	136	—	16	152	4	—	3	7	108	2	18	124	28
11. KILKENNY	133,462	23,569	100	556	89	31	498	17	4	16	29	382	76	27	333	165
12. THOMASTOWN	225,444	27,909	88	435	12	79	502	14	7	11	18	344	39	57	362	140
13. URLINGFORD	30,528	3,397	7	53	1	14	66	1	—	2	3	52	—	14	66	—
6. Laoighis Co.																
14. ABBEYLEIX	200,641	22,199	87	363	21	30	372	6	1	12	17	285	17	43	311	61

7. Longford Co.																	
16. BALLYMAHON ...	69,834	7,796	31	111	1	18	128	1	—	9	10	104	1	26	129	—	1
17. GRANARD ...	84,678	13,335	60	185	1	28	212	1	—	4	5	142	—	27	169	43	
18. LONGFORD ...	103,423	18,716	92	349	40	16	325	20	12	1	9	281	35	14	260	65	
8. Louth Co.																	
19. ARDEE ...	67,239	11,030	38	180	2	32	210	6	—	12	18	164	38	21	147	63	
20. DROGHEDA ...	41,979	18,278	135	476	44	11	443	21	12	2	11	249	12	24	261	182	
21. DUNDALK ...	93,596	33,431	149	596	6	34	624	14	1	10	23	433	3	54	484	140	
9. Meath Co.																	
22. DUNSHAUGHLIN ...	106,757	7,776	64	110	2	34	142	—	—	9	9	62	2	38	98	44	
23. KELLS ...	103,420	13,108	46	226	1	34	259	1	—	5	6	141	—	50	191	68	
24. NAVAN ...	182,153	22,708	87	344	6	61	399	4	—	10	14	343	64	55	334	65	
25. OLDCASTLE ...	44,099	4,876	15	90	—	7	97	6	—	2	8	33	—	13	46	51	
26. TRIM... ..	141,387	14,501	51	278	55	29	252	23	14	9	18	245	78	35	202	50	
10. Offaly Co.																	
27. BIRR ...	248,866	24,401	96	356	3	40	393	—	—	16	16	248	—	67	315	78	
28. EDENDERRY ...	81,156	6,728	24	129	1	18	146	3	—	8	11	83	—	15	98	48	
29. TULLAMORE ...	163,615	21,463	82	453	30	16	439	12	10	4	6	307	50	32	289	150	
11. Westmeath Co.																	
30. ATHLONE ...	98,984	19,004	94	336	12	23	347	4	—	5	9	201	8	35	228	119	
31. DELVIN ...	110,986	10,342	42	153	—	29	182	3	—	4	7	111	4	43	150	32	
32. MULLINGAR ...	225,634	27,472	101	544	30	33	547	17	2	11	26	494	120	2	396	151	
12. Wexford Co.																	
33. ENNISCORTHY ...	193,384	29,378	132	555	42	38	551	61	32	9	38	479	95	33	417	134	
34. GOREY ...	130,103	14,358	53	218	6	25	237	7	—	15	22	170	1	26	195	42	
35. NEW ROSS ...	124,397	20,141	83	313	6	37	344	8	1	11	18	227	7	68	288	56	
36. WEXFORD... ..	133,010	31,471	145	681	43	27	665	19	—	19	38	467	49	58	476	183	
13. Wicklow Co.																	
37. BALTINGLASS ...	154,966	10,393	37	162	14	32	180	2	—	9	11	128	12	31	147	33	
38. RATHDRUM ...	262,200	39,394	183	699	19	128	808	25	7	26	44	474	33	71	512	296	
39. SHILLELAGH ...	83,078	7,804	37	92	1	19	110	2	—	9	11	73	—	28	101	9	

ABSTRACT I.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1934.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, in Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
No. 14. Clare Co.																
40. BALLYVAGHAN ...	71,629	3,495	15	54	2	2	54	—	—	—	—	29	—	10	39	15
41. COROFIN ...	61,381	4,109	9	56	—	1	57	—	—	—	—	34	—	8	42	15
42. ENNIS ...	113,324	18,732	117	340	36	15	319	14	7	7	14	322	123	10	209	110
43. ENNISTYMON ...	99,600	15,137	46	238	5	12	245	—	—	3	3	130	4	19	145	100
44. KILLADYSERT ...	62,615	7,415	14	94	—	4	98	—	—	—	—	71	—	12	83	15
45. KILRUSH ...	137,507	22,642	109	391	4	24	411	4	—	10	14	229	4	34	259	152
46. SCARRIFF ...	241,712	23,534	62	302	2	56	356	2	—	14	16	250	—	75	325	31
No. 15. Cork Co.																
47. BANDON ...	101,482	15,233	64	314	43	31	302	—	—	13	13	149	4	42	187	115
48. BANTRY ...	107,277	11,322	33	162	—	13	175	3	—	1	4	120	3	23	140	35
49. CASTLETOWN ...	74,296	9,362	12	150	2	5	153	1	—	3	4	93	—	19	112	41
50. CLONAKILTY ...	80,994	15,695	41	217	13	16	220	18	11	3	10	219	33	13	199	21
51. CORK, part of ...	167,841	56,090	191	941	196	197	942	159	131	2	30	1,261	627	81	715	227
52. DUNMANWAY ...	103,920	11,377	30	156	3	32	185	—	—	3	3	102	—	26	128	57
53. FERMOY ...	196,733	26,785	98	403	23	21	401	17	5	6	18	367	22	26	371	30
54. KANTURK ...	185,659	21,421	106	401	11	38	428	8	1	16	23	209	1	40	248	180
55. KINSALE ...	80,129	12,659	38	160	3	27	184	3	—	3	6	131	—	41	172	12
56. MACROOM ...	179,153	19,080	63	282	12	23	293	5	—	4	9	194	1	52	245	48
57. MALLOW ...	169,102	24,468	103	422	11	77	488	20	5	11	26	303	6	67	364	124
58. MIDLETON ...	109,380	17,883	47	233	3	33	263	4	2	5	7	174	6	57	225	38
59. MILLSTREET ...	74,939	9,585	13	150	3	26	173	1	—	2	3	95	8	8	95	78
60. SKIBBEREEN ...	115,371	20,056	61	289	6	20	303	1	—	9	10	220	14	32	238	65
61. SKULL ...	57,669	7,060	25	81	1	7	87	—	—	—	—	55	—	17	72	15
62. YOUGHAL ...	36,960	9,181	25	143	5	14	152	2	—	4	6	130	25	26	131	21

16. Cork Co Borough																		
63. CORK, part of ...	2,685	78,490	731	2,173	412	85	1,846	9	7	27	29	1,052	248	366	1,170	676		
17. Kerry Co.																		
64. CAHERIVEEN ...	198,101	18,224	50	236	8	14	242	4	—	4	8	181	1	28	208	34		
65. DINGLE ...	126,454	15,855	41	194	2	9	201	—	—	5	5	136	—	31	167	34		
66. KENMARE ...	198,416	11,432	28	161	—	11	172	1	—	1	2	98	1	12	109	63		
67. KILLARNEY ...	251,430	33,257	105	565	23	15	557	26	14	7	19	456	74	25	407	150		
68. LISTOWEL ...	165,500	29,552	109	581	8	36	609	9	—	17	26	341	—	44	385	224		
69. TRALEE ...	221,807	40,851	167	696	26	31	701	9	3	13	19	479	51	38	466	235		
18. Limerick Co.																		
70. CROOM ...	83,369	10,087	51	352	207	18	163	80	70	—	10	190	80	14	124	39		
71. KILMALLOCK ...	164,342	24,284	77	403	8	111	506	—	—	34	34	269	—	75	344	162		
72. LIMERICK, part of ...	142,823	25,417	90	411	34	129	506	24	20	16	20	447	186	72	333	173		
73. NEWCASTLE ...	143,840	23,884	81	438	2	64	500	5	—	14	19	349	81	47	315	185		
74. RATHKEALE ...	127,199	17,223	66	264	2	49	311	3	—	11	14	158	—	55	213	98		
19. Limerick Co. Borough																		
75. LIMERICK, part of ...	2,386	39,448	332	1,118	155	48	1,011	9	2	26	33	427	71	172	528	483		
20. Tipperary N.R.																		
76. BORRISOKANE ...	109,667	9,213	18	129	—	21	150	1	—	2	3	84	—	27	111	39		
77. NENAGH ...	183,392	20,792	76	402	28	22	396	4	—	8	12	300	8	31	323	73		
78. ROSCREA ...	57,541	7,586	27	288	163	8	133	159	155	2	6	180	90	16	106	27		
79. THURLES ...	142,655	22,054	110	406	7	45	444	5	2	8	11	261	18	25	268	176		
21. Tipperary S.R.																		
80. CARRICK-ON-SUIR ...	26,118	6,893	43	166	5	6	167	5	—	2	7	89	—	14	103	64		
81. CASHEL ...	222,782	26,000	68	469	40	50	479	31	14	8	25	376	79	22	319	160		
82. CLOGHEEN ...	117,415	12,348	52	188	—	22	210	6	—	7	13	118	1	27	144	66		
83. CLONMEL ...	47,305	13,777	50	289	44	29	274	5	1	13	17	198	46	24	176	98		
84. TIPPERARY ...	144,414	22,352	78	461	44	41	458	2	—	24	26	260	11	54	303	155		
22. Waterford Co.																		
85. DUNGARVAN ...	144,323	18,287	66	337	21	11	327	21	8	2	15	259	35	19	243	84		
86. KILMATHOMAS ...	64,595	6,321	10	86	—	16	102	5	—	2	7	54	—	23	77	25		
87. LISMORE ...	97,178	10,802	49	172	5	8	175	2	—	2	4	136	3	31	164	11		
88. WATERFORD, part of ...	146,955	16,505	79	256	10	73	319	3	—	16	19	183	10	50	223	96		
23. Waterford Co. Borough																		
89. WATERFORD, part of ...	1,438	26,647	138	716	101	15	630	17	11	5	11	438	84	16	370	260		

* See note (*) on page 31.

ABSTRACT 1.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1934.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No. 90. BALLINASLOE	125,574	15,064	99	298	4	34	328	—	—	7	7	233	74	43	202	126
91. CLIPDEN	193,692	13,760	51	217	2	14	229	3	—	2	5	163	—	38	201	28
92. GALWAY	198,512	34,294	190	1,031	196	12	847	51	41	4	14	661	203	31	489	358
93. GLENAMADDY	82,958	11,639	33	188	—	7	195	—	—	3	3	117	—	18	135	60
94. GORT	106,321	10,750	35	168	—	28	196	2	—	7	9	97	—	29	126	70
95. LOUGHREA	198,917	19,257	68	292	1	51	342	1	—	14	15	247	69	52	230	112
96. MOUNTBELLEW	102,407	12,652	31	148	—	10	158	—	—	2	2	93	—	21	114	44
97. OUGHTERARD	173,438	14,494	67	271	2	22	291	2	—	8	10	130	2	34	162	129
98. PORTUMNA	77,262	8,356	23	122	3	12	131	—	—	3	3	72	—	19	91	40
99. TUAM	208,558	29,100	94	548	4	39	583	7	3	6	10	332	27	76	381	202
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,587	10,422	40	130	7	13	136	2	—	3	5	125	14	29	140	— 4
101. MANORHAMILTON	177,423	21,791	79	338	10	16	344	9	4	4	9	279	28	26	277	67
102. MOHILL	135,764	23,694	88	400	5	19	414	—	—	5	5	252	—	38	290	124
26. Mayo Co																
103. BALLINA	251,108	28,929	111	509	1	29	537	3	—	6	9	279	1	42	320	217
104. BALLINROBE	147,105	18,293	56	298	1	15	312	1	—	5	6	227	26	33	234	78
105. BELMULLET	179,761	13,720	56	273	2	5	276	1	—	2	3	120	1	9	128	148
106. CASTLEBAR	141,211	23,879	72	391	54	5	342	24	20	—	4	408	184	9	233	109
107. CLAREMORRIS	110,789	20,573	51	358	2	28	384	—	—	2	2	217	—	47	264	120

108. SWINFORD	156,063	36,994	119	591	6	23	608	1	—	6	7	367	5	75	437	171
109. WESTPORT	347,904	30,302	98	454	3	23	474	2	—	8	10	268	—	43	311	163
27. Roscommon Co.																
110. BOYLE	122,372	18,656	47	232	2	23	253	3	—	8	11	206	2	37	241	12
111. CASTLEREAGH	163,690	27,152	94	376	1	14	389	—	—	3	3	246	—	61	307	82
112. ROSCOMMON	322,478	37,748	125	623	18	39	644	17	4	8	21	581	68	31	544	100
28. Sligo Co.																
113. DROMORE WEST	97,543	10,834	22	160	3	7	164	1	—	2	3	99	—	22	121	43
114. SLIGO	220,516	44,698	170	780	36	24	768	20	6	6	20	680	79	11	612	156
115. TOBERCURRY	125,869	15,856	39	267	—	9	276	1	—	1	2	159	—	32	191	85

MARRIAGES, BIRTHS AND DEATHS, 1934.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).

29. Cavan Co.																
116. BAILIEBOROUGH	113,901	21,473	85	322	1	53	374	14	—	9	23	189	—	92	281	93
117. BAWNBOY	102,420	12,232	46	181	2	8	187	1	—	3	4	131	—	20	151	36
118. CAVAN	250,841	48,747	192	801	53	48	796	33	11	17	39	690	79	32	643	153
30. Donegal Co.																
119. BALLYSHANNON	41,628	8,848	23	167	13	6	160	4	1	3	6	114	25	7	96	64
120. DONEGAL	160,441	16,552	41	263	6	7	264	12	—	4	16	218	13	27	232	32
121. DUNFANAGHY	126,123	14,252	32	248	2	4	250	4	—	1	5	182	—	23	205	45
122. GLENTIES	258,505	30,081	92	421	3	19	437	1	—	12	13	333	6	38	365	72
123. INISHOWEN	160,021	25,035	92	418	4	10	424	11	—	7	18	303	3	18	318	106
124. LETTERKENNY	160,377	18,909	76	351	2	6	355	13	—	2	15	280	64	16	232	123
125. MILFORD	112,089	16,884	52	247	2	6	251	7	—	2	9	200	—	19	219	32
126. STRANORLAR	174,889	21,947	103	431	35	7	403	57	25	—	32	338	58	12	292	111
31. Monaghan Co.																
127. CARRICKMACROSS	65,680	13,740	52	201	—	18	219	1	—	4	5	143	1	22	164	55
128. CASTLEBLAYNEY	63,834	13,932	67	304	54	9	259	29	12	1	18	273	103	9	179	80
129. CLONES	64,288	12,352	58	203	4	17	216	2	—	2	4	135	—	45	180	36
130. MONAGHAN	125,183	25,107	98	395	2	40	433	2	—	9	11	340	37	52	355	78

* See note (*) on page 31.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
SAORSTÁT ÉIREANN ...	14,251	13,431	820	562	125	65	56	2	10	3,271	3,562	4,035	3,383
PROVINCES.													
LEINSTER ...	7,070	6,596	474	331	40	41	51	2	9	1,346	1,816	2,225	1,683
MUNSTER ...	4,114	3,988	126	105	4	15	1	—	1	1,114	939	1,062	999
CONNAUGHT ...	1,958	1,920	38	28	8	2	—	—	—	529	549	465	415
ULSTER (part of) ...	1,109	927	182	98	73	7	4	—	—	282	258	283	286

PROVINCE OF

CARLOW ...	160	155	5	5	—	—	—	—	—	35	30	51	44
DUBLIN ...	719	641	78	65	5	6	2	—	—	115	200	244	160
CITY OF DUBLIN ...	3,548	3,263	285	174	23	29	48	2	9	827	901	1,174	846
KILDARE ...	800	292	8	6	1	1	—	—	—	65	88	78	69
KILKENNY ...	266	253	13	12	—	—	—	—	—	67	67	60	72
LAOIGHIS ...	200	190	10	9	—	1	—	—	—	44	48	53	55
LONGFORD ...	183	173	10	10	—	—	—	—	—	41	35	73	34
LOUTH ...	322	313	9	4	4	—	1	—	—	58	85	108	71
MEATH ...	263	256	7	3	4	—	—	—	—	50	77	63	73
OFFALY ...	202	197	5	4	1	—	—	—	—	60	51	51	40
WESTMEATH ...	237	229	8	8	—	—	—	—	—	54	41	79	63
WEXFORD ...	413	401	12	11	1	—	—	—	—	87	116	127	83
WICKLOW ...	257	233	24	20	1	3	—	—	—	43	77	64	73

PROVINCE OF

CLARE ...	372	369	3	2	1	—	—	—	—	82	78	97	115
CORK ...	950	904	46	41	1	4	—	—	—	293	211	214	232
CORK CO. BOROUGH ...	731	696	35	24	2	8	—	—	1	154	181	248	148
KERRY ...	500	488	12	11	—	1	—	—	—	165	112	90	133
LIMERICK ...	365	361	4	3	—	1	—	—	—	135	64	82	84
LIMERICK CO. BOROUGH ...	332	330	2	1	—	1	—	—	—	66	83	101	82
TIPPERARY, N.R. ...	231	219	12	11	—	—	1	—	—	61	49	60	61
TIPPERARY, S.R. ...	291	288	3	3	—	—	—	—	—	76	76	79	60
WATERFORD ...	204	202	2	2	—	—	—	—	—	50	46	58	50
WATERFORD CO. BOROUGH ...	138	131	7	7	—	—	—	—	—	32	39	33	34

PROVINCE OF

GALWAY ...	691	681	10	5	4	1	—	—	—	209	178	151	153
LEITRIM ...	207	204	3	3	—	—	—	—	—	42	76	51	38
MAYO ...	563	557	6	6	—	—	—	—	—	142	177	125	119
ROSCOMMON ...	266	262	4	3	1	—	—	—	—	79	54	75	58
SLIGO ...	231	216	15	11	3	1	—	—	—	57	64	63	47

PROVINCE OF

CAVAN ...	323	269	54	41	11	2	—	—	—	82	90	73	79
DONEGAL ...	511	430	81	34	43	2	2	—	—	136	104	132	139
MONAGHAN ...	275	228	47	23	19	3	2	—	—	64	64	79	68

registered in the Year 1934.

MARRIAGES.								PROVINCES AND COUNTIES
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
13,171	239	708	133	841	372	259	1,114	SAORSTÁT ÉIREANN.
6,493	129	370	78	448	207	168	663	PROVINCES.
3,837	57	189	31	220	88	64	280	LEINSTER.
1,818	31	94	15	109	46	18	87	MUNSTER.
1,023	22	55	9	64	31	9	84	CONNAUGHT.
								ULSTER (part of).

LEINSTER

148	2	9	1	10	3	1	12	CARLOW.
652	10	50	7	57	17	12	49	DUBLIN.
3,261	60	187	40	227	100	109	340	CITY OF DUBLIN.
271	8	16	5	21	13	3	36	KILDARE.
244	7	13	2	15	9	5	21	KILKENNY.
185	3	9	3	12	6	1	20	LAOIGHIS.
165	4	12	2	14	6	7	18	LONGFORD.
304	6	10	2	12	8	8	34	LOUTH.
244	6	13	—	13	6	3	19	MEATH.
187	5	7	3	10	8	1	13	OFFALY.
217	7	10	3	13	10	6	19	WESTMEATH.
381	6	21	5	26	11	8	60	WEXFORD.
234	5	13	5	18	10	4	22	WICKLOW.

MUNSTER

344	7	18	3	21	10	3	26	CLARE.
885	13	47	5	52	18	11	48	CORK.
678	10	35	8	43	18	13	40	CORK CO. BOROUGH.
472	2	23	3	26	5	8	18	KERRY.
334	8	20	3	23	11	3	33	LIMERICK.
314	6	10	2	12	8	12	40	LIMERICK CO. BOROUGH.
221	1	9	—	9	1	4	17	TIPPERARY, N.R.
275	4	9	3	12	7	4	23	TIPPERARY, S.R.
186	4	13	1	14	5	2	21	WATERFORD.
128	2	5	3	8	5	4	14	WATERFORD CO. BOROUGH.

CONNAUGHT

650	15	20	6	26	21	6	32	GALWAY.
191	3	12	1	13	4	—	9	LEITRIM.
526	2	30	5	35	7	6	25	MAYO.
245	4	15	2	17	6	3	9	ROSCOMMON.
206	7	17	1	18	8	3	12	SLIGO.

ULSTER (part of)—

291	9	20	3	23	12	4	16	CAVAN.
479	6	21	5	26	11	3	54	DONEGAL.
253	7	14	1	15	8	2	14	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages in the year 1934—by Provinces and Counties.

Provinces and Counties.		AGES AT DEATH																								
		TOTAL																								
		BIRTHS	TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards
SAORSTÁT EIREANN	Persons	57,897	39,083	3,664	583	289	226	197	4,959	657	476	731	1,001	932	956	1,022	1,076	1,319	1,992	2,382	3,418	4,104	5,627	6,446	1,783	202
	Males	29,825	19,920	2,086	288	148	124	89	2,735	322	225	363	533	457	433	495	536	672	1,030	1,291	1,913	2,205	2,786	3,040	801	83
	Females	28,072	19,163	1,578	295	141	102	108	2,224	335	251	368	468	475	523	527	540	647	962	1,091	1,505	1,899	2,841	3,406	982	119
LEINSTER	Persons	25,370	15,947	1,754	317	130	94	82	2,377	285	196	322	439	420	425	456	472	615	942	1,080	1,425	1,621	2,099	2,191	541	41
	Males	13,141	8,173	1,038	155	66	51	39	1,349	142	96	162	240	194	198	219	249	311	492	614	787	861	1,071	968	207	13
	Females	12,229	7,774	716	162	64	43	43	1,028	143	100	160	199	226	227	237	223	304	450	466	638	760	1,028	1,223	334	28
MUNSTER	Persons	17,878	12,443	1,176	160	104	67	60	1,567	214	162	226	329	272	314	301	346	407	608	750	1,122	1,319	1,930	1,949	566	61
	Males	9,200	6,332	656	81	56	34	21	848	97	77	110	172	150	144	161	173	212	300	394	637	687	958	930	258	24
	Females	8,678	6,111	520	79	48	33	39	719	117	85	116	157	122	170	140	173	195	308	356	485	632	972	1,019	308	37
CONNAUGHT	Persons	9,621	6,781	491	71	41	43	37	683	113	75	127	164	155	140	163	151	196	286	333	497	677	996	1,495	468	62
	Males	4,908	3,455	249	37	20	23	20	349	63	30	65	79	74	53	70	71	103	166	170	285	397	477	741	229	33
	Females	4,713	3,326	242	34	21	20	17	334	50	45	62	85	81	87	93	80	93	120	163	212	280	519	754	239	29
ULSTER (part of)	Persons	5,028	3,912	243	35	14	22	18	332	45	43	56	69	85	77	102	107	101	156	219	374	487	602	811	208	38
	Males	2,576	1,960	143	15	6	16	9	189	20	22	26	42	39	38	45	43	46	72	113	204	260	280	401	107	13
	Females	2,452	1,952	100	20	8	6	9	143	25	21	30	27	46	39	57	64	55	84	106	170	227	322	410	101	25
LEINSTER.																										
CARLOW	Persons	685	457	48	7	4	3	4	66	6	7	7	13	7	12	9	5	17	23	25	38	63	78	60	20	1
	Males	342	248	27	3	3	3	2	38	3	3	2	8	3	7	4	3	8	14	13	25	33	46	28	10	—
	Females	343	209	21	4	1	—	2	28	3	4	5	5	4	5	5	2	9	9	12	13	30	32	32	10	1
DUBLIN	Persons	2,247	1,105	162	35	9	8	5	219	26	32	33	43	36	41	44	34	58	79	100	112	135	149	193	64	7
	Males	1,179	710	100	16	3	5	4	128	13	23	21	26	13	23	22	18	28	43	56	54	66	74	77	22	3
	Females	1,068	695	62	19	6	3	1	91	13	9	12	17	23	18	22	16	30	36	44	58	69	75	116	42	4
CITY OF DUBLIN.	Persons	10,875	5,724	867	166	48	42	32	1,155	147	66	112	175	166	173	206	234	289	401	372	493	485	571	541	130	8
	Males	5,676	2,841	510	74	24	20	13	641	71	29	54	98	78	79	115	132	146	221	216	255	229	236	204	35	2
	Females	5,199	2,883	357	92	24	22	19	514	76	37	58	77	88	94	91	102	143	180	156	238	256	335	337	95	6
KILDARE	Persons	1,266	731	90	10	15	5	7	127	12	9	13	14	24	24	21	14	30	38	47	75	60	96	97	27	3
	Males	649	386	49	8	2	3	3	65	8	1	8	10	12	8	4	8	15	17	27	43	34	63	51	12	—
	Females	617	345	41	2	13	2	4	62	4	8	5	4	12	16	17	6	15	21	20	32	26	33	46	15	3
KILKENNY	Persons	1,357	968	101	17	7	4	6	135	11	11	17	15	13	23	23	30	23	54	71	79	99	155	181	25	3
	Males	691	515	62	11	4	2	3	82	5	9	7	10	5	7	5	16	14	24	37	43	54	95	89	12	1
	Females	666	453	39	6	3	2	3	53	6	2	10	5	8	16	18	14	9	30	34	36	45	60	92	13	2
LAOIGHIS	Persons	900	729	44	8	6	6	2	66	3	7	14	20	23	13	7	18	19	46	47	80	91	129	117	27	2
	Males	465	398	27	2	5	5	2	45	2	4	9	8	12	5	3	5	10	25	21	49	55	81	55	9	—
	Females	435	331	17	2	1	1	—	21	1	3	5	12	11	8	4	13	9	21	26	31	36	48	62	18	2
LONGFORD	Persons	665	558	27	6	2	4	1	40	4	5	7	3	7	6	17	13	15	26	39	53	74	91	124	30	4
	Males	341	308	14	3	1	2	1	21	2	1	4	2	4	3	7	7	8	13	24	33	47	49	61	20	2
	Females	324	250	13	3	1	2	—	19	2	4	3	1	3	3	10	6	7	13	15	20	27	42	63	10	2

LOUTH	{	Persons	1,277	892	78	17	8	4	8	115	20	13	25	23	28	22	17	22	25	54	61	66	96	119	140	43	3
		Males	673	446	47	8	5	2	4	66	13	7	9	13	12	12	10	11	14	24	38	36	49	53	64	14	1
		Females	604	446	31	9	3	2	4	49	7	6	16	10	16	10	7	11	11	30	23	30	47	66	76	29	2
MEATH	{	Persons	1,149	871	65	7	7	5	—	84	5	8	15	24	12	19	27	19	36	52	55	86	109	148	128	43	1
		Males	590	443	31	2	4	1	—	38	4	1	8	13	5	8	14	5	13	24	35	54	66	80	56	18	1
		Females	559	428	34	5	3	4	—	46	1	7	7	11	7	11	13	14	23	28	20	32	43	68	72	25	—
OFFALY	{	Persons	978	702	46	5	4	4	3	62	8	9	12	24	15	10	14	20	22	31	52	80	90	122	106	22	3
		Males	517	357	30	1	3	3	—	37	—	4	6	12	5	6	4	8	12	13	35	45	52	62	47	9	—
		Females	461	345	16	4	1	1	3	25	8	5	6	12	10	4	10	12	10	18	17	35	38	60	59	13	3
WEST-MEATH.	{	Persons	1,076	774	50	8	4	1	4	67	14	9	12	20	17	26	17	23	23	30	59	84	89	107	142	32	3
		Males	574	409	32	6	3	1	1	43	5	6	6	9	6	15	9	13	10	19	34	43	48	59	68	15	1
		Females	502	365	18	2	1	—	3	24	9	3	6	11	11	11	8	10	13	11	25	41	41	48	74	17	2
WEXFORD	{	Persons	1,797	1,376	121	21	11	4	5	162	15	15	38	36	50	33	34	31	33	63	94	119	151	213	232	55	2
		Males	900	715	76	11	7	3	3	100	8	7	24	19	28	17	15	16	16	31	43	70	85	108	107	20	1
		Females	897	661	45	10	4	1	2	62	7	8	14	17	22	16	19	15	17	32	51	49	66	105	125	35	1
WICKLOW	{	Persons	1,098	760	55	10	5	4	5	79	14	5	17	29	22	23	20	9	25	45	58	60	79	121	130	23	1
		Males	544	397	33	6	2	1	3	45	8	1	4	12	11	8	7	7	17	24	35	37	43	65	61	11	1
		Females	554	363	22	4	3	3	2	34	6	4	13	17	11	15	13	2	8	21	23	23	36	56	69	12	—
MUNSTER.																											
GLARE	{	Persons	1,540	1,102	62	11	12	7	9	101	23	15	12	23	20	31	20	32	28	51	62	108	101	179	207	76	13
		Males	766	571	31	7	7	3	3	51	12	6	5	11	7	12	7	21	16	23	37	62	61	92	110	31	7
		Females	774	531	31	4	5	4	6	50	11	9	7	12	13	19	13	11	12	28	25	46	40	87	97	45	6
CORK CO.	{	Persons	4,749	3,642	311	27	27	19	12	396	62	28	77	99	85	105	75	92	117	180	238	349	389	578	604	150	18
		Males	2,482	1,853	171	15	14	11	4	215	28	12	39	53	56	61	42	34	58	94	124	199	200	276	270	84	8
		Females	2,267	1,789	140	12	13	8	8	181	34	16	38	46	29	44	33	58	59	86	114	150	189	302	334	66	10
CORK CO. BOROUGH.	{	Persons	1,846	1,170	144	32	18	9	11	214	24	11	18	28	27	35	47	40	48	76	88	101	119	154	102	34	4
		Males	937	563	81	21	9	4	2	117	11	7	10	8	11	16	28	20	26	46	47	55	44	63	37	10	2
		Females	909	607	63	11	9	5	9	97	13	4	8	20	16	19	19	20	22	30	41	46	75	88	65	24	2
KERRY	{	Persons	2,482	1,742	133	23	13	10	7	186	34	33	35	56	46	46	46	50	48	74	89	125	180	266	304	109	15
		Males	1,281	872	67	9	4	5	4	89	16	17	18	30	24	22	25	27	25	31	45	69	105	134	147	43	5
		Females	1,201	870	66	14	9	5	3	97	18	16	17	26	22	24	21	23	23	43	44	56	75	132	157	66	10
LIMBRICK CO.	{	Persons	1,986	1,329	160	16	8	4	5	193	13	25	25	34	20	26	32	36	50	57	79	99	134	211	224	66	5
		Males	1,006	671	89	8	5	2	3	107	4	10	15	23	12	7	16	20	29	23	36	55	63	115	103	32	1
		Females	980	658	71	8	3	2	2	86	9	15	10	11	8	19	16	16	21	34	43	44	71	96	121	34	4
LIMBRICK CO. BOROUGH.	{	Persons	1,011	528	77	16	5	6	4	108	21	11	13	21	11	13	15	23	33	32	36	46	38	65	38	4	—
		Males	523	262	42	5	4	3	1	55	9	5	3	10	5	5	12	12	20	17	23	25	17	27	14	3	—
		Females	488	266	35	11	1	3	3	53	12	6	10	11	6	8	3	11	13	15	13	21	21	38	24	1	—
TIPPERARY, N.R.	{	Persons	1,123	808	67	10	3	3	2	85	11	8	15	22	19	15	16	17	23	45	38	81	99	129	125	55	5
		Males	558	439	42	4	2	—	—	48	5	3	7	10	11	5	9	9	11	21	25	54	47	74	76	24	—
		Females	565	369	25	6	1	3	2	37	6	5	8	12	8	10	7	8	12	24	13	27	52	55	49	31	5
TIPPERARY, S.R.	{	Persons	1,588	1,045	106	11	10	6	3	136	11	10	13	21	27	25	20	23	28	53	57	103	133	182	163	39	1
		Males	824	559	64	3	5	4	—	76	6	5	6	14	14	9	8	13	16	26	30	59	79	87	72	18	1
		Females	764	506	42	8	5	2	3	60	5	5	7	7	13	16	12	10	12	27	27	44	54	95	91	21	—

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages in the year 1934.

Provinces and Counties.		TOTAL BIRTHS.	AGES AT DEATH																							
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards
WATER- FORD CO.	Persons	923	707	58	8	2	—	1	69	7	13	12	12	9	13	20	18	20	29	44	68	84	118	143	28	—
	Males	494	376	36	3	1	—	—	40	5	8	3	6	6	6	9	9	5	14	19	38	50	64	82	12	—
	Females	429	331	22	5	1	—	1	29	2	5	9	6	3	7	11	9	15	15	25	30	34	54	61	16	—
WATERFORD CO. BOROUGH	Persons	630	370	58	6	6	3	6	79	8	8	6	13	8	5	10	15	12	11	19	42	42	48	39	5	—
	Males	329	186	33	6	5	2	4	50	1	4	4	7	4	1	5	8	6	5	8	21	21	21	19	1	—
	Females	301	184	25	—	1	1	2	29	7	4	2	6	4	4	5	7	6	6	11	21	21	27	20	4	—
CONNAUGHT.																										
GALWAY	Persons	3,300	2,131	195	25	22	17	11	270	47	24	39	53	55	36	64	40	63	92	97	134	194	257	480	162	24
	Males	1,695	1,114	105	14	11	8	6	144	27	10	23	28	28	18	26	18	31	57	52	72	116	117	257	78	12
	Females	1,605	1,017	90	11	11	9	5	126	20	14	16	25	27	18	38	22	32	35	45	62	78	140	223	84	12
LEITRIM	Persons	894	707	41	4	2	10	4	61	12	4	16	19	14	18	9	15	10	26	36	74	89	133	134	37	—
	Males	427	365	21	2	1	5	—	29	5	1	9	9	8	10	—	6	5	15	16	49	56	64	64	19	—
	Females	467	342	20	2	1	5	4	32	7	3	7	10	6	8	9	9	5	11	20	25	33	69	70	18	—
MAYO	Persons	2,933	1,927	114	24	9	11	13	171	31	27	45	45	45	40	47	44	63	81	103	117	197	271	422	158	20
	Males	1,494	947	61	13	4	7	9	94	21	10	19	22	20	15	23	19	35	42	54	64	115	111	195	78	10
	Females	1,439	980	53	11	5	4	4	77	10	17	26	23	25	25	24	25	28	39	49	53	82	160	227	80	10
ROSCOMMON	Persons	1,286	1,092	62	9	3	4	4	82	7	12	11	23	29	22	18	29	39	45	54	93	105	181	268	64	10
	Males	673	556	29	5	2	2	2	40	2	3	7	12	15	2	12	13	23	23	27	58	58	98	121	35	7
	Females	613	536	33	4	1	2	2	42	5	9	4	11	14	20	6	16	16	22	27	35	47	83	147	29	3
SLIGO	Persons	1,208	924	79	9	5	1	5	99	16	8	16	24	12	24	25	23	21	42	43	79	92	154	191	47	8
	Males	619	473	33	3	2	1	3	42	8	6	7	8	3	8	9	15	9	29	21	42	52	87	104	19	4
	Females	589	451	46	6	3	—	2	57	8	2	9	16	9	16	16	8	12	13	22	37	40	67	87	28	4
ULSTER (part of).																										
DUBLIN	Persons	1,357	1,075	64	7	4	4	3	82	15	11	8	19	22	20	33	32	34	40	52	112	147	188	198	52	10
	Males	709	555	39	2	3	4	1	49	7	3	4	14	10	9	12	21	16	24	30	69	86	81	95	24	1
	Females	648	520	25	5	1	—	2	33	8	8	4	5	12	11	21	11	18	16	22	43	61	107	103	28	9
DONEGAL	Persons	2,544	1,959	127	18	5	13	12	175	23	23	35	37	51	43	49	52	48	73	110	155	220	277	441	122	25
	Males	1,275	947	72	10	1	9	7	99	11	11	14	20	21	24	22	13	20	27	56	79	119	134	203	64	10
	Females	1,269	1,012	55	8	4	4	5	76	12	12	21	17	30	19	27	39	28	46	54	76	101	143	238	58	15
MONAGHAN	Persons	1,127	878	52	10	5	5	3	75	7	9	13	13	12	14	20	23	19	43	57	107	120	137	172	34	3
	Males	592	458	32	3	2	3	1	41	2	8	8	8	8	5	11	9	10	21	27	56	55	65	103	19	2
	Females	535	420	20	7	3	2	2	34	5	1	5	5	4	9	9	14	9	22	30	51	65	72	69	15	1

ABSTRACT IV.

Causes of Death.

ABSTRACT IV.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											T U ye
			Ali Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	
		Total Deaths (All Causes) { M. F.	19,920 19,163	823 596	279 205	220 173	375 314	389 290	2,086 1,578	288 295	148 141	124 102	89 108	2 2
(1-17)	(1-44)	I. Infectious and Para- sitic Diseases. { M. F.	2,678 2,667	10 9	17 22	21 22	37 49	80 66	165 168	79 91	50 51	51 41	37 52	
1	1	Typhoid Fever .. { M. F.	53 36	.	.	.	.	.	.	.	.	.	.	
1	2	Paratyphoid Fever { M. F.	.	.	.	.	.	.	.	.	.	.	.	
2	3	Typhus .. { M. F.	2 2	.	.	.	.	.	.	.	.	.	.	
4	7	Measles .. { M. F.	23 27	1	.	1	1	6 4	8 5	4 5	3 3	2	2	
5	8	Scarlet Fever.. { M. F.	39 43	.	.	.	.	1	1	3 3	6 2	5 4	4 9	
6	9	Whooping-cough .. { M. F.	124 159	6 4	5 15	10 11	17 28	41 35	79 93	30 40	4 11	3 6	2 4	1 1
7	10	Diphtheria .. { M. F.	140 201	1	1	1	.	2 4	3 6	8 8	10 16	22 15	11 23	
8	11	Influenza .. { M. F.	320 369	1 1	1 1	3 5	4 2	4 5	13 14	7 3	6 2	4 2	2 3	
		(a) With respiratory complications. { M. F.	82 91	.	1	1	2 1	3 4	6 6	1 1	2	1	1	
		(b) Without respiratory complications. { M. F.	238 278	1 1	1	2 5	2 1	1 1	7 8	6 2	4 2	3	1 3	
9	13	Dysentery .. { M. F.	1	.	.	.	.	.	.	.	.	.	.	
17	15	Erysipelas .. { M. F.	30 16	.	1	.	.	1 1	2 1	1	1	1	.	
17	16	Acute poliomyelitis { M. F.	2 1	.	.	.	.	.	.	.	1	.	.	
17	17	Encephalitis Lethargica { M. F.	16 7	.	.	.	.	.	.	.	.	.	.	
17	18	Cerebro-Spinal Fever .. { M. F.	9 5	.	.	.	1 1	2 1	3 2	.	2 1	.	.	
17	20	Anthrax .. { M. F.	1	.	.	.	.	.	.	.	.	.	.	
17	22	Tetanus .. { M. F.	26 3	.	1	.	.	.	1	.	.	1	1	
11, 12	23-32	Tuberculosis (All Forms). { M. F.	1,785 1,729	1	2	4	9 14	20 13	34 29	23 30	17 11	15 10	15 12	10 9
11	23	Tuberculosis of Respiratory System. { M. F.	1,376 1,350	.	.	1	3 7	2 4	6 11	3 3	2 2	2 3	2 2	1 2
12	24-32	Tuberculosis other than Respiratory. { M. F.	409 379	1	2	3	6 7	18 9	28 18	20 27	15 9	13 7	13 10	8 7
12	24	Tuberculosis of the Central Nervous System. { M. F.	116 133	.	.	.	5 3	9 6	14 9	5 11	12 6	5 4	8 5	4 3
12	25	Tuberculosis of Intestines and Peritoneum. { M. F.	89 93	.	1	3	3	7 3	10 7	12 4	1 3	3 2	3 5	2 2
12	26	Tuberculosis of Vertebral Column. { M. F.	41 36	.	.	.	.	.	.	.	1	1	.	

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List:—

4. Relapsing Fever. 5. Undulant Fever. 6. Small pox. 12. Cholera. 14. Plague. 19. Glanders. 21. Rabies.

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
322 335	225 251	363 368	533 468	457 475	433 523	495 527	536 540	672 647	1,030 982	1,291 1,091	1,913 1,505	2,205 1,899	2,786 2,841	3,040 3,406	801 982	83 119		
132 158	84 128	189 232	294 299	235 266	208 218	203 167	152 148	135 96	148 109	100 80	131 86	126 107	107 106	46 59	5 5	1	(1-44)	(1-17)
1	4 7	8 3	10 4	6 4	5 4	2 1	6 3	4 4	2 2	2 2	3 1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5 4	3	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11 6	3	3 2	1 4	5	1 3	1	2	1	1	1	1	1	1	1	1	1	1	1
6 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60 81	17 29	3 7	1 3	1	2	3	1 3	2 1	2	1	2	1	1	1	1	1	1	1
2 3	3 3	1 3	8 9	4 4	3 12	7 7	6 11	9 8	12 22	21 18	33 44	61 69	78 83	35 47	4 4	1	11	8
1	1	1	2	4	2	2	2	2	6	11	6	11	16	7	1	1	11a	11a
2 3	2 3	3	6 7	2	3 8	5 5	4 6	7 3	6 16	10 11	27 34	50 47	62 70	28 41	4 4	1	11b	11b
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13	9
1	2	1 2	3	1	1	1	1	1	4 2	5 1	4 1	4 2	1	1 2	1	1	15	17
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	17
1 2	1	1	3	2 1	2	2	2 1	3 3	1	1	1	2	1	1	1	1	17	17
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18	17
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20	17
1	4 1	1	3	1	3	1	1	1	2	1	2	1	2	1	1	1	22	17
37 55	45 79	164 212	262 275	218 244	189 195	184 150	134 124	110 76	121 77	63 56	80 37	49 30	16 18	8 8	1 1	1	23-32	11, 12
2 10	18 47	119 171	216 233	177 213	159 169	162 128	115 111	99 61	108 62	59 49	70 32	36 22	15 15	6 5	1	1	23	11
35 45	27 32	45 41	46 42	41 31	30 26	22 22	19 13	11 15	13 15	4 7	10 5	13 8	1 3	2 3	1	1	24-32	12
14 30	12 20	16 16	14 15	6 8	3 3	2 1	1	2 2	1	1 1	1 1	1	1	1	1	1	24	12
12 7	2 5	9 6	7 13	4 4	8 8	2 11	2 7	5 3	3 6	2	3	2	1	1	1	1	25	12
1	1 1	5 2	9 5	10 4	6 6	3 2	3	1	1 3	1 2	1 2	1 1	1	1	1	1	26	12

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES										
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—
		Infectious and Parasitic Diseases—continued.											
12	27	Tuberculosis of Other {M. Bones and Joints. .. F.	44 27	. .	. 1	. .	. .	. .	. 1	. 1	. .	1 .	. .
12	28	Tuberculosis of Skin {M. and Subcutaneous F. Tissues. ..	4 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
12	29	Tuberculosis of Lym- {M. phatic System. .. F.	6 11	. .	. .	. .	. .	. .	. .	2 .	. .	1 .	. .
12	30	Tuberculosis of Genito- {M. Urinary System. .. F.	22 11	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
12	32	Disseminated Tubercu- {M. losis. .. F.	87 65	1 .	. .	. .	1 1	2 .	4 1	3 9	1 .	3 .	2 .
13	34	Syphilis {M. F.	7 6	2 .	1 .	. 1	1 1	. .	4 2	. 1	. 1	. .	. .
17	35	Gonococcal Infection and {M. Other Venereal Disease F.	3 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
14	36	Purulent Infection, {M. Septicæmia. .. F.	83 50	. 2	6 3	1 4	2 1	2 2	11 12	3 .	. 1	1 1	. .
15	38	Malaria {M. F.	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
16	42	Other Diseases due to {M. Helminths. .. F.	4 3	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	. 1
17	43	Mycoses {M. F.	4 3	. .	. .	1 1	. .	1 .	2 1	. .	. .	. .	. .
17	44	Other Infectious or Para- {M. sitic Diseases. .. F.	5 5	. .	2 .	. .	2 2	1 .	5 2	. 1	. 2	. .	. .
(18, 19)	(45- 55)	II. Cancer and Other Tumours. {M. F.	1,851 1,706	. .	1 .	. .	1 2	1 .	3 2	. .	. 1	. 1	1 3
18	45- 53*	Cancer, Malignant Dis- {M. ease. .. F.	1,797 1,608	. .	1 .	. .	. .	1 .	2 .	. .	1 .	. .	1 3
19	54	Non-malignant Tumours {M. F.	11 44	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
19	55	Tumours of unspecified {M. nature .. F.	43 54	. .	. .	. .	1 2	. .	1 2	. .	. .	1 .	. .
(20- 25)	(56- 69)	III. Rheumatism, Dis- eases of Nutrition and of Endocrine Glands, and Other General Diseases. {M. F.	373 454	1 .	2 .	2 1	1 5	8 5	14 11	5 2	1 1	. 1	1 3
20	56	Rheumatic Fever .. {M. F.	64 72	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	. 1
21	57	Chronic Rheumatism, Osteo-Arthritis {M. F.	124 153	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(a) Chronic Rheuma- {M. tism. .. F.	75 84	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(b) Rheumatoid Arthr- {M. itis, Osteo-Arthritis F.	49 69	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
21	58	Gout {M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
22	59	Diabetes Mellitus .. {M. F.	132 135	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List:—

31. Tuberculosis of other organs. 33. Leprosy. 37. Yellow Fever. 39. Other diseases due to protozoa.
40. Ankylostomiasis. 41. Hydatid Cysts.

* For deaths according to the individual numbers from 45 to 53 see Table L., pp. xxviii-xxix.

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
4 1	2 2	6 4	3 1	7 2	2 3	5 .	2 1	3 2	3 1	1 1	.	4 4	.	1 1	.	.	27	12
1 .	1 .	.	.	.	1 .	1 .	1 .	.	.	.	1 .	1 .	.	.	.	.	28	12
1 .	.	1 .	.	4 .	1 .	1 .	1 .	1 .	1 .	.	.	1 1	.	1 .	.	.	29	12
.	1 .	1 2	1 .	3 1	3 3	4 2	6 .	.	1 2	.	2 .	1 .	.	.	.	.	30	12
4 6	8 4	7 11	13 7	11 8	6 3	6 4	6 2	1 6	4 2	1 1	4 .	2 1	1 1	.	.	.	32	12
.	.	.	.	1 .	.	.	1 .	.	.	.	.	1 .	1 .	.	.	.	34	13
.	.	.	.	.	.	.	.	.	1 .	2 .	.	.	.	1 .	.	.	35	17
6 1	5 3	4 .	3 1	3 4	3 2	6 4	1 4	5 2	5 3	6 2	10 2	4 4	6 4	1 .	.	.	36	14
.	.	.	.	1 .	.	.	.	.	.	.	1 .	.	.	.	.	.	38	15
1 .	1 .	.	.	.	1 1	.	.	.	.	.	.	.	.	.	.	.	42	16
.	.	.	.	.	1 .	1 .	.	.	.	.	.	.	1 1	.	.	.	43	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	44	17
1 4	3 5	1 6	8 6	13 13	26 20	22 52	56 70	96 149	208 199	268 237	325 256	332 254	278 237	187 170	22 18	1 3	(45-55)	(18-19)
1 3	2 3	1 3	7 2	11 9	23 15	21 48	52 65	89 135	201 188	262 233	318 243	324 244	274 229	185 164	22 17	1 3	45-53*	18
.	1 .	1 .	1 2	1 3	3 .	2 .	3 .	3 8	3 .	3 .	2 5	3 4	1 2	1 3	1 .	.	54	19
1 .	1 1	2 .	2 .	1 1	3 2	1 2	4 2	4 6	7 8	6 1	5 8	5 6	4 6	1 3	.	.	55	19
13 11	8 16	20 18	11 15	10 9	11 13	18 12	9 17	12 19	30 37	25 45	44 53	54 65	45 50	38 47	3 9	1 .	(56-69)	(20-25)
10 3	7 10	14 9	6 6	4 4	4 5	5 4	1 4	4 4	2 3	2 5	1 3	1 2	1 4	2 2	.	.	56	20
.	.	1 1	1 .	1 3	1 .	3 2	3 2	2 3	10 16	7 10	15 20	30 31	28 31	20 28	2 5	1 .	57	21
.	.	1 .	1 .	1 .	.	1 .	2 .	2 .	3 10	3 3	12 9	16 16	20 18	16 18	2 4	1 .	57a	
.	.	1 .	.	1 2	1 .	2 2	3 .	2 1	7 6	4 7	3 11	14 15	8 13	4 10	.	.	57b	
.	.	.	.	.	.	.	.	.	.	.	1 .	.	.	.	.	.	58	21
1 2	1 4	3 4	3 2	5 .	3 3	7 2	3 2	5 6	12 13	10 21	24 21	22 25	15 11	15 16	1 3	.	59	22

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGE										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—
		III. Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.—con.											
23	60	Scurvy { M. F.	2 .	. .	. .	1 .	. .	1 .	2 .	. .	. .	. .	. .
23	63	Rickets { M. F.	13 10	. .	1 .	1 .	3 .	5 2	7 5	3 1	1 .	. .	2 .
23	64	Osteomalacia .. { M. F.	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
25	65	Diseases of Pituitary Gland. { M. F.	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
24	66	Diseases of the Thyroid and Parathyroid Glands { M. F.	17 62	1 .	. .	1 .	. .	1 1	2 2	. 1	. .	. .	. .
		(a) Simple Goitre .. { M. F.	2 15	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(b) Exophthalmic Goitre. { M. F.	11 37	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(c) Myxœdema: Cretinism. { M. F.	1 7	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .
		(d) Tetany { M. F.	3 2	1 .	. .	1 .	. .	1 .	2 1	1 .	. .	. .	. .
		(e) Other { M. F.	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
25	67	Diseases of the Thymus { M. F.	4 5	. .	1 .	. .	1 2	1 .	3 3	1 .	. .	. .	. .
25	68	Diseases of the Adrenals { M. F.	9 10	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
25	69	Other General Diseases { M. F.	5 5	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .
(26-27)	(70-74)	IV. Diseases of the Blood and Hæmatopoietic Organs. { M. F.	185 201	1 2	. .	. .	2 .	4 4	7 6	2 2	2 5	1 1	. 2
27	70	Hæmorrhagic Con- { M. F.	13 16	1 2	. .	. .	. .	3 1	4 3	. .	1 1	. .	. 1
		(a) Purpura { M. F.	10 12	1 1	. .	. .	. .	3 .	4 1	. .	1 1	. .	1 .
		(b) Hæmophilia .. { M. F.	3 4	. 1	. .	. .	. .	. 1	. 2	. .	. .	. .	. .
26	71	Anæmias { M. F.	138 156	. .	. .	. .	2 .	. 1	2 1	2 1	1 2	. 1	. .
		(a) Pernicious Anæmia { M. F.	110 114	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .
		(b) Other Anæmias and Chlorosis. { M. F.	28 42	. .	. .	. .	1 .	. 1	1 1	2 1	1 2	. 1	. .
27	72	Leukæmias, Aleukæmias. { M. F.	33 25	. .	. .	. .	. .	1 1	1 1	. .	1 .	1 .	1 .
		(a) Leukæmia { M. F.	17 16	. .	. .	. .	. .	1 1	1 1	. .	. .	1 .	. 1
		(b) Aleukæmia (Lymphadenoma: Hodgkin's Disease). { M. F.	16 9	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
27	73	Diseases of the Spleen .. { M. F.	1 4	. .	. .	. .	. .	. 1	. 1	. 1	. 1	. .	. .

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List:—
61. Beri-beri. 62. Pellagra. 74. Other Diseases of the Blood and Hæmatopoietic Organs.

at different Periods of Life in the Year 1934.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	23	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	63	23	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64	23	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
2	.	2	6	2	2	1	2	1	3	1	3	1	.	3	.	.	65	25	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	1	.	.	.	2	.	1	.	1	.	1	.	.	.	66	24	
.	.	.	.	.	.	1	2	.	3	.	3	.	1	.	.	.			
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66a		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	2	4	1	2	3	5	1	2	1	2	1	1	.	.	.	66b		
2	.	.	1	1	.	1	.	.	.	.	.	.	1	.	.	.			
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	66c		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66d		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	66e		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	67	25	
.	1	1	1	.	1	1	1	2	2	4	1	1	1	1	.	.			
.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	68	25	
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	1	1	.	.	.	.	.	1	.	1	1	.	69	25	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
4	1	6	5	5	4	6	9	14	13	26	32	23	22	3	.	.	(70-74)	(26-27)	
4	4	10	5	3	7	12	14	24	29	13	22	18	9	10	1	.			
1	.	2	.	.	1	.	.	1	.	.	1	1	1	.	.	.	70	27	
1	1	2	.	.	.	2	1	1	1	.	1	1	1	.	.	.			
1	1	1	.	.	1	.	2	1	.	.	1	1	1	.	.	.	70a		
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	70b		
1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
1	1	2	3	3	2	5	6	10	10	21	30	20	17	3	1	.	71	26	
1	3	4	2	3	6	10	12	16	26	12	21	16	9	9	.	.			
.	.	1	2	2	2	4	6	10	9	15	27	17	13	1	.	.	71a		
1	2	3	2	1	3	9	11	11	23	8	18	12	8	2	.	.			
.	1	1	1	1	3	1	1	.	1	6	3	3	4	2	.	.	71b		
.	1	1	.	2	.	1	1	5	3	4	3	4	1	7	1	.			
3	.	2	2	2	.	1	3	3	3	5	1	1	2	4	.	.	72	27	
2	.	4	3	.	1	.	1	6	2	1	.	1	1	.	.	.			
3	.	1	1	.	.	.	2	.	1	3	.	1	3	.	.	.	72a		
2	.	2	2	.	.	.	.	5	2	.	.	.	.	1	.	.			
.	.	1	1	2	.	1	1	3	2	2	1	1	1	.	.	.	72b		
.	.	2	1	.	1	.	1	1	.	1	.	1	.	.	.	.			
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	73	27	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.			

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 year
(28-29)	75-77	V. Chronic Poisoning. { M. F.	13 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
28	75	Alcoholism, Acute or Chronic. { M. F.	10 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
29	77	Chronic Poisoning by Mineral Substances. { M. F.	3 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
(30-37)	(78-89)	VI. Diseases of the Nervous System and Sense Organs. { M. F.	1,709 1,893	85 54	33 17	18 14	37 24	49 31	222 140	25 39	9 18	5 6	9 9	27 21
36	78	Encephalitis .. { M. F.	17 21	. .	. .	. .	. .	1 1	1 1	3 .	. .	. .	. 1	. .
		(a) Abscess of Brain .. { M. F.	11 10	. .	. .	. .	. .	1 .	1 .	1 .	. .	. .	. .	. .
		(b) Others .. { M. F.	6 11	. .	. .	. .	. .	. 1	. 1	2 .	. .	. .	1 .	. .
30	79	Simple Meningitis .. { M. F.	188 107	2 .	1 .	2 .	6 2	12 9	23 11	10 10	5 9	5 3	5 5	4 3
31	80	Tabes Dorsalis (Locomotor Ataxy). { M. F.	10 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
36	81	Other Diseases of the Spinal Cord. { M. F.	43 26	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
32	82	Cerebral Hæmorrhage, Apoplexy, etc. { M. F.	992 1,311	. .	. .	. .	1 .	. .	1 .	1 1	2 .	. .	1 .	. .
		(a) Cerebral Hæmorrhage. { M. F.	581 787	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(b) Cerebral Thrombosis, Embolism. { M. F.	93 127	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(c) Cerebral Softening { M. F.	12 21	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(d) Hemiplegia .. { M. F.	199 244	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(e) Other Forms of Paralysis. { M. F.	107 182	. .	. .	. .	1 .	. .	1 .	1 1	2 .	. .	1 .	. .
33	83	General Paralysis of Insane. { M. F.	12 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
34	84	Other Forms of Insanity { M. F.	76 72	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
35	85	Epilepsy .. { M. F.	89 67	. .	. .	. .	1 .	2 1	3 1	. 3	. .	. .	. .	. .
36	86	Convulsions (under 5 years). { M. F.	201 157	83 54	32 17	15 14	27 20	31 20	188 125	9 24	1 6	. 1	3 1	20 14
36	87	Other Diseases of Nervous System. { M. F.	102 104	. .	. .	. .	1 .	. .	1 .	. .	1 2	. 1	. .	. .
		(a) Chorea .. { M. F.	3 3	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
		(b) Neuritis .. { M. F.	12 11	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(c) Paralysis Agitans. { M. F.	27 29	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(d) Disseminated Sclerosis. { M. F.	20 24	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
		(e) Other .. { M. F.	40 37	. .	. .	. .	1 .	. .	1 .	. .	1 2	. .	. .	. .

NOTE.—No deaths occurred from the following disease, shown in the Detailed International List:—
76. Chronic poisoning by Organic substances.

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	.	.	.	2	.	.	3	.	5	2	.	1	.	.	(75-77)	(28-29)
.	.	.	.	.	.	2	.	.	2	.	4	1	.	1	.	.	75	28
.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	77	29
36 19	32 20	33 24	36 30	28 28	36 36	45 45	35 41	53 76	80 128	132 124	186 187	212 239	270 353	200 283	24 46	1 2	(78-89)	(30-37)
2 1	2	1 2	.	2 2	3 2	1 1	.	1	2	2	1	2	.	.	.	.	78	36
1	1	1 1	.	2 1	2 2	1 1	.	1	1	1	1	1	.	.	.	.	78a	
1 1	1	1	1	1	1	.	2	.	1 1	1	.	1	.	.	.	.	78b	
23 11	15 12	12 8	10 11	4 7	7 5	7 3	4 3	2 3	1 3	1 1	2 2	1	.	1	.	.	79	30
.	.	.	.	.	.	.	1	2	1	1	3	2	1	.	.	.	80	31
.	.	1	1	4 1	1	2 3	3	5 1	2 4	6 1	8 5	4 4	4 3	3 2	1	.	81	36
2 2	3 1	6 1	4 5	5 4	7 13	13 14	13 23	32 65	44 99	89 98	139 157	176 205	247 327	184 261	22 43	1 2	82	32
1	1	2	3	2	1 5	6 13	9 15	19 38	24 62	51 62	77 103	111 121	144 189	116 153	14 24	1 1	82a	
.	.	.	1	2	1 3	2 1	1	1 4	2 10	12 9	14 11	13 15	26 30	18 32	2 9	.	82b	
.	.	1	.	.	1 1	.	.	1 2	1	.	5 3	.	2 4	1 7	.	.	82c	
.	.	.	1	1	4 2	1	2	8 7	11 19	19 20	27 24	40 42	49 67	33 52	4 8	.	82d	
2 1	2 1	3 1	3	2 2	.	4 6	1 6	3 4	6 8	7 6	16 16	12 26	26 37	16 17	2 1	.	82e	
.	.	.	.	.	4	4 1	1	1	1	.	1	.	.	.	.	.	83	33
.	.	.	2	5 2	1 2	2 8	3	6 11	12 10	16 12	14 5	8 8	4 4	4 5	2	.	84	34
2	7 3	3 8	9 9	5 8	8 8	8 4	7 2	2 1	9 3	7 2	5 5	9 4	5 4	.	.	.	85	35
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	86	36
4 3	4	5 3	8 1	3 3	5 6	7 9	6 5	2 3	7 6	11 8	12 12	11 12	8 15	7 13	.	.	87	36
1	1	1 1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	87a	
.	.	.	.	1 1	1	.	.	.	4 1	3 1	1 1	1 2	1 3	1	1	.	87b	
.	.	.	1	1	.	3	1	1	.	2	7 5	3 7	6 6	5 8	.	.	87c	
.	.	1	1	1	4 3	3 2	2 4	1 1	.	3 2	2 4	2 1	2	.	1	.	87d	
4 2	3	4 1	6 1	1	1 2	4 4	3 1	.	3 3	3 3	2 4	4 2	1 4	.	5	.	87e	

ABSTRACT IV.—continued—CAUSES OF DEATH

		Causes of Death	AGES											
Intermediate International List Nos.	Detailed International List Nos.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years
		VI. Diseases of the Nervous System and Sense Organs												
		—contd.												
37	88	Diseases of the Eye .. {M. F.	5	.	.	.	1	1	.	.	.	.	.	.
37	89	Diseases of the Ear and Mastoid Sinus. {M. F.	29 21	.	.	1	1 1	3 1	5 1	2 1	.	1 1	1	2
		(a) Otitis, and Other Diseases of the Ear. {M. F.	19 11	.	.	.	.	2 1	2 1	1 1	.	.	.	.
		(b) Diseases of the Mastoid Sinus. {M. F.	10 10	.	.	1	1	1	3	1	1	.	.	2
(38-46)	(90-103)	VII. Diseases of the Circulatory System. {M. F.	3,645 3,622	.	1 1	.	2	.	3 1	1 1	2 1	2 2	.	3
(38-43)	90-95	Heart Diseases ... {M. F.	3,283 3,302	.	.	.	1	.	1 1	1 1	.	2 2	.	3
38	90	Pericarditis .. {M. F.	24 13	.	.	.	1	.	1	.	.	1	.	.
39	91	Acute Endocarditis {M. F.	53 64	.	.	.	.	.	.	.	.	1	.	2
40	92	Chronic Endocarditis, Valvular Disease. {M. F.	809 798	.	.	.	.	.	.	.	.	.	2	.
41	93	Diseases of the Myocardium. {M. F.	1,416 1,470	.	.	.	.	.	.	1	.	.	.	.
		(a) Acute Myocarditis {M. F.	20 11	.	.	.	.	.	.	.	.	.	.	.
		(b) Fatty Heart .. {M. F.	52 35	.	.	.	.	.	.	.	.	.	.	.
		(c) Chronic Myocarditis, Myocardial Degeneration. {M. F.	624 673	.	.	.	.	.	.	.	.	.	.	.
		(d) Other, and not specified. {M. F.	720 751	.	.	.	.	.	.	1	.	.	.	.
42	94	Diseases of the Coronary Arteries: Angina Pectoris. {M. F.	164 92	.	.	.	.	.	.	.	.	.	.	.
43	95	Other Heart Diseases {M. F.	817 865	.	.	.	.	.	.	.	1	.	.	1
		(a) Functional .. {M. F.	99 132	.	.	.	.	.	.	.	.	.	.	.
		(b) Other, and not stated. {M. F.	718 733	.	.	.	.	.	.	.	1	.	.	1
44	96	Aneurysm (other than Heart) {M. F.	17 10	.	.	.	.	.	.	.	.	.	.	.
45	97	Arterio-Sclerosis .. {M. F.	195 158	.	.	.	.	.	.	.	.	.	.	.
45	98	Gangrene .. {M. F.	58 56	.	1	.	.	.	1	.	.	.	.	.
46	99	Other Diseases of the Arteries. {M. F.	15 18	.	.	.	.	.	.	.	.	.	.	.
46	100	Diseases of the Veins .. {M. F.	11 11	.	.	.	.	.	.	.	.	.	.	.
46	101	Diseases of Lymphatic System. {M. F.	6 3	.	1	.	1	.	1 1	.	1	.	.	.
46	102	Idiopathic Abnormalities of Blood Pressure. {M. F.	57 60	.	.	.	.	.	.	.	.	.	.	.
46	103	Other Diseases of the Circulatory System. {M. F.	3 4	.	.	.	.	.	.	.	1	.	.	.

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	.	.	.	2	.	.	3	.	5	2	.	1	.	.	(75-77)	(28-29)
.	.	.	.	.	.	2	.	.	2	.	4	1	.	1	.	.	75	28
.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	77	29
36 19	32 20	33 24	36 30	28 28	36 36	45 45	35 41	53 76	80 128	132 124	186 187	212 239	270 353	200 283	24 46	1 2	(78-89)	(30-37)
2 1	2	1 2	1	2 2	3 2	1 1	3	1	1 2	2	1	2	.	.	.	.	78	36
1	1	1 1	.	2 1	2 2	1 1	1	1	1	1	1	1	.	.	.	.	78a	
1 1	1	1	1	1	1	.	2	.	1 1	1	.	1	.	.	.	.	78b	
23 11	15 12	12 8	10 11	4 7	7 5	7 3	4 3	3	1 3	1 1	2 2	1	.	1	.	.	79	30
.	.	.	.	.	.	.	1	2	1	1	3	2	1	.	.	.	80	31
.	.	1	1	4 1	1	2 3	3	5 1	2 4	6 1	8 5	4 4	4 3	3 2	1	.	81	36
2 2	3 1	6 1	4 5	5 4	7 13	13 14	13 23	32 55	44 99	89 98	139 157	176 205	247 327	184 261	22 43	1 2	82	32
1	1	2	3	2	1 5	6 13	9 15	19 38	24 62	51 103	77 121	111 121	144 189	116 153	14 24	1 1	82a	
.	.	.	1	.	1	2	1	1	2	12	14	13	26	18	2	.	82b	
.	.	.	1	2	3	1	.	4	10	9	11	15	30	32	9	.	82c	
.	.	1	.	.	1	.	.	1	1	5	3	1	2	1	2	.	82d	
.	.	.	1	1	4 2	1	2	8 7	11 19	19 20	27 24	40 42	49 67	33 52	4 8	.	82e	
2 1	2 1	3 1	3	2 2	.	4	1 6	3 4	6 8	7 6	16 16	12 26	26 37	16 17	2	1	83	33
.	.	.	.	.	4	4 1	1	1	1	.	1	.	.	.	.	.	84	34
.	.	.	2	5 2	1 2	2 8	3	6 11	12 10	16 12	14 5	8 8	4 4	4 5	2	.	85	35
2	7 3	3 8	9 9	5 8	8 8	8 4	7 2	2 1	9 3	7 2	5 5	9 4	5 4	.	.	.	86	36
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	87	36
4 3	4	5 3	8 1	3 3	5 6	7 9	6 5	2 3	7 6	11 8	12 12	11 12	8 15	7 13	.	.	87a	
1	1	1 1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	87b	
.	.	.	.	1 1	1	.	.	.	4 1	3 1	1 1	1 2	1 3	1	1	.	87c	
.	.	.	1	1	.	3	1	1	.	2	7 5	3 7	6 6	5 8	.	.	87d	
.	.	1	.	1 1	4 3	3 2	2 4	1 1	2	3 4	2 2	3 1	.	.	1	.	87e	
4 2	3	4 1	6 1	.	1 2	4 4	3 1	2	3 3	3 3	2 4	4 2	1 4	5	.	.		

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death	AGES A											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years
		VI. Diseases of the Nervous System and Sense Organs												
		—contd.												
37	88	Diseases of the Eye .. {M. F.	5	.	.	.	1	.	1	.	.	.	.	.
37	89	Diseases of the Ear and {M. Mastoid Sinus. {F.	29 21	.	.	1	1 1	3	5 1	2 1	.	.	2	4
		(a) Otitis, and Other {M. Diseases of the Ear. {F.	19 11	.	.	.	1	2	2 1	1 1	.	1	.	.
		(b) Diseases of the {M. Mastoid Sinus. {F.	10 10	.	.	1	1	1	3	1	1	.	2	.
(38-46)	(90-103)	VII. Diseases of the Circulatory System.	3,645 3,622	.	1 1	.	2	.	3 1	1 1	2 1	2 2	3	.
(38-43)	90-95	Heart Diseases ... {M. F.	3,283 3,302	.	.	.	1	.	1	1 1	.	2 2	3	.
38	90	Pericarditis .. {M. F.	24 13	.	.	.	1	.	1	.	.	1	.	.
39	91	Acute Endocarditis {M. F.	53 64	.	.	.	.	.	.	.	.	1	2	.
40	92	Chronic Endocarditis, {M. Valvular Disease. {F.	809 798	.	.	.	.	.	.	.	.	2	.	.
41	93	Diseases of the Myocar- {M. dium. {F.	1,416 1,470	.	.	.	.	.	.	1	.	.	.	.
		(a) Acute Myocarditis {M. F.	20 11	.	.	.	.	.	.	.	.	.	.	.
		(b) Fatty Heart .. {M. F.	52 35	.	.	.	.	.	.	.	.	.	.	.
		(c) Chronic Myocarditis, {M. Myocardial Degener- {F. ation. ..	624 673	.	.	.	.	.	.	.	.	.	.	.
		(d) Other, and not {M. specified. {F.	720 751	.	.	.	.	.	.	1	.	.	.	.
42	94	Diseases of the Coronary {M. Arteries: Angina Pec- {F. toris.	164 92	.	.	.	.	.	.	.	.	.	.	.
43	95	Other Heart Diseases {M. F.	817 865	.	.	.	.	.	.	.	1	.	1	.
		(a) Functional .. {M. F.	99 132	.	.	.	.	.	.	.	.	.	.	.
		(b) Other, and not {M. stated. {F.	718 733	.	.	.	.	.	.	.	1	.	1	.
44	96	Aneurysm (other than {M. Heart) {F.	17 10	.	.	.	.	.	.	.	.	.	.	.
45	97	Arterio-Sclerosis .. {M. F.	195 158	.	.	.	.	.	.	.	.	.	.	.
45	98	Gangrene .. {M. F.	58 56	.	1	.	.	.	1	.	.	.	.	.
46	99	Other Diseases of the {M. Arteries. {F.	15 18	.	.	.	.	.	.	.	.	.	.	.
46	100	Diseases of the Veins .. {M. F.	11 11	.	.	.	.	.	.	.	.	.	.	.
46	101	Diseases of Lymphatic {M. System. {F.	6 3	.	1	.	1	.	1 1	.	1	.	.	.
46	102	Idiopathic Abnormalities {M. of Blood Pressure. {F.	57 60	.	.	.	.	.	.	.	.	.	.	.
46	103	Other Diseases of the {M. Circulatory System. {F.	3 4	.	.	.	.	.	.	.	1	.	.	.

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
1	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	88	37
3	1	6	2	.	.	1	1	1	2	1	1	1	1	1	.	.	89	37
1	4	1	1	.	.	2	1	1	1	.	.	3	.	.	.	.	89a	
2	1	3	2	.	.	1	1	1	2	1	.	1	.	1	.	.	89b	
1	2	1	.	.	.	2	.	.	1	.	.	1	.	.	.	.		
1	2	3	1	.	.	.	1	1	.	.	1	2	1	.	.	.		
14	21	14	40	35	35	40	82	120	191	303	530	670	770	676	94	2	(90-103)	(38-46)
13	13	17	22	33	41	68	78	130	198	309	457	581	768	743	132	6	90-95	(38-43)
12	21	14	39	33	35	36	76	113	163	277	467	614	692	598	86	2	90-95	(38-43)
12	18	17	21	31	38	65	69	113	181	284	410	528	715	668	119	6	90-95	(38-43)
1	1	1	2	1	1	1	1	1	1	2	3	4	3	.	.	.	90	38
4	4	3	7	13	6	3	3	1	2	.	1	3	1	1	.	.	91	39
4	7	5	3	7	9	7	10	1	2	1	2	2	.	2	.	.	91	39
5	7	5	12	6	9	10	24	37	51	76	131	148	151	124	12	1	92	40
7	8	8	13	12	16	17	23	26	54	84	108	110	146	139	24	1	92	40
2	2	1	7	6	10	12	24	38	63	115	181	271	326	304	53	5	93	41
1	1	2	3	4	5	18	23	41	66	109	171	260	362	328	72	.	93	41
1	2	.	2	2	.	.	2	1	.	3	.	2	2	3	.	.	93a	
1	1	.	1	1	.	1	.	1	.	.	3	1	1	2	.	.	93b	
.	.	.	.	1	2	3	3	2	1	3	8	10	9	10	.	.	93b	
.	.	.	.	1	1	.	3	.	3	3	5	11	6	3	.	.	93b	
.	.	1	1	.	1	5	8	14	29	46	80	124	143	144	28	.	93c	
.	.	.	2	.	.	6	11	15	33	45	62	120	163	170	44	2	93c	
1	.	.	4	3	7	4	11	21	33	60	93	135	172	147	25	.	93d	
.	.	2	4	4	4	11	9	25	33	61	101	128	192	153	28	3	93d	
.	.	.	.	.	1	4	4	7	12	28	25	32	29	21	1	.	94	42
.	.	.	1	.	.	2	1	7	7	8	22	13	16	15	.	.	94	42
1	7	4	11	7	9	6	20	29	34	56	126	156	182	148	20	1	95	43
1	1	1	1	8	7	20	11	38	50	82	104	143	189	184	23	.	95	43
1	.	.	3	.	2	2	3	4	3	5	19	20	17	19	2	.	95a	
1	.	1	1	1	1	1	2	8	9	6	30	24	27	19	2	.	95a	
1	7	4	8	7	7	4	17	25	31	51	107	136	165	129	18	1	95b	
.	1	.	.	7	7	19	9	30	41	76	74	119	162	165	21	.	95b	
.	.	.	.	.	.	1	1	1	3	3	3	1	2	2	.	.	96	44
.	.	.	.	.	.	.	1	1	.	1	3	1	1	3	1	.	96	44
.	.	.	.	.	.	.	1	2	13	13	33	34	47	47	5	.	97	45
.	.	.	.	.	.	.	3	3	10	10	25	21	33	45	8	.	97	45
1	.	.	.	.	.	1	1	1	4	2	10	6	14	18	2	.	98	45
.	.	.	.	.	.	.	1	.	2	2	6	12	10	19	1	.	98	45
.	.	.	.	1	.	2	.	.	1	1	6	.	3	1	.	.	99	46
.	.	.	1	2	1	2	.	3	1	4	1	2	.	1	.	.	99	46
.	.	.	.	.	.	1	1	1	1	.	3	2	2	.	.	.	100	46
.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	100	46
1	.	.	1	.	.	.	.	1	.	.	.	.	.	1	1	.	101	46
.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	101	46
.	.	.	.	.	.	1	2	4	5	5	8	13	9	9	1	.	102	46
.	.	.	.	.	.	.	1	5	3	8	11	15	8	6	3	.	102	46
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	103	46
.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	103	46

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES A											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	To Un- der 5 years
47-50)	(104-114)	VIII. Diseases of the Respiratory System. {M. F.	2,743 2,291	30 22	55 29	48 24	96 71	133 95	362 241	113 102	45 35	24 19	17 13	1
50	104	Diseases of the Nasal Fossae. {M. F.	6 1	· ·	· 1	· ·	· ·	1 ·	1 1	· ·	· ·	· ·	· ·	·
50	105	Diseases of the Larynx {M. F.	14 14	1 ·	1 ·	· ·	2 1	2 ·	6 1	1 4	2 2	2 2	· 1	·
		(a) Croup .. {M. F.	7 6	1 ·	1 ·	· ·	1 ·	2 ·	5 ·	· 2	1 2	1 ·	· 1	·
		(b) Other Diseases of the Larynx {M. F.	7 8	· ·	· ·	· ·	1 1	· ·	1 1	1 2	1 ·	1 2	· ·	·
47	106	Bronchitis .. {M. F.	962 994	14 6	22 13	14 8	27 23	33 29	110 79	13 16	3 5	3 ·	2 1	1 1
		(a) Acute .. {M. F.	234 224	13 5	19 12	12 ·	6 8	13 9	63 34	5 5	· 1	· ·	1 ·	·
		(b) Chronic .. {M. F.	180 174	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·	· ·	·
		(c) Not otherwise defined. {M. F.	548 596	1 1	3 1	2 8	21 15	19 20	46 45	8 11	3 4	3 ·	1 1	·
48	107-9	Pneumonia, All Forms {M. F.	1,399 1,019	14 15	31 14	32 16	64 44	95 64	236 153	96 82	38 27	16 16	15 11	4 2
48	107	Broncho-Pneumonia .. {M. F.	560 471	9 12	28 11	26 10	44 32	67 42	174 107	71 58	22 22	12 12	7 8	2 2
48	108	Lobar Pneumonia .. {M. F.	246 135	1 ·	1 ·	· ·	4 3	9 5	15 8	5 2	2 2	2 2	2 2	·
48	109	Pneumonia (not otherwise defined). {M. F.	593 413	4 3	2 3	6 6	16 9	19 17	47 38	20 15	14 3	2 4	6 1	·
49	110	Pleurisy ... {M. F.	75 35	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 1	2 1	· ·	·
		(a) Empyema .. {M. F.	21 6	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	2 1	· ·	·
		(b) Other Pleurisy .. {M. F.	54 29	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	·
50	111	Congestion and Hemorrhagic Infarct of Lungs, etc. {M. F.	120 134	1 1	1 1	2 ·	3 3	2 2	9 7	2 ·	· ·	· ·	· ·	·
		(a) Congestion of Lungs {M. F.	114 117	1 1	1 1	2 ·	3 3	2 2	9 7	2 ·	· ·	· ·	· ·	·
		(b) Embolism, Infarct of Lungs. {M. F.	6 17	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·
50	112	Asthma .. {M. F.	115 76	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	·
50	113	Pulmonary Emphysema {M. F.	8 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·
50	114	Other Respiratory Diseases (Tuberculosis excepted). {M. F.	44 16	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	·
		(a) Chronic Interstitial Pneumonia. {M. F.	11 7	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·
		(b) Gangrene of the Lung. {M. F.	12 4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·
		(c) Other .. {M. F.	21 5	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	·

at different Periods of Life in the Year 1934.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
38 44	22 21	29 21	42 28	36 31	39 46	55 43	84 52	106 57	155 105	192 124	284 207	317 280	398 401	330 345	52 70	3 6	} 104-114	(47 50	
.	.	.	1	.	1	2	.	.	.	.	.	.	1	.	.	.		} 101	50
1 2	.	1	.	.	.	.	.	1 1	.	1	.	.	.	.	.	.	} 105	50	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	} 105a		
1 2	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	} 105b		
3 5	3 3	6 3	4 9	3 7	3 9	8 9	19 10	27 16	40 35	54 50	104 87	131 151	205 229	187 219	32 48	2 3	} 106	47	
1 1	1	.	1	1	.	5	4 2	2 1	11 8	11 9	16 23	27 32	54 51	33 39	5 10	.	} 106a		
.	1	4	2	1	1	4 3	7 3	8 6	10 8	11 10	31 17	28 36	31 36	37 41	4 9	1	} 106b		
2 4	3 1	2 3	2 6	1 5	3 8	4 1	8 5	17 9	19 19	32 31	57 47	76 83	120 142	117 139	23 29	1 3	} 106c		
30 35	15 14	15 13	26 13	26 19	30 30	34 28	48 32	57 25	84 50	90 53	140 92	138 88	141 132	113 87	10 16	1 3	} 107-9	4	
13 14	4 4	4 4	5 6	6 3	1 10	6 4	9 10	11 9	24 13	18 17	33 27	41 28	56 61	39 46	3 6	1 2	} 107	48	
4 3	3 2	4 3	7 3	7 5	8 1	11 7	13 4	14 4	23 13	18 7	37 21	31 12	20 16	18 11	2 2	.	} 108	48	
13 18	8 8	7 6	14 4	13 11	21 19	17 17	26 18	32 12	37 24	54 29	70 44	66 48	65 55	56 30	5 8	1	} 109	48	
2	3 3	4 2	3 1	2	3	2 1	4 2	7 1	7 3	9 5	9 2	7 5	7 5	2 3	.	.	} 110	49	
2	1	1 1	2	.	1	.	1	2	2 1	3 1	3	.	1 1	.	.	.	} 110a		
.	2 3	3 1	1 1	2	2	2 1	4 1	5 1	5 2	6 4	6 2	7 5	6 4	2 3	.	.	} 110b		
1	1 1	3 1	4 3	2 3	1 3	3	4 4	1 4	9 7	9 6	9 18	20 21	22 19	15 28	9 5	.	} 111	50	
1	1 1	3 1	4 1	2 1	1 1	2	3 3	1 4	9 5	8 5	8 15	18 20	21 19	15 26	9 5	.	} 111a		
.	.	.	2	2	2	1	1 1	.	2	1 1	1 3	2 1	1	2	.	.	} 111b		
1 1	.	1	2 1	1	1 3	7 1	7 3	8 6	7 10	19 8	16 6	15 14	18 15	10 7	1 1	.	} 112	50	
.	.	.	.	.	.	.	.	1	1	1	1	3 1	1	1	.	.	} 113	50	
1	.	1	2 1	2 2	1 1	2 1	2 1	4 4	7	9 2	5 2	3	3 1	3	.	.	} 114	50	
.	.	1	2	.	.	.	.	1 3	2	3 2	3	.	1	.	.	.	} 114a		
.	.	.	1	1	.	1	1 1	1	3	3	1	1	.	2	.	.	} 114b		
1	.	.	.	1 2	1	2	1	3	2	3	1 2	2	3	1	.	.	} 114c		

ABSTRACT IV.—Continued—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
33 36	17 13	19 8	30 11	35 13	17 16	46 21	48 31	44 35	60 58	81 54	112 78	83 84	98 87	67 72	9 8	.	115-129	(51-56)
4 6	2 1	1 1	1 1	4 1	.	.	2 1	1 1	1 4	.	1 3	2 3	1 2	1 2	.	.	115	58
2 .	.	.	1 .	1 .	.	.	.	.	3 .	.	1 .	1 .	.	1 .	.	.	115a	
1 3	1 1	.	1 .	2 .	.	.	.	1 1	.	.	.	1 2	1 .	1 .	.	.	115b	
1 3	1 .	1 1	.	1 .	1 .	.	2 .	.	1 1	2 .	2 .	1 .	2 .	1 .	.	.	115c	
.	.	.	.	.	.	.	.	1 .	1 2	2 .	.	.	.	1 .	.	.	116	58
.	1 .	2 1	9 1	11 2	5 .	14 1	21 8	13 9	22 12	29 7	29 8	20 15	15 8	6 7	1 1	.	117	51
.	1 .	.	6 1	8 1	4 .	8 1	13 7	9 7	14 11	21 6	23 5	14 13	12 8	6 7	1 1	.	117a	
.	.	2 .	3 1	3 1	2 .	6 1	8 2	4 1	8 1	8 1	6 3	6 2	3 .	.	.	.	117b	
1 2	.	3 .	1 .	2 .	1 1	3 4	6 2	5 3	8 5	6 11	17 15	19 17	27 25	13 18	1 2	.	118	58
2 .	.	1 .	1 .	2 .	1 .	3 3	3 .	1 1	4 3	6 10	9 13	14 13	19 22	10 13	1 2	.	118a	
1 .	.	2 .	.	.	1 .	1 .	3 2	4 2	4 2	1 .	8 2	5 4	8 3	3 5	.	.	118b	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	119	52
10 12	2 2	.	4 1	1 1	1 4	8 5	1 1	6 3	2 5	8 14	5 10	6 8	10 9	8 11	1 1	.	120	53
11 9	7 7	9 3	7 4	10 4	4 5	8 3	2 5	8 2	7 4	5 .	9 5	5 1	4 4	3 1	1 2	.	121	54
5 3	4 1	2 2	6 3	4 .	2 1	6 2	5 9	7 6	7 13	15 3	23 18	8 13	18 15	21 16	3 1	.	122	55
.	.	1 .	.	2 .	.	1 1	1 5	2 1	3 6	6 2	8 9	6 3	5 5	8 7	1 .	.	122a	
5 3	4 1	1 2	6 3	2 .	2 1	5 1	4 4	5 5	4 7	9 1	15 9	2 10	13 10	13 9	3 .	.	122b	
1 .	.	1 .	1 .	.	.	.	2 .	1 .	2 4	2 .	4 .	6 5	6 5	2 .	.	.	123	58
.	.	1 .	.	.	.	3 .	4 1	2 .	6 1	9 3	7 3	5 6	7 6	2 .	.	.	124	56
1 1	.	.	1 .	1 2	1 .	3 1	2 .	4 .	1 1	2 6	6 3	4 5	3 4	7 2	2 .	.	125	57
.	.	.	.	1 .	.	1 .	1 .	2 .	.	1 1	.	1 .	2 .	1 .	.	.	125a	
1 1	.	.	1 .	1 1	1 .	3 .	1 .	2 .	1 1	1 5	6 3	3 5	3 2	6 2	2 .	.	125b	
.	.	.	.	1 .	1 .	.	1 .	3 .	2 .	1 .	1 5	1 2	3 2	2 .	.	.	126	57
.	.	1 .	1 .	.	.	1 1	2 1	2 .	2 5	2 4	5 3	4 8	3 6	2 9	1 .	.	127	57

ABSTRACT IV.—continued—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1934.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	.	1	1	.	1	.	1	.	4	1	.	1	.	.	}	128	58
1	1	.	.	.	2	.	3	1	.	3	1	2	1	2	.	.		129	58
2	1	.	.	.	1	1	.	1	.	.	3	.	.	.	.	.			
5 3	7 4	6 4	17 10	23 22	19 27	18 29	15 29	45 32	61 45	86 54	130 64	163 88	191 91	148 76	29 9	.	}	(130) (139)	(59- 65)
5 2	7 3	6 4	16 7	18 16	17 18	15 25	13 25	36 23	58 39	65 48	92 56	102 77	108 81	79 67	12 7	.		}	130- 132
5 1	3 2	4 1	9 2	5 8	4 3	1 3	3 2	4 4	6 5	4 8	12 6	8 10	9 11	6 3	.	.	}		130
1	1	1 1	4 1	5 5	4 8	6 12	3 13	17 11	34 18	33 23	50 30	52 41	55 42	42 35	5 5	.		}	131
.	3 1	1 2	3 4	8 3	9 7	8 10	7 10	15 8	18 16	28 17	30 20	42 26	44 28	31 29	7 2	.	}		132
1	1	.	1	2 2	2	3 1	1 2	3 4	1 3	6 1	4 5	9 3	8 4	10 2	3 1	.		}	133
.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	}		134
.	.	.	.	2	.	.	1	1	1	4	6	16	16	20	5	.		}	135
.	.	.	.	.	1	.	.	1	1	2	2	6	6	3	7	1	}		135a
.	.	.	.	1	1	.	.	.	.	1	1	5	13	13	19	4		}	135b
.	.	.	.	1	.	.	.	.	.	1	.	1	3	3	1	1	}		136
.	.	.	.	.	.	.	.	2	.	3	1	1	.	2	1	.		}	136a
.	.	.	.	1	.	.	.	1	.	2	.	1	.	1	1	.	}		136b
.	.	.	.	.	.	.	.	3	1	8	27	35	59	37	8	.		}	137
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	}		138
.	.	.	3	4	8	3	2	3	1	2	1	2	2	.	.	.		}	139
.	.	.	1	1	3	2	.	2	.	2	.	2	1	.	.	.	}		139a
.	.	.	2	3	4	1	2	1	1	.	1	.	.	.	.	.		}	139b
.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	}		139c
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		}	139d

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES												Total	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	12—	13—	14—	15—	16—	17—	18—	19—	20—	21—	22—	23—	24—	25—	26—	27—	28—	29—	30—	31—	32—	33—	34—	35—	36—	37—	38—	39—	40—	41—	42—	43—	44—	45—	46—	47—	48—	49—	50—	51—	52—	53—	54—	55—	56—	57—	58—	59—	60—	61—	62—	63—	64—	65—	66—	67—	68—	69—	70—	71—	72—	73—	74—	75—	76—	77—	78—	79—	80—	81—	82—	83—	84—	85—	86—	87—	88—	89—	90—	91—	92—	93—	94—	95—	96—	97—	98—	99—	100—	101—	102—	103—	104—	105—	106—	107—	108—	109—	110—	111—	112—	113—	114—	115—	116—	117—	118—	119—	120—	121—	122—	123—	124—	125—	126—	127—	128—	129—	130—	131—	132—	133—	134—	135—	136—	137—	138—	139—	140—	141—	142—	143—	144—	145—	146—	147—	148—	149—	150—	151—	152—	153—	154—	155—	156—	157—	158—	159—	160—	161—	162—	163—	164—	165—	166—	167—	168—	169—	170—	171—	172—	173—	174—	175—	176—	177—	178—	179—	180—	181—	182—	183—	184—	185—	186—	187—	188—	189—	190—	191—	192—	193—	194—	195—	196—	197—	198—	199—	200—	201—	202—	203—	204—	205—	206—	207—	208—	209—	210—	211—	212—	213—	214—	215—	216—	217—	218—	219—	220—	221—	222—	223—	224—	225—	226—	227—	228—	229—	230—	231—	232—	233—	234—	235—	236—	237—	238—	239—	240—	241—	242—	243—	244—	245—	246—	247—	248—	249—	250—	251—	252—	253—	254—	255—	256—	257—	258—	259—	260—	261—	262—	263—	264—	265—	266—	267—	268—	269—	270—	271—	272—	273—	274—	275—	276—	277—	278—	279—	280—	281—	282—	283—	284—	285—	286—	287—	288—	289—	290—	291—	292—	293—	294—	295—	296—	297—	298—	299—	300—	301—	302—	303—	304—	305—	306—	307—	308—	309—	310—	311—	312—	313—	314—	315—	316—	317—	318—	319—	320—	321—	322—	323—	324—	325—	326—	327—	328—	329—	330—	331—	332—	333—	334—	335—	336—	337—	338—	339—	340—	341—	342—	343—	344—	345—	346—	347—	348—	349—	350—	351—	352—	353—	354—	355—	356—	357—	358—	359—	360—	361—	362—	363—	364—	365—	366—	367—	368—	369—	370—	371—	372—	373—	374—	375—	376—	377—	378—	379—	380—	381—	382—	383—	384—	385—	386—	387—	388—	389—	390—	391—	392—	393—	394—	395—	396—	397—	398—	399—	400—	401—	402—	403—	404—	405—	406—	407—	408—	409—	410—	411—	412—	413—	414—	415—	416—	417—	418—	419—	420—	421—	422—	423—	424—	425—	426—	427—	428—	429—	430—	431—	432—	433—	434—	435—	436—	437—	438—	439—	440—	441—	442—	443—	444—	445—	446—	447—	448—	449—	450—	451—	452—	453—	454—	455—	456—	457—	458—	459—	460—	461—	462—	463—	464—	465—	466—	467—	468—	469—	470—	471—	472—	473—	474—	475—	476—	477—	478—	479—	480—	481—	482—	483—	484—	485—	486—	487—	488—	489—	490—	491—	492—	493—	494—	495—	496—	497—	498—	499—	500—	501—	502—	503—	504—	505—	506—	507—	508—	509—	510—	511—	512—	513—	514—	515—	516—	517—	518—	519—	520—	521—	522—	523—	524—	525—	526—	527—	528—	529—	530—	531—	532—	533—	534—	535—	536—	537—	538—	539—	540—	541—	542—	543—	544—	545—	546—	547—	548—	549—	550—	551—	552—	553—	554—	555—	556—	557—	558—	559—	560—	561—	562—	563—	564—	565—	566—	567—	568—	569—	570—	571—	572—	573—	574—	575—	576—	577—	578—	579—	580—	581—	582—	583—	584—	585—	586—	587—	588—	589—	590—	591—	592—	593—	594—	595—	596—	597—	598—	599—	600—	601—	602—	603—	604—	605—	606—	607—	608—	609—	610—	611—	612—	613—	614—	615—	616—	617—	618—	619—	620—	621—	622—	623—	624—	625—	626—	627—	628—	629—	630—	631—	632—	633—	634—	635—	636—	637—	638—	639—	640—	641—	642—	643—	644—	645—	646—	647—	648—	649—	650—	651—	652—	653—	654—	655—	656—	657—	658—	659—	660—	661—	662—	663—	664—	665—	666—	667—	668—	669—	670—	671—	672—	673—	674—	675—	676—	677—	678—	679—	680—	681—	682—	683—	684—	685—	686—	687—	688—	689—	690—	691—	692—	693—	694—	695—	696—	697—	698—	699—	700—	701—	702—	703—	704—	705—	706—	707—	708—	709—	710—	711—	712—	713—	714—	715—	716—	717—	718—	719—	720—	721—	722—	723—	724—	725—	726—	727—	728—	729—	730—	731—	732—	733—	734—	735—	736—	737—	738—	739—	740—	741—	742—	743—	744—	745—	746—	747—	748—	749—	750—	751—	752—	753—	754—	755—	756—	757—	758—	759—	760—	761—	762—	763—	764—	765—	766—	767—	768—	769—	770—	771—	772—	773—	774—	775—	776—	777—	778—	779—	780—	781—	782—	783—	784—	785—	786—	787—	788—	789—	790—	791—	792—	793—	794—	795—	796—	797—	798—	799—	800—	801—	802—	803—	804—	805—	806—	807—	808—	809—	810—	811—	812—	813—	814—	815—	816—	817—	818—	819—	820—	821—	822—	823—	824—	825—	826—	827—	828—	829—	830—	831—	832—	833—	834—	835—	836—	837—	838—	839—	840—	841—	842—	843—	844—	845—	846—	847—	848—	849—	850—	851—	852—	853—	854—	855—	856—	857—	858—	859—	860—	861—	862—	863—	864—	865—	866—	867—	868—	869—	870—	871—	872—	873—	874—	875—	876—	877—	878—	879—	880—	881—	882—	883—	884—	885—	886—	887—	888—	889—	890—	891—	892—	893—	894—	895—	896—	897—	898—	899—	900—	901—	902—	903—	904—	905—	906—	907—	908—	909—	910—	911—	912—	913—	914—	915—	916—	917—	918—	919—	920—	921—	922—	923—	924—	925—	926—	927—	928—	929—	930—	931—	932—	933—	934—	935—	936—	937—	938—	939—	940—	941—	942—	943—	944—	945—	946—	947—	948—	949—	950—	951—	952—	953—	954—	955—	956—	957—	958—	959—	960—	961—	962—	963—	964—	965—	966—	967—	968—	969—	970—	971—	972—	973—	974—	975—	976—	977—	978—	979—	980—	981—	982—	983—	984—	985—	986—	987—	988—	989—	990—	991—	992—	993—	994—	995—	996—	997—	998—	999—	1000—	1001—	1002—	1003—	1004—	1005—	1006—	1007—	1008—	1009—	1010—	1011—	1012—	1013—	1014—	1015—	1016—	1017—	1018—	1019—	1020—	1021—	1022—	1023—	1024—	1025—	1026—	1027—	1028—	1029—	1030—	1031—	1032—	1033—	1034—	1035—	1036—	1037—	1038—	1039—	1040—	1041—	1042—	1043—	1044—	1045—	1046—	1047—	1048—	1049—	1050—	1051—	1052—	1053—	1054—	1055—	1056—	1057—	1058—	1059—	1060—	1061—	1062—	1063—	1064—	1065—	1066—	1067—	1068—	1069—	1070—	1071—	1072—	1073—	1074—	1075—	1076—	1077—	1078—	1079—	1080—	1081—	1082—	1083—	1084—	1085—	1086—	1087—	1088—	1089—	1090—	1091—	1092—	1093—	1094—	1095—	1096—	1097—	1098—	1099—	1100—	1101—	1102—	1103—	1104—	1105—	1106—	1107—	1108—	1109—	1110—	1111—	1112—	1113—	1114—	1115—	1116—	1117—	1118—	1119—	1120—	1121—	1122—	1123—	1124—	1125—	1126—	1127—	1128—	1129—	1130—	1131—	1132—	1133—	1134—	1135—	1136—	1137—	1138—	1139—	1140—	1141—	1142—	1143—	1144—	1145—	1146—	1147—	1148—	1149—	1150—	1151—	1152—	1153—	1154—	1155—	1156—	1157—	1158—	1159—	1160—	1161—	1162—	1163—	1164—	1165—	1166—	1167—	1168—	1169—	1170—	1171—	1172—	1173—	1174—	1175—	1176—	1177—	1178—	1179—	1180—	1181—	1182—	1183—	1184—	1185—	1186—	1187—	1188—	1189—	1190—	1191—	1192—	1193—	1194—	1195—	1196—	1197—	1198—	1199—	1200—	1201—	1202—	1203—	1204—	1205—	1206—	1207—	1208—	1209—	1210—	1211—	1212—	1213—	1214—	1215—	1216—	1217—	1218—	1219—	1220—	1221—	1222—	1223—	1224—	1225—	1226—	1227—	1228—	1229—	1230—	1231—	1232—	1233—	1234—	1235—	1236—	1237—	1238—	1239—	1240—	1241—	1242—	1243—	1244—	1245—	1246—	1247—	1248—	1249—	1250—	1251—	1252—	1253—	1254—	1255—	1256—	1257—	1258—	1259—	1260—	1261—	1262—	1263—	1264—	1265—	1266—	1267—	1268—	1269—	1270—	1271—	1272—	1273—	1274—	1275—	1276—	1277—	1278—	1279—	1280—	1281—	1282—	1283—	1284—	1285—	1286—	1287—	1288—	1289—	1290—	1291—	1292—	1293—	1294—	1295—	1296—	1297—	1298—	1299—	1300—	1301—	1302—	1303—	1304—	1305—	1306—	1307—	1308—	1309—	1310—	1311—	1312—	1313—	1314—	1315—	1316—	1317—	1318—	1319—	1320—	1321—	1322—	1323—	1324—	1325—	1326—	1327—	1328—	1329—	1330—	1331—	1332—	1333—	1334—	1335—	1336—	1337—	1338—	1339—	1340—	1341—	1342—	1343—	1344—	1345—	1346—	134
--	--	--	------	--	--	--	--	--	--	--	--	--	--	--	-------	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-----

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	3	27	47	86	66	40	2	.	.	.	.	.	.	.	.	(140-150)	(66-70)
.	.	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	140	68
.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	141	66
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	142	66
.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	143	66
.	.	1	2	5	12	11	12	.	.	.	.	.	.	.	.	.	144	67
.	.	1	.	1	7	3	5	.	.	.	.	.	.	.	.	.	144a	
.	.	.	2	4	5	8	7	.	.	.	.	.	.	.	.	.	144b	
.	.	.	11	26	36	22	5	.	.	.	.	.	.	.	.	.	145	68
.	.	1	10	10	10	5	10	1	.	.	.	.	.	.	.	.	146	69
.	.	.	.	1	3	5	1	.	.	.	.	.	.	.	.	.	147	69
.	.	.	2	1	6	7	4	1	.	.	.	.	.	.	.	.	148	70
.	.	.	.	.	3	5	3	1	.	.	.	.	.	.	.	.	148a	
.	.	.	2	1	3	2	1	.	.	.	.	.	.	.	.	.	148b	
.	.	1	.	2	14	13	4	.	.	.	.	.	.	.	.	.	149	70
.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	150	70
.	1	1	1	.	3	1	2	2	5	6	10	6	7	3	.	.	(151-153)	71
.	1	1	.	.	1	1	.	.	1	.	2	.	3	.	.	.	151	71
.	1	.	.	.	1	.	2	2	3	5	2	2	2	1	.	.	152	71
.	1	1	1	.	1	.	.	1	1	2	6	4	2	2	1	.	153	71
10	9	3	1	1	2	3	1	.	4	4	4	2	.	2	1	.	(154-156)	72
6	4	1	.	1	.	2	1	.	2	2	1	4	1	1	.	.	154	72
8	6	3	1	.	2	1	.	.	2	2	2	.	1	1	.	.	155	72
4	4	1	.	1	.	2	.	1	1	1	3	2	.	.	.	.	156	72
1	1	.	.	.	.	.	1	.	1	1	1	.	.	1	1	.	156a	
2	2	.	.	.	.	1	.	1	1	1	.	.	1	.	.	.	156b	
1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
2	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 year
73	157	XIV. Congenital Malformations. {M. F.	129 105	65 55	16 8	11 8	11 12	10 9	113 92	3 4	1 3	1 .	3 .	12 9
73	157	Congenital Malformations: {M. F.												
		(a) Congenital Hydro- cephalus. {M. F.	15 5	8 1	. .	1 1	1 .	2 2	12 4	. .	1 .	. .	2 .	1 .
		(b) Spina Bifida and Meningocele {M. F.	30 30	18 19	3 1	2 2	3 5	1 2	27 29	2 .	1 .	. .	. .	2 3
		(c) Congenital Malfor- mation of Heart. {M. F.	47 40	19 13	8 4	2 4	5 4	5 5	39 30	1 3	. 2	1 .	1 .	4 3
		(d) Monstrosities .. {M. F.	3 3	3 3	. .	. .	. .	. .	3 3	. .	. .	. .	. .	1 1
		(e) Other Congenital Malformations. {M. F.	34 27	17 19	5 3	6 1	2 3	2 .	32 26	. 1	. .	. .	. .	3 2
(74- 77)	(158- 161)	XV. Diseases of Early Infancy. {M. F.	820 632	576 416	97 78	60 50	64 65	23 23	820 632	. .	. .	. .	. .	820 632
74	158	Congenital Debility .. {M. F.	427 371	215 189	81 58	48 42	60 60	23 22	427 371	. .	. .	. .	. .	427 371
75	159	Premature Birth .. {M. F.	280 187	254 154	12 20	10 7	4 5	. 1	280 187	. .	. .	. .	. .	280 187
76	160	Injury at Birth .. {M. F.	45 22	45 22	. .	. .	. .	. .	45 22	. .	. .	. .	. .	45 22
77	161	<i>Other Diseases of Early Infancy.</i> {M. F.	68 52	62 51	4 .	2 1	. .	. .	68 52	. .	. .	. .	. .	68 51
		(a) Atelectasis .. {M. F.	45 35	42 34	3 .	. 1	. .	. .	45 35	. .	. .	. .	. .	45 35
		(b) Icterus Neo- natorum. {M. F.	11 7	10 7	. .	1 .	. .	. .	11 7	. .	. .	. .	. .	11 7
		(c) Sclerema and Others. {M. F.	12 10	10 10	1 .	1 .	. .	. .	12 10	. .	. .	. .	. .	12 10
78	(162)	XVI. Old Age :												
78	162	Old Age .. {M. F.	2,533 3,039	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
(79- 84)	(163- 198)	XVII. Deaths from Violence. {M. F.	635 333	13 15	3 2	2 .	4 3	3 1	25 21	14 10	24 11	23 14	11 8	9 6
79	163- 171	Suicide .. {M. F.	87 17	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
80	172- 175	Homicide; Infanticide.. {M. F.	19 7	2 4	. .	. .	1 .	. .	3 4	. .	. .	. .	. .	. .
81-84	176- 198	<i>Other Deaths by Violence.</i> {M. F.	529 309	11 11	3 2	2 .	3 3	3 1	22 17	14 10	24 11	23 14	11 8	9 6
81	176	Attack by Venomous Animals {M. F.	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
81	177	Food Poisoning .. {M. F.	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
81	178	Accidental Absorption of Toxic Gas. {M. F.	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
81	179	Other Acute Accidental Poisoning. {M. F.	2 3	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
81	181	Accidental Burns (Con- flagration excepted). {M. F.	76 107	. .	. .	1 .	1 .	3 1	5 1	10 7	16 8	16 11	4 4	5 3

NOTE.—No deaths occurred from the following cause, shown in the Detailed International List:—
180. Conflagration.

at different Periods of Life in the Year 1934.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
3 2	4 3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	157	73
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	157a	73
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157b	
1 2	4 3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157c	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157d	
1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	157e	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	(158-161)	(74-77)
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	158	74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159	75
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	160	76
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161	77
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161a	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161b	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161c	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	162	78
31 30	14 12	39 21	45 9	31 7	30 8	31 6	35 9	39 10	45 17	37 13	47 22	48 22	34 27	25 47	5 9	2	(163-98)	(79-84)
.	.	.	3	6	8	4	15	9	8	9	9	8	5	3	.	.	163-171	79
.	.	1	2	2	1	.	2	4	.	1	3	1	.	.	.	.	172-175	80
.	.	1	4	1	2	.	1	2	1	1	2	1	1	.	.	.	176-198	81-84
31 30	14 12	38 20	38 7	24 5	20 7	27 6	19 6	28 6	36 16	27 12	36 19	40 20	28 27	22 47	5 9	2	176	81
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	177	81
1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	178	81
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	179	81
4 16	8	1 8	2 2	.	4	.	1	1	.	1 2	4 4	3 6	4 5	4 10	.	.	181	81

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES A'											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Tot Und 1 year
		XVII. Deaths from Violence. —contd.												
81	182	Accidental Mechanical Suffocation: Overlying { M. F.	12 8	3 2	2 2	1 .	2 3	. .	8 7	. 1	1 .	1 .	. .	1 .
		(a) Accidental Mechanical Suffocation. { M. F.	5 2	. .	. .	. .	1 1	. .	1 1	. 1	1 .	1 .	. .	. .
		(b) Overlying .. { M. F.	7 6	3 2	2 2	1 .	1 2	. .	7 6	. .	. .	. .	. .	. .
81	183	Accidental Drowning .. { M. F.	78 17	. .	. .	. .	. .	. .	. .	1 .	3 .	1 .	1 1	. .
81	184	Accidental Injury by Firearms. { M. F.	9 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
81	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	4 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
81	186	Accidental Injury by Fall, Crushing, etc. { M. F.	219 70	. .	. .	. .	. .	. .	. .	2 1	4 .	4 1	3 3	1 .
81	188	Injury by Animals .. { M. F.	14 4	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	1 .	. .
81	191	Excessive Heat .. { M. F.	5 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
81	193	Electricity (Lightning excepted). { M. F.	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
81	194	Neglect; Other and Unstated Forms of Accidental Violence. { M. F.	73 88	8 9	1 .	. .	. .	. .	9 9	1 .	1 .	. 1	1 .	1 1
		(a) Lack of Care, Inattention at Birth. { M. F.	9 8	8 8	1 .	. .	. .	. .	9 8	. .	. .	. .	. .	. .
		(b) Others .. { M. F.	64 80	. 1	. .	. .	. .	. .	. 1	1 .	1 .	. 1	1 .	. .
82	195	Violent Deaths of Unstated Nature. { M. F.	29 9	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
83	196	Wounds of War .. { M. F.	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
84	198	Capital Punishment .. { M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
85	(199-200)	XVIII. Ill-defined Diseases. { M. F.	334 336	1 3	. 1	. .	1 1	1 3	3 8	11 13	6 3	2 3	2 2	2 2
85	199	Sudden Death .. { M. F.	28 28	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
85	200	Cause of Death Unstated or Ill-defined. { M. F.	306 308	1 3	. 1	. .	1 1	1 3	3 8	11 13	6 3	2 3	2 2	2 2
		(a) Heart Failure .. { M. F.	189 168	. .	. .	. .	. .	. .	. .	1 .	2 .	. .	. .	. .
		(b) Other Ill-defined Causes. { M. F.	109 137	. .	. .	. .	1 1	1 2	2 3	10 12	4 3	2 3	2 2	2 2
		(c) Cause not specified { M. F.	8 13	1 3	. 1	. .	. .	. 1	1 5	. 1	. .	. .	. .	. .

NOTE.—No deaths occurred from the following causes, shown in the Detailed International List:—

187. Cataclysm. 189. Hunger or Thirst. 190. Excessive Cold. 192. Lightning. 197. Execution of civilian by belligerent armies.

at different Periods of Life in the Year 1934.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	182	81	
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	182a	81	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	182b	81	
4	4 2	10 1	14 2	7 1	6	4	3	4	5 3	4	4	3 1	3 1	2	.	.	183	81	
.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	.	.	184	81	
.	.	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.	185	81	
17 13	9 2	19 11	15 3	12	5 2	18 1	9 2	16 4	19 7	17 3	15 7	18 3	9 5	7 1	1 1	.	186	81	
.	.	.	.	.	.	.	.	1	1 2	1 1	6	1	2	.	.	.	188	81	
.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	191	81	
.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	193	81	
5 1	.	3	3	1	2 1	1 1	1	2	5 1	3 5	5 6	8 7	8 15	9 34	3 7	2	194	81	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194a		
5 1	.	3	3	1	2 1	1 1	1	2	5 1	3 5	5 6	8 7	8 15	9 34	3 7	2	194b		
.	.	2	2	3	2	3 1	2	3 2	4	1 1	1 1	4 1	1	1	.	.	195	82	
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	196	83	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	198	84	
2 5	2 1	3 2	3 5	5 2	3 2	5 4	7 10	6 13	27 31	31 33	73 62	129 120	7 10	7 6	1	.	(199-200)	85	
.	.	.	1	.	1	1	3 1	2 1	3 2	4 1	4 6	6 10	1 4	4 1	.	.	199	85	
2 5	2 1	3 2	2 5	5 2	3 1	5 3	4 9	4 12	24 29	27 32	69 56	123 110	6 6	3 5	1	.	200	85	
3	1	2	4	2 1	2	4 1	2 7	3 9	19 17	23 21	49 27	79 65	.	.	.	.	200a		
2 2	1	.	2 1	3 1	1 1	1 1	1 2	1 3	5 11	2 9	20 29	42 44	5 4	3 5	1	.	200b		
.	.	1	.	.	.	.	1	.	.	2 2	.	2 1	1 2	.	.	.	200c		

ABSTRACT V.—Causes of Death in SAORSTÁT ÉIREANN, by Sexes, Ages, and Places of Occurrence during the Year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	39,083 {	19,920 19,163	2,086 1,578	649 646	547 586	896 836	890 998	1,031 1,067	1,702 1,609	3,204 2,596	4,991 4,740	3,924 4,507	2,212 1,772	609 519	3,790 2,877	13,309 13,995	3,316 3,847		
1	Typhoid Fever (including Para-typhoid). M. F. }	89 {	53 36	. .	. .	4 8	18 7	11 8	8 4	6 6	2 2	4 1	. .	4 7	3 9	37 19	9 1	1 .		
2	Typhus M. F. }	4 {	2 2	. .	. .	. .	. 1	. 1	. .	1 .	1 .	. .	. .	. .	. .	2 2	. .	. .		
3	Measles M. F. }	50 {	23 27	8 5	9 10	5 7	1 4	. .	. .	. 1	. .	. .	. .	3 4	. .	1 5	19 18	4 1		
4	Scarlet Fever... ..M. F. }	82 {	39 43	. 1	18 18	14 6	4 6	1 8	. 3	1 1	. .	1 .	. .	2 6	1 .	21 25	15 12	1 2		
5	Whooping-cough M. F. }	283 {	124 159	79 93	39 61	6 5	. .	. .	. .	. .	. .	. .	. .	20 20	. .	6 11	98 128	17 17		
6	Diphtheria M. F. }	341 {	140 201	3 6	51 62	77 110	4 10	2 1	1 6	2 3	. 3	. .	. .	40 59	. .	71 113	29 29	3 3		
7	Dysentery M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .		
8	Influenza M. F. }	689 {	320 369	13 14	19 8	5 6	9 12	7 16	13 18	21 30	54 62	139 152	40 51	7 4	9 6	28 32	276 327	108 128		
9	Encephalitis Lethargica M. F. }	23 {	16 7	. .	. .	1 2	4 .	2 1	4 1	3 3	. .	2 .	. .	4 .	2 .	5 3	5 4	. .		
10	Cerebro-spinal Fever M. F. }	14 {	9 5	3 2	2 1	1 1	2 1	. .	1 .	. .	. .	. .	. .	4 4	. .	3 .	2 1	. .		
11	Tuberculosis of Respiratory System. M. F. }	2,726 {	1,376 1,350	6 11	9 10	20 57	335 404	336 382	277 239	207 123	129 81	51 37	6 6	320 277	107 87	271 304	673 682	54 53		
12	Other Tuberculous Diseases M. F. }	788 {	409 379	28 18	61 53	62 77	91 83	71 57	41 35	24 30	14 12	14 11	3 3	98 83	16 14	107 102	188 180	13 12		
13	Cancer M. F. }	3,405 {	1,797 1,608	2 .	1 4	3 6	8 5	34 24	73 113	290 323	580 476	598 473	208 184	266 219	20 29	459 248	1,052 1,112	59 53		
14	Diabetes Mellitus M. }	267 {	132	. .	2 .	2 .	6 .	8 .	10 .	17 .	34 .	37 .	16 .	17 .	2 .	27 .	86 .	3 .		

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	M. F. }	2,303 {	992 1,311	1 1	4 1	5 3	10 6	12 17	26 37	76 154	228 255	423 532	207 306	49 64	29 39	198 159	716 1,049	123 205
16	Heart Disease ...	M. F. }	6,585 {	3,283 3,302	1 .	3 7	34 30	53 38	68 69	112 134	276 294	744 694	1,306 1,243	686 793	161 127	121 120	703 568	2,298 2,487	247 266
17	Other Circulatory Diseases	M. F. }	682 {	362 320	2 1	2 .	1 1	1 1	2 5	10 12	35 34	89 72	134 106	86 88	28 23	10 8	95 62	229 227	7 6
18	Bronchitis ...	M. F. }	1,956 {	962 994	110 79	21 22	6 8	10 12	6 16	27 19	67 51	158 137	336 380	221 270	31 13	5 13	151 100	775 868	156 186
19	Pneumonia (All Forms)	M. F. }	2,418 {	1,399 1,019	236 153	165 136	45 49	41 26	56 49	82 60	141 75	230 145	279 220	124 106	184 94	52 24	228 78	935 823	64 62
20	Other Respiratory Diseases	M. F. }	660 {	382 278	16 9	13 11	9 8	20 11	13 12	30 16	53 36	88 49	100 81	40 45	48 25	5 1	59 20	270 232	18 20
21	Gastric and Duodenal Ulcer	M. F. }	281 {	199 82	1 .	1 .	1 .	11 2	16 4	35 9	35 21	58 15	35 23	7 8	66 7	5 2	39 17	89 56	9 6
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	474 {	259 215	241 193	18 22	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	56 45	1 .	33 45	170 125	10 3
23	Appendicitis ...	M. F. }	176 {	106 70	1 .	5 11	18 16	16 7	14 9	10 8	15 6	14 5	9 5	4 3	36 26	1 .	58 33	12 11	1 3
24	Cirrhosis of the Liver	M. F. }	69 {	45 24	1 .	1 .	1 .	1 .	1 .	7 1	8 1	16 7	12 12	2 2	7 1	1 .	7 3	31 19	1 .
25	Other Diseases of the Liver, Etc.	M. F. }	161 {	67 94	4 1	2 1	1 1	2 1	3 5	7 5	3 17	16 22	18 27	11 14	12 15	1 .	9 14	46 65	5 5
26	Other Digestive Diseases	M. F. }	932 {	487 445	67 48	25 29	30 32	20 8	19 11	35 29	43 48	89 83	107 104	52 53	85 77	15 6	95 68	292 294	44 39
27	Acute and Chronic Nephritis	M. F. }	1,169 {	662 507	6 5	7 4	12 5	22 11	35 34	28 50	94 62	157 104	210 158	91 74	81 48	5 .	199 106	377 353	26 23
28	Puerperal Sepsis ...	F. }	104	104	1	1	1	12	64	28	1	1	1	1	35	1	46	22	1
29	Other Puerperal Causes	F. }	167	167	1	1	1	18	69	78	2	1	1	1	51	1	46	69	2
30	Congenital Debility, Etc. (Nos. M. 157-161)	M. F. }	1,686 {	949 737	933 724	8 7	7 5	1 1	1 .	1 .	1 .	1 .	1 .	1 .	206 135	1 .	172 128	571 474	175 160
31	Senility ...	M. F. }	5,572 {	2,593 3,039	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	597 726	1,936 2,313	7 12	66 56	139 180	2,321 2,841	1,738 2,147
32	Suicide ...	M. F. }	104 {	87 17	1 .	1 .	1 .	3 3	14 3	19 2	17 4	18 4	13 1	3 .	9 2	3 1	4 1	71 13	1 .
33	Other Violence ...	M. F. }	864 {	548 316	25 21	72 43	45 42	81 27	47 12	47 13	67 23	66 31	69 48	29 56	115 73	1 2	133 80	299 161	5 7
34	Other Defined Causes ...	M. F. }	3,288 {	1,824 1,464	297 186	72 104	129 89	118 105	105 114	115 129	167 198	315 200	361 233	145 106	244 198	128 94	421 279	1,031 893	178 173
35	Causes ill-defined or unknown	M. F. }	670 {	334 336	3 8	21 21	4 6	6 7	8 4	12 14	33 44	104 95	136 130	7 7	2 2	4 2	9 6	319 326	247 257

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER by Sexes, Ages, and Places of Occurrence during the Year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	15,947 {	8,173 7,774	1,038 716	311 312	238 243	402 359	392 453	468 460	803 754	1,401 1,104	1,932 1,788	1,188 1,585	1,542 1,201	261 237	1,496 1,091	4,874 5,245	715 742	
1	Typhoid Fever (including Para- M. } typhoid.) F. }	32 {	20 12	. .	. .	1 3	8 2	4 3	2 1	2 2	2 .	1 1	. .	3 5	1 4	10 3	6 .	. .	
2	Typhus M. } F. }	2 {	1 1	. .	. .	. .	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	1 1	. .	. .	
3	Measles M. } F. }	18 {	9 9	2 2	5 6	2 1	. .	. .	. .	. .	. .	. .	. .	3 4	. .	1 1	5 4	. .	
4	Scarlet Fever M. } F. }	30 {	15 15	. 1	8 6	5 2	. 1	1 3	. 2	. .	. .	1 .	. .	1 4	1 .	8 7	5 4	1 .	
5	Whooping-cough M. } F. }	149 {	61 88	41 53	17 34	3 1	. .	. .	. .	. .	. .	. .	. .	18 18	. .	. 5	43 65	4 3	
6	Diphtheria M. } F. }	146 {	59 87	2 2	23 30	31 43	. 5	2 .	. 4	1 1	. 2	. .	. .	38 53	. .	11 24	10 10	1 .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	190 {	83 107	3 4	4 2	2 1	2 2	1 6	6 5	9 12	17 18	31 39	8 18	2 3	4 4	5 6	72 94	22 27	
9	Encephalitis Lethargica M. } F. }	9 {	7 2	. .	. .	. .	2 .	1 .	1 .	2 2	. .	1 .	. .	4 .	. .	2 1	1 1	. .	
10	Cerebro-spinal Fever M. } F. }	11 {	6 5	3 2	1 1	. 1	2 1	. .	. .	. .	. .	. .	. .	4 4	. .	1 .	1 1	. .	
11	Tuberculosis of Respiratory System. M. } F. }	1,272 {	663 609	5 6	6 4	9 28	169 185	148 167	140 104	101 59	58 37	25 17	2 2	200 152	42 38	111 103	310 316	9 12	
12	Other Tuberculous Diseases M. } F. }	387 {	197 190	15 9	30 27	33 39	48 40	27 25	20 19	11 15	7 7	5 6	1 3	72 65	4 8	40 37	81 80	5 3	
13	Cancer M. } F. }	1,469 {	754 715	1 .	1 3	. 2	2 2	16 16	31 65	135 150	263 185	225 206	80 86	152 138	10 13	191 90	401 474	19 11	
14	Diabetes Mellitus M. } F. }	106 {	57 49	. .	. .	. .	3 1	5 2	5 2	4 7	19 19	14 12	7 6	11 12	1 .	11 8	34 29	. .	

15	Cerebral Hemorrhage, Etc. (No. 82).	M. F. }	1,034	{	429 605	1 1	1 1	3 3	1 3	3 6	12 13	33 82	98 116	195 232	83 151	34 44	9 18	84 74	302 469	29 50
16	Heart Disease ...	M. F. }	2,950	{	1,453 1,497	2 1	12 18	24 22	28 31	44 60	152 142	337 315	567 521	287 387	114 92	66 58	323 275	950 1,072	73 72	
17	Other Circulatory Diseases	M. F. }	338	{	181 157	2 1	1 1	1 1	2 2	6 7	24 19	47 32	62 44	39 52	22 20	5 7	50 21	104 109	1 1	
18	Bronchitis ...	M. F. }	788	{	396 392	39 32	9 9	2 4	2 2	7 8	13 25	37 69	69 138	83 145	19 9	1 8	67 48	309 327	28 31	
19	Pneumonia (All Forms)	M. F. }	1,083	{	638 445	148 86	83 80	21 19	15 11	24 21	35 18	62 31	99 60	104 74	47 45	149 78	18 10	96 17	375 340	11 8
20	Other Respiratory Diseases	M. F. }	295	{	170 125	8 4	8 4	3 3	6 4	4 9	11 7	29 17	39 21	46 33	16 23	32 15	2 1	25 4	111 105	5 2
21	Gastric and Duodenal Ulcer	M. F. }	121	{	92 29	1 1	1 1	3 1	12 1	17 2	14 9	29 5	13 7	3 5	43 3	2 1	12 3	35 22	3 2	
22	Diarrhoea and Enteritis (under 2 years)	M. F. }	219	{	125 94	119 86	6 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	49 31	1 1	3 10	73 53	4 1	
23	Appendicitis ...	M. F. }	54	{	29 25	1 6	3 5	5 1	2 2	1 3	5 5	5 1	6 1	1 1	14 13	1 1	13 9	2 3	1 1	
24	Cirrhosis of the Liver	M. F. }	29	{	17 12	1 1	1 1	1 1	1 1	5 1	3 1	4 5	4 5	1 1	6 1	1 1	1 2	10 8	1 1	
25	Other Diseases of Liver, Etc.	M. F. }	55	{	25 30	1 1	1 1	1 1	2 1	4 1	1 6	8 10	6 7	3 3	7 8	1 1	2 2	16 20	1 1	
26	Other Digestive Diseases	M. F. }	373	{	196 177	30 19	10 15	11 8	14 4	11 5	12 11	23 26	34 27	31 45	20 17	56 47	9 3	38 26	93 101	6 8
27	Acute and Chronic Nephritis	M. F. }	556	{	322 234	4 3	5 1	10 1	10 4	22 17	20 24	42 35	77 46	91 69	41 34	63 39	3 1	100 56	156 139	5 3
28	Puerperal Sepsis ...	F. }	43	{	43	1	1	5	30	8	1	1	1	1	20	1	12	10	1	
29	Other Puerperal Causes	F. }	76	{	76	1	1	5	35	36	1	1	1	1	27	1	14	35	2	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	797	{	470 327	462 323	4 2	3 2	1 1	1 1	1 1	1 1	1 1	1 1	157 100	1 1	58 61	255 166	54 42	
31	Senility ...	M. F. }	1,346	{	590 756	1 1	1 1	1 1	1 1	1 1	1 1	1 1	176 183	414 573	1 6	32 24	50 47	507 679	320 364	
32	Suicide ...	M. F. }	45	{	36 9	1 1	1 1	1 2	8 2	7 1	9 1	8 2	3 1	1 1	8 2	2 1	2 1	24 6	1 1	
33	Other Violence ...	M. F. }	389	{	252 137	12 8	38 15	26 18	30 14	24 4	22 6	29 11	26 15	35 20	10 26	89 53	1 2	43 27	119 55	1 1
34	Other Defined Causes ...	M. F. }	1,355	{	726 629	141 72	39 52	55 40	53 40	43 58	49 50	64 84	133 81	108 96	41 56	169 134	47 34	135 94	375 367	46 42
35	Causes ill-defined or unknown ...	M. F. }	180	{	94 86	1 4	9 4	2 1	2 1	4 3	10 13	22 36	44 24	1 1	2 1	1 1	2 3	89 81	70 54	

ABSTRACT V—continued—No. 1.—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. } F. }	457 {	248 209	27 21	11 7	6 7	10 10	10 9	7 7	22 18	38 25	79 62	38 43	12 10	6 5	47 26	183 168	32 39		
1	Typhoid Fever (including Para- M. } typhoid). F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
2	Typhus M. } F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
3	Measles M. } F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
4	Scarlet Fever... .. M. } F. }	2 {	1 1	•	1	•	•	•	•	1	•	•	•	•	•	1 1	•	•		
5	Whooping-cough M. } F. }	3 {	•	3	•	•	•	•	•	•	•	•	•	•	•	•	3	•		
6	Diphtheria M. } F. }	2 {	1 1	•	•	1	•	•	•	•	•	•	•	•	•	1 1	•	•		
7	Dysentery M. } F. }	{	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
8	Influenza M. } F. }	10 {	5 5	1	1	•	1	•	•	1	1	•	3	•	•	1	4 5	•		
9	Encephalitis Lethargica ... M. } F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
10	Cerebro-spinal Fever M. } F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
11	Tuberculosis of Respiratory M. } System. F. }	27 {	11 16	•	•	1	2	4	2	•	1	1	•	•	2	4 4	5 8	•		
12	Other Tuberculous Diseases ... M. } F. }	8 {	4 4	•	2	1	1	2	1	•	1	•	•	2	•	1	1 2	• 1		
13	Cancer M. } F. }	44 {	29 15	•	•	•	•	1	1	7 6	8 3	10 4	2 1	3 2	•	8 5	18 8	1		
14	Diabetes Mellitus M. } F. }	3 {	2 1	•	•	•	•	•	1 1	•	•	1	•	•	•	•	2 1	•		

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. } F. }	30 {	13 17	.	.	1	1	.	.	.	2	1	1	9	1	.	.	2	1	11 16	1 2
16	Heart Disease ...	...M. } ...F. }	104 {	59 45	.	.	.	1	1	2	.	7 3	11 7	27 24	12 8	.	2 1	15 6	42 38	2 4		
17	Other Circulatory Diseases	...M. } ...F. }	9 {	6 3	.	.	.	.	.	.	.	2 2	1 1	3	.	.	.	2	4 3	.		
18	Bronchitis ...	...M. } ...F. }	24 {	12 12	4 2	1 1	.	.	.	.	.	2 2	4 3	1 4	.	1 1	11 10	.	4			
19	Pneumonia (All Forms)	...M. } ...F. }	18 {	10 8	2 1	.	.	.	2	.	1 3	3 3	2 1	1 1	.	1 1	9 6	.	.			
20	Other Respiratory Diseases	...M. } ...F. }	8 {	6 2	1	.	.	1	.	.	1 1	2 1	1	.	2	.	1	4 1	.			
21	Gastric and Duodenal Ulcer	...M. } ...F. }	7 {	7	.	.	.	1	.	.	.	5	1	.	1	.	6	1				
22	Diarrhoea and Enteritis (under 2 years).	M. } F. }	3 {	1 2	1 2	.	.	.	.	.	.	.	.	.	.	.	1 2	.				
23	Appendicitis ...	...M. } ...F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.				
24	Cirrhosis of the Liver	...M. } ...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
25	Other Diseases of the Liver, Etc.	M. } F. }	2 {	1 1	.	.	.	.	.	.	.	1 1	.	.	.	.	1 1	.				
26	Other Digestive Diseases	...M. } ...F. }	14 {	10 4	1 2	1 1	1 1	.	.	.	1	2 1	3	.	1 1	.	1	8 3	1			
27	Acute and Chronic Nephritis	...M. } ...F. }	13 {	7 6	1	.	.	1	1	.	1 1	1 1	2 3	.	.	.	3	4 6	.			
28	Puerperal Sepsis ...	...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
29	Other Puerperal Causes	...F. }	3	3	.	.	.	.	2	1	.	.	.	.	.	.	1	2	.			
30	Congenital Debility, Etc. (Nos. 157-161)	M. } ...F. }	19 {	10 9	10 9	.	.	.	.	.	.	.	.	.	.	.	2	8 9	5 5			
31	Senility ...	...M. } ...F. }	51 {	20 31	.	.	.	.	.	.	.	.	5 9	15 22	.	.	1	20 30	17 22			
32	Suicide ...	...M. } ...F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.			
33	Other Violence ...	...M. } ...F. }	7 {	5 2	.	1 2	1	1	.	.	1	.	1	.	1	.	1 1	4	.			
34	Other Defined Causes ...	...M. } ...F. }	38 {	23 15	6 2	3 2	1 1	1 2	1	1	1 2	2 2	6 3	2	2	2 1	4 3	15 11	1			
35	Causes ill-defined or unknown	...M. } ...F. }	6 {	3 3	.	1	.	.	.	.	.	2 1	.	.	.	.	.	3 3	3 1			

ABSTRACT V—continued—No. 2.—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	1,405 {	710 695	100 62	28 29	36 22	47 29	36 41	40 38	71 66	110 102	140 144	102 162	167 119	21 19	84 85	438 472	5 7	
1	Typhoid Fever (including Para- M. F. } typhoid).	2 {	1 1	. .	. .	* .	1 .	. 1	. .	. .	. .	. .	. .	1 .	. 1	. .	. .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	1 {	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
4	Scarlet Fever M. F. }	2 {	1 1	. .	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .	
5	Whooping-cough M. F. }	12 {	3 9	1 6	1 3	1 .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. 2	2 6	. .	
6	Diphtheria M. F. }	17 {	7 10	. .	2 4	4 6	. .	. .	. .	1 .	. .	. .	. .	4 7	. .	1 1	2 2	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	12 {	9 3	. .	. 1	1 .	. .	. 1	. .	. 3	. 2	2 2	2 .	1 1	. .	. 1	7 2	. .	
9	Encephalitis Lethargica M. F. }	4 {	3 1	. .	. .	. .	. .	. .	1 .	1 1	. .	1 .	. .	2 .	. .	. 1	1 .	. .	
10	Cerebro-spinal Fever M. F. }	3 {	1 2	1 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 2	. .	. .	. .	. .	
11	Tuberculosis of Respiratory System. M. F. }	124 {	66 58	. 1	. 1	2 1	21 17	12 17	14 10	8 6	7 3	1 2	1 .	19 16	4 2	7 10	38 30	. .	
12	Other Tuberculous Diseases M. F. }	26 {	15 11	1 .	1 3	2 3	6 2	2 2	2 .	1 1	. .	. .	. .	6 4	. .	. .	9 7	. .	
13	Cancer M. F. }	129 {	62 67	. .	. .	. .	. .	2 4	3 4	16 14	17 16	16 15	8 14	14 15	1 1	7 9	40 42	. .	
14	Diabetes Mellitus M. F. }	15 {	8 7	. .	. .	. .	. 1	. 2	1 .	. .	2 4	1 2	2 .	3 2	. .	. 1	5 4	. .	

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F.	107	41	66	.	.	1	.	.	.	3	10	21	6	1	.	8	32	.
						.	.	.	1	.	4	9	9	20	23	3	3	6	54	2
16	Heart Disease ...	M. F.	269	114	155	.	1	.	2	6	3	12	26	35	29	13	5	22	74	.
						.	4	1	2	2	9	14	30	44	51	10	4	27	114	.
17	Other Circulatory Diseases	M. F.	46	24	22	.	.	.	.	.	.	4	6	9	5	3	1	3	17	.
						.	.	.	2	.	.	4	3	4	9	3	.	2	17	.
18	Bronchitis ...	M. F.	55	32	23	1	1	.	.	.	.	4	5	9	12	1	.	6	25	1
						3	.	.	.	.	.	.	4	10	6	1	.	2	20	.
19	Pneumonia (All Forms)	M. F.	85	47	38	8	7	7	2	1	1	6	4	7	4	10	1	6	30	.
						5	10	2	.	1	1	2	9	4	4	6	1	.	31	.
20	Other Respiratory Diseases	M. F.	38	19	19	2	2	1	.	.	3	.	4	3	4	1	1	2	15	.
						.	.	.	2	.	2	.	5	5	5	3	.	1	15	.
21	Gastric and Duodenal Ulcer	M. F.	10	5	5	.	.	.	.	1	1	.	2	1	.	5	.	.	4	.
						.	.	.	.	.	3	.	.	.	2	1	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F.	23	15	8	14	1	.	.	.	.	.	.	.	.	4	.	1	10	1
						8	.	.	.	.	.	.	.	.	.	1	.	3	4	.
23	Appendicitis ...	M. F.	5	2	3	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.
						.	.	.	.	.	1	1	.	.	1	3	.	.	.	.
24	Cirrhosis of the Liver	M. F.	4	2	2	.	.	.	.	.	.	.	2	1	.	.	.	.	2	.
						.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
25	Other Diseases of Liver, Etc.	M. F.	6	3	3	.	.	.	.	.	.	1	2	1	1	1	.	.	2	.
						.	.	.	.	.	.	.	.	1	1	2	.	.	1	.
26	Other Digestive Diseases	M. F.	45	23	22	7	1	1	4	1	.	1	2	2	3	3	7	1	15	.
						4	1	1	1	1	.	2	2	8	2	7	.	2	13	.
27	Acute and Chronic Nephritis	M. F.	48	33	15	1	.	2	.	2	1	4	8	12	3	9	.	7	17	.
						.	.	.	.	2	.	1	3	7	2	3	.	1	11	.
28	Puerperal Sepsis ...	F.	4	4	.	.	.	.	4	.	.	.	.	.	.	4	.	.	.	.
29	Other Puerperal Causes	F.	3	3	.	.	.	1	.	2	.	.	.	.	.	.	.	1	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F.	75	47	28	45	1	.	.	.	1	.	.	.	.	24	.	2	21	1
						28	.	.	.	.	.	.	.	.	.	12	.	6	10	.
31	Senility ...	M. F.	64	27	37	.	.	.	.	.	.	.	.	8	19	1	4	.	22	2
						.	.	.	.	.	.	.	.	5	32	.	4	.	33	2
32	Suicide ...	M. F.	5	4	1	.	.	.	.	.	1	1	2	.	.	1	1	.	2	.
						.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
33	Other Violence ...	M. F.	45	31	14	3	4	2	6	3	4	6	1	2	.	12	.	1	18	.
						2	1	1	1	2	1	2	.	.	4	4	.	3	7	.
34	Other Defined Causes ...	M. F.	117	63	54	15	4	12	5	3	3	2	8	8	3	19	2	9	33	1
						3	3	4	4	1	3	6	9	15	6	6	3	6	39	1
35	Causes ill-defined or unknown	M. F.	4	1	3	1	.	.	.	.	.	.	2	.	.	1	.	.	3	1
						.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT V—continued—No. 3.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. } F. }	5,724 {	2,841 2,883	510 357	131 157	100 113	152 135	157 182	247 193	367 323	471 394	465 591	241 438	1,102 886	90 103	424 334	1,225 1,560	20 34
1	Typhoid Fever (including Para- M. } typhoid). F. }	11 {	4 7	• •	• •	1 2	3 2	• 2	• 1	• •	• •	• •	• •	1 5	• 2	2 •	1 •	• •
2	Typhus M. } F. }	{	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
3	Measles M. } F. }	11 {	5 6	1 2	4 4	• •	• •	• •	• •	• •	• •	• •	• •	3 4	• •	• •	2 2	• •
4	Scarlet Fever... ..M. } F. }	4 {	1 3	• •	• 2	1 1	• •	• •	• •	• •	• •	• •	• •	1 3	• •	• •	• •	• •
5	Whooping-cough M. } F. }	88 {	36 52	24 26	10 25	2 1	• •	• •	• •	• •	• •	• •	• •	17 15	• •	• •	19 37	• •
6	Diphtheria M. } F. }	76 {	35 41	2 2	13 15	19 21	• 2	1 •	• 1	• •	• •	• •	• •	33 41	• •	• •	2 •	• •
7	Dysentery M. } F. }	{	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
8	Influenza M. } F. }	31 {	12 19	1 1	• •	• •	• 1	• 1	3 3	1 4	3 5	3 1	1 3	1 1	1 2	1 •	9 16	• •
9	Encephalitis Lethargica ..M. } F. }	2 {	2 •	• •	• •	• •	2 •	• •	• •	• •	• •	• •	• •	2 •	• •	• •	• •	• •
10	Cerebro-spinal Fever M. } F. }	5 {	3 2	2 1	1 •	• 1	• •	• •	• •	• •	• •	• •	• •	3 2	• •	• •	• •	• •
11	Tuberculosis of Respiratory M. } System. F. }	574 {	320 254	4 3	3 2	4 10	79 74	54 64	80 46	61 30	22 17	12 7	1 1	128 99	16 21	58 43	118 91	• •
12	Other Tuberculous Diseases ..M. } F. }	146 {	68 78	8 9	14 12	15 23	15 15	5 6	7 3	2 4	1 2	1 2	• 2	49 52	3 2	2 2	14 22	• •
13	Cancer M. } F. }	544 {	251 293	• •	• 2	• •	• •	8 8	12 33	59 70	83 72	75 81	14 27	99 97	3 3	52 25	97 168	• •
14	Diabetes Mellitus M. } F. }	36 {	20 16	• •	• •	• •	• •	1 •	2 •	1 1	8 9	4 3	4 3	6 7	1 •	• •	13 9	• •

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	304 {	106 198	1 .	.	2 .	.	2 2	6 4	11 34	26 40	35 71	23 47	27 34	5 10	17 27	57 127	.
16	Heart Disease ...	M. F. }	1,018 {	462 556	.	1 1	7 10	10 11	17 18	24 26	69 56	111 104	145 195	78 135	90 78	27 26	108 127	237 325	6 9
17	Other Circulatory Diseases	M. F. }	132 {	64 68	.	.	1 .	.	.	3 4	10 7	16 13	20 20	15 23	17 16	.	15 8	32 41	1
18	Bronchitis ...	M. F. }	351 {	167 184	21 20	2 4	1 1	3 .	1 4	11 4	24 15	35 31	48 68	21 37	18 8	.	34 23	115 149	2
19	Pneumonia (All Forms)	M. F. }	520 {	301 219	108 60	46 48	10 11	5 5	11 10	19 7	26 13	38 20	29 22	9 23	131 66	4 5	17 2	149 146	2 2
20	Other Respiratory Diseases	M. F. }	115 {	68 47	4 3	3 2	1 2	2 3	3 2	7 3	19 7	11 8	13 8	5 9	24 10	1 1	10 .	33 36	1
21	Gastric and Duodenal Ulcer	M. F. }	42 {	33 9	1 .	.	.	1 .	5 1	8 1	9 4	7 .	1 3	1 .	26 2	.	2 1	5 6	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	119 {	66 53	65 47	1 6	.	.	.	.	.	.	.	.	43 27	.	2 1	21 25	.
23	Appendicitis ...	M. F. }	14 {	7 7	.	1 2	1 .	1 1	.	.	2 2	1 .	1 1	.	7 7	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	12 {	9 3	.	.	.	.	.	3 .	2 .	1 1	2 .	1 .	6 1	.	1 .	3 1	.
25	Other Diseases of Liver, Etc.	M. F. }	16 {	7 9	.	.	.	.	.	2 3	.	4 4	1 1	1 1	3 5	.	1 .	3 4	.
26	Other Digestive Diseases	M. F. }	142 {	72 70	7 7	2 5	5 2	5 .	5 3	6 4	13 14	14 14	10 16	5 5	34 26	6 2	12 9	20 33	.
27	Acute and Chronic Nephritis	M. F. }	232 {	129 103	2 2	1 .	6 1	3 3	11 9	15 15	23 20	36 17	19 23	13 13	47 32	.	45 29	37 42	1
28	Puerperal Sepsis ...	F. }	13 {	13	.	.	.	1	9	3	.	.	.	.	10	.	.	3	.
29	Other Puerperal Causes	F. }	28 {	28	.	.	.	1	17	10	.	.	.	.	19	.	.	9	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	353 {	204 149	204 147	.	1	.	.	.	.	.	.	.	106 76	.	16 18	82 55	2 2
31	Senility ...	M. F. }	161 {	48 113	.	.	.	.	.	.	.	.	16 27	32 86	.	6 10	1 .	41 101	1 7
32	Suicide ...	M. F. }	13 {	12 1	.	.	.	.	3	5	2	.	1	1	7 1	.	.	5	.
33	Other Violence ...	M. F. }	153 {	92 61	4 4	14 4	12 10	7 7	9 1	12 5	9 4	14 8	10 11	1 7	67 45	1 1	2 2	22 13	.
34	Other Defined Causes ...	M. F. }	440 {	233 207	50 22	15 22	13 15	16 9	21 24	21 20	23 33	39 22	19 26	16 16	105 94	16 10	27 17	85 86	4 4
35	Causes ill-defined or unknown	M. F. }	18 {	4 14	1 1	.	.	.	.	1	1 4	1 6	.	.	1 1	.	.	3 13	4 6

ABSTRACT V—continued.—No. 4.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	731	386 345	49 41	16 21	9 12	18 9	20 28	12 23	32 36	70 52	97 59	63 64	44 33	9 11	77 50	256 251	30 28
1	Typhoid Fever (including Para-M. typhoid). F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	2	1 1	.	1	1	.	.	.	.	.	.	.	.	.	1 1	.	.
4	Scarlet Fever... ..M. F. }	4	2 2	1	1	1	.	.	.	.	.	.	.	1	.	1	1	.
5	Whooping-cough M. F. }	6	4 2	3 2	1	.	.	.	.	.	.	.	.	1	.	.	4 1	.
6	Diphtheria M. F. }	10	4 6	.	3 3	1 2	.	.	1	.	.	.	.	1 2	.	2 3	1 1	.
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	6	3 3	.	.	.	.	2	.	1	.	1 1	1	.	.	.	3 3	1
9	Encephalitis Lethargica M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
11	Tuberculosis of Respiratory System. M. F. }	62	34 28	.	1	.	9 3	9 10	6 7	6 1	1 6	2	.	13 6	.	1 3	20 16	1
12	Other Tuberculous Diseases M. F. }	20	9 11	.	1 1	.	3 1	2 3	1	1 1	1	1	.	3 1	.	4 2	2 8	.
13	Cancer M. F. }	54	32 22	.	.	.	.	1 1	.	4 5	15 7	9 7	3 2	5 2	1	5 3	21 17	1
14	Diabetes Mellitus M. F. }	5	1 4	.	.	.	.	.	.	.	1 2	.	.	.	.	1 2	.	.

15	Cerebral Hemorrhage, Etc. (No. M. 52).	F. }	45	{	27	.	.	.	.	1	1	.	8	10	7	1	1	14	11	1
					18	.	.	.	.	.	.	5	3	4	6	.	.	18	18	2
16	Heart Disease ...	M. F. }	137	{	75	.	.	.	1	.	1	7	23	28	15	2	4	17	52	5
					62	.	.	.	.	1	3	8	18	10	22	.	2	10	50	3
17	Other Circulatory Diseases	M. F. }	10	{	6	.	.	.	.	.	.	.	1	2	3	.	.	1	5	.
					4	.	.	.	.	.	.	2	1	1	.	.	1	3	.	.
18	Bronchitis ...	M. F. }	39	{	19	1	.	.	1	.	.	1	2	5	9	.	.	2	17	2
					20	1	.	1	.	1	1	2	4	6	4	.	.	4	16	2
19	Pneumonia (All Forms)	M. F. }	46	{	29	4	4	.	.	1	1	4	5	7	3	1	1	8	19	1
					17	4	2	1	1	2	2	.	1	3	1	1	1	1	14	.
20	Other Respiratory Diseases	M. F. }	8	{	4	.	1	1	.	.	.	.	1	1	.	.	.	2	2	.
					4	.	1	.	.	.	.	.	.	3	.	.	.	4	.	.
21	Gastric and Duodenal Ulcer	M. F. }	4	{	3	.	.	.	.	.	.	2	1	.	.	1	.	1	1	.
					1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	3	{	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.
					2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
23	Appendicitis ...	M. F. }	3	{	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
					2	.	1	.	.	1	.	.	.	.	.	.	.	2	.	.
24	Cirrhosis of the Liver	M. F. }	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	3	{	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
					2	.	1	.	.	.	.	.	1	.	.	.	.	2	.	.
26	Other Digestive Diseases	M. F. }	21	{	12	3	.	2	.	1	.	2	1	3	.	1	.	4	7	.
					9	1	1	.	1	.	.	2	2	1	1	2	.	1	6	1
27	Acute and Chronic Nephritis	M. F. }	20	{	11	.	.	.	.	.	1	.	1	7	2	2	.	9	1	.
					9	.	.	.	.	1	2	2	2	1	1	1	.	7	.	.
28	Puerperal Sepsis ...	F. }	2	{	2	.	.	.	.	2	.	.	.	.	.	1	.	1	.	.
29	Other Puerperal Causes	F. }	6	{	6	.	.	.	1	1	4	.	.	.	.	3	.	2	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	55	{	36	34	2	.	.	.	.	.	.	.	.	8	.	2	26	5
					19	19	.	.	.	.	.	.	.	.	.	2	.	3	14	6
31	Senility ...	M. F. }	63	{	29	.	.	.	.	.	.	.	.	10	19	.	1	3	25	9
					34	.	.	.	.	.	.	.	.	10	24	1	1	2	30	11
32	Suicide ...	M. F. }	3	{	2	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.
					1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
33	Other Violence ...	M. F. }	14	{	6	.	.	.	1	1	.	.	.	3	1	.	.	2	4	.
					8	.	4	.	1	.	.	1	.	2	.	.	.	2	6	.
34	Other Defined Causes ...	M. F. }	65	{	26	3	1	3	2	3	1	3	5	5	.	6	1	6	13	1
					39	10	4	4	1	3	2	4	2	6	3	6	2	3	28	2
35	Causes ill-defined or unknown	M. F. }	14	{	7	.	1	.	.	.	.	1	3	2	.	.	.	7	2	.
					7	.	1	.	.	.	1	.	4	1	.	.	.	5	1	.

ABSTRACT V—continued—No. 5.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	968 {	515 453	62 39	20 14	14 8	17 15	12 24	21 32	38 39	80 70	149 105	102 107	23 23	11 12	94 81	387 337	89 80		
1	Typhoid Fever (including Para-M. typhoid). F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Scarlet Fever... ..M. F. }	2 {	1 1	.	1	.	.	1	.	.	.	.	.	.	.	.	1 1	.		
5	Whooping-cough M. F. }	14 {	9 5	7 4	2 1	.	.	.	.	.	.	.	.	.	.	.	9 5	3		
6	Diphtheria M. F. }	3 {	.	3	3	.	.	.	.	.	.	.	.	.	.	2	1	1		
7	Dysentery M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. F. }	11 {	3 8	2	.	.	1	.	.	1	.	3	1 3	.	1	.	3 7	1 2		
9	Encephalitis Lethargica M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
10	Cerebro-spinal Fever M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory System. M. F. }	45 {	18 27	1 .	.	1 3	4 8	2 6	4 4	4 3	2 1	.	2	6 6	1 1	2 3	9 17	1		
12	Other Tuberculous Diseases M. F. }	23 {	13 10	.	2 1	2 1	.	3 2	2 3	1 2	2	1	.	2 3	.	2 3	9 3	2		
13	Cancer M. F. }	83 {	40 43	.	1 1	.	.	1 1	3 3	7 11	11 11	11 11	6 5	3 3	.	9 9	28 30	2 1		
14	Diabetes Mellitus M. F. }	7 {	4 3	.	.	.	.	1	.	1 1	2	1	1	.	.	2 1	2 2	.		

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	M. F. }	66 {	33	.	.	.	.	.	.	3	7	18	7	.	1	2	30	6
				33	.	.	.	.	.	.	3	7	16	7	1	3	5	24	4
16	Heart Disease ...	M. F. }	199 {	115	.	.	1	1	.	4	5	28	53	23	2	3	14	96	16
				84	.	.	.	.	2	3	6	21	29	23	2	1	12	69	13
17	Other Circulatory Diseases	M. F. }	28 {	17	.	1	1	.	.	1	3	8	1	2	.	.	9	8	.
				11	.	.	.	.	.	.	4	4	3	4	.	.	4	7	.
18	Bronchitis ...	M. F. }	33 {	18	1	.	1	.	.	.	3	8	8	5	.	.	1	17	3
				15	1	.	.	.	.	1	4	8	8	1	.	.	2	13	2
19	Pneumonia (All Forms)	M. F. }	43 {	27	3	4	1	.	1	2	3	1	9	3	2	2	9	14	.
				16	4	2	.	.	.	2	.	2	2	4	2	1	1	12	.
20	Other Respiratory Diseases	M. F. }	13 {	8	1	.	.	.	.	.	2	4	1	1	.	.	1	7	.
				5	.	.	.	.	.	1	1	1	1	1	.	.	.	5	.
21	Gastric and Duodenal Ulcer	M. F. }	3 {	3	.	.	.	.	1	1	.	1	.	.	2	.	1	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	11 {	6	5	1	.	.	.	.	.	.	.	.	1	.	1	6	.
				5	5	.	.	.	.	.	.	.	.	.	.	.	.	3	.
23	Appendicitis ...	M. F. }	6 {	4	.	.	1	2	.	1	.	.	.	.	.	.	4	1	1
				2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	2 {	2	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. F. }	18 {	9	.	.	1	2	.	1	1	1	1	2	.	.	2	7	.
				9	.	2	1	.	.	1	3	.	2	.	.	.	4	5	1
27	Acute and Chronic Nephritis	M. F. }	25 {	11	.	1	.	1	1	1	1	2	3	1	1	1	3	6	.
				14	.	.	.	1	1	1	2	3	5	2	.	.	4	10	.
28	Puerperal Sepsis ...	F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
29	Other Puerperal Causes	F. }	8	8	.	.	.	1	3	4	.	.	.	.	.	.	4	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161)	M. F. }	53 {	33	33	.	.	.	.	.	.	.	.	.	2	.	9	22	8
				20	20	.	.	.	.	.	.	.	.	.	.	.	4	16	4
31	Senility ...	M. F. }	134 {	62	.	.	.	.	.	.	.	.	19	43	.	.	6	56	36
				72	.	.	.	.	.	.	.	.	17	55	1	.	7	64	42
32	Suicide ...	M. F. }	5 {	4	.	.	.	.	.	2	1	1	.	.	.	.	.	4	.
				1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
33	Other Violence ...	M. F. }	20 {	14	.	1	4	3	1	.	1	.	2	2	.	.	2	12	.
				6	.	1	1	.	.	.	1	.	1	2	1	.	2	3	.
34	Other Defined Causes ...	M. F. }	101 {	55	11	4	1	3	1	1	8	7	13	6	3	3	16	33	8
				46	3	3	1	3	6	8	5	11	4	2	2	4	12	28	5
35	Causes ill-defined or unknown	M. F. }	9 {	6	.	2	.	.	1	1	.	.	3	.	.	.	.	6	4
				3	.	.	.	.	.	1	1	.	.	.	.	.	.	3	2

ABSTRACT V—continued—No. 6.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. F. }	729 {	398 331	27 17	18 4	6 4	17 17	17 19	8 17	35 30	70 57	136 84	64 82	31 15	15 8	71 30	281 278	72 63	
1	Typhoid Fever (including Para- M. typhoid) F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
2	Typhus M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
3	Measles M. F. }	1 {	• 1	•	•	1	•	•	•	•	•	•	•	•	•	•	1	•	
4	Scarlet Fever M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
5	Whooping-cough M. F. }	1 {	• 1	•	1	•	•	•	•	•	•	•	•	•	•	•	1	•	
6	Diphtheria M. F. }	4 {	2 2	•	1	1	•	•	1	1	•	•	•	•	•	1 2	1	•	
7	Dysentery M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
8	Influenza M. F. }	8 {	4 4	•	1	•	•	•	•	2	1 1	2 1	•	•	•	•	4 4	1 1	
9	Encephalitis Lethargica ...M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
10	Cerebro-spinal Fever M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
11	Tuberculosis of Respiratory M. System. F. }	47 {	22 5	• •	• •	2	8	10 10	2 2	2 2	2 •	1 1	•	5 3	6	• 1	11 21	1	
12	Other Tuberculous Diseases ...M. F. }	16 {	9 7	• •	1 2	1	3 1	1 1	1 2	1 1	1 •	• •	•	1	•	2	6 7	1	
13	Cancer M. F. }	64 {	32 32	• •	• •	•	1 1	•	•	3 5	13 10	10 11	5 2	5 1	• 1	6 4	21 26	2 2	
14	Diabetes Mellitus M. F. }	4 {	1 3	• •	• •	•	1 •	•	•	• 1	• 1	• 1	•	•	•	•	1 3	•	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	47	23	.	.	.	.	.	.	.	4	5	11	3	.	.	3	20	2
				24	.	.	.	.	.	.	.	3	8	6	7	1	.	3	20	2
16	Heart Disease ...	...M. F. }	156	89	.	.	1	1	.	.	3	8	19	43	17	1	4	31	53	7
				67	.	.	2	.	.	.	.	4	16	21	21	.	5	13	49	6
17	Other Circulatory Diseases	...M. F. }	7	3	.	.	.	.	.	.	.	1	1	2	1	.	.	.	3	.
				4	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	.
18	Bronchitis ...	...M. F. }	32	17	1	1	.	.	.	.	2	1	6	6	.	.	.	2	15	3
				15	.	1	1	1	.	1	1	2	7	3	.	.	.	3	12	1
19	Pneumonia (All Forms)	...M. F. }	48	34	2	2	1	.	1	1	3	12	2	1	1	.	.	7	26	.
				14	1	.	.	.	1	.	2	10	5	1	.	.	.	14	14	.
20	Other Respiratory Diseases	...M. F. }	11	5	.	.	.	.	.	.	1	.	3	1	1	.	.	1	3	.
				6	.	.	.	.	1	.	.	1	4	.	.	.	.	6	6	1
21	Gastric and Duodenal Ulcer	...M. F. }	4	4	.	.	.	1	.	.	1	1	1	.	1	.	.	1	2	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	4	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.
				1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis ...	...M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	...M. F. }	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
				1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	...M. F. }	5	3	.	.	.	.	2	.	.	.	1	.	1	.	.	.	2	.
				2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
26	Other Digestive Diseases	...M. F. }	10	7	.	2	.	.	.	2	1	1	1	.	2	.	.	.	5	.
				3	1	1	.	.	.	.	1	1	.	1	.	.	.	2	2	.
27	Acute and Chronic Nephritis	...M. F. }	19	11	.	.	.	2	.	.	1	.	7	1	.	.	.	4	7	1
				8	.	1	.	.	.	.	.	3	3	1	.	.	.	2	6	.
28	Puerperal Sepsis ...	...F. }	2	2	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.	.
29	Other Puerperal Causes	...F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	26	15	15	.	.	.	.	.	.	.	.	.	4	.	.	1	10	6
				11	11	.	.	.	.	.	.	.	.	.	2	.	.	2	7	3
31	Senility ...	...M. F. }	100	42	.	.	.	.	.	.	.	.	18	24	.	.	.	1	41	32
				58	.	.	.	.	.	.	.	.	14	44	.	.	.	.	58	41
32	Suicide ...	...M. F. }	5	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
				3	.	.	.	1	1	.	.	.	1	.	1	.	.	.	2	.
33	Other Violence ...	...M. F. }	15	13	.	5	.	.	.	.	2	2	3	1	2	.	.	2	9	.
				2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
34	Other Defined Causes ...	...M. F. }	72	41	7	1	2	3	2	2	5	9	7	3	6	5	8	22	6	.
				31	2	1	.	3	2	3	5	6	7	2	5	2	.	24	2	.
35	Causes ill-defined or unknown	...M. F. }	17	13	.	2	.	.	.	.	1	4	6	.	.	.	.	13	10	.
				4	.	.	.	.	.	.	1	1	2	.	.	.	.	4	4	.

ABSTRACT V—contd.—No. 7—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.			
	ALL CAUSES M. F. }	558 {	308 250	14 13	7 6	3 6	6 4	7 6	14 16	21 20	57 35	96 69	83 75	5 7	16 5	54 40	233 198	117 105		
1	Typhoid Fever (including Para- M. typhoid). F. }	2 {	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.		
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.		
4	Scarlet Fever... ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Whooping-cough M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
6	Diphtheria M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. F. }	37 {	14 23	.	2	.	.	.	1 1	1 1	2 3	8 12	6	.	.	.	14 23	11 15		
9	Encephalitis Lethargica ...M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
10	Cerebro-spinal Fever M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.		
11	Tuberculosis of Respiratory M. System. F. }	27 {	17 10	.	.	.	1 1	5 4	2 3	4 1	4 1	1	.	.	1	8 3	9 6	2 4		
12	Other Tuberculous Diseases ...M. F. }	8 {	4 4	.	1	1	1	.	1	1	.	1	1	.	1	1 2	3 1	.		
13	Cancer M. F. }	34 {	19 15	.	.	.	.	.	1	3 3	9 5	6 4	3	3 2	1	7 2	8 11	3 1		
14	Diabetes Mellitus M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.		

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F.	29	12	.	.	.	.	.	.	.	5	4	3	.	1	.	11	3
				17	.	.	.	.	.	.	.	2	10	5	.	1	1	16	9
16	Heart Disease ...	M. F.	72	46	.	.	.	.	.	1	4	7	20	14	.	3	14	29	3
				26	.	.	.	.	.	4	2	9	7	4	.	.	8	18	2
17	Other Circulatory Diseases	M. F.	12	5	.	.	.	.	.	.	2	.	3	.	.	.	3	2	.
				7	.	.	.	.	.	.	1	.	2	4	.	.	3	4	.
18	Bronchitis ...	M. F.	20	11	.	.	.	.	.	.	1	1	6	3	.	.	1	10	3
				9	.	.	.	.	.	.	1	3	3	2	.	.	.	9	3
19	Pneumonia (All Forms)	M. F.	31	21	1	2	.	1	.	2	.	7	5	3	.	.	3	18	1
				10	1	.	1	.	.	1	2	.	3	2	.	.	1	9	.
20	Other Respiratory Diseases	M. F.	5	4	.	.	.	.	.	1	.	.	3	.	.	.	.	4	2
				1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
21	Gastric and Duodenal Ulcer	M. F.	4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
				3	.	.	.	.	.	.	1	1	1	.	.	.	1	2	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Appendicitis ...	M. F.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
				1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
26	Other Digestive Diseases	M. F.	12	6	1	.	.	.	.	1	1	1	1	1	1	2	2	3	2
				6	.	1	1	.	.	2	1	.	1	.	.	.	1	3	3
27	Acute and Chronic Nephritis	M. F.	17	9	.	.	.	.	.	.	1	5	2	1	.	2	.	7	1
				8	.	.	.	.	.	1	.	3	4	.	.	.	2	6	.
28	Puerperal Sepsis ...	F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F.	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F.	16	9	9	.	.	.	.	.	.	.	.	.	1	.	4	4	4
				7	7	.	.	.	.	.	.	.	.	.	1	.	3	3	2
31	Senility ...	M. F.	138	77	.	.	.	.	.	.	.	.	20	57	.	5	1	71	63
				61	.	.	.	.	.	.	.	.	14	47	.	1	2	58	48
32	Suicide ...	M. F.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F.	11	4	.	.	2	2	1	.	.	1	1	.	.	.	1	3	1
				7	.	2	2	.	.	.	1	.	.	1	.	.	3	4	.
34	Other Defined Causes ...	M. F.	44	24	3	2	2	.	1	4	1	7	4	.	.	3	6	15	2
				20	4	1	.	2	1	1	2	4	5	.	.	2	7	11	6
35	Causes ill-defined or unknown...	M. F.	29	19	.	.	.	.	.	1	2	7	9	.	.	.	.	19	16
				10	1	1	1	.	.	.	1	4	2	.	.	.	.	10	9

ABSTRACT V—continued—No. 8—Causes of Death in Administrative County of LOUTH, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. } F. }	892 {	446 446	47 31	19 18	20 13	22 26	24 26	21 18	38 41	74 53	102 113	79 107	20 11	20 17	124 82	282 336	25 48	
1	Typhoid Fever (including Para- M. } typhoid). F. }	2 {	2	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	
2	Typhus M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet Fever... ..M. } F. }	2 {	1 1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	
5	Whooping-cough M. } F. }	12 {	5 7	4 4	1 3	.	.	.	.	.	.	.	.	.	.	.	5 7	1 1	
6	Diphtheria M. } F. }	7 {	2 5	.	1 1	1 3	.	1	.	.	.	.	.	.	.	2 5	.	.	
7	Dysentery M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. } F. }	12 {	7 5	.	.	.	.	1	1	1 2	2 1	2	1 1	.	2 2	1	5 2	.	
9	Encephalitis Lethargica M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. } System. F. }	67 {	30 37	.	.	.	9 11	7 12	5 7	4 2	3	2 1	.	.	5 3	8 14	17 20	.	
12	Other Tuberculous Diseases M. } F. }	27 {	15 12	1	3 1	3 3	4 3	3 2	1	1	1	1	.	2	1 1	6 6	6 5	.	
13	Cancer M. } F. }	97 {	55 42	.	.	.	.	1	2	10 6	18 12	17 11	7 8	2 4	1 2	19 6	33 30	.	
14	Diabetes Mellitus M. }	4 {	3	.	.	.	.	1	.	1	.	1	.	.	.	1 1	2	.	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	60	22	.	.	.	.	.	.	.	5	11	6	.	.	5	17	.
				38	.	.	.	1	.	2	6	3	18	8	.	.	3	35	5
16	Heart Disease ...	M. F. }	158	74	.	.	.	3	2	4	8	21	22	14	2	4	19	49	5
				84	.	.	.	2	3	.	11	17	38	13	.	4	13	67	7
17	Other Circulatory Diseases	M. F. }	18	13	.	.	.	.	.	1	3	4	4	1	1	3	3	6	.
				5	.	.	.	.	.	1	1	.	3	1	2	.	3	3	.
18	Bronchitis ...	M. F. }	25	10	.	.	.	.	.	.	1	1	4	4	.	.	1	9	.
				15	1	.	1	.	.	.	2	1	5	5	.	.	3	12	.
19	Pneumonia (All Forms)	M. F. }	33	18	5	6	.	.	.	1	2	1	1	2	1	1	5	11	.
				15	1	4	.	2	.	1	1	2	3	1	.	1	3	12	.
20	Other Respiratory Diseases	M. F. }	8	3	.	.	.	.	.	.	1	.	2	.	.	.	.	3	.
				5	.	1	.	.	.	.	.	1	1	2	.	.	.	5	.
21	Gastric and Duodenal Ulcer	M. F. }	4	3	.	.	.	.	.	1	.	1	1	.	.	.	3	.	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	F. }	22	13	13	.	.	.	.	.	.	.	.	.	1	.	1	12	.
				9	8	1	.	.	.	.	.	.	.	.	.	.	8	8	.
23	Appendicitis ...	M. F. }	4	2	.	.	.	1	.	.	.	1	.	.	.	.	2	.	.
				2	.	.	1	.	.	.	.	1	.	.	1	.	1	.	.
24	Cirrhosis of the Liver	M. F. }	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	3	2	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
26	Other Digestive Diseases	M. F. }	18	7	2	.	.	.	.	.	1	1	1	2	2	.	.	5	1
				11	.	1	.	.	.	1	.	1	8	.	1	.	1	9	.
27	Acute and Chronic Nephritis	M. F. }	29	19	.	1	1	1	2	.	1	4	5	4	1	.	4	14	.
				10	.	.	.	.	1	.	1	3	4	1	2	.	8	.	.
28	Puerperal Sepsis ...	F. }	4	4	.	.	.	.	4	.	.	.	.	.	.	1	2	1	.
29	Other Puerperal Causes	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	F. }	26	14	12	.	2	.	.	.	.	.	.	.	.	.	6	8	1
				12	12	.	.	.	.	.	.	.	.	.	.	.	2	10	.
31	Senility ...	M. F. }	123	50	.	.	.	.	.	.	.	.	15	35	.	2	16	32	14
				73	.	.	.	.	.	.	.	.	13	60	.	.	11	62	27
32	Suicide ...	M. F. }	3	2	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
				1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	30	22	1	4	5	2	2	3	1	.	1	3	4	.	10	8	.
				8	.	.	1	1	.	.	1	.	4	.	.	.	2	6	.
34	Other Defined Causes ...	M. F. }	75	43	9	3	6	2	4	1	2	10	6	.	3	1	10	29	.
				32	4	6	1	3	2	2	6	1	4	3	3	1	7	21	3
35	Causes ill-defined or unknown	M. F. }	18	9	.	.	1	.	.	.	.	1	7	.	.	.	.	9	3
				9	.	.	.	.	.	.	1	5	3	.	.	.	.	9	5

ABSTRACT V—continued—No. 9—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.			
	ALL CAUSES M. } F. }	871	443 428	31 34	7 12	5 8	21 18	13 18	19 27	37 51	89 52	146 111	75 97	17 14	18 13	121 83	287 318	45 49		
1	Typhoid Fever (including Para- M. } typhoid). F. }	7	3 4	.	.	1	.	1	1	2	.	1	.	1	.	1 3	1	.		
2	Typhus M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Scarlet Fever... ..M. } F. }	3	3	.	.	2	.	.	.	.	.	1	.	.	1	2	.	.		
5	Whooping-cough M. } F. }	2	1 1	1	1	.	.	.	.	.	.	.	.	.	.	.	1 1	.		
6	Diphtheria M. } F. }	2	2	.	1	.	.	.	1	.	.	.	.	.	.	.	2	.		
7	Dysentery M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. } F. }	8	1 7	1	.	.	.	1	.	.	1	1 4	.	.	.	.	1 7	1		
9	Encephalitis Lethargica ...M. } F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		
10	Cerebro-spinal Fever M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory M. } System. F. }	49	27 22	.	.	2	9 5	3 5	7 3	4 3	3 2	1 2	.	4	.	5 6	18 16	.		
12	Other Tuberculous Diseases ...M. } F. }	22	10 12	.	.	1	4 2	2 2	3 4	1	1	2	.	1	2	7 3	3 6	1 1		
13	Cancer M. } F. }	90	47 43	.	.	1	.	1	2 6	5 9	18 9	14 12	8 5	1 4	1 2	20 9	25 28	2		
14	Diabetes Mellitus M. } F. }	10	3 7	.	.	.	1	.	1	1	2 1	3	1	.	.	2 2	1 5	.		

15	Cerebral Hemorrhage, etc. (No. 82).	M. F. }	76	{	37	.	.	.	.	.	.	2	10	18	7	2	.	9	26	3
					39	.	.	.	.	.	2	6	6	17	8	2	.	8	29	2
16	Heart Disease ...	...M. F. }	174	{	82	.	.	.	.	.	2	10	16	39	15	.	2	23	57	4
					92	.	.	.	1	.	2	10	20	31	28	1	2	15	74	2
17	Other Circulatory Diseases	...M. F. }	21	{	13	.	1	.	.	.	1	2	1	6	2	1	.	4	8	.
					8	.	.	.	.	.	.	1	2	5	.	.	.	8	8	.
18	Bronchitis ...	...M. F. }	36	{	17	.	1	.	.	.	.	3	.	11	2	.	.	3	14	.
					19	1	1	.	.	.	.	2	2	8	7	.	.	5	14	2
19	Pneumonia (All Forms)	...M. F. }	56	{	33	5	1	.	3	.	2	3	5	11	3	.	2	10	21	1
					23	2	3	.	1	2	2	2	3	7	1	.	.	3	20	.
20	Other Respiratory Diseases	...M. F. }	20	{	12	.	1	.	.	.	.	1	5	3	2	2	.	3	7	.
					8	.	.	1	.	1	.	5	1	1	.	.	.	8	8	1
21	Gastric and Duodenal Ulcer	...M. F. }	9	{	8	.	.	.	.	.	.	.	6	2	.	.	.	4	4	.
					1	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	4	{	2	2	.	.	.	.	.	.	.	.	.	.	.	1	2	1
					2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.
23	Appendicitis ...	...M. F. }	7	{	5	.	.	1	.	.	.	.	1	3	.	2	.	3	.	.
					2	.	.	.	.	.	1	1	.	.	.	1	.	1	.	.
24	Cirrhosis of the Liver	...M. F. }	3	{	2	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.
					1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
25	Other Diseases of Liver, Etc.	...M. F. }	1	{	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
					1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
26	Other Digestive Diseases	...M. F. }	15	{	6	1	.	.	.	1	.	.	1	2	1	.	.	1	5	.
					9	4	2	.	.	.	.	1	1	1	1	1	.	3	5	.
27	Acute and Chronic Nephritis	...M. F. }	25	{	18	.	.	.	.	.	.	1	7	8	2	1	.	5	12	1
					7	.	.	.	1	.	.	1	.	5	.	.	2	5	5	.
28	Puerperal Sepsis ...	...F. }	4	{	4	.	.	.	2	1	1	.	.	.	.	.	.	3	1	.
29	Other Puerperal Causes	...F. }	4	{	4	.	.	.	.	2	2	.	.	.	.	1	.	.	3	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	37	{	18	18	.	.	.	.	.	.	.	.	.	1	.	2	1	6
					19	18	1	.	.	.	.	.	.	.	.	1	.	6	12	7
31	Senility ...	...M. F. }	89	{	43	.	.	.	.	.	.	.	.	12	31	.	8	3	32	19
					46	.	.	.	.	.	.	.	.	10	36	.	.	2	44	25
32	Suicide ...	...M. F. }	3	{	3	.	.	.	.	.	.	1	2	.	.	.	1	1	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	...M. F. }	18	{	13	.	2	.	1	2	.	1	2	4	1	1	.	4	8	.
					5	.	.	1	2	.	1	1	.	1	1	.	.	2	3	.
34	Other Defined Causes ...	...M. F. }	62	{	29	4	.	1	3	4	.	1	3	7	1	1	3	7	18	3
					33	6	2	1	2	3	2	6	2	4	4	2	5	8	18	.
35	Causes ill-defined or unknown	...M. F. }	13	{	7	.	1	1	.	.	1	1	1	2	.	.	1	1	6	6
					6	.	1	.	1	.	.	.	2	.	.	.	.	5	5	4

ABSTRACT V—continued—No. 10—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hcspis. District Hospls. and Co. Infir-maries.	Eise-where.		
	ALL CAUSES M. F. }	702	357 345	30 16	7 9	4 13	18 18	11 14	12 22	25 28	80 52	114 98	56 75	24 21	8 4	77 60	248 260	64 78	
1	Typhoid Fever (including Para-typhoid). M. F. }	7	7	.	.	.	3	2	1	.	1	.	.	.	.	4	3	.	
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet Fever... ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	
6	Diphtheria M. F. }	7	1 6	.	1 1	4	1	.	.	.	.	.	.	.	.	1 4	2	.	
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	16	7 9	.	.	.	.	.	1	2	2 1	3 4	1 1	.	.	2	7 7	3 1	
9	Encephalitis Lethargica M. F. }	2	2	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory System. M. F. }	43	17 26	.	2 1	.	2 10	6 5	3 6	2 2	1 2	1 .	.	6 7	1	2	11 16	3	
12	Other Tuberculous Diseases M. F. }	19	9 10	3	5	1	2	1	1	1	1	2	.	2	.	3 6	4 4	1 1	
13	Cancer M. F. }	68	34 34	.	.	1	.	.	3	7	15 7	8 12	8 4	3 1	.	8 5	23 28	3 2	
14	Diabetes Mellitus M. F. }	4	3	.	.	.	.	.	.	1	2	.	.	.	.	.	3	.	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	47 {	24	.	.	.	.	.	.	1	2	8	12	1	.	.	4	20	2
				23	.	.	.	.	.	.			9	7	5	.	.	4	19	5
16	Heart Disease ...	M. F. }	122 {	63	.	.	.	1	.	.	1	5	14	34	8	.	5	14	44	7
				59	.	.	.	.	.	.	2	5	16	23	13	.	2	6	51	6
17	Other Circulatory Diseases	M. F. }	8 {	4	.	.	.	.	.	.	.	1	2	1	1	.	.	1	3	.
				4	.	.	.	.	.	.	.		1	1	1	.	.	1	3	.
18	Bronchitis ...	M. F. }	36 {	20	2	.	.	.	.	.	1	1	7	9	1	.	1	4	15	3
				16	.	.	.	.	.	.	1		3	8	3	.		2	14	5
19	Pneumonia (All Forms)	M. F. }	36 {	21	1	1	.	2	.	2	2	2	8	4	1	.	2	3	16	1
				15	.	.	3	1	2	.	1		2	5	1	1		2	12	1
20	Other Respiratory Diseases	M. F. }	5 {	4	.	1	.	.	.	.	.	.	1	2	.	.	.	1	3	.
				1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
21	Gastric and Duodenal Ulcer	M. F. }	3 {	3	.	.	.	.	.	1	.	.	2	.	.	1	.	.	2	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	5 {	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
23	Appendicitis ...	M. F. }	2 {	1	.	.	1	.	1	.	.	.	.	.	.	1	.	1	.	.
				1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	2 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
				1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
26	Other Digestive Diseases	M. F. }	10 {	5	2	.	.	.	.	.	1	1	1	1	.	2	.	2	1	.
				5	.	1	.	.	.	.	.	.	.	.	1	4	.	.	1	.
27	Acute and Chronic Nephritis	M. F. }	16 {	10	.	1	.	1	.	1	2	2	2	4	.	1	.	4	5	.
				6	.	.	.	.	1	1	1	2	1	1	.	.	.	6	6	.
28	Puerperal Sepsis ...	F. }	3	3	.	.	.	2	1	.	.	.	.	.	.	2	.	1	.	.
29	Other Puerperal Causes	F. }	5	5	.	.	.	.	2	3	.	.	.	.	.	1	.	.	4	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	25 {	14	14	.	.	.	.	.	.	.	.	.	.	2	.	3	9	4
				11	11	.	.	.	.	.	.	.	.	.	.	2	.	.	9	5
31	Senility ...	M. F. }	124 {	57	.	.	.	.	.	.	.	.	.	23	34	.	.	13	44	34
				67	.	.	.	.	.	.	.	.	.	26	41	.	.	13	54	40
32	Suicide ...	M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	10 {	6	.	1	.	.	.	.	1	2	2	2	1	.	.	2	4	.
				4	.	.	.	1	.	.	1	1	1	1	.	.	.	2	2	.
34	Other Defined Causes ...	M. F. }	66 {	39	7	.	4	7	.	1	5	8	6	1	.	6	.	7	26	5
				27	1	1	2	1	3	3	2	3	8	3	3	2	.	7	17	4
35	Causes ill-defined or unknown	M. F. }	8 {	2	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	1
				6	.	.	.	.	.	.	1	3	2	.	.	.	.	1	5	6

ABSTRACT V—contd.—No. 11—Causes of Death in Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1934

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	774	409 365	32 18	11 6	11 12	15 17	21 22	22 18	29 24	77 66	107 89	84 93	13 13	17 16	104 67	275 269	72 57
1	Typhoid Fever (including Para-M. F. typhoid).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Scarlet Fever... ..M. F. }	6	4 2	.	3 1	.	.	1 .	1 .	.	.	.	.	.	.	1 1	3 1	1 .
5	Whooping-cough M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Diphtheria M. F. }	10	4 6	.	1 1	2 4	.	1 .	.	.	1 .	.	.	1 .	.	2 4	2 1	.
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	11	5 6	.	.	1 .	.	.	.	.	2 1	1 2	1 3	.	.	1 2	4 4	1 .
9	Encephalitis Lethargica M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory System. M. F. }	53	27 26	.	.	.	7 11	8 9	4 2	2 2	5 2	.	.	2 2	1 2	14 7	10 15	.
12	Other Tuberculous Diseases M. F. }	15	7 8	.	.	2 1	1 2	2 1	1 .	2 .	2 .	.	1 .	1 1	1 1	1 6	5 .	.
13	Cancer M. F. }	58	33 25	.	.	.	1 .	1 .	2 4	5 .	13 7	8 10	3 4	1 .	1 2	13 5	18 18	2 .
14	Diabetes Mellitus M. F. }	6	4	.	.	.	.	.	1 .	.	1 .	1 .	1 .	.	.	3	1	.

15	Cerebral Haemorrhage, etc. (No. 82).	M. } F. }	63 {	24 39	.	.	.	.	1	2 1	2 5	4 13	10 13	6 6	1 1	1 1	5 6	18 31	5 5
16	Heart Disease ...	M. } F. }	133 {	69 64	.	.	.	1	2	2 4	3 17	20 25	23 25	20 16	1 1	3 4	10 10	55 49	7 4
17	Other Circulatory Diseases	M. } F. }	22 {	14 8	.	.	.	.	.	1	.	3 2	9 3	2 2	.	1	6 3	8 4	.
18	Bronchitis ...	M. } F. }	34 {	24 10	3	1	.	.	.	.	.	4 3	10 3	6 4	.	.	2 1	22 9	6 4
19	Pneumonia (All Forms)	M. } F. }	35 {	23 12	3 1	2	1	1	2	.	8 2	1 2	4 2	4 1	1 1	2	8	12 12	1
20	Other Respiratory Diseases	M. } F. }	16 {	10 6	.	.	.	.	1 1	1	.	5 1	4 1	.	2	.	1 1	9 5	1
21	Gastric and Duodenal Ulcer	M. } F. }	8 {	6 2	.	.	.	.	2	2	.	1 1	1 1	1	1	.	.	5 2	1
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	2 {	1 1	1	.	.	.	.	.	.	.	.	.	.	.	.	1 1	1
23	Appendicitis ...	M. } F. }	2 {	1 1	.	1	.	.	.	.	1	.	.	.	.	.	1 1	.	.
24	Cirrhosis of the Liver	M. } F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. } F. }	3 {	1 2	.	.	.	.	.	1	.	.	.	1	1	.	.	1 1	.
26	Other Digestive Diseases	M. } F. }	17 {	10 7	.	3	.	.	1	2 1	1	3 1	1 1	.	1	1	5	3 7	1
27	Acute and Chronic Nephritis	M. } F. }	31 {	18 13	.	.	.	.	.	1 1	2 3	3 3	9 4	3 5	.	.	7 2	11 11	1
28	Puerperal Sepsis ...	F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.
29	Other Puerperal Causes	F. }	6	6	.	.	.	.	2	4	.	.	.	.	.	.	2	4	2
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	28 {	17 11	16 11	.	1	.	.	.	.	.	.	.	1	.	4 4	13 6	4 1
31	Senility ...	M. } F. }	94 {	44 50	.	.	.	.	.	.	.	.	14 16	30 34	.	6 5	1	37 45	30 26
32	Suicide ...	M. } F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
33	Other Violence ...	M. } F. }	22 {	15 7	2 1	2	1	3	.	1	3 1	2 1	1 3	1 3	1	.	7 3	7 4	.
34	Other Defined Causes ...	M. } F. }	76 {	37 39	7 3	4 1	1 5	2 3	2 4	3 1	7 5	6 5	5 8	4 5	1 5	12 8	20 26	5 4	
35	Causes ill-defined or unknown	M. } F. }	19 {	10 9	.	1	.	.	.	1 1	2 2	3 2	3 3	.	1	.	9 9	9 7	

ABSTRACT V—continued—No.12—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1934

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } F. }	1,376 {	715 661	76 45	24 17	15 15	43 31	45 38	31 34	47 49	113 100	193 171	128 161	42 17	16 17	136 103	521 524	101 118
1	Typhoid Fever (including Para- M. } typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles ... M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
4	Scarlet Fever... M. } F. }	2 {	.	2	1	.	.	1	.	.	.	.	.	.	.	2	.	.
5	Whooping-cough ... M. } F. }	7 {	1 6	1 6	.	.	.	.	.	.	.	.	.	.	.	3	1 3	. 1
6	Diphtheria ... M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
7	Dysentery ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza ... M. } F. }	8 {	6 2	.	.	.	.	1	.	1	1	2 1	1 1	.	1	1	4 2	1
9	Encephalitis Lethargica ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever ... M. } F. }	1 {	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.
11	Tuberculosis of Respiratory M. } System. F. }	90 {	47 43	.	.	1 3	15 19	17 9	7 8	2 3	4 1	1	.	10 6	3	1 3	33 34	4 4
12	Other Tuberculous Diseases ... M. } F. }	44 {	26 18	2	2 2	5 2	7 5	4 5	3 3	3	.	.	.	1	.	10 7	15 11	.
13	Cancer ... M. } F. }	119 {	67 52	.	.	.	.	1	4 2	7 9	27 18	23 19	5 4	6 2	.	23 5	38 44	4 2
14	Diabetes Mellitus ... M. }	8 {	6	.	.	.	.	.	.	.	1	5	.	2	.	.	4	.

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. } F. }	84 { 50	.	.	.	1	.	.	4	4	18	7	1	.	4	29	4
				.	.	.	.	2	.	2	8	26	12	.	1	2	47	11
16	Heart Disease ...	M. } F. }	277 { 141 136	.	.	3	3	.	1	9	27	69	29	1	1	28	111	8
				.	1	1	.	1	5	14	31	50	34	.	5	19	112	13
17	Other Circulatory Diseases	M. } F. }	14 { 7	.	.	.	.	.	.	.	2	2	3	.	.	2	5	.
				.	.	.	.	.	.	1	2	2	2	.	.	.	7	.
18	Bronchitis ...	M. } F. }	68 { 29 39	4	2	.	.	1	.	1	4	10	7	.	.	2	27	4
				1	3	1	.	1	2	1	5	13	12	.	3	.	36	5
19	Pneumonia (All Forms)	M. } F. }	74 { 41 33	2	6	1	1	3	4	1	11	9	3	.	2	10	29	4
				5	2	.	.	2	.	4	10	7	3	1	1	3	28	4
20	Other Respiratory Diseases	M. } F. }	30 { 16 14	.	.	.	2	.	.	4	4	5	1	1	.	2	13	1
				1	.	.	.	1	.	2	2	6	2	.	.	1	13	.
21	Gastric and Duodenal Ulcer	M. } F. }	15 { 10 5	.	.	.	.	3	1	2	.	3	1	2	2	.	6	1
				.	.	.	.	.	1	.	1	1	2	.	.	.	5	1
22	Diarrhœa and Enteritis (under 2 years).	M. } F. }	20 { 13 7	11	2	.	.	.	.	.	.	.	.	.	.	1	13	1
				6	1	.	.	.	.	.	.	.	.	.	.	.	6	.
23	Appendicitis ...	M. } F. }	8 { 3 5	.	.	.	.	.	.	2	1	.	.	2	.	1	.	.
				.	1	2	.	.	1	1	.	.	.	1	.	2	2	.
24	Cirrhosis of the Liver	M. } F. }	1 { 1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. } F. }	8 { 3 5	.	.	.	1	.	.	.	1	.	1	1	.	1	1	.
				.	.	.	.	.	1	1	1	2	.	.	.	1	4	.
26	Other Digestive Diseases	M. } F. }	30 { 19 11	2	1	1	1	2	.	1	3	4	4	1	1	8	9	2
				.	1	1	.	.	1	.	3	4	2	.	.	3	8	2
27	Acute and Chronic Nephritis	M. } F. }	62 { 31 31	.	1	.	1	5	.	3	5	7	9	.	.	10	21	1
				1	.	.	.	2	2	6	5	7	8	.	.	13	18	.
28	Puerperal Sepsis ...	F. }	4	.	.	.	.	4	.	.	.	.	.	.	.	3	1	.
29	Other Puerperal Causes	F. }	9	.	.	.	.	4	5	.	.	.	.	.	.	4	5	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	61 { 41 20	40	1	.	.	.	.	.	.	.	.	7	.	7	27	7
				19	.	1	.	.	.	.	.	.	.	.	.	10	10	5
31	Senility ...	M. } F. }	152 { 64 88	.	.	.	.	.	.	.	.	11	53	.	.	2	62	45
				.	.	.	.	.	.	.	.	16	72	1	3	6	78	57
32	Suicide ...	M. } F. }	2 { 2	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
33	Other Violence ...	M. } F. }	30 { 24 6	2	4	1	4	4	3	2	1	3	1	.	.	8	16	.
				.	.	.	.	.	.	.	2	3	.	.	.	3	3	.
34	Other Defined Causes ...	M. } F. }	130 { 74 56	12	3	3	7	2	8	4	16	15	4	7	6	16	45	6
				6	6	4	6	5	3	5	7	8	6	6	3	11	36	7
35	Causes ill-defined or unknown	M. } F. }	16 { 8 8	.	.	.	.	.	.	1	1	6	.	.	.	.	8	8
				.	1	.	.	.	.	.	3	4	.	.	.	.	8	6

ABSTRACT V—contd.—No. 13—Causes of Death in Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. } F. }	760 {	397 363	33 22	12 12	9 10	16 30	19 26	14 15	41 29	72 46	108 92	73 81	42 32	14 7	83 50	258 274	43 36		
1	Typhoid Fever (including Para- M. } typhoid). F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
2	Typhus M. } F. }	2 {	1 1	.	.	.	1	.	.	1	.	.	.	.	.	1 1	.	.		
3	Measles M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.		
4	Scarlet Fever... ..M. } F. }	3 {	1 2	.	1	1	.	1	.	.	.	.	.	.	.	1 2	.	.		
5	Whooping-cough M. } F. }	3 {	1 2	2	1	.	.	.	.	.	.	.	.	1	.	.	1 1	.		
6	Diphtheria M. } F. }	7 {	2 5	.	1	2 2	1	.	.	.	1	.	.	2	.	1 2	1 1	.		
7	Dysentery M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. } F. }	20 {	7 13	1	.	1	1	1	.	1	2	5 5	3	.	.	1	7 12	4 6		
9	Encephalitis Lethargica ...M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
10	Cerebro-spinal Fever M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory M. } System. F. }	64 {	27 37	.	1	1	6 14	11 11	4 4	2 2	3 2	1 2	.	7 4	4 3	3 4	13 26	1		
12	Other Tuberculous Diseases ...M. } F. }	13 {	8 5	.	3 1	1	1 2	2	.	1	1	.	.	3 1	.	1	4 4	.		
13	Cancer M. } F. }	85 {	53 32	1	.	.	.	.	1 3	6 5	16 8	18 9	11 7	7 5	1	14 3	31 24	1 1		
14	Diabetes Mellitus M. }	3 {	2	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.		

15	Cerebral Haemorrhage, etc. (No. 82).	M. F. }	76 {	33 43	.	.	.	1	1	.	5 4	4 9	18 17	6 11	2 2	.	11 8	20 33	2 1
16	Heart Disease ...	M. F. }	131 {	64 67	.	.	2	1 4	1 2	1 2	5 5	14 9	29 24	13 19	2 2	3 2	8 9	51 56	.
17	Other Circulatory Diseases	M. F. }	11 {	5 6	.	.	.	.	.	.	1 2	2 2	2 2	1 1	1 1	1 1	3 5	.	.
18	Bronchitis ...	M. F. }	35 {	20 15	1 2	.	.	1	.	1	1 1	4 3	8 8	6 8	.	.	8 2	12 13	3 1
19	Pneumonia (All Forms)	M. F. }	58 {	33 25	4 1	4 7	1	.	2 1	2	3 2	8 2	3 8	8 2	1 1	1	10 1	21 24	.
20	Other Respiratory Diseases	M. F. }	18 {	11 7	.	.	.	1 1	.	.	2 1	4 1	2 3	2 1	1 1	.	2 1	8 6	.
21	Gastric and Duodenal Ulcer	M. F. }	8 {	6 2	.	.	.	.	.	2	.	2 1	2	1	3	.	1	3 1	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	3 {	3 3	3 3	.	.	.	.	.	.	.	.	.	.	.	.	3	.
23	Appendicitis ...	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	2 {	1 1	.	.	.	.	.	.	.	1 1	.	.	.	.	.	1 1	.
25	Other Diseases of Liver, Etc.	M. F. }	2 {	2 2	.	.	.	.	1	.	.	.	1	.	.	.	1	1	.
26	Other Digestive Diseases	M. F. }	21 {	10 11	4 1	.	1 2	.	1	.	1 1	2 1	3	2 2	4 2	1	1 2	5 6	.
27	Acute and Chronic Nephritis	M. F. }	19 {	15 4	.	.	1	.	.	1	2	3 1	6 2	2 1	1 1	.	8 1	6 3	1
28	Puerperal Sepsis ...	F. }	2	2	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.
29	Other Puerperal Causes	F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	23 {	12 11	12 11	.	.	.	.	.	.	.	.	.	2 3	.	3	10 5	2 1
31	Senility ...	M. F. }	53 {	27 26	.	.	.	.	.	.	.	.	5 6	22 20	1	.	3 3	24 22	18 16
32	Suicide ...	M. F. }	2 {	2 2	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
33	Other Violence ...	M. F. }	14 {	7 7	.	1	1	1	1	.	4	1	1 1	2 2	2 2	1	1 2	4 2	.
34	Other Defined Causes ...	M. F. }	69 {	39 30	7 6	3 2	3 1	3	4 2	6 5	7 4	6 4	3	7 3	4	7 5	21 22	4 2	.
35	Causes ill-defined or unknown	M. F. }	9 {	5 4	.	.	.	.	1	.	1 2	1 1	2 1	.	.	.	5 4	4 3	.

ABSTRACT V—continued—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES M. } F. }	12,443 {	6,332 6,111	656 520	192 199	174 202	282 273	294 292	334 313	512 503	1,031 841	1,645 1,604	1,212 1,364	509 420	205 176	1,374 1,077	4,244 4,438	920 1,113
1	Typhoid Fever (including Para- M. } typhoid). F. }	24 {	16 8	• •	• •	2 1	6 1	3 2	4 2	• 1	• 1	1 •	• •	1 1	1 3	14 4	• •	• •
2	Typhus M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
3	Measles M. } F. }	13 {	5 8	2 2	2 2	1 •	• 1	• •	• •	• 1	• •	• •	• •	• •	• •	• 1	5 7	• 1
4	Scarlet Fever... ..M. } F. }	20 {	11 9	• •	4 6	6 1	1 1	• •	• 1	• •	• •	• •	• •	1 1	• •	8 6	2 2	• •
5	Whooping-cough M. } F. }	103 {	50 53	29 30	19 19	2 4	• •	• •	• •	• •	• •	• •	• •	2 2	• •	5 6	43 45	8 6
6	Diphtheria M. } F. }	128 {	53 75	• 3	20 20	28 45	3 3	• 1	1 •	1 2	• 1	• •	• •	2 6	• •	47 59	4 10	• •
7	Dysentery M. } F. }	1 {	• 1	• •	• •	• •	• •	• •	• •	• •	• •	• 1	• •	• •	• 1	• •	• •	• •
8	Influenza M. } F. }	212 {	101 111	6 6	7 3	1 4	• 3	5 4	1 5	6 9	18 14	46 50	11 13	4 1	3 •	9 12	85 98	25 30
9	Encephalitis Lethargica M. } F. }	10 {	6 4	• •	• •	1 2	• •	1 •	3 1	1 1	• •	• •	• •	• •	1 •	3 2	2 2	• •
10	Cerebro-spinal Fever M. } F. }	2 {	• 2	• •	1 •	• •	• •	• •	1 •	• •	• •	• •	• •	• •	• •	1 •	1 •	• •
11	Tuberculosis of Respiratory System. M. } F. }	822 {	405 417	• 2	• 3	10 18	91 133	121 115	80 70	53 40	44 23	5 10	1 3	64 66	34 25	105 125	202 201	10 5
12	Other Tuberculous Diseases M. } F. }	219 {	115 104	8 8	23 16	18 21	24 25	20 11	9 7	6 10	2 3	5 3	• •	17 14	7 2	35 37	56 51	4 3
13	Cancer M. } F. }	1,117 {	618 499	1 •	1 1	5 2	12 2	29 5	29 32	94 107	178 165	224 130	74 55	96 67	2 8	176 101	344 323	10 7
14	Diabetes Mellitus M. } F. }	88 {	43 45	• •	• •	2 3	1 •	2 •	4 1	8 6	8 13	14 14	4 8	5 3	• 1	12 7	26 34	1 4

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	683	294 389	.	3	2	8	4	7	18	75	126	51	11	9	74	200	26
				.		2		4	15	42	80	158	88	16	16	54	303	47
16	Heart Disease M. F. }	2,104	1,035 1,069	.	1	13	17	25	46	76	238	416	203	42	39	258	696	67
				.	5	5	8	19	42	90	223	451	226	30	48	196	795	84
17	Other Circulatory Diseases ...M. F. }	201	100 101	2	.	.	.	.	1	6	24	41	26	2	4	28	66	2
				1	.	.	1	.	2	11	28	35	23	2	1	30	68	2
18	Bronchitis M. F. }	603	296 307	46	4	2	3	1	6	18	53	99	64	11	2	51	232	30
				26	8	2	6	4	4	12	41	131	73	4	3	33	267	45
19	Pneumonia (All Forms) ...M. F. }	767	436 331	58	47	13	17	18	30	46	72	99	36	29	27	82	298	14
				42	33	17	12	20	21	25	48	78	35	12	14	40	265	19
20	Other Respiratory Diseases ...M. F. }	238	135 103	4	3	1	8	7	13	17	30	38	14	11	3	22	99	4
				2	6	4	6	3	3	15	20	28	16	6	.	10	87	5
21	Gastric and Duodenal Ulcer ...M. F. }	96	62 34	.	.	1	5	3	12	14	13	11	3	19	3	11	29	1
				.	.	.	2	2	4	5	9	10	2	4	.	10	20	1
22	Diarrhoea and Enteritis (under 2 M. years).	193	102 91	94	8	.	.	.	.	.	.	.	.	6	.	25	71	3
				81	10	.	.	.	.	.	.	.	.	11	.	26	54	2
23	Appendicitis M. F. }	62	45 17	.	3	7	6	8	6	5	8	1	1	19	.	22	4	.
				.	.	6	2	4	2	1	1	1	.	8	.	7	2	.
24	Cirrhosis of the Liver ...M. F. }	26	16 10	.	.	.	.	.	.	3	6	6	1	1	.	4	11	.
				.	.	.	.	.	1	1	2	5	1	.	.	10	.	.
25	Other Diseases of Liver, Etc. ...M. F. }	69	28 41	3	.	.	1	1	2	2	7	9	4	5	.	5	18	3
				.	.	.	1	1	2	5	7	17	8	7	.	6	28	1
26	Other Digestive Diseases ...M. F. }	326	160 166	24	6	6	6	5	12	10	29	46	16	24	5	27	104	13
				21	9	14	3	4	13	11	31	36	24	24	2	23	117	13
27	Acute and Chronic Nephritis ...M. F. }	320	174 146	1	2	1	7	8	4	29	42	57	23	13	1	51	109	4
				1	2	3	6	8	14	18	29	50	15	9	.	26	111	2
28	Puerperal Sepsis F. }	33	33	.	.	.	4	25	4	.	.	.	.	10	.	20	3	.
29	Other Puerperal Causes ...F. }	50	50	.	.	.	7	21	21	1	.	.	.	19	.	18	13	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	514	281 233	278	1	2	.	.	.	.	.	.	.	34	.	53	194	56
				225	4	3	1	.	.	.	.	.	.	24	.	38	171	51
31	Senility M. F. }	1,823	826 997	.	.	.	.	.	.	.	.	207	619	5	13	45	763	520
				.	.	.	.	.	.	.	.	260	737	6	15	46	930	662
32	Suicide M. F. }	37	31 6	.	.	.	.	3	7	5	7	7	2	1	.	1	30	.
				.	.	.	.	1	1	3	1	.	.	.	.	.	5	.
33	Other Violence M. F. }	262	165 97	9	18	11	30	11	12	22	25	21	6	24	.	34	107	1
				9	16	13	7	6	4	6	7	12	17	19	.	22	56	2
34	Other Defined Causes M. F. }	1,060	614 446	91	18	42	41	33	39	63	111	123	53	60	49	161	344	47
				60	26	28	35	31	37	70	64	76	19	48	37	110	251	42
35	Causes ill-defined or unknown ...M. F. }	217	107 110	.	2	1	3	3	5	9	41	43	.	.	2	6	99	71
				1	10	2	3	1	4	10	30	48	1	.	.	1	109	79

ABSTRACT V—continued—No. 14.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. F. }	1102 {	571 531	31 31	20 19	18 20	16 19	19 32	28 24	39 40	99 71	153 127	148 148	27 15	22 22	119 94	403 400	139 158	
1	Typhoid Fever (including Para- M. typhoid). ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
4	Scarlet Fever... ..M. F. }	6 {	3 3	. .	1 2	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 3	. .	. .	
5	Whooping-cough M. F. }	2 {	. 2	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	. .	. .	
6	Diphtheria M. F. }	18 {	8 10	. 1	4 2	4 7	. .	. .	. .	. .	. .	. .	. .	1 .	. .	8 7	. 2	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	30 {	11 19	. 1	. 1	. 1	. .	. .	. .	. .	1 2	6 11	4 3	. 1	. .	. 2	11 16	6 6	
9	Encephalitis Lethargica ..M. F. }	1 {	. 1	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory System. M. F. }	84 {	38 46	. .	. .	4 3	7 11	11 13	5 9	3 8	7 2	1 .	. .	8 5	2 5	10 13	18 23	2 1	
12	Other Tuberculous Diseases ..M. F. }	12 {	7 5	. .	2 2	. 1	2 2	1 .	2 .	. .	. .	. .	. .	. .	2 1	. 2	3 4	. .	
13	Cancer M. F. }	81 {	44 37	. .	. .	. .	. .	1 .	3 1	7 10	10 15	16 6	7 5	3 2	. .	12 11	29 24	. 1	

15	Cerebral Haemorrhage, etc. (No. 82).	M. } F. }	39 { 20 {	19 20	.	.	.	1	.	.	.	1	3	6	9	3	1	.	.	1	3	15	3
16	Heart Disease ...	M. } F. }	141 { 64 {	77 64	.	.	.	.	4	.	5	9	17	31	15	23	14	3	6	19	49	7	
17	Other Circulatory Diseases	M. } F. }	12 { 8 {	4 8	.	.	.	.	.	.	.	3	2	5	2	.	.	.	.	1	3	5	.
18	Bronchitis ...	M. } F. }	57 { 28 {	29 28	2	.	.	1	1	1	1	.	5	16	5	11	10	1	1	8	19	5	
19	Pneumonia (All Forms)	M. } F. }	65 { 26 {	39 26	1	6	1	1	1	1	2	1	10	14	2	8	1	.	3	11	28	4	
20	Other Respiratory Diseases	M. } F. }	30 { 14 {	16 14	.	.	.	1	.	2	1	1	4	7	1	3	2	1	2	11	.	.	
21	Gastric and Duodenal Ulcer	M. } F. }	5 { 3 {	2 3	.	.	.	.	.	.	1	1	1	.	1	1	.	.	2	2	1	.	
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	4 { 1 {	3 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	
23	Appendicitis ...	M. } F. }	5 { 1 {	4 1	.	1	1	.	.	.	.	.	2	.	.	.	1	.	.	3	.	.	
24	Cirrhosis of the Liver	M. } F. }	1 { 1 {	1 1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
25	Other Diseases of Liver, Etc.	M. } F. }	2 { 1 {	1 1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	
26	Other Digestive Diseases	M. } F. }	30 { 17 {	13 17	1	1	.	.	.	.	.	.	2	5	4	3	7	1	1	6	6	3	
27	Acute and Chronic Nephritis	M. } F. }	27 { 13 {	14 13	.	.	.	2	1	1	2	3	3	4	3	2	1	.	3	10	.	.	
28	Puerperal Sepsis ...	F. }	3 {	3	.	.	.	.	1	2	.	.	.	.	.	1	.	.	2	.	.	.	
29	Other Puerperal Causes	F. }	3 {	3	.	.	.	1	2	.	.	.	.	.	.	1	.	.	2	.	.	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	34 { 17 {	17 17	16	.	1	.	.	.	.	.	.	.	.	.	.	.	1	16	7	.	
31	Senility ...	M. } F. }	257 { 136 {	121 136	.	.	.	.	.	.	.	.	.	21	100	.	.	4	5	112	85	.	
32	Suicide ...	M. } F. }	7 { 7 {	7 7	.	.	.	.	.	1	3	.	3	.	.	.	.	.	.	7	.	.	
33	Other Violence ...	M. } F. }	21 { 7 {	14 7	1	1	1	3	1	2	1	4	.	.	.	1	.	.	4	9	.	.	
34	Other Defined Causes ...	M. } F. }	79 { 33 {	46 33	7	1	3	2	2	2	3	1	5	11	6	2	2	3	16	25	4	.	
35	Causes ill-defined or unknown	M. } F. }	39 { 13 {	26 13	.	1	1	1	.	.	2	3	12	6	.	.	.	2	.	24	16	.	

ABSTRACT V—continued—No. 15.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES M. F. }	3642 {	1853 1789	171 140	44 41	40 50	90 84	117 73	76 91	152 145	323 264	476 491	362 410	188 167	54 60	381 267	1230 1295	281 317
1	Typhoid Fever (including Para- M. F. } typhoid).	4 {	2 2	. .	. .	. 1	. 1	. 2	. .	. .	. .	. .	. .	1 1	1 1	. 1	. .	. .
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	3 {	1 2	1 .	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 2	. 1
4	Scarlet Fever... .. M. F. }	8 {	5 3	. 1	3 1	2 .	1 1	. 1	. 1	. .	. .	. .	. .	1 1	. .	3 .	1 2	. .
5	Whooping-cough M. F. }	23 {	7 16	5 6	2 7	. 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 4	6 12	1 2
6	Diphtheria M. F. }	22 {	7 15	. 1	2 2	3 9	1 2	. 1	. .	1 .	. .	. .	. .	. .	. .	7 14	. 1	. .
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	67 {	33 34	5 3	2 1	1 1	. 2	3 2	1 2	3 3	5 6	13 14	2 2	3 .	. .	2 1	28 33	2 4
9	Encephalitis Lethargica M. F. }	5 {	3 2	. .	. .	1 .	. .	. .	2 1	1 .	. .	. .	. .	. .	. .	3 1	. 1	. .
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of Respiratory System. M. F. }	217 {	111 106	. 1	. 1	2 2	30 38	44 25	18 16	5 12	11 10	1 1	. .	30 33	9 9	21 13	51 51	4 2
12	Other Tuberculous Diseases M. F. }	54 {	29 25	3 .	6 2	3 8	8 4	5 4	2 2	2 3	. .	. 2	. .	5 3	1 1	9 7	14 14	. 1
13	Cancer M. F. }	356 {	197 159	1 .	. .	. 1	4 2	8 1	7 9	32 32	52 50	76 43	17 21	44 29	1 2	59 25	93 103	3 4
	 M. F. }	23 {	11 .	. .	. .	. .	. .	. .	2 .	. .	2 .	6 .	1 .	2 .	. .	2 1	7 0	1 1

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	216 {	92 124	.	1	1	5	2	1	6	29	33	14	4	4	25	59	7
				.	.	.	.	2	2	9	24	46	41	7	8	16	93	13
16	Heart Disease M. F. }	616 {	303 313	.	1	4	5	12	9	28	79	98	68	10	16	74	203	30
				.	.	.	3	5	13	22	70	133	66	15	25	45	228	23
17	Other Circulatory Diseases ...M. F. }	71 {	33 38	.	.	.	1	.	.	1	7	17	8	.	.	15	18	2
				.	.	.	1	.	.	4	8	10	15	1	.	15	22	.
18	Bronchitis M. F. }	166 {	74 92	14 11	1 2	2 1	3 2	.	.	3	16	24	11	4	.	8	62	8
								.	1	22	9	41	23	2	.	8	82	14
19	Pneumonia (All Forms) ...M. F. }	214 {	122 92	19 12	8 4	3 5	6 5	8	6	15	21	25	11	11	9	14	88	6
								.	8	7	16	23	12	5	3	13	71	5
20	Other Respiratory Diseases ...M. F. }	77 {	47 30	1 1	1 1	.	2 2	2	3	6	10	18	4	4	.	6	37	1
								1	1	6	4	10	4	3	.	3	24	.
21	Gastric and Duodenal Ulcer ...M. F. }	31 {	22 9	.	.	.	1 1	3 1	2	5	5	4	2	7	1	3	11	1
									.	2	2	3	.	.	.	.	9	.
22	Diarrhœa and Enteritis (under 2 M. years).	42 {	20 22	20 22	.	.	.	.	.	.	.	.	.	4	.	7	13	.
								.	.	.	.	.	.	.	.	8	10	.
23	Appendicitis M. F. }	26 {	20 6	.	1	2	3 1	5 2	1	1	5	1	1	8	.	8	4	.
									1	.	.	1	1	1	.	3	2	.
24	Cirrhosis of the Liver ...M. F. }	10 {	5 5	.	.	.	.	.	.	1	2	2	.	.	.	1	4	.
								.	.	1	1	3	.	.	.	.	5	.
25	Other Diseases of Liver, Etc. ...M. F. }	21 {	11 10	.	.	.	.	.	1	.	2	5	3	.	.	1	10	.
							1	.	1	.	4	3	1	4	.	6	.	.
26	Other Digestive Diseases ...M. F. }	98 {	46 52	4 5	2	1	3 1	3 1	4	4	11	12	4	11	1	8	26	3
									1	5	13	18	4	8	1	7	36	4
27	Acute and Chronic Nephritis ...M. F. }	98 {	53 45	1 1	1	.	4 1	1 3	1	10	16	14	5	4	.	11	38	2
									5	4	12	15	4	3	.	6	36	.
28	Puerperal Sepsis F. }	6 {	6	.	.	.	1	4	1	.	.	.	.	1	.	4	1	.
29	Other Puerperal Causes F. }	21 {	21	.	.	.	4	11	6	.	.	.	.	11	.	6	4	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	146 {	84 62	83 60	1 2	.	.	.	.	.	.	.	.	12	.	15	57	16
							.	.	.	.	.	.	.	9	.	13	40	9
31	Senility M. F. }	557 {	265 292	.	.	.	.	.	.	.	.	67	198	2	1	19	243	161
							.	.	.	.	.	83	209	3	1	13	275	190
32	Suicide M. F. }	12 {	8 4	.	.	.	2 1	1 1	1	2	3	1	.	.	.	.	8	.
									1	2	.	.	.	.	.	.	4	.
33	Other Violence M. F. }	74 {	55 19	2 2	7 4	3 3	9 2	3 1	3	9	8	8	3	8	.	13	34	.
									2	.	.	1	4	2	.	5	12	1
34	Other Defined Causes M. F. }	284 {	151 133	12 15	6 8	13 8	7 9	12 9	12 16	18 24	27 19	34 23	10 2	17 21	10 9	42	82	8
																34	69	15
35	Causes ill-defined or unknown ...M. F. }	74 {	36 38	.	.	.	2 2	3 1	.	2	12	17	.	.	.	4	32	25
					4	.		1	1	4	12	14	.	.	.	1	37	28

ABSTRACT V—continued—No. 16.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. F. }	1,170 {	563 607	81 63	36 34	18 17	18 28	27 35	48 39	72 52	102 87	112 161	49 91	118 103	22 20	134 150	289 334	5 8	
1	Typhoid Fever (including Para-typhoid). M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
2	Typhus M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
3	Measles M. F. }	3 {	2 1	1	2	•	•	•	•	•	•	•	•	•	•	1	2	•	
4	Scarlet Fever... ..M. F. }	2 {	• 2	•	2	•	•	•	•	•	•	•	•	•	•	• 2	•	•	
5	Whooping-cough M. F. }	18 {	10 8	3 5	7 3	•	•	•	•	•	•	•	•	1	•	3 2	7 5	•	
6	Diphtheria M. F. }	26 {	9 17	•	4 8	4 8	1	•	•	• 1	•	•	•	2 4	•	7 13	•	•	
7	Dysentery M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
8	Influenza M. F. }	7 {	4 3	•	•	•	•	2	•	•	2	2	1	•	•	1	4 2	•	
9	Encephalitis Lethargica M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
10	Cerebro-spinal Fever M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
11	Tuberculosis of Respiratory System. M. F. }	103 {	53 50	•	•	2 1	6 14	13 12	16 16	12 3	3 3	1	•	12 14	7 1	7 14	27 21	•	
12	Other Tuberculous Diseases M. F. }	25 {	9 16	• 3	4 4	• 1	1 3	• 3	3 1	1 1	•	•	•	3 5	•	1 9	5 2	•	
13	Cancer M. F. }	101 {	58 43	•	•	•	•	1 1	3 4	17 12	17 14	17 10	3 2	29 17	• 1	9 9	20 16	•	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	66	24	.	.	.	1	.	.	2	6	12	3	1	1	8	14	.
				42	.	.	.	.	.	1	10	5	19	7	4	5	5	28	.
16	Heart Disease ...	...M. F. }	240	100	.	.	2	1	3	10	8	28	38	10	13	5	35	47	1
				140	.	1	1	1	3	6	8	30	61	29	8	6	37	89	2
17	Other Circulatory Diseases	...M. F. }	21	12	.	.	.	.	.	1	3	4	3	1	1	.	2	9	.
				9	.	.	.	.	.	1	1	3	3	1	.	.	1	8	.
18	Bronchitis ...	...M. F. }	74	34	5	.	.	.	.	7	9	11	2	2	.	.	11	21	1
				40	3	3	.	.	.	1	9	20	4	1	.	.	10	29	.
19	Pneumonia (All Forms)	...M. F. }	65	37	6	12	.	2	1	6	5	2	3	.	5	.	11	21	.
				28	6	7	1	4	1	3	2	4	.	2	4	.	9	13	.
20	Other Respiratory Diseases	...M. F. }	26	16	2	1	.	2	1	.	3	3	4	.	3	1	.	12	.
				10	.	.	.	2	.	2	2	4	.	2	.	.	8	.	.
21	Gastric and Duodenal Ulcer	...M. F. }	5	3	.	.	.	1	.	2	.	.	.	.	2	1	.	.	.
				2	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	35	20	18	2	.	.	.	.	.	.	.	.	1	.	8	11	.
				15	14	1	.	.	.	.	.	.	.	.	.	.	8	7	.
23	Appendicitis ...	...M. F. }	5	4	.	.	1	.	2	.	1	.	.	.	3	.	1	.	.
				1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	...M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	...M. F. }	7	2	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.
				5	.	.	.	.	.	.	1	.	3	.	.	.	.	4	.
26	Other Digestive Diseases	...M. F. }	23	10	2	.	1	.	.	3	1	3	.	.	3	2	2	3	.
				13	1	.	2	.	.	2	1	4	2	1	5	.	1	7	.
27	Acute and Chronic Nephritis	...M. F. }	29	17	.	.	1	.	2	1	5	4	2	2	6	.	6	5	.
				12	.	.	.	2	1	1	2	3	2	1	4	.	4	4	.
28	Puerperal Sepsis ...	...F. }	4	4	.	.	.	.	4	.	.	.	.	.	2	.	2	.	.
29	Other Puerperal Causes	...F. }	2	2	.	.	.	1	.	1	.	.	.	.	1	.	1	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	51	28	28	.	.	.	.	.	.	.	.	.	8	.	5	15	2
				23	23	.	.	.	.	.	.	.	.	.	8	.	3	12	1
31	Senility ...	...M. F. }	95	35	.	.	.	.	.	.	.	.	10	25	3	.	1	31	1
				60	.	.	.	.	.	.	.	.	21	39	3	.	8	49	3
32	Suicide ...	...M. F. }	2	2	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	...M. F. }	19	8	.	2	1	1	.	.	1	1	1	1	5	.	1	2	.
				11	.	2	1	1	1	1	1	1	1	1	8	.	2	1	.
34	Other Defined Causes ...	...M. F. }	97	59	17	2	6	2	2	3	5	12	8	2	13	5	15	26	1
				38	7	3	.	3	4	2	4	8	7	.	9	3	8	18	.
35	Causes ill-defined or unknown	...M. F. }	12	5	.	.	.	1	.	.	1	4	.	.	.	.	.	5	1
				7	.	.	.	.	.	.	.	1	5	.	.	.	.	7	.

ABSTRACT V—continued—No. 17.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.			
	ALL CAUSES M. F. }	1,742 {	872 870	67 66	22 31	33 34	48 43	46 46	52 44	56 66	114 100	239 207	195 233	46 36	28 21	168 133	630 680	228 294		
1	Typhoid Fever (including Para-typhoid). M. F. }	11 {	8 3	· ·	· ·	1 1	3 1	· ·	3 ·	· 1	· ·	1 ·	· ·	· ·	· ·	8 3	· ·	· ·		
2	Typhus M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
3	Measles M. F. }	4 {	1 3	· ·	· ·	1 1	· 1	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	1 3	· ·		
4	Scarlet Fever... ..M. F. }	1 {	· 1	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·		
5	Whooping-cough M. F. }	35 {	17 18	10 11	5 6	2 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	16 18	4 2		
6	Diphtheria M. F. }	13 {	5 8	· 1	1 2	4 5	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	3 5	2 3	· ·		
7	Dysentery M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
8	Influenza M. F. }	48 {	20 28	· ·	1 1	· 1	· ·	· ·	· ·	1 2	3 1	13 19	2 4	· ·	· ·	2 1	18 27	9 18		
9	Encephalitis Lethargica M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
10	Cerebro-spinal Fever M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
11	Tuberculosis of Respiratory System. M. F. }	137 {	72 65	· 1	· 1	· 5	11 20	24 15	15 9	12 7	9 4	· 3	1 ·	1 2	9 4	28 36	34 23	2 1		
12	Other Tuberculous Diseases M. F. }	26 {	14 12	· ·	1 ·	3 4	6 6	2 1	· ·	· 1	1 ·	1 ·	· ·	1 1	2 ·	5 7	6 4	3 ·		
13	Cancer M. F. }	134 {	70 64	· ·	· ·	1 ·	· ·	· 1	2 3	6 7	21 30	29 18	11 5	3 5	· ·	16 16	51 43	3 ·		
14	Diabetes Mellitus M. F. }	17 {	11 ·	· ·	· ·	1 ·	1 ·	1 ·	1 ·	· ·	1 ·	4 ·	2 ·	1 ·	· ·	3 ·	7 ·	· ·		

15	Cerebral Haemorrhage, Etc. (No. M. 82).	...M. ...F. }	80 {	32 48	.	.	1	.	2	3	5	9	16 17	6 11	1 1	2	6 8	23 39	13
16	Heart Disease ...	...M. ...F. }	221 {	126 95	.	1	4 2	3	4 2	5 4	3 14	33 14	54 38	20 20	5 1	3 5	33 9	85 80	10 14
17	Other Circulatory Diseases	...M. ...F. }	20 {	9 11	1	.	.	.	.	.	.	2 4	4 6	2 1	.	.	1 2	8 9	.
18	Bronchitis ...	...M. ...F. }	62 {	29 33	1 2	1	.	1	.	.	2	5 1	13 12	10 14	.	1	7 2	22 30	6 10
19	Pneumonia (All Forms)	...M. ...F. }	123 {	69 54	7 7	4 6	3 1	4 3	2 4	6 3	10 1	9 8	19 14	5 7	5 3	.	13 4	51 47	3 8
20	Other Respiratory Diseases	...M. ...F. }	27 {	13 14	1	1 2	1	2	2 1	.	2 4	1 4	1 2	3 1	1 1	.	1 1	11 12	2 4
21	Gastric and Duodenal Ulcer	...M. ...F. }	14 {	9 5	.	.	1	2	.	2	2 1	1 1	1 2	.	2	.	3 3	4 2	1
22	Diarrhoea and Enteritis (under 2 M. years).	...M. ...F. }	24 {	14 10	12 9	2 1	.	.	.	.	.	.	.	.	2 3	.	4 3	8 4	1
23	Appendicitis ...	...M. ...F. }	12 {	8 4	.	1	.	1	1	4	3	.	.	.	5 3	.	3 1	.	.
24	Cirrhosis of the Liver	...M. ...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	...M. ...F. }	8 {	2 6	.	.	.	.	.	1	.	.	1 4	.	2	.	1	1 4	1
26	Other Digestive Diseases	...M. ...F. }	37 {	17 20	2 2	1 2	1 1	.	.	1 4	1 2	2 2	7 2	2 4	1 2	.	1	16 17	6 5
27	Acute and Chronic Nephritis	...M. ...F. }	42 {	17 25	.	2	2	1	1 1	1 3	1 3	2 3	7 8	5 2	1 1	.	5 1	11 23	1 2
28	Puerperal Sepsis ...	...F.	7	7	.	.	.	1	5	1	.	.	.	.	3	.	4	.	.
29	Other Puerperal Causes	...F.	11	11	.	.	.	.	5	6	.	.	.	.	1	.	5	5	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	...M. ...F. }	55 {	27 28	27 27	.	.	.	.	.	.	.	.	.	5 3	.	5 7	17 18	8 11
31	Senility ...	...M. ...F. }	356 {	159 197	.	.	.	.	.	.	.	.	43 38	116 159	.	3 2	1 3	155 192	130 170
32	Suicide ...	...M. ...F. }	7 {	5 2	.	.	.	.	.	3	.	1 1	.	1	.	.	1	5 1	.
33	Other Violence ...	...M. ...F. }	33 {	24 9	1 1	3	1 2	6 1	3	2 1	5	1 2	1	1 2	3	.	3 1	18 8	.
34	Other Defined Causes ...	...M. ...F. }	128 {	74 54	5 4	2 3	8 2	10 6	5 7	5 5	6 10	11 3	14 12	8 2	9 4	9 9	16 9	40 32	12 10
35	Causes ill-defined or unknown	...M. ...F. }	49 {	19 30	.	1	3	1	.	1	1 4	6 10	11 10	.	.	.	.	19 30	19 26

ABSTRACT V—contd.—No. 18.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. } F. }	1329	671 658	89 71	18 15	14 24	38 21	19 27	36 32	52 55	91 87	178 167	136 159	19 18	34 15	139 108	479 517	89 127		
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.		
2	Typhus M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Scarlet Fever... ..M. } F. }	2	1 1	.	1	.	1	.	.	.	.	.	.	.	.	1 1	.	.		
5	Whooping-cough M. } F. }	11	7 4	6 3	1 1	.	.	.	.	.	.	.	.	.	.	.	7 4	1 2		
6	Diphtheria M. } F. }	11	7 4	.	1 1	5 3	1	.	.	.	.	.	.	.	.	6 2	1 2	.		
7	Dysentery M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. } F. }	24	12 12	1 2	1	.	.	1	.	1	4 2	5 2	1 3	.	.	1	11 12	4 1		
9	Encephalitis Lethargica ..M. } F. }	2	1 1	.	.	.	.	1	.	1	.	.	.	.	1	.	1	.		
10	Cerebro-spinal Fever M. } F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.		
11	Tuberculosis of Respiratory M. } System. F. }	77	37 40	.	1	.	9 11	7 10	6 8	9 3	5 2	1 4	1	1 1	3 4	10 14	23 21	1		
12	Other Tuberculous Diseases ..M. } F. }	33	20 13	3 2	4 1	2 4	3 1	5	3	2 1	.	1 1	.	2 2	1	9 5	8 6	1		
13	Cancer M. } F. }	115	67 48	.	.	1	1	.	2 2	6 11	19 9	27 15	12 8	4 1	.	16 8	47 37	1		
14	Diabetes Mellitus M. } F. }	11	6 5	.	1	.	.	.	1	1 1	1 2	2 1	1	.	.	2	4 5	.		

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	56 {	19 37	.	1	1	.	.	1	1	5	7	3	1	.	5	13	.
16	Heart Disease ...	M. } F. }	215 {	101 114	.	.	4	1	1	3	5	14 24	50 41	25 29	2 1	5 3	15	79 92	6 8
17	Other Circulatory Diseases	M. } F. }	22 {	7 15	.	.	.	.	.	.	3 5	4 7	.	3	1 1	1	2 3	3 11	.
18	Bronchitis ...	M. } F. }	59 {	27 32	5 2	.	.	.	1	3	1 3	1 7	10 7	7 12	1	.	4 2	22 30	1 8
19	Pneumonia (All Forms)	M. } F. }	100 {	65 85	8 4	6 2	1 5	2 1	2 1	5 5	9 6	12 6	10 6	10 5	1	15 2	12 1	37 32	1 2
20	Other Respiratory Diseases	M. } F. }	26 {	13 13	.	.	.	1	.	2 1	2 1	4 3	5 5	.	2	1	4 3	8 10	1
21	Gastric and Duodenal Ulcer	M. } F. }	15 {	10 5	.	.	.	1	.	.	3 2	3 2	3 2	.	.	.	3 3	7 2	.
22	Diarrhœa and Enteritis (under 2 years.)	M. } F. }	27 {	13 14	13 12	.	2	.	.	.	.	.	.	.	.	.	3 4	10 10	1 1
23	Appendicitis ...	M. } F. }	5 {	3 2	.	.	1	2	.	1	1	.	.	.	1	.	3 1	.	.
24	Cirrhosis of the Liver	M. } F. }	2 {	1 1	.	.	.	.	.	.	.	.	1 1	.	.	.	.	1 1	.
25	Other Diseases of Liver, Etc.	M. } F. }	11 {	6 5	3	.	.	.	1	.	1 1	1 2	1 1	1	.	.	2 3	3 2	1 1
26	Other Digestive Diseases	M. } F. }	38 {	20 18	2 1	.	2	2	1	3 2	.	2 3	8 5	3 5	.	1	4 7	16 10	1 1
27	Acute and Chronic Nephritis	M. } F. }	28 {	19 9	.	.	.	2	1	.	2	3 1	6 7	5 1	.	1	8 2	10 7	.
28	Puerperal Sepsis ...	F. }	3	3	.	.	.	.	3	.	.	.	.	.	.	.	2	1	.
29	Other Puerperal Causes	F. }	9	9	.	.	.	1	1	6	1	.	.	.	3	.	4	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	66 {	30 36	30 36	.	.	.	.	.	.	.	.	.	1 1	.	6 3	23 32	8 10
31	Senility ...	M. } F. }	169 {	70 99	.	.	.	.	.	.	.	13 27	57 72	.	1 1	.	69 97	52 75	.
32	Suicide ...	M. } F. }	2 {	2	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
33	Other Violence ...	M. } F. }	31 {	19 12	3 1	1 1	1	4 1	2	1	2	1 1	6 4	1 1	.	2	4 2	15 8	.
34	Other Defined Causes ...	M. } F. }	143 {	82 61	15 8	2 5	3 6	6 4	3 2	7 4	8 6	11 7	16 13	11 6	4 3	5 2	16 15	57 41	8 2
35	Causes ill-defined or unknown	M. } F. }	14 {	5 9	.	1	.	.	.	1	.	1 3	2 4	.	.	.	2 9	3 9	2 7

ABSTRACT V—continued—No. 19.—Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. } F. }	528 {	262 266	42 35	13 18	14 18	13 21	10 14	24 14	37 28	48 34	44 59	17 25	39 22	8 7	74 83	141 154	2 12		
1	Typhoid Fever (including Para- M. } typhoid). F. }	3 {	2 1	• •	• •	• •	• •	2 1	• •	• •	• •	• •	• •	• •	• 1	2 •	• •	• •		
2	Typhus M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
3	Measles M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
4	Scarlet Fever... ..M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
5	Whooping-cough M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
6	Diphtheria M. } F. }	17 {	9 8	• •	3 1	6 7	• •	• •	• •	• •	• •	• •	• •	• •	• •	9 8	• •	• •		
7	Dysentery M. } F. }	1 {	• 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	• 1	• •	• 1	• •	• •	• •		
8	Influenza M. } F. }	5 {	4 1	• •	1 •	• •	• •	1 •	• •	1 •	1 1	• •	• •	1 •	• •	1 •	2 1	• •		
9	Encephalitis Lethargica M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
10	Cerebro spinal Fever M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
11	aberculosis of Respiratory M. } System. F. }	38 {	15 23	• •	• •	• 1	4 12	5 7	4 1	2 1	• 1	• •	• •	• •	• 1	9 15	6 7	• •		
12	Other Tuberculous Diseases M. } F. }	13 {	5 8	• •	2 3	3 •	• 4	• 1	• •	• •	• •	• •	• •	1 •	• •	2 2	2 6	• •		
13	Cancer M. } F. }	50 {	26 24	• •	• •	• •	• •	• •	2 3	8 12	10 5	5 3	1 1	4 5	• •	12 8	10 11	• •		

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F.	25	13	.	.	.	.	.	2	1	4	5	1	2	.	2	9	.
				12	.	.	.	.	.	1	1	6	3	2	1	.	1	10	2
16	Heart Disease ...	M.	100	46	.	.	.	1	2	3	7	14	16	3	4	1	14	27	.
		F.		54	.	1	.	1	2	3	6	11	24	6	1	1	29	23	1
17	Other Circulatory Diseases	M.	12	9	1	.	.	.	.	.	3	2	3	.	.	2	4	3	.
		F.		3	.	.	.	.	.	1	1	1	1	.	.	.	3	.	.
18	Bronchitis ...	M.	33	17	2	.	.	.	1	1	3	5	5	2	1	2	12	.	.
		F.		16	2	1	.	.	1	1	4	8	8	.	.	2	14	2	.
19	Pneumonia (All Forms)	M.	43	20	3	4	1	.	1	3	5	2	1	5	2	2	11	.	.
		F.		23	6	2	1	3	1	2	1	6	1	1	1	1	20	.	.
20	Other Respiratory Diseases	M.	10	8	.	.	.	1	.	3	2	2	.	1	1	.	4	.	.
		F.		2	.	.	1	.	.	.	.	.	1	.	.	3	2	.	.
21	Gastric and Duodenal Ulcer	M.	5	4	.	.	.	.	.	3	1	.	.	.	4	.	1	.	.
		F.		1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	M.	15	8	7	1	.	.	.	.	.	.	.	.	.	.	8	.	.
		F.		7	4	3	.	.	.	.	.	.	.	2	.	.	5	.	.
23	Appendicitis ...	M.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	M.	4	4	.	.	.	.	.	.	2	1	1	.	1	.	2	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M.	3	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.
		F.		2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
26	Other Digestive Diseases	M.	21	11	5	.	1	1	.	1	2	1	1	2	1	1	7	.	.
		F.		10	5	2	.	.	.	1	1	1	1	1	2	.	8	.	.
27	Acute and Chronic Nephritis	M.	10	5	.	.	.	1	.	.	1	1	1	1	.	1	4	.	.
		F.		5	.	.	.	.	.	.	1	1	2	1	.	2	3	.	.
28	Puerperal Sepsis ...	F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F.	2	2	.	.	.	1	1	.	.	.	.	.	2	.	.	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M.	28	16	.	.	.	.	.	.	.	.	.	.	3	.	4	9	1
		F.		12	11	.	1	.	.	.	.	.	.	.	.	1	11	.	.
31	Senility ...	M.	20	5	.	.	.	.	.	.	.	3	2	.	.	.	5	.	.
		F.		15	.	.	.	.	.	.	.	4	11	.	.	1	14	7	.
32	Suicide ...	M.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M.	16	6	.	.	1	2	.	2	.	1	.	2	.	2	2	.	.
		F.		10	.	3	4	.	.	1	.	1	1	6	.	2	2	.	.
34	Other Defined Causes ...	M.	50	27	8	2	3	.	3	5	2	2	.	6	1	2	3	17	1
		F.		23	7	1	3	1	1	5	2	3	.	1	.	8	12	.	.
35	Causes ill-defined or unknown	M.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		2	.	1	.	.	.	.	1	.	.	.	.	.	2	.	.

ABSTRACT V—continued—No. 20.—Causes of Death in Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. } F. }	808 {	439 369	42 25	6 12	8 11	17 20	16 18	18 15	32 36	79 40	121 107	100 85	25 20	14 6	77 53	323 290	88 82		
1	Typhoid Fever (including Para- M. } typhoid). F. }	3 {	2 1	• •	• •	• •	1 •	• 1	1 •	• •	• •	• •	• •	• 1	• •	2 •	• •	• •		
2	Typhus M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
3	Measles M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
4	Scarlet Fever... ..M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
5	Whooping-cough M. } F. }	4 {	2 2	1 1	1 1	• •	• •	• •	• •	• •	• •	• •	• •	• 1	• •	• •	2 1	1 •		
6	Diphtheria M. } F. }	2 {	• 2	• •	• •	1 •	• •	• •	• 1	• •	• •	• •	• •	• •	• •	1 •	1 •	• •		
7	Dysentery M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
8	Influenza M. } F. }	13 {	8 5	• •	1 •	• •	• •	• •	1 •	2 •	• 1	5 3	• •	• •	2 •	1 •	6 4	3 1		
9	Encephalitis Lethargica ...M. } F. }	2 {	1 1	• •	• •	1 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	1 •	1 •	• •		
10	Cerebro-spinal Fever M. } F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
11	Tuberculosis of Respiratory M. } System. F. }	43 {	18 25	• •	• •	• 2	5 7	3 8	4 3	4 3	1 •	1 2	• •	6 9	1 1	2 3	9 12	• 1		
12	Other Tuberculous Diseases ...M. } F. }	18 {	9 9	• •	2 •	1 •	2 2	3 1	• •	• 3	1 1	2 •	• •	1 1	• •	4 1	4 7	• 1		
13	Cancer M. } F. }	63 {	34 29	• •	• •	• •	• •	1 •	2 1	7 7	8 9	12 10	4 2	2 •	• •	12 8	20 21	2 1		
14	Diabetes Mellitus M. } F. }	3 {	1 2	• •	• •	• •	• •	• •	• •	• •	• •	• 1	1 1	• •	• •	• •	1 2	• •		

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	61 { 33 {	28 33	.	.	.	.	.	1 4	5 4	9 14	13 14	5 6	1 1	.	.	5 2	22 30	5 5
16	Heart Disease ...	...M. } ...F. }	122 { 63 { 59 {	.	.	2	1	1	3	5 6	13 11	23 31	15 9	.	.	1	11 6	52 52	6 9	
17	Other Circulatory Diseases	...M. } ...F. }	4 { 3 { 1 {	.	.	.	.	.	.	1 1	1	1	.	.	.	1	.	2 1	.	
18	Bronchitis ...	...M. } ...F. }	51 { 31 { 20 {	8	.	1	.	2	.	2 2	6 2	7 10	8 3	1	.	.	1 2	29 18	6 3	
19	Pneumonia (All Forms)	...M. } ...F. }	38 { 19 { 19 {	1	.	1	.	1	2	.	5 1	6 7	3 2	1	1	.	3 3	15 15	.	
20	Other Respiratory Diseases	...M. } ...F. }	16 { 9 { 7 {	.	.	2	.	1	.	1	.	4 2	1 2	3 2	.	.	1 1	8 6	1	
21	Gastric and Duodenal Ulcer	...M. } ...F. }	11 { 5 { 6 {	.	.	.	.	.	1	1	2 3	1 2	1	2	1	.	2	2 4	.	
22	Diarrhœa and Enteritis (under 2 years.)	M. } F. }	5 { 3 { 2 {	2	1	1	.	.	.	.	.	.	.	.	2	.	.	1 2	.	
23	Appendicitis ...	...M. } ...F. }	2 { 1 { 1 {	.	.	.	1	1	.	.	.	.	.	.	1	.	1	.	.	
24	Cirrhosis of the Liver	...M. } ...F. }	3 { 2 { 1 {	.	.	.	.	.	.	1	.	1	1	.	.	.	1 1	1 1	.	
25	Other Diseases of Liver, Etc.	...M. } ...F. }	2 { 2 {	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	
26	Other Digestive Diseases	...M. } ...F. }	30 { 18 { 12 {	1	.	1	1	2	1	1	4 2	6 3	2	3 2	.	.	3 1	12 9	3	
27	Acute and Chronic Nephritis	...M. } ...F. }	26 { 21 { 5 {	.	.	.	.	1	1	2	6 1	11 1	1	1	.	.	9 3	11 2	1	
28	Puerperal Sepsis ...	...F. }	3 { 3 {	.	.	.	1	2	.	.	.	.	.	.	1	.	2	.	.	
29	Other Puerperal Causes	...F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	36 { 19 { 17 {	19	.	.	.	.	.	.	.	.	.	.	1 1	.	1 1	17 15	11 7	
31	Senility ...	...M. } ...F. }	137 { 69 { 68 {	.	.	.	.	.	.	.	.	17 13	52 55	.	2 3	.	8 8	59 57	40 45	
32	Suicide ...	...M. } ...F. }	1 { 1 {	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
33	Other Violence ...	...M. } ...F. }	22 { 14 { 8 {	2	1	2	2	3	.	1	1	3 1	1	.	2	.	1 1	11 7	1 1	
34	Other Defined Causes ...	...M. } ...F. }	80 { 55 { 25 {	8	2	1	2	3	4	.	6 4	14 4	11 2	6 2	2	6 1	13 5	34 17	7 4	
35	Causes ill-defined or unknown	...M. } ...F. }	7 { 3 { 4 {	.	.	.	.	.	.	.	.	3 4	.	.	.	.	.	3 4	2 3	

ABSTRACT V—continued—No. 21.—Causes of Death in Administrative County of TIPPERARY S.R., by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	1045	539 506	64 42	12 18	11 10	20 14	23 29	21 22	42 39	89 71	166 149	91 112	22 20	8 9	143 80	366 397	44 70	
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
2	Typhus M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet Fever... ..M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. } F. }	8	4 4	4 4	.	.	.	.	.	-	.	.	.	.	.	.	4 4	.	
6	Diphtheria M. } F. }	6	2 4	.	1 3	1	.	.	.	.	1	.	.	1	.	2 3	.	.	
7	Dysentery M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. } F. }	7	3 4	.	.	.	1	1	.	1 1	1	1	1	.	1	1 3	1 1	1	
9	Encephalitis Lethargica ...M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. } F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
11	Tuberculosis of Respiratory M. } System. F. }	56	28 28	.	.	1 2	8 7	9 12	4 3	2 3	4 1	.	.	4 1	1	6 5	17 22	1	
12	Other Tuberculous Diseases ...M. } F. }	13	8 5	1 1	1 2	2	1	.	1	1	.	1	.	2	.	1 2	5 3	.	
13	Cancer M. } F. }	113	63 50	.	1	.	.	1	3 6	8 10	22 15	24 13	5 5	2 3	.	22 9	39 35	1	
14	Diabetes Mellitus M. } F. }	10	7 3	.	.	.	.	1	.	4	1 1	1 1	1	.	.	2	5 3	.	

15	Cerebral Hamorrhage, Etc. (No. 82).	M. F. }	76 {	36 40	.	1	.	.	.	.	1	1	6 10	19 24	9 4	.	.	10 10	26 30	1 3
16	Heart Disease ...	M. F. }	201 {	104 97	.	1	.	1	3 2	3 4	6 10	24 14	45 43	21 24	1 2	1	32 17	70 78	2 10	
17	Other Circulatory Diseases	M. F. }	17 {	9 8	.	.	.	.	.	.	1 1	1 2	4 5	3	.	1	2 1	7 6	1	
18	Bronchitis ...	M. F. }	46 {	27 19	2 1	.	.	.	1 1	1	3 2	5 1	7 11	8 3	1	.	5 1	22 17	2	
19	Pneumonia (All Forms)	M. F. }	70 {	38 32	10 2	2 6	1	2	1 3	2 2	5 3	11 4	4 7	1 5	1	.	14 6	23 26	.	
20	Other Respiratory Diseases	M. F. }	21 {	8 13	.	1	2	.	.	2 1	1 5	1 1	3 3	.	.	3 1	5 12	.		
21	Gastric and Duodenal Ulcer	M. F. }	5 {	3 2	.	.	.	1	.	.	1 1	.	2	.	1 1	.	2 1	.		
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	18 {	6 12	6 11	1	.	.	.	.	.	.	.	.	2	.	2 1	4 9	1 1	
23	Appendicitis ...	M. F. }	5 {	4 1	.	.	1 1	.	1	1	.	1	.	.	1	.	3 1	.		
24	Cirrhosis of the Liver	M. F. }	2 {	2	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	
25	Other Diseases of Liver, Etc.	M. F. }	5 {	2 3	.	.	.	.	.	.	1 1	1 2	.	.	1	.	.	1 3	.	
26	Other Digestive Diseases	M. F. }	20 {	9 11	2 1	1 1	1 3	1	.	1	1 3	3 1	3 1	1	2 2	.	1 1	6 8	.	
27	Acute and Chronic Nephritis	M. F. }	29 {	15 14	.	1	.	.	1	.	5 3	1 2	7 5	3	.	.	5 2	10 12	.	
28	Puerperal Sepsis ...	F. }	7	7	.	.	.	1	6	.	.	.	.	.	2	.	4	1	.	
29	Other Puerperal Causes	F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	49 {	31 18	30 17	.	1	.	.	.	.	.	.	.	3 2	.	6 1	22 15	1 6	
31	Senility ...	M. F. }	140 {	57 83	.	.	.	.	.	.	.	.	22 26	35 57	.	2 4	2 3	53 76	28 44	
32	Suicide ...	M. F. }	3 {	3	.	.	.	.	.	.	.	1	2	.	.	.	.	3	.	
33	Other Violence ...	M. F. }	18 {	8 10	.	2 1	2	.	1	.	1 1	2	.	4	1	.	1 4	6 6	.	
34	Other Defined Causes...	M. F. }	85 {	54 31	9 4	1 1	1 2	6 2	4 2	4 2	6 2	8 10	13 4	2 2	3 3	3 1	21 5	27 22	3 1	
35	Causes ill-defined or unknown	M. F. }	12 {	6 6	.	.	.	.	.	1	.	3 1	3 3	.	.	.	.	6 6	4 3	

ABSTRACT V—continued—No. 22—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	707 {	376 331	36 22	4 7	13 7	9 15	12 10	18 20	19 30	57 55	114 88	94 77	11 7	10 12	82 60	273 252			
1	Typhoid Fever (including Para- M. typhoid). F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.		
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Scarlet Fever... ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Whooping-cough M. F. }	2 {	1 1	.	1 1	.	.	.	.	.	.	.	.	.	.	.	1 1	1		
6	Diphtheria M. F. }	5 {	2 3	.	1	1	1	.	1	.	.	.	.	.	.	2 2	1	.		
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. F. }	10 {	5 5	.	.	.	.	1	.	2	2	1 1	2	1	.	2 3	3 2	.		
9	Encephalitis Lethargica ...M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory M. System. F. }	37 {	18 19	.	.	1	4 8	3 6	4 4	3	3	.	.	1	1	7 6	9 13	.		
12	Other Tuberculous Diseases ...M. F. }	15 {	5 10	.	.	2 3	1 3	2	.	1	1	.	.	.	1	3	4 5	1		
13	Cancer M. F. }	63 {	36 27	.	.	.	.	.	2 3	2 3	12 11	10 6	10 4	2 3	1	7 2	26 22	1		
14	Diabetes Mellitus M. F. }	7 {	1 6	.	.	.	.	.	.	1 1	.	3	1	.	.	3	1 3	.		

15	Cerebral Hemorrhage, etc. (No. 82).	M. } F. }	45 {	24 21	.	.	.	2	.	1 1	1 2	4 6	11 7	5 5	.	1 2	6 4	17 15	3 2
16	Heart Disease ...	M. } F. }	157 {	74 83	.	1	.	.	.	4 2	3 3	8 20	41 36	18 21	2	1	12 8	60 74	5 13
17	Other Circulatory Diseases	M. } F. }	16 {	10 6	.	.	.	.	.	.	.	1 1	1 2	8 3	.	.	10 5	.	.
18	Bronchitis ...	M. } F. }	30 {	17 13	2 1	2	.	.	.	2	1	3	6 5	7 1	.	1	3 1	14 11	2 .
19	Pneumonia (All Forms)	M. } F. }	32 {	14 18	3 1	1 2	1 1	.	1 1	1 2	2 2	4	5 3	.	.	1	1 2	13 15	.
20	Other Respiratory Diseases	M. } F. }	2 {	2	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.
21	Gastric and Duodenal Ulcer	M. } F. }	4 {	4	.	.	.	.	.	2	1	1	.	.	1	.	2	1	.
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	7 {	6 1	6	1	.	.	.	.	.	.	.	.	.	.	1	5 1	.
23	Appendicitis ...	M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M. } F. }	3 {	1 2	.	.	.	.	.	.	.	.	1 1	.	.	.	.	1 2	.
25	Other Diseases of Liver, Etc.	M. } F. }	7 {	2 5	.	.	.	.	.	.	1	1	2 1	.	.	.	1 1	1 4	1
26	Other Digestive Diseases	M. } F. }	19 {	11 8	3 2	.	1	.	.	1	1	2	3 2	1	1	1	1 4	8 3	.
27	Acute and Chronic Nephritis	M. } F. }	26 {	12 14	.	.	.	1	1	.	2	6 2	4 6	1 3	.	.	3	9 14	.
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	29 {	16 13	16 12	.	1	.	.	.	.	.	.	.	1	.	6 5	9 8	2 2
31	Senility ...	M. } F. }	85 {	43 42	.	.	.	.	.	.	.	.	11 13	32 29	.	1	8 6	35 35	23 21
32	Suicide ...	M. } F. }	2 {	2	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
33	Other Violence ...	M. } F. }	20 {	13 7	.	.	.	1	3	.	2	6 1	1 1	3	.	.	3 1	10 6	.
34	Other Defined Causes ...	M. } F. }	74 {	49 25	6 4	.	5 1	1 2	1 2	1 2	3 7	11 4	11 2	10 1	3 1	5 6	14 8	27 10	2 3
35	Causes ill-defined or unknown	M. } F. }	7 {	6 1	.	.	.	.	.	1	1	.	4	.	.	.	.	6 1	2

ABSTRACT V—continued—No. 23—Causes of Death in WATERFORD COUNTY BOROUGH, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	370 {	186 184	33 25	17 4	5 11	11 8	5 8	13 12	11 12	29 32	42 48	20 24	14 12	5 4	57 49	110 119	2 3	
1	Typhoid Fever (including Para- typhoid). M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
2	Typhus M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
3	Measles M. F. }	3 {	1 2	1 1	• 1	•	•	•	•	•	•	•	•	•	•	•	1 2	•	
4	Scarlet Fever... ..M. F. }	1 {	1	•	•	1	•	•	•	•	•	•	•	•	•	1	•	•	
5	Whooping-cough M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
6	Diphtheria M. F. }	8 {	4 4	•	4	•	4	•	•	•	•	•	•	•	•	3 4	1	•	
7	Dysentery M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
8	Influenza M. F. }	1 {	1	•	1	•	•	•	•	•	•	•	•	•	•	•	1	•	
9	Encephalitis Lethargica ...M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
10	Cerebro-spinal Fever M. F. }	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
11	Tuberculosis of Respiratory System. M. F. }	30 {	15 15	•	•	•	7 5	2 7	4 1	1	1	•	•	1 1	1	5 6	8 8	•	
12	Other Tuberculous Diseases ...M. F. }	10 {	9 1	1	3	2	•	2	1 1	•	•	•	•	2	•	2 1	5	•	
13	Cancer M. F. }	41 {	23 18	•	•	•	•	•	3	1 3	7 7	8 6	4 2	3 2	•	11 5	9 11	•	
14	Diabetes Mellitus M. F. }	4 {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F.	19	{	7	.	.	.	.	.	1	2	1	1	2	1	.	4	2	.
					12	.	.	.	.	.	2	2	3	4	3	1	1	1	9	.
16	Heart Disease ...	M. F.	91	{	41	.	.	1	1	.	1	2	8	20	8	2	2	13	24	.
					50	.	.	1	1	.	4	1	14	21	8	2	1	10	37	1
17	Other Circulatory Diseases	M. F.	6	{	4	.	.	.	.	.	.	.	.	3	1	.	.	1	3	.
					2	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
18	Bronchitis ...	M. F.	25	{	11	5	1	.	.	.	1	3	.	1	.	.	.	2	9	.
					14	3	.	.	.	.	.	2	6	3	.	.	.	14	14	.
19	Pneumonia (All Forms)	M. F.	17	{	13	.	4	1	.	1	.	3	4	.	.	1	.	1	11	.
					4	1	.	1	.	1	.	1	.	.	.	.	.	4	4	.
20	Other Respiratory Diseases	M. F.	3	{	3	.	.	.	1	.	1	.	.	1	.	.	.	1	2	.
21	Gastric and Duodenal Ulcer	M. F.	1	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
					1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F.	16	{	9	7	2	.	.	.	.	.	.	.	.	1	.	2	8	.
					7	7	.	.	.	.	.	.	.	.	.	.	.	5	5	.
23	Appendicitis ...	M. F.	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F.	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F.	3	{	1	.	.	.	.	.	.	1	.	.	.	.	.	2	1	.
					2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. F.	10	{	5	2	1	.	.	.	1	.	.	1	.	.	.	1	4	.
					5	1	.	1	1	.	.	.	1	1	1	1	.	4	4	.
27	Acute and Chronic Nephritis	M. F.	5	{	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
					4	.	.	.	.	.	1	1	.	2	.	.	.	2	2	.
28	Puerperal Sepsis ...	F.	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F.	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F.	20	{	13	13	.	.	.	.	.	.	.	.	.	.	.	4	9	.
					7	7	.	.	.	.	.	.	.	.	.	.	.	2	5	.
31	Senility ...	M. F.	7	{	2	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.
					5	.	.	.	.	.	.	.	1	4	.	.	.	5	5	.
32	Suicide ...	M. F.	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
32	Other Violence ...	M. F.	8	{	4	.	1	.	1	.	1	.	1	.	.	2	.	2	.	.
					4	1	1	.	.	.	.	1	1	1	.	1	.	3	.	.
34	Other Defined Causes ...	M. F.	40	{	17	4	.	1	.	1	2	4	3	2	1	2	2	5	9	1
					23	3	2	2	1	1	3	2	4	3	2	2	2	8	11	1
35	Causes ill-defined or unknown	M. F.	1	{	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT V—continued—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	6781 {	3455 3326	249 242	100 92	93 95	144 147	127 168	141 173	269 213	455 375	874 799	1003 1022	106 114	96 70	584 455	2669 2687	1146 1330		
1	Typhoid Fever (including Para-typhoid). M. F. }	27 {	13 14	. .	. .	. 4	4 3	2 2	2 1	4 3	. 1	1 .	. .	. .	1 2	9 11	3 1	1 .		
2	Typhus M. F. }	2 {	1 1	. .	. .	. .	. .	. 1	. .	. .	1 .	. .	. .	. .	. .	1 1	. .	. .		
3	Measles M. F. }	11 {	6 5	1 1	2 .	2 2	1 2	. .	. .	. .	. .	. .	. .	. .	. .	. 2	6 3	2 .		
4	Scarlet Fever... ..M. F. }	25 {	9 16	. .	4 5	3 3	1 3	. 4	. .	1 1	. .	. .	. .	. .	. .	2 10	7 6	2 .		
5	Whooping-cough M. F. }	24 {	9 15	6 8	2 7	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	9 15	4 6		
6	Diphtheria M. F. }	48 {	19 29	1 1	4 8	14 17	. 2	. .	1 1	. .	. .	. .	. .	. .	. .	7 21	12 8	3 2		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	146 {	68 78	2 3	4 3	. 1	7 5	1 5	3 4	2 4	12 10	26 31	11 12	1 .	1 .	3 2	63 76	29 42		
9	Encephalitis Lethargica M. F. }	2 {	. 2	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	1 .	. .		
10	Cerebro-spinal Fever M. F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	418 {	202 216	1 2	2 3	. 7	49 63	42 64	35 42	39 18	19 13	14 4	1 .	40 49	17 16	34 48	111 103	24 21		
12	Other Tuberculous Diseases M. F. }	103 {	57 46	1 .	4 6	8 12	11 12	14 10	9 2	6 2	2 1	1 1	1 .	5 4	5 3	21 18	26 21	1 .		
13	Cancer M. F. }	502 {	269 233	. .	. .	. 1	1 1	3 3	6 8	37 37	95 71	92 88	35 24	10 9	4 8	64 35	191 181	19 20		
14	Diabetes Mellitus M. F. }	39 {	18 .	. .	1 .	. .	1 .	1 .	1 .	4 .	2 .	6 .	9 .	. .	1 .	1 .	10 .	. .		

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	320 {	161 159	.	1	.	1	4	4	19	31	63	38	3	7	27	124	35
								2	5	5	16	28	71	32	3	3	19	134	52
16	Heart Disease ...	M. } F. }	893 {	459 434	1	.	5	10	10	14	32	87	189	111	4	12	68	375	56
							4	5	14	25	38	96	156	96	4	8	51	371	61
17	Other Circulatory Diseases	M. } F. }	69 {	34 35	.	.	.	1	.	1	3	8	13	8	3	.	7	24	1
								.	2	3	2	7	11	10	1	.	6	28	2
18	Bronchitis ...	M. } F. }	358 {	181 177	15	8	2	3	1	7	9	25	62	49	1	2	25	153	68
					8	2	2	4	5	4	8	20	63	61	.	2	10	165	67
19	Pneumonia (All Forms)	M. } F. }	348 {	192 156	25	25	8	4	4	12	24	33	36	21	4	4	22	162	29
					20	14	10	1	6	15	10	27	38	15	3	.	18	135	23
20	Other Respiratory Diseases	M. } F. }	77 {	51 26	3	3	4	4	2	4	5	13	10	6	5	.	9	37	6
					3	1	.	1	.	2	2	5	11	1	3	.	2	21	7
21	Gastric and Duodenal Ulcer	M. } F. }	30 {	22 8	.	.	.	2	1	2	5	6	6	.	2	.	6	14	3
					8	.	.	.	1	.	4	.	2	1	.	.	1	7	1
22	Diarrhœa and Enteritis (under 2 years.)	M. } F. }	40 {	19 21	15	4	.	.	.	.	.	.	.	.	1	.	4	14	.
					19	2	.	.	.	.	.	.	.	.	2	.	7	12	1
23	Appendicitis ...	M. } F. }	40 {	21 19	1	1	5	3	2	1	5	1	2	.	.	.	17	4	1
					19	5	4	3	1	.	.	2	3	1	4	.	12	3	2
24	Cirrhosis of the Liver	M. } F. }	12 {	10 2	.	.	.	.	.	2	2	4	2	.	.	.	2	8	.
					2	.	.	.	.	.	.	.	2	.	.	.	1	1	.
25	Other Diseases of Liver, Etc.	M. } F. }	23 {	8 15	.	2	1	1	.	.	.	.	2	2	.	.	1	7	1
					15	1	.	.	.	2	6	3	2	1	.	.	5	10	3
26	Other Digestive Diseases	M. } F. }	134 {	83 51	9	8	7	.	3	6	4	16	21	9	4	1	20	58	15
					5	2	5	.	1	3	7	14	10	4	3	.	8	39	10
27	Acute and Chronic Nephritis	M. } F. }	174 {	113 61	1	.	.	3	3	4	18	24	44	16	3	.	40	70	12
					1	1	.	1	4	7	2	14	18	13	.	.	12	49	6
28	Puerperal Sepsis ...	F. }	19	19	.	.	.	3	7	9	.	.	.	.	3	.	9	7	1
29	Other Puerperal Causes	F. }	28	28	.	.	.	3	9	15	1	.	.	.	4	1	10	13	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	241 {	121 120	118 120	1	2	.	.	.	.	.	.	.	11	.	38	72	35
								.	.	.	.	.	.	.	8	.	26	86	59
31	Senility ...	M. } F. }	1725 {	809 916	.	.	.	.	.	.	.	.	158 202	651 714	.	18 15	32 27	759 874	672 812
32	Suicide ...	M. } F. }	16 {	15 1	.	.	.	3	3	4	.	3	2	.	.	.	2	13	.
					1	.	.	1	.	.	.	.	.	.	.	.	.	1	.
33	Other Violence ...	M. } F. }	140 {	88 52	4	12	7	14	9	8	11	7	7	9	1	.	38	49	4
					4	7	6	4	2	2	4	4	9	10	.	.	20	32	2
34	Other Defined Causes...	M. } F. }	564 {	306 258	44	8	22	17	19	14	27	41	84	30	8	21	82	195	55
					44	20	13	21	19	19	29	33	59	21	12	10	58	178	64
35	Causes ill-defined or unknown	M. } F. }	182 {	88 94	1	7	1	2	3	2	12	25	32	3	.	1	1	86	68
					2	6	2	2	3	4	16	22	34	3	1	1	.	92	82

ABSTRACT V—continued—No. 24—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	2,131	1,114 1,017	105 90	39 36	37 34	51 41	46 45	44 60	88 67	124 107	233 218	347 319	42 48	32 23	194 154	846 792	335 380
1	Typhoid Fever (including Para-typhoid). M. F. }	3	1 2	• •	• •	• •	1 1	• 1	• •	• •	• •	• •	• •	• •	• •	1 2	• •	• •
2	Typhus M. F. }	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
3	Measles M. F. }	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
4	Scarlet Fever... ..M. F. }	2	1 1	• •	• •	1 •	• •	• 1	• •	• •	• •	• •	• •	• •	• •	• •	1 1	• •
5	Whooping-cough M. F. }	10	3 7	1 3	1 4	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	3 7	2 3
6	Diphtheria M. F. }	28	7 21	1 1	2 6	4 13	• •	• •	• 1	• •	• •	• •	• •	• •	• •	2 14	5 7	3 1
7	Dysentery M. F. }	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8	Influenza M. F. }	39	20 19	2 2	2 1	• •	3 2	• 2	1 •	2 1	2 5	5 4	3 2	1 •	• •	2 1	17 18	6 7
9	Encephalitis Lethargica M. F. }	1	1	•	•	•	1	•	•	•	•	•	•	•	•	•	1	•
10	Cerebro-spinal Fever M. F. }	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
11	Tuberculosis of Respiratory System. M. F. }	134	68 66	• 2	1 2	• 1	22 18	17 15	12 15	10 8	3 3	3 2	• •	20 19	7 4	5 13	36 30	6 3
12	Other Tuberculous Diseases M. F. }	35	20 15	• •	1 4	3 3	2 3	8 3	3 •	2 1	1 •	• 1	• •	• 4	1 1	9 6	10 4	• •
13	Cancer M. F. }	147	73 74	• •	• •	• •	• •	1 •	• 5	10 16	28 23	20 22	14 8	2 2	2 3	26 15	43 54	4 9
14	Diabetes Mellitus M. F. }	16	12 4	• •	• •	• 1	• •	• •	1 •	2 1	2 1	5 1	2 •	• 1	1 •	1 2	10 1	1 •

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	89	{	43	.	.	.	.	.	.	.	8	7	15	13	1	2	8	32	8
					46	.	.	.	.	.	.	.	2	6	21	17	2	.	5	39	14
16	Heart Disease ...	...M. F. }	296	{	148	1	.	3	5	4	2	8	15	59	51	2	3	14	129	8	
					148	.	.	1	.	7	7	13	22	59	39	1	2	19	126	19	
17	Other Circulatory Diseases	...M. F. }	27	{	15	.	.	.	1	.	.	2	5	6	1	.	.	6	9	.	
					12	.	.	.	.	.	2	1	3	2	4	1	.	4	7	.	
18	Bronchitis ...	...M. F. }	96	{	54	5	3	.	1	.	1	4	7	18	15	1	.	9	44	19	
					42	2	.	1	1	2	1	1	3	15	16	.	1	5	36	15	
19	Pneumonia (All Forms)	...M. F. }	129	{	73	11	13	5	.	1	4	8	13	10	8	3	1	13	56	7	
					56	11	4	4	.	.	7	4	11	10	5	1	.	11	44	5	
20	Other Respiratory Diseases	...M. F. }	29	{	22	.	.	1	3	.	2	3	7	2	4	2	.	7	13	3	
					7	1	.	.	.	.	.	1	2	3	.	1	.	1	5	.	
21	Gastric and Duodenal Ulcer	...M. F. }	11	{	9	.	.	.	1	.	1	1	1	5	.	.	.	3	6	1	
					2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1	
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	13	{	7	7	.	.	.	.	.	.	.	.	.	1	.	1	5	.	
					6	6	.	.	.	.	.	.	.	.	.	1	.	1	4	.	
23	Appendicitis ...	...M. F. }	11	{	7	.	.	3	.	1	.	2	1	.	.	.	.	7	.	.	
					4	.	1	2	1	.	.	.	.	.	.	1	.	3	.	.	
24	Cirrhosis of the Liver	...M. F. }	2	{	2	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	
25	Other Diseases of Liver, Etc.	...M. F. }	9	{	3	.	1	1	.	.	.	.	.	.	1	.	.	.	3	1	
					6	1	.	.	.	.	.	1	2	2	.	.	.	1	5	2	
26	Other Digestive Diseases	...M. F. }	39	{	22	5	2	2	.	.	2	1	4	6	.	.	.	8	14	2	
					17	3	1	2	.	.	1	2	3	5	.	.	1	2	14	4	
27	Acute and Chronic Nephritis	...M. F. }	42	{	31	.	.	.	.	.	1	8	6	10	6	.	.	12	19	4	
					11	.	.	.	.	1	2	1	2	5	.	.	3	8	3	3	
28	Puerperal Sepsis ...	...F. }	9	{	9	.	.	.	1	3	5	.	.	.	.	1	.	6	2	1	
29	Other Puerperal Causes	...F. }	9	{	9	.	.	.	1	3	5	.	.	.	.	3	.	2	4	.	
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	85	{	52	51	1	.	.	.	.	.	.	.	.	6	.	12	34	16	
					33	33	.	.	.	.	.	.	.	.	.	4	.	5	24	13	
31	Senility ...	...M. F. }	505	{	252	.	.	.	.	.	.	.	.	38	214	.	12	.	240	215	
					253	.	.	.	.	.	.	.	.	44	209	.	6	.	247	236	
32	Suicide ...	...M. F. }	8	{	8	.	.	.	1	2	2	.	3	.	.	.	.	.	8	.	
33	Other Violence ...	...M. F. }	61	{	37	1	5	4	3	7	4	6	2	1	4	.	.	13	24	.	
					24	3	2	2	2	1	.	3	2	4	5	.	.	10	14	.	
34	Other Defined Causes ...	...M. F. }	202	{	101	20	3	8	6	4	8	7	13	22	103	3	3	34	61	14	
					101	21	7	4	11	5	9	12	12	11	9	6	5	23	67	25	
35	Causes ill-defined or unknown	...M. F. }	44	{	22	.	4	1	1	1	.	2	4	8	1	.	.	.	22	15	
					22	1	4	.	.	1	.	.	8	8	.	.	.	.	22	19	

ABSTRACT V—continued—No. 25—Causes of Death in Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1934

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	707	365 342	21 20	8 12	6 10	18 17	18 14	6 18	20 16	65 45	120 102	83 88	9 13	10 6	61 52	285 271	128 123		
1	Typhoid Fever (including Para-typhoid). M. F. }	3	2 1	. .	. 1	. .	. .	. 1	. .	. 1	. .	1 .	. .	. .	. 1	. 1	. .			
2	Typhus M. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .			
3	Measles M. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .			
4	Scarlet Fever... ..M. F. }	9	3 6	. 1 2	. 2	1 .	2 .	. 1	. .	1 .	. .	. .	. .	. .	. 2 2	. 1 4	. 2			
5	Whooping-cough M. F. }	1	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. 1			
6	Diphtheria M. F. }	7	3 4	. 2	3 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1 4	. 2	. .			
7	Dysentery M. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .			
8	Influenza M. F. }	15	7 8	. .	. .	. 1	1 .	. .	. .	. 1	. 4 4	3 1	. .	. .	. .	. 7 8	. 3 3			
9	Encephalitis Lethargica M. F. }	1	1 .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. 1	. .	. .	. .			
10	Cerebro-spinal Fever M. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .			
11	Tuberculosis of Respiratory System. M. F. }	33	16 17	. .	. .	. 2 6	5 3	1 6	2 1	5 1	. .	1 .	. 5	. 2 1	. 3 6	. 11 5	. 1			
12	Other Tuberculous Diseases M. F. }	11	6 5	. 1	1 1	2 2	2 1	. .	. .	1 .	. .	. .	. .	. .	. 2	. 4 5	. .			
13	Cancer M. F. }	44	26 18	. .	. .	. 1	. 1	1 1	9 5	10 12	. 4	1 2	. 1	. 1	. 6 2	. 18 14	. 1			
14	Diabetes Mellitus M. F. }	8	3 5	. .	. .	. 1 2	. .	. 2	. 1	. 2	. .	. .	. .	. .	. 1	. 3 4	. .			

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	43 {	19 24	.	.	.	1 1	2 1	.	1 3	3 4	7 10	5 3	1 1	1 1	16 21	6 9
16	Heart Disease ...	...M. F. }	102 {	56 46	.	.	1	1	2 1	2 4	2 3	16 13	25 17	9 8	.	1	46 42	10 6
17	Other Circulatory Diseases	...M. F. }	4 {	4	.	.	.	.	1	.	.	1	2	.	.	1	3	.
18	Bronchitis ...	...M. F. }	56 {	24 32	3 2	.	1	1	1 1	1 1	1 3	10 5	11 11	.	.	3	21 32	4 12
19	Pneumonia (All Forms)	...M. F. }	40 {	27 13	1 1	1 1	.	1 1	1 1	1 1	9 2	7 6	5 1	1	1	2 1	23 12	5 2
20	Other Respiratory Diseases	...M. F. }	5 {	5	1	.	.	.	1	.	2	1	.	1	.	.	4	.
21	Gastric and Duodenal Ulcer	...M. F. }	5 {	2 3	.	.	.	.	1 1	1 2	.	.	.	1	.	1 1	2	.
22	Diarrhœa and Enteritis (under 2 years.)	M. F. }	3 {	3	2	1	.	.	.	.	.	.	.	.	.	1	2	.
23	Appendicitis ...	...M. F. }	6 {	2 4	.	1 1	1 1	1 1	.	.	.	1 1	.	2	.	1 2	1	.
24	Cirrhosis of the Liver	...M. F. }	2 {	1 1	.	.	.	.	.	.	1	1	.	.	.	.	1 1	.
25	Other Diseases of Liver, Etc.	...M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.
26	Other Digestive Diseases	...M. F. }	11 {	5 6	.	1	1	.	.	.	1 3	3 1	1	2 1	.	.	3 5	1
27	Acute and Chronic Nephritis	...M. F. }	24 {	16 8	.	1	1	1 1	.	2	5 2	6 2	2 1	.	.	6 2	10 6	2
28	Puerperal Sepsis ...	...F. }	3	3	.	.	.	1 1	1 1	.	.	.	.	.	.	2	1	.
29	Other Puerperal Causes	...F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	1	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	23 {	10 13	10 13	.	.	.	.	.	.	.	.	1 1	.	8 8	1 4	2
31	Seulity ...	...M. F. }	153 {	70 83	.	.	.	.	.	.	.	22 23	48 60	.	1 3	4 4	65 76	64 72
32	Suicide ...	...M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	...M. F. }	12 {	8 4	.	2 1	1 1	4 1	.	.	.	1	.	1	.	3 3	4 1	1
34	Other Defined Causes ...	...M. F. }	44 {	31 13	5 2	2 2	1 1	2 1	2 2	3	5 3	10 1	1 2	.	2 2	8 3	21 7	8
35	Causes ill-defined or unknown	...M. F. }	36 {	21 15	.	.	.	1	.	.	3 3	6 3	12 8	.	.	.	21 15	21 14

ABSTRACT V—continued—No. 26—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	1927 {	947 980	61 53	33 24	31 27	41 49	35 50	42 49	77 67	118 102	226 242	283 317	22 32	22 15	154 106	749 827	341 437	
1	Typhoid Fever (including Para- typhoid). M. F. }	6 {	3 3	. .	. .	1 1	. 1	. 1	. .	2 .	. .	. .	. .	. .	. .	2 3	1 .	1 .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	7 {	4 3	. 1	2 .	1 2	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. 2	4 1	1 .	
4	Scarlet Fever... ..M. F. }	4 {	3 1	. .	2 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 1	. .	
5	Whooping cough M. F. }	4 {	. 4	. 3	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 4	. 1	
6	Diphtheria M. F. }	10 {	7 3	. .	1 .	6 1	. 2	. .	. .	. .	. .	. .	. .	. .	. .	3 2	4 1	1 .	
7	Dysentery M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	45 {	21 24	. 1	2 2	. 1	1 1	. 1	1 2	. 1	5 1	9 9	3 5	. .	1 .	. 1	20 23	9 13	
9	Encephalitis Lethargica ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	1 {	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	
11	Tuberculosis of Respiratory System. M. F. }	127 {	70 57	1 .	. .	. 4	17 21	12 15	9 7	19 4	5 4	7 2	. .	15 17	3 3	13 4	39 33	12 12	
12	Other Tuberculous Diseases ..M. F. }	29 {	16 13	. .	1 1	2 4	4 3	1 3	4 1	2 1	. .	1 .	1 .	. .	3 2	5 5	8 6	1 .	
13	Cancer M. F. }	135 {	73 62	. .	. .	. .	1 .	. 1	1 1	10 10	30 20	24 25	7 5	1 4	. 3	14 7	58 48	4 8	
14	Diabetes Mellitus M. F. }	13 {	3 10	. .	1 .	. 1	. 3	1 .	. .	. 2	. 2	1 1	1 .	. .	. .	. 2	3 8	1 1	

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. } F. }	93 {	43 50	.	.	.	.	2 2	3 2	2 6	12 7	20 24	4 8	.	2 1	9 4	32 45	12 20
16	Heart Disease ...	M. } F. }	222 {	117 105	.	.	1 1	2 2	3 2	5 8	12 9	19 29	45 35	30 19	2 1	2 2	23 9	90 93	21 22
17	Other Circulatory Diseases	M. } F. }	18 {	8 10	.	.	.	.	.	.	1 1	1 2	2 4	4 3	.	.	1 1	7 9	1
18	Bronchitis ...	M. } F. }	110 {	47 63	3 .	4 1	2 .	.	2 3	2 .	1 4	7 7	14 23	14 23	.	.	4 1	43 62	26 26
19	Pneumonia (All Forms)	M. } F. }	94 {	48 46	8 3	7 4	3 2	1 1	2 2	4 4	8 3	4 6	8 15	5 6	.	.	3 1	45 45	12 11
20	Other Respiratory Diseases	M. } F. }	21 {	13 8	1 .	.	2 1	.	1 1	1 1	1 1	2 1	3 2	2 1	.	1 .	1 1	12 6	2 3
21	Gastric and Duodenal Ulcer	M. } F. }	9 {	7 2	.	.	.	.	.	.	3 2	4 .	.	.	1 .	.	2 .	4 2	2
22	Diarrhoea and Enteritis (under 2 years).	M. } F. }	9 {	5 4	4 3	1 1	.	.	.	.	.	.	.	.	.	.	1 1	4 3	1
23	Appendicitis ...	M. } F. }	17 {	9 8	1 .	1 3	1 1	1 1	1 1	1 .	2 .	.	1 1	.	1 .	.	6 7	3 1	1 1
24	Cirrhosis of the Liver	M. } F. }	1 {	1	.	.	.	.	.	.	.	.	1 .	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. } F. }	9 {	5 4	.	1 .	.	1 .	.	.	2 2	.	2 .	1 .	.	.	1 3	4 1	.
26	Other Digestive Diseases	M. } F. }	53 {	36 17	2 1	4 1	3 1	.	3 1	4 2	2 2	8 4	5 2	5 3	.	1 .	9 4	26 12	10 4
27	Acute and Chronic Nephritis	M. } F. }	41 {	24 17	.	.	.	1 .	1 2	1 2	2 1	6 4	10 4	3 4	1 .	.	6 .	17 17	3 2
28	Puerperal Sepsis ...	F. }	6 {	6	.	.	.	1 .	3 .	2 .	.	.	.	.	1 .	.	1 .	4	.
29	Other Puerperal Causes	F. }	12 {	12	.	.	.	1 .	5 .	5 .	1 .	.	.	.	1 .	.	4 .	7	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	55 {	29 26	29 26	.	.	.	.	.	.	.	.	.	1 2	.	7 6	21 18	13 5
31	Senility ...	M. } F. }	518 {	225 293	.	.	.	.	.	.	.	.	37 67	188 226	.	2 1	10 11	213 281	185 255
32	Suicide ...	M. } F. }	3 {	2 1	.	.	.	1 1	.	.	.	.	1 .	.	.	.	1 .	1 1	.
33	Other Violence ...	M. } F. }	35 {	22 13	1 .	2 1	1 2	6 .	.	3 1	.	2 .	5 4	2 4	.	.	12 6	10 7	2
34	Other Defined Causes ...	M. } F. }	182 {	92 90	11 14	3 6	7 5	3 6	8 7	3 5	9 10	8 12	26 19	14 6	1 3	8 3	20 20	63 64	14 29
35	Causes ill-defined or unknown	M. } F. }	38 {	13 25	.	1 1	.	.	2 1	.	1 4	5 3	4 5	.	.	1 .	.	13 24	9 21

ABSTRACT V—continued—No. 27—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1934

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	1,092 {	556 536	29 33	11 9	5 14	19 15	17 34	25 22	46 38	85 62	156 130	163 179	21 11	18 13	91 77	426 435	190 247	
1	Typhoid Fever (including Para-typhoid). M. F. }	14 {	7 7	· ·	· ·	· 2	· 2	· 1	· 2	· 3	· 1	· ·	· ·	· ·	· 1 2	5 5	· 1	· ·	
2	Typhus M. F. }	2 {	1 1	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· 1 1	· ·	· ·	
3	Measles M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
4	Scarlet Fever... ..M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
5	Whooping-cough M. F. }	3 {	2 1	1 1	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 1	1 1	
6	Diphtheria M. F. }	3 {	2 1	· ·	1 ·	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	1 ·	· ·	
7	Dysentery M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
8	Influenza M. F. }	27 {	11 16	· ·	· ·	· 1	· 1	· 1	· 1	· 2	2 2	5 6	2 4	· ·	· ·	· 1	10 16	2 10	
9	Encephalitis Lethargica M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
10	Cerebro-spinal Fever M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
11	Tuberculosis of Respiratory System. M. F. }	64 {	24 40	· ·	· 1	· 1	5 8	5 18	6 6	3 3	4 3	1 ·	· ·	2 3	4 3	5 14	13 20	3 3	
12	Other Tuberculous Diseases M. F. }	11 {	6 5	· ·	· 1	2 1	1 2	1 1	1 ·	1 ·	· ·	· ·	· ·	· 4	1 ·	1 2	· 3	· ·	
13	Cancer M. F. }	91 {	55 36	· ·	· ·	· ·	· ·	1 1	2 ·	11 4	16 11	21 13	4 7	5 1	· 1	12 6	38 28	5 2	
14	Diabetes Mellitus M. F. }	2 {	· 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 2	· ·	· ·	· ·	· 2	· ·	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	48 { 144 {	26 22	.	1	.	.	.	.	7 3	4 6	10 8	4 3	1	1	5 5	19 16	5 5
16	Heart Disease ...	M. } F. }	144 {	74 70	.	.	1	1	1 3	3 2	3 8	21 17	30 22	15 16	.	2	13 12	59 58	10 11
17	Other Circulatory Diseases	M. } F. }	10 {	7 3	.	.	.	.	1	.	.	1 1	3 1	3	2	.	.	5 3	1
18	Bronchitis ...	M. } F. }	62 {	39 23	4 2	1	.	1	.	1 2	3 1	5 4	15 8	10 5	.	2 1	6 3	31 19	14 9
19	Pneumonia (All Forms)	M. } F. }	39 {	18 21	3 3	2 1	.	.	1 1	2 3	2 2	4 1	3 6	1 2	.	1	1 4	16 16	2 3
20	Other Respiratory Diseases	M. } F. }	13 {	6 7	.	.	1	.	.	1 1	1 1	1 5	2 5	.	.	1	1 5	5 6	1 3
21	Gastric and Duodenal Ulcer	M. } F. }	4 {	4	.	.	.	1	1	.	.	1	1	.	.	.	.	4	.
22	Diarrhœa and Enteritis (under 2 years.)	M. } F. }	6 {	2 4	1 4	1	.	.	.	.	.	.	.	.	.	.	2 2	1	.
23	Appendicitis ...	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. } F. }	4 {	3 1	.	.	.	.	.	1	.	1	1 1	.	.	.	1 1	2	.
25	Other Diseases of Liver, Etc.	M. } F. }	2 {	.	2	.	.	.	.	.	2	.	.	.	.	.	.	2	1
26	Other Digestive Diseases	M. } F. }	18 {	9 9	1 1	.	.	1	.	.	.	2 3	4 2	2	2 1	.	1 2	6 6	1
27	Acute and Chronic Nephritis	M. } F. }	36 {	23 13	.	.	.	.	1 1	1 1	3 1	5 4	10 4	3 3	1	.	10 4	12 9	1
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
29	Other Puerperal Causes	F. }	3	3	.	.	.	.	1	2	.	.	.	.	.	.	2	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	37 {	17 20	17 20	.	.	.	.	.	.	.	.	.	3	.	4 4	10 16	5 8
31	Senility ...	M. } F. }	324 {	148 176	.	.	.	.	.	.	.	.	33 43	115 133	.	3 4	1 1	144 171	121 161
32	Suicide ...	M. } F. }	2 {	2	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
33	Other Violence ...	M. } F. }	21 {	15 6	1	3 2	1	1	1 1	3 2	3 2	.	2	.	.	.	9 1	6 5	1
34	Other Defined Causes ...	M. } F. }	60 {	34 26	1 2	.	1 3	5 2	3 4	1 1	2 1	8 4	11 2	2 4	1 2	2	10 7	21 17	6 8
35	Causes ill-defined or unknown	M. } F. }	41 {	21 20	.	1 1	.	1 1	.	2 5	5 3	6 3	6 9	.	.	1 1	1 1	19 19	14 19

ABSTRACT V—continued—No. 28—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	924 {	473 451	33 46	9 11	14 10	15 25	11 25	24 24	38 25	63 59	139 107	127 119	12 10	14 13	84 66	363 362	152 143	
1	Typhoid Fever (including Para- M. typhoid). F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	4 {	2 2	1	.	1	.	.	.	.	.	.	.	.	.	.	2 2	1	
4	Scarlet Fever... ..M. F. }	10 {	2 8	.	1 2	1 1	3	1	.	1	.	.	.	.	.	8	2	.	
5	Whooping-cough M. F. }	6 {	3 3	3 1	2	.	.	.	.	.	.	.	.	.	.	.	3 3	1	
6	Diphtheria M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	20 {	9 11	.	.	.	2	1 1	1	.	3 1	3 8	.	.	.	.	9 11	9 9	
9	Encephalitis Lethargica M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. System. F. }	60 {	24 36	.	1	.	3 10	3 13	7 8	5 2	2 2	3	.	3 5	1 5	8 11	12 15	2 3	
12	Other Tuberculous Diseases M. F. }	17 {	9 8	1	1	.	2 2	2 2	1 1	1	1	.	.	1	.	4 5	4 3	.	
13	Cancer M. F. }	85 {	42 43	.	.	.	.	.	2 2	5 6	12 12	17 16	6 4	1	1 1	6 5	34 37	5 1	
14	Diabetes Mellitus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

16	Cerebral Hæmorrhage, Etc. (No. M. 82).	M. F. }	47	30	.	.	.	.	.	1	1	5	11	12	.	1	4	25	4
				17	.	.	.	.	.	1	2	5	8	1	.	1	3	13	4
16	Heart Disease ...	M. F. }	129	64	.	.	1	1	.	3	7	16	30	6	.	4	9	51	7
				65	.	.	.	2	2	4	5	15	23	14	2	4	7	52	3
17	Other Circulatory Diseases	M. F. }	10	4	.	.	.	.	.	1	.	1	2	.	1	.	.	3	.
				6	.	.	.	.	.	1	.	.	2	3	.	.	.	6	1
18	Bronchitis ...	M. F. }	34	17	.	.	.	1	.	3	.	3	5	5	.	.	3	14	5
				17	2	.	.	1	.	.	1	1	6	6	.	.	1	16	5
19	Pneumonia (All Forms)	M. F. }	46	26	2	2	.	2	1	1	5	3	8	2	.	1	3	22	3
				20	2	4	2	.	2	1	.	7	1	1	1	.	1	18	2
20	Other Respiratory Diseases	M. F. }	9	5	1	.	.	1	.	.	.	1	2	.	2	.	.	3	.
				4	2	.	.	.	.	.	.	1	1	.	.	.	.	4	1
21	Gastric and Duodenal Ulcer	M. F. }	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	9	5	3	2	.	.	.	.	.	.	.	.	.	.	2	5	.
				4	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.
23	Appendicitis ...	M. F. }	6	3	.	.	1	1	.	.	1	.	.	.	.	.	3	2	1
				3	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	3	3	.	.	.	.	.	1	.	2	.	.	.	.	.	3	.
25	Other Diseases of Liver, Etc.	M. F. }	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
				2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
26	Other Digestive Diseases	M. F. }	13	11	1	1	2	.	.	.	1	1	3	2	.	.	2	9	2
				2	.	.	.	.	.	.	.	2	.	.	.	.	.	2	1
27	Acute and Chronic Nephritis	M. F. }	31	19	1	.	.	1	1	1	3	2	8	2	1	.	6	12	3
				12	1	.	.	.	.	2	.	3	6	.	.	.	3	9	.
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	2	2	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	41	13	11	.	2	.	.	.	.	.	.	.	.	.	7	6	1
				28	28	.	.	.	.	.	.	.	.	.	1	.	3	24	11
31	Senility ...	M. F. }	225	114	.	.	.	.	.	.	.	.	28	86	.	.	17	97	87
				111	.	.	.	.	.	.	.	.	25	86	.	1	11	99	88
32	Suicide ...	M. F. }	3	3	.	.	.	.	1	1	.	.	1	.	.	.	1	2	.
33	Other Violence ...	M. F. }	11	6	1	.	1	.	.	.	2	.	1	1	.	.	1	5	1
				5	1	1	.	1	.	.	1	.	.	1	.	.	.	5	1
34	Other Defined Causes...	M. F. }	76	48	7	.	5	1	2	2	6	7	15	3	3	6	10	29	13
				28	5	2	1	1	3	2	6	2	6	.	.	.	5	23	2
25	Causes ill-defined or unknown	M. F. }	23	11	1	1	.	.	.	.	1	4	2	2	.	.	.	11	9
				12	.	.	1	.	.	.	1	5	4	1	.	.	.	12	9

ABSTRACT V—continued—Causes of Death in PROVINCE OF ULSTER, (part of) by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	3,912 {	1,960 1,952	143 100	46 43	42 46	68 57	77 85	88 121	118 139	317 276	540 549	521 536	55 37	47 36	336 254	1,522 1,625	535 662		
1	Typhoid Fever (including Para- M. F. } typhoid).	6 {	4 2	. .	. 1	. 1	2 1	. .	. .	. .	. 1	. .	. .	1 .	. .	4 1	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	8 {	3 5	3 .	2 .	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	3 4	. 2		
4	Scarlet Fever... ..M. F. }	7 {	4 3	. .	2 1	. 1	2 1	. 1	. .	. .	. .	. .	. .	1 .	. .	3 2	1 .	. .		
5	Whooping-cough M. F. }	7 {	4 3	3 2	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	3 3	1 2		
6	Diphtheria M. F. }	19 {	9 10	. .	4 4	4 5	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	6 9	3 1	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	141 {	68 73	2 1	4 .	2 .	. 2	. 1	3 4	4 5	7 20	36 32	10 8	. .	1 2	11 12	56 59	32 29		
9	Encephalitis Lethargica ...M. F. }	2 {	1 1	. .	. .	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. F. } System.	214 {	106 108	. 1	1 4	1 4	26 23	25 36	22 23	14 6	8 8	7 6	2 1	16 10	14 8	21 28	55 62	11 15		
12	Other Tuberculous Diseases ...M. F. }	79 {	40 39	4 1	4 4	3 5	8 6	10 11	3 7	1 3	3 1	3 1	1 .	4 .	1	11 10	25 28	3 6		
13	Cancer M. F. }	317 {	156 161	. .	. 2	. 1	. 3	. 7	24 29	44 55	57 49	19 19	8 5	. 4	. .	28 22	116 134	11 15		
14	Diabetes Mellitus M. F. }	34 {	14	. .	1 .	. 1	. .	. .	. 1	. 5	3 3	3 .	1 .	. .	. .	3 .	10 .	. .		

15	Cerebral Hæmorrhage, etc. (No. 82).	M. } F. }	266 {	108 158	.	.	.	1	1 2	3 4	6 14	24 31	39 71	35 35	1 1	4 2	13 12	90 143	35 56
16	Heart Disease ...	...M. } ...F. }	638 {	336 302	.	1	4 3	2 3	5 5	8 7	16 24	82 60	134 115	85 84	1 1	4 6	54 46	277 249	51 49
17	Other Circulatory Diseases	...M. } ...F. }	74 {	47 27	.	.	.	.	2 1	2 .	2 2	10 5	18 16	13 3	1 .	1 .	10 5	35 22	4 1
18	Bronchitis ...	...M. } ...F. }	207 {	89 118	10 13	.	3 .	.	2 .	1 3	3 6	11 12	37 41	25 40	.	.	8 9	81 109	30 43
19	Pneumonia (All Forms)	...M. } ...F. }	220 {	133 87	5 5	10 9	3 3	5 2	10 2	5 6	9 9	26 10	40 30	20 11	2 1	3 .	28 3	100 83	10 12
20	Other Respiratory Diseases	...M. } ...F. }	50 {	26 24	1 .	2 .	1 1	2 .	.	2 4	2 2	6 3	6 9	4 5	1 .	.	3 4	23 19	3 6
21	Gastric and Duodenal Ulcer	...M. } ...F. }	34 {	23 11	.	.	.	1 .	.	4 3	2 3	10 1	5 4	1 .	2 .	1 1	10 3	11 7	2 2
22	Diarrhœa and Enteritis (under 2 years.)	M. } F. }	22 {	13 9	13 7	2 .	.	.	.	.	.	.	.	.	1 .	.	1 2	12 6	3 .
23	Appendicitis ...	...M. } ...F. }	20 {	11 9	.	.	3 1	2 1	2 2	2 3	.	1 .	.	2 1	3 1	.	6 5	2 3	2 .
24	Cirrhosis of the Liver	...M. } ...F. }	2 {	2	.	.	.	.	.	.	.	2 .	.	.	.	.	.	2 .	2 .
25	Other Diseases of Liver, Etc.	...M. } ...F. }	14 {	6 8	1 .	.	.	.	3 .	1 .	.	1 2	1 1	2 2	.	.	1 1	5 7	2 .
26	Other Digestive Diseases	...M. } ...F. }	99 {	48 51	4 3	1 3	6 5	1 .	1 .	5 2	6 4	10 11	9 13	7 8	1 3	.	10 11	37 37	10 8
27	Acute and Chronic Nephritis	...M. } ...F. }	119 {	53 66	.	.	1 1	2 .	2 5	5 5	5 7	14 15	18 21	11 12	2 .	1 .	8 12	42 54	5 12
28	Puerperal Sepsis ...	...F. }	9	9	.	.	.	2 .	7 .	.	.	.	.	.	2 .	.	5 .	2 .	2 .
29	Other Puerperal Causes	...F. }	13	13	.	.	.	3 .	4 .	6 .	.	.	.	.	1 .	.	4 .	8 .	2 .
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	134 {	77 57	75 56	2 1	.	.	.	.	.	.	.	.	4 3	.	23 3	50 51	30 28
31	Senility ...	...M. } ...F. }	678 {	308 370	.	.	.	.	.	.	.	.	56 81	252 289	1 .	3 2	12 10	292 358	226 309
32	Suicide ...	...M. } ...F. }	6 {	5 1	.	.	.	.	.	1 .	3 .	1 .	1 .	.	.	1 .	.	4 1	2 .
33	Other Violence ...	...M. } ...F. }	73 {	43 30	.	4 5	1 5	7 2	3 .	5 1	5 2	8 5	6 7	4 3	1 1	.	18 11	24 18	2 .
34	Other Defined Causes ...	...M. } ...F. }	309 {	178 131	21 10	7 6	10 8	7 9	10 6	13 23	13 15	30 22	46 22	21 10	7 4	11 13	43 17	117 97	30 25
35	Causes ill-defined or unknown	...M. } ...F. }	91 {	45 46	1 1	3 1	.	1 1	1 .	1 3	2 5	16 7	17 24	4 3	.	.	2 .	45 44	38 42

ABSTRACT V—continued—No. 29.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. F. }	1,075 {	555 520	39 25	10 8	10 16	18 9	19 23	33 32	40 34	99 65	167 168	120 140	30 24	18 10	117 82	390 404	149 181		
1	Typhoid Fever (including Para-typhoid). M. F. }	4 {	2 2	• •	• •	1 •	• 1	1 1	• •	• •	• •	• •	• •	• 1	• •	2 1	• •	• •		
2	Typhus M. F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
3	Measles M. F. }	5 {	2 3	2 •	• 1	• 1	• 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	2 3	• 2		
4	Scarlet Fever... ..M. F. }	3 {	1 2	• •	• 1	• •	1 •	• 1	• •	• •	• •	• •	• •	• •	• •	1 2	• •	• •		
5	Whooping-cough M. F. }	2 {	1 1	• •	1 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	1 1	1 1		
6	Diphtheria M. F. }	4 {	1 3	• •	• •	• 3	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• 3	1 •	• •		
7	Dysentery M. F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
8	Influenza M. F. }	21 {	9 12	• •	• •	• •	• •	• 1	1 1	• 1	3 3	4 5	1 1	• •	• •	1 •	8 12	8 7		
9	Encephalitis Lethargica M. F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
10	Cerebro-spinal Fever M. F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
11	Tuberculosis of Respiratory System. M. F. }	60 {	33 27	• 1	• •	1 2	8 3	5 8	9 9	3 1	4 2	2 •	1 1	10 6	8 1	7 9	8 11	• 2		
12	Other Tuberculous Diseases M. F. }	11 {	9 2	2 •	• •	• 2	2 •	2 •	1 •	• •	2 •	• •	• •	2 •	• •	2 2	5 •	• •		
13	Cancer M. F. }	82 {	47 35	• •	• •	1 •	• •	1 •	5 1	10 10	10 10	17 10	3 4	4 3	• •	10 7	33 25	4 3		
14	Diabetes Mellitus M. }	13 {	5 •	• •	1 •	• •	• •	• •	• •	1 •	1 •	2 •	4 1	• 1	• 1	2 2	2 5	• •		

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	62	24	.	.	.	.	.	2	6	5	7	4	1	2	6	15	4
				38	.	.	.	.	.	1	5	6	20	6	.	1	5	32	12
16	Heart Disease ...	M. F. }	190	100	.	.	.	1	2	3	5	25	47	17	.	1	31	68	12
				90	.	.	1	.	2	3	6	15	38	23	.	2	29	59	12
17	Other Circulatory Diseases	M. F. }	14	7	.	.	.	.	1	.	.	.	4	2	1	.	1	5	1
				7	.	.	.	.	.	.	1	.	6	.	.	.	.	7	.
18	Bronchitis ...	M. F. }	61	34	3	.	.	.	.	.	2	3	18	8	.	.	1	33	11
				27	.	.	.	.	.	.	1	6	15	5	.	.	.	27	6
19	Pneumonia (All Forms)	M. F. }	45	36	.	5	1	2	3	3	1	7	13	1	1	.	6	29	2
				9	.	1	1	.	1	.	1	1	4	.	.	.	1	8	.
20	Other Respiratory Diseases	M. F. }	13	4	.	1	.	.	.	.	.	1	2	.	.	.	1	3	.
				9	.	.	.	.	.	2	.	1	4	2	1	.	3	5	1
21	Gastric and Duodenal Ulcer	M. F. }	4	3	.	.	.	.	.	1	1	1	.	.	1	.	.	2	.
				1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.
				2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis ...	M. F. }	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
				2	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
26	Other Digestive Diseases	M. F. }	29	13	.	.	2	.	.	2	1	4	3	1	1	.	1	8	3
				16	.	1	2	1	.	.	1	2	5	4	2	.	2	12	2
27	Acute and Chronic Nephritis	M. F. }	34	15	.	.	.	.	.	.	3	5	5	2	.	.	3	12	1
				19	.	.	.	.	2	4	2	5	5	1	.	.	5	14	1
28	Puerperal Sepsis ...	F. }	3	3	.	.	.	.	1	2	.	.	.	.	1	.	2	.	.
29	Other Puerperal Causes	F. }	4	4	.	.	.	.	3	1	.	.	.	.	1	.	1	2	.
30	Congenital Debility, Etc. (Nos. 157-161)	M. F. }	45	25	25	.	.	.	.	.	.	.	.	.	2	.	14	9	7
				20	20	.	.	.	.	.	.	.	.	.	3	.	1	16	9
31	Senility ...	M. F. }	205	87	.	.	.	.	.	.	.	.	19	68	.	2	3	82	68
				118	.	.	.	.	.	.	.	.	32	86	.	.	3	115	105
32	Suicide ...	M. F. }	5	4	.	.	.	.	.	1	3	.	.	.	.	1	.	3	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
33	Other Violence ...	M. F. }	17	9	.	1	.	2	.	1	1	3	1	.	.	.	6	3	.
				8	.	1	1	.	.	1	.	2	2	1	1	.	1	6	1
34	Other Defined Causes ...	M. F. }	97	61	5	1	4	2	3	3	2	14	16	11	6	4	16	35	5
				36	2	2	3	1	2	5	2	8	8	3	3	5	3	25	6
35	Causes ill-defined or unknown	M. F. }	34	20	.	.	.	.	.	1	1	10	7	1	.	.	.	20	20
				14	.	.	.	.	.	.	2	2	9	1	.	.	.	14	13

ABSTRACT V—contd.—No. 30.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. } F. }	1,959 {	947 1,012	72 55	27 21	22 24	34 38	45 49	35 66	47 74	135 130	253 244	277 311	15 6	16 23	133 109	783 874	301 386		
1	Typhoid Fever (including Para- M. } typhoid). F. }	2 {	2	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.		
2	Typhus M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. } F. }	3 {	1 2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.		
4	Scarlet Fever... ..M. } F. }	2 {	2	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.		
5	Whooping-cough M. } F. }	5 {	3 2	3 2	.	.	.	.	.	.	.	.	.	.	.	1	2 2	1		
6	Diphtheria M. } F. }	10 {	5 5	.	2 2	3 2	.	.	1	.	.	.	.	.	.	5 4	1	.		
7	Dysentery M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. } F. }	96 {	48 48	1 1	1	1	.	2	1	4 3	3 14	27 21	9 6	.	1 2	10 12	37 34	21 17		
9	Encephalitis Lethargica ...M. } F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
10	Cerebro-spinal Fever M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory M. } System. F. }	110 {	45 65	.	1	.	10 18	16 23	9 12	4 1	1 5	4 5	.	1	2 6	10 17	32 42	9 12		
12	Other Tuberculous Diseases ...M. } F. }	46 {	21 25	2 1	3 2	3 2	5 5	5 8	1 4	.	.	1	1	2	1	4 3	15 21	2 5		
13	Cancer M. } F. }	163 {	75 88	.	.	.	.	2	1 4	6 16	26 31	30 25	10 12	2 1	4	8 11	61 76	7 12		
14	Diabetes Mellitus M. } F. }	13 {	5 8	.	.	1	1	.	.	.	3 3	1 2	1	.	.	.	5 8	.		

15	Cerebral Haemorrhage, etc. (No. 82).	M. F. }	131 {	55 76	.	.	.	.	1 1	.	.	10 12	22 31	22 21	.	1 1	2 1	52 73	21 27
16	Heart Disease ...	...M. F. }	272 {	145 127	.	.	2 2	1 1	1 3	4 3	6 10	35 25	55 40	41 43	.	2 3	16 11	127 112	27 26
17	Other Circulatory Diseases	...M. F. }	33 {	20 13	.	.	.	.	1 1	2 1	1 1	.	9 6	7 2	.	.	6 4	14 9	2 .
18	Bronchitis ...	...M. F. }	90 {	32 58	7 9	.	.	.	2 2	.	1 3	4 2	8 15	10 24	.	.	7 5	25 53	13 26
19	Pneumonia (All Forms)	...M. F. }	132 {	73 59	5 4	5 5	2 2	2 1	5 1	2 5	7 6	14 7	15 18	16 10	1 1	2 .	17 1	53 57	6 10
20	Other Respiratory Diseases	...M. F. }	31 {	18 13	1 .	1 .	1 1	2 .	.	2 2	2 2	3 1	3 4	3 3	.	.	2 1	16 12	3 5
21	Gastric and Duodenal Ulcer	...M. F. }	21 {	11 10	.	.	.	.	.	2 3	.	6 3	3 3	.	1 .	.	4 3	6 6	2 2
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	9 {	6 3	6 2	.	1 .	.	.	.	.	.	.	.	.	.	1 .	6 2	1 .
23	Appendicitis ...	...M. F. }	12 {	7 5	.	.	2 1	2 1	2 1	1 1	.	.	.	1 .	3 .	.	4 2	.	.
24	Cirrhosis of the Liver	...M. F. }	1 {	1	.	.	.	.	.	.	.	1 .	.	.	.	.	.	1 .	.
25	Other Diseases of Liver, Etc.	...M. F. }	6 {	2 4	1 .	.	.	.	2 .	.	.	.	1 1	1 .	.	.	1 .	2 3	.
26	Other Digestive Diseases	...M. F. }	43 {	24 19	3 1	1 1	2 2	.	.	3 2	3 3	3 2	5 5	4 3	.	.	4 5	20 14	4 3
27	Acute and Chronic Nephritis	...M. F. }	60 {	26 34	.	.	.	2 2	2 2	.	1 4	7 9	11 11	3 7	1 .	1 .	5 5	19 29	3 8
28	Puerperal Sepsis ...	...F. }	5 {	5	.	.	.	.	1 .	4 .	.	.	.	.	1 .	.	2 .	2 .	.
29	Other Puerperal Causes	...F. }	6 {	6	.	.	.	2 .	1 .	3 .	.	.	.	.	.	.	2 .	4 .	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	66 {	35 31	33 30	2 1	.	.	.	.	.	.	.	.	1 .	.	4 1	30 30	21 17
31	Senility ...	...M. F. }	364 {	162 202	.	.	.	.	.	.	.	.	23 33	139 169	1 .	1 2	.	160 200	122 175
32	Suicide ...	...M. F. }	1 {	1	.	.	.	.	.	.	.	.	1 .	.	.	.	.	1 .	.
33	Other Violence ...	...M. F. }	37 {	22 15	.	1 2	1 3	3 2	2 .	1 .	4 2	4 1	4 3	2 2	1 .	.	8 6	13 9	1 .
34	Other Defined Causes ...	...M. F. }	141 {	79 62	8 4	6 2	5 4	4 5	5 4	5 13	7 8	11 9	22 9	6 4	1 1	2 7	13 8	63 46	21 14
35	Causes ill-defined or unknown	...M. F. }	47 {	20 27	1 1	2 1	.	1 1	.	.	1 3	4 2	8 4	3 2	.	.	.	20 25	16 25

ABSTRACT V—contd.—No. 31.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1934.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	878 {	458 420	32 20	9 14	10 6	16 10	13 13	20 23	31 31	83 81	120 137	124 85	10 7	13 3	86 63	349 347	85 95	
1	Typhoid Fever (including Para- typhoid). M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
2	Typhus M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
3	Measles M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
4	Scarlet Fever... ..M. F. }	2 {	1 1	·	·	·	1 1	·	·	·	·	·	·	1	·	1	·	·	
5	Whooping-cough M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
6	Diphtheria M. F. }	5 {	3 2	·	2 2	1	·	·	·	·	·	·	·	·	·	1 2	2	·	
7	Dysentery M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
8	Influenza M. F. }	24 {	11 13	1	3	1	·	·	2	1	1 3	5 6	1	·	·	·	11 13	3 5	
9	Encephalitis Lethargica ...M. F. }	1 {	· 1	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	
10	Cerebro-spinal Fever M. F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
11	Tuberculosis of Respiratory System. M. F. }	44 {	28 16	·	·	·	8 2	4 5	4 2	7 4	3 1	1 1	1	5 4	4 1	4 2	15 9	2 1	
12	Other Tuberculous Diseases ...M. F. }	22 {	10 12	·	1 2	·	1 1	3 3	1 3	1 1	1 ·	2 1	·	·	·	5 5	5 7	1 1	
13	Cancer M. F. }	72 {	34 38	·	·	1 1	·	·	1 3	8 3	8 14	10 14	6 3	2 1	·	10 4	22 33	· ·	

15	Cerebral Haemorrhage, Etc. (No. M 82).	M. F. }	73	29	.	.	.	1	1	1	1	9	10	9	.	1	5	23	8
				44	.	.	.	.	.	.	.	13	20	8	.	.	6	38	17
16	Heart Disease ...	M. F. }	176	91	.	.	2	1	1	1	5	22	32	27	1	1	7	82	12
				85	.	1	.	.	.	1	8	20	37	18	.	.	6	78	11
17	Other Circulatory Diseases	M. F. }	27	20	.	.	.	.	.	.	1	10	5	4	.	1	3	16	1
				7	.	.	.	.	.	.	.	2	4	1	.	.	1	6	1
18	Bronchitis ...	M. F. }	56	23	.	.	.	.	.	1	.	4	11	7	.	.	.	23	6
				33	4	.	.	.	.	1	2	4	11	11	.	.	4	29	11
19	Pneumonia (All Forms)	M. F. }	43	24	.	.	.	1	2	.	1	5	12	3	.	1	5	18	2
				19	1	3	.	1	.	1	2	2	8	1	.	.	1	18	2
20	Other Respiratory Diseases	M. F. }	6	4	.	.	.	.	.	.	.	2	1	1	.	.	.	4	.
				2	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
21	Gastric and Duodenal Ulcer	M. F. }	9	9	.	.	.	1	.	1	1	3	2	1	.	.	6	3	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	9	5	5	.	.	.	.	.	.	.	.	.	.	.	1	4	2
				4	3	1	.	.	.	.	.	.	.	.	.	.	1	3	.
23	Appendicitis ...	M. F. }	7	4	.	.	1	.	.	1	.	.	2	.	.	.	2	2	.
				3	.	.	.	.	1	1	.	1	.	.	.	.	3	.	.
24	Cirrhosis of the Liver	M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	5	3	.	.	.	.	.	1	.	.	1	1	.	.	1	2	.
				2	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
26	Other Digestive Diseases	M. F. }	27	11	1	.	2	.	.	.	2	3	1	2	.	.	2	9	3
				16	2	1	.	1	.	1	.	7	3	1	1	.	4	11	3
27	Acute and Chronic Nephritis	M. F. }	25	12	.	.	1	.	.	.	1	2	2	6	1	.	.	11	1
				13	.	.	.	.	1	1	1	1	5	4	.	.	2	11	3
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. }	3	3	.	.	.	1	.	2	.	.	.	.	.	.	1	2	.
30	Congenital Debility, Etc. (Nos. M 157-161).	M. F. }	23	17	17	.	.	.	.	.	.	.	.	.	1	.	5	11	2
				6	6	.	.	.	.	.	.	.	.	.	.	.	1	5	2
31	Senility ...	M. F. }	109	59	.	.	.	.	.	.	.	.	14	45	.	.	9	50	36
				50	.	.	.	.	.	.	.	.	16	34	.	.	7	43	29
32	Suicide ...	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	19	12	.	2	.	2	1	3	.	1	1	2	.	.	4	8	.
				7	.	2	1	.	.	.	.	2	2	.	.	.	4	3	.
34	Other Defined Causes ...	M. F. }	71	38	8	.	1	1	2	5	4	5	8	4	.	5	14	19	4
				33	4	2	1	3	.	5	5	5	5	3	.	1	6	26	5
35	Causes ill-defined or unknown	M. F. }	10	5	.	1	.	.	.	.	.	2	2	.	.	.	.	5	2
				5	.	.	.	.	.	.	1	1	3	.	.	.	.	5	4

ABSTRACT VI.—CAUSES OF DEATH, &c., during the year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		SAORSTÁT ÉIREANN.		PROVINCE OF LEINSTER.		PROVINCE OF MUNSTER.		PROVINCE OF CONNAUGHT.		PROVINCE OF ULSTER (part of).	
			Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.
	ALL CAUSES	{M. F.	6,060 6,197	13,860 12,966	3,932 4,010	4,241 3,764	1,713 1,763	4,619 4,348	287 280	3,168 3,046	128 144	1,832 1,808
1	Typhoid fever (including paratyphoid)	{M. F.	14 10	39 26	7 9	13 3	4 1	12 7	2 .	11 14	1 .	3 2
2	Typhus	{M. F.	. .	2 2	. .	1 1	. .	. .	. .	1 1	. .	. .
3	Measles	{M. F.	9 10	14 17	6 6	3 3	3 3	2 5	. .	6 5	. 1	3 4
4	Scarlet Fever	{M. F.	4 10	35 33	2 6	13 9	2 3	9 6	. 1	9 15	. .	4 3
5	Whooping-cough	{M. F.	62 87	62 72	41 67	20 21	18 18	32 35	3 2	6 13	. .	4 3
6	Diphtheria	{M. F.	72 100	68 101	42 52	17 35	29 43	24 32	. 4	19 25	1 1	8 9
7	Dysentery	{M. F.	. 1	. .	. .	. .	. 1	. .	. .	. .	. .	. .
8	Influenza	{M. F.	46 56	274 313	23 33	60 74	17 17	84 94	4 4	64 74	2 2	66 71
9	Encephalitis lethargica	{M. F.	3 1	13 6	3 1	4 1	. .	6 4	. .	2 .	. .	1 1
10	Cerebro-spinal fever	{M. F.	3 2	6 3	3 2	3 3	. .	2 .	. .	1 .	. .	. .
11	Tuberculosis of respiratory system	{M. F.	567 532	809 818	403 350	260 259	134 145	271 272	24 28	178 188	6 9	100 99
12	Other tuberculous diseases	{M. F.	143 187	266 222	99 102	98 88	36 40	79 64	6 10	51 36	2 5	38 34
13	Cancer	{M. F.	578 585	1,219 1,023	358 393	396 322	177 152	441 347	33 26	236 207	10 14	146 147
14	Diabetes mellitus	{M. F.	38 38	94 97	30 22	27 27	6 13	37 32	2 1	16 20	. 2	14 18
15	Cerebral hæmorrhage, etc. (No. 82)... ..	{M. F.	284 458	708 853	174 315	255 290	83 121	211 268	17 14	144 145	10 8	98 150
16	Heart disease	{M. F.	1,034 1,251	2,249 2,071	665 803	788 694	312 366	723 703	36 38	423 396	21 24	315 278
17	Other circulatory diseases	{M. F.	140 133	222 187	95 98	86 59	34 29	66 72	4 2	30 33	7 4	40 23

19	Pneumonia (all forms)	M.	507	892	374	264	108	328	13	179	12	121
		F.	402	617	280	165	93	238	22	134	7	80
20	Other respiratory diseases	M.	146	236	93	77	41	94	5	46	7	19
		F.	103	175	69	56	25	78	4	22	5	19
21	Gastric and duodenal ulcer	M.	59	140	44	48	11	51	3	19	1	22
		F.	21	61	13	16	7	27		8	1	10
22	Diarrhoea and enteritis (under 2 years)	M.	149	110	92	33	47	55	10	9		13
		F.	125	90	67	27	50	41	6	15	2	7
23	Appendicitis	M.	26	80	11	18	13	32	1	20	1	10
		F.	16	54	9	16	6	11		19	1	8
24	Cirrhosis of the liver	M.	22	23	11	6	8	8	3	7		2
		F.	5	19	4	8	1	9		2		
25	Other diseases of liver, etc.	M.	19	48	12	13	6	22		8	1	5
		F.	29	65	14	16	13	28	1	14	1	7
26	Other digestive diseases	M.	154	333	96	100	47	113	11	72		48
		F.	157	288	104	73	46	120	5	46	2	49
27	Acute and chronic nephritis	M.	235	427	170	152	47	127	14	99	4	49
		F.	178	329	131	103	41	105	2	59	4	62
28	Puerperal sepsis	F.	33	71	20	23	9	24	3	16	1	8
29	Other puerperal causes	F.	47	120	37	39	7	43	3	25		13
30	Congenital debility, etc. (Nos. 157-161)	M.	413	536	287	183	104	177	14	107	8	69
		F.	283	454	187	140	72	161	15	105	9	48
31	Senility	M.	212	2,321	82	508	98	728	20	789	12	296
		F.	380	2,659	191	565	145	852	30	886	14	356
32	Suicide	M.	29	58	20	16	5	26	3	12	1	4
		F.	4	13	3	6	1	5		1		1
33	Other violence	M.	188	360	133	119	41	124	10	78	4	39
		F.	124	192	77	60	36	61	6	46	5	25
34	Other defined causes	M.	554	1,270	339	387	169	445	32	274	14	164
		F.	475	989	297	332	131	315	36	222	11	120
35	Causes ill-defined or unknown	M.	23	311	8	86	14	93		88	1	44
		F.	44	292	22	64	19	91	2	92	1	45
Deaths under one year of age			M.	988	1,098	683	355	246	47	202	12	131
			F.	693	885	446	270	189	43	199	15	85
,, 65 years and upwards			M.	1,789	7,126	1,067	2,053	564	104	1,773	54	1,007
			F.	2,367	6,880	1,506	1,867	711	96	1,725	54	1,031
Uncertified Deaths			M.	119	3,197	56	659	46	13	1,133	4	531
			F.	171	3,676	76	666	67	16	1,314	12	650
Number of Births			M.	11,243	18,582	7,551	5,590	2,942	506	4,402	244	2,332
			F.	10,332	17,740	6,858	5,371	2,736	515	4,198	223	2,229
Population (Census, 1926)				876,851	2,095,141	561,892	587,200	249,022	43,536	509,371	22,401	277,690

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CARLOW COUNTY		DUBLIN COUNTY.							CITY OF DUBLIN	
		U.D.	R.D.	Urban Districts.		Rural S.R. Districts.			TOTAL U.D.'s.	TOTAL R.D.'s.		
		Carlow U.D. (1)	Carlow S.R.D. Rural (1)	Dun-laoghaire (4)	Howth (3)	Bal-rothery (2)	Dublin (3)	Rath-down (4)				
	ALL CAUSES	{ M. F.	50 44	198 165	246 297	26 23	146 124	204 144	88 107	272 320	438 375	2,841 2,883
1	Typhoid fever (including paratyphoid) ...	{ M. F.	· ·	· ·	· ·	· ·	· ·	1 ·	· 1	· ·	1 1	4 7
2	Typhus	{ M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
3	Measles	{ M. F.	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	1 ·	5 6
4	Scarlet fever	{ M. F.	· ·	1 1	1 ·	· ·	· ·	· ·	· 1	1 ·	1 ·	1 3
5	Whooping-cough	{ M. F.	· 1	· 2	· 2	· ·	1 1	1 6	1 ·	· 2	3 7	36 52
6	Diphtheria	{ M. F.	· 1	· 1	2 2	1 ·	1 3	3 4	· 1	3 2	4 8	35 41
7	Dysentery	{ M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
8	Influenza	{ M. F.	1 2	4 3	5 1	· ·	· 2	3 ·	1 ·	5 1	4 2	12 19
9	Encephalitis lethargica	{ M. F.	· ·	· ·	1 1	· ·	1 ·	1 ·	· ·	1 1	2 ·	2 ·
10	Cerebro-spinal fever	{ M. F.	· ·	· ·	· ·	· ·	· 1	1 ·	· 1	· ·	1 2	3 2
11	Tuberculosis of respiratory system ...	{ M. F.	6 5	5 11	17 21	2 1	12 12	30 15	5 9	19 22	47 36	320 254
12	Other tuberculous diseases	{ M. F.	1 1	3 3	4 2	1 ·	4 2	4 4	2 3	5 2	10 9	68 78
13	Cancer	{ M. F.	3 2	26 13	23 33	2 3	12 8	18 15	7 8	25 36	37 31	251 293
14	Diabetes mellitus	{ M. F.	· ·	2 1	5 2	· ·	1 2	2 2	· 1	5 2	3 5	20 16
15	Cerebral hæmorrhage, etc. (No. 82) ...	{ M. F.	1 4	12 13	12 31	1 3	14 11	10 12	4 9	13 34	28 32	106 198
16	Heart disease	{ M. F.	18 19	41 26	38 84	5 3	23 21	30 21	18 26	43 87	71 68	462 556

18	Bronchitis	{M. F.	1 1	11 11	11 8	.	12 8	7 4	2 3	11 8	21 15	167 184	
19	Pneumonia (all forms)	{M. F.	2 1	8 7	14 12	3 1	7 5	16 15	7 5	17 13	30 25	301 219	
20	Other respiratory diseases	{M. F.	.	6 2	5 7	1	2 3	10 4	2 4	5 8	14 11	68 47	
21	Gastric and duodenal ulcer	{M. F.	2	5	1 3	.	1 1	2	1 1	1 3	4 2	33 9	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 1	1	5 3	1 1	4 1	1 2	4 1	6 4	9 4	66 53	
23	Appendicitis	{M. F.	.	1	1	.	1	1	1	1	2 2	7 7	
24	Cirrhosis of the liver	{M. F.	.	.	1 1	.	1	.	1	1 1	1 1	9 3	
25	Other diseases of the liver, etc.	{M. F.	.	1 1	1 2	.	1	1	1	1 2	2 1	7 9	
26	Other digestive diseases	{M. F.	.	10 4	12 10	1	2 4	6 6	3 1	12 11	11 11	72 70	
27	Acute and chronic nephritis	{M. F.	1 1	6 5	12 6	1 1	6 5	11 2	3 1	13 7	20 8	129 103	
28	Puerperal sepsis	F.	.	.	.	.	.	2	2	.	4	13	
29	Other puerperal causes	F.	1	2	1	.	.	1	1	1	2	28	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	1	9 9	23 9	3 2	8 6	12 4	1 7	26 11	21 17	204 149	
31	Senility	{M. F.	1 1	19 30	7 11	3 4	9 10	5 5	3 7	10 15	17 22	48 113	
32	Suicide	{M. F.	1	.	2 1	.	1	1	.	2 1	2	12 1	
33	Other violence... ..	{M. F.	4 1	1 1	9 5	1	9 3	6 2	6 4	10 5	21 9	92 61	
34	Other defined causes	{M. F.	6 2	17 13	25 22	2 2	12 10	14 12	10 8	27 24	36 30	233 207	
35	Causes ill-defined or unknown	{M. F.	.	3 3	1	.	1	1 1	.	1	2	4 14	
Deaths under one year of age			{M. F.	7 3	20 18	40 20	6 3	19 13	25 14	10 12	46 23	54 39	510 357
,, 65 years and upwards			{M. F.	13 16	104 89	92 152	8 12	54 54	61 46	27 42	100 164	142 142	706 1,029
Uncertified Deaths			{M. F.	2 3	30 36	1 1	3 5	1 1	.	1 1	4 6	20 34	
Number of Births			{M. F.	74 77	268 266	346 335	39 42	210 200	404 326	180 165	385 377	794 691	5,676 5,199
Population (Census, 1926)				7,163	27,313	35,111	4,029	19,336	27,029	15,023	39,140	61,388	405,300

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KILDARE COUNTY							KILKENNY COUNTY						
		Urban Districts		Rural S.R.D.'s.			Total U.D.'s.	Total R.D.'s.	Urban District K'kenney (11)	Rural S.R.D.'s.					Total R.D.'s.
		Athy (6)	Naas (8)	Athy (6)	Cel-bridge (7)	Naas (8)				Callan (9)	Castle-comer (10)	K'kenney (11)	Thomas-town (12)	Urling-ford (13)	
	ALL CAUSES {M. F.	19 22	33 25	96 87	49 41	189 170	52 47	334 298	82 69	40 43	74 50	87 95	202 160	30 36	433 384
1	Typhoid fever (including paratyphoid) ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	.	.	.	.	1 1	.	1 1	.	.	.	.	.	.	.
4	Scarlet fever {M. F.	.	.	.	1 1	1 2	.	2 2	.	.	.	1 1	.	1 1	1 1
5	Whooping-cough {M. F.	.	1	2	1	1	1	3 2	1 2	1	.	.	5 1	2 2	8 3
6	Diphtheria {M. F.	2 1	1	1	1	1 2	2 2	2 4	1	.	.	1	1	.	2
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	.	.	2 1	.	1 2	.	3 3	.	.	1	1 3	.	2 4	3 8
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	1 3	2 2	7 6	4 3	20 14	3 5	31 23	6 10	.	6 2	1 5	5 7	.	12 17
12	Other tuberculous diseases {M. F.	2	1 2	2 1	1 1	3 7	3 2	6 9	1 3	1	1	2 3	8 3	1	12 7
13	Cancer {M. F.	1 4	4	4 5	7 2	16 11	5 4	27 18	7 8	2 5	5 1	12 11	11 17	3 1	33 35
14	Diabetes mellitus {M. F.	.	.	.	1	1 3	.	1 4	2	.	1 1	.	1 1	.	2 3
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	.	3 1	4 3	4 3	16 11	3 1	24 17	5 7	2 2	5 4	4 4	15 16	2	28 26
16	Heart disease {M. F.	3 5	7 3	20 16	13 9	32 29	10 8	65 54	19 13	9 9	14 9	22 18	48 31	3 4	96 71

18	Bronchitis	M. F.	1 1	.	4 4	2 1	12 14	1 1	18 19	3 1	1 1	8 6	2 1	3 1	1 5	15 14
19	Pneumonia (all forms)	M. F.	3 1	1 2	9 9	3 1	13 4	4 3	25 14	6 4	3 .	1 1	4 3	11 3	2 5	21 12
20	Other respiratory diseases	M. F.	.	1 .	1 2	.	2 1	1 1	3 3	2 2	1 .	1 1	1 .	3 2	1 .	6 3
21	Gastric and duodenal ulcer	M. F.	1 .	.	.	1 .	1 1	1 .	2 1	.	.	1 .	.	2 .	.	3 .
22	Diarrhoea and enteritis (under 2 years)	M. F.	.	.	.	.	1 2	.	1 2	2 .	.	4 .	1 .	3 1	.	4 5
23	Appendicitis	M. F.	.	.	.	.	1 2	.	1 2	.	.	.	1 .	2 1	1 1	4 2
24	Cirrhosis of the liver	M. F.	.	.	.	.	.	.	.	.	.	1 .	.	.	.	1 .
25	Other diseases of the liver, etc.	M. F.	.	.	2 .	.	1 .	.	1 2	.	.	.	.	2 .	.	2 .
26	Other digestive diseases	M. F.	3 .	2 .	5 1	1 .	6 3	5 .	12 4	.	.	4 2	2 2	2 2	1 3	9 9
27	Acute and chronic nephritis	M. F.	1 .	1 1	2 3	1 1	6 4	2 1	9 8	1 2	.	1 1	1 3	7 5	1 1	10 12
28	Puerperal sepsis	F.	.	.	1 .	.	1 .	.	2 .	.	.	1 .	.	.	1 .	2 .
29	Other puerperal causes	F.	.	1 .	2 .	.	3 .	1 .	5 .	2 .	1 .	1 .	1 .	2 .	1 .	6 .
30	Congenital debility, etc. (Nos. 157-161)	M. F.	1 .	6 4	10 4	2 4	17 7	7 4	29 15	11 3	3 2	2 3	6 5	10 6	1 1	22 17
31	Senility	M. F.	1 1	1 3	11 11	5 8	11 11	2 4	27 30	4 .	5 8	10 4	11 21	32 31	4 4	62 68
32	Suicide	M. F.	.	1 .	.	1 .	1 .	1 .	1 1	1 .	.	1 .	1 .	1 1	.	3 1
33	Other violence... ..	M. F.	1 .	.	2 1	.	4 6	1 .	6 7	2 .	2 .	2 1	1 2	5 3	2 .	12 6
34	Other defined causes	M. F.	1 .	3 2	6 9	4 2	12 26	4 2	22 37	10 5	8 6	8 5	8 9	18 20	3 1	45 41
35	Causes ill-defined or unknown	M. F.	1 .	1 1	3 5	1 .	2 .	2 1	5 6	.	.	.	2 1	3 2	1 .	6 3
Deaths under one year of age			1 .	8 6	13 12	3 7	24 16	9 6	40 35	21 5	5 2	5 7	7 10	23 9	1 6	41 34
,, 65 years and upwards			6 5	9 7	44 34	19 17	82 60	15 12	145 111	25 19	22 21	36 21	46 61	107 82	15 18	226 193
Uncertified Deaths			2 .	3 4	12 10	.	13 14	5 4	25 24	4 2	8 5	15 8	18 25	40 36	4 4	85 78
Number of Births			36 37	51 42	141 151	68 72	353 315	87 79	562 538	125 119	76 63	77 75	141 113	240 262	32 34	566 547
Population (Census, 1926)			3,460	3,442	13,280	8,116	29,780	6,902	51,126	10,046	7,370	8,745	13,523	27,909	3,397	60,944

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LAOIGHIS COUNTY			LONGFORD COUNTY						
		Rural S.R.D.'s.		TOTAL R.D.'s.	Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.
		Abbey- leix (14)	Mount- mellick (15)		Granard U.D. (17)	Longford U.D. (18)	Bally- mahon (16)	Granard (17)	Longford (18)		
	ALL CAUSES {M. F.	173 138	225 193	398 331	6 7	23 31	68 61	91 65	120 86	29 38	279 212
1	Typhoid fever (including paratyphoid) ... {M. F.	.	.	.	.	.	1 1	1 1	.	.	2
2	Typhus {M. F.	.	.	.	.	.	.	.	*	.	.
3	Measles {M. F.	.	1	1	.	.	1	.	.	.	1
4	Scarlet fever {M. F.	.	.	.	.	.	.	.	.	.	.
5	Whooping-cough {M. F.	1	.	1	.	.	.	.	.	.	.
6	Diphtheria {M. F.	.	2 2	2 2	.	.	.	.	.	.	.
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	2 1	2 3	4 4	1	1 1	1 1	8 14	4 6	1 2	13 21
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	1	.	.	.	1
11	Tuberculosis of respiratory system ... {M. F.	9 8	13 17	22 25	.	2	4 3	7 4	6 1	2	17 8
12	Other tuberculous diseases {M. F.	5 3	4 4	9 7	.	2	2	1	1 2	2	2 4
13	Cancer {M. F.	13 15	19 17	32 32	1	2 1	5 2	4 7	7 5	3 1	16 14
14	Diabetes mellitus {M. F.	1	1 2	1 3	.	1	.	.	.	1	.
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	10 10	13 14	23 24	1	2 1	2 3	5 3	2 10	3 1	9 16
16	Heart disease {M. F.	45 25	44 42	89 67	1	8 5	14 8	7 6	16 7	9 5	37 21
17	Other circulatory diseases {M. F.	.	.	.	.	.	.	.	.	.	.

18	Bronchitis	{M. F.	10 8	7 7	17 15	1 1	2 4	3 1	5 2	1 2	10 7
19	Pneumonia (all forms)	{M. F.	10 7	24 7	34 14	2 3	4 3	8 1	7 3	2 3	19 7
20	Other respiratory diseases	{M. F.	2 2	3 4	5 6	. .	. 1	1 .	3 .	. .	4 1
21	Gastric and duodenal ulcer	{M. F.	1 .	3 .	4 .	. .	. 1	. 1	1 1	. .	1 3
22	Diarrhoea and enteritis (under 2 years) ..	{M. F.	. 1	3 .	3 1	. .	. .	. .	. .	. .	. .
23	Appendicitis	{M. F.	. .	1 .	1 .	. .	. .	. .	1 .	. .	1 .
24	Cirrhosis of the liver	{M. F.	. .	1 1	1 1	. .	. .	1 .	. .	. .	1 .
25	Other diseases of liver, etc.	{M. F.	. .	3 2	3 2	. .	1 .	. .	1 .	. .	1 1
26	Other digestive diseases	{M. F.	3 .	4 3	7 3	. .	1 1	. 2	5 3	. .	6 6
27	Acute and chronic nephritis	{M. F.	3 4	8 4	11 8	. 1	2 1	2 .	5 4	3 .	9 5
28	Puerperal sepsis	F.	2 .	. .	2 .	. .	1 .	. .	. .	. .	1 .
29	Other puerperal causes	F.	. .	1 .	1 .	1 .	. .	. .	. .	1 .	. .
30	Congenital debility, etc. (Nos. 157-161) ...	{M. F.	9 8	6 3	15 11	1 1	2 3	1 1	4 2	3 4	6 3
31	Senility	{M. F.	19 21	23 37	42 58	. 1	2 2	22 17	25 18	30 23	77 58
32	Suicide	{M. F.	1 2	1 1	2 3	. .	. .	1 .	. .	. .	1 .
33	Other violence... ..	{M. F.	5 1	8 1	13 2	. .	1 2	2 1	1 4	. 2	4 5
34	Other defined causes	{M. F.	19 15	22 16	41 31	. 1	1 4	2 4	7 4	14 7	23 15
35	Causes ill-defined or unknown	{M. F.	3 3	10 1	13 4	. .	. 1	3 3	8 2	8 4	19 9
Deaths under one year of age			{M. F.	11 11	16 6	27 17	1 2	2 4	3 2	6 4	11 7
,, 65 years and upwards			{M. F.	95 68	105 98	200 166	3 3	12 11	42 37	51 40	71 53
Uncertified Deaths			{M. F.	33 32	39 31	72 63	2 1	29 21	36 36	50 46	115 103
Number of Births			{M. F.	207 165	258 270	465 485	19 16	57 40	58 70	87 90	120 108
Population (Census, 1926)				22,199	29,341	51,540	1,269	3,685	7,796	12,066	15,031
											4,954
											34,893

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		LOUTH COUNTY							MEATH COUNTY									
			Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.
			Drog-heda (30)	Dun-dalk (21)	Ardee (19)	Drog-heda (20)	Dun-dalk (21)			An Uaimh (24)	Cean-nanus Mor (25)	Trim (26)	Dun-shaugh lin (22)	Kells (23)	Navan (24)	Old-castle (25)	Trim (26)		
	ALL CAUSES	{M. F.	84 95	100 111	74 73	36 46	152 121	184 206	262 240	32 35	12 14	8 10	50 48	80 85	150 117	18 28	93 91	52 59	391 369
1	Typhoid fever (including paratyphoid)	{M. F.	. .	. .	. .	. .	2 .	. .	2 .	2 .	. .	. .	1 .	. 1	1 .	. .	. .	2 2	1 2
2	Typhus	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Scarlet fever	{M. F.	. 1	. .	. .	. .	1 .	1 .	1 .	. .	. .	. .	. .	1 .	2 .	. .	. .	. .	3 .
5	Whooping-cough	{M. F.	. 4	2 2	. .	. .	3 1	2 6	3 1	1 1	. .	. .	. .	. .	. .	. .	. .	1 1	. .
6	Diphtheria	{M. F.	. 3	. .	. 1	. .	2 1	. 3	2 2	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	2 .
7	Dysentery	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	{M. F.	2 1	. 1	5 1	. 2	. .	2 2	5 3	. 1	. 1	. .	. .	1 2	. 1	. 1	1 .	2 .	1 5
9	Encephalitis lethargica	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .
10	Cerebro-spinal fever	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of respiratory system	{M. F.	4 8	7 11	9 9	1 2	9 7	11 19	19 18	5 .	2 2	. 1	3 4	5 3	6 6	. 1	6 5	7 3	20 19
12	Other tuberculous diseases	{M. F.	1 1	6 5	2 3	3 .	3 3	7 6	8 6	. 1	. .	1 1	1 3	3 1	3 2	. .	2 4	1 2	9 10
13	Cancer	{M. F.	14 12	11 6	10 7	5 2	15 15	25 18	30 24	4 6	1 .	. .	6 2	9 9	16 10	1 6	10 10	5 6	42 37
14	Diabetes mellitus	{M. F.	. .	2 1	. .	. .	1 .	2 1	1 .	. .	. .	. .	1 .	2 .	3 1	. 1	2 .	. .	3 7
15	Cerebral hæmorrhage, etc. (N.O. 82)	{M. F.	5 10	7 7	2 8	3 3	5 10	12 17	10 21	2 1	. 1	2 3	6 3	9 7	10 11	1 1	7 12	4 5	33 34
16	Heart disease	{M. F.	14 23	18 23	13 11	8 12	21 15	32 46	42 38	5 7	1 4	1 2	16 12	10 17	28 29	3 4	18 17	7 13	75 79
17	Other circulatory diseases	{M. F.	4 .	2 .	3 .	. .	4 .	6 .	7 .	2 .	. .	. .	. .	2 .	2 .	. .	7 .	2 .	11 .

18	Bronchitis...	...	...	{M. F.	3 4	1 5	2 2	1 1	4 3	4 9	6 6	1 1	1 2	3 3	5 1	6 4	1 4	6 3	17 16
19	Pneumonia (all forms)	...	...	{M. F.	4 2	8 6	1 1	1 1	5 7	12 8	6 7	1 1	1 1	6 4	11 6	10 6	2 2	3 2	32 20
20	Other respiratory diseases	...	...	{M. F.	1 1	1 1	1 1	1 1	1 2	1 2	2 3	1 1	1 1	1 1	1 4	6 4	1 2	3 2	11 6
21	Gastric and duodenal ulcer...	...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	2 2	3 1	2 1	1 1	8 2
22	Diarrhoea and enteritis (under 2 years)...	...	...	{M. F.	1 1	8 4	1 1	2 2	3 2	9 5	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 2
23	Appendicitis	...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	2 1	1 1	4 2
24	Cirrhosis of the liver	...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1
25	Other diseases of liver, etc....	...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Other digestive diseases	...	...	{M. F.	4 2	1 4	1 1	1 1	2 3	5 6	2 5	1 3	1 1	1 1	1 1	3 2	1 1	1 1	5 5
27	Acute and chronic nephritis	...	...	{M. F.	2 2	2 3	4 4	1 1	10 2	4 3	15 7	3 1	2 1	1 1	2 2	4 3	1 1	4 1	12 6
28	Puerperal sepsis	...	...	F.	1	2	1	1	3	1	1	1	1	1	2	1	2	4	4
29	Other puerperal causes	...	...	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	2 2	3 4	2 3	2 1	5 2	5 6	9 6	2 1	2 1	1 2	2 5	4 6	2 1	4 4	13 18
31	Senility	...	...	{M. F.	6 14	2 9	9 14	7 16	26 20	8 23	42 50	1 1	2 1	2 2	9 14	17 13	3 5	9 12	40 46
32	Suicide	...	...	{M. F.	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1
33	Other violence	...	...	{M. F.	7 2	5 2	3 2	1 1	6 4	12 2	10 6	1 1	1 1	1 1	1 1	5 1	2 1	3 1	12 4
34	Other defined causes	...	...	{M. F.	10 4	9 9	7 4	3 2	14 13	19 13	24 19	1 6	1 1	1 3	4 5	14 11	1 7	6 2	27 26
35	Causes ill-defined or unknown	...	...	{M. F.	1 2	1 2	1 1	1 1	8 7	1 2	8 7	1 1	1 1	1 1	1 1	5 2	1 1	2 2	7 4
Deaths under one year of age				{M. F.	7 7	19 11	4 3	4 3	13 7	26 18	21 13	5 6	2 1	3 6	5 6	7 10	3 2	5 4	23 28
,, 65 years and upwards				{M. F.	30 42	27 44	35 42	17 30	72 62	57 86	124 134	10 9	4 5	4 7	24 20	46 43	72 58	11 15	203 187
Uncertified Deaths				{M. F.	1 1	2 10	5 5	2 10	16 22	2 11	23 37	2 2	1 1	2 1	6 14	17 10	4 1	12 21	40 47
Number of Births				{M. F.	197 168	183 138	113 97	39 39	141 162	380 306	293 298	51 43	17 22	21 17	70 72	107 113	142 163	66 81	501 477
Population (Census, 1926)					12,716	13,996	11,030	5,562	19,435	26,712	36,027	3,652	2,196	1,325	7,776	10,912	19,056	4,876	55,796

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	OFFALY COUNTY					TOTAL U.D.'s.	TOTAL R.D.'s.	WESTMEATH COUNTY				TOTAL R.D.'s.
		Urban Districts		Rural S.R.D.'s.					Urban District	Rural S.R.D.'s.			
		Birr (27)	Tulla- more (29)	Birr (27)	Eden- derry (28)	Tulla- more (29)			Athlone (30)	Athlone (30)	Delvin (31)	Mullin- gar (32)	
	ALL CAUSES {M. F.	18 26	37 30	183 188	55 43	114 108	55 56	302 289	46 37	70 75	87 63	206 190	363 328
1	Typhoid fever (including paratyphoid) ... {M. F.	.	.	6	.	1	.	7	.	.	.	.	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
4	Scarlet fever {M. F.	.	.	.	.	.	.	.	.	1	.	4 1	4 2
5	Whooping-cough {M. F.	.	.	1	.	.	.	1	.	.	.	.	.
6	Diphtheria {M. F.	.	1 2	2	.	2	1 2	4	.	1 2	.	3 4	4 6
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	1	2	3 5	3 1	1	3	7 6	1	1 1	2 2	1 3	4 6
9	Encephalitis lethargica {M. F.	.	.	1	.	1	.	2	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	1 3	2 7	4 7	4 2	6 7	3 10	14 16	3 2	6 7	4 3	14 14	24 24
12	Other tuberculous diseases {M. F.	.	4 2	2 3	.	3 3	4 2	5 8	.	1 2	1 1	5 3	7 6
13	Cancer {M. F.	2 1	4 1	9 19	6 1	13 12	6 2	28 32	3 3	6 6	7 4	17 12	30 22
14	Diabetes mellitus {M. F.	.	.	3	1	.	.	3 1	.	1	1	2 2	4 2
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	3 1	3 4	10 8	2 2	6 8	6 5	18 18	3 4	6 9	8 7	7 19	21 35
16	Heart disease {M. F.	3 6	5 1	21 23	16 15	18 14	8 7	55 52	8 7	10 10	13 10	38 37	61 57

18	Bronchitis	{M. F.	3 1	2 2	4 5	4 1	7 7	5 3	15 13	2 1	5 4	8 1	9 4	22 9
19	Pneumonia (all forms)	{M. F.	2 2	.	15 4	1 .	5 9	2 .	21 13	3 2	2 1	6 1	12 8	20 10
20	Other respiratory diseases	{M. F.	.	.	1 1	1 .	3 .	.	4 1	1 .	1 .	4 2	4 4	9 6
21	Gastric and duodenal ulcer	{M. F.	.	.	.	.	3 .	.	3 .	1 .	1 1	2 .	2 1	5 2
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 1	.	3 .	.	1 .	1 1	1 3	.	.	.	1 1	1 1
23	Appendicitis	{M. F.	.	1 .	.	.	1 .	1 .	1 1	1 .	.	1 .	.	1 .
24	Cirrhosis of the liver	{M. F.	1 .	.	.	.	.	1 .	.	.	.	.	1 .	1 .
25	Other diseases of liver, etc.	{M. F.	1 .	.	.	1 .	.	1 .	1 .	1 1	.	.	1 .	1 .
26	Other digestive diseases	{M. F.	1 .	1 .	3 1	1 1	1 2	1 1	4 4	1 .	1 2	3 2	6 2	10 6
27	Acute and chronic nephritis	{M. F.	1 .	2 .	4 4	2 .	2 1	2 1	8 5	2 1	3 1	2 .	11 11	16 12
28	Puerperal sepsis	F.	1 .	.	1 .	.	1 .	1 .	2 .	.	1 .	.	1 .	2 .
29	Other puerperal causes	F.	.	.	3 .	.	2 .	.	5 .	.	.	1 .	5 .	6 .
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	2 .	3 1	5 8	1 1	3 1	5 1	9 10	1 4	4 1	1 1	11 5	16 7
31	Senility	{M. F.	2 .	2 6	24 26	5 9	26 24	2 8	55 59	3 3	14 18	9 14	18 15	41 47
32	Suicide	{M. F.	.	.	1 .	.	.	.	1 .	.	1 .	.	.	1 .
33	Other violence... ..	{M. F.	.	1 .	3 2	2 2	1 1	1 .	6 3	6 .	2 1	2 2	5 4	9 7
34	Other defined causes	{M. F.	2 4	5 1	15 11	6 5	11 6	7 5	32 22	6 4	2 6	10 6	19 23	31 35
35	Causes ill-defined or unknown	{M. F.	.	1 .	1 .	.	1 5	1 .	1 6	.	1 .	1 3	8 6	10 9
Deaths under one year of age			{M. F.	2 1	9 1	9 11	2 1	8 2	11 2	19 14	7 5	5 1	4 2	25 13
,, 65 years and upwards			{M. F.	6 11	8 9	70 69	27 26	59 58	14 20	156 153	10 13	36 42	53 37	181 169
Uncertified Deaths			{M. F.	1 .	5 4	32 40	6 8	21 25	5 5	59 73	3 1	13 15	17 9	69 56
Number of Births			{M. F.	45 26	77 70	174 148	78 68	143 149	122 96	395 365	86 71	102 88	97 85	488 431
Population (Census, 1926				3,402	4,980	20,999	6,728	16,533	8,332	44,260	7,540	11,464	10,342	49,278

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No	CAUSES OF DEATH, ETC.	WEXFORD COUNTY								WICKLOW COUNTY								
		Urban Districts.			Rural S.R.D.s'.				TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.s'.			TOTAL U.D.'s.	TOTAL R.D.'s.
		Ennis- corthy (33)	New Ross (35)	Wex- ford (36)	Ennis- corthy (33)	Gorey (34)	New- Ross (35)	Wex- ford (36)			Ark- low (38)	Bray (38)	Wick- low (38)	Baltin- glass (37)	Rath- drum (38)	Shill- elagh (39)		
	ALL CAUSES {M. F.	33 29	23 33	97 81	177 178	102 93	128 104	155 143	153 148	562 518	33 31	60 60	23 17	73 74	156 132	52 49	116 108	281 255
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	1 1	.	.	1 1
3	Measles {M. F.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1
4	Scarlet fever {M. F.	.	.	1	.	1	.	.	1	1	.	.	3	.	.	1 1	1	1
5	Whooping-cough {M. F.	.	.	.	1 2	.	1	1	2	4	.	1	.	.	1	1	1	1
6	Diphtheria {M. F.	.	.	.	.	1	.	.	.	1	.	1	.	1 2	2	1	1	1 5
7	Dysentery... .. {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	.	.	.	1 1	1	4	1	.	6 2	1 1	.	1	4	6 7	.	1 2	6 11
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	3 1	.	11 9	16 8	5 7	6 3	6 13	14 12	33 31	3 1	7 4	1 1	5 10	3 14	8 7	11 6	16 31
12	Other tuberculous diseases {M. F.	1	2	3 2	7 5	4 3	3 4	6 4	6 2	20 16	.	1 1	.	2 1	3 2	2	1 2	7 3
13	Cancer {M. F.	4	2 4	7 6	18 11	6 11	13 11	17 9	13 10	54 42	3 2	6 7	3 1	10 7	21 10	10 5	12 10	41 22
14	Diabetes mellitus {M. F.	.	1	1	1	.	2	2 1	1 1	5 1	.	1	.	1	1	.	1	2
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	3 5	.	3 6	8 19	9 2	7 7	4 7	6 15	28 35	4 6	5 15	3 3	7 3	12 12	2 4	12 24	21 19
16	Heart disease {M. F.	3 4	4 6	24 12	27 34	17 18	34 28	32 34	31 22	110 114	7 6	10 12	1 2	10 13	27 25	9 9	18 20	46 47

18	Bronchitis...	M.	2	5	11	3	3	5	7	22	2	4	1	6	7	7	13
		F.	5	4	16	5	3	6	9	30	3	1	1	1	10	4	11
19	Pneumonia (all forms) ...	M.	2	11	9	7	3	9	13	28	2	6	5	5	12	3	20
		F.	1	8	8	3	4	9	9	24	7	6	3	9	13	12	
20	Other respiratory diseases ...	M.	2	5	3	2	1	2	8	8	5	1	1	1	3	1	5
		F.	1	1	6	3	1	1	4	10	2	1	1	3	1	3	4
21	Gastric and duodenal ulcer...	M.	2	5	1	1	1	3	7	1	1	1	1	4	2	4	
		F.	1	2	2	1	2	5	5	1	1	1	1	1	1	2	2
22	Diarrhoea and enteritis (under 2 years)	M.	1	3	5	2	1	5	8	8	2	2	2	1	2	1	
		F.	1	1	1	3	1	3	4	4	1	1	1	1	1	1	
23	Appendicitis ...	M.	1	1	1	1	1	1	3	3	1	1	1	1	1	1	
		F.	1	1	1	1	1	1	5	5	1	1	1	1	1	1	
24	Cirrhosis of the liver ...	M.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
25	Other diseases of liver, etc....	M.	1	2	1	2	1	2	2	1	1	1	1	1	1	1	
		F.	1	1	1	1	2	1	4	4	1	1	1	1	1	1	
26	Other digestive diseases ...	M.	1	2	3	1	7	5	3	16	1	1	1	1	4	3	8
		F.	1	1	3	1	1	5	5	6	1	1	1	3	4	1	10
27	Acute and chronic nephritis ...	M.	3	3	6	4	3	12	6	25	3	1	4	4	3	4	11
		F.	1	6	6	2	4	11	8	23	1	1	2	2	2	4	4
28	Puerperal sepsis ...	F.	1	3	1	1	1	3	1	1	1	1	2	1	1	1	2
29	Other puerperal causes ...	F.	1	2	2	1	1	5	2	7	1	1	1	1	1	1	1
30	Congenital debility, etc. (Nos. 157-161)	M.	1	8	9	4	5	10	13	28	5	1	3	2	1	6	6
		F.	1	2	2	5	5	5	3	17	1	1	4	4	2	1	10
31	Senility ...	M.	2	5	15	12	14	21	2	62	1	1	8	11	5	3	24
		F.	2	3	28	14	18	18	10	78	1	1	6	6	7	7	19
32	Suicide ...	M.	1	1	1	1	1	1	2	2	1	1	1	2	1	1	2
		F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Other violence ...	M.	3	1	7	5	2	5	5	19	1	1	1	5	1	1	6
		F.	1	1	1	2	1	2	1	5	2	1	1	3	1	2	5
34	Other defined causes ...	M.	2	4	19	19	12	12	12	62	3	6	3	6	19	2	27
		F.	5	5	12	9	8	10	17	39	4	2	8	11	5	6	24
35	Causes ill-defined or unknown	M.	1	4	1	1	2	1	1	8	1	1	1	4	1	1	5
		F.	1	3	1	2	1	1	1	7	1	1	1	2	1	1	4
Deaths under one year of age ...			M.	1	15	12	8	12	23	53	1	11	1	7	11	3	21
		F.	3	6	13	7	6	8	11	34	1	2	1	6	10	2	18
,, 65 years and upwards ...			M.	8	74	56	61	80	50	271	19	14	11	40	71	26	137
		F.	16	26	102	50	60	61	59	273	19	24	10	36	62	22	120
Uncertified Deaths ...			M.	1	37	15	19	25	5	96	2	1	1	8	24	9	41
		F.	3	2	52	20	21	20	5	113	5	1	1	11	12	7	30
Number of Births ...			M.	70	215	112	117	177	279	621	36	105	31	84	243	45	372
		F.	47	219	125	130	189	234	663	37	97	28	28	96	231	65	392

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CLARE COUNTY										TOTAL U.D.'s	TOTAL R.D.'s
		Urban Districts		Rural S.R.D.'s									
		Ennis (42)	Kilrush (45)	Bally- vaughan (40)	Corofin (41)	Ennis (42)	Ennis- tymon (43)	Killa- dyseret (44)	Kilrush (45)	Scarriff (46)			
	ALL CAUSES {M. F.	24 26	33 18	20 19	26 16	82 77	72 73	42 41	103 105	169 156	57 44	514 487	
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	.	.	.	.	.	.	.	.	
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet fever {M. F.	.	1	.	.	.	.	.	1	2	1	2	
5	Whooping-cough {M. F.	.	.	.	.	1	.	.	1	.	.	2	
6	Diphtheria {M. F.	2 1	2 1	.	.	2 1	1	1	2	3	4 2	4 8	
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza {M. F.	.	1	1	2	3 4	2	.	3 6	4 4	1	10 19	
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	1	.	1	
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system {M. F.	.	6 2	4 1	1 2	5 10	4 9	1 4	7 6	10 10	6 4	32 42	
12	Other tuberculous diseases {M. F.	1	2	.	.	1	1	1	1	4 1	3	4 5	
13	Cancer {M. F.	2 4	2 2	1 2	4 2	6 7	6 3	3 1	9 7	11 9	4 6	40 51	
14	Diabetes mellitus {M. F.	.	.	.	.	1 1	1	.	2	2	.	4 3	
15	Cerebral hæmorrhage, etc. (No. 82) {M. F.	1 1	3 1	.	1	2 2	4 5	.	2 5	6 5	4 2	15 18	
16	Heart disease {M. F.	7 6	2	4	2	12 12	9 2	8 1	16 13	17 30	9 6	68 58	
17	Other circulatory diseases {M. F.	.	.	.	.	1	1	.	2	.	.	4	

18	Bronchitis...	...	...	{M. F.	.	.	3 3	1 .	4 2	3 5	3 6	1 2	4 3	10 7	3 3	26 25		
19	Pneumonia (all forms)	...	...	{M. F.	.	2	1 .	1 2	2 .	5 7	5 3	1 .	10 9	14 3	1 2	38 24		
20	Other respiratory diseases	...	...	{M. F.	.	.	1 .	1 .	.	1 .	1 .	2 .	6 4	7 6	.	16 13		
21	Gastric and duodenal ulcer...	...	...	{M. F.	.	.	.	.	1 .	1 .	1 .	.	.	1 .	.	2 3		
22	Diarrhoea and enteritis (under 2 years)...	...	...	{M. F.	1 1	.	.	.	.	1 .	.	.	1 .	.	1 1	2 .		
23	Appendicitis	...	...	{M. F.	1 1	.	.	.	.	.	.	1 .	.	2 .	1 1	3 .		
24	Cirrhosis of the liver	...	...	{M. F.	.	.	.	.	.	.	.	.	.	1 .	.	1 .		
25	Other diseases of liver, etc...	...	...	{M. F.	.	.	.	.	.	.	.	.	.	1 1	.	1 1		
26	Other digestive diseases	...	...	{M. F.	.	1	1 .	2 .	1 .	3 .	2 2	3 1	2 .	5 7	2 .	11 17		
27	Acute and chronic nephritis	...	...	{M. F.	3 1	.	1 .	.	.	2 1	3 3	2 1	3 4	1 2	3 2	11 11		
28	Puerperal sepsis	...	...	F.	.	.	.	.	.	.	.	.	.	3 .	.	3 .		
29	Other puerperal causes	...	...	F.	.	.	.	.	.	.	1 .	.	1 .	1 .	.	3 .		
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	.	1 1	1 .	.	.	3 2	1 2	1 4	2 3	9 5	1 1	16 16		
31	Senility	...	...	{M. F.	.	3	6 3	3 9	5 6	20 12	21 20	10 20	21 23	35 40	6 6	115 130		
32	Suicide	...	...	{M. F.	.	.	.	.	1 .	.	3 .	.	2 .	1 .	.	7 .		
33	Other violence	...	...	{M. F.	2 .	.	1 .	.	1 .	2 .	1 1	1 .	4 1	5 2	2 1	12 6		
34	Other defined causes	...	...	{M. F.	2 3	2 2	2 .	4 .	3 2	11 4	1 6	1 3	8 8	14 5	4 5	42 28		
35	Causes ill-defined or unknown	...	...	{M. F.	1 .	.	.	2 .	.	4 .	5 3	7 .	2 2	5 7	1 .	25 13		
Deaths under one year of age					...	...	{M. F.	1 2	3 1	.	2 1	5 4	2 8	1 4	4 5	13 6	4 3	27 28
,, 65 years and upwards					...	...	{M. F.	8 9	14 8	9 15	14 10	46 35	47 35	26 23	58 55	79 85	22 17	279 258
Uncertified Deaths					...	...	{M. F.	.	5 2	5 9	6 6	26 15	27 32	13 17	19 27	38 48	5 4	134 154
Number of Births					...	...	{M. F.	75 58	44 51	26 28	28 29	89 97	112 133	46 52	164 152	182 174	119 109	647 665
Population (Census, 1926)					...	...		5,518	3,345	3,495	4,109	13,214	15,137	7,415	19,297	23,534	8,863	86,201

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY															
		Urban Districts										Rural S.R.D.'s					
		Clona- killy (50)	Cobh (51)	Fermoy (53)	Kinsale (55)	Ma- croom (56)	Mallow (57)	Middle- ton (58)	Passage West (51)	Skib- bereen (60)	Young- hal (62)	Bandon (47)	Bantry (48)	Castle- town (49)	Clona- killy (50)	Cork (51)	Dun- manway (52)
	ALL CAUSES {M. 20 51 41 17 26 34 19 9 23 35	F. 23 65 45 16 8 30 27 16 19 36										81 71 62 81 290 58					
1	Typhoid fever (including paratyphoid) {M.	F.														1 .	
2	Typhus {M.	F.															
3	Measles {M.	F.												1 2			
4	Scarlet fever {M.	F.					1					1 1					
5	Whooping-cough {M.	F.	2 1							1				2 . 1 4 6 . 1			
6	Diphtheria {M.	F. 1		1 2	1 1			3				1			1 1 2 3 . .		
7	Dysentery {M.	F.															
8	Influenza {M.	F. 1	2	2			1				1	1 1		2 . 1 2 1 . 1			
9	Encephalitis lethargica {M.	F.														1	
10	Cerebro-spinal fever {M.	F.															
11	Tuberculosis of respiratory system ... {M. 1	F. 1 6	3 1	1 2	1	3 4	1 3	2 3 4 4 10 5 23 5				4 4 8 3 4 17 3					
12	Other tuberculous diseases {M.	F.	1	1 2		1 1	2					3 1 2 2 4 3 2 2					
13	Cancer {M. 3	F. 5 5	5 3	2 1	2 1	4 5	2 2 1 1 2 14 4 2 10 35 8					14 8 2 11 28 9					
14	Diabetes mellitus {M.	F.		1 2	1						1				1 . 3 . .		
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. 2	F. 2 9	5 3	1 2	2 2	3 3	2 2 1 1 4 2 3 5 3 1 17 6					3 4 1 4 23 6					
16	Heart disease {M. 4	F. 1 16	5 5	3 4	8 3	2 7	2 1 5 1 14					17 8 12 10 55 9					

18	Bronchitis	{M. F.	4	6	3	2	1	1	1	2	1	1	2	3	6	3	1	2	19	2
19	Pneumonia (all forms)	{M. F.	2	2	1	1	1	4	2	1	1	2	1	3	8	6	4	6	15	1
20	Other respiratory diseases	{M. F.	1	3	1	1	1	1	1	1	1	1	1	2	1	1	1	9	1	
21	Gastric and duodenal ulcer	{M. F.	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	8	5	
23	Appendicitis	{M. F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	
24	Cirrhosis of the liver	{M. F.	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	
25	Other diseases of liver, etc.	{M. F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	
26	Other digestive diseases	{M. F.	1	2	1	1	3	1	1	2	1	1	3	5	1	1	1	10	2	
27	Acute and chronic nephritis	{M. F.	1	3	1	1	1	1	1	1	1	2	1	4	4	3	2	6	2	
28	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
29	Other puerperal causes	F.	1	1	1	1	1	1	1	1	1	1	2	1	1	1	3	1	1	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	2	3	3	2	1	2	1	2	3	5	1	4	1	2	2	9	1	
31	Senility	{M. F.	2	1	6	2	3	4	2	1	1	3	13	19	12	15	24	13	18	
32	Suicide	{M. F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
33	Other violence	{M. F.	2	4	3	2	1	1	1	1	1	1	3	1	1	2	1	11	2	
34	Other defined causes	{M. F.	2	3	5	2	2	2	2	1	2	1	6	9	2	7	26	2	2	
35	Causes ill-defined or unknown	{M. F.	1	1	2	1	1	1	2	1	1	1	2	1	4	1	3	3	3	
Deaths under one year of age			{M. F.	1	8	5	3	4	2	2	3	7	6	6	2	2	3	33	4	
,, 65 years and upwards			{M. F.	10	12	13	7	19	6	3	12	13	37	35	34	47	114	33	33	
Uncertified Deaths			{M. F.	3	1	4	2	1	1	2	3	3	10	22	21	21	19	11	29	
Number of Births			{M. F.	23	68	35	17	21	20	25	23	47	174	94	69	83	407	91	94	
Population (Census, 1926)				2,770	7,077	4,510	2,747	2,413	4,562	2,782	3,019	2,627	15,233	11,322	9,862	12,925	45,994	11,877	11,877	

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY—continued.											TOTAL U.D.'s.	TOTAL R.D.'s.	CORK COUNTY BOROUGH (63)
		Rural S.R.D.'s.													
		Fernoy (53)	Kan- turk (54)	Kin- sale (55)	Ma- croon (56)	Mallow (57)	Midle- ton (58)	Mill- street (59)	Skibber- een (60)	Schull (61)	Youghal (62)				
	ALL CAUSES	{M. F.	145 140	124 124	67 72	120 91	153 147	84 95	44 51	108 88	41 31	39 21	275 285	1,578 1,504	563 607
1	Typhoid fever (including paratyphoid)	{M. F.	· ·	· ·	· 1	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 2	· ·
2	Typhus	{M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
3	Measles	{M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 2	2 1
4	Scarlet fever	{M. F.	1 ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· 1	· ·	1 ·	· 1	5 2	· 2
5	Whooping-cough	{M. F.	· 4	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	2 2	5 14	10 8
6	Diphtheria	{M. F.	· ·	· 1	· ·	· 2	1 1	· ·	· ·	· ·	· ·	· ·	2 7	5 8	9 17
7	Dysentery... ..	{M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
8	Influenza	{M. F.	2 3	7 8	3 2	· 2	6 6	3 1	2 1	· 1	· ·	4 ·	1 6	32 28	4 3
9	Encephalitis lethargica	{M. F.	· 2	· ·	· ·	· ·	· ·	2 ·	· ·	· ·	· ·	· ·	· ·	3 2	· ·
10	Cerebro-spinal fever	{M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
11	Tuberculosis of respiratory system	{M. F.	4 3	3 7	3 4	5 5	7 11	10 6	· 2	6 5	3 2	3 1	16 21	95 85	53 50
12	Other tuberculous diseases	{M. F.	2 2	2 2	1 ·	2 1	2 2	2 1	1 ·	1 ·	1 1	· ·	2 6	27 19	9 16
13	Cancer	{M. F.	18 11	13 6	7 8	14 6	16 16	12 7	3 1	8 5	3 4	3 3	27 20	170 139	58 43
14	Diabetes mellitus	{M. F.	1 2	1 1	· ·	· 2	· ·	· 1	· 1	1 1	· ·	· ·	2 3	9 9	2 4
15	Cerebral hæmorrhage, etc. (No. 82)	{M. F.	5 10	2 4	5 1	3 3	9 4	10 10	2 7	5 9	1 4	· ·	19 29	74 95	24 42
16	Heart disease	{M. F.	25 30	21 15	12 16	18 22	17 26	12 16	3 9	19 13	10 2	7 4	48 57	255 256	100 140
17	Other circulatory diseases	{M. F.	· ·	2 ·	2 ·	3 ·	1 ·	1 ·	· ·	2 ·	· ·	· ·	5 ·	28 ·	12 ·

18	Bronchitis... ..	{M. F.	6 2	2 7	1 7	4 6	7 3	1 8	3 5	6 8	.	.	13 20	61 72	34 40	
19	Pneumonia (all forms) ...	{M. F.	10 8	8 5	4 4	6 5	13 14	7 4	6 1	7 3	.	4 2	17 11	105 81	37 28	
20	Other respiratory diseases ...	{M. F.	2 1	6 3	2 1	2 .	9 9	1 3	.	1 2	1 .	3 .	8 6	39 24	16 10	
21	Gastric and duodenal ulcer...	{M. F.	2 1	1 .	2 .	6 2	.	1 1	.	2 1	.	1 .	3 1	19 8	3 2	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 2	1 1	.	.	5 3	1 .	.	.	.	.	4 7	16 15	20 15	
23	Appendicitis	{M. F.	2 .	2 1	1 .	1 .	2 .	3 .	.	1 .	1 .	3 .	4 1	16 5	4 1	
24	Cirrhosis of the liver ...	{M. F.	2 .	1 .	.	.	.	.	2 .	.	.	.	2 .	3 5	1 .	
25	Other diseases of liver, etc....	{M. F.	2 1	1 1	1 .	3 .	2 1	.	.	1 .	.	1 .	1 1	10 9	2 5	
26	Other digestive diseases ...	{M. F.	2 2	1 5	2 .	4 3	2 6	1 4	3 2	2 1	.	1 1	9 9	37 43	10 13	
27	Acute and chronic nephritis	{M. F.	5 6	3 1	2 2	3 1	5 4	2 4	.	2 2	3 .	3 1	7 5	46 40	17 12	
28	Puerperal sepsis	F.	.	1 .	.	1 .	.	.	.	.	.	.	1 .	5 .	4 .	
29	Other puerperal causes ...	F.	2 .	.	3 .	1 .	3 .	2 .	.	1 .	1 .	.	2 .	19 .	2 .	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	6 6	8 10	3 3	7 3	9 5	1 2	1 1	8 .	.	3 .	21 10	63 52	28 23	
31	Senility	{M. F.	23 28	19 29	13 11	20 17	18 14	7 14	8 8	24 21	11 11	3 7	23 21	242 271	35 60	
32	Suicide	{M. F.	.	1 .	.	2 .	1 1	.	.	1 .	3 .	.	1 .	7 4	2 .	
33	Other violence	{M. F.	8 3	3 1	.	2 .	5 2	1 .	2 1	3 1	.	.	12 4	43 15	8 11	
34	Other defined causes ...	{M. F.	14 8	11 9	6 1	12 8	12 8	7 7	4 8	6 6	4 3	1 .	22 21	129 112	59 38	
35	Causes ill-defined or unknown	{M. F.	4 .	7 1	2 .	2 .	1 4	1 .	6 1	2 6	.	.	5 7	31 31	5 7	
Deaths under one year of age ...			{M. F.	10 12	13 16	7 6	8 6	21 13	4 6	4 2	11 3	.	4 .	35 25	136 115	81 63
,, 65 years and upwards ...			{M. F.	71 73	51 66	32 33	58 56	72 74	29 48	23 30	60 49	25 18	11 13	106 130	732 771	161 252
Uncertified Deaths			{M. F.	18 23	30 31	10 11	24 18	16 15	6 15	11 14	37 32	6 9	2 6	17 14	264 303	5 .
Number of Births			{M. F.	171 162	223 205	95 62	131 124	209 195	115 100	91 82	125 130	50 37	29 25	325 308	2,157 1,959	937 909
Population (Census, 1926) ...				22,275	21,421	9,912	16,667	19,906	15,151	9,585	17,429	7,060	3,842	37,796	249,461	78,490

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts, and the rural portions of Superintendents' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KERRY COUNTY.										TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts			Rural S.R.D.'s.								
		Kill- arney (67)	Lis- towel (68)	Tralee (69)	Caher- civeen (64)	Dingle (65)	Ken- mare (66)	Kill- arney (67)	Lis- towel (68)	Tralee (69)			
	ALL CAUSES	{ M. F.	32 39	19 20	55 56	104 104	81 86	51 58	158 178	186 160	186 169	106 115	766 755
1	Typhoid Fever (including Paratyphoid) ...	{ M. F.	1 .	1 .	. .	1 1	. .	. .	. .	1 2	4 .	2 .	6 3
2	Typhus	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	{ M. F.	. .	. .	. .	. .	. .	3 .	. .	1 .	. .	. .	1 3
4	Scarlet Fever... ..	{ M. F.	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .
5	Whooping-cough	{ M. F.	. .	. .	4 6	2 4	. .	. 1	3 1	8 6	. .	4 6	13 12
6	Diphtheria	{ M. F.	1 1	. 1	. .	. .	1 .	. .	. .	2 2	1 4	1 2	4 6
7	Dysentery	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	{ M. F.	5 3	. 1	. 1	3 2	. 2	. .	2 4	4 3	6 12	5 5	15 23
9	Encephalitis Lethargica	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal Fever	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of Respiratory System ...	{ M. F.	. 1	1 6	9 4	10 5	5 11	6 .	15 12	11 17	15 9	10 11	62 54
12	Other Tuberculous Diseases	{ M. F.	1 .	1 .	1 2	2 1	1 2	. .	. 3	4 1	4 3	3 2	11 10
13	Cancer	{ M. F.	4 2	1 3	4 6	7 8	11 9	4 5	15 8	15 9	9 14	9 11	61 53
14	Diabetes Mellitus	{ M. F.	. .	1 .	. .	2 1	2 .	. 1	2 2	3 1	1 1	1 .	10 6
15	Cerebral Hæmorrhage, Etc. (No. 82) ...	{ M. F.	. 3	. .	2 1	4 6	4 8	. 3	7 12	12 8	3 7	2 4	30 44
16	Heart Disease	{ M. F.	6 11	4 1	9 6	14 4	11 7	6 3	26 25	26 18	24 20	19 18	107 77
17	Other Circulatory Diseases	{ M.	2 .	. .	. .	. .	1 .	. .	3 .	2 .	1 .	2 .	7 .

18	Bronchitis	{M. F.	1 2	2 3	4 3	1 3	10 8	7 9	5 4	3 5	26 28			
19	Pneumonia (All Forms)	{M. F.	3 2	2 1	4 3	9 7	13 13	20 9	11 7	8 5	61 49			
20	Other Respiratory Diseases	{M. F.	1 1	1 1	2 1	1 1	1 2	3 2	6 4	2 2	11 12			
21	Gastric and Duodenal Ulcer	{M. F.	1 1	1 1	1 1	2 1	1 1	4 1	1 1	1 1	9 5			
22	Diarrhoea and Enteritis (under 2 years)	{M. F.	2 1	1 3	1 1	1 1	1 1	1 3	7 1	4 4	10 6			
23	Appendicitis	{M. F.	1 1	1 1	1 1	1 1	3 1	1 1	3 1	1 1	7 3			
24	Cirrhosis of the Liver	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1			
25	Other Diseases of Liver, etc	{M. F.	1 1	1 1	1 1	1 1	2 1	1 1	3 1	1 1	2 5			
26	Other Digestive Diseases	{M. F.	1 1	4 1	3 1	1 4	1 4	4 4	4 4	4 2	13 18			
27	Acute and Chronic Nephritis	{M. F.	3 3	1 3	1 2	1 2	3 5	7 6	3 3	1 6	16 19			
28	Puerperal Sepsis	F.	2 2	2 2	1 1	1 1	2 1	1 1	2 1	2 1	5 11			
29	Other Puerperal Causes	F.	3 4	3 2	2 3	2 2	4 10	8 2	5 4	6 7	21 21			
30	Congenital Debility, etc. (Nos. 197-161)	{M. F.	1 1	4 1	2 6	26 38	18 19	18 20	24 48	27 37	6 8			
31	Senility	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	5 1			
32	Suicide	{M. F.	1 1	1 1	3 1	4 2	3 1	3 1	6 3	4 2	20 7			
33	Other Violence	{M. F.	3 1	5 4	12 4	8 5	3 3	16 12	10 17	8 6	66 48			
34	Other Defined Causes	{M. F.	1 2	1 2	2 2	1 2	3 3	3 8	8 13	1 2	18 28			
35	Causes ill-defined or unknown	{M. F.	7 5	2 1	8 8	5 11	2 6	3 1	9 13	17 12	14 9	17 14	50 52	
Deaths under one year of age			{M. F.	11 16	9 5	18 17	58 63	39 38	32 36	87 108	94 75	86 82	38 38	396 402
,, 65 years and upwards			{M. F.	1 3	3 1	3 9	39 49	19 28	16 19	41 80	46 44	60 61	7 13	221 281
Uncertified Deaths			{M. F.	59 25	34 35	107 109	126 116	106 95	84 88	229 244	279 261	257 228	200 169	1,081 1,032
Number of Births			{M. F.	5,328	2,917	10,533	18,224	15,855	11,432	27,929	26,635	30,318	13,778	130,893
Population (Census, 1926)														

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LIMERICK COUNTY						LIMERICK COUNTY BOROUGH (75)	TIPPERARY NORTH RIDING							TOTAL U.D.'s.	TOTAL R.D.'s.
		Rural S.R.D.'s.					Urban Districts			Rural S.R.D.'s.							
		Croom (70)	Kil-mallock (71)	Limerick (72)	New-castle (73)	Rath-keale (74)	Nenagh (77)		Templemore (79)	Thurles (79)	Borrisokane (76)	Nenagh (77)	Roscrea (78)	Thurles (79)			
	ALL CAUSES {M. F.	66 58	169 175	165 168	163 152	108 105	671 658	262 266	36 40	15 7	26 22	58 53	136 111	49 57	119 79	77 69	362 300
1	Typhoid fever (including paratyphoid) {M. F.	• •	• 1	• •	• •	• •	• 1	2 1	• •	• •	• •	1 •	• •	1 1	• •	• •	2 1
2	Typhus {M. F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
3	Measles {M. F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
4	Scarlet fever {M. F.	• •	• •	1 1	• •	• •	1 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
5	Whooping-cough {M. F.	• 2	• •	• •	4 •	3 2	7 4	• •	• •	• •	• •	• •	2 1	• 1	• •	• •	2 2
6	Diphtheria {M. F.	1 •	• 1	4 2	2 1	• •	7 4	9 8	• •	• •	• •	• •	• 1	• •	1 •	• •	2 •
7	Dysentery {M. F.	• •	• •	• •	• •	• •	• •	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •
8	Influenza {M. F.	• 2	3 4	4 3	5 3	• •	12 12	4 1	• •	1 •	• •	• 1	5 2	• 1	2 1	1 •	7 5
9	Encephalitis lethargica {M. F.	• 1	• •	• •	1 •	• •	1 1	• •	• •	• •	• •	• •	1 1	• •	• •	• •	1 1
10	Cerebro-spinal fever {M. F.	• •	• •	• •	1 •	• •	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
11	Tuberculosis of respiratory system {M. F.	5 •	8 12	8 11	11 12	5 5	37 40	15 23	3 3	• •	1 1	2 5	5 5	2 8	5 3	4 4	14 21
12	Other tuberculous diseases {M. F.	2 •	4 2	8 1	3 6	3 4	20 13	5 8	2 2	• •	• 2	• 1	4 1	• 1	3 2	2 4	7 5
13	Cancer {M. F.	13 5	21 16	13 14	13 6	7 7	67 48	26 24	• 1	2 •	1 1	5 5	10 13	6 7	10 2	3 2	31 27
14	Diabetes mellitus {M. F.	2 •	1 1	1 4	1 •	1 •	6 5	• •	• •	• •	• •	• 2	• •	• •	1 •	• •	1 2
15	Cerebral hæmorrhage, etc. (No. 82) {M. F.	1 6	6 14	7 8	4 5	1 4	19 37	13 12	2 4	1 2	• 1	7 3	8 12	4 4	6 7	3 7	25 26
16	Heart disease {M. F.	10 9	32 24	21 27	21 33	17 21	101 114	46 54	4 4	2 •	6 3	7 6	17 23	8 9	19 14	12 7	51 52

18	Bronchitis	{M. F.	2	7 12	9 3	6 7	5 5	27 32	17 16	4 5	1 .	5 .	11 7	3 2	7 6	5 5	26 15
19	Pneumonia (all forms) ...	{M. F.	11 3	13 4	18 6	13 15	10 7	65 35	20 23	2 .	1 .	1 5	4 5	3 2	3 3	5 4	15 14
20	Other respiratory diseases	{M. F.	2	5 6	6	1 2	1 3	13 13	8 2	1 .	2 .	1 3	3 .	2 1	2 1	1 2	8 5
21	Gastric and duodenal ulcer	{M. F.	1	3	1	5 4	1	10 5	4 1	1 .	1 .	1 .	1 4	1 .	3 .	1 1	4 5
22	Diarrhoea and enteritis (under 2 years)	{M. F.	2 2	3 7	6 3	1	1 2	13 14	8 7	2 .	.	1 .	1 .	2 .	2 .	3 .	
23	Appendicitis	{M. F.	1	1	1	1	1	3 2	1	1	1	1	1	1	1	1	1
24	Cirrhosis of the liver ...	{M. F.	1	1	1	1	1	1 1	4	1	1	1	1	1	1	1	1
25	Other diseases of liver, etc....	{M. F.	2	4	2	2	6 5	1 2	1	1	1	1	1	1	1	1	2
26	Other digestive diseases ...	{M. F.	1 2	4 8	2 4	5 2	8 2	20 18	11 10	3 3	2 .	3 3	2 3	3 1	5 2	5 3	13 9
27	Acute and chronic nephritis	{M. F.	1	6 3	4 3	4 3	4	19 9	5 5	1 .	1 1	5 .	1 .	5 2	2 2	6 1	14 4
28	Puerperal sepsis	F.	1	1	1	1	3	1	1	1	1	1	1	1	2	1	
29	Other puerperal causes ...	F.	2	3	3	1	9	2	1	1	1	1	1	1	1	1	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	1 1	7 10	4 9	9 7	9 9	30 36	16 12	3 2	1 1	1 2	7 6	1 3	6 2	4 5	15 12
31	Senility	{M. F.	3 7	16 24	21 29	21 24	9 15	70 99	5 15	2 7	4 .	11 11	32 21	4 7	16 19	6 10	63 58
32	Suicide	{M. F.	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
33	Other violence	{M. F.	2	2 2	6 7	5 2	4 1	19 12	6 10	1 .	2 2	1 1	6 .	1 2	4 2	2 3	12 5
34	Other defined causes ...	{M. F.	9 9	25 15	14 18	20 11	14 8	82 61	27 23	9 3	4 1	6 5	12 8	8 2	14 6	15 4	40 21
35	Causes ill-defined or unknown	{M. F.	1 1	2 1	2 1	5 5	2 1	5 9	2	1	1	1	1	1	1	1	2 4
Deaths under one year of age			{M. F.	7 7	21 23	21 16	25 9	15 16	89 71	42 35	6 4	2 1	1 2	3 2	15 7	4 5	33 18
,, 65 years and upwards			{M. F.	31 26	85 89	77 71	68 86	53 54	314 326	61 84	13 20	5 2	17 9	33 24	73 63	19 25	186 161
Uncertified Deaths ...			{M. F.	2 9	21 29	25 35	35 41	6 13	89 127	2 12	2 4	1 3	1 3	9 11	49 30	5 9	84 75
Number of Births ...			{M. F.	80 83	261 245	260 246	248 252	157 154	1,006 980	523 488	61 44	29 25	62 69	86 64	138 153	66 67	406 42
Population (Census, 1926) ...				10,087	24,284	25,417	23,884	17,223	100,895	39,448	4,524	2,233	4,815	9,213	16,268	7,586	48,073

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	TIPPERARY SOUTH RIDING										WATERFORD COUNTY							WATER FORD COUNTY BOROUGH (89)	
		Urban Districts				Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.	U.D.	Rural S.R.D.'s.						TOTAL R.D.'s.
		Carrick- on-Suir (80)	Cashel (81)	Clon- mel (83)	Tipper- ary (84)	Carrick- on-Suir (80)	Cashel (81)	Clogheen (82)	Clon- mel (83)	Tipper- ary (84)				Dun- garvan (85)	Kilmac- thomas (86)	Lis- more (87)	Water- ford (88)			
	ALL CAUSES ... {M. F.	38 40	19 14	65 56	34 36	15 10	154 132	70 74	24 31	120 113	156 146	383 360	31 47	88 77	43 34	95 69	119 104	345 284	186 184	
1	Typhoid fever (including paratyphoid). {M. F.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	.	
2	Typhus ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1 2	
4	Scarlet fever ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
5	Whooping-cough ... {M. F.	.	.	2 2	.	.	1 1	1	.	1	2 2	2 2	.	.	.	.	1 1	1 1	.	
6	Diphtheria ... {M. F.	.	.	1	1	.	2	.	2	.	2	2	1	2	2	.	.	2 2	4 4	
7	Dysentery ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza ... {M. F.	.	.	.	1	.	1	2	1	1	1	3 3	1	1	.	3 2	1 2	5 4	1	
9	Encephalitis lethargica ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal fever ... {M. F.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system. {M. F.	3 2	1 2	5 4	2 3	1	4 10	3 1	2 1	7 5	11 11	17 17	4 6	3 1	3 1	5 2	3 9	14 13	15 15	
12	Other tuberculous diseases {M. F.	1	.	1	1 2	.	2 1	.	1	3 1	3 2	5 3	1	1 3	1 3	2 1	1 2	5 9	9 1	
13	Cancer ... {M. F.	4 5	2 2	10 11	6 7	1	14 12	10 5	4 1	13 6	22 25	41 25	5 3	14 2	2 4	3 9	12 9	31 24	23 18	
14	Diabetes mellitus ... {M. F.	1	.	1	.	1	4	.	.	2 1	2	7 1	1	1	.	3	2	6	.	
15	Cerebral hæmorrhage, etc. (No. 82). {M. F.	4 3	.	1 2	5 4	.	8 14	10 3	1 3	7 8	10 11	26 29	2 2	4 4	1 1	8 5	9 9	22 19	7 12	
16	Heart disease ... {M. F.	5 4	8	16 9	2 6	3	29 32	14 20	7 6	20 20	31 19	73 78	6 15	17 25	5 7	20 14	26 22	68 68	41 50	
		.	.	.	1	.	4	2	.	1	2	7	.	4	.	2	4	10	4	

18	Bronchitis ...	{M. F.	4 1	.	6 3	3 1	1 .	9 6	1 1	2 1	2 5	13 5	14 14	1 .	5 .	4 2	7 2	6 3	17 12	11 14	
19	Pneumonia (all forms) ...	{M. F.	1 4	1 2	1 5	3 2	2 .	14 4	5 7	1 3	10 5	6 13	32 19	2 2	2 1	2 1	3 3	5 11	12 16	13 4	
20	Other respiratory diseases	{M. F.	1 .	.	1 1	1 .	.	2 3	1 3	.	3 5	2 2	6 11	1 .	1 .	.	.	.	1 .	3 .	
21	Gastric and duodenal ulcer	{M. F.	.	.	.	1 1	1 .	1 .	1 .	.	.	1 .	3 1	.	3 .	1 .	.	.	4 .	1 .	
22	Diarrhoea and enteritis (under 2 years).	{M. F.	3 .	1 .	1 .	1 1	1 .	2 4	1 .	.	2 1	1 6	5 6	1 .	2 .	1 .	1 .	2 .	6 .	9 7	
23	Appendicitis ...	{M. F.	.	1 .	1 .	1 .	.	1 .	.	.	1 .	3 .	1 1	.	1 .	.	.	.	1 .	.	
24	Cirrhosis of the liver ...	{M. F.	.	.	1 .	.	.	.	.	.	1 .	1 .	1 .	.	.	.	1 2	.	1 2	.	
25	Other diseases of liver, etc.	{M. F.	.	.	1 2	.	.	1 .	1 .	.	.	1 2	1 1	.	3 .	1 .	.	1 2	2 5	1 2	
26	Other digestive diseases	{M. F.	1 2	.	.	.	.	1 1	2 .	2 2	5 4	1 2	8 9	2 .	2 2	2 .	5 2	4 .	11 6	5 5	
27	Acute and chronic nephritis	{M. F.	1 1	1 1	2 1	2 .	.	3 4	1 1	2 1	3 5	6 3	9 11	3 .	5 3	2 1	3 .	5 4	12 11	1 4	
28	Puerperal sepsis ...	F.	.	.	.	.	.	.	1 .	1 .	5 .	.	7 .	.	.	.	.	.	.	.	
29	Other puerperal causes	F.	1 .	.	.	.	.	.	.	.	.	1 .	.	.	.	1 .	.	.	1 .	.	
30	Congenital debility, etc. (Nos. 157-161).	{M. F.	3 .	4 3	5 1	2 .	1 .	9 5	4 .	1 1	3 7	14 4	17 14	1 3	1 2	1 .	3 .	10 6	15 10	13 7	
31	Senility ...	{M. F.	6 6	.	5 8	6 2	6 2	16 24	7 17	3 .	17 21	11 16	46 67	4 4	7 10	7 .	16 14	9 7	39 38	2 5	
32	Suicide ...	{M. F.	.	.	.	.	.	3 .	.	.	.	.	3 .	1 .	1 .	.	.	.	1 .	.	
33	Other violence...	{M. F.	.	.	2 .	1 1	.	1 5	1 .	1 2	2 .	3 1	5 9	.	6 .	1 .	2 1	4 6	13 7	4 4	
34	Other defined Causes ...	{M. F.	4 2	1 1	5 4	3 3	1 2	17 4	6 4	1 3	16 8	13 10	41 21	4 1	11 10	6 2	13 4	15 8	45 24	17 23	
35	Causes ill-defined or un- known.	{M. F.	.	.	.	1 .	.	3 1	1 3	.	2 1	1 .	6 5	.	2 .	2 .	1 .	1 1	6 1	1 .	
Deaths under one year of age			{M. F.	3 3	4 5	8 5	6 1	21 11	7 .	1 4	14 11	21 14	43 28	4 3	3 3	2 5	10 4	17 7	32 19	33 25	
,, 65 years and upwards			{M. F.	21 22	6 3	26 26	11 14	11 5	74 74	35 44	13 15	60 58	64 65	193 196	15 22	47 46	24 37	65 48	193 143	62 72	
Uncertified Deaths ...			{M. F.	2 2	1 1	.	.	2 4	17 27	6 17	1 .	16 17	3 4	41 66	1 2	9 15	7 8	13 11	12 6	41 40	2 3
Number of Births ...			{M. F.	71 59	35 29	90 105	89 63	11 26	222 193	107 103	44 35	155 151	285 256	539 508	72 58	98 99	58 44	90 85	176 143	422 371	329 301
Population (Census, 1926) ...				4,657	2,953	9,056	5,555	2,236	23,047	12,348	4,721	16,797	22,221	59,149	5,207	13,080	6,321	10,802	16,505	46,708	26,647

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	GALWAY COUNTY														TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts		Rural S.R.D.'s.													
		Ballin- asloe (90)	Galway (92)	Ballin- asloe (90)	Clifden (91)	Galway (92)	Glenna- maddy (93)	Gort (94)	Lough- rea (95)	Mount- bellew (96)	Ought- erard (97)	Port- lanna (98)	Tuam (99)				
	ALL CAUSES {M. F.	25 22	119 101	74 81	116 85	137 132	62 73	66 60	124 106	61 53	81 81	48 43	201 180	144 123	970 894		
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	.	.	.	.	1	1	1	.	.	.	1 2		
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Scarlet fever {M. F.	.	.	.	1	.	.	.	.	.	.	.	1	.	1 1		
5	Whooping-cough {M. F.	.	.	1 1	1 1	1	.	.	3	1	1	.	.	.	3 7		
6	Diphtheria {M. F.	1	3	2	.	3 6	.	.	1 5	1	1	1 1	1 2	4	7 17		
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza {M. F.	.	3 3	1	1 3	4 4	4 3	1 1	3 1	1	1	.	2 3	3	17 16		
9	Encephalitis lethargica {M. F.	.	.	.	.	.	1	.	.	.	.	.	.	.	1		
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of respiratory system ... {M. F.	.	13 13	5 5	10 3	7 14	5 3	3 5	5 3	4 1	4 3	1 2	11 14	13 13	55 53		
12	Other tuberculous diseases ... {M. F.	1	3 3	3 1	5 3	1	.	1	1	1	2 3	1	4 2	3 4	17 11		
13	Cancer {M. F.	1 3	15 7	3 6	8 4	5 8	2 6	3 4	11 11	1 8	5 4	4 1	15 12	16 10	57 64		
14	Diabetes mellitus {M. F.	2	1	1	1	2	1	1	.	2 1	.	.	4	2 1	10 3		
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	3	8 5	1 6	1 3	6 5	1	1 3	7 4	1 1	2 2	3 2	13 11	8 8	35 38		
16	Heart disease {M. F.	3 3	12 17	10 15	12 5	12 11	12 15	8 6	22 16	9 8	13 19	12 6	23 27	15 20	133 128		
17	Other circulatory diseases ... {M.	2	2	1	1	3	.	.	4	.	.	1	1	4	11		

18	Bronchitis	{M. F.	5 7	8 4	3 4	9 3	2 4	2 2	4 3	3 3	3 2	4 2	1 4	10 5	15 7	41 35
19	Pneumonia (all forms)	{M. F.	1 2	5 10	6 4	10 3	15 9	2 3	4 4	4 4	2 1	6 6	8 10	10 4	6 12	67 44
20	Other respiratory diseases	{M. F.	.	2 1	2 1	1 1	3 2	3 1	2 1	3 1	2 1	1 1	.	4 1	2 1	20 6
21	Gastric and duodenal ulcer	{M. F.	.	2 1	1 1	1 1	.	1 1	1 1	.	1 1	.	.	2 1	2 1	7 2
22	Diarrhoea and enteritis (under 2 years)	{M. F.	.	4 4	.	.	1 1	1 1	.	.	.	1 1	.	1 1	4 4	3 2
23	Appendicitis	{M. F.	.	1 1	1 1	.	1 1	1 1	.	2 1	1 1	.	.	1 1	1 1	6 4
24	Cirrhosis of the liver	{M. F.	.	1 1	.	.	.	.	.	1 1	.	.	.	.	1 1	1 1
25	Other diseases of liver, etc.	{M. F.	.	1 1	.	.	2 1	1 1	1 1	.	.	1 1	1 1	1 1	1 1	3 5
26	Other digestive diseases	{M. F.	2 2	7 2	2 2	2 2	1 2	1 1	3 2	1 1	1 3	.	.	4 5	9 2	13 15
27	Acute and chronic nephritis	{M. F.	4 1	2 1	2 2	4 2	3 1	1 1	1 1	4 1	4 1	1 1	1 1	6 1	6 1	25 10
28	Puerperal sepsis	F.	.	1 1	.	2 1	1 1	.	.	3 1	.	.	1 1	1 1	1 1	8 1
29	Other puerperal causes	F.	.	.	.	1 1	2 1	.	.	4 1	.	1 1	1 1	1 1	.	9 1
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	2 1	7 2	4 3	5 5	4 4	2 5	1 1	5 2	2 1	5 6	1 1	14 3	9 3	43 30
31	Senility	{M. F.	1 2	4 2	22 17	35 34	36 38	18 20	21 22	25 23	19 18	21 21	7 9	43 47	5 4	247 249
32	Suicide	{M. F.	.	1 1	1 1	.	2 1	1 1	.	1 1	.	.	.	2 1	1 1	7 1
33	Other violence	{M. F.	.	5 4	2 1	5 2	3 1	3 1	5 2	2 1	.	5 3	3 3	4 8	5 4	32 20
34	Other defined causes	{M. F.	2 5	14 13	6 7	3 4	17 13	3 5	5 6	13 17	6 1	7 5	3 4	22 21	16 18	85 83
35	Causes ill-defined or unknown	{M. F.	.	.	1 3	2 1	4 2	1 2	1 2	3 3	2 1	2 3	1 1	5 7	.	22 22
Deaths under one year of age			{M. F.	4 3	24 14	7 4	8 7	11 15	2 6	3 5	9 9	4 2	8 12	2 13	23 17	77 73
,, 65 years and upwards			{M. F.	9 11	41 31	44 38	64 54	77 63	30 44	38 36	69 53	34 36	39 43	26 21	109 107	530 495
Uncertified Deaths			{M. F.	2 1	3 1	23 25	39 42	59 63	18 33	26 26	30 40	28 28	27 33	11 15	69 73	330 378
Number of Births			{M. F.	38 43	208 205	111 136	115 114	232 204	101 94	100 96	181 161	83 75	151 140	73 58	302 281	1,449 1,359
Population (Census, 1926)				5,245	14,227	9,819	13,760	20,067	11,639	10,750	19,257	12,652	14,494	8,356	29,100	149,894

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LEITRIM COUNTY				MAYO COUNTY											TOTAL U.D.'s.	TOTAL R.D.'s.
		Rural S.R.D.'s.			TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.									
		Carrick- on-Shan. (100)	Manor- hamilton (101)	Mohill (102)		Ballina (103)	Castle- bar (106)	West- port (109)	Ballina (103)	Ballin- robe (104)	Bel- mullet (105)	Castle- bar (106)	Clare- morris (107)	Swine- ford (108)	West- port (109)			
	ALL CAUSES	{ M. F.	68 72	144 153	153 137	365 342	36 35	22 13	15 18	133 116	122 112	60 68	99 99	126 138	196 241	138 140	73 66	874 914
1	Typhoid fever (including paratyphoid)	{ M. F.	1 .	. 1	1 .	2 1	. .	2 .	. .	. 2	. .	1 .	. .	. .	. 1	. .	2 .	1 3
2	Typhus	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	{ M. F.	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .	. 1	. .	. 2	2 .	. .	4 3
4	Scarlet fever	{ M. F.	. .	2 6	1 .	3 6	. .	. .	. .	. .	. .	. .	. .	. 1	2 .	1 .	. .	3 1
5	Whooping-cough	{ M. F.	. .	. .	1 .	1 .	. .	. .	. .	2 .	. .	. .	. 2	. .	. .	. .	. .	. 4
6	Diphtheria	{ M. F.	1 .	. .	2 4	3 4	. .	. .	. .	1 .	. 1	. .	1 1	1 1	4 .	. .	. .	7 3
7	Dysentery	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	{ M. F.	. .	5 5	2 3	7 8	1 .	. 1	. 5	2 2	3 3	4 4	. 4	5 4	5 1	1 1	. .	20 23
9	Encephalitis lethargica	{ M. F.	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal fever	{ M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	1 .
11	Tuberculosis of respiratory system	{ M. F.	2 6	9 9	5 2	16 17	5 5	3 2	. .	14 7	6 7	3 6	6 5	10 3	12 12	11 10	8 7	62 50
12	Other tuberculous diseases	{ M. F.	1 1	3 3	2 1	6 5	1 4	. .	. .	2 1	3 1	. .	1 2	4 5	5 2	. 3	1 4	15 9
13	Cancer	{ M. F.	3 5	16 4	7 9	26 18	5 2	2 1	. .	9 7	6 8	4 4	3 3	12 12	20 20	12 5	7 3	66 59
14	Diabetes mellitus	{ M. F.	. 2	3 1	. 2	3 5	. .	. .	. .	. .	. 2	. 2	. 2	. 3	1 2	. .	. .	3 10
15	Cerebral hæmorrhage, etc. (No. 82)	{ M. F.	1 8	9 8	9 8	19 24	2 1	1 1	. 1	12 8	4 3	. 3	6 4	9 12	8 10	1 7	3 3	40 47
16	Heart disease	{ M. F.	5 6	25 14	26 26	56 46	. 4	5 2	3 2	16 15	13 16	4 4	16 8	20 13	19 31	21 10	8 8	109 97
17	Other circulatory diseases	{ M. F.	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	. 5	1 .	. .	. .	8 .

18	Bronchitis	M. F.	4 3	4 5	16 24	24 32	2 1	3 3	5 6	9 9	6 7	7 6	4 4	10 19	4 8	2 4	45 59
19	Pneumonia (all forms)	M. F.	10 6	3 4	14 3	27 13	3 2	1 1	5 6	14 12	4 2	3 5	4 1	3 10	11 7	4 3	44 43
20	Other respiratory diseases	M. F.	2 3	2 3	3 5	5 5	1 1	1 1	1 4	1 1	1 1	3 3	2 1	1 1	4 1	1 1	12 7
21	Gastric and duodenal ulcer	M. F.	1 1	1 2	1 1	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	6 2
22	Diarrhoea and enteritis (under 2 years)	M. F.	2 2	1 1	1 1	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	3 3
23	Appendicitis	M. F.	1 1	1 3	1 1	2 4	1 1	1 1	2 1	1 1	1 1	1 2	1 3	3 3	2 2	1 1	9 8
24	Cirrhosis of the liver	M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other diseases of liver, etc.	M. F.	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	2 1	3 1	1 1	5 4
26	Other digestive diseases	M. F.	1 2	3 2	1 2	5 6	1 1	1 2	2 1	5 5	5 1	3 2	6 4	6 5	8 3	1 2	35 15
27	Acute and chronic nephritis	M. F.	2 1	7 3	7 4	16 8	3 1	3 1	5 1	2 2	2 1	1 1	1 3	4 5	3 5	6 1	18 17
28	Puerperal sepsis	F.	3 3	3 3	3 3	3 3	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2	2 2	2 2	4 4
29	Other puerperal causes	F.	1 1	1 1	1 1	2 2	1 1	2 2	3 3	1 1	1 1	3 3	1 1	2 2	2 2	10 10	27 25
30	Congenital debility, etc. (Nos. 157-161)	M. F.	3 2	6 8	1 3	10 13	1 1	1 1	3 3	3 2	2 4	4 1	4 6	7 6	4 3	2 1	27 25
31	Senility	M. F.	20 20	24 35	26 28	70 83	2 7	4 2	3 3	32 34	35 28	16 17	26 38	27 48	54 67	26 49	216 281
32	Suicide	M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Other violence	M. F.	2 2	2 3	4 1	8 4	3 1	1 1	1 1	3 1	1 1	4 1	1 4	6 2	2 3	4 1	18 12
34	Other defined causes	M. F.	6 2	15 8	10 3	31 13	4 5	3 1	3 4	15 9	9 7	4 6	7 10	16 10	18 24	13 14	82 80
35	Causes ill-defined or unknown	M. F.	5 4	4 2	12 9	21 15	1 1	1 1	2 2	3 7	1 5	1 2	2 1	5 5	4 2	1 1	13 24
Deaths under one year of age			M. F.	5 5	9 10	7 5	21 20	4 4	2 1	9 4	12 5	4 4	6 8	8 9	9 6	7 6	54 47
,, 65 years and upwards			M. F.	37 38	77 76	89 76	203 190	9 12	8 5	11 6	72 68	76 58	34 35	57 65	59 81	112 148	481 536
Uncertified Deaths			M. F.	29 25	43 46	56 52	128 123	2 5	2 1	2 3	51 60	63 52	32 40	49 66	26 48	77 92	335 428
Number of Births			M. F.	59 77	165 179	203 211	427 467	69 69	39 33	25 35	201 198	154 158	145 131	131 139	191 193	321 287	1,361 1,302
Population (Census, 1926)				10,422	21,791	23,694	55,907	4,873	4,266	3,488	24,056	18,293	13,720	19,613	20,573	36,994	160,063

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC. *	ROSCOMMON COUNTY				SLIGO COUNTY				
		Rural S.R.D.'s.			TOTAL R.D.'s.	U.D.	Rural S.R.D.'s.			TOTAL R.D.'s.
		Boyle (110)	Castle- reagh (111)	Ros- common (112)		Sligo (114)	Dromore West (113)	Sligo (114)	Tober- curry (115)	
	ALL CAUSES {	132 109	163 144	261 283	556 536	70 91	63 58	239 212	101 90	403 360
	ALL CAUSES {									
1	Typhoid fever (including paratyphoid) {	1 3	2 2	4 2	7 7	· ·	· ·	· 1	· ·	· 1
2	Typhus {	· ·	· ·	1 1	1 1	· ·	· ·	· ·	· ·	· ·
3	Measles {	· ·	· ·	· ·	· ·	· ·	2 ·	· 1	· 1	2 2
4	Scarlet fever {	· ·	· ·	· ·	· ·	· 1	· 1	1 4	1 2	2 7
5	Whooping-cough {	· ·	1 ·	1 1	2 1	3 2	· ·	· 1	· ·	· 1
6	Diphtheria {	· ·	· ·	2 1	2 1	· ·	· ·	· ·	· ·	· ·
7	Dysentery {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
8	Influenza {	4 7	2 1	5 8	11 16	· ·	· ·	7 8	2 3	9 11
9	Encephalitis lethargica {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
10	Cerebro-spinal fever {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
11	Tuberculosis of respiratory system {	6 6	9 14	9 20	24 40	3 8	2 8	14 14	5 6	21 28
12	Other tuberculous diseases {	3 2	1 1	2 2	6 5	2 2	2 2	4 2	1 2	7 6
13	Cancer {	12 6	16 13	27 17	55 36	10 13	9 5	15 21	8 4	32 30
14	Diabetes mellitus {	· ·	· 2	· ·	· 2	· ·	· ·	· ·	· ·	· ·
15	Cerebral hæmorrhage, etc. (No. 82) {	8 5	6 7	12 10	26 22	6 3	6 3	16 9	2 2	24 14
16	Heart disease {	16 8	21 11	37 51	74 70	13 10	4 13	34 31	13 11	51 55
17	Other circulatory diseases {	1 ·	3 ·	3 ·	7 ·	· ·	· ·	2 ·	2 ·	4 ·

18	Bronchitis	{ M. F.	17 5	4 1	18 17	39 23	2 4	3 2	10 7	2 4	15 13
19	Pneumonia (all forms)	{ M. F.	3 8	5 9	10 4	18 21	3 7	7 2	12 8	4 3	23 13
20	Other respiratory diseases	{ M. F.	. .	3 4	3 3	6 7	2 2	. .	2 2	1 .	3 2
21	Gastric and duodenal ulcer	{ M. F.	. .	2 .	2 .	4 .	. .	. .	. .	1 .	1 .
22	Diarrhoea and enteritis (under 2 years)	{ M. F.	. .	1 2	1 2	2 4	4 1	. .	1 2	. 1	1 .
23	Appendicitis	{ M. F.	. .	. .	. .	. .	. .	1 1	2 1	1 1	3 3
24	Cirrhosis of the liver	{ M. F.	. .	2 .	1 1	3 1	2 .	. .	. .	1 .	1 .
25	Other diseases of liver, etc....	{ M. F.	. .	1 .	1 .	2 .	. .	. .	. .	2 .	2 .
26	Other digestive diseases	{ M. F.	3 3	2 1	4 5	9 9	1 1	. .	8 1	2 .	10 1
27	Acute and chronic nephritis	{ M. F.	5 3	8 3	10 7	23 13	2 1	. 1	13 8	4 2	17 11
28	Puerperal sepsis	F.	1 .	. .	. .	1 .	. .	. .	. .	. .	. .
29	Other puerperal causes	F.	1 .	2 .	. .	3 .	1 .	. .	1 .	. .	1 .
30	Congenital debility, etc. (Nos. 157-161)	{ M. F.	5 3	4 5	8 12	17 20	3 11	4 1	2 10	4 6	10 17
31	Senility	{ M. F.	30 33	53 51	65 92	148 176	6 14	15 14	63 52	30 31	108 97
32	Suicide	{ M. F.	1 .	1 .	. .	2 .	1 .	1 .	. .	1 .	2 .
33	Other violence	{ M. F.	5 1	1 2	9 3	15 6	1 1	. 1	2 2	3 1	5 4
34	Other defined causes	{ M. F.	6 5	10 10	18 11	34 26	6 8	7 1	24 17	11 2	42 20
35	Causes ill-defined or unknown	{ M. F.	6 7	6 1	9 12	21 20	. 1	1 3	7 7	3 1	11 11
Deaths under one year of age			{ M. F.	6 4	8 10	15 19	29 33	12 20	5 15	8 9	21 26
,, 65 years and upwards			{ M. F.	74 59	102 80	143 170	26 309	38 31	143 114	59 55	240 195
Uncertified Deaths			{ M. F.	37 42	63 62	90 143	190 247	2 5	18 25	94 81	38 32
Number of Births			{ M. F.	132 121	193 196	348 296	673 613	127 132	85 79	270 239	137 139
Population (Census, 1926)				18,656	27,152	37,748	83,556	11,437	10,834	33,261	15,856
											59,951

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CAVAN COUNTY.							TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts.			Rural S.R.D.'s.					
		Bel- turbet (118)	Cavan (118)	Coote- hill (118)	Bailie- borough (116)	Bawn- boy (117)	Cavan (118)			
	ALL CAUSES {M. F.	9 8	12 25	7 14	158 123	82 69	287 281	28 47	527 473	
1	Typhoid fever (including paratyphoid) {M. F.	.	1	.	1	.	1 1	1	1 2	
2	Typhus {M. F.	.	.	.	.	.	.	.	.	
3	Measles {M. F.	.	.	.	2	.	3	.	2 3	
4	Scarlet fever {M. F.	.	.	.	.	.	1 2	.	1 2	
5	Whooping-cough {M. F.	.	.	.	.	1	1	.	1 1	
6	Diphtheria {M. F.	.	1	.	1	.	1 1	1	1 2	
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	
8	Influenza {M. F.	.	.	.	1 1	2 2	6 9	.	9 12	
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system {M. F.	3	2	1	11 11	3 2	16 11	3 3	30 24	
12	Other tuberculous diseases ... {M. F.	.	.	.	4	1	4 2	.	9 2	
13	Cancer {M. F.	.	1 1	1 2	18 5	4 4	23 23	2 3	45 32	
14	Diabetes mellitus {M. F.	.	1	.	2 2	1 2	2 3	1	5 7	
15	Cerebral hæmorrhage, etc. (No. 82) {M. F.	1	1 1	2 1	5 7	5 3	10 26	4 2	20 36	
16	Heart disease {M. F.	1 3	1 1	.	22 17	16 12	60 55	2 6	98 84	

18	Bronchitis	{M. F.	2	1 2	1 1	13 6	3 5	11	1 5	33 22
19	Pneumonia (all forms)	{M. F.	.	1 1	.	9 1	1 1	25 6	1 1	35 8
20	Other respiratory diseases	{M. F.	1 1	1	1 1	3	.	2 3	2 3	2 6
21	Gastric and duodenal ulcer	{M. F.	.	.	.	1 1	1	1	.	3 1
22	Diarrhoea and enteritis (under 2 years) {M. F.	.	.	.	.	1 1	1	1	.	2 2
23	Appendicitis —	{M. F.	.	.	.	1	.	.	.	1
24	Cirrhosis of the liver	{M. F.	.	.	.	.	.	.	.	.
25	Other diseases of the liver, etc. {M. F.	.	.	.	.	1 1	.	1	.	1 2
26	Other digestive diseases	{M. F.	.	2	.	3 5	2 1	8 8	2	13 14
27	Acute and chronic nephritis	{M. F.	.	1	1	4 8	2	10 8	1 1	14 18
28	Puerperal sepsis	F.	.	1	.	1	.	1	1	2
29	Other puerperal causes	F.	.	.	.	2	.	2	.	4
30	Congenital debility, etc. (Nos. 157-161) {M. F.	2	1 3	1 4	9 6	7 1	5 6	4 7	21 13	
31	Senility	{M. F.	1	2 4	.	18 24	24 28	43 61	2 5	65 113
32	Suicide	{M. F.	.	.	1	1	1	2	1	3 1
33	Other violence	{M. F.	.	1	.	3 2	1	5 5	1	9 7
34	Other defined Causes	{M. F.	1 1	2 2	1 1	22 10	7 3	28 19	4 4	57 32
35	Causes ill-defined or unknown {M. F.	.	.	.	5 3	1 1	14 10	.	20 14	
Deaths under one year of age {M. F.			2	2 3	1 4	14 9	8 2	12 7	5 7	34 18
,, 65 years and upwards {M. F.			4 4	5 9	1 3	69 64	48 50	160 178	10 16	277 292
Uncertified Deaths {M. F.			1	3	1	34 40	34 39	80 97	1 5	148 176
Number of Births {M. F.			11 13	50 34	23 18	194 180	91 96	340 307	84 65	625 583
Population (Census, 1926)			1,307	3,060	1,532	21,473	12,232	42,848	5,899	76,553

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		DONEGAL COUNTY												TOTAL U.D.'s.	TOTAL R.D.'s.
			Urban Districts			Rural S.R.D.'s.										
			Bun- crana (123)	Bun- doran (119)	Letter- kenny (124)	Bally- shannon (119)	Done- gal (120)	Dun- fanaghy (121)	Glenties (122)	Inish- owen (123)	Letter- kenny (124)	Mil- ford (125)	Stran- orlar (126)			
	ALL CAUSES	 {M. F.	12 17	7 11	8 21	38 40	118 114	110 95	177 188	137 162	105 98	108 111	127 165	27 49	920 963	
1	Typhoid fever (including para- typhoid).	{M. F.	.	.	.	.	.	.	1	.	.	1	.	.	2	
2	Typhus	 {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles	 {M. F.	.	.	1	.	.	.	.	.	1	1	.	1	1	
4	Scarlet fever	 {M. F.	.	.	.	.	.	.	1	.	.	.	1	.	2	
5	Whooping-cough	 {M. F.	.	.	.	.	2	.	.	1	.	.	1	.	3	
6	Diphtheria	 {M. F.	.	.	.	.	4 5	.	.	1	.	.	.	.	5 5	
7	Dysentery	 {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza	 {M. F.	.	1	2	2	5 4	5 1	16 13	11 8	2 2	3 2	5 14	1 2	47 46	
9	Encephalitis lethargica	 {M. F.	.	.	.	.	.	.	.	.	.	1	.	.	1	
10	Cerebro-spinal fever	 {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system.	{M. F.	3	1	.	1 2	2 13	6 8	12 11	3 9	5 5	9 7	6 7	1 3	44 62	
12	Other tuberculous diseases	 {M. F.	1	2	.	3	1	2 4	4 5	1 3	2 5	4 2	6 1	1 2	20 23	
13	Cancer	 {M. F.	1	3	1 1	1 3	8 7	10 10	20 23	11 10	7 11	9 11	7 9	2 4	73 84	
14	Diabetes mellitus	 {M. F.	.	.	1	1	1	.	3 1	.	2	2	2	1	5 7	
15	Cerebral hæmorrhage, etc. (No. 82)	{M. F.	3	1	1	1 3	8 8	4 3	18 18	10 10	5 8	4 7	3 16	2 3	53 73	
16	Heart disease	 {M. F.	3 4	1 1	1 4	7 4	14 8	10 5	26 14	16 26	17 14	22 17	28 30	5 9	140 118	
17	Other circulatory diseases	 {M. F.	.	.	1 1	1	6 2	1	1 3	2 1	.	5 3	3 3	1	19 12	

18	Bronchitis ...	...	{M. F.	2 1	1 1	2 1	4 4	1 4	12 14	3 8	3 3	3 10	4 11	3	32 55	
19	Pneumonia (all forms)	...	{M. F.	2 1	1 1	7 3	11 2	5 4	3 8	13 7	8 11	12 8	12 13	2 3	71 56	
20	Other respiratory diseases	...	{M. F.	1 1	1 1	1 1	5 2	2 3	3 3	3 2	1 4	2 4	1 1	1 2	17 11	
21	Gastric and duodenal ulcer	...	{M. F.	1 1	1 1	1 1	1 4	1 1	3 1	1 1	1 2	1 1	4 1	1 1	11 9	
22	Diarrhoea and enteritis (under 2 years).	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	6 3	
23	Appendicitis	...	{M. F.	1 1	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	2 1	1 1	7 4	
24	Cirrhosis of the liver	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
25	Other diseases of liver, etc.	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 4	
26	Other digestive diseases	...	{M. F.	1 1	1 1	1 1	3 3	1 1	3 6	5 3	2 1	3 1	6 4	1 1	24 19	
27	Acute and chronic nephritis	...	{M. F.	1 1	1 1	2 3	3 5	3 2	4 11	3 2	5 2	1 2	3 5	2 2	24 32	
28	Puerperal sepsis	...	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	5 5	
29	Other puerperal causes	...	F.	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	6 6	
30	Congenital debility, etc. (Nos. 157-161).	...	{M. F.	1 1	1 1	1 1	4 4	5 3	4 4	4 7	7 1	3 2	5 8	1 1	35 30	
31	Senility	...	{M. F.	2 2	1 2	2 4	3 4	18 22	42 35	16 31	34 39	18 19	10 19	16 27	5 6	
32	Suicide	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Other violence	...	{M. F.	1 1	1 1	1 1	4 2	4 1	3 3	1 2	3 3	3 2	3 2	1 1	22 14	
34	Other defined causes	...	{M. F.	2 2	1 1	2 2	5 5	14 14	4 5	19 13	9 8	9 4	8 5	3 2	76 60	
35	Causes ill-defined or unknown	...	{M. F.	1 1	1 1	1 1	1 3	4 6	2 4	4 5	4 2	1 3	2 2	1 1	19 26	
Deaths under one year of age				{M. F.	2 1	5 2	10 6	5 5	12 8	10 12	12 2	5 3	13 14	3	72 52	
,, 65 years and upwards				{M. F.	5 5	3 6	6 9	14 16	65 49	71 49	100 107	85 87	52 52	62 77	14 20	516 535
Uncertified Deaths				{M. F.	1 2	2 2	3 3	8 6	28 41	62 60	66 96	54 80	30 27	25 31	27 38	1 7
Number of Births				{M. F.	17 23	15 14	27 23	64 67	133 131	139 111	221 216	201 183	154 151	115 136	189 214	59 60
Population (Census, 1926)				...	2,309	1,339	2,308	7,509	16,552	14,252	30,081	22,726	16,601	16,884	21,947	5,956

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1934, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	MONAGHAN COUNTY.										TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts				Rural S.R.D.'s.							
		Carrick- macross (127)	Castle- blayney (128)	Clones (129)	Mon- aghan (130)	Carrick- macross (127)	Castle- blayney (128)	Clones (129)	Mon- aghan (130)				
	ALL CAUSES	{ M. F.	13 10	14 7	18 13	28 18	67 74	82 76	76 73	160 149	73 48	385 372	
1	Typhoid fever (including paratyphoid) ...	{ M. F.	.	.	.	.	.	.	.	.	.	.	
2	Typhus	{ M. F.	.	.	.	.	.	.	.	.	.	.	
3	Measles	{ M. F.	.	.	.	.	.	.	.	.	.	.	
4	Scarlet fever	{ M. F.	.	.	.	.	1	.	1	.	.	1 1	
5	Whooping-cough	{ M. F.	.	.	.	.	.	.	.	.	.	.	
6	Diphtheria	{ M. F.	.	.	.	1	1	1	.	2	1	2 2	
7	Dysentery	{ M. F.	.	.	.	.	.	.	.	.	.	.	
8	Influenza	{ M. F.	.	.	.	1	2	3 6	2 1	5 4	1	10 13	
9	Encephalitis lethargica	{ M. F.	.	.	.	.	1	.	.	.	.	1	
10	Cerebro-spinal fever	{ M. F.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system ...	{ M. F.	.	.	1 1	1 1	5 2	7 1	5 3	9 7	2 3	26 13	
12	Other tuberculous diseases	{ M. F.	.	1	1	1	2 1	1	3 3	4 4	1 3	9 9	
13	Cancer	{ M. F.	1 1	2	1 4	2 2	3 4	12 6	8 9	5 12	6 7	28 31	
14	Diabetes mellitus	{ M. F.	.	.	.	.	1 1	1 1	1	1 2	.	4 4	
15	Cerebral hæmorrhage, etc. (No. 82) ...	{ M. F.	2	1	1	2 1	5 9	6 10	1 2	13 20	4 3	25 41	
16	Heart disease	{ M. F.	5 3	1 2	4 2	4 2	14 18	18 9	15 23	30 26	14 9	77 76	
17	Other circulatory diseases	{ M.	.	1	5	.	3	4	2	5	6	14	

18	Bronchitis	{M. F.	.	.	.	1 2	2 6	6 10	3 3	11 12	1 2	22 31
19	Pneumonia (all forms)	{M. F.	2 1	1	2 1	4 1	4 2	2 2	4 4	5 8	9 3	15 16
20	Other respiratory diseases	{M. F.	1	2	1	.	1	.	1	.	4	2
21	Gastric and duodenal ulcer	{M. F.	.	.	.	.	1	1	2	4	1	8
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1	.	.	1	1	1	2	1 1	2	5 2
23	Appendicitis	{M. F.	.	1	.	.	.	1 3	1	1	1	3 3
24	Cirrhosis of the liver	{M. F.	.	.	.	.	.	.	1	.	.	1
25	Other diseases of liver etc.	{M. F.	1	.	.	1	1	.	1	1	1 1	2 1
26	Other digestive diseases	{M. F.	.	.	.	.	1 4	4 3	4	6 5	.	11 16
27	Acute and chronic nephritis	{M. F.	.	.	1	1	.	3 6	5 1	3 5	1 1	11 12
28	Puerperal sepsis	F.	.	.	.	.	.	1	.	.	.	1
29	Other puerperal causes	F.	.	.	.	.	.	1	1	1	.	3
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	.	1	2 1	1	3 2	1	2 2	7 1	4 1	13 5
31	Senility	{M. F.	.	2 1	.	3 2	11 7	3 6	8 9	32 25	5 3	54 47
32	Suicide	{M. F.	.	.	.	.	.	.	.	.	.	.
33	Other violence	{M. F.	1 1	.	1 1	2 1	1	1	3 2	3 2	4 3	8 4
34	Other defined causes	{M. F.	1 1	2 1	1	3 3	7 7	7 9	5 4	12 8	7 5	31 28
35	Causes ill-defined or unknown	{M. F.	.	.	.	.	2 1	.	1	2 4	.	5 5
Deaths under one year of age			.	2	2 1	3 4	4 4	6 2	5 3	10 6	7 5	25 15
" 65 years and upwards			6 4	7 3	7 5	10 6	32 37	46 45	45 42	91 80	30 18	214 204
Uncertified Deaths			.	.	2	.	14 16	5 18	7 9	57 52	2	83 95
Number of Births			14 17	22 19	29 17	36 45	100 88	111 107	90 80	190 162	101 98	491 437
Population (Census, 1926)			1,995	1,550	2,365	4,636	11,745	12,382	9,987	20,471	10,546	54,585

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER OR NUMBERS of each Superintendent Registrar's District in Abstracts I and VI, in which the numbers run consecutively from 1 to 130. In Abstract VI, the Urban and Rural parts of these areas are distinguished].

A.				K.				P.											
Abbeyleix	...	...	14	Clones	...	...	129	Kanturk	...	...	54	Portumna	...	...	98				
Ardee	...	...	10	Clonmel	...	...	83	Kells	...	...	23	R.							
Athlone	...	...	30	Cork	...	...	51, 63	Kenmare	...	...	66	Rathdown				...	...	4	
Athy	...	...	6	Corofin	...	...	41	Kilkenny	...	...	11	Rathdrum				...	...	38	
B.				Croom	...	...	70	Killadysert	...	...	44	Rathkeale				...	...	74	
Bailieborough	...	...	116	D.				Killarney	...	...	67	Roscommon				...	...	112	
Ballina	...	...	103	Delvin	...	...	31	Kilmacthomas	...	...	86	Roscrea				...	...	78	
Ballinasloe	...	...	90	Dingle	...	...	65	Kilmallock	...	...	71	S.							
Ballinrobe	...	...	104	Donegal	...	...	120	Kilrush	...	...	45	Scarriff				...	...	46	
Ballymahon	...	...	16	Drogheda	...	...	20	Kinsale	...	...	55	Shillelagh				...	...	39	
Ballyshannon	...	...	119	Dromore West	...	...	113	L.				Skibbereen				...	...	60	
Ballyvaghan	...	...	40	Dublin	...	...	3, 5	Letterkenny	...	...	124	Skull				...	...	61	
Balrothery	...	...	2	Dundalk	...	...	21	Limerick	...	...	72, 75	Sligo				...	...	114	
Baltinglass	...	...	37	Dunfanaghy	...	...	121	Lismore	...	...	87	Stranorlar				...	...	126	
Bandon	...	...	47	Dungarvan	...	...	85	Listowel	...	...	68	Swinford				...	...	108	
Bantry	...	...	48	Dunmanway	...	...	52	Longford	...	...	18	T.							
Bawnboy	...	...	117	Dunshaughlin	...	...	22	Loughrea	...	...	95	Thomastown				...	...	12	
Belmullet	...	...	105	E.				Macroom	...	...	56	Thurles				...	...	79	
Birr	...	...	27	Edenderry	...	...	28	Mallow	...	...	57	Tipperary				...	...	84	
Borrisokane	...	...	76	Ennis	...	...	42	Manorhamilton	...	...	101	Tobercurry				...	...	115	
Boyle	...	...	110	Enniscorthy	...	...	33	Middleton	...	...	58	Tralee				...	...	69	
C.				Ennistymon	...	...	43	Milford	...	...	125	Trim				...	...	26	
Caherciveen	...	...	64	F.				Millstreet	...	...	59	Tuam				...	...	99	
Callan	...	...	9	Fermoy	...	...	53	Mohill	...	...	102	Tullamore				...	...	29	
Carlow	...	...	1	G.				Monaghan	...	...	130	U.							
Carrickmacross	...	...	127	Galway	...	...	92	Mount Bellew	...	...	96	Urlingford				...	...	13	
Carrick-on-Shannon	...	...	100	Glennamaddy	...	...	93	Mountmellick	...	...	15	W.							
Carrick-on-Suir	...	...	80	Glenties	...	...	122	Mullingar	...	...	32	Waterford				...	...	88, 89	
Cashel	...	...	81	Gorey	...	...	34	N.				Westport				...	...	109	
Castlebar	...	...	106	Gort	...	...	94	Naas	...	...	8	Wexford				...	...	36	
Castleblayney	...	...	128	Granard	...	...	17	Navan	...	...	24	Y.							
Castlecemer	...	...	10	I.				Oldcastle	...	...	25	Youghal				...	...	62	
Castlereagh	...	...	111	Inishowen	...	...	123	Oughterard	...	...	97								
Castletown	...	...	49	J.				O.											
Cavan	...	...	118	K.				P.											
Celbridge	...	...	7	L.				R.											
Claremorris	...	...	107	M.				S.											
Clifden	...	...	91	N.				T.											
Clogheen	...	...	82	O.				U.											
Clonakilty	...	...	50	P.				V.											

APPENDIX I.

ALTERATION IN REGISTRARS' DISTRICTS, 1934.

On the 1st April, 1934, the Registrar's District of Oghilly in Portumna Superintendent Registrar's District was abolished, and the area added to the Registrar's District of Woodford in Loughrea Superintendent Registrar's District.

APPENDIX II.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 71 years 1864-1934.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	6	1900	4,558	3,481	672	7	6
1865	41	20	4	12	0	1901	4,843	3,733	718	18	0
1866	55	34	7	0	0	1902	4,871	3,719	716	16	6
1867	46	26	5	12	0	1903	4,944	3,796	731	12	6
1868	69	42	9	13	0	1904	5,183	3,958	769	19	7
1869	80	34	8	15	0	1905	5,110	3,954	759	8	5
1870	93	54	11	10	0	1906	5,714	4,409	849	6	0
1871	112	67	14	6	6	1907	5,877	4,544	875	0	2
1872	120	76	15	14	0	1908	5,984	4,670	894	19	7
1873	100	106	21	14	0	1909	6,220	4,761	920	8	0
1874	166	107	22	6	6	1910	6,387	4,903	944	18	4
1875	244	160	33	15	0	1911	6,128	4,778	914	9	11
1876	270	185	36	16	0	1912	6,811	5,160	998	7	2
1877	312	202	42	14	0	1913	6,462	4,972	957	9	0
1878	391	286	55	15	0	1914	7,552	6,140	1,157	10	0
1879	522	399	78	0	0	1915	7,398	5,898	1,118	7	0
1880	752	596	114	7	0	1916	7,729	6,198	1,172	1	2
1881	742	583	111	8	6	1917	8,151	6,475	1,225	13	6
1882	852	688	129	11	0	1918	10,702	8,499	1,611	11	6
1883	1,036	773	149	1	6	1919	11,513	8,998	1,712	16	0
1884	1,254	966	185	3	0	1920	11,484	8,810	1,688	2	0
1885	1,412	1,116	212	8	0	1921	11,419	8,499	1,646	0	6
1886	1,527	1,173	225	7	4	1922	18,413	7,675	1,892	9	6
1887	1,693	1,307	251	7	0	1923	19,377	8,808	2,076	0	0
1888	1,773	1,404	266	9	0	1924	23,947	14,367	3,003	0	6
1889	1,986	1,561	297	4	6	1925	33,945	45,435	8,940	12	0
1890	2,443	2,042	383	2	9	1926	48,193	77,347	13,493	5	6
1891	2,815	2,297	433	1	6	1927	45,802	72,665	12,391	17	6
1892	3,209	2,534	489	17	0	1928	37,462	56,965	9,804	0	6
1893	3,559	2,733	532	2	2	1929	39,650	61,182	10,412	2	6
1894	3,492	2,678	512	7	0	1930	29,901	41,744	7,384	14	6
1895	3,482	2,618	508	8	0	1931	16,540	14,548	3,162	2	6
1896	4,046	3,103	596	10	6	1932	19,265	12,031	2,951	16	0
1897	3,917	2,960	572	3	0	1933	23,360	11,477	3,052	16	6
1898	4,132	3,207	613	1	2	1934	25,611	12,445	3,329	5	0
1899	4,133	3,201	616	13	6						

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.