

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

SAORSTÁT ÉIREANN

ROINN RIALTAIS ÁITIÚLA AGUS SLÁINTE PUBLÍ.

(Department of Local Government and Public Health.)

ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
FOR THE YEAR
1935.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 5 NASSAU STREET, DUBLIN, C.2.
or through any bookseller.

1936.

Price Two Shillings and Three Pence.

(P. No. 2292.)

CONTENTS.

PART I.

REPORT :—

INTRODUCTORY REMARKS	...	...	...	...	...	...	Page vii
GENERAL SUMMARY	...	...	...	...	...	...	vii

MOVEMENT OF POPULATION :—

Estimated population, Natural Increase, Emigration and Immigration	...	ix
--	-----	----

MARRIAGES :

Numbers, modes of celebration and rates, 1925-35	...	...	...	x
Civil condition of persons married	...	...	...	x
Marriage-rates for counties, county boroughs and provinces, in 1910-12, 1925-7 and 1935	...	...	...	xi
Marriage-rates in Northern Ireland, England and Wales, and Scotland	...	...	...	xi
Marriage-rates in Saorstát Éireann by quarters	...	...	...	xi
Minors	...	...	...	xii
Re-marriages	...	...	...	xii
Licences for marriage issued	...	...	...	xii
Buildings registered for the solemnisation of Protestant Marriages	...	...	...	xii
Persons authorised to grant licences for marriage	...	...	...	xii

BIRTHS :

Numbers and rates	...	...	...	...	...	...	xiii
Birth-rates in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	xiii
Illegitimate Births	...	...	...	...	...	...	xiii
Registration of Births under Legitimacy Act (1931)	...	...	...	...	...	...	xiv
Proportion of Male to Female Births	...	...	...	...	...	...	xiv
Births by quarters	...	...	...	...	...	...	xiv
Multiple Births	...	...	...	...	...	...	xiv

REPORT—*Continued.*

DEATHS :	Page
Numbers and rates	xv
Standardisation of rates	xv
Standardised rates in Administrative Areas	xvi
Crude and standardised rates during the last six Census periods ...	xvii
Deaths by quarters	xvii
Deaths in Institutions	xvii
Uncertified Deaths	xviii
Inquests	xviii
 Causes of Death :—	
General observations	xviii
Principal Causes	xix
Epidemic Diseases	xx-xxii
Influenza	xxii
Tuberculosis	xxiii
Cancer	xxvi
Other General Diseases	xxx
Circulatory, Respiratory Diseases, etc.	xxx-xxxi
Childbirth	xxxi
Violence	xxxiii
 Ages at Death	xxxiii
Infant Mortality	xxxiv
METEOROLOGY	xxxvii

DIAGRAMS.

No. 1. Birth, Death and Marriage Rates, Saorstát Éireann, Northern Ireland, England and Wales and Scotland 1921-35.	vi
No. 2. Death-rates from Diphtheria in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1921-35	xxii
No. 3. Death-rates from Tuberculosis in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1921-35	xxiv
No. 4. Death-rates from Cancer in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1921-35	xxvii
No. 5. Infant Mortality in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1921-35	xxxv

PART II.—TABLES.

TABLE No. 1. Estimated Populations, 1801-1935	2
" 2. Ages of the Population, by sexes, Censuses 1851-1926—numbers and proportions per cent.	3-5
" 3. Numbers of Marriages, Births and Deaths, and Natural Increase, 1864-1935	6
" 4. Annual Marriage, Birth and Death-Rates, Infant Mortality and Natural Increase, 1864-1935	7
" 5. Marriages, Births, and Deaths, by Quarters, 1925-35	8
" 6. Deaths (Numbers and rates) by Causes, 1864-1910	9

CONTENTS.

PART I.

REPORT :—

INTRODUCTORY REMARKS	...	...	...	...	...	...	Page vii
GENERAL SUMMARY	...	...	...	...	...	...	vii

MOVEMENT OF POPULATION :—

Estimated population, Natural Increase, Emigration and Immigration	...	ix
--	-----	----

MARRIAGES :

Numbers, modes of celebration and rates, 1925-35	...	...	...	x
Civil condition of persons married	...	...	...	x
Marriage-rates for counties, county boroughs and provinces, in 1910-12, 1925-7 and 1935	...	...	...	xi
Marriage-rates in Northern Ireland, England and Wales, and Scotland	...	...	...	xi
Marriage-rates in Saorstát Éireann by quarters	...	...	...	xi
Minors	...	...	...	xii
Re-marriages	...	...	...	xii
Licences for marriage issued	...	...	...	xii
Buildings registered for the solemnisation of Protestant Marriages	...	...	...	xii
Persons authorised to grant licences for marriage	...	...	...	xii

BIRTHS :

Numbers and rates	...	...	...	...	...	...	xiii
Birth-rates in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	xiii
Illegitimate Births	...	...	...	...	...	...	xiii
Registration of Births under Legitimacy Act (1931)	...	...	...	...	...	...	xiv
Proportion of Male to Female Births	...	...	...	...	...	...	xiv
Births by quarters	...	...	...	...	...	...	xiv
Multiple Births	...	...	...	...	...	...	xiv

CONTENTS

PART II.—TABLES—*Continued.*

TABLE NO.		Page
6A.	Numbers of Deaths by Causes, 1911-30	10-11
„	7. Death-rates by Causes, 1911-30	12-13
„	7A. Deaths (numbers and rates) by Causes, 1931-1935, Saorstát Éireann and Northern Ireland	14
„	8. Deaths (numbers and rates) by sexes and ages, 1864-1935	15-17
„	9. Infant Mortality, by Causes, 1925-35	18
„	10. „ by Causes, Ages and Sexes, 1935	19-20
„	11. „ by Causes in certain urban areas and aggregate rural areas, 1935	21
„	12. „ Illegitimate Infants, by Causes and Ages, 1935	22
„	13. „ Illegitimate Infants, by Administrative Areas, 1935	23
„	14. Marriages, Births and Deaths—Administrative Areas, 1935	24
„	15. Marriage, Birth and Death-rates—Administrative Areas, 1935	25
„	16. Birth-rates and Death-rates in Urban and Rural areas, etc., 1935	26
„	17. Birth-rates and Death-rates in aggregate Urban and Rural areas, 1901-1935	27
„	18. Death-rates, by Sexes, at different Age-periods in aggregate Urban Districts and aggregate Rural Districts, 1931-35	28

PART III.—ABSTRACTS.


ABSTRACT I.	Marriages, Births (distinguishing Illegitimate Births), and Deaths registered in Administrative Areas	30-37
„ II.	Marriages registered in Administrative Areas	38-39
„ III.	Total Births and Deaths by sexes, and Ages at Death, by Administrative Areas	40-42
„ IV.	Causes of Death, (Intermediate and Detailed International Lists), by sexes and ages	44-65
„ V.	Causes of Death (Short List), by Sexes, Ages and Place of Occurrence in Saorstát Éireann in each Administrative Area (as under):—	66-137

	Page		Page		Page
Saorstát Éireann	66	Dublin	72	Meath	86
		Dublin City	74	Monaghan	136
Leinster	68	Galway	120	Offaly	88
Munster	96	Kerry	104	Roscommon	126
Connaught	118	Kildare	76	Sligo	128
Ulster (part of)	130	Kilkenny	78	Tipperary N.R.	110
		Leitrim	122	Tipperary S.R.	112
Carlow	70	Laoighis	80	Waterford	114
Cavan	132	Limerick	106	Waterford Co.	
Clare	98	Limerick Co. Boro'	108	Boro'	116
Cork	100	Longford	82	Westmeath	90
Cork Co. Boro'	102	Louth	84	Wexford	92
Donegal	134	Mayo	124	Wicklow	94

ABSTRACT VI.	Causes of Death by Administrative Counties, distinguishing Urban and Rural districts, arranged by Provinces	138-175
--------------	--	---------

Index to Superintendent Registrars' Districts	176
APPENDIX I. Alterations in Registrar's Districts	177
APPENDIX II. Number of Searches at the General Register Office during the years 1864-1935, with the amounts of Fees received	178
APPENDIX III. Cases of Infectious Diseases notified to Department of Local Government and Public Health, 1935	179-183

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1921 to 1935.



Saorstát Éireann	Northern Ireland
England & Wales	Scotland

REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1935.

TO THE MINISTER FOR LOCAL GOVERNMENT AND PUBLIC HEALTH.

This Report contains information regarding the number of marriages, births and deaths registered during the year 1935, and also particulars of population, emigration, immigration and meteorology. The Report is divided into three sections. The first section is the text, which comprises a brief summary of the principal statistical facts in the report, and a detailed statement pointing out the significant features of the statistics of population, marriages, births and deaths during the year. The second section contains tables in which are given comparative figures since the commencement of registration, and in the third section are the abstracts showing the numbers registered during 1935 in Saorstát Éireann and for the different administrative areas.

Mi na Nodlag, 1936.

MICHAEL G. DOWLING,
Assistant Registrar-General.

GENERAL SUMMARY.

During the year 1935 the number of marriages and births registered show a slight increase and the number of deaths a considerable increase when compared with the figures recorded for the year 1934.

The marriages recorded numbered 14,336—a figure which is 85 more than that for the previous year, and 721 over the average number (13,615) for the ten years ending with 1934. The rates per 1,000 of the population for the years 1934 and 1935 were 4·80 and 4·83 respectively; and the annual average rate for the period 1925–34 was 4·61.

In Northern Ireland the rate per 1,000 represented by the number of marriages recorded in 1935 was 6·87; in England and Wales, 8·57; and in Scotland, 7·67.

The number of births registered during the year under review was 58,266, or 369 more than that recorded during 1934. The average annual number during the period 1925–34 was 58,770. The rates for the years 1934 and 1935 were 19·49 and 19·61 per 1,000; for 1933 it was 19·37; and for the period 1925–34 the average rate was 19·90.

In Northern Ireland the rate for 1935 was 19·22, in England and Wales 14·73, and in Scotland 17·75.

There were 1,946 illegitimate births registered, equivalent to 3·34 per cent. of the total births, as compared with 3·51 for 1934 and 3·49 for 1933. The percentage for 1935 in Northern Ireland was 4·88, in England and Wales 4·19, and in Scotland 6·57.

During the year 1935 the number of deaths recorded was 41,543—this number is 2,460 more than the number for the preceding year. The rate per 1,000 of the population for the year 1935 was 13·98, compared with 13·15 for 1934 and 14·26 for the decennial period ending 1934.

In Northern Ireland the death-rate for 1935 was 14·45, in England and Wales 11·75, and in Scotland 13·19.

Of the deaths recorded, 16·9 per cent. were ascribed to heart disease, 9·1 per cent. to tuberculosis (all forms), 8·5 per cent. to cancer, 6·2 to pneumonia, 5·5 to cerebral hæmorrhage and 5·2 per cent. to bronchitis.

The number of deaths returned as due to tuberculosis (all forms) amounted to 3,770. This figure is 256 more than that for the year 1934 and 260 above that for the year 1933 in which the number was the lowest yet recorded. The rate per 1,000 of the population for 1935 was 1·27; for 1934 it was 1·18 and for the decennial period 1925–34 it was 1·34.

There were 3,523 deaths recorded from cancer—this number is an increase of 118 over the figure for 1934 and of 257 when compared with that for 1933. The rates for the years 1933 to 1935 were respectively 1·10, 1·15 and 1·19 in the respective years.

During the year 1935 the number of deaths returned as due to diseases and accidents of pregnancy and childbirth numbered 272. This figure is equivalent to a rate of 4·67 per 1,000 births, compared with an average of 4·59 in the preceding ten years. The rate for these deaths for all urban districts was 3·70 per 1,000 births, and for all rural districts, 5·27, in comparison with 3·71 and 5·25 respectively, for 1934.

The number of deaths of infants under one year of age registered during the year was 3,988. This figure is 324 more than that for the preceding year, and is equivalent to a rate of 68 per 1,000 births, or 5 per thousand more than the corresponding rate for the previous year. The rates per 1,000 births for urban and rural areas were 87 and 57, respectively, in 1935; and 78 and 55 in 1934.

Among legitimate infants the mortality was 62 per 1,000 births, and among illegitimate it was 260. The legitimate infant death-rate for Northern Ireland was 82, and the illegitimate, 162, and for England and Wales the corresponding rates were 56 and 90 respectively.

The number of deaths registered as caused by violence was 991. This figure includes 92 due to suicide, 21 to homicide, 43 to violence (nature unknown), 2 to war wounds, and 833 to accidental causes. During the previous year, there were 104 suicidal, 26 homicidal and 838 other violent deaths. The number of deaths registered during 1935 as attributable to road traffic was 225, compared with 172 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1935, authority was issued for the registration of 1,441 births and 263 deaths.

Vaccinations.—The number of successful primary vaccinations for the year 1935 as returned by the Registrars was 33,597, equivalent to 58 per cent. of the total births registered.

Searches and Certificates.—During the year 1935, the number of searches made at the public counter of this office in the registers of marriages, births and deaths in respect of which fees were received, was 29,463, the certificates issued numbered 13,024, and the amount of fees received was £3,649 4s. 6d. In the year 1934 the corresponding figures were as follows :—Searches, 25,611; certificates, 12,445, and fees, £3,329 5s. 0d.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1925–35, with the rates per 1,000 of the estimated Population represented thereby, and also particulars relating to Northern Ireland for the year 1935.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1925	2,935,000	13,820	62,069	43,650	4·63	20·79	14·62
1926	2,971,000	13,570	61,176	41,740	4·57	20·59	14·05
1927	2,957,000	13,418	60,054	45,677	4·54	20·31	14·77
1928	2,944,000	13,716	59,176	41,792	4·66	20·10	14·20
1929	2,937,000	13,593	58,280	42,991	4·63	19·84	14·64
1930	2,927,000	13,631	58,353	41,702	4·66	19·94	14·25
1931	2,933,000	13,133	57,986	42,947	4·48	19·46	14·64
1932	2,949,000	13,029	56,240	42,984	4·42	19·07	14·58
1933	2,962,000	13,392	57,864	40,539	4·72	19·37	13·69
1934	2,971,000	14,251	57,897	39,083	4·80	19·49	13·15
Yearly Average, 1925–1934	2,953,600	13,615	58,770	42,111	4·61	19·90	14·26
1935	2,971,000	14,336	58,266	41,543	4·83	19·61	13·98

NORTHERN IRELAND, 1935.

1935	1,287,000	8,844	24,742	18,592	6·87	19·22	14·45
-------------	-----------	-------	--------	--------	------	-------	-------

* See page 2.

MOVEMENT OF POPULATION.

It is estimated that at the middle of the year 1935 the population of Saorstát Éireann was 2,971,000. Of this figure the number of males was estimated to be 1,520,000, and of females 1,451,000. These figures and the estimated population for each of the preceding nine years shown in Table 1, page 2, are based on the result of the Census of 1926, the natural increase (excess of births over deaths) for each year, and the balance of the passenger movement (including emigration and immigration). The estimates thus arrived at for the years 1926 to 1935 have been revised in accordance with the population given in the Preliminary Report on the Census of 1936. This population (unrevised) was 2,965,854—males 1,518,807, and females 1,447,047.

In Table I, the estimated population for each of the years 1851 to 1935 is given.

Table B.—The average excess of births over deaths and the net migration during the period 1864 to 1871 and in each intercensal period between 1871 and 1926, and for the years 1927—1935, with the rates per 1,000 of the population, and also the balance of the passenger movement by sea from 1927 to 1935.

Intercensal Period, &c.	Average Excess of Births over Deaths (Natural Increase)		Average Net Migration Outwards (—); Inwards (+)		Balance of Passenger Movement by Sea (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—74,881	—17.9	—	—
1871-81	31,855	8.1	—50,172	—12.7	—	—
1881-91	19,600	5.4	—59,733	—16.3	—	—
1891-1901	14,954	4.5	—39,641	—11.9	—	—
1901-11	17,940	5.6	—26,154	—8.2	—	—
1911-26	15,320	5.1	—26,946	—8.8	—	—
Year 1927	16,377	5.5	—25,225	—8.5	—25,816	—8.7
" 1928	17,384	5.9	—21,910	—7.4	—25,072	—8.5
" 1929	15,289	5.2	—18,145	—6.2	—21,863	—7.4
" 1930	16,651	5.7	—12,907	—4.4	—13,722	—4.7
" 1931	14,139	4.8	+ 2,545	+ 0.9	+ 658	+ 0.2
" 1932	13,256	4.5	+ 4,173	+ 1.4	+ 6,515	+ 2.2
" 1933	16,825	5.7	+ 2,217	+ 0.7	+ 2,615	+ 0.9
" 1934	18,814	6.3	+ 1,051	+ 0.4	—11,002	—3.7
" 1935	16,723	5.6	+ 1,006	+ 0.3	—14,345	—4.8

Emigration and Immigration.—The statements received from the Department of Industry and Commerce show that the numbers of emigrants to and immigrants from places out of Europe and not within the Mediterranean Sea during the year 1935 were 1,138 and 2,144 respectively, including 481 to and 1,564 from the United States—the corresponding figures for Canada being 78 and 94, for Australia 207 and 105; for New Zealand 31 and 35; for the Union of South Africa 52 and 67; for India 98 and 108; and for other countries 191 and 171 respectively. The immigrants into Saorstát Éireann from the areas specified outnumber the emigrants thereto, except in the case of Australia and of the countries grouped under the heading of "Other countries."

The following Table gives particulars of emigrants and their destinations in 1935 as compared with the eight years preceding:—

TABLE C.—Number of EMIGRANTS and IMMIGRANTS (of Saorstát Éireann and alien nationality) to and from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1927-35.

YEAR	Number of Emigrants by Destinations								Number of Immigrants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1927	23,947	1,815	1,036	132	106	87	186	27,309	2,084
1928	21,775	1,598	808	114	155	115	235	24,800	2,890
1929	18,119	1,760	497	92	74	125	215	20,882	2,737
1930	14,295	1,047	398	124	58	92	188	16,202	3,295
1931	890	145	164	42	65	111	140	1,557	4,102
1932	315	86	178	20	72	72	128	871	5,044
1933	422	62	187	33	44	95	132	975	3,192
1934	550	88	142	22	82	96	188	1,178	2,229
Average 1927-34	10,039	825	426	74	82	99	177	11,722	3,197
1935	481	78	207	31	52	98	191	1,138	2,144

MARRIAGES.

A further increase is shown in the number of marriages recorded during the period under review, namely, 14,336. This figure is the highest registered since the year 1924, when 14,822 were recorded. During the period since 1924, the number of marriages for the years 1925 to 1927 fell to 13,820, 13,570 and 13,418, respectively, and rose to 13,716, 13,593 and 13,631 in the years 1928, 1929 and 1930. For the following two years the numbers recorded were 13,133 and 13,029. In 1933 the figure rose to 13,992 and in 1934 to 14,251 followed by a further rise in 1935.

The rates per 1,000 of the estimated population represented by the number of marriages recorded during the years 1934 and 1935 were 4.80 and 4.83 per 1,000. The latter figure is 0.11 above that for 1933 and 0.22 over the annual average rate for the period from 1925 to 1934 inclusive.

During the year 1935 the number of marriages celebrated in accordance with the rites and ceremonies of the Catholic church amounted to 13,454 (equal to 93.8 per cent. of the total), and other marriages numbered 882. The number of Catholic marriages shows an increase of 23 and the number of all other marriages an increase of 62 as compared with the corresponding figures for the preceding year. In the year 1935 the number of marriages other than Catholic registered include 636 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 118 in Presbyterian Meeting-houses; 47 in "Registered Buildings" belonging to various other religious denominations; 72 by civil contract in the Registrars' offices; one according to the usages of the Society of Friends, and 8 according to the Jewish rites. Comparing these figures with those for 1934, the number according to the rites and ceremonies of the Protestant Episcopal Church shows an increase of 74; in Presbyterian Meeting-houses a decrease of 7; in "Registered Buildings" a decrease of 18, and in the Registrars' offices an increase of 16 marriages.

At the Census of 1926, Catholics represented 92.6 per cent. of the population, Protestant Episcopalians 5.5 per cent., Presbyterians 1.1, Methodists 0.4, and all other denominations 0.4.

The number of Catholic marriages recorded during 1935 is equal to a rate of 4.89 per 1,000 of the estimated Catholic population, a rate which is 0.24 above the average rate for the preceding ten years, and the rate for all other marriages was 4.01 per 1,000 of all persons other than Catholics in the population, or 0.15 below the average. Corresponding rates for each year from 1925 to 1934 are shown in Table D. below. It must be borne in mind that these rates have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926.

TABLE D.—MARRIAGES registered in 1935, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1925 ...	671	112	70	54	2	14	923	12,397	13,820	4.67	4.18	4.63
1926 ...	672	144	48	87	1	18	970	12,600	13,570	4.58	4.41	4.57
1927 ...	612	163	52	73	5	12	917	12,501	13,418	4.57	4.19	4.54
1928 ...	653	122	61	85	1	12	934	12,782	13,716	4.69	4.29	4.66
1929 ...	660	116	60	74	1	12	923	12,670	13,593	4.66	4.25	4.63
1930 ...	667	131	66	83	3	11	961	12,670	13,631	4.67	4.44	4.66
1931 ...	652	126	56	65	—	6	905	12,228	13,133	4.50	4.17	4.48
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4.46	3.90	4.42
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4.77	4.10	4.72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4.88	3.73	4.80
Yearly Average 1925-34	638	128	59	72	2	11	910	12,705	13,615	4.65	4.16	4.61
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4.89	4.01	4.83

In Abstract II, on pages 38 and 39, further particulars are given regarding the persons married. It will be seen that marriages between bachelors and spinsters constitute 93.4 per cent. of the total marriages; those of widowers and spinsters, 4.2 per cent.; bachelors and widows, 1.6 per cent.; and those of widowers and widows, 0.8 per cent.; of the men married 5.0 per cent. were widowers, and of the women 2.4 per cent. were widows, or in 74 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1934 were widowers 5.9 per cent, and widows 2.6 per cent. In Table F. similar figures from the year 1926 are shown.

TABLE E.—MARRIAGE-RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1935, together with comparative figures for the periods 1910 to 1912 and 1925 to 1927, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1910-12	Annual Average 1925-7	Year 1935		Annual Average 1910-12	Annual Average 1925-7	Year 1935
SAORSTÁT ÉIREANN ...	4.95	4.58	4.83	Kerry ...	4.43	4.18	3.72
Carlow ...	4.91	4.30	5.20	Limerick ...	3.50	3.61	3.69
Dublin ...	5.62	5.43	6.19	Limerick Co. Boro' ...	8.62	9.36	7.97
City of Dublin ...	7.51	7.57	7.32	Tipperary N.R. ...	5.22	4.53	4.95
Kildare ...	4.26	3.91	4.42	Tipperary S.R. ...	4.73	3.80	3.92
Kilkenny ...	4.90	3.92	4.23	Waterford ...	4.48	4.11	4.43
Laoighis ...	4.16	3.35	3.32	Waterford Co. Boro' ...	5.26	4.89	5.22
Longford ...	4.43	4.39	3.50	Munster ...	4.84	4.41	4.46
Louth ...	4.93	3.99	5.40	Galway ...	3.76	3.65	4.07
Meath ...	4.81	3.48	4.91	Leitrim ...	4.59	4.37	4.23
Offaly ...	4.96	4.28	4.55	Mayo ...	3.91	3.78	3.04
Westmeath ...	4.83	4.01	3.79	Roscommon ...	4.47	3.97	3.50
Wexford ...	4.74	4.36	4.56	Sligo ...	4.47	4.34	4.83
Wicklow ...	4.55	3.97	4.38	Connaught ...	4.10	3.90	3.78
Leinster ...	5.57	5.22	5.70	Cavan ...	5.06	4.27	4.36
Clare ...	3.75	3.55	3.32	Donegal ...	4.14	3.68	4.40
Cork ...	4.34	3.53	3.65	Monaghan ...	4.87	3.94	3.93
Cork Co. Borough ...	7.99	8.21	8.77	Ulster (pt. of)...	4.55	3.90	4.28

A marked difference is shown in the above table between the marriage rate for the urban and rural areas. The highest rates were those for the county boroughs, viz.:—Cork 8.77 per 1,000 of the population, Limerick 7.97, Dublin 7.32 and Waterford 5.22; the rate for Dublin County (exclusive of the county borough) was 6.19 per 1,000. On the other hand the lowest rates for the year 1935 were recorded in Mayo 3.04 per 1,000, Laoighis 3.32, Clare 3.32, Roscommon 3.50, and Longford 3.50.

As marriages must be registered in the area in which they take place, the figures upon which the rates given above are calculated include marriages of persons who are not residents of the areas in which the marriages took place. From the returns for the urban areas it is evident that some of the marriages registered therein are of persons from the surrounding rural areas and often from distant parts of the country.

In the provinces the highest rate was 5.70 for Leinster, followed by 4.48 for Munster, 4.28 for Ulster (part of) and 3.78 for Connaught. The corresponding rates for 1934 were 5.80 for Leinster, 4.37 for Munster, 3.96 for Ulster (part of) and 3.73 for Connaught.

In Northern Ireland for 1935 the rate was 6.87, in England and Wales 8.57, and for Scotland 7.67, as compared with 4.83 for Saorstát Éireann. In the year 1934 the rates were as follows:—Northern Ireland 6.43, England and Wales 8.44, Scotland 7.49, and Saorstát Éireann 4.80 per 1,000.

In Table 5 the number of marriages is shown by quarterly periods for each of the years 1925-35, as well as the average rate for the ten years 1925-34 and for the year 1935. In the first quarter of 1935 the rate per 1,000 of the population was 5.2, in the second 4.1, in the third 5.6, and in the fourth 4.4. The corresponding figures for the year 1934 were 4.4 for the first quarter, 4.8 for the second, 5.4 for the third, and 4.6 for the fourth quarter.

In the same table the rate represented by the number of Catholic marriages and of marriages other than Catholic is given for each quarter of the year 1935. In the former case the rate is highest in the first and third quarters of the year, whereas in the latter the highest rate is in the second and third quarters. When the rates for all marriages registered by quarters during 1935 are compared with those for the preceding decennial period it is apparent that the preference for the first quarter shown in the earlier years is shown in the later years for the third quarter,

TABLE F.—Proportion of PERSONS NOT OF FULL AGE, and of RE-MARRIAGES during the years 1926 to 1935.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1926	13,570	1.50	6.53	6.33	3.21
1927	13,418	1.39	7.05	6.33	3.26
1928	13,716	1.58	7.38	6.37	3.40
1929	13,593	1.49	7.09	6.53	2.98
1930	13,631	1.91	7.41	6.68	3.23
1931	13,133	1.52	7.33	6.31	3.02
1932	13,029	1.73	7.71	5.73	2.87
1933	13,992	1.62	7.53	5.20	2.22
1934	14,251	1.82	7.82	5.90	2.61
1935	14,336	1.43	7.64	4.95	2.43

The Schedules to the Acts relating to marriages indicate that the law does not require that the ages of the contracting parties should be entered in the Register Book or Certificate. All that is necessary is that each party should be described as "of full age" or "minor" as the case may be, so that a complete record of the ages of the persons married is not available.

In the province of Leinster the proportion of husbands who married under age was highest, viz., 1.9 per cent., in Munster the percentage was 0.8, in Connaught 1.0, and in Ulster (part of) 1.6. In the case of females married the proportion who were minors in Leinster was 9.1, in Munster 5.8, in Connaught 5.6, and in Ulster (part of) 8.8. The corresponding percentages for Saorstát Éireann as a whole were 1.4 for husbands and 7.6 for wives.

The proportion per cent. of males married in Northern Ireland in 1935 who were under age was 3.0, and of females 12.3. In England and Wales for the year 1934, the proportions were 3.9 and 15.3, and in Scotland the corresponding figures were 5.8 and 19.7, respectively.

During the year 1935, the number of Licences issued by the Registrars for Marriages in Registered Buildings and in the Registrars' Offices, was 113. On 31st December, 1935, the number of such Registrars of Marriages authorized to grant Licences for Marriages was 100.

Marriage Licences issued by Licensing Ministers of the Protestant Episcopal Church amounted to 541. The number of Licensing Ministers on the 31st December was 149.

The number of Licences for Marriage issued by the Licensing Ministers of the Presbyterian bodies in Saorstát Éireann during the year 1935 was 110, all of which were issued by Ministers of the General Assembly. The number of Licensing Ministers on the 31st December, 1935, was 46, of whom 44 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,057 churches and chapels of the Protestant Episcopal Church were, on 31st December, 1935, licensed for the solemnisation of marriages, and that 149 Presbyterian Meeting-houses (147 General Assembly and 2 United Presbytery or Synod of Munster), and 169 Separate Buildings belonging to various other religious denominations were registered for the solemnization of marriages. The several religious bodies to whom the 169 Separate Buildings belonged are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	129	Salvation Army	2
Reformed Presbyterians	5	Seceders	2
Baptists	8	"The Catholic Apostolic Church"	1
Independents or Congregationalists	6	Welsh Presbyterians	1
Christian Brethren	10	"Undenominational"	4
Moravians or United Brethren	1		
		TOTAL	169

BIRTHS.

During the year 1935 the number of births recorded was 58,266, corresponding to a birth-rate of 19·61 per thousand of the population. The number is 369 more than that for the year 1934, for which year the figure was 533 in excess of that returned for the year 1933. Since 1932 there has been an increase annually in the number of births registered, the figure for 1935 being 2,026 more than that for 1932, equivalent to a rise of 4 per cent.

The rate per 1,000 of the population represented by the number of births registered during the year 1934 was 19·49. In the years 1932 and 1933 the rates were 19·07 and 19·37 respectively.

The rates for each of the years 1925 to 1935 are shown in Table 4, together with corresponding rates for the period 1864 (in which year the Act for the registration of births became effective) to 1870 and each decennial period from 1871 to 1930. In the first-named period the rate was 25·79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26·31, as compared with 20·21 for the decennial period 1921–30. A review of the rates for the past ten years reveals the fact that during each of the first three years the rate exceeded 20 per 1,000 of the population. During the following years the rate was between 19 and 20, falling to 19·07 in 1932, the lowest rate yet recorded. The rates for 1934 and 1935 show increases of 2·2 and 2·8 per cent. when compared with that for the year 1932.

During recent years a fall in the birth-rate is evident in the statistics available for European and other countries. It must not be overlooked that the rate has always been low in this country and the fall in the rate is not such an outstanding feature of the vital statistics here as it is elsewhere. If due regard is had to the proportion of married persons in the population and the later age at which marriage takes place, the birth-rate is high comparatively speaking.

The birth-rate in Northern Ireland in 1935 was 19·22; in England and Wales it was 14·73; and in Scotland it was 17·75. The corresponding rates for the year 1934 were for Northern Ireland, 19·83; for England and Wales 14·77; and for Scotland, 18·00 per 1,000.

Abstract I, commencing on page 30, shows the number of births in different parts of Saorstát Éireann, both as registered and as corrected by the transfer to the area of the parents' residence of births which occurred outside such area.

The birth-rates calculated on the corrected figures are given for provinces, counties, county boroughs and urban and rural areas in Tables 15 and 16. For the province of Leinster the rate was 20·91, for Munster 19·27, for Connaught 18·39, and for Ulster (part of) 17·75, as compared with 20·80, 18·99, 18·33 and 17·95, respectively, for 1934. An increase of 0·11 is shown in the rate for Leinster, of 0·28 in that for Munster, and of 0·06 in the rate for Connaught, while in that for Ulster (part of) there is a decrease of 0·20.

A comparison of the figures published in Table 15 discloses the fact that the rates are highest in the county borough areas, viz., Limerick 26·57 per thousand; Waterford 26·32; Dublin 24·00; and Cork 23·73. The next highest rates were in Kildare county 22·86 and in Galway county 21·73. On the other hand, the lowest rates were in Leitrim, 15·72; Roscommon, 15·72; Sligo, 16·64; Cork county, 17·11; Kerry, 17·44; Donegal, 17·63; and Mayo, 17·78.

The birth-rates for the county boroughs and urban districts in the aggregate and for the rural districts when compared with the rates in the preceding year show that the urban rate has increased by 0·68 per 1,000, being 23·43 as against 22·75 in 1934, while the corresponding rural rates were 17·79 and 17·96, respectively, a decrease of 0·17. In Table 17 the birth-rates for the urban and rural areas are shown for a number of years.

The birth-rate for Belfast county borough in 1935 was 21·3, for Londonderry 26·3, for London 13·3, for Liverpool 20·3, for Edinburgh 15·3, and for Glasgow 19·7.

Illegitimate Births.—Illegitimate births numbered 1,946, equal to 3·3 per cent. of the total births registered. The number is equivalent to a rate of 0·65 per 1,000 of the population. The number of such births registered is 84 less than that recorded for the previous year. In 1934 the illegitimate births were 3·5 per cent. of the total births recorded and the rate represented thereby was 0·68 per 1,000 of the population.

For Northern Ireland for the year 1935 the rate per cent. of the total births was 4·88, for England and Wales it was 4·19, and for Scotland 6·57.

The percentages, by provinces, are shown in the following statement for the years 1928–35:—

AREA	Illegitimate Births—per cent. of Total Births.							
	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.
Saorstát Éireann	3·02	3·18	3·19	3·37	3·23	3·49	3·51	3·34
Leinster ...	3·47	3·64	3·85	3·96	3·73	4·15	3·87	3·60
Munster ...	3·17	3·37	3·13	3·39	3·26	3·33	3·54	3·58
Connaught	1·66	1·56	1·46	1·68	1·35	1·90	2·06	1·75
Ulster (part of) ...	3·02	3·45	3·61	3·71	4·30	3·99	4·34	4·20

Tables 14 and 15 show for the year 1935 for each of the provinces, counties and county boroughs the number of illegitimate births and the proportion per cent. of the total births registered. The highest percentages of the total births registered were in the following counties:—Kilkenny, 5·29; Laoighis, 5·26; Waterford, 5·20; and Wicklow, 5·05. The areas with the lowest ratios were Mayo 1·08 per cent.; Cork county borough 1·51; Galway 1·81, and Limerick county borough 1·82.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 30 cases during the year 1934. The number of such cases for the preceding year was 39.

Proportion of Males to Females.—The births registered during 1935 include 29,898 of boys and 28,368 of girls. These numbers are in the proportion of 1,054 males to every 1,000 females, a ratio which is 3 more than the average for 1925–34. In England and Wales for the year 1935 the proportion of males born alive to 1,000 females was 1,056, which was 10 above the average for the ten preceding years, and in Scotland the proportion was 1,047, which was 2 less than the average for the decennial period ended with the year 1934.

Table 4 shows the proportion of males to females for Saorstát Éireann by periods for the years 1864 to 1930 and for each of the years since 1925.

The male children born in wedlock in 1935 numbered 28,862, and the female 27,458, or 1,051 of the former to every 1,000 of the latter, and of the illegitimate children 1,036 were males and 910 females, or 1,138 boys to every 1,000 girls.

The total number of births by sexes registered during each quarter of 1935 is shown in the following table:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	7,386	7,669	7,707	7,136	29,898
Females	7,028	7,250	7,234	6,856	28,368
TOTAL	14,414	14,919	14,941	13,992	58,266

The number of births registered in each quarter of the years 1925 to 1934 is shown in Table 5, together with the average figures for the period and the equivalent annual rate represented thereby, in addition to the figures and rates for the year 1935. In the first quarter the rate for 1935 was 0·1 below the average, and in the remaining quarters the respective rates were 0·9 and 0·3 below and 0·1 above the average for the corresponding period of the preceding ten years.

Multiple Births.—The number of infants born alive in multiple births registered during 1935 was 1,503, consisting of 741 pairs of twins and 7 sets of triplets, as compared with 1,359 (663 pairs of twins and 11 sets of triplets) for the previous year. The twins for 1935 were 2·54 per cent. of the total number of infants whose births were registered, and the triplets 0·04. In 1934 these percentages were 2·29 and 0·06 respectively.

The number of mothers of living children whose births were registered during the year was 57,511. Of these, 56,763, or 98·70 per cent., gave birth to single infants, 741, or 1·29 per cent., to twins, and 7, or 0·01 per cent., to triplets.

The infants born in wedlock (56,320) comprised 54,860 single infants, 1,442 twins and 18 triplets, equivalent to, respectively, the proportions of 97·41 per cent., 2·56 per cent., and 0·03 per cent. to the total number of legitimate births.

Illegitimate infants included 1,903 single infants, 40 twin infants, and 3 triplet infants, equivalent, respectively, to 97·79 per cent., 2·06 per cent. and 0·15 per cent. of the 1,946 illegitimate infants registered. In the year 1934 the illegitimate infants recorded included 2,004 single infants, and 26 twin infants.

Of the total infants born alive in multiple births for the year 1935, 746 were males, and 757 females.

It should be noted that the figures given above relate to live births, as still births are not registered, and that, therefore, the birth of one living child and one still born or one living child and two stillborn is counted as a single birth, and the birth of two living children and one still born is counted as a twin birth.

DEATHS.

During the year 1935 the deaths of 41,543 persons were recorded ; of this number 21,541 were of males and 20,002 of females. The total is 2,460 more than that registered during the preceding year, the increase in male deaths amounting to 1,621 and in the case of females to 839. The number of deaths registered in 1934 was the lowest yet recorded and the figure for 1935 is 6·3 per cent. more than that for 1934, the corresponding increases for males and females, respectively, being 8·1 and 4·4 per cent.

For the year 1934 the rate per 1,000 of the population was 13·15 and for 1935 it was 13·98. For the decennial period ended with 1934 the rate was 14·26. In 1935 the rates for male and female deaths were respectively 14·17 and 13·78, compared with 13·12 and 13·19 in the previous year.

A comparison of the death rates since 1864 is shown in Table 4, the rates from 1864 to 1930 being given by periods and from 1925 the rate for each year is given. From 1925 to 1932 the figure was between 14 and 15 per 1,000, falling to 13·69 in 1933 and to 13·15 in 1934.

In Northern Ireland the death rate in 1935 was 14·45 ; in England and Wales 11·75, and in Scotland 13·19. The corresponding figures for 1934 were respectively 13·70, 11·78 and 12·92.

The number of deaths registered in each county, county borough and superintendent registrar's district is given in Abstract I, as well as the number subsequent to the transfer to the district of usual residence of deaths of persons which occurred elsewhere in Saorstát Éireann. In Tables 15 and 16, rates based on the numbers so corrected are given for each of the provinces, counties and county boroughs and also for urban and rural areas. During the year 1935 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·00 and 13·97 per 1,000 compared with 12·92 and 13·26 for 1934. Comparing the figures for 1935 with those for 1934 there is an increase of 1·08 in the rate for urban areas and of 0·71 in the corresponding rate for rural areas. A comparative statement of the rates for these areas for a series of years is given in Table 17.

The rates based on the number of deaths registered after correction for residence as indicated represent the frequency of death in the population of a particular area, but a fair comparison between the mortality for different areas cannot be made by such means. The incidence of mortality is affected by the age and sex constitution of the population, factors which vary in different localities. In order to make a fair comparison between the rates for various areas, it is necessary to reduce the mortality for such areas to a common basis providing a uniform age and sex constitution of population. This has been done by applying the death-rates of males and females in age-groups in the counties and county boroughs to a standard population adopted for the purpose. Such a process is known as the standardisation of death-rates ; it has been employed in these Reports for the last six years, and a detailed description and example appeared in the Annual Report for 1930.

The population used for the purpose of standardisation is that of Saorstát Éireann according to the Census of 1926.

The effect of standardisation is shown in Table (G). Rates calculated on the number of deaths for each county and county borough corrected in accordance with the system of transfer mentioned above are shown together with the standardised rate for each area and in Col. 3 the rise or fall in the corrected death-rate for each area as a result of standardisation is given.

An examination of the Table in question shows that the result of standardisation is to increase the rate for the county boroughs and the counties situated in close proximity thereto, and to reduce the rate for purely rural areas. In the county borough of Dublin the rate is increased by 5·46, in Cork county borough by 3·40, in Limerick county borough by 4·48, and in Waterford county borough by 2·73.

TABLE G.

TABLE G.—Death-rates in 1935 for Counties, County Boroughs and Provinces.

COUNTIES, ETC.	Death-rates in 1935 per 1,000 population.		
	Corrected for Transfers.	Standardised Rates.	Effect of Standardisation
	(1)	(2)	(3)
Carlow	14.88	14.56	— 0.32
Dublin	12.29	16.61	+ 4.32
City of Dublin	13.87	19.33	+ 5.46
Kildare	13.67	15.06	+ 1.39
Kilkenny	14.95	14.50	— 0.45
Laoighis	14.71	13.48	— 1.23
Longford	14.22	11.86	— 2.36
Louth	14.98	15.14	+ 0.16
Meath	13.88	13.56	— 0.32
Offaly	14.12	13.46	— 0.66
Westmeath	13.80	13.18	— 0.62
Wexford	15.55	14.97	— 0.58
Wicklow	15.23	15.43	+ 0.20
Province of Leinster	14.07	16.01	+ 1.94
Clare	14.34	12.17	— 2.17
Cork	13.86	13.40	— 0.46
Cork County Borough	14.35	17.75	+ 3.40
Kerry	12.02	11.28	— 0.74
Limerick	13.25	13.19	— 0.06
Limerick County Borough	15.80	20.28	+ 4.48
Tipperary N.R.	13.70	13.26	— 0.44
Tipperary S.R.	14.96	14.93	— 0.03
Waterford	15.73	14.52	— 1.21
Waterford County Borough	16.20	18.93	+ 2.73
Province of Munster	13.95	13.78	— 0.17
Galway	12.94	11.93	— 1.01
Leitrim	15.13	11.63	— 3.50
Mayo	12.71	10.78	— 1.93
Roscommon	14.48	11.47	— 3.01
Sligo	14.51	12.06	— 2.45
Province of Connaught	13.51	11.48	— 2.03
Cavan	15.77	13.12	— 2.65
Donegal	14.54	12.08	— 2.46
Monaghan	14.54	12.14	— 2.40
Province of Ulster (part of)	14.88	12.37	— 2.51
Saorstát Éireann	13.98	13.98	—

The following statement which gives the average annual death-rates, by sexes, for the years 1925-7, compared with the crude rates for certain triennial periods at the time of each of the five preceding censuses, affords an opportunity of showing the manner in which the crude death rates are affected by the process of standardisation.

The triennial periods selected for comparison are those containing each of the years in which the census of population was taken, viz., 1871, 1881, 1891, 1901, 1911 and 1926. It may be assumed that the age and sex constitution of the average population in each of these

triennial periods differed little from that enumerated in the actual Census figure for the particular year.

—	AVERAGE ANNUAL DEATH-RATES—AS RECORDED (CRUDE) AND STANDARDISED—PER 1,000 OF POPULATION.										
	1870-2		1880-2		1890-2		1900-2		1910-2		1925-7
	Crude	Standardised	Crude	Standardised	Crude	Standardised	Crude	Standardised	Crude	Standardised	Death-rate
Persons	16.85	19.03	17.77	20.44	17.91	20.99	17.75	20.36	16.35	15.91	14.48
Males	17.33	19.44	18.10	20.75	17.83	21.06	17.85	20.38	16.32	16.35	14.33
Females	16.39	18.57	17.45	20.11	17.99	20.90	17.65	20.31	16.37	15.49	14.63

From this statement it appears that the decrease which has taken place in the death-rate in recent years is much greater than appears from a comparison of crude rates. The decrease between the rates for 1870-2 and 1925-7 appears to be 2.37 per 1,000 when the crude rates are compared but when the standardised rates for the periods are compared the difference is shown to be 4.55 per 1,000.

Similar differences are shown for the other periods except 1910-12; for that period the death-rate for all persons is reduced by standardisation. This is due to the fact that the Census results for 1911 showed a high percentage of aged persons.

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1935.

—			1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total.
Males	...	...	5,761	5,660	4,629	5,491	21,541
Females	...	...	5,628	5,287	4,166	4,921	20,002
TOTAL			11,389	10,947	8,795	10,412	41,543

Of the total deaths 22,336, or 53.8 per cent., were recorded during the first six months, and 19,207, or 46.2 per cent., in the second six months. The corresponding percentages for the preceding year were respectively 55.4 and 44.6.

In the first quarter of the year 1935 the deaths registered were equal to a rate of 15.3 per 1,000 of the population; in the second, 14.7; in the third, 11.8; and in the fourth, 14.0. Compared with the rates for the previous year, the first quarter shows a decrease of 0.3 per 1,000, the second an increase of 1.2, the third an increase of 0.7 and the fourth of 1.6 per 1,000.

The rates for each quarter of 1935, together with the average figures for the preceding ten years, are given in Table 5. A comparison between the rates for 1935 and the average shows the following results:—In the first quarter a decrease of 2.1 per 1,000 (equivalent to a fall of 13 per cent.); and in the second of 0.1 per 1,000. In the third quarter the rate is 0.2 above the average and in the fourth quarter the rate in the case of the year 1935 exceeds the average by 0.8 per 1,000.

DEATHS IN INSTITUTIONS.

In Abstract V information is given relating to deaths in institutions, for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 4,424, in mental hospitals, 1,180, and in county homes and hospitals, etc., 7,398; and 28,541 occurred elsewhere, chiefly at the homes of deceased. These figures are in the respective proportions of 10.7, 2.8, 17.8, and 68.7 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institution treatment. In 1925 the percentages of deaths in the three classes of institution were 8.0, 2.8, and 13.7, respectively, 75.5 per cent. dying at their own homes,

UNCERTIFIED CAUSES.

The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or the coroner was 7,149. This figure is equivalent to a rate of 17·2 per cent. of the total deaths registered during the year. For the year 1934 the proportion was 18·3 and for the decennial period ended with 1934 the average percentage was 22·2.

The vast majority of the uncertified deaths are registered in rural districts, the percentages for these districts in 1935 being 24·4. In the urban areas the percentage was only 2·0.

INQUESTS.

The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1935 was 1,177, or one in every 35 deaths registered, as compared with one inquest in every 32 deaths in 1934. The number of such deaths for the year 1935 include 968 cases in which inquests were held and 209 cases in which death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

In Abstract IV the causes of deaths of males and of females registered in Saorstát Éireann as a whole during 1935 are shown in accordance with the Intermediate and Detailed International Lists, at 26 groups of ages. In Abstract V the causes of death classified in accordance with the Short List (see the Annual Report for 1931, p. xxi) are given by sexes for the provinces, counties, and county boroughs, and in Abstract VI similar information is shown for urban and rural districts.

During the year 1935 the number of deaths recorded was 2,460 more than that for the preceding year. A comparison of the numbers registered from the principal causes of death for these years shows the causes contributing to the increase for 1935 were, heart disease an increase of 441 deaths; senility an increase of 303; influenza of 274; measles of 266; tuberculosis of 256, and diarrhoea and enteritis of children under 2 years an increase of 216 deaths. Of the causes of death in which a decrease is shown, the most noteworthy is whooping-cough, the deaths from this disease in 1935 being 158 less than the figure for 1934.

On page xx a table showing the deaths from the principal causes for the years 1934 and 1935, compared with the average number of deaths recorded during the decennial period ended with 1934, is given. When compared with the average, the number of deaths recorded during 1935 ascribed to senility shows a decrease of 1,454; bronchitis a decrease of 324; influenza of 303; tuberculosis (all forms) of 199, and whooping-cough of 191 deaths. The deaths registered in which the cause of death was given as cancer (all forms) increased by 338 and an increase of 1,394 is shown in the deaths returned as being caused by one or other forms of heart disease. In the following pages of the text further details regarding the principal causes of death are given and attention is drawn to the outstanding features of the mortality statistics.

In Table H the proportion of deaths from the principal causes among the population as a whole and at certain age-periods is given. From this table it appears that heart disease is the cause of the largest proportion of deaths, namely, 169 in every 1,000 deaths; next in order are senility (141), all forms of tuberculosis (91), cancer (85), pneumonia (62), cerebral hæmorrhage, etc. (55), and bronchitis (52). These causes account for 66 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases of early infancy in Abstract IV (including debility and premature birth) is given as the cause in 453 in every 1,000 deaths compared with 452 in every 1,000 deaths for the preceding year. Other fatal diseases at this age-period are diarrhoea and enteritis, pneumonia, bronchitis, whooping-cough and measles.

In the case of children between the ages of one and 5 years the excess in the mortality from measles, diphtheria, tuberculous diseases (other than of the respiratory organs), and pneumonia is apparent. The chief features of the mortality amongst children aged 5 and under 15 years are the proportion due to diphtheria, tuberculous disease (all forms) and pneumonia. Between the ages of 15 and 44 years tuberculosis (all forms) was the cause of the majority of the deaths and subsequent to that age cancer, cerebral hæmorrhage, heart disease, bronchitis and pneumonia are the chief factors in the mortality.

TABLE H.—Showing the relative frequency of Deaths at certain Age-periods from the principal Causes in 1935.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD												
		All Ages	Under 1	1-5	5-	10-	15-	20-	25-	35-	45-	55-	65	75 & up
—	ALL CAUSES . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	2	.	.	1	11	12	9	5	4	3	1	.	.
2	Typhus	.	.	.	.	2	.	.	1	.	.	.	.	.
3	Measles	8	14	128	46	25	9	3	2	.	1	.	.	.
4	Scarlet fever	2	1	18	33	20	5	6	4	1	1	.	.	.
5	Whooping-cough . . .	3	15	34	16	.	.	.	.	.	.	.	.	.
6	Diphtheria	9	6	78	238	107	12	3	2	1	1	.	.	.
7	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	23	8	13	22	18	21	11	18	27	24	25	36	18
9	Encephalitis lethargica	.	.	2	.	2	4	3	4	.	1	.	.	.
10	Cerebro-spinal fever .	1	4	3	1	4	.	3	.	.	.	.	.	.
11	Tuberculosis of respiratory system.	72	4	10	25	116	396	480	403	265	111	38	8	1
12	Other tuberculous diseases	19	16	84	94	169	121	87	47	31	11	8	1	.
13	Cancer	85	.	2	.	4	8	10	22	81	176	177	116	45
14	Diabetes mellitus . . .	6	.	1	1	9	11	3	8	6	9	11	8	3
15	Cerebral hæmorrhage, etc. (No. 82).	53	.	3	5	6	7	4	12	32	59	83	91	58
16	Heart disease	169	.	7	32	60	54	50	64	117	179	255	270	173
17	Other circulatory diseases	16	.	2	.	.	.	4	4	9	14	22	25	21
18	Bronchitis	52	50	41	13	2	9	9	11	20	39	57	77	59
19	Pneumonia (all forms) .	62	118	209	86	44	43	49	61	70	68	55	52	29
20	Other respiratory diseases	15	8	11	13	11	13	10	20	24	23	18	16	6
21	Gastric and duodenal ulcer	8	.	.	.	4	3	6	13	20	20	13	7	2
22	Diarrhoea and enteritis (under 2 years).	17	156	44	.	.	.	.	.	.	.	.	.	.
23	Appendicitis	4	.	8	24	36	15	12	12	11	6	4	2	.
24	Cirrhosis of the liver .	2	.	.	.	.	1	.	1	2	5	2	2	1
25	Other diseases of liver, etc.	4	.	.	.	2	1	.	5	6	7	6	6	3
26	Other digestive diseases .	23	26	54	48	33	15	13	19	28	27	26	23	14
27	Acute and chronic nephritis	30	2	10	21	27	15	20	28	33	56	52	34	21
28	Puerperal sepsis	2	.	.	.	.	4	13	25	12	.	.	.	.
29	Other puerperal causes .	4	.	.	.	.	3	15	40	38	1	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	44	453	11	1	5	5	3	.	.	.	.	.	.
31	Senility	141	.	.	.	.	.	.	.	.	.	.	127	497
32	Suicide	2	.	.	.	.	3	6	3	8	5	5	.	1
33	Other violence	22	13	65	67	49	78	49	52	30	27	16	12	10
34	Other defined causes . .	82	103	137	197	225	127	113	109	113	109	90	62	34
35	Causes ill-defined or unknown.	16	3	25	16	9	5	6	5	11	17	36	25	1

In the following statement the number of deaths from the principal causes recorded for each of the years 1934 and 1935 are compared with the annual average number for the decennial period ended with the year 1934.

CAUSES	Number of Deaths registered			CAUSES	Number of Deaths registered		
	Years.		Average 10 years 1925-34		Years.		Average 10 years 1925-34
	1935	1934			1935	1934	
Typhoid Fever	64	89	90	Heart Disease	7,026	6,585	5,632
Typhus	2	4	7	Bronchitis	2,143	1,956	2,467
Measles	316	50	236	Pneumonia	2,591	2,418	2,528
Scarlet Fever	92	82	79	Diarrhoea and Enteritis			
Whooping-cough	125	283	316	under two years of age	690	474	572
Diphtheria	378	341	295	Nephritis	1,264	1,169	1,201
Dysentery	1	1	6	Puerperal Sepsis	89	104	89
Influenza	963	689	1,266	Other Puerperal causes	183	167	181
Encephalitis Lethargica	27	23	49	Congenital debility, mal-			
Cerebro-Spinal Fever ...	29	14	16	formation, premature			
Tuberculous Diseases ...	3,770	3,514	3,969	birth, etc., ...	1,835	1,686	1,778
Cancer	3,523	3,405	3,185	Senility	5,875	5,572	7,329
Cerebral hæmorrhage, throm-				Violence	991	968	917
bosis, hemiplegia, etc. ...	2,273	2,303	2,236				

The rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* in the aggregate are given by provinces, counties and county boroughs in Table 15; the rates in the county boroughs are highest, that for Limerick county borough being 2·13; Waterford county borough, 1·72; Cork county borough 0·94, and Dublin county borough 0·89 per 1,000. The highest county rates are Tipperary, South Riding, 0·86; Clare county 0·68, and Dublin and Wicklow each 0·65 per 1,000. The counties in which the rates are lowest are Leitrim 0·16, Longford 0·21, Roscommon 0·22, and Sligo 0·25 per 1,000 of the population.

From Table 16 it may be seen that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 0·91 per 1,000 of the population, compared with 0·39 for the rural districts. The corresponding rates for 1934 were 0·69 and 0·33, respectively.

Typhoid and Paratyphoid Fever.—There were 64 deaths (35 of males and 29 of females) classified under this heading recorded during 1935. The total is 25 less than that for the year preceding, and is equivalent to a rate of 2·2 per 100,000 of the population. Of the deaths for the year under review 12 were recorded for urban areas and 52 for rural areas. The corresponding figures for 1934 were 24 and 65, respectively.

Typhus.—Two deaths from typhus were registered, the figure for the previous year being 4. Both of the deaths were recorded for rural areas.

Small-Pox.—There have been no deaths from this disease since the year 1907 when one death was registered.

Measles.—The deaths from this cause, which numbered 372 in 1931 and 250 in 1932, fell to 125 in 1933 and further declined to 50 in the year 1934. This figure rose to 316 in the period under review, a number which is equal to a rate of 10·6 per 100,000 of the population. Of the total, 180 (or 18·8 per 100,000) were recorded for urban areas and 136 (or 6·8 per 100,000) for rural areas. The corresponding rates for 1934 were 2·0 and 1·5, respectively. Of the 316 deaths, 164 were of males and 152 of females, and 257 were of children under 5 years of age.

Scarlet Fever.—Deaths from scarlet fever numbered 92. This figure is 10 more than the number in 1934, and 13 above the average for the preceding ten years. The deaths recorded include 40 of males and 52 of females.

*Typhoid fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

Whooping-cough.—The deaths from this disease registered numbered 125, compared with 283 in the year 1934 and an annual average of 316 for the ten years ended with 1934. The figure for 1935 includes 67 of males and 58 of females. There were 61 deaths of infants under one year of age and 53 of children over one year and under 5 years in the number registered. The death-rates per 100,000 of the population for urban and rural areas were 3·6 and 4·5 respectively, compared with 15·7 and 6·6 in the previous year.

Diphtheria.—There was an increase in the number of deaths recorded for 1935, the figure being 378 as compared with 341 for 1934. The numbers registered during each of the years 1931, 1932 and 1933 were, respectively, 317, 383 and 418, and the average figure for the decennial period prior to the year under review was 295. Included in the number for 1935 were 144 of children under 5 years of age and 150 of children over 5 and under 10 years of age.

The rate represented by the number of deaths from diphtheria is 12·7 per 100,000 of the estimated population, the respective rates for the urban and rural areas being 18·1 and 10·2. The corresponding rates for 1934 were 11·5 for the whole country, 18·1 for the aggregate urban areas and 8·4 for the rural districts. In Leinster the rate was 17·5 per 100,000, in Munster 11·2, in Connaught, 9·1, and in Ulster (part of) 4·3.

In Abstracts V and VI information regarding the deaths from this cause is given for each of the counties and county boroughs and for urban and rural areas. A comparison of the rates per 100,000 of the population represented by the number of deaths recorded for the counties and county boroughs, shows that the highest rate was for Clare county, viz., (32·3) per 100,000, followed by Louth county (29·6), Westmeath (29·3), Wicklow (29·1), Laoighis (26·0), and Carlow (23·2). The lowest rates were in Cavan 2·6 per 100,000; Tipperary, South Riding, 2·6; Longford 2·7; Monaghan 3·3; Leitrim 3·9; and Wexford 4·2 per 100,000.


The death-rates for the aggregate urban and rural districts for each year from 1901 are shown in the following statement :—

STATEMENT showing Death-rates from Diphtheria, per 100,000 of the estimated population in the aggregate Urban and Rural Districts of Saorstát Éireann during the years 1901 to 1935.

YEAR	Urban Districts	Rural Districts	YEAR	Urban Districts	Rural Districts
1901 ...	9·6	5·0	1919 ...	9·1	4·8
1902 ...	12·0	7·2	1920 ...	18·6	5·3
1903 ...	9·5	7·2	1921 ...	21·3	12·5
1904 ...	5·9	6·5	1922 ...	15·7	12·3
1905 ...	7·1	6·2	1923 ...	10·4	9·1
1906 ...	8·2	7·2	1924 ...	8·8	5·1
1907 ...	9·9	4·4	1925 ...	7·7	4·3
1908 ...	10·3	6·1	1926 ...	11·8	4·5
1909 ...	11·2	8·0	1927 ...	13·5	4·8
1910 ...	10·7	6·3	1928 ...	11·8	5·8
1911 ...	17·0	5·3	1929 ...	16·0	7·9
1912 ...	15·9	5·0	1930 ...	22·2	9·2
1913 ...	13·1	3·8	1931 ...	15·5	8·7
1914 ...	12·7	4·3	1932 ...	19·1	10·2
1915 ...	11·8	6·0	1933 ...	21·7	10·6
1916 ...	8·0	6·0	1934 ...	18·1	8·4
1917 ...	6·8	5·8	1935 ...	18·1	10·2
1918 ...	6·3	4·4			

In the following diagram the trend of the mortality from diphtheria is shown by comparative rates per 100,000 of the population for Saorstát Éireann, Northern Ireland, England and Wales, and Scotland.

DIAGRAM No. 2. Mortality from Diphtheria, 1921 to 1935.



Diarrhoea and Enteritis (children under 2 years).—There were 690 deaths attributed to these causes in 1935; this number is 216 more than the number for the year 1934 and 118 over the average for 1925–34, and is equal to a rate of 11.8 per 1,000 births registered.

The urban mortality was equivalent to a rate of 19.8 per 1,000 births, compared with 6.9 for rural areas; the corresponding rates for the year 1934 were 12.7 and 5.5 respectively.

Influenza.—The deaths assigned to this disease amounted to 963, an increase of 274 when compared with the number for the preceding year. The average number for the ten years ended with 1934 was 1,266. The mortality was highest for the second quarter, viz., 354 deaths or 37 per cent.; in the first quarter the percentage was 35, and in the third and fourth quarters it was 13 and 15, respectively. The rate per 1,000 of the population represented by the number recorded for the year was 0.32, compared with 0.23 for 1934.

Of the 963 deaths, 461 were those of males and 502 of females.

The number of deaths for the rural areas was 772, as compared with 587 in 1934; the respective rates being 0.38 and 0.29 per 1,000 of the rural population. The number of deaths which appertain to urban areas was 191, as compared with 102 for 1934, equivalent to rates of 0.20 and 0.11 respectively.

In 299 instances the deaths attributed to influenza were described as associated with respiratory complications, and in the remaining cases—664 in number—the cause was given as influenza without qualification, or was complicated with diseases other than those of respiratory organs.

Erysipelas.—There were 47 deaths (26 of males and 21 of females) from erysipelas, as compared with a total of 46 in the previous year.

Encephalitis Lethargica.—The number of deaths recorded from this disease was 27, which is 4 more than the figure for 1934 but 13 less than the average for the period 1925–34. Of the deaths 17 were of males and 10 of females.

Cerebro-spinal Fever.—This disease caused 29 deaths (18 of males and 11 of females). The number for 1934 was 14 and the average for the 10 years 1925–34 was 16.

Tetanus.—The number of deaths ascribed to tetanus was 27, those of males numbering 18 and of females 9. For 1934 the numbers were 29, 26 and 3, respectively.

TUBERCULOSIS.

The deaths ascribed to tuberculous affections in the aggregate numbered 3,770, which is 256 in excess of the number recorded for 1934 but 199 less than the annual average number for the decennial period from 1925 to 1934.

During the year 1935 the death rate per 1,000 of the population was 1·27, compared with 1·18 for 1934 and 1·34 for the decennial period specified. For England and Wales the rate for 1935 was 0·72 per 1,000, for Scotland it was 0·74, and for Northern Ireland 1·05. The figures for 1934 for these areas were respectively 0·76, 0·75 and 1·12 per 1,000.

The mortality from this disease during the last eleven years is shown in Table J. An interesting comparison is made between the death rates for males and females during the period. The rate for females during the period from 1925 to 1933 is in excess of that for males; in 1934 the rates differed but little, that for males being 1·18 and the rate for females 1·19 per 1,000 of the respective populations. In the year 1935 the rate for males is the greater, the figures being 1·30 and 1·23, respectively. In Northern Ireland the rate for males in 1935 was 1·12, and for females 0·99 per 1,000; in England and Wales 0·85 and 0·60; and in Scotland 0·82 and 0·66, respectively.

TABLE J.—Mortality from Tuberculosis in Saorstát Éireann during each of the years 1925–35.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number	Per cent.	Number	Per cent.
1925 ...	2,307	1·53	2,366	1·61	4,673	1·57	91	2·0	—	—
1926 ...	2,167	1·44	2,195	1·50	4,362	1·47	—	—	311	6·7
1927 ...	2,138	1·42	2,163	1·49	4,301	1·45	—	—	61	1·4
1928 ...	2,004	1·34	2,043	1·41	4,047	1·37	—	—	254	5·9
1929 ...	1,910	1·28	1,965	1·36	3,875	1·32	—	—	172	4·3
1930 ...	1,922	1·29	1,903	1·33	3,825	1·31	—	—	50	1·3
1931 ...	1,893	1·26	2,009	1·40	3,902	1·33	77	2·0	—	—
1932 ...	1,834	1·22	1,842	1·28	3,676	1·25	—	—	226	5·8
1933 ...	1,766	1·17	1,744	1·20	3,510	1·19	—	—	166	4·5
1934 ...	1,785	1·18	1,729	1·19	3,514	1·18	4	0·1	—	—
Average, 1925–1934	1,973	1·31	1,996	1·38	3,969	1·34	—	—	1,159*	24·80
1935 ...	1,983	1·30	1,787	1·23	3,770	1·27	256	6·8	—	—


* Decrease in 1934 as compared with 1925.

The deaths from tuberculosis registered in 1935 for the aggregate urban districts numbered 1,554, as compared with 1,399 for the previous year. For the rural districts the number for 1935 was 2,216 and for the previous year 2,115. The rate per 1,000 of the population for the urban areas rose from 1·48 in 1934 to 1·62 in 1935 and that for the rural areas from 1·05 to 1·10 per 1,000 of the population.

During 1935 the number of deaths from tuberculosis of the respiratory system numbered 2,976, compared with 2,726 in 1934; and the respective numbers for these years from other forms of tuberculosis were 794 and 788. The deaths classified under the heading of other forms of tuberculosis include:—Tuberculosis of the central nervous system, 300 (146 males and 154 females); tuberculosis of the intestines and peritoneum, 187 (89 males and 98 females); tuberculosis of the vertebral column, 77 (46 males and 31 females); tuberculosis of the bones and joints, 64 (45 males and 19 females); tuberculosis of other organs and parts, 38 (22 males and 16 females); and disseminated tuberculosis, 128 (70 males and 58 females).

The following diagram shows the mortality from tuberculosis for Saorstát Éireann, Northern Ireland, England and Wales, and Scotland from 1921 to 1935. An almost continuous decline in the disease is evident. The curves for Saorstát Éireann and Northern Ireland differ but little, especially since 1926, and the proximity of the curve for England and Wales to that for Scotland is remarkable.

DIAGRAM No. 3. Mortality from Tuberculosis 1921 to 1935.



The mortality from tuberculosis at different age-periods for by sexes during each of the years 1930 to 1935 is shown in the following table. A comparison of the rates for the years 1930 and 1935 shows that at most of the age-periods a reduction has taken place. An exception of note is at the period between 20 and 25 years, the rate for 1930 being 2.30, while for 1935 it was 2.45 per 1,000. At this age period the rate for males in 1935 was 2.32 and for females 2.60, compared with, respectively, 2.22 and 2.38 in 1930. The mortality amongst persons over 35 and under 45 years was 1.94 in 1935 and 1.69 in 1930. The rate for males at this age-period increased from 1.74 in 1930 to 2.22 in 1935, while that for females was 1.63 in 1930 and 1.65 in 1935.

TABLE K.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at same age during each of the years 1930 to 1935.

PERIODS	DEATH-RATES PER 1,000 OF THE POPULATION AT SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up.
MALES.												
1930 ...	1.29	0.91	0.43	0.38	1.26	2.22	2.29	1.74	1.53	1.25	0.53	0.18
1931 ...	1.26	0.91	0.30	0.42	1.19	2.32	2.15	1.81	1.41	1.30	0.61	0.18
1932 ...	1.22	0.73	0.37	0.36	1.16	2.32	2.00	1.90	1.29	1.14	0.75	0.23
1933 ...	1.17	0.55	0.30	0.34	1.20	2.04	2.14	1.74	1.33	1.17	0.57	0.15
1934 ...	1.18	0.71	0.25	0.30	1.11	2.09	2.03	1.82	1.33	1.18	0.73	0.23
1935 ...	1.30	0.83	0.25	0.37	1.19	2.32	2.09	2.22	1.53	1.39	0.61	0.13
FEMALES.												
1930 ...	1.33	0.70	0.36	0.72	1.98	2.38	2.36	1.63	1.41	0.99	0.46	0.19
1931 ...	1.40	0.76	0.38	0.78	1.94	2.75	2.61	1.72	1.34	1.01	0.42	0.16
1932 ...	1.28	0.56	0.31	0.63	1.94	2.54	2.31	1.60	1.12	1.05	0.53	0.21
1933 ...	1.20	0.76	0.30	0.52	1.64	2.71	2.16	1.50	1.06	0.90	0.34	0.12
1934 ...	1.19	0.66	0.40	0.55	1.53	2.40	2.22	1.61	0.97	0.85	0.51	0.19
1935 ...	1.23	0.74	0.28	0.70	1.56	2.60	2.20	1.65	1.01	1.04	0.38	0.10
PERSONS.												
1930 ...	1.31	0.81	0.39	0.55	1.61	2.30	2.32	1.69	1.48	1.13	0.50	0.18
1931 ...	1.33	0.84	0.34	0.60	1.55	2.53	2.38	1.76	1.38	1.16	0.51	0.14
1932 ...	1.25	0.65	0.34	0.49	1.54	2.43	2.16	1.75	1.21	1.10	0.44	0.22
1933 ...	1.19	0.66	0.30	0.42	1.41	2.36	2.15	1.62	1.20	1.04	0.45	0.14
1934 ...	1.18	0.68	0.32	0.42	1.31	2.24	2.12	1.72	1.16	1.02	0.62	0.20
1935 ...	1.27	0.79	0.26	0.53	1.37	2.45	2.14	1.94	1.28	1.22	0.50	0.11

In Abstracts V. and VI. particulars of the deaths from tuberculosis for provinces, counties, county boroughs, and urban and rural districts are shown, while in Tables 14, 15 and 16 the numbers and rates per 1,000 of the population are given for these areas.

In Leinster the rate was 1.41, in Munster it was 1.26 and in Connaught and Ulster (part of) 1.12 and 0.99. In 1934 the corresponding rates were Leinster 1.36, Munster 1.11, Connaught 0.99, and Ulster (part of) 1.05.

The highest mortality rates from tuberculosis for county or county borough areas were recorded for the following areas:—Limerick county borough 1.72 per 1,000; Cork county borough 1.72; Dublin county borough 1.64; Wexford county 1.48; and each of Westmeath county and Waterford county borough 1.39. The counties having the lowest rates were Leitrim 0.81, Roscommon 0.88, Cavan 0.93, Monaghan 0.98, Longford 1.01, and Meath 1.01 per 1,000.

Syphilis, etc.—There were 16 deaths registered in which the cause of death was given as syphilis. Of this number 11 were of males and 5 of females. The corresponding figures for 1934 were:—Total 13, males 7 and females 6. Eight of the number recorded during 1935 were of infants under one year of age.

Four deaths (3 of males and one of a female) were attributed to gonococcal infection and other venereal diseases.

There were 19 deaths (17 males and 2 females) from general paralysis of the insane; 6 deaths (all of males) from locomotor ataxy, and 25 deaths (males 14 and females 11) from aneurysm.

Purulent Infection, Septicaemia.—Under this heading 129 deaths were returned (76 of males, and 53 of females), as against 133 (including 83 of males and 50 of females) in the preceding year.

Other Infectious or Parasitic Diseases.—The remaining deaths included under the heading of infectious and parasitic diseases include 5 (one male and 4 females) from acute poliomyelitis, one (male) from anthrax, 7 (males) from malaria, 2 (males) from other diseases due to protozoa, one (a male) from hydatid cyst of liver, 3 (males) from worms, 4 (males) from mycoses, 4 (3 males and one female) from varicella, 2 (males) from mumps, and one (a female) from dysentery.

CANCER.

The number of deaths registered from this disease during the year 1935 numbered 3,523, including 1,903 of males and 1,620 of females. Under this heading are included deaths from carcinoma, sarcoma and cancer, malignant disease, (not otherwise defined). Of the total, 2,296 (1,219 males and 1,077 females) were ascribed to carcinoma, 121 (65 males and 56 females) to sarcoma, and 1,106 (619 males and 487 females) to cancer.

The deaths from this cause for 1935 are 118 more than that recorded for the preceding year—an increase of 106 is shown in the deaths of males and of 12 in the deaths of females registered. The deaths from carcinoma for 1935 when compared with those for 1934 show an increase of 134, while, on the other hand, the deaths from sarcoma decreased by 12 and from cancer (undefined) by 4. The annual average number of deaths from cancer (all forms) for the decennial period from 1925 to 1934 was 3,185, compared with 3,523 in the year under review.

The deaths for 1935 constitute 8·5 per cent. of the total deaths registered from all causes and are equal to a rate of 1·19 per 1,000 of the population. The rate for 1934 was 1·15 per 1,000. In 1935 the rate for males was 1·25 per 1,000 of the male population and for females the rate was 1·12 per 1,000. In 1934 the rate for males was 1·18 and for females 1·11 per 1,000.

In Northern Ireland the rate for both sexes was 1·24, for males 1·20 and for females 1·28. In England and Wales the respective rates were 1·59, 1·58 and 1·60, and in Scotland 1·57, 1·52 and 1·62.

In the diagram on page xxvii the trend of cancer mortality in these areas in recent years is shown.

In Tables 14 to 16 particulars of the deaths from this disease are shown by provinces, counties, county boroughs and also urban and rural areas. In Abstracts IV to VI further information is given regarding the age at death and the numbers recorded for each urban and rural district.

Deaths from cancer in the urban districts, where 1,131 deaths were registered, afford a rate of 1·17, and in rural districts, where 2,392 deaths were registered, a rate of 1·20. In 1934 the rates were, respectively, 1·23 and 1·11.

The mortality from cancer as a whole is compared by sex, age and part affected in Table L. Among persons under 55 years the excess of the female mortality is apparent, but when that age has been passed, the reverse is the case, the excess in the male death-rate being more pronounced as the age increases. The excess in the female rate in middle life is attributable to the large proportion of deaths of women from cancer of the uterus and breast; on the other hand the male excess in later life is due to the mortality from cancer of the buccal cavity and the digestive system.


Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes :—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not indicated in the entry in the register. The deaths in 1935 in the first group amounted to 67, and those in the second 116, compared with 55 and 97 in 1934.

The 67 non-malignant tumours comprise 12 described as cerebral (3 of males and 9 of females); 19 of the ovary; 15 of the uterus; 9 of the bladder (7 males and 2 females); 2 (females) of the abdomen; 2 (one male and one female) of the kidney, and one each of the following sites:—lung, pancreas, breast, larynx, mesentery and spine; and 2 of ill-defined or unstated sites.

In 116 cases under the heading of tumours of undetermined nature the organs or parts affected were given as follows :—52 (31 of males and 21 of females) of the brain, 8 of each of the bladder, abdomen and mediastinum, 7 of the intestines, 5 of each of the lung and stomach,

2 each of uterus, spine, rectum, liver, ovary and pituitary body or gland. For each of the following sites one death due to tumour was registered :—pelvis, kidney, duodenum, prostate, thorax, thyroid and eye. In 4 cases no information as to the part affected was available.

DIAGRAM No. 4. Mortality from Cancer, 1921 to 1935.



Rheumatism.—During the year 1935 there were 143 deaths (70 of males and 73 of females) registered in which the cause of death was given as an acute form of rheumatism. In 1934 the number of such deaths was 136—64 males and 72 females. The figure for 1935 includes 40 of children under 15 years and 37 of persons aged 15 and under 30 years at the time of death.

The number of deaths attributed to chronic rheumatism was 158 (males 75 and females 83) and there were 121 (47 of males and 74 of females) from rheumatoid arthritis and osteoarthritis. The corresponding numbers for the previous year were 159 and 118, respectively.

TABLE L.—Showing the deaths from CANCER* registered

International List Nos.	Parts Affected.	MALES.														Total.	
		AGES AT DEATH.															
		Under 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards			
45	Jaw ..	.	.	.	1	.	1	3	10	11	26	13	11	7	83		
	Lip ..	.	.	1	.	.	.	1	2	6	4	3	13	17	47		
	Mouth ..	.	.	.	.	.	.	.	1	3	8	8	5	6	31		
	Nose ..	.	.	.	.	.	1	.	.	.	2	.	.	1	4		
	Tongue ..	.	.	.	.	.	.	6	6	9	15	20	7	6	69		
	Tonsil ..	.	.	.	.	.	.	.	3	3	4	1	1	3	15		
	Pharynx ..	.	.	.	.	.	.	3	3	4	4	4	1	3	22		
46	Liver, Gall Bladder ..	1	.	.	1	2	5	10	14	14	28	29	16	17	137		
	Esophagus ..	.	.	.	1	.	2	4	10	18	17	12	13	6	83		
	Peritoneum ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Rectum ..	.	.	.	1	1	5	5	18	19	28	26	28	21	152		
	Mesentery ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Intestine ..	.	1	1	4	3	5	4	23	35	59	55	54	41	285		
	Pancreas ..	.	.	.	.	.	2	5	7	6	6	8	7	3	44		
47	Stomach ..	.	2	.	1	9	13	36	51	51	97	99	74	39	472		
	Larynx, Trachea ..	.	.	.	.	.	3	4	2	6	8	10	5	3	41		
	Lung ..	.	.	1	.	.	2	3	1	3	6	2	4	.	22		
	Mediastinum ..	.	.	.	.	1	1	2	1	2	2	2	1	.	12		
	48	Uterus ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		49	Ovary ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			Vagina ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vulva ..	.		.	.	.	.	.	.	.	.	.	.	.	.	.		
60	Breast ..	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
51	Bladder (Male) ..	.	.	.	.	1	.	1	2	5	8	6	4	6	33		
	Kidney (Male) ..	.	1	.	.	.	1	1	1	1	2	2	.	.	9		
	Penis ..	.	.	.	.	.	.	1	.	.	.	3	2	3	10		
	Prostate ..	.	.	.	.	.	1	.	5	8	9	16	19	15	73		
	Scrotum ..	.	.	.	.	.	.	.	.	.	.	.	1	.	1		
	Testicle ..	.	1	.	.	.	1	.	1	.	.	.	1	.	4		
52	Ear ..	.	.	.	.	.	.	1	1	2	2	2	2	6	16		
	Face ..	.	.	.	.	.	1	.	3	3	10	11	9	8	45		
	Other Skin ..	.	.	.	.	.	.	1	1	1	.	.	.	.	3		
53	Abdomen ..	.	.	.	.	1	.	.	1	1	1	1	5	.	10		
	Bladder (Fem.) ..	.	.	.	.	.	.	.	.	.	.	.	.	1	3		
	Eye ..	.	.	.	.	.	.	.	.	.	1	.	1	.	2		
	Groin ..	.	.	.	.	.	.	.	1	.	1	.	.	.	.		
	Kidney (Fem.) ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Neck ..	.	.	.	1	1	4	2	2	11	12	5	16	4	58		
	Pelvis ..	.	.	.	.	.	.	.	.	3	.	1	1	.	5		
	Spine ..	.	.	.	1	.	.	.	.	.	2	1	.	1	6		
	Spleen ..	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
	Thorax ..	.	.	.	.	.	.	.	.	.	.	1	.	.	2		
	Throat ..	.	.	.	.	.	.	3	1	9	7	11	13	2	46		
	Thyroid ..	.	.	.	.	.	.	1	.	.	1	1	.	3	3		
	Arm, Leg ..	1	1	1	.	1	.	2	2	2	4	5	1	5	25		
	Axilla ..	.	.	.	.	.	.	.	1	.	1	.	.	.	2		
	Brain ..	.	.	.	.	.	.	.	1	1	.	.	.	.	2		
	Parotid ..	.	.	.	.	.	.	.	1	1	1	1	1	1	6		
	Rib, Sternum ..	.	.	.	.	.	.	.	.	1	.	.	1	.	2		
	Shoulder ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Other and Undefined	1	.	.	.	2	.	.	2	3	2	1	4	1	16		
TOTAL ..		3	6	4	11	22	48	100	181	242	379	360	321	226	1,903		
Deaths from Cancer per 100,000 living of the same age ..		0.5	4.8	3.7	11.8	25.0	55.3	113.9	209.5	357.4	700.1	693.0	849.0	565.9	125.2		

*Including Carcinoma, Sarcoma

during the year 1935, by Sexes, Ages, and parts affected.

FEMALES.														Total Males and Fe- males
AGES AT DEATH														
Un- der 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL	
.	1	.	1	.	.	.	.	1	3	1	3	1	11	94
.	.	.	.	.	.	.	.	.	1	.	1	3	5	52
.	.	.	.	.	.	.	.	.	1	.	.	2	4	35
.	.	.	.	.	.	2	1	.	.	.	1	1	2	6
.	.	.	.	.	.	.	.	.	.	.	.	1	5	74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	15
.	.	.	.	.	.	2	.	2	1	4	.	.	9	31
.	1	1	2	2	4	7	17	13	32	21	22	17	139	276
.	.	.	.	1	3	1	7	8	6	4	5	4	39	122
.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
.	1	1	.	1	1	1	9	11	18	14	7	8	72	224
.	.	.	.	.	9	1	1	.	1	.	.	.	2	2
2	.	1	2	4	9	18	21	26	52	50	52	35	272	557
.	.	.	.	1	1	4	5	3	6	3	7	4	34	78
.	.	1	3	5	7	18	40	38	54	58	62	42	328	800
.	.	.	.	.	1	4	3	5	1	.	.	2	17	58
.	.	.	.	2	2	2	6	3	3	.	2	2	22	44
.	.	.	.	.	.	2	2	2	.	.	.	.	6	18
.	1	3	3	9	9	13	27	27	28	14	17	15	166	166
.	.	.	1	1	2	4	2	6	4	.	1	1	22	22
.	.	.	.	.	.	.	1	.	.	.	2	1	1	1
.	.	.	.	.	.	.	.	.	2	.	.	.	5	5
.	.	2	3	8	23	38	38	27	39	24	39	17	258	259
.	.	.	.	.	.	.	.	.	.	.	.	.	.	33
.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
.	.	.	.	.	.	.	.	.	.	.	.	.	.	73
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
.	1	.	1	.	.	1	2	.	1	1	1	1	5	21
.	.	.	.	.	.	2	.	4	3	2	3	10	27	72
.	.	.	.	.	.	.	.	.	1	1	1	.	3	6
.	.	.	.	.	.	1	2	2	2	2	2	2	13	23
.	.	.	.	.	.	.	1	1	3	.	1	1	7	7
2	.	.	.	.	1	.	.	.	.	.	.	2	6	9
.	.	.	.	1	1	.	.	.	2	.	2	1	6	8
1	.	1	.	1	1	1	1	.	1	2	1	1	10	10
1	.	.	2	2	.	1	2	.	.	1	2	1	12	70
.	.	.	.	.	1	1	1	1	.	1	1	.	6	11
1	1	.	.	.	.	1	1	3	1	1	.	1	19	16
.	.	.	.	.	.	.	1	1	1	1	.	1	4	5
.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
.	.	.	.	.	2	.	4	4	2	2	3	1	18	64
.	.	.	.	.	.	1	1	1	2	2	1	1	5	8
2	.	.	.	2	2	1	2	4	4	6	8	9	40	65
.	.	.	.	.	.	.	.	.	1	.	.	.	1	3
.	.	.	.	.	.	.	.	.	.	1	1	.	2	4
.	.	.	.	.	.	.	.	.	.	.	.	1	1	7
.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	2	1	2	5	.	5	.	5	2	22	38
10	5	10	18	42	71	127	204	191	281	215	253	193	1,620	3,523
1-8	4-4	9-3	20-0	48-0	86-3	156-7	267-5	329-5	551-3	436-7	569-7	400-0	111-6	118-6

and Cancer, Malignant Disease.

Diabetes.—During 1935 the number of deaths recorded as being due to this disease numbered 256. Statistics of mortality from this disease in Saorstát Éireann are available from 1911 and are shown in Tables 6A, 7 and 7A. For the decennial period ended with 1920 the annual average number of deaths was 245, falling to 227 in the subsequent decennial period. In the years 1931 to 1934 the deaths from this disease recorded were respectively 243, 239, 251 and 267.

In the year 1935 the rate per 100,000 of the population represented by the deaths from this disease was 8.6, compared with 10.0 in Northern Ireland, 16.4 in England and Wales and 15 in Scotland.

The mortality among females from this disease in Saorstát Éireann in 1935, is less than that among males, the respective numbers being 121 and 135, the equivalent rates being 8.3 and 8.9 per 100,000. In England and Wales the female rate was 19.6 and the male 13.0, in Scotland 19 and 10 and in Northern Ireland 10.8 and 9.3, respectively.

Other General Diseases.—The remaining deaths in the group of general diseases include one (female) from gout, one (female) from scurvy, one (male) from pellagra, 30 (15 males and 15 females) from rickets, one (female) from osteomalacia, 17 (2 males and 15 females) from simple goitre, 50 (11 males and 39 females) from exophthalmic goitre, 7 (3 males and 4 females) from myxoedema, cretinism, 6 (3 males and 3 females) from tetany, one (male) from disease of the pituitary gland, 9 (6 males and 3 females) from diseases of the thymus, 23 (7 males and 16 females) from diseases of the adrenals, 3 (one male and 2 females) from toxæmia, 3 (one male and 2 females) from diabetes insipidus, and one (female) from obesity.

Anæmia.—Deaths from pernicious anæmia numbered 221, comprising 94 deaths of males and 127 of females. The total number is 3 below that for 1934 but 6 above the figure for 1933.

The number of deaths from other anæmias and chlorosis was 56, those of males being 21 and those of females 35. The number for 1934 was 70, males 28 and females 42.

Other Diseases of the Blood and Blood-forming Organs.—There were 28 deaths from purpura (15 males and 13 females); 10 (8 males and 2 females) from hæmophilia; 43 (24 males and 19 females) from leukæmia; 32 (18 males and 14 females) from aleukæmia (lymphadenoma, Hodgkin's disease); and 4 (2 males and 2 females) from diseases of the spleen.

Alcoholism.—Two deaths were ascribed to alcoholism, both being males. Cirrhosis of the liver caused 66 deaths, 47 being those of males and 19 of females. All except 3 (one male and 2 females) were 35 years of age, or over.

Meningitis and Encephalitis.—There were 242 deaths from meningitis (deaths of males numbering 139 and of females 103), as compared with 245, 138, and 107, respectively, in 1934.

The number of deaths described as from encephalitis (not returned as encephalitis lethargica) was 26, and from cerebral abscess 22, compared with 17 and 21 respectively for the preceding year.

Cerebral Hæmorrhage, Hemiplegia, etc.—The number of deaths classified under this heading (No. 82 in the International List) which rose from 2,202 in 1933 to 2,303 in 1934, fell to 2,273 in 1935. The average for the ten years 1925–34 was 2,236. Of the total, cerebral hæmorrhage caused 1,355 deaths (631 males and 724 females); cerebral thrombosis and embolism, 225 deaths (91 males and 134 females); cerebral softening, 24 deaths (9 males and 15 females); hemiplegia, 447 deaths (198 males and 249 females); and other paralysis of unstated origin, 222 deaths (95 males and 127 females).

Epilepsy.—There were 188 deaths (of males 111 and of females 77) from epilepsy, showing an increase from this cause of 32 compared with that for the year 1934. This number is 7 more than in the preceding year.

Convulsions (under 5 years of age).—The number of deaths ascribed to convulsions of children under 5 years of age was 322 (of males 185 and of females 137); of these 262, or 81.4 per cent., were those of infants under one year of age, constituting 6.6 per cent. of all deaths of infants during the year.

Heart Disease.—The deaths for 1935 under this heading amounted to 7,026; this figure constitutes 16.9 per cent. of the mortality from all causes, and is equivalent to a rate of 2.37 per 1,000 of the population. The deaths registered from this cause in the previous year numbered 6,585, which is 352 more than that for 1933.

The annual average number of deaths from this cause registered during the decennial period 1925–1934 was 5,632.

Of the 7,026 deaths, 29 were ascribed to pericarditis, 130 to acute endocarditis, 1,687 to chronic endocarditis and valvular disease, 29 to acute myocarditis, 58 to fatty degeneration, 1,431 to chronic myocarditis and myocardial degeneration, 1,672 to unspecified myocardial disease, 296 to diseases of the coronary arteries and angina pectoris, and in 1,694 instances the particular form of heart disease was unstated, or was other than those enumerated above.

Other Circulatory Diseases.—There were 666 deaths from the causes included in this group, 387 being those of males and 279 of females. This number shows a decrease of 16 when compared with last year, but is 38 above that for the year 1933.

Of the diseases included in this group, arterio-sclerosis caused the greatest number of deaths—332; followed by idiopathic abnormalities of blood pressure, 124; gangrene 113; diseases of the veins, 32; other diseases of the arteries, 27; aneurysm, 25; diseases of the lymphatic system, 7; and other diseases of the circulatory system, 6 deaths.

Bronchitis.—Bronchitis caused 2,143 deaths (males 1,063, and females 1,080). This number is equal to a rate of 0.72 per 1,000 of the population and constitutes 5.2 per cent. of the total deaths registered. Of this number 515 were described as acute, 420 as chronic, and in 1,208 cases the form of the disease was not distinguished. The total number is 187 above that for 1934 but is 324 below the average for the preceding decennium.

Pneumonia.—Deaths from all forms of this disease amounted to 2,591, and afford a rate of 0.87 per 1,000 of the population; the total includes 1,279 from broncho-pneumonia, 373 from lobar pneumonia, and 939 from pneumonia (not otherwise defined). Of the total 1,468 deaths were of males, and 1,123 of females.

The average number during the ten years 1925–34 was 2,528, and during 1934 the number recorded was 2,418.

Pleurisy; Empyema.—The number of deaths classed to empyema, regarding which an originating cause could not be ascertained, was 25 (the males numbering 13, and the females 9) in comparison with 27, 21 and 6, respectively, for last year. The deaths registered from other forms of pleurisy were 74, including 49 deaths of males and 25 of females; the figure for 1934 being 83 (54 males and 29 females).

Ulcer of the Stomach and Duodenum.—Deaths from this cause numbered 319; of this number 230 were males and 89 females. This number is 38 above that for 1934 and 15 above the figure for 1933.

Appendicitis.—There were 179 deaths from appendicitis (112 males and 67 females). This number is 3 more than that for 1934. Twenty-eight of the deaths for 1935 were of children under 10 years of age, as compared with 37 in the preceding year.

Cirrhosis of the Liver.—Deaths from this disease in 1935 numbered 66 (males 47 and females 19), compared with 69 in 1934, and 71 in 1933. Of the deaths from this cause 42 of the males and 17 of the females were aged 45 years and upwards.

Acute and Chronic Nephritis.—The total number of deaths from nephritis was 1,264 (males 736 and females 528) showing an increase of 95 compared with the figure for 1934, 115 compared with that for 1933, and of 63 in comparison with the average number of deaths from this cause for the ten years 1925–34. Of the total, 189 were described as acute (including deaths from nephritis undefined of persons under 10 years of age), 574 from chronic forms of the disease and 501 from undefined forms of nephritis of persons aged 10 years and upwards.

PREGNANCY AND CHILDBIRTH.

The deaths of women during pregnancy and childbirth are grouped under three headings, namely, (1) deaths from septic conditions, (2) deaths from accidents and diseases of pregnancy and childbirth, and (3) deaths not classed to pregnancy or childbirth but returned as associated therewith. To the first group 89 deaths were attributed in the year 1935, to the second, 183, and to the third, 25; so that altogether the deaths of childbearing women numbered 297. This number, which is 7 below that for the year 1934, represents a rate of 5.10 per 1,000 of the total births registered, as compared with 5.25 in the year 1934, and an average rate of 5.07 for the decade 1925–34.

As will be seen from Table N, deaths from puerperal septic diseases have decreased by 15 in comparison with the figure for 1934, while the number of deaths from diseases and accidents of pregnancy and childbirth show an increase of 16. The number of deaths from causes associated with the puerperal state have declined by 8.

Deaths from puerperal septic diseases and other puerperal conditions are shown (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 14 to 16,

[TABLE M,

VIOLENCE.

The number of deaths assigned to the group of violent or external causes (Group xvii, Abstract IV) during 1935 was 991. When compared with 1934 this figure shows an increase of 23, mainly due to the number of deaths by vehicles. The average figure for the five years 1930-34 from this group of causes was 953.

Deaths by suicide numbered 92, by homicide 21 (the term "homicide" is used to include infanticide); there were 2 by wounds of war, and of the remaining 876 deaths by violence 833 were definitely stated to be accidental, and in 43 deaths the nature of the violence was unknown. The number of deaths by suicide is 12 less and by homicide 5 less than the corresponding figures for last year.

Seventy-seven of the suicidal cases were males and 15 females. In 9 cases poisoning was the means used to cause death, including lysol in 4 instances, and the poison or poisonous gas used in the remaining 5 cases was as follows:—liquor epispasticus, corrosive sublimate, methylated spirit, strychnine, and coal gas. In the remaining 83 deaths by suicide the means adopted was by hanging or strangulation in 29 instances, by cutting or piercing instruments in 25, by drowning in 24, and in 5 instances other means were used.

Deaths by homicide numbered 21—13 of males and 8 of females; 5 of the males and 4 of the females were infants under one year of age.

There were 11 accidental deaths from poisons and poisonous gases, 2 of which were due to lysol, and 3 to suffocation by poisonous gases. Of the other 6 deaths by accidental poisoning, one was caused by camphor, one by rat (phosphorus) poison, one by Sloan's liniment, and in 3 cases the name of the poison was unknown.

Burns and scalds caused 172 deaths (59 males and 113 females), of which 70 were those of children under 5 years of age; the corresponding number of deaths of children under 5 last year was 82.

Deaths from accidental drowning numbered 113 (95 of males and 18 of females). This number is 18 more than that for 1934.

An increase of 56 took place in accidental deaths caused by vehicles. The number was 244 (193 of males and 51 of females). Deaths from motor-driven vehicles increased to 158, the number in the previous year having been 121; deaths from horse-drawn vehicles numbered 35, which is 9 more than the number ascribed to this class of vehicle in 1934. Deaths by railway vehicles numbered 18 in 1935 compared with 14 in 1934. An increase of 7 occurred in the number of fatal accidents due to bicycles, the numbers being 26 for 1935, and 19 for 1934. Deaths attributed to tramcars numbered 3 during 1935. In 4 instances other vehicles were the cause of death.

The 158 deaths attributed to motor vehicles include 83 described as caused by "motors" or motor cars, 42 by motor lorries or vans, 15 by buses, one by a trailer, 14 by motor-cycles, and 3 by aeroplane accidents.

The 43 deaths in which the form of violence was not stated (i.e., accidental, homicidal or suicidal) included 30 from drowning, one from poison, one from suffocation, and in the remaining 11 instances the nature or means of violence was not stated.

AGES AT DEATH.

The deaths of 5,560 children under 5 years of age were registered during 1935. This number is 13.4 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 14.7 per cent. of the male mortality and the rate for females 11.9 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards numbered 19,218, constituting 46.3 per cent. of the total number of deaths, and include 9,564 deaths of males, or 44.4 per cent. of the total deaths of males, and 9,654 of females, or 48.3 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 15,136, or 36.4 per cent. of the total deaths.

There were 216 deaths of persons aged 95 years or upwards (92 being males and 124 females), and of these 29 (13 males and 16 females) were stated to be aged 100 years or over.

The ages in detail of the persons whose deaths were registered in the year are given in Abstract III.

The following statement shows the variations in the death-rates at different age-periods between 1934 and 1935 :—

DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1935	1934	Increase or Decrease in 1935	1935	1934	Increase or Decrease in 1935	1935	1934	Increase or Decrease in 1935
Under 5 years ...	19.33	17.24	+ 2.09	21.53	18.57	+ 2.96	17.02	15.84	+ 1.18
5— ...	2.21	2.31	— 0.10	2.09	2.21	— 0.12	2.35	2.42	— 0.07
10— ...	1.86	1.61	+ 0.25	1.65	1.48	+ 0.17	2.09	1.75	+ 0.34
15— ...	2.65	2.56	+ 0.09	2.63	2.47	+ 0.16	2.66	2.65	+ 0.01
20— ...	4.33	4.17	+ 0.16	4.27	4.25	+ 0.02	4.39	4.08	+ 0.31
25— ...	4.31	4.33	— 0.02	4.31	4.25	+ 0.06	4.32	4.40	— 0.08
30— ...	5.26	5.22	+ 0.04	5.16	4.65	+ 0.51	5.36	5.81	— 0.45
35— ...	6.25	5.82	+ 0.43	6.03	5.63	+ 0.40	6.48	6.01	+ 0.47
40— ...	6.83	6.37	+ 0.46	6.90	6.18	+ 0.72	6.76	6.56	+ 0.20
45— ...	8.34	7.81	+ 0.53	8.93	7.67	+ 1.26	7.70	7.97	— 0.27
50— ...	12.74	12.25	+ 0.49	13.22	11.94	+ 1.28	12.19	12.59	— 0.40
55— ...	19.71	18.95	+ 0.76	19.81	19.09	+ 0.72	19.60	18.79	+ 0.81
60— ...	35.07	32.62	+ 2.55	36.59	35.38	+ 1.21	33.45	29.48	+ 3.97
65— ...	40.34	40.56	— 0.22	43.76	42.50	+ 1.26	36.75	38.52	— 1.77
70— ...	71.29	68.44	+ 2.85	77.15	73.78	+ 3.37	66.29	63.90	+ 2.39
75— ...	97.30	87.89	+ 9.41	103.38	91.43	+11.95	92.25	84.96	+ 7.29
85— ...	137.07	127.09	+ 9.98	133.74	127.69	+ 6.05	139.78	126.61	+13.17
95 and upwards	262.14	245.15	+ 16.99	255.56	230.56	+25.00	267.24	256.47	+10.77
All Ages ...	13.98	13.15	+ 0.83	14.17	13.12	+ 1.05	13.78	13.19	+ 0.59

In Table 8 the number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during 1864-70, the decennial periods from 1871 to 1930, and each year from 1925 to 1935 are given.

INFANT MORTALITY.


During the year 1934 the deaths of 3,988 infants under one year of age were registered. This number is equivalent to a rate of 68 per 1,000 births, as compared with 63 for last year, and an average of 69 for the ten years 1925-34. The rate for 1935, while showing an increase over last year's rate of 63 (which was the lowest ever recorded), is 25 per cent. lower than the average rate recorded for the first ten years of the present century. (See Table 4).

Of the total for the year under review 2,337 were those of males and 1,651 of females; the males were equal to a rate of 78 per 1,000 births of males, and the females to a rate of 58 per 1,000 births of females. The corresponding rates for 1934 were 70 and 56, respectively.

The infant mortality rate in Northern Ireland for 1935 was 86 per 1,000 births; in England and Wales, 57; and in Scotland, 77.

In the following Diagram (No. 5) the infant mortality rates for England and Wales, Scotland and Northern Ireland since 1921, as compared with that for Saorstát Éireann, are shown.

DIAGRAM No. 5. Infant Mortality, 1921 to 1935.



During the year 1935 the following causes accounted for over 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 55·53 per 1,000 births:—congenital debility 14·19 per 1,000 births, diarrhoea and enteritis 10·65, premature birth 9·76, pneumonia 8·08, convulsions 4·50, congenital malformations 3·90, bronchitis 3·40, and whooping-cough 1·05.

The deaths of infants during the first month of life were 39·9 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 12·5, between 2 and 3 months 9·4, at 3 and under 6 months it was 19·6, and from 6 to 12 months old, it was 18·6.

Urban and Rural Infant Mortality.

An increase in infant mortality was recorded for 1935 in the aggregate urban areas, where the number of deaths of infants was 1,963, as compared with 1,681 in 1934, the respective rates being 87 and 78. The mortality for rural areas also shows an increase, 2,025 infant deaths having been registered as against 1,983 the previous year; the rates per 1,000 births are respectively 57 and 55.

Table 11 shows the high rate of infant mortality prevailing in urban districts as compared with rural districts, more especially in urban areas of 10,000 inhabitants and upwards (Twelve Principal Towns); for these towns in the aggregate the rate is 91 per 1,000 births, as compared with 81 for the preceding year.

The rates for the individual towns are as follows, ranging from the highest to the lowest:—Waterford, 126; Kilkenny, 110; Limerick, 106; Wexford, 103; Dublin, 94; Cork, 78; Dundalk, 72; Drogheda, 71; Sligo, 67; Dun Laoghaire, 65; Galway, 63, and Tralee, 60.

Deaths of infants in urban districts of less than 10,000 inhabitants were equivalent to a rate of 75 per 1,000 births, the rate for 1934 being 67.

The infant mortality rate for Belfast in 1935 was 112 per 1,000 births; for Londonderry it was 94; for London, 58; for Liverpool, 84; for Edinburgh, 70, and for Glasgow, 98 per 1,000 births.

The following statement shows the INFANT MORTALITY per 1,000 Births, by sexes, at different periods of life in 1935 for the urban and rural areas in Saorstát Éireann:—

AGES.	SAORSTAT ÉIREANN											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas,			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	33.13	38.92	27.00	29.99	32.08	27.77	32.49	37.53	27.16	24.06	27.67	20.27
1-2 Months ...	10.22	13.26	7.01	9.70	9.84	9.56	10.12	12.57	7.52	7.56	8.11	6.98
2-3 „ ...	8.32	8.91	7.70	6.84	8.13	5.46	8.02	8.76	7.25	5.50	6.10	4.87
3-6 „ ...	18.83	19.90	17.70	14.33	16.68	11.83	17.92	19.24	16.51	10.58	12.58	8.47
6-12 „ ...	20.28	24.35	15.97	13.67	19.25	7.74	18.94	23.32	14.31	8.82	9.09	8.53
Under one year ...	90.78	105.35	75.38	74.53	85.97	62.36	87.49	101.42	72.75	56.52	63.56	49.12

This statement shows the very large proportion of infants who died before completing their first month of life. Thirty-seven per cent. of the infants who died in urban areas, and 43 per cent. of those in rural districts, were under one month old. The contrast between the male and female mortality of infants is also apparent; in every instance the male mortality exceeds that of the females.

Deaths of Illegitimate Infants.

The number of deaths of illegitimate infants under one year of age registered during the year 1935 was 505, consisting of 273 deaths of males and 232 of females.

Table 12 shows the number of such deaths by causes and at different periods of life under one year of age. In Table 13 the deaths of illegitimate infants by counties and county boroughs, arranged according to the county of residence of the mothers, are shown. It will be observed that the great proportion of such deaths take place in institutions. Thus, of 28 deaths for Dublin county 22 took place in institutions, and of the 123 deaths for Dublin city, the number in institutions was 107, so that only 22 of the 151 deaths for Dublin county and city did not occur in institutions. In Cork city and county only 8 of the 43 deaths of illegitimate infants occurred elsewhere than in institutions.

METEOROLOGY.

Particulars regarding meteorological observations taken at the Ordnance Survey Office, Phoenix Park, and at Roche's Point, Co. Cork, are published in the Quarterly Returns of Marriages, Births and Deaths. The following abstract of observations at Phoenix Park during the year is reproduced by permission of the Director of Ordnance Survey:—

ABSTRACT OF METEOROLOGICAL OBSERVATIONS FOR THE YEAR 1935. AT THE ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN.

Latitude 53° 21' 48"·25 North. Longitude 6° 20' 59"·15 West. Height above M.S.L. 155·3 Feet.

1935	BAROMETER							TEMPERATURE						
	Corrected for Altitude and reduced to 32° Fah.							Self-Registering Thermometers						
	MEAN				Highest in Month	Lowest in Month	Range	Highest in Month	Lowest in Month	Range	MEAN			
	9.0 a.m.	9.0 p.m.	Mean	Range							Of all Highest	Of all Lowest	Temp.	Range
January ..	1027·6	1027·6	1027·6	0·0	1044·4	990·9	53·5	53·7	25·5	28·2	46·7	36·7	41·7	16
February ..	1005·0	1004·3	1004·7	0·7	1032·6	964·3	68·3	56·7	22·0	34·7	48·9	36·7	42·8	12
March ..	1021·2	1021·1	1021·2	0·1	1040·0	990·3	49·7	60·7	25·2	35·5	52·0	38·0	45·0	17
April ..	1009·7	1009·6	1009·7	0·1	1029·4	982·2	47·2	60·4	26·0	34·4	53·1	37·3	45·2	18
May ..	1021·9	1021·4	1021·7	0·5	1034·0	1008·7	25·3	70·9	30·0	40·9	57·4	41·4	49·4	18
June ..	1009·0	1009·6	1009·3	0·6	1028·2	989·8	38·4	76·0	35·8	40·2	64·9	49·1	57·0	18
July ..	1020·6	1020·3	1020·5	0·3	1029·3	997·7	31·6	78·6	41·8	36·8	70·2	51·1	60·7	19
August ..	1016·2	1015·8	1016·0	0·4	1030·9	998·0	32·9	76·8	41·3	35·5	69·8	51·5	60·7	18
September ..	1008·6	1007·8	1008·2	0·8	1023·9	973·8	50·1	68·3	38·0	30·3	62·1	48·5	55·3	17
October ..	1008·6	1008·4	1008·5	0·2	1024·5	980·4	44·1	64·6	30·8	33·8	56·1	42·2	49·1	17
November ..	1002·4	1002·1	1002·3	0·3	1023·3	981·5	41·8	56·7	24·2	32·5	49·2	36·3	42·8	17
December ..	1003·7	1003·8	1003·8	0·1	1038·8	971·8	67·0	50·8	15·0	35·8	43·5	33·5	38·5	16
TOTAL ..	12154·5	12151·8	12153·5	0·41	12379·3	11829·4	549·9	774·2	355·6	418·6	673·9	502·3	588·2	172
MEAN ..	1012·9	1012·6	1012·8	0·3	1031·6	985·8	45·8	64·5	29·6	34·9	56·2	41·9	49·0	17

1935	TEMPERATURE					RAIN			SUNSHINE— Hours and Tenths	CLOUD		WIND							
	Hygrometer					Number of Days Rain or Snow fell	Total Amount for Month in mms.	Greatest Amount that fell in 24 hours in mms.		Monthly Total	Daily Mean	Number of Days it blew in certain directions at 9.0 a.m.							
	9.0 A.M. MEAN											N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	Dry Bulb	Wet Bulb	Dew Point	Elastic Force of Vapour	Hu- midity														
January ..	40·7	39·3	37·4	7·7	87·5	13	25·9	8·5	49·3	219	7	2	1	1	0	2	8	11	5
February ..	41·4	39·9	37·6	7·9	86·4	19	95·0	35·2	74·5	151	5	2	0	0	2	7	12	4	1
March ..	44·2	41·8	38·3	8·1	80·6	10	18·4	3·8	113·8	191	6	0	0	9	3	5	4	6	1
April ..	46·7	44·1	40·8	8·7	79·8	20	52·3	6·4	144·7	182	6	6	0	3	2	2	7	5	4
May ..	50·8	47·3	42·9	9·6	75·0	8	50·2	18·3	224·8	182	6	4	4	15	0	1	3	2	2
June ..	58·0	54·0	50·1	12·6	75·8	21	73·8	16·8	172·2	159	5	0	1	2	8	8	4	4	3
July ..	61·9	56·8	52·3	13·5	71·2	11	15·6	3·3	217·2	142	5	2	0	1	4	3	9	8	4
August ..	61·0	56·8	52·9	14·0	76·0	11	55·9	22·7	165·4	176	6	6	1	0	0	5	2	12	4
September ..	55·2	52·2	49·2	12·1	81·4	23	99·8	16·1	124·2	148	5	0	0	5	4	10	5	6	0
October ..	48·5	46·4	44·0	10·0	84·7	24	65·4	11·8	108·4	176	6	0	0	1	2	9	5	12	1
November ..	41·6	40·0	37·5	7·9	86·2	16	90·3	24·8	104·0	145	5	0	1	4	2	8	11	2	2
December ..	36·7	35·6	33·8	6·8	89·4	19	33·9	6·0	67·8	197	6	2	3	3	3	4	4	7	3
TOTAL	586·7	554·2	516·8	118·9	974·0	195	676·5	172·9	1566·3	2068	68	24	11	44	30	64	74	79	30
MEAN ..	48·9	46·2	43·1	9·9	81·1	16·3	56·4	14·4	130·5	172	6	—	—	—	—	—	—	—	—

The highest Barometer during the Year was 1044·4 on 21st January, at 9 a.m. Wind—W.
 The lowest " " 964·3 on 24th February, at 9 p.m. " " S.E.
 The highest Temperature " " 78·6 on 13th July.
 The lowest " " 15·0 on 23rd December.
 Rain or Snow fell on 195 days during the year.
 The greatest Rainfall in 24 hours was 1·39 inches on 24th February, with Wind S.E.
 The prevailing Wind was W. on 79 days.
 Calm 9 days.

PART II.

Tables.

TABLE 1.—SAORSTÁT ÉIREANN: ESTIMATED POPULATION, middle of years 1801 to 1935, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801 ...	4,154	2,085	2,069	1876 ...	3,949	1,942	2,007	1907 ...	3,151	1,589	1,562
1811 ...	4,746	2,363	2,383	1877 ...	3,956	1,947	2,009	1908 ...	3,145	1,588	1,557
1821 ...	5,421	2,676	2,745	1878 ...	3,952	1,948	2,004	1909 ...	3,142	1,589	1,553
1831 ...	6,194	3,033	3,161	1879 ...	3,939	1,944	1,995	1910 ...	3,139	1,588	1,551
1841 ...	6,545	3,235	3,310	1880 ...	3,891	1,920	1,971	1911 ...	3,132	1,586	1,546
				1881 ...	3,847	1,901	1,946	1912 ...	3,120	1,581	1,539
				1882 ...	3,808	1,882	1,926	1913 ...	3,103	1,572	1,531
1851 ...	5,079	2,486	2,593	1883 ...	3,745	1,853	1,892	1914 ...	3,092	1,568	1,524
1852 ...	4,927	2,413	2,514	1884 ...	3,703	1,834	1,869	1915 ...	3,068	1,546	1,522
1853 ...	4,807	2,358	2,449	1885 ...	3,671	1,820	1,851	1916 ...	3,068	1,549	1,519
1854 ...	4,704	2,311	2,393	1886 ...	3,642	1,808	1,834	1917 ...	3,065	1,551	1,514
1855 ...	4,638	2,281	2,357	1887 ...	3,600	1,788	1,812	1918 ...	3,066	1,553	1,513
1856 ...	4,594	2,261	2,333	1888 ...	3,554	1,766	1,788	1919 ...	3,102	1,598	1,504
1857 ...	4,540	2,234	2,306	1889 ...	3,516	1,748	1,768	1920 ...	3,103	1,598	1,505
1858 ...	4,506	2,217	2,289	1890 ...	3,482	1,733	1,749	1921 ...	3,096	1,599	1,497
1859 ...	4,471	2,199	2,272	1891 ...	3,449	1,718	1,731	1922 ...	3,022	1,529	1,493
1860 ...	4,428	2,179	2,249	1892 ...	3,408	1,697	1,711	1923 ...	3,014	1,526	1,488
1861 ...	4,393	2,164	2,229	1893 ...	3,382	1,684	1,698	1924 ...	3,005	1,521	1,484
1862 ...	4,377	2,158	2,219	1894 ...	3,362	1,675	1,687	1925 ...	2,985	1,522	1,473
1863 ...	4,328	2,131	2,194	1895 ...	3,333	1,662	1,671	1926 ...	2,971	1,507	1,464
1864 ...	4,263	2,103	2,160	1896 ...	3,314	1,653	1,661	1927 ...	2,957	1,502	1,455
1865 ...	4,223	2,084	2,139	1897 ...	3,298	1,646	1,652	1928 ...	2,944	1,498	1,446
1866 ...	4,163	2,051	2,112	1898 ...	3,283	1,640	1,643	1929 ...	2,937	1,496	1,441
1867 ...	4,130	2,033	2,097	1899 ...	3,265	1,631	1,634	1930 ...	2,927	1,493	1,434
1868 ...	4,109	2,022	2,087	1900 ...	3,234	1,616	1,618	1931 ...	2,933	1,497	1,436
1869 ...	4,090	2,012	2,078	1901 ...	3,213	1,607	1,606	1932 ...	2,949	1,505	1,444
1870 ...	4,062	1,996	2,066	1902 ...	3,200	1,603	1,597	1933 ...	2,962	1,512	1,450
1871 ...	4,042	1,986	2,056	1903 ...	3,185	1,599	1,586	1934 ...	2,971	1,518	1,453
1872 ...	4,023	1,975	2,048	1904 ...	3,175	1,597	1,578	1935 ...	2,971	1,520	1,451
1873 ...	3,989	1,955	2,034	1905 ...	3,165	1,594	1,571				
1874 ...	3,966	1,944	2,022	1906 ...	3,160	1,593	1,567				
1875 ...	3,951	1,940	2,011								

NOTE.—The above population, from 1801 to 1910, is derived from the estimated population of Ireland, already published in previous Annual Reports, by applying to the population the proportion in the Saorstát Éireann area, as disclosed at each Census. The variations between the proportions at each successive Census were distributed regularly over the intercensal periods.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1935 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates have been revised in accordance with the population (unrevised) according to the Census of 1936.

TABLE 2.—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN, according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
PERSONS.															
1851 ...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861 ...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871 ...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881 ...	78,630	353,148	471,703	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891 ...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901 ...	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911 ...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926 ...	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
PROPORTION PER CENT.															
1851 ...	1·96	7·67	12·40	13·91	12·54	9·74	12·92	11·14	8·50	5·86	2·37	0·83	0·13	0·03	100
1861 ...	2·34	9·54	10·37	10·28	11·74	10·72	12·93	10·42	9·60	7·51	3·08	1·24	0·20	0·03	100
1871 ...	2·46	9·59	11·77	11·72	9·68	8·40	13·42	9·95	8·93	8·13	4·14	1·49	0·27	0·05	100
1881 ...	2·03	9·13	12·19	12·02	10·85	9·19	12·02	10·68	8·44	7·22	4·17	1·78	0·24	0·04	100
1891 ...	1·87	8·01	10·96	11·97	11·92	9·38	12·41	10·18	9·69	7·15	4·10	1·95	0·36	0·05	100
1901 ...	1·87	7·80	10·09	10·44	10·83	10·06	14·47	10·62	9·26	8·07	4·33	1·79	0·32	0·05	100
1911 ...	1·88	7·90	9·88	9·66	9·67	8·57	14·47	12·12	8·89	6·46	7·50	2·63	0·34	0·03	100
1926 ...	1·86	7·82	9·58	9·94	9·63	8·08	13·42	11·60	11·16	7·77	6·17	2·47	0·47	0·03	100

*At the Census of 1851, the ages of 2,646 persons (1,439 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,123 (1,872 males and 1,256 females); in 1881, the numbers were 1,969 (1,093 males and 816 females); and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851 ...	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	13,581	2,900	593	2,494,470
1861 ...	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871 ...	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881 ...	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891 ...	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901 ...	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911 ...	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926 ...	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
PROPORTION PER CENT.															
1851 ...	2·05	7·98	12·91	14·52	12·80	9·66	12·55	10·67	8·26	5·41	2·30	0·75	0·12	0·02	100
1861 ...	2·42	9·82	10·67	10·71	11·77	10·81	13·02	9·85	9·34	7·26	2·96	1·16	0·18	0·03	100
1871 ...	2·52	9·91	12·11	12·21	9·65	8·20	13·11	9·82	8·56	7·99	4·20	1·42	0·26	0·04	100
1881 ...	2·09	9·35	12·49	12·45	10·84	9·31	11·68	10·32	8·31	6·89	4·21	1·81	0·22	0·03	100
1891 ...	1·92	8·16	11·17	12·23	12·11	9·82	12·20	9·65	9·36	7·06	3·99	1·92	0·37	0·04	100
1901 ...	1·90	7·91	10·23	10·66	10·87	10·16	14·54	10·47	8·82	7·87	4·44	1·77	0·32	0·04	100
1911 ...	1·88	7·93	9·91	9·70	9·78	8·89	14·39	12·48	8·99	6·30	6·87	2·53	0·32	0·03	100
1926 ...	1·86	7·84	9·60	10·01	9·69	8·26	13·22	11·51	11·46	8·02	5·91	2·19	0·41	0·02	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN according to the Census Returns from 1851 to 1926.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851 ...	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861 ...	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871 ...	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881 ...	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891 ...	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901 ...	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911 ...	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926 ...	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,897	467	1,465,103
PROPORTION PER CENT.															
1851 ...	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861 ...	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871 ...	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881 ...	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891 ...	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901 ...	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911 ...	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	3.16	2.74	0.36	0.04	100
1926 ...	1.86	7.80	9.55	9.88	9.57	7.90	13.62	11.70	10.85	7.51	6.45	2.75	0.53	0.03	100

* See note (*) on page 3.

TABLE 3.—SAORSTÁT ÉIREANN: NUMBER OF MARRIAGES, BIRTHS, DEATHS, and the NATURAL INCREASE (excess of Births over Deaths), 1864-1935.

PERIOD.			Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.	
				TOTAL (including Illegitimate)			Legiti- mate.	Illegitimate.						
											Total.	Males.		Females
Average.	1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
"	1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
"	1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
"	1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
"	1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
"	1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
"	1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1925	...	...	13,820	62,069	31,818	30,251	60,407	1,662	871	791	43,650	22,118	21,532	18,419
1926	...	...	13,570	61,176	31,382	29,794	59,460	1,716	849	867	41,740	20,844	20,896	19,436
1927	...	...	13,418	60,054	30,606	29,448	58,296	1,758	892	866	43,677	21,812	21,865	16,377
1928	...	...	13,716	59,176	30,327	28,849	57,388	1,788	922	866	41,792	20,933	20,859	17,384
1929	...	...	13,593	58,280	29,583	28,697	56,427	1,853	948	905	42,991	21,547	21,444	15,289
1930	...	...	13,631	58,353	29,913	28,440	56,490	1,863	940	923	41,702	21,075	20,627	16,651
1931	...	...	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
1932	...	...	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	...	...	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
1934	...	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
Average, 1925-34	...	...	13,615	58,770	30,109	28,661	56,928	1,842	934	908	42,111	21,242	20,869	16,659
1935	...	...	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723

TABLE 4.—SAORSTÁT ÉIREANN.—ANNUAL MARRIAGE, BIRTH AND DEATH RATES, INFANT MORTALITY (Deaths of Infants under one year per 1,000 Births), and Natural Increase, 1864-1935.

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.
	Rate per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Rate per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900 ...	4.43	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1925 ...	4.63	20.79	20.23	0.56	2.68	1,052	14.62	67.92	6.17
1926 ...	4.57	20.59	20.01	0.58	2.81	1,053	14.05	74.41	6.54
1927 ...	4.54	20.31	19.71	0.59	2.93	1,039	14.77	70.84	5.54
1928 ...	4.66	20.10	19.49	0.61	3.02	1,051	14.20	67.87	5.91
1929 ...	4.63	19.84	19.21	0.63	3.18	1,031	14.64	70.38	5.20
1930 ...	4.66	19.94	19.30	0.64	3.19	1,052	14.25	67.95	5.69
1931 ...	4.48	19.46	18.81	0.66	3.37	1,063	14.64	68.93	4.82
1932 ...	4.42	19.07	18.45	0.62	3.23	1,053	14.58	72.19	4.49
1933 ...	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68
1934 ...	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34
1925-34 ...	4.61	19.90	19.27	0.62	3.14	1,051	14.26	68.90	5.64
1935 ...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63

TABLE 5 -- Showing by Quarterly Periods the number of MARRIAGES, BIRTHS AND DEATHS registered in SAORSTÁT ÉIREANN during each of the years 1925-35; with the average annual rates for the ten years 1925-34 and for 1935 per 1,000 of the population.

YEAR	Marriages.															Births.					Deaths.				
	Catholic.					All Other.					Total.														
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.	
	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	March.	June.	Sept.	Dec.	Total.	March.	June.	Sept.	Dec.	Total.
1925	3,919	3,030	3,181	2,767	12,897	192	269	278	184	923	4,111	3,299	3,459	2,951	13,820	15,245	16,426	16,057	14,341	62,069	12,998	11,733	9,073	9,846	43,650
1926	3,589	3,015	3,188	2,808	12,600	177	275	309	209	970	3,766	3,290	3,497	3,017	13,570	14,824	16,228	15,600	14,524	61,176	11,548	10,898	8,746	10,548	41,740
1927	3,642	2,847	3,156	2,856	12,501	171	228	295	223	917	3,813	3,075	3,451	3,079	13,418	14,892	15,834	15,302	14,026	60,054	13,410	11,816	8,651	9,800	43,677
1928	3,572	2,995	3,245	2,970	12,782	176	256	312	190	934	3,748	3,251	3,557	3,160	13,716	14,593	15,840	14,868	13,875	59,176	12,578	11,062	8,561	9,591	41,792
1929	3,177	3,106	3,427	2,960	12,670	165	277	293	188	923	3,342	3,383	3,720	3,148	13,593	14,151	15,345	14,993	13,791	58,280	13,960	10,895	8,524	9,612	42,991
1930	3,760	2,843	3,191	2,876	12,670	204	234	298	225	961	3,964	3,077	3,489	3,101	13,631	14,481	15,305	14,862	13,705	58,353	12,666	10,751	8,435	9,850	41,703
1931	3,348	2,875	3,269	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,304	15,142	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947
1932	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	13,585	14,804	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984
1933	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539
1934	3,180	3,348	3,763	3,190	13,481	141	214	272	193	820	3,271	3,562	4,035	3,383	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083
Average for ten years, 1925-1934	3,461	3,021	3,290	2,933	12,705	171	246	295	198	910	3,632	3,267	3,585	3,131	13,615	14,429	15,494	15,055	13,791	58,769	12,857	10,944	8,573	9,737	42,111
1935	3,692	2,836	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,157	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543
Equivalent Annual Rate per 1,000 living:—																									
Average, 1925-1934	5.1	4.4	4.8	4.3	4.6	3.1	4.5	5.4	3.6	4.2	4.9	4.4	4.9	4.2	4.6	19.5	21.0	20.4	18.7	19.9	17.4	14.8	11.6	13.2	14.3
1935	5.4	4.1	5.6	4.5	4.9	3.0	4.0	6.1	3.0	4.0	5.2	4.1	5.6	4.4	4.8	19.4	20.1	20.1	18.8	19.6	15.3	14.7	11.8	14.0	14.0

TABLE 6.—SAORSTÁT ÉIREANN—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.		ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
		1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES	...	67,323	71,611	64,220	58,994	53,577	1622·7	1806·4	1756·2	1770·1	1691·4
Typhoid fever	...	2,973	660*	514	492	263	71·5	16·7*	14·1	14·7	8·3
Typhus	...		575*	462	166	60		14·5*	12·5	5·0	1·9
Simple continued fever.	...		1,067*	393	110	26		26·9*	10·6	3·3	0·8
Small-pox	...	150	628	7	21	5	3·5	15·8	0·2	0·6	0·2
Measles	...	702	882	654	515	348	17·0	22·2	17·9	15·5	11·0
Scarlet fever	...	2,001	1,640	720	291	110	48·1	41·3	19·5	8·7	3·5
Whooping-cough	...	1,257	1,366	1,037	821	661	30·3	34·5	28·4	24·7	20·9
Diphtheria	...	196	214	206	177	228	4·7	5·4	5·6	5·3	7·2
Influenza	...	127	69	155	1,537	963	3·0	1·7	4·4	46·3	30·4
Simple cholera	...	455	56	28	70	775	10·9	1·4	0·8	2·1	24·4
Dysentery	...	404	198	986	942		9·7	5·0	26·9	28·3	
Diarrhoea	...	1,456	1,300				35·1	32·8			
Pulmonary Tuberculosis.	...	6,777	6,960	7,026	6,669	6,263	163·4	175·5	192·	200·2	197·6
Other Tuberculous diseases.	...	—	—	1,904	1,938	1,774	—	—	52·0	58·2	56·0
Cancer	...	—	—	1,362	1,608	2,157	—	—	37·4	48·3	68·2
Pneumonia	...	10,169	10,605	11,217	9,522	2,661†	244·9	267·7	306·5	285·4	84·4‡
Other respiratory diseases.	...					6,334‡					200·8‡
Puerperal sepsis	...					234					274
Other " puerperal conditions.	...	516	456	370	299	260	12·4	11·5	10·1	9·0	8·2
Suicide	...	1,650	1,531	80†	90	96	39·8	38·6	2·2†	2·7	3·0
Other violence	...			1,286†	1,281	1,156			35·4†	38·5	36·5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—SAORSTÁT ÉIREANN.—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1930

Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Annual Average 1911-20
	ALL CAUSES ...	51,149	50,489	52,184	49,674	53,713	50,627	51,713	53,682	55,776	45,521	51,453
1	Typhoid fever ...	267	184	204	207	181	209	191	190	132	180	195
2	Typhus ...	33	33	47	27	29	27	38	29	24	30	32
3	Measles ...	332	594	555	691	307	218	372	437	99	227	383
4	Scarlet fever ...	193	202	142	223	236	184	74	56	64	109	148
5	Whooping-cough ...	531	506	488	453	486	525	375	490	287	795	494
6	Diphtheria ...	266	249	196	205	232	200	187	152	185	378	225
7	Dysentery ...	13	16	19	21	20	17	17	12	29	18	18
8	Influenza ...	682	643	786	435	1,082	712	1,004	6,788	7,468	696	2,030
9	Encephalitis lethargica	—	—	—	—	—	—	—	—	4	17	—
10	Cerebro-spinal fever ...	16	15	11	12	65	40	44	46	25	21	30
11	Tuberculosis of respiratory system.	5,287	5,231	5,176	5,020	5,431	5,160	5,320	5,142	4,532	3,975	5,027
12	Other tuberculous diseases	1,366	1,330	1,340	1,324	1,294	1,311	1,346	1,350	1,307	1,147	1,312
13	Cancer ...	2,427	2,510	2,668	2,567	2,553	2,679	2,633	2,618	2,672	2,588	2,591
14	Diabetes mellitus ...	247	264	267	259	274	239	252	209	209	235	245
15 (pt. of)	Cerebral hæmorrhage	1,367	1,357	1,444	1,427	1,514	1,439	1,500	1,287	1,438	1,375	1,415
16	Heart disease ...	5,066	5,213	5,310	5,367	5,682	5,373	5,255	4,603	5,020	4,591	5,148
17 (pt. of)	Arterio-sclerosis ...	83	85	105	89	103	101	127	119	149	137	110
18	Bronchitis ...	4,587	4,608	4,529	4,145	5,027	4,164	4,544	3,761	4,355	3,516	4,324
19	Pneumonia, all forms	2,693	2,702	2,551	2,398	2,789	2,544	2,702	3,928	3,601	2,626	2,853
20	Other respiratory diseases	844	880	869	865	857	808	837	726	802	701	819
21	Gastric and duodenal ulcer	221	229	226	246	226	242	233	240	222	204	229
22	Diarrhoea and enteritis under 2 years	1,388	584	1,259	814	813	767	697	610	634	571	614
23	Appendicitis ...	102	109	140	127	140	111	150	133	121	161	129
24	Cirrhosis of liver ...	239	223	223	244	215	197	138	130	113	109	133
27	Acute & chr. nephritis...	1,089	1,171	1,203	1,164	1,153	1,213	1,203	1,111	1,124	1,065	1,160
28	Puerperal sepsis ...	117	164	139	164	139	159	101	93	96	122	129
29	Other puerperal causes	226	239	233	196	219	213	197	202	195	204	212
30 (pt. of)	Congenital debility and malformation: premature birth	2,304	2,128	2,341	2,102	2,156	2,073	2,069	1,902	1,953	1,987	2,101
32	Suicide ...	95	116	103	90	81	68	53	65	83	61	82
33	Other violent deaths...	1,209	1,085	1,163	1,187	1,232	1,548	1,199	926	881	1,218	1,165
34	Other defined causes ...	16,665	16,164	16,985	16,243	17,724	16,831	17,515	15,079	16,565	15,246	16,497
35	Causes ill-defined or unknown	1,194	1,655	1,512	1,362	1,453	1,255	1,340	1,239	1,387	1,211	1,361

*Deaths from Nos. 25, 26 and 31 and also from parts of Nos. 15, 17 and 30 are included in No. 34. (Other defined causes), for 1911-20. See page xxi. of Annual Report for 1931.

TABLE 6A (contd.).—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1930.

Nos.	CAUSES OF DEATH.	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921- 30.
	ALL CAUSES ...	44,537	44,547	42,217	45,180	43,650	41,740	43,677	41,792	42,991	41,702	43,203
1	Typhoid fever ...	140	96	142	123	105	126	98	94	88	70	108
2	Typhus ...	17	18	19	5	9	8	11	7	7	4	10
3	Measles ...	141	458	171	198	198	519	175	369	139	158	253
4	Scarlet fever ...	110	73	66	65	70	134	81	79	62	41	78
5	Whooping-cough...	216	201	454	621	429	258	448	279	393	352	365
6	Diphtheria ...	461	401	285	186	158	197	218	225	304	386	282
7	Dysentery ...	27	9	15	4	13	6	13	8	9	2	11
8	Influenza ...	648	1,812	621	2,073	1,171	654	2,099	858	1,659	614	1,221
9	Encephalitis lethar- gica	31	19	16	55	51	43	57	46	34	47	40
10	Cerebro-spinal fever	23	11	17	28	12	17	12	18	21	11	17
11	Tuberculosis of respiratory system	3,564	3,694	3,524	3,692	3,667	3,369	3,409	3,189	2,990	2,964	3,437
12	Other tuberculous diseases	960	920	944	890	1,006	993	892	858	876	861	920
13	Cancer ...	2,609	2,523	2,730	2,903	2,801	3,021	3,113	3,190	3,116	3,329	2,933
14	Diabetes mellitus	215	239	224	212	222	226	232	232	229	235	227
15	Cerebral hemorrhage, etc.	1,878	1,927	1,991	2,058	2,081	2,027	2,066	2,188	2,191	2,363	2,077
16	Heart disease ...	4,427	4,609	4,643	4,792	4,965	4,656	5,031	5,117	5,616	5,958	4,981
17	Other circulatory diseases	386	340	373	398	448	474	456	500	505	509	439
18	Bronchitis ...	3,013	3,345	2,866	2,926	2,654	2,433	2,610	2,427	2,696	2,528	2,760
19	Pneumonia, all forms	2,303	2,792	2,102	2,667	2,338	2,314	2,833	2,358	2,608	2,442	2,476
20	Other respiratory diseases	678	714	681	763	737	666	684	758	790	753	722
21	Gastric and duode- nal ulcer	201	216	267	292	270	264	271	340	284	385	274
22	Diarrhoea and enter- itis under 2 years	883	443	513	515	640	815	493	569	559	492	592
23	Appendicitis ...	139	147	164	159	156	189	185	194	154	205	169
24	Cirrhosis of liver ...	118	98	94	88	90	113	106	89	91	62	95
25	Other diseases of liver, etc.	149	146	134	127	106	133	143	128	150	162	138
26	Other digestive diseases	1,380	1,223	1,219	1,160	1,136	1,150	1,076	1,094	1,125	1,153	1,172
27	Acute and chr. nephritis	1,024	996	1,043	1,062	1,128	1,145	1,117	1,213	1,271	1,320	1,132
28	Puerperal sepsis ...	108	118	117	102	105	115	77	103	80	81	101
29	Other puerperal causes	194	215	180	201	186	184	194	189	159	197	190
30	Congenital debility, etc.	1,814	1,639	1,716	1,925	1,814	1,867	1,738	1,745	1,778	1,844	1,788
31	Senility ...	8,688	8,749	8,489	9,034	9,091	7,872	8,198	7,997	7,762	7,118	8,300
32	Suicide ...	79	65	74	96	88	97	96	98	111	83	88
33	Otherviolent deaths	2,031	1,366	1,315	883	728	792	749	785	860	776	1,023
34	Other defined causes	3,597	3,326	3,368	3,490	3,530	3,623	3,680	3,533	3,338	3,430	3,491
35	Causes ill-defined or unknown.	1,985	1,599	1,640	1,437	1,447	1,240	1,016	915	927	817	1,302

TABLE 7.—SAORSTÁT ÉIREANN.—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1930.

Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Ann Aver. 1911
	ALL CAUSES ...	1633·1	1618·2	1681·7	1606·5	1750·7	1650·2	1687·2	1750·9	1798·1	1467·0	1664
1	Typhoid fever ...	8·5	5·9	6·6	6·7	5·9	6·8	6·2	6·2	4·3	5·8	6
2	Typhus ...	1·1	1·1	1·5	0·9	0·9	0·9	1·2	1·0	0·8	1·0	1
3	Measles ...	10·6	19·0	17·9	22·3	10·0	7·0	12·1	14·3	3·2	7·3	12
4	Scarlet fever ...	6·2	6·5	4·6	7·2	7·7	6·0	2·4	1·8	2·1	3·5	4
5	Whooping-cough ...	17·0	16·2	15·7	14·7	15·8	17·1	12·2	16·3	9·3	25·6	16
6	Diphtheria ...	8·5	8·0	6·3	6·6	7·6	6·5	6·1	5·0	6·0	12·2	7
7	Dysentery ...	0·4	0·5	0·6	0·7	0·6	0·6	0·6	0·4	0·9	0·6	0
8	Influenza ...	21·8	20·6	25·3	14·1	35·3	23·2	32·8	221·4	240·7	22·4	65
9	Encephalitis lethargica	—	—	—	—	—	—	—	—	0·1	0·5	
10	Cerebro-spinal fever ...	0·5	0·5	0·4	0·4	2·1	1·3	1·4	1·5	0·8	0·7	1
11	Tuberculosis of respira- tory system	168·8	167·7	166·8	162·4	177·0	168·2	173·6	167·7	146·1	128·1	162
12	Other tuberculous diseases	43·6	42·6	43·2	42·8	42·2	42·7	43·9	44·0	42·1	37·0	42
13	Cancer, malignant disease.	77·5	80·4	86·0	83·0	83·2	87·3	85·9	85·4	86·1	83·4	83
14	Diabetes mellitus ...	7·9	8·5	8·6	8·4	8·9	7·8	8·2	6·8	6·7	7·6	7
15 (pt. of)	Cerebral hemorrhage	43·6	43·5	46·5	46·2	49·3	46·9	48·9	42·0	46·4	44·3	45
16	Heart disease ...	161·7	167·1	171·1	173·6	185·2	175·1	171·5	150·1	161·8	148·0	166
17 (pt. of)	Arterio-sclerosis ...	2·6	2·7	3·4	2·9	3·4	3·3	4·1	3·9	4·8	4·4	3
18	Bronchitis ...	146·5	147·7	146·0	134·0	163·9	135·7	148·3	122·7	140·4	113·3	139
19	Pneumonia, all forms	86·0	86·6	82·2	77·5	90·9	82·9	88·2	128·1	116·1	84·6	92
20	Other respiratory diseases	26·9	28·2	27·9	28·0	27·9	26·3	27·3	23·7	25·9	22·6	26
21	Gastric and duodenal ulcer	7·1	7·3	7·3	8·0	7·4	7·9	7·6	7·8	7·2	6·6	7
22	Diarrhoea and enteritis under 2 years	44·3	18·7	40·6	26·3	26·5	25·0	22·8	19·9	20·4	18·4	26
23	Appendicitis ...	3·3	3·5	4·5	4·1	4·6	3·6	4·9	4·3	3·9	5·2	4
24	Cirrhosis of liver ...	7·6	7·1	7·2	7·9	7·0	6·4	4·5	4·3	3·6	3·5	5
27	Acute and chronic ne- phritis	34·8	37·5	38·8	37·6	37·6	39·6	39·3	36·2	36·2	34·3	37
28	Puerperal sepsis ...	3·7	5·3	4·5	5·3	4·5	5·2	3·3	3·0	3·1	3·9	4
29	Other puerperal causes	7·2	7·7	7·5	6·3	7·1	7·0	6·4	6·6	6·3	6·6	6
30 (pt. of)	Congenital debility and malformation: premature birth.	73·6	68·2	75·4	68·0	70·3	67·7	67·5	62·0	63·0	64·0	68
32	Suicide ...	3·0	3·7	3·3	2·9	2·6	2·2	1·7	2·1	2·7	2·0	2
33	Other violent deaths ...	38·6	34·8	37·5	38·4	40·2	50·5	39·1	30·2	28·4	39·3	37
34	Other defined causes...	532·1	518·1	545·8	525·3	577·7	548·6	571·5	491·8	534·0	491·3	533
35	Causes ill-defined or un- known	38·1	53·0	48·7	44·0	47·4	40·9	43·7	40·4	44·7	39·0	44

* See Note (*) on page 10.

TABLE 7 (contd.).—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1930.

Nos.	CAUSES OF DEATH.	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921-30.
	ALL CAUSES ...	1438.5	1474.1	1400.7	1503.5	1462.3	1404.9	1477.1	1419.6	1463.8	1424.7	1446.9
1	Typhoid fever ...	4.5	3.2	4.7	4.1	3.5	4.2	3.3	3.2	3.0	2.4	3.6
2	Typhus ...	0.5	0.6	0.6	0.2	0.3	0.3	0.4	0.2	0.2	0.1	0.3
3	Measles ...	4.6	15.1	5.7	6.6	6.6	17.5	5.9	12.5	4.7	5.4	8.5
4	Scarlet fever ...	3.6	2.4	2.2	2.2	2.3	4.5	2.7	2.7	2.1	1.4	2.6
5	Whooping-cough	7.0	6.6	15.1	20.7	14.4	8.7	15.2	9.5	13.4	12.0	12.3
6	Diphtheria ...	14.9	13.3	9.5	6.2	5.3	6.6	7.4	7.7	10.4	13.2	9.5
7	Dysentery ...	0.9	0.3	0.5	0.1	0.4	0.2	0.4	0.3	0.3	0.1	0.3
8	Influenza ...	20.9	60.0	20.6	69.0	39.2	22.0	71.0	29.2	56.5	21.0	40.9
9	Encephalitis lethargica	1.0	0.6	0.5	1.8	1.7	1.4	1.9	1.6	1.2	1.6	1.3
10	Cerebro-spinal fever	0.7	0.4	0.6	0.9	0.4	0.6	0.4	0.6	0.7	0.4	0.6
11	Tuberculosis of respiratory system	124.8	122.2	116.9	122.9	122.9	113.4	115.3	108.3	102.1	101.3	115.0
12	Other tuberculous diseases	31.0	30.4	31.3	29.6	33.7	33.4	30.2	29.2	29.8	29.4	30.8
13	Cancer ...	84.3	83.5	90.6	96.6	93.9	101.7	105.3	108.4	106.1	113.7	98.4
14	Diabetes mellitus	6.9	7.9	7.4	7.1	7.4	7.6	7.8	7.9	7.8	8.0	7.6
15	Cerebral hæmorrhage, etc.	60.6	63.8	66.1	68.5	69.7	68.2	69.9	74.3	74.6	80.7	69.6
16	Heart disease ...	143.0	152.5	154.0	159.5	166.3	156.7	170.1	173.8	191.2	203.6	167.1
17	Other circulatory diseases	12.5	11.3	12.4	13.2	15.0	16.0	15.4	17.0	17.2	17.4	14.7
18	Bronchitis ...	97.3	110.7	95.1	97.4	88.9	81.9	88.3	82.4	91.8	86.4	92.0
19	Pneumonia, all forms	74.4	92.4	69.7	88.8	78.3	77.9	95.8	80.1	88.8	83.4	82.9
20	Other respiratory diseases	21.9	23.6	22.6	25.4	24.7	22.4	23.1	25.7	26.9	25.7	24.2
21	Gastric and duodenal ulcer	6.5	7.1	8.9	9.7	9.0	8.9	9.2	11.5	9.7	11.5	9.2
22	Diarrhoea and enteritis under 2 years	28.5	14.7	17.0	17.1	21.5	27.4	16.7	19.3	19.0	16.8	19.8
23	Appendicitis ...	4.5	4.9	5.4	5.3	5.2	6.4	6.2	6.6	5.2	7.0	5.7
24	Cirrhosis of liver...	3.8	3.2	3.1	2.9	3.0	3.8	3.6	3.0	3.1	2.1	3.2
25	Other diseases of liver, etc.	4.8	4.8	4.4	4.2	3.6	4.5	4.8	4.3	5.1	5.5	4.6
26	Other digestive diseases	44.6	40.5	40.4	38.6	38.1	38.7	36.4	37.2	38.3	39.4	39.2
27	Acute and chronic nephritis	33.1	33.0	34.6	35.3	37.8	38.5	37.8	41.2	43.3	45.1	38.0
28	Puerperal sepsis...	3.5	3.9	3.9	3.4	3.5	3.9	2.6	3.5	2.7	2.8	3.4
29	Other puerperal causes	6.3	7.1	6.0	6.7	6.3	6.2	6.6	6.4	5.4	6.7	6.4
30	Congenital debility, etc.	58.6	54.2	56.9	64.1	60.8	62.8	58.8	59.3	60.5	63.0	59.9
31	Senility ...	280.6	289.5	281.7	300.6	304.5	265.0	277.2	271.6	264.3	243.2	277.8
32	Suicide ...	2.5	2.2	2.5	3.2	3.0	3.3	3.2	3.3	3.8	2.8	3.0
33	Other violent deaths.	65.6	45.2	43.6	27.7	24.4	26.7	25.3	26.7	29.3	26.5	34.1
34	Other defined causes	116.2	110.1	111.8	116.1	118.2	121.9	124.5	120.0	113.7	117.2	117.0
35	Causes ill-defined or unknown	64.1	52.9	54.4	47.8	48.5	41.7	34.4	31.1	31.6	27.9	43.4

TABLE 7A.—DEATHS AND DEATH RATES FROM VARIOUS CAUSES, 1931 to 1935
SAORSTÁT ÉIREANN AND NORTHERN IRELAND.

No.	CAUSES OF DEATH.	NUMBER OF DEATHS.						DEATH-RATE PER 100,000 OF POPULATION					
		SAORSTAT ÉIREANN					NORTHERN IRELAND	SAORSTAT ÉIREANN					NORTHERN IRELAND
		1931	1932	1933	1934	1935		1931	1932	1933	1934	1935	
	ALL CAUSES ...	42,947	42,984	40,539	39,083	41,543	18,592	1464.3	1457.6	1368.6	1315.5	1398.3	1464.3
1	Typhoid fever (including paratyphoid.)	68	82	75	89	64	41	2.3	2.8	2.5	3.0	2.2	4.1
2	Typhus ...	11	8	3	4	2	1	0.4	0.3	0.1	0.1	0.1	0.1
3	Measles ...	372	250	125	50	316	420	12.7	8.5	4.2	1.7	10.6	35.6
4	Scarlet fever ...	74	92	79	82	92	135	2.5	3.1	2.7	2.8	3.1	10.6
5	Whooping-cough ...	139	294	289	283	125	70	4.7	10.0	9.7	9.5	4.2	7.0
6	Diphtheria ...	317	383	418	341	378	155	10.8	13.0	14.1	11.5	12.7	12.7
7	Dysentery ...	4	3	1	1	1	1	0.1	0.1	1	0.0	0.0	1.0
8	Influenza ...	1,472	1,655	1,791	689	963	416	50.2	56.1	60.5	23.2	32.4	32.4
9	Encephalitis lethargica ...	36	32	32	23	27	36	1.2	1.1	1.1	0.8	0.9	2.7
10	Cerebro-spinal fever ...	19	17	17	14	29	12	0.7	0.6	0.6	0.5	1.0	0.7
11	Tuberculosis of respiratory system.	3,051	2,858	2,755	2,726	2,976	1,023	104.0	96.9	93.0	91.8	100.2	79.7
12	Other tuberculous diseases.	851	818	755	788	794	327	29.0	27.7	25.5	26.5	26.7	25.5
13	Cancer ...	3,294	3,312	3,266	3,405	3,523	1,602	112.3	112.3	110.3	114.6	118.6	12.3
14	Diabetes mellitus ...	243	239	251	267	256	129	8.3	8.1	8.5	9.0	8.6	10.0
15	Cerebral hæmorrhage, etc. (No. 82).	2,431	2,503	2,202	2,303	2,273	1,395	82.9	84.9	74.3	77.5	76.5	108.9
16	Heart disease ...	6,024	6,136	6,233	6,585	7,026	3,315	205.4	208.1	210.4	221.7	236.5	257.1
17	Other circulatory diseases.	540	599	628	682	666	449	18.4	20.3	21.2	23.0	22.4	34.4
18	Bronchitis ...	2,594	2,616	2,160	1,956	2,143	849	88.5	88.7	72.9	65.9	72.1	66.6
19	Pneumonia, all forms	2,698	2,691	2,576	2,418	2,591	1,277	92.0	91.3	87.0	81.4	87.2	99.9
20	Other respiratory diseases.	781	785	684	660	617	280	26.6	26.6	23.1	22.2	20.8	21.1
21	Gastric and duodenal ulcer.	334	328	304	281	319	149	11.4	11.1	10.3	9.5	10.7	11.1
22	Diarrhoea and enteritis (under 2 years).	533	581	563	474	690	361	18.2	19.7	19.0	16.0	23.2	28.2
23	Appendicitis ...	183	221	204	176	179	123	6.2	7.5	6.9	5.9	6.0	9.0
24	Cirrhosis of the liver	89	77	71	69	66	22	3.0	2.6	2.4	2.3	2.2	1.1
25	Other diseases of the liver, etc.	168	177	147	161	166	97	5.7	6.0	5.0	5.4	5.6	7.7
26	Other digestive diseases.	1,933	1,972	928	932	969	363	35.2	36.4	31.3	31.3	32.6	28.6
27	Acute and chronic nephritis.	1,275	1,323	1,149	1,169	1,264	465	43.5	41.5	38.8	39.3	42.6	36.6
28	Puerperal sepsis ...	66	78	80	104	89	55	2.3	2.6	2.7	3.5	3.0	4.0
29	Other puerperal causes	180	178	175	167	183	81	6.1	6.0	5.9	5.6	6.2	6.0
30	Congenital debility, etc. (Nos. 157-161).	1,764	1,776	1,767	1,686	1,835	930	60.2	60.2	59.7	56.7	61.8	72.2
31	Senility ...	7,151	6,626	5,902	5,572	5,875	1,762	243.8	224.7	199.2	187.5	197.7	136.6
32	Suicide ...	108	110	103	104	92	51	3.7	3.7	3.5	3.5	3.1	4.0
33	Other violence ...	837	867	914	864	899	513	28.5	29.4	30.8	29.1	30.3	39.9
34	Other defined causes	3,351	3,502	3,246	3,283	3,408	1,555	114.3	118.8	109.6	110.7	114.7	120.7
35	Causes ill-defined or unknown.	856	795	647	670	647	131	29.2	26.9	21.8	22.5	21.8	10.0

TABLE 8.—SAORSTÁT ÉIREANN. NUMBER OF DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1935.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1925 ...	43,650	6,356	689	581	1,044	1,167	2,301	2,483	3,698	5,372	8,700	8,111	2,815	333
1926 ...	41,740	6,781	784	570	963	1,077	2,128	2,457	3,682	5,247	8,287	6,961	2,516	287
1927 ...	43,677	6,396	739	500	978	1,083	2,243	2,529	3,822	5,677	9,043	7,567	2,813	287
1928 ...	41,792	5,963	698	506	897	1,055	1,951	2,263	3,754	5,622	8,946	7,109	2,753	275
1929 ...	42,991	5,992	714	500	879	1,035	1,977	2,360	3,796	5,896	9,518	7,428	2,639	257
1930 ...	41,702	5,739	730	514	853	989	1,948	2,230	3,715	6,025	9,621	6,745	2,359	234
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
1932 ...	42,984	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,850	2,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,038	3,311	5,800	9,731	6,446	1,783	202
Average 1925-34 ...	42,111	5,929	712	513	887	1,051	2,045	2,321	3,670	5,789	9,416	7,093	2,435	250
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1925 ...	14.62	21.93	2.39	1.97	3.63	4.76	5.63	7.09	11.72	24.23	44.71	108.21	225.39
1926 ...	14.05	23.58	2.76	1.93	3.37	4.48	5.34	7.13	11.11	22.74	46.19	94.92	188.72
1927 ...	14.77	22.34	2.61	1.70	3.43	4.53	5.65	7.37	11.58	24.72	49.54	103.67	209.70
1928 ...	14.20	20.92	2.48	1.73	3.16	4.43	4.94	6.62	11.43	24.58	49.23	97.82	205.73
1929 ...	14.64	21.07	2.54	1.71	3.11	4.36	5.02	6.93	11.58	25.84	52.50	102.46	197.23
1930 ...	14.25	20.25	2.60	1.77	3.03	4.18	4.96	6.57	11.38	26.50	53.25	93.35	177.19
1931 ...	14.64	20.52	2.29	1.78	3.03	4.36	5.08	6.76	11.49	26.74	56.50	97.29	180.18
1932 ...	14.58	20.62	2.59	1.68	3.12	4.35	5.18	6.56	10.96	27.45	57.28	94.10	168.22
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
Average 1925-34 ...	14.26	20.73	2.51	1.75	3.12	4.39	5.15	6.77	11.20	25.34	51.41	97.09	183.34
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons; and during 1871-80 for an average annual number of 44 persons.

TABLE 8 (contd.).—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1935.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
Average 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326
„ 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267
1925 ...	22,118	3,474	342	276	500	571	1,072	1,242	1,934	2,841	4,351	3,966	1,397
1926 ...	20,844	3,676	363	239	452	534	993	1,177	1,883	2,724	4,116	3,365	1,197
1927 ...	21,812	3,483	375	236	461	535	1,074	1,228	1,993	3,014	4,477	3,491	1,314
1928 ...	20,933	3,226	346	234	444	510	933	1,086	1,895	2,965	4,425	3,461	1,274
1929 ...	21,547	3,307	362	247	399	509	913	1,163	1,977	3,191	4,727	3,417	1,217
1930 ...	21,075	3,233	384	242	405	495	916	1,077	1,852	3,139	4,960	3,187	1,077
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056
1932 ...	21,801	3,235	366	226	412	545	965	1,103	1,850	3,358	5,384	3,255	1,001
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801
Average 1925-34 ...	21,242	3,255	356	240	423	528	962	1,130	1,896	3,084	4,757	3,376	1,122
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.28	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.
1925 ...	14.63	23.62	2.34	1.84	3.40	4.48	5.24	6.98	11.83	24.82	46.75	115.14	246.
1926 ...	13.83	25.15	2.51	1.58	3.09	4.29	4.99	6.79	10.91	22.55	46.25	101.94	200.
1927 ...	14.52	23.91	2.60	1.57	3.17	4.31	5.41	7.11	11.58	25.03	50.48	106.11	220.
1928 ...	13.97	22.20	2.40	1.56	3.06	4.12	4.71	6.30	11.04	24.69	50.02	105.48	215.
1929 ...	14.40	22.79	2.52	1.65	2.75	4.12	4.62	6.76	11.53	26.61	53.51	104.28	204.
1930 ...	14.12	22.32	2.68	1.62	2.80	4.01	4.64	6.27	10.83	26.23	56.26	97.45	181.
1931 ...	14.53	22.04	2.48	1.60	2.83	4.20	4.57	6.35	11.56	26.98	59.10	104.27	177.
1932 ...	14.49	22.16	2.53	1.50	2.82	4.38	4.85	6.40	10.73	27.83	60.58	98.73	166.
1933 ...	13.63	20.28	2.33	1.56	2.64	4.23	4.81	6.31	10.89	26.16	55.01	95.29	145.
1934 ...	13.12	18.57	2.21	1.48	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.
Average 1925-34 ...	14.12	22.30	2.46	1.60	2.90	4.24	4.83	6.52	11.07	25.72	53.36	102.01	189.
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males; and during 1871- for an average annual number of 29 males.

TABLE 8 (contd.).—NUMBER OF DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1935.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	565	466	705	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1925	21,532	2,882	347	305	544	596	1,229	1,241	1,764	2,531	4,349	4,145	1,418	181
1926	20,896	3,105	421	331	511	543	1,135	1,280	1,799	2,523	4,171	3,596	1,319	162
1927	21,865	2,913	364	264	517	548	1,169	1,301	1,829	2,663	4,566	4,076	1,499	156
1928	20,859	2,737	352	272	453	545	1,018	1,177	1,859	2,657	4,521	3,648	1,479	141
1929	21,444	2,685	352	253	480	526	1,064	1,197	1,819	2,705	4,791	4,011	1,422	139
1930	20,627	2,506	346	272	448	494	1,032	1,153	1,863	2,886	4,661	3,558	1,282	126
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,929	2,409	391	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,131	92
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
Average 1925-34	20,869	2,674	356	273	464	523	1,083	1,191	1,775	2,703	4,659	3,717	1,313	138
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1925	...	14.62	20.20	2.45	2.11	3.86	5.07	6.02	7.19	11.61	23.59	42.83	102.34	207.99
1926	...	14.27	21.95	3.01	2.29	3.65	4.70	5.69	7.47	11.33	22.94	44.18	89.17	179.10
1927	...	15.03	20.72	2.62	1.84	3.71	4.77	5.90	7.64	10.90	24.37	48.66	101.66	201.34
1928	...	14.43	19.59	2.55	1.90	3.28	4.77	5.17	6.96	11.85	24.46	48.47	91.52	198.21
1929	...	14.88	19.29	2.56	1.78	3.48	4.62	5.42	7.10	11.64	24.99	51.54	100.95	191.63
1930	...	14.38	18.09	2.53	1.92	3.27	4.36	5.28	6.87	11.98	26.80	50.38	89.97	173.61
1931	...	14.76	18.93	2.09	1.97	3.24	4.53	5.58	7.19	11.41	26.48	54.02	91.52	182.22
1932	...	14.67	19.02	2.66	1.88	3.44	4.32	5.52	6.72	11.21	27.02	54.14	90.26	169.34
1933	...	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
Average 1925-34	...	14.40	19.08	2.57	1.91	3.35	4.56	5.47	7.02	11.28	24.91	49.55	93.01	178.65
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.25	146.98

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females; and during 1871-80 for an average annual number of 15 females.

TABLE 9.—INFANT MORTALITY (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, registered in the eleven years 1925-35.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.											
	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	
ALL CAUSES	67.92	74.41	70.84	67.87	70.38	67.95	68.93	72.19	65.23	63.28	68.44	
Measles (7)	0.63	1.59	0.47	1.15	0.44	0.46	1.40	1.00	0.30	0.22	0.90	
Scarlet Fever (8)	0.03	0.03	0.08	0.04	0.05	0.02	0.07	0.07	0.03	0.02	0.03	
Whooping-cough (9)	3.27	1.81	3.40	2.40	3.38	3.24	1.16	2.60	2.54	2.97	1.06	
Diphtheria (10)	0.13	0.25	0.29	0.19	0.35	0.16	0.25	0.23	0.23	0.16	0.37	
Influenza (11)	0.89	0.54	2.15	0.81	1.16	0.24	1.09	1.12	0.94	0.47	0.53	
Tuberculosis of Nervous System (24)	0.48	0.31	0.22	0.37	0.19	0.45	0.35	0.32	0.31	0.40	0.53	
Tuberculosis of Intestines and Peritoneum (25)	0.37	0.47	0.48	0.30	0.58	0.19	0.26	0.27	0.26	0.29	0.31	
Other Tuberculous Diseases (23, 26-32)	0.50	0.70	1.00	0.58	0.67	0.72	0.93	0.35	0.30	0.40	0.41	
Syphilis (34)	0.27	0.28	0.27	0.25	0.19	0.15	0.23	0.11	0.14	0.10	0.11	
Meningitis (79)	0.89	1.34	1.19	1.05	1.01	0.79	0.86	0.96	0.89	0.59	0.61	
Convulsions (86)	8.12	8.39	7.92	8.05	6.90	6.34	6.78	6.54	5.61	5.41	4.56	
Bronchitis (106)	3.75	4.22	4.28	3.72	3.88	3.77	3.17	3.96	2.79	3.26	3.41	
Pneumonia (107-9)	5.69	6.11	7.60	6.01	7.24	7.35	7.72	8.44	6.99	6.72	8.00	
Inflammation of Stomach (118a)	1.34	1.60	1.45	1.05	1.29	1.32	1.24	1.62	1.19	1.09	0.91	
Diarrhoea and Enteritis (119)	8.89	11.97	7.18	8.43	8.49	7.20	8.27	9.33	8.92	7.50	10.60	
Congenital Malformations (157)	2.24	2.16	2.42	2.62	2.78	3.29	3.38	3.40	3.59	3.54	3.90	
Congenital Debility (158)*	19.48	19.35	17.86	17.30	17.61	17.20	16.00	16.46	14.38	13.78	14.10	
Premature Birth (159)	6.52	8.04	7.26	6.98	7.48	8.48	8.58	8.53	9.59	8.05	9.70	
Injury at Birth (160)			0.40	0.56	0.74	0.84	0.96	0.82	0.65	1.17	0.81	
Other Diseases peculiar to Early Infancy (161)*	0.50	0.42	0.67	1.42	1.18	1.20	1.49	1.69	2.06	2.07	2.40	
Suffocation (Overlying) (182)	0.10	0.15	0.12	0.14	0.27	0.10	0.26	0.12	0.09	0.22	0.10	
Lack of Care (194a)	0.55	0.51	0.48	0.71	0.48	0.45	0.47	0.43	0.40	0.29	0.10	
Other Causes	3.28	4.17	3.65	3.74	4.02	3.99	4.01	3.82	3.03	4.56	4.00	

* For the years 1925-30, some of the deaths now included in Other Diseases peculiar to Early Infancy (161) were assigned to Congenital Debility (158).

TABLE 10.—INFANT MORTALITY, by certain causes, age-periods, and sexes, in the year 1935.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES AND FEMALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	7.90	8.68	3.61	3.48	3.64	27.31	8.55	6.47	13.40	12.71	68.44
Measles (7)	.	.	.	0.02	.	0.02	0.04	.	0.16	0.74	0.96
Scarlet Fever (8)	.	.	.	0.02	.	0.02	.	.	0.02	0.05	0.09
Whooping-cough (9)	.	.	.	0.02	0.08	0.10	0.09	0.17	0.31	0.38	1.05
Diphtheria (10)	.	.	.	0.03	0.09	0.12	0.09	0.02	0.06	0.08	0.37
Influenza (11)	.	.	.	.	0.02	0.02	0.18	0.09	0.12	0.14	0.55
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	0.02	0.15	0.36	0.53
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	0.02	.	0.02	.	0.09	0.10	0.12	0.33
Other Tuberculous Diseases (23, 26-32)	.	.	.	.	.	.	0.02	0.05	0.20	0.21	0.48
Syphilis (34)	.	0.02	.	.	.	0.02	0.04	0.03	0.03	0.02	0.14
Meningitis (79)	.	.	0.02	.	.	0.02	0.09	0.02	0.09	0.42	0.64
Convulsions (86)	0.28	0.58	0.22	0.17	0.40	1.65	0.79	0.38	1.01	0.67	4.50
Bronchitis (106)	.	0.07	0.09	0.30	0.26	0.72	0.50	0.48	1.00	0.70	3.40
Pneumonia (107-9)	0.02	0.10	0.09	0.27	0.29	0.77	0.89	0.74	1.94	3.74	8.08
Inflammation of Stomach (118a)	.	0.02	.	0.03	0.02	0.07	0.14	0.19	0.37	0.17	0.94
Diarrhoea and Enteritis (119)	.	0.05	0.16	0.34	0.39	0.94	1.51	1.80	3.98	2.42	10.65
Congenital Malformations (157)	0.53	0.72	0.57	0.21	0.30	2.33	0.53	0.36	0.33	0.35	3.90
Congenital Debility (158)	1.85	2.51	1.06	0.86	0.95	7.23	2.56	1.40	2.18	0.82	14.19
Premature Birth (159)	3.36	3.40	0.80	0.62	0.50	8.68	0.55	0.29	0.21	0.03	9.76
Injury at Birth (160)	0.31	0.34	0.14	0.05	.	0.84	0.02	.	.	.	0.86
Other Diseases peculiar to early Infancy (161)	1.03	0.65	0.29	0.19	0.09	2.25	0.05	.	.	.	2.30
Suffocation (overlying) (182)	0.02	.	.	0.02	0.01	0.05	.	0.05	0.02	0.02	0.14
Lack of Care (194a)	0.31	0.05	0.02	.	.	0.38	.	.	.	.	0.38
Other Causes	0.19	0.17	0.15	0.31	0.24	1.06	0.46	0.29	1.1	1.27	4.20

TABLE 10.—*contd.*—INFANT MORTALITY, by certain causes, age-periods, and sexes, in the year 1935.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	8.86	9.83	4.35	3.68	4.75	31.47	9.83	7.12	15.15	14.58	78.15
Measles (7)	.	.	.	0.03	.	0.03	0.03	.	0.20	0.68	0.94
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	0.07	0.07
Whooping-cough (9)	.	.	.	.	0.10	0.10	0.10	0.30	0.27	0.27	1.04
Diphtheria (10)	.	.	.	0.03	0.10	0.13	0.07	0.03	0.03	0.10	0.36
Influenza (11)	.	.	.	.	.	.	0.13	0.17	0.10	0.20	0.60
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	0.03	0.20	0.24	0.47
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	.	.	.	.	0.07	0.10	0.13	0.30
Other Tuberculous Diseases (23, 26-32)	.	.	.	.	.	.	0.03	0.10	0.30	0.20	0.63
Syphilis (34)	.	0.03	.	.	.	0.03	0.07	.	.	0.03	0.13
Meningitis (79)	.	.	.	.	.	.	0.10	0.03	0.10	0.51	0.74
Convulsions (86)	0.33	0.74	0.23	0.17	0.47	1.94	0.90	0.37	1.14	0.67	5.02
Bronchitis (106)	.	0.10	0.14	0.27	0.23	0.74	0.60	0.50	1.34	0.87	4.05
Pneumonia (107-9)	0.04	0.17	0.10	0.30	0.43	1.04	1.01	0.87	2.50	4.54	9.36
Inflammation of Stomach (118a) Diarrhoea and Enteritis (119)	.	0.04	.	0.03	.	0.07	0.20	0.27	0.40	0.10	1.04
Congenital Malformations (157)	0.53	0.77	0.67	0.17	0.47	2.61	0.67	0.47	0.40	0.30	4.45
Congenital Debility (158)	2.41	2.77	1.27	0.74	1.24	8.43	2.91	1.40	2.37	0.87	15.98
Premature Birth (159)	3.84	3.84	1.04	0.84	0.61	10.17	0.57	0.33	0.13	0.03	11.23
Injury at Birth (160)	0.28	0.33	0.23	0.03	.	0.87	.	.	.	.	0.87
Other Diseases peculiar to Early Infancy (161)	0.97	0.74	0.30	0.20	0.17	2.38	0.07	.	.	.	2.45
Suffocation (overlying) (182)	.	.	.	.	.	.	.	.	0.04	0.03	0.07
Lack of Care (194a)	0.30	.	.	.	.	0.30	.	.	.	.	0.30
Other Causes	0.16	0.20	0.27	0.30	0.40	1.33	0.60	0.24	1.41	1.67	5.25

FEMALES.

ALL CAUSES	6.87	7.47	2.82	3.28	2.47	22.91	7.19	5.78	11.57	10.75	58.20
Measles (7)	.	.	.	.	.	.	0.07	.	0.11	0.81	0.99
Scarlet Fever (8)	.	.	.	0.03	.	0.03	.	.	0.04	0.04	0.11
Whooping-cough (9)	.	.	.	0.03	0.07	0.10	0.07	0.04	0.35	0.49	1.05
Diphtheria (10)	.	.	.	0.03	0.07	0.10	0.11	.	0.11	0.07	0.39
Influenza (11)	.	.	.	.	0.04	0.04	0.24	.	0.14	0.07	0.49
Tuberculosis of the Nervous System (24)	.	.	.	.	.	.	.	.	0.11	0.49	0.60
Tuberculosis of Intestines and Peritoneum (25)	.	.	.	0.03	.	0.03	.	0.10	0.11	0.11	0.35
Other Tuberculous Diseases (23, 26-32)	.	.	.	.	.	.	.	.	0.11	0.21	0.32
Syphilis (34)	.	.	.	.	.	.	.	0.07	0.07	.	0.14
Meningitis (79)	.	.	0.03	.	.	0.03	0.07	.	0.08	0.35	0.53
Convulsions (86)	0.21	0.42	0.21	0.18	0.32	1.34	0.67	0.39	0.88	0.67	3.95
Bronchitis (106)	.	0.04	0.03	0.35	0.28	0.70	0.39	0.46	0.63	0.53	2.71
Pneumonia (107-9)	.	0.04	0.07	0.25	0.13	0.49	0.78	0.60	1.34	2.89	6.10
Inflammation of Stomach (118a) Diarrhoea and Enteritis (119)	.	.	.	0.04	0.04	0.08	0.07	0.11	0.35	0.24	0.85
Congenital Malformations (157)	0.53	0.67	0.46	0.25	0.14	2.05	0.38	0.24	0.25	0.39	3.31
Congenital Debility (158)	1.26	2.22	0.85	0.99	0.63	5.95	2.19	1.41	1.97	0.77	12.29
Premature Birth (159)	2.86	2.92	0.56	0.39	0.39	7.12	0.52	0.25	0.28	0.04	8.21
Injury at Birth (160)	0.35	0.35	0.04	0.07	.	0.81	0.04	.	.	.	0.85
Other Diseases peculiar to Early Infancy (161)	1.09	0.56	0.28	0.18	.	2.11	0.04	.	.	.	2.15
Suffocation (overlying) (182)	0.04	.	.	0.03	0.04	0.11	.	0.11	.	.	0.22
Lack of Care (194a)	0.32	0.11	0.04	.	.	0.47	.	.	.	.	0.47
Other Causes	0.21	0.14	0.04	0.32	0.07	0.78	0.32	0.35	0.80	0.85	3.10

TABLE 11.—INFANT MORTALITY, by certain causes, for each of the under-mentioned areas or groups of areas in 1935. (Corrected for transfers to area of residence.)

CAUSES OF DEATH.		DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED														
		CITIES AND BOROUGHES.					ALL URBAN AREAS.				RURAL DISTRICTS IN PROVINCES.					
		City of Dublin.	Borough of Dun L. w. haire	Cork.	Limerick.	Waterford.	10,000 population & upwards.	Under 10,000 population.			Total Urban Areas.	Total Rural Districts.	Leinster.	Munster.	Connaught.	Ulster (part of).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)			
ALL CAUSES	...	...	93.72	65.07	77.81	106.36	126.36	90.78	74.53	87.49	56.52	68.30	58.43	41.88	50.84	
Measles (7)	...	...	1.43	.	1.57	7.27	1.36	1.62	1.10	1.52	0.61	0.84	0.73	0.12	0.67	
Scarlet Fever (8)	...	...	0.18	.	.	.	.	0.11	.	0.09	0.08	0.09	0.08	0.12	.	
Whooping-cough (9)	...	...	0.89	.	.	.	.	0.56	0.44	0.53	1.37	1.31	1.96	0.47	1.57	
Diphtheria (10)	...	...	.	.	.	.	.	0.06	0.66	0.18	0.50	0.84	0.57	0.24	.	
Influenza (11)	...	...	0.27	1.33	.	.	.	0.22	0.66	0.31	0.70	0.56	0.41	0.94	1.35	
Tuberculosis of the Nervous System (24).	...	...	1.25	1.33	0.52	.	.	0.89	0.44	0.80	0.36	0.47	0.49	0.12	0.22	
Tuberculosis of Intestines and Peritoneum (25).	...	...	0.27	.	.	.	2.72	0.28	0.66	0.36	0.31	0.09	0.57	0.35	.	
Other Tuberculous Diseases (23, 26-32).	...	...	1.07	.	0.52	.	.	0.73	0.44	0.67	0.36	0.47	0.41	0.24	0.22	
Syphilis (34)	...	...	0.53	.	.	.	.	0.34	.	0.27	0.06	0.09	.	0.12	.	
Meningitis (79)	...	...	0.89	1.33	0.52	1.82	1.36	1.00	.	0.80	0.53	0.75	0.49	0.24	0.67	
Convulsions (86)	...	...	3.83	5.31	3.14	10.00	5.43	4.69	5.07	4.77	4.33	4.32	4.57	4.38	3.59	
Bronchitis (106)	...	...	3.21	2.66	2.61	5.45	5.43	3.18	3.31	3.21	3.52	3.19	3.51	2.84	5.60	
Pneumonia (107-9)	...	...	16.12	3.98	2.01	4.54	9.51	13.46	7.28	12.21	5.50	5.91	6.04	4.61	4.70	
Inflammation of Stomach (118a).	...	...	0.62	2.66	0.52	10.60	1.36	1.40	1.10	1.34	0.70	1.22	0.82	0.24	.	
Diarrhoea and Enteritis (119)	...	...	17.01	9.30	26.11	37.27	36.69	19.61	11.47	17.96	6.08	6.57	8.81	2.60	4.03	
Congenital Malformations (157).	...	...	6.41	3.98	2.61	1.82	12.23	5.81	4.19	5.48	2.90	3.38	2.86	2.72	2.24	
Congenital Debility (158)	...	...	9.98	5.31	9.40	20.91	16.30	16.95	15.88	11.94	15.60	18.30	15.75	13.72	12.32	
Premature Birth (159)	...	...	15.95	19.92	9.92	0.91	25.82	14.52	13.45	14.31	6.92	11.35	5.55	4.02	5.60	
Injury at Birth (160)	...	...	2.32	1.33	0.52	.	.	1.62	0.66	1.42	0.50	0.66	0.49	0.12	0.93	
Other Diseases peculiar to early Infancy (161)	...	...	3.83	1.33	3.66	3.64	2.72	3.41	1.54	3.03	1.84	2.63	1.33	1.30	2.24	
Suffocation (overlying) (152).	...	...	0.09	.	.	.	.	0.06	0.22	0.09	0.17	0.47	.	.	0.22	
Lack of Care (194a)	...	...	0.89	2.65	0.52	.	.	0.73	0.44	0.67	0.20	0.47	0.16	.	.	
Other Causes	...	...	6.68	2.65	3.66	2.73	5.43	5.53	5.52	5.53	3.38	4.32	2.77	2.37	4.70	

TABLE 12.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in the year 1935.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
Measles (7) ...	.	.	.	.	.	.	.	.	2	5	7
Scarlet Fever (8) ...	.	.	.	1	.	1	.	.	.	.	1
Whooping Cough (9) ...	.	.	.	.	.	.	.	2	3	1	6
Diphtheria (10) ...	.	.	.	2	2	4	4	.	2	1	11
Influenza (11) ...	.	.	.	.	1	1	.	1	2	2	6
Tuberculosis of the Nervous System (24) ...	.	.	.	.	.	.	.	.	.	2	2
Tuberculosis of Intestines and Peritoneum (25) ...	.	.	.	.	.	.	.	2	1	2	5
Other Tuberculous Diseases (23, 26-32) ...	.	.	.	.	.	.	.	2	4	2	8
Syphilis (34) ...	.	1	.	.	.	1	1	1	2	.	5
Meningitis (79) ...	.	.	.	.	.	.	2	1	.	5	8
Convulsions (86) ...	.	2	1	2	1	6	1	2	3	1	13
Bronchitis (106) ...	.	1	2	2	1	6	5	5	11	5	29
Pneumonia (107-9) ...	.	.	.	.	.	.	7	2	8	13	29
Inflammation of Stomach (118a) ...	.	.	.	2	.	2	1	3	5	1	11
Diarrhoea and Enteritis (119) ...	.	.	1	2	3	6	20	35	34	10	108
Congenital Malformations (157) ...	.	2	3	2	1	8	2	3	1	3	19
Congenital Debility (158) ...	5	4	5	5	5	24	18	21	33	9	115
Premature Birth (159) ...	14	15	7	8	4	48	5	1	2	.	67
Injury at Birth (160) ...	3	1	.	1	.	5	1	.	.	.	5
Other diseases peculiar to early Infancy (161) ...	3	2	.	.	.	5	.	.	1	.	6
Suffocation (overlying) (182) ...	.	.	.	.	.	.	.	1	1	.	2
Lack of Care (194a) ...	13	4	.	.	.	17	.	.	.	.	17
Other Causes ...	10	2	1	3	3	19	6	7	8	5	48
ALL CAUSES ...	48	34	20	30	21	153	73	89	123	67	558

TABLE 13.—DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE by age-periods in each county and county borough during the year 1935, distinguishing deaths in Institutions. (*Corrected for transfers.*)

COUNTIES AND COUNTY BOROUGH BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institu- tions.	Else- where.
SAORSTAT ÉIREANN	48	34	20	30	21	153	73	89	123	67	505	415	90
Carlow ...	•	1	1	•	1	3	•	1	4	•	8	6	2
Dublin ...	3	2	•	2	2	•	3	7	6	3	28	22	6
City of Dublin ...	16	6	1	1	3	27	17	19	35	25	123	107	16
Kildare ...	•	1	•	2	1	4	2	•	3	2	11	10	1
Kilkenny ...	2	1	1	2	1	7	4	3	5	1	20	17	3
Laoighis ...	•	1	2	•	•	3	2	•	•	3	8	7	1
Longford ...	2	•	•	•	•	2	•	1	•	•	3	3	•
Louth ...	1	1	1	2	2	7	1	1	3	1	13	9	4
Meath ...	1	•	•	1	1	3	2	2	3	3	13	8	5
Offaly ...	2	•	2	1	•	5	3	3	3	•	14	12	2
Westmeath ...	•	3	•	•	1	4	2	2	2	•	10	9	1
Wexford ...	2	3	1	1	•	7	1	•	4	2	14	8	6
Wicklow ...	•	2	•	1	•	3	1	5	5	5	19	16	3
PROVINCE OF LEINSTER	29	21	9	13	12	84	38	44	73	45	284	234	50
Clare ...	1	2	2	2	1	8	1	4	3	1	17	16	1
Cork ...	5	•	1	1	1	8	3	8	11	4	34	26	8
Cork Co. Borough...	1	1	•	•	•	2	1	3	3	•	9	9	•
Kerry ...	1	3	2	•	1	7	4	5	6	•	22	19	3
Limerick ...	4	•	•	•	2	6	2	6	2	3	19	12	7
Limerick Co. Borough	•	•	•	•	•	•	•	•	1	•	1	1	•
Tipperary, North Riding.	2	1	1	•	•	4	2	1	•	2	9	7	2
Tipperary, South Riding.	•	•	•	2	1	3	1	2	5	2	13	10	3
Waterford ...	3	•	•	•	1	4	2	•	3	1	10	3	7
Waterford Co. Borough.	•	•	•	1	•	1	1	1	1	•	4	3	1
PROVINCE OF MUNSTER	17	7	6	6	7	43	17	30	35	13	138	106	32
Galway ...	•	2	2	1	•	5	2	5	6	2	20	19	1
Leitrim ...	•	•	2	2	•	4	•	4	1	1	10	10	•
Mayo ...	•	•	•	•	•	•	•	1	2	1	4	4	•
Roscommon ...	•	•	•	1	•	1	7	1	1	•	10	10	•
Sligo ...	•	•	•	2	•	2	2	•	•	4	8	7	1
PROVINCE OF CONNAUGHT.	•	2	4	6	•	12	11	11	10	8	52	50	2
Cavan ...	1	1	•	1	•	3	3	1	2	•	9	7	2
Donegal ...	•	3	1	3	2	9	4	2	2	•	17	14	3
Monaghan ...	1	•	•	1	•	2	•	1	1	1	5	4	1
PROVINCE OF ULSTER (Part of).	2	4	1	5	2	14	7	4	5	1	31	25	6

TABLE 14.—MARRIAGES, BIRTHS and DEATHS from ALL CAUSES; from the PRINCIPAL EPIDEMIC DISEASES*; from TUBERCULOSIS, CANCER and PUERPERAL CONDITIONS; ILLEGITIMATE BIRTHS and Deaths of INFANTS under one year of age, by Provinces, Counties and County Boroughs in 1935.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM						Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puerperal Sepsis.	Other Puerperal Con- ditions.	
SAORSTÁT ÉIREANN ...	14,386	58,266	1,946	41,543	1,668	3,770	3,523	89	183	3,988
Carlow ...	179	669	33	512	14	45	37	2	2	50
Dublin ...	739	2,214	99	1,466	78	148	153	.	5	168
City of Dublin ...	3,423	11,225	281	6,487	417	769	539	14	24	1,052
Kildare ...	255	1,320	58	789	27	71	56	3	1	89
Kilkenny ...	290	1,247	66	1,025	37	77	89	2	1	108
Laoighis ...	166	893	47	735	22	68	66	1	2	52
Longford ...	132	692	19	536	8	38	40	4	1	26
Louth ...	347	1,228	42	923	39	86	78	1	2	86
Meath ...	301	1,141	55	851	20	62	78	1	4	73
Offaly ...	233	915	37	724	20	65	65	2	6	76
Westmeath ...	207	1,065	43	754	29	76	63	.	5	55
Wexford ...	4.9	1,766	81	1,464	35	139	104	1	8	134
Wicklow ...	256	1,129	57	890	38	74	95	1	2	84
LEINSTER ...	6,957	25,504	918	17,156	784	1,718	1,463	32	63	2,053
Clare ...	298	1,621	58	1,287	61	110	94	3	4	91
Cork ...	1,004	4,701	187	3,809	137	340	367	10	19	274
Cork Co. Borough ...	708	1,915	29	1,158	76	139	127	2	4	149
Kerry ...	520	2,438	83	1,680	62	165	118	4	11	125
Limerick ...	368	2,001	94	1,320	63	117	95	5	9	142
Limerick Co. Borough	330	1,100	20	654	88	71	42	1	5	117
Tipperary N.R. ...	294	1,153	39	814	28	63	74	.	4	65
Tipperary S.R. ...	307	1,569	78	1,112	67	80	111	2	11	115
Waterford ...	220	903	47	781	17	63	76	1	2	68
Waterford Co. Boro'	146	736	15	453	48	39	34	1	2	93
MUNSTER ...	4,195	18,137	650	13,128	647	1,187	1,138	29	71	1,241
Galway ...	684	3,653	66	2,175	53	192	186	2	8	167
Leitrim ...	215	800	19	770	8	41	49	3	7	39
Mayo ...	489	2,863	31	2,047	42	188	158	4	9	97
Roscommon ...	271	1,218	28	1,122	17	68	89	5	3	62
Sligo ...	325	1,120	25	977	17	99	99	1	4	56
CONNAUGHT ...	1,984	9,654	169	7,091	137	588	581	15	31	421
Cavan ...	334	1,368	60	1,209	28	71	92	2	9	79
Donegal ...	625	2,507	112	2,068	61	146	168	9	7	141
Monaghan ...	241	1,096	37	891	11	60	81	2	2	53
ULSTER (part of)	1,200	4,971	209	4,168	100	277	341	13	18	273

* Typhoid fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

TABLE 15.—MARRIAGE, BIRTH, and DEATH-RATES from ALL CAUSES ; and Death-rates from the PRINCIPAL EPIDEMIC DISEASES,* from TUBERCULOSIS, and CANCER, per 1,000 of the population ; and rates from PUERPERAL CONDITIONS, and INFANT MORTALITY per 1,000 Births ; by Provinces, Counties and County Boroughs, in 1935.

PROVINCES AND COUNTIES.	Popula- tion, Census 1936 (unrev- ised)	MARRI- AGES.	BIRTHS.			DEATHS.					
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes corrected for Trans- fers.	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	Cancer.	From Puer- peral Sepsis.	From Other Puer- peral condi- tions.	Deaths of Infants under One Year of age.
SAORSTÁT ÉIREANN †	2,965,854	4.83	19.61	3.34	13.98	0.56	1.27	1.19	1.53	3.14	68
Carlow ...	34,415	5.20	19.44	4.93	14.88	0.41	1.31	1.08	2.99	2.99	75
Dublin ...	119,309	6.19	18.56	4.47	12.29	0.65	1.24	1.28	.	2.26	76
Dublin City ...	467,691	7.32	24.00	2.50	13.87	0.89	1.64	1.15	1.25	2.14	94
Kildare ...	57,737	4.42	22.86	4.39	13.67	0.47	1.23	0.97	2.27	0.76	67
Kilkenny ...	68,667	4.23	18.19	5.29	14.95	0.54	1.12	1.30	1.60	0.80	87
Laoighis ...	49,954	3.32	17.88	5.26	14.71	0.44	1.36	1.32	1.12	2.24	58
Longford ...	37,703	3.50	18.35	2.75	14.22	0.21	1.01	1.06	5.78	1.45	33
Louth ...	64,294	5.40	19.10	3.42	14.36	0.61	1.34	1.21	0.81	1.63	70
Meath ...	61,327	4.91	18.61	4.82	13.88	0.33	1.01	1.27	0.88	3.51	64
Offaly ...	51,263	4.55	17.85	4.04	14.12	0.39	1.27	1.27	2.19	6.56	83
Westmeath ...	54,640	3.79	19.49	4.04	13.80	0.53	1.39	1.15	.	4.69	52
Wexford ...	94,145	4.56	18.76	4.59	15.55	0.37	1.48	1.10	0.57	4.53	76
Wicklow ...	58,456	4.38	19.31	5.05	15.23	0.65	1.27	1.63	0.89	1.77	74
LEINSTER	1,219,501	5.70	20.91	3.60	14.07	0.64	1.41	1.20	1.25	2.47	80
Clare ...	89,764	3.32	18.06	3.58	14.34	0.68	1.23	1.05	1.85	2.47	56
Cork ...	274,783	3.65	17.11	3.98	13.86	0.50	1.24	1.34	2.13	4.04	58
Cork Co. Borough	80,713	8.77	23.73	1.51	14.35	0.94	1.72	1.57	1.04	2.09	78
Kerry ...	139,775	3.72	17.44	3.40	12.02	0.44	1.18	0.84	1.64	4.51	51
Limerick ...	99,622	3.69	20.09	4.70	13.25	0.63	1.17	0.95	2.50	4.50	71
Limerick Co. Borough	41,395	7.97	26.57	1.82	15.80	2.13	1.72	1.01	0.91	4.55	106
Tipperary, North Riding.	59,422	4.95	19.40	3.38	13.70	0.47	1.06	1.25	.	3.47	58
Tipperary, South Riding.	78,319	3.92	20.03	4.97	14.96	0.86	1.02	1.42	1.27	7.01	73
Waterford ...	49,637	4.43	18.19	5.20	15.73	0.34	1.27	1.53	1.11	2.21	75
Waterford Co. Boro.	27,962	5.22	26.32	2.04	16.20	1.72	1.39	1.22	1.36	2.72	126
MUNSTER	941,392	4.46	19.27	3.58	13.95	0.69	1.26	1.21	1.60	3.91	68
Galway ...	168,134	4.07	21.73	1.81	12.94	0.32	1.14	1.11	0.55	2.19	46
Leitrim ...	50,876	4.23	15.72	2.38	15.13	0.16	0.81	0.96	3.75	8.75	49
Mayo ...	161,064	3.04	17.78	1.08	12.71	0.26	1.17	0.98	1.40	3.14	34
Roscommon ...	77,462	3.50	15.72	2.30	14.48	0.22	0.88	1.15	4.11	2.46	51
Sligo ...	67,311	4.83	16.64	2.23	14.51	0.25	1.47	1.47	0.89	3.57	50
CONNAUGHT	524,847	3.78	18.39	1.75	13.51	0.26	1.12	1.11	1.55	3.21	44
Cavan ...	76,641	4.36	17.85	4.39	15.77	0.37	0.93	1.20	1.46	6.58	58
Donegal ..	142,192	4.40	17.63	4.47	14.54	0.43	1.03	1.18	3.59	2.79	56
Monaghan ..	61,281	3.93	17.88	3.38	14.54	0.18	0.98	1.32	1.82	1.82	48
ULSTER (part of).	280,114	4.28	17.75	4.20	14.88	0.36	0.99	1.22	2.62	3.62	55

*See note * on previous page.

† The rates for Saorstát Éireann are calculated on the population estimated to the middle of 1935.

TABLE 16—BIRTH, DEATH, PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1935, in provinces and in administrative counties.

URBAN AND RURAL AREAS.	Population Census 1936 (un-revised)	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puer-peral Sepsis.	Other Puer-peral Conditions	Infants under One Year of Age.
			All Causes Corrected for Transfers.	Principal Epidemic Diseases.*	Tuber-culosis.	Cancer.			
ALL COUNTY BOR- OUGHES AND URBAN DISTRICTS ...	964,732	23.43	14.00	0.91	1.62	1.17	1.25	2.45	87
ALL RURAL DISTRICTS	2,001,122	17.79	13.97	0.39	1.10	1.20	1.70	3.57	57
COUNTY BOROUGHES AND URBAN DIS- TRICTS, over 10,000 Population ...	750,218	23.86	14.00	0.95	1.61	1.20	1.00	2.40	91
CITY OF DUBLIN ...	467,691	24.00	13.87	0.89	1.64	1.15	1.24	2.14	94
Borough of Dun Laoghaire ...	39,762	18.94	12.75	0.33	1.08	1.51	.	2.66	65
Cork County Borough	80,713	23.73	14.35	0.94	1.72	1.57	1.04	2.09	78
Limerick County Borough ...	41,395	26.57	15.80	2.13	1.72	1.01	0.91	4.55	106
Waterford County Borough ...	27,962	26.32	16.20	1.72	1.39	1.22	1.36	2.72	126
Galway U.D. ...	18,285	29.42	11.43	0.55	1.53	1.04	.	1.86	63
Dundalk U.D. ...	14,686	21.72	14.03	0.82	1.43	1.23	.	6.27	72
Drogheda U.D. ...	14,495	23.32	12.69	0.83	0.76	0.90	.	.	71
Wexford U.D. ...	12,226	22.25	16.69	0.90	1.96	1.31	.	3.68	103
Sligo U.D. ...	12,496	20.17	11.68	0.40	2.16	0.88	.	3.97	67
Tralee U.D. ...	10,285	21.00	13.13	0.88	2.24	1.07	.	4.63	60
Kilkenny U.D. ...	10,222	23.19	15.46	1.17	1.08	0.88	.	.	110
URBAN DISTRICTS, under 10,000 Popu- lation ...	214,514	21.14	13.53	0.75	1.62	1.08	2.21	2.65	75
ALL COUNTY BOR- OUGHES AND URBAN DISTRICTS IN:—									
Province of Leinster	635,930	23.35	13.83	0.83	1.57	1.16	1.28	2.22	89
Province of Munster	254,796	23.09	14.79	1.24	1.72	1.31	1.36	2.55	89
Province of Connaught	50,558	23.75	10.86	0.42	1.60	0.85	.	4.16	56
Province of Ulster (part of).	23,448	21.58	12.50	0.38	1.58	0.68	1.98	3.95	91
ALL RURAL DISTRICTS IN:—									
Province of Leinster	583,571	18.26	14.33	0.44	1.23	1.24	1.22	2.81	68
Province of Munster	686,596	17.85	13.63	0.48	1.09	1.17	1.71	4.57	58
Province of Connaught	474,289	17.82	13.79	0.24	1.07	1.13	1.77	3.08	42
Province of Ulster (part of).	256,666	17.40	15.10	0.35	0.94	1.27	2.69	3.58	51

* See note * on page 24.

TABLE 17.—Showing (1) for each of the years 1901-22, for Urban Districts (including County Boroughs) and Rural Districts of Saorstát Éireann, the rates per 1,000 of the population represented by the aggregate Births, Deaths from all Causes, Deaths from the Principal Epidemic Diseases, and from Tuberculosis,* also Infant Mortality (Deaths of Infants under one year of age per 1,000 Births); all the rates for these years being based on figures† partially corrected for Deaths in Institutions; and (2) corresponding rates for each of the years 1923-35, based on fully corrected figures.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL ÉPI- DEMIC DISEASES.†		TUBERCULOSIS* (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1901 ...	24.90	20.83	22.22	15.48	1.67	0.57	—	—	150	74
1902 ...	26.83	20.68	22.25	15.27	1.85	0.57	—	—	142	75
1903 ...	26.70	20.59	20.64	15.80	1.24	0.63	—	—	132	75
1904 ...	27.26	21.20	21.38	16.33	1.56	0.62	—	—	143	75
1905 ...	27.21	20.94	19.77	15.31	1.18	0.55	—	—	130	72
1906 ...	26.88	21.40	19.74	15.03	1.35	0.49	3.68	2.15	131	69
1907 ...	26.14	21.15	20.40	15.79	1.42	0.42	3.76	2.12	133	69
1908 ...	26.95	21.19	20.19	15.98	1.53	0.55	3.68	2.07	134	72
1909 ...	26.64	21.61	19.18	15.90	1.36	0.58	3.27	2.01	127	70
1910 ...	26.38	21.57	18.58	15.96	1.08	0.57	3.12	1.91	125	73
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	58
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57

* Figures for Tuberculosis (all forms) are not available by Urban and Rural Districts for the years 1901-5.

† For the year 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

‡ See note * on page 24.

TABLE 18.—DEATH-RATES at different AGES per 1,000 of the corresponding populations for (1) Aggregate Urban Districts,* (2) Aggregate Rural Districts, of Saorstát Éireann, in each of the years 1931-35.

(1). AGGREGATE URBAN DISTRICTS.*

YEAR.	Death-rates per 1,000 of Population at same age.											
	All Ages	Under 1 year†	Under 5 years	5-	10-	15-	20-	25-	35-	45-	55-	65 and up
MALES.												
1931 ..	14.48	98	34.14	3.64	2.01	3.43	4.82	5.16	8.83	17.80	37.32	87.78
1932 ..	13.93	105	34.21	3.42	1.71	3.00	4.71	5.77	8.67	16.33	37.00	87.07
1933 ..	13.76	97	31.56	3.50	2.03	3.51	4.43	5.82	9.37	18.10	37.67	85.31
1934 ..	12.48	88	27.19	3.52	1.91	2.87	4.99	4.76	8.59	15.66	36.57	81.93
1935 ..	13.73	101	35.05	3.22	2.03	3.12	4.76	5.11	9.14	17.46	38.52	87.83

FEMALES.

1931 ..	15.61	77	27.89	2.61	2.34	3.70	4.82	5.70	7.83	13.19	31.69	77.28
1932 ..	15.53	84	28.97	3.77	2.46	3.64	4.12	5.58	7.24	13.87	32.21	79.03
1933 ..	14.58	73	25.57	4.48	2.34	3.36	4.64	5.17	6.68	13.60	29.72	77.28
1934 ..	13.39	67	22.33	3.79	2.29	3.09	3.87	5.13	6.65	13.01	27.07	73.35
1935 ..	14.28	73	25.53	3.62	2.83	2.96	4.21	5.19	7.29	12.25	30.76	78.95

(3). AGGREGATE RURAL DISTRICTS.

MALES.

1931 ..	14.55	63	16.23	2.03	1.45	2.59	3.90	4.29	5.27	9.31	23.78	74.56
1932 ..	14.74	64	16.50	2.19	1.42	2.75	4.22	4.41	5.42	8.74	25.01	73.40
1933 ..	13.58	59	15.13	1.90	1.39	2.31	4.15	4.37	5.04	8.40	22.79	67.13
1934 ..	13.43	59	14.76	1.73	1.34	2.33	3.96	4.33	4.83	7.82	23.48	66.76
1935 ..	14.38	64	15.50	1.69	1.53	2.48	4.10	4.58	5.41	8.93	24.16	71.63

FEMALES.

1931 ..	14.38	53	14.18	1.84	1.73	2.94	4.22	5.37	6.67	10.36	23.76	69.27
1932 ..	14.28	53	13.92	2.16	1.62	3.27	4.35	5.36	6.30	9.79	24.35	67.41
1933 ..	13.36	48	12.98	2.13	1.37	2.59	4.18	4.96	6.73	9.18	22.25	62.98
1934 ..	13.09	50	12.59	1.84	1.52	2.40	4.15	4.93	6.00	8.85	22.17	62.08
1935 ..	13.55	49	12.76	1.81	1.77	2.48	4.43	4.48	6.17	8.69	23.81	64.11

*Areas as existing in the respective years.

†Per 1,000 births.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1935, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion, Census 1936 (un- revised)	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
SAORSTAT EIREANN ...	17,024,481	2,965,854	14,336	58,266	—	—	58,266	1,946	—	—	1,946	41,543	—	—	41,543	16,723
PROVINCES																
I.—LEINSTER	4,851,136	1,219,501	6,957	25,775	463	194	25,504	932	108	94	918	17,416	362	102	17,156	8,348
II.—MUNSTER	5,962,803	941,392	4,195	18,146	170	161	18,137	704	94	40	650	13,067	93	154	13,128	5,009
III.—CONNAUGHT	4,230,822	524,847	1,984	9,465	31	220	9,654	128	—	41	169	6,967	14	138	7,091	2,563
IV.—ULSTER (part of)	1,979,720	280,114	1,200	4,880	30	121	4,971	182	2	29	209	4,093	9	84	4,168	893

PROVINCE OF LEINSTER

1. CARLOW	221,485	34,415	179	631	10	48	669	17	—	16	33	494	22	40	512	157
2. DUBLIN	208,920	119,309	739	1,269	23	968	2,214	48	4	55	99	1,386	319	399	1,466	748
3. CITY OF DUBLIN	18,781	467,691	3,423	13,248	2,084	61	11,225	560	283	4	281	7,306	1,015	196	6,487	4,738
4. KILDARE	418,644	57,737	235	1,162	13	171	1,320	28	1	31	58	714	7	82	789	531
5. KILKENNY	509,470	68,567	290	1,196	28	79	1,247	27	1	40	66	979	4	50	1,025	222
6. LAOIGHIS	424,892	49,954	166	830	9	72	893	23	—	24	47	743	36	28	735	158
7. LONGFORD	257,935	37,703	132	657	7	42	692	10	—	9	19	504	4	36	536	156
8. LOUTH	202,814	64,294	347	1,172	27	83	1,228	36	3	9	42	895	5	33	923	305
9. MEATH	577,316	61,327	301	1,020	17	138	1,141	36	1	20	55	783	12	80	851	290
10. OFFALY	493,637	51,263	233	855	11	71	915	16	2	23	37	645	6	85	724	191
11. WESTMEATH	435,604	54,640	207	1,040	33	58	1,065	37	8	14	43	774	55	35	754	311
12. WEXFORD	580,894	94,145	429	1,730	23	59	1,766	62	1	20	81	1,433	2	33	1,464	302
13. WICKLOW	500,244	58,456	256	965	21	185	1,129	32	—	25	57	760	16	146	890	239

PROVINCE OF MUNSTER.

14. CLARE	737,768	89,764	298	1,527	3	97	1,821	23	1	36	58	1,255	6	38	1,287	334
15. CORK	1,840,905	274,783	1,004	4,417	128	412	4,701	231	59	15	187	3,950	377	236	3,809	892
16. CORK CO. BORO' ...	2,685	80,713	708	2,274	426	67	1,915	11	4	22	29	1,057	246	347	1,158	757
17. KERRY	1,161,708	189,775	520	2,386	14	66	2,438	67	3	19	83	1,626	5	59	1,680	758
18. LIMERICK	661,573	99,622	368	1,865	43	179	2,001	101	20	13	94	1,419	192	93	1,320	681
19. LIMERICK CO.	2,386	41,395	330	1,252	190	38	1,100	3	2	19	20	528	77	203	654	446
20. TIPPERARY N.R. BOROUGH	493,255	59,422	294	1,245	153	61	1,153	163	136	7	39	835	88	67	814	339
21. TIPPERARY S.R. ...	558,034	78,319	307	1,562	55	62	1,569	52	1	27	78	1,169	33	36	1,172	397
22. WATERFORD	453,051	49,637	220	797	18	124	903	34	1	14	47	694	20	107	781	122
23. WATERFORD CO. BOROUGH	1,438	27,962	146	821	100	15	736	14	1	2	15	534	102	21	453	283

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,639	168,134	634	3,615	34	72	3,653	53	1	14	66	2,190	50	35	2,175	1,478
25. LEITRIM	376,774	50,876	215	770	12	42	800	11	—	8	19	729	2	43	770	30
26. MAYO	1,333,941	161,064	489	2,816	11	58	2,863	24	—	7	31	2,003	7	51	2,047	816
27. ROSCOMMON	608,540	77,462	271	1,151	5	72	1,218	20	—	8	28	1,067	11	66	1,122	96
28. SLIGO	443,928	67,311	325	1,113	21	28	1,120	20	1	6	25	973	22	21	977	143

PROVINCE OF ULSTER (Part of)

29. CAVAN	467,162	76,641	334	1,314	15	69	1,368	42	—	18	60	1,139	4	74	1,209	159
30. DONEGAL	1,193,573	142,192	625	2,502	12	17	2,507	108	1	5	112	2,066	5	7	2,068	439
31. MONAGHAN	318,985	61,281	241	1,064	9	41	1,096	32	1	6	37	888	31	34	891	205

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT 1.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1935.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1938 (unrev- ised)	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No.																
1. CARLOW	221,485	34,415	179	631	10	48	669	17	—	16	33	494	22	40	512	157
2. Dublin Co.																
2. BALROTHERY	84,405	20,980	99	282	3	125	404	3	—	15	18	258	64	93	287	117
3 DUBLIN (part of)	97,566	39,160	201	396	13	359	742	42	4	21	59	449	171	168	446	296
4. RATHDOWN	26,949	59,169	439	591	11	488	1,068	3	—	19	22	679	115	169	733	335
3. City of Dublin																
5. DUBLIN (part of)	18,781	467,691	3,423	13,248	2,084	61	11,225	560	283	4	281	7,306	1,015	196	6,487	4,738
4. Kildare Co.																
6. ATHY	130,460	16,540	79	346	13	14	347	17	3	7	21	213	33	41	221	126
7. CELBRIDGE	53,703	8,214	26	112	7	45	150	1	—	4	5	90	—	25	115	35
8. NAAS	234,481	32,983	150	704	5	124	823	10	—	22	32	411	37	79	453	370
5. Kilkenny Co.																
9. CALLAN	62,169	7,096	25	112	—	17	129	3	—	5	8	75	—	27	102	27
10. CASTLECOMER	57,867	8,244	44	130	—	17	147	2	—	5	7	104	—	24	128	19
11. KILKENNY	133,462	21,715	130	527	76	36	487	6	3	25	28	405	79	34	360	127
12. THOMASTOWN	225,444	26,655	75	382	13	56	425	13	6	10	17	356	30	54	380	45
13. URLINGFORD	30,528	4,857	16	45	—	14	59	3	—	3	6	39	—	16	55	4
6. Laoighis Co.																
14. ABBEYLEIX	200,641	21,173	65	353	23	43	373	1	—	18	19	289	29	3	299	74
15. MOUNTMELLIOR	224,251	23,781	101	477	14	57	520	22	10	16	28	454	60	42	436	84

7. Longford Co.																	
16. BALLYMAHON ...	...	69,834	7,220	25	111	1	16	126	1	—	6	7	91	—	26	117	9
17. GRANARD ...	...	84,678	11,572	39	188	1	21	208	—	—	2	2	150	—	40	190	18
18. LONGFORD ...	...	103,423	18,911	68	358	19	19	358	9	3	4	10	263	49	15	229	129
8. Louth Co.																	
19. ARDEE ...	...	67,239	11,205	43	184	5	20	199	5	—	8	13	175	36	31	170	29
20. DROGHEDA ...	...	41,979	19,646	139	441	39	20	422	15	9	4	10	268	30	20	258	164
21. DUNDALK ...	...	93,596	33,443	165	547	9	69	607	16	3	6	19	452	5	48	495	112
9. Meath Co.																	
22. DUNSHAUGHLIN ...	...	106,757	7,722	60	81	—	51	132	1	—	4	5	70	—	38	108	24
23. KELLS ...	...	103,420	12,821	66	221	3	34	252	4	—	9	13	108	1	33	140	112
24. NAVAN ...	...	182,153	22,163	109	315	6	78	387	3	—	12	15	344	58	38	324	63
25. OLDCASTLE ...	...	44,099	4,596	9	85	2	12	95	2	—	3	5	56	—	18	74	21
26. TRIM... ..	...	141,387	14,025	57	318	70	27	275	26	15	6	17	205	35	35	205	70
10. Offaly Co.																	
27. BIRR ...	...	248,866	23,438	106	334	4	58	388	3	—	16	19	255	1	80	334	54
28. EDENDERRY ...	...	81,156	6,562	29	107	—	10	117	2	—	5	7	66	2	15	79	38
29. TULLAMORE ...	...	163,615	21,263	98	414	34	30	410	11	7	7	11	324	43	35	311	99
11. Westmeath Co.																	
30. ATHLONE ...	...	98,984	18,100	89	322	15	25	332	1	—	7	8	205	4	41	242	90
31. DELVIN ...	...	110,986	10,050	37	216	10	45	251	29	9	6	26	108	6	38	140	111
32. MULLINGAR ...	...	225,634	26,490	81	502	47	27	482	7	4	6	9	461	104	15	372	110
12. Wexford Co.																	
33. ENNISCORTHY ...	...	193,384	29,552	131	530	33	34	531	44	24	8	28	489	88	33	434	97
34. GOREY ...	...	130,103	13,841	52	241	7	15	249	3	—	8	11	174	2	31	203	46
35. NEW ROSS ...	...	124,397	19,369	88	355	6	27	376	2	—	10	12	282	5	45	322	54
36. WEXFORD... ..	...	133,010	31,383	158	604	35	41	610	13	1	18	30	488	37	54	505	105
13. Wicklow Co.																	
37. BALTINGLASS ...	...	154,966	9,842	42	160	17	34	177	4	—	7	11	161	12	30	179	— 2
38. RATHDRUM ...	...	262,200	41,343	180	707	18	143	832	24	3	17	38	523	28	124	619	213
39. SHILLELAGH ...	...	83,078	7,271	34	98	1	23	120	4	—	4	8	76	—	16	92	28

MARRIAGES, BIRTHS AND DEATHS, 1935.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936 (un- revised)	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
No. 14. Clare Co.																
40. BALLYVAUGHAN ...	71,629	3,263	11	71	1	7	77	—	—	3	3	36	—	7	43	34
41. COROPIN ...	61,381	3,866	13	67	2	8	73	1	1	2	2	30	—	15	45	28
42. ENNIS ...	113,324	18,627	100	332	33	19	318	15	9	6	12	430	157	11	284	34
43. ENNISTYMON ...	99,000	14,376	44	240	5	16	251	1	—	10	11	166	9	34	191	60
44. KILLADYSERT ...	62,615	6,827	10	93	3	4	94	1	—	3	4	68	—	17	85	9
45. KILRUSH ...	137,507	22,256	41	422	—	17	439	3	—	8	11	260	4	34	290	149
46. SCARRIFF ...	241,712	20,549	79	302	1	68	369	2	—	13	15	265	—	84	349	20
15. Cork Co.																
47. BANDON ...	101,482	14,864	53	265	29	22	258	—	—	6	6	151	6	45	190	68
48. BANTRY ...	107,277	10,329	37	171	2	25	194	2	—	6	8	118	3	27	142	52
49. CASTLETOWN ...	74,296	7,775	17	123	—	11	134	1	—	6	7	75	—	21	96	23
50. CLONAKILTY ...	80,994	14,710	57	232	17	14	279	17	6	3	14	265	39	24	250	29
51. CORK, part of ...	167,841	59,172	215	913	166	223	970	147	111	4	40	1,284	615	94	763	207
52. DUNMANWAY ...	103,920	19,343	20	157	3	29	183	—	—	4	4	100	1	26	125	58
53. FERMOY ...	196,733	24,683	102	411	20	24	415	22	2	7	27	380	24	30	386	29
54. KANTURK ...	185,659	20,454	90	376	15	23	384	7	—	4	11	212	1	41	252	132
55. KINSALE ...	80,129	11,582	43	162	6	19	175	6	—	1	7	143	—	48	191	— 16
56. MACROOM ...	179,153	17,760	68	287	4	32	315	1	—	8	9	195	—	47	242	73
57. MALLOW ...	169,102	24,507	108	418	11	71	478	17	1	10	26	266	6	61	321	157
58. MIDDLETON ...	109,380	16,612	61	226	3	34	257	5	—	10	15	214	5	33	242	15
59. MILLSTREET ...	74,939	9,019	24	128	—	15	143	1	—	5	6	103	5	17	115	28
60. SKIBBEREEN ...	115,371	17,987	63	298	10	18	306	1	—	2	3	258	15	34	277	29
61. SKULL ...	57,669	6,307	26	76	—	12	88	2	—	—	2	63	—	31	99	— 11
62. YOUGHAL ...	36,960	8,679	20	124	10	8	122	2	—	—	2	113	19	19	118	4

16. Cork Co. Borough																		
63. CORK, part of	...	...	2,685	30,713	768	2,274	426	67	1,915	11	4	22	29	1,057	246	347	1,158	757
17. Kerry Co.																		
64. CAHERCIVREN	...	...	198,101	15,368	43	213	4	13	222	3	—	5	8	166		21	187	35
65. DINGLE	...	...	126,454	13,825	37	185	—	9	194	1	—	2	3	130	1	23	152	42
66. KENMARE	...	...	198,416	10,140	17	168	2	7	173	1	—	3	4	116	1	15	130	43
67. KILLARNEY	...	...	251,430	31,644	146	536	32	30	534	39	26	6	19	434	70	42	406	128
68. LISTOWEL	...	...	165,500	29,381	113	528	4	28	552	9	1	14	22	292	—	33	325	227
69. TRALEE	...	...	221,807	39,417	164	756	25	32	763	14	3	16	27	488	57	49	480	283
18. Limerick Co.																		
70. CROOM	...	...	83,369	10,004	41	407	241	13	179	64	61	2	5	195	90	32	137	42
71. KILMALLOCK	...	...	164,342	23,023	104	377	1	136	512	6	—	35	41	257	—	37	344	168
72. LIMERICK, part of	...	...	142,823	26,207	81	425	29	131	527	23	16	9	16	461	196	60	325	202
73. NEWCASTLE	...	...	143,840	23,666	94	400	4	76	472	8	2	17	23	331	80	33	284	188
74. RATHKEALE	...	...	127,169	16,722	48	256	2	57	311	—	—	9	9	175	—	55	230	81
19. Limerick Co. Borough																		
75. LIMERICK, part of	...	...	2,336	41,395	330	1,232	190	38	1,100	3	2	19	20	528	77	203	654	446
20. Tipperary N.R.																		
76. BORRISOKANE	...	...	109,667	8,789	24	130	1	18	147	3	—	7	10	80	—	38	118	29
77. NENAGH	...	...	183,392	20,678	89	410	14	19	415	5	—	5	10	270	16	34	288	127
78. ROSCREA	...	...	57,541	7,950	33	285	160	8	133	151	147	3	7	208	110	24	122	11
79. THURLES	...	...	142,655	22,005	148	420	8	46	458	9	6	9	12	277	30	39	286	172
21. Tipperary S.R.																		
80. CARRICK-ON-SUIR	...	...	26,118	6,796	36	173	3	10	180	3	—	2	5	122	—	9	131	49
81. CASHEL	...	...	222,782	25,138	95	494	40	40	494	40	11	7	36	395	68	29	356	138
82. CLOGHEEN	...	...	117,415	11,443	42	176	5	22	193	3	—	6	9	147	—	24	171	22
83. CLONMEL	...	...	47,305	13,763	58	269	29	23	263	4	1	7	10	217	52	21	186	77
84. TIPPERARY	...	...	144,414	21,179	76	450	47	36	439	2	—	16	18	288	10	50	328	111
22. Waterford Co.																		
85. DUNGARVAN	...	...	144,323	17,401	63	308	21	9	296	17	5	2	14	303	35	17	285	11
86. KILMACTHOMAS	...	...	64,595	5,801	14	73	—	17	90	6	—	2	8	65	—	22	87	3
87. LISMORE	...	...	97,178	10,175	64	148	2	23	169	3	—	4	7	133	—	32	165	4
88. WATERFORD, part of	...	...	146,955	16,260	79	268	10	90	348	8	—	10	18	193	10	61	244	104
23. Waterford Co. Borough																		
89. WATERFORD, part of	...	...	1,438	27,962	146	821	100	16	736	14	1	2	15	534	102	21	453	283

ABSTRACT I.—(continued).
MARRIAGES, BIRTHS AND DEATHS, 1935.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936 (un- revised)	Total Number of Mar- riages Re- gis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No. 90. BALLINASLOE	125,574	15,225	74	317	4	38	351	2	—	7	9	257	71	57	243	108
91. CLIFDEN	193,692	12,436	40	219	3	20	236	1	—	2	3	125	—	27	152	84
92. GALWAY	198,512	38,277	203	1,200	219	26	1,007	35	28	6	13	695	238	35	492	515
93. GLENAMADDY	82,958	10,893	17	177	—	11	188	—	—	3	3	138	—	25	163	25
94. GORT	106,321	10,032	40	167	2	32	197	1	—	6	7	93	—	41	134	63
95. LOUGHREA	198,917	18,755	68	322	4	45	363	2	—	4	6	250	77	47	220	143
96. MOUNTBELLEW	102,407	11,808	14	160	—	18	178	1	—	4	5	91	—	18	109	69
97. OUGHTERARD	173,438	13,328	86	343	4	28	367	3	—	5	8	159	—	35	194	173
98. PORTUMNA	77,262	8,110	33	129	—	12	141	—	—	3	3	59	—	22	81	60
99. TUAM	208,558	29,270	109	581	6	50	625	8	5	6	9	323	12	76	387	238
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,587	9,651	37	122	3	26	145	—	—	1	1	129	3	24	156	— 5
101. MANORHAMILTON	177,423	19,553	37	300	21	18	297	10	5	4	9	311	30	16	297	—
102. MOHILL	135,764	21,672	91	348	8	18	338	1	—	8	9	289	2	36	323	35
26. Mayo Co.																
103. BALLINA	251,108	29,102	105	530	2	19	547	2	—	3	5	305	3	69	371	176
104. BALLINROBE	147,105	17,333	63	292	—	15	307	1	—	3	4	263	29	33	207	100
105. BELMULLET	179,761	13,397	38	269	2	4	271	1	—	2	3	122	—	19	141	130
106. CASTLEBAR	141,211	22,523	62	400	40	3	363	16	9	—	7	477	221	15	271	92
107. CLAREMORRIS	110,789	19,295	50	346	3	17	360	—	—	2	2	207	—	47	254	106

108. SWINFORD	156,063	51,602	103	512	3	23	532	—	—	2	2	445	13	61	493	39
109. WESTPORT	347,904	27,812	68	467	1	17	483	4	—	4	8	244	—	66	310	73
27. Roscommon Co.																
110. BOYLE	122,372	16,730	73	230	2	21	249	2	—	4	6	210	—	29	239	10
111. CASTLEREAGH	163,690	24,665	77	331	2	33	362	—	—	2	2	254	—	66	320	42
112. ROSCOMMON	322,478	36,067	121	500	18	35	607	18	4	6	20	603	70	30	563	44
28. Sligo Co.																
113. DROMORE WEST	97,543	9,971	53	144	2	6	148	1	—	1	2	123	1	26	148	—
114. SLIGO	220,516	43,116	212	734	32	23	725	18	4	6	20	673	90	15	598	127
115. TOBERCURRY	125,869	14,224	60	235	2	14	247	1	—	2	3	182	—	49	231	16

MARRIAGES, BIRTHS AND DEATHS, 1935.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).

29. Cavan Co.																
116. BAILIEBOROUGH	113,901	19,837	76	313	3	47	357	5	—	14	19	232	—	76	308	49
117. BAWNBOY	102,420	11,036	37	181	—	17	198	—	—	5	5	151	—	32	183	15
118. CAVAN	250,841	45,768	221	820	47	40	813	37	10	9	36	756	75	37	718	95
30. Donegal Co.																
119. BALLYSHANNON	41,628	7,979	39	160	14	8	154	1	1	5	5	134	12	7	129	25
120. DONEGAL	160,441	14,780	53	273	8	14	279	6	2	4	8	237	12	27	252	27
121. DUNFANAGHY	126,123	13,559	43	213	1	5	217	2	—	4	6	167	—	25	192	25
122. GLENTIES	258,505	27,562	82	395	5	21	411	8	1	10	17	393	8	43	428	— 17
123. INISHOWEN	160,021	30,580	112	419	4	10	425	9	1	5	13	288	10	24	302	123
124. LETTERKENNY	160,377	11,145	83	335	9	16	342	15	1	10	24	300	83	19	236	106
125. MILLFORD	112,089	15,497	74	232	2	6	236	2	—	4	6	203	—	16	219	17
126. STRANORLAR	174,389	21,090	139	475	41	9	413	65	36	4	33	344	55	21	310	133
31. Monaghan Co.																
127. CARRICKMACROSS	65,680	12,861	44	184	—	35	219	2	—	4	6	145	1	33	177	42
128. CASTLEBLAYNEY	63,834	13,206	63	240	56	12	216	23	16	1	8	300	93	16	223	— 7
129. CLONES	64,288	11,285	38	188	6	16	198	5	—	6	11	114	—	36	150	48
130. MONAGHAN	125,183	23,929	96	432	4	35	463	2	—	10	12	329	46	58	341	122

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
SAORSTAT ÉIREANN ...	14,336	13,454	882	636	118	47	72	1	8	3,857	3,056	4,157	3,206
PROVINCES.													
LEINSTER ...	6,957	6,437	520	392	32	28	60	1	7	1,529	1,529	2,293	1,606
MUNSTER ...	4,195	4,081	114	92	6	6	9	—	1	1,329	861	1,099	906
CONNAUGHT ...	1,984	1,947	37	31	2	3	1	—	—	664	427	455	438
ULSTER (part of) ...	1,200	989	211	121	78	10	2	—	—	335	239	310	316

PROVINCE OF

CARLOW ...	179	169	10	10	—	—	—	—	—	36	46	51	46
DUBLIN ...	739	642	97	82	8	6	6	—	—	144	188	245	162
CITY OF DUBLIN ...	3,423	3,108	315	211	25	19	52	1	7	681	698	1,311	733
KILDARE ...	255	243	12	12	—	—	—	—	—	50	71	78	56
KILKENNY ...	290	285	5	5	—	—	—	—	—	87	60	73	70
LAOIGHIS ...	166	156	10	9	1	—	—	—	—	54	31	35	46
LONGFORD ...	132	129	3	3	—	—	—	—	—	35	21	22	54
LOUTH ...	347	337	10	8	2	—	—	—	—	74	95	96	82
MEATH ...	301	295	6	5	1	—	—	—	—	78	67	80	76
OFFALY ...	233	226	7	7	—	—	—	—	—	57	52	67	57
WESTMEATH ...	207	199	8	7	—	1	—	—	—	59	45	48	55
WEXFORD ...	429	416	13	12	—	1	—	—	—	102	99	121	107
WICKLOW ...	256	232	24	21	—	1	2	—	—	72	56	66	62

PROVINCE OF

CLARE ...	298	298	—	—	—	—	—	—	—	95	54	88	61
CORK ...	1,004	956	48	45	—	1	2	—	—	290	200	233	231
CORK CO. BOROUGH ...	708	677	31	15	5	3	7	—	1	182	175	191	160
KERRY ...	520	514	6	5	—	1	—	—	—	222	81	121	96
LIMERICK ...	368	361	7	7	—	—	—	—	—	125	85	83	75
LIMERICK CO. BOROUGH ...	330	327	3	3	—	—	—	—	—	99	76	95	60
TIPPERARY, N.R. ...	294	284	10	9	—	1	—	—	—	112	52	62	68
TIPPERARY, S.R. ...	307	304	3	3	—	—	—	—	—	93	64	79	71
WATERFORD ...	220	217	3	2	1	—	—	—	—	67	38	54	61
WATERFORD CO. BOROUGH.	146	143	3	3	—	—	—	—	—	44	36	43	23

PROVINCE OF

GALWAY ...	684	680	4	4	—	—	—	—	—	232	146	149	157
LEITRIM ...	215	209	6	5	—	—	1	—	—	84	28	66	37
MAYO ...	489	482	7	5	2	—	—	—	—	140	130	108	111
ROSCOMMON ...	271	270	1	1	—	—	—	—	—	103	72	59	37
SLIGO ...	325	306	19	16	—	3	—	—	—	105	51	73	96

PROVINCE OF

CAVAN ...	334	268	66	53	16	2	1	—	—	101	78	77	78
DONEGAL ...	625	518	107	53	47	6	1	—	—	172	118	155	180
MONAGHAN ...	241	203	38	15	21	2	—	—	—	62	43	78	58

registered in the Year 1935.

MARRIAGES.

Contracted between				Of		Of Persons not of full Age		PROVINCES AND COUNTIES.
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
13,394	232	594	116	710	348	205	1,695	SAORSTÁT ÉIREANN.
PROVINCES.								LEINSTER.
6,462	123	300	72	372	195	134	636	MUNSTER.
3,945	61	171	18	189	79	33	242	CONNAUGHT.
1,851	35	81	17	98	52	19	112	ULSTER (part of).
1,136	13	42	9	51	22	19	105	

LEINSTER

163	5	8	3	11	8	2	13	CARLOW.
689	7	38	5	43	12	11	58	DUBLIN.
3,183	58	139	43	182	101	79	320	CITY OF DUBLIN.
241	4	9	1	10	5	4	33	KILDARE.
268	5	15	2	17	7	7	22	KILKENNY.
151	7	7	1	8	8	1	9	LAOIGHIS.
119	4	8	1	9	5	4	9	LONGFORD.
321	6	15	5	20	11	5	26	LOUTH.
279	6	12	4	16	10	—	16	MEATH.
215	4	13	1	14	5	4	22	OFFALY.
193	3	10	1	11	4	3	18	WESTMEATH.
405	7	14	3	17	10	11	58	WEXFORD.
235	7	12	2	14	9	3	32	WICKLOW.

MUNSTER

271	7	17	3	20	10	1	13	CLARE.
957	13	33	1	34	14	3	42	CORK.
665	8	33	2	35	10	5	26	CORK CO. BOROUGH.
498	6	15	1	16	7	5	26	KERRY.
339	4	23	2	25	6	3	30	LIMERICK.
309	9	12	—	12	9	5	24	LIMERICK CO. BOROUGH.
276	7	8	3	11	10	2	21	TIPPERARY, N.R.
289	4	12	2	14	6	4	24	TIPPERARY, S.R.
203	2	13	2	15	4	2	23	WATERFORD.
138	1	5	2	7	3	3	13	WATERFORD CO. BOROUGH.

CONNAUGHT

68	15	28	3	31	18	10	46	GALWAY.
195	3	13	4	17	7	—	12	LEITRIM.
457	10	16	6	22	16	—	19	MAYO.
255	4	9	3	12	7	5	15	ROSCOMMON.
306	3	15	1	16	4	4	20	SLIGO.

ULSTER (part of)

315	5	13	1	14	6	9	31	CAVAN.
602	4	14	5	19	9	7	51	DONEGAL.
219	4	15	3	18	7	3	23	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages in the year 1935—by Provinces and Counties.

Provinces and Counties.		AGES AT DEATH																								
		TOTAL																								
		BIRTHS	TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards
SAORSTÁT ÉIREANN	Persons	58,266	41,543	3,988	742	379	255	196	5,560	630	550	757	1,039	929	963	1,099	1,155	1,408	2,072	2,477	3,686	4,082	5,861	7,136	1,923	216
	Males	29,898	21,541	2,337	393	215	123	106	3,174	305	251	388	536	464	481	531	599	784	1,142	1,341	1,981	2,273	2,917	3,442	840	92
	Females	28,368	20,002	1,651	349	164	132	90	2,386	325	299	369	503	465	482	568	556	624	930	1,136	1,705	1,809	2,944	3,694	1,083	124
LEINSTER	Persons	25,504	17,156	2,053	386	187	122	99	2,847	298	236	323	468	420	390	492	525	667	931	1,061	1,562	1,592	2,217	2,431	632	62
	Males	13,129	8,800	1,207	203	104	59	54	1,627	148	111	161	237	200	194	232	276	383	505	569	828	870	1,072	1,112	249	26
	Females	12,375	8,356	846	183	83	63	45	1,220	150	125	162	231	220	196	260	249	284	426	492	734	722	1,145	1,321	383	36
MUNSTER	Persons	18,137	13,128	1,241	233	124	82	68	1,748	208	182	226	291	291	331	354	369	421	675	806	1,181	1,307	1,897	2,199	577	65
	Males	9,251	6,932	746	131	81	38	40	1,036	104	77	123	162	150	168	171	186	228	372	456	635	759	939	1,103	246	27
	Females	8,886	6,196	495	102	43	44	28	712	104	105	103	139	141	163	183	183	193	303	350	546	548	958	1,086	331	38
CONNAUGHT	Persons	9,654	7,091	421	75	38	30	21	585	80	84	134	182	143	156	153	182	208	277	382	540	676	1,086	1,653	507	63
	Males	4,960	3,618	225	37	16	17	9	303	34	39	46	92	78	74	77	103	105	163	193	295	381	561	804	241	29
	Females	4,694	3,473	196	38	23	13	12	282	46	45	68	90	65	82	76	79	103	114	189	245	295	525	849	266	34
ULSTER (part of)	Persons	4,971	4,168	273	48	30	21	8	380	44	48	74	98	75	86	100	79	112	189	228	403	507	661	851	207	26
	Males	2,568	2,171	159	22	15	9	3	208	19	24	38	55	36	45	51	34	68	102	123	223	263	345	423	104	10
	Females	2,413	1,997	114	26	15	12	5	172	25	24	36	43	39	41	49	45	44	87	105	180	244	316	428	103	16
LEINSTER.																										
CARLOW	Persons	669	512	50	6	3	7	1	67	5	9	4	16	19	5	17	10	17	26	22	58	62	72	82	16	5
	Males	315	254	29	4	2	3	—	33	3	4	4	7	11	1	9	6	8	13	8	23	33	36	40	9	1
	Females	354	258	21	2	1	4	1	29	2	5	—	9	8	4	8	4	9	13	14	35	29	36	42	7	4
DUBLIN Co.	Persons	2,214	1,466	168	31	14	10	15	238	25	37	36	49	42	21	35	37	64	93	70	134	123	174	214	72	2
	Males	1,172	711	93	16	7	5	8	129	15	17	20	29	23	13	11	16	32	46	36	62	58	85	96	23	—
	Females	1,042	755	75	15	7	5	7	109	10	20	16	20	19	8	24	21	32	47	34	72	65	89	118	49	2
CITY OF DUBLIN.	Persons	11,225	6,487	1,052	231	102	60	37	1,482	127	84	122	201	177	169	239	234	296	395	426	552	492	650	672	155	14
	Males	5,759	3,289	634	122	58	27	23	864	55	36	58	100	78	90	127	123	179	223	241	291	247	274	262	40	1
	Females	5,466	3,198	418	109	44	33	14	618	72	48	64	101	99	79	112	111	117	172	185	261	245	376	410	115	13
KILDARE	Persons	1,320	789	89	15	8	4	5	121	9	13	12	21	21	14	22	19	23	39	61	73	68	118	115	35	5
	Males	682	393	51	10	2	3	3	69	4	6	5	6	13	4	7	11	14	14	32	42	38	56	50	20	2
	Females	638	396	38	5	6	1	2	52	5	7	7	15	8	10	15	8	9	25	29	31	30	62	65	15	3
KILKENNY	Persons	1,247	1,025	108	13	11	3	6	141	10	16	16	18	14	22	21	27	39	56	47	80	108	182	181	46	1
	Males	674	520	73	5	4	1	5	88	7	6	8	10	4	8	9	12	18	28	27	44	58	89	82	21	1
	Females	573	505	35	8	7	2	1	53	3	10	8	8	10	14	12	15	21	28	20	36	50	93	99	25	—
LAOIGHIS	Persons	893	735	52	10	4	2	1	69	13	8	18	18	17	14	13	23	21	34	45	68	87	129	121	32	5
	Males	451	397	34	5	3	2	—	44	7	5	10	7	8	8	6	11	9	21	22	34	56	72	61	12	4
	Females	442	338	18	5	1	—	1	25	6	3	8	11	9	6	7	12	12	13	23	34	31	57	60	20	1
LONGFORD	Persons	692	536	26	4	2	4	—	36	7	5	5	15	4	11	8	16	21	23	27	63	57	83	112	39	4
	Males	353	299	15	1	2	1	—	19	7	2	3	9	2	4	3	10	14	13	37	29	47	64	20	2	
	Females	339	237	11	3	—	3	—	17	—	3	2	6	2	7	5	6	7	9	14	26	28	36	48	19	2

LOUTH	Persons	1,228	923	86	14	6	7	9	122	24	12	23	27	24	17	18	34	28	37	65	71	96	131	153	31	7	
	Males	628	467	48	7	5	5	2	7	17	5	9	17	12	6	7	24	18	22	28	34	52	64	67	13	5	
	Females	600	456	38	7	1	2	7	55	7	7	14	10	12	11	11	10	10	15	37	37	44	67	89	18	2	
MEATH	Persons	1,141	851	73	8	9	4	3	97	11	8	14	16	20	15	23	23	27	56	65	69	93	125	138	49	2	
	Males	608	452	42	3	4	2	—	51	5	4	11	5	14	13	12	11	16	32	34	43	51	62	72	16	—	
	Females	533	399	31	5	5	2	3	46	6	4	3	11	6	2	11	12	11	24	31	26	42	63	66	33	2	
OFFALY	Persons	915	724	76	3	5	5	3	92	16	5	10	17	16	17	25	20	27	30	44	63	86	115	114	24	3	
	Males	455	390	50	2	2	1	2	57	8	5	3	11	7	9	9	9	13	17	25	34	54	58	60	11	—	
	Females	460	334	26	1	3	4	1	35	8	—	7	6	9	8	16	11	14	13	19	29	32	57	54	13	3	
WEST-MEATH.	Persons	1,065	754	55	8	8	2	9	82	19	11	18	21	17	26	16	17	25	36	36	83	73	106	126	34	8	
	Males	552	398	33	4	5	1	6	49	6	4	8	9	8	13	5	8	11	16	22	45	45	55	66	22	6	
	Females	513	356	22	4	3	1	3	33	13	7	10	12	9	13	11	9	14	20	14	38	28	51	60	12	2	
WEXFORD	Persons	1,766	1,464	134	26	10	6	5	181	19	15	26	30	34	39	40	41	43	60	93	154	145	220	258	62	4	
	Males	871	743	60	12	8	4	3	87	9	9	13	16	16	20	16	19	28	34	48	88	84	113	114	26	3	
	Females	895	721	74	14	2	2	2	94	10	6	13	14	18	19	24	22	15	26	45	66	61	107	144	36	1	
WICKLOW	Persons	1,129	890	84	17	5	8	5	119	13	13	19	19	15	20	15	24	36	46	60	94	102	112	144	37	2	
	Males	609	487	45	12	2	4	2	65	5	8	9	11	4	5	11	16	23	25	33	51	65	61	78	16	1	
	Females	520	403	39	5	3	4	3	54	8	5	10	8	11	15	4	8	13	21	27	43	37	51	66	21	1	
MUNSTER.																											
CLARE	Persons	1,621	1,287	91	21	11	9	5	137	30	26	21	26	27	35	37	25	23	64	71	98	133	200	244	73	12	
	Males	826	675	51	12	8	5	—	76	14	8	11	14	15	24	16	13	12	40	42	59	72	110	118	26	5	
	Females	795	612	40	9	3	4	5	61	16	18	10	12	12	11	21	12	11	24	29	39	61	90	126	52	7	
CORK CO.	Persons	4,701	3,809	274	56	26	20	16	392	58	44	69	81	88	109	98	118	101	200	249	356	409	582	673	169	13	
	Males	2,361	2,052	164	31	15	10	8	228	25	20	36	44	50	60	50	65	57	116	134	186	246	297	351	83	4	
	Females	2,350	1,757	110	25	11	10	8	164	33	24	33	37	38	49	48	53	44	84	115	170	163	285	322	86	9	
CORK CO. BOROUGH.	Persons	1,915	1,158	149	39	12	12	8	220	11	13	14	30	27	39	46	41	57	80	86	108	102	137	112	33	2	
	Males	975	598	98	24	9	4	5	140	7	2	7	13	13	16	25	24	39	44	45	53	58	63	39	8	2	
	Females	940	560	51	15	3	8	3	80	4	11	7	17	14	23	21	17	18	3	41	55	44	74	73	25	—	
KERRY	Persons	2,438	1,680	125	22	12	11	10	480	22	32	26	50	43	41	45	50	49	66	86	157	153	265	308	89	15	
	Males	1,235	888	76	9	7	6	6	104	9	15	22	28	24	23	23	27	25	31	51	80	98	130	153	40	6	
	Females	1,203	792	49	13	5	5	4	76	13	17	4	22	19	18	22	23	24	35	35	77	58	135	155	49	10	
LIMERICK CO.	Persons	2,001	1,320	142	17	9	8	7	183	30	24	30	33	28	24	24	33	46	53	76	115	111	180	245	74	11	
	Males	1,006	698	90	8	7	4	6	115	20	11	15	17	11	12	6	14	24	34	47	59	63	91	116	37	6	
	Females	995	622	52	9	2	4	1	68	10	13	15	16	17	12	18	19	22	19	29	56	48	89	129	37	6	
LIMERICK CO. BOROUGH.	Persons	1,100	654	117	28	16	11	6	178	13	10	12	15	20	17	18	32	27	29	46	51	52	75	44	14	1	
	Males	570	319	60	16	11	4	5	96	9	7	4	6	10	8	5	10	15	16	28	25	28	27	20	5	—	
	Females	530	335	57	12	5	7	1	82	4	3	8	9	10	9	13	22	12	13	18	26	24	48	24	9	1	
TIPPERARY, N.R.	Persons	1,153	814	67	7	6	2	3	85	9	12	14	16	17	15	20	19	28	42	47	62	101	143	155	26	3	
	Males	620	426	31	4	3	—	1	39	3	6	8	10	8	6	12	5	14	22	27	41	57	68	91	8	1	
	Females	533	388	36	3	3	2	2	46	6	6	6	6	9	9	8	14	14	20	20	21	44	75	64	18	2	
TIPPERARY, S.R.	Persons	1,569	1,172	115	22	18	7	8	170	20	11	19	18	22	21	36	19	40	74	69	109	132	157	210	39	6	
	Males	809	630	74	16	14	4	7	115	11	2	9	8	14	8	16	10	13	37	36	62	77	75	113	20	4	
	Females	760	542	41	6	4	3	1	55	9	9	10	10	8	13	20	9	27	37	33	47	55	82	97	19	2	

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages in the year 1935.

Provinces and Counties.		TOTAL BIRTHS.	AGES AT DEATH																								95 & up- wards
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—		
WATER- FORD CO.	Persons	903	781	68	5	5	—	4	82	8	8	13	17	11	19	16	18	29	46	45	87	72	111	156	41	2	
	Males	472	404	38	3	2	—	1	44	3	4	6	9	4	8	9	10	14	23	29	51	38	58	79	15	—	
	Females	431	377	30	2	3	—	3	38	5	4	7	8	7	11	7	8	15	23	16	36	34	53	77	26	2	
WATERFORD CO. BOROUGH	Persons	736	453	93	16	9	2	1	121	7	2	8	5	8	11	14	14	21	21	31	38	39	47	52	14	—	
	Males	387	242	64	8	5	1	1	79	3	2	5	3	1	3	9	8	15	9	17	19	22	20	23	4	—	
	Females	349	211	29	8	4	1	—	42	4	—	3	2	7	8	5	6	6	12	14	19	17	27	29	10	—	
CONNAUGHT.																											
GALWAY	Persons	3,653	2,175	167	36	17	15	6	241	30	24	49	65	33	41	43	49	68	86	96	153	188	299	530	157	23	
	Males	1,878	1,130	82	18	7	8	4	119	11	11	24	40	16	18	25	27	37	55	46	76	114	189	266	75	11	
	Females	1,775	1,045	85	18	10	7	2	122	19	13	25	25	17	23	18	22	31	31	50	77	74	140	264	82	12	
LEITRIM	Persons	800	770	39	3	2	—	1	45	8	7	12	16	14	15	20	26	24	33	36	70	86	143	170	41	4	
	Males	417	387	22	3	1	—	—	26	4	4	6	9	10	6	8	9	10	18	15	45	45	69	80	20	3	
	Females	383	383	17	—	1	—	1	19	4	3	6	7	4	9	12	17	14	15	21	25	41	74	90	21	1	
MAYO	Persons	2,863	2,047	97	20	12	7	8	144	23	34	39	42	49	61	59	48	50	76	135	140	183	290	485	173	16	
	Males	1,462	1,042	59	9	5	5	4	82	11	17	10	18	27	34	26	32	21	40	72	79	98	154	227	72	9	
	Females	1,401	1,005	38	11	7	2	4	62	12	17	19	24	22	27	33	16	26	36	63	61	85	136	258	101	7	
ROSCOMMON	Persons	1,218	1,122	62	7	6	7	4	86	10	10	12	28	23	19	18	26	35	38	64	93	132	173	252	87	16	
	Males	612	533	33	2	1	3	—	39	5	5	6	14	10	10	11	14	20	25	34	52	71	86	128	49	4	
	Females	606	589	29	5	5	4	4	47	5	5	6	14	13	9	7	12	15	13	30	41	61	87	124	38	12	
SLIGO	Persons	1,120	977	56	9	1	1	2	69	9	9	22	31	24	20	13	33	31	44	51	84	87	181	216	49	4	
	Males	591	496	29	5	1	1	1	37	3	2	10	11	15	6	7	21	14	25	26	43	53	93	103	25	2	
	Females	529	481	27	4	—	—	1	32	6	7	12	20	9	14	6	12	17	19	25	41	34	88	113	24	2	
ULSTER (part of).																											
CAVAN	Persons	1,368	1,209	79	12	7	4	1	103	7	12	17	31	16	22	29	23	35	58	71	149	156	203	221	50	6	
	Males	696	604	46	5	5	1	—	57	2	6	7	14	8	10	11	11	22	27	37	75	81	94	118	20	4	
	Females	672	605	33	7	2	3	1	46	5	6	10	17	8	12	18	12	13	31	34	74	75	109	103	30	2	
DONEGAL	Persons	2,507	2,068	141	27	20	12	6	206	28	19	47	56	41	46	46	44	53	90	88	154	227	321	469	120	13	
	Males	1,312	1,064	77	13	9	7	3	109	11	10	24	35	23	22	27	19	31	52	49	97	116	167	228	60	4	
	Females	1,195	984	64	14	11	5	3	97	17	9	23	21	18	24	19	25	22	38	39	57	111	154	241	60	9	
MONAGHAN	Persons	1,096	891	53	9	3	5	1	71	9	17	10	11	18	18	25	12	24	41	69	100	124	137	161	37	7	
	Males	550	483	36	4	1	1	—	42	6	8	7	6	5	13	13	4	15	23	37	51	66	84	77	24	2	
	Females	546	408	17	5	2	4	1	29	3	9	3	5	13	5	12	8	9	18	32	49	58	53	84	13	5	

ABSTRACT IV.

Causes of Death.

ABSTRACT IV.—CAUSES OF DEATH

				AGES A											
Intermediate List Nos.	Detailed International List Nos.	Causes of Death.		All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Tot Unc 5 year.
		Total Deaths (All Causes) { M. F.		21,541 20,002	941 650	234 204	213 184	453 328	436 305	2,337 1,851	393 349	215 164	123 132	106 90	3,17 2,38
(1-17)	(1-64)	I. Infectious and Para-sit.c Diseases. { M. F.		3,123 2,896	16 12	17 15	22 11	45 35	66 68	166 141	129 121	84 64	52 56	50 44	48 42
1	1	Typhoid Fever .. { M. F.		35 28	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·
1	2	Paratyphoid Fever { M. F.		· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
2	3	Typhus .. { M. F.		· 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
4	7	Measles .. { M. F.		164 152	1 ·	1 2	· ·	6 3	20 23	28 28	56 58	31 20	12 10	8 6	135 122
5	8	Scarlet Fever.. { M. F.		40 52	· 1	· ·	· ·	· 1	2 1	2 3	3 8	2 3	2 6	3 2	12 22
6	9	Whooping-cough { M. F.		67 53	3 3	3 2	9 1	8 10	8 14	31 30	20 14	7 4	· 3	2 3	60 54
7	10	Diphtheria .. { M. F.		178 200	4 3	2 3	1 ·	1 3	3 2	11 11	13 11	18 10	17 16	17 20	76 68
8	11	Influenza .. { M. F.		461 502	· 1	4 7	5 ·	3 4	6 2	18 14	2 8	1 2	2 3	1 1	24 28
		(a) With respiratory complications. { M. F.		143 156	· 1	· 2	1 ·	· 2	2 1	3 6	1 5	1 1	· 2	· ·	5 14
		(b) Without respiratory complications. { M. F.		318 346	· ·	4 5	4 ·	3 2	4 1	15 8	1 3	· 1	2 1	1 1	19 14
9	13	Dysentery .. { M. F.		· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	15	Erysipelas .. { M. F.		26 21	· ·	· ·	· 1	1 ·	· 1	1 2	· ·	· ·	· ·	· ·	1 2
17	16	Acute poliomyelitis { M. F.		1 4	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· 1
17	17	Encephalitis Lethargica { M. F.		17 10	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	1 ·	2 ·	3 1
17	18	Cerebro-spinal Fever { M. F.		18 11	· ·	· ·	· 1	5 1	7 1	12 3	1 ·	1 1	· 1	· 1	14 6
17	20	Anthrax .. { M. F.		1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	22	Tetanus .. { M. F.		18 9	· 1	· ·	· ·	· ·	· ·	· 1	· 1	· ·	2 1	· ·	2 3
11, 12	23-32	Tuberculosis (All Forms). { M. F.		1,983 1,787	· 1	1 ·	6 3	18 9	17 23	42 36	30 18	22 24	12 16	16 10	122 104
11	23	Tuberculosis of Respiratory System. { M. F.		1,565 1,411	· ·	1 ·	2 ·	4 1	4 2	11 3	5 1	3 4	· 1	2 ·	21 9
12	24-32	Tuberculosis other than Respiratory. { M. F.		418 376	· 1	· ·	4 3	14 8	13 21	31 33	25 17	19 20	12 15	14 10	101 95
12	24	Tuberculosis of the Central Nervous System { M. F.		146 154	· ·	· ·	1 ·	6 3	7 14	14 17	13 11	11 10	6 9	4 3	48 50
12	25	Tuberculosis of Intestines and Peritoneum. { M. F.		89 98	· 1	· ·	2 3	3 3	4 3	9 10	9 3	6 7	3 3	6 4	33 27
12	26	Tuberculosis of Vertebral Column. { M. F.		46 31	· ·	· ·	· ·	1 ·	· ·	1 ·	1 1	· ·	1 1	· ·	3 2

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List:—

4. Relapsing Fever. 5. Undulant Fever. 6. Small pox. 12. Cholera. 14. Plague. 19. Glanders. 21. Rabies.

different Periods of Life in the Year 1935.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
105 125	251 299	388 369	536 503	464 465	481 482	531 568	599 556	784 624	1,142 930	1,341 1,136	1,981 1,705	2,273 1,809	2,917 2,944	3,442 3,694	840 1,083	92 124	}	
144 167	109 163	208 245	314 323	241 254	218 222	228 199	213 141	169 102	183 109	135 99	139 109	131 133	113 109	85 78	10 14	2 3	(1-44)	(1-17)
1	2 4	5 4	5 4	2 1	2 3	1 1	4 3	1	6 3	1	3 2	2	.	2	.	.	1	1
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	2
13 16	7 7	4 3	2 1	1 2	.	.	.	1	1	.	.	.	.	.	.	.	7	4
8 13	6 5	2 2	4 2	2 1	1 4	1	2	1	2	.	2	.	.	.	.	.	8	8
7 3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9	6
70 80	24 35	4 5	3	2	1 1	3	.	2	1	1 1	1	.	.	.	.	.	10	7
5 9	6 4	8 8	7 5	5 8	8 13	14 21	11 16	21 14	25 24	26 35	48 43	74 100	92 91	76 68	9 13	2 2	11	8
4	2 4	3 5	2 3	1 3	4 5	9 11	1 7	7 9	9 11	15 10	13 5	25 28	22 21	24 11	1 5	.	11a	
5 5	4	5 3	5 2	4 5	4 8	5 10	10 9	14 5	16 13	11 25	35 38	49 72	70 70	52 57	8 8	2 2	11b	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	13	
.	1	1	1	.	1	2	5 1	1	5 1	1	6 2	2 1	5	2 4	1	.	15	1
1 1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	16	1
.	1	1	1	2	1	1	.	.	2	2 1	.	1	1	.	.	.	17	1
1	2	.	1	.	.	1	1	.	.	.	.	.	1	.	.	.	18	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	20	1
1 2	3	2	.	2	1 1	1	1	2	1	2	1	1	1	.	.	.	22	1
36 39	56 101	175 217	291 298	222 238	198 196	206 167	132 114	133 82	133 77	98 55	71 58	39 27	16 9	5 5	.	.	23-32	11, 1
10	6 11	127 173	243 256	197 216	173 179	183 142	165 108	118 73	123 71	83 45	61 44	37 22	12 8	5 2	.	.	23	1
30 29	45 48	48 44	48 42	25 22	25 17	23 25	17 6	15 9	10 6	15 10	10 14	2 5	4 1	.	.	.	24-32	1
20 21	23 31	22 21	11 17	5 7	4 1	3 2	2 1	2 1	2 1	4 1	.	.	1	.	.	.	24	1
3 7	6 5	9 9	11 13	7 4	2 5	4 13	2 1	4 1	1 2	4 5	3 4	.	.	.	.	.	25	1
2	2 4	5 3	10 4	.	5 2	9 4	.	2 3	2 2	.	3 3	1	2 1	.	.	.	26	1

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	To Under 5 years
		Infectious and Parasitic Diseases—continued.												
12	27	Tuberculosis of Other Bones and Joints. . . {M. F.	45 19	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 1	
12	28	Tuberculosis of Skin and Subcutaneous Tissues. . . {M. F.	2 5	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	
12	29	Tuberculosis of Lymphatic System. . . {M. F.	3 7	. .	. .	. .	. .	1 .	1 .	1 .	. .	. .	. .	
12	30	Tuberculosis of Genito-Urinary System. . . {M. F.	17 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
12	32	Disseminated Tuberculosis. . . {M. F.	70 58	. .	. .	1 .	4 2	1 3	6 5	2 1	1 3	2 2	3 2	
13	34	Syphilis . . . {M. F.	11 5	1 .	2 .	2 .	2 .	1 .	4 4	1 .	. .	. .	. .	
17	35	Gonococcal Infection and Other Venereal Disease {M. F.	3 1	1 .	. .	. 1	. .	. .	1 1	. .	. .	. .	. .	
14	36	Purulent Infection, Septicæmia. . . {M. F.	76 53	6 2	4 1	1 2	3 1	1 1	15 7	. 2	2 .	. .	1 1	
15	38	Malaria . . . {M. F.	7 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
16	39	Other Diseases due to Protozoa . . . {M. F.	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
16	41	Hydatid Cysts {M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
16	42	Other Diseases due to Helminths. . . {M. F.	3 .	. .	. .	. .	. .	. .	. .	1 .	. .	2 .	. .	
17	43	Mycoses . . . {M. F.	4 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
17	44	Other Infectious or Parasitic Diseases. . . {M. F.	5 1	. .	. .	. .	. .	1 .	1 .	1 .	. .	1 .	. .	
(18, 19)	(45-55)	II. Cancer and Other Tumours. {M. F.	1,985 1,721	. 1	. .	. .	. .	1 .	1 1	1 1	. 1	. 1	. 1	
18-53*		Cancer, Malignant Disease. . . {M. F.	1,903 1,620	. 1	. .	. .	. .	1 .	1 1	1 .	1 .	. .	1 .	
19	54	Non-malignant Tumours {M. F.	14 53	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	
19	55	Tumours of unspecified nature {M. F.	68 48	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	
(20-25)	56-69	III. Rheumatism, Diseases of Nutrition and of Endocrine Glands, and Other General Diseases. {M. F.	378 454	1 1	3 .	1 2	2 2	5 3	12 8	6 7	4 1	2 2	2 2	
20	56	Rheumatic Fever . . {M. F.	70 73	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .
21	57	Chronic Rheumatism, Osteo-Arthritis {M. F.	122 157	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
		(a) Chronic Rheumatism. {M. F.	75 83	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
		(b) Rheumatoid Arthritis, Osteo Arthritis {M. F.	47 74	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
21	58	Gout . . . {M. F.	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
22	59	Diabetes Mellitus . . {M. F.	135 121	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List:—

31. Tuberculosis of other organs. 33. Leprosy. 37. Yellow Fever. 40. Ankylostomiasis.

* For deaths according to the individual numbers from 45 to 53, see Table L., pp. xxviii-xxix.

ifferent Periods of Life in the Year 1835.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
05 25	251 299	388 369	536 503	464 465	481 482	531 568	599 556	784 624	1,142 930	1,341 1,136	1,981 1,705	2,273 1,809	2,917 2,944	3,442 3,694	840 1,083	92 124		
44 67	109 163	208 245	314 323	241 254	218 222	228 199	213 141	169 102	183 109	135 99	139 109	131 133	113 109	85 78	10 14	2 3	(1-44)	(1-17)
1	2 4	5 4	5 4	2 1	2 3	1 1	4 3	1	6 3	1	3 2	2	2	2	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2
13 16	7 7	4 3	2 1	1 2	1	1	1	1	1	1	1	1	1	1	1	1	7	4
8 13	6 5	2 2	4 2	2 1	1 4	1	2	1	2	1	2	1	1	1	1	1	8	5
7 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9	6
70 80	24 35	4 5	3 2	1 1	1 1	3	1	2	1	1	1	1	1	1	1	1	10	7
5 9	6 4	8 8	7 5	5 8	8 13	14 21	11 16	21 14	25 24	26 35	48 43	74 100	92 91	76 68	9 13	2 2	11	8
4	2 4	3 5	2 3	1 3	4 5	9 11	1 7	7 9	9 11	15 10	13 5	25 28	22 21	24 11	1 5	1	11a	1
5 5	4	5 3	5 2	4 5	4 8	5 10	10 9	14 5	16 13	11 25	35 38	49 72	70 70	52 57	8 8	2 2	11b	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22	1
36 39	56 101	175 217	291 298	222 238	198 196	206 167	182 114	133 82	133 77	98 55	71 58	39 27	16 9	5 5	1	1	23-32	11, 1
10	6 53	127 173	243 256	197 216	173 179	183 142	165 108	118 73	123 71	83 45	61 44	37 22	12 8	5 2	1	1	23	1
30 29	45 48	48 44	48 42	25 22	25 17	23 25	17 6	15 9	10 6	15 10	10 14	2 5	4 1	1 3	1	1	24-32	1
20 21	23 31	22 21	11 17	5 7	4 1	2 3	2	2 1	2 1	4 1	1	1	1	1	1	1	24	1
3 7	6 5	9 9	11 13	7 4	2 5	4 13	2 1	4 1	1 2	4 5	3 4	1 2	1	1	1	1	25	1
2	2 4	5 3	10 4	1	5 2	9 4	3	2 2	2 2	1	3 3	1	2 1	1	1	1	26	1

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES										
			All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—
		Infectious and Parasitic Diseases—continued.											
12	27	Tuberculosis of Other { Bones and Joints. . . F.	45 19	• •	• •	• •	• •	• •	• •	• •	1 •	• •	1 1
12	28	Tuberculosis of Skin { and Subcutaneous Tissues. . . F.	2 5	• •	• •	• •	• •	1 •	1 •	• •	• •	• •	• •
12	29	Tuberculosis of Lym- { phatic System. . . F.	3 7	• •	• •	• •	• •	1 •	1 •	1 •	• •	• •	• •
12	30	Tuberculosis of Genito- { Urinary System. . . F.	17 4	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
12	32	Disseminated Tubercu- { losis. . . F.	70 58	• •	• •	1 •	4 2	1 3	6 5	2 1	1 3	2 2	3 2
13	34	Syphilis . . . { F.	11 5	1 •	2 •	• 2	• 2	1 •	4 4	1 •	• •	• •	• •
17	35	Gonococcal Infection and { Other Venereal Disease F.	3 1	1 •	• •	• 1	• •	• •	1 1	• •	• •	• •	• •
14	36	Purulent Infection, { Septicæmia. . . F.	76 53	6 2	4 1	1 2	3 1	1 1	15 7	• 2	2 •	• •	1 1
15	38	Malaria . . . { F.	7 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
16	39	Other Diseases due to { Protozoa . . . F.	2 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
16	41	Hydatid Cysts { F.	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
16	42	Other Diseases due to { Helminths. . . F.	3 •	• •	• •	• •	• •	• •	• •	1 •	• •	2 •	• •
17	43	Mycoses . . . { F.	4 •	• •	• •	• •	• •	• •	• •	• •	• •	1 •	• •
17	44	Other Infectious or Para- { sitic Diseases. . . F.	5 1	• •	• •	• •	• •	1 •	1 •	1 •	• •	1 •	• •
(18, 19)	(45- 55)	II. Cancer and Other Tumours. { F.	1,985 1,721	• 1	• •	• •	• •	1 •	1 1	1 1	• 1	• 1	• 1
18	45- 53*	Cancer, Malignant Dis- { ease. . . F.	1,903 1,620	• 1	• •	• •	• •	1 •	1 1	1 •	• 1	• •	• 1
19	54	Non-malignant Tumours { F.	14 53	• •	• •	• •	• •	• •	• •	• 1	• •	• •	• •
19	55	Tumours of unspecified { nature . . . F.	68 48	• •	• •	• •	• •	• •	• •	• •	• •	1 •	• •
(20- 25)	(56- 69)	III. Rheumatism, Dis- eases of Nutrition and of Endocrine Glands, and Other General Diseases. { F.	378 454	1 1	3 •	1 2	2 2	5 3	12 8	6 7	4 1	2 2	2 2
20	56	Rheumatic Fever . . { F.	70 73	• •	• •	• •	• •	• •	• •	• •	• •	• 1	• •
21	57	Chronic Rheumatism, { Osteo-Arthritis . . F.	122 157	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
		(a) Chronic Rheuma- { tism. . . F.	75 83	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
		(b) Rheumatoid Arthr- { itis, Osteo Arthritis F.	47 74	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
21	58	Gout . . . { F.	• 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
22	59	Diabetes Mellitus . . { F.	135 121	• •	• •	• •	• •	• •	• •	• •	1 •	• •	• 1

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List:—

31. Tuberculosis of other organs. 33. Leprosy. 37. Yellow Fever. 40. Ankylostomiasis.

* For deaths according to the individual numbers from 45 to 53, see Table L., pp. xxviii-xxix.

at different Periods of Life in the Year 1935.

DEATH.																		Detailed International List Nos.	Intermediate International			
—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards						
2	6 3	6 2	5 2	3 2	2 2	1	4 1	5	2	4 1	3 1	2	.	2	.	.	} 27	15				
.	.	.	2	1	.	.	1	.	.	.	2	.	.	.	.	.			} 28	15		
1	.	1	1	.	1	1	1	.	.	1	.	.	.	1	.	.					} 29	15
.	.	4	3	2 1	3	1 2	3	1	1	.	.	.	.	.	.	.						
2 1	8 5	2 8	8 3	7 7	9 6	5 3	5	2 4	2 1	3 2	1 4	1 1	1	.	.	.	} 32	15				
.	.	.	1	.	1	.	1	3	.	.	.	1	.	.	.	.			} 34	15		
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.					} 35	15
3 1	3 3	6 2	1 5	4	2 1	3 4	7 4	3 4	5 2	5 6	5 3	8 4	3 2	1	.	1						
.	.	.	.	.	.	.	1	2	3	.	1	.	.	.	.	.	} 38	15				
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.			} 39	15		
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.					} 41	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	} 43	15				
1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			} 44	15		
2	2 3	3 8	13 5	7 12	14 27	28 52	55 80	104 135	188 219	249 202	390 289	375 227	324 257	208 182	20 16	1 2					} (45- 55)	(18- 19)
.	.	1	6 5	4 10	11 18	22 42	48 71	100 127	181 204	242 191	379 281	360 215	321 253	205 175	20 16	1 2						
.	.	2	.	1 2	4	1 6	1 5	3	1 9	2 7	4 2	3 7	2	1 3	.	.	} 54	15				
2	2 1	2 1	7	2	3 5	5 4	6 4	4 5	6 6	5 4	7 6	12 5	3 2	2 4	.	.			} 55	15		
8 14	10 18	15 9	14 10	10 15	16 9	6 12	14 18	19 27	23 25	24 45	45 58	45 49	51 66	43 49	8 8	1					} (56- 69)	(20- 25)
6 11	8 13	8 6	8 4	6 5	5 4	1 2	3 3	4 5	3 2	5 5	7 3	3 1	2 3	.	1	.						
.	.	.	.	1	1 2	2	1 4	6 4	8 7	8 13	21 19	20 28	27 37	24 35	4 6	1	} 57	15				
.	.	.	.	1	.	.	3	.	4 2	5 6	10 7	11 17	22 21	17 21	4 4	1			} 57a	15		
.	.	.	.	.	1	2	1	6 4	4 5	3 7	11 12	9 11	5 16	7 14	2	.					} 57b	15
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.						
1	2 3	7 1	2 1	2 5	7 1	3 3	7	7 7	11 8	10 14	16 27	18 17	21 22	17 9	4 1	.	} 59	15				

ABSTRACT IV.—continued.—CAUSES OF DEATH

			AGES											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years
		III. Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.—con.												
23	60	Scurvy {M. F.	1 1	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·
23	62	Pellagra {M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
23	63	Rickets {M. F.	15 15	· ·	2 1	· 2	· 2	2 2	4 5	4 5	2 ·	1 1	1 1	1 1
23	64	Osteomalacia .. {M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
25	65	Diseases of Pituitary Gland. {M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
24	66	Diseases of the Thyroid and Parathyroid Glands {M. F.	19 61	· ·	· ·	1 ·	1 ·	1 1	3 1	1 1	1 ·	1 ·	· ·	· ·
		(a) Simple Goitre .. {M. F.	2 15	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
		(b) Exophthalmic Goitre. {M. F.	11 39	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
		(c) Myxœdema : Cretinism. {M. F.	3 4	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	1 ·	· ·	· ·
		(d) Tetany {M. F.	3 3	· ·	· ·	1 ·	1 ·	1 1	3 1	1 ·	· ·	· ·	· ·	· ·
		(e) Other {M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
25	67	Diseases of the Thymus {M. F.	6 3	1 1	1 ·	· 1	1 ·	2 ·	5 2	1 ·	· 1	· ·	· ·	· ·
25	68	Diseases of the Adrenals {M. F.	7 16	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
25	69	Other General Diseases {M. F.	2 5	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
(26-27)	(70-74)	IV. Diseases of the Blood and Hæmatopoietic Organs. {M. F.	182 212	5 3	· 2	· ·	1 ·	2 2	8 7	1 1	2 2	3 2	· 1	· ·
27	70	Hæmorrhagic Conditions. Con. {M. F.	23 15	5 2	· 1	· ·	· ·	· 1	5 4	· ·	1 ·	1 ·	· 1	· ·
		(a) Purpura {M. F.	15 13	1 1	· ·	· ·	· ·	· 1	1 2	· ·	1 ·	· ·	· 1	· ·
		(b) Hæmophilia .. {M. F.	8 2	4 1	· 1	· ·	· ·	· ·	4 2	· ·	· ·	1 ·	· ·	· ·
26	71	Anæmias ... {M. F.	115 162	· 1	· 1	· ·	1 ·	2 1	3 3	1 1	1 1	2 ·	· ·	· ·
		(a) Pernicious Anæmia {M. F.	94 127	· 1	· 1	· ·	· ·	1 ·	1 2	· ·	· ·	· ·	· ·	· ·
		(b) Other Anæmias and Chlorosis. {M. F.	21 35	· ·	· ·	· ·	1 ·	1 1	2 1	1 1	1 1	2 ·	· ·	· ·
27	72	Leukæmias, Aleukæmias. {M. F.	42 33	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· 2	· ·	· ·
		(a) Leukæmia .. {M. F.	24 19	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· 2	· ·	· ·
		(b) Aleukæmia (Lymphadenoma : Hodgkin's Disease). {M. F.	18 14	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
27	73	Diseases of the Spleen .. {M. F.	2 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·

NOTE.—No deaths occurred from the following diseases, shown in the Detailed International List :—
61. Beri-beri. 74. Other Diseases of the Blood and Hæmatopoietic Organs.

at different Periods of Life in the Year 1935.

EATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 60	12	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.			
2 1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	} 63	2	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	} 65	2	
1	1	1	3 4	1 5	3 1	1 5	1 7	2 6	6	1 10	6	.	1 5	1	.	.			
.	.	.	1	1	1	2	.	2	1	2	3	.	1 2	1	.	.	} 66a	2	
.	.	1	3 3	1 4	2 1	1 3	1 6	2 3	5	1 7	3	.	3	.	.	.			
1	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	} 66c	2	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 66d	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 66e	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 67	2	
.	.	1	1	.	1	.	1 2	3	1 2	2	3	4 1	1	.	.	.			
.	.	.	.	.	.	1	1	1	.	1	.	2	.	1	.	.	} 69	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
6 2	3 1	4 6	7 11	2 20	3 3	6 9	5 9	16 17	20 16	21 23	27 32	29 29	14 14	5 7	.	.	} (70-74)	(2)	
2 1	.	2 1	2	.	1 1	2	1 1	1 3	2	.	2 1	.	.	1 1	.	.			
1	.	2 1	2	.	1	1	1 1	1 3	2	.	2 1	.	.	1	.	.	} 70a	2	
2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.			
3 1	1	4	4 8	1 14	1 1	2 7	4 6	12 10	11 14	14 19	20 26	25 27	9 14	2 5	.	.	} 71	2	
.	1	2	1 5	1 13	1	1 6	3 6	10 9	11 10	14 14	20 22	22 22	7 11	2 4	.	.			
3 1	.	2	3 3	1	1	1 1	1	2 1	4	5	4	3 5	2 3	1	.	.	} 71b	2	
1	3	2 1	1 3	1 6	1 1	2 2	.	2 4	6 2	7 2	5 4	4 2	5	2 1	.	.			
1	2	2 1	1	2	1	1 1	1	1 3	3	6 1	4	1 2	2	1	.	.	} 72a	2	
.	1	.	1 2	1 4	.	1 1	1	1 1	3	1 1	1 4	3	3	1	.	.			
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	} 73	2	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.			

ABSTRACT IV.—continued.—CAUSES OF DEATH

International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
8-29	75-77	V. Chronic Poisoning. {M. F.	3	.	.	.	.	.	.	.	.	.	.	.
28	75	Alcoholism, Acute or Chronic. {M. F.	2	.	.	.	.	.	.	.	.	.	.	.
9	77	Chronic Poisoning by Mineral Substances. {M. F.	1	.	.	.	.	.	.	.	.	.	.	.
0-37	78-89	VI. Diseases of the Nervous System and Sense Organs. {M. F.	1,782 1,819	59 39	31 21	12 12	38 28	42 31	182 131	39 32	26 10	9 11	13 10	269 194
36	78	Encephalitis .. {M. F.	34 14	.	.	1	.	1	1 1	2 1	.	.	.	3 3
		(a) Abscess of Brain .. {M. F.	15 7	.	.	.	.	.	.	1	.	.	.	1
		(b) Others .. {M. F.	19 7	.	.	1	.	1	1 1	1	1	.	.	2 3
30	79	Meningitis .. {M. F.	139 103	.	3 2	1	3 2	15 10	22 15	15 8	13 6	5 6	5 6	60 41
31	80	Tabes Dorsalis (Locomotor Ataxy). {M. F.	6	.	.	.	.	.	.	.	.	.	.	.
36	81	Other Diseases of the Spinal Cord. {M. F.	62 35	.	.	.	.	.	.	.	1	.	.	1
32	82	Cerebral Hæmorrhage, Apoplexy, etc. {M. F.	1,024 1,249	.	.	.	1	1	2	1 1	.	.	1 1	2 4
		(a) Cerebral Hæmorrhage. {M. F.	631 724	.	.	.	.	.	.	.	.	.	.	.
		(b) Cerebral Thrombosis, Embolism. {M. F.	91 134	.	.	.	.	.	.	.	.	.	.	.
		(c) Cerebral Softening {M. F.	9 15	.	.	.	.	.	.	.	.	.	.	.
		(d) Hemiplegia .. {M. F.	198 249	.	.	.	.	.	.	.	.	.	.	.
		(e) *Other Forms of Paralysis. {M. F.	95 127	.	.	.	1	1	2	1 1	.	.	1 1	2 4
33	83	General Paralysis of Insane. {M. F.	17 2	.	.	.	.	.	.	.	.	.	.	.
34	84	Other Forms of Insanity {M. F.	58 70	.	.	.	.	.	.	.	.	.	.	.
35	85	Epilepsy .. {M. F.	111 77	.	.	.	.	.	.	2	.	.	2 1	2 3
36	86	Convulsions (under 5 years) {M. F.	185 137	58 38	27 19	11 11	34 25	20 19	150 112	18 18	11 2	4 4	2 1	185 137
36	87	Other Diseases of Nervous System. {M. F.	103 115	.	1	.	.	1	2	.	1	1	2	4 2
		(a) Chorea .. {M. F.	2 9	.	.	.	.	.	.	.	.	.	.	.
		(b) Neuritis .. {M. F.	10 12	.	.	.	.	.	.	.	.	.	.	.
		(c) Paralysis Agitans. {M. F.	26 26	.	.	.	.	.	.	.	.	.	.	.
		(d) Disseminated Sclerosis. {M. F.	17 29	.	.	.	.	.	.	.	.	.	.	.
		(e) Other .. {M. F.	53 39	.	1	.	.	1	2	.	1	1	2	4 2

NOTE.—No deaths occurred from the following disease, shown in the Detailed International List:—
76. Chronic poisoning by other Organic substances.

at different Periods of Life in the Year 1935.

DEATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	(75-77)	(28-29)
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	75	28
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	77	29
36-28	32-27	31-20	34-23	31-16	42-29	45-30	46-59	61-73	107-101	127-149	184-211	209-231	280-295	218-286	30-45	2	(78-89)	(30-37)
5	1-2	4	4	1	5	2-3	2	1-2	3-1	1-1	.	1-1	1	.	.	.	78	36
3	1	2	.	.	4-1	1-2	.	1-1	2-1	1	.	1	.	.	.	.	78a	
2	1-1	2	4	1	1	1-1	2	1	1	1	.	1	1	.	.	.	78b	
18-16	15-18	11-5	9-5	6-3	5-3	3-1	2-4	2-1	2-3	1-1	1-1	3-1	1	.	.	.	79	30
.	.	.	.	.	.	1	.	.	2	1	.	2	.	.	.	.	80	31
1	.	1	1-2	2-1	4-1	2	7-4	5-6	6-4	10-3	8-3	5-5	6-1	3-4	1	.	81	36
1-2	3-2	3-2	1-3	2-2	8-10	12-11	16-33	32-45	66-64	90-108	138-174	170-203	248-280	203-263	29-43	2	82	32
.	1	1	1	2	5-1	8-2	10-19	19-35	37-44	58-66	84-105	108-123	165-157	116-147	17-21	.	82a	
.	.	.	1	.	1-3	2-1	1-5	4-3	8-4	10-9	15-23	12-16	15-24	22-34	1-9	2	82b	
.	.	.	.	.	.	.	.	1	.	2	1-3	3-1	3-7	1-2	.	.	82c	
.	.	.	1	.	1-3	5	2-7	5-2	15-10	16-23	22-33	33-44	46-58	46-54	11-10	.	82d	
1-2	2	2-1	1	.	1-3	2-3	3-2	3-5	6-6	6-8	16-10	14-19	19-34	18-26	3	.	82e	
.	.	.	.	.	2	2-1	3	5	.	1-1	3	1	.	.	.	.	83	33
.	.	2	3	3-1	6-2	6-3	4-2	5-7	5-10	10-14	7-15	1-7	3-3	3-3	1	.	84	34
4-2	4-3	7-6	9-9	11-4	7-6	11-5	7-6	5-1	9-7	1-10	13-4	5-5	9-3	4-2	1	.	85	34
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	86	35
6-2	2-2	2-5	4-4	5-5	4-6	5-6	5-10	4-9	10-11	8-10	12-14	21-9	11-7	5-13	.	.	87	36
1-2	1-1	3	.	1	1	.	.	.	.	.	.	.	1	.	.	.	87a	
.	.	.	.	2	1	.	1	.	1-1	.	1-3	5-3	1-1	2	.	.	87b	
.	.	.	2	.	1-1	1	.	2	4-3	3-2	4-5	5-4	5-2	2-6	.	.	87c	
.	.	.	.	1	1-1	2-2	1-6	2-5	1-3	2-4	1-3	5-1	1	2	.	.	87d	
5	1-1	2-2	2-2	2-4	2-2	3-3	4-3	2-2	4-4	3-4	6-3	6-1	4-3	3-3	.	.	87e	

[illegible]

at different Periods of Life in the Year 1935.

EATH.																	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	}	88	3
2	7	1	3	.	1	1	.	2	4	1	1	2	.	1	.	.		89	3
5	2	.	.	.	.	.	.	2	1	.	.	.	.	1	.	.	}	89a	
1	.	1	1	.	.	.	.	1	2	.	1	.	.	.	1	.		89b	
3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	}		
1	7	.	2	.	1	1	.	1	2	1	1	.	1	.	.	.			
2	2	.	.	.	.	.	.	2	2	.	.	.	.	1	.	.	}		
6	10	27	23	34	36	53	82	129	214	345	544	691	845	765	130	2		}	(90-103)
14	23	14	33	24	35	65	83	113	215	319	498	560	833	752	149	10			
6	10	27	23	30	36	50	78	117	196	314	482	629	770	667	113	2	}	90-95	(38-46)
14	23	14	29	23	33	60	75	109	201	301	472	515	768	683	134	10			
.	.	2	1	1	1	.	2	.	2	.	1	1	1	.	.	.	}	90	3
2	1	.	1	1	.	.	2	2	.	2	2	1	1	1	.	.			
2	2	7	5	9	5	8	7	3	2	5	3	3	3	1	.	.	}	91	3
3	6	8	5	9	15	14	24	35	33	95	122	154	183	126	16	.			
3	8	7	8	8	15	17	22	50	59	89	118	114	170	118	26	1	}	92	4
1	1	3	5	4	7	13	20	39	81	123	199	285	365	352	67	1		93	4
1	2	2	5	4	5	16	22	24	87	126	207	259	378	396	81	7	}	93	
.	.	2	1	.	.	1	6	.	1	.	2	.	1	.	.	.		93a	
.	1	.	2	2	.	.	1	1	.	.	1	5	.	.	.	.	}	93b	
.	.	.	.	.	3	.	2	4	3	2	5	9	8	3	2	.			
.	.	.	.	.	.	.	.	.	1	3	1	3	3	3	2	.	}	93c	
.	.	1	.	1	1	4	8	12	37	47	94	141	162	163	32	1			
.	.	.	.	1	1	6	8	11	35	54	85	118	171	195	42	3	}	93d	
1	1	1	4	2	3	8	8	23	40	74	98	135	194	186	55	.			
1	1	1	3	1	4	10	13	11	49	71	118	133	204	198	37	4	}	94	4
.	.	.	1	.	1	1	7	11	16	26	30	39	29	24	7	.			
.	.	.	.	.	1	1	4	3	8	12	27	14	21	13	1	.	}	95	4
2	1	7	6	8	8	14	18	29	57	65	127	147	189	164	23	1			
6	5	.	5	3	5	13	20	28	45	72	114	124	196	155	26	2	}	95a	
1	.	.	2	3	.	3	3	3	4	3	15	13	20	16	3	.			
.	.	.	1	.	2	3	4	8	6	10	13	15	25	15	2	.	}	95b	
1	1	7	4	5	8	11	15	26	53	62	112	134	169	148	20	1			
6	5	.	4	3	3	15	16	20	39	62	101	109	171	140	24	2	}	96	4
.	.	.	.	1	1	1	1	.	2	3	.	5	.	1	.	.			
.	.	.	.	.	.	.	.	.	3	5	1	1	3	1	.	.	}	97	4
.	.	.	.	1	1	1	1	2	4	7	11	17	35	42	13	.			
.	.	.	.	.	.	1	1	2	1	3	10	10	14	17	7	.	}	98	4
.	.	.	.	.	.	.	.	.	1	2	3	9	15	14	2	.			
.	.	.	.	2	.	.	.	1	3	1	5	1	.	2	.	.	}	99	4
.	.	.	1	.	.	.	1	.	1	.	2	2	3	2	.	.			
.	.	.	.	.	.	.	.	2	2	4	2	3	1	.	.	.	}	100	4
.	.	.	1	.	.	2	2	1	4	1	.	5	.	2	.	.			
.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	}	101	4
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	1	1	2	4	12	19	12	14	6	1	.	}	102	4
.	.	.	.	.	.	2	3	1	3	7	9	11	9	7	.	.			
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	}	103	4
.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.			

ABSTRACT IV.—Continued—CAUSES OF DEATH

			AGES AT											
International List Nos.	Detailed International List Nos.	Causes of Death	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
104-114	VIII. Diseases of the Respiratory System.	{M. F.	2,886 2,465	62 36	50 35	43 30	120 60	164 101	439 262	129 103	48 47	28 23	15 17	859 452
104	Diseases of the Nasal Fossæ.	{M. F.	5 3	.	.	.	.	.	.	.	.	.	.	.
105	Diseases of the Larynx	{M. F.	12 12	2 .	.	1 .	2 1	1 2	6 3	.	1 2	.	1 1	3 8
	(a) Croup ..	{M. F.	3 5	1 .	.	1 .	1 .	2 .	3 2	.	.	1 .	.	3 3
	(b) Other Diseases of the Larynx	{M. F.	9 7	1 .	.	.	1 1	1 .	3 1	.	1 2	.	1 1	5 5
106	Bronchitis	{M. F.	1,063 1,080	22 20	18 11	15 13	40 18	26 15	121 77	22 13	12 6	4 4	1 2	160 102
	(a) Acute ..	{M. F.	249 266	20 20	13 11	5 6	10 6	6 4	54 47	6 2	4 2	2 .	.	66 51
	(b) Chronic ..	{M. F.	233 187	.	.	.	.	.	.	2 .	.	1 .	1 .	2 2
	(c) Not otherwise defined.	{M. F.	581 627	2 .	5 .	10 7	30 12	20 11	67 30	14 11	8 4	2 3	1 1	92 49
107-9	Pneumonia, All Forms	{M. F.	1,468 1,123	31 14	30 22	26 17	75 38	136 82	298 173	104 88	32 37	23 18	12 14	469 330
107	Broncho-Pneumonia	{M. F.	684 595	19 7	23 20	20 12	61 32	100 60	223 131	89 64	17 28	13 10	4 10	346 243
108	Lobar Pneumonia	{M. F.	232 141	1 .	1 1	.	1 4	6 4	9 10	4 5	5 1	1 4	1 3	20 23
109	Pneumonia (not otherwise defined).	{M. F.	552 387	11 7	6 1	6 4	13 2	30 18	66 32	11 19	10 8	9 4	7 1	103 64
110	Pleurisy ...	{M. F.	65 34	.	.	.	.	.	.	.	.	.	.	2
	(a) Empyema	{M. F.	16 9	.	.	.	.	.	.	1 .	.	.	.	1
	(b) Other Pleurisy	{M. F.	49 25	.	1 .	.	.	.	1 .	.	.	.	.	1
111	Congestion and Haemorrhagic Infarct of Lungs, etc.	{M. F.	102 117	7 2	2 1	1 .	2 1	1 1	13 5	2 .	2 2	1 .	.	18 7
	(a) Congestion of Lungs	{M. F.	97 108	7 2	2 1	1 .	2 1	1 1	13 5	2 .	2 2	.	.	17 7
	(b) Embolism, Infarct of Lungs, etc.	{M. F.	5 9	.	.	.	.	.	.	.	.	1 .	.	1
112	Asthma ..	{M. F.	131 71	.	.	.	1 .	.	1 .	1 .	1 .	.	1 .	3 1
113	Pulmonary Emphysema	{M. F.	6 2	.	.	.	1 .	.	1 .	.	.	.	.	1
114	Other Respiratory Diseases	{M. F.	34 23	.	.	.	1 .	1 .	2 .	.	.	.	.	2
	(a) Chronic Interstitial Pneumonia.	{M. F.	9 10	.	.	.	.	.	.	.	.	.	.	.
	(b) Gangrene of the Lung.	{M. F.	4 1	.	.	.	.	.	.	.	.	.	.	.
	(c) Other ..	{M. F.	21 12	.	.	.	1 .	1 .	2 .	.	.	.	.	2

at different Periods of Life in the Year 1935.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
32 38	12 19	28 24	43 27	49 27	58 39	53 54	86 61	122 68	172 90	183 132	248 237	330 255	409 449	345 416	55 69	4 8	104- 114)		
.	.	1	3	.	2	1	.	.	.	.	.	.	.	1	.	.	101		
2	1	.	.	.	.	.	1	.	.	1	.	1	.	1	.	.	105		
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	105a		
.	1	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	105b		
3 5	1	1 6	3 6	3 6	6 6	5 4	17 18	29 20	49 37	71 60	101 118	148 131	232 253	200 257	33 45	2 5	106		
1 2	.	1	2 1	1 2	1 1	1	4 1	5 4	8 11	12 13	21 34	38 28	48 55	37 51	3 11	1	106a		
.	.	3	1 1	.	3 1	2 2	4 6	14 5	16 9	17 17	32 19	34 20	60 41	38 53	8 8	2	106b		
2 3	1	3	4	2 4	2 4	2 2	9 11	10 11	25 17	42 30	48 65	76 83	124 157	125 153	22 26	4	106c		
25 29	8 16	20 13	32 19	33 16	42 24	38 38	50 31	72 35	88 41	86 60	101 90	135 101	136 143	113 120	18 17	2	107 -9		
19 16	5 7	7 5	9 6	7 4	5	10 10	15 14	21 12	24 26	27 24	27 32	46 39	47 72	53 66	11 14	1	107		
5	3	3 4	10 2	9 4	12 5	17 8	9 6	18 9	24 7	17 11	22 15	27 15	20 13	22 11	1	1	108		
6 8	3 6	10 4	13 11	17 8	21 14	11 20	26 11	33 14	40 8	42 25	52 43	62 47	69 58	38 43	6 3	.	109		
2	2 1	3 1	1 2	4	3 2	2 2	2 4	5	11 3	4	6 3	10 3	6 4	4 7	.	.	110		
2	1	.	.	.	1 1	1	1 1	3	1 2	2	1 1	4	1	1	.	.	110a		
.	2	3 1	1 2	4	2 1	2 1	1 3	2	10 1	2	5 2	6 3	6 3	3 7	.	.	110b		
.	.	1 1	.	3 2	1 3	2 5	3 4	4 3	4 5	5 6	19 13	13 9	13 24	13 25	3 7	3	111		
.	.	1 1	.	3 1	1 3	2 4	2 3	4 3	4 4	4 6	17 12	13 8	13 23	13 25	3 7	2	111a		
.	.	.	.	.	.	1	1 1	.	1	1	2 1	1	1	.	.	1	111b		
2	1	.	1	4	2 2	3 3	8 3	10 8	12 2	14 5	18 10	21 8	19 23	12 6	1	.	112		
.	.	.	.	.	1	.	1	.	1	1	.	1	1	1	.	.	113		
2	1	1 2	3	2 3	3	2 2	4 1	2 2	7 2	2	3 3	2 1	3 1	1	.	.	114		
1	.	1	1	1 1	2	1	1	1	2 1	1	2	.	1 1	1	.	.	114a		
.	.	.	.	.	.	1 1	.	.	2	1	.	.	.	.	.	.	114b		
1	1	1 1	2	1 2	1	1	4	1 2	3 1	.	3 1	2 1	2	.	.	.	114c		

ABSTRACT IV.—Continued—CAUSES OF DEATH

List Nos.	Detailed International List Nos	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(115-129)		IX. Diseases of the Digestive System. {M. F.	1,337 1,052	44 20	61 39	68 52	147 125	107 61	427 297	50 40	23 13	14 12	8 7	522 369
115		<i>Diseases of the Buccal Cavity, Pharynx, etc.</i> {M. F.	<i>51 43</i>	<i>1 2</i>	<i>• •</i>	<i>• •</i>	<i>1 1</i>	<i>2 2</i>	<i>1 5</i>	<i>5 2</i>	<i>4 1</i>	<i>• 1</i>	<i>• 2</i>	<i>10 11</i>
		(a) Diseases of the Teeth and Gums. {M. F.	<i>11 5</i>	<i>1 2</i>	<i>• •</i>	<i>• •</i>	<i>• 1</i>	<i>• •</i>	<i>1 3</i>	<i>3 1</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>4 4</i>
		(b) Diseases of Tonsils {M. F.	<i>19 21</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>1 1</i>	<i>• 1</i>	<i>1 3</i>	<i>• •</i>	<i>• •</i>	<i>1 1</i>	<i>4 2</i>
		(c) Other Diseases of Buccal Cavity and Pharynx. {M. F.	<i>21 17</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>1 1</i>	<i>• 1</i>	<i>1 1</i>	<i>1 1</i>	<i>• 1</i>	<i>• 1</i>	<i>2 5</i>
116		Diseases of the Œsophagus. {M. F.	<i>3 2</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
117		<i>Ulcer of the Stomach and Duodenum.</i> {M. F.	<i>230 89</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
		(a) Ulcer of the Stomach. {M. F.	<i>146 72</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
		(b) Ulcer of the Duodenum. {M. F.	<i>84 17</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
118		<i>Other Diseases of the Stomach.</i> {M. F.	<i>131 150</i>	<i>3 2</i>	<i>7 2</i>	<i>8 3</i>	<i>15 12</i>	<i>3 7</i>	<i>36 26</i>	<i>1 4</i>	<i>1 2</i>	<i>1 4</i>	<i>• 2</i>	<i>39 38</i>
		(a) Inflammation of the Stomach. {M. F.	<i>96 123</i>	<i>2 2</i>	<i>6 2</i>	<i>8 3</i>	<i>12 10</i>	<i>3 7</i>	<i>31 24</i>	<i>1 4</i>	<i>1 2</i>	<i>1 3</i>	<i>• 2</i>	<i>34 35</i>
		(b) Other Diseases of Stomach. {M. F.	<i>35 27</i>	<i>1 •</i>	<i>1 •</i>	<i>• •</i>	<i>3 2</i>	<i>• •</i>	<i>5 2</i>	<i>• •</i>	<i>• •</i>	<i>1 •</i>	<i>• •</i>	<i>5 3</i>
119		Diarrhoea and Enteritis, under 2 years of age. {M. F.	<i>403 287</i>	<i>39 16</i>	<i>53 35</i>	<i>58 47</i>	<i>123 109</i>	<i>92 49</i>	<i>365 256</i>	<i>38 31</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>403 287</i>
120		Diarrhoea, Enteritis, and Ulcer of Intestine, 2 years of age and over. {M. F.	<i>90 108</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• 10</i>	<i>7 5</i>	<i>7 5</i>	<i>1 2</i>	<i>18 14</i>
121		Appendicitis .. {M. F.	<i>112 67</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>1 •</i>	<i>3 2</i>	<i>2 •</i>	<i>4 1</i>	<i>10 3</i>
122		<i>Hernia, Intestinal Obstruction.</i> {M. F.	<i>132 123</i>	<i>1 1</i>	<i>1 1</i>	<i>1 1</i>	<i>7 3</i>	<i>11 2</i>	<i>21 7</i>	<i>3 2</i>	<i>4 •</i>	<i>2 1</i>	<i>• •</i>	<i>30 10</i>
		(a) Hernia .. {M. F.	<i>52 60</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>1 •</i>	<i>2 •</i>	<i>3 •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>3 •</i>
		(b) Intestinal Obstruction. {M. F.	<i>80 63</i>	<i>1 1</i>	<i>1 1</i>	<i>1 1</i>	<i>6 3</i>	<i>9 2</i>	<i>18 7</i>	<i>3 2</i>	<i>4 •</i>	<i>2 1</i>	<i>• •</i>	<i>27 10</i>
123		Other Diseases of the Intestines. {M. F.	<i>38 23</i>	<i>• •</i>	<i>• 1</i>	<i>• 1</i>	<i>2 •</i>	<i>• •</i>	<i>2 2</i>	<i>1 •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>3 2</i>
124		Cirrhosis of the Liver .. {M. F.	<i>47 19</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
125		<i>Other Diseases of the Liver.</i> {M. F.	<i>26 24</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
		(a) Acute Yellow Atrophy of Liver. {M. F.	<i>5 •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
		(b) Other Diseases of the Liver. {M. F.	<i>21 24</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
126		Biliary Calculi .. {M. F.	<i>9 26</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>
127		Diseases of the Gall Bladder and Biliary Passages. {M. F.	<i>29 52</i>	<i>• •</i>	<i>• •</i>	<i>1 •</i>	<i>• •</i>	<i>• •</i>	<i>1 •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>• •</i>	<i>1 •</i>

different Periods of Life in the Year 1935.

ATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—					
24 17	17 9	21 12	28 19	26 21	43 33	43 30	53 24	85 62	76 65	92 83	94 84	105 103	79 75	8 20	1 1	} 115-129	(51-58)		
3 3	1	2 3	4 1	2 4	4 2	1 2	.	4 3	5 1	3 1	4 2	2 4	4 1	1	.			} 115	58
.	.	1	.	.	1	.	.	.	3	1	1	1	.	.	.	} 115a			
1 2	1 3	1 1	1	1 3	2 2	.	.	3 2	1	1	1 2	1 1	3 1	1	.			} 115b	
1 2	2 1	2	4 1	1 1	1	1 2	.	1 1	2	2	2	1 2	1	.	.	} 115c			
.	.	1	.	.	.	.	.	2	.	.	.	.	1	.	.			} 116	58
2	2	6	6 3	11 5	20 4	20 1	18 7	35 8	25 11	28 16	22 13	23 11	15 4	1 2	.	} 117	51		
.	2	5	2 3	7 4	8 4	12	10 5	22 7	16 9	19 12	15 10	16 10	14 3	1	.			} 117a	
.	2	1	4	4 1	12	8 1	8	13 1	9 2	9 4	7 3	7 1	1 1	1	.	} 117b			
1 1	1 1	1	.	1	1 3	4 3	1 1	9 6	4 15	10 16	23 18	15 23	21 22	2	.			} 118	58
1	1 1	1	1	.	1 3	3 3	1	5 5	3 9	8 10	13 13	12 20	14 20	2	.	} 118a			
1	.	.	.	1	.	1	1	4 1	1 6	2 6	10 5	3 3	7 2	.	.			} 118b	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 119	52		
5 6	2 2	1	1 2	2 1	2 3	3 7	2 8	4 6	2 6	9 13	12 10	15 18	6 7	3	1			} 120	53
6 9	15 5	11	7 5	8 4	7 3	4 5	9 6	7 3	9 4	4 5	2 5	4 5	1 1	.	.	} 121	54		
1 2	1 1	2 1	1 3	2 2	2 2	2 2	6 5	8 14	11 11	14 15	9 14	23 13	17 18	2 7	.			} 122	55
.	.	1	1	1 1	1	1	2	3 6	4 9	6 7	2 11	16 7	12 9	2 3	.	} 122a			
1 2	1	2 1	2	2 1	2 2	2 3	4 2	5 8	7 2	8 8	7 3	7 6	5 9	4	.			} 122b	
.	.	1	1	1	1	1	2	3 1	4 1	5 2	3 3	5 4	5 5	3	.	} 123	58		
.	.	1	.	1 1	3	1	7 1	7 3	4 1	7 3	5 4	6 3	6 2	.	.			} 124	56
.	1	.	4 2	.	2 1	.	.	1 5	3 2	1	7 2	5 7	3 3	1 1	1	} 125	57		
.	.	.	2	.	1	.	.	.	.	1	1	.	.	.	.			} 125a	
.	1	.	2	.	1	.	.	1 5	3 2	.	6 2	5 7	1 3	1 1	1	} 125b			
.	.	.	1	2	2	2	2	1 4	2 1	1 2	3 2	2 4	5	1	.			} 126	57
.	1	1	.	.	1 4	1	5 1	1 5	3 10	7 7	4 9	2 8	1 6	2 1	.	} 127	57		

ABSTRACT IV.—continued—CAUSES OF DEATH

[illegible]

[illegible]

t different Periods of Life in the Year 1935.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	5	29	53	69	77	34	4	1	.	.	.	.	.	.	.	(140-150)	(68-70)
.	.	.	2	1	2	1	2	.	.	.	.	.	.	.	.	.	140	68
.	.	.	.	1	3	7	2	.	.	.	.	.	.	.	.	.	141	66
.	.	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	142	66
.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	143	66
.	.	1	.	6	9	21	7	1	.	.	.	.	.	.	.	.	144	67
.	.	.	.	3	3	9	3	.	.	.	.	.	.	.	.	.	144a	
.	.	1	.	3	6	12	4	1	.	.	.	.	.	.	.	.	144b	
.	.	3	11	20	24	15	8	.	.	.	.	.	.	.	.	.	145	68
.	.	.	5	8	16	12	3	.	.	.	.	.	.	.	.	.	146	69
.	.	.	1	5	1	1	1	.	.	.	.	.	.	.	.	.	147	69
.	.	1	4	5	5	11	1	.	.	.	.	.	.	.	.	.	148	70
.	.	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	148a	
.	.	1	4	5	4	7	.	.	.	.	.	.	.	.	.	.	148b	
.	.	.	2	3	4	4	6	3	.	.	.	.	.	.	.	.	149	70
.	.	.	3	3	2	4	3	.	.	.	.	.	.	.	.	.	150	70
1	1	.	2	3	1	1	3	1	3	4	11	6	8	8	2	.	(151-153)	71
1	1	.	.	.	1	.	1	1	5	4	9	5	7	10	.	.	151	71
.	.	.	1	1	1	.	1	1	.	1	1	1	1	2	1	.	152	7
1	1	1	1	2	.	1	.	.	2	3	6	4	3	3	.	.	153	7
.	.	1	.	.	.	.	2	1	1	1	1	2	4	3	1	.	153	7
8	17	4	2	1	1	.	1	3	3	3	2	4	2	3	.	.	(154-156)	7
9	6	1	.	1	.	.	2	4	1	2	2	1	2	4	.	.	154	7
7	16	3	1	1	.	.	1	1	1	1	1	2	.	1	.	.	155	7
9	5	.	1	.	.	.	1	2	2	2	.	2	1	.	.	.	155	7
1	1	1	.	.	1	.	1	.	1	.	1	.	2	2	.	.	156	7
1	1	.	.	.	1	.	.	3	1	2	2	.	1	3	.	.	156a	7
.	1	.	.	.	.	.	1	1	1	.	1	.	2	1	.	.	156a	7
.	.	1	.	.	.	.	.	2	.	2	.	.	.	2	.	.	156b	7

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
73	157	XIV. Congenital Malformations. { M. F.	150 105	78 58	20 11	14 7	12 7	9 11	133 94	6 2	2 5	.	2	143 101
73	157	Congenital Malformations:												
		(a) Congenital Hydro- { cephalus. { M. F.	14 13	4 6	.	1 2	3 1	2 2	10 11	4 1	.	.	.	14 12
		(b) Spina Bifida and { Meningocele { M. F.	35 30	27 18	3 3	3 3	1 3	1 2	35 29	.	.	.	.	35 30
		(c) Congenital Malfor- { mation of Heart. { M. F.	52 36	24 17	12 5	3 3	3 2	3 4	45 31	2 1	.	.	1	48 33
		(d) Monstrosities .. { M. F.	5 7	4 7	.	1 .	.	.	5 7	.	.	.	.	5 7
		(e) Other Congenital { Malformations. { M. F.	44 19	19 10	5 1	6 1	5 1	3 3	38 16	.	2 3	.	1	41 19
74- 77)	(158- 161)	XV. Diseases of Early { Infancy. { M. F.	913 667	653 454	106 79	52 47	75 64	27 23	913 667	.	.	.	.	913 667
74	158	Congenital Debility .. { M. F.	478 349	252 169	87 62	42 40	71 56	26 22	478 349	.	.	.	.	478 349
75	159	Premature Birth .. { M. F.	336 233	304 202	17 15	10 7	4 8	1 1	336 233	.	.	.	.	336 233
76	160	Injury at Birth .. { M. F.	26 24	26 23	.	.	.	.	26 24	.	.	.	.	26 24
77	161	Other Diseases of Early { Infancy. { M. F.	73 61	71 60	2 1	.	.	.	73 61	.	.	.	.	73 61
		(a) Atelectasis .. { M. F.	46 40	45 40	1 .	.	.	.	46 40	.	.	.	.	46 40
		(b) Icterus Neo- { natorum. { M. F.	16 16	15 16	1 .	.	.	.	16 16	.	.	.	.	16 16
		(c) Others. { M. F.	11 5	11 4	.	1 .	.	.	11 5	.	.	.	.	11 5
78	(162)	XVI. Old Age :												
78	162	Old Age .. { M. F.	2,608 3,267	.	.	.	.	.	.	.	.	.	.	.
79- 84)	(163- 198)	XVII. Deaths from { Violence. { M. F.	876 315	16 20	.	1 3	5 2	4 1	25 27	16 21	21 8	9 12	9 6	80 74
79	163- 171	Suicide .. { M. F.	77 15	.	.	.	.	.	.	.	.	.	.	.
80	172- 175	Homicide; Infanticide. { M. F.	13 8	5 4	.	.	.	.	5 4	.	.	.	.	5 4
1-84	176- 198	Other Deaths by { Violence. { M. F.	586 292	11 16	.	3	5 2	4 1	20 23	16 21	21 8	9 12	9 6	75 70
81	178	Accidental Absorption of { Toxic Gas. { M. F.	2 1	.	.	.	.	.	.	.	.	.	.	.
81	179	Other Acute Accidental { Poisoning. { M. F.	6 2	1 .	.	.	1 .	.	2 .	.	.	.	.	2 .
81	181	Accidental Burns (Con- flagration excepted). { M. F.	59 113	1 .	.	.	1 2	1 1	3 3	11 18	15 5	3 7	1 4	33 37

NOTE.—No deaths occurred from the following causes, shown in the Detailed International List:—

176. Attack by venomous animals.

177. Food Poisoning.

180. Conflagration.

Different Periods of Life in the Year 1935.

TH.																95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
3	1 3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157	73
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157a	73
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157b	
2	1 2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157c	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157d	
1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157e	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	(158-161)	(74-77)
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	158	74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159	75
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	160	76
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161	77
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161a	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161b	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161c	
.	.	.	.	.	.	.	.	.	.	.	.	29 24	519 694	1,443 1,715	537 736	80 98	162	78
21 6	43 18	43 14	44 6	47 7	41 8	25 11	41 10	52 9	40 10	62 13	39 26	34 31	31 40	7 15	1	.	(163-198)	(79-84)
.	2	5 1	2 1	2 1	10 2	4 2	7	11 1	12 2	12 3	4 1	2	4 1	.	.	.	163-171	79
1	1	1 1	.	1	2	1	1	2	.	.	1	.	.	.	.	.	172-175	80
21 5	41 17	37 12	42 5	44 6	29 6	20 9	34 9	39 8	28 8	50 10	34 25	32 31	27 39	7 15	1	.	176-198	81-84
.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	178	81
.	1	.	1 1	.	.	1	1 1	.	.	.	.	.	.	.	.	.	179	81
4	7	5	.	2	.	3	1 4	2	.	2 3	4 8	7 11	5 9	2 5	.	.	181	81

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES A'											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Tot Und 5 year
		XVII. Deaths from Violence. —contd.												
81	182	Accidental Mechanical Suffocation: Overlying { M. F.	6 7	· 3	· 1	· 3	2 ·	2 ·	4 7	· ·	· ·	· ·	· ·	· ·
		(a) Accidental Mechanical Suffocation. { M. F.	4 1	· ·	· 1	· ·	1 ·	1 ·	2 1	· ·	· ·	· ·	· ·	· ·
		(b) Overlying .. { M. F.	2 6	· 3	· ·	· 3	1 ·	1 ·	2 6	· ·	· ·	· ·	· ·	· ·
81	183	Accidental Drowning .. { M. F.	95 18	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 2	1 ·	4 ·	· ·
81	184	Accidental Injury by Firearms. { M. F.	12 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
81	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
81	186	Accidental Injury by Fall, Crushing, etc. { M. F.	264 70	· ·	· ·	· ·	· ·	· ·	· ·	4 2	4 1	3 5	4 2	1 1
81	188	Injury by Animals .. { M. F.	10 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·
81	190	Excessive Cold .. { M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
81	191	Excessive Heat .. { M. F.	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
81	192	Lightning .. { M. F.	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
81	193	Electricity (Lightning excepted). { M. F.	3 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
81	194	Other and Unstated Forms of Accidental Violence. { M. F.	88 71	9 13	· ·	· ·	· ·	· ·	9 13	· 1	1 ·	1 ·	· ·	1 1
		(a) Inattention at Birth { M. F.	9 13	9 13	· ·	· ·	· ·	· ·	9 13	· ·	· ·	· ·	· ·	· 1
		(b) Others .. { M. F.	79 58	· ·	· ·	· ·	· ·	· ·	· ·	· 1	1 ·	1 ·	· ·	· ·
82	195	Violent Deaths of Unstated Nature. { M. F.	34 9	· ·	· ·	· ·	1 ·	1 ·	2 ·	· ·	· ·	· ·	· ·	· ·
83	196	Wounds of War .. { M. F.	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
85	(198-200)	XVIII. Ill-defined Diseases. { M. F.	331 316	3 4	1 ·	· ·	1 1	· ·	5 5	7 17	· 8	2 3	2 ·	1 3
85	199	Sudden Death .. { M. F.	31 17	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
85	200	Cause of Death Unstated or Ill-defined. { M. F.	300 299	3 4	1 ·	· ·	1 1	· ·	5 5	7 17	· 8	2 3	2 ·	1 3
		(a) Heart Failure .. { M. F.	188 164	· ·	· ·	· ·	· ·	· ·	· ·	· 2	· 3	· ·	1 ·	· ·
		(b) Other Ill-defined Causes. { M. F.	104 127	1 2	· ·	· ·	· 1	· ·	1 3	7 15	· 5	2 3	1 ·	1 2
		(c) Cause not specified { M. F.	8 8	2 2	1 ·	· ·	1 ·	· ·	4 2	· ·	· ·	· ·	· ·	· ·

NOTE.—No deaths occurred from the following causes, shown in the Detailed International List:—

187. Cataclysm. 189. Hunger or Thirst. 197. Execution of civilians by belligerent armies. 198. Execution.

different Periods of Life in the Year 1935.

LATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—					
	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	182	81	
	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	182a	81	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	182b	81	
8 1	4	17 4	11 2	9 1	6 2	3 1	5 1	6	3 1	2 1	5 1	3	3 1	3	.	.	183	81	
1	1	2	.	1	2	.	.	1	2	.	1	1	.	.	.	.	184	81	
	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	185	81	
14 %	11 1	17 5	21 4	21	26 2	20 1	12 4	17 3	20 5	21 4	19 3	10 6	12 7	7 8	2	1	186	81	
	1	.	.	.	1	.	1	.	.	.	2	2	.	1	1	.	188	81	
	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	190	81	
	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	191	81	
	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	192	81	
	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	193	81	
	3	2 1	2	4 2	3 1	3	1	4	6 2	3 1	13 2	11 8	8 12	10 21	4 7	.	194	81	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194a		
	3	2 1	2	4 2	3 1	3	1	4	6 2	3 1	13 2	11 8	8 12	10 21	4 7	.	194b		
1	.	1	2 1	3	4 1	2	1	3 1	4	2	5 1	3 2	1	1 1	1	.	195	82	
	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	196	83	
7 3	2 3	3 1	3 3	2 2	3 3	6 6	4 9	9 10	20 21	37 27	90 70	122 121	4 3	3 1	.	.	(199-200)	85	
	1	.	.	.	.	.	1 2	1	1	7 2	10 7	7 5	3 1	.	.	.	199	85	
7 3	1 3	3 1	3 3	2 2	3 3	6 6	3 7	8 10	19 21	30 25	80 63	115 116	1 2	3 1	.	.	200	85	
4 1	2	2	2 2	2 2	3 1	3 3	3 5	5 7	14 16	22 16	53 39	74 65	.	.	.	.	200a		
3 2	1 1	1	1 1	.	2	3 3	2	2 3	5 4	7 8	26 23	41 50	.	3 1	.	.	200b		
	.	1	.	.	.	.	.	1	1	1 1	1 1	.	1 1	.	.	.	200c		

ABSTRACT V.—Causes of Death in SAORSTÁT ÉIREANN, by Sexes, Ages, and Places of Occurrence during the Year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	41,543 {	21,541 20,002	2,337 1,651	837 735	556 624	924 872	945 947	1,130 1,124	1,926 1,554	3,322 2,841	5,190 4,753	4,374 4,901	2,479 1,945	663 517	4,307 3,091	14,092 14,449	3,359 3,790	
1	Typhoid Fever (including Para-typhoid). M. F. }	64 {	35 29	. .	1 .	2 5	10 8	4 5	5 4	6 4	3 3	2 .	2 .	3 1	3 3	27 21	2 4	. .	
2	Typhus M. F. }	2 {	2 .	. .	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	
3	Measles M. F. }	316 {	164 152	28 23	107 94	20 23	6 4	1 2	. 1	2 .	. .	. .	. .	21 23	. .	29 17	114 112	6 14	
4	Scarlet Fever... ..M. F. }	92 {	40 52	2 3	10 19	14 18	6 4	3 5	. 3	3 .	2 .	. .	. .	9 13	. .	14 18	17 21	. 5	
5	Whooping-cough M. F. }	125 {	67 53	31 30	29 24	7 3	. .	. .	. .	. .	. .	1 .	. .	2 .	. .	12 3	53 55	13 15	
6	Diphtheria M. F. }	378 {	178 200	11 11	65 57	94 115	4 8	1 3	. 3	2 1	1 2	. .	. .	45 56	. .	108 105	25 39	1 5	
7	Dysentery M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	
8	Influenza M. F. }	963 {	461 502	18 14	6 14	11 13	15 13	13 21	25 37	46 38	74 78	166 191	87 83	13 10	11 7	49 42	388 443	98 151	
9	Encephalitis Lethargica M. F. }	27 {	17 10	. 1	3 .	. 1	2 4	6 2	1 .	2 .	2 1	1 1	. .	2 4	. .	6 2	9 4	. .	
10	Cerebro-spinal Fever M. F. }	29 {	18 11	12 3	2 3	. 3	1 2	. .	2 .	. .	. .	1 .	. .	13 7	. .	1 1	4 3	. .	
11	Tuberculosis of Respiratory System. M. F. }	2,976 {	1,565 1,411	11 3	10 6	17 63	370 429	370 395	348 250	241 144	144 89	49 30	5 2	352 318	144 89	352 304	717 700	41 37	
12	Other Tuberculous Diseases M. F. }	794 {	418 376	31 33	70 62	75 77	96 86	50 39	40 31	25 15	25 24	6 6	. 3	124 92	15 8	129 97	150 179	11 2	
13	Cancer M. F. }	3,523 {	1,903 1,620	1 1	1 2	. 2	7 10	15 28	70 113	281 331	621 472	681 468	226 193	265 239	27 30	482 285	1,129 1,066	70 36	
14	Diabetes Mellitus M. F. }	256 {	135 121	. .	1 1	2 2	9 9	9 2	10 5	18 15	26 21	39 20	21 10	19 6	2 2	28 15	86 81	11 5	

15	Cerebral Hemorrhage, Etc. (No. M. F.)	2,273	1,024 1,249	2 2	2 2	4 5	10 12	28 44	98 109	228 282	418 483	232 308	43 59	33 26	215 182	733 982	184 180
16	Heart Disease M. F.	7,026	3,555 3,471	1 7	4 37	16 43	66 56	128 135	313 310	796 773	1,399 1,283	782 827	166 142	139 123	807 611	2,443 2,595	254 243
17	Other Circulatory Diseases ...M. F.	666	387 279	1 3	3 4	4 4	4 3	7 13	30 18	93 44	137 110	115 84	50 28	5 4	94 55	238 192	5 8
18	Bronchitis M. F.	2,143	1,063 1,080	121 77	39 25	3 6	4 12	9 22	22 57	78 178	380 384	235 307	46 20	11 8	165 135	841 917	142 161
19	Pneumonia (All Forms) ...M. F.	2,591	1,468 1,123	298 173	171 157	33 45	52 32	75 40	88 69	160 76	187 150	133 244	188 131	32 23	246 111	1,002 858	79 46
20	Other Respiratory Diseases ...M. F.	617	355 262	20 12	10 8	8 6	13 7	23 14	29 24	56 25	72 41	88 76	36 49	41 32	8 7	220 192	29 13
21	Gastric and Duodenal Ulcer ...M. F.	319	230 89	3 2	2 2	6 2	17 8	40 5	53 15	53 27	45 24	16 6	63 11	2 3	68 15	97 60	4 7
22	Diarrhoea and Enteritis (under 2 years) ...M. F.	690	403 287	365 256	38 31	3 3	3 3	3 3	3 3	3 3	3 3	3 3	97 79	3 3	64 44	242 164	17 11
23	Appendicitis M. F.	179	112 67	3 3	10 14	21 5	18 7	15 11	13 7	13 9	6 10	1 1	40 21	1 3	63 34	8 12	2 1
24	Cirrhosis of the Liver ...M. F.	66	47 19	3 2	3 1	3 1	1 1	4 4	14 4	11 4	11 7	6 2	8 3	1 3	6 4	32 12	3 3
25	Other Diseases of the Liver, Etc. M. F.	166	64 102	1 3	1 1	1 1	4 5	4 9	8 15	17 22	23 32	5 18	15 26	4 3	14 18	31 55	4 2
26	Other Digestive Diseases ...M. F.	969	481 488	61 41	47 38	22 26	13 12	17 19	25 38	48 45	74 86	114 69	60 68	9 12	108 80	284 328	35 38
27	Acute and Chronic Nephritis ...M. F.	1,264	736 528	6 3	8 8	12 16	19 13	25 27	40 35	113 82	177 142	217 125	119 77	93 50	8 11	188 107	417 360
28	Puerperal Sepsis F.	89	89	3	3	10	47	26	3	3	3	3	24	3	47	18	3
29	Other Puerperal Causes ...F.	183	183	3	3	18	75	85	5	3	3	3	47	3	58	78	5
30	Congenital Debility, Etc. (Nos. 157-161) ...M. F.	1,835	1,063 772	1,046 761	10 7	3 1	4 3	3 3	3 3	3 3	3 3	3 3	262 164	3 3	171 133	630 475	202 168
31	Senility M. F.	5,875	2,608 3,267	3 3	3 3	3 3	3 3	3 3	3 3	3 3	548 718	2,060 2,549	7 10	72 50	168 148	2,361 3,059	1,747 2,233
32	Suicide M. F.	92	77 15	3 1	3 1	7 1	4 2	14 4	18 1	24 5	6 1	4 1	6 2	2 3	3 1	66 12	3 3
33	Other Violence M. F.	899	599 300	25 27	55 47	46 23	79 31	87 11	52 15	75 18	78 18	67 56	35 54	124 59	5 3	133 84	337 154
34	Other Defined Causes M. F.	3,408	1,935 1,473	242 167	127 89	135 113	122 92	110 97	125 129	192 188	302 253	389 225	191 120	274 194	129 104	466 273	1,066 902
35	Causes ill-defined or unknown ...M. F.	647	331 316	5 5	11 28	9 6	6 4	5 5	10 15	29 31	127 97	126 124	3 1	8 3	3 10	320 303	257 246

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER by Sexes, Ages, and Places of Occurrence during the Year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	17,156 {	8,800 8,356	1,207 816	420 374	259 275	398 393	394 416	508 509	888 710	1,397 1,226	1,942 1,867	1,387 1,740	1,688 1,368	275 219	1,705 1,235	5,132 5,534	677 720		
1	Typhoid Fever (including Para- M. F. } typhoid.)	6 {	4 2	• •	• •	• •	1 2	• •	1 •	• •	1 •	1 •	• •	2 1	1 •	1 1	• •	• •		
2	Typhus M. F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
3	Measles M. F. }	146 {	71 75	16 12	42 50	10 10	1 1	• 2	• •	2 •	• •	• •	• •	18 22	• •	7 5	46 48	1 1		
4	Scarlet Fever M. F. }	35 {	16 19	2 1	3 13	5 2	2 1	2 1	• 1	1 •	1 •	• •	• •	8 11	• •	3 4	5 4	• 1		
5	Whooping-cough M. F. }	49 {	26 23	10 14	14 7	2 1	• •	• •	• •	• •	• •	1 •	• •	2 •	• •	8 1	16 22	3 6		
6	Diphtheria M. F. }	213 {	95 118	5 6	43 37	42 67	3 3	1 2	• 2	1 •	• 1	• •	• •	42 53	• •	43 50	10 15	• 3		
7	Dysentery M. F. }	• {	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •		
8	Influenza M. F. }	362 {	181 181	7 4	4 3	3 5	5 6	5 8	13 19	28 18	29 28	56 63	31 27	7 9	4 2	23 14	147 156	19 18		
9	Encephalitis Lethargica M. F. }	12 {	8 4	• •	• •	• 1	• 2	5 •	• •	2 •	1 •	• 1	• •	1 2	• •	4 1	3 1	• •		
10	Cerebro-spinal Fever M. F. }	21 {	14 7	11 2	1 2	• 2	• 1	• •	1 •	• •	• •	1 •	• •	13 6	• •	• •	1 1	• •		
11	Tuberculosis of Respiratory System. M. F. }	1,346 {	696 650	5 3	8 4	6 31	172 201	158 184	144 115	113 68	66 31	22 13	2 •	182 159	57 31	149 133	308 327	6 6		
12	Other Tuberculous Diseases M. F. }	372 {	191 181	16 19	40 28	38 32	38 48	19 19	19 15	10 6	8 11	3 2	• 1	84 68	6 1	36 32	65 80	3 •		
13	Cancer M. F. }	1,463 {	739 724	1 1	1 1	• 1	4 2	5 12	27 61	119 146	239 202	244 205	99 93	153 151	13 17	164 83	409 473	19 6		
	 M. F. }	• {	40 •	• •	• •	1 •	3 •	4 •	3 •	8 •	7 •	17 •	6 •	9 •	• •	10 •	30 •	6 •		

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. F. }	999 {	447 552	1	.	.	1	1	3	16	63	97	178	88	31	16	92	308	33
16	Heart Disease ...	M. F. }	3,046 {	1,465 1,581	1	.	3	10	16	20	59	124	343	570	319	111	71	338	945	60
17	Other Circulatory Diseases	M. F. }	306 {	170 136	.	.	1	.	2	3	2	11	48	61	45	33	1	43	93	2
18	Bronchitis ...	M. F. }	958 {	469 489	41 36	22 10	.	3	7	6	15	42	84	165	95	35	5	97	332	29
19	Pneumonia (All Forms)	M. F. }	1,285 {	700 585	171 108	101 97	16 20	27	37	44	85	83	88	48	158	11	120	411	16	
20	Other Respiratory Diseases	M. F. }	324 {	201 123	7 10	7 6	4 3	9	11	22	41	42	47	11	34	5	51	111	9	
21	Gastric and Duodenal Ulcer	M. F. }	123 {	91 32	.	.	.	4	9	16	22	20	12	8	35	1	25	30	.	
22	Diarrhœa and Enteritis (under 2 years)	M. F. }	335 {	193 142	178 125	15 17	.	.	.	.	.	.	.	.	88 63	.	15	90	.	
23	Appendicitis ...	M. F. }	70 {	43 27	.	5 2	11 3	3	7	6	4	4	3	.	23	1	17	2	.	
24	Cirrhosis of the Liver	M. F. }	24 {	16 8	.	.	.	.	1	2	5	3	5	.	7	1	1	7	.	
25	Other Diseases of Liver, Etc.	M. F. }	77 {	32 45	1	.	1	1	3	2	3	5	13	4	8	1	6	17	1	
26	Other Digestive Diseases	M. F. }	378 {	188 190	29 20	16 19	8 11	3	5	12	19	27	46	23	52	7	35	94	6	
27	Acute and Chronic Nephritis	M. F. }	601 {	347 254	2 1	5 5	8 9	8	11	21	63	85	89	55	70	6	97	174	5	
28	Puerperal Sepsis ..	M. F. }	32 {	32	.	.	.	6	19	7	.	.	.	.	17	.	10	5	.	
29	Other Puerperal Causes	M. F. }	63 {	63	.	.	.	8	29	26	.	.	.	.	27	.	15	21	1	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	963 {	570 393	560 388	4 2	3 1	3	.	.	.	.	.	.	204 135	.	59	307	64	
31	Senility ...	M. F. }	1,462 {	624 838	.	.	.	.	.	.	.	.	143 203	481 635	2 3	17	66	539	294	
32	Suicide ...	M. F. }	34 {	27 7	.	.	.	6	1	2	4	11	1	3	6	1	1	19	.	
33	Other Violence ...	M. F. }	414 {	276 138	18 17	28 24	26 9	33	42	25	29	39	24	12	92	2	52	130	3	
34	Other Defined Causes ...	M. F. }	1,376 {	771 605	124 77	54 37	60 46	52	38	54	79	122	132	56	172	48	142	409	44	
35	Causes ill-defined or unknown ...	M. F. }	163 {	80 83	2 1	4 6	4 1	1	2	2	10	32	22	1	6	.	.	74	54	
										5	9	27	32	.	2	.	6	75	56	

ABSTRACT V—continued—No. 1.—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } F. }	512 {	254 258	29 21	9 8	7 7	11 9	12 12	15 12	21 22	31 49	69 65	50 53	18 16	3 5	46 42	187 195	37 44	
1	Typhoid Fever (including Para- M. } typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Typhus ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles ... M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
4	Scarlet Fever... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Diphtheria ... M. } F. }	8 {	5 3	2	2 1	3 1	.	.	.	.	.	.	.	.	.	4 3	1	.	
7	Dysentery ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza ... M. } F. }	18 {	8 10	1	.	1 1	1	.	.	2 1	.	5 3	.	.	.	1	7 10	1	
9	Encephalitis Lethargica ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. } System. F. }	35 {	20 15	.	.	5 1	8 5	1 5	5 2	.	1	.	.	3 1	.	5 3	12 10	.	
12	Other Tuberculous Diseases ... M. } F. }	10 {	5 5	.	1 2	.	2	.	2	.	.	.	.	.	.	2	3 5	.	
13	Cancer ... M. } F. }	37 {	16 21	.	.	.	1	.	.	1 5	6 6	6 9	3	1 1	.	2 3	13 17	.	
14	Diabetes Mellitus ... M. } F. }	7 {	4 3	.	.	.	1 1	.	1	.	1 1	1 1	1	.	.	2 1	2 2	1 1	

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. F. }	22	{	4	.	.	.	.	.	.	4	5	3	1	1	.	.	5	3	1
					18	.	.	.	.	.	.	.	.	5	4	1	.	.	12	2	
16	Heart Disease ...	M. F. }	121	{	55	.	.	.	1	1	1	3	5	10	26	10	1	1	13	40	3
					66	.	.	1	1	1	.	6	21	25	11	2	3	17	44	6	
17	Other Circulatory Diseases	M. F. }	7	{	4	.	.	.	.	.	.	.	2	.	2	.	.	.	1	3	.
					3	.	.	.	.	.	.	.	1	.	2	.	.	.	3	.	
18	Bronchitis ...	M. F. }	23	{	16	2	1	.	.	.	.	.	5	5	3	1	.	.	15	.	
					7	.	.	.	.	.	.	.	2	3	2	.	1	.	6	.	
19	Pneumonia (All Forms)	M. F. }	13	{	7	.	.	.	.	1	2	.	.	3	1	.	.	2	5	.	
					6	.	2	.	.	2	.	.	.	2	.	1	.	2	3	1	
20	Other Respiratory Diseases	M. F. }	4	{	2	.	.	.	.	.	1	.	1	1	.	.	.	1	1	.	
					2	.	.	.	.	.	.	.	1	.	.	.	.	2	2	.	
21	Gastric and Duodenal Ulcer	M. F. }	8	{	4	.	.	.	.	.	2	1	.	1	.	3	.	.	1	.	
					4	.	.	.	.	1	.	1	1	2	.	1	.	.	3	1	
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	5	{	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
					3	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	
23	Appendicitis ...	M. F. }	1	{	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	Cirrhosis of the Liver	M. F. }	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Other Diseases of the Liver, Etc.	M. F. }	3	{	3	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Digestive Diseases	M. F. }	7	{	6	.	1	.	.	.	2	1	1	1	.	3	.	1	2	.	
					1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
27	Acute and Chronic Nephritis	M. F. }	16	{	6	.	.	.	.	1	1	1	1	1	2	1	.	1	4	.	
					10	.	.	.	1	3	1	3	.	2	.	.	1	1	9	.	
28	Puerperal Sepsis ...	F. }	2	{	2	.	.	.	.	2	.	.	.	.	.	1	.	.	1	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Puerperal Causes	F. }	2	{	2	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	Congenital Debility, Etc. (Nos. 157-161) ...	M. F. }	38	{	24	24	.	.	.	.	.	.	.	.	.	2	.	2	20	3	
					14	14	.	.	.	.	.	.	.	.	.	1	.	3	10	3	
31	Senility ...	M. F. }	63	{	30	.	.	.	.	.	.	.	.	9	21	.	.	2	28	23	
					38	.	.	.	.	.	.	.	.	7	31	.	.	.	38	25	
32	Suicide ...	M. F. }	3	{	3	.	.	.	.	.	.	.	2	.	1	.	.	.	3	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	M. F. }	7	{	4	.	1	1	.	.	2	.	.	.	.	1	.	2	1	.	
					3	.	1	.	1	.	.	.	1	.	.	.	.	3	.	.	
34	Other Defined Causes ...	M. F. }	38	{	20	1	4	1	2	1	1	2	1	4	3	.	2	4	14	2	
					18	.	2	1	2	2	1	2	4	3	1	5	.	3	10	1	
35	Causes ill-defined or unknown	M. F. }	8	{	5	.	.	1	.	.	.	.	2	2	.	1	.	.	4	4	
					3	.	.	.	.	.	.	.	2	1	.	.	.	3	.	3	

ABSTRACT V—continued—No. 2.—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES M. F. }	1,466	711 755	93 75	36 34	32 30	49 36	36 27	27 45	78 79	98 106	143 154	119 169	175 165	34 23	86 79	416 488	9 5
1	Typhoid Fever (including Para- M. F. } typhoid).	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	31	12 19	1 3	5 7	5 7	1 1	.	.	.	.	.	.	1 2	.	.	11 17	.
4	Scarlet Fever M. F. }	3	1 2	.	1	.	1 1	.	.	.	.	.	.	1 1	.	1	.	.
5	Whooping-cough M. F. }	4	1 3	1	3	.	.	.	.	.	.	.	.	.	.	1	3	.
6	Diphtheria M. F. }	8	3 5	.	1 2	1 1	.	.	1	1	.	.	.	3 2	.	3	.	.
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	30	8 22	1 1	1 1	1	.	1	2	1	.	2 10	3 5	1	.	1 1	7 20	.
9	Encephalitis Lethargica M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory M. F. } System.	107	61 46	.	2 1	2 4	22 19	17 10	8 6	5 2	5 2	.	.	19 11	9 3	5 7	28 25	.
12	Other Tuberculous Diseases M. F. }	41	19 22	2 1	4 2	6 4	3 8	2 1	1 2	1 1	3	.	.	9 11	.	1	9 11	.
13	Cancer M. F. }	153	62 91	1	.	.	.	.	.	14 18	13 21	21 27	13 15	21 30	2 2	3 4	36 55	.
14	Diabetes Mellitus M. F. }	9	2 7	.	.	.	1	.	.	.	.	1 3	.	1 3	.	.	1 4	.

15	Cerebral Haemorrhage, Etc. (No. M. 82).	M. F. }	112	{	52	.	.	.	.	.	2	10	9	14	23	8	7	2	7	36	1
					60	.	.	.	.	.	1	9	14	18	18	7	3	7	43	.	
16	Heart Disease ...	M. F. }	264	{	115	.	.	3	1	3	8	12	20	35	33	14	7	19	75	.	
					149	.	.	2	2	1	6	13	32	47	46	12	7	22	108	.	
17	Other Circulatory Diseases	M. F. }	42	{	25	.	.	.	.	.	.	1	7	6	11	3	.	6	16	.	
					17	.	.	.	.	.	.	2	2	6	7	.	.	4	13	.	
18	Bronchitis ...	M. F. }	64	{	34	1	1	.	1	.	1	1	8	8	13	2	.	10	22	.	
					30	7	2	.	.	.	1	1	3	8	8	.	.	2	28	.	
19	Pneumonia (All Forms)	M. F. }	98	{	50	11	10	.	2	1	2	2	9	11	2	10	1	7	32	.	
					48	7	7	4	.	.	2	9	7	3	9	14	1	7	26	.	
20	Other Respiratory Diseases	M. F. }	34	{	21	.	.	.	3	1	1	6	4	5	1	2	.	6	13	.	
					13	1	.	.	.	.	2	2	4	2	2	2	.	3	8	.	
21	Gastric and Duodenal Ulcer	M. F. }	10	{	9	.	.	.	1	.	.	.	1	3	2	5	.	1	3	.	
					1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	31	{	14	14	.	.	.	.	.	.	.	.	.	2	.	3	9	.	
					17	15	2	.	.	.	.	.	.	.	.	6	.	3	8	.	
23	Appendicitis ...	M. F. }	4	{	2	.	.	1	.	.	.	1	.	.	.	2	.	.	.	.	
					2	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	
24	Cirrhosis of the Liver	M. F. }	1	{	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Other Diseases of Liver, Etc.	M. F. }	8	{	4	.	.	.	.	1	.	1	2	1	.	3	.	1	2	.	
					4	.	.	.	.	.	1	1	1	.	1	2	.	.	.	.	
26	Other Digestive Diseases	M. F. }	39	{	20	4	2	2	.	1	1	2	2	5	1	7	3	2	8	1	
					19	3	3	1	1	1	2	2	1	.	5	6	.	2	11	.	
27	Acute and Chronic Nephritis	M. F. }	49	{	23	.	1	.	.	.	1	8	8	3	2	11	1	2	9	.	
					26	.	1	1	1	.	4	5	4	5	5	7	.	6	13	.	
28	Puerperal Sepsis ...	F. }	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Puerperal Causes	F. }	5	{	5	.	.	.	.	5	.	.	.	.	.	5	.	.	.	.	
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	73	{	44	42	1	.	1	.	.	.	.	.	.	13	.	5	26	1	
					29	29	.	.	.	.	.	.	.	.	.	12	.	5	12	.	
31	Senility ...	M. F. }	71	{	26	.	.	.	.	.	.	.	.	5	21	.	4	1	21	.	
					45	.	.	.	.	.	.	.	.	10	35	1	3	1	40	.	
32	Suicide ...	M. F. }	2	{	2	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	M. F. }	45	{	29	3	3	3	6	5	.	2	2	3	2	14	1	2	12	.	
					16	3	.	1	.	1	1	2	1	2	5	7	.	.	9	.	
34	Other Defined Causes ...	M. F. }	119	{	65	12	5	6	6	5	1	7	6	10	7	21	4	3	37	.	
					54	5	2	3	2	4	3	9	8	10	8	19	4	1	30	.	
35	Causes ill-defined or unknown	M. F. }	7	{	5	.	.	2	.	.	.	1	1	1	.	1	.	.	4	3	
					2	.	.	.	.	.	.	1	1	.	.	.	.	.	2	1	

ABSTRACT V—continued—No. 3.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	6,487	3,289 3,198	634 418	230 200	91 120	158 165	168 178	250 223	402 289	532 446	521 621	303 538	1,226 964	100 85	565 406	1,398 1,743	31 26	
1	Typhoid Fever (including Para- typhoid). M. F. }	2	1 1	. .	. .	. .	1 1	. .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	. .	
2	Typhus M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	82	41 41	12 4	27 34	1 2	. .	. 1	. .	1 .	. .	. .	. .	17 17	. .	4 4	20 20	. .	
4	Scarlet Fever... ..M. F. }	18	8 10	1 1	3 7	2 .	1 .	. 1	. 1	. .	1 .	. .	. .	6 10	. .	. .	2 .	. .	
5	Whooping-cough M. F. }	19	11 8	4 6	7 1	. 1	. .	. .	. .	. .	. .	. .	. .	2 .	. .	3 1	6 7	. .	
6	Diphtheria M. F. }	91	41 50	. .	25 21	16 27	. 1	1 .	. .	. .	. .	. .	. .	38 46	. .	. 1	3 3	. .	
7	Dysentery M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	83	45 38	2 1	1 2	1 .	3 2	2 4	7 5	4 2	7 11	9 7	9 4	6 6	. .	2 .	37 32	. .	
9	Encephalitis Lethargica M. F. }	6	4 2	. .	. .	. .	. 1	3 .	. .	1 .	. .	1 .	. .	1 1	. .	2 .	1 1	. .	
10	Cerebro-spinal Fever M. F. }	19	13 6	10 2	1 2	. 1	. .	. 1	1 .	. .	. .	1 .	. .	12 6	. .	. .	1 .	. .	
11	Tuberculosis of Respiratory System. M. F. }	604	327 277	4 2	6 12	. .	76 82	67 73	78 52	59 35	29 15	7 4	1 .	106 86	24 16	81 55	116 120	. .	
12	Other Tuberculous Diseases M. F. }	165	82 83	11 12	24 13	15 15	11 21	8 9	8 6	2 3	2 4	1 .	. .	61 49	4 .	6 5	11 29	. .	
13	Cancer M. F. }	539	261 278	. .	. 1	. .	3 .	3 5	15 27	45 62	93 73	78 81	24 29	100 94	2 5	61 21	98 158	1 .	
14	Diabetes Mellitus M. F. }	32	17 15	. .	. 1	. .	. .	1 1	1 1	4 4	2 2	6 7	3 .	6 5	. .	3 1	8 9	. .	

16	Cerebral Hemorrhage, Etc. (No. M. 82).	M. F. }	290	128	.	.	.	.	1	2	6	27	28	41	23	20	4	34	70	.
				162	.	.	.	.	1	2	11	16	32	55	45	31	4	28	99	.
16	Heart Disease ...	M. F. }	1,049	465	1	2	4	7	7	22	49	124	155	94	89	28	107	241	5	.
				584	.	1	4	9	7	24	56	118	191	174	80	23	124	357	2	.
17	Other Circulatory Diseases	M. F. }	144	77	.	.	.	.	2	2	5	22	30	16	26	.	21	30	1	.
				67	.	.	.	1	2	2	6	7	28	21	12	1	12	42	2	.
18	Bronchitis ...	M. F. }	468	213	21	9	.	.	3	11	36	45	60	28	32	2	55	124	.	.
				255	15	2	2	6	3	8	23	45	89	62	14	1	63	177	2	.
19	Pneumonia (All Forms)	M. F. }	675	368	116	69	7	11	19	26	48	35	19	18	134	3	42	189	5	.
				307	65	67	12	4	9	30	12	48	35	25	96	7	12	192	.	.
20	Other Respiratory Diseases	M. F. }	149	89	3	2	3	4	5	12	23	18	12	7	30	3	23	33	.	.
				60	5	5	.	1	4	9	5	10	10	11	19	2	3	36	.	.
21	Gastric and Duodenal Ulcer	M. F. }	34	28	.	.	.	1	4	9	7	5	1	1	22	1	2	3	.	.
				6	.	.	.	2	.	.	1	2	1	.	4	.	.	2	.	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	205	122	114	8	.	.	.	.	.	.	.	.	73	.	8	41	.	.
				83	77	6	.	.	.	.	.	.	.	.	49	.	4	30	.	.
23	Appendicitis ...	M. F. }	24	14	.	2	3	1	3	3	1	.	1	.	14	.	.	2	.	.
				10	.	.	2	1	1	2	.	1	3	.	8	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	12	8	.	.	.	.	1	2	2	2	1	.	4	.	1	3	.	.
				4	.	.	.	.	1	.	.	1	2	.	2	.	.	2	.	.
25	Other Diseases of Liver, Etc.	M. F. }	21	9	1	.	1	1	2	1	1	1	1	.	5	.	1	3	.	.
				12	.	.	.	.	1	.	1	3	3	4	8	.	1	3	.	.
26	Other Digestive Diseases	M. F. }	137	62	11	7	1	1	2	3	10	10	11	6	32	3	8	19	.	.
				75	7	10	5	1	4	7	11	12	8	10	33	2	7	33	.	.
27	Acute and Chronic Nephritis	M. F. }	257	155	1	.	2	6	6	11	34	38	38	19	48	2	46	59	.	.
				102	1	3	5	3	9	5	20	23	20	13	28	2	26	46	.	.
28	Puerperal Sepsis ...	M. F. }	14	14	.	.	.	3	9	2	.	.	.	.	12	.	.	2	.	.
29	Other Puerperal Causes	M. F. }	24	24	.	.	.	3	12	9	.	.	.	.	19	.	.	5	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	435	262	259	2	1	.	.	.	.	.	.	.	149	.	20	93	5	.
				173	173	.	.	.	.	.	.	.	.	.	97	.	17	59	.	.
31	Senility ...	M. F. }	215	57	.	.	.	.	.	.	.	.	15	42	1	5	3	48	5	.
				158	.	.	.	.	.	.	.	.	40	118	2	12	2	142	10	.
32	Suicide ...	M. F. }	13	8	.	.	.	2	.	1	1	3	.	1	5	.	.	3	.	.
				5	.	.	.	.	1	2	1	2	.	.	2	.	.	3	.	.
33	Other Violence ...	M. F. }	160	115	11	13	13	11	19	11	10	19	7	1	72	.	6	37	.	.
				45	7	8	6	4	.	1	3	1	9	6	29	.	3	13	.	.
34	Other Defined Causes ...	M. F. }	481	248	52	21	21	17	9	20	29	44	26	9	110	19	26	93	4	.
				233	39	17	22	16	19	18	28	34	24	16	96	10	16	111	4	.
35	Causes ill-defined or unknown	M. F. }	20	10	.	1	.	.	.	.	3	4	1	1	4	.	.	6	5	.
				10	1	1	.	1	.	1	1	2	3	.	2	.	.	8	.	.

ABSTRACT V—continued.—No. 4.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	789 { 396 {	393 396	51 38	18 14	10 12	11 22	17 18	18 23	28 34	74 60	94 92	72 83	35 41	10 13	85 43	263 299	26 33	
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Typhus M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
4	Scarlet Fever... ..M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
5	Whooping-cough M. } F. }	2 {	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	
6	Diphtheria M. } F. }	10 {	5 5	.	1	3 2	1	.	1	.	.	.	.	2	.	5 2	1	1	
7	Dysentery M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. } F. }	10 {	4 6	.	1	.	.	.	.	1 2	1 2	1 2	.	1	.	.	4 5	.	
9	Encephalitis Lethargica ...M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
10	Cerebro-spinal Fever M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. } System. F. }	59 {	18 41	.	.	.	1 16	4 9	6 6	3 3	4 1	.	.	5 16	.	2 3	11 22	1 1	
12	Other Tuberculous Diseases ...M. } F. }	12 {	8 4	.	1 1	.	4	2 1	.	.	1	.	1	2 2	.	2	4 2	.	
13	Cancer M. } F. }	56 {	28 28	.	.	.	.	.	.	5 4	11 12	7 5	5 5	1 2	.	11 6	16 20	.	
14	Diabetes Mellitus M. } F. }	4 {	2 2	.	.	.	.	.	.	1	1	1	.	.	.	.	2 2	.	

13	Cerebral Hæmorrhage, Etc. (No. M. 82).	M. F. }	44	21 23	.	.	1	.	.	2	1	8 6	5 4	.	1	4 2	16 19	.	
16	Heart Disease ...	M. F. }	174	89 85	.	.	3	1	1	2 1	4 8	24 22	41 32	17 18	1 1	5 6	23 6	60 72	3 4
17	Other Circulatory Diseases	M. F. }	15	8 7	.	1	.	.	.	.	4 2	1 2	3 2	.	.	.	8 7	.	
18	Bronchitis ...	M. F. }	48	27 21	3 1	1 2	.	.	1	.	2 1	11 8	10 7	.	1 1	6 3	20 17	5	
19	Pneumonia (All Forms)	M. F. }	55	3 23	7 8	5 3	.	1 3	4 1	1 2	2 2	4 1	7 3	1 2	6 1	9 2	16 19	.	
20	Other Respiratory Diseases	M. F. }	9	7 2	1	.	1	.	.	1 1	.	1 4	.	.	.	2 5	2	.	
21	Gastric and Duodenal Ulcer	M. F. }	7	4 3	.	.	.	.	.	1	3	.	.	1 1	.	1 1	3 1	.	
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	13	9 4	6 3	3 1	.	.	.	.	.	.	.	3	.	.	6 4	.	
23	Appendicitis ...	M. F. }	4	1 3	.	.	1	.	.	.	1	.	2	.	1 2	.	1	.	
24	Cirrhosis of the Liver	M. F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
25	Other Diseases of Liver, Etc.	M. F. }	5	3 2	.	.	.	.	.	1	1	.	2 1	.	.	1 1	2 1	.	
26	Other Digestive Diseases	M. F. }	25	8 17	.	1	.	1	1 1	1 2	2 1	2 7	5	1 3	.	1 1	6 13	.	
27	Acute and Chronic Nephritis	M. F. }	22	10 12	.	.	.	.	1 1	.	3 3	3 2	3 3	.	1	3 3	7 8	.	
28	Puerperal Sepsis ...	F. }	3	3	.	.	.	1	2	.	.	.	.	2	.	1	.	.	
29	Other Puerperal Causes	F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	48	27 21	26 20	.	1	.	.	.	.	.	.	7 2	.	2 1	18 18	3 4	
31	Senility ...	M. F. }	73	32 41	.	.	.	.	.	.	.	6 10	26 31	1	.	5 2	26 39	9 19	
32	Suicide ...	M. F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
33	Other Violence ...	M. F. }	18	12 6	.	1 1	3 2	2 1	1 1	.	2 1	1 1	.	1 1	.	4 1	7 4	.	
34	Other Defined Causes ...	M. F. }	55	26 29	7 3	3 2	1 1	1 2	3 2	3 1	2 5	1 7	3 4	2 2	4 3	2 4	17 17	2 1	
35	Causes ill-defined or unknown	M. F. }	12	5 7	.	.	.	.	.	1	2	4 1	1 3	.	.	.	5 4	3 2	

ABSTRACT V—continued—No. 5.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. F. }	1,025 {	520 505	73 35	15 18	13 13	18 16	12 24	21 27	46 49	71 56	147 143	104 124	33 37	16 12	106 83	365 373	81 108		
1	Typhoid Fever (including Para-M. typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Typhus M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. F. }	5 {	1 4	.	1 4	.	.	.	.	.	.	.	.	.	.	.	1 4	.		
4	Scarlet Fever... ..M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Whooping-cough M. F. }	6 {	2 4	.	1 1	1	.	.	.	.	.	.	.	.	.	.	2 4	.		
6	Diphtheria M. F. }	11 {	7 4	1 1	2 1	4 2	.	.	.	.	.	.	.	1	.	7 3	.	.		
7	Dysentery M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. F. }	36 {	15 21	.	1	.	.	.	1 1	4 5	1 1	4 9	5 3	1 1	.	5 3	9 17	1 1		
9	Encephalitis Lethargica ...M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
10	Cerebro-spinal Fever M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory System. M. F. }	70 {	26 44	.	.	1 4	10 12	4 11	5 11	5 4	1	.	.	9 17	2 2	1 7	14 18	.		
12	Other Tuberculous Diseases ...M. F. }	7 {	4 3	1	.	1 2	.	.	1	.	1	.	.	1 1	.	1 2	2	.		
13	Cancer M. F. }	89 {	47 42	.	.	.	.	1	2 6	8 12	15 8	18 10	4 5	5 2	1	9 6	32 34	.		
14	Diabetes Mellitus M. }	7 {	3	.	.	.	.	.	.	1 1	.	2	.	1	.	1	2 3	1		

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F.	61	30	31	1	.	.	.	.	.	1	3	1	14	11	.	4	4	22	5
												2		6	15	7	1	1	5	24	6
16	Heart Disease ...	M. F.	184	93	91	.	.	1	1	1	1	2	6	20	43	21	.	3	20	70	4
						1	1	1	1	1	1	4	6	19	42	16	2	2	8	79	14
17	Other Circulatory Diseases	M. F.	15	7	8	.	.	.	.	.	.	1	3	1	3	.	1	.	3	3	.
						8	.	.	.	.	.	1	.	.	5	2	.	.	3	5	.
18	Bronchitis ...	M. F.	50	20	30	.	1	.	.	.	1	1	2	2	11	4	.	.	2	18	4
						3	1	1	.	.	.	2	5	10	9	.	.	2	28	8	.
19	Pneumonia (All Forms)	M. F.	50	32	18	8	3	2	1	3	.	5	3	3	5	2	1	2	7	22	1
						1	2	1	1	2	1	3	1	6	6	.	2	1	4	11	1
20	Other Respiratory Diseases	M. F.	18	14	4	1	2	.	.	.	1	2	4	4	.	.	.	.	1	13	2
						1	.	.	.	.	.	.	.	3	.	.	.	.	4	.	.
21	Gastric and Duodenal Ulcer	M. F.	4	4	.	.	.	.	.	.	1	1	1	.	.	1	.	.	2	2	.
						.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	M. F.	15	12	3	12	.	1	.	.	.	.	.	.	.	.	5	.	1	6	.
						2	1	.	.	.	.	.	.	.	.	.	1	.	2	2	.
23	Appendicitis ...	M. F.	3	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
						2	.	.	.	1	.	1	.	.	.	.	.	2	.	.	.
24	Cirrhosis of the Liver	M. F.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
						1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F.	2	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1
						1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. F.	23	13	10	2	.	.	1	1	1	2	2	6	3	.	1	.	5	8	1
						2	.	.	.	.	.	.	.	3	.	.	.	1	1	8	1
27	Acute and Chronic Nephritis	M. F.	22	9	13	.	1	.	1	1	2	2	3	2	2	2	.	1	2	5	.
						13	1	.	1	.	2	4	2	3	3	.	.	4	4	8	1
28	Puerperal Sepsis ...	F.	2	2	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	1	.
						.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
						.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161) ...	M. F.	55	36	19	36	.	.	.	.	.	.	.	.	.	.	4	.	3	29	15
						19	.	.	.	.	.	.	.	.	.	.	3	.	4	12	7
31	Senility ...	M. F.	157	61	96	.	.	.	.	.	.	.	.	15	46	.	.	1	10	50	31
						96	.	.	.	.	.	.	.	22	74	.	.	1	19	76	57
32	Suicide ...	M. F.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
						.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F.	24	15	9	1	2	3	1	2	2	1	2	1	1	1	.	.	6	9	.
						9	3	3	1	1	1	2	2	2	2	1	.	.	2	6	.
34	Other Defined Causes ...	M. F.	94	61	33	10	2	3	3	1	3	3	5	15	16	3	3	3	16	39	11
						1	2	2	2	3	2	8	6	7	2	2	3	4	5	21	3
35	Causes ill-defined or unknown	M. F.	12	5	7	1	1	.	.	.	.	.	2	2	1	.	.	.	.	5	3
						7	.	.	.	.	.	.	1	4	.	.	.	.	7	7	7

ABSTRACT V—continued—No. 6.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	735 {	397 338	34 18	10 7	12 9	17 19	16 15	17 19	30 25	56 57	128 88	77 81	14 14	20 12	77 43	286 269	69 54	
1	Typhoid Fever (including Para- M. } typhoid) F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
2	Typhus M. } F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
3	Measles M. } F. }	5 {	2 3	· 2	1 1	·	·	·	·	1	·	·	·	·	·	1	1 1	·	
4	Scarlet Fever M. } F. }	1 {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	
5	Whooping-cough M. } F. }	1 {	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
6	Diphtheria M. } F. }	13 {	8 5	2	1	4 3	1 1	·	·	·	·	·	·	·	·	6 3	2 2	·	
7	Dysentery M. } F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
8	Influenza M. } F. }	25 {	15 10	1	·	1 1	·	2	·	3 2	1 1	4 5	3 1	·	·	2 1	13 9	·	
9	Encephalitis Lethargica ...M. } F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
10	Cerebro-spinal Fever M. } F. }	· {	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
11	Tuberculosis of Respiratory M. } System. F. }	50 {	26 24	·	·	1	6 4	9 7	3 9	3 2	4 2	·	·	6 3	2	1 1	17 20	· 2	
12	Other Tuberculous Diseases ...M. } F. }	18 {	9 9	· 1	1 1	3 1	2 4	· 1	· 1	2	·	1	·	1	·	2 3	6 5	·	
13	Cancer M. } F. }	66 {	35 31	·	·	·	·	·	·	5 2	10 6	16 8	4 4	3 2	·	8 3	24 26	2	
14	Diabetes Mellitus M. } F. }	4 {	2 2	·	·	·	1 1	·	·	·	·	1	·	·	·	·	2 2	1	

15	Cerebral hemorrhage, Etc. (No. 82).	M. F. }	32	13	.	.	.	.	.	.	2	6	6	5	.	.	1	18	3
16	Heart Disease ...	M. F. }	151	78	.	.	.	3	.	1	.	19	42	13	.	7	12	49	6
				73	.	.	.	2	.	2	4	18	28	19	.	4	14	55	6
17	Other Circulatory Diseases	M. F. }	5	2	.	.	.	1	.	.	.	.	2	1	.	.	.	2	.
				3	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.
18	Bronchitis ...	M. F. }	25	11	.	.	.	.	.	.	1	.	9	4	.	1	1	12	1
				11	1	1	.	.	.	.	.	4	4	1	.	1	1	10	.
19	Pneumonia (All Forms)	M. F. }	12	20	3	1	.	1	.	2	2	4	4	3	1	1	7	11	1
				12	.	.	1	1	1	.	.	2	6	1	.	.	.	12	.
20	Other Respiratory Diseases	M. F. }	16	11	2	.	.	.	.	3	2	1	3	.	.	.	3	8	.
				5	.	.	.	.	.	1	1	.	2	1	.	.	2	3	.
21	Gastric and Duodenal Ulcer	M. F. }	7	6	.	.	.	.	1	.	.	.	1	2	.	.	4	1	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
				1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis ...	M. F. }	4	2	.	.	1	1	.	.	.	.	1	1	.	.	2	1	.
				2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
24	Cirrhosis of the Liver	M. F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	6	2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
				4	.	.	.	1	.	1	1	.	1	.	2	.	1	1	.
26	Other Digestive Diseases	M. F. }	11	8	1	.	.	.	.	1	.	2	2	2	.	1	1	6	.
				3	.	.	.	1	.	.	1	1	1	2	.	.	1	1	.
27	Acute and Chronic Nephritis	M. F. }	18	10	.	1	.	.	1	.	1	3	2	2	.	.	1	9	.
				8	.	.	.	.	.	2	3	2	2	1	.	.	1	7	1
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
29	Other Puerperal Causes	F. }	2	2	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	35	22	22	.	.	.	.	.	.	.	.	.	2	.	.	20	12
				13	12	.	1	.	.	.	.	.	.	.	2	.	3	8	2
31	Senility ...	M. F. }	103	52	.	.	.	.	.	.	.	.	14	38	.	2	2	48	32
				56	.	.	.	.	.	.	.	.	12	44	.	1	2	53	37
32	Suicide ...	M. F. }	2	2	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	21	15	.	2	1	1	1	1	2	1	3	3	.	.	4	11	.
				6	1	.	.	2	.	.	.	1	1	1	.	.	3	3	.
34	Other Defined Causes ...	M. F. }	63	33	1	3	1	1	1	5	7	3	10	1	1	6	7	19	.
				30	1	2	1	1	3	.	3	7	9	3	.	6	2	22	1
35	Causes ill-defined or unknown	M. F. }	10	7	.	.	.	.	1	1	.	2	3	.	.	.	.	7	6
				3	.	1	.	.	.	1	.	1	.	.	.	.	3	1	.

ABSTRACT V—contd.—No. 7—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.		
	ALL CAUSES M. } F. }	536 {	296 237	15 11	4 6	9 3	12 8	6 9	13 11	28 16	50 40	76 64	86 69	8 6	6 7	70 45	215 179	104 95	
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Typhus M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	
4	Scarlet Fever... ..M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. } F. }	3 {	2 1	1 1	.	1	.	.	.	.	.	.	.	.	.	.	2 1	2 1	
6	Diphtheria M. } F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
7	Dysentery M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. } F. }	34 {	17 17	.	.	.	.	.	.	1 2	5 5	9 8	2 2	.	1 1	.	16 15	10 10	
9	Encephalitis Lethargica ...M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. } F. }	1 {	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
11	Tuberculosis of Respiratory M. } System. F. }	35 {	21 14	.	.	.	6 5	2 4	4 1	5 2	.	4	.	3	1	9 11	8 3	.	
12	Other Tuberculous Diseases ...M. } F. }	3 {	3	.	.	.	2	.	.	1	.	.	.	.	.	2	1	.	
13	Cancer M. } F. }	40 {	28 12	.	.	.	.	.	1	3 2	10 3	8 5	6 2	1 1	.	7 4	20 7	6 1	
14	Diabetes Mellitus M. } F. }	3 {	2 1	.	.	.	.	.	.	.	1 1	.	1	.	.	1	1 1	.	

15	Cerebral Hemorrhage, Etc. (No. 82).	M. F. }	33	{	19	.	.	.	.	.	.	1	2	3	7	7	.	1	2	16	5
					14	.	.	.	.	.	.			4	7	2	.	1	2	11	
16	Heart Disease ...	M. F. }	63	{	28	.	.	.	.	.	.	2	3	8	9	6	.	.	14	14	1
					35	.	.	1	.	.	.	1	2	10	11	10	1	1	7	26	4
17	Other Circulatory Diseases	M. F. }	12	{	10	.	.	.	.	.	.	.	.	2	4	4	.	.	4	6	.
					2	.	.	.	.	.	.	.	.	2	2	.	.	.	2	2	.
18	Bronchitis ...	M. F. }	18	{	11	.	1	1	.	.	.	.	.	4	4	1	.	.	.	11	6
					7	.	.	.	.	.	.	.	.	2	3	2	.	.	.	7	2
19	Pneumonia (All Forms)	M. F. }	23	{	11	.	.	.	.	1	1	4	2	2	1	1	1	1	2	7	1
					12	.	1	.	.	.	1	1	1	4	4	.	.	1	11	1	
20	Other Respiratory Diseases	M. F. }	4	{	2	.	.	.	.	1	.	.	.	1	.	.	2	.	2	2	2
					2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
21	Gastric and Duodenal Ulcer	M. F. }	4	{	3	.	.	.	1	.	.	1	.	1	.	1	.	.	1	2	1
					1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	3	{	2	.	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.
					1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Appendicitis ...	M. F. }	5	{	4	.	.	2	.	.	1	.	1	.	.	.	.	1	2	1	.
					1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M. F. }		{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	4	{	2	.	.	.	.	.	1	.	.	2	.	.	.	.	2	2	.
					2	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.
26	Other Digestive Diseases	M. F. }	7	{	3	.	.	1	.	.	.	1	.	1	1	.	1	1	.	2	.
					4	.	1	.	.	.	1	.	1	1	.	1	.	.	2	2	.
27	Acute and Chronic Nephritis	M. F. }	23	{	15	.	.	3	.	.	1	3	2	4	2	.	1	6	8	1	
					8	.	.	.	1	.	.	1	3	3	3	.	2	1	5	1	
28	Puerperal Sepsis ...	F. }	4	{	4	.	.	.	1	3	.	.	.	.	.	.	.	4	.	.	.
29	Other Puerperal Causes	F. }	1	{	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	17	{	9	.	9	.	.	.	.	.	.	.	.	.	.	3	6	3	
					8	.	8	.	.	.	.	.	.	.	.	.	.	1	7	4	
31	Senility ...	M. F. }	118	{	66	.	.	.	.	.	.	.	.	14	52	.	.	3	63	51	
					52	.	.	.	.	.	.	.	.	11	41	.	.	.	52	49	
32	Suicide ...	M. F. }	1	{	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	13	{	9	.	2	.	1	.	.	1	2	2	1	1	.	4	4	.	
					4	.	1	.	.	.	.	.	2	2	1	.	.	2	2	.	
34	Other Defined Causes ...	M. F. }	37	{	17	2	1	1	1	1	2	2	4	4	3	2	1	8	8	3	
					20	1	1	1	1	1	2	4	4	3	2	1	1	7	11	4	
35	Causes ill-defined or unknown	M. F. }	25	{	12	.	.	.	1	.	1	3	3	4	.	.	.	.	12	10	
					13	.	1	.	.	.	1	1	6	4	.	.	.	.	13	12	

ABSTRACT V—continued—No. 8—Causes of Death in Administrative County of LOUTH, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Agcs.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. F. }	923 {	467 456	48 38	19 17	22 14	26 24	18 23	31 21	40 25	62 74	116 111	85 109	12 12	16 6	134 101	305 337	25 30	
1	Typhoid Fever (including Para- M. typhoid). ..F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Typhus M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	4 {	4	1	1	2	.	.	.	.	.	.	.	.	.	.	4	.	
4	Scarlet Fever... ..M. F. }	2 {	2	.	.	1	.	1	.	.	.	.	.	.	.	2	.	.	
5	Whooping-cough M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Diphtheria M. F. }	19 {	10 9	1	6 3	3 6	.	.	.	.	.	.	.	.	.	9 8	1 1	.	
7	Dysentery M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	11 {	6 5	.	1 1	.	.	.	1	1	1 1	3 2	.	.	.	.	6 5	.	
9	Encephalitis Lethargica ..M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. System. ..F. }	71 {	37 34	.	.	1 2	11 14	4 10	9 6	9 1	2 1	1 1	.	.	6 3	16 9	15 20	.	
12	Other Tuberculous Diseases ..M. F. }	15 {	7 8	.	1 2	2 2	2 1	1 1	.	1 1	.	1 1	.	1	1	2 2	3 6	.	
13	Cancer M. F. }	78 {	40 38	.	.	.	.	.	1 3	7 5	12 13	12 10	8 5	.	3	10 10	27 27	1	
14	Diabetes Mellitus M. F. }	4 {	4	.	.	.	.	.	1	.	1	2	.	1	.	1	2	.	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. }	75	33	.	.	.	.	.	2	2	10	14	5	.	.	6	27	2
				42	.	.	.	.	.	1	3	9	21	8	.	.	6	36	3
16	Heart Disease ...	...M. F. }	163	79	.	.	.	1	2	2	3	6	16	38	13	1	22	54	5
				84	.	.	2	2	2	2	4	17	28	27	2	2	11	70	3
17	Other Circulatory Diseases	...M. F. }	8	6	.	.	.	.	1	.	.	.	4	1	.	.	1	5	.
				2	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.
18	Bronchitis ...	...M. F. }	42	21	1	1	.	.	.	.	2	2	8	9	.	.	5	16	2
				21	.	.	.	.	1	1	2	4	8	5	.	.	2	19	.
19	Pneumonia (All Forms)	...M. F. }	47	20	4	1	1	1	1	3	2	2	4	1	.	.	8	12	.
				27	5	4	.	2	1	1	2	3	5	4	.	.	2	25	.
20	Other Respiratory Diseases	...M. F. }	12	6	.	.	1	1	1	.	2	1	.	.	.	.	1	5	1
				6	1	.	1	1	.	.	1	1	.	1	.	.	3	3	.
21	Gastric and Duodenal Ulcer	...M. F. }	9	5	.	.	.	.	2	.	1	1	1	.	.	.	2	3	.
				4	.	.	.	.	1	.	1	2	.	.	.	.	1	3	.
22	Diarrhoea and Enteritis (under 2 M. years).	F. }	14	7	4	3	.	.	.	.	.	.	.	.	1	.	.	7	.
				7	4	3	.	.	.	.	.	.	.	.	.	.	.	6	.
23	Appendicitis ...	...M. F. }	4	2	.	.	.	1	.	.	.	1	.	.	.	.	2	.	.
				2	.	1	.	.	1	.	.	.	.	.	.	.	2	.	.
24	Cirrhosis of the Liver	...M. F. }	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	...M. F. }	5	1	.	.	.	.	.	.	.	3	1	.	.	.	1	.	.
				4	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.
26	Other Digestive Diseases	...M. F. }	19	11	2	.	.	.	1	2	1	1	3	2	1	.	4	6	.
				8	.	.	.	.	.	1	1	2	3	1	.	.	3	5	1
27	Acute and Chronic Nephritis	...M. F. }	35	21	1	.	.	.	.	2	2	4	4	8	1	.	1	19	1
				14	.	.	.	.	1	1	1	6	3	3	1	.	3	10	.
28	Puerperal Sepsis ...	...F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	...F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	F. }	47	25	24	.	.	1	.	.	.	.	.	.	1	.	8	16	.
				22	22	.	.	.	.	.	.	.	.	.	2	.	5	15	2
31	Senility ...	...M. F. }	111	44	.	.	.	.	.	.	.	.	11	33	.	1	12	31	11
				67	.	.	.	.	.	.	.	.	16	51	.	.	13	54	18
32	Suicide ...	...M. F. }	3	2	.	.	.	2	.	.	.	.	.	.	.	1	.	1	.
				1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
33	Other Violence ...	...M. F. }	21	10	.	.	2	2	2	3	.	1	.	.	1	.	5	4	.
				11	.	1	2	2	1	2	1	2	2	.	.	.	7	4	.
34	Other Defined Causes ...	...M. F. }	91	60	10	5	9	4	2	5	5	8	7	5	4	2	16	38	1
				31	6	2	.	1	2	2	3	6	8	1	2	2	8	19	1
35	Causes ill-defined or unknown	...M. F. }	9	3	.	.	.	.	.	.	.	.	3	.	.	.	.	3	.
				6	.	.	.	.	.	.	.	3	.	.	.	.	2	4	1

ABSTRACT V—continued—No. 9—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	851 {	452 399	42 31	9 15	9 10	16 14	27 8	23 23	48 35	77 57	113 105	88 101	26 22	10 11	118 63	298 303	53 49	
1	Typhoid Fever (including Para- M. F. } typhoid).	1 {	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	2 {	2	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	
4	Scarlet Fever... ..M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
5	Whooping-cough M. F. }	7 {	4 3	1 3	3	.	.	.	.	.	.	.	.	.	.	1	3 3	2	
6	Diphtheria M. F. }	6 {	3 3	.	1 1	2 2	.	.	.	.	.	.	.	.	.	1 1	2 2	.	
7	Dysentery M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	17 {	8 9	.	.	.	.	.	2	3	.	2 1	1 1	.	2	2	4 9	1	
9	Encephalitis Lethargica M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. F. } System.	46 {	29 17	.	.	1	4 4	6 3	8 2	4 3	6 3	1 1	.	5 2	.	8 7	16 7	1	
12	Other Tuberculous Diseases M. F. }	16 {	8 8	.	1	2	4 3	2 1	1 1	.	.	.	.	2	.	4 2	4 4	1	
13	Cancer M. F. }	78 {	41 37	.	.	.	.	.	.	8 4	10 7	14 5	9 5	4 3	1 3	13 4	23 27	1 1	
14	Diabetes Mellitus M. F. }	5 {	4 1	.	.	.	.	1	.	1	1 1	1	.	.	.	2	2 1	.	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	53 {	21	.	.	.	.	.	.	2	4	11	4	.	.	9	12	3
		F. }		32	.	.	.	.	.	2	6	13	11	.	.	2	30	5	
16	Heart Disease ...	M. F. }	186 {	98	.	.	.	.	3	1	12	19	34	29	.	2	25	71	10
		F. }		88	.	.	.	.	2	2	12	17	32	23	1	3	16	68	
17	Other Circulatory Diseases	M. F. }	14 {	7	.	.	.	.	.	.	.	1	1	5	.	1	1	5	.
		F. }		7	.	.	.	.	.	.	2	1	1	3	.	1	.	6	.
18	Bronchitis ...	M. F. }	27 {	15	1	.	.	1	.	1	1	3	6	2	.	.	3	12	.
		F. }		12	1	.	.	.	.	.	1	1	3	7	.	.	2	10	2
19	Pneumonia (All Forms)	M. F. }	52 {	29	5	1	1	2	2	.	6	5	6	1	1	1	5	22	2
		F. }		23	4	3	.	.	1	2	2	2	7	2	.	.	4	19	2
20	Other Respiratory Diseases	M. F. }	20 {	11	.	1	.	.	.	1	.	5	4	.	.	6	5	.	2
		F. }		9	1	1	.	.	.	1	.	1	3	2	1	1	7	.	
21	Gastric and Duodenal Ulcer	M. F. }	10 {	8	.	.	.	.	.	.	2	5	1	.	1	.	4	3	.
		F. }		2	.	.	.	.	.	.	1	1	.	1	.	.	2	.	
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	3 {	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		F. }		1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Appendicitis ...	M. F. }	4 {	3	.	.	.	.	2	.	.	1	.	.	2	.	1	.	.
		F. }		1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	3 {	3	.	.	.	.	.	.	1	.	2	.	.	.	1	2	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. F. }	15 {	11	4	.	.	.	.	.	2	2	3	2	.	.	3	6	2
		F. }		4	.	.	1	1	.	1	.	.	.	.	.	.	3	1	.
27	Acute and Chronic Nephritis	M. F. }	44 {	24	.	.	.	1	1	1	4	7	6	4	1	2	5	16	.
		F. }		20	.	.	.	1	1	1	1	8	5	4	.	.	2	18	1
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. }	4	4	.	.	.	1	.	3	.	.	.	.	.	.	2	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	38 {	20	10	1	.	.	.	.	.	.	.	.	.	.	4	14	3
		F. }		18	16	1	.	1	.	.	.	.	.	.	6	.	2	10	3
31	Senility ...	M. F. }	79 {	32	.	.	.	.	.	.	.	8	24	.	.	.	1	31	15
		F. }		47	.	.	.	.	.	.	.	9	38	.	.	.	3	44	22
32	Suicide ...	M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	26 {	17	1	1	.	1	4	5	3	1	1	.	2	.	5	10	3
		F. }		9	2	1	1	1	2	2	.	1	2	.	.	.	4	5	.
34	Other Defined Causes ...	M. F. }	82 {	45	8	1	5	3	5	3	1	2	11	6	5	.	14	26	4
		F. }		37	4	4	3	.	.	4	5	8	5	4	5	2	6	24	3
35	Causes ill-defined or unknown	M. F. }	10 {	7	1	.	.	1	1	.	.	4	1	.	.	.	.	7	6
		F. }		3	.	.	.	1	.	.	.	1	1	.	.	.	.	.	2

ABSTRACT V—continued—No. 10—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. F. }	724 }	390 334	50 26	7 9	13 8	14 13	16 17	18 27	30 27	59 48	112 89	71 70	32 18	18 9	80 63	260 244	54 67		
1	Typhoid Fever (including Para-typhoid). M. F. }	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}		
2	Typhus M. F. }	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}		
3	Measles M. F. }	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}		
4	Scarlet Fever... ..M. F. }	3 }	3		2	1										2	1	1		
5	Whooping-cough M. F. }	3 }	1 2	1 1								1					1 2			
6	Diphtheria M. F. }	9 }	2 7		2	5										2 5	2	1		
7	Dysentery M. F. }	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}		
8	Influenza M. F. }	18 }	9 9	1			1 2		1 3	1 2	1 1	3 1	1			1 4	8 5	1		
9	Encephalitis Lethargica ...M. F. }	4 }	3 1				1	2			1					2 1	1			
10	Cerebro-spinal Fever M. F. }	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}	}		
11	Tuberculosis of Respiratory System. M. F. }	49 }	29 20				6 5	9 8	7 3	1 4	4	2		11 7	5 1	1 3	12 9	2 1		
12	Other Tuberculous Diseases ...M. F. }	16 }	10 6		2 2	2	3 1	1			1 2	1 1		1		4 2	5 4	1		
13	Cancer M. F. }	65 }	30 35						1 3	5 6	7 12	14 8	3 5	3 4	1	10 6	16 25	2 1		
14	Diabetes Mellitus M. }	4 }	1			1						2			1		1			

15	Cerebral Haemorrhage, Etc. (No. M. 82).	F. } 60 {	25	.	.	.	.	.	1	2	7	12	3	.	1	4	20	2
			35	.	.	.	.	1	1	4	6	14	9	.	3	2	30	7
16	Heart Disease ...	M. F. } 118 {	72	.	.	1	.	.	1	8	16	31	15	.	9	10	53	8
			46	.	.	.	.	1	.	2	12	19	12	.	1	5	40	3
17	Other Circulatory Diseases	M. F. } 9 {	4	.	.	.	.	.	1	.	.	3	1	.	.	2	2	.
			5	.	.	.	.	.	.	.	2	.	2	.	.	5	.	.
18	Bronchitis ...	M. F. } 33 {	20	4	1	.	.	.	1	.	2	11	1	.	.	2	18	1
			13	.	.	.	.	.	1	.	3	8	1	.	.	13	1	.
19	Pneumonia (All Forms)	M. F. } 26 {	17	3	1	1	2	1	1	3	2	2	1	.	.	4	13	.
			9	.	.	.	.	.	1	3	1	4	.	.	1	2	6	.
20	Other Respiratory Diseases	M. F. } 6 {	4	.	.	1	.	1	.	1	1	1	1	.	.	1	3	.
			2	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1
21	Gastric and Duodenal Ulcer	M. F. } 7 {	6	.	.	.	.	.	2	2	1	1	.	1	.	2	3	.
			1	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. } 5 {	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1
			3	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.
23	Appendicitis ...	M. F. } 4 {	4	.	3	.	.	.	.	1	.	.	.	.	.	4	.	.
24	Cirrhosis of the Liver	M. F. } . {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. } 2 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
			1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
26	Other Digestive Diseases	M. F. } 22 {	9	2	.	.	.	.	.	2	.	4	1	1	.	2	6	.
			13	3	1	1	.	.	2	.	4	2	.	1	.	2	10	1
27	Acute and Chronic Nephritis	M. F. } 14 {	7	.	.	.	2	.	1	2	5	2	.	.	2	5	.	.
			7	.	.	.	.	.	.	1	1	1	.	1	2	4	.	.
28	Puerperal Sepsis ...	F. } 2 {	2	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.
29	Other Puerperal Causes	F. } 6 {	6	.	.	.	1	3	2	.	.	.	.	.	.	3	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. } 49 {	32	32	.	.	.	.	.	.	.	.	.	9	.	5	18	5
			17	16	.	.	1	.	.	.	.	.	.	1	.	7	9	4
31	Senility ...	M. F. } 111 {	50	.	.	.	.	.	.	.	.	12	38	.	.	12	38	26
			61	.	.	.	.	.	.	.	.	20	41	.	.	9	52	37
32	Suicide ...	M. F. } 1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
33	Other Violence ...	M. F. } 13 {	7	2	.	1	1	1	.	1	.	1	.	.	1	2	6	.
			6	1	2	.	.	1	.	.	.	2	.	.	.	4	4	.
34	Other Defined Causes ...	M. F. } 55 {	39	3	.	5	1	2	3	3	5	11	6	5	.	9	24	2
			16	2	.	.	.	.	6	2	3	3	.	3	2	4	7	3
35	Causes ill-defined or unknown	M. F. } 10 {	5	.	.	.	.	.	.	.	4	1	.	.	.	.	5	4
			5	.	.	.	.	.	.	1	1	3	.	.	.	.	5	5

ABSTRACT V—contd.—No. 11—Causes of Death in Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1935

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	754 {	398 356	33 22	16 11	10 20	17 22	21 22	13 20	27 34	67 52	100 79	94 74	16 8	13 14	103 99	266 235	66 63	
1	Typhoid Fever (including Para- M. } typhoid). F. }	2 {	1 1	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	1 1	. .	. .	
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } F. }	1 {	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	
4	Scarlet Fever... ..M. } F. }	5 {	4 1	1 .	. 1	2 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	3 1	. .	
5	Whooping-cough M. } F. }	2 {	1 1	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. 1	
6	Diphtheria M. } F. }	16 {	4 12	1 1	2 2	. 9	1 .	. .	. .	. .	. .	. .	. .	. .	. .	4 9	. 3	. .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	23 {	18 5	2 .	. .	. .	. .	. .	1 2	1 .	5 .	7 2	2 1	. .	1 1	4 .	13 4	2 1	
9	Encephalitis Lethargica M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory M. } System. F. }	57 {	20 37	. 1	. .	1 .	6 12	7 12	2 3	2 4	2 3	1 1	. .	1 .	. 2	13 20	6 16	. .	
12	Other Tuberculous Diseases M. } F. }	19 {	8 11	. 1	1 .	. 1	1 5	3 1	1 1	1 1	1 1	. .	. .	1 1	1 .	4 9	2 1	. 1	
13	Cancer M. } F. }	63 {	30 33	. .	. .	. .	. .	. .	1 2	3 9	16 11	7 7	3 4	2 3	1 2	8 7	19 21	. 2	
14	Diabetes Mellitus M. }	3 {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	

15	Cerebral Hamorrhage, etc. (No. 82).	M. F. }	52	27	.	.	.	.	.	1	1	1	6	14	5	.	2	6	19
				25	.	.	.	.	.	1	1	1	7	9	7	.	.	9	16
16	Heart Disease ...	M. F. }	121	69	.	1	.	1	1	2	2	14	26	22	.	.	12	55	4
				52	.	.	.	.	.	3	7	13	20	9	.	3	7	42	6
17	Other Circulatory Diseases	M. F. }	12	9	.	.	.	.	.	.	1	5	2	1	1	.	2	6	1
				3	.	.	.	.	.	.	.	1	1	2	.	.	1	2	.
18	Bronchitis ...	M. F. }	29	18	1	.	.	.	.	.	1	2	7	8	.	.	3	15	1
				11	.	.	.	.	.	1	1	1	3	5	.	.	3	8	2
19	Pneumonia (All Forms)	M. F. }	49	27	1	2	1	3	2	1	2	5	7	3	.	.	9	18	1
				22	2	1	1	1	2	1	4	3	4	3	.	.	2	20	1
20	Other Respiratory Diseases	M. F. }	11	10	.	1	.	.	1	.	.	1	6	1	1	1	3	5	1
				1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
21	Gastric and Duodenal Ulcer	M. F. }	2	2	.	.	.	.	1	.	.	.	.	1	.	.	2	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
				2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.
23	Appendicitis ...	M. F. }	3	3	.	.	1	.	1	.	1	.	.	.	1	.	2	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	2	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.
				1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	6	.	.	.	.	.	.	1	.	.	2	2	1	1	1	4	1
				6	.	.	.	.	.	.	.	2	2	1	1	.	.	.	.
26	Other Digestive Diseases	M. F. }	18	8	1	1	1	.	.	.	1	.	2	2	3	.	4	5	1
				10	.	1	3	1	1	.	.	.	2	2	.	.	.	6	2
27	Acute and Chronic Nephritis	M. F. }	25	17	.	.	1	.	1	.	2	3	8	2	.	.	9	8	.
				8	.	.	.	.	1	.	1	3	2	1	.	.	1	7	.
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	5	5	.	.	.	2	2	1	.	.	.	.	.	.	1	4	1
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	30	18	18	.	.	.	.	.	.	.	.	.	3	.	3	12	7
				12	12	.	.	.	.	.	.	.	.	.	2	.	5	5	2
31	Senility ...	M. F. }	101	50	.	.	.	.	.	.	.	.	7	43	.	2	2	46	35
				51	.	.	.	.	.	.	.	.	16	35	.	2	1	48	36
32	Suicide ...	M. F. }	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	18	11	.	2	.	.	1	1	3	2	2	.	.	.	4	7	.
				7	.	3	.	.	.	2	.	.	2	.	.	.	4	3	.
34	Other Defined Causes ...	M. F. }	62	36	7	5	3	5	2	3	4	4	3	.	3	2	10	21	5
				26	2	.	4	.	2	5	3	3	5	2	1	4	10	11	1
35	Causes ill-defined or unknown	M. F. }	13	4	.	1	.	.	.	.	1	.	1	.	.	.	.	4	2
				9	.	.	.	.	.	1	.	3	5	.	.	.	.	9	7

ABSTRACT V—continued—No.12—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1935

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	1,464 {	743 721	60 74	27 20	18 16	29 27	36 37	35 46	62 41	136 111	197 168	143 181	29 23	21 11	140 112	553 575	79 119	
1	Typhoid Fever (including Para- M. F. } typhoid).	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	4 {	3 1	. .	3 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	1 1	. .	
4	Scarlet Fever... ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
5	Whooping-cough M. F. }	2 {	1 1	. .	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	
6	Diphtheria M. F. }	4 {	1 3	. .	. 1	1 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 3	. .	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	32 {	15 17	. .	. .	. .	1 .	1 1	1 4	4 1	2 .	4 5	3 5	. .	. .	5 2	10 15	. 3	
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory M. F. } System.	109 {	58 51	. .	. .	1 2	12 14	16 20	9 11	9 2	8 1	3 1	. .	9 8	5 1	5 5	39 37	. 1	
12	Other Tuberculous Diseases ...M. F. }	30 {	14 16	. 1	3 2	4 2	2 4	. 3	3 2	1 .	1 1	. 1	. .	2 .	. .	4 6	8 10	. .	
13	Cancer M. F. }	104 {	64 40	. .	. .	. .	. 1	2 1	4 1	6 4	19 20	27 7	6 6	2 3	. 2	15 7	47 28	2 2	
14	Diabetes Mellitus M. F. }	7 {	6 .	. .	. .	. .	1 .	1 .	1 .	. .	1 .	1 .	1 .	. .	. .	1 .	5 .	. .	

15	Cerebral Hæmorrhage, Etc. (No. 82).	M. F. }	92 {	39	.	.	.	.	.	1	.	2	7	10	14	7	1	.	1	4	35	.
				53	.	.	.	.	.	.	.	2	12	21	16	1	.	.	.	7	45	11
16	Heart Disease ...	M. F. }	313 {	148	.	.	2	.	.	2	7	9	36	61	31	1	3	35	109	8		
				165	.	.	2	1	.	3	6	17	38	60	38	1	1	22	141	12		
17	Other Circulatory Diseases	M. F. }	11 {	5	.	.	.	.	.	.	.	.	2	3	.	.	.	.	1	4	.	
				6	.	.	.	.	.	.	.	.	2	2	2	.	.	.	6	.		
18	Bronchitis ...	M. F. }	83 {	38	4	1	.	.	.	.	.	1	6	15	11	.	1	2	35	7		
				45	7	1	.	1	.	1	1	2	4	16	12	.	1	3	41	8		
19	Pneumonia (All Forms)	M. F. }	104 {	52	8	5	2	3	.	2	1	5	7	10	9	1	1	11	39	3		
				52	14	4	1	3	.	2	4	2	7	3	12	1	.	10	41	1		
20	Other Respiratory Diseases	M. F. }	24 {	17	.	1	.	1	.	2	2	3	4	4	.	1	1	2	13	1		
				7	.	.	.	.	.	.	.	.	4	4	3	.	.	7	1			
21	Gastric and Duodenal Ulcer	M. F. }	12 {	6	.	.	.	1	.	1	.	.	2	2	.	.	.	2	4	.		
				6	.	.	.	.	.	.	.	3	2	1	.	1	1	2	2	.		
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	25 {	13	12	1	.	.	.	.	.	.	.	.	.	2	.	.	11	.		
				12	11	1	.	.	.	.	.	.	.	.	.	1	.	.	11	.		
23	Appendicitis ...	M. F. }	4 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.		
				3	.	1	1	.	.	.	.	.	.	1	.	1	.	1	1	.		
24	Cirrhosis of the Liver	M. F. }	3 {	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.		
				1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.		
25	Other Diseases of Liver, Etc.	M. F. }	6 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	4	.		
				5	.	.	.	.	.	1	.	2	.	1	1	.	.	.	.	.		
26	Other Digestive Diseases	M. F. }	37 {	22	2	4	2	.	.	1	1	6	5	1	.	.	.	7	15	1		
				15	2	1	.	1	.	2	1	3	2	3	2	.	.	5	8	2		
27	Acute and Chronic Nephritis	M. F. }	52 {	32	.	3	2	.	1	1	5	7	8	5	3	.	.	14	15	1		
				20	.	.	2	.	.	1	2	2	6	7	.	.	.	6	14	1		
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
29	Other Puerperal Causes	F. }	8	8	.	.	.	.	4	4	.	.	.	.	1	.	.	4	3	.		
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	57 {	27	27	.	.	.	.	.	.	.	.	.	.	2	.	3	22	5		
				30	30	.	.	.	.	.	.	.	.	.	.	1	.	8	21	7		
31	Senility ...	M. F. }	170 {	78	.	.	.	.	.	.	.	.	.	20	58	.	2	6	70	35		
				92	.	.	.	.	.	.	.	.	.	22	70	.	1	9	82	55		
32	Suicide ...	M. F. }	5 {	4	.	.	.	2	.	.	.	1	1	.	.	.	.	1	3	.		
				1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.		
33	Other Violence ...	M. F. }	28 {	18	.	2	1	3	3	1	2	3	1	2	.	.	.	5	13	.		
				10	3	3	.	.	.	.	.	.	3	1	.	.	.	5	5	.		
34	Other Defined Causes ...	M. F. }	120 {	71	7	2	3	4	4	3	6	18	15	9	5	6	14	46	2			
				49	6	3	5	1	1	6	3	13	6	5	1	4	6	38	7			
35	Causes ill-defined or unknown	M. F. }	17 {	7	.	1	.	.	.	.	.	2	3	1	.	.	.	7	5			
				10	.	1	.	.	.	.	.	.	5	4	.	.	.	10	8			

ABSTRACT V—contd.—No. 13—Causes of Death in Administrative County of WICKLOW by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	890 {	487 403	45 39	20 15	13 13	20 18	9 26	27 12	48 54	84 70	126 88	95 88	64 42	8 11	95 56	320 294	43 27	
1	Typhoid Fever (including Para-typhoid). M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	9 {	6 3	1 2	4 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	6 2	. .	
4	Scarlet Fever... ..M. F. }	1 {	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
5	Whooping cough M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
6	Diphtheria M. F. }	17 {	5 12	. .	2 4	3 8	. .	. .	. .	. .	. .	. .	. .	1 2	. .	4 9	. 1	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	25 {	13 12	. .	. .	. .	1 .	2 .	1 .	3 .	5 3	3 2	2 3	. .	. .	. 2	13 10	4 2	
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	1 {	. 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory System. M. F. }	54 {	24 30	1 .	. .	. .	7 9	5 12	4 3	3 4	1 2	2 .	1 .	5 6	3 1	2 2	14 21	1 .	
12	Other Tuberculous Diseases ...M. F. }	20 {	14 6	2 3	2 1	4 .	2 1	. 1	2 .	1 .	1 .	. .	. .	5 2	. .	2 1	7 3	. .	
13	Cancer M. F. }	95 {	57 38	. 1	1 .	. .	1 .	. 1	2 1	9 6	17 9	16 12	11 8	10 5	2 3	7 2	38 28	2 .	
14	Diabetes Mellitus M. F. }	9 {	2 7	. .	. .	. .	. .	1 .	. .	2 .	3 .	2 .	1 .	. .	1 .	. .	2 6	1 .	

15	Cerebral Hemorrhage, etc. (No. 82).	M. F.	139	33	.	.	.	.	2	.	5	4	7	12	15	1	.	3	34	2
16	Heart Disease ...	M. F.	139	76 63	.	.	.	.	2	.	5	8	17 22	29 24	15 13	4 1	2 2	16 5	54 55	3
17	Other Circulatory Diseases	M. F.	12	6 6	.	.	.	.	.	1	.	1	2 2	2 2	1 1	2 1	.	1	3 5	.
18	Bronchitis ...	M. F.	48	22 26	3	5	.	.	.	.	.	3	3 3	10 9	1 9	2 2	.	8 6	14 18	2 1
19	Pneumonia (All Forms)	M. F.	61	35 26	5 2	3 3	1	.	2	1	4 3	4 4	5 4	8 4	5 5	3 3	.	7 3	25 19	2
20	Other Respiratory Diseases	M. F.	17	7 10	.	.	.	.	1	1	.	2 2	1 1	3 4	1 1	1 1	1	2 8	5 8	.
21	Gastric and Duodenal Ulcer	M. F.	9	6 3	.	.	.	.	.	1	3	1 1	1 1	1 1	.	2 .	.	3 2	1 1	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F.	11	6 5	6 5	.	.	.	.	.	.	.	.	.	.	2 1	.	2	4 2	.
23	Appendicitis ...	M. F.	6	5 1	.	.	1	.	.	1	2	.	1	1	.	3	.	2 1	.	.
24	Cirrhosis of the Liver	M. F.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. F.	6	2 4	.	.	.	.	1	.	.	.	1	2 2	.	2	.	1 2	1 2	.
26	Other Digestive Diseases	M. F.	18	7 11	.	1 2	1 1	1	.	1	1	.	1 4	2 2	2 3	1 3	1	1 1	5 6	.
27	Acute and Chronic Nephritis	M. F.	24	18 6	.	.	1	1	.	1	3	2 2	7 1	4 2	3	.	5 6	10 6	1	
28	Puerperal Sepsis ...	F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F.	2	2	.	.	.	1	1	.	.	.	.	.	.	2	.	.	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F.	41	24 17	22 17	.	1	1	.	.	.	.	.	.	.	10 6	.	1 5	13 6	.
31	Senility ...	M. F.	80	46 34	.	.	.	.	.	.	.	.	7 8	39 26	.	.	1	7 4	39 29	19 17
32	Suicide ...	M. F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
33	Other Violence ...	M. F.	20	14 6	.	.	.	2 2	2	1	1	4 1	2 1	2 2	.	2	.	5 1	9 3	.
34	Other Defined Causes...	M. F.	79	50 29	4 7	2	1 3	4 1	2	2 3	6 3	11 2	15 6	3 3	10 2	1	.	12 4	27 23	3 3
35	Causes ill-defined or unknown	M. F.	10	5 5	.	2	1	.	.	.	1	3 1	2 1	.	.	.	.	5 4	3 2	.

ABSTRACT V—continued—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES M. F. }	13,128 {	6,932 6,196	746 495	290 217	181 209	275 242	318 304	357 366	600 496	1,091 896	1,698 1,506	1,376 1,465	597 426	199 164	1,624 1,107	4,512 4,499	1,003 1,161
1	Typhoid Fever (including Para-typhoid). M. F. }	37 {	17 20	. .	1 .	. 3	4 5	2 4	4 3	1 3	2 2	1 .	2 .	. .	1 2	15 14	1 4	. .
2	Typhus M. F. }	1 {	1 .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
3	Measles M. F. }	143 {	81 62	10 14	59 36	8 8	3 3	1 .	. 1	. .	. .	. .	. .	1 1	. .	22 12	58 49	2 6
4	Scarlet Fever... .. M. F. }	13 {	3 10	. 1	1 1	2 5	. .	2 2	1 1	. .	. .	. .	. .	2 .	. .	1 5	2 3	. .
5	Whooping-cough M. F. }	57 {	35 22	18 8	12 13	5 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	4 2	31 20	7 3
6	Diphtheria M. F. }	105 {	54 51	4 4	14 13	35 30	. 3	. 1	. .	. 1	. .	. .	. .	3 3	. .	45 39	6 9	. 2
7	Dysentery M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	1 .	. .
8	Influenza M. F. }	223 {	111 112	3 3	1 4	2 3	6 1	3 6	8 8	7 9	26 13	35 43	20 22	6 .	5 2	13 8	87 102	17 30
9	Encephalitis Lethargica M. F. }	7 {	4 3	. .	. .	. 2	. 1	. 1	1 .	. .	1 1	. .	. .	1 2	. .	1 .	2 1	. .
10	Cerebro-spinal Fever M. F. }	5 {	1 4	. 1	1 1	. 1	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	1 2	. .
11	Tuberculosis of Respiratory System. M. F. }	938 {	496 442	5 .	2 .	6 19	103 124	128 131	126 86	71 49	39 27	14 5	2 1	112 88	43 35	130 102	211 217	10 11
12	Other Tuberculous Diseases M. F. }	249 {	137 112	13 9	25 21	23 29	32 17	15 10	10 10	8 5	11 9	. 1	. 1	28 18	5 4	59 33	45 57	3 1
13	Cancer M. F. }	1138 {	650 488	. .	. 1	. .	3 4	7 7	24 31	88 96	226 154	241 138	61 57	97 76	7 8	208 122	338 282	16 11
14	Diabetes Mellitus M. F. }	101 {	59 42	. .	1 .	. 2	4 1	3 1	7 .	7 2	12 17	17 12	8 7	10 .	. .	12 4	37 38	2 1

15	Cerebral Haemorrhage, Etc. (No. M. 82).	...M. F. }	702	309 393	1 1	2 1	1 1	5 4	8 12	19 37	81 101	113 157	79 77	11 14	8 7	79 61	211 311	33 46	
16	Heart Disease ...	...M. F. }	2,300	1,203 1,097	1 1	5 14	19 11	23 23	33 47	126 103	282 243	470 416	244 238	47 31	48 36	318 238	790 792	91 76	
17	Other Circulatory Diseases	...M. F. }	223	133 90	1 1	1 1	1 1	2 6	10 5	28 12	49 36	42 29	13 14	3 1	28 19	89 56	2 1		
18	Bronchitis ...	...M. F. }	633	326 307	43 23	10 5	2 3	4 3	4 9	24 13	48 57	120 112	70 80	8 3	3 2	51 30	264 272	41 38	
19	Pneumonia (All Forms)	...M. F. }	719	434 285	78 45	44 38	8 16	13 6	25 10	24 8	41 19	60 39	98 74	43 30	22 10	14 4	86 36	312 235	21 19
20	Other Respiratory Diseases	...M. F. }	171	85 86	7 1	2 2	2 3	10 5	2 6	5 11	19 13	20 27	16 15	5 7	3 1	22 13	55 65	3 3	
21	Gastric and Duodenal Ulcer	...M. F. }	116	82 34	1 1	1 1	1 1	4 3	14 4	20 7	20 10	20 9	3 1	21 3	1 1	22 6	38 25	2 3	
22	Diarrhoea and Enteritis (under 2 M. years).	...M. F. }	290	173 117	155 108	18 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	8 12	1 1	40 30	125 75	7 7	
23	Appendicitis ...	...M. F. }	53	37 16	1 1	4 3	7 1	8 1	3 2	3 3	5 5	1 1	15 5	1 1	19 8	3 3	1 1		
24	Cirrhosis of the Liver	...M. F. }	23	19 4	1 1	1 1	1 1	1 1	2 1	5 1	6 3	3 2	3 1	1 1	2 1	16 3	1 1		
25	Other Diseases of Liver, Etc.	...M. F. }	56	21 35	1 1	1 1	1 1	1 3	1 3	4 5	9 6	5 10	1 8	5 7	2 3	6 5	8 20	1 1	
26	Other Digestive Diseases	...M. F. }	314	159 155	24 16	17 12	7 6	4 2	6 5	7 11	25 17	39 27	17 40	17 19	2 6	35 32	105 104	14 13	
27	Acute and Chronic Nephritis	...M. F. }	346	199 147	2 1	1 2	2 4	9 3	9 6	12 14	29 27	41 45	58 31	36 15	16 10	1 3	46 30	136 104	2 3
28	Puerperal Sepsis ...	...F. }	29	29	1	1	2	14	13	1	1	1	1	3	1	23	3	1	
29	Other Puerperal Causes	...F. }	71	71	1	1	5	24	37	5	1	1	1	18	1	25	28	1	
30	Congenital Debility, Etc. (Nos. M. 157-161).	...M. F. }	521	311 210	307 205	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	45 20	1 1	62 39	204 151	68 63	
31	Senility ...	...M. F. }	1,909	841 1,068	1 1	1 1	1 1	1 1	1 1	1 1	1 1	185 261	656 307	1 7	17 15	54 38	769 1,008	533 695	
32	Suicide ...	...M. F. }	36	33 3	1 1	1 1	1 1	2 1	8 1	10 2	8 2	3 1	1 1	1 1	1 1	2 1	30 3	1 1	
33	Other Violence ...	...M. F. }	269	182 87	4 6	18 13	12 8	20 9	26 3	20 5	33 6	22 6	7 14	28 17	1 1	49 28	105 41	1 3	
34	Other Defined Causes ...	...M. F. }	1,115	631 484	71 48	50 28	50 45	36 35	34 35	35 43	68 64	85 79	138 66	64 41	76 40	35 34	189 100	331 310	48 45
35	Causes ill-defined or unknown	...M. F. }	214	105 109	1 2	4 9	2 5	2 1	3 2	2 5	8 9	36 28	46 47	1 1	1 1	3 3	102 105	78 79	

ABSTRACT V—continued—No. 14.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES M. } F. }	1,287 {	675 612	51 40	25 21	22 34	25 22	39 23	29 33	52 35	101 68	182 131	149 185	31 26	32 16	165 114	447 456	156 187		
1	Typhoid Fever (including Para- M. } typhoid). F. }	2 {	1 1	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .		
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. } F. }	8 {	5 3	. .	3 1	1 2	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	5 3	. .		
4	Scarlet Fever... ..M. } F. }	2 {	. 2	. .	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .		
5	Whooping-cough M. } F. }	6 {	5 1	2 1	2 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	5 1	3 1		
6	Diphtheria M. } F. }	29 {	16 19	2 2	4 .	8 10	3 .	. .	. .	. .	. .	. .	. .	1 .	. .	10 13	5 .	1 .		
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. } F. }	38 {	11 27	. .	. .	. .	. .	. .	. .	1 1	3 4	7 16	. 6	. .	. .	2 .	11 25	5 14		
9	Encephalitis Lethargica ...M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory M. } System. F. }	97 {	54 43	1 .	. .	. 2	11 13	16 14	14 9	9 3	2 2	1 .	. .	12 18	8 2	9 4	25 19	4 1		
12	Other Tuberculous Diseases ...M. } F. }	13 {	7 6	. .	1 1	1 3	1 .	2 .	. .	1 1	1 .	. .	. .	. .	. .	3 4	4 2	. .		
13	Cancer M. } F. }	94 {	54 40	. .	1 .	. .	1 1	. 1	1 4	7 6	16 8	23 12	6 7	2 .	1 .	22 17	32 20	2 .		
			4	.	.	.	.	1	.	.	1	1	1	.	.	1 1	3 3	.		

ABSTRACT V—continued—No. 15.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	3,809 {	2,052 1,757	164 110	64 54	45 57	80 70	110 87	115 101	173 128	320 285	543 448	438 417	219 156	69 54	475 284	1,289 1,263	274 341
1	Typhoid Fever (including Para- M. typhoid). F. }	8 {	6 2	.	1	.	1	1 1	1 1	.	.	.	2	.	.	5 2	1	.
2	Typhus M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
3	Measles M. F. }	33 {	17 16	3 4	9 6	2 3	3 2	.	1	.	.	.	.	1	.	5 5	11 11	2 3
4	Scarlet Fever... ..M. F. }	6 {	1 5	1	.	1 2	.	1	1	.	.	.	.	1	.	1 3	1	.
5	Whooping-cough M. F. }	23 {	13 10	6 1	5 8	2 1	.	.	.	.	.	.	.	.	.	3 2	10 8	1
6	Diphtheria M. F. }	22 {	13 9	1	2 2	10 6	.	1	.	.	.	.	.	1	.	11 7	2 1	1
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	44 {	27 17	1	.	1	.	1 2	2 2	2 1	7 2	7 4	7 5	3	1	1	22 17	5
9	Encephalitis Lethargica ...M. F. }	2 {	2	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
10	Cerebro-spinal Fever M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
11	Tuberculosis of Respiratory M. System. F. }	272 {	143 129	1	.	3	29 39	48 39	40 26	12 9	11 10	2 3	.	48 39	16 19	29 20	50 51	1 5
12	Other Tuberculous Diseases ...M. F. }	68 {	33 35	2 1	5 7	5 14	8 6	4 1	3 1	2 2	4 2	.	1	7 8	1	15 9	11 17	1
13	Cancer M. F. }	367 {	221 146	.	.	.	1	4 2	8 8	31 32	80 54	78 37	19 13	46 25	1 5	63 40	111 76	4 3

16	Heart Disease ...	...M. F. }	678 {	375 303	.	1	2	8	6	7	34	70	167	83	21	17	96	241	28
					.			1	5	10	27	75	118	64	9	15	49	230	28
17	Other Circulatory Diseases	...M. F. }	80 {	51 29	.	.	.	.	.	1	5	5	20	20	7	3	18	23	1
					.	.	.	.	.	1	1	3	13	11	6	1	10	12	
18	Bronchitis ...	...M. F. }	156 {	83 73	6	3	1	1	1	2	6	10	34	21	2	2	9	70	11
					3	2			1	4	4	14	29	15	1	2	7	63	10
19	Pneumonia (All Forms)	...M. F. }	212 {	129 83	20	11	5	3	10	5	11	23	32	14	3	6	22	98	6
					10	9		1	4	1	6	11	26	10	2	3	10	68	5
20	Other Respiratory Diseases	...M. F. }	61 {	35 26	6	1	1	1	2	2	3	8	8	5	1	2	11	21	1
					1				1	2	4	4	6	5	1		4	21	1
21	Gastric and Duodenal Ulcer	...M. F. }	42 {	27 15	.	.	.	.	2	6	6	5	6	2	9	.	7	11	1
						.	.	.	2	2	2	5	4	.	3	.	5	7	
22	Diarrhoea and Enteritis (under 2 M. years).	...M. F. }	44 {	26 18	22	4	.	.	.	.	.	.	.	.	3	.	11	12	1
					17	1	.	.	.	.	.	.	.	.	5	.	6	7	1
23	Appendicitis ...	...M. F. }	23 {	15 8	.	2	4	6	2	1	1	3	1	1	5	.	10	.	.
							1	.	.	1					2	.	4	2	.
24	Cirrhosis of the Liver	...M. F. }	2 {	1 1	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.
						.	.	.	.	.			.	.	.	.			.
25	Other Diseases of Liver, Etc.	...M. F. }	18 {	6 12	.	.	.	.	3	1	2	3	1	.	2	1	1	2	.
						.	.	.		1	1	2	3	2	3	.	3	6	.
26	Other Digestive Diseases	...M. F. }	77 {	34 43	5	1	2	1	3	4	4	6	8	1	5	.	11	18	.
					3		3		3	2	4	6	15	6	5	2	5	31	3
27	Acute and Chronic Nephritis	...M. F. }	107 {	64 43	.	1	3	3	.	3	11	11	20	16	3	.	16	45	.
									3	2	3	16	7	8	4	.	10	29	2
28	Puerperal Sepsis ...	...F. }	10	10	.	.	.	2	5	3	.	.	.	.	1	.	8	1	.
29	Other Puerperal Causes	...F. }	19	19	.	.	.	2	5	11	1	.	.	.	5	.	6	8	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	...M. F. }	132 {	75 57	73	1	.	1	.	.	.	.	.	.	10	.	17	48	15
					56	1	.	.	.	.	.	.	.	.	6	.	4	47	23
31	Senility ...	...M. F. }	571 {	261 310	.	.	.	.	.	.	.	.	60	201	.	3	14	244	161
						.	.	.	.	.	.	.	84	226	4	1	9	296	201
32	Suicide ...	...M. F. }	16 {	15 1	.	.	.	.	.	4	5	3	1	2	1	1	1	13	.
						.	.	.	.			1	.	.	.	.	1	1	.
33	Other Violence ...	...M. F. }	85 {	55 30	3	1	2	5	12	7	12	6	5	2	9	.	11	35	.
					1	5		4	1	3	1	2	10	3	5	.	10	15	1
34	Other Defined Causes ...	...M. F. }	315 {	186 129	15	17	15	9	13	11	17	24	41	24	24	16	55	91	15
					10	7	9	12	5	13	17	22	18	16	14	3	27	85	14
35	Causes ill-defined or unknown	...M. F. }	64 {	35 29	.	1	1	.	1	2	1	17	13	.	.	.	3	32	22
					2	2	.	.	1	2	1	11	8	.	.	.	29	19	

ABSTRACT V—continued—No. 16.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	1,158 {	598 560	98 51	42 29	9 15	20 24	29 37	49 38	83 54	98 96	121 118	49 98	148 112	17 11	151 123	282 314	7 13
1	Typhoid Fever (including Para-typhoid). M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	11 {	10 1	2 1	8 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 1	7 .	. .
4	Scarlet Fever... ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
5	Whooping-cough M. F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
6	Diphtheria M. F. }	5 {	3 2	. .	3 2	. .	. .	. .	. .	. .	. .	. .	. .	2 1	. .	1 1	. .	. .
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	5 {	2 3	. .	1 .	. .	1 .	. .	. .	. .	1 .	2 .	. .	. .	. .	. .	2 3	. .
9	Encephalitis Lethargica M. F. }	1 {	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of Respiratory System. M. F. }	112 {	58 54	1 .	1 .	. 2	10 11	9 18	20 9	13 11	4 3	. .	. .	31 20	3 4	5 11	19 19	. .
12	Other Tuberculous Diseases M. F. }	27 {	12 15	1 .	4 4	2 4	1 2	2 2	2 4	. .	1 .	. .	. .	5 6	. .	4 3	3 6	. .
13	Cancer M. F. }	127 {	68 59	. .	. .	. .	2 .	2 .	2 5	14 14	23 17	23 13	4 8	26 28	2 .	20 10	20 21	. .

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	67	25 42	.	1	.	.	.	1	5	8	16	3	2	1	3	8	14	.	1
16	Heart Disease ...	M. F. }	240	110 130	.	.	2	1	3	6	18	35	36	11	11	5	38	56	2	2	
17	Other Circulatory Diseases	M. F. }	27	18 9	1	.	.	1	.	1	2	4	6	4	3	.	4	11	.	.	
18	Bronchitis ...	M. F. }	55	27 28	4	2	.	.	1	1	1	4	12	3	1	.	3	23	.	.	
19	Pneumonia (All Forms)	M. F. }	74	48 26	18 5	6 8	1 3	.	2 1	4	7	3	5	2	4	1	21	23	.	.	
20	Other Respiratory Diseases	M. F. }	14	5 9	1	.	1	.	3 4	.	1	2	1	.	2	.	1	2	.	.	
21	Gastric and Duodenal Ulcer	M. F. }	4	3 1	.	.	.	.	.	1	1	1	.	.	1	1	.	1	.	.	
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	59	35 24	30 20	5 4	.	.	.	.	.	.	.	2	2	.	15	18	.	2	
23	Appendicitis ...	M. F. }	6	5 1	.	1	1	.	1	1	.	1	.	.	5	.	.	.	.	.	
24	Cirrhosis of the Liver	M. F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
25	Other Diseases of Liver, Etc.	M. F. }	3	1 2	.	.	.	.	.	1	.	1	.	.	2	.	.	1	.	.	
26	Other Digestive Diseases	M. F. }	26	16 10	3	3	1	1	1	1	2	3	2	1	6	.	3	7	.	1	
27	Acute and Chronic Nephritis	M. F. }	25	13 12	1	.	1	2	2	2	3	2	6	.	4	.	2	7	.	.	
28	Puerperal Sepsis ...	F. }	2	2	.	.	.	.	1	1	.	.	.	.	1	.	1	.	.	.	
29	Other Puerperal Causes	F. }	4	4	.	.	.	.	1	2	1	.	.	.	3	.	.	1	.	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	50	29 21	29 21	.	.	.	.	.	.	.	.	.	15 4	.	4	10	2	2	
31	Senility ...	M. F. }	80	24 56	.	.	.	.	.	.	.	.	5	19	1	.	3	20	2	3	
32	Suicide ...	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	M. F. }	27	17 10	.	2 3	2 1	2	1	2	5	1	1	1	7	.	1	9	.	.	
34	Other Defined Causes ...	M. F. }	96	63 33	7	6 6	2 1	3 7	3	7	14	8	12	1	19	5	14	25	.	1	
35	Causes ill-defined or unknown	M. F. }	5	1 4	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	2	

ABSTRACT V—continued—No. 17.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.		
	ALL CAUSES M. } F. }	1,680 {	888 792	76 49	28 27	24 30	50 26	47 37	50 45	56 59	131 112	228 193	198 214	41 31	17 23	200 126	630 612	241 267	
1	Typhoid Fever (including Para- M. } typhoid). F. }	11 {	7 4	. .	. .	1 .	2 1	1 .	2 1	1 .	2 .	. .	. .	. .	. .	7 4	. .	. .	
2	Typhus M. } P. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } P. }	9 {	4 5	1 .	2 3	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 2	1 3	. 2	
4	Scarlet Fever... ..M. } F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
5	Whooping-cough M. } F. }	4 {	1 3	1 1	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 3	. 1	
6	Diphtheria M. } F. }	13 {	7 6	1 .	3 1	3 5	. .	. .	. .	. .	. .	. .	. .	1 .	. .	4 4	2 2	. .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	33 {	14 19	. .	1 2	1 .	2 .	1 .	2 3	2 2	2 2	4 8	2 1	2 .	. .	4 1	8 18	5 6	
9	Encephalitis Lethargica M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. } F. }	2 {	. 2	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	
11	Tuberculosis of Respiratory M. } System. F. }	134 {	75 59	. .	1 .	4 4	18 12	24 19	12 15	7 3	4 5	4 1	1 .	6 2	9 5	29 26	31 26	3 2	
12	Other Tuberculous Diseases M. } F. }	31 {	20 11	3 .	2 4	. 1	7 2	3 2	4 1	. .	1 1	. .	. .	5 1	1 .	9 4	5 6	1 .	
13	Cancer M. } F. }	118 {	72 46	. .	. .	. .	. .	. .	3 2	6 10	24 11	34 18	5 5	3 7	. 1	21 9	48 29	4 4	
14	Diabetes Mellitus M. } P. }	14 {	7 7	. .	. .	1 .	. .	. .	1 .	. .	3 5	3 1	. .	1 .	. .	1 .	5 7	. .	

15	Cerebral Haemorrhage, Etc. (No. 82).	M. } F. }	67 {	30 37	1	1	.	1	1	2	11	11	4	1	1	6	23	5
16	Heart Disease ...	M. } F. }	252 {	138 114	.	.	2	1	3	3	12	33	51	33	3	38	94	17
17	Other Circulatory Diseases	M. } F. }	27 {	12 15	.	.	.	.	.	1	1	5	3	4	1	1	10	.
18	Bronchitis ...	M. } F. }	63 {	36 27	8	1	.	.	.	2	6	15	4	1	.	7	28	8
19	Pneumonia (All Forms)	M. } F. }	108 {	70 38	13	8	1	4	3	6	7	8	14	6	2	13	55	7
20	Other Respiratory Diseases	M. } F. }	13 {	9 4	.	.	.	1	1	.	.	2	3	2	1	2	6	1
21	Gastric and Duodenal Ulcer	M. } F. }	23 {	16 7	.	.	.	.	.	4	2	5	5	2	3	6	7	2
22	Diarrhoea and Enteritis (under 2 M. years).	M. } F. }	24 {	12 12	11	1	.	.	.	.	.	.	.	.	1	5	6	2
23	Appendicitis ...	M. } F. }	6 {	5 1	.	1	1	1	1	1	.	1	.	.	1	2	1	1
24	Cirrhosis of the Liver	M. } F. }	3 {	3	.	.	.	.	.	1	.	1	1	.	.	.	3	.
25	Other Diseases of Liver, Etc.	M. } F. }	3 {	1 2	.	.	.	.	.	.	.	1	2	.	1	.	1	1
26	Other Digestive Diseases	M. } F. }	49 {	25 24	1	2	1	1	.	2	2	3	11	4	2	3	22	6
27	Acute and Chronic Nephritis	M. } F. }	42 {	24 18	1	1	1	1	1	2	6	4	5	3	3	3	18	.
28	Puerperal Sepsis ...	F. }	4	4	.	.	.	.	2	2	.	.	.	1	.	2	1	.
29	Other Puerperal Causes	F. }	11	11	.	.	.	.	5	4	2	.	.	4	.	3	4	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	56 {	32 24	31	1	.	.	.	.	.	.	.	4	.	7	21	14
31	Senility ...	M. } F. }	354 {	159 195	.	.	.	.	.	.	.	39	120	.	3	3	153	139
32	Suicide ...	M. } F. }	4 {	4	.	.	1	1	1	1	.	.	.	.	.	.	4	.
33	Other Violence ...	M. } F. }	33 {	22 11	2	1	3	5	4	3	2	1	1	.	.	8	14	1
34	Other Defined Causes ...	M. } F. }	122 {	63 59	6	6	5	5	1	1	6	8	16	9	2	18	42	6
35	Causes ill-defined or unknown	M. } F. }	46 {	19 27	.	2	1	2	1	2	2	6	7	.	.	2	19	17
																	24	

ABSTRACT V—contd.—No. 18.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	1,320 {	698 622	90 52	25 16	31 23	32 31	23 29	20 37	58 41	106 85	154 137	159 171	31 18	11 17	138 116	518 471	124 132		
1	Typhoid Fever (including Para- M. F. } typhoid).	4 {	1 3	. .	. .	. .	. 1	. .	1 .	1 .	1 .	. .	. .	. .	1 2	. 1	. .	. .		
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Measles M. F. }	9 {	6 3	1 1	4 1	2 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	2 .	4 3	. .		
4	Scarlet Fever... .. M. F. }	3 {	1 2	. .	1 1	. .	. .	. 1	. .	. .	. .	. .	. .	1 .	. .	. .	1 1	. .		
5	Whooping-cough M. F. }	6 {	4 2	3 2	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	4 2	. 1		
6	Diphtheria M. F. }	13 {	7 6	. 1	2 2	5 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	6 6	1 .	. .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	21 {	13 8	1 .	1 .	1 .	. .	. .	. 1	3 .	2 2	4 4	1 1	1 .	. .	. .	12 8	3 2		
9	Encephalitis Lethargica M. F. }	1 {	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	84 {	43 41	2 .	. .	. 4	17 13	6 12	8 5	4 6	5 1	1 .	. .	2 1	2 2	9 10	30 28	. 1		
12	Other Tuberculous Diseases M. F. }	33 {	18 15	3 5	3 1	4 3	4 2	1 1	. .	2 1	1 2	. .	. .	1 .	2 1	10 7	5 7	. 1		
13	Cancer M. F. }	95 {	48 47	. .	. .	. .	. .	. .	1 2	7 6	17 17	19 14	4 8	6 2	. .	15 7	27 38	2 1		
14	Diabetes Mellitus M. F. }	15 {	7 8	. .	. .	. .	. .	. .	. .	1 1	1 2	5 3	. 2	1 .	. .	. 1	6 7	. 2		

15	Cerebral Haemorrhage, etc. (No. 82).	M. } F. }	66 {	31 35	.	1	1	.	1	1	3	7 8	8 13	13 9	2 2	1 1	6 6	22 26	4 3
16	Heart Disease ...	M. } F. }	216 {	116 100	.	.	3	.	3	2 6	14 8	28 22	38 31	28 27	1 1	3 5	18 17	94 77	14 6
17	Other Circulatory Diseases	M. } F. }	25 {	14 11	.	.	.	.	.	1 1	1 1	4 3	6 4	3 2	1 1	.	2 4	11 6	.
18	Bronchitis ...	M. } F. }	60 {	37 23	4 2	1	.	2	1	1 1	1 1	6 4	14 7	10 6	.	.	5 2	32 21	2 2
19	Pneumonia (All Forms)	M. } F. }	62 {	36 26	2 6	3 4	2 1	1 1	1 1	2 1	3 1	8 1	7 7	8 3	4 .	1 .	7 1	24 25	1 2
20	Other Respiratory Diseases	M. } F. }	22 {	10 12	.	1	.	.	1	.	2 1	4 2	2 6	2 1	2 .	.	3 3	7 7	.
21	Gastric and Duodenal Ulcer	M. } F. }	12 {	10 2	.	.	.	.	1	.	2 .	2 1	4 1	1 .	1 .	.	2 .	7 2	.
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	28 {	19 9	19 9	.	.	.	.	.	.	.	.	.	1 1	.	3 3	15 5	2 1
23	Appendicitis ...	M. } F. }	5 {	2 3	.	.	1	.	1	.	.	1 1	1 .	.	1 1	.	1 2	.	.
24	Cirrhosis of the Liver	M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. } F. }	8 {	4 4	.	.	.	.	.	.	1 1	2 1	.	1 1	1 .	1	2 1	1 2	.
26	Other Digestive Diseases	M. } F. }	31 {	17 14	2 2	2 1	1	.	.	.	1	2 2	5 5	5 3	1 1	1	4 8	12 4	1
27	Acute and Chronic Nephritis	M. } F. }	36 {	22 14	.	.	.	1	1	1 2	3 .	5 5	5 5	6 2	.	.	6 3	16 11	1 1
28	Puerperal Sepsis ...	F. }	5	5	.	.	.	.	2	3	.	.	.	.	.	.	5	.	.
29	Other Puerperal Causes	F. }	9	9	.	.	.	2	2	5	.	.	.	.	.	.	5	4	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	54 {	42 12	42 11	.	.	1	.	.	.	.	.	.	1	.	4 4	37 8	17 3
31	Senility ...	M. } F. }	199 {	79 120	.	.	.	.	.	.	.	.	17 22	62 98	.	1	1	78 119	58 92
32	Suicide ...	M. } F. }	2 {	2	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.
33	Other Violence ...	M. } F. }	27 {	16 11	.	3 1	1 2	4 1	3	1	2	.	1 4	1 4	2 1	1	5 2	9 7	.
34	Other Defined Causes ...	M. } F. }	147 {	80 67	12 10	2 4	10 8	4 5	3	7 7	9 7	8 8	13 11	13 4	4 4	1 2	26 17	49 44	8 9
35	Causes ill-defined or unknown	M. } F. }	21 {	11 10	.	2 1	.	.	.	.	2 3	3 3	4 3	.	.	.	1	11 9	.

ABSTRACT V—continued—No. 19.—Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. } F. }	654 {	319 385	60 57	36 25	16 7	10 17	18 19	15 35	31 25	53 44	55 72	25 34	38 24	11 10	95 88	175 213	2 11	
1	Typhoid Fever (including Para- M. } typhoid). F. }	4 {	4	.	.	.	2	1	1	.	.	.	.	.	.	4	.	.	
2	Typhus M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	32 {	17 15	4 4	12 11	1	.	.	.	.	.	.	.	.	.	8 4	9 11	.	
4	Scarlet Fever... ..M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. } F. }	2 {	1 1	.	1 1	.	.	.	.	.	.	.	.	.	.	.	1 1	.	
6	Diphtheria M. } F. }	6 {	6	.	3	3	.	.	.	.	.	.	.	.	.	6	.	.	
7	Dysentery M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. } F. }	2 {	1 1	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	
9	Encephalitis Lethargica ...M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro spinal Fever M. } F. }	2 {	2	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	
11	Tuberculosis of Respiratory M. } System. F. }	55 {	29 26	.	.	.	5 7	8 6	8 9	4 2	4 2	.	.	1 1	4 2	18 14	6 9	.	
12	Other Tuberculous Diseases ...M. } F. }	16 {	10 6	.	1	3 2	3 2	1 2	.	1	1	.	.	4	1	4 2	1 4	.	
13	Cancer M. } F. }	42 {	23 19	.	.	.	1	1	2	2 7	11 4	9 4	1	1 2	1 1	11 8	10 8	.	
14	Diabetes Mellitus M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	

15	Cerebral Haemorrhage, Etc. (No. M. 82).	M. F. }	34 {	15	.	.	.	.	1	.	2	3	7	2	1	.	2	12	.
				19	.	.	.	.	.	3	6	3	5	2	2	.	15	15	.
16	Heart Disease ...	M. F. }	130 {	65	.	.	.	1	2	2	12	15	23	12	4	2	24	35	1
				65	.	1	1	2	1	3	5	13	26	13	3	3	31	28	1
17	Other Circulatory Diseases	M. F. }	9 {	4	.	.	.	.	.	2	.	2	.	2	.	.	1	4	.
				5	.	.	.	.	.	.	.	1	.	.	.	.	4	4	.
18	Bronchitis ...	M. F. }	50 {	16	3	.	.	.	1	.	3	2	6	1	3	.	1	12	.
				34	3	.	.	.	2	.	8	14	7	1	.	.	33	33	1
19	Pneumonia (All Forms)	M. F. }	46 {	23	3	3	2	.	2	1	2	5	5	.	4	1	3	15	.
				23	2	4	.	1	2	2	1	4	6	1	2	.	5	16	.
20	Other Respiratory Diseases	M. F. }	6 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
				5	.	1	.	.	1	.	1	1	1	.	.	.	5	.	.
21	Gastric and Duodenal Ulcer	M. F. }	4 {	3	.	.	.	.	.	2	1	.	.	.	2	.	1	1	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	44 {	25	23	2	.	.	.	.	.	.	.	.	.	.	2	23	.
				19	18	1	.	.	.	.	.	.	.	.	.	.	2	17	.
23	Appendicitis ...	M. F. }	2 {	2	.	.	1	.	.	.	.	1	.	.	2	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Digestive Diseases	M. F. }	25 {	10	4	4	.	.	.	1	2	2	.	.	1	.	1	8	.
				15	8	2	.	.	.	.	.	2	.	.	.	.	2	12	.
27	Acute and Chronic Nephritis	M. F. }	13 {	5	.	.	.	.	1	2	1	1	.	2	3	.	2	2	.
				8	.	.	.	.	.	1	1	2	3	.	1	.	5	5	.
28	Puerperal Sepsis ...	F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. }	5	5	.	.	.	.	3	2	.	.	.	.	2	.	.	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	30 {	19	19	.	.	.	.	.	.	.	.	.	1	.	4	15	.
				11	11	.	.	.	.	.	.	.	.	.	.	.	2	8	3
31	Senility ...	M. F. }	17 {	4	.	.	.	.	.	.	.	.	5	8	.	1	1	4	.
				13	.	.	.	.	.	.	.	.	.	.	.	.	.	11	4
32	Suicide ...	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	21 {	16	1	3	2	.	2	1	2	4	1	.	7	.	4	5	.
				5	.	.	1	1	1	1	.	1	.	11	3	.	2	.	.
34	Other Defined Causes ...	M. F. }	53 {	23	3	7	3	1	1	1	1	1	4	1	5	1	5	12	1
				30	10	3	2	1	3	1	3	4	.	4	3	4	.	19	2
35	Causes ill-defined or unknown	M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ABSTRACT V—continued—No. 20.—Causes of Death in Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.		
	ALL CAUSES M. F. }	814 {	426 388	31 36	8 10.	9 12	18 12	14 18	17 22	36 34	68 41	125 119	100 84	30 21	9 10	96 53	291 304	68 82	
1	Typhoid Fever (including Para- typhoid). M. F. }	4 {	2 2	.	.	1	.	.	.	1 1	.	1	.	.	.	2	2	.	
2	Typhus M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. F. }	2 {	1 1	.	1	1	.	.	.	.	.	.	.	1	.	.	1	.	
4	Scarlet Fever... ..M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
6	Diphtheria M. F. }	7 {	3 4	.	.	2 4	.	.	.	.	1	.	.	.	.	2 3	1 1	.	
7	Dysentery M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza M. F. }	22 {	12 10	1	2	.	.	.	1	1 1	2 1	6 3	2 2	.	.	3 1	9 9	3	
9	Encephalitis Lethargica M. F. }	2 {	2	.	.	.	1	1	.	.	.	.	.	1	.	.	1	.	
10	Cerebro-spinal Fever M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory System. M. F. }	45 {	27 18	.	.	1	5 6	5 3	4 5	8 2	1 1	3	1	6 4	.	6 1	15 13	1	
12	Other Tuberculous Diseases M. F. }	18 {	11 7	1	2 1	2	2 2	1	1	1 1	2 1	1	.	2 2	1 1	6 2	2 2	.	
13	Cancer M. F. }	74 {	44 30	.	.	.	.	1 3	2 3	6 8	15 6	12 6	8 4	6 2	1	9 8	28 20	3 2	
14	Diabetes Mellitus M. F. }	10 {	6 4	.	.	.	1 1	.	1	.	2	1 1	3	1	.	2 2	3 2	1	

15	Cerebral Hæmorrhage, etc. (No. 82).	M. F. }	36 {	16	.	.	.	.	.	1	2	5	5	6	.	1	5	10	2
		F. }		20	.	.	.	.	.	.	.	3	13	1	.	.	2	18	3
16	Heart Disease ...	M. F. }	151 {	79	.	.	2	2	1	4	6	13	42	11	.	5	20	54	6
		F. }		72	.	.	.	.	3	4	9	13	32	9	1	1	8	62	8
17	Other Circulatory Diseases	M. F. }	12 {	8	.	.	.	.	1	.	.	1	4	2	.	.	1	7	1
		F. }		4	.	.	.	.	.	1	.	1	1	2	.	.	1	3	1
18	Bronchitis ...	M. F. }	52 {	32	6	1	1	.	.	.	4	4	9	7	.	.	4	28	7
		F. }		20	4	.	.	.	.	.	.	1	11	4	.	.	2	18	3
19	Pneumonia (All Forms)	M. F. }	29 {	15	3	.	1	1	1	1	1	1	5	2	.	.	2	13	1
		F. }		14	4	2	.	.	.	1	1	1	4	1	.	.	1	13	2
20	Other Respiratory Diseases	M. F. }	9 {	6	.	.	1	.	1	.	.	2	1	1	.	.	2	4	.
		F. }		3	.	.	.	.	.	.	.	.	2	1	.	.	.	3	1
21	Gastric and Duodenal Ulcer	M. F. }	6 {	5	.	.	.	1	.	.	2	1	1	.	2	.	.	3	.
		F. }		1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
22	Diarrhoea and Enteritis (under 2 years.)	M. F. }	14 {	6	5	1	.	.	.	.	.	.	.	.	1	.	.	6	1
		F. }		8	8	.	.	.	.	.	.	.	.	.	.	.	.	7	.
23	Appendicitis ...	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	5 {	3	.	.	.	.	.	1	.	2	.	.	.	.	.	3	.
		F. }		2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
25	Other Diseases of Liver, Etc.	M. F. }	5 {	2	.	.	.	.	.	1	.	1	2	.	1	.	1	1	1
		F. }		3	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
26	Other Digestive Diseases	M. F. }	22 {	12	1	2	.	.	.	1	1	1	3	4	.	.	3	9	4
		F. }		10	.	3	.	.	.	.	.	.	3	2	.	.	2	8	.
27	Acute and Chronic Nephritis	M. F. }	23 {	15	.	.	.	1	.	.	1	5	5	3	2	.	3	10	.
		F. }		8	.	.	.	.	.	1	3	3	3	1	.	1	1	6	.
28	Puerperal Sepsis ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Puerperal Causes	F. }	4 {	4	.	.	.	2	2	.	.	.	.	.	2	.	.	2	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. F. }	30 {	12	12	.	.	.	.	.	.	.	.	.	1	.	2	9	3
		F. }		18	18	.	.	.	.	.	.	.	.	.	4	.	4	10	7
31	Senility ...	M. F. }	131 {	58	.	.	.	.	.	.	.	.	10	48	.	.	8	50	29
		F. }		73	.	.	.	.	.	.	.	.	18	55	.	1	10	62	40
32	Suicide ...	M. F. }	2 {	2	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. F. }	11 {	9	.	.	.	1	2	.	2	2	1	1	.	.	5	4	.
		F. }		2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
34	Other Defined Causes ...	M. F. }	73 {	34	3	1	3	4	1	1	1	8	11	1	8	1	11	14	3
		F. }		39	.	2	2	2	5	4	5	8	9	2	3	6	4	26	.
35	Causes ill-defined or unknown	M. F. }	13 {	5	.	.	.	.	.	.	1	.	4	.	.	.	.	5	4
		F. }		8	.	.	.	.	.	.	1	1	6	.	.	.	8	.	7

ABSTRACT V—continued—No. 21.—Causes of Death in Administrative County of TIPPERARY S.R., by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,172	630 542	74 41	41 14	13 18	17 20	22 21	26 20	50 64	98 80	152 137	137 118	21 16	7 9	134 95	468 422	77 63
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
2	Typhus ... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles ... M. } ... F. }	27	18 9	1 2	17 7	.	.	.	.	.	.	.	.	.	.	1	17 9	.
4	Scarlet Fever... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Whooping-cough ... M. } ... F. }	13	10 3	6 1	3 2	1	.	.	.	.	.	.	.	.	.	.	10 3	2
6	Diphtheria ... M. } ... F. }	2	1 1	1	.	1	.	.	.	.	.	.	.	.	.	1 1	.	.
7	Dysentery ... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza ... M. } ... F. }	21	12 9	.	.	.	3 1	1	1 1	1	3 2	2 2	3 1	.	1	2 1	10 7	1 2
9	Encephalitis Lethargica ... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever ... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of Respiratory M. } System. F. }	65	27 38	.	.	2 3	4 13	6 7	7 5	5 8	.	3	.	3 2	1	7 7	17 28	1 2
12	Other Tuberculous Diseases ... M. } ... F. }	15	11 4	1 1	5 1	3	2 1	1	.	.	.	.	.	1	.	3	7 4	.
13	Cancer ... M. } ... F. }	111	59 52	.	.	.	.	.	2 3	6 8	18 19	26 17	7 5	5 3	.	18 14	36 35	.
14	Diabetes Mellitus ... M. } ... F. }	13	10 3	.	.	.	1	.	.	3	1	3	2 2	.	.	4	6 2	.

15	Cerebral Hemorrhage, Etc. (No. M. 82).	82	39	.	.	1	.	.	1	2	5	13	18	.	.	1	14	24	.
			43	.	.	.	.	.	1	6	13	18	4	.	.	.	11	32	.
16	Heart Disease ...	224	121	.	1	.	1	4	4	14	34	37	26	1	1	27	92	9	
			103	.	2	.	1	2	5	16	15	42	20	1	.	17	85	5	
17	Other Circulatory Diseases	16	9	.	.	.	.	.	.	.	3	4	2	.	.	.	9	.	
			7	.	.	.	.	.	.	.	.	3	4	.	.	.	7	.	
18	Bronchitis ...	43	22	6	.	.	.	1	.	.	6	4	5	.	.	1	21	4	
			21	2	.	.	.	.	.	.	5	6	8	.	.	1	20	2	
19	Pneumonia (All Forms)	62	42	5	2	.	3	1	6	6	14	5	1	1	11	29	.		
			20	6	.	2	1	2	2	1	3	3	1	.	6	13	.		
20	Other Respiratory Diseases	16	7	.	.	.	1	.	.	1	3	2	.	.	.	7	.		
			9	.	.	1	.	.	2	1	4	1	1	.	.	8	.		
21	Gastric and Duodenal Ulcer	8	3	.	.	.	.	.	1	1	1	1	.	.	.	1	2	.	
			5	.	.	.	.	.	1	1	2	1	.	.	.	5	.		
22	Diarrhoea and Enteritis (under 2 M. years).	24	16	15	1	.	.	.	.	.	.	.	.	1	.	2	14	1	
			8	8	.	.	.	.	.	.	.	.	.	.	.	7	.		
23	Appendicitis ...	3	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
			2	.	.	1	.	.	1	.	.	.	.	1	.	1	.	.	
24	Cirrhosis of the Liver	4	4	.	.	.	.	.	.	1	2	.	1	.	.	1	3	.	
			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Other Diseases of Liver, Etc.	4	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	
			3	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.	
26	Other Digestive Diseases	27	15	3	2	1	.	.	2	3	1	3	.	3	2	2	10	1	
			12	1	1	2	.	1	1	1	2	2	1	2	.	7	3	.	
27	Acute and Chronic Nephritis	36	16	.	.	1	.	3	3	2	4	2	1	.	.	8	8	.	
			20	.	.	.	.	.	1	7	5	5	2	.	1	1	18	.	
28	Puerperal Sepsis ...	2	2	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	
29	Other Puerperal Causes	11	11	.	.	.	1	5	5	.	.	.	.	2	.	8	1	.	
30	Congenital Debility, Etc. (Nos. M. 157-161).	48	29	29	.	.	.	.	.	.	.	.	.	2	.	9	18	6	
			19	17	2	.	.	.	.	.	.	.	.	.	.	4	16	4	
31	Senility ...	158	75	.	.	.	.	.	.	.	.	17	58	.	3	2	70	36	
			83	.	.	.	.	.	.	.	.	24	59	.	2	2	79	45	
32	Suicide ...	5	4	.	.	.	.	.	.	1	2	1	.	.	.	.	4	.	
			1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
33	Other Violence ...	19	14	.	2	1	2	1	1	1	5	.	1	.	.	6	7	.	
			5	.	1	.	.	.	.	1	1	2	.	.	.	3	2	.	
34	Other Defined Causes ...	97	55	8	7	3	4	2	6	5	6	10	4	4	1	13	37	5	
			42	2	.	5	1	2	3	11	7	6	5	2	4	9	27	.	
35	Causes ill-defined or unknown	15	9	.	1	.	.	1	.	.	2	5	.	.	.	.	9	7	
			6	.	1	.	.	.	.	.	3	2	.	.	.	.	6	2	

ABSTRACT V—continued—No. 22—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.			
	ALL CAUSES M. F. }	731 {	404 377	38 30	6 8	7 9	15 15	12 18	19 15	37 38	80 52	96 87	94 105	43 10	14 9	96 .58	281 300	51 60		
1	Typhoid Fever (including Para- M. typhoid). F. }	2 {	2	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.		
2	Typhus M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles M. F. }	5 {	1 4	.	1 3	1	.	.	.	.	.	.	.	.	.	.	1 4	1		
4	Scarlet Fever... ..M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Whooping-cough M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1		
6	Diphtheria M. F. }	3 {	1 2	.	.	1 2	.	.	.	.	.	.	.	.	.	1 2	.	.		
7	Dysentery M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza M. F. }	18 {	7 11	1 2	.	.	.	1 2	1	2	3	1 2	3	.	2	2 2	3 9	1		
9	Encephalitis Lethargica ...M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.		
10	Cerebro-spinal Fever M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of Respiratory M. System. F. }	41 {	18 23	.	.	.	2 9	5 7	3 2	2 3	6	1	1	.	.	9 4	9 19	.		
12	Other Tuberculous Diseases ...M. F. }	22 {	11 11	.	1 2	2 2	4 1	1 1	1 2	1	1	1	.	2 1	1	5 2	4 7	1		
13	Cancer M. F. }	76 {	39 37	.	.	.	.	.	3 1	6 3	15 13	9 13	6 7	2 4	2	17 6	18 27	1 1		
14	Diabetes Mellitus M. F. }	4 {	4	.	1	.	.	.	2	.	1	.	.	.	.	1	3	.		

[illegible]

ABSTRACT V—continued—No. 23—Causes of Death in WATERFORD COUNTY BOROUGH, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES M. } F. }	453 {	242 211	64 29	15 13	5 4	8 5	4 15	17 11	24 18	36 33	42 44	27 39	25 12	12 5	74 50	131 144	3 5	
1	Typhoid Fever (including Para- M. } F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
2	Typhus M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles M. } F. }	7 {	2 5	1	2 4	.	.	.	.	.	.	.	.	.	.	.	2 5	.	
4	Scarlet Fever... ..M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	
5	Whooping-cough M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Diphtheria M. } F. }	5 {	3 2	.	1 2	2	.	.	.	.	.	.	.	.	.	3 2	.	.	
7	Dysentery M. } F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	
8	Influenza M. } F. }	19 {	12 7	.	.	.	.	1	1 1	1	2	4 1	5 3	.	2 1	1	9 6	.	
9	Encephalitis Lethargica M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal Fever M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of Respiratory M. } F. }	33 {	22 11	.	.	.	2 1	1 6	10 1	7 2	2 1	.	.	3 1	1	9 5	9 5	.	
12	Other Tuberculous Diseases M. } F. }	6 {	4 2	2	1	1	.	1	.	.	1	.	.	1	.	.	3 2	.	
13	Cancer M. } F. }	34 {	22 12	.	.	.	1	.	2 1	3 2	7 5	8 4	1	2 1	.	12 3	8 8	.	
14	Diabetes Mellitus M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	F. } 22 {	9	.	.	.	.	.	2	1	2	6	2	1	.	.	4	5	.
			13	.	.	.	.	.	.	.	.	2	3	3	.	.	2	11	.
16	Heart Disease ...	M. } 85 {	33	.	.	.	2	.	1	4	6	18	7	2	.	1	13	17	.
		F. }	52	.	.	.	2	.	3	3	10	20	13	2	.	.	18	32	.
17	Other Circulatory Diseases	M. } 1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
		F. }		.		.	.	.	.	.	.	.	.	.	.	.	.		.
18	Bronchitis ...	M. } 33 {	16	3	1	.	.	.	2	4	3	3	.	.	1	.	4	11	1
		F. }	17	1	1	.	.	1	.	1	7	2	4	.	.	2	15	15	1
19	Pneumonia (All Forms)	M. } 21 {	12	4	3	.	.	1	2	.	1	1	1	2	.	.	1	9	.
		F. }	9	3	2	.	.	.	.	1	.	2	.	.	.	.	.	9	.
20	Other Respiratory Diseases	M. } 3 {	2	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
		F. }	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
21	Gastric and Duodenal Ulcer	M. } 5 {	5	.	.	.	.	.	.	3	2	.	.	.	2	.	2	1	.
		F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
22	Diarrhœa and Enteritis (under 2 M. years).	F. } 33 {	24	20	4	.	.	.	.	.	.	.	.	.	.	2	22	7	1
			9	7	2	.	.	.	.	.	.	.	.	.	2	.	7		
23	Appendicitis ...	M. } . {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. } 1 {	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
		F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. } 7 {	4	.	.	.	.	.	1	3	.	.	.	1	.	1	2	1	.
		F. }	3	.	.	.	.	.	1	1	.	.	1	1	.	.	2	2	.
26	Other Digestive Diseases	M. } 13 {	6	2	1	.	1	1	.	.	1	4	1	1	.	1	1	4	.
		F. }	7	.	.	.	.	.	.	1	1	4	1	.	1	.	1	5	.
27	Acute and Chronic Nephritis	M. } 9 {	4	.	1	.	1	1	.	1	2	1	.	.	1	.	3	1	.
		F. }	5	.	.	.	1	.	.	1	.	1	.	1	1	.	2	1	.
28	Puerperal Sepsis ...	F. } 1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	F. } 2 {	2	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	F. } 42 {	27	27	.	.	.	.	.	.	.	.	.	6	.	.	7	14	.
			15	15	.	.	.	.	.	.	.	.	.	.	.	.	4	11	1
31	Senility ...	M. } 17 {	6	.	.	.	.	.	.	.	.	2	4	.	2	.	1	3	1
		F. }	11	.	.	.	.	.	.	.	1	10	.	1	.	1	2	8	1
32	Suicide ...	M. } . {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	M. } 6 {	2	.	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.
		F. }	4	.	.	1	.	.	.	.	.	2	1	1	.	.	2	1	.
34	Other Defined Causes ...	M. } 43 {	25	6	.	2	1	1	.	2	3	7	3	3	4	.	8	10	.
		F. }	18	2	1	2	.	2	1	3	3	2	2	3	1	3	3	11	1
35	Causes ill-defined or unknown	M. } 1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F. }	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1

ABSTRACT V—continued—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES M. F. }	7,091 {	3,638 3,453	225 196	78 86	73 91	158 158	152 147	180 155	268 217	488 434	942 820	1,074 1,149	134 110	118 84	635 490	2,751 2,769	1,112 1,303		
1	Typhoid Fever (including Para-typhoid). M. F. }	19 {	13 6	. .	. .	2 2	5 1	1 1	. 1	5 1	. .	. .	. .	1 .	1 1	10 5	1 .	. .		
2	Typhus M. F. }	1 {	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .		
3	Measles M. F. }	4 {	2 2	1 .	1 1	. 1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 2	. 1		
4	Scarlet Fever... .. M. F. }	20 {	9 11	. 1	2 4	4 4	1 1	1 1	. .	1 .	. .	. .	. .	1 .	. .	3 3	5 8	. 2		
5	Whooping-cough M. F. }	7 {	2 5	1 3	1 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 5	1 3		
6	Diphtheria M. F. }	48 {	21 27	2 1	6 5	12 16	. 2	. .	1 1	1 1	. 1	. .	. .	. .	. .	13 15	8 12	1 .		
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
8	Influenza M. F. }	175 {	79 96	6 2	. 5	2 3	3 3	4 3	3 4	4 3	8 15	30 37	19 21	. 1	1 3	6 6	72 86	28 51		
9	Encephalitis Lethargica M. F. }	4 {	4 .	. .	3 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	3 .	. .		
10	Cerebro-spinal Fever M. F. }	1 {	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .		
11	Tuberculosis of Respiratory System. M. F. }	478 {	260 218	1 .	. 1	2 9	63 81	60 53	58 29	40 20	29 17	6 8	1 .	46 61	33 16	49 40	132 101	16 7		
12	Other Tuberculous Diseases M. F. }	110 {	58 52	1 4	3 7	11 9	16 10	8 7	7 6	5 3	4 2	3 3	. 1	5 2	4 2	26 26	23 22	1 1		
13	Cancer M. F. }	581 {	325 256	. .	. .	. 1	. 3	1 5	11 11	46 58	98 64	123 86	46 28	9 7	5 4	80 60	231 185	21 6		
14	Diabetes Mellitus M. F. }	39 {	18 .	. .	. .	. .	2 .	1 .	. .	2 .	4 .	3 .	6 .	. .	2 .	4 .	12 .	1 .		

15	Cerebral Hemorrhage, Etc. (No. 82).	M. } F. }	304	141 163	.	1	1	1	1	3	5	28	64	37	1	6	27	107	30
							1	1	1	8	16	36	61	39	2	5	32	124	49
16	Heart Disease ...	M. } F. }	994	530 464	.	1	10	16	24	42	90	226	121	5	7	84	434	54	
					3	6	7	13	23	39	107	161	105	4	14	59	387	52	
17	Other Circulatory Diseases	M. } F. }	71	48 23	.	.	.	.	2	6	9	16	15	3	1	13	31	1	
						.	.	.	2	1	6	7	7	1		10	12		
18	Bronchitis ...	M. } F. }	298	144 154	15 10	4	.	2	2	7	23	54	37	2	2	11	129	40	
						2	.	3	1	3	29	55	49	1	1	13	139	56	
19	Pneumonia (All Forms)	M. } F. }	370	204 166	30 13	19	7	9	8	15	20	19	50	27	7	6	23	168	30
						17	4	7	6	5	6	18	60	30	2	5	17	142	15
20	Other Respiratory Diseases	M. } F. }	67	34 33	3 1	1	1	1	2	4	4	7	8	3	2	7	25	3	
						.	.	1	2	2	2	8	11	6	.	5	26	2	
21	Gastric and Duodenal Ulcer	M. } F. }	46	32 14	.	.	2	.	3	7	6	7	6	3	4	13	15		
						.	.	.	1	.	.	2	6	3	1		13	2	
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	38	20 18	18 15	2	.	.	.	.	.	.	.	.	2	7	13	3	
						3	.	.	.	.	.	.	.	.	.	5	11	1	
23	Appendicitis ...	M. } F. }	39	19 20	.	1	6	5	2	4	6	1	1	1	.	17	1	1	
						.	.	2	1	4	2	2	2	3	.	13	4		
24	Cirrhosis of the Liver	M. } F. }	14	8 6	.	.	.	1	.	.	3	1	1	3	.	2	6		
						.	.	.	.	.	1	2	1	1	1	2	3		
25	Other Diseases of Liver, Etc.	M. } F. }	19	4 15	.	.	.	.	.	1	1	1	2	1	1	1	1	1	
						.	.	.	.	1	4	1	8	1	2	3	10		
26	Other Digestive Diseases	M. } F. }	168	94 74	7 2	9	6	5	5	4	8	14	23	13	10	26	58	11	
						4	4	.	2	4	4	20	22	12	1	13	60	8	
27	Acute and Chronic Nephritis	M. } F. }	203	124 79	1 1	1	2	1	5	3	12	31	48	20	4	35	84	10	
						1	3	1	4	4	9	22	21	13	2	15	62	2	
28	Puerperal Sepsis ...	F. }	15	15	.	.	4	8	3	.	.	.	.	3	.	6	6		
29	Other Puerperal Causes	F. }	31	31	.	.	2	15	14	.	.	.	.	2	.	7	22	3	
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	225	111 114	108 113	3	.	.	.	.	.	.	.	10	.	32	69	39	
						1	.	.	.	.	.	.	.	4	.	16	94	51	
31	Senility ...	M. } F. }	1,795	813 982	.	.	.	.	.	.	.	150	663	4	23	31	755	683	
						.	.	.	.	.	.	183	799	.	9	27	946	874	
32	Suicide ...	M. } F. }	9	7 2	.	.	.	1	.	1	3	2	.	.	.	.	7		
						.	.	.	1	1	.	.	.	.	.	.	2		
33	Other Violence ...	M. } F. }	130	79 51	2	5	1	10	9	4	9	13	15	3	2	25	49		
						8	3	7	3	2	.	8	5	2	2	16	31	2	
34	Other Defined Causes ...	M. } F. }	591	337 254	28 27	14	18	23	21	25	26	60	76	46	12	87	215	56	
						15	15	22	13	23	33	40	46	20	6	70	160	45	
35	Causes ill-defined or unknown	M. } F. }	177	96 81	2 1	3	3	3	.	4	8	38	34	1	2	.	94	80	
						7	.	.	3	5	9	27	29	.	.	1	80	70	

ABSTRACT V—continued—No. 24—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.		
	ALL CAUSES M. F. }	2,175 {	1,130 1,045	82 85	37 37	22 32	64 50	34 40	52 40	92 62	122 127	273 214	352 358	38 51	30 22	212 150	850 822	323 359	
1	Typhoid Fever (including Para- M. typhoid). F. }	2 {	1 1	. .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	. .	. .	1 1	. .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	2 {	2 .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	1 .	
4	Scarlet Fever... ..M. F. }	5 {	2 3	. 1	1 1	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 3	. .	
5	Whooping-cough M. F. }	2 {	1 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	1 1	
6	Diphtheria M. F. }	19 {	7 12	1 1	4 3	2 7	. .	. .	. .	1 .	. .	. .	. .	. .	. .	4 6	3 6	1 .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	49 {	27 22	4 1	. 4	2 1	2 2	1 1	3 1	1 .	1 4	11 7	2 1	. .	. .	3 3	24 19	8 8	
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory M. System. F. }	157 {	80 77	. .	1 .	. 3	31 27	15 15	13 12	14 8	4 6	3 5	. .	17 29	13 5	11 14	39 29	1 1	
12	Other Tuberculous Diseases ...M. F. }	35 {	17 18	. 1	2 3	. 6	9 3	1 2	1 .	2 1	. .	2 2	. .	1 2	. 1	11 8	5 7	1 .	
13	Cancer M. F. }	186 {	108 78	. .	. .	. .	1 .	2 .	4 2	11 15	31 19	44 26	18 13	2 1	1 .	29 18	76 59	7 1	
14	Diabetes Mellitus M. F. }	13 {	7 6	. .	. .	. .	1 .	. .	. .	1 1	1 1	1 3	3 1	. 1	. .	1 .	7 4	1 .	

15	Cerebral Haemorrhage, Etc. (No. M. 82).	M. F. }	103	51 49	.	.	1	.	.	1	2	9	26	15	2	2	8	44	10
16	Heart Disease ...	M. F. }	324	171 153	.	1	1	3	6	12	19	22	63	45	1	1	28	141	14
17	Other Circulatory Diseases	M. F. }	23	14 9	.	.	.	.	.	.	2	4	3	5	2	1	4	8	.
18	Bronchitis ...	M. F. }	83	44 39	4 3	2 1	.	1	.	1	4	6	14	13	.	1	5	39	8
19	Pneumonia (All Forms)	M. F. }	109	63 46	12 3	9 5	3 2	1 4	2	2	8	4	12	12	2	.	10	51	8
20	Other Respiratory Diseases	M. F. }	22	8 14	2	1	.	.	.	1	2	1	5	1	1	2	5	12	1
21	Gastric and Duodenal Ulcer	M. F. }	14	7 7	.	.	1	.	1	3	1	1	2	1	.	3	4	.	.
22	Diarrhoea and Enteritis (under 2 M. years).	M. F. }	23	12 11	11 9	1 2	.	.	.	.	.	.	.	.	2	.	4	8	1
23	Appendicitis ...	M. F. }	12	4 8	.	1	2	1	1	1	1	1	1	.	1	.	4	3	.
24	Cirrhosis of the Liver	M. F. }	7	3 4	.	.	.	1	.	.	2	2	1	1	1	.	1	2	.
25	Other Diseases of Liver, Etc.	M. F. }	2	1 1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.
26	Other Digestive Diseases	M. F. }	51	30 21	4 1	3 3	.	4	1	1	3	3	8	3	1	.	12	17	3
27	Acute and Chronic Nephritis	M. F. }	45	27 18	.	.	.	1	2	.	3	8	10	3	2	.	7	18	3
28	Puerperal Sepsis ...	F. }	2	2	.	.	.	1	1	.	.	.	.	.	2	.	.	.	.
29	Other Puerperal Causes	F. }	8	8	.	.	.	.	4	4	.	.	.	.	1	.	2	5	2
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	84	32 52	29 52	3	.	.	.	.	.	.	.	.	6 3	.	9 7	17 42	5 21
31	Senility ...	M. F. }	520	243 277	.	.	.	.	.	.	.	.	37 40	206 237	.	10 4	2	231 273	214 256
32	Suicide ...	M. F. }	4	3 1	.	.	.	.	.	1	.	2	1	.	.	.	.	3	.
33	Other Violence ...	M. F. }	40	25 15	.	4 1	1 2	3 2	2 1	1	3	2	3	6	1	.	10 5	15 9	1
34	Other Defined Causes ...	M. F. }	183	110 73	12 13	4 7	9 6	7 7	5 2	7 6	9 7	15 11	24 7	18 7	2 1	3 3	43 25	62 44	13 13
35	Causes ill-defined or unknown	M. F. }	46	27 19	1	2 4	2	1	.	1 1	2 1	9 7	9 5	.	.	.	1	27 18	22 14

ABSTRACT V—continued—No. 25—Causes of Death in Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	770	387 383	22 17	4 2	8 7	15 13	16 13	17 29	28 29	60 46	114 115	103 112	12 5	6 9	57 43	312 326	123 154
1	Typhoid Fever (including Para- M. typhoid). F. }	4	3 1	. .	. .	1 7	3 13	. .	. .	. .	. .	. .	. .	. .	. .	3 1	. .	. .
2	Typhus M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Scarlet Fever... ..M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
5	Whooping-cough M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
6	Diphtheria M. F. }	2	1 1	. 1	. 1	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. 1	. 1	. .
7	Dysentery M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza M. F. }	22	7 15	1 .	. .	2 .	. 1	1 1	. .	1 .	. 1	2 7	2 4	. .	. .	. .	7 15	4 11
9	Encephalitis Lethargica ...M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal Fever M. F. }	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of Respiratory M. System. F. }	32	17 15	. .	. .	. .	3 3	3 3	3 4	3 3	4 2	1 .	. .	2 1	. 2	1 3	14 9	1 .
12	Other Tuberculous Diseases ...M. F. }	9	5 4	. .	. .	2 .	. 2	1 .	1 1	. 1	. .	1 .	. .	1 .	. .	2 1	2 3	. 1
13	Cancer M. F. }	49	32 17	. .	. .	. .	. .	. .	. 2	6 7	11 1	12 7	3 .	1 1	. .	7 1	24 15	3 2
14	Diabetes Mellitus M. F. }	1	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .

ABSTRACT V—continued—No. 26—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	2,047 {	1,042 1,005	59 38	23 24	28 29	38 43	61 49	58 49	64 62	151 124	252 221	308 366	41 28	57 28	162 134	782 815	360 433	
1	Typhoid Fever (including Para-typhoid). M. F. }	11 {	8 3	. .	. .	2 1	2 .	1 1	. 1	3 .	. .	. .	. .	. .	1 1	6 2	1 .	. .	
2	Typhus M. F. }	1 {	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	
3	Measles M. F. }	1 {	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
4	Scarlet Fever... ..M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
5	Whooping cough M. F. }	5 {	1 4	. 2	1 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 4	. 2	
6	Diphtheria M. F. }	18 {	11 7	. .	2 1	9 5	. .	. .	. .	. .	. 1	. .	. .	. .	. .	8 6	3 1	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	44 {	16 28	. 1	1 .	. .	. .	1 .	. 2	2 1	4 4	5 11	4 8	. .	1 3	. 1	15 24	7 16	
9	Encephalitis Lethargica M. F. }	2 {	2 .	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	
10	Cerebro-spinal Fever M. F. }	1 {	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	
11	Tuberculosis of Respiratory System. M. F. }	149 {	87 62	1 .	. .	1 4	16 24	24 18	19 6	13 5	10 3	2 2	1 .	16 18	14 6	15 9	42 29	5 2	
12	Other Tuberculous Diseases M. F. }	39 {	21 18	. 2	. 3	6 2	6 2	5 3	3 3	3 1	1 1	. 1	. .	3 .	3 1	5 9	10 8	. .	
13	Cancer M. F. }	158 {	79 79	. .	. .	. 1	. 1	. 1	2 3	11 17	27 24	29 26	10 6	1 2	3 2	18 18	57 57	6 1	

[illegible]

ABSTRACT V—continued—No. 27—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	1,122 {	583 539	33 29	6 18	10 10	20 20	20 22	25 19	45 28	86 71	157 148	181 174	22 11	14 12	114 70	433 446	187 201	
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } F. }	1 {	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
4	Scarlet Fever... ..M. } F. }	8 {	4 4	1 .	3 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	2 2	2 2	. .	
5	Whooping-cough M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
6	Diphtheria M. } F. }	6 {	1 5	. .	. .	1 3	. 1	. .	. 1	. .	. .	. .	. .	. .	. .	1 .	. 5	. .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	43 {	24 19	1 .	. .	. .	1 .	1 .	. 1	. 1	3 4	10 7	8 6	. 1	. .	3 2	21 16	7 9	
9	Encephalitis Lethargica ...M. } F. }	2 {	2 .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	2 .	. .	
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory M. } System. F. }	61 {	33 28	. .	. .	1 .	5 10	7 7	11 5	6 1	4 3	. .	. .	6 1	5 1	10 6	12 20	3 4	
12	Other Tuberculous Diseases ...M. } F. }	7 {	6 1	. .	. .	2 .	. .	1 .	1 .	. .	2 .	. .	1 .	. .	1 .	1 .	4 1	. .	
13	Cancer M. } F. }	89 {	51 38	. .	. .	. .	. 1	1 1	2 .	8 8	14 11	20 14	6 3	2 3	1 1	19 6	29 28	2 .	
14	Diabetes Mellitus M. } F. }	7 {	5 2	. .	. .	. .	1 .	1 .	. .	1 .	. 1	1 1	1 .	. .	. .	3 .	2 2	. .	

[illegible]

ABSTRACT V—continued—No. 28—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. F. }	977 {	496 481	29 27	8 5	5 13	21 32	21 23	28 18	39 36	69 66	146 122	130 139	21 15	11 13	90 93	374 360	119 156	
1	Typhoid Fever (including Para- typhoid). M. F. }	2 {	1 1	. .	. .	. .	. 1	. .	. .	1 .	. .	. .	. .	1 .	. .	. 1	. .	. .	
2	Typhus M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
4	Scarlet Fever... ..M. F. }	7 {	3 4	. .	1 .	. 3	1 1	1 .	. .	. .	. .	. .	. .	1 .	. .	1 1	1 3	. 2	
5	Whooping-cough M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
6	Diphtheria M. F. }	3 {	1 2	1 .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. 2	1 .	. .	
7	Dysentery M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. F. }	17 {	5 12	. .	. .	. .	1 .	1 .	. .	1 .	2 .	2 5	3 2	. .	. .	. .	5 12	2 7	
9	Encephalitis Lethargica ...M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
10	Cerebro-spinal Fever M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory System. M. F. }	79 {	43 36	. .	. .	1 1	8 17	11 10	12 2	4 3	7 3	. .	. .	5 12	1 2	12 8	25 14	6 .	
12	Other Tuberculous Diseases ...M. F. }	20 {	9 11	1 1	1 1	1 1	1 3	2 .	1 2	3 .	1 1	. .	. .	. .	. .	7 8	2 3	. .	
13	Cancer M. F. }	99 {	55 44	. .	. .	. .	. .	. 1	3 4	10 11	15 9	18 13	9 6	3 .	1 .	7 17	45 26	3 2	
14	Diabetes Mellitus M. F. }	4 {	1 3	. .	. .	. .	. .	. .	. .	. .	1 .	1 2	. .	. .	1 .	1 1	1 1	. .	

15	Cerebral Hæmorrhage, Etc. (No. M. 82).	M. } F. }	60 {	26 34	.	.	.	.	1	.	4	8 9	9 13	7 8	1	.	7 6	18 28	7 7
16	Heart Disease ...	M. } F. }	124 {	69 55	.	.	1	2 1	1 .	3 .	2 5	8 13	36 21	17 14	.	1 6	10 3	58 46	1 5
17	Other Circulatory Diseases	M. } F. }	6 {	4 2	.	.	.	.	.	1 .	1 1	.	1 .	1 1	.	1 .	2 1	1 .	.
18	Bronchitis ...	M. } F. }	36 {	16 20	3 2	.	.	.	.	.	.	1 3	6 8	6 7	.	.	1 3	15 17	5 11
19	Pneumonia (All Forms)	M. } F. }	42 {	26 16	2 4	2 1	.	2 1	1 1	1 .	2 2	.	12 3	4 2	1 .	1 .	.	25 15	2 4
20	Other Respiratory Diseases	M. } F. }	14 {	9 5	.	.	1	.	1 1	1 .	2 .	1 2	3 2	.	.	.	3 3	6 2	.
21	Gastric and Duodenal Ulcer	M. } F. }	7 {	6 1	.	.	.	.	.	.	1 .	3 1	2 .	.	1 .	.	2 .	3 1	.
22	Diarrhœa and Enteritis (under 2 years).	M. } F. }	5 {	3 2	3 2	.	.	.	.	.	.	.	.	.	.	.	2 .	1 2	1 .
23	Appendicitis ...	M. } F. }	4 {	1	.	.	2	.	.	1 1	.	.	.	.	.	.	1 3	.	.
24	Cirrhosis of the Liver	M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
25	Other Diseases of Liver, Etc.	M. } F. }	7 {	2 5	.	.	.	.	.	.	2 .	.	2 2	.	1 1	.	1 .	1 3	1 .
26	Other Digestive Diseases	M. } F. }	27 {	11 16	1 .	2 .	.	1 .	1 1	1 .	1 .	1 4	2 6	2 3	3 1	.	1 3	7 12	1 2
27	Acute and Chronic Nephritis	M. } F. }	41 {	25 16	1 1	1 .	.	1 2	.	2 .	1 2	8 3	12 4	1 1	1 .	1 .	4 5	19 11	.
28	Puerperal Sepsis ...	M. } F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
29	Other Puerperal Causes	M. } F. }	4 {	4	.	.	.	4	.	.	.	.	.	.	.	.	1	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. } F. }	29 {	13 16	13 16	.	.	.	.	.	.	.	.	.	1	.	5 2	7 14	4 5
31	Senility ...	M. } F. }	219 {	94 125	.	.	.	.	.	.	.	.	21 34	73 91	.	.	9 12	85 113	75 101
32	Suicide ...	M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence ...	M. } F. }	17 {	14 3	.	1 1	.	2 1	.	1 .	1 .	4 .	3 .	2 1	.	.	7 1	7 2	.
34	Other Defined Causes...	M. } F. }	83 {	47 36	4 1	1 1	1 2	4 4	3 1	3 5	8 5	9 9	9 7	5 1	2 1	7 2	9 10	29 23	2 3
35	Causes ill-defined or unknown	M. } F. }	18 {	11 7	.	.	.	1 .	.	1 .	.	3 5	7 1	.	.	.	.	11 7	9 7

ABSTRACT V—continued—Causes of Death in PROVINCE OF ULSTER, (part of) by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	4,168 {	2,171 1,997	159 114	49 58	43 49	93 79	81 80	85 94	170 131	346 285	608 560	537 547	60 41	71 50	343 259	1,697 1,647	567 606	
1	Typhoid Fever (including Para- M. } typhoid). F. }	2 {	1 1	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	1 1	. .	. .	
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } F. }	23 {	10 13	1 2	5 7	2 4	2 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	9 13	2 7	
4	Scarlet Fever... ..M. } F. }	24 {	12 12	. 1	4 7	3 2	3 2	1 .	1 1	1 .	1 .	. .	. .	. .	. .	7 6	5 6	2 .	
5	Whooping-cough M. } F. }	12 {	4 8	2 5	2 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	4 8	2 3	
6	Diphtheria M. } F. }	12 {	8 4	. .	2 2	5 2	1 .	. .	. .	. .	. .	. .	. .	. .	. .	7 1	1 3	. .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	203 {	90 113	2 5	1 2	4 2	1 3	1 4	1 6	7 8	11 22	45 48	17 13	. .	1 .	7 14	82 99	34 52	
9	Encephalitis Lethargica ...M. } F. }	4 {	1 3	1 .	. .	. .	1 1	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	1 2	. .	
10	Cerebro-spinal Fever M. } F. }	2 {	2 .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	
11	Tuberculosis of Respiratory M. } System. F. }	214 {	113 101	. .	1 .	3 4	32 23	24 27	20 20	17 7	10 14	7 4	1 .	12 10	11 7	24 29	66 55	9 13	
12	Other Tuberculous Diseases ...M. } F. }	63 {	32 31	1 1	2 6	3 7	10 11	8 3	4 .	2 1	2 2	. .	. .	7 4	. 1	8 6	17 20	4 .	
13	Cancer M. } F. }	341 {	189 152	. .	. .	. .	1 .	2 4	8 10	28 31	58 52	73 39	20 15	6 5	2 1	30 20	151 126	14 13	
																	7	2	

ABSTRACT V—continue 1—No. 29.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } F. }	1,209 {	604 605	46 33	11 13	8 11	21 27	18 20	22 30	49 44	112 108	175 184	142 135	21 18	18 11	124 88	441 488	160 158
1	Typhoid Fever (including Para- M. } typhoid). F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
2	Typhus ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles ... M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
4	Scarlet Fever... M. } F. }	10 {	5 5	.	2 1	.	1 2	.	.	1 1	1	.	.	.	.	3 2	2 3	. 1
5	Whooping-cough ... M. } F. }	8 {	3 5	2 3	1 2	.	.	.	.	.	.	.	.	.	.	.	3 5	2 3
6	Diphtheria ... M. } F. }	2 {	1 1	.	.	1 1	.	.	.	.	.	.	.	.	.	1	1	.
7	Dysentery ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza ... M. } F. }	33 {	9 24	.	1 1	.	1 1	.	1 1	2 2	2 5	4 11	2 1	.	.	1 2	8 22	6 11
9	Encephalitis Lethargica ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal Fever ... M. } F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
11	Tuberculosis of Respiratory M. } System. F. }	65 {	31 34	.	1 1	1 1	10 7	5 11	4 6	6 2	1 5	4 1	.	7 5	4 1	8 11	12 17	3 3
12	Other Tuberculous Diseases ... M. } F. }	6 {	3 3	.	.	.	1 2	1	.	.	1	.	.	1	.	.	2 3	.
13	Cancer ... M. } F. }	92 {	47 45	.	.	.	.	1	1	3 2	17 11	21 8	4 2	3 2	.	6 5	38 38	4 3

16	Heart Disease ...	...M. F. }	238 {	114 124	.	.	.	1 2	2 1	5 5	7 10	33 27	41 60	25 19	2 2	2 2	39 24	71 96	12 13
17	Other Circulatory Diseases	...M. F. }	17 {	9 8	.	.	.	.	.	.	2 1	3 3	2 3	2 1	.	.	4 1	5 7	3
18	Bronchitis ...	...M. F. }	110 {	56 54	6	.	1 2	.	.	.	3 2	9 6	25 22	12 22	.	.	1 .	55 54	12 16
19	Pneumonia (All Forms)	...M. F. }	58 {	35 23	4 2	1 2	1 1	3 2	2 2	3 1	8 6	8 5	6 1	1 .	.	.	6 3	28 20	2 1
20	Other Respiratory Diseases	...M. F. }	8 {	6 2	.	.	1 .	.	.	.	2 .	1 2	2 .	.	.	.	4 .	2 2	1 1
21	Gastric and Duodenal Ulcer	...M. F. }	10 {	6 4	.	.	.	.	1 .	1 1	2 2	2 1	.	2 .	.	1 .	2 1	2 2	.
22	Diarrhoea and Enteritis (under 2 M. years).	...M. F. }	6 {	3 3	2 2	1 1	.	.	.	.	.	.	.	1 .	.	.	1 2	2 2	2
23	Appendicitis ...	...M. F. }	7 {	4 3	.	.	2 .	1 .	.	1 .	1 .	1 .	1 .	.	.	.	4 3	.	.
24	Cirrhosis of the Liver	...M. F. }	1 {	1	.	.	.	.	.	.	1 .	.	.	.	.	.	.	1 .	.
25	Other Diseases of Liver, Etc.	...M. F. }	1 {	1	.	.	.	.	.	.	.	1 .	.	.	.	.	.	1 .	.
26	Other Digestive Diseases	...M. F. }	31 {	11 20	1 1	1 .	1 3	.	.	.	2 3	3 5	3 4	4 4	1 1	1 .	4 2	6 16	.
27	Acute and Chronic Nephritis	...M. F. }	25 {	14 11	1 .	.	.	1 .	.	1 .	2 2	5 3	4 5	1 .	1 .	.	3 1	10 10	1
28	Puerperal Sepsis ...	...F.	2	2	.	.	.	1 .	.	1 .	.	.	.	.	.	.	2 .	.	.
29	Other Puerperal Causes	...F.	9	9	.	.	.	1 .	2 .	6 .	.	.	.	.	.	.	4 .	5 .	1
30	Congenital Debility, Etc. (Nos. M. 157-161)	...M. F. }	44 {	27 17	27 17	.	.	.	.	.	.	.	.	.	4 .	.	10 7	17 6	7 2
31	Senility ...	...M. F. }	211 {	108 103	.	.	.	.	.	.	.	.	27 27	81 76	.	4 .	6 8	98 95	80 72
32	Suicide ...	...M. F. }	3 {	2 1	.	.	.	.	.	1 .	1 .	.	1 .	.	.	.	.	2 1	.
33	Other Violence ...	...M. F. }	19 {	12 7	1 1	2 1	3 .	3 2	2 .	.	1 .	1 .	1 .	1 .	.	.	2 1	10 6	.
34	Other Defined Causes ...	...M. F. }	81 {	41 40	2 5	2 1	1 1	3 4	3 3	5 4	6 6	8 7	7 7	4 2	2 3	7 5	8 7	24 25	5 3
35	Causes ill-defined or unknown	...M. F. }	35 {	18 17	.	1 .	.	1 .	.	.	3 1	7 6	8 8	.	.	.	.	18 17	17 16

ABSTRACT V—contd.—No. 30.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES M. F. }	2,068 {	1,084 984	77 64	32 33	21 26	59 44	45 42	46 44	83 60	146 96	283 265	292 310	15 12	39 29	126 112	904 831	329 357
1	Typhoid Fever (including Para- M. F. } typhoid).	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
2	Typhus M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles M. F. }	21 {	8 13	1 2	4 7	1 4	2	.	.	.	.	.	.	.	.	.	8 13	2 7
4	Scarlet Fever... .. M. F. }	14 {	7 7	.	2 .	3 6	2	.	1	.	.	.	.	.	.	4 4	3 3	1
5	Whooping-cough M. F. }	3 {	3	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.
6	Diphtheria M. F. }	8 {	6 2	.	2 1	3 1	1	.	.	.	.	.	.	.	.	6 1	1	.
7	Dysentery M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza M. F. }	128 {	59 69	1 2	.	3 1	1 2	.	3 3	7 6	6 12	28 30	13 10	.	1	3 10	55 59	21 32
9	Encephalitis Lethargica M. F. }	3 {	1 2	1	.	.	1	.	.	.	.	.	.	.	.	.	1 2	.
10	Cerebro-spinal Fever M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
11	Tuberculosis of Respiratory System. M. F. }	110 {	60 50	.	.	1 1	17 16	14 10	10 10	8 4	8 6	2 2	.	.	5 4	14 17	41 29	6 9
12	Other Tuberculous Diseases M. F. }	36 {	17 19	.	2 4	.	7 6	3 3	4 1	1	2	.	.	2 2	.	4 4	11 12	4
13	Cancer M. F. }	168 {	97 71	.	.	.	.	1	5 7	16 13	26 17	38 22	12 11	2 2	2	6 7	87 62	10 9
14	Diabetes Mellitus M. }	8 {	4	.	.	1	.	.	.	.	3 1	3	.	.	.	2 4	2 4	1 1

15	Cerebral Haemorrhage, Etc. (No. 82).	M. } F. }	129 { 59 70	.	.	.	1	1	1	2	9	27	18	.	.	2	57	23
16	Heart Disease ...	M. } F. }	286 { 154 132	.	.	.	3	4	5	9	29	54	50	1	10	19	124	28
17	Other Circulatory Diseases	M. } F. }	31 { 18 13	.	.	.	.	.	1	.	2	7	8	1	.	4	13	.
18	Bronchitis ...	M. } F. }	89 { 45 44	12	2	.	1	.	1	1	4	10	14	1	1	4	39	13
19	Pneumonia (All Forms)	M. } F. }	112 { 69 43	12	6	2	2	1	2	7	13	16	8	.	1	10	58	6
20	Other Respiratory Diseases	M. } F. }	36 { 23 13	3	.	.	1	.	1	3	3	9	3	.	.	2	21	12
21	Gastric and Duodenal Ulcer	M. } F. }	18 { 15 3	.	.	.	1	1	2	3	4	3	1	1	.	4	10	1
22	Diarrhoea and Enteritis (under 2 years.)	M. } F. }	14 { 8 6	6	2	.	.	.	.	.	.	.	.	1	.	.	8	4
23	Appendicitis ...	M. } F. }	7 { 6 1	.	1	2	1	.	.	1	.	.	1	1	.	4	1	.
24	Cirrhosis of the Liver	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Other Diseases of Liver, Etc.	M. } F. }	5 { 2 3	.	.	.	.	.	.	1	1	1	1	.	.	1	2	.
26	Other Digestive Diseases	M. } F. }	51 { 17 34	.	4	1	3	3	1	4	.	2	5	.	1	3	14	4
27	Acute and Chronic Nephritis	M. } F. }	61 { 35 26	.	1	.	1	.	2	6	8	12	5	1	.	4	30	4
28	Puerperal Sepsis ...	F. }	9 { 9	.	.	.	2	5	2	.	.	.	.	1	.	4	4	.
29	Other Puerperal Causes	F. }	7 { 7	.	.	.	2	4	1	.	.	.	.	.	.	5	2	.
30	Congenital Debility, Etc. (Nos. 157-161).	M. } F. }	64 { 31 33	31	.	.	.	.	.	.	.	.	.	1	.	4	26	19
31	Senility ...	M. } F. }	389 { 173 216	.	.	.	.	.	.	.	.	33	140	.	7	3	163	139
32	Suicide ...	M. } F. }	10 { 8 2	.	.	.	1	1	3	2	2	.	.	.	.	.	8	.
33	Other Violence ...	M. } F. }	54 { 43 11	2	2	3	11	8	3	4	4	5	1	.	1	3	39	1
34	Other Defined Causes ...	M. } F. }	154 { 94 60	9	4	2	6	10	4	9	14	23	13	4	11	21	58	10
35	Causes ill-defined or unknown	M. } F. }	41 { 24 17	.	5	.	.	.	1	.	10	13	.	.	.	.	24	21
				.	.	.	.	.	.	1	7	.	.	.	.	.	17	17

ABSTRACT V—contd.—No. 31.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1935.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES M. } F. }	891 {	483 408	36 17	6 12	14 12	13 8	18 18	17 20	38 27	88 81	150 111	103 102	24 11	14 10	93 59	352 328	78 91	
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
2	Typhus M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Measles M. } F. }	1 {	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
4	Scarlet Fever... ..M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
5	Whooping-cough M. } F. }	1 {	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
6	Diphtheria M. } F. }	2 {	1 1	. .	. 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	
7	Dysentery M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza M. } F. }	42 {	22 20	1 2	1 .	1 1	. .	1 1	. 2	. .	3 5	13 7	2 2	. .	. .	3 2	19 18	7 9	
9	Encephalitis Lethargica ...M. } F. }	1 {	. 1	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	
10	Cerebro-spinal Fever M. } F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Tuberculosis of Respiratory M. } System. F. }	39 {	22 17	. .	. .	1 2	5 .	5 6	6 4	3 1	1 3	1 1	. .	5 5	2 2	2 1	13 9	. 1	
12	Other Tuberculous Diseases ...M. } F. }	21 {	12 9	1 .	. 2	3 4	2 3	4 .	. .	1 .	1 .	. .	. .	4 2	. .	4 2	4 5	. .	
13	Cancer M. } F. }	81 {	45 36	. .	. .	. .	. 1	1 3	2 1	9 7	15 13	14 9	4 2	1 1	. 1	18 8	26 26	. 1	
14	Diabetes Mellitus M. }	6 {	3 .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	1 .	. .	. .	. .	3 .	1 .	

15	Cerebral Haemorrhage, Etc. (No. M 82).	F. }	69	{	35	.	.	.	.	.	.	5	4	19	7	.	2	5	28	9
					34	.	.	.	.	1	.	1	9	14	9	.	.	2	32	8
16	Heart Disease	...M. F. }	162	{	89	.	.	1	1	1	2	5	19	38	23	.	1	9	79	9
					73	.	.	.	1	1	5	4	22	28	12	.	2	10	61	16
17	Other Circulatory Diseases	...M. F. }	18	{	9	.	1	.	1	.	1	1	3	2	3	.	.	2	7	1
					9	.	1	.	1	.	1	.	4	4	2	.	.	.	9	.
18	Bronchitis	...M. F. }	55	{	23	4	1	.	.	.	.	1	4	6	7	.	.	1	22	7
					32	1	2	.	.	.	.	1	7	9	12	.	.	.	32	8
19	Pneumonia (All Forms)	...M. F. }	47	{	26	3	.	.	1	1	1	4	4	11	1	.	.	1	25	4
					21	1	1	.	.	1	1	2	4	7	4	.	2	2	17	.
20	Other Respiratory Diseases	...M. F. }	11	{	6	.	.	.	.	.	1	1	4	1	1	.	.	.	6	1
					5	.	.	.	.	.	1	.	1	2	1	.	.	.	5	1
21	Gastric and Duodenal Ulcer	...M. F. }	6	{	4	.	.	.	.	.	.	1	.	2	1	.	.	2	2	1
					2	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
22	Diarrhoea and Enteritis (under 2 years).	M. F. }	7	{	6	6	.	.	.	.	.	.	.	.	.	1	.	1	4	1
					1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis	...M. F. }	3	{	3	.	.	1	.	.	.	.	2	.	.	.	.	2	1	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	...M. F. }	4	{	3	.	.	.	.	.	.	.	1	2	.	.	.	1	2	.
					1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
25	Other Diseases of Liver, Etc.	...M. F. }	8	{	5	.	.	.	.	1	.	.	1	3	.	1	.	1	3	1
					3	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.
26	Other Digestive Diseases	...M. F. }	27	{	12	.	.	1	.	1	2	5	1	2	2	.	.	5	7	.
					15	2	2	1	1	.	3	2	3	1	1	.	.	.	14	2
27	Acute and Chronic Nephritis	...M. F. }	28	{	17	.	.	.	.	1	1	7	6	2	1	.	.	3	13	.
					11	.	.	.	.	1	2	2	6	.	.	1	.	4	6	.
28	Puerperal Sepsis	...F. }	2	{	2	.	.	.	1	1	.	.	.	.	.	.	.	2	.	.
29	Other Puerperal Causes	...F. }	2	{	2	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	M. F. }	18	{	13	13	.	.	.	.	.	.	.	.	.	2	.	4	7	5
					5	5	.	.	.	.	.	.	.	.	.	.	.	1	4	2
31	Senility	...M. F. }	109	{	49	.	.	.	.	.	.	.	.	10	39	.	4	8	37	18
					60	.	.	.	.	.	.	.	.	8	52	.	1	9	50	31
32	Suicide	...M. F. }	.	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
					.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	...M. F. }	13	{	7	.	.	1	2	.	.	.	1	1	2	1	.	2	4	.
					6	1	1	1	.	.	.	.	2	1	.	.	.	2	4	.
34	Other Defined Causes	...M. F. }	91	{	61	8	3	4	2	4	2	4	13	13	8	8	5	19	29	7
					39	3	2	2	1	1	1	4	9	5	2	2	1	10	17	2
35	Causes ill-defined or unknown	...M. F. }	17	{	8	.	.	.	.	1	.	4	3	.	.	.	.	.	8	7
					9	1	.	.	.	.	2	2	4	.	.	.	.	9	8	.

ABSTRACT VI.—CAUSES OF DEATH, &c., during the year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	SAORSTAT ÉIREANN		PROVINCE OF LEINSTER.		PROVINCE OF MUNSTER.		PROVINCE OF CONNAUGHT		PROVINCE OF ULSTER (part of).	
		Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.
	ALL CAUSES {M. F.	6,734 6,670	14,807 13,332	4,398 4,396	4,402 3,960	1,921 1,847	5,011 4,349	256 293	3,382 3,160	159 134	2,012 1,863
1	Typhoid fever (including paratyphoid) {M. F.	4 8	31 21	1 1	3 1	2 7	15 13	1 .	12 6	.	1 1
2	Typhus {M. F.	.	2	.	.	.	1	.	1	.	.
3	Measles {M. F.	100 80	64 72	50 46	21 20	49 33	32 29	1 .	2 1	1 .	9 13
4	Scarlet fever {M. F.	16 13	24 39	13 10	3 9	2 .	3 8	1 1	8 10	2 .	10 12
5	Whooping-cough {M. F.	19 15	48 43	11 10	15 13	8 5	27 17	.	2 5	.	4 8
6	Diphtheria {M. F.	81 92	97 108	59 76	36 42	19 13	35 38	1 3	20 24	2 .	6 4
7	Dysentery {M. F.	1	.	.	.	1	.	.	.	.	.
8	Influenza {M. F.	94 97	367 405	65 78	116 103	22 17	89 95	2 2	77 94	5 .	85 113
9	Encephalitis lethargica {M. F.	4 5	13 5	4 2	4 2	1 .	4 2	.	4 .	2 .	1 1
10	Cerebro-spinal fever {M. F.	14 9	4 2	14 6	1 .	3 .	1 1	.	1 .	.	2 .
11	Tuberculosis of respiratory system {M. F.	652 563	913 848	409 367	287 283	190 156	306 286	39 29	221 189	14 11	99 90
12	Other tuberculous diseases {M. F.	165 174	253 202	109 113	82 68	48 44	89 68	3 10	55 42	5 7	27 24
13	Cancer {M. F.	564 567	1,339 1,053	352 385	387 339	190 145	460 343	15 28	310 228	7 9	182 143
14	Diabetes mellitus {M. F.	35 35	100 86	21 25	28 24	13 8	46 34	1 1	17 20	1 .	9 8
15	Cerebral hæmorrhage {M. F.	324 406	700 843	213 255	234 297	92 125	217 268	11 22	130 141	8 4	119 137
16	Heart disease {M. F.	1,064 1,284	2,491 2,137	661 821	804 760	350 393	853 704	35 47	495 417	18 23	339 306
17	Other circulatory diseases {M. F.	151 118	236 161	103 81	67 55	38 31	95 59	4 5	44 18	6 1	30 29
18	Bronchitis {M.	371	692	259	210	90	236	13	131	9	115

19	Pneumonia (all forms) ...	...	...	...	{M. F.	601 514	867 609	447 396	253 189	118 93	316 192	20 19	147 147	6 6	81 81
20	Other respiratory diseases ...	...	...	...	{M. F.	136 115	219 147	110 83	91 40	19 25	66 61	4 6	30 27	3 1	32 19
21	Gastric and duodenal ulcer ...	...	...	...	{M. F.	60 21	170 68	41 12	50 20	16 6	66 28	3 1	29 13	2 2	25 7
22	Diarrhoea and enteritis (under 2 years) ...	...	...	...	{M. F.	266 178	137 109	146 105	47 37	109 67	64 50	7 6	13 12	4 4	13 10
23	Appendicitis ...	...	...	...	{M. F.	28 17	84 50	20 12	23 15	7 3	30 13	1 2	18 18	1 1	12 4
24	Cirrhosis of the liver ...	...	...	...	{M. F.	18 9	29 10	11 4	5 4	4 1	15 3	2 4	6 2	1 1	3 1
25	Other diseases of liver, etc. ...	...	...	...	{M. F.	22 36	42 66	14 24	18 21	7 9	14 26	4 2	4 13	1 1	6 6
26	Other digestive diseases ...	...	...	...	{M. F.	141 179	340 309	86 105	102 85	44 59	115 96	8 10	86 64	3 5	37 64
27	Acute and chronic nephritis ...	...	...	...	{M. F.	262 196	474 332	198 140	149 114	46 42	153 105	13 11	111 68	5 3	61 45
28	Puerperal sepsis ...	...	...	...	F.	28	61	19	13	8	21	15	15	1	12
29	Other puerperal causes ...	...	...	...	F.	55	128	33	30	15	56	5	26	2	16
30	Congenital debility, etc. (Nos. 157-161) ...	...	...	...	{M. F.	483 340	580 432	337 230	233 163	117 80	194 130	16 21	95 93	13 9	58 46
31	Senility ...	...	...	...	{M. F.	219 443	2,389 2,824	116 237	508 601	77 160	764 908	17 24	796 958	9 22	321 357
32	Suicide ...	...	...	...	{M. F.	15 6	62 9	11 5	16 2	2 1	31 2	7 2	7 2	2 2	8 3
33	Other violence ...	...	...	...	{M. F.	212 100	387 200	139 67	137 71	60 25	122 62	8 5	71 46	5 3	57 21
34	Other defined causes ...	...	...	...	{M. F.	586 483	1,349 990	363 313	408 292	178 138	453 346	29 18	308 236	16 14	180 116
35	Causes ill-defined or unknown ...	...	...	...	{M. F.	27 37	304 279	15 20	65 63	6 12	99 97	2 1	94 80	4 4	46 39
Deaths under one year of age ...					{M. F.	1,170 793	1,167 858	786 539	421 307	322 203	424 292	32 35	193 161	30 16	129 98
,, 65 years and upwards ...					{M. F.	1,918 2,548	7,646 7,106	1,226 1,668	2,103 1,939	560 715	2,514 2,256	85 111	1,931 1,858	47 54	1,098 1,053
Uncertified Deaths ...					{M. F.	122 149	3,237 3,641	62 48	615 672	36 69	967 1,092	12 16	1,100 1,287	12 16	555 590
Number of Births ...					{M. F.	11,536 10,900	18,362 17,468	7,645 7,201	5,484 5,174	3,002 2,881	6,249 6,005	632 569	4,328 4,125	257 249	2,301 2,164
Population (Census, 1936 unrevised) ...					...	964,732	2,001,122	635,930	583,571	254,796	686,596	50,558	474,289	23,448	256,666

No.	CAUSES OF DEATH, ETC.	CARLOW COUNTY.		DUBLIN COUNTY.							CITY OF DUBLIN	
		U.D.	R.D.	Urban Districts.		Rural S.R. Districts.			TOTAL U.D.'s.	TOTAL R.D.'s.		
		Carlow U.D.	Carlow R.D.	Dun-laoghaire (4)	Howth (3)	Bal-rothery (2)	Dublin (3)	Rath-down (4)				
		(1)	(1)	(4)	(3)	(2)	(3)	(4)				
	ALL CAUSES	{M. F.	55 50	199 208	212 295	20 26	141 146	223 177	115 111	232 321	479 434	3,289 3,198
1	Typhoid fever (including paratyphoid) ...	{M. F.	.	.	.	.	.	.	1	.	1	1
2	Typhus	{M. F.	.	.	.	.	.	.	.	.	.	.
3	Measles	{M. F.	.	1	1	.	3 2	8 16	1	1	12 18	41 41
4	Scarlet fever	{M. F.	.	.	1	.	2	.	.	1	2	8 10
5	Whooping-cough	{M. F.	.	.	1	.	.	1 2	.	1	1 2	11 8
6	Diphtheria	{M. F.	3	2 3	2	.	1	1 1	1 2	2	3 3	41 50
7	Dysentery	{M. F.	.	.	.	.	.	.	.	.	.	.
8	Influenza	{M. F.	1 2	7 8	4 11	1	2 2	7 2	2 1	4 12	4 10	45 38
9	Encephalitis lethargica	{M. F.	.	.	.	.	.	1	.	.	1	4 2
10	Cerebro-spinal fever	{M. F.	.	.	.	.	.	.	.	.	.	13 6
11	Tuberculosis of respiratory system ...	{M. F.	8 3	12 12	16 18	2 1	14 12	20 13	9 2	18 19	43 27	327 277
12	Other tuberculous diseases	{M. F.	4 3	1 2	5 4	1 4	5 4	7 7	1 3	6 8	13 14	82 83
13	Cancer	{M. F.	3 7	13 14	22 38	1 1	15 15	17 19	7 18	23 39	39 52	261 278
14	Diabetes mellitus	{M. F.	.	4 3	5	.	1 1	.	1 1	2 5	2 2	17 15
15	Cerebral hæmorrhage	{M. F.	4	4 14	14 20	3 4	6 15	15 14	14 7	17 24	35 36	128 162
16	Heart disease	{M. F.	12 18	43 48	44 66	2	17 33	36 24	18 24	44 68	71 81	465 584
17	Other circulatory diseases	{M. F.	1	4 2	8 7	1	4 2	7 5	5 3	9 7	16 10	77 67

18	Bronchitis	{M. F.	3 1	13 6	6 12	1 1	7 4	15 9	5 4	7 13	27 17	213 255	
19	Pneumonia (all forms)	{M. F.	1 1	6 5	11 17	1 1	11 6	17 13	10 11	12 18	38 30	368 307	
20	Other respiratory diseases	{M. F.	1 1	1 2	7 4	1 .	4 4	7 4	2 1	8 4	13 9	89 60	
21	Gastric and duodenal ulcer	{M. F.	1 .	3 4	2 1	2 .	5 .	. .	. .	4 1	5 .	28 6	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	. .	2 3	1 7	. .	6 6	3 .	4 4	1 7	13 10	122 83	
23	Appendicitis	{M. F.	. .	. 1	. .	. .	. .	2 1	1 .	. .	2 2	14 10	
24	Cirrhosis of the liver	{M. F.	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	8 4	
25	Other diseases of the liver, etc.	{M. F.	. .	3 .	1 2	1 1	1 .	. .	1 1	2 3	2 1	9 12	
26	Other digestive diseases	{M. F.	1 .	5 1	8 10	. .	5 1	6 7	1 1	8 10	12 9	62 75	
27	Acute and chronic nephritis	{M. F.	1 2	5 8	10 12	1 1	4 1	4 6	4 6	11 13	12 13	155 102	
28	Puerperal sepsis	F.	1	1	.	.	.	.	.	.	.	14	
29	Other puerperal causes	F.	.	2	2	.	1	2	.	2	3	24	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	3 4	21 10	15 10	1 1	5 3	12 9	11 6	16 11	28 18	262 173	
31	Senility	{M. F.	3 2	27 36	6 8	2 4	10 16	5 10	3 7	8 12	18 33	57 158	
32	Suicide	{M. F.	1 .	2 .	2 .	. .	. .	. .	. .	2 .	. .	8 5	
33	Other violence... ..	{M. F.	1 .	3 3	8 9	1 1	4 3	12 2	4 1	9 10	20 6	115 45	
34	Other defined causes	{M. F.	6 1	14 17	21 27	1 3	11 7	23 10	9 7	22 30	43 24	248 233	
35	Causes ill-defined or unknown	{M. F.	2 .	3 3	. 1	. .	2 1	2 .	1 .	. 1	5 1	10 10	
Deaths under one year of age			{M. F.	5 5	24 16	24 25	3 1	17 13	30 24	19 12	27 26	66 49	634 418
" 65 years and upwards			{M. F.	14 18	105 100	91 144	9 12	54 65	67 57	41 45	100 156	162 167	824 1,159
Uncertified Deaths			{M. F.	5 2	32 42	. 1	. 1	5 2	2 1	2 .	. 2	9 3	31 26
Number of Births			{M. F.	65 87	250 267	386 367	32 35	217 187	349 326	188 127	418 402	754 640	5,759 5,466
Population (Census, 1936 unrevised)				7,644	26,771	39,762	4,830	20,980	34,330	19,407	44,592	74,717	467,691

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		KILDARE COUNTY						KILKENNY COUNTY.						Total R.D.'s.	
			Urban Districts		Rural S.R.D.'s.			Total U.D.'s.	Total R.D.'s.	Urban District K'kenney (11)	Rural S.R.D.					
			Athy (6)	Naas (8)	Athy (6)	Cel-bridge (7)	Naas (8)				Callan (9)	Castle-comer (10)	K'kenney (11)	Thomas-town (12)		Urling-ford (13)
	ALL CAUSES	{M. F.	25 21	21 36	80 95	54 61	213 183	46 57	347 339	75 83	48 54	63 65	104 98	198 182	32 23	445 422
1	Typhoid fever (including paratyphoid) ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles	{M. F.	.	1	.	.	.	1	.	1 2	.	1	.	1	.	2
4	Scarlet fever	{M. F.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
5	Whooping-cough	{M. F.	.	.	.	.	2	.	2	.	2 1	.	1	1	1	2 4
6	Diphtheria	{M. F.	1 1	1	2 1	.	2 2	1 2	4 3	2	1	1	3 1	2 1	.	7 2
7	Dysentery	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	{M. F.	.	1 3	1	2	1 2	1 3	3 3	4 5	1 2	3	4 6	2 2	1 6	11 16
9	Encephalitis lethargica	{M. F.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
10	Cerebro-spinal fever	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ...	{M. F.	2 3	3	4 7	5 10	7 18	2 6	16 55	2 8	4 2	3 10	3 9	13 13	1 2	24 36
12	Other tuberculous diseases	{M. F.	1	2 2	1 2	1	3	3 2	5 2	1	1 1	2	1	.	1	3 3
13	Cancer	{M. F.	3 1	6	9 5	3 4	13 12	3 7	25 21	5 4	7 11	2 4	10 7	22 15	1 1	42 38
14	Diabetes mellitus	{M. F.	.	.	1 1	1	1	.	2 2	.	.	.	2 3	1	1	3 4
15	Cerebral hæmorrhage	{M. F.	1 1	2 4	4 4	2 5	12 9	3 5	18 18	6 8	1 5	2 2	7 8	14 8	.	24 23
16	Heart disease	{M. F.	4 3	2 5	14 20	11 16	58 41	6 8	83 77	12 17	10 10	18 11	19 18	33 33	1 2	81 74
17	Other circulatory diseases	{M. F.	.	1 2	.	3 1	4	1 2	7 5	2	.	.	3	2	.	5

18	Bronchitis	{M. F.	1 2	1 1	5 3	1 2	20 13	3 5	26 18	1 5	2 1	6 4	4 5	11 5	2 4	25
19	Pneumonia (all forms)	{M. F.	7 2	1 3	7 4	4 3	13 11	8 5	24 18	7 8	3 1	5 2	4 1	12 7	1 1	25 10
20	Other respiratory diseases	{M. F.	1 1	1 1	2 1	1 1	4 1	1 1	6 1	3 1	1 1	2 1	1 2	6 2	2 1	11 3
21	Gastric and duodenal ulcer	{M. F.	1 1	1 1	1 3	1 1	1 1	1 3	3 3	2 3	1 1	1 1	1 1	1 1	1 1	2 1
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1 1	1 1	2 2	2 2	9 9	1 4	9 4	6 1	1 1	1 1	2 1	3 1	1 1	6 2
23	Appendicitis	{M. F.	1 1	1 1	1 1	1 1	2 2	1 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 2
24	Cirrhosis of the liver	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other diseases of the liver, etc.	{M. F.	1 1	1 1	1 1	1 1	3 1	1 1	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Other digestive diseases	{M. F.	4 4	1 1	3 2	1 4	4 6	5 5	8 12	1 1	2 1	1 1	2 1	3 7	4 1	12 9
27	Acute and chronic nephritis	{M. F.	1 1	1 1	1 1	3 1	7 8	2 2	10 10	1 4	2 2	2 2	3 2	2 4	1 1	8 9
28	Puerperal sepsis	F.	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1
29	Other puerperal causes	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	2 2	4 1	7 5	2 1	12 14	6 1	21 20	10 4	2 3	6 3	5 3	9 6	4 1	26 15
31	Senility	{M. F.	2 2	2 2	10 19	5 5	15 13	2 4	30 37	3 7	3 9	1 13	16 17	31 46	7 4	58 89
32	Suicide	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Other violence... ..	{M. F.	1 1	1 1	1 4	1 1	8 2	2 2	10 6	1 1	1 1	4 2	2 1	8 5	1 1	14 9
34	Other defined causes	{M. F.	2 2	1 1	4 7	7 5	13 17	2 2	24 29	7 6	5 1	4 7	13 9	27 10	5 1	54 27
35	Causes ill-defined or unknown	{M. F.	1 1	1 1	3 1	1 1	1 4	1 1	4 6	1 1	1 1	2 1	4 2	2 2	1 1	5 7
Deaths under one year of age			{M. F.	2 1	5 4	8 7	6 2	30 24	7 5	44 33	20 6	5 4	10 6	11 12	6 2	53 29
" 65 years and upwards			{M. F.	7 10	6 15	36 42	20 32	97 76	13 25	153 150	24 35	24 31	27 28	56 51	104 106	227 232
Uncertified Deaths			{M. F.	1 1	1 1	7 12	1 3	17 17	1 1	25 32	5 3	5 5	12 16	21 26	30 49	8 9
Number of Births			{M. F.	44 41	44 36	135 127	79 71	380 363	88 77	594 561	142 95	61 68	82 65	122 128	236 189	532 478
Deaths under one year of age			{M. F.	2 1	5 4	8 7	6 2	30 24	7 5	44 33	20 6	5 4	10 6	11 12	6 2	53 29
" 65 years and upwards			{M. F.	7 10	6 15	36 42	20 32	97 76	13 25	153 150	24 35	24 31	27 28	56 51	104 106	227 232
Uncertified Deaths			{M. F.	1 1	1 1	7 12	1 3	17 17	1 1	25 32	5 3	5 5	12 16	21 26	30 49	8 9
Number of Births			{M. F.	44 41	44 36	135 127	79 71	380 363	88 77	594 561	142 95	61 68	82 65	122 128	236 189	532 478
Deaths under one year of age			{M. F.	2 1	5 4	8 7	6 2	30 24	7 5	44 33	20 6	5 4	10 6	11 12	6 2	53 29
" 65 years and upwards			{M. F.	7 10	6 15	36 42	20 32	97 76	13 25	153 150	24 35	24 31	27 28	56 51	104 106	227 232
Uncertified Deaths			{M. F.	1 1	1 1	7 12	1 3	17 17	1 1	25 32	5 3	5 5	12 16	21 26	30 49	8 9
Number of Births			{M. F.	44 41	44 36	135 127	79 71	380 363	88 77	594 561	142 95	61 68	82 65	122 128	236 189	532 478

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.		LAOIGHIS COUNTY			LONGFORD COUNTY						
			Rural S.R.D.'s.		TOTAL R.D.'s.	Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.
			Abbeyleix (14)	Mountmellick (15)		Granard U.D. (17)	Longford U.D. (18)	Ballymahon (16)	Granard (17)	Longford (18)		
	ALL CAUSES	{M. F.	164 135	233 203	397 338	8 9	33 22	75 42	96 77	87 87	41 31	258 206
1	Typhoid fever (including paratyphoid) ...	{M. F.	.	.	.	.	.	.	.	.	.	.
2	Typhus	{M. F.	.	.	.	.	.	.	.	.	.	.
3	Measles	{M. F.	2	3	2 3	.	.	.	.	1	.	1
4	Scarlet fever	{M. F.	.	1	1	.	.	.	.	.	.	.
5	Whooping-cough	{M. F.	.	1	1	.	.	1	1	1	.	2 1
6	Diphtheria	{M. F.	1 2	7 3	8 5	.	.	.	.	1	.	1
7	Dysentery	{M. F.	.	.	.	.	.	.	.	.	.	.
8	Influenza	{M. F.	10 7	5 3	15 10	1 2	.	1 2	12 7	3 6	1 2	16 15
9	Encephalitis lethargica	{M. F.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever	{M. F.	.	.	.	.	.	.	1	.	.	1
11	Tuberculosis of respiratory system ...	{M. F.	11 11	15 13	26 24	.	3 2	6 1	6 3	6 7	3 3	18 11
12	Other tuberculous diseases	{M. F.	3 3	6 6	9 9	.	1	.	2	.	1	2
13	Cancer	{M. F.	13 18	22 13	35 31	1	1 2	6 4	11 3	9 3	2 2	26 10
14	Diabetes mellitus	{M. F.	1	1 2	2 2	.	.	1	1	1	.	2 1
15	Cerebral hæmorrhage, etc.	{M. F.	6 10	7 9	13 19	.	.	3 1	7 7	9 6	.	19 14
16	Heart disease	{M. F.	32 32	46 41	78 73	.	9 6	5 6	5 5	9 16	9 8	19 27

19	Pneumonia (all forms) ...	...	...	{M. F.	7 4	13 8	20 12	1 3	1 1	2 4	7 4	1 3	10 9
20	Other respiratory diseases ...	...	...	{M. F.	2 1	9 4	11 5	...	...	1 1	1 1	...	2 2
21	Gastric and duodenal ulcer ...	...	...	{M. F.	1 ...	5 1	6 1	...	2	...	1 1	...	3 1
22	Diarrhoea and enteritis (under 2 years) ...	...	...	{M. F.	1 ...	...	1 1	1 ...	...	...	1 ...	2 ...	1 ...
23	Appendicitis ...	...	...	{M. F.	...	2 2	2 2	...	1 1	2 ...	1 ...	...	4 1
24	Cirrhosis of the liver ...	...	...	{M. F.	...	1 ...	1 ...	...	...	...	...	...	...
25	Other diseases of liver, etc. ...	...	...	{M. F.	1 2	1 2	2 4	2 1	...	...	1 ...	2 1	...
26	Other digestive diseases ...	...	...	{M. F.	2 1	6 2	8 3	1 ...	1 1	1 1	2 1	1 1	2 3
27	Acute and chronic nephritis ...	...	...	{M. F.	5 5	5 3	10 8	2 ...	3 4	3 2	4 2	5 ...	10 8
28	Puerperal sepsis ...	...	...	F.	...	1 ...	1 ...	1 2	...	1 ...	...	3 ...	1 ...
29	Other puerperal causes ...	...	...	F.	...	2 ...	2 ...	...	...	1 ...	...	...	1 ...
30	Congenital debility, etc. (Nos. 157-161) ...	...	...	{M. F.	12 5	10 8	22 13	3 2	2 3	4 1	...	3 2	6 6
31	Senility ...	...	...	{M. F.	21 18	31 38	52 56	2 ...	26 12	21 21	17 19	2 ...	64 52
32	Suicide ...	...	...	{M. F.	1 ...	1 ...	2 ...	...	...	1 ...	...	...	1 ...
33	Other violence... ...	...	...	{M. F.	7 3	8 3	15 6	1 ...	1 ...	4 2	3 1	1 ...	8 3
34	Other defined causes ...	...	...	{M. F.	14 10	19 20	33 30	3 1	7 4	6 8	1 5	3 3	14 17
35	Causes ill-defined or unknown ...	...	...	{M. F.	3 ...	4 3	7 3	1 ...	3 1	4 6	5 5	1 ...	12 12
Deaths under one year of age ...					{M. F.	16 6	18 12	34 18	1 2	5 3	4 3	6 2	9 9
,, 65 years and upwards ...					{M. F.	85 63	120 101	205 169	4 3	9 6	50 30	49 46	139 124
Uncertified Deaths ...					{M. F.	29 24	40 30	69 54	...	32 17	34 36	38 40	104 93
Number of Births ...					{M. F.	181 192	270 250	451 442	10 10	59 41	59 67	126 132	284 288
Population (Census, 1936 unrevised) ...					...	21,173	28,781	49,054	1,236	3,776	7,220	10,336	32,691

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LOUTH COUNTY								MEATH COUNTY									
		Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.	
		Drog- heda (20)	Dun- dalk (21)	Ardee (19)	Drog- heda (20)	Dun- dalk (21)			An Uaimh (24)	Cean- nanus Mor (23)	Trim (26)	Dun- shaugh lin (22)	Kells (23)	Navan (24)	Old- castle (25)	Trim (26)			
	ALL CAUSES	{M. F.	93 91	102 104	82 88	38 36	152 137	195 195	272 261	28 17	14 12	11 11	58 50	66 48	139 140	33 41	103 80	53 40	399 359
1	Typhoid fever (including paratyphoid)	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
2	Typhus	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles	{M. F.	.	3	1	.	.	3	1	.	.	.	2	.	.	.	.	.	2
4	Scarlet fever	{M. F.	.	1	.	.	1	1	1	.	.	.	.	.	1	.	.	.	1
5	Whooping-cough	{M. F.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	4 3
6	Diphtheria	{M. F.	6 6	1 1	2 1	.	1	7 7	3 2	.	.	.	.	.	2 1	1 2	.	.	3 3
7	Dysentery	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	{M. F.	.	4 2	1 2	.	1	4 2	2 3	1	1	.	.	4	4	.	4 3	.	8 7
9	Encephalitis lethargica	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system	{M. F.	7 3	8 8	5 10	2 2	15 11	15 11	22 23	4 1	.	1	8 1	5 1	7 8	1 2	4 3	4 2	25 15
12	Other tuberculous diseases	{M. F.	1	2 3	2	1	3	2 4	5 4	2	1	1	4 1	1	2 1	1	1 1	1 3	7 5
13	Cancer	{M. F.	5 8	8 10	6 7	9 2	12 11	13 18	27 20	1 4	1	.	4 8	5 1	10 12	2 4	18 7	2 5	39 32
14	Diabetes mellitus	{M. F.	1	1	1	.	1	2	2	1	1	.	1	.	1	.	1	2	2 1
15	Cerebral hæmorrhage	{M. F.	16 5	7 7	1 8	1 7	8 15	23 12	10 30	1	1	1	1	4 4	8 16	1	6 9	3 1	18 31
16	Heart disease	{M. F.	17 21	12 17	19 14	6 8	25 24	29 38	50 46	5 1	5 3	2 5	11 10	14 9	27 35	11 9	23 16	12 9	86 79

18	Bronchitis...	...	...	{M. F.	1 7	8 6	2 4	.	10 5	9 12	12 9	1 .	1 .	1 .	1 .	7 4	1 3	4 3	2 .	13 12		
19	Pneumonia (all forms)	...	...	{M. F.	4 2	3 13	2 3	1	10 9	7 15	13 12	3 .	1 1	3 .	3 5	5 8	2 1	4 8	7 1	23 22		
20	Other respiratory diseases	...	...	{M. F.	1 3	2 1	1	1	2 1	3 4	3 2	.	.	1 1	.	5 4	3 1	2	1 1	10 8		
21	Gastric and duodenal ulcer...	...	...	{M. F.	1 .	2 2	3	.	1 .	2 3	3 1	.	.	.	2	1 5	1	.	.	8 2		
22	Diarrhoea and enteritis (under 2 years)...	...	...	{M. F.	.	3 3	1 1	.	3 3	3 8	4 4	1	.	.	.	.	.	1 1	1 1	1 1		
23	Appendicitis	...	...	{M. F.	1 .	1	.	.	1 1	1 1	1 1	.	.	1	1	1	.	1 1	1 1	2 1		
24	Cirrhosis of the liver	...	...	{M. F.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1		
25	Other diseases of liver, etc....	...	...	{M. F.	1 .	2	.	.	1 1	3	1	.	.	.	1	1	1	.	.	3		
26	Other digestive diseases	...	...	{M. F.	1 .	1 1	4 3	1	5 3	1 2	10 6	2	.	.	.	4 1	3 2	2	2	9 4		
27	Acute and chronic nephritis	...	...	{M. F.	4 1	6 3	5 6	1	5 4	10 4	11 10	3 1	2	.	2 2	6 3	6 7	2 2	5 3	21 17		
28	Puerperal sepsis	...	...	F.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	1		
29	Other puerperal causes	...	...	F.	.	2	.	.	.	2	.	1	.	.	.	1	1	1	1	3		
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	3 7	6 5	7 3	1 3	8 4	9 12	16 10	3 1	.	1	5	3 1	4 4	4 4	4 1	16 17		
31	Senility	...	...	{M. F.	13 13	3 7	7 16	10 9	11 22	16 20	28 47	2 1	2 1	1	4 8	4 6	14 21	3 2	5 7	30 44		
32	Suicide	...	...	{M. F.	.	.	.	.	2 1	.	2 1	.	.	.	.	.	.	.	.	.		
33	Other violence	...	...	{M. F.	2 .	2 4	4	2	4 3	4 4	6 7	.	.	1	7	1 3	3 3	1	4 3	16 9		
34	Other defined causes	...	...	{M. F.	12 8	15 7	11 5	4 1	18 10	27 15	33 16	3 4	1 1	1 1	4 8	9 4	16 7	3 7	8 5	40 31		
35	Causes ill-defined or unknown	...	...	{M. F.	2 .	.	1	1	2 3	2	3 4	.	1	.	2	1 1	1 1	3 1	1	7 2		
Deaths under one year of age					{M. F.	12 12	13 10	8 7	2 3	13 6	25 22	23 16	6 2	4	6 4	6 4	6 6	2 5	12 10	32 29		
,, 65 years and upwards					{M. F.	37 36	30 39	42 43	19 22	73 80	67 75	134 145	7 5	8 9	3 6	18 25	37 23	68 83	13 15	183 186		
Uncertified Deaths					{M. F.	4 1	2 2	2 4	2 3	15 20	6 3	19 27	.	1	2	8 2	6 10	11 15	6 7	20 14	51 48	
Number of Births					{M. F.	171 167	167 152	112 87	44 40	134 154	338 319	290 281	50 49	23 21	18 16	73 59	103 105	161 127	48 47	132 109	91 86	517 447

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	OFFALY COUNTY							WESTMEATH COUNTY				
		Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban District	Rural S.R.D.'s.			TOTAL R.D.'s.
		Birr (27)	Tulla- more (29)	Birr (27)	Eden- derry (28)	Tulla- more (29)			Athlone (30)	Athlone (30)	Delvin (31)	Mullin- gar (32)	
	ALL CAUSES {M. F.	28 25	48 45	150 131	48 31	116 102	76 70	314 264	29 31	92 90	70 70	207 165	369 325
1	Typhoid fever (including paratyphoid) ... {M. F.	.	.	.	.	.	.	.	.	1	.	1	1
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	.	1	1
4	Scarlet fever {M. F.	.	.	2	1	.	.	3	3	1	.	1	1
5	Whooping-cough {M. F.	.	1	1	.	.	1	1	.	.	.	1	1
6	Diphtheria {M. F.	.	2 4	1	.	2	2 4	3	1	5	1	2 7	3 12
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	.	3	4 1	2 1	3 4	3	9 6	.	5	2 2	11 3	18 5
9	Encephalitis lethargica {M. F.	.	.	1	1	1	.	3 1	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	1 1	3 5	12 4	2 2	11 8	4 6	25 14	1 6	5 9	1 9	13 13	19 31
12	Other tuberculous diseases {M. F.	1 1	1	4 3	1	3 2	2 1	8 5	1	1 4	2	5 6	8 10
13	Cancer {M. F.	2 5	3 2	11 15	3 2	11 11	5 7	25 28	4	7 12	10 7	9 14	26 33
14	Diabetes mellitus {M. F.	.	1	.	.	1 2	1	1 2	1	1	.	1	2
15	Cerebral hæmorrhage, ... {M. F.	1 3	6 3	9 16	2 2	7 11	7 6	18 29	2 5	6 4	5 6	14 10	25 20
16	Heart disease {M. F.	5 5	6 6	29 14	9 8	23 13	11 11	61 35	6 4	17 10	11 13	35 25	63 48
										4		5	9

19	Pneumonia (all forms) ...	...	{M. F.	2 1	3 2	6 2	3 4	3 4	5 3	12 6	2 3	10 3	6 2	9 14	25 19
20	Other respiratory diseases ...	...	{M. F.	.	1	2 1	1 1	1	1	4 1	1 1	3	1	5	9
21	Gastric and duodenal ulcer ...	...	{M. F.	.	.	3 1	1 1	2	.	6 1	.	.	.	2	2
22	Diarrhoea and enteritis (under 2 years) ...	...	{M. F.	.	.	1 3	.	1	.	2 3	1	.	1	1	2
23	Appendicitis ...	...	{M. F.	1	.	.	.	3	1	3	.	1	.	2	3
24	Cirrhosis of the liver ...	...	{M. F.	.	.	.	.	.	.	.	.	1	1	.	1
25	Other diseases of liver, etc. ...	...	{M. F.	.	.	1	1	.	.	1 1	.	2	.	4	6
26	Other digestive diseases ...	...	{M. F.	1 2	2 1	1 5	4 3	1 2	3 3	6 10	.	1 4	4 1	3 4	8 9
27	Acute and chronic nephritis ...	...	{M. F.	2 1	1	4 3	1 1	1	2 2	5 5	1	2 2	8	7 5	17 7
28	Puerperal sepsis ...	...	F.	.	.	2	.	.	.	2	.	.	.	.	.
29	Other puerperal causes ...	...	F.	.	2	2	.	2	2	4	.	.	3	2	5
30	Congenital debility, etc. (Nos. 157-161) ...	...	{M. F.	3	4 4	9 7	8 1	8 5	7 4	25 13	3 2	5 3	2 3	8 4	15 10
31	Senility ...	...	{M. F.	1 2	1 3	23 29	3 2	22 25	2 5	48 56	1 1	12 19	5 12	32 19	49 50
32	Suicide ...	...	{M. F.	.	.	1	.	.	.	1	.	.	.	1	1
33	Other violence... ...	...	{M. F.	.	1 1	6 2	1	2	1 1	6 5	1 1	1 1	1	9 4	10 6
34	Other defined causes ...	...	{M. F.	5 2	6	11 10	5 2	12 2	11 2	28 14	2 1	10 6	4 4	20 15	34 25
35	Causes ill-defined or unknown ...	...	{M. F.	.	1	3 2	1	1 2	1 1	5 4	.	1 2	1	3 6	4 8
Deaths under one year of age ...				{M. F.	3 3	9 13	17 3	9 7	12 3	38 23	6 3	10 5	3 4	14 10	27 19
,, 65 years and upwards ...				{M. F.	12 15	19 15	77 62	20 14	55 33	31 30	152 129	8 11	49 33	101 72	186 142
Uncertified Deaths ...				{M. F.	2 2	2 5	32 37	6 2	12 23	4 5	50 62	2 19	17 11	8 33	64 63
Number of Births ...				{M. F.	32 31	80 51	158 167	59 58	126 153	112 82	343 378	91 78	102 61	118 133	241 435
Population (Census, 1936 unrevised) ...					3,297	5,135	20,141	6,562	16,123	8,432	42,831	7,246	10,854	10,050	26,490

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1936, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No	CAUSES OF DEATH, ETC.	WEXFORD COUNTY									WICKLOW COUNTY								
		Urban Districts.			Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	
		Ennis- corthy (33)	New Ross (35)	Wex- ford (36)	Ennis- corthy (33)	Gorey (34)	New- Ross (35)	Wex- ford (36)			Ark- low (38)	Bray (38)	Wick- low (38)	Baltin- glass (37)	Rath- drum (38)	Shill- elagh (39)			
	ALL CAUSES	{ M. F.	37 44	38 42	94 110	175 178	115 88	124 118	160 141	169 196	574 525	41 22	73 68	24 34	111 68	191 166	47 45	138 124	349 279
1	Typhoid fever (including paratyphoid)	{ M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	{ M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles	{ M. F.	1 1	.	1	.	.	1	.	2 1	1	1	2	.	.	4 2	.	2 1	4 2
4	Scarlet fever	{ M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
5	Whooping-cough	{ M. F.	.	.	.	1	.	.	1	.	1 1	.	.	.	.	.	.	.	.
6	Diphtheria	{ M. F.	.	.	.	1 1	1	.	1	.	1 3	4 4	5	.	1 3	.	.	4 9	1 3
7	Dysentery... ..	{ M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza	{ M. F.	1 1	2 1	1 2	5 3	2 2	3 5	1 3	4 4	11 13	1	3	1 1	3 1	7 6	2	1 5	12 7
9	Encephalitis lethargica	{ M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever	{ M. F.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
11	Tuberculosis of respiratory system	{ M. F.	1 5	6 2	12 9	12 10	8 5	8 9	11 11	19 16	39 35	1 6	4 6	1 4	7 4	10 12	1 4	6 10	18 20
12	Other tuberculous diseases	{ M. F.	1 1	2 2	1 2	4 3	3 3	4 1	4	3 5	11 11	1 1	3 1	1	5 2	5 1	1	4 3	10 3
13	Cancer	{ M. F.	2 1	1	10 6	13 11	10 5	15 9	14 7	12 8	52 32	8 4	11 5	1	14 8	21 15	3 5	19 10	38 28
14	Diabetes mellitus	{ M. F.	.	.	.	3	1 1	1	1	.	6 1	2	.	1	1 1	1	1	2 3	2 4
15	Cerebral hæmorrhage	{ M. F.	1 4	4 3	5 7	7 14	5 7	7 8	10 10	10 14	29 39	7 2	2 8	5 4	6 2	10 13	5 9	14 14	21 24
16	Heart disease	{ M. F.	7 6	12 8	15 25	37 47	23 16	26 28	28 35	34 39	114 126	9 3	11 11	1 3	15 16	32 24	8 6	21 17	55 46
17	Other circulatory diseases	{ M. F.	.	.	1	2 2	1	2	1	1	4 6	.	1	1	2	4 3	1	2	4 6

19	Pneumonia (all forms) ...	M. F.	1 2	1 3	16 18	5 4	6 7	12 11	11 7	18 23	34 29	1 4	8 5	2 5	6 2	16 14	2 1	11 9	24 17	
20	Other respiratory diseases ...	M. F.	1 1	2 1	5 2	3 2	4 2	2 3	3 3	14 4	2 4	5 2	2 1	4 3	1 1	7 3	7 3			
21	Gastric and duodenal ulcer...	M. F.	1 2	1 1	2 1	1 1	1 1	1 1	2 2	4 4	1 1	1 1	3 2	2 1	1 1	5 3	5 3			
22	Diarrhoea and enteritis (under 2 years)	M. F.	1 2	1 3	6 4	2 2	3 1	2 1	8 9	5 3	1 1	1 1	1 2	3 1	2 1	4 3	4 3			
23	Appendicitis ...	M. F.	1 1	1 1	1 1	1 1	2 1	1 1	1 2	1 2	1 1	1 1	1 1	1 1	1 1	2 1	3 1			
24	Cirrhosis of the liver ...	M. F.	2 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1			
25	Other diseases of liver, etc....	M. F.	1 1	2 1	1 1	1 1	1 1	1 1	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1			
26	Other digestive diseases ...	M. F.	3 5	1 1	1 2	10 2	2 1	2 2	3 5	5 5	17 10	1 1	1 1	1 2	3 6	1 1	2 2	5 9		
27	Acute and chronic nephritis ...	M. F.	3 3	1 1	4 4	9 2	6 3	4 6	9 2	4 7	28 13	2 1	3 1	1 1	4 4	6 1	2 1	6 6	12 6	
28	Puerperal sepsis ...	F.	1 1	1 1	1 1	3 1	1 1	2 1	2 1	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
29	Other puerperal causes ...	F.	1 1	1 1	1 1	3 1	1 1	2 1	2 1	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
30	Congenital debility, etc. (Nos. 157-161)	M. F.	1 1	1 2	2 3	8 11	6 6	1 4	8 3	4 6	23 24	1 3	7 2	2 5	4 1	7 5	3 1	10 10	14 7	
31	Senility ...	M. F.	2 2	1 5	11 12	18 24	13 13	11 16	24 20	12 19	66 73	2 1	4 5	2 1	18 12	10 12	10 4	8 6	38 28	
32	Suicide ...	M. F.	1 1	1 1	1 1	1 1	1 1	2 1	2 1	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
33	Other violence ...	M. F.	1 1	1 1	2 2	2 2	7 2	2 1	6 4	1 3	17 7	2 2	2 1	3 2	9 2	2 1	2 1	12 4		
34	Other defined causes ...	M. F.	5 1	4 4	10 6	15 13	11 5	11 6	15 14	19 11	52 38	4 2	4 3	3 1	13 4	22 13	4 7	11 5	39 24	
35	Causes ill-defined or unknown ...	M. F.	1 1	1 1	2 6	1 6	1 1	3 1	1 2	7 10	2 1	2 1	2 1	2 1	2 3	1 1	2 2	3 3		
Deaths under one year of age ...		M. F.	2 6	2 10	12 16	13 19	9 7	7 9	15 7	16 32	44 42	4 4	12 3	6 8	11 6	14 16	2 2	18 15	27 24	
,, 65 years and upwards ...		M. F.	15 16	15 22	35 49	82 87	57 46	65 64	71 65	65 87	275 262	20 7	18 29	11 7	64 36	83 76	25 21	49 43	172 133	
Uncertified Deaths ...		M. F.	1 1	1 1	2 2	31 51	15 18	20 25	11 23	2 2	77 117	4 1	1 1	1 1	12 15	14 9	13 2	4 1	39 26	
Number of Births ...		M. F.	62 72	60 59	136 136	185 212	129 120	126 131	173 165	258 267	613 628	54 55	111 105	49 31	96 81	232 195	67 53	214 191	395 329	
Population (Census, 1936 unrevised) ...			5,871	5,055	12,226	23,681	13,841	14,314	19,157	23,152	70,993	4,679	10,119	3,183	9,842	23,362	7,271	17,981	40,475	

No.	CAUSES OF DEATH, ETC.	CLARE COUNTY										TOTAL U.D.'s	TOTAL R.D.'s
		Urban Districts		Rural S.R.D.'s									
		Ennis (42)	Kilrush (45)	Bally- vaughan (40)	Corofin (41)	Ennis (42)	Ennis- tymon (43)	Killa- dyseret (44)	Kilrush (45)	Scarriff (46)			
	ALL CAUSES {M. F.	61 35	17 31	20 23	23 22	98 90	92 99	51 34	127 115	186 163	78 66	597 546	
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	1	.	.	1	.	.	.	1 1	
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles {M. F.	.	2 1	.	.	1	.	.	2 1	1	2 1	3 2	
4	Scarlet fever {M. F.	1	.	.	.	.	.	.	1	.	1	1	
5	Whooping-cough {M. F.	.	.	.	.	.	3 1	.	.	2	.	5 1	
6	Diphtheria {M. F.	.	1 4	1	.	2 4	2 2	2 2	2 7	2	1 4	9 15	
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza {M. F.	.	.	1	.	2 7	1 4	.	5 11	3 4	.	11 27	
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	
11	Tuberculosis of respiratory system ... {M. F.	11 2	1 2	.	2 1	9 5	12 10	2 2	3 4	14 17	12 4	42 39	
12	Other tuberculous diseases {M. F.	1	2	.	.	1 1	1 1	2	1 1	2	3	7 3	
13	Cancer {M. F.	3 3	.	2 1	2 1	4 6	8 6	9 2	8 12	18 9	3 3	51 37	
14	Diabetes mellitus {M. F.	.	.	.	.	1	1	1	2 1	1	.	4 3	
15	Cerebral hæmorrhage {M. F.	4 3	1 2	1 2	1	5 5	5 7	3	8 4	9 11	5 5	32 29	
16	Heart disease {M. F.	14 6	2 1	4 1	1 3	19 14	6 11	6 4	18 13	31 18	16 7	85 64	
17	Other circulatory diseases {M. F.	4	.	.	.	2 1	1	1	1	2 1	4	7 2	

19	Pneumonia (all forms) ...	{M. F.	3 2	2	1 2	1	9 2	4 3	2 1	7 5	10 9	3 4	34 22	
20	Other respiratory diseases ...	{M. F.	.	1 2	1	.	2 1	1 3	.	1 4	1	1 2	5 10	
21	Gastric and duodenal ulcer ...	{M. F.	1	.	.	.	.	.	.	1	3 1	1	4 1	
22	Diarrhoea and enteritis (under 2 years)...	{M. F.	.	1 1	1	.	.	2 1	.	2 3	2 1	1 1	7 5	
23	Appendicitis ...	{M. F.	.	.	.	1	.	1	.	3	1	.	5 1	
24	Cirrhosis of the liver ...	{M. F.	1	.	.	.	1	1	.	.	.	1	1 1	
25	Other diseases of liver, etc....	{M. F.	.	.	.	.	1	1	1	.	1	.	1 3	
26	Other digestive diseases ...	{M. F.	.	1 1	1	1	2	6 2	1	3 2	3 7	1 1	16 13	
27	Acute and chronic nephritis ...	{M. F.	1	2	.	1	3 1	6 6	1	3 1	3 1	1 2	16 10	
28	Puerperal sepsis ...	F.	1	.	.	.	1	.	.	.	1	1	.	
29	Other puerperal causes ...	F.	.	.	.	.	.	2	.	1	1	.	4	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	3 1	1 1	.	1 2	1 5	2 1	1 1	2 4	10 5	4 2	17 18	
31	Senility ...	{M. F.	3 6	2 5	8 9	7 7	16 21	18 23	11 11	22 26	32 41	5 11	114 138	
32	Suicide ...	{M. F.	.	.	.	.	1	.	.	.	1	.	2	
33	Other violence ...	{M. F.	3	1	.	1 1	1 2	3 1	1	4 1	4	4	13 6	
34	Other defined causes ...	{M. F.	5 5	2 1	1	3 3	9 9	7 3	4 3	18 4	13 8	7 6	54 31	
35	Causes ill-defined or unknown ...	{M. F.	1	.	4	1	1 1	2 3	3 1	2 1	7 10	1	16 20	
Deaths under one year of age ...			{M. F.	7 4	2 2	1 1	1 2	2 7	11 5	1 1	11 8	15 10	9 6	42 34
,, 65 years and upwards ...			{M. F.	17 16	6 12	15 14	15 14	48 45	48 55	31 17	62 69	89 94	23 28	308 308
Uncertified Deaths ...			{M. F.	2	1 4	6 14	5 8	25 34	30 35	15 13	25 27	47 52	3 4	153 183
Number of Births ...			{M. F.	61 50	38 46	40 37	35 38	104 103	132 119	52 42	169 186	195 174	99 96	727 699
Population (Census, 1936 unrevised) ...				5,897	3,393	3,263	3,866	12,730	14,376	6,827	18,363	20,549	9,290	80,474

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY															
		Urban Districts										Rural S.R.D.'s					
		Clona- killy (50)	Cobh (51)	Fermoy (53)	Kinsale (55)	Ma- croon (56)	Mallow (57)	Midle- ton (58)	Passage West (51)	Skib- bereen (60)	Yong- hal (62)	Bandon (47)	Bantry (48)	Castle- town (49)	Clona- killy (50)	Cork (51)	Dun- manway (52)
	ALL CAUSES {M. F.	23 15	54 47	37 33	23 27	15 16	39 27	19 18	21 24	27 22	36 37	100 90	74 68	47 49	114 98	351 266	59 66
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	.	1	5 6	.	.	5 2	.
14	Scarlet fever {M. F.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
5	Whooping-cough {M. F.	1	.	.	1 1	.	.	.	.	.	.	2 1	.	.	1 3	3	1 1
6	Diphtheria {M. F.	.	.	2	.	.	1	.	.	.	1	1	.	.	1	6 3	.
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	.	1 1	.	1	.	2	.	.	.	.	2	.	.	3	3 3	.
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	2 3	7 3	3 3	2 3	1 1	4 2	1	1 3	4 2	6 3	9 7	4 7	4 7	10 7	26 22	4 4
12	Other tuberculous diseases {M. F.	.	1 2	2 3	.	1	2 1	1	.	1 2	1 2	1 2	1 1	2 1	2 1	7 5	.
13	Cancer {M. F.	4 1	5 2	4 3	4 2	5	4 5	1 3	2	4 2	7 1	8 6	5 6	3 2	12 10	33 31	5 7
14	Diabetes mellitus {M. F.	.	1	.	1	.	.	.	1	1	1	1	2	1	2	2	.
15	Cerebral hæmorrhage {M. F.	2	5 2	1	8	1 3	5 3	3 1	2 1	2 2	4 1	3 8	2 2	3	2 6	14 23	3
16	Heart disease {M. F.	8 2	20 16	4 2	8 4	2 2	5 5	3 3	8 11	1 6	9 7	14 12	10 6	7 5	11 6	83 62	5 8
	 {M. F.	2	.	2	2	.	1	1	.	1 1	.	2 2	1	2 2	8 5	8 3	3

19	Pneumonia (all forms) ...	{ M. F.	2 1	2 1	1 2	1 1	1 3	3 2	1 3	5 1	2 1	13 9	7 3	1 2	4 5	20 11	7 3		
20	Other respiratory diseases ...	{ M. F.	2 1	2 1	2 1	1 1	2 1	1 1	1 1	1 1	1 1	2 1	2 1	2 1	4 1	6 3	1 1		
21	Gastric and duodenal ulcer ...	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	3 2	2 1	1 1	2 1	3 1	4 2		
22	Diarrhoea and enteritis (under 2 years) ...	{ M. F.	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 2	7 8	1 1		
23	Appendicitis ...	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 3	1 1		
24	Cirrhosis of the liver ...	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
25	Other diseases of liver, etc. ...	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 2	1 3	1 1		
26	Other digestive diseases ...	{ M. F.	1 1	1 1	1 1	1 1	1 2	1 1	1 1	1 1	3 1	1 1	1 1	1 1	2 2	9 10	4 2		
27	Acute and chronic nephritis ...	{ M. F.	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	2 3	1 1	3 1	3 2	4 4	10 4	1 2		
28	Puerperal sepsis ...	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
29	Other puerperal causes ...	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		
30	Congenital debility, etc. (Nos. 157-161) ...	{ M. F.	2 3	4 3	1 1	1 1	1 1	1 1	1 1	1 1	2 3	4 2	4 2	3 4	5 3	14 6	2 1		
31	Senility ...	{ M. F.	1 1	3 5	4 6	1 1	2 1	1 1	2 1	1 4	2 4	13 12	13 17	7 13	19 26	16 25	11 22		
32	Suicide ...	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	2 1	1 1		
33	Other violence ...	{ M. F.	2 1	3 1	3 1	1 1	1 1	1 1	1 1	1 1	1 2	4 2	2 1	3 1	3 1	19 5	1 1		
34	Other defined causes ...	{ M. F.	3 2	2 5	2 4	1 1	6 3	4 1	3 1	2 1	2 1	6 5	8 5	3 4	7 8	33 14	5 3		
35	Causes ill-defined or unknown ...	{ M. F.	1 1	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	2 2	2 2	4 1	3 1	4 4	1 1		
Deaths under one year of age ...			{ M. F.	1 1	7 3	7 5	1 1	1 1	3 2	4 1	1 3	7 5	2 7	4 1	8 7	33 24	5 1		
,, 65 years and upwards ...			{ M. F.	13 8	19 27	10 6	16 15	7 11	16 9	6 10	5 16	9 11	11 15	46 34	31 29	28 24	60 58	138 114	35 45
Uncertified Deaths ...			{ M. F.	1 2	1 1	1 1	1 1	1 1	2 1	1 1	2 3	1 2	14 13	19 23	12 16	30 32	17 14	14 19	
Number of Births ...			{ M. F.	32 24	62 59	46 40	19 17	19 15	39 65	25 23	25 16	18 15	43 37	126 132	87 107	68 66	104 119	418 390	92 91
Population (Census, 1936 unrevised) ...				2,961	6,075	4,125	2,391	2,385	4,948	2,711	2,649	2,542	5,129	14,864	10,329	7,775	11,749	50,448	10,343

ABSTRACT VI.—continued. CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY—continued.											TOTAL U.D.'s.	TOTAL R.D.'s.	CORK COUNTY BOROUGH (63)
		Rural S.R.D.'s.													
		Fermoy (53)	Kan- turk (54)	Kin- sale (55)	Ma- croon (56)	Mallow (57)	Middle- ton (58)	Mill- street (59)	Skibber- een (60)	Schull (61)	Youghal (62)				
	ALL CAUSES {M. F.	171 145	142 110	72 69	109 102	147 108	105 100	69 46	113 115	58 41	27 18	294 266	1,758 1,491	598 560	
1	Typhoid fever (including paratyphoid) {M. F.	1 .	1 .	. .	1 .	. .	1 .	. .	. .	. .	1 .	. .	6 2	. .	
2	Typhus {M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
3	Measles {M. F.	1 .	1 3	1 .	1 .	. .	1 .	1 1	1 1	1 .	1 .	. .	17 16	10 1	
4	Scarlet fever {M. F.	. .	. .	1 .	1 .	. .	. .	. .	1 .	. .	. .	. .	1 5	. .	
5	Whooping-cough {M. F.	1 .	. .	. .	. .	. .	. .	1 1	3 2	. .	. .	2 1	11 9	1 .	
6	Diphtheria {M. F.	1 1	1 .	. .	1 .	. .	. .	1 .	1 .	. .	1 .	3 1	10 8	3 2	
7	Dysentery... .. {M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
8	Influenza {M. F.	1 2	3 1	4 1	1 .	5 4	1 1	1 .	1 2	. .	. .	4 1	23 16	2 3	
9	Encephalitis lethargica {M. F.	. .	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	2 .	1 .	
10	Cerebro-spinal fever {M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
11	Tuberculosis of respiratory system ... {M. F.	7 3	4 7	5 6	6 9	9 9	9 7	6 5	6 4	3 2	. .	31 23	112 106	58 54	
12	Other tuberculous diseases {M. F.	4 5	1 4	1 1	. 1	2 2	1 3	1 .	. .	1 .	1 .	8 9	25 26	12 15	
13	Cancer {M. F.	16 8	13 6	9 11	13 8	18 10	18 5	11 2	10 10	4 3	3 2	40 19	181 127	68 59	
14	Diabetes mellitus {M. F.	1 .	2 1	. .	1 .	2 .	1 2	. .	2 1	. .	1 .	3 2	14 13	3 1	
15	Cerebral hæmorrhage {M. F.	5 9	7 7	2 5	1 4	5 13	7 8	3 2	8 14	2 3	. 1	23 23	61 111	25 42	
16	Heart disease {M. F.	37 25	19 15	15 15	19 13	28 19	19 21	10 12	17 16	10 7	3 3	68 58	307 245	110 130	
17	Other circulatory diseases {M. F.	5 .	2 .	1 .	5 .	3 .	4 .	. .	1 .	. .	. .	7 .	44 .	18 .	

18	Bronchitis...	...	{M. F.	8 6	4 3	3 1	5 1	3 1	4 3	3 2	5 7	2 10	2 2	3 3	13 18	116 65	48 26
19	Pneumonia (all forms) ...	...	{M. F.	2 5	1 1	1 1	1 2	1 1	2 2	2 2	2 3	2 1	2 1	2 1	8 4	27 22	5 9
20	Other respiratory diseases ...	...	{M. F.	1 2	3 1	1 1	4 1	2 1	1 1	1 1	2 1	2 1	2 1	2 1	3 3	27 12	3 1
21	Gastric and duodenal ulcer...	...	{M. F.	1 2	1 1	1 1	1 1	2 1	1 2	1 1	1 1	1 1	1 1	1 1	7 3	19 15	35 24
22	Diarrhoea and enteritis (under 2 years)	...	{M. F.	2 1	1 1	1 1	2 1	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	15 7	5 1
23	Appendicitis ...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
24	Cirrhosis of the liver ...	...	{M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other diseases of liver, etc....	...	{M. F.	3 1	3 2	2 1	5 5	2 1	2 3	1 2	1 2	1 1	1 1	1 1	4 10	30 33	16 10
26	Other digestive diseases ...	...	{M. F.	6 4	2 3	1 1	1 5	9 4	4 1	2 1	2 5	4 3	4 1	4 1	8 5	56 38	13 12
27	Acute and chronic nephritis	...	{M. F.	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	8 18	2 4
28	Puerperal sepsis ...	...	F.	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	18 18	4 4
29	Other puerperal causes ...	...	F.	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	18 18	4 4
30	Congenital debility, etc. (Nos. 157-161)	...	{M. F.	6 3	11 8	1 1	5 10	3 5	4 3	1 1	2 3	1 1	2 1	2 1	12 9	63 48	29 21
31	Senility ...	...	{M. F.	28 29	29 30	8 11	29 22	16 11	8 15	7 6	21 26	16 14	6 3	6 3	14 28	247 282	24 56
32	Suicide ...	...	{M. F.	5 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	15 1	1 1
33	Other violence ...	...	{M. F.	2 4	1 1	2 2	1 2	7 1	3 3	1 1	2 1	2 1	1 1	1 1	7 3	48 27	17 10
34	Other defined causes ...	...	{M. F.	20 12	19 11	6 5	9 9	12 14	9 6	5 5	11 6	7 4	1 1	1 1	25 17	161 112	63 33
35	Causes ill-defined or unknown	...	{M. F.	5 1	6 1	1 1	1 1	2 3	1 1	3 1	3 5	3 5	3 5	3 5	3 4	32 25	1 4
Deaths under one year of age ...				{M. F.	13 5	15 13	2 1	9 10	10 10	7 8	5 1	7 4	4 1	3 1	30 14	134 96	98 51
,, 65 years and upwards ...				{M. F.	86 72	64 46	39 38	67 55	75 57	48 47	32 17	69 63	34 27	17 11	112 128	869 737	170 216
Uncertified Deaths ...				{M. F.	16 26	32 36	6 6	29 34	13 18	12 24	6 7	26 39	18 19	4 3	6 12	268 329	7 13
Number of Births ...				{M. F.	157 172	186 198	70 69	144 137	183 191	110 99	71 72	138 135	48 40	21 21	328 311	2,023 2,059	975 940
Population (Census, 1936 unrevised) ...					20,558	20,454	9,191	13,375	19,559	13,901	9,019	15,445	6,307	3,550	35,916	238,867	80,713

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts, and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KERRY COUNTY.										TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts			Rural S.R.D.'s.								
		Kill- arney (67)	Lis- towel (68)	Tralee (69)	Caher- civeen (64)	Dingle (65)	Ken- mare (66)	Kill- arney (67)	Lis- towel (68)	Tralee (69)			
	ALL CAUSES	{M. F.	31 29	15 16	67 68	93 94	81 71	70 60	197 149	159 135	175 170	113 113	775 679
1	Typhoid fever (including Paratyphoid) ...	{M. F.	. .	. .	1 .	. .	3 2	. .	1 .	1 .	1 2	1 .	6 4
2	Typhus	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	{M. F.	. .	1 .	. 2	. .	. .	. .	2 1	. .	1 2	1 2	3 3
4	Scarlet fever	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .
5	Whooping-cough	{M. F.	. .	. .	1 .	1 .	. .	1 .	1 .	. .	. .	1 .	1 2
6	Diphtheria	{M. F.	1 .	. .	1 .	. .	. .	. .	2 .	3 5	. 1	2 .	5 6
7	Dysentery	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	{M. F.	. .	1 .	1 2	1 4	1 1	1 .	3 2	2 3	6 5	1 3	13 16
9	Encephalitis lethargica	{M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
10	Cerebro-spinal fever	{M. F.	. .	. .	1 .	. .	. .	. .	. .	. .	1 .	1 .	1 .
11	Tuberculosis of respiratory system ...	{M. F.	2 1	3 1	8 10	6 6	6 4	5 4	17 9	20 10	8 14	13 12	62 47
12	Other tuberculous diseases	{M. F.	. 1	2 1	4 1	3 1	1 2	3 .	. .	2 4	5 1	6 3	14 8
13	Cancer	{M. F.	3 1	. 2	4 7	7 6	6 3	5 3	17 13	10 4	20 7	7 10	65 36
14	Diabetes mellitus	{M. F.	1 1	1 .	. .	1 .	. 2	1 .	. 1	3 2	. 1	2 1	5 6
15	Cerebral hæmorrhage... ..	{M. F.	1 2	. 1	1 3	3 6	4 8	4 .	3 10	. 2	14 5	2 6	28 31
16	Heart disease	{M. F.	8 6	5 3	10 17	7 8	11 4	8 8	42 24	26 20	21 24	23 26	115 88

18	Bronchitis	{M. F.	1 2	.	1 2	6 5	1 1	6 5	4 8	6 8	1 7	3 4	24 34	
19	Pneumonia (all forms)	{M. F.	1 2	2 1	2 1	11 5	6 1	4 5	18 8	16 8	10 7	5 4	65 34	
20	Other respiratory diseases	{M. F.	.	.	2 .	.	1 .	2 .	2 1	2 1	1 1	2 .	7 4	
21	Gastric and duodenal ulcer	{M. F.	.	.	2 .	3 2	.	2 .	3 .	3 4	3 1	2 .	14 7	
22	Diarrhoea and enteritis (under 2 years)	{M. F.	4 4	.	3 1	1 2	1 .	.	3 2	3 2	1 1	7 5	5 7	
23	Appendicitis	{M. F.	.	.	.	1 .	1 .	.	1 .	.	3 .	.	5 1	
24	Cirrhosis of the liver	{M. F.	.	.	.	.	2 .	1 .	.	.	.	.	3 .	
25	Other diseases of liver, etc.	{M. F.	.	.	.	.	.	.	1 1	1 1	.	.	1 2	
26	Other digestive diseases	{M. F.	1 .	.	1 5	4 1	1 2	3 1	4 5	5 2	7 7	1 6	24 18	
27	Acute and chronic nephritis	{M. F.	1 1	.	3 2	.	6 4	1 .	7 3	3 4	4 3	4 3	20 15	
28	Puerperal sepsis	F.	.	.	.	.	.	1 .	2 .	.	1 .	.	4 .	
29	Other puerperal causes	F.	1 .	.	1 .	.	.	2 .	3 .	2 .	2 .	2 .	9 .	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	3 1	1 .	3 3	2 2	1 1	3 .	9 1	2 8	8 8	7 4	25 20	
31	Senility	{M. F.	2 .	2 .	1 5	23 32	16 27	16 18	33 35	34 25	36 49	1 9	158 186	
32	Suicide	{M. F.	.	.	.	1 .	.	.	1 .	1 .	1 .	.	4 .	
33	Other violence	{M. F.	1 .	1 .	6 1	1 1	1 1	.	5 .	5 3	3 4	7 2	15 9	
34	Other defined causes	{M. F.	3 2	1 .	7 2	7 5	8 4	6 7	14 18	9 13	9 7	10 5	53 54	
35	Causes ill-defined or unknown	{M. F.	.	.	.	3 4	2 2	1 3	2 1	4 4	7 13	.	19 27	
Deaths under one year of age			{M. F.	7 7	1 1	8 5	8 6	3 1	4 1	16 6	14 12	15 10	16 13	60 36
,, 65 years and upwards			{M. F.	9 10	5 10	16 22	49 58	34 39	46 35	102 83	78 63	87 87	30 42	396 365
Uncertified Deaths			{M. F.	1 2	1 .	2 6	38 51	22 32	19 20	66 49	45 32	54 74	3 9	238 258
Number of Births			{M. F.	42 38	20 36	106 110	102 120	116 78	80 93	234 220	256 240	279 268	168 184	1,067 1,019
Population (Census, 1936 unrevised)				5,608	3,098	10,285	15,368	13,825	10,140	26,036	26,283	29,132	18,991	120,784

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LIMERICK COUNTY						LIME- RICK COUNTY BOR- OUGH (75)	TIPPERARY NORTH RIDING							TOTAL U.D.'s.	TOTAL R.D.'s.	
		Rural S.R.D.'s.					Urban Districts			Rural S.R.D.'s.								
		Croom (70)	Kil- mallock (71)	Lim- erick (72)	New- castle (73)	Rath- keale (74)	Nenagh (77)		Temple- more (79)	Thur- les (79)	Borris- okane (76)	Nenagh (77)	Roscrea (78)	Thurles (79)				
	ALL CAUSES	M. F.	78 59	181 163	170 155	150 134	119 111	698 622	319 335	34 35	10 14	23 33	58 60	123 96	54 68	124 82	67 82	359 306
1	Typhoid fever (including paratyphoid)	M. F.	. 2	. 2	. 1	1 1	. 1	1 3	4 4	1 1	1 1	. .	. .	. .	. .	1 .	1 2	1 .
2	Typhus	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Measles	M. F.	1 .	. 1	5 1	. 1	. .	6 3	17 15	. .	. .	1 .	. .	. .	1 .	. .	1 .	1 .
4	Scarlet fever	M. F.	. .	1 .	. .	. 2	. .	1 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
5	Whooping-cough	M. F.	. .	. .	4 .	. 1	. 1	4 2	1 1	. .	. .	. .	. 1	. .	. .	. .	. .	1 .
6	Diphtheria	M. F.	2 1	2 1	1 1	2 3	. .	7 6	6 .	. 2	. .	1 1	2 .	. .	. .	1 1	3 .	3 1
7	Dysentery	M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
8	Influenza	M. F.	. .	5 3	3 4	1 1	. 4	13 8	1 1	. .	. .	. .	1 2	7 1	1 5	3 2	. .	12 10
9	Encephalitis lethargica	M. F.	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	2 .
10	Cerebro-spinal fever	M. F.	. .	. .	. .	. .	. .	. .	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Tuberculosis of respiratory system	M. F.	7 3	10 9	12 12	7 10	7 7	43 41	29 26	2 2	. 1	3 2	2 4	12 1	2 2	6 6	5 5	23 13
12	Other tuberculous diseases	M. F.	3 2	8 3	3 3	2 6	2 1	18 15	10 6	. .	1 .	1 .	1 2	2 2	2 3	5 1	1 1	10 6
13	Cancer	M. F.	7 5	15 12	7 11	10 11	9 8	48 47	23 19	3 3	. .	5 3	6 4	13 8	6 6	11 6	8 6	36 24
14	Diabetes mellitus	M. F.	1 .	2 2	1 3	3 1	. 2	7 8	1 .	. .	. .	1 1	2 1	1 1	. 2	3 .	1 .	6 3
15	Cerebral hæmorrhage	M. F.	4 5	10 9	7 7	2 4	8 10	31 35	15 19	1 1	1 2	1 2	3 3	7 6	. 1	3 5	3 5	13 15
16	Heart disease	M. F.	15 7	16 26	36 23	20 22	29 22	116 100	65 65	4 5	. 2	5 9	11 5	19 20	18 12	22 19	9 16	70 56

			(F.)	9	10	2	2	23	34	5	.	.	4	5	1	5	5	15	
19	Pneumonia (all forms) ...	...	{M. F.	3 1	15 8	9 7	7 3	2 7	36 26	23 23	1 2	.	.	3 2	2 6	2 2	7 2	1 2	14 12
20	Other respiratory diseases	...	{M. F.	2 2	3 4	1 2	3 2	1 2	10 12	1 5	.	.	.	1 2	2 2	2 .	1 1	.	6 3
21	Gastric and duodenal ulcer	...	{M. F.	2 .	1 1	3 1	3 .	1 .	10 2	3 1	.	.	1 .	1 .	2 .	.	2 .	1 .	4 1
22	Diarrhoea and enteritis (under 2 years)	...	{M. F.	2 1	5 2	6 2	2 4	4 .	19 9	25 19	1 2	.	.	1 .	2 .	1 3	2 1	1 3	5 5
23	Appendicitis ...	...	{M. F.	1 .	1 1	.	1 .	.	2 3	2 .	.	.	.	.	1 .	.	.	.	1 .
24	Cirrhosis of the liver	...	{M. F.	.	.	.	1 .	.	1 .	.	.	1 .	1 .	.	.	1 .	1 .	1 .	2 1
25	Other diseases of liver, etc....	...	{M. F.	1 .	.	1 1	.	2 .	4 4	1 .	.	.	1 .	1 2	.	1 .	.	1 .	2 2
26	Other digestive diseases ...	...	{M. F.	3 3	3 2	2 4	4 3	5 2	17 14	10 15	.	1 .	1 .	2 1	2 1	6 3	1 3	11 7	
27	Acute and chronic nephritis	...	{M. F.	2 1	10 5	4 2	2 4	4 2	22 14	5 8	1 .	1 .	1 .	4 1	1 2	7 5	2 .	13 8	
28	Puerperal sepsis ...	...	F.	1	1	2	1	.	5	1	.	.	.	.	.	.	.	.	
29	Other puerperal causes ...	...	F.	.	5	2	1	1	9	5	.	.	.	1	.	1	2	4	
30	Congenital debility, etc. (Nos. 157-161)	...	{M. F.	5 2	10 1	6 2	13 4	8 3	42 12	19 11	5 1	.	1 3	6	1 2	2 4	3 2	6 14	
31	Senility ...	...	{M. F.	5 10	16 27	19 25	27 31	12 27	79 120	4 13	5 4	1 2	2 4	10 13	23 29	6 12	11 9	50 63	
32	Suicide ...	...	{M. F.	1 .	.	1 .	.	.	2 .	.	.	.	.	.	1 .	.	.	2 .	
33	Other violence ...	...	{M. F.	2 1	4 4	5 2	4 .	1 4	16 11	16 5	2 .	.	1 .	1 1	1 .	3 .	3 .	6 2	
34	Other defined causes ...	...	{M. F.	5 9	21 18	16 20	21 12	17 8	80 67	23 30	5 3	3 3	1 5	4 5	6 6	4 7	11 10	25 28	
35	Causes ill-defined or unknown	...	{M. F.	1 .	3 2	5 6	2 1	1 .	11 10	1 .	.	1 .	.	1 3	2 1	1 1	1 2	5 7	
Deaths under one year of age				{M. F.	10 6	28 15	22 11	16 13	14 7	90 52	60 57	8 3	1 .	1 4	2 9	6 6	3 9	10 5	21 29
, 65 years and upwards				{M. F.	39 26	73 76	77 78	68 61	56 67	313 308	80 106	9 16	3 6	11 14	38 33	73 59	27 30	64 45	202 167
Uncertified Deaths ...				{M. F.	10 15	22 24	32 35	43 39	17 19	124 132	2 11	4 1	1 .	3 5	12 16	25 29	5 11	18 19	60 75
Number of Births ...				{M. F.	93 86	257 255	274 253	245 227	137 174	1,006 995	570 530	74 51	30 23	58 69	79 68	158 132	64 69	157 121	468 390
Population (Census, 1936 unrevised) ...					10,004	23,023	26,207	23,666	16,722	99,622	41,895	4,900	1,940	5,594	8,789	15,778	7,950	14,471	46,988

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	TIPPERARY SOUTH RIDING										WATERFORD COUNTY							WATER- FORD COUNTY BOROUGH	
		Urban Districts				Rural S.R.D.'s.					TOTAL U.D.'s.	TOTAL R.D.'s.	U.D.	Rural S.R.D.'s.						TOTAL R.D.'s.
		Carrick- on-Suir (80)	Cashel (81)	Clon- mel (83)	Tipper- ary (84)	Carrick- on-Suir (80)	Cashel (81)	Ologheen (82)	Clon- mel (83)	Tipper- ary (84)				Dun- garvan (85)	Dun- garvan (85)	Kilmac- thomas (86)	Lis- more (87)	Water- ford (88)		
	ALL CAUSES ...	{M. F.	54 44	23 27	63 60	35 40	18 15	165 141	89 82	39 24	144 109	175 171	455 371	35 43	114 93	48 39	87 78	120 124	369 334	242 211
1	Typhoid fever (including paratyphoid).	{M. F.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	1	2	1
2	Typhus ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Measles ...	{M. F.	10 6	.	6 2	.	.	1	.	.	.	16 9	2	.	.	.	.	1 4	1 4	2 5
4	Scarlet fever ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5	Whooping-cough ...	{M. F.	3 2	.	.	1	.	5 1	.	.	1	4 2	6 1	.	.	.	.	1	1	.
6	Diphtheria ...	{M. F.	.	.	1	1	.	.	.	.	.	1 1	.	.	1	.	.	2	1 2	3 2
7	Dysentery ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
8	Influenza ...	{M. F.	1	.	1	.	1	7 2	3 2	1	1 2	1 1	11 8	1 1	5 4	.	1 1	5	6 10	12 7
9	Encephalitis lethargica ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
10	Cerebro-spinal fever ...	{M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system.	{M. F.	7 4	.	4 5	2 4	.	3 8	1 5	4 3	6 5	13 17	14 21	7 4	2 5	.	4 4	5 8	11 19	22 11
12	Other tuberculous diseases	{M. F.	1 1	.	3 1	1 1	.	3 1	.	.	3	5 3	6 1	2 2	1 1	3 1	3 2	2 5	9 9	4 2
13	Cancer ...	{M. F.	6 4	2 1	5 4	2 6	4 1	19 15	4 5	4 4	13 12	15 15	44 37	4 2	10 8	7 5	6 10	12 12	35 35	22 12
14	Diabetes mellitus ...	{M. F.	.	1	2 1	1	1	3	1	.	2 1	3 2	7 1	1	.	.	2	1	3	1
15	Cerebral hæmorrhage ...	{M. F.	.	2 1	6 5	2 2	1 2	6 13	10 6	5 3	7 8	10 11	29 32	1	7 3	1 2	4 4	11 6	23 15	9 13
16	Heart disease ...	{M. F.	3 9	3 7	8 9	6 8	3 2	36 27	21 15	11 4	30 22	20 33	101 70	6 6	19 27	6 10	9 16	25 28	59 81	34 52
17	Other circulatory diseases	{M. F.	3	1	.	.	1	2	.	.	2	4	5	.	3	.	.	.	.	.

18	Pneumonia (all forms) ...	{M. F.	3 1	2 2	2 2	3 1	1 1	13 4	7 4	1 1	10 8	10 4	32 16	3 3	4 5	3 1	5 2	7 9	19 17	13 9	
20	Other respiratory diseases	{M. F.	.	.	.	2 .	.	1 3	3 2	1 .	2 2	2 .	7 7	2 2	1 1	.	2 1	1 1	4 3	2 1	
21	Gastric and duodenal ulcer	{M. F.	.	.	.	1 .	.	2 2	3 .	.	.	1 .	2 5	1 1	1 .	2 .	2 .	.	5 .	5 .	
22	Diarrhoea and enteritis (under 2 years).	{M. F.	6 2	1 .	.	2 .	1 .	2 2	.	.	4 4	9 2	7 6	1 1	.	.	1 1	1 2	2 3	24 9	
23	Appendicitis ...	{M. F.	.	.	1	.	.	.	.	.	1 1	1 .	1 .	.	.	.	1 .	.	1 .	.	
24	Cirrhosis of the liver ...	{M. F.	.	.	.	.	.	3	1	.	.	.	4	.	.	.	1	2	3	1	
25	Other diseases of liver, etc.	{M. F.	.	.	1	.	.	1 2	.	.	.	1	2	1	1	.	1	.	2	4 3	
26	Other digestive diseases	{M. F.	1	1 2	2 2	2 1	1 .	7	1	.	3 4	5 6	10 6	1 1	2 4	1	1	3 1	7 5	6 7	
27	Acute and chronic nephritis	{M. F.	2	2 1	2 2	3 3	1 .	1 8	1 .	1 1	4 5	9 6	7 14	1 1	4 1	4 1	7 .	4 4	19 6	4 5	
28	Puerperal sepsis ...	F.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1	.	1	1	
29	Other puerperal causes	F.	.	.	1	.	1	3	1	1	4	1	10	.	.	1	1	2	2		
30	Congenital debility, etc. (Nos. 157-161).	{M. F.	4	3 3	3 1	5 5	1 .	7 2	1 1	2 .	8 2	11 13	18 6	2 1	4 3	5 1	4 2	10 6	23 12	27 15	
31	Senility ...	{M. F.	1 3	1 3	8 9	2 .	3 3	20 24	17 23	2 4	23 12	10 17	65 66	5 5	24 16	3 11	15 18	9 8	51 53	6 11	
32	Suicide ...	{M. F.	1	1	1	.	.	.	1	.	1	2	2	.	.	1	1	2 1	4 1	.	
33	Other violence...	{M. F.	1	1	2 1	.	.	6 1	2 2	.	2 1	4 1	10 4	.	1 1	1	3	9 2	14 3	2 4	
34	Other defined Causes	{M. F.	4 1	4 2	4 6	2 3	1 2	14 13	8 6	4 1	14 8	14 12	41 30	2 6	14 4	6 3	10 9	9 8	39 24	25 18	
35	Causes ill-defined or un- known.	{M. F.	.	.	1	.	.	.	4 2	2 .	3 3	1	9 5	1 .	2 2	3 1	2	7 3	1	.	
Deaths under one year of age			{M. F.	8 7	5 4	7 6	9 5	1 1	19 8	4 2	2 .	19 8	29 22	45 19	6 4	7 5	5 1	6 5	14 15	32 26	64 29
,, 65 years and upwards			{M. F.	9 15	8 13	19 19	7 14	10 6	86 75	51 49	21 16	78 48	43 61	246 194	10 15	65 48	26 26	35 44	54 59	180 177	69 83
Uncertified Deaths			{M. F.	2 5	1 1	1 2	.	2 1	25 23	21 19	5 3	20 9	4 8	73 55	.	22 19	6 10	9 17	14 14	51 60	3 5
Number of Births			{M. F.	63 69	42 35	86 100	60 74	25 23	225 192	94 99	40 37	174 131	251 278	558 482	62 50	101 83	49 41	79 90	181 167	410 381	387 349
Population (Census, 1936 unrevised)				4,766	3,205	9,380	5,384	2,030	21,933	11,443	4,383	15,795	22,735	55,584	5,369	12,041	5,801	10,175	16,260	44,277	27,962

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	GALWAY COUNTY														TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts		Rural S.R.D.'s.													
		Ballin- asloe (90)	Galway (92)	Ballin- asloe (90)	Clifden (91)	Galway (92)	Glenna- maddy (93)	Gort (94)	Lough- rea (95)	Mount- bellew (96)	Ought- erard (97)	Port- umna (98)	Tuam (99)				
	ALL CAUSES {M. F.	20 22	99 110	103 98	87 65	148 135	72 91	72 62	125 95	62 47	106 88	41 40	195 192	119 132	1,011 913		
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	1	.	.	.	1	.	.	.	.	.	1 1		
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Measles {M. F.	.	.	.	.	.	.	.	.	.	1	1	.	.	2		
4	Scarlet fever {M. F.	.	.	1	.	.	1	.	.	1	.	.	1 1	.	2 3		
5	Whooping-cough {M. F.	.	.	.	1	.	.	1	.	.	.	.	.	.	1 1		
6	Diphtheria {M. F.	1	.	.	.	3	.	1	1	3 2	1 3	.	1 1	1	7 11		
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
8	Influenza {M. F.	.	2 2	1	3	4 4	6	3	2 1	2	5 2	1	7 4	2 2	25 20		
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Tuberculosis of respiratory system ... {M. F.	1	12 13	6 7	14 2	8 13	7	8 5	8 4	3 1	9 8	3	12 13	12 14	68 63		
12	Other tuberculous diseases ... {M. F.	1 1	3	2 2	1	3	1	1 1	2 2	1 2	1	.	7 2	1 4	16 14		
13	Cancer {M. F.	2 1	8 11	8 8	8 3	10 4	9 10	6 6	11 11	6 4	8 5	7 3	25 12	10 12	98 66		
14	Diabetes mellitus {M. F.	.	1 1	2	1	1	.	.	.	1	1	.	1 3	1 1	6 5		
15	Cerebral hæmorrhage {M. F.	2	6 7	6 6	2	7 6	4 2	2 1	3 5	2 1	4 3	7 1	11 15	6 9	48 40		
16	Heart disease {M. F.	3 6	13 20	18 13	8 7	27 11	10 14	12 11	22 18	9 3	12 17	6 7	31 26	16 26	155 127		
17	Other circulatory diseases ... {M.	1	.	2	.	2	1	1	1 2	1	2 1	.	4	1 2	13 7		

19	Pneumonia (all forms) ...	{ M. F.	3 1	7 10	3 5	3 5	8 5	4 1	2 1	10 3	3 2	9 5	3 2	8 6	10 11	83 35
20	Other respiratory diseases ...	{ M. F.		2 2	1 2	1 .	1 .	1 1	1 3	1 .	1 .	1 .	3 3	3 .	2 2	6 12
21	Gastric and duodenal ulcer ...	{ M. F.		1 .	1 .	2 .	1 .	1 .	1 2	2 2	2 .	3 .	1 .	1 .	6 7	
22	Diarrhoea and enteritis (under 2 years) ...	{ M. F.	1 .	6 4	2 .	2 .	1 .	1 .	1 .	1 .	1 2	2 .	3 2	6 5	6 6	
23	Appendicitis ...	{ M. F.		1 .	2 1	1 .	1 .	1 .	1 .	1 2	2 .	1 .	2 .	1 .	4 7	
24	Cirrhosis of the liver ...	{ M. F.		2 2	1 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 2	1 2	
25	Other diseases of liver, etc. ...	{ M. F.		1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 1	
26	Other digestive diseases ...	{ M. F.	1 .	4 2	4 2	4 2	4 .	1 .	3 1	3 1	2 2	3 3	5 .	5 3	26 18	
27	Acute and chronic nephritis ...	{ M. F.	1 1	4 1	2 3	1 .	5 3	1 .	1 .	4 1	1 1	3 2	2 2	5 4	22 16	
28	Puerperal sepsis ...	F.		1 .	2 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	
29	Other puerperal causes ...	F.		1 .	2 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	7 .	
30	Congenital debility, etc. (Nos. 157-161) ...	{ M. F.	2 .	7 10	1 4	5 5	4 5	2 4	2 2	1 2	2 3	2 5	1 1	3 11	23 42	
31	Senility ...	{ M. F.	2 .	3 3	21 28	21 25	41 50	27 33	14 14	24 24	16 17	28 26	6 3	42 52	240 272	
32	Suicide ...	{ M. F.		1 .	2 .	1 .	2 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	3 1	
33	Other violence ...	{ M. F.		4 2	2 .	1 .	6 1	1 .	2 1	5 2	1 1	2 1	1 1	2 4	21 13	
34	Other defined causes ...	{ M. F.	5 5	9 8	12 4	5 8	9 12	8 4	7 2	23 7	4 .	8 5	4 5	16 15	96 62	
35	Causes ill-defined or unknown ...	{ M. F.	1 .	1 .	4 4	6 1	2 1	2 2	2 1	1 2	4 2	3 1	1 .	4 3	26 18	
Deaths under one year of age ...			{ M. F.	4 1	17 17	5 4	6 8	6 12	3 4	8 8	5 4	5 3	7 5	3 5	13 14	21 18
,, 65 years and upwards ...			{ M. F.	7 8	32 39	54 58	47 40	96 76	50 56	38 29	67 62	33 30	58 48	27 20	116 106	39 47
Uncertified Deaths ...			{ M. F.	6 2	2 5	32 36	34 30	52 62	29 39	18 17	25 32	26 21	38 35	9 6	52 76	8 5
Number of Births ...			{ M. F.	65 58	258 280	117 111	119 117	236 233	101 87	102 95	179 184	103 75	193 174	76 65	329 296	323 338
Population (Census, 1936 unrevised) ...				5,865	18,285	9,360	12,436	19,092	10,893	10,032	18,755	11,808	13,328	8,110	29,270	143,984

No.	CAUSES OF DEATH, ETC.	LETTRIM COUNTY				MAYO COUNTY											TOTAL U.D.'s.	TOTAL R.D.'s.
		Rural S.R.D.'s.			TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.									
		Carrick- on-Shan. (100)	Mānor- hamilton (101)	Mohill (102)		Ballina (103)	Castle- bar (106)	West- port (109)	Ballina (103)	Ballin- robe (104)	Bel- mullet (105)	Castle- bar (106)	Clare- morris (107)	Swin- ford (108)	West- port (109)			
	ALL CAUSES {M. F.	72 78	154 143	161 162	387 383	37 36	19 23	20 17	154 144	120 87	72 69	120 109	122 132	253 240	125 148	76 76	966 929	
1	Typhoid fever (including paratyphoid) {M. F.	2 1	.	1	3 1	.	1	.	1	.	1	1	3 1	1 1	1	1	7 3	
2	Typhus... .. {M. F.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
3	Measles... .. {M. F.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
4	Scarlet fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Whooping-cough {M. F.	.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	1 4	
6	Diphtheria {M. F.	.	1	1	1 1	1	1	.	1 2	1	.	.	1	9 1	1	2	11 5	
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza {M. F.	2	3 5	4 8	7 15	.	.	.	4 9	2 3	3 3	1 2	1 1	3 4	2 6	.	16 28	
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
11	Tuberculosis of respiratory system ... {M. F.	6 3	5 8	6 4	17 15	10 3	3 2	2	9 11	8 2	3 1	8 5	4 6	24 18	16 14	15 5	72 57	
12	Other tuberculous diseases ... {M. F.	1	2 2	2 2	5 4	1	1	1	4 3	2	.	3 1	2 4	8 6	1 2	1 2	20 16	
13	Cancer {M. F.	2 5	17 7	13 5	32 17	3 4	2	1	13 9	11 10	9 3	7 7	5 10	20 25	11 8	3 7	76 72	
14	Diabetes mellitus {M. F.	.	1	.	1	.	.	.	1 1	.	1	.	1 3	3 4	.	.	5 9	
15	Cerebral hæmorrhage .. {M. F.	2 1	4 8	1 12	7 21	1 2	.	1 1	4 7	4 4	1 2	4 6	3 4	9 5	7 4	2 3	32 32	
16	Heart disease {M. F.	11 9	29 14	41 34	81 57	4 3	5 5	3 3	22 19	20 12	3 2	9 13	17 13	17 26	11 18	12 11	99 103	
17	Other circulatory diseases ... {M. F.	.	2	2 1	4 1	1 1	1	1	1 1	.	.	1	3 1	10 1	2 1	2 2	16 5	

19	Pneumonia (all forms) ...	M. 11 F. 13	1 4	7 17	19 34	3 3	1 1	2 2	3 5	9 4	6 3	11 6	11 5	9 3	8 10	6 6	57 36	
20	Other respiratory diseases ...	M. 1 F. 1	2 .	. .	2 1	1 .	. .	2 .	1 .	2 .	. .	2 1	3 1	2 4	2 .	3 .	12 5	
21	Gastric and duodenal ulcer ...	M. 2 F. 2	2 .	1 .	4 1	1 .	1 1	1 .	1 .	. .	. .	1 1	2 1	1 .	2 1	2 1	6 3	
22	Diarrhoea and enteritis (under 2 years) ...	M. 1 F. 1	. .	1 .	2 .	. .	. .	. .	2 1	. .	1 1	1 .	. .	. .	. .	. .	4 2	
23	Appendicitis ...	M. 4 F. 4	4 .	1 .	5 .	. .	. .	1 .	1 .	. .	3 2	1 1	2 1	. .	1 .	1 .	6 6	
24	Cirrhosis of the liver ...	M. 1 F. 1	. .	1 .	1 .	. .	. .	1 .	. .	1 .	. .	1 .	. .	. .	1 .	1 .	3 .	
25	Other diseases of liver, etc. ...	M. 1 F. 1	. .	. .	. .	1 .	. .	. .	1 .	. .	1 .	. .	2 .	1 .	. .	1 .	5 .	
26	Other digestive diseases ...	M. 2 F. 3	7 2	10 7	19 12	3 1	1 .	. .	5 2	2 .	1 3	6 1	2 2	5 1	1 5	3 2	22 14	
27	Acute and chronic nephritis ...	M. 2 F. 2	6 6	7 4	15 10	2 2	1 .	1 .	3 2	5 .	4 1	4 1	9 7	2 2	3 3	27 17		
28	Puerperal sepsis ...	F. 1	1	1	3	. .	. .	. .	2 .	. .	1 .	. .	1 .	. .	. .	. .	4 .	
29	Other puerperal causes ...	F. 4	2	1	7	2	2	1	1	1	1	1	2	. .	1 .	3 .	6 .	
30	Congenital debility, etc. (Nos. 157-161) ...	M. 2 F. 1	5 5	7 2	14 8	2 2	1 2	1 .	10 1	2 1	1 1	2 1	7 3	3 6	3 5	4 4	28 17	
31	Senility ...	M. 19 F. 14	37 47	25 36	81 97	3 4	2 2	2 4	38 45	29 32	30 26	40 39	29 48	59 86	28 48	7 10	253 324	
32	Suicide ...	M. 1 F. 1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	1 1	
33	Other violence ...	M. 2 F. 3	4 3	2 .	6 5	1 2	1 1	1 .	3 3	4 .	1 1	1 4	6 .	2 4	2 1	2 3	18 13	
34	Other defined causes ...	M. 5 F. 8	14 19	15 6	34 33	3 2	2 1	4 1	15 12	9 7	7 6	13 8	12 15	30 20	15 9	9 4	101 77	
35	Causes ill-defined or unknown ...	M. 3 F. 7	1 3	6 8	10 18	. .	. .	. .	2 1	5 2	3 5	1 1	3 3	9 3	7 5	. .	30 20	
Deaths under one year of age ...			M. 5 F. 3	6 7	11 7	22 17	2 3	1 4	1 .	12 2	4 4	4 5	6 3	9 4	11 7	9 6	4 7	55 31
,, 65 years and upwards ...			M. 42 F. 44	90 88	85 95	217 227	11 14	5 8	6 9	84 82	74 56	42 46	65 64	62 74	151 141	60 93	22 31	538 556
Uncertified Deaths ...			M. 24 F. 23	56 69	43 62	123 154	3 6	1 1	. .	55 62	38 39	45 41	62 54	30 109	83 67	43 7	4 7	356 426
Number of Births ...			M. 75 F. 70	151 146	191 167	417 383	96 52	38 39	34 29	200 199	163 144	140 131	152 134	166 194	270 262	203 217	168 120	1,294 1,281
Population (Census, 1936 unrevised) ...			9,651	19,553	21,672	50,876	5,674	4,833	3,405	23,428	17,333	13,397	17,690	19,295	31,602	24,407	13,912	147,152

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	ROSCOMMON COUNTY				SLIGO COUNTY				
		Rural S.R.D.'s.			TOTAL R.D.'s.	U.D.	Rural S.R.D.'s.			TOTAL R.D.'s.
		Boyle (110)	Castle- reagh (111)	Ros- common (112)		Sligo (114)	Dromore West (113)	Sligo (114)	Tober- curry (115)	
	ALL CAUSES {M. F.	121 118	165 155	297 266	583 539	61 85	73 75	238 214	124 107	435 396
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	.	.	.	1 1	.	1 1
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	1	.	.	1	.	.	.	.	.
4	Scarlet fever {M. F.	.	2	2 4	4 4	1 1	2 1	.	2	2 3
5	Whooping-cough {M. F.	.	.	.	.	.	.	.	.	.
6	Diphtheria {M. F.	2	1	1 2	1 5	1	1	.	1	2
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	1 4	4 3	19 12	24 19	.	2 2	1 6	2 4	5 12
9	Encephalitis lethargica {M. F.	.	2	.	2	.	.	.	.	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system {M. F.	9 3	10 10	14 15	33 28	12 10	2 5	18 13	11 8	31 26
12	Other tuberculous diseases ... {M. F.	.	4	2 1	6 1	1 4	.	6 6	2	8 7
13	Cancer {M. F.	7 8	10 10	34 20	51 38	2 9	15 8	27 16	11 11	53 35
14	Diabetes mellitus {M. F.	1	4 2	.	5 2	.	.	1 3	.	1 3
15	Cerebral hæmorrhage {M. F.	5 5	4 9	11 10	20 24	3 10	5 5	12 18	6 1	23 24
16	Heart disease {M. F.	21 15	29 26	48 44	98 85	7 10	9 8	32 24	21 13	62 45
17	Other circulatory diseases ... {M.	.	1	7	8	1	.	2	1	3

			{ F.	9	8	12	29	2		10	8		18
19	Pneumonia (all forms) ...	...	{ M. F.	6 11	17 8	10 9	33 28	4 2	4 3	10 6	8 5		22 14
20	Other respiratory diseases	...	{ M. F.	1 .	. 3	2 2	3 5	2 1	. .	5 4	2 .		7 4
21	Gastric and duodenal ulcer	...	{ M. F.	3 .	2 .	2 1	7 1	. .	1 .	4 1	1 .		6 1
22	Diarrhoea and enteritis (under 2 years)		{ M. F.	. 1	. .	1 .	1 1	1 1	. .	1 1	1 .		2 1
23	Appendicitis ...	...	{ M. F.	1 1	1 2	. .	2 3	. 1	. .	1 2	. .		1 2
24	Cirrhosis of the liver	...	{ M. F.	. .	. .	1 .	1 .	. 1	. .	. .	. .		. .
25	Other diseases of liver, etc....	...	{ M. F.	. .	1 2	. 1	1 3	. 1	1 1	1 1	. 2		2 4
26	Other digestive diseases	...	{ M. F.	4 5	3 1	2 3	9 9	1 5	1 1	5 5	4 5		10 11
27	Acute and chronic nephritis	...	{ M. F.	2 5	11 3	14 7	27 15	5 6	5 4	12 3	3 3		20 10
28	Puerperal sepsis ...	...	F.	1	.	4	5	.	.	1	.		1
29	Other puerperal causes	...	F.	.	2	1	3	1	.	2	1		3
30	Congenital debility, etc. (Nos. 157-161)		{ M. F.	4 3	2 4	14 10	20 17	3 7	2 .	7 6	1 3		10 9
31	Senility ...	...	{ M. F.	33 31	39 48	63 70	135 149	7 9	12 23	45 60	30 33		87 116
32	Suicide ...	...	{ M. F.	. .	1 .	1 .	2 .	. .	1 .	. .	. .		1 .
33	Other violence ...	...	{ M. F.	4 4	1 3	9 5	14 12	2 .	3 1	4 .	5 2		12 3
34	Other defined causes	...	{ M. F.	8 4	10 7	18 20	36 31	6 3	3 7	31 19	7 7		41 33
35	Causes ill-defined or unknown	...	{ M. F.	5 5	1 3	12 9	18 17	1 .	4 3	4 4	2 .		10 7
Deaths under one year of age			{ M. F.	6 6	5 8	22 15	33 29	7 10	2 3	17 8	3 6		22 17
,, 65 years and upwards			{ M. F.	75 72	96 88	167 162	338 322	24 33	42 37	129 124	81 67		252 228
Uncertified Deaths ...			{ M. F.	37 41	56 60	94 100	187 201	. 4	22 30	61 85	36 37		119 152
Number of Births ...			{ M. F.	110 139	194 168	308 299	612 606	141 111	77 71	252 221	121 126		450 418
Population (Census, 1936 unrevised) ...				16,730	24,665	36,067	77,462	12,496	9,971	30,620	14,224		54,815

ADMINISTRATIVE VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CAVAN COUNTY.							TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts.			Rural S.R.D.'s.					
		Bel- turbet (118)	Cavan (118)	Coote- hill (118)	Bailie- borough (116)	Bawn- boy (117)	Cavan (118)			
	ALL CAUSES {M. F.	8 15	22 24	8 17	156 152	97 86	313 311	38 56	566 549	
1	Typhoid fever (including paratyphoid) {M. F.	.	.	.	1	.	.	.	1	
2	Typhus {M. F.	.	.	.	.	.	.	.	.	
3	Measles {M. F.	.	1	.	.	.	.	1	.	
4	Scarlet fever {M. F.	1	.	.	.	1	4 4	1	4 5	
5	Whooping-cough {M. F.	.	.	.	.	3 2	3	.	3 5	
6	Diphtheria {M. F.	.	.	.	.	1	1	.	1 1	
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	
8	Influenza {M. F.	.	1	.	4	3 5	5 15	1	8 24	
9	Encephalitis lethargica {M. F.	.	.	.	.	.	.	.	.	
10	Cerebro-spinal fever {M. F.	.	.	.	.	1	.	.	1	
11	Tuberculosis of respiratory system {M. F.	1 2	1 4	1 1	10 8	8 5	10 14	3 7	28 27	
12	Other tuberculous diseases ... {M. F.	.	.	1	1 2	.	1 1	1	2 3	
13	Cancer {M. F.	.	1 1	2	11 18	7 6	28 18	1 3	46 42	
14	Diabetes mellitus {M. F.	.	.	.	1 2	.	1	.	2 2	
15	Cerebral hæmorrhage {M. F.	.	1 2	1	9 10	2 3	20 22	2 2	31 35	
16	Heart disease {M. F.	1 2	6 5	4	38 31	15 15	54 67	7 11	107 113	
17	Other circulatory diseasesa ... {M. F.	.	1	.	3 2	1	4 6	1	8 8	

19	Pneumonia (all forms) ...	{ M. F.	2	2	2	5	8	18	4	31
						2	4	15	2	21
20	Other respiratory diseases ...	{ M. F.	.	.	.	2	1	3	.	6
			.	.	.	.	1	1	.	2
21	Gastric and duodenal ulcer ...	{ M. F.	.	1	.	5	1	1	1	6
			.	.	.	.	.	2	.	3
22	Diarrhoea and enteritis (under 2 years)	{ M. F.	.	.	.	2	1	.	.	3
			.	.	.	.	.	3	.	3
23	Appendicitis ...	{ M. F.	.	.	.	.	.	4	.	4
			.	.	.	.	.	3	.	3
24	Cirrhosis of the liver ...	{ M. F.	.	.	.	1	.	.	.	1
			.	.	.	.	.	.	.	.
25	Other diseases of the liver, etc. ...	{ M. F.	.	.	.	.	1	.	.	1
			.	.	.	.	.	.	.	.
26	Other digestive diseases ...	{ M. F.	1	1	1	4	2	4	1	10
			.	.	.	5	4	8	3	17
27	Acute and chronic nephritis ...	{ M. F.	.	1	1	3	2	8	1	13
			.	.	.	5	1	4	1	10
28	Puerperal sepsis ...	F.	.	.	.	1	.	1	.	2
29	Other puerperal causes ...	F.	.	1	1	1	2	4	2	7
30	Congenital debility, etc. (Nos. 157-161)	{ M. F.	.	3	3	6	3	12	6	21
			.	4	.	2	2	9	4	13
31	Senility ...	{ M. F.	2	2	3	24	25	57	2	106
			5	.	.	23	22	48	10	93
32	Suicide ...	{ M. F.	.	.	.	.	.	2	.	2
			.	.	.	1	.	.	.	1
33	Other violence ...	{ M. F.	1	2	.	1	4	6	1	11
			.	.	.	1	.	4	2	5
34	Other defined causes ...	{ M. F.	1	1	2	13	3	24	1	40
			2	.	.	14	1	20	5	35
35	Causes ill-defined or unknown ...	{ M. F.	.	1	.	7	1	9	1	17
			.	.	.	6	3	7	1	16
Deaths under one year of age ...			{ M. F.	1	4	3	8	8	22	38
				.	6	2	6	6	13	25
,, 65 years and upwards ...			{ M. F.	3	6	2	81	49	176	306
				9	9	8	77	50	166	293
Uncertified Deaths ...			{ M. F.	3	2	.	46	43	69	158
				.	1	4	32	41	77	150
Number of Births ...			{ M. F.	14	45	13	183	105	336	624
				18	41	19	174	93	327	594
Population (Census, 1936 unrevised) ...				1,339	3,393	1,586	19,837	11,036	39,450	6,318
										70,323

No.	CAUSES OF DEATH, ETC.	DONEGAL COUNTY												TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts			Rural S.R.D.'s.										
		Bun- crana (123)	Bun- doran (119)	Letter- kenny (124)	Bally- shannon (119)	Done- gal (120)	Dun- fanaghy (121)	Glenties (122)	Inish- owen (123)	Letter- kenny (124)	Mil- ford (125)	Stran- orlar (126)			
	ALL CAUSES {M. F.	11 4	10 11	20 13	61 47	119 133	96 96	226 202	151 136	99 104	120 99	171 139	41 28	1,043 956	
1	Typhoid fever (including para- typhoid). {M. F.	.	.	.	.	1	.	.	.	.	.	.	.	1	
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Measles {M. F.	.	.	.	.	.	3 1	1 1	1 1	1 1	3 5	4	.	8 13	
4	Scarlet fever {M. F.	.	.	1	.	.	2 1	2 1	1	3	1 1	1	1	6 7	
5	Whooping-cough {M. F.	.	.	.	.	1	.	.	.	.	2	.	.	3	
6	Diphtheria {M. F.	1	.	.	.	3 1	.	1	.	.	.	2	1	5 2	
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	Influenza {M. F.	.	1	.	5 4	5 9	1 3	17 19	11 14	5 4	4 4	10 12	1	58 69	
9	Encephalitis lethargica {M. F.	1	.	.	.	.	.	.	.	.	1 1	.	1	1 1	
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	1	.	.	.	1	
11	Tuberculosis of respiratory system. {M. F.	1	.	2 3	4 1	4 7	7 4	11 17	3 6	3 5	13 4	12 3	3 3	57 47	
12	Other tuberculous diseases {M. F.	1	1	1	2 2	3 3	1 2	3 2	3 1	1 3	1 2	1 3	2 1	15 18	
13	Cancer {M. F.	1	1	1	5 3	8 15	9 2	20 18	14 9	13 10	12 5	14 8	2 1	95 70	
14	Diabetes mellitus {M. F.	.	.	1	.	1	1	1	.	1	1	2	1	4 3	
15	Cerebral hæmorrhage {M. F.	.	1 2	.	3 3	8 10	5 6	13 20	10 7	9 7	5 9	5 6	1 2	58 68	
16	Heart disease {M. F.	2 1	2	1	12 7	17 17	6 7	30 28	24 17	10 14	22 15	30 24	3 3	151 129	
17	Other circulatory diseases {M. F.	.	.	2 1	2 2	6 3	.	2 1	1	2 3	1	3 2	2 1	16 12	

19	Pneumonia (all forms)	... {M. F.	1 1	1 1	2 2	4 2	12 2	6 6	8 8	9 7	9 5	9 8	8 4	4 1	65 42	
20	Other respiratory diseases	... {M. F.	.	.	.	1 1	3 1	1 5	6 5	1 1	3 1	1 4	8 .	.	23 13	
21	Gastric and duodenal ulcer	... {M. F.	.	.	.	1 2	1 2	.	7 2	2 .	.	2 1	2 .	.	15 3	
22	Diarrhoea and enteritis (under 2 years).	... {M. F.	1 .	.	.	.	1 .	.	4 .	.	1 2	.	2 3	1 .	7 6	
23	Appendicitis	... {M. F.	.	.	.	1 .	.	.	1 1	2 .	.	.	2 .	.	6 1	
24	Cirrhosis of the liver	... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Other diseases of liver, etc.	... {M. F.	.	.	1 .	.	1 .	.	1 1	1 .	.	.	.	1 .	2 2	
26	Other digestive diseases	... {M. F.	.	.	1 .	1 3	1 4	5 5	6 7	1 1	1 .	5 9	1 5	1 .	16 34	
27	Acute and chronic nephritis	... {M. F.	1 1	1 1	1 .	2 4	5 3	6 6	9 6	4 1	2 5	3 2	2 3	2 2	33 24	
28	Puerperal sepsis	... F.	.	.	1 .	.	3 .	1 .	.	1 .	.	1 .	2 .	1 .	8 .	
29	Other puerperal causes	... F.	.	.	.	.	.	.	1 .	2 .	1 .	.	3 .	.	7 .	
30	Congenital debility, etc. (Nos. 157-161).	... {M. F.	.	2 .	1 .	2 2	2 5	1 2	4 1	11 5	1 4	3 2	7 9	3 .	31 30	
31	Senility	... {M. F.	2 .	2 .	1 3	6 4	26 30	33 41	27 35	30 43	14 17	11 14	21 29	5 3	168 213	
32	Suicide	... {M. F.	1 .	.	1 .	.	.	1 .	.	1 .	2 .	1 1	2 .	2 .	6 2	
33	Other violence	... {M. F.	.	1 .	2 .	.	1 3	4 1	24 4	2 1	3 1	1 1	5 .	3 .	40 11	
34	Other defined causes	... {M. F.	.	1 1	1 1	6 7	8 7	3 4	16 10	9 7	14 9	12 5	24 9	2 2	92 58	
35	Causes ill-defined or unknown	... {M. F.	.	1 .	1 1	1 .	4 1	3 6	3 1	6 .	4 .	3 1	3 2	1 2	23 15	
Deaths under one year of age			... {M. F.	1 1	3 3	3 1	5 2	4 6	5 3	11 6	14 7	6 13	7 7	18 15	7 5	70 59
,, 65 years and upwards			... {M. F.	4 3	4 4	4 5	35 23	68 71	53 61	128 139	80 80	61 52	56 58	82 79	12 12	563 563
Uncertified Deaths			... {M. F.	1 .	2 2	2 4	7 4	41 38	51 57	85 110	58 53	25 32	32 30	25 27	5 6	324 351
Number of Births			... {M. F.	31 25	11 16	25 31	73 54	146 133	127 90	211 200	184 185	147 139	136 100	221 222	67 72	1,245 1,123
Population (Census, 1936 unrevised)				2,295	1,351	2,849	6,628	14,780	13,559	27,562	28,285	8,496	15,497	21,090	6,295	135,897

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1935, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	MONAGHAN COUNTY.									
		Urban Districts				Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.
		Carrick- macross (127)	Castle- blayney (128)	Clones (129)	Mon- aghan (130)	Carrick- macross (127)	Castle- blayney (128)	Clones (129)	Mon- aghan (130)		
	ALL CAUSES {M. F.	12 9	14 10	16 10	38 21	83 73	94 105	74 50	152 130	80 50	403 358
1	Typhoid fever (including paratyphoid) ... {M. F.	.	.	.	.	.	.	.	.	.	.
2	Typhus {M. F.	.	.	.	.	.	.	.	.	.	.
3	Measles {M. F.	.	.	.	.	.	.	.	1	.	1
4	Scarlet fever {M. F.	.	.	.	.	.	.	.	.	.	.
5	Whooping-cough {M. F.	.	.	.	.	.	.	1	.	.	1
6	Diphtheria {M. F.	.	.	1	.	.	.	.	1	1	1
7	Dysentery {M. F.	.	.	.	.	.	.	.	.	.	.
8	Influenza {M. F.	.	2	1	.	2 4	8 8	2 4	7 4	3	19 20
9	Encephalitis lethargica {M. F.	.	.	.	1	.	.	.	.	1	.
10	Cerebro-spinal fever {M. F.	.	.	.	.	.	.	.	.	.	.
11	Tuberculosis of respiratory system ... {M. F.	.	1	1	7	2 2	5 4	2 2	5 8	8 1	14 16
12	Other tuberculous diseases {M. F.	.	.	1 1	1 5	1 1	4 1	2 1	3	2 6	10 3
13	Cancer {M. F.	1 1	2 2	1	1 1	9 6	7 11	13 2	12 12	4 5	41 31
14	Diabetes mellitus {M. F.	.	.	.	.	.	2	1	2 1	.	3 3
15	Cerebral hæmorrhage {M. F.	2	2	.	1	3 5	6 11	3 6	18 12	5	30 34
16	Heart disease {M. F.	3 3	2	3 1	2 3	20 10	18 20	11 10	32 24	8 9	81 64
17	Other circulatory diseases {M. F.	.	1	1	1	3	.	.	.	.	.

19	Pneumonia (all forms) ...	...	...	{M. F.	1 1	1	2 1	4 1	9 6	3 4	4 5	2 3	8 3	18 18
20	Other respiratory diseases	...	...	{M. F.	.	.	2 1	1	.	1	.	3 3	3 1	3 4
21	Gastric and duodenal ulcer	...	...	{M. F.	.	1	.	.	1	1	2	1	1	4 1
22	Diarrhoea and enteritis (under 2 years)	...	...	{M. F.	1	.	.	2	1	1	1	1	3	3 1
23	Appendicitis ...	...	...	{M. F.	.	.	.	1	1	1	.	1	.	3
24	Cirrhosis of the liver ...	...	...	{M. F.	.	.	.	1	1	.	1	1	1	2 1
25	Other diseases of liver, etc.	...	...	{M. F.	.	.	.	1	.	2 1	1	2 1	1	4 3
26	Other digestive diseases	...	...	{M. F.	1	1	.	1	4 6	4 5	2	1 2	1 2	11 13
27	Acute and chronic nephritis	...	...	{M. F.	.	.	1	1	7 2	3 4	1 4	4 1	2	15 11
28	Puerperal sepsis ...	...	...	F.	.	.	.	.	1	1	.	.	.	2
29	Other puerperal causes	...	...	F.	.	.	.	.	.	.	.	2	.	2
30	Congenital debility, etc. (Nos. 157-161)	...	...	{M. F.	1	1	1 1	4 1	1	1	2	4 1	7 2	6 3
31	Senility ...	...	...	{M. F.	1	1 1	2	1 5	6 11	6 6	9 6	26 28	2 9	47 51
32	Suicide ...	...	...	{M. F.	.	.	.	.	.	.	.	.	.	.
33	Other violence ...	...	...	{M. F.	1	.	.	1	2	.	2 1	4 2	1 1	6 5
34	Other defined causes ...	...	...	{M. F.	1 1	3 2	2 1	7 3	8 5	16 7	10 2	14 9	13 7	48 23
35	Causes ill-defined or unknown ...	...	...	{M. F.	1	.	1	1	3 2	1 4	2	2	2 1	6 8
Deaths under one year of age ...					{M. F.	2 1	3	1 1	9 1	2 4	7 1	4 2	8 7	15 3
,, 65 years and upwards ...					{M. F.	3 3	4 3	5 3	12 7	45 38	50 48	38 36	96 75	24 16
Uncertified Deaths ...					{M. F.	1	1	1 1	2 1	10 14	11 17	10 12	42 46	5 2
Number of Births ...					{M. F.	24 23	17 9	32 23	45 44	93 79	89 101	56 87	194 180	118 99
Population (Census, 1936 unrevised) ...						2,095	1,725	2,235	4,780	10,766	11,481	9,050	19,149	10,835

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER OR NUMBERS of each Superintendent Registrar's District in Abstracts I and VI, in which the numbers run consecutively from 1 to 130. In Abstract VI, the Urban and Rural parts of these areas are distinguished].

A.			K.			P.		
Abbeyleix	...	14	Clones	...	129	Portumna	...	98
Ardee	...	19	Clonmel	...	83	R.		
Athlone	...	30	Cork	...	51, 63	Rathdown	...	4
Athy	...	6	Corofin	...	41	Rathdrum	...	38
B.			Croom	...	70	Rathkeale	...	74
Baileborough	...	116	D.			Roscommon	...	112
Ballina	...	103	Delvin	...	31	Roscrea	...	78
Ballinasloe	...	90	Dingle	...	65	S.		
Ballinrobe	...	104	Donegal	...	120	Scariff	...	46
Ballymahon	...	16	Drogheda	...	20	Shillelagh	...	30
Ballyshannon	...	119	Dromore West	...	113	Skibbereen	...	60
Ballyvaughan	...	40	Dublin	...	3, 5	Skull	...	61
Balrothery	...	2	Dundalk	...	21	Sligo	...	114
Balinglass	...	37	Dunfanaghy	...	121	Stranorlar	...	126
Bandon	...	47	Dungarvan	...	85	Swinford	...	108
Bantry	...	48	Dunmanway	...	52	T.		
Bawnboy	...	117	Dunshaughlin	...	22	Thomastown	...	12
Belmullet	...	105	E.			Thurles	...	79
Birr	...	27	Edenderry	...	28	Tipperary	...	84
Borrisokane	...	76	Ennis	...	42	Tobercurry	...	115
Boyle	...	110	Enniscorthy	...	33	Tralee	...	69
C.			Ennistymon	...	43	Trim	...	26
Caherciveen	...	64	F.			Tuam	...	90
Callan	...	9	Fermoy	...	53	Tullamore	...	29
Carlow	...	1	G.			U.		
Carrickmacross	...	127	Galway	...	92	Urlingford	...	13
Carrick-on-Shannon	...	100	Glennamaddy	...	93	W.		
Carrick-on-Suir	...	80	Glenties	...	122	Waterford	...	88, 89
Cashel	...	81	Gorey	...	34	Westport	...	109
Castlebar	...	106	Gort	...	94	Wexford	...	26
Castleblaney	...	128	Granard	...	17	Y.		
Castleccmer	...	10	I.			Youghal	...	62
Castlereagh	...	111	Inishowen	...	123	O.		
Castletown	...	49	J.			Oldcastle	...	25
Cavan	...	118	Kanturk	...	54	Oughterard	...	97
Celbridge	...	7	Kells	...	23	L.		
Claremorris	...	107	Kenmare	...	66	Letterkenny	...	124
Clifden	...	91	Kilkenny	...	11	Limerick	...	72, 75
Clogheen	...	82	Killadysert	...	44	Lismore	...	87
Clonakilty	...	50	Killatney	...	67	Listowel	...	68
D.			Kilmacthomas	...	86	Longford	...	18
E.			Kilmallock	...	71	Loughrea	...	95
F.			Kilrush	...	45	M.		
G.			Kinsale	...	55	Macroon	...	56
H.			L.			Mallow	...	57
I.			Letterkenny	...	124	Manorhamilton	...	101
J.			Limerick	...	72, 75	Middleton	...	58
K.			Lismore	...	87	Milford	...	125
L.			Listowel	...	68	Millstreet	...	59
M.			Longford	...	18	Mohill	...	102
N.			Loughrea	...	95	Monaghan	...	130
O.			M.			Mount Bellew	...	96
P.			Macroon	...	56	Mountmellick	...	15
Q.			Mallow	...	57	Mullingar	...	32
R.			Manorhamilton	...	101	N.		
S.			Middleton	...	58	Naas	...	8
T.			Milford	...	125	Navan	...	24
U.			Millstreet	...	59	Nenagh	...	77
V.			Mohill	...	102	Newcastle	...	73
W.			Monaghan	...	130	New Ross	...	35
X.			Mount Bellew	...	96	O.		
Y.			Mountmellick	...	15	Oldcastle	...	25
Z.			Mullingar	...	32	Oughterard	...	97

APPENDIX I.

ALTERATION IN REGISTRARS' DISTRICTS, 1935.

On the 1st April, 1935, the Registrar's District of Ballyfarnon No. 1 in Boyle Superintendent Registrar's District was abolished, and the area added to the Registrar's District of Keadue.

APPENDIX II.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 72 years 1864-1935.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
			£ s. d.				£ s. d.
1864	15	3	1 10 6	1900	4,558	3,481	672 7 6
1865	41	20	4 12 0	1901	4,843	3,733	718 18 0
1866	55	34	7 0 0	1902	4,871	3,719	716 16 6
1867	46	26	5 12 0	1903	4,944	3,796	731 12 6
1868	69	42	9 13 0	1904	5,183	3,958	769 19 7
1869	80	34	8 15 0	1905	5,110	3,954	759 8 5
1870	93	54	11 10 0	1906	5,714	4,409	849 6 0
1871	112	67	14 6 6	1907	5,877	4,544	875 0 2
1872	120	76	15 14 0	1908	5,984	4,670	894 19 7
1873	100	106	21 14 0	1909	6,220	4,761	920 8 0
1874	166	107	22 6 6	1910	6,387	4,903	944 18 4
1875	244	166	33 15 0	1911	6,128	4,778	914 9 11
1876	270	185	36 16 0	1912	6,811	5,160	998 7 2
1877	312	202	42 14 0	1913	6,462	4,972	957 9 0
1878	391	286	55 15 0	1914	7,552	6,140	1,157 10 0
1879	522	399	78 0 0	1915	7,398	5,898	1,118 7 0
1880	753	596	114 7 0	1916	7,729	6,198	1,172 1 2
1881	743	583	111 8 6	1917	8,151	6,475	1,225 13 6
1882	852	688	129 11 0	1918	10,702	8,499	1,611 11 6
1883	1,036	773	149 1 6	1919	11,513	8,998	1,712 16 0
1884	1,254	966	185 3 0	1920	11,484	8,810	1,688 2 0
1885	1,412	1,116	212 8 6	1921	11,419	8,499	1,646 0 6
1886	1,527	1,173	225 7 4	1922	18,418	7,675	1,892 9 6
1887	1,693	1,307	251 7 0	1923	19,377	8,808	2,076 0 0
1888	1,778	1,404	266 9 0	1924	23,947	14,367	3,003 0 6
1889	1,980	1,561	297 4 6	1925	33,945	45,435	8,010 12 6
1890	2,448	2,042	383 2 3	1926	48,193	77,347	13,495 5 6
1891	2,815	2,297	433 1 6	1927	45,802	72,665	12,391 17 6
1892	3,209	2,534	489 17 0	1928	37,462	56,865	9,804 0 6
1893	3,559	2,733	532 2 2	1929	39,650	61,182	10,412 2 6
1894	3,492	2,678	512 7 0	1930	29,901	41,744	7,384 14 6
1895	3,482	2,618	508 8 0	1931	16,540	14,548	3,162 2 6
1896	4,046	3,103	596 10 6	1932	19,265	12,031	2,951 16 0
1897	3,917	2,960	572 3 0	1933	23,360	11,477	3,052 16 6
1898	4,132	3,207	613 1 2	1934	25,611	12,445	3,329 5 0
1899	4,133	3,201	616 13 6	1935	29,463	13,024	3,649 4 6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX III.

CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF LOCAL GOVERNMENT AND PUBLIC HEALTH IN RESPECT OF SAORSTÁT ÉIREANN FOR THE YEAR 1935.

The letters in the last column denote the following diseases:—A. Acute anterior poliomyelitis. B. Cerebro-spinal meningitis. C. Continued fever. D. Encephalitis lethargica. E. Erysipelas. F. Ill-defined fever. G. Membranous croup. H. Meningitis. J. Ophthalmia neonatorum. K. Dysentery. L. Malaria. M. Undulant fever.

COUNTY BOROUGHES.

County Boroughs	Typhus	Typhoid	Diphtheria	Scarlet Fever	Puerperal Sepsis	Pneumonia		Other Diseases
						Primary	Influenzal	
Cork		3	58	51	9	5	2	E. 23, G. 1.
Dublin		22	936	906	23	134	1	A. 2, B. 19, E. 158.
Limerick		34*	87	29	2	15	4	E. 14, K. 8.
Waterford		2	22	18	2	.	.	E. 5.
Total		61	1,103	1,004	36	154	7	A. 2, B. 19, E. 200, G. 1, K. 8.

* One case of Paratyphoid A and one case of Paratyphoid B.

URBAN DISTRICTS.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Puerperal Sepsis	Pneumonia		Other Diseases
							Primary	Influenzal	
Carlow	Carlow	.	.	48	11	1	2	.	E. 3.
Cavan	Belturbet	.	.	.	2	.	.	.	
	Cavan	.	.	1	14	.	.	.	
	Cootehill	.	.	1	5	.	.	1	E. 2.
Clare	Ennis	.	2	7	47	.	.	.	
	Kilrush	.	.	60	1	.	.	.	
Cork	Clonakilty	.	2	.	1	.	.	.	
	Cobh	.	.	4	.	.	2	.	
	Fermoy	.	1	2	.	1	2	.	E. 1, L. 1.
	Kinsale	.	1*	.	.	.	.	.	
	Macroom	.	.	1	.	.	.	.	
	Mallow	.	.	2	.	.	.	.	
	Midleton	.	.	1	2	1	.	.	E. 1.
	Passage West	.	.	3	6	.	.	.	
	Skibbereen	.	.	.	.	.	.	.	E. 1.
	Youghal	.	.	1	.	1	.	.	

* Paratyphoid B.

CASES OF INFECTIOUS DISEASES—contd.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influenzal	
Donegal	Buncrana	...	...	2	6	...	...	1	D. 1.
	Bundoran	...	...	...	2	...	...	...	
	Letterkenny	...	...	...	32	1	...	...	
Dublin	Dun Laoghaire	...	5	37	88	2	...	...	E. 5. E. 1.
	Howth	...	...	4	5	1	1	...	
Galway	Ballinasloe	...	14	4	11	...	...	...	E. 6.
	Galway	...	1	15	4	2	1	1	
Kerry	Killarney	...	...	36	5	...	4	...	
	Listowel	...	...	6	5	...	...	...	
	Tralee	...	3	4	3	1	...	...	
Kildare	Athy	...	...	23	1	1	...	...	D. 1, E. 1.
	Naas	...	...	3	5	...	2	...	
Kilkenny	Kilkenny	...	...	3	2	...	...	...	
Longford	Granard	...	1	...	...	...	...	...	
	Longford	...	2	9	...	1	...	...	
Louth	Drogheda	...	1	85	2	...	...	...	E. 1.
	Dundalk	...	2	9	30	2	...	2	
Mayo	Ballina	...	...	42	2	...	11	...	
	Castlebar	...	19*	6	17	1	4	...	
Meath	An Uaimh	...	...	2	3	...	...	...	
	Ceannanus Mor	...	...	...	1	...	...	...	
	Trim	...	...	2	2	...	...	...	
Monaghan	Carrickmacross	...	...	3	4	...	...	1	B. 1, E. 2, K. 1.
	Castleblayney	...	...	9	2	...	...	...	
	Clones	...	...	8	12	...	...	...	
	Monaghan	...	4	11	57	...	4	...	
Offaly	Birr	...	...	1	...	...	...	...	
	Tullamore	...	...	31	5	...	...	...	
Sligo	Sligo	...	...	6	10	1	...	...	E. 1.
Tipperary N.R.	Nenagh	...	2	7	...	...	...	...	
	Templemore	...	1	...	...	...	...	...	
	Thurles	...	...	3	7	...	...	...	
Tipperary S.R.	Carrick-on-Suir	...	...	...	11	...	...	...	E. 2.
	Cashel	...	...	3	1	...	...	...	
	Clonmel	...	...	6	62	1	...	...	
	Tipperary	...	...	4	12	...	...	...	
Westmeath	Athlone	...	...	5	130	1	...	2	
Wexford	Enniscorthy	...	...	...	6	...	...	...	E. 1. E. 1. E. 4.
	New Ross	...	...	2	5	...	...	2	
	Wexford	...	...	5	17	...	5	...	
Wicklow	Bray	...	...	40	21	...	...	7	
	Wicklow	...	...	19	5	...	...	...	
Total		...	61	585	662	19	38	17	B. 1, D. 2, E. 33, K. 1, L. 1.

* One case of Paratyphoid B.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influenzal	
Carlow	Carlow ...	.	.	37	13	1	1	.	
	Carlow No. 2 ...	.	.	.	14	.	3	.	
	Idrone ...	.	.	1	.	.	.	.	
Cavan	Bailieborough ...	.	7	5	9	.	1	1	E. 1.
	Bawnboy ...	.	3	7	6	.	1	2	E. 1.
	Castlerahan ...	.	1	.	22	.	.	.	
	Cavan ...	.	.	19	99	.	1	.	E. 2.
	Mullaghoran ...	.	.	.	14	.	.	.	
Clare ...	Ennis ...	.	1	11	16	.	.	.	
	Ennistymon ...	.	.	7	.	.	.	.	
	Killadysert ...	.	2	10	5	.	.	.	
	Kilrush ...	.	1	37	9	.	.	.	
	Meelick ...	.	.	5	.	.	.	.	
	Scariff ...	.	.	9	6	.	.	.	
	Tulla ...	.	3	.	10	.	.	.	
Cork ...	Bandon ...	.	3	4	20	.	1	.	
	Bantry ...	.	15	1	6	.	.	.	A. 1.
	Castletown ...	1	2	.	.	1	2	5	
	Clonakilty ...	.	2	2	2	.	.	.	
	Cork ...	.	7	40	23	2	.	.	E. 6.
	Dunmanway ...	.	4	1	4	2	1	.	
	Fermoy ...	.	1	13	5	1	2	.	
	Kanturk ...	.	13	9	5	.	8	3	
	Kinsale ...	.	1	1	5	3	.	.	E. 1.
	Macroom ...	.	.	6	9	2	4	.	
	Mallow ...	.	.	8	7	3	.	.	E. 1.
	Middleton ...	.	1	4	29	3	.	.	
	Millstreet ...	.	.	4	1	1	.	.	
	Mitchelstown No. 1 ...	.	.	14	3	.	2	.	
	Rathluirc ...	.	.	2	4	.	5	.	E. 1.
Donegal	Skibbereen ...	.	.	3	7	3	1	.	E. 1, E. 1.
	Skull ...	.	.	.	1	.	.	.	E. 1.
	Youghal No. 1 ...	.	1	2	1	.	1	.	E. 1.
	Ballyshannon ...	.	.	1	.	.	.	.	
	Donegal ...	.	11	44	4	1	.	3	
	Dunfanaghy ...	.	1	1	19	.	.	.	
	Genties ...	.	9	2	17	.	1	.	
	Inishowen ...	.	2	11	40	.	3	3	
	Letterkenney ...	.	15	2	24	.	.	.	E. 6.
	Millford ...	.	1	5	40	.	1	.	E. 1.
Stranorlar ...	Stranorlar ...	.	3	5	42	.	.	.	
Dublin	Balrothery ...	.	4	31	25	.	15	6	D. 1.
	Cill Droichead No. 2 ...	.	.	7	18	.	1	.	D. 1.
	Dublin North ...	.	.	23	15	.	12	.	E. 8.
	Dublin South ...	.	.	20	13	1	3	.	E. 2.
	Rathdown No. 1 ...	.	.	34	49	.	2	1	E. 2.
Galway	Ballinasloe ...	.	.	4	5	1	.	.	E. 1.
	Clifden ...	.	6	5	4	.	.	.	
	Galway ...	.	1	16	4	.	.	.	E. 2.
	Glenamaddy ...	.	.	.	13	.	.	2	
	Gort ...	.	.	4	.	.	.	.	
	Loughrea ...	.	3	25	1	.	.	.	
	Mountbellew ...	.	1	8	7	.	.	.	
	Oughterard ...	.	3	11	1	.	2	.	
	Portumna ...	.	1	1	.	.	2	3	
Tuam	Tuam ...	.	1	16	19	2	.	.	E. 2.
Kerry	Cahiriveen ...	.	3	2	6	.	3	7	E. 3.
	Dingle ...	.	17	1	1	.	2	2	E. 2.
	Kenmare ...	.	.	.	1	.	.	.	
	Killarney ...	.	10	7	7	.	3	.	
	Listowel ...	.	6	67	10	1	2	1	E. 1.
Tralee	Tralee ...	.	4	18	20	2	1	.	A. 2, E. 2.
Kildare	Athy No. 1 ...	.	.	20	15	.	5	.	
	Cill Droichead No. 1 ...	.	1	11	12	2	.	.	
	Edenderry No. 2 ...	.	.	15	5	.	.	.	E. 1.
	Nas na Riogh No. 1 ...	.	1	24	20	2	1	.	E. 1.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influ-enzal	
Kilkenny	Callan ...	.	.	1	.	.	.	.	
	Carrick-on-Suir No. 3	.	1	.	1	.	.	.	
	Castletomer ...	.	3	4	1	.	.	.	
	Ida ...	.	.	.	4	.	.	.	
	Kilkenny ...	.	.	19	2	1	.	.	
	Thomastown ...	.	.	18	4	.	.	.	
	Waterford No. 2	.	.	1	4	2	.	.	A. 1.
Laoighis	Abbeyleix ...	.	1	4	7	1	.	.	E. 1.
	Athy No. 2	.	.	3	4	.	.	.	
	Mountmellick ...	.	.	66	37	1	.	1	
	Roscrea No. 3	.	.	.	3	.	.	.	
	Slievemargy ...	.	.	4	.	.	.	.	
Leitrim	Ballinamore ...	.	.	.	6	1	.	.	
	Carrick-on-Shannon No. 1	.	5	1	6	.	.	.	
	Kinlough ...	.	1	1	2	.	.	.	
	Manorhamilton ...	.	3	.	6	1	.	.	
	Mohill ...	.	2	6	.	.	.	.	
Limerick	Croom ...	.	1	8	11	.	3	.	
	Glin ...	.	.	.	.	2	1	1	
	Killmallock ...	.	1	14	25	.	.	2	B. 1.
	Limerick No. 1	.	1	14	21	1	6	.	E. 2.
	Mitchelstown No. 2	.	.	.	5	.	.	.	
	Newcastle ...	.	.	37	26	.	5	3	E. 7.
	Rathkeale ...	.	1	6	4	1	4	2	E. 2.
Longford	Tipperary No. 2	.	.	1	7	1	2	2	E. 3.
	Ballymahon ...	.	.	4	9	.	1	.	
	Granard No. 1	.	2	3	1	.	.	.	B. 1.
Louth	Longford ...	.	.	1	.	.	.	1	
	Ardee No. 1	.	.	19	3	.	.	.	E. 3.
	Dundalk ...	.	1	4	25	3	.	12	E. 3.
Mayo	Louth ...	.	.	10	.	.	.	.	
	Ballina ...	.	1	26	1	2	.	.	
	Ballinrobe ...	.	.	1	2	1	.	.	
	Belmullet ...	.	3	.	.	1	.	.	
	Castletbar ...	.	6	2	18	.	9	1	
	Claremorris ...	.	25*	5	5	3	1	.	E. 1.
	Swinford ...	.	8	11	16	.	4	6	E. 2.
	Westport ...	.	.	.	1	1	4	1	E. 1.
Meath	Navan ...	.	.	4	9	.	.	.	
	Ardee No. 2	.	.	.	.	1	.	.	
	Ceannanus Mor ...	.	.	.	5	1	.	.	
	Dunshaughlin ...	.	.	.	10	1	.	.	
	Meath ...	.	.	10	2	.	.	.	
	Oldcastle ...	.	.	8	.	.	.	.	
	Trim ...	.	.	5	6	.	.	.	E. 1.
Monaghan	Carrickmacross ...	.	3	4	9	.	1	1	E. 4.
	Castleblayney ...	.	2	1	7	2	.	.	E. 1.
	Clones No. 1	.	.	9	28	1	1	.	E. 2.
	Monaghan ...	.	.	14	60	1	4	.	E. 2.
Offaly	Birr ...	.	.	10	19	1	.	.	B. 1.
	Edenderry No. 1	.	.	5	17	.	.	.	
	Tullamore ...	.	.	12	6	.	.	.	
Roscommon	Athlone No. 2	.	1	19	19	4	1	3	E. 2.
	Boyle No. 1	.	7	16	9	1	1	.	D. 1, E. 1.
	Carrick-on-Shannon No. 2	.	.	.	.	.	.	.	
	Castlereagh ...	.	2	4	24	1	.	.	
	Roscommon ...	.	1	2	11	1	9	21	E. 6.
Sligo	Sligo ...	.	7	62	104	6	5	9	E. 5.
	Coolavin ...	.	.	5	4	.	.	.	
	Dromore West	.	.	5	10	.	.	.	
Sligo	Sligo ...	.	3	1	10	.	.	.	E. 1.

* One case of Paratyphoid B.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Infl-u-enzal	
Tipperary N.M.	Borrisokane ...	.	1	4	1	.	.	.	
	Nenagh ...	.	.	3	.	.	.	.	
	Roscrea No. 1 ...	.	4*	8	2	1	.	.	
	Thurles ...	.	3	3	1	.	.	.	
Tipperary S.M.	Carrick-on-Suir No. 1 ...	.	.	.	5	.	.	.	
	Cashel ...	.	1	3	2	.	.	.	
	Clogheen ...	.	.	2	.	.	.	.	
	Clonmel No. 1 ...	.	1*	2	5	.	.	1	E. 1.
	Slieveardagh ...	.	.	.	2	.	.	.	
	Tipperary No. 1 ...	.	.	9	3	.	.	.	E. 1.
Waterford	Carrick-on-Suir No. 2 ...	.	.	1	.	.	.	2	
	Clonmel No. 2 ...	.	.	2	4	2	.	.	
	Dungarvan ...	.	.	.	2	.	.	.	
	Kilmacthomas ...	.	.	7	4	.	.	.	E. 1.
	Lismore ...	1	2*	2	6	3	.	1	E. 1.
	Waterford No. 1 ...	.	.	9	5	.	.	1	M. 1.
Westmeath	Youghal No. 2 ...	1	.	1	.	.	.	.	
	Athlone No. 1 ...	.	2	41	13	.	2	.	
	Ballymore ...	.	.	1	8	.	.	.	
	Coole ...	.	3	3	.	.	1	3	E. 1.
	Delvin ...	.	.	6	.	.	.	.	E. 1.
	Mullingar ...	.	9†	68	8	3	7	7	E. 7.
Wexford	Enniscorthy ...	.	8†	12	23	2	1	.	
	Gorey ...	.	.	5	8	1	.	8	E. 1.
	New Ross ...	.	.	.	6	2	1	2	B. 1.
	Wexford ...	.	.	2	23	1	11	8	E. 8.
Wicklow	Baltinglass No. 1 ...	.	.	7	5	.	2	.	D. 1
	Rathdown No. 2 ...	.	.	2	2	.	.	.	
	Rathdrum ...	.	1*	5	19	.	.	.	
	Shillelagh ...	.	.	1	8	.	.	.	
	Total ...	3	298	1,403	1,616	93	180	138	A. 4, B. 6, D. 4, E. 121, M. 1.
TOTAL									
County Boroughs	...	.	61	1,103	1,004	36	154	7	A. 2, B. 19, E. 200, G. 1, K. 8.
Urban Districts	...	.	61	585	662	19	38	17	B. 1, D. 2, E. 33, K. 1, L. 1.
Rural Districts	...	3	298	1,403	1,616	93	180	138	A. 4, B. 6, D. 4, E. 121, M. 1.
TOTAL FOR ALL DISTRICTS	...	3	420	3,091	3,282§	148	372	162	A. 6, B. 26, D. 6, E. 354, G. 1, K. 9, L. 1, M. 1.

* Paratyphoid B. † One case of Paratyphoid B. ‡ Two cases of Paratyphoid B.

§ This figure includes 29 cases of mixed infection—scarlet fever and diphtheria.