

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

ÉIRE

AN ROINN RIALTAIS ÁITIÚIL AGUS SLÁINTE POIBLÍ
(Department of Local Government and Public Health.)

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA

ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
1944.


DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.
or through any bookseller.

1945

Price: Two Shillings and Ninepence.

(P. No. 7222.)



CONTENTS.

PART I.—TEXT.

REPORT:—

INTRODUCTORY REMARKS	...	...	...	...	...	...	Page vii
GENERAL SUMMARY	...	...	...	...	...	...	vii

POPULATION :

Estimated population, natural increase, passenger movement	...	...	ix
--	-----	-----	----

MARRIAGES :

Number and rate	...	...	...	...	...	...	ix
Rate in Northern Ireland, England and Wales, and Scotland	...	...					ix
Modes of celebration	...	...	...	...	...	...	x
Conjugal condition of persons married			...	...	...	...	xi
Rate for counties, etc.	...	...	...	...	...	...	xi
Marriage rate by quarters	...	...	...	...	...	...	xi
Marriage of Minors	...	...	...	...	...	...	xii
Re-marriages	...	...	...	...	...	...	xii
Licences for marriage	...	...	...	...	...	...	xii
Buildings registered for the solemnisation of marriage				...	...	..	xii

BIRTHS :

Number and rate	...	...	...	...	...	...	...	xiii
Rate in Northern Ireland, England and Wales, and Scotland						...	...	xiii
Rate for counties, etc.		...	...	...	...	...	...	xiii
Illegitimate births	...	...	...	...	...	...	...	xiii
Registration of births under Legitimacy Act (1931)					...	...	...	xiv
Proportion of male to female births			...	...	...	...	...	xiv
Births by quarters	...	...	...	...	...	...	...	xiv
Multiple births	...	...	...	...	...	...	...	xiv

REPORT—continued.

DEATHS :	Page
Number and rate	xv
Rate in Northern Ireland, England and Wales, and Scotland	xv
Rate for counties, etc.	xv
Deaths by quarters	xv
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi
 Causes of Death :	
General observations	xvi
Proportion from principal causes	xvii
Epidemic Diseases	xviii
Tuberculosis	xx
Influenza	xxv
Cancer	xxv
Heart disease	xxviii
Bronchitis	xxviii
Pneumonia	xxviii
Diarrhoea and Enteritis	xxviii
Childbirth	xxx
Violence	xxxii
Ages at death	xxxii
Infant mortality	xxxii
Rate for Northern Ireland, England and Wales, and Scotland	xxxii
Causes and ages, ...	xxxiii
Principal causes, ...	xxxv
Causes in urban districts	xxxvi

DIAGRAMS.

No. 1. Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	vi
No. 2. Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	xix
No. 3. Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	xxii
No. 4. Death rates from influenza in Éire, Northern Ireland, England and Wales, and Scotland	xxiv
No. 5. Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	xxix
No. 6. Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	xxxiv

PART II.—TABLES.

TABLE No. 1. Estimated population, 1801-1944	2
" 2. Ages of the population, by sexes, number and proportion per cent.	3-5
" 3. Number of marriages, births and deaths, and natural increase, 1864-1944	6
" 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1944	7
" 5. Marriages, births, and deaths, by quarters, 1934-1944	8
" 6. Deaths (numbers and rates) by causes, 1864-1910	9

CONTENTS

v

PART II.—TABLES—*continued.*

TABLE NO.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939 ...	10
7.	„ „ „ in Éire and Northern Ireland, 1942-1944 ...	11
8.	„ „ „ by sexes and ages, 1864-1944 ...	12-14
9.	Marriages, births and deaths, by counties and county boroughs ...	15
10.	Marriage, birth and death rates, by counties and county boroughs ...	16
11.	Births and deaths for principal towns and aggregate urban and rural areas ...	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas ...	18
13.	Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs ...	19
14.	Births and deaths for each urban area ...	20-23
15.	Birth rates and death rates for aggregate urban and rural areas, 1911-1944 ...	24

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered by counties ...	26-27
„ II.	Marriages registered by counties ...	28-29
„ III.	Births and deaths by sexes, and ages at death, by counties ...	30-32
„ IV.	Causes of death (intermediate and detailed international lists), by sexes and ages ...	34-51
„ V.	Causes of death (short list), by sexes, ages and places of occurrence for each county (as under):—	54-125


	Page		Page		Page
Éire	54	Dublin Co.	60	Meath	74
		Dublin City	62	Monaghan	124
Leinster	56	Galway	108	Offaly	76
Munster	84	Kerry	92	Roscommon	114
Connaught	106	Kildare	64	Sligo	116
Ulster (part of)	118	Kilkenny	66	Tipperary N.R.	98
		Leitrim	110	Tipperary S.R.	100
Carlow	58	Laoighis	68	Waterford Co.	102
Cavan	120	Limerick Co.	94	Waterford Co.	
Clare	86	Limerick Co. Boro	96	Boro	104
Cork Co.	88	Longford	70	Westmeath	78
Cork Co. Boro	90	Louth	72	Wexford	80
Donegal	122	Mayo	112	Wicklow	82

ABSTRACT VI.	Causes of death for fourteen principal towns ...	126-127
--------------	--	---------

APPENDIX I.	Number of searches at the General Register Office during the years 1864-1944, with the amount of fees received ...	129
APPENDIX II.	Cases of infectious diseases notified to Department of Local Government and Public Health ...	130-134

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1930 to 1944.

IRE	—————	ENGLAND & WALES	- - - - -
NORTHERN IRELAND	—————	SCOTLAND	● — ● — ● — ●



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1944.

AN DOCHTUIR CONN MAC A' BHÁIRD,

RÓNAÍ PÁIRLEIMINTE DO'N AIRE RIALTAIS ÁITIÚIL AGUS SLÁINTE POIBLÍ.

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarascáil ar Beireatasáí, Básanna agus Pósanna clárúighthe san mBliadain, 1944.

SÉAMUS HURSON,

Ard-Chláraitheoir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births for 1944 is exclusive of the number (5,766) of late registrations, viz.—births registered on the authority of the Registrar-General, and the deaths of 115 non-residents of Éire registered during 1944 have also been excluded from this Report.

GENERAL SUMMARY.

During the year 1944 the number of marriages recorded was 556 less than that for 1943; the number of births registered increased by 1,050 and the number of deaths increased by 1,634 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1944 numbered 16,772, compared with 17,328 for the previous year, and an annual average figure of 15,326 for the decennial period ended with 1943. The rates per 1,000 of the population for the years 1944 and 1943 were 5·70 and 5·88 respectively, while the annual average rate for the period 1934 to 1943 was 5·18.

In Northern Ireland the rate per 1,000 for 1944 was 7·24; in England and Wales it was 7·3; and in Scotland 7·15.

Births.—The births registered during the year 1944, amounted to 65,425, an increase of 1,050 when compared with the figure for the year 1943. The average annual number for the decennial period 1934 to 1943 was 58,763. The rate for 1944 was 22·22; for 1943 it was 21·85; and for the period 1934 to 1943 the average rate was 19·86.

The rate in Northern Ireland for 1944 was 23·52; in England and Wales it was 17·55; and in Scotland, 18·49.

The number of illegitimate births recorded was 2,567, equivalent to a rate of 3·92 per cent. of the total births, as compared with 3·80 for 1943. The corresponding percentage for 1944 in Northern Ireland was 5·62; in England and Wales 7·18; and in Scotland, 7·87.

Deaths.—During the year 1944 the number of deaths registered was 45,128, a figure which is 1,634 more than the number for 1943, and 3,041 more than the average annual number for the years 1934 to 1943. The rate per 1,000 of the population for the year 1944 was 15·33, compared with 14·76 for 1943 and 14·22 for the decennial period ended with the year 1943.

In Northern Ireland the death rate for 1944 was 12·78; in England and Wales it was 12·73, and in Scotland the rate was 13·57.

Of the deaths registered, 22·4 per cent. were stated to be due to heart disease, 9·3 to cancer, 8·5 to tuberculosis (all forms), 6·1 to intra-cranial lesions, 4·2 to pneumonia, and 3·5 to bronchitis.

There were 3,839 deaths from all forms of tuberculosis recorded during the year 1944. This figure is 467 less than that for 1943 and 132 more than the average number of deaths for the decennial period from 1934 to 1943. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1944 was 1·30; for 1943 the rate was 1·46, and for the decennial period 1934 to 1943 the rate was 1·25.

Deaths from cancer (all forms) numbered 4,176; this figure is 133 more than the figure for 1943 and 445 above the annual average number for the period from 1934 to 1943. The rate per 1,000 of the population for the year 1944 was 1·42, being 0·05 more than that for the preceding year.

During the year 1944 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 156. This figure is equivalent to a rate of 2·38 per 1,000 births, compared with an average of 3·68 in the preceding ten years. The corresponding rate for urban areas for 1944 was 1·89 per 1,000 births, and for rural areas, 2·67 as compared with 1·48 and 2·71 respectively, for the year 1943.

There were 5,198 deaths of infants under one year of age registered during the year. This figure is 121 less than for the year 1943, and is equivalent to a rate of 79 per 1,000 births, compared with a rate of 83 for the preceding year. The rates per 1,000 births for urban and rural areas were 105 and 65 respectively in 1944, and 110 and 67 in 1943.

The infant mortality rate in Northern Ireland was 67; in England and Wales it was 46, and in Scotland the rate was 65.

Among legitimate infants the rate of mortality was 72 per 1,000 births, and among illegitimate it was 273. The legitimate infant mortality rate for Northern Ireland was 64 and the illegitimate, 130; for England and Wales 44 and 71 and for Scotland 61 and 108, respectively.

The number of deaths registered as caused by violence was 901. Included in this figure are 77 due to suicide, 12 to homicide, and 812 to accidental or unspecified violent causes. During the previous year there were 78 suicidal, 18 homicidal and 865 other violent deaths. The number of accidental deaths registered during 1944 as attributable to road traffic was 134 compared with 133 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1944 authority was issued for the registration of 6,116 births and 186 deaths.

The actual number of births registered on the authority of the Registrar-General during the year was 5,766.

Vaccinations.—The number of successful primary vaccinations for the year 1944 recorded by the registrars was 27,367, equivalent to 41·8 per cent. of the total births registered. The number for 1943 was 28,114 or 43·7 per cent.

Searches and Certificates.—During the year 1944 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 32,777, the certificates issued numbered 18,918, and the amount of fees received was £4,639. In the year 1943 the corresponding figures were as follows:—searches, 32,061, certificates, 20,526, and fees £4,851.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1934 to 1944, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1944.

YEARS.	Estimated Population.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1934	2,971,000	14,251	57,897	39,083	4·80	19·49	13·15
1935	2,971,000	14,336	58,260	41,543	4·83	19·61	13·98
1936	2,967,000	14,763	58,115	42,586	4·98	19·59	14·35
1937	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
1941	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63
1942	2,963,000	17,470	66,117	41,640	5·90	22·31	14·05
1943	2,946,000	17,328	64,373	43,494	5·88	21·85	14·76
Yearly Average, 1934—1943 ...	2,959,000	15,326	58,763	42,087	5·18	19·86	14·22
1944	2,944,000	16,772	55,425	45,123	5·70	22·22	15·33
NORTHERN IRELAND, 1944.							
1944	1,314,000	9,508	30,909	16,791	7·24	23·52	12·78

POPULATION.

It is estimated that the population of Eire at the middle of the year 1944 was 2,944,000. The number of males was estimated to be 1,487,000, and the number of females 1,457,000. These figures are based on the result of the Register of Population, taken in 1943, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year, was 2,968,420—males 1,520,454, and females 1,447,966; according to the Register of Population taken in November 1941, it was 2,992,034—of which 1,512,727 were males and 1,479,307 females, and according to the Register of Population taken in December, 1943, it was 2,949,713—males, 1,489,585 and females, 1,460,128.

In Table I, the estimated population for each of the years 1851 to 1944 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1870, during each intercensal period between 1871 and 1926, and for each of the years 1927-1944, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1944.

Period	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (Including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-70	39,603	9.6	—	—
1871-81	31,865	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
Year 1927	16,377	5.5	-25,816	- 8.7
" 1928	17,384	5.9	-25,072	- 8.5
" 1929	15,289	5.2	-21,863	- 7.4
" 1930	16,651	5.7	-13,722	- 4.7
" 1931	14,139	4.8	+ 658	+ 0.2
" 1932	13,266	4.5	+ 6,515	+ 2.2
" 1933	16,826	5.7	- 2,613	- 0.9
" 1934	18,814	6.3	-11,002	- 3.7
" 1935	16,723	5.6	-14,345	- 4.8
" 1936	15,529	5.2	-21,539	- 7.3
" 1937	11,402	3.9	-23,936	- 8.8
" 1938	16,884	5.7	-17,555	- 6.0
" 1939	14,353	4.9	+13,965	+ 4.8
" 1940	14,709	5.0	+17,168	+ 5.8
" 1941	12,983	4.3	-23,395	- 7.8
" 1942	24,477	8.3	-53,335	-18.0
" 1943	20,881	7.1	-37,396	-12.7
" 1944	20,297	6.9	+ 6,562	+ 2.2

MARRIAGES.

Number and Rate.—There were 16,772 marriages registered during the year 1944. This figure is 556 less than that for the year 1943.

During each of the years from 1934 to 1944 there has been an increase annually (with the exception of 1941, 1943 and 1944) in the number of marriages recorded, the number rising from 14,251 in 1934 to 15,204 in 1939, and to 15,212 in 1940. The number fell to 15,021 in 1941, rose to 17,470 in 1942 and fell to 17,328 in 1943.

The following table shows the marriage-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1935 to 1944 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1935 ...	4.8	7.0	8.6	7.7
1936 ...	5.0	7.2	8.7	7.6
1937 ...	5.0	6.7	8.7	7.7
1938 ...	5.1	6.7	8.8	7.8
1939 ...	5.2	7.1	10.6	9.2
1940 ...	5.1	7.6	11.3	10.7
1941 ...	5.0	9.3	9.4	9.5
1942 ...	5.9	9.0	8.9	9.5
1943 ...	5.9	7.8	7.2	7.6
1944 ...	5.7	7.2	7.3	7.2

MARRIAGES—continued.

The annual rate per 1,000 of the population for the year 1944 was 5.70 compared with 4.59 in 1878. The rate for 1934 was 4.80 per 1,000 rising to 5.01 in 1937, to 5.07 in 1938, and to 5.18 in 1939. In 1941, 1942 and 1943 the rates were respectively 5.02, 5.90 and 5.88 per 1,000. The figures and rates for each of the years 1934 to 1944 are shown in Table C below, and average figures since 1864 in Tables 3 and 4 of Part II of this report.

In Abstract II, Part III, the number of marriages recorded for each county is shown together with information regarding the modes of celebration, the number for each quarter, the conjugal condition of the parties married, and the number of persons married who were not of full age at the time of marriage.

Modes of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1944 amounted to 15,882 (equal to 94.7 per cent. of the total), and other marriages numbered 890. The number of Catholic marriages is 504 less than that for 1943, and the number of all other marriages is 52 less than the figure for the preceding year. In the year 1944 the number of marriages other than Catholic recorded include 645 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 128 in Presbyterian meeting-houses; 49 in registered buildings belonging to various other religious denominations; 63 by civil contract in the registrars' offices; 2 according to the usages of the Society of Friends, and 3 according to Jewish rites. Comparing these figures with those for 1943 the number according to the rites and ceremonies of the Protestant Episcopal Church shows a decrease of 32; in Presbyterian meeting-houses a decrease of 24; in registered buildings the number was the same; in the registrars' offices an increase of 11; and a decrease of 6 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1944 is equal to a rate of 5.78 per 1,000 of the estimated Catholic population, a rate which is 0.56 above the average rate for the preceding ten years, and the rate for all other marriages was 4.58 per 1,000 of all persons other than Catholics in the population, or 0.10 below the average. Corresponding rates for each year from 1934 to 1943 are shown in Table C below. It must be borne in mind that the rates for the years 1934 and 1935 have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1944 on the proportion according to the Census of 1936.

TABLE C.—MARRIAGES registered in 1944 and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4.88	3.73	4.80
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4.89	4.01	4.83
1936 ...	660	134	59	64	4	8	929	13,834	14,763	4.99	4.74	4.98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5.01	5.00	5.01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5.09	4.77	5.07
1939 ...	660	132	59	52	4	15	922	14,282	15,304	5.21	4.76	5.18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5.16	4.92	5.14
1941 ...	668	160	66	56	2	9	960	14,061	15,021	5.03	4.86	5.02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88
Yearly Average 1934-44	666	139	58	57	3	9	932	14,394	15,326	5.22	4.68	5.18
1944 ...	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70

MARRIAGES—continued.

Conjugal Condition.—The figures show that marriages between bachelors and spinsters constitute 94·9 per cent. of the total marriages; those of widowers and spinsters, 3·4 per cent.; bachelors and widows, 1·1 per cent.; and those of widowers and widows, 0·6 per cent. Of the men married, 4·0 per cent. were widowers, and of the women, 1·8 per cent. were widows, or in 58 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1943 were:—widowers, 3·9 per cent., and widows 1·7 per cent. In Table E similar figures from the year 1934 are shown.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1944, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1944		Annual Average 1925-7	Annual Average 1935-7	Year 1944
ÉIRE	4·58	4·94	5·70	Kerry	4·18	3·93	5·02
Carlow	4·30	4·96	4·93	Limerick	3·61	3·67	4·37
Dublin	5·43	6·66	6·21	Limerick Co. Borough	9·36	8·50	9·84
City of Dublin	7·57	7·44	7·67	Tipperary N.R.	4·53	4·55	5·18
Kildare	3·91	4·68	4·54	Tipperary S.R.	3·80	4·00	5·42
Kilkenny	3·92	4·26	5·23	Waterford	4·11	4·35	4·94
Laoighis	3·35	3·23	3·94	Waterford Co. Borough	4·89	5·26	6·36
Longford	4·39	3·75	4·85	Munster	4·41	4·49	5·53
Louth	3·99	5·18	6·22	Galway	3·65	4·04	4·67
Meath	3·48	5·15	4·50	Leitrim	4·37	3·99	4·72
Offaly	4·28	4·40	5·92	Mayo	3·78	3·48	4·71
Westmeath	4·01	3·98	6·02	Roscommon	3·97	3·79	3·74
Wexford	4·36	4·70	5·66	Sligo	4·34	4·26	5·46
Wicklow	3·97	4·63	5·47	Connaught	3·90	3·85	4·65
Leinster	5·22	5·84	6·37	Cavan	4·27	4·21	4·58
Clare	3·55	3·67	5·05	Donegal	3·68	4·68	5·04
Cork	3·53	3·61	4·49	Monaghan	3·94	4·03	5·21
Cork Co. Borough	8·21	8·67	10·37	Ulster (part of)	3·90	4·41	4·95

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Cork county borough the rate was 10·37 per 1,000; in Limerick 9·84; in Dublin 7·67; and in Waterford 6·36. The highest rates for the remaining areas were Louth 6·22; Dublin (exclusive of the county borough) 6·21; Westmeath 6·02; Offaly 5·92; and Wexford 5·66. The lowest rates were recorded in Roscommon 3·74; Laoighis 3·94; Limerick (exclusive of the county borough) 4·37; Cork county 4·49; and Meath 4·50.

In the provinces the highest rate was 6·37 for Leinster, followed by 5·53 for Munster, 4·95 for Ulster (part of), and 4·65 for Connaught. The corresponding rates for 1943 were 6·55 for Leinster; 5·46 for Munster; 5·06 for Ulster (part of); and 4·92 for Connaught. The rate for Leinster for 1944 is 0·53 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 1·04 more than the average, in Connaught the increase was 0·80 and in Ulster (part of) it was 0·54 per 1,000 of the population.

Marriages in each Quarter. The number of marriages is shown in Table 5 by quarters for each of the years 1934-1944, and also the average number and rate for the ten years 1934 to 1943, and the rate for the year 1944. In the first quarter of 1944 the rate per 1,000 of the population was 5·7, in the second 5·5, in the third 6·2, and in the fourth 5·3. The corresponding rates for the year 1943 were 6·2 for the first quarter, 5·4 for the second, 7·0 for the third, and 4·9 for the fourth quarter; and the average rates for the decennial period from 1934 to 1943 were 5·0, 5·0, 6·0 and 4·7 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1944 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1934 to 1943.

In the case of Catholic marriages, 26 per cent. were recorded in the first quarter of 1944, 24 per cent. in the second, 27 per cent. in the third, and 26 per cent. in the last quarter. For other marriages the percentages were 21, 24, 35 and 20 in the corresponding quarters of the year.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1934 to 1944.

YEAR	Total Marriages	Persons not of Full Age		Re-marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1934	14,251	1.82	7.82	5.90	2.61
1935	14,336	1.43	7.64	4.95	2.43
1936	14,763	1.35	7.00	5.05	2.30
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,312	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90
1942	17,470	1.99	8.51	4.12	1.65
1943	17,328	1.56	7.48	3.85	1.72
1944	16,772	2.07	8.49	3.98	1.78

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “of full age” or “minor” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1944 who were stated to have married under age was 2.8 per cent.; in Munster 1.8; in Connaught 0.9, and in Ulster (part of) 1.0 per cent. In the case of females married the proportion who were minors in Leinster was 10.0, in Munster 7.8, in Connaught 5.2 per cent. and in Ulster (part of) 8.2. The corresponding percentages for the country as a whole were 2.1 for husbands and 8.5 for wives.

The proportion per cent. of males married in Northern Ireland in 1944 who were under age was 4.6 and of females 18.3.

Licences for Marriage.—During the year 1944 the number of licences issued by the registrars for marriages in registered buildings and in registrars' offices was 116. On 31st December, 1944, the number of such registrars of marriages authorised to grant licences for marriage was 73.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 561. The number of licensing officers on the 31st December, 1944, was 146.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1944 was 107. The number of licensing ministers on the 31st December, 1944 was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require the Registrar General to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,041 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1944, licensed for the solemnisation of marriages, 145 Presbyterian meeting houses (140 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 160 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 160 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists ...	127	Salvation Army ...	2
Reformed Presbyterians ...	2	Seceders ...	2
Baptists ...	7	“ Undenominational ” ...	6
Independents or Congregationalists ...	4		
Christian Brethren ...	9		
Moravians or United Brethren ...	1		
		TOTAL ...	160

BIRTHS.

The births for the year 1944 numbered 65,425, a figure which is 1,050 more than that for the year 1943, and 6,662 more than the number recorded during the decennial period from 1934 to 1943. The numbers recorded for each of the years 1939 to 1943 were 56,070, 56,594, 56,780, 66,117, and 64,375, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1944 was 22.22 and in 1943 it was 21.85 per 1,000. In the years 1939, 1940, 1941 and 1942 the rates were 19.11, 19.13, 18.97 and 22.31 respectively.

In Tables 3 and 4 the number of births is shown and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, for each decennial period from 1871 to 1940, and for each year since 1934. In the period from 1864 to 1870 the rate was 25.79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26.31, falling gradually to 19.34 for the decennial period 1931 to 1940. During the period 1934 to 1943 the highest rate recorded was 22.31 for 1942 and the lowest 18.97 for the year 1941.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1935 to 1944 :—

Years	Eire	Northern Ireland	England and Wales	Scotland
1935 ...	19.6	19.2	14.7	17.8
1936 ...	19.6	20.2	14.8	17.9
1937 ...	19.2	19.8	14.9	17.6
1938 ...	19.4	20.0	15.1	17.7
1939 ...	19.1	19.5	14.9	17.4
1940 ...	19.1	19.6	14.6	17.1
1941 ...	19.0	20.8	14.2	17.9
1942 ...	22.3	22.8	15.8	18.1
1943 ...	21.9	24.2	16.5	18.9
1944 ...	22.2	23.5	17.6	18.5

Rates for Counties, etc.—In Abstract I, Part III, the number of births for each province, county and county borough for the year 1944 is given. The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 23.9, for Munster 21.3, for Connaught 20.0, and for Ulster (part of) 21.2, as compared with 23.6, 20.5, 19.0 and 20.0, respectively, for 1943. Comparing the rates for the years 1943 and 1944, it will be seen that the rate for Leinster has increased by 0.3, for Munster by 0.8, and for Connaught and Ulster by 1.0 and 1.2 respectively.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 24.4, Cork 24.7, Limerick 26.6, and Waterford 25.7 per 1,000. The highest rates in the counties were Kildare 27.3, Carlow 25.9, Wexford 24.7, Louth 24.5, Meath 24.3. On the other hand, the lowest rates recorded were Roscommon 17.0, Sligo 17.8, Cork 18.9, Leitrim 18.9, Dublin 19.5, and Waterford 19.5.

The birth-rates for the total urban areas were 24.1 and 23.9, respectively, in the years 1944 and 1943, an increase of 0.2 per 1,000, while the corresponding rural rates were 21.2 and 20.3, respectively, an increase of 0.9 per 1,000. In Table 15 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1944 include 2,587 of illegitimate children, a figure which is 119 more than that for 1943. The number for 1944 is equivalent to a rate of 0.9 per 1,000 of the population, and a rate of 3.9 per cent. of the total births recorded. The respective rates for the previous year were 0.8 per 1,000 and 3.8 per cent.

In Northern Ireland for 1944 the rate per cent. of the total births was 5.62, for England and Wales it was 7.18, and for Scotland 7.87.

The percentages are shown in the following statement for the years 1937 to 1944 for each of the provinces :—

AREA	Illegitimate births—per cent. of total births.							
	1937.	1938.	1939.	1940.	1941.	1942.	1943.	1944.
Eire	3.21	3.30	3.18	3.22	3.48	3.66	3.80	3.92
Leinster ...	3.60	3.44	3.39	3.40	3.62	3.77	4.00	4.15
Munster ...	3.17	3.41	3.18	3.44	3.59	3.80	4.16	4.01
Connaught ...	1.86	2.16	1.93	1.93	2.32	2.53	2.29	2.44
Ulster (part of) ...	3.79	4.34	4.32	3.90	4.43	4.59	4.19	5.04

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births for the year 1944 and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentage of the total births registered were in the following counties: Waterford (excluding the county borough) 7·8, Kilkenny 6·3, Carlow 6·3, Laoighis 6·2, Wicklow 6·1, Wexford 5·8, Limerick 5·8, Westmeath 5·4, Donegal 5·4 and Longford 5·0. The counties with the lowest ratios were Roscommon 1·4, Limerick county borough 2·2, Mayo 2·2, and Cork county borough and Galway each 2·7 per cent.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 119 cases during the year 1944. This figure is 33 more than the corresponding figure for the year 1943.

Proportion of Males to Females.—The number of male births registered in 1944 was 33,637 and of female births 31,788: The proportion between the sexes was 1,058 males to 1,000 females, a ratio which is 4 above the average for 1934 to 1943. In Northern Ireland for the year 1944 the proportion of males born alive to 1,000 females was 1,052, in England and Wales it was 1,062, and in Scotland, 1,069.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1934, and also the average rates since the year 1864.

The male children born in wedlock in 1944 numbered 32,336, and the female 30,522, or 1,059 males to every 1,000 females, and of the illegitimate children 1,301 were males and 1,266 females, or 1,028 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes during each quarter of 1944 is shown in the following table:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	8,789	8,990	8,199	7,659	33,637
Females ...	8,277	8,673	7,550	7,288	31,788
TOTAL ...	17,066	17,663	15,749	14,947	65,425

In Table 5 the number of births registered in each quarter of the years 1934 to 1944 is given, together with the rates for the year 1944, and the average rates for the previous decennial period. The rates for each of the quarters were 23·2, 24·0, 21·4 and 20·3 per 1,000, showing increases of respectively 3·8, 3·1, 0·8 and 1·7 when compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1944 was 1,771, consisting of 875 pairs of twins, and 7 sets of triplets, as compared with 1,680 (828 pairs of twins and 8 sets of triplets) for the previous year. The twin children whose births were recorded during 1944 were 2·7 per cent. of the total number of infants whose births were registered. In 1943 the corresponding percentage was 2·6.

The number of mothers of living children whose births were recorded during the year was 64,536. Of these, 63,654, or 98·6 per cent., gave birth to single infants, and 882 or 1·4 per cent. to two or more infants at a birth.

The infants born in wedlock (62,858) included 61,153 single infants, 1,684 twins and 21 triplets, equivalent to, respectively, the ratios of 97·29 per cent., 2·68 per cent., 0·03 per cent. of the total number of legitimate births.

Illegitimate infants included 2,501 single infants, and 66 twin infants, equivalent, respectively, to 97·43 per cent. and 2·57 per cent., of the 2,567 illegitimate infants registered. In the year 1943 the illegitimate infants recorded included 2,395 single infants, and 50 twin infants and 3 triplets.

In the year 1944 the infants born alive in multiple births comprised 875 males and 896 females. Of the twin infants, 867 were males and 883 females and the triplet infants included 8 males and 13 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1944 was 45,128, the males numbering 23,477 and the females 21,651. The total is 1,634 more than the number for 1943, and is 3,041 more than the average for the decennial period 1934 to 1943. In the year 1944 the deaths of males were 814 more, and the deaths of females 820 more than in the previous year.

The deaths registered in 1944 represent a rate of 15·33 per 1,000 of the population, compared with 14·76 for 1943, and an average of 14·22 for the ten years 1934 to 1943. The rate for males during each of the past three years was 14·59, 15·21, and 15·79, the corresponding ratio for females being 13·51, 14·31 and 14·86 respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1935 to 1944 are as follows :—

Years	Eire	Northern Ireland	England and Wales	Scotland
1935 ...	14·0	14·4	11·7	13·2
1936 ...	14·4	14·4	12·1	13·4
1937 ...	15·3	15·1	12·4	13·9
1938 ...	13·6	13·7	11·6	12·6
1939 ...	14·2	13·5	12·1	12·9
1940 ...	14·2	14·6	14·0	14·9
1941 ...	14·6	15·2	12·9	14·5
1942 ...	14·1	13·3	11·6	13·0
1943 ...	14·8	13·4	12·1	13·3
1944 ...	15·3	12·8	12·7	13·6

Rates for Counties, etc.—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. The rates for the county boroughs were as follows :—Dublin 14·0, Cork 18·2, Limerick 17·5, and Waterford 15·6. The counties with the highest rates were Leitrim 17·8, Cavan 17·7, Waterford (exclusive of the county borough) 17·1, Sligo 16·9, Wexford 16·7, Wicklow 16·5, Kilkenny 16·4, and Roscommon 16·0. The lowest rates were recorded for Dublin (exclusive of the county borough) 13·2, Kildare and Kerry each 13·9, Galway 14·2, Meath 14·4, Tipperary N.R. 14·6, and Mayo 14·7.

The rate for the province of Leinster was 14·8 per 1,000, for Munster 15·7, for Connaught 15·3 and for Ulster (part of) 16·2, compared with 14·4, 14·6, 14·3, and 15·1 for the preceding year.

During the year 1944 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·7 and 15·6 per 1,000 compared with 14·6 and 14·5 for the preceding year. The figure for the urban areas in 1944 is 0·1 more, and that for the rural areas 1·1 more than the respective rates for the year 1943. A comparative statement of the rates for these areas for a series of years is given in Table 15.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1944 :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	7,691	5,727	4,567	5,492	23,477
Females ...	7,123	5,347	4,218	4,963	21,651
TOTAL ...	14,814	11,074	8,785	10,455	45,128

DEATHS—continued.

Of the total deaths, 25,888, or 57·4 per cent., were registered during the first six months and 19,240, or 42·6 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 54·3 and 45·7.

During the year 1944 the mortality was highest in the first quarter, in which the rate was 20·1 per 1,000 of the population. In the second quarter the rate was 15·0, in the third 11·9, and in the last quarter it was 14·2. In the preceding year the rates for the quarters were as follows:—first 17·1, second 14·9, third 12·2, and fourth 14·9.

The rates for each quarter of 1944 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1944 and the average figure shows that in the first quarter there was an increase of 2·7 per 1,000; the rate for the second quarter shows an increase of 0·6; the third an increase of 0·3, and in the fourth quarter there was an increase of 0·8 per 1,000, compared with the average for the previous ten years.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,834, in mental hospitals, 1,058, in county homes and hospitals, etc., 8,427; and 29,809 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 12·9, 2·3, 18·7 and 66·1 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1933 the percentages of deaths in the three classes of institutions were 9·9, 2·6 and 16·7, respectively, 70·8 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 6,282. This figure is equivalent to a rate of 13·9 per cent. of the total deaths registered during the year. The proportion for the previous year was 14·2 and the average percentage for the ten years from 1934 to 1943 was 16·3.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1944 being 19·6. In the urban areas the percentage was only 2·0.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1944 was 1,247, or one in every 36 deaths registered. The number of such deaths for the year 1944 include 808 cases in which inquests were held, and 439 cases in which the death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1944, classified in accordance with the list adopted at the International Conference held at Paris in 1938 are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of the deaths for each of the principal towns are shown.

The proportion of deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 224 in every 1,000 deaths; the next in order are senility 147, cancer 93, tuberculosis (all forms) 85, intra-cranial lesions of vascular origin (cerebral haemorrhage, etc.) 61, pneumonia 42, and bronchitis 35 in every 1,000 deaths. These causes account for 66 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 471 in every 1,000 deaths compared with 458 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (199 in every 1,000), pneumonia (108), whooping cough (28 in every 1,000 deaths) and bronchitis (27 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 203 in every 1,000 deaths, tuberculosis (other than that of the respiratory system) in 114 instances, diphtheria in 82, whooping cough in 72, diarrhoea and enteritis in 69, measles in 55 and bronchitis in 37 instances. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (270 in every 1,000), diphtheria 111, and pneumonia (66 in every 1,000). The cause of the majority of the deaths of persons

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1944.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 & up
	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	1	12	8	3	2	1	.	.
2	Cerebro-spinal meningitis	1	1	4	12	3	2	.	.	.	.	.
3	Scarlet fever	.	.	4	3	1	.	.	.	.	.	.
4	Whooping cough . . .	5	28	72	7	1	.	.	.	.	.	.
5	Diphtheria	6	9	82	111	6	6	6	2	1	.	.
6	Tuberculosis of respiratory system.	65	3	18	90	454	436	286	142	48	12	2
7	All other forms of tuber- culosis.	20	9	114	180	142	82	45	13	6	3	1
8	Dysentery	.	.	.	.	.	.	.	.	.	.	.
9	Influenza	18	11	19	15	10	11	16	11	18	23	20
10	Measles	3	9	55	28	1	1	.	.	.	.	.
11	Acute infectious encephalitis	.	.	1	3	1	1	1	1	.	.	.
12	Typhus	.	.	.	.	.	.	.	.	.	.	.
13	Cancer	93	.	5	10	10	31	116	177	200	134	57
14	Diabetes mellitus . . .	6	.	1	10	9	8	9	10	10	6	3
15	Intra-cranial lesions of vascular origin.	61	.	2	5	7	12	27	75	89	103	65
16	Diseases of the heart .	224	.	4	53	50	84	140	212	304	347	262
17	Other diseases of the cir- culatory system.	18	1	1	.	3	6	8	17	23	27	23
18	Bronchitis	55	27	37	16	7	10	17	32	57	45	40
19	Pneumonia	42	108	293	66	21	28	30	36	31	34	19
20	Other diseases of the res- piratory system.	15	7	19	16	14	18	20	25	22	14	10
21	Ulcer of the stomach or duodenum.	6	.	.	1	6	8	14	19	12	7	1
22	Diarrhoea and enteritis .	28	199	69	15	1	5	5	4	3	3	2
23	Appendicitis	3	.	6	35	15	11	5	3	4	1	.
24	Cirrhosis of the liver .	1	.	.	1	1	1	2	3	3	2	.
25	Diseases of liver and biliary passages.	3	.	.	3	1	5	4	5	4	4	1
26	Other diseases of the digestive system.	13	18	15	25	11	14	19	18	15	14	7
27	Nephritis	25	1	7	16	28	59	35	47	41	34	16
28	Puerperal infection . .	1	.	.	.	3	9	7	.	.	.	.
29	Other diseases of childbirth	3	.	.	.	19	51	26	2	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	56	471	32	16	5	1	.	1	.	.	.
31	Senility	147	.	.	.	.	.	.	.	.	96	450
32	Suicide	2	.	.	.	3	3	6	6	4	1	.
33	Other violence	18	8	47	63	52	32	33	24	18	13	12
34	Other causes	81	90	178	199	112	106	129	113	106	77	31

CAUSES OF DEATH—continued.

aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are heart disease, cancer and intra-cranial lesions.

A comparative statement of the deaths from the principal causes recorded for each of the years 1942, 1943 and 1944 is given below, and in Table 7 the rates per 100,000 of the population are published.

CAUSES	NUMBER OF DEATHS REGISTERED			CAUSES	NUMBER OF DEATHS REGISTERED		
	YEARS				YEARS		
	1942	1943	1944		1942	1943	1944
Typhoid Fever ...	58	52	58	Heart Disease ...	8,550	9,264	10,111
Cerebro-Spinal Men- ingitis ...	40	39	37	Bronchitis ...	1,475	1,444	1,591
Scarlet Fever ...	35	34	10	Pneumonia ...	1,707	1,874	1,916
Whooping Cough ...	228	310	242	Diarrhoea and Enter- itis (under 2 years) ...	1,000	1,233	1,088
Diphtheria ...	267	310	293	Nephritis ...	1,063	1,115	1,144
Tuberculous Disease ...	4,347	4,306	3,839	Puerperal Infection ...	43	36	32
Dysentery ...	3	3	3	Other Puerperal Causes ...	120	109	121
Influenza ...	388	461	812	Congenital Debility, Malformation, Premature Birth, etc. ...	2,214	2,501	2,514
Measles ...	79	32	144	Senility ...	5,774	6,097	6,621
Acute Infectious Encephalitis ...	22	16	11	Violence ...	999	961	901
Typhus ...	5	4	1				
Cancer ...	4,055	4,043	4,176				
Intra-Cranial Lesions of vascular origin	2,617	2,652	2,770				

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0·6, compared with 0·7 for the year 1943. The rates for the county boroughs are as follows:—Dublin 1·3, Cork 1·3, Limerick 1·4, and Waterford 0·9 per 1,000. The highest county rates are:—Dublin 0·9, Kildare, Wicklow and Limerick each 0·7, and Louth and Monaghan each 0·6. The counties in which the rates were lowest are:—Leitrim, Mayo and Roscommon each 0·2 and Longford, Meath, Westmeath, Kerry, Waterford and Sligo each 0·3.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 1·0 per 1,000 of the population, compared with 0·4 for the rural districts. The corresponding rates for 1943 were 1·1 and 0·4, respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 58, including 25 of males and 33 of females. The corresponding figure for 1943 was 52, including 30 of males and 22 of females. The average number for the decennial period from 1934 to 1943 was 56. During 1944 there were 15 deaths for urban areas and 43 for rural areas. There were 8 deaths for Dublin county borough and 6 each for Limerick and Galway counties.

Scarlet Fever.—There were 10 deaths from this disease registered during the year 1944 compared with 34 in the previous year. The average figure for the ten years 1934 to 1943 was 73. The figure for 1944 includes 6 of children under five years, and 2 of children aged 5 and under 10 years.

Whooping Cough.—The number of deaths recorded under this heading was 242, compared with 310 for the year 1943, and an average figure of 212 for the decennial period ended with the latter year. The total for 1944 includes 105 of males and 137 of females, compared with 142 and 168 respectively, in the previous year.

The figure for 1944 includes 143 of infants under one year of age and 54 of children aged between one and two years. In 1943 the corresponding figures were 185 and 70.


There were 37 deaths recorded for Dublin county borough, 28 for Cork county borough, 21 each for Cork and Donegal counties, and 19 for Galway county.

Diphtheria.—The number of deaths was 293, compared with a figure of 310 for 1943, and an average of 284 for the years 1934 to 1943. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1942 were 341, 378, 345, 293, 314, 245, 178, 165 and 267.

The figure for 1944 includes 152 males and 141 females, the corresponding figures for the previous year being 154 and 156 respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1930 to 1944.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1944 were 105 of children aged between one and five years, 82 between the ages of five and ten years, and 14 of children aged 10 and under 15 years.

The death rate per 100,000 of the population was 10·0 compared with 10·5 for the previous year. In the urban areas as a whole the rate for 1944 was 13·0 compared with 14·3 in the previous year, and in the rural areas the rate for each of these years was 8·4 per 100,000 of the population.

For Leinster the rates for 1944 and 1943 were 12·1 each, for Munster 7·7 and 11·4, for Connaught 7·2 and 5·1, and for Ulster (part of) 12·8 and 8·7 per 100,000.

The following table shows the death rate per 100,000 of the population for Eire and the urban and rural areas for each of the years 1935 to 1944 :—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1935 ...	12·7	18·3	22·5	18·1	10·2
1936 ...	11·6	19·1	11·2	17·2	9·0
1937 ...	9·9	16·3	7·3	14·4	7·7
1938 ...	10·7	17·8	8·8	15·9	8·1
1939 ...	8·3	14·1	11·7	13·6	5·7
1940 ...	6·0	9·9	6·4	9·1	4·5
1941 ...	5·5	9·0	4·9	8·4	4·2
1942 ...	9·0	13·8	5·4	12·3	7·4
1943 ...	10·5	15·7	8·8	14·3	8·4
1944 ...	10·0	13·2	12·0	13·0	8·4

The counties and county boroughs in which the highest death rates from this disease were recorded in 1944 are as follows: Dublin county 16·1, Monaghan county 15·5, Wexford and Wicklow counties each 15·4, and Dublin county borough and Laoighis county each 14·2. There was no death recorded for Leitrim county, and the lowest rates for the remaining counties were:—Kilkenny 1·5, Carlow 2·1, Louth 3·1, Mayo 3·3 and Tipperary S.R. 3·8 per 100,000.

Tuberculosis.—The number of deaths registered during 1944 from all forms of tuberculosis was 3,839—1,998 of males and 1,841 of females. When compared with the number recorded in 1943 the total shows a decrease of 467—a decrease in the case of males of 205, and a decrease in the case of females of 262. The figure for 1944 is 142 above the average for the decennial period from 1934 to 1943—an increase in male deaths of 89 and of 53 in the case of female deaths.

The deaths recorded during 1944 are equivalent to a rate of 1·30 per 1,000 of the estimated population. For 1943 the rate was 1·46 per 1,000, and during the ten years from 1934 to 1943, the average rate was 1·25 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1935 to 1944 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1935 ...	1·27	1·05	0·72	0·74
1936 ...	1·17	1·02	0·69	0·74
1937 ...	1·23	0·98	0·70	0·74
1938 ...	1·09	0·92	0·64	0·69
1939 ...	1·13	0·84	0·63	0·70
1940 ...	1·25	0·98	0·70	0·82
1941 ...	1·24	1·04	0·73	0·83
1942 ...	1·47	0·97	0·66	0·80
1943 ...	1·46	0·91	0·67	0·79
1944 ...	1·30	0·89	0·63	0·82

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1.47 per 1,000 in 1942 and the lowest 1.09 in 1938. For males the highest rate (1.53) was in 1942 and the lowest 1.10 in 1938. In the case of females the rate was highest in 1943, viz., 1.44, and lowest in 1938—1.09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1934–1944.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.
1934 ...	1,785	1.18	1,729	1.19	3,514	1.18	+ 4	+ 0.1
1935 ...	1,983	1.30	1,787	1.23	3,770	1.27	+ 256	+ 7.3
1936 ...	1,791	1.18	1,689	1.17	3,480	1.17	— 290	— 7.7
1937 ...	1,871	1.24	1,768	1.23	3,639	1.23	+ 159	+ 4.6
1938 ...	1,651	1.10	1,565	1.09	3,216	1.09	— 423	—11.6
1939 ...	1,707	1.14	1,597	1.12	3,304	1.13	+ 88	+ 2.7
1940 ...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+11.5
1941 ...	1,855	1.21	1,856	1.27	3,711	1.24	+ 26	+ 0.7
1942 ...	2,297	1.53	2,050	1.40	4,347	1.47	+ 636	+17.1
1943 ...	2,203	1.48	2,103	1.44	4,306	1.46	— 41	— 0.9
Average, 1944-43	1,909	1.20	1,788	1.24	3,697	1.25	—	—
1944 ...	1,998	1.34	1,841	1.26	3,839	1.30	— 467	—10.8

There were 2,935 deaths from tuberculosis of the respiratory system recorded in 1944 compared with 3,398 in 1943, a decrease of 463. The figure for 1944 includes 1,531 of males and 1,404 of females—the figure for males shows a decrease of 207 and that for females a decrease of 256 when compared with the corresponding figures for the previous year. During 1944 there were 904 deaths (467 males and 437 females) from tuberculosis other than that of the respiratory system. The respective figures for 1943 were 908 (465 males and 443 females). The figures for 1944 are 4 (an increase of 2 males and a decrease of 6 females) less than those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 375 deaths (205 males and 170 females) due to tuberculosis of the meninges and central nervous system, 159 deaths (67 males and 92 females) to tuberculosis of the intestines and peritoneum, 83 (41 males and 42 females) to tuberculosis of the vertebral column, 60 (41 males and 19 females) to this disease of other bones and joints, 9 (one male and 8 females) to tuberculosis of the skin, 9 (6 males and 3 females) of the lymphatic system, 29 (17 males and 12 females) in organs of the genito-urinary system, 3 (males) to tuberculosis of other organs, and 177 (86 males and 91 females) caused by disseminated tuberculosis.

In the following table a comparison is made of the number of deaths from tuberculosis of the respiratory system and all other forms of tuberculosis for each of the years 1940 to 1944 inclusive.

Cause.		Years.				
		1940	1941	1942	1943	1944
Tuberculosis of the respiratory system.	M.	1,549	1,438	1,837	1,738	1,531
	F.	1,358	1,444	1,675	1,660	1,404
Other forms of tuberculosis.	M.	395	417	460	465	467
	F.	383	412	375	443	437

The mortality from tuberculosis at different age-periods for each of the years 1939 to 1944 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1944 and 1943 were respectively 1.48 and 1.84 per 1,000, the figures for males being 1.29 and 1.65 and for females 1.66 and 2.03 per 1,000. In the age-group from 20 to 24 years the rates in 1944 were—for persons 2.26, for males 2.05 and for females 2.48, and for 1943, respectively, 2.75, 2.48 and 3.04. At the age period 25 and below 35 years the figure for all persons in 1944 was 2.07 per 1,000, and in 1943 was 2.43, the corresponding rates for males being 1.92 and 2.27 and for females 2.22 and 2.60 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1930 to 1944.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1939 to 1944.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up.
DEATHS OF MALES.												
1939 ...	1,707	89	49	45	160	219	395	298	207	171	62	12
1940 ...	1,944	94	49	39	167	203	443	322	292	190	75	12
1941 ...	1,855	102	45	41	166	225	440	343	246	176	63	8
1942 ...	2,297	107	60	58	256	314	519	368	306	221	82	6
1943 ...	2,203	138	60	55	222	297	484	302	271	210	96	8
1944 ...	1,998	126	57	49	174	245	409	359	271	189	105	14
DEATHS OF FEMALES.												
1939 ...	1,597	77	35	57	212	292	391	234	153	104	37	5
1940 ...	1,741	66	39	78	246	282	451	237	169	112	57	4
1941 ...	1,856	93	53	65	237	335	458	291	168	100	49	7
1942 ...	2,050	79	37	90	206	362	563	296	193	111	43	10
1943 ...	2,103	110	59	83	270	351	543	290	186	132	65	14
1944 ...	1,841	102	57	71	221	286	465	266	189	113	56	15
DEATHS OF MALES AND FEMALES.												
1939 ...	3,304	166	84	102	372	511	786	532	360	275	99	17
1940 ...	3,685	160	88	117	413	545	894	559	461	302	130	16
1941 ...	3,711	195	98	106	408	560	898	634	414	276	112	15
1942 ...	4,347	186	97	148	522	676	1,082	664	499	332	125	16
1943 ...	4,306	248	119	138	492	648	1,027	652	457	342	161	22
1944 ...	3,839	228	114	120	395	531	874	625	460	302	161	29
MALES—RATE PER 1,000.												
1939 ...	1.14	0.66	0.36	0.32	1.17	1.64	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
1942 ...	1.53	0.80	0.45	0.41	1.88	2.36	2.54	2.07	1.95	1.57	0.82	0.15
1943 ...	1.48	1.00	0.44	0.41	1.65	2.48	2.27	2.03	1.78	1.59	0.88	0.19
1944 ...	1.34	0.92	0.42	0.37	1.29	2.05	1.92	2.01	1.78	1.43	0.97	0.33
FEMALES—RATE PER 1,000.												
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.55	1.03	0.81	0.33	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.53	0.08
1941 ...	1.27	0.70	0.40	0.36	1.81	2.77	2.36	1.65	1.11	0.76	0.50	0.15
1942 ...	1.40	0.59	0.28	0.64	2.02	2.99	2.89	1.68	1.27	0.84	0.43	0.21
1943 ...	1.44	0.82	0.45	0.64	2.03	3.04	2.60	1.63	1.28	1.04	0.63	0.28
1944 ...	1.26	0.76	0.43	0.54	1.66	2.48	2.22	1.50	1.30	0.89	0.54	0.30
MALES AND FEMALES—RATE PER 1,000.												
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.23	1.77	1.33	1.00	0.56	0.17
1942 ...	1.47	0.69	0.36	0.52	1.95	2.66	2.71	1.87	1.82	1.22	0.63	0.18
1943 ...	1.46	0.91	0.45	0.52	1.84	2.75	2.43	1.83	1.53	1.32	0.76	0.24
1944 ...	1.30	0.84	0.43	0.45	1.48	2.26	2.07	1.76	1.51	1.17	0.76	0.32

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the fourteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1944 the rate was 1.5, in Munster 1.2, in Connaught 1.2, and in Ulster (part of), 1.1. The corresponding rates for 1943 were in Leinster 1.6 in Munster 1.4, in Connaught 1.2, and in Ulster (part of) 1.

DIAGRAM No. 4. Mortality from Influenza, 1930 to 1944.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1944 for county or county borough areas were recorded for the following:—Limerick county borough 2.1, Cork county borough 1.9, Westmeath 1.7, Dublin county borough 1.6, and Louth, Wicklow and Sligo each 1.5. The counties having the lowest rates were—Longford, Waterford, Roscommon and Cavan each 0.9, and Cork, Limerick, Mayo and Monaghan each 1.0.

The deaths from tuberculosis in 1944 for the aggregate urban districts numbered 1,633, compared with 1,788 for the previous year. For the rural districts the number for 1944 was 2,206 compared with 2,518 for last year. The rate per 1,000 of the population for the urban areas fell from 1.80 in 1943 to 1.65 in 1944, while that for the rural areas decreased from 1.26 to 1.13 per 1,000.

Influenza.—The number of deaths from this disease for 1944 was 812, compared with 461 for the preceding year and an average of 982 for the decennial period ended with 1943. The rates per 1,000 of the population for the years 1944 and 1943 were 0.28 and 0.16 respectively.

In the aggregate urban areas the death rate for 1944 was 0.09 per 1,000, and in the rural areas 0.37, compared with 0.09 and 0.18 for 1943.

In the first quarter the mortality was 66 per cent. of the total and in each of the second, third and fourth quarters the proportion was 19, 6 and 9 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 144 deaths registered in 1944 compared with 32 in the year 1943, and an average for the period from 1934 to 1943 of 119. Of the deaths recorded, 46 were for Dublin county borough, 21 for Dublin county, 10 for Cork county and 9 for Limerick county borough.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 12 (8 males and 4 females) compared with 58 (33 males and 25 females) in the previous year. The figure for 1944 includes 2 for Cork county and one for each of Dublin county borough, Kilkenny, Louth, Meath, Wexford, Wicklow, Kerry, Limerick county, Limerick county borough, and Galway.

Typhus.—One death was registered under this heading in 1944 compared with 4 in the previous year.

Other Infective or Parasitic Diseases.—There were 36 deaths from Hodgkin's disease recorded during the year 1944.

Cancer.—The deaths due to cancer recorded for 1944 numbered 4,176—2,220 of males and 1,956 of females. The total figure is 133 above the number for 1943 and 445 above the average number for the decennial period ended with 1943. The number of deaths of males is 70 above, and that for females 63 above the corresponding figure for 1943.

The deaths from this disease constitute 9.3 per cent. of the deaths from all causes and are equivalent to a rate of 1.42 per 1,000 of the population. The rates for males and females were respectively 1.49 and 1.34 per 1,000. In Northern Ireland the rates for persons, males and females were 1.41 per 1,000, in England and Wales 1.90, 2.16 and 1.70 and in Scotland the death rates were 1.86 for both sexes, 2.05 for males and 1.71 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1935 ...	1.19	1.24	1.59	1.57
1936 ...	1.20	1.29	1.63	1.59
1937 ...	1.26	1.30	1.63	1.57
1938 ...	1.26	1.32	1.67	1.62
1939 ...	1.27	1.33	1.66	1.61
1940 ...	1.28	1.36	1.72	1.70
1941 ...	1.27	1.37	1.78	1.69
1942 ...	1.37	1.41	1.83	1.71
1943 ...	1.37	1.45	1.90	1.73
1944 ...	1.42	1.41	1.90	1.86

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES													Total
		AGES AT DEATH													
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards		
45	Lip ...	.	.	.	1	.	1	.	4	7	8	11	20	52	
	Tongue ...	.	.	.	.	1	3	3	2	9	15	14	12	59	
	Jaw ...	.	.	.	.	2	2	.	3	4	11	16	9	47	
	Mouth ...	1	.	.	.	.	.	4	1	2	5	7	6	26	
	Pharynx ...	.	.	.	1	1	1	1	3	2	5	4	2	20	
	Tonsil ...	.	.	.	.	.	.	2	.	1	.	1	5	9	
46	Esophagus ...	.	.	.	1	3	.	6	8	19	16	13	10	76	
	Stomach ...	.	1	2	7	12	21	51	74	102	100	103	82	555	
	Rectum ...	.	.	1	1	3	3	13	23	38	42	52	35	211	
	Liver ...	.	.	2	4	3	6	11	16	16	19	24	24	125	
	Pancreas ...	.	.	1	1	3	1	12	8	6	9	9	8	58	
	Peritoneum ...	1	.	.	.	1	.	.	.	.	1	.	.	3	
	Intestine ...	2	1	4	2	14	13	21	30	53	70	75	50	344	
47	Larynx, Trachea ...	.	.	.	1	1	1	2	2	12	7	7	3	36	
	Lung ...	1	.	.	1	2	6	9	8	10	14	5	4	60	
	Mediastinum ...	.	.	.	.	1	1	.	2	2	.	1	.	7	
48	Uterus ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
49	Ovary ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Vagina ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Vulva ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
50	Breast ...	.	.	.	.	1	.	1	.	1	3	1	.	7	
51	Scrotum ...	.	.	.	.	.	.	.	.	.	.	.	2	2	
	Prostate ...	.	.	.	1	.	1	2	5	19	26	35	27	116	
	Penis ...	.	.	.	.	.	.	.	1	.	1	3	1	6	
	Testicle ...	.	1	1	.	.	.	.	.	1	.	1	1	5	
52	Bladder ...	.	.	.	.	1	.	6	3	.	7	8	5	30	
	Kidney ...	.	.	.	1	1	3	.	5	5	.	1	3	19	
53	Ear ...	1	.	.	.	.	.	1	1	2	4	6	5	20	
	Face ...	.	.	1	1	.	1	1	5	4	12	13	22	60	
	Other Skin ...	.	.	.	.	.	.	.	.	.	1	1	2	4	
54	Brain ...	2	1	1	2	1	1	1	.	1	1	.	.	11	
	Spine ...	.	.	.	.	1	.	2	2	1	1	.	1	8	
	Thyroid ...	.	.	.	.	.	.	.	1	1	.	2	1	5	
	Nose ...	1	.	.	.	.	.	.	.	.	.	2	2	5	
55	Abdomen ...	.	.	.	.	.	2	.	2	.	3	.	1	8	
	Arm, Leg ...	3	1	1	.	2	1	2	2	3	8	7	17	47	
	Axilla ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Eye ...	1	.	.	.	.	.	.	.	.	2	1	1	5	
	Groin ...	.	.	.	.	.	.	.	2	1	.	1	1	5	
	Neck ...	1	.	.	.	.	2	4	3	20	23	11	11	75	
	Parotid ...	1	.	.	.	.	.	.	1	.	1	1	1	5	
	Pelvis ...	.	.	.	.	1	.	.	.	.	.	2	1	4	
	Spleen ...	.	.	.	.	.	.	.	1	.	.	.	.	1	
	Thorax ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Throat ...	.	.	.	1	.	2	2	7	7	8	17	7	51	
	Other and Unspecified ...	2	1	1	.	.	1	.	2	5	7	6	8	33	
TOTAL ...		17	6	15	26	55	73	157	236	354	430	461	390	2,220	
Deaths from Cancer per 100,000 living of the same age ...		2.6	9.9		45.4		151.2		447.5		821.0		929.6	149.3	

registered during the year 1944 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Fe- males	International List Nos.
AGES AT DEATH														
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL		
.	.	.	.	.	.	.	.	1	.	.	4	5	57	45
.	.	.	.	.	.	2	2	.	.	6	2	12	71	
.	.	.	.	2	.	1	1	4	2	2	2	13	60	
.	.	.	.	.	.	1	.	2	1	2	.	6	32	
.	.	.	.	.	.	1	1	.	1	.	2	5	25	
.	1	.	.	.	.	1	.	1	.	1	1	5	14	
.	.	1	.	.	5	5	6	11	7	5	7	47	123	46
1	5	.	6	12	17	28	45	78	72	65	71	400	955	
.	.	3	2	3	1	9	13	19	10	21	7	88	399	
.	1	.	3	5	7	10	16	23	32	28	26	151	276	
1	.	.	.	5	3	4	9	9	7	8	7	53	111	
2	.	.	.	.	.	.	1	1	.	.	.	4	7	
4	.	2	5	13	12	19	25	49	54	70	80	333	877	
.	.	.	2	1	1	4	4	3	4	2	.	21	57	47
.	2	1	3	6	3	6	4	5	3	5	3	41	101	
.	.	.	.	.	.	1	1	2	.	.	.	4	11	
.	.	2	8	9	13	20	18	25	21	16	18	150	150	48
.	2	1	2	1	4	11	8	5	5	3	2	44	44	49
.	.	.	1	.	.	1	.	1	.	.	1	4	4	
.	.	.	.	.	.	3	.	2	1	2	1	9	9	
.	1	2	14	19	32	42	26	37	37	35	58	313	320	50
.	.	.	.	.	.	.	.	.	.	.	.	.	2	51
.	.	.	.	.	.	.	.	.	.	.	.	.	116	
.	.	.	.	.	.	.	.	.	.	.	.	.	6	
.	.	.	.	.	.	.	.	.	.	.	.	.	5	
.	1	.	.	1	1	3	.	3	5	5	3	21	51	52
.	.	.	.	3	1	3	.	2	4	3	2	19	38	
.	.	.	.	.	.	.	.	1	.	.	.	1	21	53
.	.	.	1	1	.	2	.	6	2	5	15	32	92	
.	.	.	.	.	.	.	.	.	.	1	.	1	5	
.	1	1	1	.	.	2	.	1	1	.	1	8	19	54
.	1	.	.	3	.	1	5	.	1	3	1	14	22	
1	.	.	.	.	.	2	1	3	1	6	.	14	19	
.	.	.	.	.	.	1	1	2	.	1	.	5	10	
2	.	.	.	1	1	3	.	3	.	4	.	14	22	55
2	1	.	1	1	1	2	7	2	5	10	12	43	90	
.	.	.	.	.	.	.	.	.	.	.	.	5	10	
.	.	.	.	.	.	.	1	2	1	1	.	3	8	
.	.	.	1	.	.	2	1	2	3	1	9	19	94	
.	.	.	.	.	1	.	.	.	.	.	1	2	7	
.	.	.	.	.	.	.	1	4	.	.	.	5	9	
.	.	.	.	.	.	.	.	1	.	.	.	1	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	1	.	1	2	2	3	2	3	3	18	69	
1	1	1	1	.	1	2	3	4	2	5	2	23	56	
14	17	15	52	86	104	192	212	318	285	319	342	1,956	4,176	TOTAL
2.2	15.3		77.6		202.9		416.6		582.5		688.1	134.2	141.8	Rate per 100,000

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1944 numbered 1,361, equivalent to a rate of 1.37 per 1,000, and in the aggregate rural areas the number was 2,815 and the rate 1.44 per 1,000. In the year 1943 the numbers of deaths for the urban and rural areas were respectively 1,358 and 2,685, corresponding to rates of 1.37 and 1.34 per 1,000 of the population.

In Table J the deaths from cancer in 1944 are classified according to the site of the disease and the age at death. The mortality of females under 55 years of age is higher than that of males, but after that age has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1944 the deaths in the first group amounted to 51 (20 of males and 31 of females) and those in the second to 105 (57 males and 48 females) compared with a total of 46 and 98 respectively, in the previous year.

The non-malignant tumours included 17 of the ovary, 7 of bladder, 10 of the brain, and 4 of the uterus.

The deaths classified under the heading of tumours of undetermined nature included 59 of the brain, 5 each of the lung, intestine and spine, and 4 each of the mediastinum, bladder, abdomen, and stomach.

Diabetes.—There were 249 deaths from this disease for 1944 compared with 232 for the previous year. The deaths for 1944 include 117 of males and 132 of females, compared with 110 and 122 for 1943.

In the year 1944 the rate per 100,000 of the population represented by the deaths from diabetes was 8.5. The rates for Northern Ireland, England and Wales, and Scotland were, respectively 8.2, 10.7 and 11.6.

Other General Diseases.—During 1944 there were 31 deaths classified under this heading, including 13 from coeliac disease, 3 to acromegaly, 2 from toxæmia, and 2 from amyloid disease.

Heart Disease.—During 1944 there were 10,111 deaths from diseases of the heart, as compared with 9,264 deaths in the previous year, and an average number of 8,149 for the decennial period ended with 1943.

The deaths from this cause in 1944 represent 22.4 per cent. of the mortality from all causes and are equivalent to a rate of 3.4 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1944 there were 1,591 deaths in which the cause was stated to be bronchitis. Of the total, 861 were of males and 730 were of females. The total is equal to a rate of 0.54 per 1,000 of the population and constitutes 3.5 per cent. of the total deaths registered. The number of deaths recorded during 1943 was 1,444, and the average figure for the decennial period from 1934 to 1943 was 1,932.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,916, equivalent to a rate of 0.65 per 1,000 of the population. Of the deaths 1,065 were of males and 851 of females.

The average number during the ten years from 1934 to 1943 was 2,170, and during 1943 the number recorded was 1,874.

The deaths for 1944 include 969 from broncho-pneumonia, 284 from lobar pneumonia and 663 from pneumonia (unspecified).

Diarrhoea and Enteritis.—There were 1,088 deaths of children under 2 years recorded, 615 being of males and 473 of females. The number recorded for 1943 was 1,233, and the average for the ten years ended with 1943 was 728. The urban mortality was equal to a rate of 29.85 per 1,000 births, and the rate for rural areas was 9.04 per 1,000 births registered, compared with respective rates of 34.1 and 10.5 in 1943.

The deaths recorded include 482 for the county borough of Dublin, and 59, 39 and 20 for the respective county boroughs of Cork, Limerick and Waterford.


DIAGRAM No. 5. Mortality from Cancer, 1930 to 1944.

TABLE K.—Deaths of women in 1944 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection	1				1			
Abortion without Septic Condition	3		1	1			1	
Ectopic Gestation	5			1	1	2		1
Hæmorrhage of Pregnancy	3				1	1	1	
Toxæmia of Pregnancy	15		3		3	6	3	
Other Diseases of Pregnancy	5			1		4		
Hæmorrhage of Childbirth	40		7	5	14	8	4	2
Infection during Childbirth	31	1	3	3	11	9	4	
Puerperal Toxæmia	23		2	9	5	6	1	
Other Accidents of Childbirth	27		3	1	10	11		2
Other or unspecified Puerperal Conditions	3				1	1	1	
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Pulmonary Tuberculosis	2		1		1			
Influenza	2				1		1	
Rheumatic Fever	2					2		
Anæmia	2	1			1			
Heart Disease	5				2	3		
Pneumonia	1				1			
Nephritis	2				2			
Other Causes	4				2	1	1	
TOTAL	176	2	20	21	57	54	17	5

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1934-1944, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1934	104	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935	89	1.53	183	3.14	273	4.67	25	0.43	297	5.10
1936	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
1941	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
1942	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86
1943	36	0.56	109	1.69	145	2.25	17	0.26	162	2.51
Average, 1944-43	61	1.05	153	2.63	214	3.68	27	0.45	241	4.13
1944	32	0.49	124	1.89	156	2.38	20	0.31	176	2.69

* The figures and rates under this heading for the years 1934-39 inclusive relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1944 the number in the first group was 32, in the second group, the figure was 124, and under the third heading there were 20 deaths; so that the total number of deaths from these causes was 176. The total represents a rate of 2·69 per 1,000 of the total births registered, as compared with 2·51 in the year 1943, and an average of 4·13 for the ten years 1934 to 1943. For the years 1940, to 1944, the deaths from puerperal infection comprise those from post-abortion infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1934 to 1944.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

Violence.—The number of deaths classified under this heading in 1944 was 901. This figure shows a decrease of 60 when compared with that for the year 1943. The average figure for the ten years 1934 to 1943 from this group of causes was 976.

Included in the total for 1944 there were 77 by suicide, 12 by homicide (including infanticide), 2 due to war operations and 810 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is one less and those by homicide 6 less than the corresponding figure for 1943.

Of the suicidal deaths, 68 were of males and 9 of females. In 8 cases poisoning was the means used to cause death, including strychnine in 2 cases, carbon monoxide in 4 cases, caustic soda in one case, and potassium cyanide in one case. In the other 69 deaths by suicide the means adopted was hanging or strangulation in 33 instances, drowning in 14, cutting or piercing instruments in 14, firearms in 6, and in 2 instances other means were used to cause death.

There were 12 deaths by homicide, including 10 of males and 2 of females and 4 were cases of infanticide.

There were 16 accidental deaths from poisons or poisonous gases, 8 of which were due to coal gas, 2 to carbon monoxide and one to strychnine.

Deaths caused by accidental burns numbered 96 (39 males and 57 females), of which 37 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1943 was 47.

Deaths classified to accidental drowning numbered 127 (103 of males and 24 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 153 deaths included under the heading of transport accidents; of this figure 115 were of males and 38 of females. In 1943 the total under this heading was 145 (114 of males and 31 of females). Deaths from motor vehicles numbered 51, compared with 55 for 1943. There were 102 deaths recorded as due to other road transport accidents. This figure includes 41 caused by bicycles and 38 by horse-drawn vehicles, compared with 36 and 35 respectively, for 1943. There were 18 deaths caused by railway accidents compared with 12 for 1943.

Of the 51 deaths attributed to motor vehicles, 26 were stated to be caused by motor lorries or vans, 10 by motor cars and 8 by buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1944 numbered 6,484 compared with 6,641 for the previous year. The figure for 1944 is 14·37 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 15·36 per cent. of the male mortality, and the rate for females 13·29 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 24,072 in number, constituting 53·34 per cent. of the total number of deaths, and include 12,312 deaths of males, or 52·44 per cent. of the total deaths of males, and 11,760 of females, or 54·32 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 19,532, or 43·28 per cent. of the total deaths.

There were 218 deaths of persons aged 95 years or upwards (74 being males and 144 females), and of these 36 (7 males and 29 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1943 and 1944.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1943	1944	Increase or Decrease in 1944	1943	1944	Increase or Decrease in 1944	1943	1944	Increase or Decrease in 1944
Under 5 years...	24.47	25.91	—0.56	27.17	26.19	—0.98	21.68	21.55	—0.13
5—...	2.91	1.98	—0.03	2.00	2.02	+0.02	2.03	1.93	—0.10
10—...	1.43	1.29	—0.14	1.33	1.19	—0.14	1.51	1.40	—0.14
15—...	3.03	2.59	—0.44	2.94	2.42	—0.52	3.11	2.75	—0.36
20—...	4.11	3.65	—0.46	4.02	3.54	—0.48	4.20	3.77	—0.43
25—...	4.50	4.00	—0.50	4.33	3.68	—0.65	4.66	4.33	—0.33
35—...	5.44	5.31	—0.13	5.42	5.34	—0.08	5.46	5.28	—0.18
45—...	9.76	9.95	+0.19	10.11	10.45	+0.34	9.39	9.44	+0.05
55—...	21.19	21.64	+0.45	22.33	23.14	+0.81	20.01	20.09	+0.08
65—...	49.37	52.61	+3.24	52.39	55.89	+3.50	46.19	49.18	+2.99
75 and upwards	124.71	140.82	+16.11	130.92	148.88	+17.96	119.46	134.01	+14.55
All ages...	14.76	15.33	+0.57	15.21	15.79	+0.58	14.31	14.86	+0.55

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864 to 1870, for each of the decennial periods from 1871 to 1940, and for each year from 1934 to 1944 are given in Table 8.

INFANT MORTALITY.

During the year 1944 the deaths of 5,198 infants under one year of age were registered, compared with 5,319 in the preceding year. The figure for 1944 is equivalent to a rate of 79 per 1,000 births as compared with 83 for 1943, and an average of 70 for the ten years 1934 to 1943. The rate for each of the years 1934 to 1944 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,948 were those of males and 2,250 of females; the males were equal to a rate of 88 per 1,000 births of males, and the females to a rate of 71 per 1,000 births of females. The corresponding rates for 1943 were 92 and 72, respectively.

The infant mortality rates during the quarters of 1944 were, respectively, 101, 70, 63 and 81 compared with corresponding figures of 97, 77, 73 and 84 for the previous year.

The infant mortality rate for each of the years 1935 to 1944 is compared with the rate for Northern Ireland, England and Wales and Scotland in the following table:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1935 ...	68	86	57	77
1936 ...	74	77	59	82
1937 ...	73	77	58	80
1938 ...	67	75	53	70
1939 ...	66	70	50	69
1940 ...	66	86	55	78
1941 ...	74	77	58	83
1942 ...	69	76	49	69
1943 ...	83	78	49	65
1944 ...	79	67	46	65

INFANT MORTALITY—continued.

During the year 1944 the following causes accounted for 82 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 64·75 per 1,000 births:—diarrhoea and enteritis 15·82 per 1,000 births, congenital debility 14·55, premature birth 11·72, pneumonia 8·61, congenital malformations 5·30, convulsions 4·40, bronchitis 2·16 and whooping cough 2·19.

The deaths of infants during the first month of life were 41·9 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13·9 between 2 and 3 months 11·1, at 3 and under 6 months the rate was 18·5 and from 6 to 12 months old the rate was 14·6.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1934 to 1944 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1944.

TABLE N.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1944.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										Total under 1 year
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	
ALL CAUSES	459	602	344	359	410	2,174	723	578	963	780	5,198
Scarlet Fever	·	·	·	·	·	·	·	·	·	1	1
Whooping Cough	·	·	·	1	7	8	13	17	39	66	143
Diphtheria	·	·	1	5	2	8	2	2	13	21	45
Tuberculosis of Nervous System	·	·	·	·	·	·	1	2	6	22	31
Tuberculosis of Intestines and Peritoneum	·	·	·	·	1	1	·	·	3	3	7
Other Tuberculous Diseases	·	·	·	·	·	·	1	·	4	15	20
Syphilis	1	·	2	2	7	12	16	5	12	1	46
Influenza	·	·	3	3	3	9	7	5	19	18	58
Measles	·	·	1	·	·	1	1	2	3	38	45
Meningitis	·	·	1	2	2	5	1	1	14	23	44
Convulsions	4	26	23	14	22	89	42	50	63	44	288
Bronchitis	·	2	2	6	10	20	25	22	47	27	141
Pneumonia	1	10	22	24	27	84	69	67	163	180	563
Diarrhoea and Enteritis	·	2	35	32	110	229	222	166	283	135	1,035
Congenital Malformations	41	66	40	26	25	198	55	28	33	33	347
Congenital Debility	88	132	59	78	92	449	155	132	156	60	952
Premature Birth	212	250	103	75	55	695	38	18	15	1	767
Injury at Birth	43	40	9	3	3	98	·	2	1	2	103
Other Diseases peculiar to first year of life	50	67	33	31	29	210	24	15	20	9	278
Mechanical suffocation (including Overlying)	1	2	1	·	1	5	5	2	2	·	14
Other Accidents (including Lack of Care)	9	2	·	·	2	13	·	·	1	1	15
Other Causes	9	3	9	7	12	40	46	42	67	60	255

DIAGRAM No. 6. Infant Mortality, 1930 to 1944.




TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1934-1944.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
ALL CAUSES	63.28	68.44	74.15	72.95	66.85	65.83	66.42	73.53	69.44	82.63	79.45
Scarlet Fever	0.02	0.09	0.31	0.12	0.05	0.07	0.05	0.09	0.06	0.05	0.02
Whooping cough	2.97	1.05	2.20	2.46	1.74	1.37	1.77	1.46	1.81	2.87	2.19
Diphtheria	0.16	0.37	0.55	0.42	0.23	0.16	0.14	0.33	0.44	0.40	0.69
Tuberculosis of Nervous System	0.40	0.53	0.50	0.35	0.32	0.29	0.27	0.33	0.33	0.51	0.47
Tuberculosis of Intestines and Peritoneum	0.29	0.33	0.17	0.25	0.19	0.27	0.28	0.09	0.17	0.23	0.11
Other Tuberculous Diseases	0.40	0.48	0.60	0.50	0.12	0.43	0.28	0.28	0.23	0.48	0.31
Syphilis	0.10	0.14	0.21	0.25	0.26	0.14	0.27	0.23	0.23	0.28	0.70
Influenza	0.47	0.55	0.48	1.59	0.42	0.93	1.06	0.92	0.56	0.68	0.89
Measles	0.22	0.96	0.93	0.56	0.35	0.39	0.35	0.37	0.32	0.15	0.69
Meningitis	0.59	0.64	0.69	0.94	1.00	0.78	0.83	0.79	0.56	0.71	0.67
Convulsions	5.41	4.50	5.32	4.99	4.43	4.48	3.55	4.23	4.05	3.99	4.40
Bronchitis	3.26	3.40	2.96	2.92	2.71	2.35	2.62	2.34	2.51	2.94	2.16
Pneumonia	6.72	8.08	8.06	8.34	8.43	7.67	7.70	7.93	7.11	8.92	8.69
Diarrhoea and Enteritis	7.50	10.65	10.38	9.95	9.12	9.33	9.67	14.18	14.32	18.27	15.82
Congenital Malformations	3.54	3.90	4.44	4.39	4.38	4.82	4.59	5.57	5.13	5.86	5.30
Congenital Debility	13.78	14.19	14.44	13.65	12.79	12.68	13.25	14.14	13.66	15.21	14.55
Premature Birth	8.05	9.76	11.31	12.16	10.96	11.02	10.67	11.57	9.24	11.59	11.72
Injury at Birth	1.17	0.86	1.19	1.31	1.21	1.46	1.80	1.39	1.12	1.51	1.57
Other Diseases peculiar to first year of life	2.07	2.30	2.70	2.46	3.14	2.68	2.86	3.17	3.52	3.67	4.25
Mechanical Suffocation (including Overlying)	0.22	0.14	0.27	0.19	0.12	0.18	0.28	0.14	0.44	0.33	0.21
Other Accidents (including Lack of Care)	0.29	0.33	0.53	0.28	0.30	0.36	0.46	0.26	0.32	0.33	0.23
Other Causes	5.65	5.14	5.01	4.87	4.38	3.97	3.75	3.72	3.31	3.65	3.90

INFANT MORTALITY—continued.

During the year 1944 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,495, representing a rate of 105 per 1,000 births registered. In 1943 the corresponding number of deaths was 2,598, and the rate 110 per 1,000 births.

For the rural areas 2,703 deaths of infants were registered in 1944, compared with 2,721 in the previous year; the rate per 1,000 births for 1944 was 65, and for 1943 was 67.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (fourteen principal towns). For these areas in the aggregate the rate was 109 per 1,000 births, compared with 115 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 83 per 1,000 births, the rate for 1943 being 87.

In the principal towns deaths from diarrhoea and enteritis of infants under one year of age were equal to a rate of 33 per 1,000 births (nearly one-third of the rate from all causes) compared with 10 per 1,000 in the smaller urban areas and 8 per 1,000 in rural areas.

The rates for the principal towns are as follows, ranging in order from the highest to the lowest :—

Limerick 123, Dublin 117, Dundalk 112, Cork 108, Bray 100, Dun Laoghaire 94, Wexford 90, Galway 85, Sligo 85, Waterford 80, Clonmel 75, Kilkenny 74, Drogheda 65, Tralee 47.

The following statements show the infant mortality rate for each of the years 1935 to 1944 for urban and rural districts in Eire, and for each of the principal towns :—


YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1935 ...	68	91	75	87	57
1936 ...	74	103	81	99	59
1937 ...	73	97	68	91	61
1938 ...	67	88	66	84	55
1939 ...	66	83	85	83	55
1940 ...	66	88	70	85	55
1941 ...	74	102	83	99	58
1942 ...	69	93	76	90	58
1943 ...	83	115	87	110	67
1944 ...	79	109	83	105	65

Infant Mortality Rate—Principal Towns.

PRINCIPAL TOWNS	YEARS									
	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
Dublin ...	94	114	102	96	90	91	114	98	126	117
Dun Laoghaire ...	65	89	118	81	87	97	79	85	85	94
Cork ...	78	79	103	71	72	92	82	91	113	108
Limerick ...	106	95	68	70	58	70	89	77	76	123
Waterford ...	126	90	97	99	73	111	86	91	100	80
Galway ...	63	88	66	83	88	95	68	78	112	85
Dundalk ...	72	91	57	79	58	54	55	44	59	112
Drogheda ...	71	77	73	38	53	65	55	79	61	65
Sligo ...	67	59	82	61	102	77	70	75	128	85
Wexford ...	103	76	102	64	77	66	74	127	85	90
Kilkenny ...	110	79	61	58	73	93	94	70	124	74
Bray ...	69	95	67	91	55	61	116	93	93	100
Tralee ...	60	38	77	78	63	53	90	69	82	47
Clonmel ...	49	49	67	14	36	75	47	53	84	75

TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1944.

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
			CITIES AND BOROUGH.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards.	Urban Districts under 10,000 Population.	All Urban Districts.	All Rural Districts.	Éire
			Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		
ALL CAUSES	117.05	93.67	108.20	122.54	79.72	82.50	109.30	82.88	104.60	65.02	79.45		
Scarlet Fever	.	.	.	.	.	.	.	.	.	0.02	0.02		
Whooping Cough	2.19	1.27	6.43	1.79	.	2.87	2.55	1.41	2.35	2.09	2.19		
Diphtheria	1.71	1.27	0.54	.	.	0.36	1.23	0.47	1.09	0.40	0.69		
Tuberculosis of Nervous System	1.46	.	0.54	0.90	.	0.36	1.07	0.47	0.96	0.19	0.47		
Tuberculosis of Intestines and Peritoneum	0.16	.	1.07	0.90	.	.	0.26	.	0.21	0.05	0.11		
Other Tuberculous Diseases	0.57	1.27	1.07	.	.	1.08	0.66	0.24	0.59	0.15	0.31		
Syphilis	1.22	.	3.75	.	1.40	.	1.17	0.94	1.13	0.46	0.70		
Influenza	0.16	.	2.14	.	.	0.36	0.36	0.71	0.42	1.16	0.89		
Measles	1.54	1.27	1.07	3.58	1.40	1.43	1.58	0.24	1.34	0.31	0.69		
Meningitis	1.14	.	.	.	.	0.72	0.82	0.94	0.84	0.58	0.67		
Convulsions	2.68	3.80	4.28	12.52	1.40	7.53	4.08	7.77	4.74	4.21	4.40		
Bronchitis	1.70	3.89	1.61	2.68	5.59	2.15	2.04	3.30	2.26	2.09	2.16		
Pneumonia	13.79	3.80	9.64	8.05	4.20	12.19	12.09	7.77	11.32	7.05	8.60		
Diarrhoea and Enteritis ...	38.04	29.11	29.46	33.09	26.57	12.55	32.54	10.36	28.59	8.49	15.82		
Congenital Malformations ...	7.79	8.86	5.36	3.58	1.40	3.23	6.48	6.12	6.41	4.67	5.30		
Congenital Debility	9.49	8.86	11.25	30.41	11.19	11.48	11.17	20.25	12.79	15.56	14.55		
Premature Birth	19.71	16.45	18.21	8.05	16.78	14.35	17.90	12.01	16.85	8.78	11.72		
Injury at Birth	2.35	2.53	1.07	0.89	.	2.87	2.14	2.12	2.14	1.25	1.57		
Other Diseases peculiar to first year of life	6.57	0.32	3.21	3.58	5.59	4.66	5.76	4.00	5.45	3.56	4.25		
Mechanical suffocation (including Overlying) ...	0.16	.	0.54	.	.	0.36	0.20	0.47	0.25	0.19	0.21		
Other Accidents (including Lack of Care)	0.16	.	.	.	.	.	0.10	0.47	0.17	0.26	0.23		
Other Causes	4.46	5.06	6.96	12.52	4.20	3.95	5.10	2.82	4.70	3.41	3.90		



PART II.

Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1944, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1879	3,939	1,944	1,995	1912	3,120	1,581	1,539
1811	4,746	2,363	2,383	1880	3,891	1,920	1,971	1913	3,103	1,572	1,531
1821	5,421	2,676	2,745	1881	3,847	1,901	1,946	1914	3,092	1,568	1,524
1831	6,194	3,033	3,161	1882	3,808	1,882	1,926	1915	3,068	1,546	1,522
1841	6,545	3,235	3,310	1883	3,745	1,853	1,892	1916	3,068	1,549	1,519
1851	5,079	2,486	2,593	1884	3,703	1,834	1,869	1917	3,065	1,551	1,514
1852	4,927	2,413	2,514	1885	3,671	1,820	1,851	1918	3,066	1,553	1,513
1853	4,807	2,358	2,449	1886	3,642	1,808	1,834	1919	3,102	1,598	1,504
1854	4,704	2,311	2,393	1887	3,600	1,788	1,812	1920	3,103	1,598	1,505
1855	4,638	2,281	2,357	1888	3,554	1,766	1,788	1921	3,096	1,599	1,497
1856	4,594	2,261	2,333	1889	3,516	1,748	1,768	1922	3,022	1,520	1,493
1857	4,540	2,234	2,306	1890	3,482	1,733	1,749	1923	3,014	1,526	1,488
1858	4,506	2,217	2,289	1891	3,449	1,718	1,731	1924	3,005	1,521	1,484
1859	4,471	2,199	2,272	1892	3,408	1,697	1,711	1925	2,985	1,512	1,473
1860	4,428	2,179	2,249	1893	3,382	1,684	1,698	1926	2,971	1,507	1,464
1861	4,393	2,164	2,229	1894	3,362	1,675	1,687	1927	2,957	1,502	1,455
1862	4,377	2,158	2,219	1895	3,333	1,662	1,671	1928	2,944	1,498	1,446
1863	4,328	2,134	2,194	1896	3,314	1,653	1,661	1929	2,937	1,496	1,441
1864	4,263	2,103	2,160	1897	3,298	1,646	1,652	1930	2,927	1,493	1,434
1865	4,223	2,084	2,139	1898	3,283	1,640	1,643	1931	2,933	1,497	1,436
1866	4,163	2,051	2,112	1899	3,265	1,631	1,634	1932	2,949	1,505	1,444
1867	4,150	2,033	2,097	1900	3,234	1,616	1,618	1933	2,962	1,512	1,450
1868	4,109	2,022	2,087	1901	3,213	1,607	1,606	1934	2,971	1,518	1,453
1869	4,090	2,012	2,078	1902	3,200	1,603	1,597	1935	2,971	1,520	1,451
1870	4,062	1,996	2,066	1903	3,185	1,599	1,586	1936	2,967	1,520	1,447
1871	4,042	1,986	2,056	1904	3,175	1,597	1,578	1937	2,948	1,510	1,438
1872	4,023	1,975	2,048	1905	3,165	1,594	1,571	1938	2,937	1,505	1,432
1873	3,989	1,955	2,034	1906	3,160	1,593	1,567	1939	2,934	1,503	1,431
1874	3,966	1,944	2,022	1907	3,151	1,589	1,562	1940	2,958	1,515	1,443
1875	3,951	1,940	2,011	1908	3,145	1,588	1,557	1941	2,993	1,533	1,460
1876	3,949	1,942	2,007	1909	3,142	1,589	1,553	1942	2,963	1,499	1,464
1877	3,956	1,947	2,009	1910	3,139	1,588	1,551	1943	2,946	1,490	1,456
1878	3,952	1,948	2,004	1911	3,132	1,586	1,546	1944	2,944	1,487	1,457

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1944 the estimate has been based on the population according to the Census of 1926, and that taken in 1936 and the Register of Population taken in 1941 and 1943, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
PERSONS.															
1851 ...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861 ...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	320,301	125,456	54,561	8,735	1,451	4,402,111
1871 ...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881 ...	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891 ...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901 ...	60,229	251,519	325,078	336,293	349,033	323,083	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911 ...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926 ..	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936 ...	53,606	214,660	269,345	282,783	268,326	254,513	400,669	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
1941 ...	275,640	270,733	268,634	272,072	238,972	429,188	361,823	302,863	263,286	215,682	93,141			2,992,034	
PROPORTION PER CENT.															
1851 ...	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861 ...	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871 ...	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881 ...	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891 ...	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901 ...	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911 ...	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926 ...	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936 ...	1.81	7.23	9.07	9.53	9.64	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100
1941 ...	9.21		9.05	8.98	9.00	7.99	14.35	12.09	10.12	8.80	7.21	3.11		100	

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851 ...	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	13,581	2,900	593	2,494,470
1861 ...	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,160,042
1871 ...	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881 ...	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891 ...	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901 ...	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911 ...	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926 ...	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936 ...	27,152	109,213	136,348	143,720	138,112	134,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
1941 ...	140,118	137,398	136,351	136,833	121,775	216,841	181,368	154,765	134,163	110,428	42,087				1,512,727
PROPORTION PER CENT.															
1851 ...	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861 ...	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.8	9.34	7.26	2.06	1.16	0.18	0.03	100
1871 ...	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881 ...	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891 ...	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901 ...	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911 ...	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926 ...	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936 ...	1.79	7.18	8.97	9.45	9.08	8.86	13.64	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100
1941 ...	9.26	9.08	9.01	9.05	8.05	14.34	11.99	10.23	8.87	7.30	2.82				100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851 ...	49,235	192,953	311,029	348,372	321,547	256,588	347,343	302,902	228,265	164,763	63,818	23,822	3,769	987	2,617,080
1861 ...	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871 ...	49,720	191,160	235,503	231,567	199,959	176,920	282,755	207,349	191,328	170,336	82,891	32,162	5,703	1,105	2,060,719
1881 ...	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891 ...	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901 ...	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,168	29,103	5,245	910	1,611,738
1911 ...	29,158	122,120	152,566	148,967	147,926	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926 ...	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936 ...	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
1941 ...	135,522	133,335	132,283	135,239	117,197	212,347	180,455	148,098	129,123	105,254	50,454				1,479,307
PROPORTION PER CENT.															
1851 ...	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861 ...	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.83	7.73	3.19	1.32	0.21	0.04	100
1871 ...	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881 ...	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891 ...	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901 ...	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911 ...	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926 ...	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936 ...	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100
1941 ...	9.16		9.01	8.94	9.14	7.92	14.36	12.20	10.01	8.73	7.12	3.41			100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1944.

PERIOD.	Mar- riages.	BIRTHS.							DEATHS.			Natural Increase.	
		TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.			Total.	Males.	Females		
		Total.	Males.	Females		Total.	Males.	Females					
Average. 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,389	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
" 1931-40	...	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1934	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	...	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	...	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	...	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	...	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	...	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	...	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
Average, 1934-43	...	15,326	58,763	30,161	28,602	56,761	2,002	1,035	967	42,087	21,770	20,317	16,676
1944	...	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1944.

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900 ...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40 ...	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1934 ...	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34
1935 ...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63
1936 ...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23
1937 ...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938 ...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939 ...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
1940 ...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97
1941 ...	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942 ...	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943 ...	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
Average, 1934-43	5.18	19.86	19.18	0.68	3.40	1,054	14.22	70.33	5.64
1944 ...	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1934-44 ; with the average annual rates for the ten years 1934-43 and the rate for 1943 per 1,000 of the population.

YEAR.	Marriages.															Births.					Deaths.				
	Catholic.					All Other.					Total.					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.	
1934	3,130	3,348	3,763	3,100	13,431	141	214	272	193	820	3,271	3,562	4,035	3,333	14,251	14,521	15,000	14,734	13,933	57,897	11,612	10,025	8,245	9,201	39,083
1935	3,692	3,836	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,157	3,266	14,336	14,114	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543
1936	3,638	3,175	3,822	3,199	13,834	158	252	261	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,109	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586
1937	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086
1938	3,665	3,163	4,069	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,683	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041
1939	3,359	3,411	4,179	3,333	14,282	128	251	335	205	922	3,487	3,665	4,514	3,558	15,294	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717
1940	3,310	3,594	4,234	3,114	14,252	193	211	358	196	960	3,503	3,898	4,592	3,309	15,212	14,084	15,134	14,385	12,901	56,594	13,361	10,481	8,442	9,601	41,885
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,693	5,021	3,833	17,470	14,427	18,181	17,749	15,769	66,117	12,122	10,822	8,497	10,199	41,640
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,066	5,132	3,642	17,328	16,590	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
Average for ten years, 1934-1943	3,550	3,443	4,110	3,291	14,394	162	249	332	189	932	3,712	3,692	4,442	3,480	15,326	14,384	15,444	15,207	13,728	58,763	12,875	10,677	8,607	9,928	42,087
1944	4,034	3,952	4,282	3,704	15,982	183	217	307	178	890	4,222	4,063	4,599	3,662	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
Equivalent Annual Rate per 1,000 living :—																									
Average, 1934-43	5.1	5.0	5.9	4.8	5.2	3.3	5.1	6.8	3.9	4.7	5.0	5.0	6.0	4.7	5.2	19.4	20.9	20.6	18.6	19.9	17.4	14.4	11.6	13.4	14.2
1944	5.9	5.6	6.2	5.4	5.8	3.9	4.5	6.3	3.7	4.6	5.7	5.5	6.2	5.3	5.7	23.2	24.0	21.4	20.3	22.2	20.1	15.0	11.9	14.2	15.3

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1923).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,601	1,040	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	296	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery ...	404	198	986	942		9.7	5.0	26.9	28.3	
Diarrhoea ...	1,456	1,300				35.1	32.8			
Pulmonary tuber- culosis.	6,777	6,060	7,026	6,669	6,263	163.4	175.6	192.3	200.2	197.0
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.					6,334‡					200.8‡
Puerperal sepsis...	234	274	244	199	150	5.7	6.9	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-40.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-40	1911-20	1921-30	1931-40
	ALL CAUSES ...	51,453	43,203	41,841	1,661.4	1,446.9	1,411.2
1	Typhoid fever ...	195	108	64	6.3	3.6	2.2
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	173	12.4	8.5	5.8
4	Scarlet fever ...	148	78	88	4.8	2.6	3.0
5	Whooping cough...	494	365	215	16.0	12.3	7.3
6	Diphtheria ...	225	282	321	7.3	9.4	10.8
7	Influenza ...	2,030	1,221	1,265	65.8	40.9	42.6
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethar- gica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,797	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	773	42.4	30.8	26.1
13	Cancer ...	2,591	2,933	3,529	83.8	98.4	119.0
14	Diabetes mellitus	245	227	260	7.9	7.6	8.8
*15	Cerebral hemorrhage, etc.	1,415	2,077	2,392	45.8	69.6	80.7
16	Heart disease ...	5,148	4,981	7,273	166.5	167.1	245.2
*17	Other circulatory diseases	—	439	734	—	14.7	24.7
18	Bronchitis ...	4,324	2,750	2,182	139.8	92.0	73.6
19	Pneumonia, all forms	2,853	2,476	2,420	92.3	83.0	81.6
20	Other respiratory diseases	819	722	688	26.5	24.2	23.2
21	Gastric or duode- nal ulcer	229	274	327	7.4	9.2	11.0
22	Diarrhoea and enter- itis under 2 years	814	592	584	26.3	19.8	19.7
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	72	5.9	3.2	2.4
*25	Other diseases of Liver, etc.	—	138	162	—	4.6	5.5
*26	Other digestive diseases	—	1,172	909	—	39.2	30.7
27	Acute and chr. nephritis	1,150	1,132	1,195	37.2	38.0	40.3
28	Puerperal sepsis ...	129	101	71	4.2	3.4	2.4
29	Other puerperal causes	212	190	170	6.9	6.4	5.7
*30	Congenital debility, etc.	2,101	1,788	1,852	68.0	59.9	62.5
*31	Senility ...	—	8,300	6,135	—	277.8	206.9
32	Suicide ...	82	89	98	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	881	37.7	34.1	29.7
34	Other defined causes	16,609	3,491	3,323	537.2	117.0	112.1
35	Causes ill-defined or unknown.	1,361	1,302	636	44.0	43.4	21.5

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1942 to 1944.

Nos.	CAUSES OF DEATH.	ÉIRE.						NORTHERN IRELAND.					
		No.			Rate.			No.			Rate.		
		1942	1943	1944	1942	1943	1944	1942	1943	1944	1942	1943	1944
	ALL CAUSES	41,640	43,494	45,128	1405.3	1476.1	1532.9	17,266	17,437	16,791	1328.4	1337.2	1277.9
1	Typhoid fever (including paratyphoid)	58	52	58	2.0	1.8	2.0	7	12	10	0.5	0.9	1.4
2	Cerebro-spinal meningitis ...	40	39	37	1.3	1.3	1.3	70	44	25	5.4	3.4	1.3
3	Scarlet fever ...	35	34	10	1.2	1.2	0.3	2	11	5	0.2	0.8	0.4
4	Whooping cough ...	228	310	242	7.7	10.5	8.2	64	113	95	4.9	8.7	7.2
5	Diphtheria ...	267	310	293	9.0	10.5	10.0	91	72	64	7.0	5.5	4.9
6	Tuberculosis of respiratory system.	3,512	3,398	2,935	118.5	115.3	99.7	939	863	862	72.3	66.2	65.6
7	All other forms of tuberculosis.	835	908	904	28.2	30.8	30.7	320	327	302	24.6	25.1	23.0
8	Dysentery ...	3	3	3	0.1	0.1	0.1	—	2	3	—	0.2	0.2
9	Influenza ...	388	461	812	13.1	15.7	27.6	194	339	213	14.9	26.0	16.2
10	Measles ...	79	32	144	2.7	1.1	4.9	68	34	8	5.2	2.6	0.6
11	Acute infectious encephalitis	22	16	11	0.7	0.5	0.4	26	28	18	2.0	2.1	1.4
12	Typhus ...	5	4	1	0.2	0.1	0.0	1	—	—	0.1	—	—
13	Cancer ...	4,055	4,043	4,176	136.9	137.2	141.6	1,837	1,892	1,852	141.4	145.1	140.9
14	Diabetes mellitus ...	267	232	249	9.0	7.9	8.5	117	93	108	9.0	7.1	8.2
15	Intra-cranial lesions of vascular origin.	2,617	2,652	2,770	88.3	90.0	94.1	1,393	1,458	1,603	107.2	111.8	122.0
16	Diseases of the heart ...	8,550	9,264	10,111	288.6	314.4	343.4	3,616	3,826	3,860	278.4	293.4	293.8
17	Other diseases of the circulatory system.	674	652	808	22.7	22.1	27.4	390	350	356	30.0	26.8	27.1
18	Bronchitis ...	1,473	1,444	1,591	49.7	49.0	54.0	737	578	574	56.7	44.3	43.7
19	Pneumonia ...	1,707	1,874	1,916	57.6	63.6	65.1	859	988	786	66.1	75.8	59.8
20	Other diseases of the respiratory system.	595	602	657	20.1	20.4	22.3	250	261	239	19.2	20.0	18.2
21	Ulcer of the stomach or duodenum.	274	270	271	9.2	9.2	9.2	140	115	132	10.8	8.8	10.0
22	Diarrhoea and enteritis ...	1,167	1,391	1,242	39.4	47.2	42.2	350	489	374	26.9	37.5	28.5
23	Appendicitis ...	142	133	137	4.8	4.5	4.7	54	67	70	4.2	5.1	5.3
24	Cirrhosis of the liver ...	54	57	55	1.8	1.9	1.9	29	31	22	2.2	2.4	1.7
25	Diseases of the liver and biliary passages.	142	157	118	4.8	5.3	4.0	66	89	84	5.1	6.8	6.4
26	Other diseases of the digestive system.	610	614	596	20.6	20.8	20.2	219	205	200	16.9	15.7	15.2
27	Nephritis ...	1,063	1,115	1,144	35.9	37.9	33.9	397	362	360	30.6	27.8	27.4
28	Puerperal infection ...	43	36	32	1.5	1.2	1.1	20	22	21	1.5	1.7	1.6
29	Other diseases of childbirth	120	109	124	4.0	3.7	4.2	68	78	74	5.2	6.0	5.6
30	Congenital debility, etc. (Nos. 157-161).	2,214	2,501	2,514	74.7	84.9	85.4	1,222	1,199	1,127	94.1	91.9	85.8
31	Senility ...	5,774	6,097	6,621	194.9	206.9	224.9	1,565	1,487	1,494	120.5	114.0	113.7
32	Suicide ...	83	78	77	2.8	2.7	2.6	44	52	48	3.4	4.0	3.7
33	Other violence ...	916	883	824	30.9	30.0	28.0	609	513	490	46.9	39.3	37.3
34	Other causes ...	3,628	3,723	3,645	122.4	126.4	123.8	1,492	1,437	1,303	114.9	110.2	99.2

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1944.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
" 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
" 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,893	4,636	1,462	213
" 1891-1900 ...	29,488	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
" 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
" 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
" 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
" 1931-40 ...	21,469	2,986	308	221	370	490	903	1,063	1,810	3,320	5,412	3,602	896	83
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	891	83
1935 ...	21,541	3,174	305	251	388	536	913	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	285	235	318	541	849	1,104	1,746	3,426	5,580	2,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	73
1938 ...	20,637	2,814	271	217	352	502	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	373	590	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	417	916	979	1,716	3,210	5,772	4,171	866	60
1941 ...	22,642	3,013	245	157	336	422	883	1,022	1,582	3,218	5,959	4,687	1,066	77
1942 ...	21,863	3,204	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	65
1943 ...	22,663	3,749	270	178	397	482	926	969	1,541	2,951	5,699	4,461	966	74
Average, 1934-43 ...	21,770	3,054	234	203	362	475	899	1,033	1,706	3,252	5,570	3,955	885	77
1944 ...	23,477	3,697	273	160	326	424	784	951	1,529	3,051	6,066	4,392	1,160	74

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.35	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.00
1871-80 ...	18.55	39.73	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.32	4.55	2.91	4.62	7.31	9.05	10.44	15.56	23.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	23.03	60.32	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.42	14.40	23.73	50.27	111.41	233.32
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.59	43.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1934 ...	13.12	18.57	2.21	1.48	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.27
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.53
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.15	5.73	10.87	23.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.50	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59
1943 ...	15.21	27.17	2.00	1.33	2.94	4.02	4.33	5.42	10.11	22.33	52.59	130.92	
Average, 1934-43 ...	14.41	22.12	2.07	1.41	2.61	3.64	4.37	5.32	10.61	23.77	58.31		
1944 ...	15.79	26.19	2.02	1.19	2.42	3.54	3.68	5.34	10.45	23.14	55.39		148.83

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1944.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
" 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
" 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
" 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
" 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,330	259
" 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
" 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
" 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,800	2,827	4,937	3,875	1,129	117
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,128	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,088	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,374	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109
1942	19,772	2,532	218	197	591	513	1,007	1,027	1,408	2,466	4,497	4,312	1,085	119
1943	20,831	2,892	266	201	414	484	975	969	1,368	2,543	4,788	4,618	1,215	98
Average, 1934-43	20,317	2,416	266	219	372	477	957	1,036	1,499	2,771	4,903	4,182	1,105	114
1944	21,651	2,377	254	182	367	435	905	939	1,377	2,555	5,099	5,133	1,384	144

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.20	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.62
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.67	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-40	...	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.25	146.98
1936	...	14.27	19.01	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	187.10
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.29	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93
1942	...	13.51	18.98	1.62	1.40	2.97	4.23	5.17	5.91	9.27	18.67	45.37	103.71	182.76
1943	...	14.31	21.68	2.03	1.54	3.11	4.20	4.66	5.46	9.39	20.91	46.19	119.46	—
Average, 1934-43	...	14.04	18.16	1.93	1.57	2.52	4.03	4.91	5.96	9.93	22.12	50.28	—	—
1944	...	14.86	21.55	1.93	1.40	2.75	3.77	4.33	5.23	9.44	20.09	49.18	134.01	—

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1944.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,223	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,314	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,936	766	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
„ 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,098	3,311	5,890	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,264	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	6,836	606	447	665	1,055	1,849	2,180	3,202	6,291	10,583	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	892	1,774	2,055	3,192	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
1940 ...	41,885	4,825	469	387	738	996	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,090	6,117	11,126	9,564	2,204	186
1942 ...	41,640	5,826	539	389	792	1,046	1,936	2,088	2,965	5,384	9,943	8,522	2,035	184
1943 ...	43,494	6,641	536	379	811	966	1,901	1,938	2,909	5,491	10,487	9,079	2,181	172
Average, 1934-43 ...	42,087	5,479	550	422	734	952	1,856	2,074	3,205	6,023	10,473	8,137	2,000	191
1944 ...	45,128	6,484	527	342	693	859	1,689	1,680	2,966	5,636	11,165	10,125	2,564	218

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.03	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	51.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	118.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26
1942 ...	14.05	21.75	1.97	1.38	2.96	4.12	4.85	5.89	9.60	19.71	50.09	111.91	192.02
1943 ...	14.76	24.47	2.01	1.43	3.03	4.11	4.50	5.44	9.76	21.19	49.37	124.71	—
Average, 1934-43 ...	14.22	20.15	2.02	1.49	2.71	3.83	4.63	5.89	10.28	22.98	53.29	—	—
1944 ...	15.33	23.91	1.98	1.23	2.59	3.65	4.00	5.31	9.95	21.64	52.61	140.82	—

*During 1864-70 the ages at death were unspecified for an average annual number of 80 persons and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1944.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM							Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases. *	Tuber- culosis.	Cancer.	Puerperal Infection		Other Diseases of Child- birth.	
								Sepsis	Other		
ÉIRE.	16,772	65,425	2,567	45,128	1,839	3,839	4,176	17	15	124	5,198
Carlow ...	167	876	55	532	16	38	42	.	.	3	65
Dublin Co. ...	770	2,413	81	1,634	108	170	149	.	1	2	229
City of Dublin ...	3,879	12,328	364	7,077	646	814	656	2	2	14	1,443
Kildare ...	293	1,764	83	895	43	82	96	.	.	1	123
Kilkenny ...	356	1,572	99	1,113	26	86	100	.	.	5	126
Laoighis ...	194	1,080	67	785	21	61	70	1	1	4	77
Longford ...	180	764	38	585	10	35	54	.	.	1	40
Louth ...	405	1,507	55	986	38	97	125	1	1	4	114
Meath ...	294	1,587	68	943	18	91	96	.	.	2	109
Offaly ...	308	1,185	54	778	23	64	96	.	.	2	75
Westmeath ...	338	1,385	72	847	19	97	101	1	1	3	72
Wexford ...	516	2,247	130	1,524	48	109	133	.	1	8	160
Wicklow ...	319	1,375	84	959	39	88	86	1	.	3	112
LEINSTER ...	8,919	30,123	1,250	18,658	1,055	1,832	1,804	6	7	52	2,743
Clare ...	435	1,766	72	1,374	40	94	124	.	.	1	106
Cork Co. ...	1,216	5,118	188	4,265	98	278	411	1	.	6	419
Cork Co. Borough ...	783	1,867	51	1,372	99	146	119	2	.	5	202
Kerry ...	683	2,784	92	1,891	47	167	173	.	1	8	150
Limerick Co. ...	438	2,272	131	1,576	72	104	131	2	.	6	218
Limerick Co. Borough	414	1,118	25	735	57	90	75	.	.	1	137
Tipperary N.R. ...	305	1,262	43	859	25	66	76	.	.	3	88
Tipperary S.R. ...	423	1,845	91	1,184	35	86	136	.	2	5	131
Waterford Co. ...	238	939	73	823	16	45	65	1	.	4	91
Waterford Co. Boro'	177	715	23	435	24	39	43	.	.	2	57
MUNSTER ...	5,112	19,686	789	14,514	513	1,115	1,353	6	3	41	1,599
Galway ...	776	3,669	98	2,365	87	231	187	.	.	8	231
Leitrim ...	218	873	26	823	10	54	62	.	.	2	43
Mayo ...	711	3,068	67	2,215	30	158	195	.	1	1	127
Roscommon ...	277	1,259	18	1,184	13	67	90	1	1	4	49
Sligo ...	343	1,117	35	1,065	18	96	102	2	.	3	73
CONNAUGHT ...	2,325	9,986	244	7,652	158	606	636	3	2	18	523
Cavan ...	328	1,461	67	1,266	27	67	89	.	1	3	113
Donegal ...	686	2,997	163	2,143	54	162	202	2	2	0	168
Monaghan ...	302	1,172	54	895	32	57	92	.	.	1	52
ULSTER (part of) ...	1,316	5,630	284	4,304	113	286	383	2	3	13	333

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1944.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Register of Popu- lation, 1943.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popu- lation.	Rates per 1,000 of Popu- lation.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes.	Prin- cipal Epid- emic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection.	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.
ÉIRE ...	2,949,713	5.7	22.2	3.9	15.3	0.6	1.3	1.4	0.5	1.9	79
Carlow ...	33,862	4.9	25.9	6.3	15.7	0.5	1.1	1.2	-	3.4	72
Dublin Co. ...	123,923	6.2	19.5	3.4	13.2	0.9	1.4	1.2	0.4	0.8	95
City of Dublin ...	495,074	7.7	24.4	3.0	14.0	1.3	1.6	1.3	0.3	1.1	117
Kildare ...	64,559	4.5	27.3	4.7	13.9	0.7	1.3	1.5	-	0.6	70
Kilkenny ...	68,006	5.2	23.1	6.3	16.4	0.4	1.3	1.5	-	3.2	80
Laoighis ...	49,260	3.9	21.9	6.2	15.9	0.4	1.2	1.4	1.9	3.7	71
Longford ...	37,107	4.9	20.6	5.0	15.8	0.3	0.9	1.5	-	1.3	62
Louth ...	65,108	6.2	24.5	3.4	15.1	0.6	1.5	1.9	1.3	2.5	71
Meath ...	65,298	4.5	24.3	4.3	14.4	0.3	1.4	1.5	-	1.3	69
Offaly ...	52,029	5.9	22.8	4.6	15.0	0.4	1.2	1.8	-	1.7	63
Westmeath ...	56,133	6.0	23.8	5.4	15.1	0.3	1.7	1.8	1.5	2.2	54
Wexford ...	91,136	5.7	24.7	5.8	16.7	0.5	1.2	1.5	0.4	3.6	71
Wicklow ...	58,295	5.5	23.6	6.1	16.5	0.7	1.5	1.5	0.7	2.2	81
LEINSTER ...	1,259,790	6.4	23.9	4.1	14.8	0.8	1.5	1.4	0.4	1.7	91
Clare ...	86,192	5.0	20.5	4.1	15.9	0.5	1.1	1.4	-	0.6	60
Cork Co. ...	271,064	4.5	18.9	3.7	15.7	0.4	1.0	1.5	0.2	1.2	82
Cork Co. Borough ...	75,484	10.4	24.7	2.7	18.2	1.3	1.9	1.6	1.1	2.7	108
Kerry ...	136,072	5.0	20.5	3.3	13.9	0.3	1.2	1.3	0.4	2.9	54
Limerick Co. ...	100,141	4.4	22.7	5.8	15.7	0.7	1.0	1.3	0.9	2.6	96
Limerick Co. Borough	42,070	9.8	26.6	2.2	17.5	1.4	2.1	1.8	-	0.9	123
Tipperary, N. R. ...	58,929	5.2	21.4	3.4	14.6	0.4	1.1	1.3	-	2.4	70
Tipperary, S. R. ...	78,010	5.4	23.7	4.9	15.2	0.4	1.1	1.7	1.1	2.7	71
Waterford Co. ...	48,143	4.9	19.5	7.8	17.1	0.3	0.9	1.4	1.1	4.3	97
Waterford Co. Boro'. ...	27,825	6.4	25.7	3.2	15.6	0.9	1.4	1.5	-	2.8	80
MUNSTER ...	923,930	5.5	21.3	4.0	15.7	0.6	1.2	1.5	0.5	2.1	81
Galway ...	166,231	4.7	22.1	2.7	14.2	0.5	1.4	1.1	-	2.2	63
Leitrim ...	46,219	4.7	18.9	3.0	17.8	0.2	1.2	1.3	-	2.3	49
Mayo ...	150,985	4.7	20.3	2.2	14.7	0.2	1.0	1.3	0.3	0.3	41
Roscommon ...	74,062	3.7	17.0	1.4	16.0	0.2	0.9	1.2	1.6	3.2	39
Sligo ...	62,842	5.5	17.8	3.1	16.9	0.3	1.5	1.6	1.8	2.7	65
CONNAUGHT ...	500,339	4.6	20.0	2.4	15.3	0.3	1.2	1.3	0.5	1.8	52
Cavan ...	71,660	4.6	20.4	4.6	17.7	0.4	0.9	1.2	0.7	2.1	77
Donegal ...	136,035	5.0	22.0	5.4	15.8	0.4	1.2	1.5	1.3	3.0	56
Monaghan ...	57,959	5.2	20.2	4.6	15.4	0.6	1.0	1.6	-	0.9	44
ULSTER (part of) ...	265,654	5.0	21.2	5.0	16.2	0.4	1.1	1.4	0.9	2.3	59

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1944.

*See note page 15.

TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1944.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puerperal Infection.		Other Diseases of Child- birth.	Infants under One Year of Age.
						Sepsis.	Other.		
ÉIRE	65,425	45,128	1,839	3,339	4,176	17	15	124	5,198
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS ...	23,853	14,532	1,036	1,633	1,361	6	4	35	2,495
ALL RURAL DISTRICTS	41,572	30,596	803	2,206	2,815	11	11	89	2,703
COUNTY BOROUGH AND URBAN DIS- TRICTS, over 10,000 Population ...	19,606	11,856	935	1,345	1,102	5	3	28	2,143
CITY OF DUBLIN ...	12,328	7,077	646	814	656	2	2	14	1,443
Borough of Dun Laoghaire ...	790	589	37	48	60	..	1	1	74
Cork County Borough	1,867	1,372	99	146	119	2	..	5	202
Limerick County Borough ...	1,118	735	57	90	75	..	..	1	137
Waterford County Borough ...	715	455	24	39	43	..	..	2	57
Galway Borough ...	471	265	18	40	18	..	..	..	40
Dundalk U.D. ...	394	242	24	31	26	..	..	1	44
Drogheda U.D. ...	386	194	2	23	22	..	..	2	25
Sligo U.D. ...	236	191	7	34	14	1	..	..	20
Wexford U.D. ...	311	171	5	10	18	..	..	1	28
Kilkenny U.D. ...	269	147	2	20	11	..	..	..	20
Bray U.D. ...	231	188	7	22	18	..	..	..	23
Trillick U.D. ...	235	134	3	19	10	..	..	..	11
Clonmel U.D. ...	255	116	4	9	12	..	..	1	19
URBAN DISTRICTS, under 10,000 Popu- lation	4,247	2,676	101	288	259	1	1	7	352
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	16,245	9,473	769	1,076	900	3	4	20	1,731
Province of Munster	6,025	4,061	216	416	374	2	..	13	586
Province of Connaught	1,072	654	33	106	57	1	..	..	81
Province of Ulster (part of)	511	344	18	35	30	..	..	2	47
ALL RURAL DISTRICTS IN :—									
Province of Leinster	13,878	9,185	286	756	904	3	3	32	962
Province of Munster	13,661	10,453	297	699	979	4	3	28	1,913
Province of Connaught	8,914	6,998	125	500	579	2	2	18	442
Province of Ulster (part of)	5,119	3,960	95	251	353	2	3	11	286

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1944.

URBAN AND RURAL AREAS.	Population according to the Register of Population, 1945.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,949,713	22.2	15.3	0.6	1.3	1.4	0.5	1.9	79
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	991,454	24.1	14.7	1.0	1.6	1.4	0.4	1.5	105
ALL RURAL DISTRICTS	1,958,259	21.2	15.6	0.4	1.1	1.4	0.5	2.1	65
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	800,133	24.5	14.8	1.2	1.7	1.4	0.4	1.4	109
CITY OF DUBLIN ...	495,074	24.4	14.0	1.3	1.6	1.3	0.3	1.1	117
Borough of Dun Laoghaire ...	42,105	18.6	13.9	0.9	1.1	1.4	1.3	1.3	94
Cork County Borough	75,484	24.7	18.2	1.3	1.9	1.6	1.1	2.7	108
Limerick County Borough ...	42,070	26.6	17.5	1.4	2.1	1.8	.	0.9	123
Waterford County Borough ...	27,825	25.7	15.6	0.9	1.4	1.5	.	2.8	80
Galway Borough ...	19,972	23.6	13.3	0.9	2.0	0.9	.	.	85
Dundalk U.D. ...	15,466	25.5	15.6	1.6	2.0	1.7	.	2.5	112
Drogheda U.D. ...	15,180	25.4	12.8	0.1	1.5	1.4	.	5.2	65
Sligo U.D. ...	12,657	18.6	15.1	0.6	2.7	1.1	4.2	.	85
Wexford U.D. ...	12,051	25.8	14.2	0.4	0.8	1.5	.	3.2	90
Kilkenny U.D. ...	11,192	24.0	13.1	0.2	1.8	1.9	.	.	74
Bray U.D. ...	10,680	21.6	17.6	0.7	2.1	1.7	.	.	100
Trillick U.D. ...	10,350	22.7	12.9	0.3	1.8	1.0	.	.	47
Clonmel U.D. ...	10,927	25.4	11.6	0.4	0.9	1.2	.	3.9	75
URBAN DISTRICTS, under 10,000 Population ...	191,321	22.2	14.0	0.5	1.5	1.4	0.5	1.6	83
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN:—									
Province of Leinster	685,990	24.4	14.2	1.2	1.6	1.4	0.4	1.2	110
Province of Munster	219,826	24.1	16.3	0.9	1.7	1.5	0.3	2.2	97
Province of Connaught	51,981	20.6	12.6	0.6	2.0	1.1	0.9	.	76
Province of Ulster (part of)	23,657	21.6	14.5	0.8	1.5	1.3	.	3.9	92
ALL RURAL DISTRICTS IN:—									
Province of Leinster	593,800	23.4	15.5	0.5	1.3	1.5	0.4	2.3	69
Province of Munster	674,104	20.3	15.5	0.4	1.0	1.5	0.5	2.0	74
Province of Connaught	448,358	19.9	15.6	0.3	1.1	1.3	0.4	2.0	50
Province of Ulster (part of)	241,397	21.2	16.4	0.4	1.0	1.5	1.0	2.1	56

NOTE.—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire, are calculated on the population estimated to the middle of 1944.

*See note, page 15.

TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1944.

PROVINCES AND COUNTIES	DEATHS OF INFANTS UNDER ONE MONTH OLD										
	Total Number	Rate per 1,000 Births	CAUSE OF DEATH								
			Prema- ture Birth	Debility	Injury at Birth	Other Diseases of Infancy	Congen- ital Malfor- mations	Diar- rhoea and Enteritis	Convul- sions	Pneu- monia	Other Causes
ÉIRE ...	2,174	33	695	449	98	210	198	229	89	84	122
Carlow ...	32	37	9	11	.	4	3	1	2	1	1
Dublin ...	113	47	40	11	6	9	15	29	1	5	6
City of Dublin ...	628	51	223	55	27	66	66	118	6	40	27
Kildare ...	54	31	17	19	2	3	2	4	1	2	4
Kilkenny ...	63	40	19	18	4	8	1	6	4	1	2
Laoighis ...	31	29	8	8	1	3	5	3	.	.	3
Longford ...	13	17	3	2	2	.	1	2	1	1	1
Louth ...	41	26	17	8	2	5	2	3	1	.	3
Meath ...	55	35	11	22	.	2	10	1	3	2	4
Offaly ...	35	30	10	12	1	3	1	2	2	3	1
Westmeath ...	30	22	7	1	5	3	10	2	.	1	1
Wexford ...	66	29	23	26	1	4	4	3	3	.	2
Wicklow ...	45	33	12	10	4	7	5	2	2	1	2
LEINSTER ...	1,296	40	399	293	55	117	125	167	26	57	57
Clare ...	33	19	8	15	.	.	1	1	7	.	1
Cork ...	172	34	62	53	6	13	9	8	7	4	10
Cork Co. Borough ...	66	35	31	6	2	5	7	8	3	1	3
Kerry ...	67	24	15	10	2	13	10	3	6	2	6
Limerick ...	75	33	25	20	.	8	1	5	3	4	9
Limerick Co. Borough ...	42	38	8	13	1	4	3	5	6	1	1
Tipperary, N.R. ...	47	37	12	14	3	5	1	3	1	3	5
Tipperary, S.R. ...	56	39	19	6	2	7	8	3	7	3	1
Waterford ...	42	45	14	9	5	5	3	1	4	.	1
Waterford Co. Boro' ...	24	34	11	4	.	3	1	3	.	.	2
MUNSTER ...	624	32	205	150	21	63	44	40	44	18	39
Galway ...	94	25	24	17	6	11	7	15	7	3	4
Leitrim ...	16	18	.	12	.	.	.	.	1	.	3
Mayo ...	65	21	24	11	3	7	6	2	3	1	8
Roscommon ...	17	14	4	10	.	1	.	.	1	.	1
Sligo ...	26	23	10	10	1	2	.	1	1	1	.
CONNAUGHT ...	218	22	62	60	10	21	13	18	13	5	16
Cavan ...	44	30	14	8	1	4	6	2	5	2	2
Donegal ...	62	21	10	24	7	3	9	1	.	2	6
Monaghan ...	20	17	5	4	4	2	1	1	1	.	2
ULSTER (part of) ...	126	22	29	36	12	9	16	4	6	4	10

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1944, for the Fourteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popu- lation according to the Register of Popula- tion, 1943	Annual Rate per 1,000 persons represented by			BIRTHS. Total Number.	DEATHS.																																
		BIRTHS.	DEATHS			Total Number.	Under 1 year of age.	At 65 years and up- wards.	Caused by												Tuber- culosis.	Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.											
			All Causes.	Principal epidemic diseases.					Principal Epidemic Disease.																													
									Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Other Forms.																			
IRE	2,949,713	22.2	15.3	0.6	65,425	45,128	5,198	24,072	58	10	242	293	3	-	144	1	1,088	2,935	904	812	4,176	32	124	901	6,282													
Total Rural Districts ...	1,958,259	21.2	15.6	0.4	41,572	30,596	2,703	18,123	43	7	146	164	2	-	64	1	376	1,688	518	722	2,815	22	89	618	5,990													
Total Urban Districts ...	991,454	24.1	14.7	1.0	23,853	14,532	2,495	5,949	15	3	96	129	1	-	80	-	712	1,247	386	90	1,361	10	35	283	292													
Total 14 Principal Towns ...	800,133	24.5	14.8	1.2	19,606	11,856	2,143	4,701	10	1	82	106	1	-	73	-	662	1,029	316	53	1,102	8	28	228	184													
City of Dublin ...	495,074	24.4	14.0	1.3	12,328	7,077	1,442	2,606	8	-	37	72	1	-	46	-	482	617	197	28	656	4	14	135	110													
Borough of Dun Laoghaire	42,105	18.6	13.9	0.9	790	589	74	294	-	-	2	10	-	-	2	-	23	39	9	1	60	1	1	12	-													
Cork Co. Borough ...	75,484	24.7	18.2	1.3	1,867	1,372	202	597	-	-	28	7	-	-	5	-	59	119	27	5	119	2	5	31	7													
Limerick " ...	42,070	26.6	17.5	1.4	1,118	735	137	275	2	1	3	3	-	-	9	-	39	74	16	2	75	-	1	15	22													
Waterford " ...	27,825	25.7	15.6	0.9	715	435	57	218	-	-	1	2	-	-	1	-	20	31	8	2	43	-	2	9	1													
Galway Borough ...	19,972	23.6	13.3	0.9	471	265	40	114	-	-	3	6	-	-	-	-	9	21	19	5	18	-	-	6	5													
Dundalk	15,466	25.5	15.6	1.6	394	242	44	79	-	-	5	1	-	-	6	-	12	26	5	3	26	-	1	4	2													
Drogheda	15,180	25.4	12.8	0.1	386	194	25	84	-	-	2	-	-	-	-	-	-	16	7	2	22	-	2	1	5													
Sligo	12,657	18.6	15.1	0.6	236	191	20	86	-	-	-	1	-	-	-	-	6	20	14	1	14	1	-	6	7													
Wexford	12,051	25.8	14.2	0.4	311	171	28	82	-	-	-	1	-	-	-	-	4	9	1	-	18	-	1	1	1													
Kilkenny	11,192	24.0	13.1	0.2	269	147	20	71	-	-	-	-	-	-	-	-	2	17	3	4	11	-	-	3	8													
Bray	10,680	21.6	17.6	0.7	231	188	23	80	-	-	-	3	-	-	1	-	3	17	5	-	18	-	-	3	-													
Tralee	10,350	22.7	12.9	0.3	235	134	11	62	-	-	1	-	-	-	-	-	2	16	3	-	10	-	-	2	15													
Clonmel	10,027	25.4	11.6	0.4	255	116	19	53	-	-	-	-	-	-	3	-	1	7	2	-	12	-	1	-	1													

Urban Districts under Population	191,321	22.2	14.0	0.5	4,247	2,676	352	1,248	5	2	14	23			7		50	218	79	37	259	2	7	55	108
Uaimb ...	4,168	20.9	13.4	0.5	87	56	17	20									2	8	1		5				2
low ...	4,780	22.8	15.5		109	74	6	39										8			7	1			2
phone ...	8,830	25.6	9.1	0.7	226	80	8	44		1							5	8	1	4	12			2	2
by ...	3,614	22.4	15.5	1.1	81	56	9	24	1		1						2	6	1	2	5			1	2
tr ...	3,229	18.9	18.0	1.2	61	58	7	32			2				1		1	4		1	10			2	1
low ...	7,518	24.9	10.1	0.3	187	76	11	38				1					1	6	3	2	5				7
annans Mór ...	2,995	19.6	16.2	0.5	41	34	1	20				1						3		1	6				
niscorthy ...	5,970	24.8	18.1	0.8	148	108	16	48			2						3	12	1	1	6				1
anard ...	1,147	13.1	12.2	0.9	75	14	1	8									1	4	1		2				3
ngford ...	4,524	24.1	11.7	0.7	109	53	14	18				2					1	7		1	1			1	2
as ...	3,464	24.0	10.7	0.9	83	37	7	14	1								2	4	2	1	2			1	2
ew Ross ...	4,826	26.3	17.0	1.9	127	82	8	35			1	7					1	6	4	1	6	1		2	
im ...	1,355	21.4	15.5		29	21	4	12										2	1		2				
llernore ...	5,627	27.3	10.3	0.4	154	58	7	18			1						1	7	3		14		1	1	2
cklow ...	3,085	25.6	18.8	1.3	79	58	8	28			1	1					2	4	1	1	6				

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1944.

TABLE 14.—URBAN DISTRICTS, 1944 (continued).

AREA.	Popu- lation according to the Register of Popula- tion, 1943	Annual Rate per 1,000 persons represented by			BIRTHS. Total Number.	DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		BIRTHS.	DEATHS			Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			All Causes.	Principal epidemic diseases.					Principal Epidemic Diseases.								Tuber- culosis		Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Typhoid fever.					Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Other Forms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
MUNSTER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

Bereen ...	...	2,325	15-9	22-4	0-4	37	52	1	34					1					1		1	3			1	4
mplemore ...	...	2,748	20-4	14-2		56	39	6	18										2			7		1	2	2
aries ...	...	6,042	23-0	9-6	0-2	139	58	7	28			1							6	3	1	5			1	2
perary ...	...	5,201	22-5	14-4	0-6	116	75	7	32									3	9		2	8			1	
ughal ...	...	5,047	22-1	14-5	0-4	113	73	10	38			1	1						6			6			3	4
NNAUGHT.																										
lina ...	...	5,854	27-5	11-4	0-5	161	67	10	25				1			2			10	4	1	9				5
linasloe ...	...	5,315	13-0	8-5	0-6	69	45	6	16				1			1		1	7	5		3			1	1
stlebar ...	...	4,918	13-6	7-7	0-2	67	38		22							1			2	1	1	7			4	4
stport ...	...	3,265	20-8	14-7	0-3	68	48	5	29									1	3			6			1	6
STER (part of).																										
Harbet ...	...	1,185	19-4	16-0		23	19	1	9													2				2
ncrana ...	...	2,717	27-2	14-7		74	40	4	22										4	2		1				2
ndoran ...	...	1,466	21-8	17-7	0-7	32	26	3	13									1	2	1		3				1
ricknacross ...	...	2,125	17-9	12-2	0-5	38	28	1	12				1						6	1	1	2			1	
stleblayney ...	...	1,740	17-2	11-5	0-6	30	20		11	1									2		1	3				
van ...	...	3,437	28-2	17-5	1-5	97	69	17	26				1					4	4			4			2	2
ones ...	...	2,131	22-5	12-2	1-4	48	26	4	12		1							2	1			4				
otehill ...	...	1,502	24-6	20-6	1-3	37	21	5	16							1		1	1		1					
tterkenny ...	...	2,682	24-2	13-8	0-7	65	37	4	14			1						1	4	1	2	4		1	3	6
onaghan ...	...	4,672	14-3	12-2	0-6	67	57	7	23	1			2						5	1		7		1	1	4

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1944.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.63	18.54	15.31	1.59	0.45	2.98	1.78	121	66
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.00	1.23	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.53	20.76	16.26	1.23	0.42	3.02	1.77	126	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.66	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	53
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.63	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.81	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	90	58
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58
1943 ...	23.91	20.33	14.58	14.51	1.11	0.44	1.80	1.26	110	67
1944 ...	24.66	21.23	14.66	15.62	1.04	0.41	1.64	1.13	105	65

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1944, in each Province, County, and County Borough.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGH.	Area* in Statute Acres	Population accord- ing to Register of Popula- tion, 1943.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
ÉIRE	17,024,485	2,949,713	16,772	65,425	—	—	65,425	2,567	—	—	2,567	45,128	—	—	45,128	29,297
PROVINCES																
No.																
I.—LEINSTER	4,851,340	1,259,790	8,019	30,490	623	256	30,123	1,347	191	94	1,250	18,878	318	98	18,658	11,465
II.—MUNSTER	5,962,695	923,939	5,112	19,692	224	218	19,686	818	94	65	789	14,435	97	126	14,514	5,172
III.—CONNAUGHT	4,230,822	500,339	2,325	9,762	52	276	9,986	177	2	69	244	7,540	13	125	7,652	2,334
IV.—ULSTER (part of)	1,979,728	265,654	1,316	5,481	33	182	5,630	225	1	60	284	4,225	11	90	4,304	1,326

PROVINCE OF LEINSTER.

1. CARLOW	221,485	33,862	167	807	10	79	876	39	.	16	55	512	23	43	532	344
2. DUBLIN CO.	208,984	123,923	770	1,178	121	1,356	2,418	131	91	41	81	1,324	189	499	1,634	779
3. CITY OF DUBLIN	18,740	495,974	3,870	15,109	2,882	101	12,328	608	278	34	304	8,076	1,136	137	7,077	5,251
4. KILDARE	418,644	64,559	293	1,514	19	289	1,764	49	1	35	83	826	20	89	895	869
5. KILKENNY	509,470	68,906	356	1,436	18	134	1,572	59	.	40	99	1,066	19	66	1,118	459
6. LAÓIGHIS	424,892	49,260	194	998	15	97	1,080	34	2	35	67	767	24	42	785	295
7. LONGFORD	257,935	37,107	180	717	18	65	764	22	.	16	38	544	1	42	585	179
8. LOUTH	202,814	65,108	405	1,613	120	104	1,597	47	2	70	55	932	9	63	986	611
9. MEATH	577,824	65,298	294	1,332	19	274	1,587	29	1	40	68	881	16	78	943	644
10. OFFALY	493,636	52,629	308	1,112	9	82	1,185	25	.	29	54	719	4	63	778	407
11. WESTMEATH	435,605	56,133	338	1,371	120	84	1,335	148	91	15	72	885	73	35	847	488
12. WEXFORD	581,061	91,136	516	2,187	23	85	2,247	101	2	31	130	1,494	13	43	1,524	723
13. WICKLOW	500,250	58,295	319	1,116	19	278	1,375	55	.	29	84	852	26	133	959	419

PROVINCE OF MUNSTER

14. CLARE	787,756	86,192	435	1,607	4	163	1,766	30		42	72	1,324	5	55	1,374	392
15. CORK CO.	1,840,908	271,064	1,216	4,596	196	718	5,118	255	82	15	188	4,187	518	296	4,265	853
16. CORK CO. BOROUGH	2,685	75,484	783	2,483	723	107	1,867	31	6	26	51	1,212	299	459	1,372	495
17. KERRY	1,161,706	136,072	683	2,728	20	76	2,784	68		24	92	1,834	1	58	1,891	893
18. LIMERICK CO.	661,586	100,141	438	2,013	50	309	2,272	132	18	17	131	1,672	243	147	1,576	696
19. LIMERICK CO.	2,586	42,070	414	1,451	377	44	1,118	11	3	17	25	652	159	242	755	383
20. TIPPERARY, N.R.	493,258	58,929	305	1,297	131	96	1,262	136	108	15	43	884	67	42	859	403
21. TIPPERARY, S.R.	558,034	78,010	423	1,827	39	57	1,845	74	2	19	91	1,182	34	36	1,184	661
22. WATERFORD CO.	452,340	48,113	238	822	20	137	939	51	3	25	73	711	12	124	823	116
23. WATERFORD CO. BOROUGH	1,438	27,825	177	868	167	14	715	30	10	3	23	527	106	14	435	280

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	166,231	776	3,666	74	77	3,669	112	34	20	98	2,366	48	47	2,365	1,504
25. LEITRIM	376,764	46,219	218	805	8	76	873	9		17	26	781	1	43	823	50
26. MAYO	1,333,941	150,985	711	2,967	21	122	3,068	15	1	53	67	2,160	1	56	2,215	853
27. ROSCOMMON	608,540	74,062	277	1,217	27	69	1,289	13	1	6	18	1,167	17	34	1,184	75
28. SLIGO	443,917	62,842	343	1,107	39	40	1,117	28	2	9	35	1,066	23	22	1,065	52

PROVINCE OF ULSTER (Part of).

29. OAVAN	467,162	71,669	328	1,361	11	111	1,461	35		32	67	1,199	4	71	1,266	195
30. DONEGAL	1,195,581	136,035	686	2,978	17	36	2,997	149		14	163	2,135	6	14	2,143	854
31. MONAGHAN	318,985	57,959	302	1,142	18	48	1,172	41	1	14	54	891	20	24	895	277

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
ÉIRE	16,772	15,882	890	645	123	49	63	2	3	4,222	4,069	4,599	3,332
PROVINCES.													
LEINSTER	8,019	7,518	501	383	28	29	59	.	2	1,624	1,942	2,540	1,913
MUNSTER	5,112	4,988	124	102	6	11	3	1	1	1,544	1,216	1,229	1,123
GONNAUGHT	2,325	2,277	48	45	3	.	.	.	.	659	614	488	564
ULSTER (part of)	1,316	1,099	217	115	91	9	1	1	.	395	297	342	282

PROVINCE OF

CARLOW	167	150	17	16	.	1	.	.	.	48	42	40	37
DUBLIN CO.	779	701	69	63	1	5	.	.	.	155	167	258	190
CITY OF DUBLIN	3,879	3,611	268	166	22	.	57	.	2	687	936	1,335	921
KILDARE	295	282	11	11	.	.	.	.	.	63	82	83	65
KILKENNY	356	347	9	9	.	.	.	.	.	80	93	107	76
LAOIGHIS	194	175	19	17	1	1	.	.	.	56	46	48	44
LONGFORD	189	173	7	7	.	.	.	.	.	48	42	41	49
LOUTH	405	397	8	6	2	.	.	.	.	76	95	134	100
MEATH	294	289	5	5	.	.	.	.	.	65	61	76	89
OFFALY	398	289	19	18	1	.	.	.	.	77	84	71	76
WESTMEATH	338	329	9	9	.	.	.	.	.	81	87	93	77
WEXFORD	516	492	21	23	.	.	1	.	.	121	138	129	128
WICKLOW	319	283	36	33	1	1	1	.	.	67	66	125	61

PROVINCE OF

CLARE	435	433	2	2	.	.	.	.	.	124	113	95	103
CORK CO.	1,216	1,166	50	45	.	3	.	.	.	373	308	281	254
CORK CO. BOROUGH	783	759	24	17	1	4	1	.	1	202	153	239	189
KERRY	683	672	11	11	.	.	.	.	.	274	137	117	155
LIMERICK CO.	438	433	5	5	.	.	.	.	.	167	190	80	91
LIMERICK CO. BOROUGH	414	401	13	8	5	.	.	.	.	109	112	122	80
TIPPERARY, N.R.	305	297	8	4	.	4	.	.	.	90	83	63	79
TIPPERARY, S.R.	423	419	4	4	.	.	.	.	.	168	119	113	83
WATERFORD CO.	228	234	4	3	.	.	.	1	.	73	49	67	49
WATERFORD CO. BOROUGH	177	174	3	3	.	.	.	.	.	33	42	62	40

PROVINCE OF

GALWAY	776	774	2	2	.	.	.	.	.	248	185	194	149
LEITRIM	218	204	14	14	.	.	.	.	.	52	68	54	44
MAYO	711	704	7	5	2	.	.	.	.	175	318	124	194
ROSCOMMON	277	275	2	2	.	.	.	.	.	75	68	35	99
SLIGO	343	329	23	22	1	.	.	.	.	109	75	81	78

PROVINCE OF

CAVAN	328	275	53	41	6	5	.	1	.	100	83	73	72
DONEGAL	686	577	109	50	55	4	.	.	.	203	157	193	133
DONAGHAN	302	247	55	24	30	.	1	.	.	92	57	76	77

REGISTERED IN THE YEAR 1944.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.	Widowers.	Widows.	Men.	Womn.	
15,914	191	560	107	667	298	348	1,424	ÉIRE.
7,552	114	296	57	353	171	221	709	PROVINCES.
4,892	33	156	26	182	61	93	397	LEINSTER.
2,222	21	62	17	79	41	21	120	MUNSTER.
1,248	15	46	7	53	22	13	108	CONNAUGHT.
								ULSTER (part of).

LEINSTER

157	3	6	1	7	4	2	22	CARLOW.
726	7	31	6	37	13	21	78	DUBLIN CO.
3,631	62	165	31	196	83	122	370	CITY OF DUBLIN.
276	7	9	2	11	9	5	47	KILDARE.
313	3	8	2	10	5	9	26	KILKENNY.
187		6	2	7	2	5	23	LAOIGHIS.
109	6	5	1	6	6	1	13	LONGFORD.
389	5	19	1	11	6	14	32	LOUTH.
275	3	16	1	17	3	6	27	MEATH.
294	3	10	1	11	4	3	21	OFFALY.
320	19	8		8	10	5	39	WESTMEATH.
488	9	15	4	19	13	17	75	WEXFORD.
298	8	8	5	13	13	11	35	WICKLOW.

MUNSTER

415	1	19		19	1	3	22	CLARE.
1,167	9	35	5	49	14	13	80	CORK CO.
748	5	26	4	30	9	21	72	CORK CO. BOROUGH.
664	5	13	1	14	6	5	26	KERRY.
414	3	18	3	21	6	10	37	LIMERICK CO.
394	4	13	3	16	7	11	45	LIMERICK CO. BOROUGH.
292	2	9	2	11	4	7	25	TIPPERARY, N.R.
496	4	8	5	13	9	8	42	TIPPERARY, S.R.
225	4	9		9	4	1	19	WATERFORD CO.
197	1	6	3	9	4	11	29	WATERFORD CO. BOROUGH.

CONNAUGHT

739	8	18	11	29	19	9	50	GALWAY.
292	5	8	3	11	8		6	LEITRIM.
685	6	20	2	22	8	4	38	MAYO.
271		6		6		1	12	ROSCOMMON.
337	5	10	1	11	6	7	17	SLIGO.

ULSTER (part of)

311	5	10	2	12	7	4	34	CAYAN.
452	7	26	2	27	9	5	53	DONEGAL.
285	3	11	3	14	6	4	21	MONAGHAN.

ABSTRACT III.—BIRTHS and DEATHS at different Ages registered in the year 1944—by Provinces and Counties.

Provinces and Counties.		TOTAL BIRTHS	AGES AT DEATH.																											
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards				
ÉIRE	Persons	65,425	45,123	5,198	664	254	129	139	6,484	527	342	693	559	783	966	880	1,010	1,215	1,751	2,219	3,357	4,540	6,025	10,125	2,584	219				
	Males	32,537	23,477	2,948	306	161	84	73	3,687	273	169	326	424	358	429	425	522	643	846	1,237	1,912	2,515	3,551	4,992	1,180	74				
	Females	31,788	21,651	2,250	258	173	95	61	2,377	254	132	367	435	425	480	451	488	572	805	882	1,573	2,025	3,074	5,133	1,384	144				
LEINSTER	Persons	30,123	18,658	2,743	283	150	81	61	3,323	240	150	358	378	323	337	338	456	569	842	1,031	1,519	1,815	2,551	3,409	822	58				
	Males	15,530	9,610	1,371	136	80	40	32	1,859	121	70	158	167	149	178	185	249	304	467	579	831	986	1,348	1,565	367	31				
	Females	14,593	9,048	1,172	152	70	41	29	1,464	128	74	180	211	174	219	213	207	265	375	452	688	859	1,203	1,844	455	27				
MUNSTER	Persons	10,686	14,514	1,599	199	119	69	47	2,033	137	93	185	255	262	279	269	323	385	546	725	1,102	1,502	2,101	2,347	810	70				
	Males	10,076	7,582	881	116	61	39	27	1,118	74	37	90	130	127	144	139	155	198	260	406	584	867	1,192	1,655	354	22				
	Females	9,610	6,932	718	89	58	30	20	915	63	56	85	125	135	155	150	168	187	256	319	518	635	999	1,692	466	48				
CONNAUGHT	Persons	9,086	7,652	523	75	60	30	21	709	94	71	195	135	126	153	137	139	165	226	288	451	739	1,176	2,180	669	75				
	Males	5,116	4,028	294	42	29	13	14	392	52	34	54	77	50	70	67	71	82	112	159	234	481	642	1,151	316	24				
	Females	4,870	3,624	229	33	31	17	7	317	42	37	51	58	76	83	70	68	73	108	129	217	328	534	1,029	353	51				
ULSTER (part of)	Persons	5,630	4,364	333	42	25	9	10	419	47	28	65	91	72	77	76	92	96	145	175	315	434	707	1,189	263	15				
	Males	2,915	2,257	202	18	11	2	5	238	26	13	24	50	32	34	38	47	49	77	93	165	231	369	621	143	7				
	Females	2,715	2,047	131	24	14	7	5	181	21	15	41	41	40	43	38	45	47	66	82	150	203	338	568	120	8				
LEINSTER.																														
CARLOW	Persons	876	532	63	7	4	2	2	78	5	5	9	7	12	12	16	4	10	18	29	37	70	80	118	28	3				
	Males	423	296	36	4	2	2	2	41	3	3	4	3	7	3	9	2	6	10	13	26	41	45	59	16	2				
	Females	453	236	27	3	2	2	2	34	2	2	5	4	5	9	7	2	4	8	7	11	29	35	59	12	1				
DUBLIN CO.	Persons	2,413	1,634	229	22	14	10	9	284	51	24	26	37	29	36	48	31	55	76	84	128	163	202	262	84	4				
	Males	1,235	818	133	12	11	6	6	168	25	16	13	19	15	17	25	17	30	39	40	68	94	95	111	33	2				
	Females	1,178	816	96	10	3	4	3	116	26	8	13	18	14	19	23	14	25	46	44	60	69	107	151	61	2				
CITY OF DUBLIN	Persons	12,328	7,977	1,443	126	64	38	26	1,697	92	51	140	164	125	165	136	204	253	369	476	603	631	807	941	215	12				
	Males	6,354	3,549	828	56	32	22	11	949	38	20	55	67	51	76	74	107	138	227	275	336	315	398	246	76	1				
	Females	5,974	3,528	615	70	32	16	15	748	54	31	85	97	74	89	62	97	115	142	201	267	316	499	595	139	11				
KILDARE	Persons	1,764	895	123	22	11	2	.	158	11	9	16	22	18	16	20	13	19	38	49	76	84	130	164	49	5				
	Males	929	479	77	11	5	1	.	94	7	4	12	8	8	10	10	7	10	20	29	40	55	66	82	16	1				
	Females	835	416	46	11	6	1	.	64	4	5	4	14	10	6	10	11	9	18	20	36	21	64	82	24	4				
KILKENNY	Persons	1,572	1,113	126	15	5	1	3	150	10	7	15	20	22	18	24	22	25	37	53	90	117	267	242	47	7				
	Males	806	578	75	8	2	1	2	88	4	3	6	11	9	8	6	13	14	16	28	46	67	119	121	16	3				
	Females	766	535	51	7	3	.	1	62	6	4	9	9	13	19	18	9	11	21	25	44	50	88	121	31	4				
LAOIGEIS	Persons	1,080	785	77	12	5	1	.	96	8	8	8	15	10	19	17	16	21	36	32	45	92	120	189	49	4				
	Males	563	416	47	5	3	.	.	54	6	3	2	2	7	7	9	8	10	19	21	27	49	66	97	28	1				
	Females	517	369	30	8	2	1	.	42	2	5	6	13	3	12	8	8	11	17	11	18	43	54	92	21	3				
LONGFORD	Persons	764	585	40	5	4	1	.	50	3	3	5	8	7	11	5	13	17	32	12	39	75	92	159	50	4				
	Males	408	319	23	3	2	1	.	29	2	2	2	5	5	5	2	7	8	18	9	22	42	54	78	28	1				
	Females	356	266	17	2	2	.	.	21	1	1	3	3	3	2	6	3	6	9	14	3	17	33	38	81	22	3			

WTH	Persons	1,597	986	114	19	12	5	2	152	12	6	18	20	20	20	25	23	38	41	59	94	93	142	185	45	2	
	Males	868	505	67	9	8	4	2	87	9	4	11	7	9	8	15	20	23	30	47	50	71	83	22	1		
	Females	729	481	47	10	4	1	4	65	3	2	7	13	11	12	17	8	18	26	47	43	71	102	23	1		
ATH	Persons	1,587	942	109	4	2	6	7	128	11	8	17	14	18	16	23	23	33	37	42	76	106	147	193	47	4	
	Males	840	502	71	2	2	2	4	79	4	5	9	8	6	10	4	15	19	22	37	57	89	98	22	1		
	Females	747	441	38	2	2	4	3	49	7	3	8	6	12	6	19	8	14	18	20	39	49	58	25	3		
FALY	Persons	1,185	778	75	8	4	5	2	94	5	6	14	17	10	11	21	18	23	33	40	63	74	130	182	36	1	
	Males	579	396	32	6	2	2	2	42	3	6	7	7	6	5	9	11	11	18	19	33	42	62	83	18	1	
	Females	606	382	43	2	2	3	5	52	2	7	7	19	4	6	12	7	9	15	21	30	32	68	89	18	1	
ST-BEATH	Persons	1,335	847	72	11	3	1	2	89	9	5	14	23	18	18	13	25	21	32	43	57	76	132	207	61	4	
	Males	681	437	36	3	1	1	2	49	5	3	19	12	10	4	4	15	16	17	24	31	47	73	105	25	2	
	Females	654	410	36	8	2	1	2	49	4	2	4	11	8	14	9	19	11	15	19	26	29	59	102	36	2	
XFORD	Persons	2,217	1,524	160	25	13	9	6	213	18	19	25	18	22	32	32	29	33	61	69	137	166	223	364	68	4	
	Males	1,130	812	85	13	7	6	2	113	10	4	16	11	13	14	13	16	14	34	24	75	82	127	193	41	2	
	Females	1,117	712	75	12	6	3	4	199	8	6	9	7	9	18	19	13	19	27	35	62	84	96	171	27	2	
KLOW	Persons	1,375	959	112	11	9	2	2	134	14	8	21	17	12	23	18	30	21	22	61	74	96	139	203	52	4	
	Males	714	503	61	4	6	1	1	72	5	5	11	7	3	11	12	16	11	16	35	43	45	83	99	26	5	
	Females	661	456	51	7	3	1	1	62	9	3	19	10	9	12	6	14	19	16	26	31	51	56	104	26	1	
MUNSTER.																											
RE	Persons	1,766	1,374	166	21	5	4	6	142	18	9	15	20	21	18	21	31	39	43	68	82	143	208	377	117	8	
	Males	884	720	57	10	3	1	3	74	10	2	6	9	11	13	15	11	15	22	38	48	77	109	200	57	3	
	Females	872	654	49	11	2	3	3	68	8	7	9	11	10	5	9	20	15	21	30	34	66	99	177	60	5	
RK CO.	Persons	5,118	4,265	419	40	23	12	14	598	28	31	43	67	86	70	69	97	196	169	209	363	446	639	1,069	253	21	
	Males	2,635	2,228	230	21	12	7	8	278	17	14	25	33	46	41	29	50	82	99	113	181	270	353	513	115	8	
	Females	2,483	2,037	189	19	11	5	6	320	11	17	18	34	49	29	31	47	54	79	96	182	176	286	556	138	13	
RK CO. ROUGH	Persons	1,867	1,372	202	41	23	12	4	282	16	5	15	18	22	36	32	33	54	68	94	100	168	184	210	34	1	
	Males	954	712	110	23	10	9	3	157	8	3	6	11	6	17	19	20	35	35	61	51	90	95	88	10	1	
	Females	913	660	92	18	13	3	1	125	8	2	9	7	16	19	13	13	19	33	33	49	78	89	122	24	1	
RRY	Persons	2,784	1,891	150	17	12	13	4	196	16	11	28	43	36	45	49	49	45	50	99	133	200	307	449	129	15	
	Males	1,464	1,018	89	8	8	9	2	116	7	4	14	22	16	22	19	22	25	28	54	74	125	167	242	58	3	
	Females	1,320	873	61	9	4	4	2	80	9	7	14	21	20	23	21	27	20	22	45	59	75	149	207	71	12	
ERICK O.	Persons	2,272	1,576	218	28	19	4	8	277	21	12	18	29	29	43	32	29	41	43	59	198	151	229	350	94	11	
	Males	1,134	848	129	17	8	2	4	151	10	7	9	18	16	26	14	15	24	22	38	58	80	123	198	44	2	
	Females	1,138	727	98	11	11	2	4	126	11	5	9	11	13	23	18	14	17	21	21	59	71	106	152	50	9	
ERICK ROUGH	Persons	1,118	735	137	16	9	7	4	173	10	4	11	16	19	14	17	20	24	52	33	67	62	104	92	17	1	
	Males	582	379	85	4	4	3	3	99	7	2	5	6	4	4	6	9	11	27	18	44	33	55	32	4	1	
	Females	536	356	52	12	5	4	1	74	3	2	6	10	15	10	11	11	13	25	15	23	29	51	69	13	1	
PERARY, N.H.	Persons	1,262	850	88	11	7	5	3	114	19	3	14	18	13	19	13	18	18	29	48	63	93	125	212	45	4	
	Males	631	431	44	9	3	2	2	69	6	3	5	19	5	6	7	10	6	14	27	31	46	77	102	18	1	
	Females	631	419	44	2	4	3	1	54	4	3	9	8	8	13	6	8	12	15	21	32	47	48	110	27	3	
PERARY, N.H.	Persons	1,845	1,184	131	12	11	6	2	162	5	8	20	20	16	18	20	21	36	54	61	94	102	203	276	61	4	
	Males	838	697	61	7	7	3	2	89	2	3	9	9	9	10	10	8	18	32	31	48	66	115	130	26	1	
	Females	907	577	70	5	4	3	1	82	3	5	11	11	7	8	10	13	18	22	39	46	36	88	116	38	3	

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1944.

Provinces and Counties.		TOTAL BIRTHS.	AGES AT DEATH.																								
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	
WATERFORD CO.	Persons	939	823	91	4	5	5	1	106	6	5	11	17	14	7	18	18	18	40	59	91	128	218	42	6		
	Males	488	424	51	2	4	3	60	2	1	5	10	11	2	10	8	8	7	18	30	52	70	108	18	4		
	Females	451	399	40	2	1	2	46	4	4	6	7	3	5	8	10	10	11	22	29	39	58	110	25	2		
WATERFORD CO. BOROUGH	Persons	715	435	57	9	5	1	73	7	5	10	7	6	9	13	7	13	20	14	33	46	64	91	14	.		
	Males	356	223	34	7	2	.	43	5	1	6	2	3	3	10	2	4	13	8	19	28	39	42	4	.		
	Females	359	212	23	2	3	1	30	2	4	4	5	3	6	3	5	9	7	6	14	18	24	52	10	.		
CONNAUGHT.																											
GALWAY	Persons	3,603	2,365	231	49	31	18	11	331	44	24	48	46	49	55	51	48	55	67	84	123	211	291	697	215	25	
	Males	1,890	1,242	117	21	16	7	6	167	21	7	24	26	12	27	23	26	34	38	41	64	122	165	237	106	9	
	Females	1,713	1,123	114	19	15	11	5	164	23	17	24	20	28	28	22	21	29	43	59	89	126	310	109	16	16	
LEITRIM	Persons	873	523	43	5	2	.	52	6	4	8	18	9	9	12	11	16	22	33	61	84	161	241	69	6		
	Males	453	440	23	1	2	.	28	4	2	5	12	3	4	7	6	9	11	15	27	52	88	133	31	1		
	Females	420	383	20	4	1	.	24	2	2	3	6	4	5	5	5	7	11	18	34	32	73	108	38	5		
MAYO	Persons	3,068	2,215	127	12	11	5	3	161	29	20	26	37	42	43	27	33	42	69	79	128	239	339	673	296	22	
	Males	1,579	1,187	79	7	5	3	1	95	16	8	12	20	18	21	14	13	19	36	55	70	131	185	369	97	8	
	Females	1,488	1,028	48	5	2	2	66	13	12	14	17	24	22	13	29	23	33	24	58	108	154	304	109	14	14	
ROSCOMMON	Persons	1,359	1,184	49	6	8	5	2	70	5	13	8	16	16	26	29	29	24	47	70	117	207	374	107	15		
	Males	643	647	33	5	5	3	2	48	3	9	4	7	7	11	7	12	13	26	41	63	113	203	52	5		
	Females	616	537	16	1	3	2	22	2	4	4	8	9	9	15	13	11	8	11	21	29	54	91	171	51	10	
SLIGO	Persons	1,117	1,005	73	12	4	2	3	94	10	10	15	17	19	20	27	24	23	38	45	69	108	178	285	76	7	
	Males	569	542	42	8	1	.	54	5	8	9	10	8	7	16	14	9	14	22	32	63	91	149	30	1		
	Females	547	463	31	4	3	2	49	5	2	6	7	11	13	11	10	14	24	23	37	45	87	136	46	6		
ULSTER (part-of).																											
DUBLIN	Persons	1,461	1,266	113	10	6	3	2	134	11	7	18	25	17	22	24	29	28	29	52	104	124	225	365	55	6	
	Males	739	691	65	6	3	1	1	70	5	2	7	15	8	13	14	13	17	13	39	62	77	117	191	27	4	
	Females	722	575	48	4	3	2	1	63	6	5	11	10	9	9	10	7	11	16	22	42	47	108	174	28	2	
DONEGAL	Persons	2,997	2,142	168	26	15	6	6	221	30	15	33	51	37	39	34	53	53	75	84	156	218	297	586	159	8	
	Males	1,562	1,095	103	10	6	1	3	122	17	7	32	27	15	11	15	24	23	40	45	71	116	149	310	88	2	
	Females	1,435	1,047	65	16	9	5	3	98	13	8	21	24	22	28	19	29	30	39	39	79	102	148	276	71	6	
MONAGHAN	Persons	1,172	895	52	6	4	.	2	64	6	6	14	15	18	16	18	19	39	39	61	92	185	238	49	1		
	Males	614	471	24	2	2	.	1	29	4	4	5	8	9	10	9	9	24	18	32	38	103	150	23	1		
	Females	558	424	18	4	2	.	1	35	2	2	9	7	9	6	9	9	15	21	29	54	82	118	21	.		

ABSTRACT IV.

Causes of Death.

[illegible]

at different Periods of Life in the Year 1944.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
273 254	160 182	326 367	424 435	358 425	426 480	429 451	522 488	643 572	946 805	1,237 982	1,314 1,573	2,515 2,025	3,551 3,074	4,992 5,133	1,180 1,384	74 144		
121 133	73 88	188 249	261 303	218 261	219 238	260 163	199 139	150 130	172 93	131 86	140 95	141 88	121 106	143 125	20 23	1 1	(1-44)	(1-17)
1	.	12	2 5	3 3	5 1	1	3 1	2 1	2	2	2 3	2 2	1	1	.	.	1	1
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	17
2 3	3 2	1 1	2	2	1	1	.	.	1	.	.	.	.	.	.	.	6	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	17
2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	8	3
2 3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	9	4
39 43	9 6	4 4	2	6 3	2	1 5	1 4	2 1	2 1	3	2	3	1	.	.	.	10	5
.	1 1	.	.	.	.	1	.	.	2	.	1	1	1	1 1	1	.	11	17
1	2 1	.	1 1	1	.	1	1	1 1	.	1	1	1 1	1 1	.	.	.	12	17
57 57	49 71	174 221	245 286	204 243	205 222	184 147	175 119	123 119	148 70	96 66	93 47	75 36	30 20	12 15	2	.	13-22	(6-7)
10 16	14 38	116 161	202 226	158 207	174 197	152 127	160 191	115 104	130 62	87 57	85 41	62 28	27 12	8 12	1	.	13	6
47 41	35 33	53 60	43 60	46 36	31 25	32 20	15 18	8 15	9 8	9 9	8 6	13 8	3 8	4 3	1	.	14-22	7
35 29	23 20	31 27	15 19	9 8	9 5	6 3	4 2	2 4	1	1	1 1	2	.	.	.	.	14	7
9 6	4 6	6 13	6 16	9 10	4 6	5 5	3 8	1	3	3	1	3 1	.	.	.	.	15	7
1 1	1 1	4 5	8 5	3 3	4 5	8 4	3 1	2 3	2 2	1 2	1 3	1 2	4	.	.	.	16	7
2	2 1	3	3 2	5 1	4	1 2	1 1	3 2	1 2	2 1	1 1	5 1	3 2	2 1	.	.	17	7
.	.	.	1	.	.	.	.	.	1	.	1 1	4	1	.	.	.	18	7
.	.	.	.	.	1	1	1	1	1	1	2	.	1	.	.	.	19	7
.	1	1	2 2	4 2	1 1	1 2	2 1	1	2 1	3	.	1	.	.	1	.	20	7

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1— 2	2— 3	3— 4	Total under 5 years
		Infective and Parasitic Diseases—continued.											
7	21	Tuberculosis of Other { Organs. { M. F.	3	.	.	.	.	.	.	.	.	.	.
7	22	Disseminated Tubercu- { losis. { M. F.	86 91	.	.	.	1 1	3 1	4 2	7 4	6 4	4 2	19 16
17	23	Leprosy ... { F.	.	.	.	.	.	.	.	.	.	.	.
8	24	Purulent Infection, and { Septicaemia. { M. F.	56 36	1 1	2 3	2 1	2 4	5 1	12 10	1 1	1 1	1 1	14 13
17	25	Gonococcal Infections { F.	1	.	1	.	.	.	1	.	.	.	1
17	26	Other Bacterial { Diseases (Dysentery { M. excepted). { F.	.	.	.	.	.	.	.	.	.	.	.
9	27	Dysentery ... { F.	2 1	.	.	.	.	.	.	.	.	.	.
10	28	Malaria ... { F.	1	.	.	.	.	.	.	.	.	.	.
17	29	Other Diseases due to { Parasitic Protozoa, { M. except Spirochetes. { F.	.	.	.	.	.	.	.	.	.	.	.
11	30	Syphilis* ... { F.	54 37	4 8	8 8	3 2	6 6	1	21 25	1	.	.	22 26
17	31	Relapsing Fever ... { F.	.	.	.	.	.	.	.	.	.	.	.
17	32	Other Diseases due to { Spirochetes { M. F.	7	.	.	.	.	.	.	.	.	.	.
12	33	Influenza ... { F.	417 395	7 2	4 3	1 4	8 11	10 8	30 28	9 5	2 5	1 2	44 39
13	34	Smallpox ... { F.	.	.	.	.	.	.	.	.	.	.	.
14	35	Measles ... { F.	64 80	1 .	1 1	1 1	2 1	13 25	17 28	19 21	10 9	6 4	54 62
17	36	Acute Poliomyelitis and { Polioccephalitis { M. F.	8 4	.	.	.	.	.	.	1 1	1 .	.	3
17	37	Acute Infectious En- { cephalitis (Lethargic { M. or Epidemic). { F.	6 5	.	.	.	.	.	.	1 .	.	.	1
17	38	Other Diseases due to { Viruses. { M. F.	8 4	.	.	.	.	1 .	1 .	.	.	2 .	3
16	39	Typhus and Typhus-like { Diseases (Rickettsi- { M. oscs). { F.	1	.	.	.	.	.	.	.	.	.	.
16	40	Ankylostomiasis ... { F.	.	.	.	.	.	.	.	.	.	.	.
16	41	Hydatid Disease ... { F.	.	.	.	.	.	.	.	.	.	.	.
16	42	Other Diseases due to { Helminths. { M. F.	2 5	.	.	.	.	.	.	.	1 1	1 .	1 2
17	43	Mycoses ... { F.	1 2	.	2	.	.	.	2 .	.	.	.	2
17	44	Other Infective or Para- { sitic Diseases. { M. F.	26 15	.	.	.	1 .	.	1 .	.	.	.	1

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1944.

DEATH.																	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	} 21	7	
5	5 4	14 14	9 15	16 12	7 8	10 4	2 4	3	2	2 2	.	1	.	1 2	.	.	} 22	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 23	17	
1 4	.	2 3	3 1	1	1 2	2 1	3 3	3 1	2 1	2 3	2 1	7	4	10 2	.	.	} 24	8	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 25	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 26	17	
.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	} 27	9	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	} 28	10	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 29	17	
1	.	2	1	.	2 1	2	5	2	7 3	6 1	2 3	5	1	.	.	.	} 30	11	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 31	17	
.	.	.	.	.	.	.	.	.	1	2	2	.	2	.	.	.	} 32	17	
3 5	2 3	4 5	5 2	3 6	2 7	6 6	9 9	12 5	8 9	20 13	35 35	48 45	79 84	118 109	18 21	1 1	} 33	12	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 34	13	
6 14	3 1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	} 35	14	
1	1 1	.	2 1	1	.	1	.	.	.	.	.	.	.	1	.	.	} 36	17	
2	1	1	.	.	1 1	1	1	1	1	.	.	.	.	.	.	.	} 37	17	
4 1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	} 38	17	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	} 39	15	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 40	16	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 41	16	
.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	} 42	16	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	} 43	17	
1 1	2	1	1	.	2 1	2	2 2	4 2	2 4	1	2 12	1	2	2 2	1	.	} 44	17	

ABSTRACT IV.—*continued.*—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1944.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
7 1	3 6	5 3	7 10	9 19	18 21	31 56	61 90	79 111	167 193	245 220	363 329	436 269	466 326	355 315	39 35	1 1	(45-57)	(18-24)
5 1	1 2	4	4 7	6 17	15 15	26 52	55 86	73 104	157 192	236 212	354 318	430 285	461 319	352 307	37 34	1 1	45-55*	18-23
.	.	.	1	.	2 3	2 2	2 1	2 2	3 4	1 5	4 6	1 1	3 2	1 5	1 1	.	56	24
2	2 4	1 3	3 2	3 2	1 3	3 2	4 3	6 5	7 2	8 5	5 5	5 3	2 5	2 3	1	.	57	24
8 7	5 14	17 6	5 11	10 12	12 10	10 11	10 20	15 20	14 23	15 43	20 57	43 52	46 72	40 74	7 5	1 2	(58-71)	(25-30)
2 5	2 7	8 5	1 3	5 2	4 4	3 3	2	1	1 2	.	1 2	.	1	1	.	.	58	25
.	.	.	.	1	.	1	1 3	3 6	3 7	3 18	8 24	22 33	26 48	24 48	6 4	1	59	26
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60	26
2 1	1 5	7	3 4	5 1	7 2	4 3	5 5	5 6	9 10	9 11	10 25	19 12	16 21	15 21	1	1 1	61	27
.	.	.	.	1	1	.	.	1	.	.	1	.	1	.	.	.	62	29
.	1	1	1	1 5	3	4	8	4	3	9	3	5	1	3	1	.	63	28
1 1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	64	29
.	.	1	1	2	.	2	3	1 3	1 1	2 2	2	1 1	4	1	.	.	65	29
3	1	1	1	.	.	1	2	3 1	.	.	.	.	.	1	.	.	66	29
.	1	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	67-71	30
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	67	30
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	30
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	69	30
.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	70	30
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
(31-32)	(72-76)	IV. Diseases of the Blood and Blood-Forming Organs. { M. 208 F. 289		1	1		1	3	5	4	4	2	4	19
32	72	Hæmorrhagic Con- ditions. { M. 18 F. 19		1	1		1	1	3	2	2	1	1	6
31	73	Anæmias ... { M. 144 F. 224						2	2	3	2	1	3	8
32	74	Leukæmias and Aleukæmias. { M. 30 F. 34							1	1	1	1	2	4
32	75	Diseases of the Spleen { M. 11 F. 9							1	1				1
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. 5 F. 3												1
(33-34)	(77-79)	V. Chronic Poisoning and Intoxication { M. 5 F. 5												
33	77	Alcoholism (Ethylism) { M. 5 F. 5												
34	78	Lead Poisoning ... { M. 5 F. 5												
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. 5 F. 5												
(35-41)	(80-89)	VI. Diseases of the Nervous System and Sense Organs. { M. 1,832 F. 2,034		52	31	30	45	47	205	22	20	4	6	257
40	80	Encephalitis (non-epidemic). { M. 25 F. 30					2	1	1	1	2	1		5
35	81	Meningitis (non-meningococcal). { M. 120 F. 83		4	1	1	10	18	33	8	8		4	53
36	82	Diseases of the Medulla and Spinal Cord. { M. 50 F. 31												
27	83	Intra-cranial Lesions of Vascular Origin. { M. 1,214 F. 1,556									2		1	2
38	84	Mental Disorders and Deficiency. { M. 55 F. 54					1		1	1	1			1
39	85	Epilepsy ... { M. 54 F. 64			1		1		2	1		1		5
40	86	Convulsions (under 5 years). { M. 192 F. 139		47	30	30	33	28	168	11	10	2	1	192
40	87	Other Diseases of the Nervous System. { M. 103 F. 77									1			1
41	88	Diseases of the Organs of Vision. { M. 1 F. 1												
41	89	Diseases of the Ear and of the Mastoid Antrum. { M. 18 F. 10		1		1	2	2	3	1				4

at different Periods of Life in the Year 1944.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
4 5	4 5	3 3	4 6	4 8	7 9	10 9	4 14	7 16	21 31	14 28	28 34	29 45	31 36	19 25	3		(72-76)	(31-32)
1	2 2	2	1 2		1	1				2	2 3		2 3	1 1			72	32
1	2	3	2	1 6	3 7	5 6	4 12	4 11	16 22	11 23	22 27	23 41	25 31	17 23	3		73	31
1 4	1	1	2	2 2	1 1	2 3	1	2 4	5 4	3 1	3 3	2 4	3	1 1			74	32
1			1	1	2			1	4	2		3	1 1				75	32
					1	2			1		1	1					76	32
							1		1		1							
						1				1	1			2			(77-79)	(33-34)
						1				1	1			2			77	33
																	78	34
																	79	34
29 22	10 12	25 21	22 18	24 14	30 23	25 31	29 49	61 71	69 101	100 140	158 202	250 273	342 396	345 408	55 58	1 1	(80-98)	(35-41)
3 2	1	2	2	3 1	1 3	1 1	1 1	2 2	1	3	1 1		2				80	40
18 9	7 5	12 8	8 6	3 5	5 5	1 2	5 2	1 1	1	3	1 1	2	1				81	35
1	1	1 1	2	1	3	3 3	1 3	6 5	5 1	4 1	7 4	5	6 2	4 4			82	36
1	3	3 2	3 3	7 4	5 4	7 12	10 22	34 56	48 85	76 117	126 181	214 252	305 374	320 382	54 55	1 1	83	37
3 3	2	1 1	1 4	2 4	4 1	4 3	2 6	2 5	2 5	5 10	3 7	5 5	10 4	5 1			84	38
3 2	1	3 5	6 3	8 3	6 7	4 8	4 10	5 3	1 3	3 4	6 2	2	2 4	1 3			85	39
																	86	40
1 3	1	1	1	1	5 3	4 2	5 4	6 2	12 6	6 7	13 5	21 9	16 10	13 18	1		87	40
						1											88	41
1 1	1	4 1			1		1 1	2			1 1	1	1 1	2			89	41

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
(42-48)	(90-103)	VII. Diseases of the Circulatory System. { M. 5,666 F. 5,253			1		1	1	3		2		1	6
42-46	90-95	Heart Diseases ... { M. 5,213 F. 4,898					1	1	1		1		1	3
42	90	Pericarditis ... { M. 25 F. 14					1	1						1
46	91	Acute Endocarditis ... { M. 22 F. 22									1		1	1
43	92	Chronic Affection of the Valves and Endocardium. { M. 787 F. 766									1		1	1
44	93	Diseases of the Myocardium. { M. 3,029 F. 3,018												
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. 634 F. 361												
46	95	Other Diseases of the Heart. { M. 716 F. 717									1			1
48	96	Aneurysm (except of Heart and Aorta). { M. 1 F. 1												
47	97	Arterio-sclerosis (excl. Coron. or Renal Sclerosis or Cereb. Hem.) { M. 219 F. 131												
47	98	Gangrene ... { M. 83 F. 49									1			1
48	99	Other Diseases of the Arteries. { M. 9 F. 19												
48	100	Diseases of the Veins { M. 16 F. 22												
48	101	Diseases of the Lymphatic System. { M. 3 F. 6			1			1	2					2
48	102	High Blood Pressure (Idiopathic). { M. 120 F. 125												
48	103	Other Diseases of the Circulatory System. { M. 2 F. 2												
(49-52)	(104-114)	VIII. Diseases of the Respiratory System. { M. 2,300 F. 1,864		73 37	66 36	54 41	132 88	114 102	439 304	96 39	34 52	25 18	8 11	602 474
52	104	Diseases of the Nasal Fossae and Annexa. { M. 1 F. 2				1			1					1
52	105	Diseases of the Larynx { M. 15 F. 8		1		1	1	4	7	3		1	1	12
49	106	Bronchitis ... { M. 861 F. 730		13 7	17 8	16 0	33 14	12 15	91 50	12 17	1 9	4 1	2 2	110 79
50	107-9	Pneumonia, All Forms { M. 1,065 F. 851		37 27	47 22	34 33	91 72	95 85	324 239	78 67	30 39	18 15	5 9	155 369
50	107	Broncho-pneumonia ... { M. 497 F. 472		41 18	35 15	24 18	67 37	61 65	232 153	47 46	20 22	12 10	4 4	315 245
50	108	Lobar Pneumonia ... { M. 171 F. 113		3 1	1 5		5 4	8 5	17 15	4 5	4 2		3 2	25 27
50	109	Pneumonia (un-specified). { M. 397 F. 286		13 8	11 7	9 10	19 31	23 15	75 71	27 16	6 5	6 3	1 2	115 97

at different Periods of Life in the Year 1944.

DEATH.																	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
8 11	12 15	14 22	24 21	20 34	40 58	55 57	34 84	131 108	235 204	395 291	620 526	922 795	1,316 1,140	1,530 1,571	245 293	9 14	} (90-103)	(42-48)	
8 11	12 15	13 21	23 20	20 33	36 53	53 51	79 81	117 102	225 184	367 265	585 489	853 749	1,199 1,067	1,385 1,458	228 282	7 14			} 90-95
1	2	2 1	5	2 1	.	.	1	2 1	1	2 3	3 2	3 1	3 1	1	.	.	} 90	42	
3 1	3	2	2 1	2	2 4	1 1	3 1	3 1	3 1	3 1	1 1	1 1	1 1	1	.	.			} 91
2 5	4 8	4 11	11 9	9 14	11 24	18 24	24 24	28 34	42 43	69 51	79 99	150 129	184 136	132 138	19 24	1	} 92	45	
1 2	3 2	5 4	2 5	5 8	10 18	17 14	30 29	46 40	81 84	167 134	291 258	452 434	759 707	986 1,048	178 219	6 12			} 93
.	.	1	1 2	1 1	5 2	11 3	13 12	28 9	66 29	74 31	122 54	120 69	101 73	84 63	7 12	1	} 94	45	
2 2	3 2	1 3	2 3	3 7	8 5	6 9	19 14	13 17	33 27	52 45	89 84	127 115	150 149	183 207	24 27	1			} 95
.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	} 96	48	
.	.	.	.	.	1	.	2	.	4 5	8 3	16 9	33 15	58 32	85 56	12 11	.			} 97
.	.	.	.	.	1	.	1	1	.	3	1	3 7	25 12	41 22	4 3	2	} 98	47	
.	.	.	.	.	.	1	.	1	.	1	2	1 3	2 3	2 4	1	.			} 99
.	.	.	.	.	2	.	.	1	2	1 3	3 5	1 4	2 2	4 1	.	.	} 100	48	
.	.	.	.	.	.	3	1	1	2 3	1 5	3 4	1 2	4 2	4 1	.	.			} 101
.	.	.	.	.	1	.	1	.	.	1	1	.	1	.	.	.	} 102	48	
.	.	1 1	1 1	.	2 2	2 2	2 1	10 5	3 9	15 14	12 16	30 19	28 24	13 30	1 1	.			} 103
.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	} 104-114	(49-52)	
35 25	9 16	17 20	17 11	11 22	32 27	31 26	44 25	65 43	107 59	126 61	187 125	242 199	338 270	384 386	68 69	3 6			} 104-114
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	} 105	52	
1 2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.			} 106
8 3	1 2	5 4	1 1	2 3	7 5	8 9	9 6	22 11	37 24	45 24	78 58	115 88	165 139	207 229	38 40	3 5	} 107-9	50	
23 16	8 10	8 11	8 5	6 9	18 14	13 5	25 13	26 21	38 21	48 21	64 38	90 80	118 94	160 166	17 17	1			} 107
10 10	5 5	5 6	1 2	2 4	6 3	5 3	4 3	6 5	9 9	12 10	19 17	18 41	43 43	31 56	6 10	.	} 108	50	
4 1	1	2	2	3 4	7 7	5 2	7 3	9 5	7 5	17 3	16 7	22 10	25 16	19 17	5 1	.			} 109
9 5	3 4	3 3	7 1	1 1	5 4	3	14 7	11 11	22 7	19 8	29 14	50 29	50 35	50 33	6 6	1	} 109	50	

ABSTRACT IV.—Continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
VIII. Diseases of the Respiratory System—contd.														
51	110	Pleurisy ... { M. F.	53 49	. .	1 .	1 .	. .	1 3	2 2	1 .	1 .	. .	. .	4 2
52	111	Congestion, Oedema { M. F. Haemorrhagic infarction and Thrombosis of the lungs.	138 135	1 3	2 4	2 1	7 1	2 1	14 10	2 2	2 .	1 .	. .	19 12
52	112	Asthma ... { M. F.	133 77	. .	. .	. .	. .	. .	. .	2 .	1 .	1 2	. .	1 5
52	113	Pulmonary Emphysema { M. F.	18 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
52	114	Other Diseases of the Respiratory System. { M. F.	16 8	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .
(53-60)	(115-129)	IX. Diseases of the Digestive System. { M. F.	1,368 1,051	147 99	150 91	102 83	166 140	83 69	648 482	32 34	13 14	7 6	6 4	706 540
60	115	Diseases of the Buccal Cavity and Annexa and of the Pharynx and Tonsils. { M. F.	19 14	. .	. .	1 .	1 .	1 .	2 1	2 .	. .	. .	. .	2 3
0	116	Diseases of the Oesophagus. { M. F.	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
53	117	Ulcer of the Stomach or Duodenum. { M. F.	199 72	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
60	118	Other Diseases of the Stomach. { M. F.	195 92	8 7	9 9	12 5	7 7	6 2	42 30	2 1	1 2	. .	. .	45 33
54-55	119-120	Diarrhoea and Enteritis { M. F.	690 552	139 90	140 82	88 78	153 139	72 63	592 443	23 30	9 11	6 5	2 3	632 492
56	121	Appendicitis ... { M. F.	78 59	. .	. .	. .	. .	. .	. .	2 .	2 .	1 .	2 1	7 1
57	122	Hernia, Intestinal Obstruction. { M. F.	128 126	. 2	1 .	1 .	5 3	5 2	12 7	4 1	1 1	. 1	2 .	19 10
60	123	Other Diseases of the Intestines. { M. F.	35 21	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
58	124	Cirrhosis of the Liver { M. F.	34 21	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
59	125	Other Diseases of the Liver. { M. F.	28 16	. .	. .	. .	. .	1 1	1 .	. .	. .	. .	. .	1 .
59	126	Biliary Calculi ... { M. F.	7 35	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
59	127	Diseases of the Gall Bladder and Ducts. { M. F.	12 20	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
60	128	Diseases of the Pancreas (other than Diabetes). { M. F.	9 9	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
60	129	Peritonitis, without stated cause. { M. F.	22 12	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .

at different Periods of Life in the Year 1944.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
1 1	2	2 2	5 3	1 3	3 1	2 2	2 1	4 4	3 1	2 2	8 7	1 6	8 5	6 4	1 3		110	51
1 1	1	2 2	2	1 4	1 4	5 4	1 1	4 3	8 5	10 5	16 9	11 15	18 24	30 36	11 7		111	52
1		1	2	1 1	3 3	1 6	6 3	8 4	15 6	15 9	13 12	22 8	26 8	18 10	1 1		112	52
					1			1	3	3	3	2	3	2	1		113	52
2				2		2	1 1		3 2	3	4	1 1		1			114	52
21 21	16 12	7 13	24 12	21 14	20 17	19 16	33 23	50 21	54 28	67 33	73 58	100 81	78 79	68 69	10 14		(115-129)	(53-60)
1 2		1 1	2	1 1	2 1	1	2 2	1 1	1		1 2	1 1	1	2			115	60
							1				2		1				116	60
1			8 2	4 2	7	9 1	11 6	25 4	22 5	25 7	25 9	35 15	18 12	9 7	1 1		117	53
2 1	1	2	2 1		2 1	1	2	2 2	3 3	5 7	9 5	5 9	15 15	9 9	3 4		118	60
5 6	2		2	2	1 3	2 3	2 2	4	5 4	4 4	5 5	10 6	6 9	8 13	2 2		119-120	54 55
7 7	8 8	4 8	9 2	6 4	4 4		4 5	3 1	3 1	8 4	5 5	3 4	4 3	2 2	1		121	56
3 1	1		2	3 1	2 2	3	2 4	7 4	8 7	10 3	12 13	19 21	17 21	24 27	2 3		122	57
	2	1 1	1		1 1	2	2	2 1	4	1		8 4	7 4	5 2	1 2		123	60
1		1	1		1	1	1 1	2 2	4	3	11 5	9 4	3 2	2 2			124	58
1 1			1	3 1	3	1 1	2 1	1	1	5 2	1 1	6 1	4 1	3	1		125	59
			1			1		1	3	1	6	11	6	2 5	1 1		126	59
				1		1	1	1 2	2 2	3 1	3	2 3	1 5	2 2			127	59
1				1		1 2	1 1	1	2	2 2	1	1 2					128	60
2	2 3	1	1 1	1	1 1	3 2	2 1	1	1	4	2	1		1			129	60

[illegible]

[illegible]

			AGES AT											
Intermediate List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
73	(151-153)	XII. Diseases of the Skin and Cellular Tissue. { M. F.	49 45	1 .	3 3	3 1	3 1	2 2	9 7	2 1	1 .	1 .	1 .	11 9
73	151	Carbuncle, Boils ... { M. F.	13 8	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .
73	152	Cellulitis, Acute Abscess { M. F.	20 21	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .
73	153	Other Diseases of Skin and Cellular Tissue { M. F.	16 16	1 .	2 .	3 1	3 .	1 2	8 5	2 1	1 .	1 .	1 .	10 6
74	(154-156)	XIII. Diseases of the Bones and Organs of Movement. { M. F.	53 37	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	2 .	7 2
74	154	Osteomyelitis and Periostitis. { M. F.	39 28	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	1 .	2 .	6 2
74	155	Other Diseases of the Bones. { M. F.	2 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .
74	156	Diseases of the Joints, and Other Organs of Movement. { M. F.	12 8	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .
75	(157)	XIV. Congenital Malformations :												
75	157	Congenital Malformations. { M. F.	228 186	163 95	30 25	17 11	18 15	19 14	187 169	14 8	10 4	2 1	2 .	215 173
(76-79)	(158-161)	XV. Diseases Peculiar to the First Year of Life { M. F.	1,184 906	833 619	128 89	88 79	112 80	33 39	1,194 906	1,194 906	1,194 906	1,194 906	1,194 906	1,194 906
76	158	Congenital Debility ... { M. F.	536 416	260 189	92 63	65 67	92 64	27 33	536 416	536 416	536 416	536 416	536 416	536 416
77	159	Premature Birth ... { M. F.	427 340	330 295	19 19	10 8	8 7	1 .	427 340	427 340	427 340	427 340	427 340	427 340
78	160	Injury at Birth ... { M. F.	65 38	62 36	1 .	1 .	1 .	1 .	65 38	65 38	65 38	65 38	65 38	65 38
79	161	Other Diseases Peculiar to the First Year of Life. { M. F.	166 112	121 89	17 7	12 3	11 9	5 4	166 112	166 112	166 112	166 112	166 112	166 112
80	(162)	XVI. Senility, Old Age :												
80	162	Senility, Old Age ... { M. F.	3,119 3,502	1,119 1,383	111 138	111 138	111 138	111 138	3,119 3,502	3,119 3,502	3,119 3,502	3,119 3,502	3,119 3,502	3,119 3,502
(81-86)	(163-198)	XVII. Deaths from Violence. { M. F.	589 312	13 10	3 3	3 2	3 2	2 1	24 18	13 9	9 8	8 7	5 2	59 44
81	163-164	Suicide ... { M. F.	68 9	1 .	1 .	1 .	1 .	1 .	68 9	68 9	68 9	68 9	68 9	68 9
82	165-168	Homicide : Infanticide { M. F.	10 2	4 .	1 .	1 .	1 .	1 .	10 2	10 2	10 2	10 2	10 2	10 2
83-86	169-198	Other Deaths by Violence { M. F.	511 361	9 10	3 3	3 2	3 2	2 1	511 361	511 361	511 361	511 361	511 361	511 361
84	169	Railway Accidents ... { M. F.	12 6	1 .	1 .	1 .	1 .	1 .	12 6	12 6	12 6	12 6	12 6	12 6
83	170	Motor Vehicle Accidents { M. F.	39 12	1 .	1 .	1 .	1 .	1 .	39 12	39 12	39 12	39 12	39 12	39 12
84	171	Other Road Transport Accidents. { M. F.	63 20	1 .	1 .	1 .	1 .	1 .	63 20	63 20	63 20	63 20	63 20	63 20
84	172	Water Transport Accidents. { M. F.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .
84	173	Air Transport Accidents { M. F.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .

at different Periods of Life in the Year 1944.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
1 1	.	.	.	1 1	.	.	.	3 4	4 4	3 4	3 2	13 11	7 8	4 4	1	.	(151) -153	73	
.	.	.	.	.	.	.	.	.	2 1	1 1	.	6 2	2 1	2	1	.	151	73	
1	.	.	.	1 1	.	.	.	2	2 2	1 3	3 1	4 5	4 5	2 2	.	.	152	73	
.	.	.	.	.	.	.	.	1	1	1	1	3 4	1 2	2	.	.	153	73	
9 4	4 4	6 4	1	1	1 1	2	1	1 2	3 1	1 1	6 2	5 3	4 5	3 6	.	.	(154) -156	74	
9 4	4 4	5 2	1	1	1	.	.	1 2	2 1	.	3 1	3 2	3 4	1 5	.	.	154	74	
.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	155	74	
.	.	1 2	.	.	1	1	1	.	1	1	2 1	2 1	1 1	2 1	.	.	156	74	
5 5	3 1	2 5	1 1	.	1 1	1	.	1 1	.	.	.	.	.	.	.	.	(157)	75	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	157	75	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	(158) -161	(76-78)	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	158	76	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159	77	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	160	78	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161	79	
.	.	.	.	.	.	.	.	.	.	.	.	16 23	529 305	1,828 2,002	688 855	58 117	(162)	80	
23 13	14 5	36 8	39 8	29 3	24 5	29 9	29 7	37 11	36 6	41 16	50 17	41 24	50 41	47 76	11 17	2	(163) -198	(81-86)	
.	.	2	3	1	4 1	4 2	5	6 2	10 1	15 3	6	7	3	2	.	.	163-164	81	
.	.	.	3	.	.	.	3	.	.	.	1	.	.	1	.	.	165-168	82	
23 13	14 5	28 8	33 8	28 3	20 4	25 7	21 7	31 9	26 5	26 13	44 16	34 24	47 41	45 76	11 17	2	169-198	83-86	
.	1	2 1	1	1	1 1	2	2	2	1	.	1 2	.	.	.	.	.	169	84	
4 1	2 1	2 2	5	2	1	4	.	6	3	.	2 1	1 1	1 1	2 3	.	.	170	83	
9 1	3	3 2	6 3	4 2	4	2 1	3 1	6 3	4 1	5 1	9 1	3	6 2	1 1	.	.	171	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	172	84	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	173	84	

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
		XVII. Deaths from Violence												
		<i>—contd.</i>												
84	174	Accidents in Mines and Quarries. {M. F.	3	.	.	.	.	.	.	.	.	.	.	.
84	175	Agricultural and Forestry Accidents. {M. F.	25 1	.	.	.	.	.	.	.	.	.	.	.
84	176	Accidents caused by Machinery. {M. F.	6	.	.	.	.	.	.	1	.	.	.	1
84	177	Food Poisoning ... {M. F.	1	.	.	.	.	.	.	.	.	.	.	.
84	178	Accidental Absorption of Poisonous Gas. {M. F.	5 3	.	.	.	.	.	.	.	.	.	.	.
84	179	Other Acute Accidental Poisoning (not by Gas). {M. F.	6 2	.	.	.	.	.	.	1	.	.	.	1
84	180	Conflagration ... {M. F.	2 1	.	.	.	.	.	.	.	.	.	.	.
84	181	Accidental Burns (Conflagration excepted). {M. F.	39 57	.	1	2	1	1	4 1	7 3	5 5	3 7	1 1	20 17
84	182	Accidental Mechanical Suffocation. {M. F.	12 10	3 2	2 3	1 1	1 1	.	7 7	1 3	.	.	.	8 10
84	183	Accidental Drowning ... {M. F.	103 24	1	.	.	.	.	1	3	2 1	.	2	7 2
84	184	Accidental Injury by Firearms. {M. F.	8	.	.	.	.	.	.	.	.	.	.	.
84	185	Accidental Injury by Cutting or Piercing Instruments. {M. F.	1	.	.	.	.	.	.	.	.	.	.	.
84	186	Accidental Injury by Fall, Crushing, Land-slide, etc. {M. F.	74 24	.	.	.	.	.	.	1	2	2	1	3 3
84	187	Cataclysm ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	188	Injury by Animals ... {M. F.	5 3	.	.	1	.	.	1	.	.	.	.	1
84	189	Hunger or Thirst ... {M. F.	2	.	.	.	1	1	2	.	.	.	.	2
84	190	Excessive Cold ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	191	Excessive Heat ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	192	Lightning ... {M. F.	4 2	.	.	.	.	.	.	.	.	.	.	.
84	193	Other Accidents due to Electric Currents {M. F.	2	.	.	.	.	.	.	.	.	.	.	.
84	194	Attack by Venomous Animals. {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	195	Other Accidents ... {M. F.	102 136	6 7	.	.	1	1	7 8	.	.	.	1	8 8
85	196	Deaths of Persons in Military Service during Operations at War {M. F.	2	.	.	.	.	.	.	.	.	.	.	.
85	197	Deaths of Civilians due to Operations of War. {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
86	198	Legal Executions ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
87	(199-200)	XVIII. Ill-defined Causes of Death. {M. F.	263 200	3	1	2	1	.	7	7 12	7 6	1 1	3 1	25 20
87	199	Sudden Death {M. F.	37 12	.	.	.	.	.	.	1 7	.	.	.	1 25
87	200	Causes of Death Unstated or ill-defined. {M. F.	226 188	3	1	2	1	.	7	11	7 6	1 1	3 1	25 19

at different Periods of Life in the Year 1944.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	174	83
.	.	.	1	3	1	3	3	3	1	.	4	5	1	.	.	.	175	84
.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.	.	176	84
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	177	84
.	2	.	1	.	.	1	.	.	.	.	.	1	1	1	.	.	178	84
1	.	.	1	1	.	.	1	.	1	2	.	.	.	.	.	.	179	84
.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.	180	81
4	1	1	1	.	.	.	2	.	1	.	1	1	4	8	6	1	181	84
6	.	2	1	.	.	.	.	.	3	.	.	.	.	10	2	.	182	84
1	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	183	84
10	4	13	11	8	2	5	4	.	1	8	14	5	8	3	.	.	184	84
1	.	1	1	1	1	2	1	1	2	4	1	3	3	.	.	.	185	84
.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	186	84
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	187	84
.	2	.	3	4	6	3	5	7	6	2	7	6	9	9	4	.	188	84
.	.	.	.	.	.	1	1	2	.	2	2	1	2	7	1	.	189	84
.	1	.	.	1	.	.	.	1	.	1	.	1	.	1	.	.	190	84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	191	84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	192	84
.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	193	84
.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194	84
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	195	84
3	.	2	4	3	3	3	2	3	8	5	6	10	16	23	6	.	196	85
.	.	.	.	.	1	1	3	.	1	1	8	13	25	52	11	.	197	85
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	198	86
1	2	2	2	1	7	2	7	10	10	25	59	102	4	3	.	.	199	87
2	.	2	3	1	3	3	4	2	10	20	53	75	1	1	.	.	200	87
.	.	.	.	.	.	.	2	.	2	4	10	14	2	3	.	.	199	87
1	2	5	2	1	7	2	5	10	8	21	49	88	2	1	.	.	200	87
2	.	2	3	1	3	3	4	2	10	17	49	73	.	.	.	.	200	87

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. {	45,128 {	23,477 21,651	2,948 2,250	659 627	433 436	750 802	784 905	951 939	1,589 1,377	3,051 2,555	6,066 5,099	6,246 6,661	3,160 2,674	578 480	4,834 3,593	14,905 14,904	3,098 3,184
1	Typhoid Fever (including Para-typhoid). M. F. {	58 {	25 33	1		1	2 17	2 5	3 2	4 2	4 3	3 2		9 9		15 16	1 2	
2	Cerebro-spinal Meningitis ... M. F. {	37 {	18 19	5 1	5 7	5 5	1 3	2 1						10 10		6 5	2 4	1
3	Scarlet Fever ... M. F. {	10 {	6 4	1	2 3	2 1	1							1		2 2	3 2	
4	Whooping Cough ... M. F. {	242 {	105 137	61 82	42 50	2 4								15 23		6 12	84 102	12 15
5	Diphtheria ... M. F. {	293 {	152 141	28 17	59 46	48 48	4 6	6 5	2 9	4 2		1 3		65 65		69 57	18 49	2
6	Tuberculosis of the Respiratory System. M. F. {	2,935 {	1,531 1,404	7 6	14 9	24 34	318 387	332 401	312 228	254 166	172 98	89 40	9 12	512 445	117 96	281 236	621 627	16 20
7	All other forms of Tuberculosis ... M. F. {	904 {	467 437	26 19	79 68	82 74	101 120	77 61	47 38	17 23	17 15	16 16	5 3	137 143	21 10	144 123	165 161	6
8	Dysentery ... M. F. {	3 {	2 1						1 1			1 1			1	4	1	
9	Influenza ... M. F. {	812 {	417 395	30 28	14 11	5 8	9 7	5 13	15 15	20 14	55 48	127 125	137 122	16 14	3 4	48 37	350 340	93 104
10	Measles ... M. F. {	144 {	64 80	17 28	37 34	9 15	1 1	2						8 11		16 16	40 53	2 4
11	Acute Infectious Encephalitis ... M. F. {	11 {	6 5		1	2 1		1 1	2	1 1				2 2		2 1	2 2	
12	Typhus ... M. F. {	1 {	1									1					1	
13	Cancer ... M. F. {	4,176 {	2,229 1,956	1	2 4	6 3	8 7	21 32	81 138	230 296	590 530	891 604	380 342	318 279	25 31	557 358	1,320 1,288	39 34
14	Diabetes Mellitus ... M. F. {	249 {	117 132			3 6	10 4	10 3	9 8	14 16	19 39	35 33	17 22	16 24	1 1	31 23	69 84	5 5

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	2,770	1,214 1,556	.	1 2	.	6 4	12 8	17 34	82 141	202 298	519 626	375 438	107 137	37 25	276 236	794 1,158	90 136
16	Diseases of the Heart	... M. F. }	10,111	5,213 4,898	1 3	2 26	20 41	36 86	56 132	132 286	342 754	952 1,816	2,052 1,754	1,620 1,754	294 269	195 174	1,091 944	3,633 3,511	271 231
17	Other Diseases of the Circulatory System.	M. F. }	808	453 355	2 1	1 .	.	2 2	4 6	7 24	63 26	186 119	164 129	164 129	51 37	16 4	139 70	247 244	12 7
18	Bronchitis ...	... M. F. }	1,591	861 730	91 50	19 29	9 5	6 5	9 8	17 15	59 35	123 82	289 227	248 274	50 30	10 7	227 82	574 611	70 88
19	Pneumonia ...	... M. F. }	1,916	1,065 851	324 239	131 130	31 26	16 16	24 23	38 18	64 42	112 59	208 174	117 124	92 95	21 18	220 105	752 633	46 33
20	Other Diseases of the Respiratory System.	M. F. }	657	374 283	24 15	13 11	4 10	12 10	12 18	29 18	49 25	78 45	92 68	70 63	49 34	3 4	68 46	254 199	23 9
21	Ulcer of the Stomach or Duodenum.	M. F. }	271	199 72	.	.	.	8 2	11 2	20 7	47 9	59 16	53 27	10 8	64 11	1 .	54 15	80 43	2 3
22	Diarrhea and Enteritis	... M. F. }	1,242	690 552	592 443	40 19	7 6	.	3 2	4 5	9 4	9 9	16 14	19 15	224 151	4 4	159 122	303 275	17 11
23	Appendicitis ...	... M. F. }	137	78 59	.	7 1	15 15	13 10	10 8	4 5	6 2	13 9	7 7	3 2	28 29	1 1	41 22	8 7	.
24	Cirrhosis of the Liver	... M. F. }	55	34 21	.	.	1 2	.	1 1	2 2	6 7	11 7	12 6	2 2	9 6	.	8 2	17 13	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	118	47 71	1 .	.	2 1	1 1	3 5	4 4	5 9	10 14	14 27	8 9	10 22	2 2	11 14	24 33	.
26	Other Diseases of the Digestive System.	M. F. }	596	320 276	56 38	11 8	12 10	9 8	14 10	18 17	31 23	47 36	76 79	46 47	90 73	2 4	82 54	146 145	18 14
27	Nephritis ...	... M. F. }	1,144	668 476	1 4	3 6	6 8	23 21	21 30	36 39	70 70	129 103	240 139	139 65	110 58	12 2	170 90	376 325	18 19
28	Puerperal Infection ...	... F. }	32	32	.	.	.	.	4 13	13 15	.	.	.	.	10 .	.	13 .	9 .	.
29	Other Diseases of Childbirth	... F. }	123	124	.	.	.	16 53	53 59	59 5	.	.	.	.	35 .	.	45 .	44 .	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	2,514	1,422 1,092	1,381 1,066	28 13	8 6	3 4	1 1	.	1 1	.	.	.	442 324	1 .	296 213	684 554	153 96
31	Sehility ...	... M. F. }	6,621	3,119 3,502	.	.	.	.	.	.	.	.	545 528	2,574 2,974	17 24	43 34	264 261	2,795 3,183	1,877 2,079
32	Suicide ...	... M. F. }	77	68 9	.	.	.	5 1	5 1	9 2	16 3	21 3	10 .	2 .	5 1	1 .	2 1	60 7	.
33	Other Violence	... M. F. }	824	521 303	24 18	35 26	37 18	64 16	48 7	49 14	57 14	70 50	81 65	56 95	90 61	3 1	102 73	326 168	3 4
34	Other Causes	... M. F. }	3,645	2,009 1,645	275 194	114 115	95 80	91 83	89 91	102 125	177 159	303 288	512 350	244 160	319 239	59 59	446 299	1,176 1,057	326 281

ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	Un-certified Deaths	
	ALL CAUSES ... M. ... F.	18,658 {	9,619 2,946	1,571 1,172	238 232	197 262	325 291	327 333	434 420	771 646	1,410 1,140	2,334 2,062	1,353 2,336	1,959 1,589	223 256	2,152 1,636	5,276 5,597	605 520	
1	Typhoid Fever (including Para- typhoid). ... M. ... F.	25 {	9 16	1			10	3 4	1 1	2	2 1			4 6		5 7			
2	Cerebro-spinal Meningitis ... M. ... F.	29 {	14 9	3 1	3	1 2	1	2	1	1				7 7		4 1			
3	Scarlet Fever ... M. ... F.	2 {	1 1		1									1		1			
4	Whooping Cough ... M. ... F.	33 {	42 47	27 29	15 17									12 17		4 2	26 28	2 1	
5	Diphtheria ... M. ... F.	152 {	84 72	20 11	28 25	28 26	1	2	2	3 1		1 2		42 44		30 24	8 7	1	
6	Tuberculosis of the Respiratory System. ... M. ... F.	1,331 {	723 658	3 5	12 4	138 23	152 174	444 111	130 77	96 43	36 15	5 10	273 226	44 38	148 89	291 305		3 4	
7	All other forms of Tuberculosis ... M. ... F.	454 {	229 224	15 12	40 33	34 16	55 69	37 24	26 29	8 13	6 5	4 9	3 2	30 87	5 4	65 64	70 76	1	
8	Dysentery ... M. ... F.	2 {	1 1								1 1				1		1		
9	Influenza ... M. ... F.	195 {	109 86	8 6	3 5	1 1	3 1	3 5	3 4	5 2	8 14	33 31	42 17	8 3	1 1	13 4	87 78	13 12	
10	Measles ... M. ... F.	20 {	31 49	6 29	17 17	7 19	1 1							5 7		8 8	18 31	1	
11	Acute Infectious Encephalitis ... M. ... F.	8 {	5 3		2 1		1 1	1 1	1 1	1				2 1		1 1	2 1		
12	Typhus ... M. ... F.	{																	
13	Cancer ... M. ... F.	1,394 {	930 874		1 4	3 5	4 4	8 12	25 64	120 140	258 248	363 248	138 151	174 172	6 11	258 165	495 523	5 5	
14	Diabetes Mellitus ... M. ... F.	133 {	55 53			2 2	7 2	1 1	1 2	8 7	11 21	13 10	9 8	11 13	1 1	11 10	72 29	2 1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	1,259	520	739	.	.	2	3	3	9	42	98	213	157	73	14	137	296	21
									3	5	18	73	155	280	194	87	15	120	517	24
16	Diseases of the Heart	... M. F. }	4,414	2,185	2,231	1	1	11	17	15	60	168	467	839	694	180	93	456	1,454	81
								13	20	40	74	123	327	825	824	151	95	438	1,547	59
17	Other Diseases of the Circulatory System.	M. F. }	395	222	173	1	.	.	1	3	4	14	36	92	71	54	8	92	88	2
								.	2	1	4	9	29	64	63	21	2	45	165	2
18	Bronchitis ...	... M. F. }	665	365	300	37	4	1	1	5	7	33	72	112	93	55	4	117	209	9
								5	1	3	7	24	39	80	107	16	5	43	236	10
19	Pneumonia ...	... M. F. }	842	460	382	170	51	10	7	9	17	26	48	81	41	72	7	100	281	12
								12	7	10	8	19	26	60	51	68	12	57	245	7
20	Other Diseases of the Respiratory System.	M. F. }	318	192	126	17	8	1	6	7	9	28	56	42	38	33	1	28	128	8
								5	6	3	9	16	21	27	26	19	3	22	82	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	108	80	28	.	.	.	3	2	14	17	23	19	2	35	.	18	27	1
								.	1	1	4	4	5	10	3	9	.	8	11	.
22	Diarrhœa and Enteritis	... M. F. }	775	441	334	597	19	4	2	3	2	4	6	6	3	195	3	109	154	6
								18	12	3	4	4	5	7	10	114	4	83	133	3
23	Appendicitis	... M. F. }	37	17	20	.	3	2	3	2	2	1	3	1	.	5	1	11	.	.
								1	4	2	2	1	2	5	2	8	1	6	5	.
24	Cirrhosis of the Liver	... M. F. }	28	17	11	.	.	.	1	.	1	4	5	6	1	6	.	5	6	.
								.	.	.	1	2	4	2	2	3	.	1	7	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	49	22	27	1	.	2	.	2	2	1	7	5	3	5	.	6	11	.
								.	2	2	2	5	5	9	3	10	2	2	13	.
26	Other Diseases of the Digestive System.	M. F. }	249	135	114	33	4	5	5	7	14	19	24	16	48	1	32	54	3	1
								4	3	9	7	8	17	34	17	38	1	24	51	.
27	Nephritis ...	... M. F. }	477	294	183	.	3	2	9	11	21	34	61	105	51	55	7	88	144	2
								1	9	11	12	31	39	50	26	34	2	28	119	3
28	Puerperal Infection	... F.	13	13	.	.	.	.	2	3	8	.	.	.	.	5	.	3	5	.
29	Other Diseases of Childbirth	... F.	52	52	.	.	.	.	5	28	17	2	.	.	.	20	.	18	14	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	1,361	726	575	706	15	3	1	.	.	1	.	.	.	322	1	119	285	41
								10	4	1	.	.	.	.	.	223	.	102	249	27
31	Scanty ...	... M. F. }	1,571	763	868	.	.	.	.	.	.	.	.	141	562	6	8	98	591	302
								.	.	.	.	.	.	145	723	11	8	115	734	287
32	Suicide ...	... M. F. }	27	23	4	.	.	.	2	1	2	8	7	2	1	3	1	.	19	.
								.	2	1	1	.	3	.	.	.	.	.	4	.
33	Other Violence	... M. F. }	352	225	127	8	15	23	28	18	21	23	31	31	27	54	2	42	150	2
								5	9	4	7	6	14	24	38	35	.	24	68	2
34	Other Causes	... M. F. }	1,409	768	641	118	53	42	32	34	48	76	111	165	86	183	24	177	384	88
								36	31	37	47	72	114	118	59	134	25	124	358	71

ABSTRACT V—continued—Causes of Death for the Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	532	296 236	38 27	8 7	6 4	7 9	10 14	11 9	16 12	39 18	86 64	77 72	23 12	2 10	86 54	180 160	32 31	
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1				1								1				
2	Cerebro-spinal Meningitis ... M. F. }																		
3	Scarlet Fever ... M. F. }																		
4	Whooping Cough ... M. F. }	1	1		1												1		
5	Diphtheria ... M. F. }	7	5 2		2 1	3		1						1		5 1			
6	Tuberculosis of the Respiratory System. M. F. }	23	11 17				2 2	4 8	4 1		1 3			3 1		5 16	3 4		
7	All other forms of Tuberculosis ... M. F. }	10	5 5	1	1 1	1	1 1	2 1					1	2 2		2 1	1 2		
8	Dysentery ... M. F. }																		
9	Influenza ... M. F. }	10	8 2	1				1		1	1	3 2	1	1		5	2 2	1	
10	Measles ... M. F. }																		
11	Acute Infectious Encephalitis ... M. F. }																		
12	Typhus ... M. F. }																		
13	Cancer ... M. F. }	42	23 20					1		2	7 5	11 9	1 4	2 1		6 6	14 12	1	
14	Diabetes Mellitus ... M. F. }	2	2								1		1	1			1		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	27	11	.	.	.	.	.	.	2	1	2	2	4	.	.	5	6	.
				16	.	.	.	.	.	.	1	1	3	7	4	.	.	4	12	1
16	Diseases of the Heart	... M. } ... F. }	152	85	.	.	.	1	.	1	5	12	38	28	4	.	.	29	52	7
				67	.	.	.	1	.	1	4	9	28	24	.	5	.	22	40	2
17	Other Diseases of the Circulatory System.	M. } F. }	6	3	.	.	.	.	.	.	.	2	1	1	1	.	1	1	3	.
				3	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.
18	Bronchitis	... M. } ... F. }	16	9	1	1	.	.	.	.	1	3	2	1	.	1	2	6	.	.
				7	.	2	.	.	.	.	1	.	3	1	.	.	1	6	.	.
19	Pneumonia	... M. } ... F. }	16	11	1	.	.	.	1	1	.	1	5	2	.	1	3	8	.	.
				5	.	.	.	.	1	.	1	.	3	.	.	.	3	3	.	.
20	Other Diseases of the Respiratory System.	M. } F. }	4	3	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	.
				1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	2	2	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	10	7	4	.	.	.	.	.	.	.	3	.	.	.	2	5	.	.
				3	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
23	Appendicitis	... M. } ... F. }	2	2	.	1	.	.	.	.	.	1	.	.	1	.	1	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	6	4	.	.	.	1	.	.	1	2	2	.	1	.	2	1	.	.
				2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
27	Nephritis	... M. } ... F. }	8	5	.	1	.	.	.	1	.	.	3	1	.	.	1	4	.	.
				3	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.
28	Puerperal Infection	... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	2	1	.	.	.	.	.	.	.	1	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	41	21	21	.	.	.	.	.	.	.	.	.	7	.	4	10	3	.
				20	19	1	.	.	.	.	.	.	.	.	3	.	3	14	4	.
31	Senility	... M. } ... F. }	75	37	.	.	.	.	.	.	.	.	7	30	.	.	2	35	15	.
				38	.	.	.	.	.	.	.	5	33	.	.	.	38	20	.	.
32	Suicide	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. } ... F. }	12	10	.	2	2	2	.	1	.	1	1	1	.	.	3	7	.	.
				2	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.
34	Other Causes	... M. } ... F. }	49	31	8	1	.	1	1	2	3	4	6	5	5	1	5	20	6	.
				18	4	2	2	1	1	1	1	.	4	2	1	.	5	12	3	.

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm aries.	Else-where.		
	ALL CAUSES ... M. F. }	1,636 {	818 816	133 96	35 20	41 34	32 41	32 33	42 37	60 71	108 104	189 176	146 202	220 180	28 22	136 116	434 498	1	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	1 1	.	.	.	.	1	.	.	1	.	.	1	1	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	7 {	4 3	1 2	3 1	.	.	.	.	.	.	.	.	1	.	.	3 3	.	
5	Diphtheria ... M. F. }	20 {	8 12	2 1	4 1	2 7	.	1	.	.	1	1	.	4 8	.	4 1	3	.	
6	Tuberculosis of the Respiratory System. M. F. }	124 {	68 56	1	1	3 5	14 14	17 13	12 11	12 2	5 8	2 2	1 1	19 12	4 2	11 8	34 34	.	
7	All other forms of Tuberculosis ... M. F. }	46 {	21 25	.	3 1	7 6	5 9	3 3	2 2	.	1	1	1	8 9	.	4 4	9 12	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	4 {	2 2	.	.	.	.	.	.	.	.	2	2	.	.	.	2 2	.	
10	Measles ... M. F. }	21 {	6 15	3	6 4	7	1	.	.	.	.	.	.	1 1	.	4 2	1 12	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	149 {	63 86	.	1	1	.	.	4 4	6 19	17 26	29 17	6 19	17 23	2 1	12 9	32 53	.	
14	Diabetes Mellitus ... M. F. }	4 {	3 1	.	.	1	.	.	.	.	.	2	1	1 1	.	.	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	128 {	50 78	.	.	.	.	.	1	1	6	12	14	18	20	3	7	20
16	Diseases of the Heart	... M. } ... F. }	421 {	207 214	1	.	3	1	1	7	7	13	42	81	58	22	9	30	146
17	Other Diseases of the Circulatory System.	M. } F. }	49 {	20 29	.	.	.	1	1	1	2	4	12	3	7	5	3	3	7
18	Bronchitis ...	... M. } ... F. }	53 {	27 26	8	.	1	.	.	.	3	7	6	8	5	5	2	8	12
19	Pneumonia ...	... M. } ... F. }	69 {	34 35	8	6	4	.	1	3	3	1	4	4	5	7	3	4	25
20	Other Diseases of the Respiratory System.	M. } F. }	42 {	24 18	4	.	1	2	2	1	2	6	1	3	4	4	1	3	17
21	Ulcer of the Stomach or Duodenum.	M. } F. }	11 {	6 5	.	.	.	.	.	1	1	3	2	2	5	4	.	1	1
22	Diarrhoea and Enteritis	... M. } ... F. }	70 {	38 32	31	2	2	.	.	1	1	1	1	1	15	6	2	11	10
23	Appendicitis	... M. } ... F. }	4 {	1	.	.	.	2	1	.	.	.	.	1	1	.	.	1	2
24	Cirrhosis of the Liver	... M. } ... F. }	5 {	1 1	.	.	.	.	.	.	.	3	.	1	1	2	.	1	1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	7 {	2 5	.	.	.	.	.	1	.	1	1	1	2	3	.	.	2
26	Other Diseases of the Digestive System.	M. } F. }	27 {	20 7	6	.	.	1	2	.	3	2	3	3	7	5	1	3	9
27	Nephritis ...	... M. } ... F. }	41 {	23 18	.	.	.	2	1	4	1	2	9	4	13	5	.	4	6
28	Puerperal Infection	... F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
29	Other Diseases of Childbirth	... F.	2	2	.	.	.	.	.	2	.	.	.	.	.	2	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	114 {	66 48	61	4	1	.	.	.	.	.	.	.	28	28	.	10	28
31	Senility ...	... M. } ... F. }	62 {	29 33	.	.	.	.	.	.	.	.	5	24	1	1	6	21	.
32	Suicide ...	... M. } ... F. }	3 {	3	.	.	.	.	1	1	1	.	.	.	1	.	.	.	2
33	Other Violence	... M. } ... F. }	34 {	24 13	.	2	5	2	2	2	2	1	4	1	12	.	.	0	.
34	Other Causes	... M. } ... F. }	114 {	68 46	10	4	12	4	1	4	5	8	12	8	21	1	11	35	.

ABSTRACT V—continued.—Causes of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	16-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES ... M. F. }	7,077 {	3,549 3,528	828 615	121 133	58 85	122 172	127 163	181 159	365 257	611 468	713 725	423 745	1,357 1,107	76 76	665 600	1,451 1,745	74 38	
1	Typhoid Fever (including Para-typhoid). ... M. F. }	8 {	2 6	1 1	3 2	1 1	1 1	1 2	1 1	1 1	1 1	1 1	1 1	2 6	1 1	1 1	1 1	1 1	
2	Cerebro-spinal Meningitis ... M. F. }	11 {	5 6	1 1	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	5 6	1 1	1 1	1 1	1 1	
3	Scarlet Fever ... M. F. }	1 {	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
4	Whooping Cough ... M. F. }	37 {	16 21	13 14	3 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	19 14	1 1	1 1	6 7	1 1	
5	Diphtheria ... M. F. }	72 {	33 37	14 7	14 15	7 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	34 34	1 1	1 1	1 2	1 1	
6	Tuberculosis of the Respiratory System. ... M. F. }	617 {	327 290	1 3	3 2	6 9	59 101	66 78	68 42	65 30	53 14	14 5	1 6	167 151	16 11	30 22	114 106	1 1	
7	All other forms of Tuberculosis ... M. F. }	197 {	97 100	13 10	24 17	9 22	24 26	15 11	9 2	2 6	2 2	1 3	1 1	61 59	2 2	17 13	19 26	1 1	
8	Dysentery ... M. F. }	1 {	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
9	Influenza ... M. F. }	23 {	19 9	2 1	1 1	1 1	2 1	1 1	1 1	2 1	1 1	5 2	7 3	4 3	1 1	1 1	15 9	1 1	
10	Measles ... M. F. }	46 {	17 29	4 15	7 12	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 6	1 1	4 6	9 17	1 1	
11	Acute Infectious Encephalitis ... M. F. }	3 {	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	
12	Typhus ... M. F. }	1 {	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
13	Cancer ... M. F. }	656 {	326 330	1 2	1 2	1 2	5 9	17 34	53 59	108 92	107 82	35 48	118 115	1 6	72 56	135 153	1 1		
14	Diabetes Mellitus ... M. F. }	46 {	20 26	1 2	1 2	1 2	3 3	1 1	1 1	3 3	6 13	4 6	3 2	7 10	1 1	2 3	11 12	1 1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	443	{	174 269	.	.	.	1	2	1	3	18	39	69	43	47	1	56	70	2
16	Diseases of the Heart	M. F. }	1,627	{	705 922	.	.	.	2	5	8	24	77	186	254	149	127	43	111	424	30
17	Other Diseases of the Circulatory System.	M. F. }	168	{	102 66	.	.	.	.	2	2	7	17	38	36	17	.	35	30	1	
18	Bronchitis	M. F. }	287	{	176 111	13 8	2 3	1 2	1 1	1 1	6 6	25 15	48 15	50 29	29 31	29 13	.	2	57 15	90 81	1 1
19	Pneumonia	M. F. }	384	{	136 188	100 70	14 39	1 3	.	5	4	5	10 11	22 12	30 26	13 13	59 56	2 3	33 30	102 99	2 3
20	Other Diseases of the Respiratory System.	M. F. }	144	{	90 54	7 4	7 3	1 2	2 2	4 6	6 2	19 4	15 10	10 11	31 16	.	1	15 10	44 27	1	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	41	{	31 10	.	.	.	3	.	1	5 2	10 1	9 3	4 2	.	22 5	.	2 2	7 3	.
22	Diarrhoea and Enteritis	M. F. }	498	{	292 206	276 193	10 6	1 .	.	1	.	.	1	2 1	2 3	2 3	163 97	.	73 54	56 55	2
23	Appendicitis	M. F. }	3	{	1 2	.	.	.	1	.	.	.	1	.	.	1	1	.	.	1	.
24	Cirrhosis of the Liver	M. F. }	16	{	10 6	.	.	.	.	.	.	1 1	3 4	2 4	4 1	.	4 2	.	4 1	2 3	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	20	{	10 10	.	.	.	.	2	1	.	3 2	3 1	1 5	4 1	2	.	1 2	5 4	.
26	Other Diseases of the Digestive System.	M. F. }	100	{	52 48	20 8	3 4	1 2	3 1	3 1	4 2	4 1	7 9	4 11	3 9	31 25	.	4 2	17 21	.	.
27	Nephritis	M. F. }	186	{	119 67	.	1 1	1 1	2 3	5 5	10 3	19 12	32 19	40 17	10 5	36 19	3	42 8	38 40	.	.
28	Puerperal Infection	M. F. }	4	{	4	.	.	.	1	.	3	.	.	.	.	3	.	.	1	.	.
29	Other Diseases of Childbirth	M. F. }	14	{	14	.	.	.	1	8	4	1	.	.	.	12	.	.	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	574	{	321 253	316 250	3 3	1 .	1	.	.	.	.	.	.	219 144	1	30 28	72 80	3 1	.
31	Senility	M. F. }	242	{	86 156	.	.	.	.	.	.	.	.	25 37	61 119	3 5	1 3	16 36	66 112	9 2	.
32	Suicide	M. F. }	6	{	5 1	.	.	.	.	.	1	2	2	.	1	2	.	.	3 1	.	.
33	Other Violence	M. F. }	129	{	75 54	3 2	8 6	9 2	11 4	2 4	9 4	6 2	13 3	7 11	7 17	33 25	.	4 8	38 21	.	.
34	Other Causes	M. F. }	469	{	238 231	45 29	20 12	11 13	10 12	10 16	11 19	37 26	43 41	39 33	12 30	115 86	9 7	37 33	77 105	21 11	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5.	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.		
	ALL CAUSES ... M. F. }	895 {	479 416	77 46	17 18	11 9	20 18	18 16	17 21	30 27	69 56	121 95	99 110	43 40	7 5	126 90	303 281	30 22	
1	Typhoid Fever (including Para-typhoid). M. F. }	5 {	3 2	1	.	.	.	1 1	.	.	1 1	.	.	1	.	2 1	1	.	
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	3 {	2 1	.	2 1	.	.	.	.	.	.	.	.	1 1	.	.	1	.	
5	Diphtheria ... M. F. }	7 {	5 2	.	.	3 1	1	.	.	2	.	.	.	.	.	3 2	2	.	
6	Tuberculosis of the Respiratory System. M. F. }	58 {	28 30	.	.	1	10 8	7 7	7 10	3 1	1 3	.	.	7 8	.	7 7	14 15	.	
7	All other forms of Tuberculosis... M. F. }	24 {	14 10	1	2 2	3 2	2 4	3 2	1	.	.	2	.	2 2	.	7 4	5 4	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	18 {	7 11	.	2 1	.	.	1	.	1	1 5	2 3	2	1	.	1	6 10	.	
10	Measles ... M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	96 {	52 44	.	.	1	1	.	1	5 8	13 12	16 13	15 9	3 5	1	19 5	50 33	.	
14	Diabetes Mellitus ... M. F. }	5 {	1 4	.	.	.	2	.	1	1	1	.	.	2	.	3 2	.	.	

15	Intra-cranial Lesions of Vascular M. F.	51	22 29	.	.	.	2	.	2	1 4	5 5	11 10	3 8	.	2 1	7 12	13 16	.
16	Diseases of the Heart ... M. F.	212	167 105	.	.	2	1	1 2	2	7 5	24 20	40 37	34 37	3 3	3	19 24	85 75	5
17	Other Diseases of the Circulatory M. F.	18	12 6	.	.	.	.	.	.	1	1	7 3	4 2	1	2	3 1	6 5	1 1
18	Bronchitis ... M. F.	36	13 17	2 1	1	.	.	.	1	.	4 2	3 4	3 9	.	.	5 2	8 15	2
19	Pneumonia ... M. F.	44	27 17	9 5	4 2	.	.	2	.	1	5 1	2 2	4 7	1	1	11 3	15 13	.
20	Other Diseases of the Respiratory M. F.	10	8 2	.	.	.	.	.	.	3	.	3 1	2 1	.	.	.	8 2	2
21	Ulcer of the Stomach or Duodenum. M. F.	3	3	.	.	.	.	.	2	.	.	1	.	.	.	.	3	.
22	Diarrhea and Enteritis ... M. F.	31	16 15	13 10	2 3	.	.	.	.	.	.	1 1	.	2 3	.	2 3	12 9	1
23	Appendicitis ... M. F.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
24	Cirrhosis of the Liver ... M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages. M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive M. F.	12	5 7	1 2	.	.	.	.	1	.	1 1	2 3	1 3	2	.	4 1	1 4	.
27	Nephritis ... M. F.	26	17 9	.	.	.	1	.	2	1 2	3 2	6 1	5 3	.	3	2 1	15 5	1
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth ... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161). M. F.	68	44 24	43 24	1	.	.	.	.	.	.	.	.	12 4	.	4 4	28 16	6 2
31	Senility ... M. F.	63	26 37	.	.	.	.	.	.	.	.	7 5	19 32	.	1	8 7	17 30	7 8
32	Suicide ... M. F.	3	3	.	.	.	.	.	.	1	1	1	.	.	.	.	3	.
33	Other Violence ... M. F.	22	15 7	1 1	.	.	2	2	1 2	2	3 2	4 2	.	1 1	1	2 1	11 5	1
34	Other Causes ... M. F.	82	48 34	46 3	4 8	4 3	12 12	1 1	2 3	4 3	5 4	13 7	7	9 3	.	19 10	20 21	7 8

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,113 {	578 535	75 51	13 11	7 10	17 18	17 23	19 27	30 32	74 69	186 138	140 156	40 51	17 22	154 95	367 367	44 58	
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	3 {	2 1	2 1	.	.	.	.	.	.	.	.	.	.	.	.	2 1	1	
5	Diphtheria ... M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	62 {	26 36	.	.	.	7 7	5 10	4 8	1 4	7 4	2 3	.	13 19	1 4	1 4	11 9	.	
7	All other forms of Tuberculosis... M. F. }	24 {	8 16	.	1 1	2 .	1 7	1 2	1 4	2 1	1 1	1 1	.	2 1	1 2	6	5 7	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	12 {	7 5	1	.	1	.	1	.	.	2	3 3	1	1	1	1 2	5 2	.	
10	Measles ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	100 {	57 43	.	.	1	.	1	2 1	7 10	12 14	31 11	4 6	2 5	1	18 9	37 28	.	
14	Diabetes Mellitus ... M. F. }	7 {	5 2	.	.	.	1	.	.	.	2 2	1	1	1	.	2	4	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	64	24 49	.	.	.	.	.	1	3 4	2 10	10 20	9 5	1 1	2 2	5 10	16 27	1 5
16	Diseases of the Heart	... M. } F. }	254	138 116	.	.	1	.	1	3 4	8 4	24 17	66 46	35 42	2 5	1 2	31 10	104 99	6 3
17	Other Diseases of the Circulatory System.	M. } F. }	35	20 15	1	.	.	.	.	.	2 2	1 2	11 7	6 5	1 1	1 1	12 7	6 7	.
18	Bronchitis ...	... M. } F. }	45	21 24	6 1	1 1	.	1	1	.	1 1	7 9	6 11	.	.	1 1	8 4	13 19	2 1
19	Pneumonia ...	... M. } F. }	41	27 14	6 3	4 1	1	1	1	1 1	1 1	4 2	4 3	4 1	1 1	3 1	8 5	15 8	2
20	Other Diseases of the Respiratory System.	M. } F. }	12	8 4	1	.	1	1	.	1	.	3 2	1 2	2 .	.	1 .	1 .	7 3	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	5	.	.	.	.	.	1	.	2	2	.	.	.	4	1	.
22	Diarrhoea and Enteritis	... M. } F. }	26	11 15	10 10	.	2	.	.	1	1	1 1	.	.	1 3	1 2	2 4	7 6	.
23	Appendicitis ...	... M. } F. }	4	2 2	.	.	.	1	1	.	.	1	1	.	1	.	2	1	.
24	Cirrhosis of the Liver	... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	9	8 1	2	.	1	1	.	.	.	1 1	1 1	3	1	.	5	2 1	.
27	Nephritis ...	... M. } F. }	28	19 9	.	.	.	1	.	1 1	2 1	3 3	10 4	2	1	1	6 1	12 7	.
28	Puerperal Infection ...	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	5*	5	.	.	2	1	2	.	.	.	.	.	1	.	2	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	75	43 32	40 50	3 1	1	.	.	.	.	.	.	.	7 6	.	11 9	25 17	3 3
31	Senility ...	... M. } F. }	177	77 100	.	.	.	.	.	.	.	.	18 18	59 82	2	3 3	16 8	58 87	22 33
32	Suicide ...	... M. } F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
33	Other Violence ...	... M. } F. }	22	12 10	1 2	1 3	1	3	1	.	2 1	2 2	1 1	1	.	.	4 3	8 6	.
34	Other Causes	... M. } F. }	98	54 44	6 4	3 4	1 2	4 1	3 2	4 4	3 6	6 11	18 7	6 3	5 5	3 2	19 8	27 29	7 6

ABSTRACT V—continued.—Causes of Death for the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	785	415 369	47 30	7 12	9 7	4 19	14 15	17 16	29 28	43 29	115 97	126 116	25 25	13 14	105 80	273 250	50 54	
1	Typhoid Fever (including Para-typhoid). ... M. F. }	3	3	.	.	.	3	.	.	.	.	.	.	.	.	3	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	2	1 1	1	1	.	.	.	.	.	.	.	.	.	.	1 1	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Diphtheria ... M. F. }	7	5 2	3	2	2	.	.	.	.	.	.	.	1	.	2 2	2	.	
6	Tuberculosis of the Respiratory System. ... M. F. }	42	22 20	.	.	1 1	1 6	4 7	4 2	10 3	.	2 1	.	11 11	3 2	1	7 7	.	
7	All other forms of Tuberculosis ... M. F. }	19	11 8	.	2 1	2 1	1 5	3	7	2	.	1	.	1 2	.	6 5	4 1	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	9	4 5	2 1	.	.	.	.	.	.	1	2	2 1	1 1	.	1 2	2 2	1	
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	70	36 34	.	.	1	.	.	.	6 3	7 10	16 7	6 7	3 2	.	5 4	28 26	.	
14	Diabetes Mellitus ... M. F. }	12	8 4	.	.	.	1	.	1	2	.	2 1	2 3	1	1	1	5 4	1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	57 {	27 30	.	.	1	.	.	1	2	3 5	14 12	10 9	1	2	3 3	24 24	3 3
16	Diseases of the Heart	... M. } ... F. }	213 {	120 93	.	.	1	.	1	4 4	4 7	28 6	43 46	38 29	1	4 4	41 30	72 58	6 4
17	Other Diseases of the Circulatory System.	M. } F. }	9 {	5 4	.	.	.	.	.	.	1	1	3 2	2 2	.	.	1 3	4 1	.
18	Bronchitis	... M. } ... F. }	22 {	9 13	1	1	.	.	1	.	1	1	5 3	3 5	.	1	1 1	9 11	1 1
19	Pneumonia	... M. } ... F. }	26 {	14 12	1 3	1 1	.	.	.	1 1	2 1	3 4	3 4	3 2	.	1	4 1	10 10	2 .
20	Other Diseases of the Respiratory System.	M. } F. }	6 {	3 3	.	.	.	.	.	.	1	1	.	2 1	.	1	1 1	2 1	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6 {	4 2	.	.	.	1	.	2	.	.	1 1	1 1	1	.	2 1	1 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	16 {	10 6	8 2	1	.	.	1	1	.	.	1 1	1 1	1	.	7 1	2 5	1 .
23	Appendicitis	... M. } ... F. }	2 {	2	.	.	.	1	.	.	.	.	1	.	.	.	2	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
26	Other Diseases of the Digestive System.	M. } F. }	10 {	6 4	1	.	1	.	1	1 1	1 1	1 1	2 1	.	.	.	3 3	3 1	.
27	Nephritis	... M. } ... F. }	13 {	9 4	.	.	.	.	1 1	.	1 1	1 1	4 2	2	.	.	3 1	6 5	2 .
28	Puerperal Infection	... F.	2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.
29	Other Diseases of Childbirth	... F.	4	4	.	.	.	.	2	2	.	.	.	.	1	.	.	3	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	50 {	28 22	27 19	1 2	.	.	.	.	.	.	.	.	4 4	.	8 8	16 10	5 2
31	Scullity	... M. } ... F. }	116 {	54 62	.	.	.	.	.	.	.	.	8 9	46 53	.	.	5 1	49 61	28 38
32	Suicide	... M. } ... F. }	2 {	2	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.
33	Other Violence	... M. } ... F. }	11 {	7 4	.	2	.	.	2	.	.	.	2 1	3 1	.	.	1 3	6 1	.
34	Other Causes	... M. } ... F. }	53 {	31 22	3 4	3 .	2 2	.	2 2	3 1	1 3	2 1	9 5	6 2	1 2	5 1	6 3	19 16	3 2

ABSTRACT V—contd.—Causes of Death for the Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.		
	ALL CAUSES ... M. F. }	585 {	319 266	23 17	6 4	4 2	7 6	10 8	9 9	26 23	31 20	96 71	107 106	4 3	15 8	80 42	220 208	95 65	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	2	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Diphtheria ... M. F. }	2 {	1 1	1	1	.	.	.	.	.	.	.	.	.	.	1 1	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	28 {	13 15	.	.	.	1 2	4 7	2 2	3 2	1 1	2	1	1	3 1	6 4	4 9	1	
7	All other forms of Tuberculosis ... M. F. }	7 {	5 2	.	1	1	2 1	2	.	.	.	.	.	1	3 1	1 1	1	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	22 {	15 7	1	.	.	1	.	.	.	.	7 3	6 4	.	1	2	12 7	7 4	
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	54 {	28 26	.	.	.	.	.	1 2	6 7	4 5	14 6	3 6	.	1	11 11	16 15	2 2	
14	Diabetes Mellitus ... M. F. }	5 {	4 1	.	.	.	1	.	1	.	1	1	1	.	.	2	2 1	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	55 {	30 25	.	.	.	.	.	1	1 2	1 1	3 5	16 9	8 8	1 .	2 .	5 5	22 20	8 3
16	Diseases of the Heart	M. F. }	127 {	72 55	.	.	1	1	.	.	1 1	6 4	10 6	29 26	24 18	.	4 6	26 9	42 40	5 2
17	Other Diseases of the Circulatory System.	M. F. }	7 {	3 4	.	.	.	.	.	.	.	1 1	.	2 3	.	.	.	2 .	1 4	.
18	Bronchitis' ...	M. F. }	13 {	6 7	1	.	.	.	.	.	.	1 1	4 2	4 2	.	.	.	1 5	7 7	1 2
19	Pneumonia ...	M. F. }	19 {	12 7	4 2	1	1	.	.	.	.	1 .	2 1	2 3	1 3	.	.	3 .	9 7	2 .
20	Other Diseases of the Respiratory System.	M. F. }	6 {	5 1	.	.	.	.	1	.	.	1 .	1 .	2 1	1 .	.	.	.	5 1	2 .
21	Ulcer of the Stomach or Duodenum.	M. F. }	5 {	2 3	.	.	.	.	.	.	.	2 .	1 .	1 1	.	.	.	2 1	2 .	.
22	Diarrhoea and Enteritis	M. F. }	8 {	3 5	3 3	.	.	.	.	.	.	.	.	2 .	.	2	.	.	1 5	.
23	Appendicitis.	M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
26	Other Diseases of the Digestive System.	M. F. }	7 {	5 2	1	.	.	.	.	.	.	1 1	.	3 .	1 .	1	.	2 .	3 1	1
27	Nephritis ...	M. F. }	14 {	10 4	.	.	.	.	.	2	1 .	4 1	1 .	4 .	.	1 1	3 3	6 .	.	.
28	Puerperal Infection ...	M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	21 {	12 9	12 7	2	.	.	.	.	.	.	.	.	.	1 3	4 1	7 5	3 .	.
31	Senility ...	M. F. }	126 {	61 65	.	.	.	.	.	.	.	.	.	11 5	50 60	.	.	3 2	58 63	53 44
32	Suicide ...	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence	M. F. }	8 {	7 1	.	1	.	.	.	.	2 1	1 .	.	3 .	.	.	.	2 .	5 1	2
34	Other Causes	M. F. }	45 {	22 23	1 4	3 1	1 1	1 2	1	2	9 2	3 1	5 10	3 2	1	.	4 3	18 19	9 7	

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	986 {	505 481	67 47	20 18	13 5	18 20	17 23	23 25	43 36	77 67	121 114	106 126	45 27	8 11	129 104	323 339	28 23
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Cerebro-spinal Meningitis ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Scarlet Fever ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Whooping Cough ... M. F. }	11 {	6 5	3 3	3 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	5 5	. .
5	Diphtheria ... M. F. }	2 {	1 1	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .
6	Tuberculosis of the Respiratory System. ... M. F. }	74 {	30 25	. 1	. 1	. .	11 11	8 7	5 9	8 4	5 2	2 .	. .	3 2	1 2	15 9	20 22	. .
7	All other forms of Tuberculosis ... M. F. }	23 {	7 16	. 1	2 5	3 .	. 2	. 2	1 3	1 1	. 1	1 .	. .	1 .	. .	1 8	6 7	. .
8	Dysentery ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... M. F. }	9 {	7 2	. .	. .	. .	1 .	1 .	1 .	. .	1 .	4 .	1 .	. .	. .	. .	7 2	. .
10	Measles ... M. F. }	7 {	5 2	1 1	3 .	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	5 2	. .
11	Acute Infectious Encephalitis ... M. F. }	2 {	1 1	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .
12	Typhus ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. F. }	125 {	66 59	. .	. 1	. .	1 .	. 1	3 .	6 5	18 19	21 22	17 11	5 6	. .	21 13	40 40	. 1
14	Diabetes Mellitus ... M. F. }	4 {	1 3	. .	. .	. .	. .	. .	1 .	1 .	1 .	. .	1 .	. .	. .	1 1	2 .	. .

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	76 {	31 45	.	.	.	.	.	1	1	5	4	11 17	10 9	.	.	5 10	26 32	.
16	Diseases of the Heart	... M. F. }	209 {	99 110	.	1	2	1	1	3	5	8	21 14	38 40	22 41	2 1	2 7	23 15	72 87	3 2
17	Other Diseases of the Circulatory System.	M. F. }	14 {	10 4	.	.	.	.	.	1	1	5	3	2	5	.	.	2 1	3 3	.
18	Bronchitis ...	... M. F. }	26 {	18 8	.	1	.	.	2	.	2	4	5	7	1	.	1	8 1	9 7	.
19	Pneumonia ...	... M. F. }	45 {	30 15	9 6	3 1	1 1	1	1	.	2	3	11 1	1 4	3	1	.	7 2	19 13	.
20	Other Diseases of the Respiratory System.	M. F. }	14 {	7 7	1 1	1	.	.	1	.	1	1	3 1	1 1	1	.	.	2 1	5 6	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	5 {	5	.	.	.	.	1	1	2	1	.	.	3	.	.	2	.	.
22	Diarrhoea and Enteritis	... M. F. }	23 {	14 9	9 6	2 1	1	1	.	.	.	2	.	1	1	.	.	4 1	9 8	.
23	Appendicitis	... M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3 {	2 1	.	.	.	.	.	.	1	.	1	.	.	.	.	1 1	.	.
26	Other Diseases of the Digestive System.	M. F. }	15 {	9 6	1 1	.	1	1	.	1	3	2	2	1	3	.	.	2 4	4 2	1
27	Nephritis ...	... M. F. }	19 {	11 8	.	.	.	1	2	1	1	1	3 4	3 1	2 2	.	.	5 6	4 6	.
28	Puerperal Infection ...	... F. }	2 {	2	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.	.
29	Other Diseases of Childbirth	... F. }	4 {	4	.	.	.	.	3	1	.	.	.	.	1	.	.	2	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	50 {	31 19	31 19	.	.	.	.	.	.	.	.	.	10 4	.	.	10 10	11 5	.
31	Senility ...	... M. F. }	114 {	47 67	.	.	.	.	.	.	.	.	10 15	37 52	1	1	.	4 11	41 55	18 14
32	Suicide ...	... M. F. }	2 {	2	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
33	Other Violence	... M. F. }	11 {	8 3	1	.	.	1	.	.	2	2	.	2 1	.	1	.	3 2	5 2	.
34	Other Causes	... M. F. }	95 {	48 47	11 8	5 4	2 1	3 2	2 2	3 2	6 9	8 8	6 7	2 3	7 5	1 1	.	10 12	30 29	5 6

ABSTRACT V—continued.—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	6-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	943 {	502 441	71 33	8 11	7 12	17 14	16 13	19 27	36 32	59 59	146 107	121 123	38 24	12 12	133 105	319 309	56 43
1	Typhoid Fever (including Para-typhoid). M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Cerebro-spinal Meningitis ... M. F. }	3 {	. 3	. 1	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. 2	. .	. .
3	Scarlet Fever ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Whooping Cough ... M. F. }	3 {	. 1 2	. 1 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. 1 1	. .
5	Diphtheria ... M. F. }	5 {	. 1 4	. .	. 1 2	. 1	. .	. .	. 1	. .	. .	. .	. .	. 1	. .	. 4	. .	. .
6	Tuberculosis of the Respiratory System. M. F. }	74 {	. 39 44	. .	. 1	. 4	. 5 8	. 5 7	. 5 9	. 9 8	. 2 5	. 3 .	. 1 2	. 3 3	. 3 6	. 6 5	. 18 20	. 1
7	All other forms of Tuberculosis ... M. F. }	17 {	. 10 7	. .	. 1 1	. .	. 5 3	. 2 1	. 1 1	. 1	. 1	. .	. .	. 1	. .	. 8 6	. 2	. .
8	Dysentery ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... M. F. }	9 {	. 4 5	. .	. .	. .	. .	. .	. .	. .	. .	. 1 2	. 3 3	. .	. .	. .	. 4 5	. 1
10	Measles ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Acute Infectious Encephalitis ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
12	Typhus ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. F. }	96 {	. 52 44	. .	. .	. .	. 1	. .	. 1 4	. 4 11	. 11 6	. 26 17	. 10 5	. 4	. .	. 17 20	. 31 20	. 1
14	Diabetes Mellitus ... M. F. }	8 {	. 1 7	. .	. .	. .	. .	. 1	. .	. 1 2	. .	. 2	. .	. .	. .	. .	. 1 2	. .

15	Intra-cranial Lesions of Vascular Origin. ... M. F. }	63	27 36	.	.	.	.	.	.	1 3	8 9	12 16	6 8	1	.	12 8	14 23	2 2
16	Diseases of the Heart ... M. F. }	215	106 109	.	.	.	2	.	1 4	6 1	19 17	41 37	37 45	2 2	9 6	23 15	73 86	3 7
17	Other Diseases of the Circulatory System. ... M. F. }	24	14 10	.	.	.	.	.	1	1	4 5	4 3	4 2	1	.	6 3	7 1	1
18	Bronchitis ... M. F. }	48	26 22	3	.	.	.	.	.	1	5 2	9 9	9 10	1	.	12 8	13 14	.
19	Pneumonia ... M. F. }	31	19 12	8 4	3 1	1 3	.	1	.	3	1	2 1	1 2	.	.	5 6	14 6	1
20	Other Diseases of the Respiratory System. ... M. F. }	18	12 6	2	1	1	.	.	1	2 1	.	4 2	3 1	.	.	2 2	10 4	1
21	Ulcer of the Stomach or Duodenum. ... M. F. }	10	6 4	.	.	.	.	.	1	1	1	3 3	1	2	.	2 2	2 2	.
22	Diarrhoea and Enteritis ... M. F. }	12	8 4	7 3	.	.	.	.	1	1	.	.	.	4	.	1 2	3 2	.
23	Appendicitis ... M. F. }	3	2 1	.	.	.	.	1 1	.	.	.	1	.	1 1	.	1	.	.
24	Cirrhosis of the Liver ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages. ... M. F. }	2	2	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.
26	Other Diseases of the Digestive System. ... M. F. }	14	5 9	1 2	1	.	.	1	.	1 1	.	1 4	1 1	1	.	2 3	3 5	.
27	Nephritis ... M. F. }	31	22 9	.	.	.	1	2	1 3	1	3 1	12 3	5 1	2	.	8 2	14 5	1
28	Puerperal Infection ... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth ... F.	2	2	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.
30	Congenital Debility, etc. (Nos. 157-161). ... M. F. }	66	41 25	49 21	.	1 1	.	.	.	.	.	.	.	11 4	.	9 5	21 16	6 3
31	Senility ... M. F. }	94	52 42	.	.	.	.	.	.	.	.	17 2	35 40	1 1	.	1 1	50 40	30 23
32	Suicide ... M. F. }	2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
33	Other Violence ... M. F. }	25	18 7	1 1	1	2	2	2	2	4	1 2	2 2	2 1	.	.	5 1	13 6	.
34	Other Causes ... M. F. }	68	49 28	7 5	1 3	2 2	2	4 1	4 1	3 1	3 10	8 4	6 1	5 2	.	12 10	23 16	11 5

ABSTRACT V--continued.--Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals,	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	778	396 382	32 43	10 9	9 2	14 17	11 10	20 19	32 24	52 51	104 100	112 107	20 19	7 7	102 64	267 292	58 56	
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	2	1 1	.	.	1	.	1	.	.	.	.	.	.	.	1	1	.	
3	Scarlet Fever ... M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	
4	Whooping Cough ... M. F. }	4	2 2	1 1	1 1	.	.	.	.	.	.	.	.	.	.	.	2 2	1	
5	Diphtheria ... M. F. }	3	1 2	1	1	.	.	.	.	1	.	.	.	1	.	1	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	46	26 20	.	.	1	5 8	4 3	6 4	5 3	3 1	2 1	.	5 5	1 1	3 1	17 13	1 1	
7	All other forms of Tuberculosis... M. F. }	18	13 5	1	1	2	2 3	2	2 2	1	.	1	1	1	1	7 2	4 3	.	
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	17	9 8	1	1 2	.	.	1 1	1	1 1	1 1	2 1	3	1	.	1	8 7	2 1	
10	Measles ... M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	96	49 47	.	.	.	1	.	1 3	5 4	12 11	25 21	6 7	1	.	22 7	26 40	1	
14	Diabetes Mellitus ... M. F. }	3	3	.	.	.	1	.	1	.	.	.	1	.	.	2	1	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	47 {	19 28	.	.	.	.	.	1	2	4	5	7	.	.	3	16	3
16	Diseases of the Heart	... M. } F. }	168 {	95 73	.	.	.	3	1	5	7	17	35	27	2	4	21	70	4
17	Other Diseases of the Circulatory System.	M. } F. }	5 {	3 2	.	.	.	.	.	.	.	1	.	2	.	.	2	1	.
18	Bronchitis ...	... M. } F. }	14 {	6 8	1	1	.	.	.	1	1	2	2	2	1	1	5	6	1
19	Pneumonia ...	... M. } F. }	24 {	12 12	2	1	1	1	.	1	.	3	6	1	1	.	5	7	.
20	Other Diseases of the Respiratory System.	M. } F. }	8 {	4 4	.	.	.	.	2	1	1	3	1	.	.	1	3	4	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5 {	5	.	.	.	.	2	.	2	1	.	1	.	2	2	.	.
22	Diarrhoea and Enteritis	... M. } F. }	19 {	9 10	6	2	.	.	1	1	1	2	.	.	1	1	7	2	.
23	Appendicitis	... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	... M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2 {	2	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
26	Other Diseases of the Digestive System.	M. } F. }	8 {	3 5	.	.	1	.	1	.	.	.	2	3	1	.	1	3	1
27	Nephritis ...	... M. } F. }	22 {	9 13	.	1	.	1	1	1	2	3	3	2	1	1	2	5	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	2	2	.	.	1	.	1	.	.	.	.	.	.	2	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	46 {	19 27	18 27	.	.	.	.	.	1	.	.	.	7	6	6	6	3
31	Scullity ...	... M. } F. }	136 {	63 73	.	.	.	.	.	.	.	.	7	56	.	.	6	57	38
32	Suicide ...	... M. } F. }	2 {	1 1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
33	Other Violence	... M. } F. }	16 {	10 6	1	2	.	1	2	.	2	.	1	1	.	.	5	5	.
34	Other Causes	... M. } F. }	61 {	29 32	3	1	3	.	3	2	2	5	9	4	2	2	9	18	4
					2	2	.	3	3	3	4	5	8	2	3	2	9	18	6

ABSTRACT V—contd.—Causes of Death for the Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES ... M. F. }	847	437 410	36 33	4 13	8 6	22 15	14 22	19 19	27 25	55 45	120 88	132 140	14 13	15 14	158 84	250 299	39 55	
1	Typhoid Fever (including Para-typhoid). M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
4	Whooping Cough ... M. F. }	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
5	Diphtheria ... M. F. }	3	2 1	.	1	2	.	.	.	.	.	.	.	.	.	2 1	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	71	37 34	.	2	1	10 10	9 8	6 4	3 9	4 1	3 1	.	1 1	3 3	24 12	9 18	.	
7	All other forms of Tuberculosis ... M. F. }	26	13 13	.	.	3 1	4 1	3 3	1 4	1 1	2 2	1 1	.	2 2	.	5 6	6 5	1	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	24	16 14	3	1	.	.	1	.	.	1	3 4	6 5	.	.	.	10 14	2 5	
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	101	58 43	.	.	.	1	.	1 3	8 4	14 14	21 10	13 12	2 2	.	30 10	26 31	1	
14	Diabetes Mellitus ... M. F. }	3	2 1	.	.	.	.	.	.	.	.	1 1	1	.	.	1	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	77	34 43	.	.	.	1	.	1	5	4 7	16 19	14 10	.	.	14 10	20 33	2
16	Diseases of the Heart	... M. F. }	191	113 78	.	.	1	1	1	2 4	7 2	20 8	43 27	40 35	1	9 9	34 14	69 55	3 4
17	Other Diseases of the Circulatory System.	M. F. }	14	7 7	.	.	.	.	.	.	.	1 3	2 4	4 4	.	.	4 8	3 4	.
18	Bronchitis	... M. F. }	21	8 13	1	.	.	.	.	1 1	5 2	2 9	2 9	2 9	.	.	1 1	7 12	1
19	Pneumonia	... M. F. }	33	17 16	6 4	2 5	1	1	2 1	1 1	1 1	3 2	1 2	1 2	.	1	8 2	9 13	1 2
20	Other Diseases of the Respiratory System.	M. F. }	5	3 2	.	.	.	.	.	.	.	.	2 3	3 2	.	.	1 2	2 2	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	6 1	.	.	.	.	.	2 1	1 1	2 1	1 1	1 1	.	.	2 1	4 1	1
22	Diarrhea and Enteritis	... M. F. }	16	7 9	7 5	2	1	.	.	.	.	.	1 1	1 1	1	.	1 1	5 8	1 1
23	Appendicitis	... M. F. }	6	5 1	.	.	.	1	2	1 1	1 1	.	.	.	.	1 1	4	.	.
24	Cirrhosis of the Liver	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	10	4 6	1	.	.	.	1	1	1	1	4	1	1 1	.	2 3	3 3	1
27	Nephritis	... M. F. }	17	10 7	.	.	1	.	.	3 1	2 1	3 1	4 2	4 2	1	1	2 1	7 5	.
28	Puerperal Infection	... F. }	2	2	.	.	.	1	1	.	.	.	.	.	.	.	1	1	.
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	3	.	.	.	.	.	.	.	.	2	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	41	22 19	22 19	.	.	.	.	.	.	.	.	.	3 4	.	10 7	9 8	2
31	Senility	... M. F. }	98	41 57	.	.	.	.	.	.	.	5 8	36 49	.	.	.	2 4	39 53	27 29
32	Suicide	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. F. }	21	11 10	.	.	2	3 1	.	1 1	.	1 2	3 1	1 6	1	.	7 2	3 8	.
34	Other Causes	... M. F. }	55	27 28	1 2	3	2	1	2 4	3 1	3 1	2 6	10 4	5 4	2 1	1	7 8	17 24	1 8

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	1,524 {	812 712	85 75	28 25	14 14	27 16	27 27	29 32	48 46	109 97	209 180	236 200	52 26	20 22	186 132	554 532	74 60
1	Typhoid Fever (including Paratyphoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	14 {	6 8	3 3	3 3	.	.	.	.	.	.	.	.	.	.	3 2	3 6	1
5	Diphtheria ... M. F. }	14 {	8 6	1 1	3 2	3 3	.	.	.	.	.	1	.	1	.	5 5	2 1	1
6	Tuberculosis of the Respiratory System. M. F. }	85 {	53 32	1	1	1 1	11 8	11 10	13 5	7 5	6 2	.	2	22 5	2 4	5 3	24 20	1 1
7	All other forms of Tuberculosis ... M. F. }	24 {	11 13	.	1 1	2 4	5 3	.	1 2	1	1	1	1	1 2	.	6 7	4 4	.
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	22 {	12 10	1 1	.	1	.	.	2 2	1	1 2	1	5 1	1	.	2	9 10	.
10	Measles ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	133 {	73 60	.	1	.	.	2	3	9 3	27 24	22 18	12 10	3 4	1 2	20 11	49 43	1
14	Diabetes Mellitus ... M. F. }	7 {	4 3	.	.	.	.	.	1	1	1 1	2 1	.	.	.	2 1	2 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	102 {	40 62	.	.	.	.	1	2	3	6	10	29	14 15	1	4	8	27	1
16	Diseases of the Heart	... M. F. }	412 {	224 188	.	.	1	1	1	3	13	32	95	79	9	6	50	159	6	
17	Other Diseases of the Circulatory System.	M. F. }	25 {	16 9	1	.	.	.	.	2	.	4	6	5	.	2	1	13	.	
18	Bronchitis ...	... M. F. }	58 {	20 28	2 2	2	.	.	1	.	1	3	10	13	.	.	5	25	4	
19	Pneumonia ...	... M. F. }	57 {	39 18	10 5	9 7	1 1	3	2	2	2	2	5	3	1	.	9	29	2	
20	Other Diseases of the Respiratory System.	M. F. }	20 {	11 9	2 1	1	.	2	1	.	1	2	3	1	.	.	1	10	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	7 {	4 3	.	.	.	.	1	1	.	2	1	.	.	.	1	3	.	
22	Diarrhoea and Enteritis	... M. F. }	22 {	15 7	14 4	1	.	.	1	.	.	.	.	2	.	1	2	12	1	
23	Appendicitis ...	... M. F. }	7 {	4 3	.	1	2 1	.	.	1	.	1	1	.	2	.	2	1	.	
24	Cirrhosis of the Liver	... M. F. }	2 {	2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	6 {	1 5	1	.	.	.	1	.	1	1	1	.	1	.	1	4	.	
26	Other Diseases of the Digestive System.	M. F. }	18 {	10 8	.	.	1 1	.	2	2	1	2	2	3	1	.	4	5	.	
27	Nephritis ...	... M. F. }	40 {	20 20	.	1	.	2	2	1	3	3	5	8	.	1	7	12	1	
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
29	Other Diseases of Childbirth ...	F. }	8	8	.	.	.	1	3	3	1	.	.	.	1	.	6	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	93 {	43 50	41 49	2 1	.	.	.	.	.	.	.	.	4 3	.	8 11	31 38	6 7	
31	Senility ...	... M. F. }	197 {	95 102	.	.	.	.	.	.	.	.	18	77	.	1	22	73	41	
32	Suicide ...	... M. F. }	2 {	1 1	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	
33	Other Violence ...	... M. F. }	21 {	15 6	1	.	.	2 1	2	1	2	3	3	2	.	1	3	11	.	
34	Other Causes ...	... M. F. }	126 {	75 51	9 5	6 6	3 2	2	6	4	5	13	16	11	5	3	19	48	10	

ABSTRACT V—contd.—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	959 {	503 456	61 51	11 11	10 12	18 20	14 21	28 20	27 26	78 57	128 107	128 131	73 57	9 13	92 70	329 316	24 20	
1	Typhoid Fever (including Para-typhoid). M. F. }	3 {	1 2	. .	. .	. .	1 .	. .	1 .	1 .	. .	. .	. .	. .	. .	1 2	. .	. .	
2	Cerebro-spinal Meningitis ... M. F. }	1 {	. 1	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	
3	Scarlet Fever ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
4	Whooping Cough ... M. F. }	5 {	3 2	3 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 2	
5	Diphtheria ... M. F. }	9 {	7 2	. .	2 .	5 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	6 2	1 .	. .	
6	Tuberculosis of the Respiratory System. M. F. }	72 {	43 29	. 1	. .	1 .	11 9	8 9	8 4	4 3	2 2	4 .	. .	19 7	4 .	4 4	16 18	. .	
7	All other forms of Tuberculosis ... M. F. }	16 {	5 11	. .	2 2	. 3	1 4	1 2	1 .	. .	. .	. .	. .	5 .	. .	1 1	4 5	. .	
8	Dysentery ... M. F. }	1 {	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	
9	Influenza ... M. F. }	11 {	5 6	. .	1 .	. .	. .	. .	1 .	. .	1 .	2 3	3 .	. .	. .	. .	5 6	1 .	
10	Measles ... M. F. }	2 {	1 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	
11	Acute Infectious Encephalitis ... M. F. }	2 {	2 .	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	
12	Typhus ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
13	Cancer ... M. F. }	86 {	48 38	. .	. .	. .	. .	1 .	2 3	3 3	8 19	24 13	10 7	11 5	1 .	5 4	31 29	. .	
14	Diabetes Mellitus ... M. F. }	2 {	1 1	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 1	. .	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	69 {	31 38	.	.	.	.	2	1 1	1 3	1 6	17 11	11 15	2 3	.	7 7	22 28	1 1
16	Diseases of the Heart	... M. } ... F. }	213 {	112 101	.	.	1	1	1	4 2	7 4	31 13	36 34	33 45	8 3	2 5	16 12	86 81	3 4
17	Other Diseases of the Circulatory System.	M. } F. }	21 {	7 14	.	.	.	.	.	.	1	.	3 6	3 7	1 1	.	.	6 13	.
18	Bronchitis ...	... M. } ... F. }	32 {	16 16	1	1	1	.	1	.	1	1 3	8 3	6 6	.	.	9 4	7 12	.
19	Pneumonia ...	... M. } ... F. }	53 {	22 31	6 8	3 3	1	1	1	2	1	3 4	4 7	3 6	3 2	2	1	10 26	1
20	Other Diseases of the Respiratory System.	M. } F. }	29 {	14 15	.	.	.	.	.	1	1 3	3 2	3 5	7 4	.	.	1 1	13 14	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	24 {	11 13	9 16	.	.	.	.	.	1	.	1 2	3 4	.	.	3 2	5 7	.
23	Appendicitis ...	... M. } ... F. }	4 {	1 3	.	1	.	1	.	1	.	.	1	.	3	.	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4 {	2 2	.	.	2	.	.	.	1	1	.	.	1 2	.	.	1	.
26	Other Diseases of the Digestive System.	M. } F. }	13 {	4 9	.	.	1	.	.	1 1	.	2 1	1 2	3 3	2	.	1 4	3	.
27	Nephritis ...	... M. } ... F. }	32 {	20 12	.	.	.	1	2	1 2	3 2	4 3	6 2	5 3	2 2	.	3 3	15 7	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	.	3	.	.	.	.	.	2	.	1	.	.
30	Congenital Debility etc. (Nos. 157-161).	... M. } ... F. }	62 {	35 27	34 26	1 1	.	.	.	.	.	.	.	.	9 10	.	5 5	21 12	1 1
31	Senility ...	... M. } ... F. }	71 {	35 36	.	.	.	.	.	.	.	.	3 5	32 31	.	1	7 8	27 28	14 8
32	Suicide ...	... M. } ... F. }	2 {	2	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
33	Other Violence	... M. } ... F. }	20 {	16 4	.	1	2	1	1	3	1	3	2 2	3 1	4	.	3	9 4	1
34	Other Causes	... M. } ... F. }	94 {	57 37	8 3	2 1	1 2	2 2	1 1	4 2	2 5	12 8	14 12	11 1	6 4	.	19 9	32 18	4 4

ABSTRACT V—contd.—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	14,514	7,582 6,932	881 718	237 197	111 119	220 220	271 270	294 298	488 443	990 837	2,059 1,634	2,031 2,196	702 712	179 134	1,813 1,220	4,888 4,806	916 999
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	15	8 7	.	.	.	1 2	5 1	1	.	1 2	.	.	2	1	8 4	.	.
2	Cerebro-spinal Meningitis ... M. F. }	10	4 6	1	1 4	2 1	.	.	.	.	.	.	.	3 2	.	1 2	2	.
3	Scarlet Fever ... M. F. }	5	4 1	1	1 1	1	1	.	.	.	.	.	.	.	.	2 1	2	.
4	Whooping Cough ... M. F. }	92	42 50	20 23	20 20	2 2	.	.	.	.	.	.	.	3 3	.	1 9	38 38	3 8
5	Diphtheria ... M. F. }	71	38 33	6 3	15 9	8 11	4 2	3 2	1 2	1 1	2	1	.	6 6	.	28 19	4 8	.
6	Tuberculosis of the Respiratory System. ... M. F. }	892	469 423	4 1	3 2	9 17	90 106	105 122	104 69	76 55	42 35	32 14	4 2	137 129	50 27	97 89	185 178	3 6
7	All other forms of Tuberculosis... M. F. }	223	119 104	7 3	20 25	15 16	25 23	19 13	9 8	3 6	6 7	4 2	2 1	22 29	2 2	46 32	49 41	1
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	237	123 114	10 14	4 2	1 3	4 3	1 1	3 4	4 3	21 19	43 31	32 34	4 6	1	14 9	105 98	22 21
10	Measles ... M. F. }	40	22 18	8 6	13 8	1 3	.	1	.	.	.	.	.	2 1	.	3 2	17 15	2 2
11	Acute Infectious Encephalitis... M. F. }	2	1 1	.	.	.	.	.	1	1	.	.	.	1	.	1	.	.
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	1,353	736 617	.	.	1	2 1	8 14	22 48	70 95	198 161	302 195	133 103	84 81	8 9	220 125	424 402	8 11
14	Diabetes Mellitus ... M. F. }	74	32 42	.	.	1	1 1	7 2	4 3	4 6	1 8	11 11	4 19	4	.	16 8	16 30	1 2

15	Intra-cranial Lesions of Vascular M. Origin.	M. F. }	815	369 465	.	.	2	1	1	6	5	25	67	161	95	23	10	101	226	25
										1	10	43	81	182	135	33	6	71	345	33
16	Diseases of the Heart	M. F. }	3,403	1,775 1,628	.	1	7	11	23	47	111	304	708	563	468	72	49	468	1,186	65
						1	8	11	27	46	101	257	595	582	582	90	40	382	1,116	62
17	Other Diseases of the Circulatory System.	M. F. }	228	127 101	.	.	.	1	1	3	5	18	52	47	8	1	55	83	4	
						.	.	.	4	2	10	25	27	35	11	2	18	70	2	
18	Bronchitis ...	M. F. }	540	304 236	27 18	7 6	4	4	3	7	20	39	109	84	14	6	74	210	16	
								1	3	4	6	21	86	91	11	2	31	192	25	
19	Pneumonia ...	M. F. }	614	357 257	96 73	56 37	10 4	5 6	11 5	9 8	22 11	43 23	72 54	33 36	14 17	10 4	88 34	245 202	8	
																		7		
20	Other Diseases of the Respiratory System.	M. F. }	224	118 106	8 7	3 4	2 1	5 2	4 6	6 6	10 7	31 19	31 25	23 20	7 13	1 1	31 20	79 72	7	
																		2		
21	Ulcer of the Stomach or Duodenum.	M. F. }	87	70 17	.	.	1	2	5	3	17	19	20	4	21	1	18	30	2	
										1	2	4	7	2	3		2	12		
22	Diarrhoea and Enteritis	M. F. }	346	188 158	150 121	27 22	3 3	.	2	2	2	3	5	4	22	1	42	123	5	
												3	3	4	31		28	99	3	
23	Appendicitis ...	M. F. }	61	37 24	.	3 1	7 8	7 2	6 4	1 2	5 1	6 4	1 2	1	16	.	16	5	.	
															10	.	12	2	.	
24	Cirrhosis of the Liver	M. F. }	12	8 4	.	.	1	.	.	1	1	2	3	.	.	.	2	6	.	
												1	3	.	.	.	1	3	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	45	13 32	.	.	1	.	2	1	2	1	8	2	2	1	2	8	.	
											3	5	15	5	8	.	9	15	.	
26	Other Diseases of the Digestive System.	M. F. }	193	99 94	14 18	4 3	2 2	2 4	6 2	6 5	7 10	17 12	28 13	22 18	22	1	29	47	6	
															21	2	22	49	2	
27	Nephritis ...	M. F. }	371	207 164	3 2	2 1	2 3	7 7	6 13	7 12	20 20	45 35	68 48	49 23	31 16	3 1	57 35	116 112	5	
																		2		
28	Puerperal Infection ...	F. }	9	9	.	.	.	1	6	2	.	.	.	.	3	.	4	2	.	
29	Other Diseases of Childbirth ...	F. }	41	41	.	.	.	8	12	18	3	.	.	.	12	.	19	10	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	768	425 343	416 333	6 3	3 2	3	.	.	.	.	.	.	79 77	.	120 71	226 195	42	
																		34		
31	Senility ...	M. F. }	2,198	1,021 1,177	.	.	.	.	.	.	.	.	186 165	835 1,012	6 9	17 20	87 75	911 1,973	611	
																		695		
32	Suicide ...	M. F. }	24	23 1	.	.	.	2	.	5	5	8	3	.	.	.	2	21	.	
										1	.	.	.	.	.	.		1	.	
33	Other Violence ...	M. F. }	276	175 101	10 9	16 8	6 9	19 5	17 5	17 5	23 5	24 13	27 20	16 27	19 16	.	41 25	115 60	.	
34	Other Causes ...	M. F. }	1,245	677 568	107 80	36 38	24 22	26 31	33 27	30 41	55 53	94 100	185 127	87 49	85 67	18 16	163 121	411 364	82	
																			80	

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. infirm-aries.	Else-where.		
	ALL CAUSES ... M. F. }	1,374 {	720 654	57 49	17 19	12 15	15 20	24 15	26 29	37 36	86 64	185 165	260 242	37 42	25 14	167 104	491 494	163 166	
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	9 {	6 3	2 2	3 1	1	.	.	.	.	.	.	.	.	.	.	6 3	1 1	
5	Diphtheria ... M. F. }	9 {	4 5	.	.	3 2	1 1	.	1	1	.	.	.	1	.	4	4	.	
6	Tuberculosis of the Respiratory System. M. F. }	71 {	43 28	.	.	1 2	7 9	9 5	11 8	7 3	5	2 1	1	9 10	11	10 3	13 15	1	
7	All other forms of Tuberculosis ... M. F. }	23 {	10 13	.	1 4	1	2 5	4 1	2	1	1	.	1	1 1	1	5 6	4 5	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	20 {	6 14	1	.	.	.	.	.	.	1	5 5	8	1	.	1	5 13	4 9	
10	Measles ... M. F. }	3 {	3	.	1	2	.	.	.	.	.	.	.	.	.	.	3	1	
11	Acute Infectious Encephalitis... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	124 {	80 44	.	.	.	.	2	2 4	3 9	18 8	38 18	17 3	3 3	1	19 6	57 35	2	
14	Diabetes Mellitus ... M. F. }	8 {	1 7	.	.	1	.	.	1	.	1	2	1 2	.	.	2	1 5	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	86	34 52	.	.	.	.	.	1	6 5	5 13	13 25	10 8	1 2	.	1 13	21 36	4 8
16	Diseases of the Heart	... M. F. }	267	146 121	.	.	1	2	2 1	1 6	8 7	24 19	64 54	47 31	3 3	5 5	47 33	91 80	7 11
17	Other Diseases of the Circulatory System.	M. F. }	12	6 6	.	.	.	.	.	.	1 2	2 1	3 3	.	2 2	.	2 4	4 4	.
18	Bronchitis ...	... M. F. }	45	19 26	2	2	1	.	1	.	1 1	2 3	5 10	7 10	1 .	1 .	1 .	16 26	1 5
19	Pneumonia ...	... M. F. }	49	28 21	4 3	5 3	2 2	.	1 .	1 .	2 2	6 3	6 3	3 6	.	2 .	8 1	20 18	1 2
20	Other Diseases of the Respiratory System.	M. F. }	20	10 10	.	1	.	.	1	.	1 3	3 3	2 1	3 5	.	.	2 2	8 8	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	5	5	.	.	.	.	1	1	1	2	.	.	2	.	1	2	.
22	Diarrhoea and Enteritis	... M. F. }	23	12 11	10 6	3	.	.	.	.	.	.	1 2	1 .	.	3	4 2	8 6	1 1
23	Appendicitis	... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	.	.	.	.	.	.	.	.	1 1	.	.	.	.	1 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	2 2	.	.	1	.	1	.	.	1	1	.	1	.	1 1	1 1	.
26	Other Diseases of the Digestive System.	M. F. }	18	12 6	.	1	.	1	1	1	1 3	4 3	1 2	3 .	1 1	.	5 1	6 4	3 1
27	Nephritis ...	... M. F. }	33	23 10	.	.	1	1	2	2	4 1	4 1	6 2	8 1	3 1	.	8 2	12 7	1
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
30	Congenital Debility etc. (Nos. 157-161).	M. F. }	53	27 26	25 25	2	.	1	.	.	.	.	.	.	7 7	.	8 3	12 16	5 2
31	Senility ...	... M. F. }	344	166 178	.	.	.	.	.	.	.	.	23 24	143 154	.	5 3	9 17	152 158	123 116
32	Suicide ...	... M. F. }	3	3	.	.	.	.	.	.	1	1	1	.	.	.	1	2	.
33	Other Violence	... M. F. }	14	9 5	1 1	.	2 1	2 1	1	.	1	1	1	1	.	.	1 5	8 5	.
34	Other Causes	... M. F. }	125	66 59	13 11	2 3	3 1	2	2 3	6 5	3 6	8 9	14 14	13 7	6 4	2 4	17 11	41 40	9 8

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	4,265 {	2,228 2,037	230 189	48 41	31 23	52 52	87 69	79 78	142 133	294 278	623 462	636 707	226 197	41 30	507 379	1,454 1,431	250 272	
1	Typhoid Fever (including Para-M. F. typhoid).	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	4 {	3 1	.	1 1	2	.	.	.	.	.	.	.	3 1	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	21 {	7 14	4 8	3 3	1	.	.	.	.	.	.	.	.	.	2	7 12	1	
5	Diphtheria ... M. F. }	19 {	10 9	1	2 2	2	2	2 1	1	.	2	1	.	3 2	.	6 6	1 1	.	
6	Tuberculosis of the Respiratory System. M. F. }	223 {	124 99	1	1 1	2 3	23 23	27 31	52 15	20 15	11 7	7 4	.	35 31	14 4	30 26	45 38	1	
7	All other forms of Tuberculosis ... M. F. }	55 {	27 28	1	5 5	3 6	7 8	2 2	1 1	.	1 2	1 1	1	5 5	1	10 6	11 17	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	70 {	41 29	5	3 2	1	1 2	.	1 3	.	10 7	12 7	9 6	2	.	3 3	36 26	5 3	
10	Measles ... M. F. }	10 {	4 6	1	2 4	1	.	1	.	.	.	.	.	.	.	1 1	3 5	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	411 {	217 194	.	.	1	.	1 3	6 12	23 34	58 50	86 60	42 35	34 27	1	37 49	126 126	3 3	
14	Diabetes Mellitus ... M. F. }	23 {	9 14	.	.	.	1	2	1	1 2	3	4 5	1 2	1	.	4 2	5 11	1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	282	129 153	.	.	.	.	3	1	9	24	61	51	7	3	34	85	7
16	Diseases of the Heart	... M. F. }	1,019	529 499	.	.	3	3	7	10	29	85	202	182	16	10	119	375	24
17	Other Diseases of the Circulatory System.	M. F. }	74	44 30	.	.	.	.	1	1	2	5	14	21	3	.	15	26	.
18	Bronchitis ...	... M. F. }	156	87 69	6	1	2	2	1	1	1	11	37	25	5	.	21	61	5
19	Pneumonia ...	... M. F. }	179	104 75	24	14	4	1	5	3	10	8	25	10	3	2	27	72	2
20	Other Diseases of the Respiratory System.	M. F. }	86	48 38	1	.	.	5	2	1	3	13	12	11	3	1	15	29	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	31	24 7	.	.	1	.	1	1	7	7	8	1	6	.	5	13	.
22	Diarrhoea and Enteritis	... M. F. }	57	25 22	24	2	.	.	1	1	.	2	3	2	6	1	6	22	1
23	Appendicitis ...	... M. F. }	22	13 9	.	.	2	2	3	1	1	2	1	1	7	.	5	1	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	20	5 15	.	.	.	.	.	1	1	3	4	7	3	1	1	2	.
26	Other Diseases of the Digestive System.	M. F. }	57	33 24	5	.	1	1	3	2	5	11	5	13	.	.	7	15	2
27	Nephritis ...	... M. F. }	82	50 32	.	1	2	1	1	5	15	15	12	7	.	9	34	1	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
29	Other Diseases of Childbirth	... F. }	6	6	.	.	1	1	4	.	.	.	.	.	2	.	3	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	232	138 94	134	2	2	.	.	.	.	.	.	.	34	.	44	60	9
31	Senility ...	... M. F. }	705	324 381	.	.	.	.	.	.	.	.	61	263	1	3	30	290	170
32	Suicide ...	... M. F. }	8	7 1	.	.	1	.	1	1	4	.	.	.	.	.	.	7	.
33	Other Violence	... M. F. }	91	58 33	2	5	2	5	10	4	8	9	9	4	4	.	16	38	.
34	Other Causes	... M. F. }	318	165 153	21	6	6	4	9	11	19	24	50	15	28	5	41	91	17

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. F. }	1,372 {	712 660	110 92	47 33	11 10	17 16	23 35	39 26	70 52	112 82	185 167	98 147	190 174	12 13	191 132	319 341	2 5
1	Typhoid Fever (including Paratyphoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	2 {	1 1	1	1	.	.	.	.	.	.	.	.	.	.	1 1	.	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	28 {	12 16	6 6	6 9	1	.	.	.	.	.	.	.	3 3	.	1 7	8 6	.
5	Diphtheria ... M. F. }	7 {	4 3	1	2 1	1	.	1	.	.	.	.	.	1 2	.	3	1	.
6	Tuberculosis of the Respiratory System. M. F. }	119 {	61 58	1 1	.	2	10 13	11 18	14 8	13 5	8 9	4 2	.	35 32	3 2	6 7	17 17	.
7	All other forms of Tuberculosis... M. F. }	27 {	13 14	1 2	8 4	1 2	1 1	.	1	1	1 2	1 1	1	6 7	.	2 4	5 3	.
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	5 {	1 4	4	.	.	.	.	.	1	.	.	.	1	.	.	1 3	.
10	Measles ... M. F. }	5 {	4 1	1 1	3	.	.	.	.	.	.	.	.	1	.	1 1	2	.
11	Acute Infectious Encephalitis... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	119 {	68 51	.	.	.	1 1	2 2	3 6	11 9	17 15	27 13	7 5	28 16	1	18 8	21 27	.
14	Diabetes Mellitus ... M. F. }	4 {	1 3	.	.	.	.	1	.	.	.	2	1	2	.	1 1	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	82	34 48	.	1	.	.	.	1	3	10	14	6	9	.	9	16	.
16	Diseases of the Heart	... M. F. }	390	190 200	.	.	.	2	2	9	19	38	75	45	30	6	59	95	1
17	Other Diseases of the Circulatory System.	M. F. }	18	7 11	.	.	.	.	.	1	1	4	4	1	2	.	2	3	.
18	Bronchitis ...	... M. F. }	83	58 25	3	.	.	.	1	4	7	9	21	13	5	.	26	27	.
19	Pneumonia ...	... M. F. }	69	41 28	12 6	12 8	2	.	2	2	.	8	5	2	6	.	11	24	.
20	Other Diseases of the Respiratory System.	M. F. }	24	14 10	.	.	2	.	2	2	1	3	3	3	1	.	3	10	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	11	7 4	.	.	.	.	.	.	3	1	2	1	3	.	3	1	.
22	Diarrhoea and Enteritis	... M. F. }	69	35 34	30 25	4 4	1	.	1	.	.	1	1	2	10	.	10	15	.
23	Appendicitis	... M. F. }	4	3 1	.	1	1	.	.	.	1	.	.	.	2	.	.	1	.
24	Cirrhosis of the Liver	... M. F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	3	.	.	.	.	.	.	.	.	2	1	2	.	.	1	.
26	Other Diseases of the Digestive System.	M. F. }	20	10 10	2 3	1 1	.	.	1	1	1	1	4	1	2	.	4	4	.
27	Nephritis ...	... M. F. }	20	14 6	.	.	1	2	1	.	2	2	4	2	7	.	4	3	.
28	Puerperal Infection ...	... F. }	2	2	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.
29	Other Diseases of Childbirth	... F. }	5	5	.	.	.	1	2	1	1	.	.	.	5	.	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	73	37 36	37 36	.	.	.	.	.	.	.	.	.	19	.	3	15	.
31	Senility ...	... M. F. }	48	19 30	.	.	.	.	.	.	.	.	4	15	14	.	5	14	1
32	Suicide ...	... M. F. }			.	.	.	.	.	.	.	.	.	.	2	2	.	26	2
33	Other Violence	... M. F. }	31	19 12	2	3 1	2	.	1	2	3	4	3	3	6	.	2	11	.
34	Other Causes	... M. F. }	102	58 44	15 6	7 3	2 1	1	3	1	4	9	15	1	14	2	16	26	1

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.		
	ALL CAUSES ... M. F. }	1,891 {	1,018 873	89 61	27 19	11 16	36 35	38 43	41 48	53 42	128 104	292 215	303 290	82 77	33 19	211 122	692 655	254 268	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	2	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	2 {	1 1	.	1 1	.	.	.	.	.	.	.	.	.	.	1 1	.	.	
4	Whooping Cough ... M. F. }	9 {	5 4	2 3	2 1	1	.	.	.	.	.	.	.	.	.	.	5 4	2	
5	Diphtheria ... M. F. }	12 {	7 5	3 1	2 2	1 1	1	1	.	.	.	.	.	.	.	6 4	1 1	.	
6	Tuberculosis of the Respiratory System. M. F. }	144 {	78 66	1	.	2 1	14 16	20 19	18 15	7 6	6 5	8 3	2 1	37 34	8 9	2	33 21	3	
7	All other forms of Tuberculosis ... M. F. }	23 {	16 7	1 1	4 2	2 1	4 1	1	2 1	1	1	1	.	3 2	.	6 4	7 1	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	46 {	22 24	.	1	.	1 1	.	1	1	3 3	9 6	8 11	.	1	2 2	20 31	13 8	
10	Measles ... M. F. }	6 {	4 2	2 2	2	.	.	.	.	.	.	.	.	1	.	.	4 1	2 1	
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	173 {	89 84	.	.	.	.	3	4 9	9 12	22 21	41 26	13 13	3 2	.	30 19	56 63	2 5	
14	Diabetes Mellitus ... M. F. }	6 {	5 1	.	.	.	1	1	1	.	1 1	1	.	.	.	3 1	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	83	41 42	.	.	1	.	2	2	.	8	18	11	1	5	7	28	9
16	Diseases of the Heart	... M. F. }	380	219 161	.	.	1	1	7	4	9	38	93	66	6	11	62	140	15
17	Other Diseases of the Circulatory System.	M. F. }	39	19 20	.	.	.	.	1	1	3	6	3	8	1	.	3	15	2.
18	Bronchitis ...	... M. F. }	59	32 27	2	2	.	1	.	2	1	6	13	9	.	2	9	21	5
19	Pneumonia ...	... M. F. }	69	38 31	12 5	7 6	.	1	1	2	3	3	9	3	1	1	6	39	3
20	Other Diseases of the Respiratory System.	M. F. }	26	14 12	1 3	1	.	.	1	1	2	2	6	1	2	.	6	8	3
21	Ulcer of the Stomach or Duodenum.	M. F. }	14	11 3	.	.	.	1	1	.	4	1	3	1	2	.	3	6	1
22	Diarrhea and Enteritis	... M. F. }	20	15 5	12 4	2	1	.	.	.	1	.	.	.	1	.	4	10	2
23	Appendicitis	... M. F. }	8	4 4	.	1	2	1	1	.	1	1	1	.	2	.	1	1	.
24	Cirrhosis of the Liver	... M. F. }	2	2	.	.	1	.	.	.	.	1	.	.	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	1 3	.	.	.	.	.	.	1	.	2	.	.	.	1	2	.
26	Other Diseases of the Digestive System.	M. F. }	18	10 8	1	.	.	.	1	1	1	2	4	1	3	.	2	5	1
27	Nephritis ...	... M. F. }	55	27 28	1	.	1	1	3	4	4	5	8	7	4	.	10	13	2
28	Puerperal Infection ...	... F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth	... F. }	8	8	.	.	3	1	4	.	.	.	.	.	2	.	6	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	73	42 31	40 29	1	1	.	2	.	.	.	.	.	9	.	14	19	6
31	Senility ...	... M. F. }	400	199 201	.	.	.	.	.	.	.	.	10	139	.	4	5	190	164
32	Suicide ...	... M. F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. F. }	27	18 9	2	.	5	.	2	3	2	2	2	2	.	.	4	14	.
34	Other Causes	... M. F. }	181	97 84	11 9	3 7	2 6	6 8	3 6	1 6	8	20 18	31 21	12 3	9 6	2 2	24 14	62 62	26 28

ABSTRACT V—contd.—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,576 {	849 727	120 98	31 28	17 16	27 20	36 36	29 32	46 38	96 71	203 177	244 211	39 33	29 18	194 134	587 542	90 100	
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	6 {	4 2	. .	. .	. .	1 1	2 1	1 .	. .	. .	. .	. .	. .	. .	4 2	. .	. .	
2	Cerebro-spinal Meningitis ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Scarlet Fever ... M. F. }	1 {	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
4	Whooping Cough ... M. F. }	10 {	4 6	3 6	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	4 6	3 .	
5	Diphtheria ... M. F. }	9 {	5 4	. 1	3 2	1 1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	3 3	2 1	. .	
6	Tuberculosis of the Respiratory System. ... M. F. }	84 {	46 38	. .	. .	1 1	7 7	9 13	8 6	10 6	4 3	6 2	1 .	3 1	9 5	12 19	22 13	1 .	
7	All other forms of Tuberculosis ... M. F. }	20 {	11 9	. .	2 1	2 2	4 .	3 3	2 .	. .	1 .	. .	. .	2 2	1 1	5 1	3 5	. .	
8	Dysentery ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
9	Influenza ... M. F. }	45 {	28 17	4 3	. .	1 1	1 .	1 .	. .	2 1	4 3	8 4	7 5	. .	. .	6 .	22 17	. .	
10	Measles ... M. F. }	2 {	. 2	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	
11	Acute Infectious Encephalitis ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
12	Typhus ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
13	Cancer ... M. F. }	131 {	70 61	. .	. .	. .	1 .	2 2	2 3	2 7	16 19	29 19	18 11	3 3	3 2	19 12	45 44	1 1	
14	Diabetes Mellitus ... M. F. }	8 {	5 3	. .	. .	. .	. .	2 1	1 .	. .	. .	1 1	1 1	. .	. .	. .	3 3	. .	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	71	{	35 36	.	1	.	.	1	2	3	4	9 15	14 15	9 11	1 3	.	1	10 2	24 30	.
16	Diseases of the Heart	... M. F. }	362	{	204 158	.	1 1	1 3	3	1 6	8 6	15 6	35 18	65 65	76 53	6 6	6 1	.	41 27	151 124	6 7	
17	Other Diseases of the Circulatory System.	M. F. }	22	{	16 6	.	.	.	.	.	1	.	2 1	7 2	7 2	.	.	.	3 1	13 5	1	
18	Bronchitis ...	... M. F. }	35	{	18 17	2 3	1 2	.	.	.	1	1 2	1 2	9 2	4 7	.	1	1	1 2	17 13	1 2	
19	Pneumonia ...	... M. F. }	91	{	58 33	19 13	10 6	.	1	2 1	.	4 1	4 2	11 7	7 2	.	5 1	14 8	39 23	2		
20	Other Diseases of the Respiratory System.	M. F. }	15	{	4 11	.	1 2	.	2	1	.	1	1 1	1 1	1 2	1	.	4	4 6	1		
21	Ulcer of the Stomach or Duodenum.	M. F. }	3	{	3	.	.	.	.	.	.	1	.	2	.	1	.	2	.	.		
22	Diarrhoea and Enteritis	... M. F. }	52	{	24 28	21 21	1 5	1	.	.	1	.	.	.	1 1	.	2	9 7	15 19	1		
23	Appendicitis	... M. F. }	10	{	8 2	.	1	1	3 1	1	.	1	2	.	.	.	2 1	5 1	1	.		
24	Cirrhosis of the Liver	... M. F. }	3	{	2 1	.	.	.	.	.	.	1	1	.	1	.	.	1	2	.		
25	Diseases of the Liver and Biliary Passages.	M. F. }	7	{	4 3	.	.	.	.	.	.	1 1	2	2	1	1 1	.	.	3 2	.		
26	Other Diseases of the Digestive System.	M. F. }	26	{	11 15	.	1	2	.	2	.	1 2	2 2	2 4	1 5	2 4	1 1	3 1	5 9	.		
27	Nephritis ...	... M. F. }	56	{	30 26	.	.	1 1	1 1	1 1	1	3	6 2	9 15	11 5	4	.	9 6	17 20	1		
28	Puerperal Infection	... F. }	2	{	2	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.		
29	Other Diseases of Childbirth	... F. }	6	{	6	.	.	.	1	1	3	1	.	.	.	.	.	2	4	.		
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	98	{	52 46	52 44	.	.	.	.	.	.	.	.	.	1 2	.	8 11	43 33	13 6		
31	Senility ...	... M. F. }	198	{	84 114	.	.	.	.	.	.	.	.	10 16	74 98	1	2 4	1 1	80 109	53 67		
32	Suicide ...	... M. F. }	1	{	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.		
33	Other Violence	... M. F. }	32	{	18 14	4 2	2 1	1 1	1 2	3	1	1 2	1 5	4 1	1 2	1 2	.	8 3	9 9	.		
34	Other Causes	... M. F. }	170	{	103 67	15 3	7 4	6 5	4 5	10 3	3 6	4 4	8 11	25 19	21 7	11 3	2 1	28 18	63 45	12 9		

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	735 {	370 365	85 52	14 22	9 5	11 16	14 19	15 22	38 38	62 38	86 80	36 73	37 91	6 14	110 58	217 202	9 13	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	2	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	
3	Scarlet Fever ... M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	
4	Whooping Cough ... M. F. }	3 {	1 2	1 1	1	.	.	.	.	.	.	.	.	.	.	.	1 2	.	
5	Diphtheria ... M. F. }	3 {	2 1	.	2	1	.	.	.	.	.	.	.	.	.	2 1	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	74 {	33 41	.	.	1 1	6 11	6 13	5 6	9 7	5 2	1 1	1	2 7	2 3	21 9	8 22	.	
7	All other forms of Tuberculosis ... M. F. }	16 {	8 8	2	1 4	2 1	1 1	1 1	.	1	.	1	.	2 3	.	3 2	1 1	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	2 {	1 1	.	.	.	.	.	.	.	1 1	.	.	.	.	.	1 1	.	
10	Measles ... M. F. }	9 {	6 3	3 1	3 2	.	.	.	.	.	.	.	.	.	.	1	5 3	.	
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	75 {	40 35	.	.	.	.	1	.	6 5	15 8	16 12	2 7	6 17	.	14 6	20 11	.	
14	Diabetes Mellitus ... M. F. }	3 {	1 2	.	.	.	.	.	.	.	1	1	1	.	.	1	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	27	11 16	.	.	.	.	.	.	1 5	3 3	5 6	2 2	1 2	1 1	4 13	6 13	.	.
16	Diseases of the Heart	... M. } ... F. }	153	72 91	.	.	.	1	1	3 2	9 10	14 13	31 27	14 28	3 18	1 3	18 18	50 42	2	.
17	Other Diseases of the Circulatory System.	M. } F. }	12	5 7	.	.	.	.	.	.	1 2	1 2	4 3	1 1	2 2	.	3 1	2 4	.	.
18	Bronchitis ...	... M. } ... F. }	36	21 15	2 1	1 1	2 .	.	1 .	.	4 1	2 1	6 7	4 4	.	.	8 4	13 11	2	.
19	Pneumonia ...	... M. } ... F. }	32	19 13	4 5	1 4	.	1 1	1 1	1 .	2 .	4 .	4 1	1 1	2 4	1 .	6 .	10 9	1	.
20	Other Diseases of the Respiratory System.	M. } F. }	15	6 9	1 .	.	.	.	1 1	2 2	.	1 2	2 2	1 1	1 3	.	2 1	3 5	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	7	.	.	.	1 .	.	1 .	.	4 .	1 .	.	3 .	1 .	1 .	2 .	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	41	22 19	20 17	1 2	.	.	.	.	.	1 .	.	.	2 5	.	3 3	17 11	.	.
23	Appendicitis	... M. } ... F. }	3	2 1	.	.	2 .	.	.	1 .	.	.	.	.	2 1	.	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	.	.	1 .	.	.	.	.	1 .	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	.	.	.	.	1 .	.	.	.	1 .	.	1 .	.	1 .	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	17	6 11	5 4	1 .	.	.	.	.	1 .	1 .	2 .	3 .	2 .	1 .	1 .	6 7	.	.
27	Nephritis ...	... M. } ... F. }	22	12 10	.	.	.	.	1 .	5 4	1 .	3 .	5 1	2 .	3 6	.	3 1	6 3	.	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	.	1 .	.	.	.	.	.	1 .	.	.	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	52	32 20	32 20	.	.	.	.	.	.	.	.	.	3 4	.	5 .	24 16	3 3	.
31	Senility ...	... M. } ... F. }	33	12 26	.	.	.	.	.	.	.	.	5 8	7 18	.	1 4	2 1	9 18	3 7	.
32	Suicide ...	... M. } ... F. }	1	1	.	.	.	.	1 .	.	.	.	.	.	.	.	.	1 .	.	.
33	Other Violence	... M. } ... F. }	14	8 6	.	2 2	1 .	1 .	2 .	1 .	.	1 1	1 .	1 .	3 .	.	2 1	3 5	.	.
34	Other Causes	... M. } ... F. }	72	41 31	15 3	3 5	1 1	1 2	1 .	1 2	6 3	7 1	4 8	3 5	4 7	1 .	8 8	29 15	1	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	859 {	431 428	44 44	16 10	6 7	15 17	11 21	17 14	20 27	58 53	123 95	121 140	32 32	5 5	123 98	271 293	59 66	
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
4	Whooping Cough ... M. F. }	5 {	2 3	1 1	1 2	.	.	.	.	.	.	.	.	.	.	.	2 3	1 2	
5	Diphtheria ... M. F. }	5 {	3 2	1 1	1 1	1	.	.	.	1	.	.	.	2	.	1 2	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	51 {	18 33	1	1	.	6 10	3 10	4 5	3 5	3 3	.	.	11 9	1	2 4	4 20	3	
7	All other forms of Tuberculosis... M. F. }	15 {	10 5	1	2 2	1	3	2	2	1	.	1	.	2	.	4 2	4 3	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	28 {	12 16	5	.	.	1	1	.	.	1	5 6	6 3	3	.	1 4	11 9	1 1	
10	Measles ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	76 {	41 35	.	.	.	.	.	1 2	2 4	20 12	13 12	5 5	2 4	1	15 6	24 24	2	
14	Diabetes Mellitus ... M. F. }	6 {	1 5	.	.	.	.	1	.	2	.	1 1	1	1	.	1	1 3	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	53	21 32	.	.	.	.	.	.	1 3	2	12 11	8 16	1	1	.	8 10	12 21	3 2
16	Diseases of the Heart	M. F. }	185	105 80	.	.	1 1	1 2	1	3 4	6 5	17 18	43 23	31 27	4	2	33 26	68 52	3	
17	Other Diseases of the Circulatory System.	M. F. }	16	8 8	.	.	.	1	.	.	1 3	6 2	2	2	1	.	1 1	7 6	1 1	
18	Bronchitis ...	M. F. }	42	20 22	1 2	2	.	.	1	1	1 1	2 7	5 11	8	1	1	3 4	15 18	3 1	
19	Pneumonia ...	M. F. }	33	26 7	7 2	5 1	.	.	1	1	.	4 3	6 1	2 1	1 1	.	8	17 6	.	
20	Other Diseases of the Respiratory System.	M. F. }	9	6 3	.	.	.	.	.	1	1	2 2	2	2	2	.	2 1	2 2	2	
21	Ulcer of the Stomach or Duodenum.	M. F. }	4	3 1	.	.	.	.	1	.	.	2 1	.	1	.	.	1	1 1	.	
22	Diarrhoea and Enteritis	M. F. }	18	9 9	6 6	2	1	.	1	.	1	1	.	1	1	.	2 3	6 6	.	
23	Appendicitis ...	M. F. }	5	2 3	.	.	1 3	.	.	.	.	1	.	.	1	.	2 1	1 1	.	
24	Cirrhosis of the Liver	M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	2	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	
26	Other Diseases of the Digestive System.	M. F. }	12	5 7	1	.	.	.	.	.	1	3 3	2 1	.	.	.	3 1	2 6	.	
27	Nephritis ...	M. F. }	18	10 8	1	.	.	.	1	.	.	3 3	2 3	4 1	1 1	.	4	5 7	.	
28	Puerperal Infection ...	F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth	F.	3	3	.	.	.	.	3	.	.	.	.	.	.	.	2	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	43	21 22	21 22	.	.	.	.	.	.	.	.	.	2 4	.	11 7	8 11	1 3	
31	Senility ...	M. F. }	129	54 75	.	.	.	.	.	.	.	4 10	50 65	1	1	.	8 10	46 63	38 43	
32	Suicide ...	M. F. }	4	4	.	.	.	.	3	.	1	.	.	.	.	.	.	4	.	
33	Other Violence	M. F. }	13	7 6	1	3 1	.	.	.	1	.	2 2	1 2	1 1	1	.	2 3	4 2	.	
34	Other Causes	M. F. }	82	42 40	3 4	1 2	2 1	3 4	3 3	1	4 5	6 7	16 9	3 5	1 4	2 1	12 8	27 27	6 7	

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY, (S.R.), by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGE AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES ... M. F. }	1,184 {	607 577	61 70	19 12	5 8	18 22	19 15	18 23	50 40	79 76	121 124	157 187	26 22	15 7	141 121	425 427	52 57		
1	Typhoid Fever (including Para-M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.		
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	3 {	2 1	1 1	1	.	.	.	.	.	.	.	.	.	.	.	2 1	.		
5	Diphtheria ... M. F. }	3 {	1 2	1	1	1	.	.	.	.	.	.	.	1	.	1	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	62 {	34 28	.	1	3	6 8	12 8	4 2	4 5	1 1	3 1	.	3 2	1 1	9 8	21 17	.		
7	All other forms of Tuberculosis... M. F. }	24 {	12 12	1	3 2	2 1	1 4	.	2	1 2	2 1	.	.	1 1	.	6 5	5 6	.		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	12 {	6 6	1 1	.	.	.	.	1	.	1 1	2 3	1 1	1 1	.	.	5 5	.		
10	Measles ... M. F. }	4 {	3 1	1	3	.	.	.	.	.	.	.	.	1	.	.	2 1	.		
11	Acute Infectious Encephalitis... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	136 {	70 66	.	.	.	.	1	2 4	7 12	16 16	27 21	18 12	2 2	2 1	25 17	41 46	.		
14	Diabetes Mellitus ... M. F. }	9 {	4 5	.	.	.	.	.	.	3 1	.	1 2	1 2	.	.	2	2 5	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	60 {	25 35	.	.	.	.	.	1	2	3 10	11 12	9 10	2	1	10 5	12 30	2
16	Diseases of the Heart	M. F. }	284 {	154 130	.	.	2	1	1	2	11 6	30 20	67 41	40 51	2	4	49 33	101 95	7 8
17	Other Diseases of the Circulatory System.	M. F. }	20 {	12 8	.	.	.	.	.	1	1	1 2	6 1	4 4	1	1	4 1	7 6	1
18	Bronchitis ...	M. F. }	45 {	24 21	4 1	.	.	.	.	2	3	8 2	7 8	8	1	2 4	21 17	1	
19	Pneumonia ...	M. F. }	41 {	13 28	7 10	1	1	2	.	1	1	3 3	2 6	1 3	1	2 3	10 25	.	
20	Other Diseases of the Respiratory System.	M. F. }	15 {	10 5	2	1	.	.	.	.	3	4	2 1	1 1	.	1	10 4	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	7 {	5 2	.	.	.	1	.	1	1	1 2	1	1	2 1	.	3 1	.	
22	Diarrhoea and Enteritis	M. F. }	30 {	16 14	11 9	4 4	.	.	1	.	.	1	.	.	2 1	1 5	13 8	1	
23	Appendicitis	M. F. }	3 {	1 2	.	.	.	1	.	.	.	2	.	.	2	.	1	.	
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
26	Other Diseases of the Digestive System.	M. F. }	11 {	6 5	.	1	.	2	.	1	1	2 1	1 1	1	1	2 4	3 1	.	
27	Nephritis	M. F. }	41 {	22 19	.	1	.	1	.	1	3 1	3 4	13 4	5	1 2	2 1	17 11	.	
28	Puerperal Infection	F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	1	1	.	
29	Other Diseases of Childbirth	F. }	5	5	.	.	1	2	2	.	.	.	.	1	.	3	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	64 {	28 36	27 35	1	1	.	.	.	.	.	.	1 5	.	14 9	13 22	3 4	
31	Senility	M. F. }	172 {	81 91	.	.	.	.	.	.	.	.	18 11	63 80	2 3	2 3	77 85	31 27	
32	Suicide	M. F. }	5 {	5	.	.	.	1	.	2	2	.	.	.	.	.	5	.	
33	Other Violence	M. F. }	24 {	15 9	.	.	.	1	2	2 1	6 1	1 1	3	7	2	4 4	9 5	.	
34	Other Causes	M. F. }	99 {	57 42	9 9	4 3	1 1	2 1	2	2 1	5 5	5 10	16 9	10 3	6 1	1	5 8	45 33	8 6

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	823 {	424 399	51 40	9 6	3 8	15 13	13 8	18 18	15 21	48 51	122 97	130 137	27 33	10 11	97 74	290 281	36 46		
1	Typhoid Fever (including Para-M. typhoid). M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.		
2	Cerebro-spinal Mening ... M. F. }	2 {	2	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.		
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	3 {	2 1	.	2 1	.	.	.	.	.	.	.	.	.	.	.	2 1	.		
5	Diphtheria ... M. F. }	2 {	1 1	.	1 1	.	.	.	.	.	.	.	.	.	.	1 1	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	33 {	17 16	.	.	3	5 3	2	6 2	1 2	2 4	.	.	2 2	1 3	3 3	11 8	.		
7	All other forms of Tuberculosis... M. F. }	12 {	5 7	.	1 2	1 3	.	1	2 1	.	1	.	.	5	.	1 2	4	.		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	7 {	4 3	.	.	.	.	.	1	1	1 3	1	.	.	.	1	3 3	.		
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	65 {	36 29	.	.	.	.	1	3	2 2	9 10	16 8	9 5	2 4	1 2	13 4	20 19	.		
14	Diabetes Mellitus ... M. F. }	5 {	3 2	.	.	.	.	.	1 1	1	.	2	.	.	.	1 1	1	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	43 {	20 23	.	.	.	.	1	.	.	1	2 5	8 11	8 7	1 1	.	4 3	15 19	2	
16	Diseases of the Heart	M. F. }	195 {	88 107	.	.	.	.	1	1	1	2	2	10 17	37 36	36 49	1 4	4 2	14 18	69 83	1 6
17	Other Diseases of the Circulatory System.	M. F. }	11 {	8 5	.	.	.	.	.	.	.	.	1	4 3	3 3	1 1	1	2	4 2	.	
18	Bronchitis ...	M. F. }	28 {	16 12	2 2	.	.	.	1	.	1	.	2 1	4 6	6 3	2 1	1	3	10 11	1	
19	Pneumonia ...	M. F. }	35 {	19 16	5 4	.	1	.	2 1	.	1	3	3 6	3 6	4 1	1 1	.	3 2	15 13	.	
20	Other Diseases of the Respiratory System.	M. F. }	12 {	6 6	.	.	.	.	.	1	.	.	3 2	1 1	1 3	.	.	1 1	5 5	1	
21	Ulcer of the Stomach or Duodenum.	M. F. }	4 {	4	.	.	.	.	.	.	1	.	2	1	.	.	1	2	1	.	
22	Diarrhoea and Enteritis	M. F. }	16 {	9 7	5 5	3	1	.	.	.	.	.	.	.	1	.	2	1	8 5	.	
23	Appendicitis ...	M. F. }	4 {	4	.	.	.	.	.	3	.	1	.	.	.	1	.	3	.	.	
24	Cirrhosis of the Liver	M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
26	Other Diseases of the Digestive System.	M. F. }	8 {	3 5	1 2	.	.	.	.	1	.	.	.	1 1	.	.	.	1	2	.	
27	Nephritis ...	M. F. }	34 {	14 20	.	1	.	.	1 1	1 3	.	1	2 1	3 4	6 6	1 3	1 1	1	5 5	7 14	1
28	Puerperal Infection ...	F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
29	Other Diseases of Childbirth	F. }	4	4	.	.	.	.	1	.	2	1	.	.	.	1	.	1	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	55 {	34 21	34 21	.	.	.	.	.	.	.	.	.	.	3 5	.	6 4	25 14	2 2	
31	Senility ...	M. F. }	146 {	75 71	.	.	.	.	.	.	.	.	.	21 14	54 57	4 1	.	22 17	49 53	28 34	
32	Suicide ...	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
33	Other Violence	M. F. }	22 {	16 6	.	1	1	3	1	1	1	2	3 1	6 1	.	1 1	.	1	15 4	.	
34	Other Causes	M. F. }	72 {	37 35	4 5	2 2	.	1 2	1 1	2 6	2 6	7 3	12 8	7 2	6 4	1 3	10 9	26 19	2 .		

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	435 {	223 212	34 23	9 7	6 6	8 9	6 9	12 8	17 16	27 20	58 52	46 62	6 11	3 3	72 58	142 140	1	
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
5	Diphtheria ... M. F. }	2 {	1 1	.	1	1	.	.	.	.	.	.	.	.	.	1 1	.	.	
6	Tuberculosis of the Respiratory System. ... M. F. }	31 {	15 16	.	1	2 1	3 6	5 3	2 2	2 1	1	1 1	.	1	.	4 8	11 7	.	
7	All other forms of Tuberculosis ... M. F. }	8 {	7 1	.	2 1	1	2	.	.	1	.	1	.	1	.	2	5	1	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	2 {	2	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	
10	Measles ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	43 {	25 18	.	.	.	.	2	2	5 3	7 2	9 6	2 5	1 3	1	10 7	14 7	.	
14	Diabetes Mellitus ... M. F. }	2 {	2	.	.	.	.	.	1	1	.	.	.	.	.	2	.	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	28	{	10	-	.	.	.	.	.	1	2	3	5	1	.	.	3	7
					18	.	.	.	.	.	.	2	1	1	8	6	.	.	2	16
16	Diseases of the Heart	... M. F. }	168	{	77	.	.	2	.	2	.	4	3	13	31	26	3	2	26	46
					91	.	.	.	.	.	.	2	7	9	29	44	.	.	25	66
17	Other Diseases of the Circulatory System.	M. F. }	4	{	2	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
					2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
18	Bronchitis ...	... M. F. }	11	{	9	3	1	.	.	.	.	2	1	1	1	1	.	.	.	9
					2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2
19	Pneumonia ...	... M. F. }	16	{	11	2	2	2	.	1	.	2	.	1	2	2	.	.	3	8
					5	1	1	.	.	.	.	.	.	2	.	.	.	.	5	5
20	Other Diseases of the Respiratory System.	M. F. }	2	{	2	.	.	.	.	.	1	.	1	.	.	.	1	.	1	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	1	{	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
22	Diarrhea and Enteritis	... M. F. }	20	{	11	11	1	.	.	.	.	.	.	.	.	.	.	.	2	9
					9	8	.	.	.	.	.	.	.	.	.	.	.	1	8	8
23	Appendicitis	... M. F. }	1	{	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
24	Cirrhosis of the Liver	... M. F. }		{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	1	{	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
26	Other Diseases of the Digestive System.	M. F. }	6	{	3	1	.	.	.	.	.	1	1	1	1	.	1	.	2	1
					3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
27	Nephritis ...	... M. F. }	10	{	5	.	1	.	1	1	.	1	1	1	2	2	.	3	2	
					5	.	.	.	.	1	.	1	.	.	.	.	.	1	4	4
28	Puerperal Infection	... F.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	2		2	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	25	{	14	14	.	.	.	.	.	.	.	.	.	.	1	7	7	
					11	11	.	.	.	.	.	.	.	.	.	.	.	4	6	.
31	Senility	... M. F. }	17	{	7	.	.	.	.	.	.	.	.	.	2	7	.	3	4	
					10	.	.	.	.	.	.	.	.	.	.	8	1	1	8	.
32	Suicide	... M. F. }	1	{	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
33	Other Violence	... M. F. }	8	{	7	1	1	.	1	.	1	.	.	1	2	1	.	2	4	
					1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
34	Other Causes	... M. F. }	24	{	11	1	1	1	1	.	2	1	.	3	2	.	1	2	8	
					13	2	2	2	1	.	1	1	2	1	1	1	.	6	6	.

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	7,652	4,028 3,624	294 229	98 88	86 79	131 109	120 159	138 138	204 181	393 346	1,073 862	1,491 1,433	318 238	120 77	574 476	3,016 2,833	1,082 1,190
1	Typhoid Fever (including Para-typhoid). M. F. }	9	5 4	.	.	1	1	.	1	2	.	1	.	3 1	1	2 2	.	.
2	Cerebro-spinal Meningitis ... M. F. }	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
3	Scarlet Fever ... M. F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	29	8 21	4 15	4 6	.	.	.	.	.	.	.	.	2	.	.	8 19	2 4
5	Diphtheria ... M. F. }	36	16 20	1 1	11 7	4 9	2	.	1	.	.	.	.	7 8	.	4 10	5 2	.
6	Tuberculosis of the Respiratory System. M. F. }	449	232 217	.	3 2	3 12	60 53	50 69	40 34	34 22	23 16	19 9	.	63 55	21 25	50 47	98 90	8 6
7	All other forms of Tuberculosis ... M. F. }	157	88 69	2 2	9 8	25 15	15 16	12 15	15 5	4 3	4 3	2 4	.	25 22	10 4	25 20	28 23	2
8	Dysentery ... M. F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	235	120 116	9 7	4 1	3 2	1 2	1 4	4 1	8 7	13 7	30 40	47 45	3 1	1 2	10 19	106 94	44 48
10	Measles ... M. F. }	22	9 13	2	5 9	1 2	.	.	.	.	.	.	.	1 3	.	5 6	3 4	1
11	Acute Infectious Encephalitis ... M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
12	Typhus ... M. F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
13	Cancer ... M. F. }	636	342 294	1	1	1	1 2	3 5	15 18	28 32	87 77	134 108	71 52	57 17	8 4	64 53	232 220	13 9
14	Diabetes Mellitus ... M. F. }	35	13 22	.	.	1 3	1	1	1 2	1 2	2 5	6 7	3	3 5	.	1 2	9 15	2 1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	434 {	210 224	.	.	1	2 1	2 1	1 4	9 18	25 40	97 98	74 61	7 11	9 4	28 35	166 174	26 48
16	Diseases of the Heart	... M. F. }	1,356 {	750 606	.	2	1 2	6 6	11 13	12 14	37 41	108 89	306 223	269 216	39 17	35 20	84 74	592 495	61 55
17	Other Diseases of the Circulatory System.	M. F. }	117 {	66 51	1	1	.	.	.	3 3	5 5	24 16	32 22	6 5	3	7 4	50 42	4 1	
18	Bronchitis ...	... M. F. }	205 {	108 97	10 3	6 4	1	1 2	1 1	1 3	5 4	6 11	36 35	41 34	1 2	.	27 4	80 91	24 34
19	Pneumonia ...	... M. F. }	297 {	167 130	39 26	20 18	6 6	3 2	3 5	7 1	8 8	12 6	40 35	29 23	5 7	4 1	17 7	141 115	19 12
20	Other Diseases of the Respiratory System.	M. F. }	81 {	50 31	4 1	2 2	1 2	1 4	1 2	4 4	7 1	9 4	16 7	5 4	5 1	1	9 4	35 26	5 4
21	Ulcer of the Stomach or Duodenum.	M. F. }	44 {	29 15	.	.	.	1 1	4 1	2 2	5 1	7 5	7 4	3 1	2 1	.	16 2	11 12	.
22	Diarrhoea and Enteritis	... M. F. }	77 {	40 37	30 29	4 4	1	.	1	.	1	.	2 2	2 .	5 4	.	7 9	28 24	3 3
23	Appendicitis	... M. F. }	24 {	15 9	.	1	5 2	3 1	1 2	1	.	3	3	2	1 5	.	12 4	2	.
24	Cirrhosis of the Liver	... M. F. }	11 {	7 4	.	.	.	.	1 1	1	.	3 2	2	1 .	2 3	.	1 .	4 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	14 {	7 7	.	.	.	.	1 1	1 1	2	2 3	1 1	2 1	2	.	2 2	3 3	.
26	Other Diseases of the Digestive System.	M. F. }	91 {	47 44	7 5	1 1	3 2	.	1	5 3	6 4	5 5	14 17	6 6	9 10	1	15 7	23 26	3 3
27	Nephritis ...	... M. F. }	168 {	102 66	.	1 2	2 4	5 3	1 2	5 3	8 10	14 14	38 22	28 6	15 4	1	18 19	68 43	9 2
28	Puerperal Infection ...	... F. }	5 {	5	.	.	.	.	5	.	.	.	.	.	1	.	4	.	.
29	Other Diseases of Childbirth	... F. }	18 {	18	.	.	.	.	6	12	.	.	.	.	2	.	7	9	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	269 {	161 108	152 106	4	2	2 1	1	.	.	.	.	.	29 15	.	40 25	92 68	41 20
31	Senility ...	... M. F. }	2,039 {	983 1,056	.	.	.	.	.	.	.	.	157 149	826 907	2 2	15 6	40 49	926 999	712 842
32	Suicide ...	... M. F. }	15 {	13 2	.	.	.	1	2 1	2	3 1	4	1	.	1 1	.	.	12 1	.
33	Other Violence	... M. F. }	124 {	73 51	2 1	3 3	4 3	9 1	8 2	7 2	5 3	10 2	17 15	8 19	11 6	1	12 18	50 26	1
34	Other Causes	... M. F. }	651 {	366 285	29 31	18 19	23 14	18 10	16 21	15 21	27 19	54 48	119 69	47 33	34 24	12 8	78 43	242 210	104 91

ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	2,365 {	1,212 1,153	117 114	50 50	31 37	50 44	39 56	49 50	72 50	105 102	287 215	412 435	179 162	36 20	138 132	859 839	199 294	
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	6 {	4 2	. .	. .	. .	1 1	. .	1 1	1 .	. .	1 .	. .	3 1	. 1	1 .	. .	. .	
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	
3	Scarlet Fever ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
4	Whooping Cough ... M. F. }	19 {	4 15	3 10	1 5	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	4 13	1 .	
5	Diphtheria ... M. F. }	21 {	8 13	1	5 5	3 6	. 1	. .	. .	. .	. .	. .	. .	5 6	. .	2 6	1 1	. .	
6	Tuberculosis of the Respiratory System. ... M. F. }	160 {	87 73	. .	1 1	1 5	25 22	18 16	16 12	17 8	5 7	4 2	. .	33 31	10 7	12 8	32 27	1 3	
7	All other forms of Tuberculosis ... M. F. }	71 {	39 32	2 1	4 4	13 8	6 8	3 6	7 1	3 2	1 2	. .	. .	21 17	3	5 7	10 8	. .	
8	Dysentery ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
9	Influenza ... M. F. }	76 {	31 45	5 5	4 1	1 1	. .	1 .	. .	2 2	3 .	7 15	9 19	1 1	. .	4 11	26 32	11 19	
10	Measles ... M. F. }	8 {	2 6	1	1 5	1	. 5	. .	. .	. .	. .	. .	. .	1 1	. .	1 5	. .	. .	
11	Acute Infectious Encephalitis ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
12	Typhus ... M. F. }	1 {	1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	
13	Cancer ... M. F. }	187 {	91 96	. .	. .	1 .	. .	1 3	4 6	6 9	23 24	32 33	24 21	15 14	2	15 14	59 68	2	
14	Diabetes Mellitus ... M. F. }	9 {	4 5	. .	. .	1 1	. .	. .	. .	1 1	1 .	2 1	1 1	3 3	. .	1 1	1 1	. .	

ABSTRACT V—continued.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			-All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } F. }	823 {	440 383	23 20	5 5	6 4	17 9	9 9	13 10	20 13	42 52	140 105	165 151	27 10	10 8	46 38	357 327	170 168
1	Typhoid Fever (including Para- M. } typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } F. }	4 {	2 2	1	2 1	.	.	.	.	.	.	.	.	.	.	.	2 2	1 1
5	Diphtheria ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	44 {	20 24	.	.	.	9 5	2 8	3 4	2 4	1 2	3 1	.	2 2	2 3	6 9	10 10	3
7	All other forms of Tuberculosis ... M. } F. }	10 {	9 1	.	1	2	2	1	2	.	1 1	.	.	1	1	1	6	1
8	Dysentery ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } F. }	25 {	16 9	.	.	1	1	1	2	1	5 2	2 4	3 3	1	.	1 1	14 8	7 2
10	Measles ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } F. }	62 {	34 28	.	.	.	.	.	1 1	2 2	7 10	16 10	8 5	4	1	5 5	25 22	5 1
14	Diabetes Mellitus ... M. } F. }	3 {	1 2	.	.	1	.	.	1 1	.	.	.	.	1	.	.	1 1	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	133 {	67 66	.	.	1	1	1	1	3	3	7 13	29 23	26 24	3 8	4	12 10	48 48	4 6
16	Diseases of the Heart	... M. } ... F. }	438 {	236 202	.	.	1	1	4 5	7 5	13 7	34 22	87 66	89 94	16 12	7 6	22 21	191 163	13 20	
17	Other Diseases of the Circulatory System.	M. } F. }	42 {	25 17	1	1	.	.	.	2	1 5	3	9 2	10 10	3 4	.	2 1	20 12	.	
18	Bronchitis ...	... M. } ... F. }	52 {	30 22	3 2	2	.	1 1	.	1 1	1 1	2 2	7 5	13 10	1 1	.	10 1	19 20	5 6	
19	Pneumonia ...	... M. } ... F. }	109 {	57 52	14 8	11 11	5 4	1 2	1 2	3	3 1	2 1	10 12	7 10	2 5	.	4 2	51 45	6 2	
20	Other Diseases of the Respiratory System.	M. } F. }	25 {	13 12	1 1	1 2	.	2	1 1	1	1 1	2 2	4 1	2 2	2 1	1	5 .	5 11	1 4	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	14 {	9 5	.	.	.	.	1	.	2 1	3 3	2	2	1 1	.	4 .	4 4	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	38 {	17 21	15 17	1 2	1	.	.	.	.	1	1	.	2 4	.	3 5	12 12	1	
23	Appendicitis ...	... M. } ... F. }	8 {	4 4	.	1	.	1 1	2	.	.	1	.	2	2 4	.	2	1	.	
24	Cirrhosis of the Liver	... M. } ... F. }	4 {	3 1	.	.	.	.	.	.	1	3 1	.	.	2	.	.	1 1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4 {	2 2	.	.	.	.	.	1	1	1 1	.	.	2 1	.	.	1	.	
26	Other Diseases of the Digestive System.	M. } F. }	34 {	13 21	2 3	1 1	1 1	.	1	3 2	3 1	1	4 8	1 3	5 8	.	4 3	4 10	1 3	
27	Nephritis ...	... M. } ... F. }	44 {	27 17	.	1	1	2 1	.	2 1	1 3	2 2	14 5	6 3	9 1	.	4 8	14 8	.	
28	Puerperal Infection ...	... F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth	... F. }	8	8	.	.	.	2	6	.	.	.	.	.	1	.	1	6	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	111 {	63 48	58 48	3	.	1	1	.	.	.	.	.	13 10	.	11 10	34 28	11 7	
31	Senility ...	... M. } ... F. }	479 {	236 243	.	.	.	.	.	.	.	.	30 21	206 222	2 1	6 3	.	228 239	104 204	
32	Suicide ...	... M. } ... F. }	6 {	5 1	.	.	1	1	1	2	1	.	.	.	1 1	.	.	4	.	
33	Other Violence ...	... M. } ... F. }	34 {	19 15	1	1	1	1	4	.	2 1	3	7 5	.	8 2	.	4	11 9	.	
34	Other Causes	... M. } ... F. }	223 {	115 108	12 17	12 10	3 6	8 1	6 13	4 9	8 8	11 17	36 18	15 9	19 20	3 3	15 14	78 71	35 18	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	55 {	26 30	.	.	.	.	1	.	1	3 6	12 20	9 4	1	.	2 4	23 26	7 11
16	Diseases of the Heart	M. } F. }	141 {	86 55	.	1	.	2	.	1	4 4	15 16	35 16	34 15	7 1	4 3	1 5	74 46	13 8
17	Other Diseases of the Circulatory System.	M. } F. }	8 {	5 3	.	.	.	.	.	.	.	.	4 2	1 1	1	1	.	3 3	2 1
18	Bronchitis ...	M. } F. }	27 {	9 18	1	1 2	.	.	.	.	.	1	4 6	3 9	1	.	1 1	8 17	2 9
19	Pneumonia ...	M. } F. }	31 {	22 9	2 2	1 1	.	.	.	1 2	1	1 3	11 3	5 1	1	1	3	17 9	3 4
20	Other Diseases of the Respiratory System.	M. } F. }	7 {	5 2	.	.	.	.	.	4	1	.	1 1	.	1	.	1 2	3 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4 {	2 2	.	.	.	.	1	.	1	.	1 1	.	1	.	1 1	1 1	.
22	Diarrhoea and Enteritis	M. } F. }	8 {	3 5	1 5	.	.	.	1	.	.	.	.	1	.	.	.	3 5	1 1
23	Appendicitis	M. } F. }	4 {	2 2	.	.	1 1	.	.	.	.	1	1	.	.	.	2 2	.	.
24	Cirrhosis of the Liver	M. } F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	12 {	9 3	4 1	.	1	.	.	.	.	1 1	4 1	.	1 1	.	2 1	6 2	1
27	Nephritis	M. } F. }	23 {	13 10	.	.	1	.	1	.	1	.	6 3	5 1	.	.	4 1	9 10	3
28	Puerperal Infection	F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	F.	2	2	.	.	.	.	1	1	.	.	.	.	1	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	21 {	13 8	12 8	.	.	1	.	.	.	.	.	.	3 1	.	3 1	7 6	4 5
31	Senility	M. } F. }	255 {	117 138	.	.	.	.	.	.	.	.	26 31	91 107	.	.	11 8	106 130	97 108
32	Suicide	M. } F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
33	Other Violence	M. } F. }	12 {	9 3	2	.	.	1	.	2	1 1	.	1 2	2 2	1 1	.	.	8 2	.
34	Other Causes	M. } F. }	62 {	36 26	1 3	.	2	2	2	.	3 2	9 7	14 6	3 2	1	2	3 1	30 25	20 16

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	2,215 {	1,187 1,028	79 48	16 18	24 25	32 31	39 46	27 33	55 56	125 82	316 262	474 427	47 36	37 26	194 116	909 850	374 406	
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	5 {	1 4	1 4	.	.	.	.	.	.	.	.	.	.	.	.	1 4	3	
5	Diphtheria ... M. F. }	5 {	4 1	1	3	1	.	.	.	.	.	.	.	1	.	2	2	.	
6	Tuberculosis of the Respiratory System. M. F. }	122 {	62 60	.	2 1	1 4	14 12	17 26	9 8	6 6	7 1	6 2	.	9 9	5 7	14 18	34 26	3 2	
7	All other forms of Tuberculosis ... M. F. }	36 {	17 19	1	3	3 2	2 4	5 5	3 1	1 1	2	1 2	.	1 4	4 3	10 4	2 8	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	60 {	36 24	2 1	.	1	1	1	.	2 2	2 2	11 8	18 9	.	1 1	1 2	34 21	16 13	
10	Measles ... M. F. }	8 {	3 5	1 1	2 3	1	.	.	.	.	.	.	.	2	.	2	1 3	.	
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	195 {	108 87	1	1	.	1 1	1	2 4	9 11	32 22	42 36	19 13	8 2	4 2	19 15	77 68	2 5	
14	Diabetes Mellitus ... M. F. }	11 {	4 7	.	.	.	1	1	.	.	1 3	1 3	1	.	.	.	4 7	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	117	60 57	.	.	.	1	1	1	6	8 7	26 27	23 16	1 2	8 8	51 47	9 13	
16	Diseases of the Heart	... M. F. }	366	213 153	.	1	.	3	3	2	11 13	32 17	86 70	76 43	9 3	11 7	162 131	19 17	
17	Other Diseases of the Circulatory System.	M. F. }	29	17 12	.	.	.	.	.	.	1 2	4 4	12 6	1	.	3 2	13 10	1	
18	Bronchitis ...	... M. F. }	60	30 30	3 1	1	1	1	1	2	3	15 12	9 10	.	.	7 1	23 29	10 7	
19	Pneumonia ...	... M. F. }	75	42 34	10 7	3 2	1 2	1	2	3 4	2 1	9 9	11 6	1	.	3 1	38 33	5 4	
20	Other Diseases of the Respiratory System.	M. F. }	18	10 8	1	.	1 2	.	1 1	1 1	2 2	3 2	1 1	1	.	1 3	8 5	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	16	11 5	.	.	.	1	2	1 1	2 1	3 2	2 1	.	.	9 1	2 4	.	
22	Diarrhoea and Enteritis	... M. F. }	13	8 5	7 4	1 1	.	.	.	.	.	.	.	1	.	1 1	6 4	1 2	
23	Appendicitis	... M. F. }	7	5 2	.	.	3 1	.	1	1	.	.	1	.	.	5 2	.	.	
24	Cirrhosis of the Liver	... M. F. }	4	3 1	.	.	.	.	.	1	.	.	2	1	1	1	2	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	7	4 3	.	.	.	1 1	.	1	1 2	1 2	.	.	1	1 2	3	.	
26	Other Diseases of the Digestive System.	M. F. }	20	10 19	1	.	1	.	.	1 3	2 2	4 2	2 2	1	.	4 3	5 7	3	
27	Nephritis ...	... M. F. }	48	30 18	.	1	1	1	.	4 2	7 5	8 5	9 1	4 3	.	4 4	22 11	4 1	
28	Puerperal Infection	... F.	1	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
30	Congenital Debility, etc. (Nos 157-161).	M. F. }	67	41 26	40 24	.	1	.	1	.	1	.	.	4 3	.	16 7	21 16	6 2	
31	Senility ...	... M. F. }	675	325 350	.	.	.	.	.	.	.	50 49	275 301	.	5 2	8 12	312 335	260 297	
32	Suicide ...	... M. F. }	3	3	.	.	.	2	.	.	1	.	.	.	.	.	3	.	
33	Other Violence	... M. F. }	38	19 19	.	1	2	1	1 2	3 2	1 1	3 2	4 5	3 5	3	1	8 6	11 9	1
34	Other Causes	... M. F. }	205	121 84	12 4	2 5	8 8	6 6	3 3	4 5	10 4	19 13	42 24	15 12	7 2	6 1	36 71	72 71	29 35

ABSTRACT V—continued.—Causes of Death for the Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,184 {	647 537	33 16	15 6	12 6	13 12	18 24	19 24	34 19	67 50	176 148	260 232	37 15	14 12	85 76	511 434	213 192	
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
5	Diphtheria ... M. F. }	5 {	3 2	.	2 1	1 1	.	.	.	.	.	.	.	1	.	2	2	.	
6	Tuberculosis of the Respiratory System. M. F. }	56 {	31 25	.	.	2	6 6	8 8	4 5	4 1	7 2	2 1	.	3 3	1 2	14 8	13 12	1 1	
7	All other forms of Tuberculosis ... M. F. }	11 {	8 3	.	2	2 1	3 2	.	1	.	.	.	.	.	.	4 3	4	1	
8	Dysentery ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	48 {	24 24	1 1	.	.	1	2	2 1	2 3	2 2	7 9	10 5	1	1	3 4	20 19	5 9	
10	Measles ... M. F. }	5 {	3 2	1 1	1 1	1	.	.	.	.	.	.	.	.	.	1 1	2 1	1	
11	Acute Infectious Encephalitis... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	90 {	48 42	.	.	.	1	2	5 3	5 5	13 8	21 17	3 6	8 1	1	9 7	31 33	2 1	
14	Diabetes Mellitus ... M. F. }	8 {	2 6	.	.	1	.	.	1	.	1	2 2	1	1	.	.	2 5	1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	72	38 34	.	.	.	.	.	.	2 3	5 9	17 14	14 8	2 3	.	1 1	34 29	5 8
16	Diseases of the Heart	... M. F. }	224	121 103	.	.	1	1	3 2	1 3	5 4	20 13	53 39	38 40	7	5 1	16 17	93 85	7 7
17	Other Diseases of the Circulatory System.	M. F. }	27	12 15	.	.	.	.	.	1	1 1	1 3	5 5	5 5	1 1	2	1 1	8 13	1
18	Bronchitis ...	... M. F. }	36	24 12	1	1	.	.	.	2	1	2 1	7 4	12 5	.	.	5 2	19 10	3 6
19	Pneumonia ...	... M. F. }	23	13 15	3 2	3 1	.	.	1	.	1 2	1 6	3 3	2 3	1 1	1 1	2 .	9 13	.
20	Other Diseases of the Respiratory System.	M. F. }	16	11 5	2	1	.	1	.	1 2	1	2 1	3 1	1	1	.	1 1	9 4	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	5	4 1	.	.	.	.	1	1	.	.	2	1	.	.	2 1	2 1	.
22	Diarrhoea and Enteritis	... M. F. }	4	2 2	1	.	.	.	.	.	1	.	2	.	.	.	.	2 2	.
23	Appendicitis	... M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	1 1	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. F. }	7	4 3	.	.	.	.	.	2 1	2	.	2	.	1	1	1	3	2
27	Nephritis ...	... M. F. }	13	13 5	.	1	.	.	.	.	3	2 1	5 3	2 1	1	.	2 1	10 4	.
28	Puerperal Infection ...	... F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.
29	Other Diseases of Childbirth	... F. }	4	4	.	.	.	.	3	1	.	.	.	.	.	.	3	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	30	22 8	21 8	.	1	.	.	.	.	.	.	.	3 1	.	1 1	18 6	11 1
31	Senility ...	... M. F. }	364	191 173	.	.	.	.	.	.	.	.	32 26	159 147	.	4 1	1 3	186 169	165 144
32	Suicide ...	... M. F. }	2	2	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
33	Other Violence	... M. F. }	20	15 5	.	1	.	2	2	.	1	2	5 2	2 3	2	.	3 4	10 1	.
34	Other Causes	... M. F. }	97	53 44	3 4	2 3	7	1	3 3	3 3	3 2	9 6	12 15	11 7	6 2	1 3	15 14	31 25	9 15

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	1,065 {	542 523	42 31	12 9	13 7	19 13	15 24	30 21	23 38	54 60	154 132	180 188	28 15	23 11	111 114	380 383	126 130		
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.		
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Diphtheria ... M. F. }	5 {	1 4	.	1 1	1	1	.	1	.	.	.	.	1 1	.	2	1	.		
6	Tuberculosis of the Respiratory System. M. F. }	67 {	32 25	.	.	1 1	6 8	5 11	8 9	5 3	3 4	4 3	.	16 10	3 6	4 4	9 15	.		
7	All other forms of Tuberculosis ... M. F. }	29 {	15 14	.	2 1	5 2	2 2	3 4	2 3	.	.	1 2	.	1 1	3	5 6	6 7	.		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	27 {	13 14	1	.	1	.	.	.	1	1	3 3	7 9	.	.	1 1	12 13	5 5		
10	Measles ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.		
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	102 {	61 41	.	.	.	.	.	3 4	6 5	12 12	23 12	17 7	2	2	16 12	41 29	4		
14	Diabetes Mellitus ... M. F. }	4 {	2 2	.	.	.	.	.	.	1	1	1 1	.	.	.	1 1	1 1	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	56 {	19 37	.	.	.	.	.	2 8	2 5	13 15	2 9	1	4 1	4 12	10 24	1 10	
16	Diseases of the Heart	... M. F. }	187 {	94 93	.	.	.	1 1	1 2	2 13	4 21	45 32	32 24	1	8 3	14 19	72 70	4 3	
17	Other Diseases of the Circulatory System.	M. F. }	11 {	7 4	.	.	.	.	.	1 1	.	2 3	4	.	.	1 4	6 4	.	
18	Bronchitis ...	... M. F. }	30 {	15 15	2	1 2	.	.	.	1 5	2 5	5 8	4	.	.	4	11 15	4 7	
19	Pneumonia ...	... M. F. }	53 {	33 20	10 7	2 2	.	1 .	2 .	1 1	6 1	7 5	4 3	1	2	5 4	26 15	5 2	
20	Other Diseases of the Respiratory System.	M. F. }	15 {	11 4	.	.	.	.	2 1	.	2 1	6 2	1	.	.	1	10 4	4	
21	Ulcer of the Stomach or Duodenum.	M. F. }	5 {	3 2	.	.	.	1 .	.	1 .	1 1	1 1	.	.	.	1	2 2	.	
22	Diarrhoea and Enteritis	... M. F. }	14 {	10 4	6 3	2 1	.	.	.	.	.	1	1	2	.	3 3	5 1	.	
23	Appendicitis	... M. F. }	4 {	4	.	.	1	2	.	.	.	1	.	.	.	3	1	.	
24	Cirrhosis of the Liver	... M. F. }	2 {	1 1	.	.	.	.	1	.	1	.	.	1	.	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	
26	Other Diseases of the Digestive System.	M. F. }	18 {	11 7	1	.	1	.	2	.	2 2	2 4	3 1	2	.	4 7	5 1	1	
27	Nephritis ...	... M. F. }	35 {	19 16	.	.	1 1	1	1 2	2 1	3 4	5 2	6	1	1	4 6	13 10	2 1	
28	Puerperal Infection ...	... F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	2	.	.	
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	.	.	3	.	.	.	.	.	1	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	40 {	22 18	21 18	1	.	.	.	.	.	.	.	1	.	9 6	12 12	9 5	
31	Senility ...	... M. F. }	266 {	114 152	.	.	.	.	.	.	.	19 22	95 139	.	.	20 26	94 126	77 89	
32	Suicide ...	... M. F. }	3 {	2 1	.	.	.	.	1	1	1	.	.	.	.	.	2 1	.	
33	Other Violence	... M. F. }	20 {	11 9	.	1 1	1	4	1	2	.	2 5	1 2	.	.	1 4	10 5	.	
34	Other Causes	... M. F. }	64 {	41 23	1 3	2 1	3	2	2	4 2	3 1	6 5	15 6	3 3	1	1	9 4	31 18	11 7

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	4,304 {	2,257 2,047	202 131	36 50	39 36	74 82	66 83	85 83	126 113	258 232	600 541	771 696	181 135	50 33	295 201	1,731 1,678	495 475	
1	Typhoid Fever (including Para-typhoid). M. F. }	9 {	3 6	.	.	.	4	.	.	1	1	2	1	2	2	3	1 1	.	
2	Cerebro-spinal Meningitis ... M. F. }	6 {	3 3	1	.	2	1	.	.	.	.	.	.	.	.	1 2	2 1	1	
3	Scarlet Fever ... M. F. }	3 {	1 2	.	1 1	1	.	.	.	.	.	.	.	.	.	.	1 2	.	
4	Whooping Cough ... M. F. }	32 {	13 19	10 10	3 7	1	1	.	.	.	.	.	.	1	.	1 1	12 17	5 2	
5	Diphtheria ... M. F. }	34 {	18 16	1 2	5 5	8 2	1	3 1	1 4	.	1	.	.	10 7	.	7 7	1 -2	1	
6	Tuberculosis of the Respiratory System. M. F. }	213 {	107 106	.	1 1	2	30 32	25 39	24 14	14 12	11 4	2 2	.	39 35	5 6	16 11	47 54	2 4	
7	All other forms of Tuberculosis ... M. F. }	73 {	40 33	2 2	1 2	8 5	8 12	9 5	3 5	2 1	1	6 1	.	10 5	4	8 7	18 21	2	
8	Dysentery ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
9	Influenza ... M. F. }	144 {	65 79	3 1	3 3	2	1 1	3	5 6	3 2	13 8	21 27	16 26	1 4	1	11 5	52 70	14 23	
10	Measles ... M. F. }	2 {	2	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	363 {	212 171	.	.	1	1	2 1	9 8	12 29	47 44	92 53	48 36	26 9	3 4	15 15	168 143	13 9	
14	Diabetes Mellitus ... M. F. }	32 {	17 15	.	1	.	1 1	1	1	1 5	5 5	4 1	2 1	2	.	3 3	12 10	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	262	124 138	.	1	.	1	1	2	6	17	48	49	4	4	10	106	18
16	Diseases of the Heart	... M. F. }	938	505 433	.	.	1	2	7	13	26	73	199	184	3	18	93	401	64
						3	4	4	6	11	21	81	175	132	11	19	60	353	55
17	Other Diseases of the Circulatory System.	M. F. }	68	38 30	.	.	.	.	1	.	2	4	18	14	3	4	5	26	2
						.	.	.	.	.	2	4	12	11	.	.	3	27	2
18	Bronchitis ...	... M. F. }	181	84 97	17 9	2 5	3	1	1	2	1	6	23	39	.	9	75	21	
								1	1	1	11	26	42	42	1	4	92	19	19
19	Pneumonia ...	... M. F. }	163	81 82	19 17	4 9	5	1	1	5	8	9	15	14	1	15	65	7	
							4	1	3	1	4	4	25	14	3	7	71	7	7
20	Other Diseases of the Respiratory System.	M. F. }	34	14 20	.	.	1	1	1	2	4	2	3	4	2	.	12	3	
										1	1	1	9	4	1	.	19	3	3
21	Ulcer of the Stomach or Duodenum.	M. F. }	32	20 12	.	.	.	2	.	1	8	1	7	1	6	2	12	1	
								.	.	.	2	2	6	2	1	3	8	1	1
22	Diarrhoea and Enteritis	... M. F. }	44	21 23	15 14	.	.	.	.	1	2	.	3	1	2	1	18	3	
						5	.	.	.	.	.	2	2	1	.	2	19	2	2
23	Appendicitis	... M. F. }	15	9 6	.	.	1	3	1	1	.	4	2	.	6	2	1	.	
									.	.	.	.	.	.	6	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }	4	2 2	.	.	.	1	.	.	.	1	1	.	1	.	1	2	
									.	.	.	.	1	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	10	5 5	.	.	.	1	.	1	1	1	2	.	1	1	2	.	
								1	.	.	1	1	2	.	2	1	3	.	
26	Other Diseases of the Digestive System.	M. F. }	63	39 24	2 1	2	2	2	1	2	4	6	10	11	11	6	22	6	
							1	1	2	2	1	2	8	6	4	1	19	3	3
27	Nephritis ...	... M. F. }	128	65 63	.	.	.	2	3	3	8	9	29	11	9	7	48	2	
					1	.	.	2	4	3	9	15	19	10	4	8	51	3	3
28	Puerperal Infection ...	... F. }	5	5	.	.	.	1	1	3	.	.	.	.	1	2	2	.	
29	Other Diseases of Childbirth	... F. }	13	13	.	.	.	3	7	3	.	.	.	.	1	1	11	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	176	110 66	107 65	3	.	.	.	.	1	.	.	.	12	17	81	29	
											.	.	.	.	9	15	42	15	15
31	Senility ...	... M. F. }	813	412 401	.	.	.	.	.	.	.	.	61 69	351 332	3	3	39	367	252
											.	.	.	.	2	22	377	255	
32	Suicide ...	... M. F. }	11	9 2	.	.	.	.	2	.	2	4	1	1	.	1	8	.	
									.	.	2	.	.	.	.	1	1	.	
33	Other Violence	M. F. }	72	48 24	4 1	1	4	8	5	4	6	5	6	5	9	7	31	1	
						2	1	1	1	.	1	6	11	4	4	6	14	1	1
34	Other Causes	... M. F. }	340	189 151	21 8	7 9	4 8	15 8	6 6	9 16	19 15	41 26	43 36	24 19	17 14	5 1	28 11	139 125	49 39

ABSTRACT V—continued.—Causes of Death for the Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	1,266 {	691 575	65 48	11 10	7 11	22 21	21 18	27 17	30 27	92 64	194 155	222 204	72 55	18 2	128 79	473 439	113 117
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	2 {	2	.	.	.	1	.	.	1	.	.	.	.	.	1	1	.
2	Cerebro-spinal Meningitis ... M. F. }	4 {	2 2	1 .	.	1 1	1	.	.	.	.	.	.	.	.	1 2	1	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	3 {	1 2	1 .	1 .	.	1	.	.	.	.	.	.	.	.	.	1 2	1 1
5	Diphtheria ... M. F. }	7 {	2 5	1 1	1 .	1 .	.	1	1	.	.	.	.	1	.	1 4	1	1
6	Tuberculosis of the Respiratory System. ... M. F. }	47 {	30 17	.	.	1	7 2	6 8	10 2	2	4	1 2	.	16 10	.	4 2	10 5	.
7	Allotherforms of Tuberculosis ... M. F. }	20 {	16 10	.	1	1	8 7	3 1	1	.	1	9	.	4 3	3	1 3	2 4	.
8	Dysentery ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
9	Influenza ... M. F. }	35 {	19 16	1	2	1	.	1	3	3	4 1	3 10	3 3	1	.	1 1	18 14	5 5
10	Measles ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	89 {	56 33	.	.	.	.	1	1 3	2 4	17 8	21 10	14 8	12 3	.	8 4	36 26	1
14	Diabetes Mellitus ... M. F. }	9 {	6 3	.	1	.	1	.	.	.	2 2	1	2	2 1	.	.	4 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	76	26 49	.	1	.	.	1	2	9	12	11	1	3	6	26	1
									1	1	9	15	13	2		6	32	6
16	Diseases of the Heart	... M. F. }	320	175 145	.	.	.	1	5	4	33	79	48	.	6	51	118	12
								1	2	4	51	57	41	7	2	32	104	7
17	Other Diseases of the Circulatory System.	M. F. }	29	19 10	.	.	.	.	1	.	1	10	7	2	1	2	14	1
								.	1	.	.	7	2		2	8		
18	Bronchitis ...	... M. F. }	66	28 38	3 4	1	1	1	.	.	1	2	9	12	.	.	28	7
								1	.	.	1	2	10	10	1	.	37	6
19	Pneumonia ...	... M. F. }	41	23 18	5 4	1	3	1	.	.	3	3	6	4	1	5	19	1
								1	.	.	1	3	2	1	1	14	1	
20	Other Diseases of the Respiratory System.	M. F. }	9	3 6	.	.	.	1	.	1	1	1	2	1	.	2	5	2
								1	.	1	.	2	2	1	.	.	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	8	7 1	.	.	.	2	.	.	3	1	1	3	.	4	.	
								.	.	.	1	.	.	1	.	.	.	
22	Diarrhoea and Enteritis	... M. F. }	16	5 11	4 8	1	.	.	.	1	.	1	.	2	1	3	9	1
								.	.	.	.	.	.	1	.	1	.	
23	Appendicitis	... M. F. }	6	3 3	.	.	2	1	.	.	2	1	.	2	.	1	.	
								1	.	.	.	.	.	3	.	.	.	
24	Cirrhosis of the Liver	... M. F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	
								.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	2 1	.	.	.	.	.	.	.	.	2	1	1	.	1	.
								1	.	.	.	.	.	.	.	.	.	
26	Other Diseases of the Digestive System.	M. F. }	20	13 7	.	1	1	.	.	.	2	7	2	6	.	7	6	1
								.	.	.	.	4	3	1	.	.	.	
27	Nephritis ...	... M. F. }	25	17 8	.	.	.	1	1	.	3	1	9	2	2	2	13	.
								.	.	.	1	2	1	4	1	7	.	
28	Puerperal Infection	... F.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	2	1	.	.	.	.	1	.	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	68	40 28	38 27	2	.	.	.	.	1	.	.	4	.	13	23	7
								.	.	.	.	.	.	6	.	12	10	2
31	Senility	... M. F. }	242	118 124	.	.	.	.	.	.	.	14	104	1	1	23	93	60
								.	.	.	.	24	100	1	.	6	118	78
32	Suicide	... M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.
								.	.	.	.	.	.	.	.	.	.	
33	Other Violence	... M. F. }	18	11 7	.	1	1	2	.	2	1	2	2	3	.	1	7	1
								.	.	.	.	2	4	3	.	4	.	
34	Other Causes	... M. F. }	96	60 36	11 4	1	1	6	2	3	5	9	14	8	10	3	33	14
								3	2	2	5	8	7	3	.	3	29	8

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	2,143 {	1,095 1,048	103 65	20 33	24 21	39 45	26 50	39 48	63 65	116 118	265 250	400 353	89 58	21 22	79 53	906 915	305 286		
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	2	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.		
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.		
3	Scarlet Fever ... M. F. }	2 {	1 1	.	1	1	.	.	.	.	.	.	.	.	.	.	1 1	.		
4	Whooping Cough ... M. F. }	21 {	9 12	7 7	2 4	1	.	.	.	.	.	.	.	1	.	1 1	8 10	3 1		
5	Diphtheria ... M. F. }	18 {	10 8	1	3 3	3 1	1	3	1	.	1	.	.	9 4	.	1 2	2	.		
6	Tuberculosis of the Respiratory System. M. F. }	118 {	46 72	.	1 1	1	17 24	8 24	6 9	7 9	6 4	1	.	11 17	4 4	7 8	24 43	2 4		
7	All other forms of Tuberculosis ... M. F. }	44 {	24 20	2 2	1 1	7 4	5 4	3 4	2 4	.	.	4 1	.	6 2	.	3 3	15 15	2		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	87 {	39 48	2 1	1 3	1	1 1	2	1 3	1	6 5	15 12	13 10	1 2	.	9 4	29 42	7 16		
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	202 {	105 97	.	.	.	1	1	5 4	8 21	21 23	49 28	21 20	12 5	1 3	3 3	89 86	9 8		
14	Diabetes Mellitus ... M. F. }	13 {	7 6	.	.	.	.	1	.	1	2 1	2 5	1	.	.	1	6 6	1		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	137	65 72	.	.	.	1	.	1	4	5 10	30 28	25 28	3 3	.	2	60 67	15 17
16	Diseases of the Heart	... M. F. }	423	231 192	.	.	1 3	1 3	.	7 5	13 12	27 34	80 68	102 63	3 4	10 14	25 13	193 161	42 39
17	Other Diseases of the Circulatory System.	M. F. }	26	13 13	.	.	.	.	.	.	.	2 3	5 4	6 6	1 .	3 .	.	9 13	1 .
18	Bronchitis ...	... M. F. }	68	32 36	12 4	1 4	1 .	.	.	2 .	.	1 5	6 8	9 15	.	.	5 2	27 34	10 12
19	Pneumonia ...	... M. F. }	91	40 51	11 10	3 6	2 2	.	1 2	2 1	1 3	4 2	7 17	9 8	.	1 2	3 4	37 44	6 5
20	Other Diseases of the Respiratory System.	M. F. }	18	8 10	.	.	.	.	.	1 1	1 1	2 6	4 2	1 .	.	.	.	7 10	2 1
21	Ulcer of the Stomach or Duodenum.	M. F. }	15	9 6	.	.	.	.	.	1 .	4 .	1 4	3 2	.	3 .	.	1 .	5 6	1 1
22	Diarrhoea and Enteritis	... M. F. }	17	10 7	6 4	.	.	.	.	.	2 .	.	2 1	.	1 .	.	.	10 6	1 .
23	Appendicitis	... M. F. }	6	4 2	.	.	1 1	1 .	1 .	.	2 .	.	.	.	4 2	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }	4	2 2	.	.	.	1 .	.	.	.	1 .	1 1	.	1 .	.	.	1 2	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	2 2	.	.	.	1 .	.	1 .	.	.	2 .	.	1 .	.	1 .	2 .	.
26	Other Diseases of the Digestive System.	M. F. }	26	16 10	1 .	1 1	1 1	1 .	.	3 1	3 1	1 1	5 2	5 2	5 2	.	1 1	10 7	2 1
27	Nephritis ...	... M. F. }	77	32 45	.	.	1 2	2 3	2 2	3 2	8 13	10 11	6 6	6 2	1 .	2 4	23 39	2 3	
28	Puerperal Infection	... F. }	4	4	.	.	1 .	1 .	2 .	.	.	.	.	.	.	.	2 .	2 .	.
29	Other Diseases of Childbirth	... F. }	9	9	.	.	2 .	5 .	2 .	.	.	.	.	.	.	.	9 .	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	84	54 30	53 30	1 .	.	.	.	.	.	.	.	.	6 1	3 2	45 27	18 13	
31	Senility	... M. F. }	498	206 202	.	.	.	.	.	.	.	.	24 35	182 167	2 1	.	204 201	151 141	
32	Suicide	... M. F. }	5	4 1	.	.	.	1 .	.	.	1 .	1 .	1 .	1 .	1 .	.	3 1	.	.
33	Other Violence	... M. F. }	39	30 9	4 1	4 1	5 1	2 .	4 .	4 .	3 1	2 2	2 3	6 1	1 .	2 2	21 6	1 .	
34	Other Causes	... M. F. }	174	98 81	5 4	5 8	3 3	6 3	4 2	5 12	9 5	23 15	19 15	14 12	6 8	1 .	9 .	77 73	32 23

ABSTRACT V—contd.—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1944.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.*	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	895{	471 424	34 18	5 7	8 4	13 16	19 15	19 18	33 21	50 50	141 136	149 138	20 22	11 9	88 69	352 324	77 72	
1	Typhoid Fever (including Para-M. typhoid). M. F. }	5{	1 4	.	.	.	3	.	.	.	.	1	1	1	2	2	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	1{	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	
3	Scarlet Fever ... M. F. }	1{	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
4	Whooping Cough ... M. F. }	3{	3 5	2 3	1 2	.	.	.	.	.	.	.	.	.	.	.	3 5	1	
5	Diphtheria ... M. F. }	9{	6 3	.	1 1	5	.	.	2	.	.	.	.	1 2	.	5 1	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	48{	31 17	.	.	.	6 6	11 7	8 3	5 1	1	.	.	12 8	1 2	5 1	13 6	.	
7	All other forms of Tuberculosis ... M. F. }	9{	6 3	.	.	1	1	3	1	2 1	.	.	.	.	1	4 1	1 2	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	22{	7 15	.	.	.	.	.	1 3	1	3 2	3 5	4	1	1	1	5 14	2 2	
10	Measles ... M. F. }	1{	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	92{	51 41	.	.	1	.	1	3 1	2 4	9 13	22 15	13 8	2 1	2 1	4 8	43 31	3 1	
14	Diabetes Mellitus ... M. F. }	10{	4 6	.	.	.	1	.	1	1	2	2 1	1 1	1	.	2 3	2 2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	49	{	23	.	.	.	.	.	1	.	1	3	6	13	.	1	2	20	2
					26	.	.	.	.	.	1	.	1	3	14	7	.	.	2	23	7
16	Diseases of the Heart	... M. F. }	195	{	99	.	.	.	.	.	2	1	9	18	40	34	.	2	7	90	10
					96	.	.	.	.	.	.	2	.	16	50	28	.	3	5	88	9
17	Other Diseases of the Circulatory System.	M. F. }	13	{	6	.	.	.	.	.	.	.	1	1	3	1	.	.	3	3	1
					7	.	.	.	.	.	.	.	2	1	1	3	.	.	1	6	1
18	Bronchitis	... M. F. }	47	{	24	2	1	1	.	.	.	.	.	3	8	9	.	.	4	20	4
					23	1	.	.	.	1	1	.	.	4	8	8	.	.	2	21	1
19	Pneumonia	... M. F. }	31	{	16	3	.	.	.	1	.	3	4	2	2	1	.	.	7	9	1
					15	3	.	.	.	1	.	.	1	1	5	4	.	.	2	13	1
20	Other Diseases of the Respiratory System.	M. F. }	7	{	3	.	.	.	1	.	.	.	2	.	1	.	.	.	.	3	1
					4	.	.	.	1	.	.	.	1	1	.	.	.	.	.	4	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	9	{	4	.	.	.	.	.	.	1	.	3	.	.	.	.	1	3	.
					5	.	.	.	.	.	.	1	.	2	.	.	.	.	3	2	.
22	Diarrhoea and Enteritis	... M. F. }	11	{	6	5	.	.	.	.	.	.	.	.	.	1	.	.	1	5	1
					5	2	2	.	.	.	.	.	.	.	.	1	.	.	1	4	2
23	Appendicitis	... M. F. }	3	{	2	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.
					1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }		{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	{	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
					2	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	.
26	Other Diseases of the Digestive System.	M. F. }	17	{	10	1	.	.	1	.	.	1	1	2	4	.	.	.	5	5	3
					7	1	.	.	1	.	1	1	2	1	1	.	.	.	6	6	2
27	Nephritis	... M. F. }	26	{	16	.	.	.	.	1	1	2	.	10	3	.	1	.	3	12	.
					10	.	.	.	.	1	1	1	.	7	.	1	.	4	5	.	.
28	Puerperal Infection	... F. }		{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	1	{	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	24	{	16	16	.	.	.	.	.	.	.	.	.	.	2	.	1	13	4
					8	8	.	.	.	.	.	.	.	.	.	.	2	.	1	5	1
31	Scnility	... M. F. }	163	{	88	.	.	.	.	.	.	.	.	23	65	.	.	2	16	70	41
					75	.	.	.	.	.	.	.	.	10	65	.	.	.	17	58	36
32	Snicide	... M. F. }	5	{	4	.	.	.	.	1	.	.	1	2	.	.	.	.	.	4	.
					1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
33	Other Violence	... M. F. }	15	{	7	.	.	.	2	1	.	.	1	2	1	.	.	.	4	3	.
					8	.	1	.	1	1	.	.	.	2	4	.	.	.	4	4	.
34	Other Causes	... M. F. }	70	{	36	5	1	.	3	.	1	3	11	10	2	.	1	1	11	23	3
					34	.	.	2	2	2	2	5	3	14	4	.	2	1	8	23	8

ABSTRACT VI.—CAUSES OF DEATH for each of the Fourteen Principal Towns during the year 1944.

No.	CAUSES OF DEATH.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway Borough	Dundalk	Drogheda	Sligo	Wexford	Kilkenny	Bray	Tralee	Clonmel
	All Causes ... M. F. }	5,886 5,970	3,549 3,528	247 342	712 660	370 365	223 212	128 137	138 104	87 107	81 110	69 102	70 77	89 99	63 71	60 56
1	Typhoid Fever (including Paratyphoid). M. F. }	2 8	2 6	.	.	2	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	6 8	5 6	.	1 1	1	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	37 45	16 21	1 1	12 16	1 2	1 .	3	4 1	1 1	.	.	.	.	1	.
5	Diphtheria ... M. F. }	53 53	35 37	4 6	4 3	2 1	1 1	4 2	1	.	1	1	.	2 1	.	.
6	Tuberculosis of the Respiratory System. M. F. }	534 495	327 290	22 17	61 58	33 41	15 16	15 6	18 8	6 10	5 15	5 4	8 9	11 6	6 10	2 5
7	All other forms of Tuberculosis ... M. F. }	158 158	97 100	3 6	13 14	8 8	7 1	12 7	1 4	3 4	7 7	1	2 1	1 4	2 1	1 1
8	Dysentery ... M. F. }	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	33 20	19 9	1	1 4	1 1	2	1 4	2 1	2	1	.	3 1	.	.	.
10	Measles ... M. F. }	36 37	17 29	1 1	4 1	6 3	1	.	5 1	.	.	.	.	1	.	2 1
11	Acute Infectious Encephalitis ... M. F. }	5 1	2 1	.	1	.	.	.	1	.	.	.	.	1	.	.
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	559 543	326 330	25 35	68 51	40 35	25 18	7 11	14 12	12 10	9 5	3 15	8 3	9 9	4 6	9 3
14	Diabetes Mellitus ... M. F. }	27 37	20 26	1	1 3	1	2	2	1	.	1	1	1 1	1	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	294 459	174 269	23 33	34 43	11 16	10 18	6 7	5 12	8 12	5 7	3 13	2 4	7 9	4 7	2 4
16	Diseases of the Heart	... M. F. }	1,265 1,609	705 922	65 123	190 200	72 81	77 91	28 36	22 22	14 31	10 16	21 19	15 15	18 22	15 16	13 16
17	Other Diseases of the Circulatory System.	M. F. }	143 119	102 66	7 12	7 11	5 7	2 2	6 7	2 .	1 .	.	1 3	3 5	4 4	2 2	1 .
18	Bronchitis ...	... M. F. }	289 201	176 111	2 11	58 25	21 15	9 2	1 6	4 1	3 2	3 5	2 4	2 7	.	3 5	5 5
19	Pneumonia ...	... M. F. }	312 281	186 188	4 9	41 28	19 13	11 5	5 6	9 6	5 3	5 5	7 6	4 2	4 5	1 2	1 3
20	Other Diseases of the Respiratory System.	M. F. }	135 95	90 54	4 6	14 10	6 9	2 .	2 2	2 2	2 2	1 1	2 .	1 .	9 7	4 .	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	55 17	31 10	4 3	7 4	7 .	1 .	2 .	2 .	1 .	.	.	.	.	.	.
22	Diarrhoea and Enteritis	... M. F. }	400 299	292 206	14 10	35 34	22 19	11 9	4 5	9 6	.	4 2	4 1	1 2	1 3	3 1	1 .
23	Appendicitis ...	... M. F. }	7 9	1 2	.	3 1	2 1	1 .	.	.	.	1 .	.	1 .	1 .	.	.
24	Cirrhosis of the Liver	... M. F. }	15 9	10 6	2 1	.	1 .	.	3 .	.	.	1 .	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	14 19	10 19	2 1	3 .	2 .	1 .	.	1 .	.	.	2 .	.	1 .	.	.
26	Other Diseases of the Digestive System.	M. F. }	87 83	32 48	7 4	10 10	6 11	3 3	.	3 2	2 .	1 .	2 .	1 .	.	2 2	.
27	Nephritis ...	... M. F. }	179 112	119 67	7 8	14 6	12 10	5 5	2 3	3 3	4 2	2 4	1 2	1 .	2 .	2 1	5 1
28	Puerperal Infection ...	... F. }	8	4	1	2	.	.	.	.	.	1	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	28	14	1	5	1	2	.	1	2	.	1	.	.	.	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	483 383	321 253	19 16	37 36	32 20	14 11	12 9	12 4	5 6	8 3	6 8	5 4	7 9	1 1	4 3
31	Senility ...	... M. F. }	187 337	86 156	3 16	19 20	12 26	7 10	7 5	5 6	8 14	10 27	4 16	7 7	4 9	7 7	8 8
32	Suicide ...	... M. F. }	11 1	5 1	1 .	.	1 .	1 .	1 .	.	1 .	1 .	.	.	.	.	.
33	Other Violence	... M. F. }	127 89	75 54	6 5	19 12	8 6	7 1	3 2	2 2	.	2 3	.	1 2	3 .	1 1	.
34	Other Causes	... M. F. }	432 406	238 231	19 15	58 44	41 31	11 13	9 13	12 8	9 8	5 7	8 4	5 13	5 6	5 9	7 4

APPENDIX I.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 81 years 1864-1944.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
			£ s. d.				£ s. d.
1864	15	3	1 10 6	1904	5,183	3,958	769 19 7
1865	41	20	4 12 0	1905	5,110	3,954	759 8 5
1866	55	34	7 0 0	1906	5,714	4,409	849 6 0
1867	46	26	5 12 0	1907	5,877	4,544	875 0 2
1868	69	42	9 13 0	1908	5,984	4,670	894 19 7
1869	80	34	8 15 0	1909	6,220	4,761	920 8 0
1870	93	54	11 10 0	1910	6,387	4,903	944 18 4
1871	112	67	14 6 6	1911	6,128	4,778	914 9 11
1872	120	76	15 14 0	1912	6,811	5,160	998 7 2
1873	100	106	21 14 0	1913	6,462	4,972	957 9 0
1874	166	107	22 6 6	1914	7,552	6,140	1,157 10 0
1875	244	166	33 15 0	1915	7,398	5,898	1,118 7 0
1876	270	185	36 16 0	1916	7,729	6,198	1,172 1 2
1877	312	202	42 14 0	1917	8,151	6,475	1,225 13 6
1878	391	286	55 15 0	1918	10,702	8,499	1,611 11 6
1879	522	399	78 0 0	1919	11,513	8,998	1,712 16 0
1880	753	596	114 7 0	1920	11,484	8,810	1,688 2 0
1881	743	583	111 8 6	1921	11,419	8,499	1,646 0 6
1882	852	688	129 11 0	1922	18,413	7,675	1,892 9 6
1883	1,036	773	149 1 6	1923	19,377	8,808	2,076 0 6
1884	1,254	966	185 3 0	1924	23,947	14,367	3,003 0 6
1885	1,412	1,116	212 8 0	1925	33,945	45,435	8,940 12 0
1886	1,527	1,173	225 7 4	1926	48,193	77,347	13,493 5 6
1887	1,693	1,307	231 7 0	1927	45,802	72,665	12,391 17 6
1888	1,778	1,404	266 9 0	1928	37,462	56,865	9,804 0 6
1889	1,986	1,561	297 4 6	1929	39,650	61,182	10,412 2 6
1890	2,448	2,042	383 2 9	1930	29,901	41,744	7,384 14 6
1891	2,815	2,297	433 1 6	1931	16,540	14,548	3,162 2 6
1892	3,209	2,534	489 17 0	1932	19,265	12,031	2,951 16 0
1893	3,559	2,733	532 2 2	1933	23,360	11,477	3,052 16 6
1894	3,492	2,678	512 7 0	1934	25,611	12,445	3,329 5 0
1895	3,482	2,618	508 8 0	1935	29,463	13,024	3,649 4 6
1896	4,046	3,103	596 10 6	1936	27,778	13,552	3,673 0 0
1897	3,917	2,960	572 3 0	1937	32,502	16,191	4,376 2 0
1898	4,132	3,207	613 1 2	1938	32,595	17,327	4,529 4 0
1899	4,133	3,201	616 13 6	1939	34,803	20,876	5,181 12 6
1900	4,558	3,481	672 7 6	1940	33,704	18,570	4,818 11 0
1901	4,843	3,733	718 18 0	1941	29,601	16,227	4,243 4 6
1902	4,871	3,719	716 16 6	1942	30,587	18,639	4,529 7 0
1903	4,944	3,796	731 12 6	1943	32,061	20,562	4,851 11 0
				1944	32,777	18,318	4,639 0 6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX II.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1944.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases :—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Enccephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies.

COUNTY BOROUGHES.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Infl-uenzal	
Cork ...	.	3	172	85	370	219	2	37	.	A. 3. B. 5. D. 179. H. 57. J. 1. N. 1. U. 1,885.
Dublin ...	.	65	1,330	355	3,548	1,267	17	401	47	A. 3. B. 50. C. 6. D. 1,279. F. 83. G. 47. H. 212. J. 3. M. 1. N. 8. P. 1. U. 4,623.
Limerick ...	.	17	28	19	234	15	.	10	1	A. 1. B. 3. D. 3. H. 17. J. 1. U. 506.
Waterford ...	.	3	19	27	240	31	1	58	9	B. 2. D. 84. H. 11. L. 1. N. 23. U. 443.
TOTAL ...	.	88	1,549	486	4,392	1,532	20	506	57	A. 7. B. 60. C. 6. D. 1,545. F. 83. G. 47. H. 297. J. 5. L. 1. M. 1. N. 32. P. 1. U. 7,457.

URBAN DISTRICTS.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Infl-uenzal	
Carlow ...	Carlow ...	.	25	20	3	10	.	.	.	.	
Cavan ...	Betturbet ...	.	.	.	.	.	.	.	.	.	
	Cavan ...	.	1	11	1	.	.	.	4	.	H. 4.
	Cootehill ...	.	.	3	.	.	.	.	.	.	
Clare ...	Ennis ...	.	.	30	11	475	33	1	1	4	A. 1. H. 3
	Kilrush ...	.	.	15	12	2	.	.	.	1	G. 2.
Cork ...	Clonakilty ...	.	.	3	.	.	.	.	.	.	
	Cobh ...	.	.	.	.	.	5	.	3	.	
	Fernoy ...	.	.	.	.	.	.	.	1	.	H. 1. J. 1.
	Kinsale ...	.	.	.	.	.	.	.	.	.	
	Macroom ...	.	.	.	.	.	.	.	.	.	
	Mallo ...	.	.	10	.	1	.	.	1	1	B. 1. H. 2.
	Middleton ...	.	.	25	.	.	.	.	1	.	H. 4.
	Passage West ...	.	.	.	.	.	.	.	.	.	
	Skibbereen ...	.	.	1	.	.	3	.	2	.	
Donegal ...	Youghal ...	.	.	30	.	8	31	1	2	.	
	Banerana ...	.	2	10	.	.	.	.	.	.	
	Bundoran ...	.	2	1	.	.	.	.	.	.	
	Letterkenny ...	.	.	11	.	.	.	.	.	.	

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Dublin ...	Dun Laoghaire	•	4	234	74	246	29	•	27	1	B. 2. D. 76. F. 1. H. 5. K. 1. P. 1.
Galway ...	Ballinasloe	•	16	4	2	•	•	•	•	•	B. 1. D. 13. G. 2. H. 3. P. 1.
	Galway	•	10	59	5	30	11	•	1	•	
Kerry ...	Killarney	•	•	1	6	1	•	•	5	4	B. 1. H. 1. J. 1.
	Listowel	•	•	•	2	5	•	•	•	•	
	Tralee	•	2	3	12	•	•	•	•	•	
Kildare ...	Athy	•	2	2	•	•	•	•	•	1	F. 2.
	Nuas	•	2	2	1	•	•	•	5	•	
Kilkeuny ...	Kilkenney	•	2	17	11	37	4	1	2	•	K. 1.
Longford ...	Granard	•	3	•	•	•	•	•	•	•	G. 1.
	Longford	•	•	5	•	1	•	•	•	•	
Louth ...	Drogheda	•	1	17	2	1	•	•	•	•	B. 1. D. 1. H. 1.
	Dundaik	•	1	93	34	11	•	•	•	•	
Mayo ...	Ballina	•	•	•	1	3	19	•	8	1	H. 2. H. 1.
	Castlebar	1	5	•	3	47	•	•	2	•	
	Westport	•	•	•	1	2	•	•	1	1	
Meath ...	An Uaimh	•	•	2	1	24	1	•	•	•	H. 1.
	Cennanus Mor	•	•	2	•	•	•	•	•	•	
	Trim	•	•	2	•	1	•	1	•	•	
Monaghan	Carrickmacross	•	•	3	2	6	3	•	1	•	H. 1.
	Castleblayney	•	1	1	•	•	•	•	•	•	
	Clones	•	1	13	9	1	•	•	•	•	
	Monaghan	•	6	26	9	2	•	•	•	•	
Offaly ...	Birr	•	•	•	•	6	•	•	•	•	J. 2.
	Tullamore	•	•	12	2	•	42	1	12	•	
Sligo ...	Sligo	•	•	17	5	48	•	•	•	•	J. 2.
Tipperary N.R.	Nenagh	•	1	49	•	48	14	•	25	7	B. 1.
	Templemore	•	1	4	•	•	3	•	•	•	B. 1.
	Thurles	•	•	2	2	2	0	2	13	1	H. 2.
Tipperary S.R.	Carrick-on-Suir	•	•	7	•	1	•	•	•	•	H. 1.
	Cashel	•	3	•	•	•	•	1	•	•	H. 1.
	Clonmel	•	1	4	10	3	•	•	2	•	G. 1. H. 2. N. 3.
	Tipperary	•	•	3	•	•	•	2	•	1	
Waterford.	Dungarvan	•	•	1	1	1	•	•	•	•	
Westmeath	Athlone	•	•	7	8	•	•	•	1	•	A. 3.
Wexford ...	Enniscorthy	•	•	2	1	•	•	•	•	•	B. 1.
	New Ross	•	•	78	22	7	19	•	1	1	H. 1.
	Wexford	•	•	7	6	3	1	•	15	•	B. 3. D. 23. H. 6.
Wicklow ...	Arklow	•	•	•	•	•	•	1	•	•	D. 20. H. 8.
	Bray	•	•	76	7	105	36	•	39	•	
	Wicklow	•	•	62	5	7	16	•	2	•	
	TOTAL ...	1	92	926	271	1,145	279	11	178	24	A. 4. B. 12. D. 133. F. 3. G. 6. H. 49. J. 4. K. 2. N. 3. P. 2.

CASES OF INFECTIOUS DISEASES—continued

RURAL DISTRICTS.

County	Rural Districts	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Sepsis	Pneumonia		Other Diseases
									Primary	Influenza	
Carlow	Carlow ...	.	.	97	3	1	1	.	2	.	G. 2. H. 1
	Carlow No. 2 ...	.	.	5	1	5	.	.	5	.	
	Idrone ...	.	.	.	6	.	.	.	.	.	
Cavan	Ballieboro' ...	.	2	25	6	5	.	.	.	6	
	Bawnboy ...	.	4	.	2	1	1	.	2	5	A. 1. B. 1.
	Castlerahan ...	.	.	.	1	6	.	.	.	.	J. 1.
	Cavan ...	.	14	35	18	21	1	.	15	1	B. 2. H. 1.
	Enniskillen No. 2 ...	.	4	1	5	.	.	.	.	.	B. 1. N. 1.
Clare	Mullaghoran ...	.	.	.	.	.	1	.	.	.	
	Ballyvaughan ...	.	.	1	.	1	.	.	2	.	
	Corofin ...	.	2	9	1	18	66	.	2	.	
	Ennis ...	.	5	51	11	80	93	.	12	.	A. 1. H. 7. J. 1.
	Ennistymon ...	.	.	19	2	.	.	.	.	.	
	Killadysert ...	.	.	2	1	.	.	1	.	.	H. 1.
	Kilrush ...	.	2	21	12	6	.	.	2	1	
	Meelick ...	.	.	1	3	21	18	.	.	.	
	Scariff ...	.	4	15	1	38	57	.	2	.	G. 9. H. 1. J. 1.
	Tulla ...	.	1	4	2	24	35	.	1	.	H. 1.
Cork	Bandon ...	.	.	1	.	9	.	.	2	.	A. 1.
	Bantry ...	.	2	19	3	3	.	.	.	3	A. 1. B. 4.
	Castletown ...	.	2	3	.	.	.	.	1	24	A. 1. G. 1. H. 5.
	Clonakilty ...	.	.	4	2	10	.	.	.	.	A. 2. H. 1.
	Cork ...	.	5	93	34	212	47	3	15	2	A. 2. B. 3. D. 13.
		.									G. 1. H. 13.
	Dunmanway ...	.	5	40	2	6	.	.	.	.	A. 1.
	Fernoy ...	.	.	12	3	.	8	.	.	1	A. 7. B. 1. F. 1. H. 1.
	Kanturk ...	.	6	4	8	.	.	.	.	3	
	Kinsale ...	.	.	14	.	29	.	.	2	.	H. 1.
	Macroom ...	.	.	5	14	18	.	.	8	1	A. 3. H. 4.
	Mallow ...	.	5	10	1	13	.	.	4	4	A. 1. H. 1.
	Midleton ...	.	.	28	8	2	7	.	1	.	A. 1. B. 1. H. 1.
	Millstreet ...	.	.	1	3	.	.	1	.	.	
	Mitchelstown No. 1 ...	.	.	3	2	.	4	.	8	.	H. 2. J. 1.
	Rathluir ...	.	1	1	.	.	.	.	4	.	C. 1.
	Skibbereen ...	.	.	4	1	2	.	.	7	.	
	Skull ...	.	.	1	.	.	1	.	.	.	A. 1.
	Youghal No. 1 ...	.	.	4	1	1	2	.	.	.	
Donegal	Ballyshannon ...	.	1	2	.	1	.	.	1	.	
	Donegal ...	.	8	34	1	.	.	.	.	.	
	Dunfanaghy ...	.	.	1	9	.	.	.	.	.	A. 1.
	Glenties ...	.	7	46	21	15	1	.	9	2	H. 4.
	Inishowen ...	.	2	69	16	1	1	.	.	.	B. 2.
	Letterkenny ...	.	.	24	1	.	.	.	.	.	
	Millford ...	.	4	30	2	.	.	.	.	.	
	Stranorlar ...	.	2	98	8	28	19	.	1	2	
Dublin	Bakrothery ...	.	7	70	10	159	5	1	2	9	B. 3. D. 27. F. 1.
		.									G. 1. H. 1.
	Cill Droichead, No. 2 ...	.	1	14	2	25	.	.	.	.	B. 1. H. 1.
	Dublin, Nth. ...	.	4	46	11	162	1	1	.	2	B. 1. D. 8. F. 8. H. 4.
	Dublin, Sth. ...	.	3	40	7	54	16	.	4	2	B. 1. D. 7. F. 2. H. 7.
Galway	Rathdown No. 1 ...	.	2	73	15	128	3	.	19	1	A. 1. D. 7. F. 1.
		.									G. 1. H. 5. J. 1.
	Ballinasloe ...	.	.	10	1	4	2	.	1	.	H. 2.
	Clifden ...	.	.	15	3	1	2	.	2	1	H. 1.
	Galway ...	.	4	30	6	18	.	2	2	.	H. 2.
	Glenamaddy ...	.	.	2	.	1	2	.	1	.	B. 1. H. 1.
	Gort ...	.	1	6	.	.	.	.	.	.	A. 1.
	Loughrea ...	1	4	5	6	8	.	.	.	.	F. 1.
	Mountbellew ...	.	1	4	1	9	3	.	1	2	B. 1.
	Oughterard ...	3	4	6	2	7	.	1	1	3	B. 1.
Kerry	Portumna ...	.	.	9	.	2	.	.	.	.	
	Tuam ...	.	.	39	5	6	.	.	1	.	B. 1.
	Caherciveen ...	.	2	5	1	11	3	1	8	4	H. 3.
	Dingle ...	.	2	2	2	1	.	1	1	.	B. 1.
	Kenmare ...	.	.	.	1	.	.	.	.	.	
	Killarney ...	.	7	8	6	11	.	.	15	2	
	Listowel ...	.	2	55	3	3	1	1	3	4	G. 1.
Kildare	Trillick ...	.	5	38	33	12	1	.	3	4	E. 1. H. 2.
	Athy No. 1 ...	.	.	30	1	3	.	.	5	12	
	Cill Droichead No. 1 ...	.	.	17	.	.	.	.	.	.	
	Edenderry No. 2 ...	.	2	7	.	32	.	.	2	2	G. 1.
	Nas na Riogh No. 1 ...	.	4	56	3	36	.	.	8	2	A. 1. F. 2. H. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases.
									Prim-ary	Influenzal	
Kilkenny ...	Callan ...	.	.	38	5	6	.	.	.	.	A. 1.
	Carrick-on-Suir No. 3 ...	.	.	.	.	1	.	.	.	.	.
	Castlecomer ...	.	.	11	9	.	3	.	1	.	H. 1.
	Ida ...	.	.	2	2	2	3	1	.	.	J. 1.
	Kilkenny ...	.	.	7	5	23	2	.	2	9	.
	Thomastown ...	.	.	17	5	2	.	.	.	.	B. 1.
	Urlingford No. 1 ...	.	.	4	.	.	.	.	1	.	B. 1.
Laoighis ...	Waterford No. 2 ...	.	.	4	.	2	.	.	1	1	.
	Abbeyleix ...	.	.	38	1	10	.	.	5	8	B. 1. H. 2.
	Athy No. 2 ...	.	.	16	.	.	1	.	12	2	H. 5.
	Mountmellick ...	.	3	94	16	4	2	2	9	15	H. 10.
	Roscrea No. 5 ...	.	.	.	.	1	.	.	1	.	.
Leitrim ...	Slievemargy ...	.	.	2	.	.	.	.	.	.	.
	Ballinamore ...	.	.	.	.	.	.	.	.	.	.
	Carrick-on-Shannon No. 1 ...	.	.	5	3	.	.	.	.	.	H. 1.
	Kinlough ...	.	.	.	.	.	.	.	.	.	.
	Manorhamilton ...	.	.	1	2	.	.	.	.	3	.
Limerick ...	Mohill ...	.	.	1	.	.	.	1	.	.	.
	Croom ...	.	.	25	17	1	.	.	.	.	.
	Glin ...	.	.	23	.	.	.	.	10	1	.
	Kilmallock ...	.	1	16	13	13	1	.	3	.	B. 2. H. 2. K. 1.
	Limerick No. 1 ...	.	20	13	42	14	2	1	2	.	H. 2.
	Mitchelstown No. 2 ...	.	.	1 ⁴⁵	7	1	2	.	1	.	H. 1.
	Newcastle ...	.	3	29	20	6	.	.	1	16	A. 1.
Longford ...	Rathkeale ...	.	8	23	2	25	.	1	.	.	.
	Tipperary No. 2 ...	.	.	2	3	2	4	.	3	2	.
	Ballymahon ...	.	.	1	5	.	.	.	.	.	.
	Granard No. 1 ...	.	1	1	2	2	.	.	1	.	F. 1. H. 1.
	Longford ...	.	2	1	.	.	.	.	1	.	B. 1. H. 1.
Louth ...	Ardee No. 1 ...	.	.	3	2	.	.	.	.	.	B. 1. H. 3.
	Dundalk ...	.	2	17	41	21	.	1	1	5	B. 1. H. 2.
	Louth ...	.	.	.	2	.	.	.	1	.	.
Mayo ...	Ballina ...	.	4	1	2	2	2	1	8	1	A. 1. B. 2.
	Ballinrobe ...	.	1	1	1	1	.	1	9	1	C. 1. H. 1.
	Belmullet ...	.	.	.	.	159	20	.	.	.	B. 13.
	Castlebar ...	.	.	1	9	17	.	1	7	6	B. 1.
	Claremorris ...	.	.	2	11	.	6	.	7	5	H. 3.
	Swinford ...	.	2	14	7	4	25	.	22	4	B. 2. H. 1.
	Westport ...	.	.	.	2	49	10	.	12	1	.
	Meath ...	.	.	.	.	.	.	.	.	.	.
Meath ...	Ardee No. 2 ...	.	.	1	.	1	.	.	.	.	.
	Ceannanus Mor ...	.	1	23	.	1	.	.	.	.	.
	Dunshaughlin ...	.	1	15	5	41	1	.	4	.	H. 2.
	Meath ...	.	.	7	.	.	.	.	.	.	E. 1.
	Navan ...	.	2	11	.	6	3	.	.	.	.
	Oldcastle ...	.	.	2	.	1	.	1	1	1	.
	Trim ...	.	7	15	1	.	9	.	.	.	.
Monaghan	Carrikmacross ...	.	.	14	1	11	13	.	7	.	H. 4.
	Castleblayney ...	.	4	13	2	1	1	.	7	.	H. 1.
	Clones No. 1 ...	.	1	11	8	.	.	.	.	.	H. 1.
	Monaghan ...	.	1	100	4	2	.	.	3	.	H. 2.
Offaly ...	Birr ...	.	.	5	.	.	.	.	2	.	.
	Edenderry No. 1 ...	.	.	10	.	4	.	.	.	.	.
	Roscrea No. 2 ...	.	.	11	.	.	.	.	2	4	.
	Tullamore ...	.	.	40	3	4	2	.	2	.	.
Roscommon	Athlone No. 2 ...	.	1	11	11	2	6	1	.	.	H. 1.
	Boyle No. 1 ...	.	3	14	.	55	2	.	.	.	.
	Carrick-on-Shannon No. 2 ...	.	.	2	2	3	1	.	1	1	H. 1.
	Castleroa ...	4	2	11	20	36	11	.	12	20	H. 2.
	Roscommon ...	.	2	3	4	50	4	2	2	4	H. 3.
Sligo ...	Coolavin ...	.	.	6	2	1	1	.	2	8	F. 4. G. 1.
	Dromore West ...	.	2	18	.	3	.	.	.	.	H. 1.
	Sligo ...	.	2	29	5	19	.	.	.	.	H. 3.
	Tobercurry ...	.	1	2	.	.	.	.	1	.	.
Tipperary N.E.	Borrisokane ...	.	.	4	17	3	.	.	.	.	G. 1. H. 1.
	Nenagh ...	.	.	37	11	16	9	.	11	.	.
	Roscrea No. 1 ...	.	36	65	.	3	.	.	7	2	.
	Thurles ...	.	.	.	2	.	3	1	9	.	B. 5. H. 2. J. I. K. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Tipperary S.B.	Carrick-on Suir No. 1	.	.	1	.	.	.	.	.	.	H. 1.
	Cashel ...	.	4	23	2	3	.	.	.	.	H. 1.
	Clogheen ...	.	.	10	15	3	.	.	.	.	H. 1.
	Clonmel No. 1	.	.	.	1	2	.	.	.	.	H. 1.
	Slieveragh ...	.	.	6	1	28	2	1	2	10	F. 1.
	Tipperary No. 1	.	1	4	5	.	.	.	.	2	H. 2.
Waterford	Carrick-on-Suir No. 2	.	.	.	2	.	.	.	.	.	
	Clonmel No. 2	.	.	1	4	.	.	.	2	1	
	Dungarvan ...	.	.	5	4	.	.	1	.	.	H. 1.
	Kilmacthomas	.	.	.	.	.	1	.	3	.	
	Lismore ...	.	1	11	2	1	12	.	.	7	A. 1.
	Waterford No. 1	.	1	2	3	3	.	.	.	.	B. 1.
Westmeath	Youghal No. 2	.	.	4	.	2	1	.	.	.	
	Athlone No. 1	.	.	9	8	.	.	.	.	.	A. 1. H. 3.
	Ballymore ...	.	.	9	1	.	.	.	.	.	
	Coolo ...	.	.	2	1	1	10	.	.	.	
	Delvin ...	.	.	.	2	.	.	1	.	.	
	Mullingar ...	.	3	24	9	68	1	1	13	2	H. 4.
Wexford ...	Enniscorthy ...	.	.	14	10	37	13	4	1	.	H. 3.
	Gorey ...	.	.	20	6	36	6	1	.	.	B. 2. H. 2.
	New Ross ...	.	.	16	12	113	21	.	.	1	B. 1. H. 4.
	Wexford ...	.	.	20	9	41	10	1	5	.	B. 2. H. 2.
Wicklow ...	Baltinglass	.	6	19	2	8	.	.	10	1	B. 1. C. 2. H. 3.
	Rathdown No. 2	.	1	20	.	47	5	.	.	.	B. 1. H. 1.
	Rathdrum ...	.	1	58	11	4	21	.	1	.	H. 1.
	Shillelagh ...	.	.	5	.	.	.	.	1	.	
TOTAL ...		8	273	2,611	781	2,298	654	9	409	250	A. 32. B. 66. C. 4. D. 62. E. 1. F. 17. G. 19. H. 163. J. 8 K. 2 N. 1

TOTAL.

	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Influenzal	
County Boroughs	.	88	1,549	486	4,392	1,532	20	506	57	A. 7. B. 60. C. 6. D. 1,545. E. 83. F. 47. G. H. 297. J. 5. L. 1. M. 1. N. 32. P. 1. U. 7,457.
Urban Districts ...	1	92	926	271	1,145	279	11	178	24	A. 4. B. 12. D. 133. F. 3. G. 6. H. 49. J. 4. K. 2. N. 3. P. 2.
Rural Districts ...	8	273	2,611	781	2,298	654	39	409	250	A. 32. B. 66. C. 4. D. 62. E. 1. F. 17. G. 19. H. 163. J. 8. K. 2. N. 1.
TOTAL ...	9	453	5,086	1,538	7,835	2,465	70	1,093	331	A. 43. B. 138. C. 10. D. 1,740. E. 1. F. 103. G. 72. H. 509. J. 17. K. 4. L. 1. M. 1. N. 36. P. 3. U. 7,457

