

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

Vital
ÉIRE

AN ROINN SLÁINTE
(Department of Health.)

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA

ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
1946.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.
or through any bookseller.

1948

Price: Three Shillings and Sixpence.

(P. No. 7826.)
(S. No. 8424.)

CONTENTS.

PART I.—TEXT.

REPORT:—

INTRODUCTORY REMARKS	...	...	...	...	...	...	Page vii
GENERAL SUMMARY	...	...	...	...	...	...	vii

POPULATION :

Estimated population, natural increase and passenger movement	...	...	ix
---	-----	-----	----

MARRIAGES :

Number and rate	...	...	ix
Rate in Northern Ireland, England and Wales, and Scotland	...	...	ix
Mode of celebration	...	...	x
Conjugal condition of persons married	...	...	xi
Rate for counties, etc.	...	...	xi
Marriage rate by quarters	...	...	xi
Marriage of Minors	...	...	xii
Re-marriages	...	...	xii
Licences for marriage	...	...	xii
Buildings registered for the solemnisation of marriage	...	...	xii

BIRTHS:

Number and rate	...	...	xiii
Rate in Northern Ireland, England and Wales, and Scotland	...	...	xiii
Rate for counties, etc.	...	...	xiii
Illegitimate births	...	...	xiii
Registration of births under Legitimacy Act (1931)	...	...	xiv
Proportion of male to female births	...	...	xiv
Births by quarters	...	...	xiv
Multiple births	...	...	xiv

REPORT—*continued.*

DEATHS :								Page
Number and rate	...	...	...	...	...	...	...	xv
Rate in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	...	xv
Rate for counties, etc.	...	...	...	...	...	...	...	xv
Deaths by quarters	...	...	...	...	...	...	...	xv
Deaths in institutions	...	...	...	...	...	...	...	xvi
Uncertified deaths	...	...	...	...	...	...	...	xvi
Inquests	...	...	...	...	...	...	...	xvi

Causes of Death :

General observations	...	...	...	...	...	...	...	xvi
Proportion from principal causes	...	...	...	...	...	...	...	xvii
Epidemic Diseases	...	...	...	...	...	...	...	xviii
Tuberculosis	...	...	...	...	...	...	...	xx
Influenza	...	...	...	...	...	...	...	xxv
Cancer	...	...	...	...	...	...	...	xxv
Heart disease	...	...	...	...	...	...	...	xxviii
Bronchitis	...	...	...	...	...	...	...	xxviii
Pneumonia	...	...	...	...	...	...	...	xxviii
Diarrhoea and Enteritis	...	...	...	...	...	...	...	xxviii
Childbirth	...	...	...	...	...	...	...	xxx
Violence	...	...	...	...	...	...	...	xxxi
Ages at death	...	...	...	...	...	...	...	xxxi
Infant mortality	...	...	...	...	...	...	...	xxxii
Rate for Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	...	xxxii
Causes of death by age periods	...	...	...	...	...	...	...	xxxiii
Principal causes, 1936 to 1946	...	...	...	...	...	...	...	xxxv
Causes in urban and rural areas	...	...	...	...	...	...	...	xxxvi

DIAGRAMS.

No. 1. Birth, death and marriage rates	...	...	...	...	...	...	...	vi
No. 2. Death rates from diphtheria	...	...	...	...	...	...	...	xix
No. 3. Death rates from tuberculosis	...	...	...	...	...	...	...	xxii
No. 4. Death rates from influenza	...	...	...	...	...	...	...	xxiv
No. 5. Death rates from cancer	...	...	...	...	...	...	...	xxix
No. 6. Infant mortality	...	...	...	...	...	...	...	xxxiv

PART II.—TABLES.

TABLE No. 1.	Estimated population, 1801-1946	...	...	...	...	2
" 2.	Ages of the population, by sexes, number and proportion per cent.	...	...	...	...	3-5
" 3.	Number of marriages, births and deaths, and natural increase, 1864-1946	...	...	...	...	6
" 4.	Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1946	...	...	...	...	7
" 5.	Marriages, births, and deaths, by quarters, 1936-1946	...	...	...	...	8
" 6.	Deaths (average number and rate) by causes, 1864-1910	...	...	...	...	9

PART II.—TABLES—*continued*.

TABLE NO.		Page
6A.	Deaths (average number and rate), by causes, 1911-1940 ...	10
7.	„ (number and rate) in Éire and Northern Ireland, 1944-1946 ...	11
8.	„ „ by sexes and ages, 1864-1946 ...	12-14
9.	Marriages, births and deaths, by counties and county boroughs ...	15
10.	Marriage, birth and death rates, by counties and county boroughs ...	16
11.	Births and deaths for principal towns and aggregate urban and rural areas ...	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas ...	18
13.	Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs ...	19
14.	Births and deaths for each urban area ...	20-23
15.	Birth rates and death rates for aggregate urban and rural areas, 1911-1946 ...	24

PART III.—ABSTRACTS.


ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered by counties ...	26-27
„ II.	Marriages registered by counties ...	28-29
„ III.	Births and deaths by sexes, and ages at death, by counties ...	30-32
„ IV.	Causes of death (intermediate and detailed international lists), by sexes and ages ...	34-51
„ V.	Causes of death (short list), by sexes, ages and places of occurrence for each county (as under) :—	54-125

	Page		Page		Page
Éire	... 54	Dublin Co.	... 60	Meath	... 74
		Dublin City	... 62	Monaghan	... 124
Leinster	... 56	Galway	... 108	Offaly	... 76
Munster	... 84	Kerry	... 92	Roscommon	... 114
Connaught	... 106	Kildare	... 64	Sligo	... 116
Ulster (part of)	... 118	Kilkenny	... 66	Tipperary N.R.	98
		Leitrim	... 110	Tipperary S.R.	100
Carlow	... 58	Laoighis	... 68	Waterford Co.	... 102
Cavan	... 120	Limerick Co.	... 94	Waterford Co.	...
Clare	... 86	Limerick Co. Boro	96	Boro'	... 104
Cork Co.	... 88	Longford	... 70	Westmeath	... 78
Cork Co. Boro'	... 90	Louth	... 72	Wexford	... 80
Donegal	... 122	Mayo	... 112	Wicklow	... 82

ABSTRACT VI.	Causes of death for fourteen principal towns	... 126-127
--------------	--	-------------

APPENDIX I.	Alterations in registrars' districts	... 128
APPENDIX II.	Number of searches at the General Register Office during the years 1864-1946, with the amount of fees received	... 129
APPENDIX III.	Cases of infectious diseases notified to Department of Health	130-134

vi
DIAGRAM No. 1. Birth, Death and Marriage Rates, 1932 to 1946.



REPORT OF THE REGISTRAR GENERAL FOR THE YEAR 1946.

DO'N AIRE SLÁINTE.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasáí, Básanna agus Pósanna cláraithe sa bhliain, 1946.

P. Ó CINNÉIDE,

Ard-Chláraitheoir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1946 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1946 is exclusive of that of non-residents of Eire.

GENERAL SUMMARY.

During the year 1946 the number of marriages recorded was 224 more than that of 1945; the number of births registered increased by 1,061 and the number of deaths decreased by 1,305 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1946 numbered 17,525, compared with 17,301 for the previous year, and an annual average figure of 15,874 for the decennial period ended with 1945. The rate per 1,000 of the population for each of the years 1946 and 1945 was 5·9, while the annual average rate for the period 1936 to 1945 was 5·4.

In Northern Ireland the rate per 1,000 for 1946 was 7·4; in England and Wales it was 9·0; and in Scotland 8·9.

Births.—The births registered during the year 1946 amounted to 67,922, an increase of 1,061 when compared with the figure for the year 1945. The average annual number for the decennial period 1936 to 1945 was 60,375. The rate for 1946 was 22·9; for 1945 it was 22·7; and for the period 1936 to 1945 the average rate was 20·4.

The rate in Northern Ireland for 1946 was 22·6; in England and Wales it was 19·1; and in Scotland, 20·3.

The number of illegitimate births recorded was 2,642, equivalent to a rate of 3·9 per cent. of the total births, which was the same as that for the year 1945. The corresponding percentage for 1946 in Northern Ireland was 4·4; and in Scotland, 6·6.

Deaths.—During the year 1946 the number of deaths registered was 41,457, a figure which is 1,305 less than the number for 1945 and 1,357 less than the average annual number for the years 1936 to 1945. The rate per 1,000 of the population for the year 1946 was 14·0 compared with 14·5 for 1945 and 14·5 for the decennial period ended with the year 1945.

In Northern Ireland the death rate for 1946 was 12·5; in England and Wales it was 11·5, and in Scotland the rate was 13·1.

Of the deaths registered 24·4 per cent. were stated to be due to heart disease, 9·7 to cancer, 8·2 to tuberculosis (all forms), 6·6 to intra-cranial lesions, 4·0 to pneumonia, and 3·0 to bronchitis.

There were 3,390 deaths from all forms of tuberculosis recorded during the year 1946. This figure is 304 less than that for 1945 and 332 less than the average number of deaths for the decennial period from 1936 to 1945. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1946 was 1·14; for 1945 the rate was 1·25, and for the decennial period 1936 to 1945 the rate was 1·26.

Deaths from cancer (all forms) numbered 4,024; this figure is 70 more than the figure for 1945 and 173 above the annual average number for the period from 1936 to 1945. The rate per 1,000 of the population for the year 1946 was 1·36, being 0·02 more than that for the preceding year.

During the year 1946 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 137. This figure is equivalent to a rate of 2·01 per 1,000 births, compared with an average of 3·21 in the preceding ten years. The corresponding rate for urban areas for 1946 was 1·26 per 1,000 births, and for rural areas 2·47, as compared with 1·98 and 2·60, respectively, for the year 1945.

There were 4,390 deaths of infants under one year of age registered during the year. This figure is 349 less than for the year 1945 and is equivalent to a rate of 65 per 1,000 births, compared with a rate of 71 for the preceding year. The rates per 1,000 births for urban and rural areas were 80 and 56 respectively in 1946, and 93 and 58 in 1945.

The infant mortality rate in Northern Ireland was 54; in England and Wales it was 43, and in Scotland the rate was 54.

Among legitimate infants the rate of mortality was 59 per 1,000 births, and among illegitimate it was 200. The legitimate infant mortality rate for Northern Ireland was 53 and the illegitimate, 80; and for Scotland 51 and 89 respectively.

The number of deaths registered as caused by violence was 880. Included in this figure are 79 due to suicide, 11 to homicide, and 790 to accidental or unspecified violent causes. During the previous year there were 71 suicidal, 19 homicidal and 788 other violent deaths. The number of accidental deaths registered during 1946 as attributable to road traffic was 134 compared with 124 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1946 authority was issued for the registration of 1,803 births and 181 deaths.

The actual number of births registered on the authority of the Registrar-General during the year was 1,636.

Vaccinations.—The number of successful primary vaccinations for the year 1946 recorded by the registrars was 12,204, equivalent to 18·0 per cent. of the total births registered. The number for 1945 was 26,921 or 40·3 per cent.

Searches and Certificates.—During the year 1946 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 52,577, the certificates issued numbered 35,982, and the amount of fees received was £8,351. In the year 1945 the corresponding figures were as follows:—searches, 38,311, certificates, 25,475, and fees £6,048.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1936 to 1946, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1946.

YEARS.	Estimated Population	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages	Births	Deaths	Marriages	Births	Deaths
1936 ...	2,967,000	14,763	58,115	42,586	4·98	19·59	14·35
1937 ...	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938 ...	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939 ...	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940 ...	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
1941 ...	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63
1942 ...	2,963,000	17,470	66,117	41,640	5·90	22·31	14·05
1943 ...	2,946,000	17,328	64,375	43,494	5·88	21·85	14·76
1944 ...	2,944,000	16,772	65,425	45,128	5·70	22·22	15·33
1945 ...	2,983,000	17,301	66,861	42,762	5·86	22·65	14·49
Yearly Average, 1936—1945	2,957,000	15,874	60,375	42,814	5·37	20·44	14·49
1946 ...	2,963,000	17,525	67,922	41,457	5·91	22·92	13·99
NORTHERN IRELAND, 1946.							
1946 ...	1,333,000	9,801	30,134	16,666	7·4	22·6	12·5

MARRIAGES—continued.

Conjugal Condition.—The figures show that marriages between bachelors and spinsters constitute 95·8 per cent. of the total marriages; those of widowers and spinsters, 2·6 per cent.; bachelors and widows, 1·1 per cent.; and those of widowers and widows, 0·5 per cent. Of the men married, 3·1 per cent. were widowers, and of the women, 1·6 per cent. were widows, or in 47 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1945 were:—widowers, 3·2 per cent., and widows 1·6 per cent. In Table E similar figures from the year 1936 are shown.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1946, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1946		Annual Average 1925-7	Annual Average 1935-7	Year 1946
ÉIRE	4·6	4·9	5·9	Kerry	4·2	3·9	5·8
Carlow	4·3	5·0	5·0	Limerick	3·6	3·7	4·7
Dublin	5·4	6·7	6·7	Limerick Co. Borough ...	9·4	8·5	12·1
City of Dublin ...	7·6	7·4	8·1	Tipperary N.R.	4·5	4·6	5·3
Kildare	3·9	4·7	4·6	Tipperary S.R.	3·8	4·0	5·6
Kilkenny	3·9	4·3	5·2	Waterford	4·1	4·4	5·7
Laoighis	3·4	3·2	4·0	Waterford Co. Borough ...	4·9	5·3	6·3
Longford	4·4	3·8	4·7	Munster	4·4	4·5	6·0
Louth	4·0	5·2	5·6	Galway	3·7	4·0	4·9
Meath	3·5	5·2	4·8	Leitrim	4·4	4·0	4·6
Offaly	4·3	4·4	5·6	Mayo	3·8	3·5	5·0
Westmeath	4·0	4·0	5·8	Roscommon	4·0	3·8	4·2
Wexford	4·4	4·7	5·5	Sligo	4·3	4·3	5·0
Wicklow	4·0	4·6	5·3	Connaught	3·9	3·9	4·8
Leinster	5·2	5·8	6·5	Cavan	4·3	4·2	4·7
Clare	3·6	3·7	5·4	Donegal	3·7	4·7	5·5
Cork	3·5	3·6	4·6	Monaghan	3·9	4·0	5·3
Cork Co. Borough ...	8·2	8·7	11·4	Ulster (part of)	3·9	4·4	5·2

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Limerick county borough the rate was 12·1 per 1,000; in Cork 11·4; in Dublin 8·1; and in Waterford 6·3. The highest rates for the remaining areas were Dublin (exclusive of the county borough) 6·7, Westmeath and Kerry each 5·8 and Waterford 5·7. The lowest rates were recorded in Laoighis 4·0, Roscommon 4·2, and Kildare, Cork and Leitrim each 4·6 per 1,000.

In the provinces the highest rate was 6·5 for Leinster, followed by 6·0 for Munster, 5·2 for Ulster (part of), and 4·8 for Connaught. The corresponding rates for 1945 were 6·5 for Leinster; 5·7 for Munster; 5·0 for Ulster (part of); and 4·9 for Connaught. The rate for Leinster for 1946 is 0·7 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 1·5 more than the average, in Connaught the increase was 0·9 and in Ulster (part of) it was 0·8 per 1,000 of the population.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1936-1946, and also the average number and rate for the ten years 1936 to 1945, and the rate for the year 1946. In the first quarter of 1946 the rate per 1,000 of the population was 6·0, in the second 5·6, in the third 7·0, and in the fourth 5·0. The corresponding rates for the year 1945 were 5·0 for the first quarter, 6·2 for the second, 6·6 for the third, and 5·5 for the fourth quarter; and the average rates for the decennial period from 1936 to 1945 were 5·1, 5·3, 6·2 and 4·9 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1946 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1936 to 1945.

In the case of Catholic marriages, 26 per cent. were recorded in the first quarter of 1946, 24 per cent. in the second, 29 per cent. in the third, and 21 per cent. in the last quarter. For other marriages the percentages were 20, 28, 32 and 20 in the corresponding quarters of the year.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1936 to 1946.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1936	14,763	1.35	7.00	5.05	2.80
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.38	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90
1942	17,470	1.99	8.51	4.12	1.65
1943	17,328	1.56	7.48	3.85	1.72
1944	16,772	2.07	8.49	3.98	1.78
1945	17,301	1.51	7.69	3.24	1.64
1946	17,525	1.13	6.39	3.10	1.62

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “of full age” or “minor” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1946 who were stated to have married under age was 1.61 per cent.; in Munster 0.91; in Connaught 0.21, and in Ulster (part of) 0.72 per cent. In the case of females married the proportion who were minors in Leinster was 8.07, in Munster 5.78, in Connaught 2.15, and in Ulster (part of) 6.07 per cent. The corresponding percentages for the country as a whole were 1.13 for husbands and 6.39 for wives.

The proportion per cent. of males married in Northern Ireland in 1946 who were under age was 3.8 and of females 17.3.

Licences for Marriage.—During the year 1946, the number of licences issued by the registrars for marriages in registered buildings and in registrars' offices was 80. On 31st December, 1946, the number of such registrars of marriages authorised to grant licences for marriage was 67.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 546. The number of licensing officers on the 31st December, 1946, was 142.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies during the year 1946 was 121. The number of licensing ministers on the 31st December, 1946, was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require the Registrar General to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,038 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1946, licensed for the solemnisation of marriages, 146 Presbyterian meeting-houses (141 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 160 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 160 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	127	Salvation Army	2
Reformed Presbyterians	2	Seceders	2
Baptists	8	“Undenominational”	6
Independents or Congregationalists	3		
Christian Brethren	9		
Moravians or United Brethren	1		
		TOTAL	160

BIRTHS.

The births for the year 1946 numbered 67,922, a figure which is 1,061 more than that for the year 1945 and 7,547 more than the average number recorded during the decennial period from 1936 to 1945. The numbers recorded for each of the years 1940 to 1945 were 56,594, 56,780, 66,117, 64,375, 65,425 and 66,861 respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1946 was 22·92 and in 1945 the corresponding rate was 22·65 per 1,000. In the years 1940, 1941, 1942, 1943 and 1944 the rates were 19·13, 18·97, 22·31, 21·85 and 22·22 respectively.

In Tables 3 and 4 the number of births and the average rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, for each decennial period from 1871 to 1940, and the rate for each year since 1936 are shown. In the period from 1864 to 1870 the average rate was 25·79 per 1,000 and in the period from 1871 to 1880 it was 26·31, falling gradually to 19·34 for the decennial period 1931 to 1940. During the period 1936 to 1945 the highest rate recorded was 22·65 for 1945 and the lowest 18·97 for the year 1941.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1937 to 1946 :—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1937	...	19·2	19·8	14·9	17·6
1938	...	19·4	20·0	15·1	17·7
1939	...	19·1	19·5	14·9	17·4
1940	...	19·1	19·6	14·6	17·1
1941	...	19·0	20·8	14·2	17·9
1942	...	22·3	22·8	15·8	18·1
1943	...	21·9	24·2	16·5	18·9
1944	...	22·2	23·5	17·6	18·5
1945	...	22·7	22·0	16·0	16·9
1946	...	22·9	22·6	19·1	20·3

Rates for Counties, etc.—In Abstract I, Part III, the number of births for each province, county and county borough for the year 1946 is given. The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 24·6, for Munster 22·4, for Connaught 20·7 and for Ulster (part of) 21·5, as compared with 24·2, 22·1, 20·6 and 21·3 respectively, for 1945. Comparing the rates for the years 1945 and 1946, it will be seen that the rate for Leinster has increased by 0·4, for Munster by 0·3, and for Connaught and Ulster by 0·1 and 0·2 respectively.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 26·0, Cork 26·5, Limerick 27·5, and Waterford 26·3 per 1,000. The highest rates in the counties were Kildare 26·9, Westmeath 25·3, Louth 24·8, Wicklow 24·6, Wexford 24·4, Carlow and Meath each 24·2, and Limerick 24·1 per 1,000. On the other hand, the lowest rates recorded were Roscommon 18·1, Leitrim 18·5, Sligo 19·4, Cavan 20·1, Cork 20·2, Kerry 20·7, Waterford 20·8, and Dublin 20·9 per 1,000.

The birth-rates for the total urban areas were 25·1 and 24·4, respectively, in the years 1946 and 1945, an increase of 0·7 per 1,000, while the corresponding rural rates were 21·9 and 21·8, respectively, an increase of 0·1 per 1,000. In Table 15 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1946 include 2,642 of illegitimate children, a figure which is 16 more than that for 1945. The number for 1946 is equivalent to a rate of 0·9 per 1,000 of the population, and a rate of 3·9 per cent. of the total births recorded. The respective rates for the previous year were also 0·9 per 1,000 and 3·9 per cent.

In Northern Ireland for 1946 the rate per cent. of the total births was 4·4, and for Scotland 6·6.

The percentages are shown for each of the provinces for the years 1939 to 1946 in the following statement :—

AREA	Illegitimate births—per cent. of total births.							
	1939	1940	1941	1942	1943	1944	1945	1946
Eire	3·18	3·22	3·48	3·66	3·80	3·92	3·93	3·89
Leinster ...	3·39	3·40	3·62	3·77	4·00	4·15	4·17	3·97
Munster ...	3·18	3·44	3·59	3·80	4·16	4·01	4·13	4·21
Connaught ...	1·93	1·93	2·32	2·53	2·29	2·44	2·39	2·64
Ulster (part of) ...	4·32	3·90	4·43	4·59	4·19	5·04	4·65	4·46

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs for the year 1946 are given. The highest percentages were in the following counties: Waterford 7·0, Limerick 6·9, Tipperary N.R. 6·8, Wexford 6·2, Laoighis 6·0, and Meath 6·0. The counties with the lowest ratios were Cork county borough 2·2, Mayo 2·2, Leitrim 2·3, Kerry 2·5, Roscommon 2·7, Dublin county borough 2·7, and Galway 2·8.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 116 cases during the year 1946. This figure is 10 more than the corresponding figure for the year 1945.

Proportion of Males to Females.—The number of male births registered in 1946 was 35,120 and of female births 32,802. The proportion between the sexes was 1,071 males per 1,000 females, a ratio which is 17 above the average for 1936 to 1945. In Northern Ireland for the year 1946 the proportion of males born alive to 1,000 females was 1,056, and in Scotland 1,067.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1936, and also the average rates since the year 1864.

The male children born in wedlock in 1946 numbered 33,741, and the female 31,539, or 1,070 males to every 1,000 females, and of the illegitimate children, 1,379 were males and 1,263 females, or 1,092 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes recorded during each quarter of 1946 is shown in the following table :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	8,769	9,387	8,935	8,029	35,120
Females ...	8,236	8,735	8,295	7,536	32,802
TOTAL ...	17,005	18,122	17,230	15,565	67,922

In Table 5 the number of births registered in each quarter of the years 1936 to 1946 is given, together with the rates for the year 1946, and the average rates for the previous decennial period. The rates for each of the quarters were 23·0, 24·5, 23·3 and 21·0 per 1,000, showing increases of respectively, 3·0, 2·8, 2·3 and 2·0 when compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1946 was 1,520, consisting of 748 pairs of twins, and 8 sets of triplets, as compared with 1,820 (893 pairs of twins and 10 sets of triplets and one of quadruplets) for the previous year. The twin children whose births were recorded during 1946 were 2·2 per cent. of the total number of infants whose births were registered. In 1945 the corresponding percentage was 2·7.

The number of mothers of living children whose births were recorded during the year was 67,158. Of these, 66,402, or 98·9 per cent., gave birth to single infants, and 756 or 1·1 per cent. to two or more infants at a birth.

The infants born in wedlock (65,280) included 63,804 single infants, 1,452 twins and 24 triplets, equivalent to, respectively, the ratios of 97·74 per cent., 2·22 per cent., and 0·04 per cent. of the total number of legitimate births.

Illegitimate infants included 2,598 single infants and 44 twin infants, equivalent, respectively, to 98·34 per cent. and 1·66 per cent., of the 2,642 illegitimate infants registered. In the year 1945 the illegitimate infants recorded included 2,584 single infants, and 42 twin infants.

In the year 1946 the infants born alive in multiple births comprised 759 males and 761 females. Of the twin infants, 743 were males and 753 females, the triplet infants included 16 males and 8 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1946 was 41,457, the males numbering 21,863 and the females 19,594. The total is 1,305 less than the number for 1945 and 1,357 less than the average for the decennial period 1936 to 1945. In the year 1946 the deaths of males were 403 less, and the deaths of females 902 less than in the previous year.

The deaths registered in 1946 represent a rate of 13·99 per 1,000 of the population, compared with 14·49 for 1945 and an average of 14·49 for the ten years 1936 to 1945. The rate for males during each of the past three years was 15·79, 14·94, and 14·59, the corresponding ratio for females being 14·86, 14·02 and 13·39 respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1937 to 1946 are as follows:—

YEARS.		Eire	Northern Ireland	England and Wales	Scotland
1937	...	15·3	15·1	12·4	13·9
1938	...	13·6	13·7	11·6	12·6
1939	...	14·2	13·5	12·1	12·9
1940	...	14·2	14·6	14·0	14·9
1941	...	14·6	15·2	12·9	14·5
1942	...	14·1	13·3	11·6	13·0
1943	...	14·8	13·4	12·1	13·3
1944	...	15·3	12·8	12·7	13·6
1945	...	14·5	12·3	11·4	13·2
1946	...	14·0	12·5	11·5	13·1

Rates for Counties, etc.—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. The rates for the county boroughs were as follows:—Dublin 13·0, Cork 14·3, Limerick 13·3, and Waterford 14·6. The counties with the highest rates were Leitrim 15·9, Sligo 15·8, Tipperary N.R. 15·6, Waterford 15·5, and Clare 15·0. The lowest rates were recorded for Dublin 11·7, Dublin county borough 13·0, Kildare, Offaly and Limerick county borough each 13·3, Louth 13·5, Limerick 13·6, Meath 13·7, Kerry 13·8, Kilkenny and Galway each 13·9.

The rate for the province of Leinster was 13·5 per 1,000, for Munster 14·4, for Connaught 14·6 and for Ulster (part of) 14·3, compared with 14·3, 14·5, 14·7 and 15·1 for the preceding year.

During the year 1946 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 13·2 and 14·5 per 1,000 compared with 14·0 and 14·7 for the preceding year. The figure for the urban areas in 1946 is 0·8 less, and that for the rural areas 0·2 less than the respective rates for the year 1945. A comparative statement of the rates for these areas for a series of years is given in Table 15.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1946:—

		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	6,816	5,545	4,532	4,970	21,863
Females	...	6,226	4,970	4,007	4,391	19,594
TOTAL	...	13,042	10,515	8,539	9,361	41,457

DEATHS—continued.

Of the total deaths, 23,557, or 56·8 per cent., were registered during the first six months and 17,900, or 43·2 per cent., in the second six months. The corresponding percentages for the preceding year were respectively 57·2 and 42·8.

During the year 1946 the mortality was highest in the first quarter, in which the rate was 17·6 per 1,000 of the population. In the second quarter the rate was 14·2, in the third 11·5, and in the last quarter it was 12·6. In the preceding year the rates for the quarters were as follows :—first 18·6, second 14·6, third 12·0, and fourth 12·7.

* The rate for each quarter of 1946 and the average figure for the previous ten years are given in Table 5. A comparison between the rates for 1946 and the average figure shows that in the first quarter there was a decrease of 0·6 per 1,000; the rate for the second quarter shows a decrease of 0·4; the third a decrease of 0·2, and in the fourth quarter there was a decrease of 0·5 per 1,000.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,993, in mental hospitals 998, in county homes and hospitals, etc., 7,468; and 26,998 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 14·5, 2·4, 18·0, and 65·1 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1936 the percentages of deaths in the three classes of institutions were 11·8, 2·4 and 17·7, respectively, 68·1 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 5,120. This figure is equivalent to a rate of 12·4 per cent. of the total deaths registered during the year. The proportion for the previous year was 13·1 and the average percentage for the ten years from 1936 to 1945 was 15·4.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1946 being 17·4. In the urban areas the percentage was only 1·6.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1946 was 1,238, or one in every 33 deaths registered. The number of such deaths for the year 1946 include 752 cases in which inquests were held, and 486 cases in which the death was registered on a certificate issued as the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1946, classified in accordance with the list adopted at the International Conference held in Paris in 1938, are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs, and in Abstract VI the causes of the deaths for each of the principal towns are given.

The proportion of the deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 244 in every 1,000 deaths; the next in order are senility 143, cancer 97, tuberculosis (all forms) 81, intra-cranial lesions of vascular origin (cerebral hæmorrhage, etc.) 66, pneumonia 40, and bronchitis 30 in every 1,000 deaths. These causes account for 70 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 505 in every 1,000 deaths compared with 482 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (203 in every 1,000), pneumonia (117), whooping cough (15 in every 1,000 deaths) and bronchitis (18 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 180 in every 1,000 deaths, tuberculosis (other than that of the respiratory system) in 157 instances, diarrhoea and enteritis in 70, diphtheria in 67, whooping cough in 50, bronchitis in 24 and measles in 21 cases. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (312 in every 1,000), pneumonia

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1946.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 & up
	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	2	5	4	1	.	.	1	.
2	Cerebro-spinal meningitis	1	2	5	7	1	2	.	1	.	.	.
3	Scarlet fever	.	.	2	.	.	.	.	.	.	.	.
4	Whooping cough . . .	3	15	50	13	1	.	.	.	.	.	.
5	Diphtheria	3	4	67	57	8	1	3	2	1	.	.
6	Tuberculosis of respiratory system.	62	2	10	99	457	449	258	133	52	11	1
7	All other forms of tuberculosis.	19	12	157	213	139	80	39	17	8	3	.
8	Dysentery	.	.	.	.	.	1	.	.	.	.	.
9	Influenza	19	13	16	25	14	12	21	15	20	21	20
10	Measles	1	4	21	10	3	1	.	.	.	.	.
11	Acute infectious encephalitis	.	.	1	.	1	3	1	1	.	.	.
12	Typhus	.	.	.	.	.	.	.	.	.	.	.
13	Cancer	97	.	6	17	17	37	113	183	191	145	58
14	Diabetes mellitus . .	6	.	2	5	9	13	8	8	10	8	3
15	Intra-cranial lesions of vascular origin.	66	.	6	5	7	13	34	70	99	99	70
16	Diseases of the heart .	244	.	5	54	60	88	155	223	317	361	283
17	Other diseases of the circulatory system.	21	.	.	2	4	9	12	22	25	32	26
18	Bronchitis	30	18	24	3	5	7	17	20	32	38	34
19	Pneumonia	40	117	180	62	20	22	29	35	32	31	20
20	Other diseases of the respiratory system.	15	8	20	8	14	12	21	24	18	19	10
21	Ulcer of the stomach or duodenum.	7	.	.	2	3	13	18	23	19	7	2
22	Diarrhoea and enteritis .	26	203	70	17	1	7	7	4	3	3	2
23	Appendicitis	3	.	12	22	10	5	7	5	3	2	1
24	Cirrhosis of the liver .	1	.	.	3	1	1	2	4	2	1	.
25	Diseases of liver and biliary passages.	3	.	2	7	3	3	7	6	5	4	2
26	Other diseases of the digestive system.	12	15	26	17	13	7	14	16	16	13	8
27	Nephritis	25	1	5	27	24	23	41	43	37	32	18
28	Puerperal infection . .	.	.	.	.	1	6	6	.	.	.	.
29	Other diseases of childbirth	3	.	.	.	7	38	27	1	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	56	505	49	35	7	4	1	.	.	.	.
31	Senility	143	.	.	.	.	.	.	.	.	87	397
32	Suicide	2	.	.	.	4	8	6	5	3	1	1
33	Other violence	19	9	77	101	41	36	36	22	17	15	12
34	Other causes	72	72	187	187	120	96	116	108	99	66	32

CAUSES OF DEATH—continued.

62, and diphtheria 57 in every 1,000. The cause of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are heart disease, cancer and intra-cranial lesions.

A comparative statement of the deaths from the principal causes recorded for each of the years 1944, 1945 and 1946 is given below, and in Table 7 the rates per 100,000 of the population are published.

CAUSES	Number of Deaths Registered			CAUSES	Number of Deaths Registered		
	Years				Years		
	1944	1945	1946		1944	1945	1946
Typhoid Fever ...	58	32	26	Heart Disease ...	10,111	10,139	10,120
Cerebro-Spinal Men- ingitis ...	37	31	25	Bronchitis ...	1,591	1,370	1,223
Scarlet Fever ...	10	4	3	Pneumonia ...	1,916	1,715	1,649
Whooping Cough ...	242	146	117	Diarrhoea and Enter- itis (under 2 years)	1,088	1,092	935
Diphtheria ...	293	236	139	Nephritis ...	1,144	1,110	1,027
Tuberculous Disease	3,839	3,694	3,390	Puerperal Infection	32	35	20
Dysentery ...	3	10	3	Other Puerperal Causes ...	124	124	117
Influenza ...	812	306	769	Congenital Debility, Malformation			
Measles ...	144	42	47	Premature Birth, etc. ...	2,514	2,375	2,302
Acute Infectious Encephalitis ...	11	22	16	Senility ...	6,621	6,298	5,939
Typhus ...	1	—	—	Violence ...	901	878	880
Cancer ...	4,176	3,954	4,024				
Intra-Cranial Lesions of vascular origin	2,770	2,689	2,716				

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0·4 compared with 0·5 for the year 1945. The rates for the county boroughs are as follows:—Dublin 1·0, Cork 0·4, Limerick 0·4, and Waterford 0·7 per 1,000. The highest county rates are:—Wicklow 0·6 and Dublin, Louth and Limerick each 0·5. The counties in which the rates were lowest are:—Leitrim, Roscommon, Cavan, and Monaghan each 0·1, and Carlow, Longford, Clare, Kerry, Mayo and Sligo each 0·2 per 1,000.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·7 per 1,000 of the population, compared with 0·3 for the rural districts. The corresponding rates for 1945 were 0·9 and 0·3, respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 26, including 13 of males and 13 of females. The corresponding figure for 1945 was 32, including 18 of males and 14 of females. The average number for the decennial period from 1936 to 1945 was 50. During 1946 there were 3 deaths for urban areas and 23 for rural areas. There were 2 deaths for Dublin county borough.

Scarlet Fever.—There were 3 deaths from this disease registered during the year 1946 compared with 4 in the previous year. The average figure for the ten years 1936 to 1945 was 57.

Whooping Cough.—The number of deaths recorded under this heading was 117, compared with 146 for the year 1945, and an average figure of 210 for the decennial period ended with the latter year. The total for 1946 includes 63 of males and 54 of females, compared with 67 and 79, respectively, in the previous year.

The figure for 1946 includes 65 of infants under one year of age and 25 of children aged between one and two years. In 1945 the corresponding figures were 91 and 29.


There were 43 deaths recorded for Dublin county borough, 7 each for Westmeath and Cork (exclusive of the county borough), and 6 each for Wexford, Tipperary N.R., and Mayo.

Diphtheria.—The number of deaths was 139, compared with a figure of 236 for 1945, and an average of 265 for the years 1936 to 1945. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1936 to 1944 were 345, 293, 314, 245, 178, 165, 267, 310 and 293.

The figure for 1946 includes 78 males and 61 females, the corresponding figures for the previous year being 113 and 123 respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1932 to 1946.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1946 were 58 of children aged between one and five years, 29 between the ages of five and ten years, and 5 of children aged 10 and under 15 years.

The death rate per 100,000 of the population was 4.7 compared with 8.0 for the previous year. In the urban areas as a whole the rate for 1946 was 4.1 compared with 8.1 in the previous year, and in the rural areas the corresponding rates were 5.1 and 8.0 per 100,000 of the population.

For Leinster the rates for 1946 and 1945 were 4.2 and 9.4, for Munster 3.5 and 6.7, for Connaught 4.9 and 4.0 and for Ulster (part of) 11.0 and 13.6 per 100,000.

The following table shows the death rate per 100,000 of the population for Eire and the urban and rural areas for each of the years 1937 to 1946 :—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1937 ...	9.9	16.3	7.3	14.4	7.7
1938 ...	10.7	17.8	8.8	15.9	8.1
1939 ...	8.3	14.1	11.7	13.6	5.7
1940 ...	6.0	9.9	6.4	9.1	4.5
1941 ...	5.5	9.0	4.9	8.4	4.2
1942 ...	9.0	13.8	5.4	12.3	7.4
1943 ...	10.5	15.7	8.8	14.3	8.4
1944 ...	10.0	13.2	12.0	13.0	8.4
1945 ...	8.0	7.6	9.9	8.1	8.0
1946 ...	4.7	4.3	3.1	4.1	5.1

The counties and county boroughs in which the highest death rates from this disease were recorded in 1946 are as follows :—Louth 15.1, Donegal 14.0, Laoighis 12.1, Meath 10.6, and Galway 9.1 per 100,000 of the population. There were no deaths recorded for Waterford county borough, Carlow, Longford, Leitrim, and Sligo, and the lowest death rates for the counties were :—Roscommon 1.4, Kildare 1.5, Westmeath 1.8, Dublin county borough, Cork and Kerry each 2.2, and Cork county borough 2.7 per 100,000.

Tuberculosis.—The number of deaths registered during 1946 from all forms of tuberculosis was 3,390—1,753 of males and 1,637 of females. When compared with the number recorded in 1945 the total shows a decrease of 304—a decrease in the case of males of 148 and in the case of females of 156. The figure for 1946 is 332 below the average for the decennial period from 1936 to 1945—a decrease in male deaths of 169 and of 163 in the case of female deaths.

The deaths recorded during 1946 are equivalent to a rate of 1.14 per 1,000 of the estimated population. For 1945 the rate was 1.25 per 1,000, and during the ten years from 1936 to 1945 the average rate was 1.26 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1937 to 1946 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1937 ...	1.23	0.98	0.70	0.74
1938 ...	1.09	0.92	0.64	0.69
1939 ...	1.13	0.84	0.63	0.70
1940 ...	1.25	0.98	0.70	0.82
1941 ...	1.24	1.04	0.73	0.83
1942 ...	1.47	0.97	0.66	0.80
1943 ...	1.46	0.91	0.67	0.79
1944 ...	1.30	0.89	0.63	0.82
1945 ...	1.25	0.80	0.56	0.79
1946 ...	1.14	0.83	0.53	0.79

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1.47 per 1,000 in 1942 and the lowest 1.09 in 1938. For males the highest rate 1.53 was in 1942 and the lowest 1.10 in 1938. In the case of females the rate was highest in 1943, viz., 1.44, and lowest in 1938—1.09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1936-1946.

YEAR	MALES		FEMALES		TOTAL		Annual Increase or Decrease	
	Number of Deaths	Rate per 1,000 of the Male population	Number of Deaths	Rate per 1,000 of the Female population	Number of Deaths	Rate per 1,000 of the population	Number	Per cent.
1936 ...	1,791	1.18	1,689	1.17	3,480	1.17	- 290	- 7.7
1937 ...	1,871	1.24	1,768	1.23	3,639	1.23	+ 159	+ 4.6
1938 ...	1,651	1.10	1,565	1.09	3,216	1.09	- 423	-11.6
1939 ...	1,707	1.14	1,597	1.12	3,304	1.13	+ 88	+ 2.7
1940 ...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+11.5
1941 ...	1,855	1.21	1,856	1.27	3,711	1.24	+ 26	+ 0.7
1942 ...	2,297	1.53	2,050	1.40	4,347	1.47	+ 636	+17.1
1943 ...	2,203	1.48	2,103	1.44	4,306	1.46	- 41	- 0.9
1944 ...	1,998	1.34	1,841	1.26	3,839	1.30	- 467	-10.8
1945 ...	1,901	1.28	1,793	1.23	3,694	1.25	- 145	- 3.8
Average 1936-45	1,922	1.28	1,800	1.24	3,722	1.26	—	—
1946 ...	1,753	1.17	1,637	1.12	3,390	1.14	-304	- 8.2

There were 2,585 deaths from tuberculosis of the respiratory system recorded in 1946 compared with 2,777 in 1945, a decrease of 192. The figure for 1946 includes 1,325 of males and 1,262 of females—the figure for males shows a decrease of 92 and that for females a decrease of 100 when compared with the corresponding figures for the previous year. During 1946 there were 805 deaths (430 males and 375 females) from tuberculosis other than that of the respiratory system. The respective figures for 1945 were 917 (486 males and 431 females). The figures for 1946 are 112 (a decrease of 56 males and a decrease of 56 females) less than those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 365 deaths (186 males and 179 females) due to tuberculosis of the meninges and central nervous system, 147 deaths (69 males and 78 females) to tuberculosis of the intestines and peritoneum, 71 (44 males and 27 females) to tuberculosis of the vertebral column, 46 (27 males and 19 females) to the disease of other bones and joints, 2 (one male and one female) to tuberculosis of the skin, 6 (4 males and 2 females) of the lymphatic system, 31 (17 males and 14 females) in organs of the genito-urinary system, 4 (2 males and 2 females) to tuberculosis of other organs, and 133 (80 males and 53 females) caused by disseminated tuberculosis.

In the following table a comparison is made of the number of deaths from tuberculosis of the respiratory system and all other forms of the disease for each of the years 1942 to 1946 inclusive, together with the rate per 1,000 of the population.

CAUSE		YEARS				
		1942	1943	1944	1945	1946
Tuberculosis of the respiratory system	No.	3,512	3,398	2,935	2,777	2,585
	Rate	1.19	1.15	1.00	0.94	0.87
Other forms of tuberculosis.	No.	835	908	904	917	805
	Rate	0.28	0.31	0.30	0.31	0.27

The mortality from tuberculosis at different age-periods for each of the years 1941 to 1946 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1946 and 1945 were respectively 1.18 and 1.46 per 1,000, the figures for males being 0.94 and 1.38 and for females 1.42 and 1.55 per 1,000. In the age-group from 20 to 24 years the rates in 1946 were—for persons 1.99, males 1.81 and females 2.18, and for 1945, respectively, 2.27, 2.01 and 2.55. At the age period 25 and below 35 years the figure for both sexes in 1946 was 1.88 per 1,000, and in 1945 it was 1.90, the corresponding rates for males being 1.69 and 1.81 and for females 2.08 and 2.00 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1932 to 1946.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1941 to 1946.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
DEATHS OF MALES.												
1941 ...	1,855	102	45	41	166	225	440	343	246	176	63	8
1942 ...	2,297	107	60	58	256	314	519	368	306	221	82	6
1943 ...	2,203	138	60	55	222	297	484	362	271	210	94	8
1944 ...	1,998	126	57	49	174	245	409	359	271	189	105	14
1945 ...	1,901	124	46	50	188	244	391	303	250	193	99	13
1946 ...	1,753	112	43	57	128	219	363	278	266	191	87	9
DEATHS OF FEMALES.												
1941 ...	1,856	93	53	65	237	335	458	291	168	100	49	7
1942 ...	2,050	79	37	90	266	362	563	296	193	111	43	10
1943 ...	2,103	110	59	83	270	351	543	290	186	132	65	14
1944 ...	1,841	102	57	71	221	286	465	266	189	113	56	15
1945 ...	1,793	116	44	66	209	298	423	274	166	123	62	12
1946 ...	1,637	93	37	49	190	253	438	240	163	109	55	10
DEATHS OF MALES AND FEMALES.												
1941 ...	3,711	195	98	106	403	560	898	634	414	276	112	15
1942 ...	4,347	186	97	148	522	676	1,082	664	499	332	125	16
1943 ...	4,306	248	119	138	492	648	1,027	652	457	342	161	22
1944 ...	3,839	228	114	120	395	531	874	625	460	302	161	29
1945 ...	3,694	240	90	116	397	542	814	577	416	316	161	26
1946 ...	3,390	205	80	106	318	472	801	518	429	300	142	19
MALES—RATE PER 1,000.												
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
1942 ...	1.63	0.80	0.45	0.41	1.88	2.36	2.54	2.07	1.95	1.57	0.82	0.16
1943 ...	1.48	1.00	0.44	0.41	1.65	2.48	2.27	2.03	1.78	1.59	0.88	0.19
1944 ...	1.84	0.92	0.42	0.37	1.29	2.05	1.32	2.01	1.78	1.43	0.97	0.33
1945 ...	1.28	0.89	0.34	0.37	1.38	2.01	1.81	1.68	1.62	1.44	0.90	0.31
1946 ...	1.17	0.81	0.32	0.42	0.94	1.81	1.69	1.55	1.73	1.44	0.80	0.21
FEMALES—RATE PER 1,000.												
1941 ...	1.27	0.70	0.40	0.46	1.81	2.77	2.36	1.65	1.11	0.76	0.50	0.15
1942 ...	1.40	0.69	0.28	0.64	2.02	2.99	2.89	1.63	1.27	0.84	0.43	0.21
1943 ...	1.44	0.82	0.45	0.64	2.03	3.04	2.60	1.63	1.28	1.04	0.63	0.28
1944 ...	1.26	0.76	0.43	0.54	1.66	2.48	2.22	1.50	1.30	0.89	0.54	0.30
1945 ...	1.23	0.86	0.33	0.50	1.55	2.55	2.00	1.52	1.12	0.95	0.59	0.34
1946 ...	1.12	0.69	0.33	0.37	1.42	2.18	2.08	1.34	1.11	0.85	0.53	0.20
MALES AND FEMALES—RATE PER 1,000.												
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.23	1.77	1.33	1.00	0.56	0.17
1942 ...	1.47	0.69	0.36	0.52	1.95	2.66	2.71	1.87	1.62	1.22	0.63	0.18
1943 ...	1.46	0.91	0.45	0.52	1.84	2.75	2.43	1.83	1.53	1.32	0.76	0.24
1944 ...	1.30	0.84	0.43	0.45	1.48	2.26	2.07	1.76	1.54	1.17	0.76	0.32
1945 ...	1.25	0.87	0.33	0.43	1.46	2.27	1.90	1.60	1.38	1.20	0.75	0.27
1946 ...	1.14	0.75	0.30	0.40	1.18	1.99	1.88	1.45	1.43	1.15	0.66	0.21

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the fourteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1946 the death rate was 1.2, in Munster 1.2, in Connaught 1.1, and in Ulster (part of), 0.8. The corresponding rates for 1945 were in Leinster 1.4, in Munster 1.2, in Connaught 1.1 and in Ulster (part of) 1.0.

DIAGRAM No. 4. Mortality from Influenza, 1932 to 1946.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1946 for county or county borough areas were recorded for the following:—Limerick county borough 2·0, Waterford county borough 1·8, and Dublin county borough and Louth each 1·5. The counties having the lowest rates were—Kilkenny, Laoighis, Limerick, Roscommon, Cavan and Donegal each 0·8, and Monaghan 0·9 per 1,000 of the population.

The deaths from tuberculosis in 1946 for the aggregate urban districts numbered 1,506, compared with 1,576 for the previous year. For the rural districts the number for 1946 was 1,884 compared with 2,118 for last year. The rate per 1,000 of the population for the urban areas fell from 1·59 in 1945 to 1·49 in 1946, while that for the rural areas decreased from 1·08 to 0·97 per 1,000.

Influenza.—The number of deaths from this disease in 1946 was 769, compared with 306 for the preceding year and an average of 938 for the decennial period ended with 1945.

The rates per 1,000 of the population for the years 1946 and 1945 were 0·26 and 0·10 respectively.

In the aggregate urban areas the death rate for 1946 was 0·13 per 1,000, and in the rural areas 0·33, compared with 0·04 and 0·14 for 1945.

In the first quarter the mortality was 57 per cent. of the total and in each of the second, third and fourth quarters the proportion was 30, 6 and 7 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 47 deaths registered in 1946 compared with 42 in the year 1945, and an average for the period from 1936 to 1945 of 101. Of the deaths recorded, 11 were for Dublin county borough, 9 each for Cork county and Donegal county, and 4 each for Kildare county and Cork county borough.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 30 (21 males and 9 females) compared with 16 (10 males and 6 females) in the previous year. The figure for 1946 includes 10 for Cork county borough, 4 each for Kerry and Galway counties, 2 each for Dublin county borough and Sligo county, and one each for Dublin, Louth, Meath, Offaly, Wexford, Cork county borough, Tipperary S.R. and Monaghan.

Typhus.—There was no death registered under this heading in 1946.

Other Infective or Parasitic Diseases.—There were 25 deaths from Hodgkin's disease recorded during the year 1946.

Cancer.—The deaths due to cancer recorded for 1946 numbered 4,024—2,102 of males and 1,922 of females. The total figure is 70 above the number for 1945 and 173 above the average number for the decennial period ended with 1945. The number of deaths of males is 11 above, and that for females 59 above the corresponding figure for 1945.

The deaths from this disease constitute 9·7 per cent. of the deaths from all causes and are equivalent to a rate of 1·36 per 1,000 of the population. The rates for males and females were respectively 1·40 and 1·31 per 1,000. In Northern Ireland the rates for persons, males and females, were 1·42, 1·41 and 1·42 per 1,000, in England and Wales 1·77, 1·81 and 1·73, and in Scotland the death rates were 1·80 for both sexes, 1·90 for males and 1·71 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1937 ...	1·26	1·30	1·63	1·57
1938 ...	1·26	1·32	1·67	1·62
1939 ...	1·27	1·33	1·66	1·61
1940 ...	1·28	1·36	1·72	1·70
1941 ...	1·27	1·37	1·78	1·69
1942 ...	1·37	1·41	1·83	1·71
1943 ...	1·37	1·45	1·90	1·73
1944 ...	1·42	1·41	1·90	1·86
1945 ...	1·34	1·44	1·74	1·92
1946 ...	1·36	1·42	1·77	1·80

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES													Total
		Under 25	AGES AT DEATH												
			25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards		
45	Lip ...	.	.	.	.	.	1	3	5	2	13	8	21	53	
	Tongue ...	.	.	.	.	.	1	1	4	8	15	15	15	59	
	Jaw ...	.	.	.	.	.	11	.	3	6	9	14	11	54	
	Mouth ...	.	.	.	.	.	.	2	2	4	6	13	7	34	
	Pharynx ...	.	.	1	.	1	.	2	1	4	4	5	2	20	
	Tonsil ...	.	.	.	.	.	.	1	3	2	1	4	1	12	
46	Esophagus ...	.	.	.	.	.	1	6	8	9	23	13	12	72	
	Stomach ...	2	1	4	5	17	16	31	59	66	119	98	78	496	
	Rectum ...	.	.	.	3	3	5	7	11	18	51	40	46	184	
	Liver ...	.	.	.	1	3	2	9	12	14	28	33	11	113	
	Pancreas ...	.	.	.	.	.	7	4	6	9	8	19	3	56	
	Peritoneum ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
47	Intestine ...	1	2	2	5	5	7	14	36	37	55	63	70	297	
	Larynx, Trachea ...	.	.	1	1	.	4	2	6	10	13	7	9	53	
48	Lung ...	1	1	1	5	6	13	18	17	16	20	3	7	108	
	Mediastinum ...	.	.	.	.	.	1	1	3	2	2	2	.	11	
49	Uterus ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
50	Ovary ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Vagina ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Vulva ...	.	.	.	.	.	.	.	.	.	.	.	.	.	
51	Breast ...	.	.	.	.	1	.	.	.	1	.	1	1	4	
52	Scrotum ...	.	.	.	.	.	.	.	.	1	.	2	.	3	
	Prostate ...	.	.	.	1	.	1	2	8	20	28	41	32	133	
	Penis ...	.	.	.	.	.	.	2	.	2	3	1	2	10	
	Testicle ...	.	1	.	.	.	.	.	.	.	1	.	.	2	
53	Bladder ...	.	.	.	.	.	.	1	1	7	7	9	8	33	
	Kidney ...	1	.	1	1	1	.	.	1	.	1	2	1	9	
54	Ear ...	.	.	1	.	.	.	.	1	1	2	6	10	21	
	Face ...	.	.	.	.	1	1	1	2	3	8	10	24	50	
	Other Skin ...	3	.	.	.	.	.	1	1	1	.	1	2	8	
55	Brain ...	3	2	1	2	1	2	3	3	1	.	.	.	18	
	Spine ...	.	1	.	.	.	.	.	.	.	1	2	1	5	
	Thyroid ...	.	.	.	.	1	1	.	.	.	.	1	.	3	
	Nose ...	.	.	.	.	.	.	.	.	.	1	1	.	2	
56	Abdomen ...	.	.	.	.	.	.	1	.	1	1	2	2	7	
	Arm, Leg ...	2	.	2	.	.	1	2	6	4	5	6	11	39	
	Axilla ...	.	.	.	.	.	.	.	.	.	1	1	.	4	
	Eye ...	.	.	.	.	.	.	.	1	.	1	1	.	3	
	Groin ...	.	.	.	1	.	.	.	.	.	.	2	.	3	
	Neck ...	.	.	.	.	1	2	5	.	10	10	7	15	50	
	Parotid ...	.	.	.	.	.	.	.	.	.	2	3	.	5	
	Pelvis ...	.	.	.	.	.	.	1	.	.	.	.	.	1	
	Spleen ...	.	.	.	.	.	.	.	.	1	.	.	.	1	
	Thorax ...	.	.	.	.	.	1	.	.	.	.	.	.	1	
	Throat ...	.	.	.	.	.	.	3	5	8	7	10	8	41	
	Other and Unspecified ...	1	.	.	1	1	3	2	1	3	5	3	7	27	
TOTAL ...		14	8	14	26	42	81	124	206	271	450	448	418	2,102	
Deaths from Cancer per 100,000 living of the same age ...		2.1	10.2		37.8		133.7		358.8		820.7		988.2	140.3	

registered during the year 1946 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Fe- males	International List Nos.		
AGES AT DEATH																
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL				
. 1 1 .		. . 1 . .		. 1 . 1 .	. 1 . 1 .	. 1 2 2 .	. 1 2 1 .	. 1 3 . .	1 3 1 2 .	3 2 5 . 2	6 1 1 1 .	10 12 16 8 5 1	63 71 70 42 25 13	45		
. 2 2 . .	. 3 2 . .	. 2 1 1 .	1 5 . 2 .	1 7 6 4 3 .	3 19 4 6 1 .	8 29 5 11 3 .	5 52 13 14 2 .	6 51 16 16 7 .	15 71 17 15 22 5 .	8 79 15 11 13 7 .	3 53 18 18 7 .	50 373 99 105 41 .	122 869 283 218 97 .		46	
5	2	4	3	6	11	31	17	44	56	47	62	288	585			
1 .	. . .	. 2 .	3 3 .	3 4 1	4 4 .	3 3 1	3 4 1	2 7 .	3 11 .	6 8 2	1 6 .	29 52 5	82 160 16			47
1	.	3	10	13	22	23	29	29	26	23	16	195	195			
1 .	1 .	2 .	2 .	1 1	4 .	6 1	8 1 1	10 .	8 1	4 1 1	5 1 2	52 3 7	52 3 7	49		
.	.	4	12	21	35	47	33	42	48	33	54	329	333		50	
.	.	.	.	.	.	.	.	.	.	.	.	.	3 133 10 2	51		
.	.	.	.	.	.	.	.	.	.	.	.	.	.			
. 1	. .	. .	2 .	. 1	2 1	. .	1 1	1 1	3 3	4 1	2 1	15 10	48 19	52		
.	.	.	.	.	.	.	.	1	.	.	3	4	25			
.	.	.	1	1	1	1	2 1	2 1	11 1	5 1	12 3	34 9	84 17	53		
1 . .	. . .	. . .	. . .	2 1 .	2 1 3	1 2 1	1 5 1	1 5 .	1 1 4 1	2 . .	. 1 1 2	8 17 11 4	26 22 14 6		54	
. 7 1	 1	2 . . 3	2 2 . . . 1 .	. 1	1 2 . . 1 . .	1 2 . 1 1 1	2 8 . 1 . 3 . .	2 1 . 1 . 3 1 5	2 6 . . . 1 4	3 7 . 1 . 1 .	3 11 . 3 2 7 . . 1	16 49 . 6 4 16 9 4 11	23 88 . 10 7 66 5 10 5 1 52	55		
24	9	25	50	80	131	189	219	259	331	295	310	1,922	4,024		TOTAL	
3.7	16.2		72.8		218.4		374.2		601.1		621.0	131.3	135.8	Rate per 100,000		

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1946 numbered 1,286, equivalent to a rate of 1.27 per 1,000, and in the aggregate rural areas the number was 2,738 and the rate 1.41 per 1,000. In the year 1945 the numbers of deaths for the urban and rural areas were respectively 1,348 and 2,606, corresponding to rates of 1.35 and 1.33 per 1,000 of the population.

In Table J the deaths from cancer in 1946 are classified according to the site of the disease and the age at death. The mortality of females under 55 years of age is higher than that of males, but after that age has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1946 the deaths in the first group amounted to 46 (21 of males and 25 of females) and those in the second to 103 (51 males and 52 females) compared with a total of 45 and 106 respectively, in the previous year.

The non-malignant tumours included 13 of bladder, 9 of the ovary, 8 of the brain, and 3 of the uterus.

The deaths classified under the heading of tumours of undetermined nature included 46 of the brain, 6 of the lung, 4 of intestine, 4 of spine, 7 of mediastinum, 2 of bladder, 5 of abdomen, and 6 of stomach.

Diabetes.—There were 250 deaths from this disease in 1946 compared with 221 for the previous year. The deaths for 1946 include 114 of males and 136 of females, compared with 110 and 111 for 1945.

In the year 1946 the rate per 100,000 of the population represented by the deaths from diabetes was 8.4. The rates for Northern Ireland, England and Wales, and Scotland were, respectively 6.6, 8.6 and 10.9.

Other General Diseases.—During 1946 there were 27 deaths classified under this heading, including 18 from coeliac disease, and 2 from each of pink disease, pituitary cachexia, and osteomalacia.

Heart Disease.—During 1946 there were 10,120 deaths from diseases of the heart, as compared with 10,139 deaths in the previous year, and an average number of 8,813 for the decennial period ended with 1945.

The deaths from this cause in 1946 represent 24.4 per cent. of the mortality from all causes and are equivalent to a rate of 3.4 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1946 there were 1,223 deaths in which the cause was stated to be bronchitis. Of the total, 701 were of males and 522 were of females. The total is equal to a rate of 0.41 per 1,000 of the population and constitutes 2.9 per cent. of the total deaths registered. The number of deaths recorded during 1945 was 1,370, and the average figure for the decennial period from 1936 to 1945 was 1,818.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,649, equivalent to a rate of 0.56 per 1,000 of the population. Of the deaths 853 were of males and 796 of females.

The average number during the ten years from 1936 to 1945 was 2,032, and during 1945 the number recorded was 1,715.

The deaths in 1946 include 839 from broncho-pneumonia, 258 from lobar pneumonia and 552 from pneumonia (unspecified).

Diarrhoea and Enteritis.—There were 935 deaths of children under 2 years recorded, 563 being of males and 372 of females. The number recorded for 1945 was 1,092, and the average for the ten years ended with 1945 was 829. The urban mortality was equal to a rate of 23.60 per 1,000 births, and the rate for rural areas was 7.91 per 1,000 births registered, compared with respective rates of 30.04 and 8.54 in 1945.

The deaths recorded include 432 for the county borough of Dublin, and 23, 16 and 20 for the respective county boroughs of Cork, Limerick and Waterford.

DIAGRAM No. 5. Mortality from Cancer, 1932 to 1946.




TABLE K.—Deaths of women in 1946 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection ...	1	.	.	.	.	1	.	.
Abortion without Septic Condition ...	2	.	.	2	.	.	.	.
Ectopic Gestation ...	5	.	.	2	1	2	.	.
Hæmorrhage of Pregnancy ...	8	.	.	2	.	2	4	.
Toxæmias of Pregnancy ...	28	2	3	8	4	5	4	2
Other Diseases of Pregnancy ...	.	.	.	.	.	.	.	.
Hæmorrhage of Childbirth ...	40	.	1	0	12	16	1	1
Infection during Childbirth ...	19	.	1	3	6	6	3	.
Puerperal Toxæmias ...	8	.	2	2	3	1	.	.
Other Accidents of Childbirth ...	23	1	.	4	6	8	4	.
Other or unspecified Puerperal Conditions	3	.	1	.	2	.	.	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Influenza ...	3	1	.	.	.	1	1	.
Pulmonary Tuberculosis ...	1	.	.	.	1	.	.	.
Tuberculous Peritonitis ...	1	.	.	1	.	.	.	.
Anæmia ...	1	.	.	.	.	1	.	.
Heart Disease ...	5	.	.	.	3	2	.	.
Nephritis ...	6	.	.	1	2	2	1	.
Pneumonia ...	4	1	.	.	.	1	2	.
Other Causes ...	5	.	.	.	4	.	1	.
TOTAL ...	163	5	8	34	44	43	21	3

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1936–1946, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	23	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
1942 ...	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86
1943 ...	36	0.56	109	1.69	145	2.25	17	0.26	162	2.51
1944 ...	32	0.49	124	1.89	156	2.38	20	0.31	176	2.69
1945 ...	35	0.52	124	1.85	159	2.37	17	0.26	176	2.63
Average, 1936–45	48	0.81	143	2.40	191	3.21	25	0.42	216	3.63
1946 ...	20	0.29	117	1.72	137	2.01	26	0.38	163	2.39

* The figures and rates under this heading for the years 1936–39 inclusive relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz. (1) deaths from puerperal infection; (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1946 the number in the first group was 20, in the second group the figure was 117, and under the third heading there were 26 deaths; so that the total number of deaths from these causes was 163. The total represents a rate of 2.39 per 1,000 of the total births registered, as compared with 2.63 in the year 1945, and an average of 3.63 for the ten years 1936 to 1945. For the years 1940 to 1946, the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombophlebitis, and puerperal embolism and sudden death after delivery.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1936 to 1946.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

Violence.—The number of deaths classified under this heading in 1946 was 880. This figure shows an increase of 2 when compared with that for the year 1945. The average figure for the ten years 1936 to 1945 from this group of causes was 958.

Included in the figure for 1946 there were 79 by suicide, 11 by homicide (including infanticide), 4 due to war operations and 786 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is 8 more and those by homicide 8 less than the corresponding figure for 1945.

Of the suicidal deaths, 67 were of males and 12 of females. In 11 cases poisoning was the means used to cause death, including strychnine in 5 cases and arsenic in 3 cases. In the other 68 deaths by suicide the means adopted was hanging or strangulation in 27 instances, cutting or piercing instruments in 21, drowning in 11, firearms in 5 and in 4 instances other means were used to cause death.

There were 11 deaths by homicide, including 8 of males and 3 of females and there were 2 cases of infanticide.

There were 20 accidental deaths from poisons or poisonous gases, 11 of which were due to carbon monoxide.

Deaths caused by accidental burns numbered 103 (42 males and 61 females), of which 32 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1945 was 45.

Deaths classified to accidental drowning numbered 119 (96 of males and 23 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 149 deaths included under the heading of transport accidents; of this figure 119 were of males and 30 of females. In 1945 the total under this heading was 124 (103 of males and 21 of females). Deaths from motor vehicles numbered 87, compared with 55 for 1945. There were 47 deaths recorded as due to other road transport accidents. This figure includes 18 caused by bicycles and 25 by horse-drawn vehicles, compared with 32 and 24 respectively, for 1945. There were 14 deaths caused by railway accidents compared with 11 for 1945.

Of the 87 deaths attributed to motor vehicles, 28 were stated to be caused by motor lorries or vans, 35 by motor cars and 10 by 'buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1946 numbered 5,250 compared with 5,842 for the previous year. The figure for 1946 is 12.7 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 13.5 per cent. of the male mortality, and the rate for females 11.7 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 23,153 in number, constituting 55.9 per cent. of the total number of deaths, and include 12,158 deaths of males, or 55.6 per cent. of the total deaths of males, and 10,995 of females, or 56.1 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 18,746, or 45.2 per cent. of the total deaths.

There were 187 deaths of persons aged 95 years or upwards (91 being males and 96 females), and of these 20 (7 males and 13 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1945 and 1946.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1945	1946	Increase or Decrease in 1946	1945	1946	Increase or Decrease in 1946	1945	1946	Increase or Decrease in 1946
Under 5 years	21.26	19.24	—2.02	23.16	21.26	—1.90	19.30	17.14	—2.16
5— ...	1.46	1.22	—0.24	1.48	1.25	—0.23	1.45	1.18	—0.27
10— ...	1.19	1.01	—0.18	1.15	1.07	—0.08	1.23	0.96	—0.27
15— ...	2.44	2.11	—0.33	2.52	1.98	—0.54	2.35	2.24	—0.11
20— ...	3.68	3.20	—0.48	3.44	3.12	—0.32	3.94	3.29	—0.65
25— ...	3.74	3.56	—0.18	3.43	3.23	—0.20	4.06	3.90	—0.16
35— ...	4.97	4.88	—0.09	4.78	4.81	+0.03	5.16	4.95	—0.21
45— ...	9.54	9.58	+0.04	9.86	9.77	—0.09	9.21	9.38	+0.17
55— ...	20.00	19.18	—0.82	21.30	20.59	—0.71	18.66	17.71	—0.95
65— ...	49.18	49.14	—0.04	52.00	52.68	+0.68	46.23	45.43	—0.80
75 and upwards	135.29	137.26	+1.97	146.57	151.17	+4.60	125.78	125.49	—0.29
All ages	14.49	13.99	—0.50	14.94	14.59	—0.35	14.02	13.39	—0.63

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864 to 1870, for each of the decennial periods from 1871 to 1940, and for each year from 1936 to 1946 are given in Table 8.

INFANT MORTALITY.

During the year 1946 the deaths of 4,390 infants under one year of age were registered, compared with 4,739 in the preceding year. The figure for 1946 is equivalent to a rate of 65 per 1,000 births as compared with 71 for 1945, and an average of 72 for the ten years 1936 to 1945. The rate for each of the years 1936 to 1946 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,491 were those of males and 1,899 of females; the males were equal to a rate of 71 per 1,000 births of males, and the females to a rate of 58 per 1,000 births of females. The corresponding rates for 1945 were 78 and 64, respectively.

The infant mortality rates during the quarters of 1946 were, respectively, 81, 57, 54 and 62 compared with corresponding figures of 92, 61, 60 and 72 for the previous year.

The infant mortality rate for each of the years 1937 to 1946 is compared with the rate for Northern Ireland, England and Wales and Scotland in the following table:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1937 ...	73	77	58	80
1938 ...	67	75	53	70
1939 ...	66	70	50	69
1940 ...	66	86	55	78
1941 ...	74	77	58	83
1942 ...	69	76	49	69
1943 ...	83	78	49	65
1944 ...	79	67	46	65
1945 ...	71	68	46	56
1946 ...	65	54	43	54

INFANT MORTALITY—continued.

During the year 1946 the following causes accounted for 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 52 per 1,000 births:—diarrhoea and enteritis 13·12 per 1,000 births, congenital debility 9·57, premature birth 11·81, pneumonia 7·54, congenital malformations 5·20, convulsions 2·61, bronchitis 1·19 and whooping cough 0·96.

The deaths of infants during the first month of life were 45·4 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13·1, between 2 and 3 months 10·7, at 3 and under 6 months the rate was 17·7 and from 6 to 12 months old the rate was 13·1.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1936 to 1946 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1946.

TABLE N.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1946.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year
ALL CAUSES	478	527	347	305	274	1,931	574	470	779	576	4,390
Scarlet Fever	.	.	.	.	.	.	.	.	.	1	1
Whooping Cough	.	.	.	.	2	2	9	9	16	29	65
Diphtheria	.	.	.	.	.	.	.	3	2	12	17
Tuberculosis of Nervous System	.	.	.	.	.	.	.	.	5	25	30
Tuberculosis of Intestines and Peritoneum	.	.	.	.	.	.	.	.	5	5	10
Other Tuberculous Diseases	.	.	.	.	.	.	.	1	9	11	21
Syphilis	.	.	3	2	1	6	5	6	7	2	26
Influenza	.	.	.	1	2	3	12	11	19	10	55
Measles	.	.	.	1	.	1	1	.	3	11	16
Meningitis	.	.	.	1	1	2	4	2	12	13	33
Convulsions	7	22	14	11	14	68	19	18	27	45	177
Bronchitis	.	1	3	.	4	8	15	20	21	17	81
Pneumonia	1	6	29	24	18	78	65	70	159	140	512
Diarrhoea and Enteritis ...	.	6	21	60	69	156	194	149	271	121	891
Congenital Malformations ...	29	80	39	22	21	191	54	36	42	30	353
Congenital Debility	66	83	61	49	54	313	104	86	106	41	650
Premature Birth	238	271	107	76	43	735	34	17	13	3	802
Injury at Birth	65	52	21	11	5	154	3	1	1	3	162
Other Diseases peculiar to first year of life	58	60	41	35	29	223	15	10	3	1	252
Mechanical suffocation (includ- ing Overlying)	.	1	.	2	.	3	6	5	1	2	17
Other Accidents (including Lack of Care)	10	2	1	.	.	13	1	.	.	.	14
Other Causes	4	3	7	10	11	35	33	26	57	54	205

DIAGRAM No. 6. Infant Mortality, 1932 to 1946.




TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1936-1946.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946
ALL CAUSES	74.15	72.95	66.65	65.83	66.42	73.53	69.44	82.63	79.45	70.88	64.63
Scarlet Fever	0.31	0.12	0.05	0.07	0.05	0.09	0.06	0.05	0.02	.	0.01
Whooping cough	2.20	2.46	1.74	1.37	1.77	1.46	1.81	2.87	2.19	1.36	0.96
Diphtheria	0.55	0.42	0.23	0.16	0.14	0.33	0.44	0.40	0.09	0.30	0.25
Tuberculosis of Nervous System	0.50	0.35	0.32	0.29	0.27	0.33	0.33	0.51	0.47	0.42	0.44
Tuberculosis of Intestines and Peritoneum	0.17	0.25	0.19	0.27	0.20	0.09	0.17	0.23	0.11	0.12	0.15
Other Tuberculous Diseases	0.60	0.50	0.12	0.43	0.28	0.28	0.23	0.48	0.31	0.34	0.31
Syphilis	0.21	0.25	0.26	0.14	0.27	0.23	0.23	0.28	0.70	0.27	0.38
Influenza	0.48	1.59	0.42	0.93	1.06	0.92	0.56	0.68	0.89	0.28	0.81
Measles	0.93	0.56	0.35	0.39	0.35	0.37	0.32	0.15	0.69	0.17	0.24
Meningitis	0.69	0.94	1.00	0.78	0.83	0.79	0.56	0.71	0.67	0.46	0.49
Convulsions	5.32	4.99	4.43	4.48	3.55	4.23	4.05	3.99	4.40	3.53	2.67
Bronchitis	2.96	2.92	2.71	2.35	2.62	2.34	2.51	2.94	2.16	1.62	1.19
Pneumonia	8.96	8.34	8.43	7.67	7.70	7.93	7.11	8.92	8.60	8.44	7.54
Diarrhoea and Enteritis	10.38	9.95	9.12	9.33	9.67	14.18	14.32	18.27	15.82	15.58	13.11
Congenital Malformations	4.44	4.39	4.38	4.82	4.59	5.57	5.13	5.86	5.30	5.31	5.20
Congenital Debility	14.44	13.65	12.79	12.68	13.25	14.14	13.66	15.21	14.55	10.89	9.57
Premature Birth	11.31	12.16	10.96	11.02	10.67	11.57	9.24	11.50	11.72	11.32	11.80
Injury at Birth	1.19	1.31	1.21	1.46	1.80	1.39	1.12	1.51	1.57	2.17	2.38
Other Diseases peculiar to first year of life	2.70	2.46	3.14	2.68	2.86	3.17	3.52	3.67	4.25	4.47	3.71
Mechanical Suffocation (including Overlying)	0.27	0.19	0.12	0.18	0.28	0.14	0.44	0.33	0.21	0.27	0.25
Other Accidents (including Lack of Care)	0.53	0.28	0.30	0.36	0.46	0.26	0.32	0.33	0.23	0.28	0.21
Other Causes	5.01	4.87	4.38	3.97	3.75	3.72	3.31	3.65	3.90	3.28	3.02

INFANT MORTALITY—continued.

During the year 1946 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,025, representing a rate of 80 per 1,000 births registered. In 1945 the corresponding number of deaths was 2,246, and the rate 93 per 1,000 births.

For the rural areas 2,365 deaths of infants were registered in 1946, compared with 2,493 in the previous year; the rate per 1,000 births for 1946 was 56, and for 1945 was 58.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in the fourteen principal towns. For these areas in the aggregate the rate was 83 per 1,000 births, compared with 98 for the preceding year. Deaths of infants in other urban areas were equivalent to a rate of 65 per 1,000 births, the rate for 1945 being 67.

In the principal towns deaths from diarrhoea and enteritis of infants under one year of age was equal to a rate of 26 per 1,000 births compared with 8 per 1,000 in the smaller urban areas and 7 per 1,000 in rural areas.

The infant mortality rates for the principal towns are as follows, ranging in order from the highest to the lowest:—

Dublin 92, Bray 90, Clonmel 88, Dun Laoghaire 79, Galway 75, Kilkenny 71, Limerick 69, Sligo and Wexford each 68, Waterford and Tralee each 66, Cork 61, Drogheda 58, and Dundalk 56.

The following statements show the infant mortality rate for each of the years 1937 to 1946 for urban and rural districts in Eire, and for each of the principal towns:—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1937 ...	73	97	68	91	61
1938 ...	67	88	66	84	55
1939 ...	66	83	85	83	55
1940 ...	66	88	70	85	55
1941 ...	74	102	83	99	58
1942 ...	69	93	76	90	58
1943 ...	83	115	87	110	67
1944 ...	79	109	83	105	65
1945 ...	71	98	67	93	58
1946 ...	65	83	65	80	56

Infant Mortality Rate—Principal Towns.

PRINCIPAL TOWNS	YEARS									
	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946
Dublin ...	102	96	90	91	114	98	126	117	111	92
Dun Laoghaire ...	118	81	87	97	79	85	85	94	108	79
Cork ...	103	71	72	92	82	91	113	108	82	61
Limerick ...	68	70	58	70	89	77	76	123	88	69
Waterford ...	97	99	73	111	86	91	100	80	74	66
Galway ...	66	83	88	95	68	78	112	85	45	75
Dundalk ...	57	79	58	54	55	44	59	112	47	56
Drogheda ...	73	38	53	65	55	79	61	65	46	58
Sligo ...	82	61	102	77	70	75	128	85	132	68
Wexford ...	102	64	77	66	74	127	85	90	85	68
Kilkenny ...	61	58	73	93	94	70	124	74	32	71
Bray ...	67	91	55	61	116	93	93	100	93	90
Tralee ...	77	78	63	53	90	69	82	47	47	66
Clonmel ...	67	14	36	75	47	53	84	75	55	88

**TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned area.
or groups of areas in 1946.**

CAUSES OF DEATH.		DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
		CITIES AND BOROUGHS.					Remaining principal Towns.	Total principal Towns.	Other Urban Districts.	All Urban Districts.	All Rural Districts.	Éire
		Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
ALL CAUSES	91.66	79.35	61.15	69.49	65.77	69.53	82.96	65.41	79.91	55.54	64.63	
Scarlet Fever	.	.	.	.	.	.	.	.	.	0.02	0.01	
Whooping Cough	2.20	1.09	.	.	.	0.35	1.48	0.23	1.26	0.78	0.96	
Diphtheria	0.15	.	.	.	.	0.69	0.19	.	0.16	0.31	0.25	
Tuberculosis of Nervous System	0.83	.	..	1.69	1.34	0.35	0.72	0.68	0.71	0.28	0.44	
Tuberculosis of Intestines and Peritoneum	0.23	.	0.50	.	.	.	0.19	.	0.16	0.14	0.15	
Other Tuberculous Diseases	0.53	1.09	.	0.85	.	0.69	0.53	0.45	0.51	0.19	0.31	
Syphilis	1.14	.	0.50	.	.	.	0.76	.	0.63	0.24	0.38	
Influenza	0.23	.	.	.	.	1.04	0.29	1.13	0.43	1.03	0.81	
Measles	0.38	.	.	.	.	.	0.24	0.23	0.24	0.24	0.24	
Meningitis	0.46	.	1.00	0.85	2.68	1.04	0.67	0.91	0.71	0.35	0.49	
Convulsions	1.21	.	3.51	6.78	1.34	3.81	2.05	4.30	2.45	2.70	2.61	
Bronchitis	0.61	1.09	1.00	3.39	2.68	1.38	1.00	1.13	1.03	1.29	1.19	
Pneumonia	10.01	5.44	5.51	6.78	4.03	9.69	8.94	7.70	8.72	6.83	7.54	
Diarrhoea and Enteritis ...	31.76	28.26	11.03	13.56	24.17	13.49	25.80	8.37	22.77	7.37	13.11	
Congenital Malformations ...	5.08	2.17	3.51	1.69	2.68	4.84	4.49	7.24	4.97	5.33	5.20	
Congenital Debility	5.00	10.87	4.51	22.03	5.37	9.34	6.79	12.22	7.73	10.66	9.57	
Premature Birth	17.44	13.04	20.05	5.93	16.11	13.14	16.20	13.81	15.78	9.44	11.80	
Injury at Birth	4.47	5.43	1.00	.	.	3.11	3.58	1.81	3.28	1.86	2.38	
Other Diseases peculiar to first year of life	6.37	6.52	5.52	0.85	4.03	3.11	5.45	1.81	4.81	3.05	3.71	
Mechanical suffocation (including Overlying) ...	0.45	.	1.50	.	.	.	0.43	.	0.36	0.19	0.25	
Other Accidents (including Lack of Care) ...	0.08	.	.	.	.	.	0.05	0.45	0.12	0.26	0.21	
Other Causes	3.03	4.35	2.01	5.09	1.34	3.46	3.11	2.94	3.08	2.98	3.02	

PART II.

Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1946, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1880	3,891	1,920	1,971	1913	3,103	1,572	1,531
1811	4,746	2,363	2,383	1881	3,847	1,901	1,946	1914	3,092	1,568	1,524
1821	5,421	2,676	2,745	1882	3,808	1,882	1,926	1915	3,068	1,546	1,522
1831	6,194	3,033	3,161	1883	3,745	1,853	1,892	1916	3,068	1,549	1,519
1841	6,545	3,235	3,310	1884	3,703	1,834	1,869	1917	3,065	1,551	1,514
1851	5,079	2,486	2,593	1885	3,671	1,820	1,851	1918	3,066	1,553	1,513
1852	4,927	2,413	2,514	1886	3,642	1,808	1,834	1919	3,102	1,598	1,504
1853	4,807	2,358	2,449	1887	3,600	1,788	1,812	1920	3,103	1,598	1,505
1854	4,704	2,311	2,393	1888	3,554	1,766	1,788	1921	3,096	1,599	1,497
1855	4,638	2,281	2,357	1889	3,516	1,748	1,768	1922	3,022	1,529	1,493
1856	4,594	2,261	2,333	1890	3,482	1,733	1,749	1923	3,014	1,526	1,483
1857	4,540	2,234	2,306	1891	3,449	1,718	1,731	1924	3,005	1,521	1,484
1858	4,506	2,217	2,289	1892	3,408	1,697	1,711	1925	2,985	1,512	1,473
1859	4,471	2,199	2,272	1893	3,382	1,684	1,698	1926	2,971	1,507	1,464
1860	4,428	2,179	2,249	1894	3,362	1,675	1,687	1927	2,957	1,502	1,455
1861	4,393	2,164	2,229	1895	3,333	1,662	1,671	1928	2,944	1,498	1,446
1862	4,377	2,158	2,219	1896	3,314	1,653	1,661	1929	2,937	1,496	1,441
1863	4,328	2,134	2,194	1897	3,298	1,646	1,652	1930	2,927	1,493	1,436
1864	4,263	2,103	2,160	1898	3,283	1,640	1,643	1931	2,933	1,497	1,436
1865	4,223	2,084	2,139	1899	3,265	1,631	1,634	1932	2,949	1,505	1,444
1866	4,163	2,051	2,112	1900	3,234	1,616	1,618	1933	2,962	1,512	1,450
1867	4,130	2,033	2,097	1901	3,213	1,607	1,606	1934	2,971	1,518	1,453
1868	4,109	2,022	2,087	1902	3,200	1,603	1,597	1935	2,971	1,520	1,451
1869	4,090	2,012	2,078	1903	3,185	1,599	1,586	1936	2,967	1,520	1,447
1870	4,062	1,996	2,066	1904	3,175	1,597	1,578	1937	2,948	1,510	1,438
1871	4,042	1,986	2,056	1905	3,165	1,594	1,571	1938	2,937	1,505	1,432
1872	4,023	1,975	2,048	1906	3,160	1,593	1,567	1939	2,934	1,503	1,431
1873	3,989	1,955	2,034	1907	3,151	1,589	1,562	1940	2,958	1,515	1,443
1874	3,966	1,944	2,022	1908	3,145	1,588	1,557	1941	2,993	1,533	1,460
1875	3,951	1,940	2,011	1909	3,142	1,589	1,553	1942	2,968	1,499	1,464
1876	3,949	1,942	2,007	1910	3,139	1,588	1,551	1943	2,946	1,480	1,456
1877	3,956	1,947	2,009	1911	3,132	1,586	1,546	1944	2,944	1,487	1,457
1878	3,952	1,948	2,004	1912	3,120	1,581	1,539	1945	2,952	1,490	1,462
1879	3,939	1,944	1,995					1946	2,963	1,499	1,464

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
PERSONS.															
1851	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
1941	275,640	270,733	268,634	272,072	238,972	429,188	361,823	302,863	263,286	215,682	93,141				2,992,034
PROPORTION PER CENT.															
1851	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100
1941	9.21	9.05	8.98	9.09	7.99	14.35	12.09	10.12	8.80	7.21	3.11				100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females), and in 1891 the numbers were 1,469 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population. 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851 ...	51,165	198,917	321,038	362,086	319,085	240,776	312,850	263,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861 ...	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871 ...	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881 ...	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891 ...	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901 ...	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911 ...	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926 ...	28,084	118,089	144,764	150,814	146,047	124,513	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936 ...	27,152	109,213	136,348	143,720	138,112	121,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
1941 ...	140,118	137,398	136,351	136,833	121,775	216,841	181,368	154,765	134,163	110,428	42,687			1,512,727	
PROPORTION PER CENT.															
1851 ...	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861 ...	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871 ...	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881 ...	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891 ...	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901 ...	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911 ...	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926 ...	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936 ...	1.79	7.18	8.97	9.45	9.08	8.86	13.04	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100
1941 ...	9.26		9.08	9.01	9.05	8.05	14.34	11.99	10.23	8.87	7.30	2.82		100	

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851 ...	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861 ...	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871 ...	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881 ...	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891 ...	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901 ...	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911 ...	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926 ...	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936 ...	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
1941 ...	135,522	133,335	132,283	135,239	117,197	212,347	180,455	148,098	129,123	105,254	50,454				1,479,307
PROPORTION PER CENT.															
1851 ...	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861 ...	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871 ...	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881 ...	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891 ...	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901 ...	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911 ...	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	3.16	2.74	0.36	0.04	100
1926 ...	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936 ...	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100
1941 ...	9.16	9.01	8.94	9.14	7.92	14.36	12.20	10.01	8.73	7.12	3.41				100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1946.

PERIOD.			Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.	
				TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.			Total.	Males.		Females
				Total.	Males.	Females		Total.	Total.	Males.				
Average, 1864-70	...	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
" 1931-40	...	...	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1836	...	...	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	...	...	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	...	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	...	...	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	...	...	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	...	...	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	...	...	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	...	...	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
Average, 1936-45	...	...	15,874	60,375	30,986	29,389	58,251	2,124	1,090	1,034	42,814	22,198	20,616	17,561
1946	...	...	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1946.

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900 ...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40 ...	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1936 ...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.24
1937 ...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938 ...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939 ...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
1940 ...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97
1941 ...	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942 ...	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943 ...	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944 ...	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
1945 ...	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16
Average, 1936-45	5.37	20.44	19.72	0.72	3.50	1,054	14.49	72.19	5.95
1946...	5.91	22.92	22.03	0.89	3.89	1,071	13.99	64.63	8.93

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1936-46 ; with the average annual rates for the ten years 1936-45 and the rate for 1946 per 1,000 of the population.

YEAR.	Marriages.															Births.						Deaths.					
	Catholic.					All Other.					Total.					Quarter ending the last day of				Total.	Quarter ending the last day of				Total.		
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.												
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.				
1936	...	...	3,638	3,175	3,822	3,199	13,834	158	252	361	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586
1937	...	...	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086
1938	...	...	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041
1939	...	...	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717
1940	...	...	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885
1941	...	...	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942	..	..	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
1943	...	...	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
1944	...	...	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
1945	...	...	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762
Average for ten years, 1936-1945			3,622	3,648	4,243	3,423	14,936	169	249	332	188	938	3,791	3,897	4,575	3,611	15,874	14,804	16,011	15,539	14,021	60,375	13,428	10,763	8,671	9,952	42,814
1946	...		4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457
Equivalent Annual Rate per 1,000 living :-																											
Average, 1936-45			5.2	5.3	6.1	5.0	5.4	3.5	5.1	6.8	3.9	4.8	5.1	5.3	6.2	4.9	5.4	20.0	21.7	21.0	19.0	20.4	18.2	14.6	11.7	13.5	14.5
1946	...		6.2	5.7	7.1	5.2	6.0	3.3	4.6	5.4	3.4	4.2	6.0	5.6	7.0	5.0	5.9	23.0	24.5	23.3	21.0	22.9	17.6	14.2	11.5	12.6	14.0

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1923).

CAUSES OF DEATH.		ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
		1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES	...	87,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever	...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus fever	...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.	...		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox	...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles	...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever	...	2,001	1,640	720	291	110	48.1	41.3	19.5	3.7	3.5
Whooping cough...	...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria	...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza	...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera	...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery	...	404	198	986	942		9.7	5.0	26.9	28.3	
Diarrhoea	...	1,456	1,300		35.1		32.8				
Pulmonary tuberculosis.	...	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	...	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer	...	—	—	1,362	1,608	2,157	—	—	37.4	48.8	68.2
Pneumonia	...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.	...					6,334‡				200.8‡	
Puerperal sepsis	...	234	274	244	199	150	5.7	6.0	6.7	6.0	4.8
Other puerperal conditions.	...	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide	...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence	...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-40.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-40	1911-20	1921-30	1931-40
	ALL CAUSES ...	51,453	43,203	41,841	1,664.4	1,446.9	1,411.2
1	Typhoid fever ...	195	108	64	6.3	3.6	2.2
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	173	12.4	8.5	5.8
4	Scarlet fever ...	148	78	88	4.8	2.6	3.0
5	Whooping cough...	494	365	215	16.0	12.3	7.3
6	Diphtheria ...	225	282	321	7.3	9.4	10.8
7	Influenza ...	2,030	1,221	1,265	65.8	40.9	42.6
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethargica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,797	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	773	42.4	30.8	26.1
13	Cancer ...	2,591	2,933	3,529	83.8	98.4	119.0
14	Diabetes mellitus	245	227	260	7.9	7.6	8.8
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,392	45.8	69.6	80.7
16	Heart disease ...	5,148	4,981	7,273	166.5	167.1	245.2
*17	Other circulatory diseases	—	439	734	—	14.7	24.7
18	Bronchitis ...	4,324	2,760	2,182	139.8	92.0	73.6
19	Pneumonia, all forms	2,853	2,476	2,420	92.3	83.0	81.6
20	Other respiratory diseases	819	722	688	26.5	24.2	23.2
21	Gastric or duodenal ulcer	229	274	327	7.4	9.2	11.0
22	Diarrhoea and enteritis under 2 years	814	592	584	26.3	19.8	19.7
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	72	5.9	3.2	2.4
*25	Other diseases of Liver, etc.	—	138	162	—	4.6	5.5
*26	Other digestive diseases	—	1,172	909	—	39.2	30.7
27	Acute and chr. nephritis	1,150	1,132	1,195	37.2	38.0	40.3
28	Puerperal sepsis ...	129	101	71	4.2	3.4	2.4
29	Other puerperal causes	212	190	170	6.9	6.4	5.7
*30	Congenital debility, etc.	2,101	1,788	1,852	68.0	59.9	62.5
*31	Senility ...	—	8,300	6,135	—	277.8	206.9
32	Suicide ...	82	89	98	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	881	37.7	34.1	29.7
34	Other defined causes	16,609	3,491	3,323	537.2	117.0	112.1
35	Causes ill-defined or unknown.	1,361	1,362	636	44.0	43.4	21.5

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1944 to 1946.

Nos.	CAUSES OF DEATH.	ÉIRE.						NORTHERN IRELAND.					
		No.			Rate.			No.			Rate.		
		1944	1945	1946	1944	1945	1946	1944	1945	1946	1944	1945	1946
	ALL CAUSES	45,128	42,762	41,457	1532.9	1448.6	1399.2	16,791	16,264	16,666	1277.9	1232.1	1250.3
1	Typhoid fever (including paratyphoid)	58	32	26	2.0	1.1	0.9	19	6	9	1.4	0.5	0.7
2	Cerebro-spinal meningitis ...	37	31	25	1.3	1.1	0.8	25	28	26	1.9	2.1	2.0
3	Scarlet fever ...	10	4	3	0.3	0.1	0.1	5	8	5	0.4	0.6	0.4
4	Whooping cough ...	242	146	117	8.2	4.9	3.9	95	76	65	7.2	5.8	4.9
5	Diphtheria ...	293	236	139	10.0	8.0	4.7	64	35	18	4.9	2.7	1.4
6	Tuberculosis of respiratory system...	2,935	2,777	2,585	99.7	94.1	87.2	862	799	849	65.6	60.5	63.7
7	All other forms of tuberculosis.	904	917	805	30.7	31.1	27.2	302	259	262	23.0	19.6	19.6
8	Dysentery ...	3	10	3	0.1	0.3	0.1	3	4	1	0.2	0.3	0.1
9	Influenza ...	812	306	769	27.6	10.4	26.0	213	139	381	16.2	10.5	28.6
10	Measles ...	144	42	47	4.9	1.4	1.6	8	24	8	0.6	1.8	0.6
11	Acute infectious encephalitis	11	22	16	0.4	0.7	0.5	18	25	17	1.4	1.9	1.3
12	Typhus ...	1	—	—	0.0	—	—	—	—	—	—	—	—
13	Cancer ...	4,176	3,954	4,024	141.8	133.9	135.8	1,852	1,898	1,889	140.9	143.8	141.7
14	Diabetes mellitus ...	249	221	250	8.5	7.5	8.4	108	109	88	8.2	8.2	6.6
15	Intra-cranial lesions of vascular origin.	2,770	2,689	2,716	94.1	91.1	91.7	1,603	1,537	1,531	122.0	116.4	114.8
16	Diseases of the heart ...	10,111	10,139	10,120	343.4	343.5	341.5	3,860	4,025	4,353	293.8	304.9	326.5
17	Other diseases of the circulatory system.	808	869	889	27.4	29.4	30.0	356	322	385	27.1	24.4	28.9
18	Bronchitis ...	1,591	1,370	1,223	54.0	46.4	41.3	574	572	673	43.7	43.3	50.5
19	Pneumonia ...	1,916	1,715	1,649	65.1	58.1	55.7	786	765	806	59.8	58.0	60.5
20	Other diseases of the respiratory system.	857	621	619	22.3	21.0	20.9	239	244	280	18.2	18.5	21.0
21	Ulcer of the stomach or duodenum.	271	221	270	9.2	7.5	9.1	132	107	130	10.0	8.1	9.8
22	Diarrhoea and enteritis ...	1,242	1,284	1,074	42.2	43.5	36.3	374	309	191	28.5	23.4	14.3
23	Appendicitis ...	137	114	108	4.7	3.9	3.6	70	55	67	5.3	4.2	5.0
24	Cirrhosis of the liver ...	55	64	47	1.9	2.2	1.6	22	26	29	1.7	2.0	2.2
25	Diseases of the liver and biliary passages.	118	166	145	4.0	5.6	4.9	84	65	45	6.4	4.9	3.4
26	Other diseases of the digestive system.	596	539	508	20.2	18.3	17.1	200	241	248	15.2	18.3	18.6
27	Nephritis ...	1,144	1,110	1,027	38.9	37.6	34.7	360	316	351	27.4	23.9	26.3
28	Puerperal infection ...	32	35	20	1.1	1.2	0.7	21	19	11	1.6	1.4	0.8
29	Other diseases of childbirth	124	124	117	4.2	4.2	3.9	74	59	59	5.6	4.5	4.4
30	Congenital debility, etc. (Nos. 157-161).	2,514	2,375	2,302	85.4	80.5	77.7	1,127	1,032	881	85.8	78.2	66.1
31	Senility ...	6,621	6,298	5,939	224.9	213.3	200.4	1,494	1,378	1,369	113.7	104.4	102.6
32	Suicide ...	77	71	79	2.6	2.4	2.7	48	28	47	3.7	2.1	3.5
33	Other violence ...	824	807	801	28.0	27.3	27.0	490	440	431	37.3	33.3	32.4
34	Other causes ...	3,645	3,453	2,995	123.8	117.0	101.2	1,303	1,314	1,161	99.2	99.5	87.1

**TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1946.**

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
" 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	276
" 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
" 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
" 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
" 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
" 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
" 1931-40 ...	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1936 ...	21,920	3,210	283	235	318	541	849	1,104	1,746	3,426	5,680	3,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	76
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	77
1942 ...	21,868	3,294	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	65
1943 ...	22,663	3,749	270	178	397	482	926	969	1,541	2,951	5,699	4,461	966	74
1944 ...	23,477	3,607	273	160	326	424	784	951	1,589	3,051	6,066	4,992	1,180	74
1945 ...	22,266	3,231	202	156	344	417	740	864	1,520	2,845	5,718	5,046	1,112	71
Average, 1936-45 ...	22,198	3,147	269	187	355	452	868	1,003	1,655	3,189	5,730	4,310	959	74
1946 ...	21,863	2,952	170	144	269	376	695	864	1,498	2,737	5,764	5,110	1,193	91

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.73	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.21	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.16	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.36	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.33	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59
1943 ...	15.21	27.17	2.00	1.33	2.94	4.02	4.33	5.42	10.11	22.33	52.39	130.92	—
1944 ...	15.79	26.19	2.02	1.19	2.42	3.54	3.68	5.34	10.45	23.14	55.89	148.88	—
1945 ...	14.94	23.16	1.48	1.15	2.52	3.44	3.43	4.78	9.86	21.30	52.00	146.57	—
Average, 1936-45 ...	14.75	23.05	1.99	1.33	2.59	3.49	4.16	5.59	10.55	22.85	55.68	—	—
1946 ...	14.59	21.26	1.25	1.07	1.98	3.12	3.23	4.81	9.77	20.59	52.68	151.17	—

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1946.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS			DEATHS FROM						Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases. *	Tuber- culosis.	Cancer.	Puerperal Infection		Other Diseases of Child birth.	
IRE.	17,525	67,922	2,642	41,457	1,270	3,390	4,024	7	13	117	4,390
Carlow ...	171	824	49	487	8	39	42	.	1	1	54
Dublin Co. ...	860	2,702	86	1,516	68	125	176	1	1	.	207
City of Dublin ...	4,093	13,190	352	6,621	499	767	626	2	3	9	1,209
Kildare ...	301	1,747	82	863	25	73	82	.	1	1	117
Kilkenny ...	344	1,529	65	927	21	55	70	.	.	1	109
Laoighis ...	197	1,125	68	723	20	40	64	.	1	.	86
Longford ...	169	840	43	528	9	35	72	.	.	1	51
Louth ...	370	1,639	57	892	34	98	101	.	.	1	86
Meath ...	317	1,605	96	907	29	67	94	.	.	3	79
Offaly ...	298	1,239	61	712	17	52	75	.	.	2	73
Westmeath ...	320	1,388	73	815	15	69	84	.	.	4	78
Wexford ...	508	2,233	139	1,368	33	112	153	1	.	6	133
Wicklow ...	320	1,483	80	899	34	62	89	.	.	2	105
LEINSTER ...	8,268	31,544	1,251	17,258	812	1,594	1,728	4	7	31	2,387
Clare ...	459	1,870	63	1,278	15	116	111	.	.	6	83
Cork Co. ...	1,232	5,416	223	3,955	68	256	424	.	.	15	345
Cork Co. Borough ...	858	1,995	43	1,075	29	100	98	.	.	2	122
Kerry ...	772	2,772	69	1,851	29	160	170	2	2	10	124
Limerick Co. ...	463	2,402	166	1,354	50	79	144	.	.	6	192
Limerick Co. Borough ...	522	1,180	35	570	18	85	37	1	.	1	82
Tipperary N.R. ...	309	1,323	90	906	21	76	80	.	.	3	91
Tipperary S.R. ...	438	1,811	78	1,108	22	89	135	.	1	2	107
Waterford Co. ...	271	995	70	742	17	46	61	.	.	4	55
Waterford Co. Boro' ...	179	745	31	413	20	52	36	.	.	.	49
MUNSTER ...	5,503	20,509	868	13,247	289	1,059	1,296	3	3	49	1,250
Galway ...	808	3,704	104	2,301	46	204	189	.	.	8	199
Leitrim ...	205	825	19	708	6	44	53	.	.	2	24
Mayo ...	746	3,147	68	2,111	29	144	208	.	.	8	111
Roscommon ...	301	1,314	35	1,083	8	59	91	.	1	1	62
Sligo ...	310	1,212	44	984	15	69	87	.	.	3	68
CONNAUGHT ...	2,370	10,202	270	7,187	104	520	628	.	1	22	464
Cavan ...	334	1,413	69	1,037	9	53	99	.	.	1	72
Donegal ...	746	2,998	123	1,902	48	115	169	.	2	9	163
Monaghan ...	304	1,256	61	826	8	49	104	.	.	5	54
ULSTER (part of) ...	1,884	5,667	253	3,765	65	217	372	.	2	15	289

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1946.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Census of Popu- lation, 1946.	MARRI- AGES.	BIRTHS.			DEATHS.					
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes.	Prin- cipal Epid- emic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.
ÉIRE ...	2,953,452	5.9	22.9	3.9	14.0	0.4	1.1	1.4	0.3	1.7	65
Carlow ...	34,048	5.0	24.2	5.9	14.3	0.2	1.1	1.2	1.2	1.2	66
Dublin Co. ...	129,241	6.7	20.9	3.2	11.7	0.5	1.0	1.4	0.7	.	77
City of Dublin ...	506,635	8.1	26.0	2.7	13.0	1.0	1.5	1.2	0.4	0.7	92
Kildare ...	64,834	4.6	26.9	4.7	13.3	0.4	1.1	1.3	0.6	0.6	67
Kilkenny ...	66,683	5.2	22.9	4.3	13.9	0.3	0.8	1.0	.	0.7	71
Laoighis ...	49,634	4.0	22.7	6.0	14.6	0.4	0.8	1.3	0.9	.	76
Longford ...	36,221	4.7	23.2	5.1	14.6	0.2	1.0	2.0	.	1.2	61
Louth ...	66,135	5.6	24.8	3.5	13.5	0.5	1.5	1.5	.	0.6	52
Meath ...	66,220	4.8	24.2	6.0	13.7	0.4	1.0	1.4	.	1.9	49
Offaly ...	53,644	5.6	23.1	4.9	13.3	0.3	1.0	1.4	.	1.6	59
Westmeath ...	54,880	5.8	25.3	5.3	14.9	0.3	1.3	1.5	.	2.9	56
Wexford ...	91,704	5.5	24.4	6.2	14.9	0.4	1.2	1.7	0.4	2.7	60
Wicklow ...	60,340	5.3	24.6	5.4	14.9	0.6	1.0	1.5	.	1.3	71
LEINSTER ...	1,280,219	6.5	24.6	4.0	13.5	0.6	1.2	1.3	0.3	1.0	76
Clare ...	85,971	5.4	22.0	3.4	15.0	0.2	1.4	1.3	.	3.2	41
Cork Co. ...	267,882	4.6	20.2	4.1	14.8	0.3	1.0	1.6	.	2.8	64
Cork Co. Borough ...	75,361	11.4	26.5	2.2	14.3	0.4	1.3	1.3	.	1.0	61
Kerry ...	133,818	5.8	20.7	2.5	13.8	0.2	1.2	1.3	1.4	3.6	45
Limerick Co. ...	99,493	4.7	24.1	6.9	13.6	0.5	0.8	1.4	.	2.5	89
Limerick Co. Borough ...	42,987	12.1	27.5	3.0	13.3	0.4	2.0	0.9	0.8	0.8	69
Tipperary, N. R. ...	58,099	5.3	22.8	6.8	15.6	0.4	1.3	1.4	.	2.3	69
Tipperary, S. R. ...	77,882	5.6	23.3	4.3	14.2	0.3	1.1	1.7	0.6	1.1	59
Waterford Co. ...	47,825	5.7	20.8	7.0	15.5	0.4	1.0	1.3	.	4.0	55
Waterford Co. Boro'. ...	28,332	6.3	26.3	4.2	14.6	0.7	1.8	1.3	.	.	66
MUNSTER ...	916,750	6.0	22.4	4.2	14.4	0.3	1.2	1.4	0.3	2.4	61
Galway ...	165,196	4.9	22.4	2.8	13.9	0.3	1.2	1.1	.	2.2	54
Leitrim ...	44,578	4.6	18.5	2.3	15.9	0.1	1.0	1.2	.	2.4	29
Mayo ...	148,200	5.0	21.2	2.2	14.2	0.2	1.0	1.4	.	2.5	35
Roscommon ...	72,511	4.2	18.1	2.7	14.9	0.1	0.8	1.3	0.8	0.8	47
Sligo ...	62,331	5.0	19.4	3.6	15.8	0.2	1.1	1.4	.	2.5	56
CONNUGHT ...	492,816	4.8	20.7	2.6	14.6	0.2	1.1	1.3	0.1	2.2	45
Cavan ...	70,323	4.7	20.1	4.9	14.7	0.1	0.8	1.4	.	0.7	51
Donegal ...	136,136	5.5	22.0	4.1	14.0	0.4	0.8	1.2	0.7	3.0	54
Monaghan ...	57,208	5.3	22.0	4.9	14.4	0.1	0.9	1.8	.	4.0	43
ULSTER (part of) ...	263,667	5.2	21.5	4.5	14.3	0.2	0.8	1.4	0.4	2.6	51

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1946.

*See note page 15.

TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1946.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puerperal Infection.		Other Diseases of Child- birth.	Infants under One Year of Age.
						Sepsis.	Other.		
ÉIRE	67,922	41,457	1,270	3,390	4,024	7	13	117	4,390
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS ...	25,339	13,297	713	1,506	1,286	4	4	24	2,025
ALL RURAL DISTRICTS	42,583	28,160	557	1,884	2,738	3	9	93	2,365
COUNTY BOROUGH AND PRINCIPAL TOWNS NAMED BELOW ...	20,921	10,765	657	1,211	1,023	4	3	18	1,786
CITY OF DUBLIN ...	13,190	6,621	499	767	626	2	3	9	1,209
Borough of Dun Laoghaire ...	920	592	31	33	75	1	.	.	73
Cork County Borough	1,995	1,075	29	100	98	.	.	2	122
Limerick County Borough ...	1,180	570	18	85	37	1	.	1	32
Waterford County Borough ...	745	413	20	52	36	.	.	.	49
Galway Borough ...	441	215	14	30	19	.	.	.	33
Dundalk U.D. ...	446	241	19	33	31	.	.	.	25
Drogheda U.D. ...	395	175	7	19	24	.	.	1	23
Sligo U.D. ...	265	159	3	29	16	.	.	1	18
Wexford U.D. ...	309	166	1	15	21	.	.	1	21
Kilkenny U.D. ...	269	134	4	11	6	.	.	1	19
Bray U.D. ...	267	163	7	15	16	.	.	.	24
Tralee U.D. ...	259	134	5	17	12	.	.	2	17
Clonmel U.D. ...	240	107	.	5	6	.	.	.	21
OTHER URBAN DIS- TRICTS	4,418	2,532	56	295	263	.	1	6	289
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS IN:—									
Province of Leinster	17,397	8,919	585	992	871	3	3	15	1,478
Province of Munster	6,340	3,492	101	390	332	1	1	7	436
Province of Connaught	1,061	601	20	94	55	.	.	1	72
Province of Ulster (part of)	541	285	7	30	28	.	.	1	39
ALL RURAL DISTRICTS IN:—									
Province of Leinster	14,147	8,339	227	602	857	1	4	16	909
Province of Munster	14,169	9,755	188	669	964	2	2	42	814
Province of Connaught	9,141	6,586	84	426	573	.	1	21	392
Province of Ulster (part of)	5,126	3,480	58	187	344	.	2	14	250

* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1946.

URBAN AND RURAL AREAS.	Population according to the Census of Population, 1946.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,953,452	22.9	14.0	0.4	1.1	1.4	0.3	1.7	65
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	1,011,152	25.1	13.2	0.7	1.5	1.3	0.3	0.9	80
ALL RURAL DISTRICTS	1,942,300	21.9	14.5	0.3	1.0	1.4	0.3	2.2	56
COUNTY BOROUGHS AND PRINCIPAL TOWNS NAMED BELOW ... ; ...	819,118	25.5	13.1	0.8	1.5	1.2	0.3	0.9	83
CITY OF DUBLIN ...	506,635	26.0	13.0	1.0	1.5	1.2	0.4	0.7	92
Borough of Dun Laoghaire ...	44,689	21.5	13.9	0.7	0.8	1.8	1.1	.	79
Cork County Borough	75,361	26.5	14.3	0.4	1.3	1.3	.	1.0	61
Limerick County Borough ...	42,987	27.5	13.3	0.4	2.0	0.9	0.8	0.8	69
Waterford County Borough ...	28,332	26.3	14.6	0.7	1.8	1.3	.	.	66
Galway Borough ...	20,437	21.6	10.5	0.7	1.5	0.9	.	.	75
Dundalk U.D. ...	18,546	24.0	13.0	1.0	1.8	1.7	.	.	56
Drogheda U.D. ...	15,709	25.1	11.1	0.4	1.2	1.5	.	2.5	58
Sligo U.D. ...	12,906	20.5	12.3	0.2	2.2	1.2	.	3.8	68
Wexford U.D. ...	12,308	25.1	13.5	0.1	1.2	1.7	.	3.2	68
Kilkenny U.D. ...	10,289	26.1	13.0	0.4	1.1	0.6	.	3.7	71
Bray U.D. ...	11,076	24.1	14.7	0.6	1.4	1.4	.	.	90
Tralee U.D. ...	9,982	25.9	13.4	0.5	1.7	1.2	.	7.7	66
Clonmel U.D. ...	9,861	24.3	10.9	.	0.5	0.6	.	.	88
OTHER URBAN DISTRICTS, ...	192,034	23.0	13.2	0.3	1.5	1.4	0.2	1.4	65
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	683,346	25.5	13.1	0.9	1.5	1.3	0.3	0.9	85
Province of Munster	250,616	25.3	13.9	0.4	1.6	1.3	0.3	1.1	69
Province of Connaught	53,003	20.0	11.3	0.4	1.8	1.0	.	0.9	68
Province of Ulster (part of)	24,187	22.4	11.8	0.3	1.2	1.2	.	1.8	72
ALL RURAL DISTRICTS IN :—									
Province of Leinster	596,873	23.7	14.0	0.4	1.0	1.4	0.4	1.1	64
Province of Munster	666,134	21.3	14.6	0.3	1.0	1.4	0.3	3.0	57
Province of Connaught	439,813	20.8	15.0	0.2	1.0	1.3	0.1	2.3	43
Province of Ulster (part of)	239,480	21.4	14.5	0.2	0.8	1.4	0.4	2.7	49

NOTE.—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire, are calculated on the population estimated to the middle of 1946.

*See note, page 15.

TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1946.

PROVINCES AND COUNTIES	DEATHS OF INFANTS UNDER ONE MONTH OLD										
	Total Number	Rate per 1,000 Births	CAUSE OF DEATH								
			Prema- ture Birth	Debility	Injury at Birth	Other Diseases of Infancy	Congen- ital Malfor- mations	Diarrhoea and Enteritis	Convul- sions	Pneu- monia	Other Causes
ÉIRE ...	1,991	29	735	313	154	223	191	156	68	73	73
Carlow ...	27	33	8	6	3	3	4	.	.	2	1
Dublin ...	108	40	38	11	8	22	10	13	.	6	.
City of Dublin ...	535	41	214	29	57	74	36	77	5	24	19
Kildare ...	55	31	25	15	1	1	6	5	2	.	.
Kilkenny ...	49	32	16	11	2	6	2	6	1	3	2
Laoighis ...	29	26	14	7	1	2	1	.	4	.	.
Longford ...	27	32	6	8	2	3	6	1	.	1	.
Louth ...	40	24	19	3	6	3	8	1	.	.	.
Meath ...	39	24	9	8	6	2	4	3	2	.	5
Offaly ...	33	27	12	9	3	2	2	1	3	.	1
Westmeath ...	34	24	14	5	1	2	6	.	.	3	3
Wexford ...	56	25	15	15	4	3	5	2	3	4	5
Wicklow ...	42	28	11	4	5	7	3	4	2	3	3
LEINSTER ...	1,074	34	401	131	99	130	93	113	22	46	39
Clare ...	45	24	19	8	2	2	5	3	2	1	3
Cork ...	178	33	73	33	9	16	18	8	6	4	11
Cork Co. Borough ...	63	32	36	6	2	9	5	2	1	.	2
Kerry ...	55	20	23	12	5	3	4	2	5	1	.
Limerick ...	94	39	29	17	7	5	9	11	7	7	2
Limerick Co. Borough	27	23	6	13	.	1	.	3	3	.	1
Tipperary, N.R. ...	49	37	18	14	.	8	3	1	2	2	1
Tipperary, S.R. ...	57	31	25	18	.	3	6	1	1	3	.
Waterford ...	23	23	6	7	2	2	1	1	3	1	.
Waterford Co. Boro'	17	23	10	1	.	1	2	2	1	.	.
MUNSTER ...	608	30	245	129	27	50	53	34	31	19	20
Galway ...	72	19	21	9	4	11	8	4	6	4	5
Leitrim ...	11	13	3	1	1	.	2	1	1	1	1
Mayo ...	43	14	15	9	4	5	6	1	1	1	1
Roscommon ...	21	16	8	3	2	2	3	.	1	1	1
Sligo ...	33	27	7	5	2	7	8	1	1	1	1
CONNAUGHT ...	180	18	54	27	13	25	27	7	10	8	9
Cavan ...	38	27	14	5	1	8	8	.	1	.	1
Donegal ...	62	21	12	16	9	6	7	1	3	5	3
Monaghan ...	29	23	9	5	5	4	3	1	1	.	1
ULSTER (part of)	129	23	35	26	15	18	18	2	5	5	5

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1946, for the Fourteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popu- lation according to the Census of Popula- tion, 1946	Annual Rate per 1,000 persons represented by				BIRTHS. Total Number.	DEATHS.																						
		BIRTHS.	DEATHS				Total Number.	Total Number.	Under 1 year of age.	At 65 years and up- wards.	Caused by												Tuber- culosis.	Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.
			All Causes.	Principal epidemic diseases.	Total Number.						Principal Epidemic Diseases.																		
											Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Other Venous.								
IRE	2,953,452	22.9	14.0	0.4	67,922	41,457	4,390	23,153	26	3	117	139	3	.	47	.	935	2,585	805	769	4,024	20	117	880	5,120				
Total Rural Districts ...	1,942,300	21.9	14.5	0.3	42,583	28,160	2,365	17,301	23	3	63	98	2	.	31	.	337	1,415	469	638	2,738	12	93	613	4,901				
Total Urban Districts ...	1,011,152	25.1	13.2	0.7	25,339	13,297	2,025	5,852	3	.	54	41	1	.	16	.	598	1,170	336	131	1,286	8	24	267	219				
Total 14 Principal Towns ...	819,118	25.5	13.1	0.8	20,921	10,765	1,736	4,598	3	.	46	35	1	.	15	.	557	943	268	98	1,023	7	18	222	131				
City of Dublin ...	506,635	26.0	13.0	1.0	13,190	6,621	1,209	2,671	2	.	43	11	.	.	11	.	432	589	178	42	626	5	9	140	87				
Borough of Dun Laoghaire	44,689	21.5	13.9	0.7	920	592	73	330	.	.	2	1	1	.	.	.	27	28	5	11	75	1	.	11	1				
Cork Co. Borough ...	75,361	26.5	14.3	0.4	1,995	1,075	122	490	.	.	.	2	.	.	4	.	23	76	24	11	98	.	2	29	7				
Limerick „ ...	42,987	27.5	13.3	0.4	1,180	570	82	231	.	.	.	2	.	.	.	.	16	69	16	4	37	1	1	11	10				
Waterford „ ...	28,332	26.3	14.6	0.7	745	413	49	206	.	.	.	.	.	.	.	.	20	40	12	7	36	.	.	8	2				
Galway Borough ...	20,437	21.6	10.5	0.7	441	215	33	92	1	.	1	7	.	.	.	.	5	24	6	2	19	.	.	4	6				
Dundalk ...	18,546	24.0	13.0	1.0	446	241	25	97	.	.	.	9	.	.	.	.	10	28	5	2	31	.	.	5	7				
Drogheda ...	15,709	25.1	11.1	0.4	395	175	23	74	.	.	.	1	.	.	.	.	6	17	2	1	24	.	1	2	2				
Sligo ...	12,906	20.5	12.3	0.2	265	159	18	72	.	.	.	.	.	.	.	.	3	20	9	2	16	.	1	4	.				
Wexford ...	12,308	25.1	13.5	0.1	309	166	21	78	.	.	.	.	.	.	.	.	1	11	4	1	21	.	1	.	2				
Kilkenny ...	10,289	26.1	13.0	0.4	269	134	19	68	.	.	.	.	.	.	.	.	4	9	2	8	6	.	1	1	3				
Bray ...	11,076	24.1	14.7	0.6	267	163	24	76	.	.	.	1	.	.	.	.	6	13	2	2	16	.	.	5	.				
Tralee ...	9,982	25.9	13.4	0.5	259	134	17	62	.	.	.	1	.	.	.	.	4	16	1	5	12	.	2	1	4				
Clonmel ...	9,861	24.3	10.9	.	240	107	21	51	.	.	.	.	.	.	.	.	.	3	2	.	6	.	.	1	.				

Total other Urban Districts	192,034	23.0	13.2	0.3	4,418	2,532	289	1,254	.	.	8	6	.	.	1	.	41	227	68	33	263	1	6	45	88
J. LEINSTER.																									
An Uaimh ...	4,103	23.6	12.2	.	97	50	2	23	.	.	.	.	.	.	.	.	.	4	1	.	4	.	1	3	2
Arklow ...	4,851	22.7	15.5	0.4	110	75	4	45	.	.	.	.	.	.	.	.	2	6	1	.	9	.	.	.	2
Athlone ...	8,356	29.4	10.1	.	246	84	10	34	.	.	.	.	.	.	.	.	.	12	1	2	8	.	.	2	6
Athy ...	3,635	25.6	12.1	0.3	93	44	5	24	.	.	.	.	.	.	.	.	1	5	1	1	5	.	.	.	1
Birr ...	3,225	21.1	15.2	.	68	49	1	26	.	.	.	.	.	.	.	.	.	4	3	.	1	.	.	.	.
Carlow ...	7,465	21.2	11.1	.	158	83	7	43	.	.	.	.	.	.	.	.	.	6	2	5	6	.	1	2	10
Ceannanus Mór ...	2,141	27.1	11.2	0.5	58	24	2	14	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1
Enniscorthy ...	5,960	24.2	15.8	0.3	144	94	11	46	.	.	.	.	.	.	.	.	2	10	1	1	8	.	.	1	.
Granard ...	1,198	26.7	6.7	.	32	8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Longford ...	4,019	28.4	13.7	1.0	114	55	10	28	.	.	.	.	.	.	.	.	4	6	1	.	3	.	1	1	3
Naas ...	3,774	23.8	9.8	0.3	90	37	4	16	.	.	.	.	.	.	.	.	1	5	.	.	.	.	.	.	.
New Ross ...	4,898	23.5	16.9	0.6	115	83	13	34	.	.	.	.	.	.	.	.	3	11	4	1	13	.	.	1	.
Trim ...	1,378	23.9	11.6	0.7	33	16	2	7	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	1
Tullamore ...	5,894	29.5	13.2	0.3	174	78	8	36	.	.	.	.	.	.	.	.	2	4	5	1	5	.	.	.	2
Wicklow ...	3,197	21.6	14.7	.	69	47	5	28	.	.	.	.	.	.	.	.	.	4	1	2	4	.	.	.	1

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1946.

TABLE 14.—URBAN DISTRICTS, 1946 (continued).

AREA.	Popu- lation according to the Census of Popula- tion, 1946	Annual Rate per 1,000 persons represented by			BIRTHS.	DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		BIRTHS.	DEATHS			Total Number.	Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by										Tuber- culosis	Influenza.	Cancer	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			All Causes.	Principal epidemic diseases.						Total Number.	Principal Epidemic Diseases.																Pulmonary.	Other Forms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
											Typhoid fever	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Other Forms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
II. MUNSTER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

Skibbereen	...	...	2,361	22.9	16.5	.	54	39	4	21	.	.	.	.	.	.	.	1	1	.	4	.	.	.	6
Templemore	...	...	2,058	24.3	15.5	0.5	50	32	3	12	.	.	.	.	.	.	.	1	4	2	.	3	.	.	1
Thurles	...	...	6,012	24.1	13.8	0.2	145	83	19	38	.	.	.	.	.	.	.	1	5	3	.	9	.	.	1
Tipperary	...	...	5,266	29.6	14.6	0.2	156	77	12 ₆	37	.	.	1	.	.	.	.	6	3	.	11	1	.	2	
Youghal	...	...	4,803	26.4	14.8	0.6	127	71	11	37	.	.	.	.	.	.	.	3	3	4	3	9	.	.	2

III. CONNAUGHT.

Ballina	...	...	6,058	25.4	13.7	0.2	154	83	7	40	.	.	.	.	.	.	1	.	.	13	2	2	9	.	.	1	5
Ballinasloe	...	...	5,425	10.9	8.5	0.2	59	46	7	19	.	.	.	.	.	.	.	1	.	5	3	.	.	.	.	1	1
Castlebar	...	...	4,939	14.0	8.7	.	69	43	4	23	.	.	.	.	.	.	.	.	2	2	2	5	.	.	.	2	
Westport	...	...	3,238	22.5	17.0	0.3	73	55	3	27	.	.	1	.	.	.	.	.	8	.	1	6	.	.	.	3	4

IV. ULSTER (part of).

Belturbet	...	...	1,179	22.1	16.1	.	26	19	1	12	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.
Buncrana	...	...	2,732	30.0	8.1	0.7	82	22	7	7	.	.	.	.	.	.	.	2	4	2	.	.	.	.	.	3
Bundoran	...	...	1,738	19.0	11.5	0.6	33	20	3	10	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.
Carrickmacross	...	...	2,114	18.4	10.9	0.5	39	23	1	17	.	.	.	1	.	.	.	.	1	.	.	3	.	.	.	2
Castleblayney	...	...	1,765	19.8	12.5	.	35	22	1	12	.	.	.	.	.	.	.	.	1	.	.	7	.	.	.	.
Cavan	...	...	3,479	26.7	10.9	.	93	38	8	17	.	.	.	.	.	.	.	.	2	2	.	6	.	.	1	.
Clones	...	...	2,092	18.6	17.7	.	39	37	2	20	.	.	.	.	.	.	.	.	6	1	1	1	.	.	2	1
Cootehill	...	...	1,566	31.9	8.9	0.6	50	14	.	9	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
Letterkenny	...	...	2,849	23.5	12.3	.	67	35	6	18	.	.	.	.	.	.	.	.	.	2	4	2	.	1	2	5
Monaghan	...	...	4,673	16.5	11.8	0.4	77	55	10	25	.	.	.	1	.	.	.	1	2	.	.	8	.	.	.	2

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1946.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.63	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.23	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	59
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	59
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	83	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	53
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58
1943 ...	25.91	20.33	14.58	14.51	1.11	0.44	1.80	1.26	110	67
1944 ...	24.06	21.23	14.66	15.62	1.04	0.41	1.64	1.13	105	65
1945 ...	24.37	21.77	14.01	14.74	0.91	0.34	1.59	1.08	93	58
1946 ...	25.06	21.92	13.15	14.50	0.71	0.29	1.49	0.97	80	56

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1946, in each Province, County, and County Borough.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGH.	Area* in Statute Acres	Popula- tion accord- ing to Census of Popula- tion, 1946.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
IRE	17,024,485	2,953,452	17,525	67,922	—	—	67,922	2,642	—	—	2,642	41,457	—	—	41,457	26,465
PROVINCES																
I.—LEINSTER	4,851,340	1,280,219	8,268	31,970	691	265	31,544	1,361	231	121	1,251	17,505	331	84	17,258	14,286
II.—MUNSTER	5,962,595	916,750	5,503	20,527	240	222	20,509	925	133	76	868	13,169	68	146	13,247	7,262
III.—CONNUGHT	4,230,822	492,816	2,370	9,960	56	298	10,202	177	2	95	270	7,072	16	131	7,187	3,015
IV.—ULSTER (part of)	1,979,728	263,667	1,384	5,465	30	232	5,667	179	—	74	253	3,711	22	76	3,765	1,902

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,048	171	752	13	85	824	31	—	18	49	467	17	37	487	337
2. DUBLIN CO.	208,984	129,241	860	1,230	82	1,554	2,702	95	68	59	86	1,170	186	532	1,516	1,186
3. CITY OF DUBLIN	18,740	506,635	4,093	16,411	3,293	72	13,190	625	302	29	352	7,700	1,259	180	6,621	6,569
4. KILDARE	418,644	64,834	301	1,393	12	366	1,747	50	4	36	82	783	18	98	863	884
5. KILKENNY	509,470	66,683	344	1,435	32	126	1,529	30	3	38	65	900	20	47	927	602
6. LAOIGHIS	424,892	49,634	197	1,035	9	99	1,125	29	1	40	68	727	41	37	723	402
7. LONGFORD	257,935	36,221	169	786	27	81	840	22	1	22	43	485	3	46	528	312
8. LOUTH	202,814	66,135	370	1,726	193	106	1,639	51	8	14	57	848	43	87	892	747
9. MEATH	577,824	66,220	317	1,270	5	340	1,605	48	—	48	96	796	21	132	907	698
10. OFFALY	493,636	53,644	298	1,150	11	100	1,239	16	—	45	61	653	7	66	712	527
11. WESTMEATH	435,605	54,880	320	1,456	171	103	1,388	193	134	14	73	847	93	61	815	575
12. WEXFORD	581,061	91,704	508	2,176	31	88	2,233	114	4	29	139	1,388	65	95	1,368	865
13. WICKLOW	500,800	66,135	370	1,726	193	106	1,639	51	8	14	57	848	43	87	892	747

PROVINCE OF MUNSTER.

14. CLARE	787,756	85,071	459	1,706	4	168	1,870	28	.	35	63	1,227	8	59	1,278	592
15. CORK CO.	1,840,908	267,882	1,232	4,748	247	915	5,416	295	96	24	223	3,960	432	427	3,955	1,461
16. CORK CO. BOROUGH ...	2,685	75,361	858	2,771	921	145	1,995	26	9	26	43	1,102	358	331	1,075	920
17. KERRY	1,161,705	133,818	772	2,714	13	71	2,772	48	.	21	69	1,812	36	75	1,851	921
18. LIMERICK CO.	661,585	99,493	463	2,130	56	328	2,402	164	30	32	166	1,452	228	130	1,354	1,048
19. LIMERICK CO. BOROUGH	2,386	42,987	522	1,521	396	55	1,180	14	6	27	35	481	137	226	570	610
20. TIPPERARY, N.R. ...	493,258	58,099	309	1,400	160	83	1,323	210	147	27	90	886	70	90	906	417
21. TIPPERARY, S.R. ...	558,034	77,882	438	1,791	32	52	1,811	61	.	17	78	1,100	44	47	1,103	708
22. WATERFORD CO. ...	452,840	47,825	271	841	25	179	995	51	9	28	70	632	23	133	742	253
23. WATERFORD CO. ... BOROUGH	1,438	28,332	179	905	180	20	745	28	9	12	31	517	120	16	413	332

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	165,196	808	3,699	83	88	3,704	106	33	31	104	2,317	108	92	2,301	1,403
25. LEITRIM	376,764	44,578	205	774	3	54	825	6	.	13	19	657	1	52	708	117
26. MAYO	1,333,941	148,200	746	3,037	13	123	3,147	11	1	58	68	2,051	40	100	2,111	1,036
27. ROSCOMMON	608,540	72,511	301	1,258	8	64	1,314	20	.	15	35	1,049	22	56	1,083	231
28. SLIGO	443,917	62,331	310	1,192	23	43	1,212	34	.	10	44	998	33	19	984	228

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	70,323	334	1,296	15	132	1,413	26	1	44	69	990	15	62	1,037	376
30. DONEGAL	1,193,581	136,136	746	2,976	16	38	2,998	111	.	12	123	1,892	17	27	1,902	1,096
31. MONAGHAN	318,985	57,208	304	1,193	12	75	1,256	42	.	19	61	829	47	44	826	430

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT II.—MARRIAGE

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Register in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
ÉIRE	17,525	16,705	820	639	108	36	31	1	5	4,478	4,147	5,161	3,73
PROVINCES.													
LEINSTER	8,268	7,806	462	384	28	22	23	1	4	1,762	1,851	2,776	1,87
MUNSTER	5,563	5,398	105	88	4	6	6	.	1	1,688	1,320	1,418	1,07
CONNAUGHT	2,370	2,326	44	38	2	3	1	.	.	664	661	576	46
ULSTER (part of)	1,384	1,175	209	129	74	5	1	.	.	364	315	391	31

PROVINCE C

CARLOW	171	163	8	7	1	.	.	.	.	32	44	56	3
DUBLIN CO.	860	776	84	75	5	3	.	1	.	149	209	337	16
CITY OF DUBLIN	4,093	3,853	240	181	19	14	22	.	4	792	939	1,423	93
KILDARE	301	292	9	9	.	.	.	.	.	71	72	84	7
KILKENNY	344	341	3	3	.	.	.	.	.	84	85	102	7
LAGHIS	197	179	18	17	1	.	.	.	.	54	45	49	4
LONGFORD	169	161	8	7	.	1	.	.	.	34	46	51	3
LOUTH	370	362	8	7	1	.	.	.	.	89	52	166	6
MEATH	317	310	7	7	.	.	.	.	.	73	64	99	8
OFFALY	298	288	10	9	.	1	.	.	.	73	60	84	8
WESTMEATH	320	314	6	6	.	.	.	.	.	78	63	94	8
WEXFORD	508	489	19	18	.	1	.	.	.	152	92	137	12
WICKLOW	320	278	42	38	1	2	1	.	.	81	80	94	6

PROVINCE C

CLARE	459	458	1	1	.	.	.	.	.	150	133	98	7
CORK CO.	1,232	1,172	60	51	1	4	4	.	.	397	278	285	27
CORK CO. BOROUGH	858	845	13	8	2	.	1	.	1	212	203	257	18
KERRY	772	768	4	4	.	.	.	.	.	280	162	206	12
LIMERICK CO.	463	456	7	6	.	.	.	.	.	186	104	83	9
LIMERICK CO. BOROUGH	522	511	11	11	.	.	1	.	.	141	138	165	7
TIPPERARY, N.R.	309	306	3	2	.	.	1	.	.	101	71	71	6
TIPPERARY, S.R.	438	434	4	4	.	.	.	.	.	111	120	118	8
WATERFORD CO.	271	270	1	1	.	.	.	.	.	75	71	74	5
WATERFORD CO. BOROUGH	179	178	1	.	1	.	.	.	.	35	40	61	4

PROVINCE C

GALWAY	808	804	4	4	.	.	.	.	.	208	194	242	16
LEITRIM	205	192	13	11	.	1	1	.	.	70	59	41	3
MAYO	746	738	8	7	1	.	.	.	.	215	228	168	13
ROSCOMMON	301	298	3	3	.	.	.	.	.	99	84	64	5
SLIGO	310	294	16	13	1	2	.	.	.	72	96	61	8

PROVINCE C

CAVAN	334	284	50	38	10	2	.	.	.	77	83	88	86
DONEGAL	746	651	95	57	35	2	1	.	.	201	150	226	169
MONAGHAN	304	240	64	34	29	1	.	.	.	86	82	77	59

REGISTERED IN THE YEAR 1946.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.	Widowers.	Widows.	Men.	Womeg.	
16,794	188	447	96	543	284	204	1,155	ÉIRE;
7,880	98	238	52	290	150	133	667	LEINSTER.
5,302	42	130	29	159	71	50	318	MUNSTER.
2,284	29	50	7	57	36	11	86	CONNAUGHT.
1,328	19	29	8	37	27	10	84	ULSTER (part of).

LEINSTER

162	5	4	.	4	5	2	20	CARLOW.
830	5	19	6	25	11	10	59	DUBLIN CO.
3,881	52	137	23	160	75	94	298	CITY OF DUBLIN.
282	7	9	3	12	10	5	35	KILDARE.
336	1	6	1	7	2	1	31	KILKENNY.
186	2	8	1	9	3	3	31	LAOIGHIS.
165	.	4	.	4	.	1	5	LONGFORD.
360	3	5	2	7	5	1	37	LOUTH.
308	4	4	1	5	5	2	17	MEATH.
286	3	6	3	9	6	.	20	OFFALY.
308	3	8	1	9	4	7	37	WESTMEATH.
472	8	19	9	28	17	6	45	WEXFORD.
304	5	9	2	11	7	1	32	WICKLOW.

MUNSTER

440	5	14	.	14	5	4	21	CLARE.
1,187	8	32	5	37	13	10	64	CORK CO.
829	4	18	7	25	11	7	36	CORK CO. BOROUGH.
751	4	12	5	17	9	5	28	KERRY.
444	2	16	1	17	3	5	27	LIMERICK CO.
508	1	12	1	13	2	8	39	LIMERICK CO. BOROUGH.
305	.	4	.	4	.	2	27	TIPPERARY, N.R.
412	10	14	2	16	12	4	36	TIPPERARY, S.R.
256	6	4	5	9	11	3	19	WATERFORD CO.
170	2	4	3	7	5	2	21	WATERFORD CO. BOROUGH.

CONNAUGHT

780	10	17	1	18	11	6	35	GALWAY.
194	2	9	.	9	2	1	3	LEITRIM.
720	9	12	5	17	14	1	32	MAYO.
289	3	8	1	9	4	.	6	ROSCOMMON.
301	5	4	.	4	5	3	10	SLIGO.

ULSTER (Part of)

320	4	8	2	10	6	.	14	CAVAN.
720	10	12	4	16	14	8	54	DONEGAL.
288	5	9	2	11	7	2	16	MONAGHAN.

ABSTRACT III.—BIRTHS and DEATHS at different Ages registered in the year 1946—by Provinces and Counties.

Provinces and Counties.		TOTAL BIRTHS	AGES AT DEATH.																								95 & up-wards
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—		
ÉIRE	Persons	67,922	41,457	4,390	404	203	152	101	5,250	326	269	599	758	736	778	813	934	1,251	1,621	2,029	2,970	4,407	6,088	9,886	2,585	187	
	Males	35,120	21,863	2,491	200	119	87	55	2,952	170	144	289	376	333	362	387	477	646	852	1,118	2,484	3,280	5,110	1,193	91		
	Females	32,802	19,594	1,899	204	84	65	46	2,298	156	125	300	382	403	416	426	457	605	769	911	1,619	2,843	4,776	1,392	96		
LEINSTER	Persons	31,544	17,258	2,387	196	83	83	47	2,796	139	114	266	817	811	821	850	454	559	769	972	1,306	1,899	2,380	3,480	775	50	
	Males	16,227	8,932	1,372	100	44	50	23	1,589	79	53	122	155	143	139	160	231	299	413	531	702	1,065	1,240	1,667	321	23	
	Females	15,317	8,326	1,015	96	39	33	24	1,207	60	61	144	162	168	182	190	223	260	356	441	604	834	1,140	1,813	454	27	
MUNSTER	Persons	20,509	13,247	1,250	116	77	40	21	1,504	106	92	173	240	232	259	266	290	408	520	652	996	1,407	2,013	3,199	844	46	
	Males	10,561	7,093	709	57	46	19	12	843	50	51	82	124	93	122	139	146	204	266	368	544	809	1,122	1,716	394	20	
	Females	9,948	6,154	541	59	31	21	9	661	56	41	91	116	139	137	127	144	204	254	284	452	598	891	1,483	450	26	
CONNAUGHT	Persons	10,202	7,187	464	62	29	19	21	595	51	42	93	144	128	135	132	128	189	226	242	424	687	1,066	2,137	697	71	
	Males	5,309	3,777	242	30	21	11	13	317	23	26	48	72	67	73	60	70	101	117	137	231	369	571	1,127	333	35	
	Females	4,893	3,410	222	32	8	8	8	278	28	16	45	72	61	62	72	58	88	109	105	193	318	495	1,010	364	36	
ULSTER (part of)	Persons	5,667	3,765	289	30	14	10	12	355	30	21	37	57	65	63	65	62	95	106	163	244	414	629	1,070	269	20	
	Males	3,023	2,061	168	13	8	7	7	203	18	14	17	25	30	28	28	30	42	56	82	142	241	347	600	145	13	
	Females	2,644	1,704	121	17	6	3	5	152	12	7	20	32	35	35	37	32	53	50	81	102	173	282	470	124	7	
LEINSTER.																											
CARLOW	Persons	824	487	54	7	2	4	.	67	1	5	7	7	5	10	5	12	11	22	22	39	58	74	120	21	1	
	Males	420	279	32	2	1	4	.	39	1	2	4	4	1	3	2	7	6	11	9	24	39	42	73	11	1	
	Females	404	208	22	5	1	.	.	28	.	3	3	3	4	7	3	5	5	11	13	15	19	32	47	10	.	
DUBLIN CO.	Persons	2,702	1,516	207	11	4	8	6	236	18	17	34	30	17	25	30	39	36	65	79	123	181	195	310	73	8	
	Males	1,415	784	114	6	1	3	4	128	4	7	17	20	9	6	13	19	21	36	45	66	113	109	149	19	3	
	Females	1,287	732	93	5	3	5	2	108	14	10	17	10	8	19	17	20	15	29	34	57	68	86	161	54	5	
CITY OF DUBLIN	Persons	13,190	6,621	1,209	78	34	31	17	1,369	45	42	113	130	135	119	160	204	282	361	452	538	682	756	988	229	16	
	Males	6,793	3,266	677	40	17	20	8	762	29	24	45	60	56	48	78	108	158	198	255	288	354	344	379	63	7	
	Females	6,397	3,355	532	38	17	11	9	607	16	18	68	70	79	71	82	96	124	163	197	250	328	412	609	166	9	
KILDARE	Persons	1,747	863	117	10	6	6	1	140	13	5	7	14	14	13	14	27	29	34	42	69	92	136	176	37	1	
	Males	919	479	69	5	2	2	.	78	7	3	4	7	7	7	5	15	19	16	24	39	56	81	92	18	1	
	Females	828	384	48	5	4	4	1	62	6	2	3	7	7	6	9	12	10	18	18	30	36	55	84	19	.	
KILKENNY	Persons	1,529	927	109	11	4	3	1	128	6	3	9	11	20	13	8	17	13	36	42	63	114	156	231	52	5	
	Males	774	515	69	7	3	3	.	82	4	1	4	7	9	6	1	9	9	20	21	34	64	92	123	27	2	
	Females	755	412	40	4	1	.	1	46	2	2	5	4	11	7	7	8	4	16	21	29	50	64	108	25	3	
LAOIGHIS	Persons	1,125	723	86	7	6	5	1	105	7	6	7	9	12	15	5	11	17	22	38	45	71	118	181	53	1	
	Males	585	414	46	4	6	3	.	59	3	3	4	5	8	6	3	6	7	15	21	23	41	71	105	33	1	
	Females	540	309	40	3	.	2	1	46	4	3	3	4	4	9	2	5	10	7	17	22	30	47	76	20	.	
LONGFORD	Persons	840	528	51	1	1	.	1	54	2	2	6	6	12	10	9	6	11	16	19	36	61	102	136	36	4	
	Males	452	296	29	.	1	1	1	31	2	1	4	2	7	4	6	4	4	9	11	18	35	62	76	18	2	

LOUTH	Persons	1,639	892	86	14	9	7	4	120	13	10	13	27	17	25	20	26	27	40	49	63	95	144	158	45	.
	Males	837	456	55	9	6	5	2	77	6	3	4	13	8	11	13	13	15	21	22	26	55	77	75	17	.
	Females	802	436	31	5	3	2	2	43	7	7	9	14	9	14	7	13	12	19	27	37	40	67	83	28	.
MEATH	Persons	1,605	907	79	15	1	6	3	104	6	3	16	20	15	15	15	29	28	38	41	59	127	137	216	37	1
	Males	816	481	49	11	1	2	1	64	3	2	8	11	9	5	7	12	15	18	20	30	75	70	109	22	1
	Females	789	426	30	4	.	4	2	40	3	1	8	9	6	10	8	17	13	20	21	29	52	67	107	15	.
OFFALY	Persons	1,239	712	73	13	2	3	3	94	9	4	8	13	11	13	10	14	18	20	24	49	90	101	198	34	2
	Males	629	377	45	7	1	3	2	58	5	2	3	5	8	7	3	7	7	11	15	28	50	55	98	15	.
	Females	610	335	28	6	1	.	1	36	4	2	5	8	3	6	7	7	11	9	9	21	40	46	100	19	2
WEST-MEATH	Persons	1,388	815	78	6	6	2	2	94	6	4	15	5	18	19	26	11	23	33	43	56	77	117	214	49	5
	Males	701	431	46	4	2	.	1	53	5	1	10	3	5	8	10	4	9	14	25	34	42	68	111	27	2
	Females	687	384	32	2	4	2	1	41	1	3	5	2	13	11	16	7	14	19	18	22	35	49	103	22	3
WEXFORD	Persons	2,233	1,368	133	18	3	4	5	163	9	12	19	29	24	29	26	34	42	50	73	108	140	211	330	66	3
	Males	1,148	712	82	5	1	3	3	94	8	4	9	9	12	17	11	16	21	25	35	62	83	105	169	30	2
	Females	1,085	656	51	13	2	1	2	69	1	8	10	20	12	12	15	18	21	25	38	46	57	106	161	36	1
WICKLOW	Persons	1,483	899	105	5	5	4	3	122	4	1	12	16	11	15	22	24	22	32	48	58	111	133	222	43	3
	Males	738	452	5	.	2	2	1	64	2	.	6	9	4	11	8	11	8	19	28	30	58	64	108	21	1
	Fem	745	447	46	5	3	2	2	58	2	1	6	7	7	4	14	13	14	13	20	28	53	69	114	22	2
MUNSTER.																										
CLARE	Persons	1,870	1,278	83	6	5	4	3	101	8	13	21	24	22	24	27	19	41	41	51	94	109	209	368	101	5
	Males	971	723	43	1	1	2	2	49	5	6	12	16	12	17	19	11	21	21	33	54	64	123	210	47	3
	Females	899	555	40	5	4	2	1	52	3	7	9	8	10	7	8	8	20	20	18	40	45	86	158	54	2
CORK CO.	Persons	5,416	3,955	345	29	16	10	4	404	23	26	50	63	50	74	73	76	130	145	209	298	434	605	1,023	255	17
	Males	2,768	2,146	207	11	10	6	1	235	9	17	25	33	20	40	37	40	57	76	115	162	243	335	574	122	6
	Females	2,648	1,809	138	18	6	4	3	169	14	9	25	30	30	34	36	36	73	69	94	136	191	270	449	133	11
CORK CO. BOROUGH	Persons	1,995	1,075	122	13	7	4	.	146	8	12	14	14	15	26	29	36	42	56	69	118	127	148	172	41	2
	Males	1,070	505	63	7	5	3	.	78	1	8	2	4	5	12	11	19	24	35	42	64	67	54	63	15	1
	Females	925	570	59	6	2	1	.	68	7	4	12	10	10	14	18	17	18	21	27	54	60	94	109	26	1
KERRY	Persons	2,772	1,851	124	11	14	6	2	157	17	11	18	38	47	40	44	44	50	73	77	119	195	264	521	129	7
	Males	1,449	981	66	9	8	2	1	86	7	5	11	20	23	16	22	20	27	41	37	67	111	147	275	63	3
	Females	1,323	870	58	2	6	4	1	71	10	6	7	18	24	24	22	24	23	32	40	52	84	117	246	66	4
LIMERICK CO.	Persons	2,402	1,354	192	13	6	2	3	216	15	10	22	23	14	21	25	22	43	47	52	93	146	201	305	97	2
	Males	1,242	752	115	5	4	.	2	126	10	5	12	12	6	10	12	13	20	19	30	49	101	118	167	41	1
	Females	1,160	602	77	8	2	2	1	90	5	5	10	11	8	11	13	9	23	28	22	44	45	83	138	56	1
LIMERICK CO. BOROUGH	Persons	1,180	570	82	12	11	1	1	107	5	5	16	15	22	13	21	13	22	24	29	47	55	87	74	15	.
	Males	591	291	44	7	6	.	1	58	3	3	5	7	5	6	11	7	14	18	10	27	32	43	37	5	.
	Females	589	279	38	5	5	1	.	49	2	2	11	8	17	7	10	6	8	6	19	20	23	44	37	10	.
TIPPERARY, N.R.	Persons	1,323	906	91	8	4	6	1	110	8	5	7	23	19	14	12	25	22	36	56	68	99	120	215	60	7
	Males	688	488	56	3	4	3	.	66	4	2	3	12	5	5	7	12	11	15	34	38	55	74	113	28	4
	Females	635	418	35	5	.	3	1	44	4	3	4	11	14	9	5	13	11	21	22	30	44	46	102	32	3
TIPPERARY, S.R.	Persons	1,811	1,103	107	10	6	4	4	131	8	4	16	18	21	28	14	30	32	46	52	81	117	182	245	75	3
	Males	907	589	56	6	1	3	3	69	5	1	8	9	10	11	9	15	18	18	34	47	66	106	124	38	1
	Females	904	514	51	4	5	1	1	62	3	3	8	9	11	17	5	15	14	28	18	34	51	76	121	37	2

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1946.

Provinces and Counties.		TOTAL BIRTHS.	AGES AT DEATH.																								
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	
WATERFORD CO.	Persons	995	742	55	5	7	2	69	6	4	4	8	17	11	10	16	15	29	36	51	94	135	182	53	2		
	Males	493	424	30	3	6	1	39	3	3	2	4	6	3	6	8	8	15	22	27	54	89	109	25	1		
	Females	502	318	25	2	1	2	30	3	1	2	4	11	8	4	8	7	14	14	24	40	46	73	28	1		
WATERFORD CO. BOROUGH	Persons	745	413	49	9	1	1	63	8	2	5	14	5	8	11	9	11	23	21	27	31	62	94	18	1		
	Males	382	194	29	5	1	2	37	3	1	2	7	1	2	5	1	4	8	11	9	16	33	44	10	1		
	Females	363	219	20	4	1	1	26	5	1	3	7	4	6	6	8	7	15	10	18	15	29	50	8	1		
CONNAUGHT.																											
GALWAY	Persons	3,704	2,301	199	28	14	7	10	258	20	21	36	48	48	39	42	34	60	63	86	128	213	279	659	248	19	
	Males	1,930	1,210	103	15	10	4	6	138	6	16	18	25	26	23	18	13	31	31	52	79	123	140	342	121	8	
	Females	1,774	1,091	96	13	4	3	4	120	14	5	18	23	22	16	24	21	29	32	34	49	90	139	317	127	11	
LEITRIM	Persons	825	708	24	3	1	1	29	4	3	10	17	7	18	19	17	18	27	23	44	72	114	221	58	7		
	Males	417	352	12	1	1	1	14	3	1	5	10	3	11	8	9	10	10	14	21	32	63	108	24	6		
	Females	408	356	12	2	1	1	15	1	2	5	7	4	7	11	8	8	17	9	23	40	51	113	34	1		
MAYO	Persons	3,147	2,111	111	15	9	7	6	148	18	7	27	44	35	43	37	40	62	58	67	103	211	334	643	212	22	
	Males	1,656	1,091	51	8	7	4	5	75	9	3	15	22	18	20	15	27	35	35	34	53	107	177	341	96	9	
	Females	1,491	1,020	60	7	2	3	1	73	9	4	12	22	17	23	22	13	27	23	33	50	104	157	302	116	13	
ROSCOMMON	Persons	1,314	1,083	62	8	4	3	1	78	2	5	9	14	20	18	19	17	28	41	36	70	103	179	329	102	13	
	Males	684	586	39	4	3	2	1	49	1	3	5	4	9	7	12	11	15	20	21	41	66	100	176	58	8	
	Females	630	487	23	4	1	1	29	1	2	4	10	11	11	11	7	6	13	21	15	29	47	79	153	44	5	
SLIGO	Persons	1,212	984	68	8	2	1	3	82	7	6	11	21	18	17	15	20	21	37	30	79	88	160	285	77	10	
	Males	622	528	37	2	1	1	41	4	3	5	11	11	11	12	7	10	10	21	16	37	51	91	160	34	4	
	Females	590	456	31	6	1	1	41	3	3	6	10	7	5	8	10	11	16	14	42	37	69	125	43	6		
ULSTER (part of).																											
CAVAN	Persons	1,413	1,037	72	8	4	1	1	86	3	5	5	11	12	16	14	13	27	28	48	68	130	184	306	73	8	
	Males	772	580	43	1	3	1	48	1	3	4	7	4	8	8	5	8	12	16	26	37	79	112	175	29	6	
	Females	641	457	29	7	1	1	38	2	2	1	4	8	8	9	5	15	12	22	31	51	72	131	44	2		
DUBLIN	Persons	2,998	1,902	163	20	7	8	7	205	22	11	19	29	33	30	35	36	45	47	73	130	189	292	553	143	10	
	Males	1,566	1,010	92	11	3	5	4	115	13	7	8	10	14	10	17	16	16	27	35	77	106	156	302	76	5	
	Females	1,432	892	71	9	4	3	90	9	4	11	19	19	19	20	18	20	29	20	38	53	83	136	251	67	5	
MONAGHAN	Persons	1,256	826	54	2	3	1	4	64	5	5	13	17	20	17	16	13	23	31	42	46	95	153	211	53	2	
	Males	685	471	33	1	2	1	3	40	4	4	5	8	12	10	6	6	14	13	21	28	56	79	123	40	2	

ABSTRACT IV.

Causes of Death.

t different Periods of Life in the Year 1946.

EATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
170 156	144 125	269 300	376 382	333 403	362 416	387 426	477 457	646 605	852 769	1,118 911	1,619 1,351	2,484 1,923	3,280 2,808	5,110 4,776	1,193 1,392	91 96		
72 66	72 58	147 204	239 259	211 260	181 204	161 156	156 110	170 121	142 82	139 89	133 86	118 85	101 98	114 117	23 28	2 2	(1-44)	(1-17)
.	.	1	2	2	1	2	.	.	.	.	.	2	2	.	.	.	1	1
.	1	3	.	2	1	.	.	.	1	1	1	1	1	.	1	.	2	.
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	17
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	5	17
1	1	.	2	2	1	.	.	1	1	.	1	.	.	.	.	.	6	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	3
5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	4
14 15	4 1	4 2	3 2	1 1	.	4 2	.	2 3	1 1	1 1	1 1	.	.	.	.	.	10	5
.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	11	17
1	1	.	.	.	1	.	1	3	.	.	4	1	.	1	.	.	12	17
43 37	57 49	128 190	219 253	193 248	170 190	138 143	146 97	140 102	126 61	102 65	89 44	61 36	26 19	8 9	.	1	13-22	(6-7)
8 7	20 24	79 146	178 203	155 216	145 164	117 122	125 86	123 91	114 53	89 59	77 35	54 28	20 14	8 5	.	1	13	6
35 30	37 25	49 44	41 50	38 32	25 26	21 21	15 11	17 11	12 8	13 6	12 9	7 8	6 5	.	1	.	14-22	7
23 21	22 19	16 24	23 25	10 13	7 7	4 4	4 1	3	4 3	2	2	.	.	.	.	.	14	7
7 5	5 11	7 11	3 5	6 8	5 4	3 9	3 5	4 2	2 4	4 2	.	2 1	1 1	.	.	.	15	7
1	4 1	2 1	4 7	10 2	4 4	4 2	2 1	4 2	3 1	2 2	1	2 1	1 2	.	.	.	16	.
.	2 1	6 1	2 1	1	.	1 1	1 2	1 1	.	3	6 2	1 3	3 1	1 2	.	.	17	7
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	18	7
.	.	1	.	1	.	1	.	.	.	.	.	1 1	.	.	.	.	19	7
.	.	1	.	1	4	3	2	3	.	1	.	1	1	.	.	.	20	7

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	Total under 5 year
		Infective and Parasitic Diseases—continued.											
7	21	Tuberculosis of Other { M. Organs. { F.	2 2	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
7	22	Disseminated Tubercu- { M. losis. { F.	80 53	• •	• •	1 •	4 1	3 2	8 3	5 1	3 1	1 •	18 •
17	23	Leprosy ... { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
8	24	Purulent Infection, and { M. Septicaemia. { F.	31 22	1 2	1 2	3 •	2 2	• •	7 6	• 1	• •	3 •	10 •
17	25	Gonococcal Infections { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
17	26	Other Bacterial { M. Diseases (Dysentery { F. excepted).	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
9	27	Dysentery ... { M. { F.	2 1	• •	• 1	• •	• •	• •	• 1	• •	• •	• •	• 1
10	28	Malaria ... { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
17	29	Other Diseases due to { M. Parasitic Protozoa, { F. except Spirochaetes	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
11	30	Syphilis* ... { M. { F.	53 30	5 1	4 1	4 2	4 3	2 •	19 7	• 1	• •	• •	19 8
17	31	Relapsing Fever ... { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
17	32	Other Diseases due to { M. Spirochaetes { F.	6 1	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
12	33	Influenza ... { M. { F.	382 387	1 2	7 5	9 2	13 6	6 4	36 19	• 8	• 1	2 2	39 30
13	34	Smallpox ... { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
14	35	Measles ... { M. { F.	23 24	1 •	1 •	• •	2 1	4 7	8 8	7 7	1 1	• 1	16 18
17	36	Acute Poliomyelitis and { M. Polioccephalitis { F.	21 9	• •	• •	• •	• •	1 1	1 1	• •	2 •	• 1	3 2
17	37	Acute Infectious En- { M. cephalitis (Lethargic { F. or Epidemic).	8 8	• •	• •	• •	1 •	1 •	2 •	1 •	• •	• •	3 •
17	38	Other Diseases due to { M. Viruses. { F.	2 1	• •	• •	• •	• •	1 1	1 1	• •	• •	• •	1 1
15	39	Typhus and Typhus-like { M. Diseases (Ricketts- { F. ioses).	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
16	40	Ankylostomiasis ... { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
16	41	Hydatid Disease ... { M. { F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
16	42	Other Diseases due to { M. Helminths. { F.	2 1	• •	• •	• •	• •	• •	• •	• •	• •	1 1	1 1
17	43	Mycoses ... { M. { F.	5 •	1 •	2 •	• •	• •	• •	3 •	• •	• •	• •	3 •
17	44	Other Infective or Para- { M. sitic Diseases. { F.	20 6	• •	• 1	• •	• •	• •	• 1	• •	• •	• •	• 1

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1946.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	1	.	1	.	1	.	.	.	.	1	.	.	.	.	} 21	7	
4 4	4 4	17 6	9 10	9 5	4 5	5 4	2 2	2 4	2	1 2	3 2	.	.	.	.	.	} 22	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 23	17	
2	.	1 2	1	1	1 1	1	.	.	1	4 1	2 1	2 1	2 3	4 4	1	.	} 24	8	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 25	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 26	17	
.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	} 27	9	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 28	10	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 29	17	
.	.	.	1	2	.	1 1	2 4	4 2	6 3	4 2	8 4	5 1	2 1	1 2	.	.	} 30	11	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 31	17	
.	.	.	.	1	.	.	1	1	1	1 1	.	.	.	1	.	.	} 32	17	
2 6	2 5	9 2	5 2	7 1	4 7	11 7	10 9	13 12	5 14	25 14	27 33	44 44	63 71	94 102	21 26	1 2	} 33	12	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 34	13	
1 2	2 1	1	2 1	1	.	.	.	.	.	.	.	1 1	.	.	.	.	} 35	14	
1 1	4	3 2	3	3 2	1	1	2	.	1	.	.	.	.	.	1	.	} 36	17	
.	.	1	1	1	3	2	.	2	.	1	.	.	2	.	.	.	} 37	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	} 38	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 39	15	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 40	16	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 41	16	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 42	16	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	} 43	17	
1	1	.	1	1	2 1	3	.	3 1	1	1	1	1	2 1	2	.	.	} 44	17	

ABSTRACT IV.—continued.—CAUSES OF DE.

[illegible]

at different Periods of Life in the Year 1946.

EATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
3 3	4 5	7 8	3 16	8 13	15 27	27 56	51 87	87 136	127 198	217 221	279 264	461 338	458 306	381 279	40 37	2	(45-57)	(18-24)
1 2	3 4	4 5	3 10	8 9	14 25	26 50	42 80	81 131	124 189	206 219	271 259	450 331	448 295	377 273	39 37	2	45-55*	18-23
.	.	1	.	.	.	1	1	1	1	2	3	4	3	3	1	.	56	24
2 1	1 1	2 3	.	.	1 2	.	8 4	5 3	2 7	9	5 2	7 5	7 7	1 3	.	.	57	24
8 5	6 6	18 10	4 10	7 5	10 12	10 8	10 15	15 20	6 25	24 21	18 49	37 52	48 67	54 62	9 12	1	(58-71)	(25-30)
1 4	5 4	12 4	1 2	1 2	.	4 2	3	1 2	1 2	1 1	.	.	2 2	1 1	.	.	58	25
.	.	.	1	.	1	2 1	3	5 3	1 8	8 10	6 20	16 24	32 31	33 39	9 7	1	59	26
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	26
1 1	1	3 5	3 1	6	8 6	2 2	6 4	5 7	4 8	15 7	10 20	18 22	14 29	18 17	5	.	61	27
.	.	.	1	.	.	.	.	1 1	.	1	.	.	.	1	.	.	62	29
.	1	1	4	2	1 3	1	7	2 6	5	2	6	5	4	2	.	.	63	28
2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	64	29
.	1	.	1	1	.	2 2	1	1 1	2	.	2	3	1	2	.	.	65	29
.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	66	29
4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67-71	30
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	30
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	30
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	30
4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	30
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

			AGES											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	5—
(31-32)	(72-76)	IV. Diseases of the Blood and Blood-Forming Organs. { M. F.	175 246	1 1	1 .	. .	1 2	. 1	3 4	1 2	3 1	1 2	. .	. .
32	72	Hæmorrhagic Con- ditions. { M. F.	13 15	1 1	. .	. .	1 .	. .	2 1	. .	. .	1 .	. .	. .
31	73	Anaemias ... { M. F.	114 190	. .	1 .	. .	2 .	1 .	1 3	1 1	1 .	1 .	. .	. .
32	74	Leukæmias and Aleuk-æmias. { M. F.	39 27	. .	. .	. .	. .	. .	. .	1 .	2 .	1 .	. .	. .
32	75	Diseases of the Spleen { M. F.	7 11	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.	2 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
33-34	(77-79)	V. Chronic Poisoning and Intoxication { M. F.	3 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
33	77	Alcoholism (Ethylism) { M. F.	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
34	78	Lead Poisoning ... { M. F.	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
(35-41)	(80-89)	VI. Diseases of the Nervous System and Sense Organs. { M. F.	1,690 1,902	35 37	10 15	12 10	24 17	29 31	110 110	24 24	12 10	11 3	5 4	1 1
40	80	Encephalitis (non-epidemic). { M. F.	17 9	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
35	81	Meningitis (non-meningococcal). { M. F.	82 56	2 .	4 .	. 2	6 6	8 5	20 13	8 7	2 4	6 1	2 2	. .
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	46 42	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,234 1,482	. .	. .	. .	. .	. .	. .	2 2	1 .	. .	. .	. .
38	84	Mental Disorders and Deficiency. { M. F.	52 59	. .	. .	. .	. .	. .	. .	2 .	3 2	1 1	2 1	. .
39	85	Epilepsy ... { M. F.	59 55	. .	. .	1 .	. .	. .	1 .	1 .	. .	2 .	1 .	. .
40	86	Convulsions (under 5 years). { M. F.	101 109	32 36	5 14	10 8	17 10	19 26	83 94	12 11	4 3	2 1	. .	10 10
40	87	Other Diseases of the Nervous System. { M. F.	87 83	1 .	. .	. .	. .	. .	1 .	1 .	1 .	. .	. .	. .
41	88	Diseases of the Organs of Vision. { M. F.	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
41	89	Diseases of the Ear and of the Mastoid An- trum. { M. F.	10 6	. 1	1 1	1 .	1 1	2 .	5 3	. 2	2 .	. .	. .	. .

at different Periods of Life in the Year 1946.

DEATH.																	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
4 3	6 4	5 6	5 7	1 5	4 12	5 11	5 15	11 11	9 18	11 21	35 33	27 52	22 20	17 19	.	.	(72-76)	(31-32)	
1	.	.	1	2	1	1 1	2 3	1 2	1	1 1	2	2	1 1	.	.	.	72	32	
1	2 3	1 3	.	1	2 9	2 8	2 10	8 6	6 14	9 17	24 29	21 46	19 17	15 17	.	.	73	31	
3 2	3 1	4 3	3 3	1 2	1 2	2	1 1	2 .	1 3	1 3	9	2 3	1 2	2 1	.	.	74	32	
.	1	.	1	.	1	.	.	.	1	.	2	1 2	.	.	.	.	75	32	
.	.	.	.	.	.	2	.	3	1	.	2	2	.	.	.	.	76	32	
.	.	.	.	.	.	.	1	.	.	.	.	1 1	1	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	(77-79)	(33-34)	
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	77	33	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	78	34	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	79	34	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
16 7	11 14	13 14	27 19	14 20	20 25	22 24	42 29	53 57	76 100	84 127	177 193	230 253	304 372	383 431	48 66	3	(80-98)	(35-41)	
1 1	1 1	.	1	2 2	4 2	1	.	2 3	1	.	.	1	1	1	.	.	80	40	
6 4	2 5	6 3	9 4	3 3	2	3 2	4 2	4	1	4	2	1 1	2	.	.	.	81	35	
.	1 1	.	2 1	.	1 1	1	5 4	6 3	5 3	3 4	2 4	6 8	14 7	1 3	.	.	82	36	
1	1 1	1 2	2 4	2 4	4 10	10 10	22 17	30 36	54 80	68 106	147 172	199 223	275 341	364 409	48 65	3	83	37	
2 2	1 1	2 2	4 2	1	1 5	.	1 2	2 1	1 5	2 5	9 7	10 4	5 10	5 7	.	.	84	38	
2	3 3	4 5	6 4	3 6	4 3	4 5	6 2	6 6	7 2	2	2 3	4 7	1 2	3 4	.	.	85	39	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	86	40	
.	1	2	3 4	3 3	4 4	4 6	4 2	8 8	7 9	10 6	14 7	9 10	6 11	9 8	1	.	87	40	
.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	88	41	
.	1 1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	89	41	

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES											
Intermediate List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
(42-48)	(90-103)	VII. Diseases of the Circulatory System. {M. F.	5,900 5,109	.	1	.	.	.	1	.	2	.	1	.
42-46	90-95	Heart Diseases ... {M. F.	5,451 4,669	.	1	.	.	.	1	.	2	.	1	.
42	90	Pericarditis ... {M. F.	23 18	.	1	.	.	.	1	.	.	.	1	.
46	91	Acute Endocarditis ... {M. F.	16 19	.	.	.	.	.	.	.	.	.	.	.
43	92	Chronic Affection of the Valves and Endocardium. {M. F.	672 670	.	.	.	.	.	.	.	1	.	.	.
44	93	Diseases of the Myocardium. {M. F.	3,210 2,905	.	.	.	.	.	.	.	1	.	.	.
45	94	Diseases of the Coronary Arteries: Angina Pectoris. {M. F.	740 387	.	.	.	.	.	.	.	.	.	.	.
46	95	Other Diseases of the Heart. {M. F.	790 670	.	.	.	.	.	.	.	.	.	.	.
48	96	Aneurysm (except of Heart and Aorta). {M. F.	2	.	.	.	.	.	.	.	.	.	.	.
47	97	Arterio-sclerosis (excl. Coron. or Renal Sclerosis or Cereb. Hem.) {M. F.	231 197	.	.	.	.	.	.	.	.	.	.	.
47	98	Gangrene ... {M. F.	68 57	.	.	.	.	.	.	.	.	.	.	.
48	99	Other Diseases of the Arteries. {M. F.	16 9	.	.	.	.	.	.	.	.	.	.	.
48	100	Diseases of the Veins {M. F.	12 14	.	.	.	.	.	.	.	.	.	.	.
48	101	Diseases of the Lymphatic System. {M. F.	2 2	.	.	.	.	.	.	.	.	.	.	.
48	102	High Blood Pressure (Idiopathic). {M. F.	116 161	.	.	.	.	.	.	.	.	.	.	.
48	103	Other Diseases of the Circulatory System. {M. F.	2	.	.	.	.	.	.	.	.	.	.	.
(48-52)	(104-114)	VIII. Diseases of the Respiratory System. {M. F.	1,913 1,578	50 41	53 34	44 50	103 90	96 68	346 283	58 63	21 15	10 16	5 5	4 3
52	104	Diseases of the Nasal Fosse and Annexa. {M. F.	2 1	.	1	.	.	.	1	.	.	.	.	.
52	105	Diseases of the Larynx {M. F.	11 9	.	.	.	3 1	2 1	5 3	3 3	.	1	1	1
49	106	Bronchitis ... {M. F.	701 522	6 2	10 5	12 8	14 7	9 8	51 30	10 2	2 3	2 1	.	1
50	107-9	Pneumonia, All Forms {M. F.	853 796	42 36	38 27	30 40	84 75	83 57	277 235	40 57	18 11	7 14	5 3	3 3
50	107	Broncho-pneumonia ... {M. F.	411 428	19 18	28 15	17 25	55 50	63 41	182 149	28 39	11 7	5 12	4 .	3 3
50	108	Lobar Pneumonia ... {M. F.	148 110	4 2	1 4	1 3	3 5	8 3	17 17	1 6	3 1	1 1	.	.
50	109	Pneumonia (un-specified). {M. F.	294 258	19 16	9 8	12 12	26 20	12 13	78 69	11 12	4 3	1 1	1 3	.

at different Periods of Life in the Year 1946.

BATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
6 8	9 10	17 18	23 27	24 32	46 44	56 59	83 93	144 135	237 188	390 232	577 459	955 756	1,322 1,089	1,699 1,589	294 301	15 16	(90-103)	(42-48)
5 8	9 10	17 18	20 25	20 28	43 42	51 57	76 86	134 121	217 168	368 253	534 423	890 691	1,206 1,003	1,585 1,444	258 270	15 15	90-95	42-46
1	1	2	2	1 2	•	4	1	•	1 2	4 1	3 1	2 1	•	2 4	•	•	90	42
1 1	2	1	•	1 •	3 2	•	1 3	2 3	2 1	•	3 •	•	•	2 1	•	•	91	46
2 2	5 2	9 11	12 11	8 12	15 20	20 21	19 26	24 25	40 36	58 53	79 63	120 101	128 139	121 133	11 14	•	92	4
1 2	1 3	3 4	5 7	8 8	16 11	13 16	28 29	46 56	81 96	163 122	276 232	468 396	755 654	1,124 1,039	210 215	11 15	93	44
•	•	•	2	•	2	10	20	38	66	99	96	147	139	112	9	•	94	45
•	•	1	•	4	•	5	14	13	15	36	48	87	87	70	7	•	95	46
3	2 3	2 2	1 4	2 2	7 9	4 13	7 14	24 23	27 18	44 44	77 79	153 106	184 118	224 200	28 32	4	96	46
•	•	•	1	•	•	•	•	•	1	•	•	•	•	•	•	•	96	48
•	•	•	•	•	•	•	1	2	4	8	23	30	70	70	23	•	97	47
•	•	•	•	1	•	•	•	2	5	6	17	20	37	87	21	1	97	47
•	•	•	1	•	•	1	1	1	1	3	2	12	16	23	10	•	98	47
•	•	•	•	2	•	•	•	1	3	2	3	1	1	3	•	•	99	48
•	•	•	1	•	•	1	•	1	1	1	1	•	1	2	•	•	100	48
•	•	•	1	1	1	•	2	1	1	•	1	2	4	2	•	•	101	48
1	•	•	•	1	•	•	•	•	•	•	•	•	•	1	•	•	101	48
•	•	•	1	1	3	4	5	5	10	11	13	20	25	15	3	•	102	48
•	•	•	•	1	1	1	5	8	11	14	15	33	35	31	6	•	103	48
•	•	•	•	•	•	•	•	•	•	•	1	•	•	1	•	•	103	48
11 17	6 10	17 10	12 14	11 13	21 17	30 24	30 33	56 47	93 54	111 49	153 97	243 168	257 261	385 315	55 65	2 2	(104-114)	(49-52)
•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	104	52
•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	105	52
•	•	•	•	•	•	1	•	•	•	•	•	•	1	1	•	•	105	52
1	1	2	1 4	•	6 2	6 9	7 8	20 12	33 17	37 13	68 41	99 68	118 116	205 155	34 36	•	106	49
10 16	5 6	6 8	7 6	7 9	9 8	12 10	13 16	20 21	32 26	48 21	54 36	84 66	82 97	103 109	12 20	2 1	107-9	50
6 11	1 3	•	1 1	1 3	2 5	2	6 4	8 10	9 9	21 12	12 17	26 25	35 30	43 57	7 12	1	107	50
1 2	2 1	3 2	3 4	2 4	1 1	6 5	2 8	4 5	11 5	13 4	15 9	20 9	16 13	26 12	1 1	•	108	50
3 3	2 2	3 4	3 1	4 2	6 2	4 5	5 4	8 6	12 12	14 5	27 10	38 32	31 34	34 40	4 7	1 1	109	50

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT DEATH											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To unc 5 year
		VIII. Diseases of the Respiratory System—contd.												
51	110	Pleurisy ... {M. F.	58 35	· ·	· ·	· ·	· ·	· 1	· 1	2 ·	· ·	1 ·	· ·	· ·
52	111	Congestion, Oedema {M. F. Haemorrhagic infarction and Thrombosis of the Lungs.	139 131	2 3	4 2	2 1	2 7	2 1	12 14	3 ·	1 ·	· ·	· ·	· ·
52	112	Asthma ... {M. F.	115 74	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
52	113	Pulmonary Emphysema {M. F.	11 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
52	114	Other Diseases of the Respiratory System. {M. F.	23 9	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·
(53-60)	(115-129)	IX. Diseases of the Digestive System. {M. F.	1,288 864	104 65	122 81	109 51	167 124	71 63	573 384	30 25	7 7	6 4	10 5	6 4
60	115	Diseases of the Buccal Cavity and Annexa and of the Pharynx and Tonsils. {M. F.	8 17	· 2	· 1	· 2	· ·	· ·	· 5	· 1	· ·	· ·	1 2	· ·
60	116	Diseases of the Oesophagus. {M. F.	3 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
53	117	Ulcer of the Stomach or Duodenum. {M. F.	203 67	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
60	118	Other Diseases of the Stomach. {M. F.	83 62	5 2	3 3	6 2	9 6	4 2	27 15	1 4	1 ·	1 ·	· ·	· ·
54-55	119-120	Diarrhoea and Enteritis {M. F.	624 450	96 60	118 76	103 46	156 115	64 57	537 354	26 18	4 5	· 3	3 1	· ·
56	121	Appendicitis ... {M. F.	69 39	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	1 1	4 1	2 1	· ·
57	122	Hernia, Intestinal Obstruction. {M. F.	148 112	3 1	· 1	· 1	2 3	2 3	7 9	2 2	· ·	1 ·	3 ·	· ·
60	123	Other Diseases of the Intestines. {M. F.	26 8	· ·	· ·	· ·	· ·	· 1	· 1	1 ·	· ·	· ·	· ·	· ·
58	124	Cirrhosis of the Liver {M. F.	34 13	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
59	125	Other Diseases of the Liver. {M. F.	34 19	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·
59	126	Biliary Calculi ... {M. F.	18 39	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
59	127	Diseases of the Gall Bladder and Ducts. {M. F.	19 16	· ·	1 ·	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·
60	128	Diseases of the Pancreas (other than Diabetes). {M. F.	5 7	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
60	129	Peritonitis, without stated cause. {M. F.	14 12	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·

at different Periods of Life in the Year 1946.

DEATH.																95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
.	.	6	.	3	.	4	.	3	9	2	5	12	7	4	.	.	110	51
.	2	.	1	.	.	3	1	2	.	2	4	5	9	5	.	.	111	52
1	.	2	.	.	2	2	2	3	5	10	9	21	26	31	9	.	112	52
.	.	2	1	2	4	1	2	3	5	3	10	16	28	34	6	.	113	52
.	1	.	3	.	1	3	4	8	8	8	16	22	22	19	.	.	114	52
.	.	.	2	.	2	.	6	9	6	8	4	13	10	12	1	1		
.	.	.	.	1	1	1	1	2	1	1	.	2	.	1	.	.		
.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.		
.	.	1	.	.	2	1	3	.	5	5	1	3	1	1	.	.		
.	.	.	.	.	1	1	.	.	.	2	2	.	.	.	2	.		
11 15	6 8	13 5	18 5	12 9	20 12	29 12	39 17	48 25	60 36	44 34	70 43	110 56	79 69	90 78	11 13	2 2	(115-129)	(53-60)
.	.	1	.	.	.	.	.	1	.	.	2	2	.	1	1	.	115	60
.	1	2	.	1	.	2	.	.	1	.	.	1	.	.	.	.	116	60
.	.	.	.	1	.	1	.	1	1	.	.	.	1	.	.	.	117	53
.	1	.	3	2	13	11	14	24	30	14	26	29	20	16	1	.	118	60
.	.	1	.	1	2	3	3	5	8	6	5	8	15	9	.	.	119-120	54
.	.	3	.	1	.	.	1	1	4	3	5	11	16	6	2	1	121	56
5 5	.	.	1	1	2	2	6	3	3	3	3	7	6	14	1	.	122	57
4 5	2	7	4	3	3	6	5	2	8	3	3	5	3	3	.	.	123	60
1 2	2	1	4	3	1	6	1	1	10	17	17	22	19	32	6	1	124	58
.	2	1	2	.	1	4	3	4	9	9	8	16	16	18	6	.	125	59
.	.	.	.	.	.	.	1	2	3	3	4	5	2	5	.	.	126	59
1	.	.	.	.	1	1	2	2	6	3	7	5	2	3	1	.	127	59
.	1	1	.	.	.	.	.	1	2	1	.	2	4	1	.	.	128	60
2	1	1	3	1	1	.	5	4	3	2	2	5	2	2	.	.	129	60
.	.	.	.	1	.	1	1	.	1	1	.	7	2	5	.	.		
.	.	.	.	.	.	1	2	2	3	9	4	5	11	.	.	.		
.	.	.	.	.	.	2	1	2	1	2	2	4	3	2	1	1		
.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.		
.	.	.	.	.	.	.	.	.	.	1	3	3	.	.	.	.		
1	1	.	3	1	1	1	2	1	1	.	1	5	.	.	.	.		

ABSTRACT IV.—Continued—CAUSES OF DEATH

[illegible]

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5
		XVII. Deaths from Violence												
		—contd.												
84	174	Accidents in Mines and Quarries. { M. F.	6	.	.	.	.	.	.	.	.	.	.	.
84	175	Agricultural and Forestry Accidents. { M. F.	16	.	.	.	.	.	.	.	.	.	.	.
84	176	Accidents caused by Machinery. { M. F.	6	.	.	.	.	.	.	.	.	.	.	.
84	177	Food Poisoning ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	3 8	.	.	.	.	.	.	1	.	.	.	.
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	4 5	.	.	.	.	.	.	.	1	.	.	.
84	180	Conflagration ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	181	Accidental Burns (Conflagration excepted). { M. F.	42 61	.	.	.	.	.	.	8 2	4 6	4	3 5	1 1
84	182	Accidental Mechanical Suffocation. { M. F.	14 10	2 1	2 4	3 2	1	1 1	9 8	1	1	.	.	1
84	183	Accidental Drowning ... { M. F.	96 23	.	.	.	.	.	.	1 2	1 1	4	1	.
84	184	Accidental Injury by Firearms. { M. F.	6	.	.	.	.	.	.	.	.	.	.	.
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	186	Accidental Injury by Fall, Crushing, Land slide, etc. { M. F.	68 25	.	.	.	.	1 2	1 2	.	1	.	1	.
84	187	Cataclysm ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	188	Injury by Animals ... { M. F.	7	.	.	.	.	.	.	.	.	.	.	.
84	189	Hunger or Thirst ... { M. F.	1	.	.	.	.	.	.	.	.	.	.	.
84	190	Excessive Cold ... { M. F.	1	.	.	.	.	.	.	.	.	.	.	.
84	191	Excessive Heat ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	192	Lightning ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	193	Other Accidents due to Electric Currents { M. F.	2 1	.	.	.	.	.	.	.	.	.	.	.
84	194	Attack by Venomous Animals. { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
84	195	Other Accidents ... { M. F.	97 133	7 6	.	.	1 .	1 1	8 9	.	.	.	1	8 10
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	3	.	.	.	.	.	.	.	.	.	.	.
85	197	Deaths of Civilians due to Operations of War. { M. F.	1	.	.	.	.	.	.	.	.	.	.	.
86	198	Legal Executions ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	170 181	2 .	2 1	.	1 1	.	5 4	3 6	5 1	1	2	14 13
87	199	Sudden Death { M. F.	20 4	.	.	.	.	.	.	.	.	.	.	.
87	200	Causes of Death Un- stated or Ill-defined. { M. F.	150 177	2 .	2 1	.	1 1	1 1	5 4	3 6	5 1	1	2	14 13

at different Periods of Life in the Year 1946.

BATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	1	1	1	1	1	.	.	1	.	.	.	.	.	.	174	81
.	.	.	2	.	1	.	4	.	1	1	.	3	1	3	.	.	175	84
.	.	.	1	1	1	1	1	.	.	.	.	1	.	.	.	.	176	84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	177	84
.	.	.	.	2	.	.	.	.	1	3	.	2	.	1	1	.	178	84
.	.	.	.	.	.	1	2	1	1	.	1	.	.	1	.	.	179	84
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	180	84
3	2	.	1	.	.	1	.	1	2	2	1	2	2	4	2	.	181	84
9	1	1	.	.	2	2	1	1	1	1	4	1	13	12	1	.	182	84
.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	183	84
10	6	11	4	8	4	2	7	2	7	4	6	13	3	1	1	.	184	84
2	1	1	2	1	1	2	4	2	3	.	1	.	.	1	.	.	185	84
.	.	.	.	1	.	1	.	.	2	.	.	.	.	.	.	.	186	84
3	3	1	2	4	4	5	5	6	2	7	6	8	7	3	2	.	187	84
.	.	.	.	.	.	.	.	.	2	3	2	5	4	3	.	.	188	84
.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.	189	84
.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	190	84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	191	84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	192	84
.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	193	84
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194	84
4	.	2	4	1	.	1	1	2	4	3	7	9	12	29	10	.	195	84
.	1	.	.	.	.	3	1	1	3	3	6	10	30	49	15	1	196	85
.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	197	85
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	198	86
2	.	3	3	4	6	2	5	8	16	10	48	44	4	1	.	.	(199-200)	87
1	2	1	2	2	4	8	7	6	14	22	52	46	.	1	.	.	199	87
2	.	3	3	4	6	2	5	8	13	9	43	33	4	1	.	.	200	87
1	2	1	2	2	4	8	7	6	14	19	52	45	.	1	.	.		

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps., District Hosps. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. {	41,457 {	21,863 19,594	2,491 1,899	461 399	314 281	645 682	695 819	864 883	1,498 1,374	2,737 2,262	5,764 4,731	6,394 6,264	3,395 2,598	532 466	4,219 3,249	13,717 13,281	2,642 2,478		
1	Typhoid Fever (including Para-typhoid). M. F. }	26 {	13 13	. .	. .	3 1	3 3	2 .	. 1	1 2	4 2	. 1	1 3	2 3	9 4	1 3	. .			
2	Cerebro-spinal Meningitis ... M. F. }	25 {	14 11	3 5	2 2	2 2	3 .	. 2	. .	. 2	. .	. .	6 8	. .	5 1	3 2	. .			
3	Scarlet Fever ... M. F. }	3 {	1 2	. 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 2	. .			
4	Whooping Cough ... M. F. }	117 {	63 54	36 29	22 21	5 3	. 1	. .	. .	. .	. .	. .	18 15	. .	6 6	39 33	4 4			
5	Diphtheria ... M. F. }	139 {	78 61	11 6	33 25	18 16	7 4	1 1	4 2	2 4	2 2	. 1	23 16	. .	39 38	16 7	. .			
6	Tuberculosis of the Respiratory System. M. F. }	2,585 {	1,323 1,262	4 6	6 3	28 31	257 349	300 380	242 208	237 144	166 94	74 42	9 5	537 448	77 71	195 196	514 547	12 15		
7	All other forms of Tuberculosis... M. F. }	805 {	430 375	30 21	72 63	72 55	90 94	63 58	36 32	29 19	25 15	13 13	152 134	10 7	128 113	140 121	1 2			
8	Dysentery ... M. F. }	3 {	2 1	. 1	. .	. .	. 1	. .	. .	. .	. 1	. .	. 1	. 1	. .	1 .	. .			
9	Influenza ... M. F. }	769 {	382 387	36 19	3 11	4 11	14 4	11 8	21 16	18 26	52 47	107 115	116 130	17 9	5 5	32 19	328 354	80 73		
10	Measles ... M. F. }	47 {	23 24	8 8	8 10	3 3	3 1	. 1	. .	. .	. 1	. .	4 6	. .	3 5	16 13	5 1			
11	Acute Infectious Encephalitis... M. F. }	16 {	8 8	2 .	1 .	. 1	. 1	. 4	. 2	. 1	. 2	. .	2 .	. .	2 4	4 4	. 1			
12	Typhus ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .			
13	Cancer ... M. F. }	4,024 {	2,102 1,922	. 1	3 2	4 6	7 15	22 34	68 130	205 320	477 478	898 626	418 310	370 304	20 26	481 365	1,231 1,227	25 19		
14	Diabetes Mellitus ... M. F. }	250 {	114 136	. .	. 2	2 1	6 6	14 6	8 6	9 15	25 27	32 51	18 22	14 23	3 4	43 34	54 75	1 3		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	2,716	1,234 1,482	.	3 2	2 1	3 6	6 14	32 27	84 116	215 278	474 564	415 474	124 125	33 33	259 223	818 1,101	90 87
16	Diseases of the Heart	... M. F. }	10,120	5,451 4,669	1 .	2 2	14 18	37 43	63 70	127 143	351 289	902 681	2,096 1,694	1,858 1,729	404 301	188 156	1,016 785	3,843 3,427	396 186
17	Other Diseases of the Circulatory System.	M. F. }	889	449 440	.	.	1 .	3 2	7 6	12 9	30 34	65 61	181 151	150 177	58 42	9 9	118 113	264 276	5 3
18	Bronchitis ...	... M. F. }	1,223	701 522	51 30	14 7	.	3 4	6 4	13 17	53 29	105 54	217 184	239 191	45 24	5 7	144 63	507 428	47 42
19	Pneumonia ...	... M. F. }	1,649	853 796	277 235	70 85	15 22	13 14	16 17	25 26	52 47	102 57	166 163	117 130	102 102	19 14	140 115	592 565	26 27
20	Other Diseases of the Respiratory System.	M. F. }	619	359 260	18 18	10 7	2 3	13 6	10 9	22 14	44 25	57 35	117 82	66 61	47 22	6 3	80 48	226 187	11 10
21	Ulcer of the Stomach or Duodenum.	M. F. }	270	203 67	.	.	1 .	3 1	15 3	25 6	54 13	40 11	49 23	16 10	67 13	2 2	65 13	69 39	3 1
22	Diarrhoea and Enteritis	... M. F. }	1,074	624 450	537 354	33 27	5 5	1 1	3 8	8 4	3 9	6 8	13 20	15 14	339 212	2	69 60	214 178	6 6
23	Appendicitis	... M. F. }	108	69 39	1 .	7 3	6 7	11 2	6 2	11 2	10 5	6 7	8 8	3 3	37 14	1	26 16	5 9	.
24	Cirrhosis of the Liver	... M. F. }	47	34 13	.	.	1 1	.	1 .	3 .	8 3	10 1	7 6	4 1	10 3	.	2 3	22 7	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	145	71 74	1 .	1 1	1 3	4 .	2 2	9 4	10 8	6 18	26 19	11 19	15 18	5 1	16 13	35 42	2 3
26	Other Diseases of the Digestive System.	M. F. }	508	287 321	34 30	12 10	3 7	12 5	5 6	12 13	23 23	46 32	86 49	54 46	80 70	3 4	76 40	128 107	19 7
27	Nephritis ...	... M. F. }	1,027	619 408	2 1	2 2	7 9	13 19	15 20	39 33	59 65	104 79	233 98	140 82	109 58	5 5	173 86	332 259	14 4
28	Puerperal Infection ...	... F. }	20	20	.	.	.	1	9	10	.	.	.	.	8	.	3	9	.
29	Other Diseases of Childbirth	... F. }	117	117	.	.	.	10	57	47	3	.	.	.	34	.	44	39	2
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	2,302	1,298 1,004	1,253 966	27 15	11 10	3 7	2 4	.	1 1	.	1	.	414 330	1	293 218	590 456	95 76
31	Senility ...	... M. F. }	5,939	2,852 3,087	.	.	.	.	.	.	.	.	459 450	2,393 2,637	25 28	46 63	318 266	2,463 2,730	1,692 1,661
32	Suicide ...	... M. F. }	79	67 12	.	.	.	4 1	10 2	8 2	12 3	12 2	12 .	9 .	2 .	1 1	5 1	59 10	.
33	Other Violence	... M. F. }	801	500 301	20 20	41 25	43 17	47 7	48 7	46 17	44 20	60 25	85 71	66 92	94 65	3 2	100 80	303 154	3 2
34	Other Causes	... M. F. }	2,995	1,639 1,356	166 148	88 73	64 47	85 74	62 84	91 112	156 163	253 244	397 296	277 125	279 162	85 50	376 274	899 870	206 238

ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	Un-certified Deaths.	
	ALL CAUSES ... M. F. }	17,258	8,932 8,326	1,372 1,015	217 192	132 121	277 306	282 350	391 413	712 616	1,233 1,045	2,305 1,974	2,011 2,294	2,139 1,637	233 210	1,657 1,341	4,903 5,138	456 424	
1	Typhoid Fever (including Para-typhoid). M. F. }	5	2 3	· ·	· ·	· ·	1 1	1 1	· ·	· ·	· ·	· 1	· ·	· 1	· 1	2 ·	· 1	· ·	
2	Cerebro-spinal Meningitis ... M. F. }	14	7 7	1 3	2 1	1 2	· ·	1 ·	· ·	1 ·	· 1	· ·	· ·	5 6	· ·	1 ·	1 1	· ·	
3	Scarlet Fever ... M. F. }		· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
4	Whooping Cough ... M. F. }	73	38 35	24 22	11 13	3 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	18 15	· ·	5 5	15 15	1 ·	
5	Diphtheria ... M. F. }	54	31 23	7 3	14 11	7 4	1 3	1 ·	· 1	1 1	· ·	· ·	· ·	8 7	· ·	17 14	6 2	· ·	
6	Tuberculosis of the Respiratory System. M. F. }	1,206	607 599	4 4	3 1	10 12	112 162	133 175	115 103	111 63	79 53	35 22	5 4	292 223	24 25	59 79	232 272	4 2	
7	All other forms of Tuberculosis ... M. F. }	388	197 191	16 13	39 34	31 27	44 50	27 26	19 18	7 8	7 6	7 5	· 4	83 88	2 3	46 49	66 51	· 2	
8	Dysentery ... M. F. }	1	· 1	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	
9	Influenza ... M. F. }	180	86 94	10 6	· 4	3 3	8 2	1 2	6 8	4 8	11 8	23 23	20 30	10 7	3 4	9 2	64 81	5 5	
10	Measles ... M. F. }	17	9 8	4 3	3 5	1 ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	4 5	· ·	2 1	3 2	· ·	
11	Acute Infectious Encephalitis ... M. F. }	3	3 ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 ·	· ·	1 ·	· ·	· ·	2 ·	· ·	
12	Typhus ... M. F. }		· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
13	Cancer ... M. F. }	1,728	894 834	· 1	2 2	1 3	5 5	12 18	39 65	90 135	192 213	390 268	163 124	210 178	11 10	198 138	475 508	4 6	
14	Diabetes Mellitus ... M. F. }	107	47 60	· ·	· 1	1 1	2 1	6 3	4 1	3 8	15 13	10 22	6 10	10 14	· 3	19 11	18 32	· ·	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	1,203	533 670	.	.	1	1	2	13	45	105	203	163	81	17	107	328	19
							3	5	16		51	141	236	218	79	17	87	487	16
16	Diseases of the Heart	... M. F. }	4,580	2,354 2,226	.	1	6	19	21	58	191	434	892	732	244	102	414	1,594	71
						2	10	17	29	68	147	326	781	846	189	90	357	1,590	44
17	Other Diseases of the Circulatory System.	M. F. }	461	228 233	.	.	.	1	4	8	17	32	99	67	37	7	63	121	.
						.	.	.	4	6	19	38	80	86	26	8	80	119	2
18	Bronchitis	... M. F. }	517	296 221	16 13	8 4	.	.	2	6	31	57	88	88	28	4	70	194	3
								1	2	6	10	26	78	81	17	3	29	172	5
19	Pneumonia	... M. F. }	762	386 376	136 127	28 44	5 10	5 7	8 7	11 11	28 26	47 26	67 65	51 53	74 80	8	64 55	240 233	4 3
20	Other Diseases of the Respiratory System.	M. F. }	276	156 120	7 9	5 1	.	8 3	2 2	8 9	27 11	30 14	48 36	21 34	29 13	3	38 88	86 88	1 1
21	Ulcer of the Stomach or Duodenum.	M. F. }	110	82 28	.	.	1	1	7	12	22	12	21	6	31	1	23	27	2
						.	.	.	1	3	8	6	7	3	11	2	3	12	.
22	Diarrhoea and Enteritis	... M. F. }	715	424 291	387 248	16 16	2	1	.	3	2	2	7	6	299	1	30	94	4
							1	.	3	2	4	7	8	8	197	.	16	78	1
23	Appendicitis	... M. F. }	41	24 17	.	4 3	.	5 1	3	4	4	1	3	.	16	.	5	3	.
							2	.	.	2	5	3	1	.	6	.	7	4	.
24	Cirrhosis of the Liver	... M. F. }	26	19 7	.	.	1	.	2	7	3	2	4	.	9	.	2	8	.
						.	1	1	.	1	1	4	.	.	2	.	1	4	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	54	27 27	1 .	1 .	1	4 1	1 1	4 2	4 3	3 7	4 7	4 6	11 10	1 1	6 3	9 13	.
26	Other Diseases of the Digestive System.	M. F. }	196	93 103	10 16	3 2	2 2	1 2	1 4	5 7	10 11	19 20	22 22	20 16	43 39	1 2	14 19	35 43	2
27	Nephritis	... M. F. }	445	258 187	1 .	2 2	3 2	4 7	4 10	19 13	23 24	58 36	94 51	50 42	67 36	3 2	74 32	114 117	1
28	Puerperal Infection	... F.	11	11	.	.	.	1	4	6	.	.	.	.	7	.	.	4	.
29	Other Diseases of Childbirth	... F.	31	31	.	.	.	4	13	14	.	.	.	.	8	.	11	12	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	1,182	680 502	660 480	14 7	3 8	2 4	1 2	.	.	.	.	.	309 238	.	109 74	262 190	37 21
31	Senility	... M. F. }	1,389	638 751	.	.	.	.	.	.	.	.	123 120	515 631	11 11	13 16	121 100	493 624	243 249
32	Suicide	... M. F. }	23	18 5	.	.	.	2	4	2	4	3	1	2	2	.	.	16 3	.
33	Other Violence	... M. F. }	332	198 134	9 10	18 10	21 8	20 2	18 4	19 5	20 10	25 11	26 29	22 45	58 34	1 1	31 36	108 63	1
34	Other Causes	... M. F. }	1,128	597 531	78 56	43 29	28 22	29 29	22 34	34 47	62 66	98 90	137 106	66 52	149 89	31 12	128 113	289 317	57 63

ABSTRACT V—continued—Causes of Death for the Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	487	279 208	32 22	7 6	3 3	8 6	4 11	9 8	17 16	33 28	81 51	85 57	23 14	8 5	57 35	191 154	27 26	
1	Typhoid Fever (including Para-typhoid). M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	2	1 1	1	1	.	.	.	.	.	.	.	.	.	.	.	1 1	.	
5	Diphtheria ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	31	15 16	.	.	1 1	6 3	1 6	4 2	.	1 3	2 .	.	2 1	.	1 4	8 9	.	
7	All other forms of Tuberculosis ... M. F. }	8	5 3	.	1	1	.	2	1	.	1 1	1 .	.	1 1	.	1 1	3 1	.	
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	10	6 4	1	.	.	.	.	.	.	1 1	2 3	2 .	.	.	2	4 4	.	
10	Measles ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	42	21 21	.	.	.	.	.	2 3	4 2	4 8	10 7	1 1	4	1 1	4 2	12 18	.	
14	Diabetes Mellitus ... M. F. }	6	3 3	.	.	.	.	.	.	1	2	1	2	1	.	1	2 2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	38	19 19	.	.	.	.	.	1	1	2	3	6	7	1	1	2	11	2
16	Diseases of the Heart	... M. F. }	112	71 41	.	.	.	1	.	.	1	4	8	32	27	3	3	18	47	1
17	Other Diseases of the Circulatory System.	M. F. }	3	1 2	.	.	.	.	.	.	.	1	.	1	1	.	1	.	1	.
18	Bronchitis ...	... M. F. }	9	7 2	.	.	.	.	.	.	.	2	3	1	2	.	.	1	6	.
19	Pneumonia ...	... M. F. }	24	15 9	3 4	2	.	1	.	.	1	1	2	3	3	.	.	4	11	.
20	Other Diseases of the Respiratory System.	M. F. }	8	5 3	.	.	.	1	.	.	.	2	1	1	1	1	1	1	3	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	2	2	.	.	.	.	1	.	.	.	.	1	.	1	.	.	1	.
22	Diarrhoea and Enteritis	... M. F. }	7	5 2	4 2	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.
23	Appendicitis ...	... M. F. }	3	1 2	.	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	.	.	.	.	1	.	.	1	.	.	.	1	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	.
26	Other Diseases of the Digestive System.	M. F. }	5	3 2	.	.	.	.	.	.	.	.	3	.	.	1	.	.	2	.
27	Nephritis ...	... M. F. }	15	9 6	.	.	.	.	.	.	.	2	2	4	3	1	.	2	6	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	33	18 15	18 14	.	1	.	.	.	.	.	.	.	.	4	.	4	10	3
31	Senility ...	... M. F. }	81	43 38	.	.	.	.	.	.	.	.	.	6	37	.	.	4	39	17
32	Suicide ...	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. F. }	4	4	.	1	1	.	1	.	.	.	.	1	.	.	.	1	3	.
34	Other Causes	... M. F. }	38	22 16	5 2	3 4	.	.	.	2	1	1	4	8	1	2	1	3	16	4

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,516 {	784 732	114 93	14 15	11 24	37 27	15 27	32 37	57 44	111 91	222 154	171 220	280 234	18 12	77 57	409 429	2 1	
1	Typhoid Fever (including Para-M. F. typhoid). }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	3 {	1 2	.	.	2	.	.	.	1	.	.	.	1 1	.	.	1	.	
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	2 {	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	
5	Diphtheria ... M. F. }	4 {	1 3	1	2	.	.	.	1	.	.	.	.	1 2	.	.	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	93 {	44 49	2 1	.	3 2	17 13	4 13	7 9	5 2	3 6	3 3	.	15 17	4 1	3 4	22 27	.	
7	All other forms of Tuberculosis... M. F. }	32 {	13 19	1	3 2	1 5	4 3	1 2	.	1 4	1 1	1 1	1 2	6 10	.	2 1	5 8	.	
8	Dysentery ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
9	Influenza ... M. F. }	20 {	6 14	.	1	.	1 1	.	2	1 4	1 1	1 3	.	1 4	.	.	5 10	.	
10	Measles ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	176 {	94 82	.	1	.	2	1 2	4 6	8 9	15 4	47 24	17 16	37 27	.	13 4	44 51	.	
	... M. F. }	7 {	3	.	.	.	.	.	1	.	1	.	1	1	.	.	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	117	54 63	.	.	.	.	1	.	1	7	14 10	19 18	13 30	16 10	1 2	2 5	35 46	.
16	Diseases of the Heart	... M. F. }	449	246 203	.	.	.	2	2	3	4	17 17	48 23	97 61	78 87	53 41	13 3	29 20	151 139	.
17	Other Diseases of the Circulatory System.	M. F. }	52	24 28	.	.	.	.	.	1	.	2	2 8	9 7	10 13	8 8	.	3 3	13 17	.
18	Bronchitis ...	... M. F. }	40	20 20	1	.	.	.	.	.	.	.	4 3	5 3	10 13	1 2	.	6 2	13 16	.
19	Pneumonia ...	... M. F. }	64	33 31	9 11	3 3	2 3	1	2	.	2	2 5	5 2	8 6	8 7	.	1 5	24 19	.	
20	Other Diseases of the Respiratory System.	M. F. }	26	15 11	2 1	.	1	1	.	.	1	4 1	7 5	2	5 2	.	1 1	9 8	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	10	6 4	.	.	.	.	1	1	1	.	2 1	1 1	3 1	.	1	2 2	.	
22	Diarrhoea and Enteritis	... M. F. }	69	46 23	41 19	2 1	.	.	.	.	1	.	1	1	35 16	.	.	11 6	.	
23	Appendicitis ...	... M. F. }	5	4 1	.	.	.	2 1	.	1	1	.	.	.	3	.	1	1	.	
24	Cirrhosis of the Liver	... M. F. }	2	2	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	5	3 2	.	.	1	.	.	.	1 1	.	1 1	.	3 2	.	.	.	.	
26	Other Diseases of the Digestive System.	M. F. }	26	12 14	2 3	.	1	1	.	2	2	2 2	.	2 1	6 4	.	1	5 8	.	
27	Nephritis ...	... M. F. }	34	21 13	.	.	.	.	3	3	2 1	6 5	7 4	3 4	11 7	.	5 2	5 4	.	
28	Puerperal Infection ...	... F. }	2	2	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.	
29	Other Diseases of Childbirth	... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	110	55 55	53 53	2	.	.	.	.	.	.	.	.	32 43	.	6	17 12	2	
31	Senility ...	... M. F. }	55	21 34	.	.	.	.	.	.	.	.	4 3	17 31	1 2	.	3 3	17 26	1	
32	Suicide ...	... M. F. }	2	2	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	
33	Other Violence	... M. F. }	30	18 12	.	2 1	.	4 1	1 1	4 1	1	1 1	2 5	3 5	6 4	.	2	12 6	.	
34	Other Causes	... M. F. }	80	40 40	2 1	2 3	3 6	3 4	3	2 4	3 4	7 4	10 11	5 3	25 15	.	1 2	14 22	.	

ABSTRACT V—continued.—Cause of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES ... M. } F. }	6,621	3,256 3,365	677 532	85 75	53 34	105 138	104 150	186 178	356 287	543 447	698 740	449 784	1,433 1,108	81 71	386 447	1,356 1,739	41 46
1	Typhoid Fever (including Para- M. } typhoid). F. }	2	2	201	.	.	1	1	.	.	.	.	.	1	1	.	.	.
2	Cerebro-spinal Meningitis ... M. } F. }	7	3 4	.	1 1	1	1	.	.	.	.	.	.	3 4	.	.	.	.
3	Scarlet Fever ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } F. }	43	22 21	14 15	7 6	1	.	.	.	.	.	.	.	17 14	.	.	5 7	.
5	Diphtheria ... M. } F. }	11	5 6	1 1	3 5	1	.	.	.	.	.	.	.	5 4	.	1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	589	314 275	1 1	2	4 7	41 79	55 80	67 47	71 32	50 19	20 7	3 3	206 146	6 4	4 9	98 116	1
7	All other forms of Tuberculosis ... M. } F. }	178	87 91	9 10	22 21	14 12	19 20	11 11	6 8	2 5	3 2	1 1	1	63 64	.	3 7	21 19	.
8	Dysentery ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } F. }	42	17 25	2 1	.	1 1	2	.	2 3	1 2	4 2	2 6	3 10	3 2	.	1	13 19	.
10	Measles ... M. } F. }	11	3 8	2 3	1 5	.	.	.	.	.	.	.	.	3 5	.	.	.	.
11	Acute Infectious Encephalitis... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } F. }	626	306 320	.	2 1	1 1	2	4 7	17 29	47 62	76 75	117 95	40 50	126 117	5 3	42 43	133 157	.
14	Diabetes Mellitus ... M. } F. }	36	15	.	.	1	1	3	1	.	6	2	1	6	.	4	5	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	439	167 272	.	.	.	.	1 2	1 7	7 26	17 58	43 58	59 94	40 84	49 61	2 4	24 22	92 185	1
16	Diseases of the Heart	... M. F. }	1,686	783 903	.	.	1	9	10 13	36 32	87 67	180 166	263 293	197 330	163 128	40 29	121 169	459 577	13 12	
17	Other Diseases of the Circulatory System.	M. F. }	214	98 116	.	.	.	1	2 3	3 5	9 11	21 18	36 34	26 45	25 12	2 3	21 49	50 52	.	
18	Bronchitis ...	... M. F. }	234	143 91	4 4	2 1	.	1	1 2	3 2	23 5	36 15	42 36	32 25	25 12	3	86 9	79 70	2 1	
19	Pneumonia ...	... M. F. }	341	160 181	61 71	10 16	1 2	2 4	2 7	5 4	14 15	24 10	28 27	13 25	58 64	.	24 16	78 96	2 1	
20	Other Diseases of the Respiratory System.	M. F. }	113	65 48	2 4	.	.	2 1	1 .	3 2	18 4	14 8	20 15	5 14	18 9	1 1	14 2	32 36	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	39	28 11	.	.	.	.	1 .	6 2	10 4	5 3	4 1	2 1	19 6	.	1 1	8 3	.	
22	Diarrhoea and Enteritis	... M. F. }	442	252 190	245 174	6 9	.	1 .	1 .	.	.	.	.	.	232 167	.	4 1	16 22	.	
23	Appendicitis ...	... M. F. }	13	9 4	41.9 .	4 .	.	2 .	2 .	.	1 .	.	3 1	.	9 3	.	1 .	.	.	
24	Cirrhosis of the Liver	... M. F. }	15	12 3	.	.	1 1	.	.	1 .	4 1	2 .	1 1	3 .	8 1	.	1 .	3 2	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	26	11 15	1 .	1 .	.	3 .	.	1 1	2 1	1 4	2 4	5 5	5 6	1 1	3 .	2 8	.	
26	Other Diseases of the Digestive System.	M. F. }	76	40 36	5 6	1 .	1 .	.	2 .	2 2	6 4	9 10	11 9	5 3	24 17	1 2	4 6	11 11	.	
27	Nephritis ...	... M. F. }	168	92 76	.	.	1 .	2 4	.	7 7	9 12	26 18	33 21	14 13	37 23	1 .	23 7	31 46	.	
28	Puerperal Infection ...	... F. }	5	5	.	.	.	1	2	2	.	.	.	.	5	.	.	.	.	
29	Other Diseases of Childbirth	... F. }	9	9	.	.	.	.	4	5	.	.	.	.	5	.	1	3	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	516	297 219	292 214	2 2	2 2	.	1 .	.	.	.	.	.	200 143	.	20 19	77 57	4 3	
31	Senility ...	... M. F. }	220	63 157	.	.	.	.	.	.	.	.	15 31	48 126	6 2	2 3	17 30	38 122	6 12	
32	Suicide ...	... M. F. }	7	4 3	.	.	.	1 .	1 .	.	1 1	2 .	.	1 .	1 .	1 .	.	3 2	.	
33	Other Violence	... M. F. }	133	79 54	5 2	8 1	13 2	8 1	6 2	7 3	8 4	11 8	6 13	7 18	43 22	.	1 7	35 24	.	
34	Other Causes	... M. F. }	380	181 199	33 23	13 6	9 4	8 13	3 13	12 16	27 29	30 32	36 36	10 27	79 58	17 5	18 41	67 95	12 17	

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	863 {	479 384	69 48	9 14	10 8	11 10	14 13	20 21	35 28	63 48	137 91	111 103	53 43	6 7	132 72	288 262	17 7
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1 .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
2	Cerebro-spinal Meningitis ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Scarlet Fever ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Whooping Cough ... M. F. }	4 {	3 1	2 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	2 .	. .
5	Diphtheria ... M. F. }	1 {	1 .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
6	Tuberculosis of the Respiratory System. M. F. }	57 {	31 26	1 .	. .	. 3	. 8	. 7	4 6	7 3	5 2	3 3	. .	7 7	1 1	9 3	14 15	. .
7	All other forms of Tuberculosis ... M. F. }	16 {	9 7	1 .	. 2	. 2	1 1	1 1	1 2	2 .	. .	1 1	. 1	2 2	. .	4 3	3 2	. .
8	Dysentery ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... M. F. }	11 {	5 6	. 1	. 1	. .	. .	. .	. 1	. .	. .	4 1	1 2	. 1	1 .	. .	4 5	. .
10	Measles ... M. F. }	4 {	4 .	1 .	1 1	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	2 .	2 .	. .
11	Acute Infectious Encephalitis ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
12	Typhus ... M. F. }	{	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. F. }	82 {	38 44	. .	. .	. 1	. 1	. 3	1 6	6 6	8 11	17 14	6 8	4 6	. .	13 10	21 28	. .
14	Diabetes Mellitus ... M. F. }	4 {	2 .	. .	. .	. .	. 1	. .	. .	. .	1 .	. .	. .	. .	. .	. .	2 .	. .

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	47 {	27 20	.	.	.	.	.	1	2	3	9	12	.	1	9	17	.
16	Diseases of the Heart	... M. F. }	219 {	124 95	.	.	2	.	1	2 2	5 9	26 18	52 30	37 35	2 3	1 4	22 10	99 78	11 3
17	Other Diseases of the Circulatory System.	M. F. }	17 {	10 7	.	.	.	.	.	1 1	1 1	.	5 3	3 3	1 1	1	2 1	6 5	.
18	Bronchitis ...	... M. F. }	44 {	29 15	4 1	2 1	.	.	.	.	2	5 3	4 6	12 4	1	.	10 7	18 8	.
19	Pneumonia ...	... M. F. }	41 {	15 26	5 9	2 4	.	1	.	1 2	.	2 2	2 6	2 1	3 5	1	5 3	7 17	1
20	Other Diseases of the Respiratory System.	M. F. }	11 {	6 5	1	1 1	.	.	.	.	2 1	1 1	1 1	.	.	.	2 2	4 3	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	12 {	10 2	.	.	1	.	.	.	3 1	1	5 1	.	3 1	.	4	3 1	.
22	Diarrhoea and Enteritis	... M. F. }	24 {	14 10	9 5	1	1	.	.	.	1	1 2	.	3 1	4 2	.	5	5 8	.
23	Appendicitis	... M. F. }	2 {	1 1	.	.	.	1	.	.	.	.	1	.	.	.	.	1 1	.
24	Cirrhosis of the Liver	... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3 {	1 2	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
26	Other Diseases of the Digestive System.	M. F. }	9 {	6 3	1	1	.	.	.	.	.	1	5	1	2 1	.	.	4 2	.
27	Nephritis ...	... M. F. }	30 {	21 9	.	1	.	.	.	3 1	3	1	9 2	6 4	2	.	6 1	13 8	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth ...	F. }	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	71 {	42 29	42 28	.	.	.	1	.	.	.	.	.	17 10	.	5 7	20 12	1
31	Senility ...	... M. F. }	61 {	26 35	.	.	.	.	.	.	.	.	6 3	20 32	.	.	9 5	17 30	1 3
32	Suicide ...	... M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence	... M. F. }	19 {	10 9	.	2	2	3	.	1	.	1	2 3	1 2	1	.	3 3	7 5	.
34	Other Causes	... M. F. }	70 {	44 26	3 3	2	1	3	3 2	5 2	2 3	7 1	10 6	8 5	5 2	1	20 8	18 16	3 1

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls., District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	927 {	515 412	69 40	13 6	5 4	11 9	15 18	10 15	29 20	55 50	156 114	152 136	33 31	16 13	136 78	339 290	40 42	
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	2 {	2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	1	
5	Diphtheria ... M. F. }	2 {	1 1	.	1	.	1	.	.	.	.	.	.	.	.	1 1	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	42 {	23 19	.	.	.	6 6	8 8	3 1	4	2 2	.	.	8 9	.	5 1	10 9	.	
7	All other forms of Tuberculosis... M. F. }	13 {	8 5	.	3 1	2	1 1	1 1	1	.	1	1	.	.	.	6 4	2 1	1	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	14 {	9 5	1	.	1	1	1	.	1	1	4 1	1	.	2	3 1	4 4	.	
10	Measles ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	70 {	42 28	.	.	.	.	1 1	.	5 5	11 8	16 9	9 3	4 4	.	13 5	25 19	.	
14	Diabetes Mellitus ... M. }	2 {	2	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	71 {	32 39	.	.	.	.	.	.	1 2	.	8 3	12 18	11 13	2 2	3 2	8 6	19 29	.
16	Diseases of the Heart	... M. } ... F. }	251 {	140 111	.	.	1	2	1 4	.	2 4	8 4	16 17	67 47	46 36	1 1	2 6	24 10	113 94	10 8
17	Other Diseases of the Circulatory System.	M. } F. }	42 {	26 16	.	.	.	.	.	.	1 1	1 1	2 1	16 11	6 3	1 2	2 10	15 4	8 4	.
18	Bronchitis ...	... M. } ... F. }	25 {	14 11	2	3	.	.	.	.	1 1	1 1	7 4	3 3	3 1	1 1	2 1	11 9	.	.
19	Pneumonia ...	... M. } ... F. }	27 {	13 14	5 2	1	1	.	.	.	1 1	2 2	3 5	2 2	2 1	1 1	3 5	9 9	.	.
20	Other Diseases of the Respiratory System.	M. } F. }	12 {	10 2	1	.	.	1	.	.	1 1	.	1 1	3 1	3 1	1 1	2 1	7 1	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5 {	3 2	.	.	.	.	.	.	1 1	1 1	1 1	.	.	1 1	1 1	2 1	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	19 {	11 8	9 7	1	.	.	1	.	.	.	1 1	.	.	2 1	1 3	8 4	1	.
23	Appendicitis ...	... M. } ... F. }	2 {	.	2	.	1	.	.	.	1 1	.	.	.	.	1 1	1 1	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	3 {	1 2	1	.	.	.	.	.	.	.	1 1	.	1 1	1 1	1 1	.	.	.
27	Nephritis ...	... M. } ... F. }	20 {	12 8	1	.	1	1	.	1 1	1 1	1 3	3 1	4 2	3 2	.	4 3	5 5	.	.
28	Puerperal Infection ...	... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	71 {	46 25	46 23	1	1	.	.	.	.	.	.	.	.	3 4	18 6	25 15	6 4	.
31	Senility ...	... M. } ... F. }	156 {	81 75	.	.	.	.	.	.	.	.	17 8	64 67	1 2	4 4	16 9	60 60	20 23	.
32	Suicide ...	... M. } ... F. }	1 {	1	.	.	.	.	.	.	1 1	.	.	.	.	.	.	1	.	.
33	Other Violence	... M. } ... F. }	15 {	8 7	1 1	2 1	.	.	1 1	.	1 1	2 1	1 1	3 3	1 1	.	2 2	5 4	.	.
34	Other Causes	... M. } ... F. }	60 {	29 31	5 3	3 2	.	.	1 2	3 4	4 3	5 11	4 5	4 1	5 1	2 1	10 8	12 22	2 5	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls., District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	723 {	414 309	46 40	13 6	6 7	9 7	14 13	9 7	22 17	44 39	112 77	139 96	30 19	9 7	105 59	270 224	57 29		
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Meningitis ... M. F. }	2 {	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.		
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Diphtheria ... M. F. }	6 {	4 2	1	2	1 1	1	.	.	.	.	.	.	1	.	4 1	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	28 {	17 11	.	.	1	3 1	7 7	3 1	2 1	1 1	.	.	9 2	.	1 4	7 5	.		
7	All other forms of Tuberculosis ... M. F. }	12 {	8 4	.	1	1 1	3 2	.	2 1	1	.	.	.	2	.	5 4	1	.		
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	18 {	7 11	1 1	1	1	.	1	1 1	1	1	2 2	3 3	1	.	1 1	5 10	1		
10	Measles ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.		
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	64 {	33 31	.	.	.	.	1	2 1	3 3	4 15	19 8	4 3	2 1	1 1	9 3	21 26	1		
14	Diabetes Mellitus ... M. F. }	3 {	1 2	.	.	.	.	1	.	.	.	1 1	.	.	1	1	1	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	41	30	.	.	.	.	.	.	2	4	15	9	1	.	6	23	1
				11	.	.	.	.	.	.	1	3	6	1	.	.	3	8	.
16	Diseases of the Heart	... M. F. }	231	123	.	.	.	.	.	1	7	20	46	48	2	7	37	77	4
				108	.	1	1	1	1	.	5	15	35	49	3	5	27	73	2
17	Other Diseases of the Circulatory System.	M. F. }	6	5	.	.	.	.	.	.	.	.	2	3	.	.	1	4	.
				1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
18	Bronchitis	... M. F. }	16	5	.	.	.	.	.	.	.	2	2	1	.	.	.	5	.
				11	1	.	.	.	.	.	.	1	6	3	1	.	.	10	1
19	Pneumonia	... M. F. }	28	19	8	3	1	.	.	.	1	1	2	3	1	.	6	12	.
				9	2	2	.	.	.	1	1	.	2	1	1	.	.	8	.
20	Other Diseases of the Respiratory System.	M. F. }	6	2	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.
				4	.	.	.	1	.	.	.	.	3	.	.	.	1	3	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	3	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
				2	.	.	.	.	.	.	2	.	.	.	1	.	.	1	.
22	Diarrhoea and Enteritis	... M. F. }	14	8	8	.	.	.	.	.	.	.	.	.	4	.	1	3	1
				6	5	.	.	.	.	.	1	.	.	.	2	.	.	4	.
23	Appendicitis	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
				1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
26	Other Diseases of the Digestive System.	M. F. }	8	5	1	.	1	.	1	.	.	1	1	2	.	.	2	3	.
				3	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.
27	Nephritis	... M. F. }	11	6	.	.	1	.	.	.	1	2	1	2	.	.	2	4	.
				5	.	.	1	.	.	.	1	1	1	1	.	.	.	5	.
28	Puerperal Infection	... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth	... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	45	21	20	.	1	.	.	.	.	.	.	.	3	.	6	12	4
				24	22	1	1	.	.	.	.	.	.	.	3	.	5	16	1
31	Senility	... M. F. }	102	66	.	.	.	.	.	.	.	.	14	52	1	.	8	57	39
				36	.	.	.	.	.	.	.	.	4	32	3	.	.	33	18
32	Suicide	... M. F. }	3	3	.	.	.	.	1	.	.	.	1	1	.	.	.	3	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. F. }	12	7	1	1	.	.	1	.	1	2	.	1	.	.	2	5	.
				5	.	.	.	.	.	.	.	.	3	2	1	.	2	2	.
34	Other Causes	... M. F. }	58	37	4	4	.	1	3	1	4	7	6	7	3	1	10	23	6
				21	8	1	1	1	1	2	1	2	4	.	.	.	5	16	7

ABSTRACT V—contd.—Causes of Death for the Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls., District Hospls. and Co. Infir-maries	Else-where.		
	ALL CAUSES ... M. F. }	528	296 232	29 22	2 1	3 1	6 6	11 11	10 5	13 14	29 26	97 66	96 80	12 6	11 10	63 55	210 161	73 59	
1	Typhoid Fever (including Para-typhoid). M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
5	Diphtheria ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	27	13 14	.	1	.	2 4	6 6	3	1 3	.	1	.	2 1	3 1	3 9	5 3	.	
7	All other forms of Tuberculosis ... M. F. }	8	5 3	1	.	1	1 2	1	1	.	.	1	.	.	1	1 2	3 1	.	
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	10	6 4	1	.	.	1	.	.	.	1	.	3 2	.	.	.	6 4	4 3	
10	Measles ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	72	41 31	.	.	.	.	1	1	1 3	8 7	18 18	12 3	.	1	10 11	31 19	1 3	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	29	15 14	.	.	.	.	.	.	1	.	7 8	7 4	.	.	2 1	13 13	5 4
16	Diseases of the Heart	... M. } ... F. }	117	69 48	.	.	.	1	1	.	3 4	9 6	35 21	20 17	1 2	3 6	23 7	42 38	. 2
17	Other Diseases of the Circulatory System.	M. } F. }	19	8 11	.	.	.	.	.	.	1	2	4 2	4 6	.	.	6 5	2 6	. 1
18	Bronchitis ...	... M. } ... F. }	4	3 1	.	.	.	.	.	.	.	.	2 1	1	.	.	.	3 1	.
19	Pneumonia ...	... M. } ... F. }	18	11 7	2 2	.	.	.	.	2 1	1 1	1 2	4 2	1 2	1 1	1	1 1	8 5	.
20	Other Diseases of the Respiratory System.	M. } F. }	3	1 2	.	.	.	.	1	.	.	1	.	1	.	.	1	2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	8 2	.	.	.	.	1	1	1	2	2 2	1	1	.	4 2	3	2
22	Diarrhoea and Enteritis	... M. } ... F. }	9	5 4	4 4	.	.	.	.	1	.	.	.	.	1 1	.	1 2	3 1	.
23	Appendicitis ...	... M. } ... F. }	2	1 1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	2	2	.	.	.	.	1	1	.	.	.	.	1	.	1	.	.
27	Nephritis ...	... M. } ... F. }	12	8 4	.	.	.	.	.	1 1	2	1	4 2	1 2	1 1	1 1	1 1	5 2	.
28	Puerperal Infection ...	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth ...	F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	34	20 14	20 13	.	.	1	.	.	.	.	.	.	2	.	1 6	17 8	8 4
31	Senility ...	... M. } ... F. }	93	49 44	.	.	.	.	.	.	.	.	9 7	40 37	.	.	1 2	48 41	43 32
32	Suicide ...	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	... M. } ... F. }	13	8 5	.	1	1	1	.	1	3	.	1 3	.	.	1	4 2	3 3	.
34	Other Causes ...	... M. } ... F. }	44	25 19	1 2	.	1	1	.	2 2	2 6	5 6	10 2	5 2	3	1	3 2	18 17	10 10

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospla. District Hospla. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	392 {	456 436	55 31	22 12	9 14	17 23	19 23	26 20	36 31	48 64	132 107	92 111	60 36	14 13	100 86	232 301	16 18
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	1 {	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. F. }	10 {	6 4	1	4 2	1 2	.	.	.	.	.	.	.	.	.	4 4	2	.
6	Tuberculosis of the Respiratory System. ... M. F. }	79 {	33 46	.	.	.	9 14	10 10	8 8	4 5	2 7	.	.	4 7	4 5	8 16	17 18	.
7	All other forms of Tuberculosis ... M. F. }	19 {	8 11	1	1 2	2 3	2 3	1 1	2 1	.	.	.	.	2 1	.	5 7	1 3	.
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	6 {	2 4	.	1	.	1 1	.	.	.	.	1 1	1	.	.	1	1 4	.
10	Measles ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. F. }	2 {	2	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	101 {	52 49	.	.	1	1	1 4	2 2	2 6	13 14	23 16	11 5	8 6	1 2	17 9	26 32	.
14	Diabetes Mellitus ... M. F. }	{	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	61 {	20 41	.	.	.	.	1 1	.	3 3	6 12	4 14	6 11	5 1	1 1	.	14 35	1 2
16	Diseases of the Heart	... M. F. }	221 {	115 106	.	1	1	.	1 2	3 4	13 3	14 16	50 39	32 42	5 1	3	20 14	87 91	5 1
17	Other Diseases of the Circulatory System.	M. F. }	16 {	9 7	.	.	.	.	.	1 1	.	1 2	5 2	2 4	1 .	1 1	2 1	5 6	.
18	Bronchitis ...	... M. F. }	27 {	19 8	1	.	.	.	.	2 1	1	1 1	5 5	9 1	.	.	2 2	17 6	.
19	Pneumonia ...	... M. F. }	21 {	11 10	5 2	2	1	1	.	2	.	1 2	2 1	1 1	1 .	1	2 .	8 9	.
20	Other Diseases of the Respiratory System.	M. F. }	15 {	9 6	.	2	.	.	1	1	1 1	1 1	2 2	2 1	1 1	.	1 .	7 5	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	2 {	2	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
22	Diarrhoea and Enteritis	... M. F. }	27 {	19 8	15 5	3	.	.	1	.	.	.	1 2	.	3 1	.	3 1	13 6	.
23	Appendicitis	... M. F. }	4 {	3 1	.	.	.	.	.	1	1	.	1	.	1 1	.	2	.	.
24	Cirrhosis of the Liver	... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	5 {	3 2	.	.	.	.	1	.	1	.	1 .	1 .	1 .	.	1	2 1	.
26	Other Diseases of the Digestive System.	M. F. }	10 {	5 5	1	1	.	.	1	.	1	1	2 2	.	1 2	.	.	4 3	1
27	Nephritis ...	... M. F. }	29 {	18 11	.	2	.	1	.	1 1	1 2	4 3	9 4	1	5 1	.	3 2	10 8	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	52 {	32 20	28 19	3	.	1 1	.	.	.	.	.	.	14 9	.	7 3	11 8	2
31	Senility ...	... M. F. }	80 {	33 47	.	.	.	.	.	.	.	.	10 10	23 37	.	1 3	9 9	23 35	8 12
32	Suicide ...	... M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence	... M. F. }	15 {	10 5	.	.	1 2	1	2	1	2	.	2 2	1 1	2 2	.	1 2	7 1	.
34	Other Causes	... M. F. }	78 {	43 35	4 3	5 4	4 3	2 2	3 2	.	5 8	5 6	11 4	4 3	4 1	3	13 10	24 24	2

ABSTRACT V—continued.—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls., and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	907{	481 426	49 30	15 10	5 4	19 17	14 16	19 25	33 33	50 50	145 119	132 122	58 22	19 14	121 104	233 286	39 4	
1	Typhoid Fever (including Para-typhoid). M. F. }	1{	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	1{	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	2{	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	
5	Diphtheria ... M. F. }	7{	4 3	.	2 2	1	1	.	.	1	.	.	.	.	.	3 3	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	50{	24 26	.	.	.	8 8	9 4	4 7	1 3	1 2	1 2	.	5 2	2 3	6 8	11 13	1 1	
7	All other forms of Tuberculosis ... M. F. }	17{	10 7	.	1 1	2	3 2	2 3	.	1	1 1	.	.	3	.	4 5	3 2	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	7{	4 3	1	.	.	.	.	1	.	.	1	3 1	.	.	.	4 3	1	
10	Measles ... M. F. }	1{	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	94{	49 45	.	.	.	.	.	.	4 9	3 11	32 17	10 4	5 4	2	15 16	27 25	1 1	
			8	.	.	.	.	.	.	2	1	4	1	2	.	5	1	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	75	39 36	.	.	1	1	.	1	5	3 5	18 15	16 9	1	3	11 11	24 25	3
16	Diseases of the Heart	... M. F. }	255	140 115	.	.	.	1	2	2	11 8	23 15	47 49	56 38	6 3	7 8	32 24	95 80	8 2
17	Other Diseases of the Circulatory System.	M. F. }	25	13 12	.	.	.	.	1	1	.	1 3	6 5	5 3	.	.	3 2	10 10	.
18	Bronchitis	... M. F. }	24	8 16	1 1	.	.	.	.	1	.	.	4 4	3 10	.	1	3 5	5 10	.
19	Pneumonia	... M. F. }	27	16 11	4 2	3 1	1 1	.	1	.	1 3	3 3	2 4	1 4	.	2	3 3	14 8	2
20	Other Diseases of the Respiratory System.	M. F. }	12	8 4	.	1	.	.	.	2 1	.	2 1	3 1	1 1	2	.	1 1	5 4	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	5	4 1	.	.	.	.	.	1 1	1 1	1 1	.	1 1	.	1	2 1	1 1	.
22	Diarrhoea and Enteritis	... M. F. }	21	12 9	11 6	1	.	.	.	1	.	.	.	2	4	.	3 2	5 7	1
23	Appendicitis	... M. F. }	6	3 3	.	.	1	.	.	1 1	1 1	1 1	.	.	2 1	.	1 2	.	.
24	Cirrhosis of the Liver	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	1 1	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. F. }	10	4 6	1	.	.	.	1	3	1	.	2 1	1 1	3 1	.	4 1	1 1	.
27	Nephritis	... M. F. }	31	18 13	.	.	.	.	1	.	2 3	3 3	8 4	5 5	5 2	1	4 1	9 9	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	1	2	.	.	.	.	.	.	.	2	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	44	28 16	25 14	3	.	2	.	.	.	.	.	.	8 3	.	5 4	15 9	3 2
31	Senility	... M. F. }	80	32 48	.	.	.	.	.	.	.	.	5 7	27 41	.	1 1	3	28 47	14 30
32	Suicide	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. F. }	23	11 12	.	2 2	.	1	1	1 3	2 2	3 1	1 1	2	.	.	6 5	3 7	.
34	Other Causes	.. M. F. }	70	40 30	5 4	1 3	1 2	4 2	1 2	5 3	5 1	5 5	11 6	2 2	8 5	1	12 6	19 19	8 4

ABSTRACT V--continued.—Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	712 {	377 335	45 28	13 8	7 6	8 13	15 9	10 14	18 20	43 30	105 86	113 121	21 17	7 12	112 60	237 246	43 57
1	Typhoid Fever (including Para-M. F. typhoid). }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	3 {	2 1	2 1	.	.	.	.	.	.	.	.	.	1	.	.	1 1	.
5	Diphtheria ... M. F. }	4 {	3 1	1	1	1	.	.	.	1	.	.	.	.	.	2 1	1	.
6	Tuberculosis of the Respiratory M. F. System. }	31 {	16 15	.	.	.	2 3	5 3	2 4	2 4	3	2 1	.	7 5	1	1 2	8 7	.
	All other forms of Tuberculosis ... M. F. }	21 {	12 9	1 1	2 1	2 1	1 5	2	2 1	.	1	1	.	2	1	5 3	6 4	1
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	7 {	3 4	1 1	.	.	.	.	.	.	1 1	1 1	1	1	.	.	2 4	.
10	Measles ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	75 {	46 29	.	.	.	.	2	2	1 6	8 5	24 10	9 6	2	.	12 7	32 22	.
	...		3	.	.	.	.	.	.	.	.	1	2	.	.	2	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	53 {	21 32	.	.	.	.	1	1	2	3 6	10 11	6 13	1	.	2	9 1	11 29	3 2
16	Diseases of the Heart	... M. } ... F. }	159 {	87 72	.	.	1	2	4 1	2	6 2	16 6	34 28	26 30	1 2	2 5	16 9	68 56	.	4
17	Other Diseases of the Circulatory System.	M. } F. }	10 {	6 4	.	.	.	.	.	.	2 1	1 2	2 1	1	1	.	3 3	3 3	.	1
18	Bronchitis ...	... M. } ... F. }	22 {	10 12	1 2	.	.	.	.	1	2 1	1 1	4 3	3 4	.	1	3 3	6 9	1 1	1
19	Pneumonia ...	... M. } ... F. }	25 {	12 13	4 2	1 5	.	.	.	.	1 .	1 1	2 2	4 3	1	.	4 4	8 8	.	.
20	Other Diseases of the Respiratory System.	M. } F. }	11 {	7 4	.	.	.	1	.	.	1 .	2 1	2 2	1	.	.	5 2	2 2	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4 {	4	.	.	.	1	.	1	.	.	2	.	.	.	3	1	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	14 {	10 4	6 1	2 1	.	.	.	1	.	1 .	1 1	.	2	1	4 1	3 3	.	.
23	Appendicitis ...	... M. } ... F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	10 {	3 7	.	1 2	.	.	.	.	.	2 2	2 1	1	1	.	2 1	1 5	.	-
27	Nephritis ...	... M. } ... F. }	18 {	10 8	.	.	.	1 1	1 .	1 1	2 .	3 3	4 1	.	.	.	5 2	5 6	.	.
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth ...	... F.	2	2	.	.	.	1	1	.	.	.	.	.	.	.	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	45 {	27 18	25 17	2 .	.	.	.	.	.	.	.	.	6 3	.	10 3	11 12	2 2	.
31	Senility ...	... M. } ... F. }	126 {	60 66	.	.	.	.	.	.	.	.	8 12	52 54	.	.	16 12	44 54	32 42	.
32	Suicide ...	... M. } ... F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
33	Other Violence ...	... M. } ... F. }	6 {	3 3	.	1	1	.	.	.	.	.	1 1	1 1	.	.	1 2	2 1	1 .	1
34	Other Causes ...	... M. } ... F. }	55 {	30 25	4 1	4 .	3 2	.	3 2	2 .	3 .	4 3	7 6	6 5	1	2 4	9 6	19 14	4 4	.

ABSTRACT V—contd.—Causes of Death for the Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	815 {	431 384	46 32	7 9	6 4	13 7	13 24	14 23	23 33	59 40	110 84	140 128	28 15	22 18	124 98	257 253	43 37
1	Typhoid Fever (including Para-typhoid). M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Cerebro-spinal Meningitis ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Scarlet Fever ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Whooping Cough ... M. F. }	7 {	3 4	. 1	2 3	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 3	1 .	. .
5	Diphtheria ... M. F. }	1 {	1 .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
6	Tuberculosis of the Respiratory System. M. F. }	48 {	18 30	. 1	. .	. .	1 5	6 8	2 6	6 5	2 5	1 .	. .	3 1	1 5	9 13	5 11	. .
7	All other forms of Tuberculosis ... M. F. }	21 {	10 11	. .	1 2	1 1	4 .	3 4	1 1	. 1	. 1	1 1	. .	1 1	. 1	3 7	7 2	. .
8	Dysentery ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... M. F. }	9 {	5 4	1 .	. .	. .	. .	1 1	. .	. .	1 1	1 1	2 1	. .	. .	. .	5 4	. 1
10	Measles ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
11	Acute Infectious Encephalitis... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
12	Typhus ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. F. }	84 {	43 41	. .	. .	. .	1 1	. 2	1 3	. 9	10 6	19 13	12 7	3 3	1 .	13 12	26 26	1 2
14	Diabetes Mellitus ... M. F. }	7 {	3 .	. .	. .	. .	1 .	. .	. .	. .	1 .	1 .	. .	. .	. .	2 .	1 .	. .

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	63	32 31	.	.	.	.	.	1	4	4	13 9	14 11	.	3 6	9 6	20 25	2 2
16	Diseases of the Heart	... M. F. }	225	126 99	.	.	1	.	1	3	9	23 11	39 34	51 44	1	10 11	35 10	80 78	11 3
17	Other Diseases of the Circulatory System.	M. F. }	16	7 9	.	.	.	.	.	.	1	.	5 5	2 3	1	.	3 6	4 2	.
18	Bronchitis ...	... M. F. }	17	11 6	4 1	.	.	.	.	1	.	2	1 5	3 5	.	.	2 1	9 5	.
19	Pneumonia ...	... M. F. }	30	17 13	7 3	1 2	1	.	.	1	3	2 2	2 2	2 2	1	1	6 5	9 8	.
20	Other Diseases of the Respiratory System.	M. F. }	11	6 5	1 2	.	.	1	.	.	.	1	2 2	1 1	.	1	2 1	3 4	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	3	2 1	.	.	.	.	1	1	1	.	.	.	.	.	2	1	.
22	Diarrhoea and Enteritis	... M. F. }	10	7 3	5 2	.	.	.	.	.	.	.	2	1	2	.	1 1	4 2	.
23	Appendicitis ...	... M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	2	.	.	.	1	.	1	.	.	.	.	1	.	1	.	.
26	Other Diseases of the Digestive System.	M. F. }	10	4 6	.	.	.	.	1	.	2	1	2 1	1 2	2 1	.	2 2	3	.
27	Nephritis ...	... M. F. }	20	11 9	.	.	1	.	2	1	3	3 1	3 1	3 2	.	1	6 6	4 3	1
28	Puerperal Infection ...	... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	4	4	.	.	.	.	2	2	.	.	.	.	.	.	3	1	.
30	Congenital Debility, etc (157-161).	Nos. M. F. }	50	27 23	26 20	1 1	1	.	.	1	.	.	.	.	8 5	.	8 8	11 10	1
31	Senility ...	... M. F. }	105	55 50	.	.	.	.	.	.	.	.	7 6	48 44	1	3	6 4	46 45	27 21
32	Suicide ...	... M. F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence	... M. F. }	14	7 7	.	2	.	1	1	1	1	2 1	2 1	3	1	.	2 4	4 3	.
34	Other Causes	... M. F. }	56	32 24	2	2	2	2	1 3	2 5	2 2	8 5	10 7	1 1	6 1	1 1	7 5	18 17	2 5

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } F. }	1,368 {	712 656	82 51	12 18	12 9	18 30	29 24	27 33	46 46	97 84	188 163	201 198	44 39	13 18	162 117	493 482	44 47	
1	Typhoid Fever (including Para-M. } typhoid). F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. } F. }	6 {	3 3	3 2	. 1	. .	. .	. .	. .	. .	. .	. .	. .	.	.	.	3 3	.	
5	Diphtheria ... M. } F. }	4 {	3 1	1 1	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	1 .	.	1 1	1 .	.	
6	Tuberculosis of the Respiratory M. } System. F. }	84 {	37 47	. 1	. 1	1 1	10 16	9 15	4 7	7 3	5 3	1 .	. .	18 16	1 1	1 5	17 25	2 .	
7	All other forms of Tuberculosis ... M. } F. }	28 {	15 13	2 1	4 2	2 1	3 6	3 .	1 .	. 2	. .	. 1	. .	2 3	. .	6 5	7 5	.	
8	Dysentery ... M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. } F. }	13 {	9 4	2 .	. .	. 1	2 .	. .	1 1	1 1	. .	2 1	1 .	3 .	.	1 .	5 4	.	
10	Measles ... M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. } F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. } F. }	153 {	77 76	. .	. .	. 1	. 1	. 1	5 5	6 10	22 18	30 25	14 15	3 5	. 2	27 7	47 62	.	
14	Diabetes Mellitus M }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	90	45	.	.	.	.	.	1	2	12	17	13	2	2	13	28	1
				45	.	.	.	.	.	3	3	19	11	12	1	3	10	31	3
16	Diseases of the Heart	... M. F. }	393	202	.	.	2	1	1	4	14	30	77	73	1	6	22	173	7
				191	.	.	1	1	.	7	13	27	76	66	1	9	32	149	6
17	Other Diseases of the Circulatory System.	M. F. }	30	16	.	.	.	.	1	1	3	3	7	3	1	1	3	11	.
				14	.	.	.	.	.	.	3	3	5	3	1	2	1	10	.
18	Bronchitis ...	... M. F. }	44	21	.	1	.	.	1	.	2	3	7	7	.	.	4	17	.
				23	.	1	.	.	.	.	3	1	8	10	.	1	22	2	.
19	Pneumonia ...	... M. F. }	54	35	12	2	.	.	1	1	.	4	9	6	1	2	6	26	1
				19	9	5	.	.	.	2	.	3	3	.	.	3	16	.	.
20	Other Diseases of the Respiratory System.	M. F. }	13	4	.	.	.	.	.	3	2	1	3	.	.	.	4	.	.
				9	.	.	.	.	.	.	.	3	1	1	.	.	5	.	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	9	9	.	.	.	.	2	1	3	2	1	.	2	.	4	3	.
22	Diarrhoea and Enteritis	... M. F. }	29	16	11	1	1	.	.	1	.	.	2	.	3	.	1	12	1
				13	8	3	.	.	.	.	.	.	1	1	2	.	1	10	1
23	Appendicitis	... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. F. }	3	2	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
				1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	2	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
				1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	16	6	.	.	.	.	.	.	.	2	.	4	1	.	1	4	.
				10	3	.	1	.	.	.	.	.	2	4	2	.	2	6	1
27	Nephritis ...	... M. F. }	33	19	.	.	.	.	3	1	1	5	4	5	1	.	7	11	.
				14	.	1	.	1	2	.	2	2	2	6	2	.	2	10	.
28	Puerperal Infection	... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth	... F. }	6	6	.	.	.	2	2	2	.	.	.	.	.	.	2	4	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	69	47	46	1	.	.	.	.	.	.	.	.	4	.	15	28	2
				22	22	.	.	.	.	.	.	.	.	.	2	.	6	14	1
31	Senility ...	... M. F. }	167	76	.	.	.	.	.	.	.	.	14	62	.	1	27	48	26
				91	.	.	.	.	.	.	.	.	13	78	.	.	18	73	32
32	Suicide ...	... M. F. }	5	4	.	.	.	.	1	1	1	1	.	.	.	.	.	4	.
				1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
33	Other Violence	... M. F. }	25	18	1	1	1	.	2	3	2	.	4	4	.	.	4	14	.
				7	1	1	1	.	.	.	1	.	1	2	.	.	3	4	.
34	Other Causes	... M. F. }	82	43	4	2	4	2	3	1	4	5	10	8	.	.	17	26	4
				39	3	2	2	3	3	6	3	9	8	.	2	.	12	25	2

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else where.		
	ALL CAUSES ... M. F. }	399 {	452 447	59 46	5 12	2 3	15 13	15 11	19 27	27 27	58 48	122 122	130 138	64 53	9 10	82 73	297 311	14 11	
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Diphtheria ... M. F. }	4 {	3 1	1 1	1	1	.	.	.	.	.	.	.	1	.	1 1	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	47 {	22 25	.	.	1	4 5	5 8	4 5	1 2	4 2	2 2	2	6 7	1 3	5 1	10 14	.	
7	All other forms of Tuberculosis ... M. F. }	15 {	7 8	1	2	1	3 4	1	2	.	.	1	.	2 4	.	1 1	4 3	1	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	13 {	7 6	1	.	.	.	.	.	.	1	3 1	2 5	1	.	.	6 6	.	
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	89 {	52 37	.	.	.	1	1	2 5	3 5	10 11	18 12	18 3	12 5	.	10 9	30 23	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	79	32 47	.	.	.	1	.	1	5	2	14 15	9 22	3 4	.	8 7	21 36	.	1
16	Diseases of the Heart	... M. F. }	262	128 134	.	.	.	1	2	3	7	21 11	53 55	41 55	5 4	5 3	15 15	103 112	2 1	
17	Other Diseases of the Circulatory System.	M. F. }	11	5 6	.	.	.	.	.	.	.	1 1	2 4	2 1	.	1 1	4 3	.	.	
18	Bronchitis ...	... M. F. }	11	6 5	.	1	.	.	.	1	.	2 1	2 1	2 2	1	.	1 4	5 4	.	
19	Pneumonia ...	... M. F. }	62	29 33	11 8	1 3	.	1 1	2	.	3 4	3 2	3 8	5 6	1	1	2 9	26 22	.	
20	Other Diseases of the Respiratory System.	M. F. }	35	18 17	.	1	.	.	1	1	2 2	3 1	4 1	7 11	1	.	9 4	8 13	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	6	3 3	.	.	.	.	.	1	1	1	2	1	1	.	.	3 2	.	
22	Diarrhoea and Enteritis	... M. F. }	30	19 11	19 10	.	1	.	.	.	.	.	.	.	6 5	.	5 3	8 3	.	
23	Appendicitis	... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
24	Cirrhosis of the Liver	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	5	1 4	.	.	.	.	.	1	.	2	.	1 1	1 1	.	.	3	.	
26	Other Diseases of the Digestive System.	M. F. }	11	4 7	.	1	.	.	.	1	3	3	.	3 5	3 5	.	1	2	.	
27	Nephritis ...	... M. F. }	24	13 11	.	.	1	.	1	2	.	3 1	5 5	4 1	1	.	6 5	6 6	.	
28	Puerperal Infection ...	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth	... F.	2	2	.	.	1	.	.	1	.	.	.	.	.	.	.	2	.	
30	Congenital Debility etc. (Nos. 157-161).	M. F. }	42	20 22	19 21	.	1	.	.	.	.	.	.	.	8 11	.	4 3	8 8	.	
31	Senility ...	... M. F. }	63	33 30	.	.	.	.	.	.	.	.	8 6	25 24	2 1	1 1	2 5	28 23	10 6	
32	Suicide	... M. F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
33	Other Violence	... M. F. }	23	15 8	2 1	1	1	3	1	3	1	2 1	2 4	3 3	.	4 2	8 3	.	.	
34	Other Causes	... M. F. }	57	31 26	6 3	2 1	.	3	1	1 2	3 4	6 5	4 9	5 2	9	1 1	6 6	15 19	2 2	

ABSTRACT V—contd.—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	13,247	7,093 6,154	709 541	134 120	101 97	206 207	215 276	285 271	470 458	912 736	1,931 1,489	2,130 1,959	768 601	132 136	1,724 1,258	4,469 4,159	789 724		
1	Typhoid Fever (including Para-M. typhoid). F. }	10	7 3	· ·	· ·	· 1	2 1	· ·	2 ·	· ·	1 1	2 ·	· ·	· ·	· ·	6 3	1 ·	· ·		
2	Cerebro-spinal Meningitis ... M. F. }	5	4 1	1 1	· ·	· ·	1 ·	1 ·	· ·	1 ·	· ·	· ·	· ·	1 ·	· ·	2 ·	2 ·	· ·		
3	Scarlet Fever ... M. F. }	1	· 1	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·		
4	Whooping Cough ... M. F. }	21	13 8	6 2	6 3	1 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	12 7	1 ·		
5	Diphtheria ... M. F. }	32	17 15	1 1	7 7	2 3	4 1	· ·	3 ·	· 2	· ·	· 1	· ·	6 4	· ·	10 10	1 1	· ·		
6	Tuberculosis of the Respiratory System. M. F. }	803	418 385	· 1	3 ·	7 13	76 98	86 127	80 57	81 53	54 25	28 11	3 ·	149 125	28 24	81 76	160 160	2 4		
7	All other forms of Tuberculosis ... M. F. }	256	133 123	8 5	23 20	27 21	30 26	14 22	6 10	12 8	11 5	2 5	· 1	37 29	1 4	59 46	36 44	1 ·		
8	Dysentery ... M. F. }	·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
9	Influenza ... M. F. }	246	118 128	11 5	· 5	· 5	1 1	4 2	6 4	5 10	15 19	34 40	42 37	4 2	· 1	8 6	106 119	20 16		
10	Measles ... M. F. }	16	6 10	· 2	2 2	1 3	3 1	· 1	· ·	· ·	· ·	· 1	· ·	· ·	· ·	1 4	5 6	1 1		
11	Acute Infectious Encephalitis ... M. F. }	7	5 2	1 ·	1 ·	· ·	1 ·	· 2	· ·	2 ·	· ·	· ·	· ·	1 ·	· ·	2 2	2 ·	· ·		
12	Typhus ... M. F. }	·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
13	Cancer ... M. F. }	1,286	667 629	· ·	1 ·	2 ·	· 6	5 9	12 36	66 118	161 163	279 193	141 104	103 93	3 7	194 148	367 381	3 3		
14	Diabetes Mellitus ... M. F. }	80	34 46	· ·	· ·	· ·	1 ·	2 ·	2 ·	4 ·	4 ·	13 ·	8 ·	2 ·	2 ·	14 ·	16 ·	· ·		

15	Intra-cranial Lesions of Vascular M. F. } Origin.	866	404 462	.	1 2	1 2	2 2	2 2	8 6	26 39	65 89	158 179	141 143	33 33	5 8	103 92	263 329	26 12
16	Diseases of the Heart ... M. F. } ...	3,226	1,795 1,431	1 .	.	4 7	11 13	27 23	50 49	95 81	319 225	695 534	593 499	106 73	39 31	428 312	1,222 1,015	85 48
17	Other Diseases of the Circulatory M. F. } System.	218	113 105	.	.	.	1 2	1 2	3 .	6 9	15 11	50 35	37 46	13 7	.	32 24	68 74	2 .
18	Bronchitis ... M. F. } ...	435	265 170	22 6	5 1	.	2 1	2 1	6 8	14 14	43 18	86 62	85 58	14 4	.	59 26	192 137	16 12
19	Pneumonia ... M. F. } ...	477	262 215	78 59	23 20	6 6	7 6	5 6	8 11	14 12	33 19	50 45	38 33	20 12	8 2	58 43	176 158	3 3
20	Other Diseases of the Respiratory M. F. } System.	202	115 87	4 3	2 4	1 1	3 3	3 3	8 4	13 11	18 14	44 28	19 16	9 4	2 2	32 19	72 62	2 1
21	Ulcer of the Stomach or Duo- M. F. } denum.	93	71 22	.	.	.	2 .	4 1	8 1	17 3	19 2	17 11	4 4	18 1	.	27 5	26 16	.
22	Diarrhoea and Enteritis ... M. F. } ...	260	147 113	114 85	10 6	1 4	.	2 3	4 .	1 4	3 3	4 5	8 3	28 12	1 .	36 37	82 64	1 3
23	Appendicitis ... M. F. } ...	37	21 16	.	2 .	4 5	2 .	1 1	3 2	3 .	3 1	1 5	2 2	10 6	.	10 5	1 5	.
24	Cirrhosis of the Liver ... M. F. } ...	14	9 5	.	.	.	.	.	.	1 1	5 1	3 2	.	1 1	.	.	9 3	.
25	Diseases of the Liver and Biliary M. F. } Passages.	50	24 26	.	.	.	.	1 .	3 .	3 3	3 7	14 7	1 7	2 3	4 .	7 8	11 15	2 .
26	Other Diseases of the Digestive M. F. } System.	160	99 61	18 10	2 4	.	6 2	2 2	4 1	8 5	11 8	31 15	17 14	18 14	.	36 11	45 36	7 4
27	Nephritis ... M. F. } ...	310	170 140	.	.	2 5	5 9	6 8	10 13	28 24	17 27	64 27	38 27	23 15	1 3	56 37	90 85	1 1
28	Puerperal Infection ... F. } ...	6	6	.	.	.	.	2 .	4 .	.	.	.	.	1 .	.	3 .	2 .	.
29	Other Diseases of Childbirth ... F. } ...	49	49	.	.	.	5	26	16	2	.	.	.	15	.	22	12	.
30	Congenital Debility, etc. (Nos. M. F. } 157-161).	708	394 314	380 303	7 6	6 1	.	1 2	.	.	.	.	.	62 61	.	130 92	202 161	26 15
31	Senility ... M. F. } ...	2,067	1,008 1,059	.	.	.	.	.	.	.	.	174 155	834 904	12 13	12 30	126 99	858 917	5 9 550
32	Suicide ... M. F. } ...	37	33 4	.	.	.	2 1	5 2	5 .	6 1	3 .	6 .	.	.	1 .	4 .	28 4	.
33	Other Violence ... M. F. } ...	267	178 89	7 6	12 8	14 1	16 2	18 3	20 6	12 9	23 7	39 23	17 24	15 21	1 .	43 20	119 48	1 .
34	Other Causes ... M. F. } ...	992	563 429	57 52	27 30	22 16	28 25	24 22	34 39	52 44	86 82	137 88	96 31	83 44	24 21	159 90	297 274	40 50

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1-year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infirmaries.	Else-where.			
	ALL CAUSES ... M. F. }	1,278	723 555	43 40	6 12	11 10	28 17	29 17	30 16	42 40	87 58	187 131	260 214	75 48	19 11	134 75	495 421	141 128		
1	Typhoid Fever (including Para-typhoid). M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Meningitis ... M. F. }	2	2	.	.	.	1	1	.	.	.	.	.	.	.	1	1	.		
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Diphtheria ... M. F. }	5	4 1	.	1	1 1	2	.	.	.	.	.	.	1	.	2 1	1	.		
6	Tuberculosis of the Respiratory System. M. F. }	80	51 29	.	.	1 3	12 9	13 5	6 4	8 6	9 1	2 1	.	19 11	2 1	8 3	22 14	.		
7	All other forms of Tuberculosis ... M. F. }	36	19 17	1 1	1	4 1	4 6	4 4	2 2	1	1 1	1 2	.	4 6	.	11 7	4 4	7 .		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	37	19 18	.	1	1	.	1	.	1	5 4	4 7	10 3	.	.	.	19 18	7 5		
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	111	59 52	.	.	.	1	.	1 3	8 8	8 14	24 17	18 9	8 8	1	15 14	35 30	1 1		
14	Diabetes Mellitus ... M. F. }	4	3 1	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	70	36	.	.	.	.	.	1	4	6	17	8	3	1	5	27	3
				34	.	.	.	.	.		4	6	15	9	1		9	24	
16	Diseases of the Heart	... M. F. }	256	161	.	.	.	1	3	4	6	28	63	56	13	3	40	105	4
				95	.	.	1	.		3	5	12	39	35	7	1	17	70	5
17	Other Diseases of the Circulatory System.	M. F. }	22	12	.	.	.	.	.	1	1	1	7	2	2	.	3	7	.
				10	.	.	.	.	.		2	.	4	4	1	.	1	8	.
18	Bronchitis ...	... M. F. }	48	24	1	.	.	.	1	1	2	3	5	11	1	.	2	21	6
				24	.	.	1	.	.		1	2	11	9	1	.	.	23	2
19	Pneumonia ...	... M. F. }	41	27	6	2	1	1	1	2	1	2	6	5	2	1	3	21	.
				14	2	3	.	.	1	1	3	.	3	2	.	.	1	13	.
20	Other Diseases of the Respiratory System.	M. F. }	18	9	.	.	.	.	.	3	1	3	.	2	1	.	1	7	1
				9	.	1	.	.	.	.	.	3	3	2	.	.	.	9	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	7	.	.	.	.	.	1	1	3	1	1	2	.	.	5	.
22	Diarrhoea and Enteritis	... M. F. }	13	7	6	.	.	.	1	.	.	.	.	.	1	.	1	5	.
				6	3	1	1	.	.	.	.	1	.	.	.	.	1	5	2
23	Appendicitis	... M. F. }	5	3	.	.	2	.	.	.	1	.	.	.	1	.	2	1	.
				2	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	5	3	.	.	.	.	.	.	.	.	3	.	1	.	1	1	.
				2	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. F. }	15	13	2	.	.	1	.	.	.	3	4	3	3	.	2	8	1
				2	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
27	Nephritis ...	... M. F. }	23	14	.	.	.	.	1	.	3	.	5	5	2	.	6	6	.
				9	.	.	.	.	.	.	1	2	3	3	.	.	2	7	.
28	Puerperal Infection ...	... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	6	6	.	.	.	.	3	2	1	.	.	.	2	.	1	3	.
30	Congenital Debility etc. (Nos. 157-161).	M. F. }	52	23	21	1	1	.	.	.	.	.	.	.	4	.	9	10	2
				29	27	1	.	.	.	.	.	1	.	.	5	.	4	20	1
31	Senility ...	... M. F. }	284	141	.	.	.	.	.	.	.	.	20	121	.	3	4	134	108
				143	.	.	.	.	.	.	.	.	11	132	.	5	5	135	101
32	Suicide ...	... M. F. }	7	7	.	.	.	.	1	1	.	.	3	2	.	.	.	7	.
33	Other Violence	... M. F. }	27	18	2	1	.	4	1	1	.	4	1	4	2	.	4	12	.
				9	.	1	.	.	1	.	.	1	3	3	1	.	1	7	.
34	Other Causes	... M. F. }	102	59	4	.	1	2	2	6	4	10	19	11	5	8	13	33	1
				43	7	4	.	1	1	2	7	8	11	2	2	4	6	31	11

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	3,955	2,146 1,809	207 138	28 31	26 23	58 55	60 64	77 72	133 142	277 230	578 461	702 593	255 236	29 16	557 371	1,305 1,186	244 200
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	4	2 2	• •	• •	1 1	• •	• •	• •	• •	1 1	• •	• •	• •	• •	2 2	• •	• •
2	Cerebro-spinal Meningitis ... M. F. }	2	1 1	• 1	• •	• •	• •	• •	• •	1 •	• •	• •	• •	1 •	• •	1 •	• •	• •
3	Scarlet Fever ... M. F. }	•	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
4	Whooping Cough ... M. F. }	7	3 4	2 1	1 1	• 2	• •	• •	• •	• •	• •	• •	• •	• •	• •	• 1	3 3	• •
5	Diphtheria ... M. F. }	6	5 1	• •	3 •	• •	1 •	• •	1 •	• 1	• •	• •	• •	3 1	• •	2 •	• •	• •
6	Tuberculosis of the Respiratory System. ... M. F. }	189	96 93	• •	• •	1 •	14 29	26 27	17 14	19 15	12 7	6 1	1 •	41 45	7 2	15 17	33 29	• 1
7	All other forms of Tuberculosis ... M. F. }	67	36 31	3 2	6 7	9 3	7 4	5 4	1 5	3 4	1 1	1 1	• •	11 11	• 1	17 11	8 8	• •
8	Dysentery ... M. F. }	•	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
9	Influenza ... M. F. }	73	37 36	4 3	• 1	• •	• 1	• •	3 •	1 6	5 5	12 9	12 11	2 2	• •	3 3	32 31	3 2
10	Measles ... M. F. }	9	3 6	• 1	• 1	• 2	3 •	• 1	• •	• •	• •	• 1	• •	• •	• •	• 3	3 3	1 1
11	Acute Infectious Encephalitis ... M. F. }	3	• 3	1 •	1 •	• •	1 •	• •	• •	• •	• •	• •	• •	1 •	• •	1 •	1 •	• •
12	Typhus ... M. F. }	•	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
13	Cancer ... M. F. }	424	230 194	• •	• •	• •	• 2	3 4	2 12	24 38	56 54	95 58	50 26	45 45	• 1	76 48	109 100	• 1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	268	122 146	.	1 2	1 1	1 1	.	3 9	20 31	45 60	44 43	13 12	1 1	27 28	81 105	6 4	
16	Diseases of the Heart	M. F. }	372	544 428	.	.	1 1	9 3	13 6	28 10	91 74	219 173	183 136	42 35	11 4	125 77	366 312	39 19	
17	Other Diseases of the Circulatory System.	M. F. }	71	37 34	.	.	.	.	.	1 1	4 1	14 13	18 19	5 1	.	17 9	15 24	.	
18	Bronchitis ...	M. F. }	125	72 53	9 1	1 .	.	.	1 1	4 6	11 6	22 22	24 17	1 2	.	21 13	50 38	3 3	
19	Pneumonia ...	M. F. }	129	70 59	20 18	4 2	2 2	3 1	1 .	4 3	10 6	16 8	10 15	8 4	2 .	15 18	45 37	1 .	
20	Other Diseases of the Respiratory System.	M. F. }	63	42 21	4 1	.	1 1	2 .	1 .	4 6	3 1	17 7	9 4	1 .	.	14 7	27 14	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	23	18 5	.	.	.	1 .	5 1	3 1	4 1	5 2	.	3 1	.	9 .	6 4	.	
22	Diarrhoea and Enteritis	M. F. }	62	36 26	25 17	.	1 .	.	2 .	2 3	2 1	5 1	10 4	.	.	10 12	16 10	.	
23	Appendicitis ...	M. F. }	7	5 2	.	.	.	1 .	1 1	1 .	1 .	1 1	3 1	.	.	2 .	1 .	.	
24	Cirrhosis of the Liver	M. F. }	3	1 2	.	.	.	.	.	.	.	1 1	1 .	.	.	1 .	1 .	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	8	4 4	.	.	.	.	.	1 1	2 1	1 2	.	1 .	2 1	1 3	1 .	.	
26	Other Diseases of the Digestive System.	M. F. }	53	31 22	7 2	.	1 .	1 1	3 .	2 1	3 4	8 6	7 6	7 3	.	14 3	10 16	1 2	
27	Nephritis ...	M. F. }	81	41 40	.	.	2 4	1 1	2 3	5 5	3 9	15 8	13 8	5 6	1 .	18 11	18 22	.	
28	Puerperal Infection ...	F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ...	F.	15	15	.	.	.	7	7	1	.	.	.	5	.	7	3	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	201	117 84	114 80	2 4	1 .	.	.	.	.	.	26 27	.	.	34 22	57 35	8 3	
31	Senility ...	M. F. }	676	332 344	.	.	.	.	.	.	.	46 55	286 289	2 8	2 6	45 37	283 293	166 148	
32	Suicide ...	M. F. }	9	6 3	.	.	.	1 1	2 .	1 1	2 .	.	.	.	.	1 .	5 3	.	
33	Other Violence ...	M. F. }	83	60 23	5 1	3 3	4 1	6 .	3 3	7 4	9 1	12 6	7 9	2 .	1 .	12 5	45 9	1 .	
34	Other Causes ...	M. F. }	294	183 111	13 10	6 7	8 7	15 6	5 9	11 8	20 9	37 24	37 26	31 5	24 9	4 .	68 29	87 73	15 15

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hos-pitals.	County Homes and Hospis. District Hospis. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	1,075	505 570	63 59	15 9	9 11	6 22	17 24	30 35	59 39	106 81	121 154	79 136	147 133	7 9	110 123	241 305	5 2
1	Typhoid Fever (including Para-typhoid). M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. F. }	2	1 1	.	1 1	.	.	.	.	.	.	.	.	1 1	.	.	.	.
6	Tuberculosis of the Respiratory System. M. F. }	76	41 35	.	.	2 2	1 9	4 9	10 9	14 3	6 2	3 1	1 1	24 19	.	4 3	13 13	.
7	All other forms of Tuberculosis ... M. F. }	24	11 13	1	3 3	3 2	.	.	1 2	1 2	2 1	.	.	6 3	.	3 3	2 7	.
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	11	4 7	.	.	1	.	.	.	.	1 3	1 2	2 1	.	.	1	3 7	.
10	Measles ... M. F. }	4	2 2	.	2	1	1	.	.	.	.	.	.	.	.	1 1	1 1	.
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	98	37 61	.	.	1	.	1 1	.	6 12	16 16	11 18	2 7	16 17	1	10 14	11 29	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	73 {	24 49	.	.	.	.	.	1 1	1 7	6 10	9 19	7 12	8 13	.	6 7	10 29	.
16	Diseases of the Heart	... M. F. }	320 {	153 167	.	.	2	2 4	2 4	6 4	14 5	42 24	53 68	34 56	23 13	3 4	35 37	92 113	4
17	Other Diseases of the Circulatory System.	M. F. }	13 {	7 6	.	.	.	.	.	1 2	2 1	3 1	1 2	3 3	.	3 1	1 2	.	
18	Bronchitis ...	... M. F. }	64 {	41 23	2	.	.	1	1	3 3	5 4	8 4	16 7	5 8	7 1	.	11 7	23 15	.
19	Pneumonia ...	... M. F. }	41 {	19 22	8 3	2 4	.	.	1	2	3 1	4 3	2 6	2 5	2 5	1 4	1 4	15 13	.
20	Other Diseases of the Respiratory System.	M. F. }	25 {	12 13	.	.	.	.	.	1 1	3 1	4 3	3 6	1 2	2 2	1 1	3 1	6 10	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	11 {	8 3	.	.	.	.	.	2	4	2 2	1 1	3 1	.	4 3	1 3	.	
22	Diarrhoea and Enteritis	... M. F. }	27 {	13 14	9 13	2	.	.	.	.	.	1 1	1 1	4 2	.	3 8	6 4	.	
23	Appendicitis ...	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }	3 {	1 2	.	.	.	.	.	1	1	1	1	1	.	.	1 1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	3 {	3	.	.	.	.	.	.	1	2	1	1	.	.	2	.	
26	Other Diseases of the Digestive System.	M. F. }	13 {	6 7	2 1	1	.	.	1	1	1 1	1 4	3 4	3 4	.	2	3 1	1	
27	Nephritis ...	... M. F. }	19 {	12 7	.	.	2	1	1 2	2 1	2 1	2 1	2 1	4 5	.	4 1	4 1	.	
28	Puerperal Infection ...	... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	2	.	.	.	.	.	1	.	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	73 {	38 35	35 34	2	.	1	.	.	.	.	.	13 14	.	10 10	15 11	1	
31	Senility ...	... M. F. }	56 {	16 40	.	.	.	.	.	.	.	5 6	11 34	4 3	1 2	3 16	8 19	.	
32	Suicide ...	... M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
33	Other Violence	... M. F. }	28 {	13 15	3	1	2	.	3 2	1	1 2	3 3	3 4	5 8	.	1 1	7 6	.	
34	Other Causes	... M. F. }	83 {	43 40	6 5	2	1	4	4 2	6 5	5 4	3 7	7 5	9 5	19 16	1 2	6 6	17 16	1

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.		
	ALL CAUSES ... M. F. }	1,851{	981 870	66 58	20 13	12 16	31 25	39 48	42 46	68 55	104 92	258 201	341 316	85 63	18 28	203 155	675 624	216 212	
	Typhoid Fever (including Para-M. typhoid). M. F. }	3{	3	.	.	.	.	.	2	.	.	1	.	.	.	3	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	.{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	.{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	3{	2 1	1	1	.	.	.	.	.	.	.	.	.	.	.	2 1	1	
5	Diphtheria ... M. F. }	3{	3	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	129{	63 66	1	.	2	15 15	16 24	13 8	9 9	6 4	3 3	1	35 33	4 8	1 4	23 21	2 3	
7	All other forms of Tuberculosis ... M. F. }	31{	19 12	.	1 1	2 4	6 3	4 3	1	3 1	2	.	.	7 2	1	3 7	9 2	.	
8	Dysentery ... M. F. }	.{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	55{	26 29	5 1	2	1	.	2	1	2 1	1 3	6 12	9 9	1	.	1 1	24 27	8 7	
10	Measles ... M. F. }	2{	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	
11	Acute Infectious Encephalitis ... M. F. }	.{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	170{	84 86	.	.	.	.	2	4 3	7 12	25 25	39 27	9 17	12 6	.	22 21	50 59	1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	93 {	42 51	.	.	.	.	.	2	1 2	4 4	7 11	17 17	13 15	6 1	.	4	9 6	27 40	8 6
16	Diseases of the Heart	... M. } ... F. }	407 {	223 184	.	.	.	1	.	3	8 9	11 11	34 19	87 70	83 71	6 5	3 6	60 43	154 130	14 10	
17	Other Diseases of the Circulatory System.	M. } F. }	27 {	15 12	.	.	.	.	1	.	1 1	1 2	2 2	6 2	5 6	.	.	2 2	13 10	.	
18	Bronchitis ...	... M. } ... F. }	42 {	30 12	1	1	.	1	.	.	1 2	1 1	4 1	11 2	11 6	.	2	10 1	20 9	4 3	
19	Pneumonia ...	... M. } ... F. }	72 {	42 30	8 6	6	1	1	2 1	.	2 4	5 1	7 8	11 5	11 5	1	1	15 7	26 22	2	
20	Other Diseases of the Respiratory System.	M. } F. }	27 {	16 11	.	.	1	1	.	1	1 1	4 3	3 5	6 5	1 1	.	1	4 10	12 10	1 1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	16 {	10 6	.	.	.	1	1	.	2 5	2 5	2 5	2 1	2 1	1	.	3 1	6 5	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	24 {	13 11	11 7	.	.	.	.	1	.	.	.	1 1	1 1	.	2	3 2	10 7	.	
23	Appendicitis	... M. } ... F. }	8 {	3 5	.	.	.	3	.	.	1 1	1 1	.	1 1	1 1	1 1	.	2 3	1 1	.	
24	Cirrhosis of the Liver	... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	11 {	7 4	.	.	.	.	.	1	1 1	.	5 2	5 2	1	.	3	1 2	3 2	2	
26	Other Diseases of the Digestive System.	M. } F. }	24 {	14 10	.	1	.	1	1	.	2 1	2 1	5 3	2 3	2 3	2 2	.	4 4	8 4	3 1	
27	Nephritis ...	... M. } ... F. }	50 {	24 26	.	.	1	1	2 3	3	6 6	2 5	9 4	4 4	4 4	1 1	.	10 8	13 17	.	
28	Puerperal Infection	... F. }	4	4	.	.	.	.	1	3	.	.	.	.	.	.	.	3	1	.	
29	Other Diseases of Childbirth	... F. }	10	10	.	.	.	1	7	2	.	.	.	.	.	2	.	6	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	67 {	35 32	31 31	2	2	.	.	.	.	.	.	.	.	4 3	.	14 15	17 14	6 2	
31	Senility ...	... M. } ... F. }	389 {	199 190	.	.	.	.	.	.	.	.	27 26	172 164	172 164	1 3	2 3	2 1	194 186	156 159	
32	Suicide ...	... M. } ... F. }	5 {	4 1	.	.	.	.	1	.	1 1	2 1	.	1 3	1 5	.	.	2 6	2 5	.	
33	Other Violence	... M. } ... F. }	35 {	23 12	.	1	3	1 1	6	3 1	2 1	.	6 2	1 3	1 5	1	.	10 6	13 5	.	
34	Other Causes	... M. } ... F. }	129 {	78 51	9 9	7 4	3 2	5 2	5	4 6	8 7	7 11	18 6	12 4	12 4	7 2	5 2	20 6	46 41	10 18	

ABSTRACT V—contd.—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co-Infirm-aries.	Else-where.		
	ALL CAUSES ... M. F. }	1,354	752 602	115 77	11 13	15 10	24 21	16 19	25 22	39 51	79 66	219 128	209 195	42 16	11 21	162 107	537 458	69 59	
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
5	Diphtheria ... M. F. }	3	1 2	1	.	.	1	.	1	.	.	.	.	.	.	1 1	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	61	38 23	.	.	1 2	15 5	2 5	7 2	5 4	4 4	4 1	.	4	3 2	17 7	14 14	.	
7	All other forms of Tuberculosis ... M. F. }	18	10 8	.	2	5 1	3 3	1 1	.	1	.	.	.	1	1	7 4	3 2	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	41	20 21	2 1	1	1	1	2	1 3	1	2 2	5 4	6 9	1	.	1 1	18 20	1	
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	144	79 65	.	.	1	.	.	.	5 13	16 16	35 22	22 11	6 5	.	22 8	51 52	1	
14	Diabetes Mellitus ... M. F. }	10	3 7	.	.	.	1	.	.	1 2	.	1 4	1	.	.	1 3	2 4	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	82	45 37	.	.	.	.	.	.	1	2 3	3 6	21 12	19 15	.	1	11 4	34 32	4 2
16	Diseases of the Heart	... M. F. }	312	173 139	.	.	1	.	6 3	6 4	12 10	23 19	65 41	60 61	5 1	3 7	24 25	141 106	8 2	
17	Other Diseases of the Circulatory System.	M. F. }	23	12 11	.	.	.	1	.	.	2	3 1	4 3	4 4	1 1	.	1 4	10 6	.	
18	Bronchitis ...	... M. F. }	51	33 18	1	.	.	.	.	.	3	6 3	13 7	13 4	.	1	3 1	30 16	1	
19	Pneumonia ...	... M. F. }	70	40 30	15 9	3 3	1 3	1	.	2	1 3	5 2	11 7	1 3	2	1 2	6 5	31 23	1 1	
20	Other Diseases of the Respiratory System.	M. F. }	24	13 11	.	1	.	.	1	1	2 1	2 1	4 3	5 3	1	.	2 2	10 9	*	
21	Ulcer of the Stomach or Duodenum.	M. F. }	10	9 1	.	.	.	.	.	1	2	2	4	1	3	.	1 1	5 1	.	
22	Diarrhoea and Enteritis	... M. F. }	48	25 23	22 21	2	.	.	.	.	1 1	.	.	1	2	1	8 7	14 16	1	
23	Appendicitis ...	... M. F. }	2	2	.	.	.	.	.	2	.	.	.	.	1	.	1	.	.	
24	Cirrhosis of the Liver	... M. F. }	2	1 1	.	.	.	.	.	.	.	1 1	.	.	.	.	.	1 1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	10	6 4	.	.	1	.	.	.	1	3 1	2 1	1	1	.	1 2	5 1	.	
26	Other Diseases of the Digestive System.	M. F. }	15	9 6	2	.	.	1 1	.	.	1	.	6 1	1 2	1	.	7 5	2 5	1	
27	Nephritis ...	... M. F. }	34	17 17	.	.	1	.	2	1 1	2	3 2	10 2	3 7	2	1	6 3	9 13	1	
28	Puerperal Infection ...	... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth	... F. }	6	6	.	.	.	1	2	3	.	.	.	.	1	.	5	.	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	102	62 40	62 38	1	.	.	1	.	.	.	.	.	6 2	.	22 10	34 28	4 3	
31	Senility ...	... M. F. }	147	70 77	.	.	.	.	.	.	.	.	14 11	56 66	.	1 5	.	69 72	47 47	
32	Suicide ...	... M. F. }	5	5	.	.	.	1	1	1	2	.	.	.	.	1	1	3	.	
33	Other Violence ...	... M. F. }	26	18 8	.	2 1	1	.	2	1 1	1	2	7 4	2 1	1 1	.	4 2	13 5	.	
34	Other Causes	... M. F. }	105	59 46	13 4	4 4	4 1	2 4	1 3	1 5	2 6	3 8	13 5	16 6	7 2	1 1	14 12	37 31	2 1	

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmary.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	570 {	291 279	44 38	14 11	6 4	12 19	11 24	18 16	32 14	37 39	75 67	42 47	46 25	9 8	94 97	142 149	5 5
1	Typhoid Fever (including Para- M. } typhoid). F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. } ... F. }	2 {	1 1	.	1	1	.	.	.	.	.	.	.	1	.	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	69 {	35 34	.	1	1	2 6	6 18	8 6	11 2	4 2	2	.	7 1	3 4	13 14	12 15	.
7	All other forms of Tuberculosis ... M. } ... F. }	16 {	8 8	1 2	5 2	1 1	1 3	.	.	.	.	.	.	5 3	.	1 2	2 3	1
8	Dysentery ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	4 {	2 2	.	.	.	.	1	.	.	.	2 1	.	.	.	1 1	1 1	1
10	Measles ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	37 {	17 20	.	.	.	1	.	3	3	5 6	5 6	4 1	4 2	.	5 5	8 13	.
14	Diabetes Mellitus ... M. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	36	11 25	.	.	.	1	1	1	1	4 12	4 2	1 2	1	3 12	6 11	.	
16	Diseases of the Heart	... M. F. }	127	73 54	1	.	.	3 4	2	6 3	5 3	19 12	25 21	12 11	7 2	4 1	16 22	46 29	.
17	Other Diseases of the Circulatory System.	M. F. }	7	4 3	.	.	.	.	.	.	.	2 1	3 1	1	.	1 1	3 2	1	
18	Bronchitis ...	... M. F. }	24	17 7	4	2	.	.	.	1	2	3 3	6 3	2 3	.	4 1	11 6	1	
19	Pneumonia ...	... M. F. }	25	10 15	2 6	1 1	1	1	2 1	2 1	.	1 2	1 2	3	.	4 4	3 11	.	
20	Other Diseases of the Respiratory System.	M. F. }	8	7 1	.	1	.	.	.	1	.	6	.	3 1	.	4	.	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	3	2 1	.	.	.	.	.	.	1 1	1	.	1	.	1	1	.	
22	Diarrhoea and Enteritis	... M. F. }	17	12 5	12 4	.	.	.	.	.	.	.	1	1	.	2 1	9 4	.	
23	Appendicitis ...	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	Cirrhosis of the Liver	... M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	6	2 4	.	.	.	.	1	.	1	2 1	1	1	.	1 1	3	.	
26	Other Diseases of the Digestive System.	M. F. }	9	6 3	1 2	.	2	.	.	.	.	2	1	1	.	3	2 3	.	
27	Nephritis ...	... M. F. }	16	9 7	.	.	1 2	1	.	1 1	1	3 2	2 2	3 1	.	3 1	3 5	.	
28	Puerperal Infection ...	... F. }	1	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	37	22 15	21 15	.	1	.	.	.	.	.	.	3 3	.	6 3	13 9	1	
31	Senility ...	... M. F. }	62	24 38	.	.	.	.	.	.	.	8 13	16 25	1 1	3	16 21	7 13	2 3	
32	Suicide ...	... M. F. }	2	2	.	.	1	1	.	.	.	.	.	.	.	.	2	.	
33	Other Violence	... M. F. }	9	5 4	1	3	1	1	.	.	1	1	1	.	.	1	4 4	.	
34	Other Causes	... M. F. }	49	21 28	2 8	3 4	.	3	1 1	1	5 1	3 5	6 4	.	3 6	1	8 7	9 15	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	906 {	488 418	56 35	10 9	6 7	15 15	10 23	19 18	26 32	72 52	129 90	145 137	50 41	8 7	129 71	301 299	47 61	
1	Typhoid Fever (including Para-typhoid). M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
	Cerebro-spinal Meningitis ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
3	Scarlet Fever ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
4	Whooping Cough ... M. F. }	6 {	4 2	2	2 1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1	3 2	. .	
5	Diphtheria ... M. F. }	3 {	. 3	. .	1	1	. .	. .	. .	. .	. .	1	. .	. .	. .	3	. .	. .	
6	Tuberculosis of the Respiratory System. M. F. }	61 {	36 25	. .	1	1	10 6	6 10	6 4	2 3	8 1	3	. .	15 11	2 1	3 1	16 12	. .	
7	All other forms of Tuberculosis ... M. F. }	15 {	4 11	. .	2	2 1	1 2	. .	. .	1 1	2 1	1 1	1	2	. .	3 3	1 6	. .	
8	Dysentery ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
9	Influenza ... M. F. }	7 {	1 6	. .	. .	1	. .	. .	. .	1 1	. .	2	2	. .	. .	1	6	2	
10	Measles ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
11	Acute Infectious Encephalitis ... M. F. }	1 {	. 1	. .	. .	. .	. .	1	. .	. .	. .	. .	. .	. .	. .	1	. .	. .	
12	Typhus ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
13	Cancer ... M. F. }	80 {	45 35	. .	1	. .	1	. .	2	3 8	7 10	21 5	11 10	3 3	1	15 9	26 23	1	
14	Diabetes Mellitus ... M. F. }	6 {	3 3	. .	. .	. .	. .	. .	. .	1	. .	1 1	1	1	1	1	1 2	. .	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	67	38 29	.	.	.	.	.	.	1 2	3 3	18 14	16 10	1 .	.	15 6	23 22	3 .
16	Diseases of the Heart	... M. F. }	221	126 95	.	.	.	1	.	3 6	8 6	29 22	51 36	34 25	5 6	3 2	37 14	81 73	8 3
17	Other Diseases of the Circulatory System.	M. F. }	16	11 5	.	.	.	1	.	.	1 1	2 1	4 3	3 1	1 1	.	3 .	7 4	.
18	Bronchitis	... M. F. }	27	15 12	2 2	1	.	.	.	1 3	3 1	1 2	8 3	.	.	.	2 2	13 10	2 1
19	Pneumonia	... M. F. }	28	17 11	7 4	1	.	1	1	1 .	1 .	3 2	4 3	1 1	.	.	4 1	12 9	.
20	Other Diseases of the Respiratory System.	M. F. }	9	4 5	.	1	.	.	1	.	.	3 2	.	.	.	.	1 1	3 4	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	6	3 3	.	.	.	.	1	.	1 1	1 1	.	.	2 .	.	1 2	1 .	.
22	Diarrhoea and Enteritis	... M. F. }	18	11 7	8 3	.	1	.	.	1 1	.	1 1	.	1 .	5 2	.	3 1	3 4	.
23	Appendicitis	... M. F. }	5	2 3	.	1	1	.	.	.	.	.	3 .	.	2 2	.	.	1 .	.
24	Cirrhosis of the Liver	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	1 3	.	.	.	.	1	.	.	.	1 2	.	1 .	.	1 .	1 .	.
26	Other Diseases of the Digestive System.	M. F. }	16	8 8	3 1	1	.	.	1	.	3 .	1 .	1 2	2 2	.	.	3 1	5 5	1 .
27	Nephritis	... M. F. }	24	10 14	.	.	.	1	1	2 .	4 1	2 4	4 3	.	2 1	1 1	1 3	6 9	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	3	.	.	.	.	.	.	2 .	.	.	1 .	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	53	30 23	30 23	.	.	.	.	.	.	.	.	.	3 3	.	7 7	20 13	4 2
31	Senility	... M. F. }	143	67 76	.	.	.	.	.	.	.	.	10 5	57 71	1 .	.	17 7	49 68	26 49
32	Suicide	... M. F. }	1	1	.	.	.	.	.	.	.	.	1 .	.	.	.	.	1 .	.
33	Other Violence	... M. F. }	20	14 6	.	.	1	1	.	5 .	1 1	3 1	1 1	2 3	1 1	.	6 .	7 5	1 .
34	Other Causes	... M. F. }	66	37 29	4 1	2 3	3 1	1 2	2 4	1 5	2 2	10 4	6 5	6 2	8 2	.	6 7	23 18	3 2

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY, (S.R.), by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	1,103 {	589 514	56 51	13 11	6 6	17 17	21 28	24 20	36 42	81 52	172 127	163 160	26 21	13 12	163 126	387 355	37 35		
1	Typhoid Fever (including Para-M. typhoid). M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.		
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Scarlet Fever ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.		
4	Whooping Cough ... M. F. }	4 {	3 1	1 1	2	.	.	.	.	.	.	.	.	.	.	.	3 1	.		
5	Diphtheria ... M. F. }	6 {	4 2	1	1 1	.	1	.	1	1	.	.	.	1	.	3 2	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	63 {	27 36	.	1	.	2 9	5 12	7 4	8 5	1 1	3 3	.	2 3	5 1	10 12	10 20	.		
7	All other forms of Tuberculosis ... M. F. }	26 {	16 10	1	5 2	1 2	6 1	.	2 5	2	1	.	.	3 1	.	9 2	4 7	.		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	4 {	3 1	.	.	.	.	.	.	.	1 1	2	.	.	.	.	3 1	.		
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	135 {	69 66	.	.	.	.	1	3 2	5 14	15 11	28 20	17 19	4 4	.	16 19	49 39	.		
14	Diabetes Mellitus ... M. }	.	5	.	.	.	.	.	1	2	.	1	1	.	.	3	2	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	89	45 44	.	.	.	1	1	2	3	10	10	18	2	1	17	25	.
16	Diseases of the Heart	... M. F. }	305	171 134	.	.	2 1	2 1	3 6	2 4	4 8	34 20	70 47	54 47	2 1	4 2	45 37	120 94	6 5
17	Other Diseases of the Circulatory System.	M. F. }	14	4 10	.	.	.	.	.	1	.	.	2 2	1 5	.	.	1 1	3 9	.
18	Bronchitis ...	... M. F. }	31	17 14	2	1	.	.	.	1	.	2	7 5	7 6	1	.	4 1	12 13	1 1
19	Pneumonia ...	... M. F. }	27	11 16	4 7	1 2	1	.	1	1	.	1 1	1 5	1 1	.	.	4 1	7 14	.
20	Other Diseases of the Respiratory System.	M. F. }	13	7 6	.	1	.	1	.	.	.	1 2	5 1	.	1	1	3 4	3 1	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	8	7 1	.	.	.	.	2	.	3	1	1	1	1	.	5 1	1	.
22	Diarrhoea and Enteritis	... M. F. }	16	9 7	6 3	1 2	1	.	1 1	.	.	1	.	.	.	.	3 2	6 5	.
23	Appendicitis	... M. F. }	3	1 2	.	.	.	.	.	.	.	1	1	.	.	.	.	1 1	.
24	Cirrhosis of the Liver	... M. F. }	3	3	.	.	.	.	.	.	1	1	1	.	.	.	.	3	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	6	5 1	1	.	.	1	.	.	.	1	1	1 1	2	.	1	2 1	1
27	Nephritis ...	... M. F. }	33	22 11	.	.	.	3	.	3 2	5 4	3	7 2	4	1 1	.	5 6	16 4	1
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	.	.	2	.	.	.	.	1	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	73	41 32	40 32	.	1	.	.	.	.	.	.	.	2 2	.	19 12	20 18	2 2
31	Senility ...	... M. F. }	136	67 69	.	.	.	.	.	.	.	.	16 14	51 55	1	1	2 2	63 67	26 26
32	Suicide ...	... M. F. }	4	4	.	.	.	.	1	.	1	.	1	1	.	.	.	4	.
33	Other Violence	... M. F. }	16	10 6	.	1	.	2 2	2	1	.	1	3 3	.	1	.	2 3	7 3	.
34	Other Causes	... M. F. }	77	37 40	2 5	1 2	1	1 2	3 2	1 5	2 4	6 7	14 9	6 4	3 3	1 5	10 8	23 24	1

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	742 {	424 318	30 25	9 5	6 4	6 6	9 19	14 12	23 21	49 38	143 86	135 102	27 13	13 14	116 61	268 230	24 21		
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.		
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Diphtheria ... M. F. }	2 {	1 1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	35 {	16 19	.	.	3 3	5 10	5 1	1 3	1 1	1 1	.	.	1 2	1 4	7 8	7 5	.		
7	All other forms of Tuberculosis ... M. F. }	11 {	5 6	.	1 2	1 1	1 1	1 1	1 1	1 1	1 1	.	.	1 1	1 1	2 2	1 4	.		
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. F. }	7 {	4 3	.	.	.	.	1 1	.	.	.	2 1	1 1	.	.	.	4 3	.		
10	Measles ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.		
11	Acute Infectious Encephalitis... M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	61 {	35 26	.	.	.	.	.	4 6	3 3	9 3	17 11	6 2	4 2	1	8 4	22 20	.		
14	Diabetes Mellitus ... M. }	.	3	.	.	.	.	.	.	.	.	1	2	.	1	.	2	.		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	57 {	29 28	.	.	.	.	.	.	3 3	6 3	12 12	8 10	.	2	1 3	6 23	22 23	.	2
16	Diseases of the Heart	... M. } ... F. }	176 {	109 67	.	.	1	1	2	2	5 2	13 14	40 24	46 24	1	4 4	28 13	76 50	2 4	.	.
17	Other Diseases of the Circulatory System.	M. } F. }	16 {	6 10	.	.	.	.	1	.	1	.	5 4	1 4	.	.	4 6	6 6	.	.	.
18	Bronchitis ...	... M. } ... F. }	18 {	12 6	.	1	.	.	.	.	.	3 1	4 2	5 2	2	.	1	9 6	.	.	.
19	Pneumonia ...	... M. } ... F. }	35 {	22 13	6 3	3	.	1	1	1	1	5 1	4 3	3	2	1	4 1	15 12	.	1	.
20	Other Diseases of the Respiratory System.	M. } F. }	7 {	4 3	.	.	.	1	.	.	.	2 2	1 1	1	1	1	.	3 2	.	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	8 {	7 1	.	.	.	.	.	1	2 1	1	3	.	2	.	3 1	2	.	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	15 {	10 5	6 5	3	.	.	.	.	.	.	1	.	5 2	.	1 1	4 2	.	.	.
23	Appendicitis ...	... M. } ... F. }	4 {	3 1	.	1	1	1	.	.	.	.	1	.	.	.	3 1	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3 {	1 2	.	.	.	.	1	.	.	1	1	.	.	.	1	2	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	7 {	6 1	1	.	.	.	.	2	.	1	3	.	.	.	2	4 1	.	.	.
27	Nephritis ...	... M. } ... F. }	19 {	12 7	.	.	.	.	1	2	1 3	6 2	4	1	.	.	1 2	10 5	.	.	.
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	4	4	.	.	.	4	.	.	.	.	.	.	.	.	1	3	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	29 {	14 15	14 14	.	.	.	1	.	.	.	.	.	1 2	.	5 2	8 11	.	.	.
31	Senility ...	... M. } ... F. }	141 {	76 65	.	.	.	.	.	.	.	.	23 9	53 56	2 1	1 2	31 8	42 54	18 17	.	.
32	Suicide ...	... M. } ... F. }	3 {	3	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.	.	.
33	Other Violence	... M. } ... F. }	15 {	11 4	.	.	1	.	1	2	2 2	1 2	4 2	.	1	.	2 1	8 3	.	.	.
34	Other Causes	... M. } ... F. }	60 {	31 29	2 2	1 1	1 1	1	1	2	3 1	5 8	14 10	4 3	3 1	2 3	10 7	16 18	.	1	.

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES ... M. } ... F. }	413 {	194 219	29 20	8 6	4 6	9 10	3 10	6 14	12 22	20 28	49 44	54 59	15 5	5 10	56 72	118 132	1 1		
1	Typhoid Fever (including Para-M. } typhoid). ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Meningitis ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Scarlet Fever ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
5	Diphtheria ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
6	Tuberculosis of the Respiratory M. } System. ... F. }	40 {	15 25	.	.	1 1	2 7	3 7	1 5	4 3	3 2	1 .	.	1 .	1 1	3 7	10 17	.		
7	All other forms of Tuberculosis ... M. } ... F. }	12 {	5 7	1 .	1 1	1 3	2 1	.	1 .	.	1 .	.	.	.	1 .	3 4	2 2	.		
8	Dysentery ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... M. } ... F. }	7 {	2 5	.	.	.	.	.	.	1 .	1 .	2 .	2 1	.	.	.	2 5	.		
10	Measles ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... M. } ... F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. } ... F. }	36 {	12 24	.	.	.	.	.	1 .	2 4	4 8	4 9	2 2	1 1	1 .	5 6	6 16	.		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	31	12 19	.	.	.	.	.	1	3	3 4	5 3	4 8	.	.	2	4 5	8 12	.
16	Diseases of the Heart	... M. } ... F. }	130	62 68	.	.	1	.	1	4	2 6	6 9	22 15	31 33	2 3	1	18 27	41 38	.	
17	Other Diseases of the Circulatory System.	M. } F. }	9	5 4	.	.	.	.	.	1	1	2 1	1 1	1	.	.	1 1	3 3	.	
18	Bronchitis ...	... M. } ... F. }	5	4 1	2	.	.	.	.	.	.	1 1	1 1	.	.	.	1 1	3 1	.	
19	Pneumonia ...	... M. } ... F. }	9	4 5	2 1	2	.	1	.	.	.	1 1	.	.	.	1	2 1	1 4	.	
20	Other Diseases of the Respiratory System.	M. } F. }	8	1 7	.	1 2	.	1	1	1	.	.	1 1	.	.	.	4	1 3	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	20	11 9	9 9	2	.	.	.	.	.	.	.	.	.	.	2 2	9 7	.	
23	Appendicitis ...	... M. } ... F. }	3	2 1	.	.	1	1	.	.	.	.	1	.	2	.	1	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Diseases of the Digestive System.	M. } F. }	2	1 1	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	
27	Nephritis ...	... M. } ... F. }	11	9 2	.	.	.	.	2	2 1	1	3 1	1 1	2	.	.	2	5 2	.	
28	Puerperal Infection ...	... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ...	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	21	12 9	12 9	.	.	.	.	.	.	.	.	.	.	.	4 7	8 2	.	
31	Senility ...	... M. } ... F. }	33	16 17	.	.	.	.	.	.	.	5 5	11 12	.	1 3	.	6 2	9 12	.	
32	Suicide ...	... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	... M. } ... F. }	8	6 2	.	3	1	1	.	.	1	.	1	.	2	.	1 1	3 1	.	
34	Other Causes ...	... M. } ... F. }	27	15 12	2 1	1	1	2	.	3 1	1 3	2	3 5	1	4 1	1 2	4 3	6 6	.	

12

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infir-aries.	Else-where.	
	ALL CAUSES ... M. F. }	7,187 {	3,777 3,410	242 222	75 56	49 44	120 117	140 123	130 130	218 197	368 295	940 813	1,495 1,410	358 277	125 93	551 440	2,743 2,600	970 947
1	Typhoid Fever (including Para-typhoid). M. F. }	7 {	3 4	· ·	· ·	· ·	· 1	2 2	· ·	· ·	· ·	1 1	· ·	· 2	2 1	1 ·	· 1	· ·
2	Cerebro-spinal Meningitis ... M. F. }	6 {	3 3	1 1	· 1	1 ·	· ·	1 ·	· ·	· ·	· 1	· ·	· ·	1 1	· ·	2 1	· 1	· ·
3	Scarlet Fever ... M. F. }	1 {	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·
4	Whooping Cough ... M. F. }	18 {	9 9	4 3	5 5	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	9 9	1 3
5	Diphtheria ... M. F. }	24 {	12 12	1 2	6 3	3 6	1 ·	· ·	· 1	· ·	1 ·	· ·	· ·	6 4	· ·	2 6	4 2	· ·
6	Tuberculosis of the Respiratory System. M. F. }	410 {	221 189	· 1	· 2	9 3	52 61	56 49	37 40	36 19	23 8	8 6	· ·	75 71	18 13	45 30	83 75	3 5
7	All other forms of Tuberculosis ... M. F. }	110 {	70 40	5 3	6 4	9 5	13 15	13 5	9 2	8 2	5 3	2 1	· ·	26 12	6 ·	17 16	21 12	· ·
8	Dysentery ... M. F. }	2 {	2	·	·	·	·	1 ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 ·	· ·	1 ·	· ·
9	Influenza ... M. F. }	234 {	102 102	11 3	1 2	1 1	4 1	5 1	2 2	7 5	9 15	22 30	40 42	1 ·	2 ·	5 6	94 96	32 35
10	Measles ... M. F. }	3 {	1 2	· 2	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 2	· ·
11	Acute Infectious Encephalitis ... M. F. }	5 {	· 5	· ·	· ·	· ·	1 ·	2 ·	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	4 ·	· 1
12	Typhus ... M. F. }	· {	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
13	Cancer ... M. F. }	628 {	354 274	· ·	· ·	1 2	2 3	2 5	13 14	36 39	84 53	145 106	71 52	45 22	4 5	67 46	238 201	8 5
14	Diabetes Mellitus ... M. F. }	48 {	25 23	· ·	· ·	1 ·	2 2	5 ·	2 1	1 2	4 4	7 9	3 5	2 2	1 ·	6 7	16 14	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	400	{	171 229	.	.	1	.	1 5	10 3	7 19	24 28	67 94	62 79	8 11	6 7	39 32	118 179	22 37
16	Diseases of the Heart	... M. F. }	1,425	{	795 630	.	1	2	4 10	10 12	12 17	47 42	86 83	303 236	330 229	41 35	33 26	106 78	615 491	70 49
17	Other Diseases of the Circulatory System.	M. F. }	126	{	63 63	.	.	1	1	2	1	3 2	9 4	20 21	26 27	7 7	2	17 4	37 52	3 4
18	Bronchitis	... M. F. }	170	{	86 84	5 7	1 2	1	2	2	2	4 3	3 9	28 24	43 34	1 3	1 1	11 6	73 74	21 19
19	Pneumonia	... M. F. }	259	{	127 132	33 34	16 13	1 3	1 2	3 1	5 2	6 7	17 6	29 35	16 29	5 8	2 4	12 11	108 109	13 11
20	Other Diseases of the Respiratory System.	M. F. }	83	{	48 35	4 4	1 2	1	2	4 4	4 1	2 1	4 5	14 11	13 6	8 5	1	3 7	36 23	1 6
21	Ulcer of the Stomach or Duodenum.	M. F. }	34	{	27 7	.	.	.	.	2 1	1 1	9 2	5 2	6 1	4	9	1	8 4	9 3	1
22	Diarrhoea and Enteritis	... M. F. }	59	{	33 26	25 18	3 4	2	.	1	1	.	2 3	.	.	10 3	.	5	23 18	1
23	Appendicitis	... M. F. }	17	{	16 1	1	.	.	3	1	4	1 1	2	3	1	7	1	7 1	1	.
24	Cirrhosis of the Liver	... M. F. }	5	{	4 1	.	.	.	.	1	1	1	2	.	.	1	.	1	3	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	26	{	15 11	.	1	.	.	1	3 1	.	7 3	4 3	1 3	4	.	3	11 7	2
26	Other Diseases of the Digestive System.	M. F. }	98	{	62 36	4 4	6 2	1 2	4 1	2	2 4	3 5	11 1	18 7	11 10	10 13	2	18 6	32 15	9
27	Nephritis	... M. F. }	167	{	115 52	1	.	1 2	2	4 2	6 3	3 11	19 9	46 14	33 11	13 6	1	32 14	69 32	7 2
28	Puerperal Infection	... F.	1	{	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
29	Other Diseases of Childbirth	... F.	22	{	22	.	.	.	.	12	9	1	.	.	.	8	.	7	7	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	250	{	130 120	123 116	5 1	1 1	.	.	.	.	.	1	.	31 24	.	26 33	73 63	20 27
31	Senility	... M. F. }	1,828	{	863 965	.	.	.	.	.	.	.	.	116 126	747 839	2 3	19 16	44 47	798 899	632 659
32	Suicide	... M. F. }	15	{	12 3	.	.	.	.	1	1	2	5 1	3 1	1	.	.	1	11 3	.
33	Other Violence	... M. F. }	128	{	78 50	3 1	8 5	4 7	7 2	9	4 5	7 1	9 6	12 7	15 16	13 8	1 1	17 17	47 24	1
34	Other Causes	... M. F. }	608	{	330 278	21 22	15 9	11 8	22 13	14 20	15 18	33 31	47 52	77 77	75 28	35 25	21 17	62 54	212 182	75 70

ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	2,301 {	1,210 1,091	103 96	35 24	22 19	43 41	49 38	31 45	62 61	131 83	263 229	471 455	215 175	37 24	132 107	826 785	288 298		
1	Typhoid Fever (including Para-M. F. } typhoid).	3 {	3	.	.	.	1	1	.	.	.	1	.	2	.	.	1	.		
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		
3	Scarlet Fever ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
4	Whooping Cough ... M. F. }	5 {	3 2	2 1	1 1	.	.	.	.	.	.	.	.	.	.	.	3 2	.		
5	Diphtheria ... M. F. }	15 {	7 8	.	4 1	2 4	.	.	1	.	1	.	.	4 4	.	1 3	2 1	.		
6	Tuberculosis of the Respiratory M. F. } System.	164 {	90 74	.	2	6 1	23 23	23 14	13 19	18 8	6 5	1 2	.	46 42	7 4	8 2	29 26	2 3		
7	All other forms of Tuberculosis ... M. F. }	40 {	26 14	4 3	1	5 2	4 7	6 1	2	3 1	1	.	.	18 9	2	2 3	4 2	.		
8	Dysentery ... M. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.		
9	Influenza ... M. F. }	65 {	33 32	5	1	.	1	1	.	2 1	4 4	6 6	13 20	.	.	3 1	30 31	7 9		
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	189 {	112 77	.	.	1 1	1	1 1	1 2	8 14	33 11	41 28	26 20	27 14	1 1	15 7	69 55	2 1		
14	Diabetes Mellitus ... M. F. }	11 {	3 8	.	.	.	.	.	.	.	1 1	1 3	1 4	1 2	.	.	2 6	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	112 {	48 64	.	.	.	.	.	2 1	.	9 8	19 22	18 26	2 9	2 3	12 13	32 39	8 6
16	Diseases of the Heart	... M. F. }	472 {	257 215	.	1	.	2 3	3 2	1 4	16 12	27 25	95 77	112 92	28 20	7 6	28 21	194 168	18 17
17	Other Diseases of the Circulatory System.	M. F. }	47 {	23 24	.	.	.	1 .	1 .	1 1	.	6 2	7 7	7 11	5 5	1	6 1	11 18	1 1
18	Bronchitis ...	... M. F. }	49 {	20 29	2 3	.	.	1 .	.	1 .	.	2 3	7 8	9 12	.	.	6 3	14 23	3 6
19	Pneumonia ...	... M. F. }	99 {	42 57	13 20	8 7	.	2 .	1 .	1 1	1 1	4 2	9 10	6 13	4 6	1 1	5 5	32 45	7 6
20	Other Diseases of the Respiratory System.	M. F. }	29 {	19 10	2 2	1 1	.	1 .	1 1	1 .	.	.	7 4	6 1	4 3	1	1 3	13 4	1 4
21	Ulcer of the Stomach or Duodenum.	M. F. }	10 {	10	.	.	.	.	1 .	1 .	1 .	2 .	3 .	2 .	6 .	.	1 .	3 .	.
22	Diarrhoea and Enteritis	... M. F. }	24 {	16 8	15 4	.	2	.	.	.	.	.	1 2	.	6 .	.	3 .	10 5	.
23	Appendicitis	... M. F. }	4 {	4	.	.	.	1 .	1 .	1 .	.	1 .	.	.	3 .	.	1 .	.	.
24	Cirrhosis of the Liver	... M. F. }	4 {	3 1	.	.	.	.	.	.	1 .	2 .	.	.	1 .	.	1 .	2 .	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	6 {	3 3	.	.	.	.	.	.	1 .	2 .	1 1	1 1	1 3	.	.	2 .	.
26	Other Diseases of the Digestive System.	M. F. }	43 {	29 14	2 2	3 2	.	2 1	2 .	2 2	2 2	6 1	8 3	4 1	7 10	1	5 .	16 4	5 .
27	Nephritis ...	... M. F. }	60 {	45 15	.	.	.	.	1 .	5 .	2 5	7 3	14 3	16 4	11 3	.	13 6	21 6	.
28	Puerperal Infection	... F.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	8	8	.	.	.	.	6	2	.	.	.	.	6	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	93 {	51 42	48 41	3	.	.	.	.	.	.	.	.	16 12	.	8 11	27 19	9 7
31	Senility ...	... M. F. }	509 {	248 261	.	.	.	.	.	.	.	.	19 28	229 233	2 1	9 5	2 2	235 253	207 211
32	Suicide ...	... M. F. }	7 {	5 2	.	.	.	.	.	.	.	4 1	1 1	.	.	.	1 .	4 2	.
33	Other Violence	... M. F. }	44 {	24 20	1 .	4 3	1 3	2 1	5 .	1 3	3 .	2 3	1 1	4 5	4 4	.	3 2	17 14	.
34	Other Causes	... M. F. }	165 {	88 97	9 15	8 5	7 3	5 3	2 10	2 7	5 7	14 12	19 22	17 13	19 16	5 4	11 19	53 58	18 25

ABSTRACT V—continued.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES ... M. F. }	708 {	352 356	12 12	2 3	4 3	15 12	14 11	17 19	20 25	35 32	95 91	138 148	16 17	11 11	39 45	286 283	110 136	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	1 1	.	.	.	.	1	.	.	.	1	.	.	1 1	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	2 {	1 1	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Diphtheria ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	37 {	21 16	.	.	1	5 6	6 4	3 3	2 2	3	2	.	2 2	3 1	4 5	19 8	.	
7	All other forms of Tuberculosis... M. F. }	7 {	3 4	.	.	.	2 3	1	.	1	.	.	.	1	.	3	3	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	15 {	8 7	.	.	1	.	.	.	1	2 2	1 3	4 1	.	.	.	8 7	1 4	
10	Measles ... M. F. }	2 {	1 1	1	1	.	.	.	.	.	.	.	.	.	.	.	1 1	1	
11	Acute Infectious Encephalitis... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	53 {	25 28	.	.	.	.	.	2 2	2 3	7 2	9 13	5 8	1 2	.	7 8	17 18	2	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	55	28	.	.	.	.	1	3	1	4	9	10	2	1	4	21	8
				27	.	.	.	.		2	7	2	7	9	1		3	23	10
16	Diseases of the Heart	M. F. }	157	85	.	.	.	.		2	4	6	37	36	3	3	3	76	11
				72	.	.	1	1	1	5	5	12	32	15	6	6	5	55	10
	Other Diseases of the Circulatory System.	M. F. }	4	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
				3	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
	Bronchitis ...	M. F. }	17	7	1	.	.	.	1	.	1	.	1	3	1	.	.	6	2
				10	.	.	.	.	.	.	.	1	2	7	.	.	.	10	4
19	Pneumonia ...	M. F. }	25	14	2	1	1	1	.	1	3	3	1	1	.	.	.	14	1
				11	1	1	.	.	.	2	2	.	5	1	.	.	1	10	.
20	Other Diseases of the Respiratory System.	M. F. }	7	5	1	.	.	1	1	1	.	.	.	1	2	.	.	3	.
				2	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	4	2	.	.	.	.	.	1	1	.	1	.	.	.	2	.	.
				2	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.
22	Diarrhoea and Enteritis	M. F. }	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
				1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
23	Appendicitis	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
				2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	16	9	1	.	.	1	.	.	.	2	3	2	1	1	1	6	2
				7	1	.	.	.	.	.	1	.	3	2	.	1	4	2	.
27	Nephritis ...	M. F. }	20	11	.	.	.	.	1	.	.	.	9	1	.	1	2	8	2
				9	.	.	.	.	.	1	3	1	2	2	1	.	1	7	2
28	Puerperal Infection	F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	13	6	6	.	.	.	.	.	.	.	.	.	1	.	.	5	2
				7	6	1	.	.	.	.	.	.	.	.	2	.	.	5	1
31	Senility ...	M. F. }	192	83	.	.	.	.	.	.	.	.	15	68	.	.	6	77	64
				109	.	.	.	.	.	.	.	.	14	95	1	.	5	103	91
32	Suicide ...	M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	M. F. }	8	7	.	.	1	1	.	2	.	.	1	2	2	.	3	2	.
				1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
34	Other Causes	M. F. }	60	29	.	.	1	4	1	3	5	7	4	4	.	1	6	22	13
				31	2	.	1	1	1	4	.	10	7	5	1	2	4	24	15

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	2,111 {	1,091 1,020	51 60	24 13	12 13	37 34	38 40	42 35	70 50	87 83	284 261	446 431	57 48	37 20	157 130	840 822	289 235	
1	Typhoid Fever (including Para-M. typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	6 {	3 3	1	3 2	.	.	.	.	.	.	.	.	.	.	.	3 3	1 2	
5	Diphtheria ... M. F. }	8 {	5 3	1	2 1	1 2	1	.	.	.	.	.	.	2	.	1 2	2 1	.	
6	Tuberculosis of the Respiratory M. System. F. }	116 {	63 53	.	.	3	15 19	17 15	10 9	9 6	7 2	2 2	.	13 13	4 2	20 12	26 26	1 2	
7	All other forms of Tuberculosis... M. F. }	28 {	20 8	.	4 1	1	5 1	2 2	5 1	1	1 1	2 1	.	6 2	2	7 3	5 3	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	58 {	30 28	3 2	1	.	3 1	1 1	.	3 2	1 3	5 6	14 12	.	1	1	29 27	11 10	
10	Measles ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis... M. F. }	2 {	2	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	208 {	116 92	.	.	.	1	3	5 7	14 10	20 23	55 37	22 11	4 5	2 1	16 15	94 71	3 1	
14	Diabetes Mellitus ... M. F. }	21 {	11 10	.	.	1	.	1	1 1	1 1	2 2	5 3	1 1	.	1	3 5	7 5	1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	120	50	.	.	.	.	.	3	4	2	22	19	2	.	9	39	4
				70	.	.	1	.	2	.	3	4	33	27	1	2	6	61	8
16	Diseases of the Heart	... M. F. }	357	200	.	.	1	1	4	6	13	19	67	89	5	9	34	152	17
				157	.	.	.	2	2	4	10	17	62	60	4	4	20	129	13
17	Other Diseases of the Circulatory System.	M. F. }	44	22	.	.	.	.	1	.	2	.	8	11	.	.	7	15	.
				22	.	.	.	.	.	.	.	3	9	10	2	.	2	18	.
18	Bronchitis ...	... M. F. }	54	27	.	.	.	.	.	3	.	.	9	15	.	.	.	27	9
				27	3	2	.	1	.	1	3	3	9	8	.	.	3	24	7
19	Pneumonia ...	... M. F. }	75	42	8	4	.	.	2	2	1	7	12	6	.	.	5	37	3
				33	7	2	1	.	1	.	.	3	13	6	1	1	3	28	3
20	Other Diseases of the Respiratory System.	M. F. }	23	11	1	.	.	.	2	1	.	2	3	2	2	.	.	9	.
				12	1	.	.	1	1	.	1	2	3	4	1	.	.	11	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	13	10	.	.	.	.	1	.	5	.	2	2	1	1	3	5	.
				3	.	.	.	.	.	.	2	1	.	.	.	.	2	1	1
22	Diarrhoea and Enteritis	... M. F. }	18	10	5	3	2	.	.	.	.	.	.	.	3	.	.	7	.
				8	6	1	.	.	1	.	.	.	.	.	1	.	1	6	1
23	Appendicitis	... M. F. }	5	5	.	.	.	1	.	1	1	.	2	.	.	1	3	1	.
24	Cirrhosis of the Liver	... M. F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	10	6	.	.	.	.	.	1	.	.	3	2	.	.	1	5	.
				4	.	.	.	.	.	.	1	1	.	2	1	.	.	3	1
26	Other Diseases of the Digestive System.	M. F. }	24	14	.	3	.	1	.	1	.	1	6	2	.	.	7	7	2
				10	.	.	1	.	2	.	1	.	1	5	2	.	2	6	.
27	Nephritis ...	... M. F. }	34	23	1	.	1	.	.	.	1	5	7	8	1	.	4	18	3
				11	.	.	1	.	1	.	2	1	6	.	1	.	3	7	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	8	8	.	.	.	.	3	5	.	.	.	.	1	.	3	4	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	69	30	26	2	1	.	.	.	.	.	1	.	7	.	6	17	3
				39	37	.	1	1	.	.	.	.	.	.	8	.	9	22	11
31	Senility ...	... M. F. }	581	260	.	.	.	.	.	.	.	.	40	220	.	5	5	250	202
				321	.	.	.	.	.	.	.	.	42	279	.	4	15	302	151
32	Suicide ...	... M. F. }	5	4	.	.	.	.	.	.	1	1	1	1	.	.	.	4	.
				1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
33	Other Violence	... M. F. }	36	19	1	1	1	3	1	1	1	3	4	3	2	1	6	10	1
				17	.	.	4	1	.	1	.	3	5	3	2	.	7	8	.
34	Other Causes	... M. F. }	186	109	5	2	1	7	6	5	10	16	28	29	9	10	20	70	28
				77	2	3	1	5	6	3	11	14	29	3	3	6	16	52	22

ABSTRACT V—continued.—Causes of Death for the Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1946.

During the year 1910.																			
No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,083 {	596 487	39 23	10 6	4 3	9 14	16 22	23 13	35 34	62 44	156 126	242 202	44 21	18 20	105 63	429 383	182 170	
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	2 {	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
5	Diphtheria ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	44 {	23 21	1	.	1	4 4	5 11	6 2	5 1	3	.	1	1	2	9 10	11 6	.	
7	All other forms of Tuberculosis... M. F. }	15 {	10 5	.	1	1	5 2	1	2	.	1 1	.	.	2	1	3 2	4 3	.	
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	41 {	18 23	2 1	1	.	2	1	1	1 3	5 10	6 6	1	.	.	2 1	15 22	7 8	
10	Measles ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	91 {	53 38	.	.	.	1 1	.	2 2	4 6	15 6	25 18	6 5	7 1	1 2	18 7	27 28	1 1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	50 {	22 28	.	.	.	.	.	1	1	2 3	6 3	7 15	6 6	2	3 1	6 4	11 23	.	4
16	Diseases of the Heart	... M. F. }	242 {	138 104	.	.	1	.	3	4	3	9 9	17 14	55 31	55 40	3 5	3 5	24 14	108 80	19 8	
17	Other Diseases of the Circulatory System.	M. F. }	22 {	12 10	.	.	1	.	.	.	.	1 3	3 5	3 5	4 2	2	1	3	6 10	1 2	
18	Bronchitis ...	... M. F. }	23 {	13 10	2 1	1	.	.	1	.	.	2	.	1 2	8 4	.	.	4	9 10	3 2	
19	Pneumonia ...	... M. F. }	25 {	14 12	3 3	3 1	.	.	.	2	.	3	1 1	4 2	1 2	1	1	.	12 11	1 1	
20	Other Diseases of the Respiratory System.	M. F. }	14 {	8 6	1	.	.	.	1	.	.	1 1	1 2	3 2	3 1	.	.	2 1	6 4	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	2 {	2	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	
22	Diarrhoea and Enteritis	... M. F. }	6 {	4 2	3 1	1	.	.	.	.	.	.	1	.	.	1	.	1	3 1	.	
23	Appendicitis	... M. F. }	4 {	4	.	.	.	.	.	2	.	.	1	1	.	4	.	.	.	.	
24	Cirrhosis of the Liver	... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	4 {	3 1	.	.	.	.	.	.	.	2	.	1	.	.	.	2	1 1	.	
26	Other Diseases of the Digestive System.	M. F. }	5 {	3 2	.	.	.	1	.	.	1	1 1	.	.	1	2 1	1	1	.	.	
27	Nephritis ...	... M. F. }	22 {	15 7	.	.	.	.	.	.	.	1	2	5 3	4 1	1 1	.	6 1	8 5	.	
28	Puerperal Infection	... F.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	37 {	23 14	23 14	.	.	.	.	.	.	.	.	.	.	6 2	.	4 4	13 8	4 4	
31	Senility	... M. F. }	312 {	164 148	.	.	.	.	.	.	.	.	.	28 24	136 124	.	4 6	5 2	155 140	139 128	
32	Suicide	... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence	... M. F. }	22 {	13 9	.	2 1	.	1	1	.	1	1 1	1	4	3 6	5 2	.	2 5	6 2	.	
34	Other Causes	... M. F. }	88 {	47 41	3 1	4	1	2	1	3	7 3	5 7	12 9	9 4	4 4	2 2	11 9	30 26	7 12		

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. F. }	984 {	528 456	37 31	4 10	7 6	16 16	23 12	17 18	31 27	53 56	142 106	198 174	26 16	22 18	118 95	362 327	101 106		
1	Typhoid Fever (including Para-M. typhoid). F. }	2 {	2	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.		
2	Cerebro-spinal Meningitis ... M. F. }	2 {	1 1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.		
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping Cough ... M. F. }	5 {	1 4	1	2	.	1	.	.	.	.	.	.	.	.	.	1 4	1		
5	Diphtheria ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	49 {	24 25	.	.	.	5 9	5 5	5 7	2 2	4 1	3 1	.	13 11	2 4	4 1	5 9	.		
7	All other forms of Tuberculosis ... M. F. }	20 {	11 9	1	1 2	3 2	1 2	.	1	3 1	2 1	.	.	.	1	5 5	5 4	.		
8	Dysentery ... M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.		
9	Influenza ... M. F. }	25 {	13 12	1	.	.	.	1	1	1 1	1 3	5 5	3 3	.	1	3	12 9	6 4		
10	Measles ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.		
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... M. F. }	87 {	48 39	.	.	1	1	1 1	3 1	8 6	9 11	15 10	12 8	6	1	11 9	31 29	2		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	63	23 40	.	.	.	.	.	1	.	3 11	10 17	9 11	.	.	8 6	15 33	2 9
16	Diseases of the Heart	... M. } ... F. }	197	115 82	.	.	.	1	3	2	5	17 15	49 34	38 22	2	11 5	17 18	85 59	5 1
17	Other Diseases of the Circulatory System.	M. } F. }	9	5 4	.	.	.	.	.	1	1	.	1	4 2	.	.	1 1	4 3	1
18	Bronchitis ...	... M. } ... F. }	27	19 8	.	.	.	.	.	.	.	1 2	10 3	8 3	.	1 1	1 .	17 7	4
19	Pneumonia ...	... M. } ... F. }	34	15 19	7 3	2	.	.	.	1	1	2 5	3 5	2 7	1	1	2 2	13 15	1 1
20	Other Diseases of the Respiratory System.	M. } F. }	10	5 5	.	1	.	.	.	1 1	1	1 2	1 1	1 .	.	.	3 .	5 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	3 2	.	.	.	.	.	.	1	2 1	.	.	1	.	1 .	1 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	9	2 7	1 6	.	.	.	.	1	.	.	.	.	2	.	.	2 5	.
23	Appendicitis	... M. } ... F. }	4	3 1	1	.	.	1	.	.	1	.	.	1	.	.	3 1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	2 1	.	.	.	.	.	.	.	.	2 1	.	.	.	.	2 1	.
26	Other Diseases of the Digestive System.	M. } F. }	10	7 3	1 1	.	1	.	.	.	.	2	1	2 2	.	.	4 .	3 3	.
27	Nephritis ...	... M. } ... F. }	31	21 10	.	.	1	2	2	1	2	1 2	11 .	4 4	.	.	7 3	14 7	2
28	Puerperal Infection	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	1	1	1	.	.	.	.	.	.	2	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	38	20 18	20 18	.	.	.	.	.	.	.	.	.	1	.	8 9	11 9	2 4
31	Senility ...	... M. } ... F. }	234	108 126	.	.	.	.	.	.	.	.	14 18	94 108	.	1 1	26 23	81 101	70 78
32	Suicide ...	... M. } ... F. }	3	3	.	.	.	1	.	1	.	1	.	.	.	.	.	3	.
33	Other Violence	... M. } ... F. }	18	15 3	1	1	1	.	2	.	2	3 1	2 1	3 1	.	1	3 2	12	.
34	Other Causes	... M. } ... F. }	89	57 32	4 2	1 1	1 2	4 2	4 1	2 1	6 6	5 7	14 7	16 3	3 1	3 3	14 6	37 22	9 5

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	3,765	2,061 1,704	168 121	35 31	32 19	42 52	58 70	58 69	98 103	224 183	538 455	758 601	130 83	42 27	287 210	1,602 1,384	427 383	
1	Typhoid Fever (including Para-typhoid). M. F. }	4	1 3	.	.	.	.	.	.	1	1	1	1	1	1	1	1	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
4	Whooping Cough ... M. F. }	5	3 2	2 2	.	1	.	.	.	.	.	.	.	.	.	.	3 2	1 1	
5	Diphtheria ... M. F. }	29	18 11	2	6 4	6 3	1	1	1	1 1	1 2	.	.	3 1	.	10 8	5 2	.	
6	Tuberculosis of the Respiratory System. M. F. }	166	77 89	.	.	2 3	17 28	25 29	10 8	9 9	10 8	3 3	1 1	21 29	7 9	10 11	39 40	3 4	
7	All other forms of Tuberculosis ... M. F. }	51	30 21	1 5	4 5	5 2	3 3	9 5	2 2	2 1	2 1	2 2	.	6 5	1	6 2	17 14	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	139	76 63	4 5	2	.	1	1 3	7 2	2 3	17 5	28 22	14 21	2	.	10 5	64 58	23 17	
10	Measles ... M. F. }	11	7 4	4 1	2 3	1	.	.	.	.	.	.	.	1	.	.	7 3	3	
11	Acute Infectious Encephalitis ... M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	372	187 185	.	.	.	1	3 1	4 15	13 28	40 49	84 59	43 30	12 11	2 4	22 33	151 137	10 5	
14	Diabetes Mellitus ... M. F. }	15	8 7	.	.	.	1	1	.	1	2 2	2 3	1 2	.	1	4	4 6	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	247	126 121	.	2	.	.	1	1	2	6	21	46	49	2	5	10	109	23
16	Diseases of the Heart	... M. F. }	889	507 382	.	.	2	3	5	7	18	63	206	203	13	14	68	412	69	
17	Other Diseases of the Circulatory System.	M. F. }	84	45 39	.	.	.	.	.	1	4	9	12	20	20	1	.	6	38	.
18	Bronchitis ...	... M. F. }	101	54 47	8	.	.	1	.	1	4	2	15	23	2	.	4	48	7	
19	Pneumonia ...	... M. F. }	151	78 73	30 15	3	3	.	3	1	4	5	20	12	3	1	6	68	6	
20	Other Diseases of the Respiratory System.	M. F. }	58	40 18	3	2	1	.	1	2	2	5	11	13	1	.	7	32	7	
21	Ulcer of the Stomach or Duodenum.	M. F. }	33	23 10	.	.	.	1	2	4	6	4	5	2	9	.	7	7	1	
22	Diarrhoea and Enteritis	... M. F. }	46	20 20	11 3	4	.	1	1	.	2	1	5	1	2	.	3	15	1	
23	Appendicitis	... M. F. }	13	8 5	.	1	2	1	1	.	2	.	1	.	4	.	4	.	.	
24	Cirrhosis of the Liver	... M. F. }	2	2	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	15	5 10	.	.	.	.	1	1	.	.	1	2	1	.	.	4	.	
26	Other Diseases of the Digestive System.	M. F. }	54	33 21	2	1	2	1	.	1	2	5	15	6	9	.	8	16	3	
27	Nephritis ...	... M. F. }	105	76 29	1	.	1	2	1	4	5	10	34	19	6	.	11	59	6	
28	Puerperal Infection ...	... F. }	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	
29	Other Diseases of Childbirth	... F. }	15	15	.	.	.	1	6	8	.	.	.	.	3	.	4	8	2	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	162	94 68	90 67	1	1	1	.	.	1	.	.	.	12	1	28	53	12	
31	Senility ...	... M. F. }	655	343 312	.	.	.	.	.	.	.	.	46	297	.	2	27	314	218	
32	Suicide	... M. F. }	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	
33	Other Violence	M. F. }	74	46 28	1	3	4	4	3	3	5	3	8	12	8	.	9	29	.	
34	Other Causes	... M. F. }	267	149 118	10 18	3	3	6	2	8	9	22	46	40	12	9	27	101	34	

ABSTRACT V—continued.—Causes of Death for the Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	1,037	580 457	43 29	5 9	4 4	11 5	12 16	13 14	28 27	63 53	191 123	210 177	52 24	15 6	95 75	418 352	91 87
1	Typhoid Fever (including Para-M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. F. }	5	3 2	1	2 1	.	.	.	.	.	1	.	.	.	.	1 2	2	.
6	Tuberculosis of the Respiratory System. M. F. }	38	21 17	.	.	1	5 3	5 4	2 3	4 2	4 2	1 2	.	10 9	2 2	3 2	6 4	.
7	All other forms of Tuberculosis ... M. F. }	15	11 4	.	2 1	.	2	3 2	.	1	1 1	2	.	3 2	.	5 2	3	.
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	22	12 10	1	.	.	.	1	2	1 2	3	2 4	3 3	1	.	2 2	9 8	2 4
10	Measles ... M. F. }	2	1 1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	99	54 45	.	.	1	.	1	1 4	5 7	10 9	26 15	12 8	4 4	.	5 5	45 36	.
14	Diabetes Mellitus ... M. F. }	5	1 4	.	.	.	1	.	.	.	.	2	2	.	1	.	3	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	69	36 33	.	.	.	1	.	1	4	7	14	10	1	4	27 25	4 5	
16	Diseases of the Heart	... M. } ... F. }	254	147 107	.	.	1	.	3	3	4	18 18	67 38	54 38	6 1	5 1	28 19	108 86	12 9
17	Other Diseases of the Circulatory System.	M. } F. }	27	13 14	.	.	.	.	.	1	3	5 9	5 4	.	.	2 2	11 12	.	1
18	Bronchitis ...	... M. } ... F. }	36	15 21	2	.	.	.	.	1	1	4 10	7 10	1	.	.	14 21	.	2
19	Pneumonia ...	... M. } ... F. }	34	14 20	4 2	3	1	.	2	1	3	4 4	5 5	1	.	1	13 19	1 1	
20	Other Diseases of the Respiratory System.	M. } F. }	13	12 1	1	1	.	.	1	1	1	3 1	4 1	1	.	3	8 1	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	12	9 3	.	.	.	1	2	3	1	2 2	.	6	.	2	1 3	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	7	4 3	2	.	.	1	1	.	1	.	1 1	1	.	1	2 3	.	.
23	Appendicitis	... M. } ... F. }	3	1 2	.	.	.	1	.	1	1	.	.	1	.	2	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3	.	.	.	.	1	.	1	.	1 1	.	.	2	1 1	.	.
26	Other Diseases of the Digestive System.	M. } F. }	20	13 7	.	1	1	.	1	1	1	8 1	2 3	3 1	.	3	7 6	1 .	
27	Nephritis ...	... M. } ... F. }	33	26 7	.	.	1	.	.	1	5 3	14 3	6	2 1	.	3	21 6	.	.
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	51	29 22	29 22	.	.	.	.	.	.	.	.	4 3	.	13 12	12 7	4 1	.
31	Senility ...	... M. } ... F. }	207	107 100	.	.	.	.	.	.	.	15 10	92 90	.	1	16 12	91 87	58 54	.
32	Suicide ...	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
33	Other Violence	... M. } ... F. }	14	8 6	2	1	2	1	1	.	1	3 1	1 1	2 1	.	1	6 4	.	.
34	Other Causes	... M. } ... F. }	65	41 24	2 3	1	1	1	2	2	2	6 3	21 6	7 5	5 1	4	3 19	29 19	8 9

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,902	1,010 892	92 71	23 19	20 13	18 30	24 39	33 38	43 49	112 91	262 219	383 323	57 38	13 13	84 67	856 774	278 254	
1	Typhoid Fever (including Para-typhoid). M. F. }	4	1 3	.	.	.	.	.	.	1	1	1	1	1	1	1	1	.	
2	Cerebro-spinal Meningitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
3	Scarlet Fever ... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
4	Whooping Cough ... M. F. }	5	3 2	2 2	.	1	.	.	.	.	.	.	.	.	.	.	3 2	1 1	
5	Diphtheria ... M. F. }	19	11 8	1 2	2 3	5 3	1	1	.	1 1	1 1	.	.	3 1	.	6 5	2 2	.	
6	Tuberculosis of the Respiratory System. M. F. }	90	38 52	.	.	1 2	8 18	12 20	7 4	4 3	5 4	1	1	5 11	3 6	6 7	24 28	3 4	
7	All other forms of Tuberculosis ... M. F. }	25	13 12	1 4	2 2	4 2	.	3 2	2 1	1 1	.	1	.	1 2	.	.	12 10	.	
8	Dysentery ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	91	53 38	2 5	2	.	1	2	4 2	.	11 5	22 10	11 13	1	.	7 2	45 36	20 12	
10	Measles ... M. F. }	9	6 3	3 1	2 2	1	.	.	.	.	.	.	.	.	.	.	6 3	2	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	169	84 85	.	.	.	.	1	1 6	5 13	23 22	36 30	18 14	6 3	2 1	5 11	71 70	9 2	
14	Diabetes Mellitus ... M. F. }	7	5 2	.	.	.	.	.	.	1	1	2	1 2	.	.	1	4 2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	122	60 62	.	2	.	.	.	.	.	10 8	19 24	29 25	1 2	.	3 2	56 58	12 16
16	Diseases of the Heart	... M. F. }	428	231 197	.	.	.	3 3	3 2	4 6	8 7	30 23	89 73	94 83	5 3	7 4	21 16	198 174	45 30
17	Other Diseases of the Circulatory System.	M. F. }	39	20 19	.	.	.	.	.	1	3 2	2 2	4 4	11 12	.	1 1	1 3	19 14	1
18	Bronchitis ...	... M. F. }	36	23 13	5 3	.	.	.	.	1	1 2	1 2	6 4	9 4	.	.	1 1	22 12	5 2
19	Pneumonia ...	... M. F. }	92	48 44	20 10	3 4	2 2	1 1	1 2	1 2	1 2	4 3	11 11	6 8	2 1	1 1	1 3	44 40	5 9
20	Other Diseases of the Respiratory System.	M. F. }	28	17 11	2 2	1 1	1 1	.	.	.	1 1	1 6	4 3	7 3	.	.	1 1	16 11	7 2
21	Ulcer of the Stomach or Duodenum.	M. F. }	15	11 4	.	.	.	1 1	1 1	2 1	2 1	3 1	1 1	2 1	3 1	.	3 1	5 3	1
22	Diarrhoea and Enteritis	... M. F. }	25	13 12	7 2	4 1	.	.	1 1	.	2 2	1 1	3 1	1 1	.	.	1 2	12 10	1 1
23	Appendicitis ...	... M. F. }	5	4 1	.	1 1	.	1 1	.	.	1 1	.	1 1	.	2 1	.	2 1	.	.
24	Cirrhosis of the Liver	... M. F. }			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	7	3 4	.	.	1 1	.	1 1	.	.	.	1 1	2 2	1 1	.	.	2 4	1
26	Other Diseases of the Digestive System.	M. F. }	25	16 9	2 1	.	1 1	.	.	.	.	4 3	6 4	4 4	5 3	.	4 2	7 4	1
27	Nephritis ...	... M. F. }	52	38 14	.	.	1 1	3 3	1 3	2 3	4 3	4 3	16 1	10 1	4 1	.	6 2	28 12	4
28	Puerperal Infection ...	... F. }	2	2	.	.	.	.	2 2	.	.	.	.	.	.	.	.	2	.
29	Other Diseases of Childbirth	... F. }	9	9	.	.	.	1 1	3 3	5 5	.	.	.	.	3 3	.	1 1	5 5	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	78	44 34	42 33	1 1	1 1	.	.	.	.	.	.	.	6 2	.	5 3	33 29	7 10
31	Senility ...	... M. F. }	352	180 172	.	.	.	.	.	.	.	.	25 31	155 141	.	1 1	1 1	179 171	133 126
32	Suicide ...	... M. F. }	1	1	.	.	.	.	.	.	.	.	1 1	.	.	.	.	1	.
33	Other Violence	... M. F. }	33	20 13	1 1	1 1	2 1	2 1	2 1	4 1	.	3 5	5 4	6 1	.	2 3	12 9	.	2
34	Other Causes	... M. F. }	133	66 67	4 12	2 4	2 1	2 2	4 4	6 4	4 8	12 14	14 10	20 8	5 3	.	7 2	54 62	22 34

ABSTRACT V—contd.—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1946.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.			
	ALL CAUSES ... M. F. }	826 {	471 355	33 21	7 3	8 2	13 17	22 15	12 17	27 27	49 39	135 113	165 101	21 21	14 8	108 68	328 258	58 42		
1	Typhoid Fever (including Para-M. typhoid). ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
2	Cerebro-spinal Meningitis ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Scarlet Fever ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
4	Whooping Cough ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
5	Diphtheria ... M. F. }	5 {	4 1	. 1	2 1	1 .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	3 1	1 .	. .		
6	Tuberculosis of the Respiratory System. M. F. }	38 {	18 20	. .	. .	1 .	4 7	8 5	1 1	1 4	1 2	2 .	1 .	6 9	2 1	1 2	9 8	. .		
7	All other forms of Tuberculosis ... M. F. }	11 {	6 5	. .	. .	1 .	1 2	3 1	. 1	. .	1 .	. 1	. .	2 1	1 .	1 .	2 4	. .		
8	Dysentery ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
9	Influenza ... M. F. }	26 {	11 15	1 .	. 2	. .	. 1	. 1	1 1	3 8	4 5	. .	. .	. .	. .	1 1	10 14	1 1		
10	Measles ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Acute Infectious Encephalitis ... M. F. }	1 {	. 1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	. .		
12	Typhus ... M. F. }	. {	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
13	Cancer ... M. F. }	104 {	49 55	. .	. .	. .	1 .	2 1	2 5	3 8	7 18	22 14	13 8	2 4	. 3	12 17	35 31	1 3		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	56	30 26	.	.	.	.	1 1	1	2 2	4 4	13 15	10 3	.	1	3 3	26 23	7 1
16	Diseases of the Heart	... M. F. }	207	129 78	.	.	1	.	2 1	1	6 4	15 6	50 32	55 34	2	2 4	19 3	106 71	12 6
17	Other Diseases of the Circulatory System.	M. F. }	18	12 6	.	.	.	.	.	.	1 1	4 1	3 2	4 2	1 1	.	3	8 5	.
18	Bronchitis	... M. F. }	29	16 13	1 1	.	.	1	.	1	2	.	5 6	7 4	1	.	3 1	12 12	2 2
19	Pneumonia	... M. F. }	25	16 9	6 3	.	1	.	.	.	2	1	5 3	1 2	1	.	5 2	11 6	.
20	Other Diseases of the Respiratory System.	M. F. }	17	11 6	.	.	.	.	1 1	1	.	3 2	4 1	2 1	.	.	3 4	8 2	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	6	3 3	.	.	.	.	.	.	1	.	2 1	1 1	1	.	2	1 2	.
22	Diarrhoea and Enteritis	... M. F. }	8	3 5	2 1	.	1	.	.	.	.	1	.	2 1	1	.	1 5	1 5	.
23	Appendicitis	... M. F. }	5	3 2	.	.	2	.	1	1	1	.	.	.	1 1	.	2 1	.	.
24	Cirrhosis of the Liver	... M. F. }	2	2	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	1 3	.	.	.	.	.	.	1	.	2	1	1	.	.	1 2	.
26	Other Diseases of the Digestive System.	M. F. }	9	4 5	.	1	.	1	.	1	1	.	1	3	1	.	1 2	2 3	1 1
27	Nephritis	... M. F. }	20	12 8	.	.	.	1	.	2 1	1	1 2	4 1	3 1	.	.	2 1	10 7	2
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	5	5	.	.	.	2	3	.	.	.	.	.	.	.	3	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	33	21 12	19 12	.	.	1	.	.	1	.	.	.	2 2	1	10 4	8 6	1 2
31	Senility	... M. F. }	96	56 40	.	.	.	.	.	.	.	.	6 8	50 32	.	2	10 8	44 32	27 23
32	Suicide	... M. F. }	2	2	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
33	Other Violence	... M. F. }	27	18 9	.	3	1	1 1	1 1	1	1	2 6	2 6	6 2	.	.	7 3	11 6	.
34	Other Causes	... M. F. }	69	42 27	4 3	1	.	3 5	1 2	2 2	3 2	4 3	11 9	13 1	2	5	17 11	18 16	4 3

ABSTRACT VI.—CAUSES OF DEATH for each of the Fourteen Principal Towns during the year 1946.

No.	CAUSES OF DEATH.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway Borough	Dundalk	Drogheda	Sligo	Wexford	Kilkenny	Bray	Tralee	Clonmel
	All Causes M. } F. }	5,281 { 5,504 }	3,256 { 3,365 }	271 { 321 }	505 { 570 }	291 { 279 }	194 { 219 }	93 { 122 }	126 { 115 }	88 { 87 }	77 { 82 }	85 { 81 }	74 { 60 }	79 { 84 }	71 { 63 }	51 { 56 }
1	Typhoid Fever (including Para-typhoid). M. } F. }	3 {	2 {	.	.	.	.	1 {	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } F. }	4 { 6 }	3 { 4 }	1 { 1 }	.	.	.	.	.	.	1 {	.	.	.	.	.
3	Scarlet Fever M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Whooping Cough M. } F. }	22 { 24 }	22 { 21 }	.	.	.	.	1 {	.	.	.	.	.	.	.	.
5	Diphtheria M. } F. }	16 { 19 }	5 { 6 }	1 { 1 }	1 { 1 }	1 { 1 }	.	2 { 5 }	6 { 3 }	.	.	.	.	1 {	1 {	.
6	Tuberculosis of the Respiratory System. M. } F. }	486 { 457 }	314 { 275 }	12 { 16 }	41 { 35 }	35 { 34 }	15 { 25 }	13 { 11 }	12 { 16 }	7 { 10 }	11 { 9 }	4 { 7 }	6 { 3 }	6 { 7 }	8 { 8 }	2 { 1 }
7	All other forms of Tuberculosis ... M. } F. }	131 { 137 }	87 { 91 }	4 { 1 }	11 { 13 }	8 { 8 }	5 { 7 }	4 { 2 }	2 { 3 }	1 { 1 }	3 { 6 }	2 { 2 }	1 { 1 }	1 { 1 }	1 { 1 }	1 { 1 }
8	Dysentery M. } F. }	1 {	.	1 {	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza M. } F. }	35 { 63 }	17 { 25 }	3 { 8 }	4 { 7 }	2 { 2 }	2 { 5 }	.	.	.	.	1 {	3 { 5 }	1 {	2 { 3 }	.
10	Measles M. } F. }	5 { 10 }	3 { 8 }	.	2 { 2 }	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } F. }	1 {	.	.	.	.	.	.	.	.	1 {	.	.	.	.	.
12	Typhus M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer M. } F. }	476 { 547 }	306 { 320 }	33 { 42 }	37 { 61 }	17 { 20 }	12 { 24 }	7 { 12 }	13 { 18 }	13 { 11 }	8 { 8 }	13 { 9 }	2 { 4 }	9 { 7 }	5 { 7 }	2 { 4 }
14	Diabetes Mellitus M. }	23 {	15 {	2 {	2 {	.	.	1 {	.	1 {	.	.	.	.	1 {	1 {

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	280 467	167 272	23 36	24 49	11 25	12 19	5 7	4 10	3 10	8 9	1 3	9 6	6 11	3 5	4 5
16	Diseases of the Heart	... M. F. }	1,343 1,463	783 903	86 99	153 167	73 54	62 68	23 24	30 26	18 23	15 12	23 21	20 16	20 20	23 17	14 13
17	Other Diseases of the Circulatory System.	M. F. }	131 159	98 116	9 18	7 6	4 3	5 4	2 5	1 5	2 1	1 1	1 3	1 1	1 1	1 1	1 1
18	Bronchitis ...	... M. F. }	234 145	143 91	4 7	41 23	17 7	4 1	3 3	6 3	4 1	1 1	5 2	2 2	1 1	1 1	4 4
19	Pneumonia ...	... M. F. }	242 265	160 181	13 10	19 22	10 15	4 5	1 6	4 6	1 1	3 4	10 4	4 4	8 2	4 1	1 4
20	Other Diseases of the Respiratory System.	M. F. }	104 85	65 48	5 5	12 13	7 1	1 7	2 1	1 2	3 1	1 1	1 1	2 1	2 4	3 2	1 1
21	Ulcer of the Stomach or Duodenum.	M. F. }	45 18	28 11	3 1	8 3	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
22	Diarrhoea and Enteritis	... M. F. }	328 251	252 190	18 11	13 14	12 5	11 9	2 3	10 3	3 3	1 3	1 1	2 4	3 3	2 2	1 1
23	Appendicitis ...	... M. F. }	16 9	9 4	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
24	Cirrhosis of the Liver	... M. F. }	19 6	12 3	1 1	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1
25	Diseases of the Liver and Biliary Passages.	M. F. }	18 25	11 15	2 2	1 3	2 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Other Diseases of the Digestive System.	M. F. }	69 66	40 36	8 7	6 7	6 3	1 1	1 3	3 1	1 1	2 1	1 3	1 1	1 1	1 1	1 1
27	Nephritis ...	... M. F. }	157 121	92 76	8 6	12 7	9 7	9 2	3 4	4 2	4 5	1 1	3 3	2 2	2 4	3 2	2 1
28	Puerperal Infection ...	... F. }	7	5	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Other Diseases of Childbirth ...	F. }	18	9	1	2	1	1	1	1	1	1	1	1	1	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	443 343	297 219	18 17	38 35	22 15	12 9	6 8	7 4	8 5	7 4	6 5	6 4	6 7	1 5	9 6
31	Senility ...	... M. F. }	179 335	63 157	2 14	16 40	24 38	16 17	5 7	7 5	8 8	10 14	8 12	8 4	2 7	6 1	4 11
32	Suicide ...	... M. F. }	10 4	4 3	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Other Violence ...	... M. F. }	122 88	79 54	4 6	13 15	5 4	6 2	1 2	4 1	1 1	3 1	1 1	1 1	4 1	1 1	1 1
34	Other Causes ...	... M. F. }	323 331	181 199	10 10	43 40	21 28	15 12	9 12	9 7	9 4	2 3	4 3	5 2	5 4	7 3	3 4

APPENDIX I.

ALTERATIONS IN REGISTRARS' DISTRICTS, 1946.

On the 1st April, 1946, the district electoral division of Annagh was separated from the registrar's district of Ahascragh and added to the registrar's district of Kilconnell in the superintendent registrar's district of Ballinasloe.

APPENDIX II.

Table showing the number of searches made, certificates issued, and the total amount received as fees for same at the General Register Office, Dublin, during the 83 years 1864-1946.

YEARS.			Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.			Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
					£ s. d.						£ s. d.
1864	...	...	15	3	1 10 6	1906	...	...	5,714	4,409	849 6 0
1865	...	...	41	20	4 12 0	1907	...	...	5,877	4,544	875 0 2
1866	...	...	55	34	7 0 0	1908	...	...	5,984	4,670	894 19 7
1867	...	...	46	26	5 12 0	1909	...	...	6,220	4,761	920 8 0
1868	...	...	69	42	9 13 0	1910	...	...	6,387	4,903	944 18 4
1869	...	...	80	34	8 15 0	1911	...	...	6,128	4,778	914 9 11
1870	...	...	93	54	11 10 0	1912	...	...	6,811	5,160	998 7 2
1871	...	...	112	67	14 6 6	1913	...	...	6,462	4,972	957 9 0
1872	...	...	120	76	15 14 0	1914	...	...	7,552	6,140	1,157 10 0
1873	...	...	100	106	21 14 0	1915	...	...	7,398	5,898	1,118 7 0
1874	...	...	166	107	22 6 6	1916	...	...	7,729	6,198	1,172 1 2
1875	...	...	244	166	33 15 0	1917	...	...	8,151	6,475	1,225 13 6
1876	...	...	270	185	36 16 0	1918	...	...	10,702	8,498	1,611 11 0
1877	...	...	312	202	42 14 0	1919	...	...	11,513	8,998	1,712 16 0
1878	...	...	391	286	55 15 0	1920	...	...	11,484	8,810	1,688 2 0
1879	...	...	522	399	78 0 0	1921	...	...	11,419	8,499	1,646 0 6
1880	...	...	753	596	114 7 0	1922	...	...	18,413	7,675	1,892 9 6
1881	...	...	743	583	111 8 6	1923	...	...	19,377	8,808	2,076 0 0
1882	...	...	852	688	129 11 0	1924	...	...	23,947	14,367	3,003 0 8
1883	...	...	1,036	773	149 1 6	1925	...	...	33,945	45,435	8,940 12 0
1884	...	...	1,254	966	185 3 0	1926	...	...	48,193	77,347	13,493 5 6
1885	...	...	1,412	1,116	212 8 0	1927	...	...	45,802	72,665	12,391 17 6
1886	...	...	1,527	1,173	225 7 4	1928	...	...	37,462	56,865	9,804 0 6
1887	...	...	1,693	1,307	251 7 0	1929	...	...	39,650	61,182	10,412 2 6
1888	...	...	1,778	1,404	266 9 0	1930	...	...	29,901	41,744	7,384 14 6
1889	...	...	1,986	1,561	297 4 6	1931	...	...	16,540	14,548	3,162 2 6
1890	...	...	2,448	2,042	383 2 9	1932	...	...	19,285	12,031	2,951 16 0
1891	...	...	2,815	2,297	489 1 6	1933	...	...	25,360	11,477	3,052 16 6
1892	...	...	3,209	2,534	489 17 0	1934	...	...	26,611	12,445	3,329 5 0
1893	...	...	3,559	2,733	512 2 2	1935	...	...	29,463	13,024	3,649 4 6
1894	...	...	3,492	2,678	512 7 0	1936	...	...	27,778	13,552	3,673 0 0
1895	...	...	3,482	2,618	508 8 0	1937	...	...	32,502	16,191	4,376 2 0
1896	...	...	4,046	3,103	596 10 6	1938	...	...	32,585	17,327	4,529 4 0
1897	...	...	3,917	2,960	572 3 0	1939	...	...	34,803	20,876	5,181 12 0
1898	...	...	4,132	3,207	613 1 2	1940	...	...	33,704	18,570	4,818 11 0
1899	...	...	4,133	3,201	616 13 6	1941	...	...	29,691	16,227	4,243 4 6
1900	...	...	4,558	3,481	672 7 6	1942	...	...	30,587	18,639	4,529 7 0
1901	...	...	4,843	3,733	718 18 0	1943	...	...	32,061	20,562	4,851 11 0
1902	...	...	4,871	3,719	716 16 6	1944	...	...	32,777	18,918	4,639 0 6
1903	...	...	4,944	3,796	731 12 6	1945	...	...	33,311	25,475	6,048 12 6
1904	...	...	5,183	3,958	769 19 7	1946	...	...	52,577	35,982	8,351 12 0
1905	...	...	5,110	3,954	759 8 5						

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX III.

CASES OF INFECTIOUS DISEASES.

**Summary of Cases of Infectious Diseases notified to the Department of Health
during the Year 1946.**

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases :—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Encephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies.

COUNTY BOROUGH.

County Boroughs	Ty- phus	Ty- phoid	Diph- theria	Scarlet Fever	Measles	Whoop- ing Cough	Puer- peral Sepsis	Pneumonia		Other Diseases
								Pri- mary	Infl- uenzal	
Cork ...	•	•	46	41	387	5	2	32	2	A. 6. B. 1. D. 80. H. 26. U. 300.
Dublin ...	•	15	403	341	798	1,288	12	691	76	A. 21. B. 6. C. 1. D. 1,853. F. 2. G. 15. H. 205. J. 5. K. 1. N. 8. U. 1,655.
Limerick ...	•	9	31	20	•	•	•	9	•	J. 1. H. 6. U. 86.
Waterford ...	•	•	1	9	131	3	1	28	5	D. 73. H. 14. N. 16. U. 170.
TOTAL ..	•	24	481	411	1,316	1,296	15	760	83	A. 27. B. 7. C. 1. D. 2,006. F. 2. G. 15. H. 251. J. 6. K. 1. N. 24. U. 2,211.

URBAN DISTRICTS.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influen-zal	
Carlow ...	Carlow ...	.	1	10	6	.	1	.	2	.	A. 1. B. 2. U. 13.
Cavan ...	Belturbet ...	.	.	1	.	.	.	.	.	.	
	Cavan ...	.	.	2	.	2	.	.	13	.	U. 9.
	Cootehill ...	.	1	4	1	.	.	.	.	.	
Clare ...	Ennis ...	.	8	10	67	1	1	1	.	.	H. 1. U. 21.
	Kilrush ...	.	.	.	.	.	.	1	.	.	
Cork ...	Cloneakilty ...	.	.	.	.	.	.	.	.	.	B. 1. U. 1.
	Cobh ...	.	.	2	.	.	5	.	.	1	
	Fermoy ...	.	.	.	1	9	.	.	6	1	A. 1.
	Kinsale ...	.	.	.	.	.	.	.	.	.	
	Macroom ...	.	.	.	1	.	.	.	1	.	
	Mallow ...	.	.	1	.	.	.	.	.	.	A. 1.
	Midleton ...	.	.	2	.	3	11	.	.	.	H. 1. U. 11.
	Skibbereen ...	.	.	2	.	.	.	.	.	.	
	Youghal ...	.	.	4	2	21	.	.	1	.	A. 2. F. 1. U. 2.
Donegal ...	Buncrana ...	.	.	30	.	.	.	.	.	.	
	Bundoran ...	.	.	1	.	.	.	.	.	.	A. 1.
	Letterkenney ...	.	.	10	.	.	.	.	.	.	

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Dublin ...	Dun Laoghaire ...	.	.	56	33	116	34	.	20	14	A. 7. B. 4. D. 105. H. 11. O. 1. U. 157.
Galway ...	Ballinasloe ...	.	2	.	2	.	.	.	.	.	A. 1. U. 45.
	Galway ...	.	8	37	73	7	17	.	.	4	A. 2. D. 10. H. 7. U. 121.
Kerry ...	Killarney ...	.	4	1	5	.	.	.	3	2	H. 1. U. 3.
	Listowel ...	.	.	.	.	.	.	.	.	.	A. 1.
	Tralee ...	.	3	5	6	1	2	.	1	1	H. 2. U. 41.
Kildare ...	Athy ...	.	1	2	.	1	.	.	1	1	F. 1. N. 1.
	Naas ...	.	.	2	10	.	1	1	6	1	.
Kilkenny ...	Kilkenny ...	.	1	3	2	15	.	.	1	5	U. 32.
	Granard ...	.	.	2	.	.	.	.	.	.	A. 1.
Longford ...	Longford ...	.	.	2	.	.	.	.	.	.	.
	Longford ...	.	.	2	.	.	.	.	.	.	.
Louth ...	Drogheda ...	.	.	29	3	.	1	.	1	.	.
	Dundalk ...	.	1	59	58	7	8	.	1	.	B. 1. D. 1. H. 1. U. 14.
Mayo ...	Ballina ...	.	.	.	1	11	.	.	1	3	U. 2.
	Castlebar ...	.	2	1	2	.	16	.	2	.	U. 3.
	Westport ...	.	.	1	1	1	1	.	1	1	.
Meath ...	An Uaimh ...	.	1	.	1	.	1	.	.	.	A. 1.
	Ocannanus Mor ...	.	.	.	.	.	.	.	.	.	.
	Trim ...	.	.	.	1	.	.	.	.	.	.
Monaghan	Carrickmacross ...	.	.	.	.	.	.	.	1	.	.
	Castleblayney ...	.	.	6	1	.	.	.	1	.	A. 1.
	Clones ...	.	.	.	1	.	.	.	.	.	H. 1.
	Monaghan ...	.	1	5	4	.	.	1	.	.	.
Offaly ...	Birr ...	.	.	2	.	.	.	.	.	.	.
	Tullamore ...	.	.	11	3	35	1	1	13	.	H. 1. U. 3.
Sligo ...	Sligo ...	.	7	5	6	1	.	.	.	.	U. 21.
	Nenagh ...	.	.	11	.	3	4	1	4	2	H. 1. U. 9.
	Templemore ...	.	.	.	.	.	.	1	2	.	.
Tipperary N.R.	Thurles ...	.	.	2	1	16	1	2	6	.	H. 1.
	Carrick-on-Suir ...	.	.	5	.	1	.	.	.	.	J. 1.
	Cashel ...	.	.	.	.	.	.	.	.	.	.
Tipperary S.R.	Clonmel ...	.	.	.	10	1	1	.	1	.	A. 2. H. 1. N. 13. U. 3.
	Tipperary ...	.	.	8	1	.	29	.	4	5	H. 2. U. 48.
	Tipperary ...	.	.	.	.	.	.	.	.	.	.
Waterford	Dungarvan ...	.	.	.	.	.	.	.	.	.	U. 54.
Westmeath	Athlone ...	.	.	.	1	.	1	.	1	.	J. 1. U. 29.
Wexford ...	Enniscorthy ...	.	.	1	40	.	.	.	.	.	U. 4.
	New Ross ...	.	.	7	12	8	.	.	.	.	B. 1. H. 5. D. 1. U. 72.
	Wexford ...	.	.	3	7	.	.	.	13	.	D. 10. H. 4. U. 13.
Wicklow ...	Arklow ...	.	.	2	.	13	.	.	.	.	.
	Bray ...	.	.	5	5	3	58	1	10	24	A. 2. D. 12. G. 2. H. 5. J. 1. N. 1. U. 107.
	Wicklow ...	.	.	5	.	.	.	.	.	.	.
TOTAL ...		.	41	356	368	276	194	10	117	65	A. 24. B. 9. D. 139. F. 2. G. 2. H. 45. J. 3. N. 15. O. 1. U. 838.

CASES OF INFECTIOUS DISEASES—continued

RURAL DISTRICTS.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Infu-enzal	
✓ Carlow ...	Carlow ...	.	1	7	5	.	2	4	.	.	
	Carlow No. 2 ...	.	.	.	3	7	.	.	1	.	
	Idrone ...	.	.	.	.	.	.	.	.	.	
✓ Cavan ...	Ballieboro' ...	.	2	11	2	4	11	1	4	2	A. 4.
	Bawnboy ...	.	.	1	1	3	.	1	.	5	A. 1.
	Castlerahan ...	.	4	.	.	1	1	.	.	.	
	Cavan ...	.	.	7	9	10	.	.	18	.	A. 4. J. 1. H. 2.
	Enniskillen No. 2 ...	.	.	.	.	6	.	.	.	.	
✓ Clare ...	Mullaghoran ...	.	.	.	1	.	.	.	.	.	
	Ballyvaughan ...	.	.	2	1	.	.	.	7	.	
	Corofin ...	.	.	3	.	10	1	.	.	.	
	Ennis ...	.	8	10	46	3	.	1	7	5	H. 3. N. 2.
	Ennistymon ...	.	.	7	2	.	.	.	1	.	G. 1. H. 1.
	Killadysert ...	.	.	3	6	.	.	.	.	.	
	Kilrush ...	.	.	10	4	1	.	.	.	.	A. 2.
	Meelick ...	.	.	.	4	.	.	.	1	.	B. 1.
	Scarriff ...	.	.	4	4	.	.	.	1	.	G. 1. H. 1.
✓ Cork ...	Tulla ...	.	5	1	1	.	.	.	6	.	H. 1.
	Bandon ...	.	.	9	1	.	.	.	.	.	
	Bantry ...	.	.	.	2	13	.	.	2	.	A. 1. B. 1.
	Castletown ...	.	1	.	1	89	.	.	8	25	A. 1.
	Clonakilty ...	.	1	2	.	.	.	.	.	.	A. 3.
	Cork ...	.	1	29	25	126	19	.	12	13	A. 7. B. 1. D. 40. H. 7. K. 1.
	Dunmanway ...	.	.	16	.	.	.	.	.	.	B. 1.
	Fermoy ...	.	.	13	1	2	1	.	4	7	A. 2. H. 1.
	Kanturk ...	.	16	5	2	.	.	1	.	.	A. 2. L. 1.
	Kinsale ...	.	.	.	2	5	.	.	7	3	A. 3. H. 2.
	Macroom ...	.	.	5	2	.	.	.	5	4	A. 1.
	Mallow ...	.	1	15	.	3	.	.	.	1	A. 2. B. 1.
	Midleton ...	.	.	6	3	4	11	.	.	.	A. 1. H. 2.
	Millettreet ...	.	3	.	2	12	.	.	.	.	A. 3.
	Mitchelstown ...	.	.	2	.	1	.	.	.	.	H. 1.
	No. 1 ...	.	.	.	.	.	.	.	.	.	
	Rathluire ...	.	.	.	1	.	.	.	10	9	H. 1.
	Skibbereen ...	.	.	5	.	.	.	.	2	.	A. 2.
	Skull ...	.	.	.	.	.	.	.	.	.	
	Youghal No. 1 ...	.	.	2	.	.	.	.	.	.	
✓ Donegal ...	Ballyshannon ...	.	.	.	.	.	.	.	.	.	
	Donegal ...	.	6	5	1	.	.	.	.	.	
	Dunfanaghy ...	.	.	10	2	77	.	.	.	1	
	Glenties ...	.	.	17	7	1	9	.	8	4	
	Inishowen ...	.	1	53	3	3	2	.	7	2	B. 2. H. 3.
	Letterkenny ...	.	3	13	1	.	.	2	3	.	F. 2. H. 1.
	Milford ...	.	1	46	1	.	.	.	.	.	B. 1. J. 1.
Dublin ...	Stranorlar ...	.	.	45	12	2	.	1	.	2	
	Balrothery ...	.	2	28	8	45	8	.	10	34	A. 1. B. 2. D. 12. F. 1. H. 6.
	Chill Droichead, No. 2 ...	.	.	4	2	.	.	.	.	.	D. 2.
	Dublin, Nth. ...	.	.	20	12	2	102	.	2	2	A. 2. D. 16. H. 1. N. 1.
	Dublin, Sth. ...	.	.	14	12	17	8	.	17	.	A. 1. B. 3. D. 20. H. 7.
Galway ...	Rathdown No. 1 ...	.	.	50	25	8	13	.	14	3	A. 3. B. 2. D. 17. H. 3.
	Ballinasloe ...	.	.	15	9	.	.	.	.	.	A. 1. H. 1.
	Clifden ...	.	5	8	1	.	.	.	1	.	F. 1.
	Galway ...	.	1	16	8	.	1	.	5	3	H. 2.
	Glenamaddy ...	.	.	.	2	.	.	.	.	2	A. 2. H. 1.
	Gort ...	.	4	4	.	8	.	.	1	.	
	Loughrea ...	.	10	7	2	.	.	1	5	2	H. 4.
	Mountbellew ...	.	1	2	2	.	.	.	1	.	A. 2. H. 3.
	Oughterard ...	.	6	7	5	1	1	.	.	2	B. 1. H. 2.
Kerry ...	Portumna ...	.	.	4	1	.	.	.	.	.	H. 1.
	Tuam ...	.	.	7	20	7	1	.	2	1	A. 1. H. 1.
	Caherciveen ...	.	.	.	.	.	1	1	11	4	A. 3. H. 1.
	Dingle ...	.	5	1	1	5	.	2	1	4	A. 1.
	Kenmare ...	.	.	.	.	1	2	.	.	2	H. 1.
	Killarney ...	.	5	8	.	.	.	.	7	1	A. 2. C. 1. H. 1.
Kildare ...	Listowel ...	.	1	12	2	.	3	1	13	9	A. 7. H. 1.
	Tralee ...	.	1	10	3	3	.	.	.	2	A. 6. B. 2. H. 1.
	Athy No. 1 ...	.	.	8	3	1	.	.	.	1	
	Chill Droichead No. 1 ...	.	.	5	8	3	5	1	2	.	
	Edenderry No. 2 ...	.	.	7	1	.	1	1	1	.	A. 1.
	Nas na Riogh No. 1 ...	.	.	13	8	12	9	.	5	.	A. 1. F. 1. H. 4. L. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Wilkenny ...	Callan ...	.	.	5	1	.	.	.	.	.	B. 1.
	Carrick-on-Suir No. 3 ...	.	.	.	1	.	.	.	.	1	
	Castlecomer ...	.	.	7	1	21	.	.	.	.	
	Ida ...	.	.	6	1	.	.	.	.	.	H. 1.
	Kilkenny ...	.	.	1	.	.	.	.	.	.	
	Thomastown ...	.	.	1	.	.	2	.	.	.	
	Urlingford No. 1 ...	.	.	1	.	.	.	.	.	.	J. 1.
Laoighis ...	Waterford No. 2 ...	.	.	.	3	1	.	.	.	1	A. 1. B. 1.
	Abbeyleix ...	.	.	11	3	58	1	1	7	6	A. 1.
	Athy No. 2 ...	.	.	3	.	8	.	.	11	8	B. 1.
	Mountmellick ...	.	.	33	12	113	78	1	18	2	C. 2. G. 1. H. 5
	Roscrea No. 3 ...	.	.	3	1	4	.	.	2	1	B. 1.
Letttrim ...	Slievemargy ...	.	.	3	3	.	.	.	.	.	
	Ballinamore ...	.	.	.	.	.	.	.	.	.	A. 1.
	Carrick-on-Shannon No. 1 ...	.	.	.	.	1	.	.	1	1	H. 1.
	Kinlough ...	.	.	.	.	.	.	.	.	.	
	Manorhamilton ...	.	.	2	.	.	.	.	.	.	A. 2.
Limerick ...	Mohill ...	.	.	1	.	.	.	.	.	.	
	Croom ...	.	1	7	5	.	.	.	.	.	
	Glin ...	.	.	5	.	.	.	.	12	.	
	Kilmallock ...	.	.	3	.	.	.	.	12	10	A. 4. H. 2.
	Limerick No. 1 ...	.	1	10	9	.	1	.	2	.	H. 1.
	Mitchelstown No. 2 ...	.	.	3	.	.	.	.	4	1	H. 1.
	Newcastle ...	.	3	6	3	49	.	.	.	5	A. 6. H. 1.
	Rathkeale ...	.	4	4	1	.	.	.	1	.	A. 1. N. 4.
	Tipperary No. 2 ...	.	.	2	1	.	2	.	7	.	B. 1.
	Ballymahon ...	.	.	1	.	.	.	.	.	.	
	Granard No. 1 ...	.	.	2	1	.	.	.	.	.	J. 1.
h ...	Longford ...	.	1	6	.	.	.	.	.	.	
	Ardee No. 1 ...	.	.	2	.	.	.	.	.	.	A. 1.
	Dundalk ...	.	4	26	7	2	5	1	3	2	A. 6. H. 1.
yo ...	Louth ...	.	.	.	.	.	.	.	1	.	A. 2.
	Ballina ...	.	.	4	1	6	4	.	4	9	B. 1. F. 1.
	Ballinrobe ...	.	4	3	5	.	.	.	5	2	H. 2.
	Belmullet ...	.	1	1	1	9	.	3	.	.	
	Castlebar ...	.	.	2	2	.	9	.	8	1	H. 1. P. 1.
	Claremorris ...	.	1	4	3	.	.	.	.	12	A. 1. C. 1. H. 2. Q. 2.
	Swineford ...	.	.	2	21	26	1	.	5	10	B. 3. F. 3.
	Westport ...	.	.	13	3	20	9	.	3	1	A. 1. H. 1.
	Ardee No. 2 ...	.	.	1	.	.	.	.	.	.	
	Oeanannus Mor ...	.	.	3	.	.	.	1	1	.	A. 3.
	Dunabaghlin ...	.	.	5	4	6	.	.	2	2	A. 1. H. 1.
Monaghan	Meath ...	.	.	5	.	24	.	.	2	.	A. 2.
	Navan ...	.	1	6	2	.	.	.	.	.	H. 2.
	Oldcastle ...	.	2	5	.	1	4	.	.	.	H. 1.
	Trim ...	.	3	4	.	2	.	.	1	.	H. 1.
	Carrickmacross ...	.	2	7	3	1	1	1	11	.	
	Castleblayney ...	.	.	4	1	1	.	.	2	.	A. 1. H. 2.
	Clones No. 1 ...	.	1	6	15	.	.	.	2	.	H. 1.
	Monaghan ...	.	.	29	2	.	.	.	14	.	H. 1.
	Birr ...	.	1	17	2	.	.	.	.	.	A. 2.
	Edenderry No. 1 ...	.	.	15	1	1	1	.	1	.	B. 1.
	Roscrea No. 2 ...	.	.	5	.	1	.	.	.	.	H. 1.
Roscommon	Tullamore ...	.	.	14	.	10	.	.	10	.	A. 2. B. 1. H. 6.
	Athlone No. 2 ...	.	.	8	3	26	.	.	2	.	B. 2.
	Boyle No. 1 ...	.	5	2	1	2	44	1	5	.	H. 1.
	Carrick-on-Shannon No. 2 ...	.	1	2	.	.	.	.	.	.	A. 1.
	Castlereagh ...	.	3	5	4	1	3	.	3	31	A. 4. B. 1. H. 3.
Sligo ...	Roscommon ...	.	4	18	3	34	3	.	3	8	A. 8. C. 1. H. 1.
	Coolavin ...	.	5	4	8	.	.	.	.	.	F. 1.
	Dromore West ...	.	.	.	.	.	10	.	.	.	
	Sligo ...	.	2	10	5	1	.	.	.	.	A. 1. B. 1. G. 1.
Tipperary N.R.	Tobercurry ...	.	.	2	2	2	.	.	2	1	A. 1.
	Borrisokane ...	.	.	1	.	1	.	.	3	.	A. 1.
	Nenagh ...	.	.	23	.	9	2	.	16	9	A. 1. H. 1.
	Roscrea No. 1 ...	.	1	16	2	2	.	.	2	.	H. 2.
	Thurles ...	.	.	1	.	12	7	.	7	1	B. 1. H. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia	
									Primary	Influenza
Tipperary S.R.	Carrick-on-Suir No. 1	.	2	.	.	.	.	.	.	.
	Cashel ...	.	.	4	1	6	1	.	.	A. 1. H. 1.
	Clogheen ...	.	2	8	1	.	.	.	1	A. 2.
	Clonmel No. 1	.	1	3	1	2	3	.	1	N. 1.
	Slievardagh ...	.	.	4	.	19	3	1	6	J. 1.
	Tipperary No. 1	.	.	8	.	1	6	.	2	B. 1.
Waterford	Carrick-on-Suir No. 2	.	.	2	.	1	5	.	.	.
	Clonmel No. 2	.	.	.	.	.	6	.	.	.
	Dungarvan ...	.	1	1	.	.	.	1	3	A. 1.
	Kilmacthomas ...	.	1	.	.	.	6	.	1	N. 1.
	Lismore ...	.	.	.	4	1	.	1	.	.
	Waterford No. 1	.	.	5	1	9	.	.	3	H. 2.
Westmeath	Youghal No. 2	.	.	.	1	1	31	.	.	.
	Athlone No. 1	.	.	7	2	6	7	.	2	B. 1. H. 4.
	Ballymore ...	.	.	1	.	.	.	.	.	A. 1.
	Coole ...	.	.	.	.	.	.	.	1	A. 1.
	Delvin ...	.	.	5	.	.	.	.	.	A. 2.
	Mullingar ...	.	1	17	7	36	40	.	7	H. 1.
Wexford ...	Enniscorthy ...	.	1	30	23	15	.	1	.	J. 1.
	Gorey ...	.	.	6	4	3	1	.	.	B. 1. C. 1. H. 3.
	New Ross ...	.	.	3	1	7	.	.	1	A. 1. H. 2.
	Wexford ...	.	.	9	10	1	11	.	6	.
Wicklow ...	Baltinglass ...	.	1	8	2	68	.	.	1	1
	Bathdown No. 2	.	2	3	4	5	.	.	.	2
	Bathdrum ...	.	.	18	4	69	2	1	2	A. 1. P. 1.
	Shillelagh ...	.	.	.	.	.	.	.	.	.
TOTAL ...		.	158	1,157	505	1,201	527	32	457	296
										A. 138. B. 37. C. 3. D. 107. F. 10. G. 4. H. 124. J. 6. K. 1. L. 2. N. 9. P. 2. Q. 2.

SUMMARY, 1946.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Primary	Influenza	
County Boroughs	.	24	481	411	1,316	1,296	15	760	83	A. 27. B. 7. C. 6. D. 2,006. F. 29. J. 6. K. 1. N. 24. U. 2,211.
Urban Districts ...	.	41	356	368	276	194	10	117	65	A. 24. B. 9. D. 139. F. 2. G. 2. H. 45. J. 3. N. 15. O. 1. U. 838.
Rural Districts ...	.	158	1,157	505	1,201	527	32	457	296	A. 138. B. 37. C. 6. D. 107. F. 10. G. 4. H. 124. J. 6. K. 1. L. 2. N. 9. P. 2. Q. 2.
TOTAL ...	.	223	1,994	1,284	2,793	2,017	57	1,334	444	A. 189. B. 53. C. 7. D. 2,252. F. 14. G. 21. H. 420. J. 15. K. 2. L. 2. N. 48. O. 1. P. 2. Q. 2. U. 3,049.