

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLÁINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1957

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN
or through any Bookseller

1960

Price: Six Shillings.

(Pr. 4901.)



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1957

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN
or through any Bookseller

1960

Price: Six Shillings.

CONTENTS

PART I—TEXT

GENERAL SUMMARY	...	...	...	...	...	...	...	...	Page vii
MARRIAGES									
Number and rate	...	...	...	...	...	...	...	...	ix
Age at marriage	...	...	...	...	...	...	...	...	ix
Mode of celebration	...	...	...	...	...	...	...	...	x
Social group	...	...	...	...	...	...	...	...	xi
Area of residence	...	...	...	...	...	...	...	...	xii
BIRTHS									
Number and rate	...	...	...	...	...	...	...	...	xvi
Age at maternity, parity, duration of marriage	...	...	...	...	...	...	...	...	xvii
Multiple births	...	...	...	...	...	...	...	...	xviii
DEATHS									
Number and rate	...	...	...	...	...	...	...	...	xix
Comparison between counties	...	...	...	...	...	...	...	...	xix
Causes of death	...	...	...	...	...	...	...	...	xxii
Tuberculosis	...	...	...	...	...	...	...	...	xxiv
Cancer	...	...	...	...	...	...	...	...	xxvi
Diseases of the circulatory system	...	...	...	...	...	...	...	...	xxxi
Respiratory diseases	...	...	...	...	...	...	...	...	xxxi
Pregnancy, childbirth and the puerperium	...	...	...	...	...	...	...	...	xxxi
Infant mortality	...	...	...	...	...	...	...	...	xxxii
Accidents, poisoning and violence	...	...	...	...	...	...	...	...	xxxiv
Uncertified deaths	...	...	...	...	...	...	...	...	xxxvi
Inquests and post-mortems	...	...	...	...	...	...	...	...	xxxvi
DIAGRAM 1 — Birth, marriage and death rates (per 1,000 population) 1938 to 1957 ... viii									
„ 2 — Standardised death rates (per 1,000 population) from all causes, 1957	...	...	...	...	...	...	...	...	xxi
„ 3 — Death rate (per 1,000 population) from tuberculosis and cancer, 1938–1957	...	...	...	...	...	...	...	...	xxv
„ 4 — Death rates from lung cancer per 100,000 population, 1925–1957	...	...	...	...	...	...	...	...	xxv
„ 5 — Infant and neo-natal mortality (per 1,000 live births), 1938–1957	...	...	...	...	...	...	...	...	xxxii

PART II — TABLES

Contents	Area	Title	Page
Population	State	Table 1.—Estimated population in thousands, at the middle of each year 1851 to 1957.	2
Population by age	State	Table 2.—Total population by sex and age according to the Census of Population, 1951.	3
Population	Counties	Table 3.—Population by sex in each county and county borough according to the Census of Population, 1956.	4
Marriages, births, deaths, 1864–1957	State	Table 4.—Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864–1957.	5
Marriage, birth, death rates, 1864–1957.	State	Table 5.—Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1957.	6
Marriages, births, deaths, 1941–1957.	State	Table 6.—Marriages, births and deaths registered during each of the years 1941–1957 with the average annual rates for the ten years 1941–1950 and the rates for each year from 1951 to 1957 per 1,000 of the population.	7
Deaths by principal causes, 1957 with rates.	State and Six Counties.	Table 7.—Deaths from principal causes in Ireland and the Six Counties, 1957 with rates per 100,000 population.	8
Deaths by age, 1864–1957 ...	State	Table 8.—Average annual number of deaths of males and females, classified by age, registered during the years 1864–1957.	10
Death rates by age, 1864–1957	State	Table 9.—Average annual number of deaths of males and females, classified by age, per 1,000 corresponding population 1864–1957.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1957.	Counties	Table 10.—Births and deaths registered in each county and county borough in 1957 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1957.	Counties	Table 11.—Marriages, births and deaths by sex, registered during 1957 showing illegitimate births and deaths from some principal causes separately in each county and county borough.	14
Marriage, birth and death rates, 1957.	Counties	Table 12.—Marriage, birth and death rates and the proportions of illegitimate births in 1957 in each county and county borough and the death rates for some of the principal diseases.	15
Deaths, by conjugal condition, 1957.	State	Table 13.—Deaths registered in 1957 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1957 ...	Urban Districts...	Table 14.—Births and deaths registered in 1957 for each urban district classified by sex.	17
Births and deaths, 1957 ...	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 15.—Births and deaths classified by sex, registered in 1957 for the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	18
Birth and death rates, 1957	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 16.—Birth and death rates in 1957 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	19
Deaths by age, 1957 ...	Agg. Urban and Agg. Rural.	Table 17.—Deaths registered in 1957 at each year of age in the aggregate urban districts and in the aggregate rural districts.	20
Deaths by age, 1957 ...	Counties	Table 18.—Deaths registered in 1957 classified by sex and age for each county and county borough.	24
Deaths by cause and age, 1957.	State	Table 19.—Deaths in 1957 classified by cause (International detailed list, 6th Revision 1948) and by sex and age.	28

Contents	Area	Title	Page
Deaths in hospitals, 1957 ...	Counties ...	Table 20.—Deaths of residents of each province, county and county borough registered in 1957 classified by place of occurrence.	65
Deaths by cause and uncertified deaths, 1957.	Counties ...	Table 21.—Deaths of residents of each county and county borough in 1957 classified by cause, and showing the number of uncertified deaths.	66
Deaths by cause, sex and age, 1957.	Dublin C.B. Other U.D.'s. and Agg. R.D.'s.	Table 22.—Deaths registered in 1957, classified by cause (International abbreviated list), sex and age for Dublin County Borough, remaining urban districts and aggregate rural districts.	86
Deaths not medically certified, by age, 1957.	Counties ...	Table 23.—Deaths of residents of each county and county borough registered in 1957 which were not medically certified, classified by age.	92
Deaths by age, sex and principal causes, 1957.	Counties ...	Table 24.—Deaths in 1957 classified by principal groups of causes, sex and age, for each county and county borough.	93
Infant mortality, 1957 ...	State ...	Table 25.—Infant mortality—Total deaths under one year of age in 1957 classified by sex, age and cause (International detailed list).	112
Infant mortality, 1957 ...	Principal Towns, U.D.'s. and R.D.'s.	Table 26.—Infant mortality — Deaths at ages under 4 weeks, 4 weeks and under one year in 1957, classified by sex and cause, for the principal towns, other urban districts and rural districts.	116
Infant mortality, 1957 (illegitimate infants).	State ...	Table 27.—Infant mortality — Deaths of illegitimate children in 1957 under one year of age classified by sex, age and cause.	117
Infant mortality, 1957 ...	Counties ...	Table 28.—Infant mortality — Deaths at ages under 4 weeks and 4 weeks and under one year in 1957 classified by sex and cause for each county and county borough.	118
Deaths, by quarter of registration, 1957.	Counties ...	Table 29.—Deaths registered in 1957 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	124
Births, by quarter of registration, 1957.	Counties ...	Table 30.—Births registered in 1957 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	125
Births, hospital and domiciliary, 1957.	Counties ...	Table 31.—Births registered in 1957 in each county and county borough, showing place of occurrence and areas of normal residence.	126
Births, by age of mother, 1957.	State ...	Table 32.—Births registered in 1957 classified by age of mother at maternity and sex and showing the number of illegitimate births.	127
Births, by age of mother, by county, 1957.	Counties ...	Table 33.—Births registered in 1957 classified by age of mother at maternity and county of normal residence.	128
Births, by age of mother and previous children, 1957.	State ...	Table 34.—Total births registered in 1957 classified by age of mother at maternity and number of previous liveborn children.	132
Legitimate births, by age at maternity and duration of marriage, 1957.	State ...	Table 35.—Legitimate births registered in 1957 classified by age of mother at maternity and duration of marriage.	134
Legitimate births, duration of marriage under two years, 1957.	State ...	Table 36.—Legitimate births registered in 1957 classified by age of mother at maternity and duration of marriage for durations under two years.	136
Legitimate first births, 1957	State ...	Table 37.—Legitimate first births registered in 1957 classified by age of mother at maternity and duration of marriage.	138
Marriages, 1957 ...	Counties ...	Table 38.—Marriages registered in each county and county borough during 1957.	140
All marriages by ages of groom and bride, 1957.	State ...	Table 39.—Marriages registered in 1957 classified by age of groom and age of bride in single years—All marriages.	142

Contents	Area	Title	Page
First marriages by ages of groom and bride, 1957.	State ...	Table 40.—Marriages registered in 1957 classified by age of groom and age of bride in single years—First marriages only.	144
Marriages by form of ceremony and age of groom, 1957.	State ...	Table 41.—Marriages registered in 1957 classified according to form of ceremony and age of groom.	146
Marriages by form of ceremony and age of bride, 1957.	State ...	Table 42.—Marriages registered in 1957 classified according to form of ceremony and age of bride.	146
Marriages by social group and age of groom, 1957.	State ...	Table 43.—Marriages registered in 1957 classified by social group and age of groom.	146
Marriages by social group and age of bride, 1957.	State ...	Table 44.—Marriages registered in 1957 classified by social group and age of bride.	147
Marriages by social groups of groom and bride, 1957.	State ...	Table 45.—Marriages registered in 1957 classified by social groups of groom and bride.	147
Marriages by age and area of residence of groom, 1957.	Counties	Table 46.—Marriages registered in 1957 classified by age and area of residence of groom before marriage.	148
Marriages by age and area of residence of bride, 1957.	Counties	Table 47.—Marriages registered in 1957 classified by age and area of residence of bride before marriage.	149
Marriages by areas of residence of groom and bride, 1957.	Counties	Table 48.—Marriages registered in 1957 classified by area of residence of groom and area of residence of bride before marriage.	150
Marriages with intended future residence abroad by age of groom, 1957.	State ...	Table 49.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified by age of groom.	152
Marriages with intended future residence abroad by age of bride, 1957.	State ...	Table 50.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified by age of bride.	152
Marriages with intended future residence abroad by social group of groom, 1957.	State ...	Table 51.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	152
Marriages with intended future residence abroad by social group of bride, 1957.	State ...	Table 52.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	153
Marriages with intended future residence abroad by form of ceremony, 1957.	State ...	Table 53.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	153
Marriages with intended future residence abroad by area of residence of groom before marriage, 1957.	State ...	Table 54.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	154
Marriages with intended future residence abroad by area of residence of bride before marriage, 1957.	State ...	Table 55.—Marriages registered in 1957, in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	154
Notifications of infectious diseases, 1957.	State ...	Table 56.—Summary of cases of infectious diseases notified to the Department of Health during the year 1957.	156

REPORT ON VITAL STATISTICS FOR THE YEAR 1957.

THIS Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952. It follows closely the form of the Reports of the Ard-Chláraitheoir for earlier years.

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents, and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1957 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1957 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages—There were 14,657 marriages registered during the year 1957 compared with 16,761 in 1956. The marriage rate per 1,000 population was 5.1, this being the lowest rate recorded since 1935.

Births—The number of births registered during 1957 was 61,242 and the birth rate was 21.2 per 1,000 population, compared with 21.0 per 1,000 population in 1956. The number of illegitimate births registered in 1957 was 1,032 or 1.7 per cent of all births.

Deaths—The number of deaths registered during 1957 was 34,311 and the death rate was 11.9 per 1,000 population.

Of the deaths registered in 1957, 30.0 per cent were stated to be due to heart diseases, 14.0 per cent to malignant neoplasms, 11.2 per cent to vascular lesions affecting the central nervous system and 2.0 per cent to tuberculosis (all forms).

The number of deaths from tuberculosis of all forms was 696 and the rate was 0.24 per 1,000 population. There has been a considerable decline in the death rate from tuberculosis since 1947, when it was 1.24 per 1,000 population.

There were 4,672 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1957 was 1.62 per 1,000 population, compared with 1.52 in 1956.

During 1957 the deaths of 2,027 infants under one year were registered, equivalent to a rate of 33.1 per 1,000 live births. This is the lowest rate recorded up to 1957.


The total number of deaths from accidents and other external causes in 1957 was 897, of which road vehicle accidents accounted for 229.

Marriage, birth and death rates per 1,000 population for the years 1938 to 1957 are illustrated in Diagram I.

Issue of Authority for Registration—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Ard-Chláraitheoir. The number of births registered on the authority of the Ard-Chláraitheoir in 1957 was 890 and the number of deaths registered was 146. Throughout the tables in this Report these births and deaths have been excluded.

Population—The estimated population in April 1957, was 2,885,000.

Diagram 1.
BIRTH, MARRIAGE AND DEATH RATES. (PER 1,000 POPULATION) 1938-1957



MARRIAGES

An alteration in the form of the marriage register was made in 1957 with a view to increasing the amount of statistical information available and bringing Irish statistics of marriages into conformity with international recommendations made by the United Nations Organisation. The column of the register headed "Age" was replaced by a column headed "Date of birth" with the result that, whereas up to 1956 the only entries made were "full age" or "minor," the exact age of persons married was now available. In addition a question was asked on "Intended future permanent residence," enabling an examination to be made of the numbers taking up residence in the different parts of the country or going abroad. In view of the need to replace the registers in use in churches, other registered buildings and Registrars' Offices, the new marriage registers were not, in all cases, in use at the beginning of the year, with the result that for a number of marriages the particulars of date of birth and intended future residence were not obtained. The classifications of marriages prepared are shown in TABLES 38 to 55.

The number of marriages registered in 1957 was 14,657, representing a decrease of 2,104 on the previous year. This is an exceptionally low figure by the standard of recent years and to obtain a lower total number of marriages registered in a year one must refer back to 1935 when 14,336 marriages were recorded. By contrast the numbers of marriages registered in the war and immediate post-war years were high, the greatest number being 17,525 registered in 1946. The 1957 marriage rate at 5.1 per 1,000 population compared with 5.8 in 1956, 5.6 in 1955 and 5.4 in each of the years 1948 to 1954. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1941. The following table compares the marriage rate in Ireland in the years 1951 to 1957 with those in the Six Counties, England and Wales and Scotland.

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-1957

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	5.4	6.8	8.2	8.1
1952	5.4	6.8	8.0	8.0
1953	5.4	6.8	7.8	8.0
1954	5.4	6.6	7.7	8.2
1955	5.6	6.8	8.1	8.4
1956	5.8	6.7	7.9	8.5
1957	5.1	6.7	7.7	8.3

*Exclusive of the Six Counties

As in the case of Ireland, reductions in the marriage rate occurred in England and Wales and Scotland between 1956 and 1957. The marriage rate in this country each year was appreciably lower than that in the Six Counties which was, in turn, low by comparison with the rates for England and Wales and Scotland.

Age at marriage

Particulars of the ages of persons marrying in this country were last obtained at the 1946 Census of Population. At that census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. The results obtained from the 1957 marriage registrations make possible an examination of the trends in age at marriage over the eleven year period. That a considerable increase occurred in the proportion of marriages taking place at the younger ages may be seen from the following table.

TABLE II

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE IN 1945-46 AND 1957, AND AVERAGE AGE AT MARRIAGE.

Age group	Age of groom		Age of bride	
	1945-46	1957	1945-46	1957
	%	%	%	%
Under 20 years ...	1.0	1.3	6.6	6.9
20 to 24 years ...	14.3	19.7	29.5	35.1
25 to 29 years ...	25.7	30.3	31.1	29.7
30 to 34 years ...	24.2	20.5	19.9	15.4
35 to 44 years ...	25.8	20.8	11.1	10.4
45 years and over ...	9.0	7.5	1.9	2.5
Total ...	100.-	100.-	100.-	100.-
Average Age ...	33.1	31.7	28.0	27.6

Whereas in 1945-46, 59 per cent of the men who married were aged 30 years or over, in 1957 the proportion over this age had fallen to 49 per cent, the average age of men at marriage declining from 33.1 to 31.7 years. In 1945-46, 32.9 per cent of women marrying were aged 30 years or over, compared with 28.2 per cent in 1957, while the average age at marriage declined from 28.0 to 27.6 years. In TABLE 39 the marriages registered in 1957 are shown cross-classified by age of groom and age of bride in single years while in TABLE 40 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1957 were 31.1 and 27.1 years respectively.

Mode of Celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1957 amounted to 13,948 (equal to 95.2 per cent of the total) and other marriages numbered 709. In the year 1957 the number of marriages other than Catholic recorded included 509 according to the rites and ceremonies of the Protestant Episcopal Church, 97 in Presbyterian Meeting Houses, 27 in Methodist Churches, 19 according to Jewish Rites, 2 according to the usages of the Society of Friends, 3 in registered buildings belonging to other religious denominations and 52 by civil contract in Registrars' Offices.

The number of Catholic marriages recorded during 1957 corresponds to a rate of 5.13 per 1,000 of the estimated Catholic population, this being 0.74 below the rate for the preceding year. The rate for all other marriages in 1957 was 4.30 per 1,000 of all persons other than Catholics in the population, a decrease of 0.06 on the corresponding rate for 1956. Details of marriages registered in each of the years 1951 to 1957 are given in Table III.

TABLE III

MARRIAGES REGISTERED IN THE YEARS 1951 TO 1957 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 estimated corresponding population		
	Protestant Episcopal	Presbyterian	Jewish	Society of Friends	Other religious denominations	In Registrars' Offices	Total			Catholic marriages	All other marriages	Total marriages
1951	570	131	6	2	50	63	822	15,195	16,017	5.44	4.85	5.41
1952	582	147	30	2	32	98	891	14,985	15,876	5.38	5.30	5.38
1953	534	121	15		46	54	770	15,118	15,888	5.44	4.58	5.39
1954	582	121	21	2	41	64	831	15,000	15,831	5.42	4.95	5.38
1955	605	107	25	3	42	67	849	15,594	16,443	5.66	5.10	5.63
1956	483	95	12	4	51	75	720	16,041	16,761	5.87	4.36	5.78
1957	509	97	19	2	30	52	709	13,948	14,657	5.13	4.30	5.08

Marriages are classified according to form of ceremony, age of groom and age of bride, in TABLES 41 and 42. There was little difference between the various religious denominations in respect of average age at marriage in 1957. For Catholic marriages the average age of groom was 31.7 years, compared with 32.1 years for other marriages (including Civil marriages). The average age of bride was 27.6 years for Catholic marriages compared with 27.3 for other marriages. By contrast, in 1945-46 the average ages of groom and bride were appreciably lower in the case of Catholic than in other marriages. In that period the average age of groom was 33.0 years for Catholic and 34.8 years for other marriages while the average age of bride was 28.0 years for Catholic marriages compared with 29.7 years for other marriages.

Social group

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation, although status (i.e., whether the person is an employer, own-account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1957 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 43 to 45.

The manner in which occupations are allocated to their appropriate social groups is shown in the list given below. Only the principal occupations out of the total of some 400 listed in the census reports are shown. However, there are sufficient to illustrate the general composition of each group.

- I. FARMERS, Relatives Assisting and Farm Managers.
- II. FARM LABOURERS
Agricultural labourers; Gardeners, Nurserymen; Foresters; Turf workers; Fishermen.
- III. HIGHER PROFESSIONAL
Judges; Barristers; Solicitors; Doctors; Dentists; Veterinary surgeons; Civil and mechanical engineers; Surveyors; Accountants.
- IV. LOWER PROFESSIONAL
Teachers; Articled clerks and other professional students; Authors; Editors; Journalists; Librarians; Actors; Entertainers; Musicians.
- V. EMPLOYERS AND MANAGERS (including Shopkeepers)
Bus, car and coach hire proprietors; Haulage and cartage contractors; Garage proprietors and managers; Ship owners, managers, brokers, agents, marine superintendents; Proprietors, managing directors and managers in trading and in wholesale or retail business; Publicans; Money lenders; pawnbrokers; Proprietors and managers of hotels and restaurants; Lodging and boarding house keepers; Heads or managers of commercial or industrial office departments; Employers and managers in manufacturing industries.
- VI. SALARIED EMPLOYEES
Station masters, yard masters, passenger and goods agents and railway officials other than clerks; Harbour masters; Ships navigating officers, pilots and radio officers; Aircraft pilots, navigators, radio operators, engineers; Brokers, agents, factors; Commercial travellers; Bankers, bank managers; Stock brokers; Insurance managers, underwriters and brokers; Auctioneers, appraisers, estate agents and valuers; Civic guards above rank of sergeant; Army officers; Secretaries and registrars of companies, institutions and charities.
- VII. CLERKS AND OTHER "WHITE COLLAR" WORKERS
Civil service and local authority clerks; Bank clerks; Costing, estimating and accounting clerks; Draughtsmen; Typists; Civic guard sergeants and lower ranks; Prison warders; Insurance agents and canvassers; Salesmen and shop assistants.
- VIII. NON-MANUAL WAGE EARNERS
Railway guards; Signalmen; Ticket collectors and examiners; Porters; Drivers of buses and other passenger vehicles; Drivers of goods vehicles; Bus conductors; Purser and stewards; Radio and telephone operators; Barbers and hairdressers; Waiters.
- IX. SKILLED MANUAL WORKERS
Blacksmiths; Sheet metal workers, tinsmiths; Boiler makers, platers, shipwrights; Precision fitters, tool-makers, machine tool fitters; Machine erectors, millwrights, maintenance engineers; Fitters, fitter-assemblers; Cycle makers, fitters, mechanics; Motor and motor cycle mechanics; Plumbers; Radio mechanics; Electrical fitters; Electricians; Weavers; Hosiery frame tenters and knitters; Boot and shoe makers and repairers; Saddlers, harness makers; Tailors; Dressmakers; Upholsterers; Grain millers; Bakers, pastry cooks, biscuit makers; Sugar confectionery makers; Carpenters; Cabinet makers; Coachbuilders; Woodcutting machinists; French polishers; Paperboard box makers; Compositors, monotype or linotype operators; Letterpress or litho printing machine minders and setters; Dental mechanics; Bricklayers; Plasterers; Masons, stone cutters; Platelayers; Painters, decorators; Locomotive engine drivers; Crane drivers; Furniture packers; Chimney sweeps.
- X. SEMI-SKILLED MANUAL WORKERS
Metal finishers; Plumbers, fitters, millwrights, and mechanics' labourers; Machinists and pressers (garment making); Sack makers; Maltsters; Cigarette making and packing machine operators; Packing case makers; Letterpress or litho printing machine assistants; Builders, bricklayers, plasterers and masons' labourers; Paint sprayers and aerographers; Locomotive engine firemen; Dock labourers; Postmen, post office sorters, post office assistants; Messengers, porters; Charwomen; Laundry workers; Boiler firemen and stokers.
- XI. UNSKILLED MANUAL WORKERS
Contractors' labourers, road workers, navvies; Labourers and other unskilled workers.

TABLE 43 shows men classified by social group and age at marriage, the average age at marriage also being calculated. The average age at marriage of 36.6 years in the "Farmers, relatives assisting and farm managers" social group was appreciably higher than in any of the other social groups, while the lowest average age, of 29.0 years, occurred in the "Skilled manual workers" group. In the case of females the difficulty arises that since many are not gainfully occupied immediately before marriage no statement as to occupation is given, with the result that in many cases no social group code can be assigned. The average age of women at marriage ranged from 31.9 years in the case of the "Employers, and managers (including shopkeepers)" group to 24.5 years in the case of unskilled manual workers, as may be seen from TABLE 44. The average age in the "Farmers, relatives assisting and farm managers" group was not exceptionally high by comparison with some of the other groups. The most striking feature of this table is the much lower average age in the case of the wage earner groups, and particularly the manual workers groups, than among the remaining groups.

TABLE 45 shows marriages registered in 1957 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Farmers, relatives assisting and farm managers" social group, in the case of whom occupation was stated, 39 per cent were in the same social group, 15 per cent in the "Lower professional" group and 36 per cent in the "Clerks and other 'white collar' workers" and the "Non-manual wage earner" groups, while there were small percentages in each of the other social groups. Of the women marrying men in the "Skilled manual worker" group 48 per cent were in the "Clerks and other 'white collar' workers" and the "Non-manual wage earner" groups, 20 per cent were skilled manual workers and 14 per cent were unskilled manual workers, there being smaller percentages in each of the other groups. The distribution, by social group, of women marrying men in each of the remaining social groups may be considered in the same way. Alternatively the table may be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that less than one fifth of the women in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Clerks and other 'white collar' workers" group married men in each of the other social groups, but in the case of women in the "Non-manual wage earner" group, the numbers marrying men in the "Higher professional," "Lower professional" or "Salaried employee" groups were relatively small. In the case of the majority of women in the "Skilled," "Semi-skilled" and "Unskilled manual worker" groups the husbands also belonged to these groups or to the "Clerks and other 'white collar' workers" and the "Non-manual wage earner" groups.

Area of residence

Although the marriage registers in use prior to 1957 contained particulars of residence of bride and groom before marriage the difficulties of analysis by clerical methods prevented the information being summarised, and only figures for marriages registered in each area were compiled. Following the alteration in the form of the marriage register in 1957 punched-card summarisation methods were introduced, with the result that four districts may now be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 38 figures for marriages according to place of occurrence are given in the same form as in earlier Reports in this series. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in the following table.

TABLE IV

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1957

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	125	105	20	% 84.0
Dublin County Borough	4,782	3,900	882	81.6
Dun Laoghaire Borough	351	255	96	72.6
Dublin County (remainder)	397	328	69	82.6
Kildare	271	239	32	88.2
Kilkenny	257	222	35	86.4
Laois	178	163	15	91.6
Longford	107	93	14	86.9
Louth	410	366	44	89.3
Meath	235	210	25	89.4
Offaly	228	198	30	86.8
Westmeath	257	207	50	80.5
Wexford	378	346	32	91.5
Wicklow	290	252	38	86.9
Clare	305	251	54	82.3
Cork County Borough	608	352	256	57.9
Cork County	953	853	100	89.5
Kerry	480	457	23	95.2
Limerick County Borough	451	242	209	53.7
Limerick County	270	238	32	88.1
Tipperary N.R.	249	217	32	87.1
Tipperary S.R.	250	208	42	83.2
Waterford County Borough	208	162	46	77.9
Waterford County	208	148	60	71.2
Galway	570	497	73	87.2
Leitrim	112	100	12	89.3
Mayo	369	337	32	91.3
Roscommon	203	181	22	89.2
Sligo	181	158	23	87.3
Cavan	267	242	25	90.6
Donegal	453	396	57	87.4
Monaghan	254	224	30	88.2
Total	14,657	12,147	2,510	82.9

*Includes cases in which area of residence of bride was not stated.

In the case of Cork County Borough only 58 per cent of the marriages taking place in the city were of women who lived in the city, while for Limerick County Borough this figure was 54 per cent. Compared with the other county boroughs the fraction which marriages of women resident in Dublin represented of the total registered in the city was relatively high, being 82 per cent. In predominantly rural areas only a small proportion of marriages were of women not previously living in the district. Thus of the 480 marriages registered in County Kerry in 1957, only 23 were of women not previously living in the county.

In TABLES 46 and 47 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to these marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is appreciably lower in predominantly urban than in rural areas. Thus it is only in the four county boroughs that the average age of groom was under 30 years, whereas in the counties of Cavan, Leitrim and Roscommon this average age was over 35 years. The average age of women at marriage was lowest in Limerick County Borough (25.7 years), and was also under 27 years in the County Boroughs of Dublin and Waterford and in the Counties of Carlow, Kildare, Laois and Louth. The average age of women at marriage exceeded 29 years in the Counties of Longford, Kerry, Galway, Leitrim, Mayo and Cavan.

TABLE 48 shows marriages cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. The remarkable feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride were outside the State. Thus 960 of the men married in the State in 1957 were returned as residing in England, Wales or Scotland, 210 in the Six Counties and 79 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 408, the number from the Six Counties was 120 and the number from other

countries was 10. In 447 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area. In Table V the rates calculated in this way are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population. It is evident that a more precise comparison of marriage rates between the different counties would be obtained by calculating, for example, marriages of men aged 20 and under 55 years from each county per 1,000 single men aged 20 and under 55 years in that county. However, the absence of the necessary population information from a recent census prevents this being done.

TABLE V

MARRIAGE RATES PER 1,000 POPULATION OF EACH COUNTY AND COUNTY BOROUGH CALCULATED USING (a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA IN 1957.

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	3.7	4.0	Clare	4.0	3.9
Dublin County Borough ...	8.9	6.8	Cork County Borough ...	7.6	4.7
Dun Laoghaire Borough ...	7.4	4.9	Cork County	3.7	4.3
Dublin County (remainder) ...	3.3	4.2	Kerry	4.0	4.0
Kildare	4.1	5.2	Limerick County Borough ...	8.9	5.1
Kilkenny	4.0	4.4	Limerick County	3.1	4.0
Laois	3.8	4.7	Tipperary N.R.	4.5	4.8
Longford	3.3	3.6	Tipperary S.R.	3.4	4.1
Louth	5.9	5.1	Waterford County Borough ...	7.2	5.9
Meath	3.5	4.3	Waterford County	4.6	4.2
Offaly	4.4	4.9	Munster	4.6	4.3
Westmeath	4.8	4.3	Galway	3.7	3.5
Wexford	4.4	4.5	Leitrim	3.1	3.2
Wicklow	4.9	4.6	Mayo	2.8	2.9
Leinster	6.2	5.4	Roscommon	3.2	3.7
Cavan	4.4	4.3	Sligo	3.2	3.1
Donegal	3.8	3.1	Connacht	3.3	3.3
Monaghan	4.9	4.5			
Ulster (part of)	4.2	3.7	Total	5.1	4.6

It will be observed that the total rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rates (a) and (b) is in the much lower figures for the county boroughs obtained using the new method of calculation. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as had been expected, possibly on account of the fact that 1957 was the first year for which this information was sought. There were 1,048 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a much higher proportion of cases than had been anticipated, the intended future residence was outside the State. Out of the total of 14,657 marriages registered in 1957, there were 2,064 or 14 per cent where the intended future residence was outside the State. To this might be added a further 79 cases in which, although the question on intended future residence was not answered, the residence of the groom was outside the State. As far as can be judged from figures of passenger movement by sea and air, 1957 was a year in which emigration was at an exceptionally high level, so that the results obtained at the present investigation

may not be representative of more normal years. Nevertheless it appears worthwhile examining the 2,064 cases referred to above in greater detail, and this is done in TABLES 49 to 55. In the case of 1,467 marriages the future residence was in England and Wales, 198 in the Six Counties, 85 in Scotland, 26 in other parts of Europe, 115 in the United States of America, 109 in Canada, 15 in Australia and New Zealand and 49 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 49 and 50 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were appreciably below those for all marriages in the State. The average ages in the case of men and women going to Canada and to the Continent of Europe were somewhat lower than those of persons going elsewhere. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 51 and 52 respectively. By comparing TABLES 43 and 51 it is possible to examine the proportions of men marrying in each social group who intended leaving the country, and it is found that this proportion varied widely between the different groups. The following results were obtained :—

Social group of groom	Percentage with intended future residence outside the State
I. Farmers, relatives assisting and farm managers ...	% 3
II. Farm labourers	5
III. Higher professionals	34
IV. Lower professionals	18
V. Employers and managers (including shopkeepers) ...	11
VI. Salaried employees	14
VII. Clerks and other "white collar" workers	14
VIII. Non-manual wage earners	14
IX. Skilled manual workers	22
X. Semi-skilled manual workers	21
XI. Unskilled manual workers	17
Total, all groups combined	14

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 53. By comparison with TABLE 38, it will be seen that the proportions that these represent of all marriages in the State are as follows :—

Form of ceremony	Percentage with intended future residence outside the State
Catholic	% 13
Protestant Episcopalian	25
Presbyterian	38
Methodist	33
Jewish	32
Civil Marriage	33
Total	14

Finally, in TABLES 54 and 55 the marriages in the case of which the intended future residence is outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are as follows :—

Area of residence of groom before marriage	Percentage with intended future residence outside the State
Dublin County Borough and Dun Laoghaire Borough ...	% 11
Remainder of Leinster	6
Munster	5
Connacht	5
Ulster (part of)	9
Outside the State	89

The last figure becomes 95 per cent if those marriages in the case of which no intended future residence was given but where the groom's address was outside the State are included.

BIRTHS

Under a new system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1957 are presented in TABLES 31 to 37.

The number of births registered during the year 1957 was 61,242, the males numbering 31,335 and the females 29,907. Births registered in 1956 numbered 60,740 and in 1955, 61,622. The birth rate in 1957 was 21·2 per thousand population, compared with 21·0 in 1956 and 21·1 in 1955.

Table VI compares the birth rates in Ireland in the years 1951 to 1957 with those in the Six Counties, England and Wales and Scotland.

TABLE VI

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-1957

Year	Numbers of Births (in thousands) Ireland *	Birth rate per 1,000 population			
		Ireland *	Six Counties	England and Wales	Scotland
1951	62·9	21·2	20·7	15·5	17·7
1952	64·6	21·9	20·9	15·3	17·7
1953	62·6	21·2	20·9	15·5	17·8
1954	62·5	21·3	20·8	15·2	18·0
1955	61·6	21·1	20·8	15·0	18·0
1956	60·7	21·0	21·1	15·6	18·5
1957	61·2	21·2	21·5	16·1	19·0

* Exclusive of the Six Counties

In each country an increase in the birth rate occurred in 1957 compared with the previous year. Whereas the rate in Ireland, exclusive of the Six Counties, was highest in the years 1951 to 1955, in 1956 and 1957 the highest rate occurred in the Six Counties.

Classification by age at maternity, parity and duration of marriage

In TABLE 34 is shown the total number of births registered in 1957, classified by age of mother at maternity and number of previous live-born children. The number of births in the case of which the mother's age was not stated was 478, or 0·8 per cent of the total, and the number where the parity was not stated was 300 or 0·5 per cent of the total. As 1955 was the first year in which this information was sought, the relatively low proportion of cases "not stated" is fairly satisfactory. The results contained in TABLE 34 are summarised in Table VII.

TABLE VII

BIRTHS REGISTERED IN 1957 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Total	Number of previous children								
		0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years ...	1,033	806	182	36	7	1	.	.	.	1
20-24 years ...	8,009	3,837	2,310	1,110	454	195	94	.	.	9
25-29 years ...	15,557	4,377	3,965	2,950	1,863	1,112	1,258	15	.	17
30-34 years ...	17,576	2,486	3,060	3,269	2,747	2,096	3,688	188	2	40
35-39 years ...	13,147	1,091	1,353	1,840	2,058	1,816	4,353	576	21	39
40-44 years ...	5,099	241	322	479	584	615	2,240	544	54	20
45 years and over ...	343	13	21	20	32	31	160	57	6	3
Not stated ...	478	102	44	42	32	33	50	3	1	171
Total ...	61,242	12,953	11,257	9,746	7,777	5,899	11,843	1,383	84	300

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1956 to 1957 in the distribution of births according to age of mother at maternity, as may be seen from Table VIII in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE VIII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1956 AND 1957, AND IN ENGLAND AND WALES AND SCOTLAND IN 1956

Age at maternity	Ireland *		England and Wales (1956)	Scotland (1956)
	1957	1956		
Under 20 years ...	% 1·7	% 1·8	% 5·4	% 5·1
20-24 years ...	13·2	13·4	29·1	29·3
25-29 years ...	25·6	26·0	31·8	31·5
30-34 years ...	28·9	28·8	20·4	20·5
35-39 years ...	21·6	21·4	10·1	10·5
40-44 years ...	8·4	8·1	2·9	2·9
45 years and over ...	0·6	0·5	0·2	0·2
Total ...	100·—	100·—	100·—	100·—
Average age at maternity	31·6	31·6	28·0	28·1

* Exclusive of the Six Counties

The difference between this country and England and Wales and Scotland shown by Table VIII arises due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average a larger number of children and so continue bearing children for a greater number of years. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced (as may be seen from the Report for the year 1955 in this series).

The percentage distribution of births according to the number of previous children in 1956 and 1957 is shown in Table IX and a comparison made with the corresponding distributions in England and Wales and Scotland. The correspondence is not exact since the England and Wales figures relate to legitimate maternities to women married only once, while the figures for Scotland refer to all legitimate births and to previous live or stillborn children. The Irish figures include illegitimate births whereas if these had been excluded the contrast with England and Wales and Scotland would have been still more pronounced.

TABLE IX
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1956 AND 1957 AND IN ENGLAND AND WALES AND SCOTLAND IN 1956

Number of previous children	Ireland *		England and Wales (1956)	Scotland (1956)
	1957	1956		
0	% 21.2	% 21.2	% 40.2	% 36.3
1	18.5	18.8	29.7	28.5
2	16.0	16.0	15.0	16.2
3	12.8	12.8	7.3	8.4
4	9.7	9.8	3.7	4.6
5 to 9 ...	19.4	19.1	3.9	5.6
10 to 14 ...	2.3	2.2	0.2	0.3
15 and over ...	0.1	0.1	0.0	0.0
Total ...	100.-	100.-	100.-	100.-

* Exclusive of the Six Counties

The difference between the years 1956 and 1957 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1956 19.1 per cent of the mothers had 5 to 9 previous children, the corresponding percentages being only 3.9 in England and Wales and 5.6 in Scotland.

In TABLE 35 legitimate births are classified by age of mother at maternity and duration of marriage, while in TABLE 37 a similar classification is done in respect of legitimate first births. The results contained in TABLE 37 are summarised in Table X.

TABLE X
LEGITIMATE FIRST BIRTHS REGISTERED IN 1957 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE

Age at maternity	Total	Duration of marriage (in years)							
		Under 1	1-2	3-4	5-9	10-14	15-19	20 and over	Not stated
Under 20 years	552	426	116	4	1	.	.	.	5
20-24 years	3,534	2,115	1,312	79	15	.	.	.	13
25-29 years	4,252	1,927	1,951	244	110	12	.	.	8
30-34 years	2,442	892	1,128	227	141	44	6	.	4
35-39 years	1,065	283	458	140	111	53	16	2	2
44-44 years	234	34	105	33	23	20	13	6	.
45 years and over ...	12	2	3	1	2	2	1	1	.
Not stated	51	6	19	3	2	.	.	.	30
Total	12,142	5,685	5,083	731	405	131	36	9	62

It will be seen that only about 1 per cent of first births occurred at durations of marriage of over 10 years, and almost 11 per cent occurred at durations of over 3 years. Over 35 per cent of first births (excluding cases with age not stated) were to mothers in the age group 25-29 years, while almost 11 per cent were to mothers aged 35 years or over.

Multiple Births

The number of infants born alive in multiple births registered in 1957 was 1,781, consisting of 877 pairs of twins and 9 sets of triplets.

DEATHS

The number of deaths registered during the year 1957 was 34,311 of which 18,355 were those of males and 15,956 those of females. This is equivalent to a rate of 11.9 deaths per 1,000 total population, compared with 11.7 in the previous year and 12.6 in 1955.

In Table XI are shown the average annual death rates, by age group, for decennial periods since the beginning of this century, and for single years from 1951 to 1957.

TABLE XI

AGE SPECIFIC DEATH RATES PER 1,000 POPULATION FOR DECENNIAL PERIODS 1901-1950 AND EACH YEAR FROM 1951-1957

Period	Age Groups												Crude rate per 1,000 population
	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1901-10	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79	16.91
1911-20	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00	16.64
1921-30	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72	14.45
1931-40	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56	14.17
1941-50	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26	13.97
1951	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64	14.32
1952	10.27	0.77	0.59	1.08	1.46	2.08	3.46	7.61	16.69	43.54	104.97	216.57	11.89
1953	9.50	0.69	0.48	0.78	1.30	1.92	3.09	7.29	16.40	42.72	104.65	229.86	11.73
1954	9.13	0.54	0.47	0.72	1.07	1.77	3.05	7.18	16.82	44.52	108.61	243.64	12.08
1955	8.69	0.57	0.48	0.65	1.13	1.78	2.74	6.95	17.14	47.54	111.77	272.93	12.59
1956	8.45	0.53	0.41	0.47	1.16	1.49	2.82	6.49	15.85	42.73	102.64	250.60	11.70
1957	7.92	0.53	0.40	0.59	0.93	1.48	2.86	6.63	16.18	43.58	105.00	260.16	11.89

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages, and the improvement has been greatest in the most recent years. In the age groups above 65 years little change has occurred in the death rates since the period 1901-1910.

Table XII compares the death rates in the years 1951-57 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country is somewhat higher than that in England and Wales and the Six Counties and is of about the same order as that in Scotland.

TABLE XII

DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-1957

Year	Numbers of deaths (thousands) Ireland *	Death rate per 1,000 population			
		Ireland *	Six Counties	England and Wales	Scotland
1951	42.4	14.3	12.8	12.5	12.9
1952	35.1	11.9	10.8	11.3	12.0
1953	34.6	11.7	10.7	11.4	11.5
1954	35.5	12.1	10.9	11.3	12.0
1955	36.8	12.6	11.1	11.7	12.0
1956	33.9	11.7	10.6	11.7	12.0
1957	34.3	11.9	10.9	11.5	11.9

*Exclusive of the Six Counties

Comparison between Counties

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared, as follows:— For each county the death rate in each age group is calculated by dividing the deaths of persons whose normal residence was in that county in each age group by the corresponding population. By multiplying

the death rate in each age group by the total population in the whole country in that age group and summing the resulting products, an estimate is obtained of the number of deaths to be expected in the whole country, if the rates in the county under investigation applied generally. This "expected number" of deaths is divided by the total population of the country to give the county standardised death rate.


Table XIII shows the crude and standardised death rates for each county and county borough in 1957.

TABLE XIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1957

Area							Deaths per 1,000 population	
							Crude	Standardised
Total	...	...	...	...	...	...	11.89	11.89
Carlow	...	...	...	...	...	...	11.41	12.38
Dublin County Borough	...	...	...	...	...	...	10.35	14.28
Dun Laoghaire Borough	...	...	...	...	...	...	11.63	13.14
Dublin County (remainder)	...	...	...	...	...	...	8.17	12.72
Kildare	...	...	...	...	...	...	10.74	13.51
Kilkenny	...	...	...	...	...	...	12.37	12.76
Laois	...	...	...	...	...	...	12.92	12.65
Longford	...	...	...	...	...	...	13.71	12.61
Louth	...	...	...	...	...	...	11.66	13.42
Meath	...	...	...	...	...	...	11.32	12.41
Offaly	...	...	...	...	...	...	12.15	13.01
Westmeath	...	...	...	...	...	...	12.26	12.71
Wexford	...	...	...	...	...	...	12.79	12.95
Wicklow	...	...	...	...	...	...	11.12	12.45
Leinster	...	...	...	...	...	...	10.97	13.31
Clare	...	...	...	...	...	...	12.52	11.08
Cork County Borough	...	...	...	...	...	...	12.41	14.74
Cork County	...	...	...	...	...	...	13.15	12.61
Kerry	...	...	...	...	...	...	12.83	11.91
Limerick County Borough	...	...	...	...	...	...	9.30	12.93
Limerick County	...	...	...	...	...	...	12.37	12.34
Tipperary N.R.	...	...	...	...	...	...	13.44	13.66
Tipperary S.R.	...	...	...	...	...	...	13.16	13.53
Waterford County Borough	...	...	...	...	...	...	11.05	13.42
Waterford County	...	...	...	...	...	...	13.33	12.79
Munster	...	...	...	...	...	...	12.64	12.65
Galway	...	...	...	...	...	...	11.29	11.11
Leitrim	...	...	...	...	...	...	13.96	11.54
Mayo	...	...	...	...	...	...	12.82	10.66
Roscommon	...	...	...	...	...	...	13.64	11.18
Sligo	...	...	...	...	...	...	14.39	12.51
Connacht	...	...	...	...	...	...	12.69	11.19
Cavan	...	...	...	...	...	...	13.35	12.29
Donegal	...	...	...	...	...	...	12.61	11.43
Monaghan	...	...	...	...	...	...	12.85	12.95
Ulster (part of)	...	...	...	...	...	...	12.86	11.96

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1957.



In certain areas the standardised rates differ appreciably from the crude rates. Leinster, which had the lowest crude death rate among the provinces in 1957, had the highest standardised rate. The standardised death rates in 1957 were lowest in the counties of Mayo, Clare, Galway, Roscommon and Donegal and highest in the County Boroughs of Cork and Dublin and the Counties of Tipperary N.R., Tipperary S.R. and Kildare.

The standardised death rate for each county is illustrated in Diagram 2.

Causes of Death

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health Organisation. The Sixth Revision was used for the first time in classifying death by causes in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

Table XIV shows the deaths and death rates in 1956 and 1957 from some of the principal groups of causes and the average numbers and rates for these causes in the periods 1935-37, 1945-47, 1950-52 and 1953-55.

TABLE XIV

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47, 1950-52, 1953-55, 1956 and 1957

Causes	1935-37	1945-47	1950-52	1953-55	1956	1957
	Annual Average				Number	
Tuberculosis of respiratory system ...	2,851	2,731	1,598	812	562	583
Tuberculosis, other forms ...	778	863	442	215	127	113
Diphtheria ...	339	144	7	7	15	6
Other infective and parasitic diseases ...	929	569	349	243	199	164
Cancer ...	3,601	3,980	4,194	4,430	4,570	4,819
Vascular lesions affecting central nervous system ...	2,350	2,810	2,907	3,494	3,645	3,841
Diseases of the heart ...	7,509	10,459	10,519	10,499	10,212	10,308
Other diseases of the circulatory system...	907	948	1,620	2,032	2,161	2,050
Influenza ...	1,473	575	987	393	401	687
Other diseases of the respiratory system ...	5,253	3,473	2,667	2,380	2,253	2,351
Senility ...	6,176	6,229	4,436	3,283	2,627	2,449
Other diseases ...	9,924	9,069	7,762	6,865	6,122	6,043
Accidents and other external causes ...	982	910	921	976	1,016	897
All causes ...	43,072	42,760	35,409	35,629	33,910	34,311
Causes	Rates per 100,000 population					
	1935-37	1945-47	1950-52	1953-55	1956	1957
Tuberculosis of respiratory system ...	96.0	92.4	54.0	27.7	19.4	20.2
Tuberculosis, other forms ...	26.2	29.2	14.9	7.3	4.4	3.9
Diphtheria ...	11.4	4.9	0.2	0.3	0.5	0.2
Other infective and parasitic diseases ...	31.3	19.2	11.8	8.3	6.9	5.7
Cancer ...	121.3	134.7	141.6	151.2	157.7	167.0
Vascular lesions affecting central nervous system ...	79.2	95.1	98.2	119.3	125.8	133.1
Diseases of the heart ...	253.0	353.9	355.3	358.4	352.3	357.3
Other diseases of the circulatory system ...	30.6	32.1	54.7	69.4	74.6	71.1
Influenza ...	49.6	19.5	33.3	13.4	13.8	23.8
Other diseases of the respiratory system ...	177.0	117.5	90.1	81.3	77.7	81.5
Senility ...	208.0	210.8	149.8	112.1	90.6	84.9
Other diseases ...	334.3	306.9	262.4	234.4	211.2	209.5
Accidents and other external causes ...	33.1	30.8	31.1	33.3	35.1	31.1
All causes ...	1,451.0	1,447.0	1,297.4	1,216.4	1,170.0	1,189.3

The death rate from tuberculosis (all forms) in 1957 was less than one-fifth of its level in the periods 1935-37 and 1945-47. Deaths from cancer show a gradual but steady increase in number, and represented 14.0 per cent of all deaths registered in 1957, compared with 8.4 per cent in 1935-37. The death rate from vascular lesions affecting the central nervous system has shown an increase of over 68 per cent from 1935-37 to 1957. A substantial increase in the death rate from diseases of the heart took place between 1935-37 and 1945-47, but since then practically no change has occurred. Other diseases of the circulatory system have, however, accounted for a steadily increasing number of deaths, the death rate from these causes in 1957 being more than double its level in 1935-37. The number of deaths due to influenza shows considerable variation from year to year, while the number of deaths from other diseases of the respiratory system has declined fairly steadily being, in 1957, less than half the figure in 1935-37. In each period a large number of deaths were stated to be due simply to senility, although a considerable reduction in this number has occurred over the twenty year interval (6,176 in 1935-37 compared with 2,449 in 1957). This reduction is largely explained by an increasing accuracy of certification of cause of death as well as a falling proportion of deaths which are not medically certified. The question of medical certification is discussed in a later section, but it will be realized that the accuracy of the comparisons made in this table is appreciably reduced by the fact that many of the deaths are not medically certified.

Deaths registered in 1957, classified by sex, age group and cause are shown in TABLE 19 of this Report, the Detailed International List of Causes of Death being used. In Table XV the principal causes of death in each age group are examined.

TABLE XV
PROPORTIONS OF DEATHS FROM PRINCIPAL CAUSES IN CERTAIN AGE GROUPS IN 1957

Abbreviated List Nos.	Causes of Death	All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
B 1	Tuberculosis of respiratory system	17	1	9	19	77	134	100	49	31	12	2
B 2	Tuberculosis, other forms	3	5	52	52	43	27	12	8	2	0	0
B 8	Diphtheria ...	0	.	3	15	3	.	.	.	.	.	.
B 9	Whooping cough ...	1	6	18	4	.	.	.	.	0	.	.
B 14	Measles ...	1	4	28	.	3	.	.	.	.	0	.
B 18 (a)	Malignant neoplasms of: Digestive organs and peritoneum ...	68	.	.	4	10	25	66	115	114	95	47
(b)	Respiratory system ...	18	.	3	.	7	4	24	46	52	22	5
(c)	Other sites including lymphatic system ...	54	2	64	93	124	86	120	121	83	57	33
B 20	Diabetes mellitus ...	6	.	9	.	3	6	11	5	7	9	5
B 22	Vascular lesions ...	112	1	12	15	27	31	54	88	110	142	127
B 25-B 27	Diseases of the heart ...	300	.	3	37	67	105	189	244	299	344	356
B24, B 28 B 29 and B 46 (a)	Other diseases of the circulatory system ...	60	.	6	41	23	42	33	38	50	67	75
B 30	Influenza ...	20	9	52	37	40	21	21	17	21	23	19
B 31	Pneumonia (excluding that of newborn) ...	29	88	168	60	20	17	33	20	22	24	25
B 32	Bronchitis ...	30	6	31	4	17	15	13	25	33	37	31
B 33	Ulcer of stomach and duodenum ...	7	.	.	.	3	13	11	15	12	10	4
B 34	Appendicitis ...	1	.	9	22	10	4	3	0	1	1	1
B 35	Intestinal obstruction and hernia ...	5	2	3	4	7	6	6	6	4	6	6
B 38	Nephritis and nephrosis	13	0	12	30	57	21	25	30	17	13	9
B 39	Hyperplasia of prostate	6	.	.	.	.	.	.	.	3	6	10
B 40	Complications of preg- nancy and childbirth	2	.	.	.	10	75	38	1	.	.	.
B 41-B 44	Congenital malformations, birth injuries, etc. ...	46	745	89	78	27	15	5	4	0	0	.
B 45 (part of)	Senility without mention of psychosis ...	71	.	.	.	.	.	.	.	.	17	155
	Other diseases ...	104	113	267	250	201	206	172	129	118	99	74
BE 47	External causes— accidents, etc. ...	26	18	162	235	221	147	64	39	21	16	16
	Total ...	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	No. of deaths in 1957 ...	34,311	2,027	327	268	299	477	1,038	2,204	4,455	8,306	14,910

Diseases of the heart caused the largest proportion of all deaths, namely 300 in every 1,000 deaths. Next in order were malignant neoplasms (140), vascular lesions affecting the central nervous system (112) and senility without psychosis (71). At ages under one year congenital malformations, birth injuries and diseases peculiar to early infancy accounted for 745 out of every 1,000 deaths. At ages one to 4 years, pneumonia was the principal cause of death, accounting for 163 per 1,000 deaths at these ages, while accidents, etc., caused 162 deaths, malignant neoplasms 67 deaths and tuberculosis (all forms) 61 deaths. The proportion of deaths caused by tuberculosis increases considerably in the young adult age group. At ages 15-24 years, 120 out of every 1,000 deaths were caused by this disease, while at ages 25-34 years the proportion of deaths due to tuberculosis was 161 per 1,000 deaths. At ages 35-44 years tuberculosis was still one of the major causes of death, accounting for 112 per 1,000 deaths at these ages. The principal causes of death at ages 35-44 years were malignant neoplasms (210 per 1,000 deaths) and diseases of the heart (189 per 1,000 deaths). Between the ages of 45 and 74 years diseases of the heart, malignant neoplasms and vascular lesions affecting the central nervous system were the principal causes of death.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XVI shows the number of deaths and the death rate per 1,000 population for each of the years 1951 to 1957.

TABLE XVI

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1951-1957

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1951	1,712	0.58	450	0.15	1.22	1.23
1952	1,207	0.41	372	0.13	1.45	1.27
1953	911	0.31	276	0.09	1.52	1.09
1954	797	0.27	208	0.07	1.59	0.93
1955	729	0.25	160	0.05	1.38	1.12
1956	562	0.19	127	0.04	1.81	1.31
1957	583	0.20	113	0.04	1.92	1.35

In 1957 there were 696 deaths from tuberculosis of which 583 were caused by the respiratory form and 113 by other forms of the disease. The number of deaths from respiratory tuberculosis showed a slight increase compared with 1956. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period; the number of deaths in 1956 was the lowest recorded, showing a fall of 67 per cent since 1951. The trend in the death rate from tuberculosis (all forms) since 1938 is shown in Diagram 3.

In Table XVII tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XVII

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION IN THE PERIODS 1935-37, 1945-47, 1950-52 AND IN EACH YEAR 1953 TO 1957

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages
1935-37	0.53	1.36	2.25	2.18	1.63	1.32	0.71	1.22
1945-47	0.52	1.40	2.17	1.99	1.58	1.38	0.87	1.22
1950-52	0.24	0.52	0.96	1.10	1.00	0.90	0.70	0.69
1953	0.16	0.19	0.38	0.51	0.47	0.62	0.63	0.40
1954	0.12	0.14	0.22	0.41	0.45	0.55	0.56	0.34
1955	0.08	0.08	0.26	0.43	0.37	0.47	0.54	0.30
1956	0.06	0.05	0.09	0.23	0.33	0.36	0.50	0.24
1957	0.06	0.05	0.14	0.24	0.32	0.38	0.49	0.24

Diagram 3

DEATH RATE (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1938-1957.





Diagram 4

DEATH RATES FROM LUNG CANCER (Nos 161-165) PER 100,000 POPULATION.
(Logarithmic Scale.)

There was little change, either in the overall death rate or in the rates for individual age groups between the periods 1935-37 and 1945-47. By 1950-52, however, the death rates in the younger age groups were roughly halved, while in the most recent years the death rates for these age groups were only a fraction of their level in 1945-47. Thus, between 1945-47 and 1957 the death rate in the age group under 15 years was reduced by 88 per cent, in the group 15 to 19 years by 96 per cent and in the group 20 to 24 years by 94 per cent. In the group 55 years and over the reduction in the death rate was less marked, amounting to 44 per cent.

The death rates from tuberculosis in the years 1951 to 1957 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XVIII.

TABLE XVIII

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-1957

Year	Ireland *	Six Counties	England and Wales	Scotland
1951	0.73	0.45	0.32	0.43
1952	0.54	0.30	0.24	0.32
1953	0.40	0.23	0.20	0.26
1954	0.34	0.18	0.18	0.22
1955	0.30	0.15	0.15	0.19
1956	0.24	0.12	0.12	0.16
1957	0.24	0.13	0.11	0.14

* Exclusive of the Six Counties

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. The striking feature of this table, however, is the extent to which Ireland, in which mortality from tuberculosis has for many years been heavier than in other countries, has shared in the general improvement.

The mortality from tuberculosis in the counties and county boroughs in 1957 is compared in TABLE 12 on page 15 of this Report. The highest death rates per 1,000 population from tuberculosis (all forms) were in Limerick County (0.36), Limerick County Borough (0.35), Cork County Borough (0.35) and Carlow (0.33) while the lowest rates were in Dun Laoghaire Borough (0.08), Monaghan (0.10), Meath (0.15) and Mayo (0.15).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while since the year 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, 1948, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia and aleukaemia) should also be shown.

In 1957 there were 4,819 deaths from cancer (Nos. 140 to 205). Of this number, 41 deaths were caused by Hodgkin's disease and 106 by leukemia and aleukaemia.

Table XIX shows the death rate from cancer in certain age groups in the years 1951 to 1957.

TABLE XIX

DEATHS FROM CANCER (Nos. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1951 TO 1957

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Males								
1951	8	22	53	179	415	829	1,058	161
1952	9	21	48	159	368	846	1,162	160
1953	8	20	54	169	406	808	1,188	164
1954	8	20	48	164	394	866	1,149	165
1955	8	22	42	164	428	910	1,310	176
1956	8	22	48	172	411	825	1,269	170
1957	8	15	46	173	430	881	1,309	177
Females								
1951	5	17	63	182	381	604	750	137
1952	5	18	75	183	340	568	755	135
1953	7	24	76	203	337	591	716	140
1954	6	19	61	196	367	644	810	147
1955	5	21	66	181	348	658	768	145
1956	6	20	69	184	347	637	758	145
1957	7	19	74	203	373	636	882	157

At the older ages some increase in the mortality rate from cancer occurred in 1957 compared with 1956. This is a reversion to the trend in the previous five years in which the cancer death rate in the age groups 75 years and over showed a fairly steady rise. The death rate from cancer among males is appreciably higher than among females; in 1957 the male death rate for all ages was 13 per cent above that for females. Between the ages of 25 and 54 years the cancer death rates for males are

TABLE XX. Opposite year 1957 in column headed Six Counties for 1.65 read 1.70.

In second line of text following Table XX, for "the years 1954, 1955 and 1957" read "the years 1954 and 1955".

below those for females but at other ages, particularly above 75 years, the excess of male deaths is very marked. The trend in the death rate from cancer since 1938 is shown in Diagram 3 ; for the reason given earlier, the figures plotted in this diagram exclude deaths from Hodgkin's disease and leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1951 to 1957 are compared in Table XX.

TABLE XX
DEATHS FROM CANCER (NOS. 140-205) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951 to 1957

Year	Ireland *	Six Counties	England and Wales	Scotland
1951	1.49	1.53	1.96	1.92
1952	1.48	1.53	1.99	1.98
1953	1.52	1.58	1.99	1.98
1954	1.56	1.54	2.03	2.05
1955	1.61	1.60	2.06	2.06
1956	1.58	1.63	2.08	2.09
1957	1.67	1.65	2.09	2.09

* Exclusive of the Six Counties

The general upward trend in the cancer death rate in each area will be noted. With the exception of the years 1954, 1955 and 1957 the cancer death rate in this country was slightly below that in the Six Counties. The cancer death rates in England and Wales and in Scotland were considerably higher than the rates in Ireland.

The death rates from cancer in 1957 in counties and county boroughs are compared in Table XXI. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXI
DEATH RATES FROM CANCER (NOS. 140-205) IN EACH COUNTY AND COUNTY BOROUGH, (CRUDE AND STANDARDISED) IN 1957

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.18	1.20	Clare	1.48	1.26
Dublin County Borough ...	1.72	2.14	Cork County Borough ...	2.00	2.19
Dun Laoghaire Borough ...	1.87	1.96	Cork County	1.89	1.72
Dublin County (remainder) ...	1.33	1.96	Kerry	1.55	1.39
Kildare	1.66	2.05	Limerick County Borough ...	1.41	1.76
Kilkenny	1.77	1.68	Limerick County	1.78	1.69
Laois	1.52	1.42	Tipperary, N.R.	1.55	1.47
Longford	1.78	1.60	Tipperary, S.R.	1.65	1.61
Louth	1.65	1.78	Waterford County Borough ...	1.56	1.76
Meath	1.63	1.66	Waterford County	2.27	2.04
Offaly	1.74	1.76			
Westmeath	1.55	1.49	Munster	1.75	1.65
Wexford	1.72	1.65			
Wicklow	1.63	1.73	Galway	1.58	1.51
			Leitrim	1.57	1.27
Leinster	1.65	1.86	Mayo	1.47	1.26
			Roscommon	1.61	1.30
Cavan	1.76	1.53	Sligo	1.53	1.31
Donegal	1.64	1.46			
Monaghan	1.90	1.80	Connacht	1.54	1.35
Ulster (part of)	1.73	1.56	Total	1.67	1.67

The crude death rate from cancer in 1957 varied from 2.27 per 1,000 population in Waterford County Borough to 1.18 in County Carlow. In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.19 per 1,000 population in Cork County Borough to 1.20 in County Carlow. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e., 17-21 per cent) in the counties of Mayo, Leitrim, Kerry and Roscommon and low (i.e., less than 2 per cent) in the County Boroughs. Thus the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1957, classified by site of the disease and age group, are contained in TABLE 19. The number of deaths and death rate from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXII and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented half the total cancer deaths for each sex, the death rate being about 19 per cent higher for males than females. The death rate from malignant neoplasms of the respiratory system was almost three times as great for males as for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female death rate was more than double that of males, being high even in the younger age groups.

TABLE XXII

MORTALITY IN 1957 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1948 Inter- national List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75-	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75-	All ages
		Number of Deaths															
	Malignant neoplasms of:																
140-148	Buccal cavity and pharynx	1	2	1	5	31	62	60	162	1	1	1	5	17	11	11	47
150-159	Digestive organs and peritoneum	3	5	35	142	279	451	365	1,280	1	7	33	112	228	337	339	1,057
160-165	Respiratory system ...	1	.	19	78	180	139	49	466	2	2	6	24	50	44	30	158
170-181	Breast and genito-urinary organs	3	6	7	27	33	94	121	291	7	13	67	144	171	163	127	692
190-199	Other and unspecified sites	11	5	10	27	51	50	92	246	10	4	16	33	37	48	69	217
200-205	Neoplasm of lymphatic and haematopoietic tissues	35	6	13	17	23	27	11	132	20	4	10	9	7	15	6	71
	Total	54	24	85	296	597	823	698	2,577	41	31	133	327	510	618	582	2,242
		Rates per 100,000 population															
	Malignant neoplasms of:																
140-148	Buccal cavity and pharynx	0.2	1.2	0.5	2.9	22.4	66.3	112.5	11.1	0.2	0.6	0.6	3.1	12.4	11.3	16.7	3.3
150-159	Digestive organs and peritoneum	0.5	3.2	19.1	82.8	201.2	482.6	684.6	87.9	0.2	4.3	18.4	69.5	166.8	346.9	513.7	74.0
160-165	Respiratory system ...	0.2	.	10.3	45.5	129.8	148.7	91.9	32.0	0.3	1.2	3.3	14.9	36.6	45.3	45.5	11.1
170-181	Breast and genito-urinary organs	0.5	3.8	3.8	15.8	23.8	100.6	226.9	20.0	1.1	7.9	37.2	89.3	125.1	167.8	192.4	48.4
190-199	Other and unspecified sites	1.6	3.2	5.5	15.8	36.7	53.5	172.6	16.9	1.6	2.4	8.9	20.4	27.0	49.5	104.5	15.1
200-205	Neoplasm of lymphatic and haematopoietic tissues	5.2	3.8	7.1	9.9	16.6	28.9	20.6	9.1	3.2	2.4	5.6	5.6	5.1	15.4	9.1	5.0
	Total	8.2	15.2	46.3	172.7	430.5	880.6	1,309.1	177.0	6.6	18.8	74.0	202.8	373.0	636.2	881.9	156.9

Cancer of the lung

The number of deaths from cancer of the bronchus, lung, trachea, larynx and mediastinum (commonly referred to simply as cancer of the lung) shows a very marked increase, year by year. In 1957, for the first time, deaths from cancer of the lung outnumbered deaths from tuberculosis of the respiratory system as a consequence of the opposite trends in mortality from the two diseases. Table XXIII shows the numbers of deaths from cancer of the lung at five yearly intervals from 1925 to 1950 and in 1955 to 1957, and the death rates per 100,000 population at each period in Ireland, the Six Counties, Scotland and England and Wales.

TABLE XXIII
DEATHS AND DEATH RATES IN CERTAIN YEARS IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM (Nos. 161-165)

Country	1925	1930	1935	1940	1945	1950	1955	1956	1957
	Deaths								
Ireland	56	99	120	158	209	298	524	542	606
Six Counties	38	53	73	124	122	204	304	364	342
Scotland	302	357	527	676	954	1,543	1,925	2,104	2,195
England and Wales	2,293	3,122	4,513	6,399	8,656	13,474	18,323	19,189	20,086
	Rate per 100,000 population								
	1925	1930	1935	1940	1945	1950	1955	1956	1957
Ireland	1.9	3.4	4.0	5.3	7.0	10.0	17.9	18.7	21.0
Six Counties	3.0	4.3	5.7	9.6	9.2	14.9	21.8	26.1	24.5
Scotland	6.2	7.4	10.6	14.6	20.4	29.8	37.5	40.9	42.6
England and Wales	5.9	7.8	11.1	16.0	22.1	30.7	41.2	43.0	44.7

The death rate in this country was the lowest in each year shown, the rate in 1957 being about half that in England and Wales and Scotland. Nevertheless the average percentage rate of increase year by year, has been practically the same in each country over the whole period, and the mortality in Ireland at any particular time has been roughly the same as that in England and Wales fifteen years previously.

The trend in mortality in each area is illustrated in Diagram 4 on page xxv in which a logarithmic scale is used to plot death rates. On account of the much larger population involved in the calculation of the rates for England and Wales than for the other countries the graph for England and Wales is the smoothest, being practically a straight line. Owing to random variations in numbers of deaths the graphs for the other areas are more irregular in shape, but each shows an underlying linear upward trend and the remarkable fact of this diagram is that the upward trend in each of the four areas is the same.

Table XXIV shows the figures relating to Ireland in greater detail, the number and sex for each age group being given.

TABLE XXIV
DEATHS AND DEATH RATES IN CERTAIN YEARS FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM (Nos. 161-165), CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Deaths												
1925 ...	3	4	8	12	11	38	1	2	6	3	6	18
1930 ...	3	8	18	22	19	70	4	2	8	9	6	29
1935 ...	1	7	13	27	27	75	.	5	19	14	7	45
1940 ...	8	11	17	40	27	103	3	6	9	17	20	55
1945 ...	4	11	28	43	55	141	2	9	14	18	25	68
1950 ...	5	17	52	81	71	226	5	4	6	21	36	72
1955 ...	3	17	79	150	155	404	1	11	20	41	47	120
1956 ...	3	12	102	148	164	429	1	9	17	30	56	113
1957 ...	1	19	78	179	180	457	3	6	24	48	68	149
Death rates per 100,000 population												
1925 ...	0.3	2.3	4.7	10.0	8.6	2.5	0.1	1.2	3.8	2.7	4.2	1.2
1930 ...	0.3	4.5	11.0	16.8	14.3	4.7	0.4	1.2	5.2	7.5	4.2	2.0
1935 ...	0.1	3.9	8.2	18.9	19.2	4.9	.	2.9	12.6	10.7	4.8	3.1
1940 ...	0.9	6.1	11.0	29.8	17.6	6.8	0.3	3.4	6.1	13.2	12.8	3.7
1945 ...	0.4	6.0	17.9	33.7	35.3	9.4	0.2	5.1	9.2	14.2	15.8	4.6
1950 ...	0.6	8.7	31.5	64.1	45.8	15.0	0.6	2.2	3.8	16.9	22.3	5.0
1955 ...	0.4	8.9	46.7	110.6	103.3	27.3	0.1	6.0	12.6	30.8	28.7	8.3
1956 ...	0.4	6.3	60.4	108.1	110.7	29.3	0.1	4.9	10.7	22.2	34.1	7.9
1957 ...	0.1	10.3	45.5	129.1	122.6	31.4	0.4	3.3	14.9	35.1	41.7	10.4

The first point that emerges from the table is that deaths from lung cancer have always been much more common among males than among females. Over the period 1925 to 1957 the disparity has gradually increased so that, whereas in 1925 the number of male deaths was slightly over double that of females, in 1957 there were over three times as many male as female deaths from the disease. In the case of females the death rate rises steadily with increasing age, but in the case of males the rate is usually somewhat lower in the age group 65 years and over than in the group 55 to 64 years. Between 1925 and 1957 a thirteen-fold increase occurred in the death rates among males and females aged 55 to 64 years. Among males aged 65 years and over a fourteen-fold increase in the death rate occurred between 1925 and 1957, while among females in this age group a ten-fold increase in the death rate occurred.

TABLE XXV

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1957, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

1948 Inter- national List Nos.	Cause of Death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75--	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75--	All ages
		Numbers of deaths															
400-402	Rheumatic fever ...	10	2	6	3	4	1	1	27	7	6	4	4	2	.	.	23
410-416	Chronic rheumatic heart disease	5	11	18	36	32	47	52	201	2	14	35	40	36	47	57	231
421	Chronic endocarditis ...	3	3	3	28	32	68	82	219	2	1	2	12	29	57	85	188
420	Coronary and arterio-sclerotic heart disease	3	7	61	225	556	757	599	2,208	3	4	28	62	216	409	468	1,190
422	Other myocardial degeneration	.	2	17	48	146	548	1,641	2,402	.	1	6	32	124	538	1,694	2,395
430-434	Other diseases of heart	11	3	13	25	91	210	325	678	2	4	13	29	70	173	305	596
440-443	Hypertension with heart disease	.	.	1	12	32	90	114	249	.	.	6	10	40	99	147	302
444-447	Hypertension without mention of heart	.	8	5	19	41	74	112	259	2	1	4	11	45	80	98	241
450-468	Other diseases of circulatory system	1	1	5	10	40	121	356	534	.	2	3	15	19	88	288	415
400-468	Total diseases of circulatory system	33	37	129	406	974	1,916	3,282	6,777	18	33	101	215	581	1,491	3,142	5,581
		Rates per 100,000 corresponding population															
400-402	Rheumatic fever ...	1.5	1.3	3.3	1.8	2.9	1.1	1.9	1.9	1.2	3.6	2.2	2.5	1.5	.	.	1.6
410-416	Chronic rheumatic heart disease	0.8	7.0	9.8	21.0	23.1	50.3	97.5	13.8	0.3	8.5	19.5	24.8	26.3	48.4	86.4	16.2
421	Chronic endocarditis ...	0.5	1.9	1.6	16.3	23.1	72.8	153.8	15.0	0.3	0.6	1.1	7.4	21.2	58.7	128.8	13.2
420	Coronary and arterio-sclerotic heart disease	0.5	4.4	33.2	131.3	400.9	810.0	1,123.4	151.6	0.5	2.4	15.6	38.5	158.0	421.0	709.1	83.3
422	Other myocardial degeneration	.	1.3	9.3	28.0	105.2	586.3	3,077.7	165.0	.	0.6	3.3	19.9	90.7	553.8	2,566.8	167.6
430-434	Other diseases of heart	1.6	1.9	7.1	14.6	65.6	224.6	609.5	46.6	0.3	2.4	7.3	18.0	51.2	178.1	462.1	41.7
440-443	Hypertension with heart disease	.	.	0.5	7.0	23.1	96.3	213.8	17.1	.	.	3.3	6.2	29.3	101.9	222.7	21.1
444-447	Hypertension without mention of heart	.	5.1	2.7	11.1	29.6	79.2	210.1	17.8	0.3	0.6	2.2	6.8	32.9	82.4	148.5	16.9
450-468	Other diseases of circulatory system	0.1	0.5	2.7	5.8	28.8	129.4	667.7	36.7	.	1.3	1.7	9.3	13.9	90.6	436.4	29.0
400-468	Total diseases of circulatory system	5.0	23.4	70.2	236.9	702.3	2,050.0	6,155.4	465.5	2.9	20.0	56.2	133.4	425.0	1,534.9	4,760.8	390.6

Diseases of the circulatory system

There were 12,358 deaths ascribed to diseases of the circulatory system (Nos. 400-468) registered in 1957, of which 6,777 were deaths of males and 5,581 deaths of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county or county borough are shown in TABLE 21. Deaths and death rates from certain groups of causes are given in Table XXV.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (2,208 males compared with 1,190 females); in respect of the remaining groups of causes the differences between the male and female death rates is not nearly so pronounced. In interpreting Table XXV it should be borne in mind that a number of deaths (mainly of elderly persons), stated to be due to heart diseases, are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXVI.

TABLE XXVI

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1957 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED

Cause of death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Rheumatic fever	27	.	.	23	.	.
Chronic rheumatic heart disease	201	1	0.5	231	1	0.4
Chronic endocarditis	219	1	0.5	188	1	0.5
Coronary and arteriosclerotic heart disease	2,208	101	4.6	1,190	52	4.4
Other myocardial degeneration	2,402	94	3.9	2,395	91	3.8
Other diseases of heart	678	55	8.1	596	38	6.4
Hypertension with heart disease	249	1	0.4	302	.	.
Hypertension without mention of heart	259	5	1.9	241	8	3.3
Other diseases of circulatory system	534	9	1.7	415	6	1.4

It appears that only in the case of "Other diseases of heart" are errors due to the incorrect assignment of uncertified deaths to the above groups likely to be substantial. A more serious source of error is the large number of uncertified deaths ascribed simply to "senility." Thus, out of a total of 2,449 deaths (1,094 male, 1,355 female) stated to be due to senility, 1,302 (582 male, 720 female) were not medically certified. Of these uncertified deaths it is fair to suppose that a substantial proportion were caused by heart diseases.

Respiratory Diseases

Deaths from respiratory diseases (Nos. 470-527 on the International List) in 1957 numbered 3,038. These included 687 deaths caused by influenza, 1,010 by pneumonia, 1,025 by bronchitis and 316 due to other respiratory diseases.

Pregnancy, Childbirth and Puerperium

The number of deaths in this group in 1957 was 81, compared with 52 in 1956. The death rate was 1.32 per thousand births. Table XXVII shows the deaths in 1957 classified by cause and age of mother.

TABLE XXVII

DEATHS IN 1957 FROM PUERPERAL CONDITIONS CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and upwards
Toxaemia of pregnancy	18	.	1	5	3	4	3	2
Placenta praevia and other haemorrhage of pregnancy	2	.	.	.	.	1	1	.
Other complications of pregnancy	5	.	.	.	2	2	.	1
Abortion with sepsis	2	.	.	.	1	.	1	.
Other abortion	.	.	.	.	.	.	.	.
Haemorrhage of childbirth	13	.	1	2	3	4	3	.
Delivery complicated by retained placenta	3	.	.	2	.	1	.	.
Other complications at childbirth	13	.	.	1	3	4	5	.
Puerperal pulmonary embolism	13	.	1	2	5	3	2	.
Sepsis of childbirth and the puerperium	.	.	.	.	.	.	.	.
Other puerperal complications	12	.	.	3	4	2	3	.
Total	81	.	3	15	21	21	18	3

Infant Mortality

During the year 1957 the deaths of 2,027 infants under one year of age were registered, compared with 2,162 in the previous year and 2,264 in 1955. The figure for 1957 is equivalent to a rate of 33.1 per 1,000 live births registered, this being the lowest ever recorded and compares with 35.6 in 1956 and 36.7 in 1955. Table XXVIII shows the mortality rates, per 1,000 births, at different ages under one year, for the years 1938 and 1946 to 1957.

TABLE XXVIII
INFANT MORTALITY BY AGE, 1938 AND 1946 TO 1957


Year	Deaths per 1,000 births at ages											
	Under 24 hrs.	1-6 days	7-13 days	14-20 days	21 days and under 1 month	Total * under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 1 month- 1 year	Total under 1 year
1938	8.2	8.5	4.5	3.5	3.6	28.3	8.3	6.9	12.4	10.7	38.3	66.6
1946	7.0	8.7	5.1	4.5	4.0	29.3	8.4	6.9	11.5	8.5	35.3	64.6
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8
1955	7.6	9.0	2.8	2.0	1.5	22.9	3.5	2.1	4.4	3.8	13.8	36.7
1956	7.4	8.2	3.0	2.5	1.6	22.7	3.5	2.4	3.9	3.1	12.9	35.6
1957	7.8	8.2	2.8	1.8	1.4	22.0	2.7	2.0	3.7	2.7	11.1	33.1

* For 1950 to 1957 under 4 weeks.

Infant mortality showed little change from 1938 to 1947, but since then a considerable reduction has occurred. The greatest improvement has been in respect of mortality of infants over one month : deaths between the ages of one month and one year declined from 39.1 per 1,000 births in 1947 to 11.1 per 1,000 births in 1957. The reduction in neo-natal mortality (i.e., at ages under one month) has been less marked : whereas deaths under one month amounted to 28.8 per 1,000 births in 1947, the corresponding figure in 1957 was 22.0. No significant reduction has occurred since 1947 (or 1938) in mortality at ages under 24 hours or between one day and one week. Deaths occurring within 24 hours of birth represented 7.0 per 1,000 births in 1947, compared with 7.8 in 1957. Deaths occurring between one day and one week after birth represented 8.8 per 1,000 births in 1947 compared with 8.2 in 1957. The trends in the infant and neo-natal mortality rates since 1938 are illustrated in Diagram 5.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1938-1957



In Table XXIX the infant mortality rates in Ireland and neighbouring countries are compared for the years 1951 to 1957.

TABLE XXIX
INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-1957

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland *	Six Counties	England and Wales	Scotland
1951	46	41	30	37
1952	41	39	28	35
1953	39	38	27	31
1954	38	33	25	31
1955	37	32	25	30
1956	36	29	24	29
1957	33	29	23	29

* Exclusive of the Six Counties

In each of the years shown the infant mortality rate in this country was the highest in the table while that in England and Wales was the lowest. Up to the year 1930 the infant mortality rate in Ireland had maintained a lower level than that in the Six Counties, England and Wales and Scotland. In the decade 1931-40 also, the Irish rate compared very favourably with those in the Six Counties and Scotland although a marked reduction in infant mortality in England and Wales had brought the rate for these countries below that for Ireland. The subsequent decrease in infant mortality has been greater in the Six Counties, England and Wales and Scotland than in this country.

Table XXX compares the neo-natal and infant mortality rates in the year 1957 for counties and county boroughs.

TABLE XXX
NEO-NATAL AND INFANT MORTALITY RATES FOR COUNTIES AND COUNTY BOROUGHS IN 1957

Area	Deaths of infants per 1,000 births			Area	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow ...	24	5	29	Clare ...	23	15	38
Dublin County Borough ...	22	11	33	Cork County Borough ...	17	7	24
Dun Laoghaire ...	20	13	33	Cork ...	16	10	25
Dublin (remainder) ...	22	10	32	Kerry ...	25	12	37
Kildare ...	27	13	40	Limerick County Borough ...	16	8	24
Kilkenny ...	26	5	31	Limerick ...	15	14	30
Laois ...	33	11	44	Tipperary, N.R. ...	19	14	33
Longford ...	13	6	19	Tipperary, S.R. ...	32	14	46
Louth ...	25	10	36	Waterford County Borough ...	19	5	23
Meath ...	22	14	36	Waterford ...	17	16	32
Offaly ...	28	17	45				
Westmeath ...	29	9	39	Munster ...	19	11	31
Wexford ...	22	15	36				
Wicklow ...	24	6	30	Galway ...	24	8	32
Leinster ...	23	11	34	Leitrim ...	28	13	42
Cavan ...	17	10	26	Mayo ...	26	9	35
Donegal ...	22	14	37	Roscommon ...	13	14	26
Monaghan ...	20	15	35	Sligo ...	25	13	38
Ulster (part of) ...	20	13	34	Connacht ...	24	10	34
				Total ...	22	11	33

NOTE :—In some cases the figures in the first two columns do not tot to that in the third column on account of rounding.

In 1957 the infant mortality rates were highest in the Counties of Tipperary (S.R.), Offaly, Laois, Leitrim and Kildare. The lowest rates of infant mortality occurred in the County Boroughs of Waterford, Cork and Limerick and the Counties of Longford, Cork, Cavan and Roscommon. The neo-natal mortality rate ranged from 13 per 1,000 births for the Counties Longford and Roscommon to 33 per 1,000 births for County Laois.

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in TABLE 19. In TABLE 25 infant deaths are again classified by cause, and a more detailed age classification shown. These results are summarised in Table XXXI.

TABLE XXXI

DEATHS OF INFANTS UNDER ONE YEAR REGISTERED IN 1957, CLASSIFIED BY CAUSE AND AGE

International List Nos.	Cause	Age				
		1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
001-019	Tuberculosis, all forms	.	.	1	12	13
340	Meningitis, except meningococcal and tuberculous ...	.	1	2	16	19
056, 470-475	Whooping cough, influenza, pneumonia, bronchitis, other respiratory diseases	5	28	91	229	353
480-483						
490-493						
500-502						
510-527, 763						
530-587, 764	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn)	.	.	31	83	114
750-759	Congenital malformations	81	85	88	153	407
760, 761	Birth injuries	93	81	16	4	194
762	Asphyxia and atelectasis	94	81	19	3	197
770	Haemolytic disease (erythroblastosis)	15	24	7	4	50
771	Haemorrhagic disease	.	17	3	2	22
774, 776	Immaturity	131	130	41	12	314
	Ill-defined diseases of early infancy :—					
773.0	Without mention of immaturity	19	10	13	23	65
773.5	With mention of immaturity	28	21	5	7	61
780.2	Convulsions	.	1	1	19	21
	Other causes	15	26	44	112	197
	Total	481	505	362	679	2 027

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages one month to one year. At ages under one week 26 per cent of all deaths were ascribed to immaturity, while, as may be seen from TABLE 25, many deaths ascribed to other underlying causes were with mention of immaturity. Postnatal asphyxia and atelectasis accounted for 18 per cent of deaths under one week, birth injuries for 18 per cent, and congenital malformations for 17 per cent. Eight per cent of the deaths under one week were assigned to the heading "Ill-defined diseases peculiar to early infancy" (No. 773 of the Detailed International List); deaths described by such terms as "asthenia," "athrepsia," "cachexia," "debility," "inanition," "marasmus," "cyanosis neonatorum," "hepatitis of newborn," or "sclerema neonatorum," and not otherwise specified must be allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic disease were at ages under one week. At ages over four weeks, congenital malformations were still an important cause of death, but only a small proportion of deaths were ascribed to immaturity, birth injuries or asphyxia. The majority of infant deaths from tuberculosis, meningitis, respiratory diseases, gastro-enteritis, and convulsions occurred at ages over four weeks. Details of the 197 deaths ascribed to "other causes" may be obtained from TABLE 19. This figure includes 36 deaths from external causes (accidents, etc.), 8 from measles, 7 from meningococcal infections, 6 from diseases of the thymus gland and 4 from leukaemia and aleukaemia.

Accidents, poisoning and violence

The number of deaths from external causes (Nos. E.800-999) registered in 1957 was 897, of which 569 were those of males and 328 those of females. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 10 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was due to the higher number of deaths from accidents. Table XXXII shows the number of deaths from accidents, poisoning or violence in 1957 and certain previous years.

TABLE XXXII

DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1938, 1946 AND 1951 TO 1957

Cause of Death	1938	1946	1951	1952	1953	1954	1955	1956	1957
Railway accidents	5	14	10	6	8	2	6	13	6
Road vehicle accidents	190	134	235	239	251	260	273	310	229
Accidental poisoning	10	20	29	22	20	13	19	19	18
Accidents caused by fire, explosion and burns	156	105	85	77	71	96	95	78	72
Accidental drowning	98	119	121	104	134	125	146	112	107
Suicide	97	79	77	66	62	59	68	76	73
Other accidents and external causes ...	401	409	439	348	361	415	444	408	392
Total	957	880	996	862	907	970	1,051	1,016	897

The number of deaths registered due to each of the categories of accident shown in the table decreased in 1957 compared with 1956, the principal reduction occurring in the case of road vehicle accidents. The total number of deaths from accidents each year has shown no pronounced tendency to rise or fall since 1938.

Particulars of deaths registered in 1957 due to accidents in the home are given in Table XXXIII.

TABLE XXXIII

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1957, CLASSIFIED BY CAUSE AND AGE GROUP

Inter-national List Nos.	Cause of Death	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
890	Accidental poisoning by utility (illuminating) gas	M 4 F .	. .	1 .	. .	1 .	. .	1 .	1 .	. .	. .	. .
900-904	Accidental falls	M 20 F 33	. .	. .	. .	. .	1 1	1 .	2 .	2 2	6 4	8 26
913	Accident caused by cutting and piercing instruments	M 1 F .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
914	Accident caused by electric current	M 1 F .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .
916	Accident caused by fire	M 8 F 15	. .	1 5	. 3	. .	. .	. .	1 1	. 1	2 2	4 3
917	Accident caused by hot substance, corrosive liquid and steam	M 9 F 7	2 .	2 2	. 2	. 1	. .	1 .	. .	. .	. .	4 2
919	Accident caused by firearm	M 3 F 1	. .	. .	. .	. .	2 1	. .	. .	1 .	. .	. .
921	Inhalation and ingestion of food causing obstruction or suffocation	M 5 F 6	5 4	. 2	. .	. .	. .	. .	. .	. .	. .	. .
923	Foreign body entering any orifice of the body, except the eye and adnexa	M 1 F .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
924	Accidental suffocation in bed and cradle	M 5 F 5	5 5	. .	. .	. .	. .	. .	. .	. .	. .	. .
929	Accidental drowning and submersion	M 1 F 1	. .	. 1	. .	. .	. .	. .	. .	1 .	. .	. .
933	Hunger, thirst and exposure	M 1 F .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .
936	Other and unspecified accidents	M 1 F .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .
	Total deaths from accidents in the home	M 60 F 68	12 9	5 10	. 5	1 1	4 2	3 .	5 1	4 3	9 6	17 31

There were 128 deaths due to accidents in the home registered in 1957. It will be seen that accidental falls resulted in 53 deaths of which the majority were deaths of elderly persons. Accidents caused by fire, hot liquids, etc., resulted in 39 deaths of which 17 were of children under 15 years and 17 were of persons aged 65 years and over.

Uncertified Deaths

The number of cases in 1957 in which the cause of death was not certified by a medical practitioner was 2,443, which represents 7.1 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1957 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1957, in the counties of Mayo (20.9 per cent), Leitrim (19.7 per cent), Kerry (17.9 per cent) and Roscommon (17.8 per cent).

Table XXXIV compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XXXIV

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1938, AND 1951 TO 1957

Province	1938	1951	1952	1953	1954	1955	1956	1957
Leinster	7.3	4.6	4.6	3.6	3.4	3.5	2.6	2.6
Munster	14.7	12.1	9.4	9.3	8.4	7.8	7.4	7.2
Connacht	32.7	26.9	24.4	22.8	21.1	20.3	18.0	16.9
Ulster (part of) ...	26.2	18.6	16.2	15.7	16.0	14.7	13.6	10.8
Total ...	16.0	12.2	10.6	9.8	9.2	8.8	7.7	7.1

Table XXXV shows the percentage of deaths uncertified in 1957, by age group, in each province.

TABLE XXXV

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1957

Province	All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	2.6	1.1	1.4	1.4	2.2	2.2	0.8	1.2	1.3	2.2	4.1
Munster	7.2	1.5	0.9	2.5	.	1.4	2.2	1.9	2.4	3.8	12.6
Connacht	16.9	3.6	.	12.5	.	2.9	1.3	1.4	3.2	8.0	27.6
Ulster (part of) ...	10.8	6.5	7.1	.	.	.	2.2	2.8	4.8	6.0	17.4
Total ...	7.1	1.9	1.5	3.0	1.0	1.9	1.4	1.5	2.2	3.9	12.8
Actual number of deaths uncertified ...	2,443	39	5	8	3	9	15	34	97	325	1,908

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while only a very small proportion of young adult deaths was uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare very unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

Inquests and post-mortems

The number of deaths registered on certificates issued by Coroners as the result of inquests and post-mortem examinations during 1957 was 1,471 compared with 1,696 in 1956 and 1,884 in 1955.

PART II—TABLES

TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR,* 1851 TO 1957

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1887	3,600	1,788	1,812	1923	3,014	1,526	1,488
1852	4,927	2,413	2,514	1888	3,554	1,766	1,788	1924	3,005	1,521	1,484
1853	4,807	2,358	2,449	1889	3,516	1,748	1,768	1925	2,985	1,512	1,473
1854	4,704	2,311	2,393	1890	3,482	1,733	1,749	1926	2,971	1,507	1,464
1855	4,638	2,281	2,357	1891	3,449	1,718	1,731	1927	2,957	1,502	1,455
1856	4,594	2,261	2,333	1892	3,408	1,697	1,711	1928	2,944	1,498	1,446
1857	4,540	2,234	2,306	1893	3,382	1,684	1,698	1929	2,937	1,496	1,441
1858	4,506	2,217	2,289	1894	3,362	1,675	1,687	1930	2,927	1,493	1,434
1859	4,471	2,199	2,272	1895	3,333	1,662	1,671	1931	2,933	1,497	1,436
1860	4,428	2,179	2,249	1896	3,314	1,653	1,661	1932	2,949	1,505	1,444
1861	4,393	2,164	2,229	1897	3,298	1,646	1,652	1933	2,962	1,512	1,450
1862	4,377	2,158	2,219	1898	3,283	1,640	1,643	1934	2,971	1,518	1,453
1863	4,328	2,134	2,194	1899	3,265	1,631	1,634	1935	2,971	1,520	1,451
1864	4,263	2,103	2,160	1900	3,234	1,616	1,618	1936	2,967	1,520	1,447
1865	4,223	2,084	2,139	1901	3,213	1,607	1,606	1937	2,948	1,510	1,438
1866	4,163	2,051	2,112	1902	3,200	1,603	1,597	1938	2,937	1,505	1,432
1867	4,130	2,033	2,097	1903	3,185	1,599	1,586	1939	2,934	1,503	1,431
1868	4,109	2,022	2,087	1904	3,175	1,597	1,578	1940	2,958	1,515	1,443
1869	4,090	2,012	2,078	1905	3,165	1,594	1,571	1941	2,993	1,533	1,460
1870	4,062	1,996	2,066	1906	3,160	1,593	1,567	1942	2,963	1,499	1,464
1871	4,042	1,986	2,056	1907	3,151	1,589	1,562	1943	2,946	1,490	1,456
1872	4,023	1,975	2,048	1908	3,145	1,588	1,557	1944	2,944	1,487	1,457
1873	3,989	1,955	2,034	1909	3,142	1,589	1,553	1945	2,952	1,490	1,462
1874	3,966	1,944	2,022	1910	3,139	1,588	1,551	1946	2,957	1,496	1,461
1875	3,951	1,940	2,011	1911	3,132	1,586	1,546	1947	2,974	1,505	1,469
1876	3,949	1,942	2,007	1912	3,120	1,581	1,539	1948	2,985	1,512	1,473
1877	3,956	1,947	2,009	1913	3,103	1,572	1,531	1949	2,981	1,513	1,468
1878	3,952	1,948	2,004	1914	3,092	1,568	1,524	1950	2,969	1,510	1,459
1879	3,939	1,944	1,995	1915	3,068	1,546	1,522	1951	2,961	1,507	1,454
1880	3,891	1,920	1,971	1916	3,068	1,549	1,519	1952	2,953	1,501	1,452
1881	3,847	1,901	1,946	1917	3,065	1,551	1,514	1953	2,949	1,498	1,451
1882	3,808	1,882	1,926	1918	3,066	1,553	1,513	1954	2,941	1,493	1,448
1883	3,745	1,853	1,892	1919	3,102	1,598	1,504	1955	2,921	1,479	1,442
1884	3,703	1,834	1,869	1920	3,103	1,598	1,505	1956	2,898	1,463	1,435
1885	3,671	1,820	1,851	1921	3,096	1,599	1,497	1957	2,885	1,456	1,429
1886	3,642	1,808	1,834	1922	3,022	1,529	1,493				

* For 1951 and subsequent years the figures relate to the month of April.

TABLE 2.—TOTAL POPULATION BY SEX AND AGE ACCORDING TO THE CENSUS OF POPULATION, 1951

Age (years)	Actual Numbers			Percentage Distribution		
	Males	Females	Persons	Males	Females	Persons
				%	%	%
Under 1	32,630	30,927	63,557	2·17	2·13	2·15
1	32,083	30,719	62,802	2·13	2·11	2·12
2	31,932	30,494	62,426	2·12	2·10	2·11
3	31,982	30,457	62,439	2·12	2·09	2·11
4	31,604	30,004	61,608	2·10	2·06	2·08
5-9	143,490	137,553	281,043	9·53	9·46	9·49
10-14	132,726	128,209	260,935	8·82	8·82	8·81
15-19	125,742	115,440	241,182	8·35	7·94	8·15
20-24	105,380	96,792	202,172	6·99	6·65	6·83
25-29	99,595	98,826	198,421	6·61	6·80	6·70
30-34	96,441	95,125	191,566	6·40	6·54	6·47
35-39	102,278	98,638	200,916	6·79	6·78	6·79
40-44	94,006	86,320	180,326	6·24	5·94	6·09
45-49	82,374	78,541	160,915	5·47	5·40	5·44
50-54	82,922	80,064	162,986	5·50	5·51	5·51
55-59	65,028	63,820	128,848	4·32	4·39	4·35
60-64	61,346	60,714	122,060	4·07	4·18	4·12
65-69	54,145	53,403	107,548	3·59	3·67	3·63
70-74	49,121	50,995	100,116	3·26	3·51	3·38
75-79	31,642	32,913	64,555	2·10	2·26	2·18
80-84	14,649	16,238	30,887	0·97	1·12	1·04
85-89	4,285	5,882	10,167	0·28	0·40	0·34
90-94	973	1,542	2,515	0·06	0·11	0·09
95-99	205	368	573	0·01	0·03	0·02
100 and over	18	12	30	0·00	0·00	0·00
Total	1,506,597	1,453,996	2,960,593	100·00	100·00	100·00

TABLE 3.—POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE
CENSUS OF POPULATION, 1956

Area						Persons	Males	Females
Total	...	...	...	...	...	2,898,264	1,462,928	1,435,336
Carlow	...	...	...	...	...	33,888	17,666	16,222
Dublin County Borough	...	...	...	...	...	539,476	250,817	288,659
Dun Laoghaire Borough	...	...	...	...	...	47,553	20,772	26,781
Dublin County (remainder)	...	...	...	...	...	118,752	58,038	60,714
Kildare	...	...	...	...	...	65,915	35,069	30,846
Kilkenny	...	...	...	...	...	64,089	33,927	30,162
Laois	...	...	...	...	...	47,087	25,233	21,854
Longford	...	...	...	...	...	32,969	17,477	15,492
Louth	...	...	...	...	...	69,194	34,788	34,406
Meath	...	...	...	...	...	66,762	34,830	31,932
Offaly	...	...	...	...	...	51,970	27,591	24,379
Westmeath	...	...	...	...	...	54,122	28,102	26,020
Wexford	...	...	...	...	...	87,259	44,210	43,049
Wicklow	...	...	...	...	...	59,906	29,933	29,973
Leinster	...	...	...	...	...	1,838,942	658,458	680,489
Clare	...	...	...	...	...	77,176	40,868	36,308
Cork County Borough	...	...	...	...	...	80,011	37,544	42,467
Cork County	...	...	...	...	...	256,652	130,408	126,244
Kerry	...	...	...	...	...	122,072	63,965	58,107
Limerick County Borough	...	...	...	...	...	50,886	24,047	26,839
Limerick County	...	...	...	...	...	86,995	45,575	41,420
Tipperary, N.R.	...	...	...	...	...	55,697	29,228	26,469
Tipperary, S.R.	...	...	...	...	...	73,718	38,170	35,548
Waterford County Borough	...	...	...	...	...	28,878	13,460	15,418
Waterford County	...	...	...	...	...	45,153	23,517	21,636
Munster	...	...	...	...	...	877,238	446,782	430,456
Galway	...	...	...	...	...	155,553	82,223	73,330
Leitrim	...	...	...	...	...	37,056	19,986	17,070
Mayo	...	...	...	...	...	133,052	68,879	64,173
Roscommon	...	...	...	...	...	63,710	34,078	29,632
Sligo	...	...	...	...	...	56,850	29,392	27,458
Connacht	...	...	...	...	...	446,221	234,558	211,663
Cavan	...	...	...	...	...	61,740	33,177	28,563
Donegal	...	...	...	...	...	122,059	62,664	59,395
Monaghan	...	...	...	...	...	52,064	27,294	24,770
Ulster (part of)	...	...	...	...	...	235,868	123,135	112,723

TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1957

PERIOD	MARRIAGES	BIRTHS							DEATHS			Natural Increase
		TOTAL (including Illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864—1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871—1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881—1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891—1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901—1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911—1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921—1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931—1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941—1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
1949	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931

TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1957

PERIOD	MARRIAGES	BIRTHS					DEATHS		Natural Increase per 1,000 Population
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	Illegitimate		Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births	
				Per 1,000 Population	Per cent of Total Births				
1864—1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871—1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881—1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891—1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901—1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911—1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921—1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931—1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941—1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.36	1.69	1,048	11.89	33.10	9.33

TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941-57 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941-50 AND THE RATES FOR EACH YEAR FROM 1951 TO 1957 PER 1,000 OF THE POPULATION

Year	MARRIAGES										BIRTHS										DEATHS				
	Catholic					All Others					Total					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930	10,612	9,333	7,865	8,547	36,357
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062
1950	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565	11,172	9,687	7,690	9,192	37,741
Average for ten years 1941-1950	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,585	16,072	17,481	16,557	14,900	65,010	12,974	10,555	8,427	9,494	41,450
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,068	7,705	33,910
1957	2,572	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
Equivalent Annual Rate per 1,000 Population Average 1941-1950	5.3	5.4	6.6	5.0	5.6	3.9	5.8	7.4	4.2	5.3	5.2	5.5	6.7	5.0	5.6	21.7	23.6	22.3	20.1	21.9	17.5	14.2	11.4	12.8	14.0
1951	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	5.4	21.2	22.9	22.0	18.8	21.2	22.5	13.8	10.2	10.7	14.3
1952	4.6	5.0	7.1	4.9	5.4	3.7	6.6	6.7	4.2	5.3	4.6	5.1	7.1	4.8	5.4	22.2	23.7	21.8	20.0	21.9	14.5	11.8	9.8	11.5	11.9
1953	4.1	5.2	7.5	5.0	5.4	2.7	4.8	7.1	3.7	4.6	4.0	5.2	7.5	4.9	5.4	21.3	23.0	21.4	19.3	21.2	14.3	12.2	9.6	10.9	11.7
1954	4.6	4.9	7.5	4.6	5.4	2.9	6.1	7.0	3.7	4.9	4.5	5.0	7.5	4.6	5.4	21.0	22.5	21.8	20.0	21.3	14.3	12.1	10.5	11.7	12.1
1955	4.4	5.5	8.0	5.0	5.7	3.4	5.9	8.0	3.2	5.1	4.3	5.5	8.0	4.8	5.7	20.9	22.7	21.7	19.5	21.2	16.2	13.4	10.1	10.8	12.6
1956	4.0	5.8	7.9	5.7	5.9	2.6	4.5	6.7	3.7	4.4	4.0	5.7	7.9	5.6	5.8	19.7	23.1	21.3	19.8	21.0	14.5	11.9	9.8	10.6	11.7
1957	3.8	4.7	7.6	4.4	5.1	3.5	4.1	6.7	2.8	4.3	3.8	4.7	7.6	4.3	5.1	20.7	23.0	21.4	19.8	21.2	13.6	11.5	10.0	12.5	11.9

TABLE 7.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1957, WITH RATES
PER 100,000 POPULATION

NOTE.—The classification of cause of death in this table is based on the Abbreviated List, 1948

Detailed List No.	Cause of Death	Ireland *		Six Counties	
		Number	Rate	Number	Rate
001-008	Tuberculosis of respiratory system	583	20.2	150	10.7
010-019	Tuberculosis, other forms	113	3.9	25	1.8
020-029	Syphilis and its sequelae	20	0.7	38	2.7
040	Typhoid fever	.	.	1	0.1
043	Cholera	.	.	.	.
045-048	Dysentery, all forms	3	0.1	.	.
050-051	Scarlet fever and streptococcal sore throat ...	1	0.0	.	.
055	Diphtheria	6	0.2	.	.
056	Whooping cough	20	0.7	2	0.1
057	Meningococcal infections	16	0.6	4	0.3
058	Plague	.	.	.	.
080	Acute Poliomyelitis	13	0.5	9	0.6
084	Smallpox	.	.	.	.
085	Measles	19	0.7	3	0.2
100-108	Typhus and other rickettsial diseases ...	.	.	.	.
110-117	Malaria	2	0.1	.	.
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	70	2.4	44	3.1
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-205 (except 201 and 204)	(a) Cancer	4,672	161.9	2,306	164.9
201 and 204	(b) Hodgkins disease and leukaemia ...	147	5.1	77	5.5
210-239	Benign and unspecified neoplasms	127	4.4	18	1.3
260	Diabetes mellitus	213	7.4	89	6.4
290-293	Anaemias	233	8.1	46	3.3
330-334	Vascular lesions affecting central nervous system	3,841	133.1	2,064	147.6
340	Non-meningococcal meningitis	42	1.5	9	0.6
400-402	Rheumatic fever	50	1.7	20	1.4
410-416	Chronic rheumatic heart disease	432	15.0	213	15.2

* Exclusive of the Six Counties

TABLE 7.—(contd.)—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1957,
WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of Death	Ireland *		Six Counties	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease ...	8,602	298.2	4,186	299.3
430-434	Other diseases of heart	1,274	44.2	483	34.5
440-443	Hypertension with heart disease	551	19.1	428	30.6
444-447	Hypertension without mention of heart ...	500	17.3	143	10.2
480-483	Influenza	687	23.8	230	16.4
490-493	Pneumonia	1,010	35.0	639	45.7
500-502	Bronchitis	1,025	35.5	516	36.9
540-541	Ulcer of stomach and duodenum	247	8.6	124	8.9
550-553	Appendicitis	40	1.4	18	1.3
560, 561, 570	Intestinal obstruction and hernia	184	6.4	78	5.6
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	196	6.8	81	5.8
581	Cirrhosis of liver	60	2.1	39	2.8
590-594	Nephritis and nephrosis	451	15.6	134	9.6
610	Hyperplasia of prostate	215	7.5	108	7.7
640-652, 670-689	Complications of pregnancy, childbirth and the puerperium	81	2.8	33	2.4
750-759	Congenital malformations	490	17.0	244	17.4
760-762	Birth injuries, post-natal asphyxia and atelectasis	391	13.6	199	14.2
763-768	Infections of newborn	175	6.1	55	3.9
769-776	Other diseases peculiar to early infancy and im- maturity unqualified	537	18.6	204	14.6
780-795	Senility without mention of psychosis, ill-defined and unknown causes	2,975	103.1	568	40.6
	All other causes	3,100	107.3	1,025	73.3
E810-E835	Motor vehicle accidents	190	6.6	161	11.5
E800-E802 E840-E962	All other accidents	624	21.6	314	22.5
E963, E970-E979	Suicide and self-inflicted injury	73	2.5	50	3.6
E964-E965, E980- E999	Homicide and operations of war	10	0.3	9	0.6
	All causes	34,311	1,189.3	15,187	1,085.9

* Exclusive of the Six Counties

TABLE 8.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE,
REGISTERED DURING THE YEARS 1864-1957

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average—														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
1952	18,918	1,788	126	86	136	152	413	726	1,391	2,420	4,866	5,446	1,301	67
1953	18,420	1,655	100	59	106	139	359	588	1,317	2,472	4,698	5,476	1,384	67
1954	19,199	1,629	85	67	91	118	338	636	1,371	2,552	4,885	5,834	1,519	74
1955	19,773	1,515	95	70	97	114	318	541	1,290	2,695	5,121	6,080	1,764	73
1956	18,269	1,456	90	62	71	120	265	555	1,254	2,500	4,544	5,631	1,641	80
1957	18,355	1,359	82	71	74	91	256	524	1,254	2,628	4,585	5,609	1,750	72
Females														
Average—														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
1952	16,187	1,407	95	69	122	134	373	587	1,084	1,845	4,052	4,820	1,493	106
1953	16,171	1,286	103	70	80	109	346	584	1,066	1,804	3,923	5,010	1,650	140
1954	16,336	1,177	76	59	80	80	292	515	985	1,908	3,974	5,299	1,786	105
1955	16,988	1,129	78	60	54	89	292	487	988	1,913	4,145	5,578	2,021	154
1956	15,641	1,088	72	49	38	81	227	493	873	1,810	3,622	5,249	1,916	123
1957	15,956	995	77	38	63	71	221	514	950	1,827	3,721	5,307	2,028	144
Persons														
Average—														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,906	1,551	2,774	5,095	10,838	12,854	3,382	240
1952	35,105	3,195	221	155	258	286	786	1,313	2,475	4,265	8,918	10,266	2,794	173
1953	34,591	2,941	203	129	186	248	705	1,172	2,383	4,276	8,621	10,486	3,034	207
1954	35,535	2,806	161	126	171	198	630	1,151	2,356	4,460	8,859	11,133	3,305	179
1955	36,761	2,644	173	130	151	203	610	1,028	2,278	4,608	9,266	11,658	3,785	227
1956	33,910	2,544	162	111	109	201	492	1,048	2,127	4,310	8,166	10,880	3,557	203
1957	34,311	2,354	159	109	137	162	477	1,038	2,204	4,455	8,306	10,916	3,778	216

* For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

† For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE,
PER 1,000 CORRESPONDING POPULATION, 1864-1957

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951	14.92	12.67	0.93	0.60	1.33	1.98	2.65	4.13	9.60	22.69	56.50	143.09	294.47
1952	12.60	11.21	0.86	0.64	1.09	1.48	2.18	3.72	8.35	18.79	47.85	116.37	244.29
1953	12.29	10.42	0.66	0.43	0.86	1.40	1.96	3.02	7.85	18.78	46.93	115.53	254.56
1954	12.86	10.32	0.55	0.49	0.75	1.22	1.92	3.29	8.11	19.06	49.54	122.05	274.66
1955	13.37	9.71	0.61	0.51	0.81	1.22	1.89	2.83	7.63	19.87	53.18	126.93	311.36
1956	12.49	9.45	0.57	0.45	0.60	1.33	1.65	2.93	7.42	18.26	48.29	117.31	286.67
1957	12.61	8.94	0.53	0.51	0.62	1.00	1.62	2.85	7.32	18.95	49.06	119.01	294.44
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1830	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951	13.69	9.76	0.69	0.71	1.25	2.11	2.51	4.00	7.48	17.89	47.92	126.75	257.30
1952	11.15	9.28	0.68	0.53	1.06	1.42	1.97	3.18	6.83	14.56	39.30	94.51	197.41
1953	11.15	8.53	0.72	0.53	0.70	1.19	1.87	3.17	6.70	13.97	38.57	94.89	213.10
1954	11.28	7.86	0.52	0.44	0.70	1.04	1.62	2.80	6.19	14.53	39.58	96.87	222.47
1955	11.78	7.61	0.53	0.45	0.48	1.04	1.67	2.66	6.22	14.36	42.04	98.90	247.16
1956	10.90	7.40	0.48	0.36	0.34	0.98	1.34	2.71	5.51	13.40	37.34	90.50	225.56
1957	11.17	6.85	0.52	0.28	0.56	0.85	1.34	2.86	5.89	13.36	38.31	93.38	237.01
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.20
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951	14.32	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64
1952	11.89	10.27	0.77	0.59	1.08	1.46	2.08	3.46	7.61	16.69	43.54	104.97	216.57
1953	11.73	9.50	0.69	0.48	0.78	1.30	1.92	3.09	7.29	16.40	42.72	104.65	229.86
1954	12.08	9.13	0.54	0.47	0.72	1.07	1.77	3.05	7.18	16.82	44.52	108.61	243.64
1955	12.59	8.69	0.57	0.48	0.65	1.13	1.78	2.74	6.95	17.14	47.54	111.77	272.93
1956	11.70	8.45	0.53	0.41	0.47	1.16	1.49	2.82	6.49	15.85	42.73	102.64	250.60
1957	11.89	7.92	0.53	0.40	0.59	0.93	1.48	2.86	6.63	16.18	43.58	105.00	260.16

TABLE 10.—BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate Births			
	Total Number registered	Transferred from area	Transferred to area	Net Number	Total Number registered	Transferred from area	Transferred to area	Net Number
Total	61,242	—	—	61,242	1,032	—	—	1,032
Carlow	642	30	141	753	13	1	12	24
Dublin County Borough ...	17,347	4,783	55	12,619	290	86	18	222
Dun Laoghaire Borough ...	993	460	501	1,034	9	5	7	11
Dublin County (remainder) ...	824	88	2,494	3,230	80	64	21	37
Kildare	932	6	658	1,584	24	·	15	39
Kilkenny	1,189	49	190	1,330	11	1	13	23
Laois	848	7	140	981	7	·	10	17
Longford	667	99	108	676	5	·	8	13
Louth	1,989	473	55	1,571	7	·	11	18
Meath	747	1	695	1,441	9	·	34	43
Offaly	1,083	15	132	1,200	12	·	10	22
Westmeath	1,297	146	138	1,289	87	72	10	25
Wexford	1,756	29	175	1,902	38	·	16	54
Wicklow	708	11	569	1,266	10	·	20	30
Clare	1,288	4	156	1,440	14	·	9	23
Cork County Borough ...	2,954	1,690	465	1,729	13	4	9	18
Cork County	4,015	546	1,632	5,101	100	38	16	78
Kerry	2,248	38	110	2,320	20	·	12	32
Limerick County Borough ...	1,919	546	21	1,394	3	·	4	7
Limerick County	1,210	22	555	1,743	26	·	20	46
Tipperary, N.R.	1,311	169	101	1,243	95	81	2	16
Tipperary, S.R.	1,672	182	65	1,555	20	2	9	27
Waterford County Borough ...	1,055	429	22	648	7	2	1	6
Waterford County	567	29	293	831	15	1	12	26
Galway	3,369	296	55	3,128	43	6	12	49
Leitrim	499	16	114	597	2	·	1	3
Mayo	2,221	13	231	2,439	4	·	12	16
Roscommon	874	32	188	1,030	6	1	7	12
Sligo	1,084	79	32	1,037	11	3	5	13
Cavan	915	36	254	1,133	6	·	17	23
Donegal	2,003	13	21	2,011	39	·	7	46
Monaghan	1,016	88	59	987	6	·	7	13

1957 AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of Infants (under one year)				Natural Increase (excess of births over deaths)	Area
Total Number regis- tered	Trans- ferred from area	Trans- ferred to area	Net Number	Total Number regis- tered	Trans- ferred from area	Trans- ferred to area	Net Number		
34,311	—	—	34,311	2,027	—	—	2,027	26,931	Total
366	25	45	386	17	.	5	22	367	Carlow
6,742	1,331	174	5,585	667	249	3	421	7,034	Dublin County Borough
534	128	147	553	22	12	24	34	481	Dun Laoghaire Borough
676	189	484	971	12	2	94	104	2,259	Dublin County (remainder)
590	13	129	706	33	.	30	63	878	Kildare
762	18	46	790	38	1	4	41	540	Kilkenny
594	32	43	605	36	4	11	43	376	Laois
410	7	45	448	8	.	5	13	228	Longford
791	31	46	806	59	10	7	56	765	Louth
670	11	99	758	34	2	20	52	683	Meath
573	6	63	630	42	.	12	54	570	Offaly
639	44	68	663	44	3	9	50	626	Westmeath
1,059	13	63	1,109	56	.	13	69	793	Wexford
518	21	166	663	14	.	24	38	603	Wicklow
901	2	57	956	48	.	6	54	484	Clare
890	235	338	993	37	18	23	42	736	Cork County Borough
3,503	395	262	3,370	141	29	18	130	1,731	Cork County
1,518	12	49	1,555	76	1	10	85	765	Kerry
650	201	24	473	42	13	4	33	921	Limerick County Borough
931	47	184	1,068	49	8	11	52	675	Limerick County
702	19	62	745	47	13	7	41	498	Tipperary, N.R.
954	39	49	964	67	3	7	71	591	Tipperary, S.R.
415	115	19	319	34	19	.	15	329	Waterford County Borough
511	45	133	599	8	.	19	27	232	Waterford County
1,794	95	47	1,746	109	10	2	101	1,382	Galway
466	2	43	507	19	.	6	25	90	Leitrim
1,618	8	74	1,684	76	.	10	86	755	Mayo
823	16	51	858	24	.	3	27	172	Roscommon
816	24	18	810	40	2	1	39	227	Sligo
740	7	80	813	23	.	7	30	320	Cavan
1,489	2	30	1,517	73	.	1	74	494	Donegal
666	33	28	661	32	.	3	35	326	Monaghan

TABLE 11.—MARRIAGES, BIRTHS AND DEATHS BY SEX, REGISTERED DURING 1957 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY, IN EACH COUNTY AND COUNTY BOROUGH.

Area	Marriages	Births						Deaths						
		Total (including illegitimate)			Illegitimate			Total			Under one year of age	Principal Epidemic Diseases*	Tuberculosis	Malignant Neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total	Total
Total...	14,657	31,335	29,907	61,242	526	506	1,032	18,355	15,956	34,311	2,027	166	696	4,819
Carlow...	125	370	383	753	12	12	24	199	187	386	22	2	11	40
Dublin County Borough...	4,782	6,501	6,118	12,619	115	107	222	2,796	2,789	5,585	421	45	141	929
Dun Laoghaire Borough...	351	525	509	1,034	5	6	11	244	309	553	34	2	4	89
Dublin County (remainder)	397	1,631	1,599	3,230	15	22	37	500	471	971	104	10	23	158
Kildare...	271	846	738	1,584	21	18	39	402	304	706	63	5	19	109
Kilkenny...	257	712	618	1,330	8	15	23	421	369	790	41	2	14	113
Laois...	178	528	453	981	6	11	17	356	249	605	43	2	10	71
Longford...	107	334	342	676	4	9	13	256	192	448	13	6	7	58
Louth...	410	814	757	1,571	7	11	18	431	375	806	56	3	16	114
Meath...	235	754	687	1,441	24	19	43	399	359	758	52		10	109
Offaly...	228	605	595	1,200	12	10	22	358	272	630	54	2	13	90
Westmeath...	257	666	623	1,289	12	13	25	363	300	663	50	5	15	84
Wexford...	378	967	935	1,902	25	29	54	587	522	1,109	69	7	23	149
Wicklow...	290	642	624	1,266	13	17	30	354	309	663	38	3	11	97
LEINSTER...	8,266	15,895	14,981	30,876	279	299	578	7,666	7,007	14,673	1,060	94	317	2,210
Clare...	305	729	711	1,440	12	11	23	517	439	956	54	1	22	113
Cork County Borough...	608	877	852	1,729	7	11	18	489	504	993	42	2	28	160
Cork County...	953	2,591	2,510	5,101	43	35	78	1,801	1,569	3,370	130	12	59	484
Kerry...	480	1,193	1,127	2,320	17	15	32	873	682	1,555	85	12	34	188
Limerick County Borough	451	703	691	1,394	3	4	7	251	222	473	33	2	18	72
Limerick County...	270	888	855	1,743	24	22	46	580	488	1,068	52	4	31	154
Tipperary, N.R.	249	641	602	1,243	9	7	16	406	339	745	41	3	16	86
Tipperary, S.R.	250	797	758	1,555	15	12	27	529	435	964	71	6	17	121
Waterford County Borough	208	306	342	648	3	3	6	164	155	319	15		8	45
Waterford County...	208	407	424	831	14	12	26	323	276	599	27	1	7	102
MUNSTER...	3,982	9,132	8,872	18,004	147	132	279	5,933	5,109	11,042	550	43	240	1,525
Galway...	570	1,602	1,526	3,128	27	22	49	995	751	1,746	101	8	38	245
Leitrim...	112	315	282	597	3		3	287	220	507	25	1	7	57
Mayo...	369	1,223	1,216	2,439	8	8	16	935	749	1,684	86	8	20	193
Rosecommon...	203	508	522	1,030	6	6	12	452	406	858	27	2	12	101
Sligo...	181	525	512	1,037	6	7	13	417	393	810	39		11	86
CONNACHT...	1,435	4,173	4,058	8,231	50	43	93	3,086	2,519	5,605	278	19	88	682
Cavan...	267	589	544	1,133	13	10	23	469	344	813	30	1	13	107
Donegal...	453	1,058	953	2,011	30	16	46	825	692	1,517	74	3	33	197
Monaghan...	254	488	499	987	7	6	13	376	285	661	35	6	5	98
ULSTER (part of)...	974	2,135	1,996	4,131	50	32	82	1,670	1,321	2,991	139	10	51	402

* Includes typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, measles, gastro-enteritis (under two years) and poliomyelitis.

TABLE 12.—MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS
IN 1957 IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE
PRINCIPAL DISEASES.

Area	Marriages per 1,000 popula- tion	Births		Death Rate per 1,000 population				Deaths under one year per 1,000 Births
		Total Births per 1,000 popula- tion	Illegit- imate % of total Births	All causes	Prin- cipal Epidemic Diseases	Tuber- culosis	Malig- nant Neo- plasms	
Total	5.08	21.23	1.69	11.89	0.06	0.24	1.67	33.10
Carlow	3.69	22.26	3.19	11.41	0.06	0.33	1.18	29.22
Dublin County Borough ...	8.86	23.39	1.76	10.35	0.08	0.26	1.72	33.36
Dun Laoghaire Borough ...	7.38	21.74	1.06	11.63	0.04	0.08	1.87	32.88
Dublin County (remainder) ...	3.34	27.18	1.15	8.17	0.08	0.19	1.33	32.20
Kildare	4.12	24.10	2.46	10.74	0.08	0.29	1.66	39.77
Kilkenny	4.02	20.82	1.73	12.37	0.03	0.22	1.77	30.83
Laois	3.80	20.95	1.73	12.92	0.04	0.21	1.52	43.83
Longford	3.28	20.69	1.92	13.71	0.18	0.21	1.78	19.23
Louth	5.93	22.72	1.15	11.66	0.04	0.23	1.65	35.65
Meath	3.51	21.52	2.98	11.32	.	0.15	1.63	36.09
Offaly	4.40	23.14	1.83	12.15	0.04	0.25	1.74	45.00
Westmeath	4.75	23.84	1.94	12.26	0.09	0.28	1.55	38.79
Wexford	4.36	21.93	2.84	12.79	0.08	0.27	1.72	36.28
Wicklow	4.86	21.23	2.37	11.12	0.05	0.18	1.63	30.02
LEINSTER	6.18	23.09	1.87	10.97	0.07	0.24	1.65	34.33
Clare	3.99	18.85	1.60	12.52	0.01	0.29	1.48	37.50
Cork County Borough ...	7.60	21.61	1.04	12.41	0.02	0.35	2.00	24.29
Cork County	3.72	19.90	1.53	13.15	0.05	0.23	1.89	25.49
Kerry	3.96	19.14	1.38	12.83	0.10	0.28	1.55	36.64
Limerick County Borough ...	8.86	27.39	0.50	9.80	0.04	0.35	1.41	23.67
Limerick County	3.13	20.19	2.64	12.37	0.05	0.36	1.78	29.83
Tipperary, N.R.	4.49	22.43	1.29	13.44	0.05	0.29	1.55	32.98
Tipperary, S.R.	3.41	21.23	1.74	13.16	0.08	0.23	1.65	45.66
Waterford County Borough ...	7.20	22.44	0.93	11.05	.	0.28	1.56	23.15
Waterford County	4.63	18.49	3.13	13.33	0.02	0.16	2.27	32.49
MUNSTER	4.56	20.61	1.55	12.64	0.05	0.27	1.75	30.55
Galway	3.68	20.22	1.57	11.29	0.05	0.25	1.58	32.29
Leitrim	3.08	16.44	0.50	13.96	0.03	0.19	1.57	41.88
Mayo	2.81	18.56	0.66	12.82	0.06	0.15	1.47	35.26
Roscommon	3.23	16.38	1.17	13.64	0.03	0.19	1.61	26.21
Sligo	3.22	18.43	1.25	14.39	.	0.20	1.53	37.61
CONNACHT	3.25	18.64	1.13	12.69	0.04	0.20	1.54	33.77
Cavan	4.39	18.61	2.03	13.35	0.02	0.21	1.76	26.48
Donegal	3.77	16.72	2.29	12.61	0.02	0.27	1.64	36.80
Monaghan	4.94	19.18	1.32	12.85	0.12	0.10	1.90	35.46
ULSTER (part of) ...	4.19	17.76	1.98	12.86	0.04	0.22	1.73	33.65

TABLE 13.—DEATHS REGISTERED IN 1957, CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages	18,355	6,850	7,568	3,937	15,956	5,179	3,949	6,828
Under 15 years	1,512	1,512	.	.	1,110	1,110	.	.
15-19	74	74	.	.	63	63	.	.
20-24	91	87	4	.	71	58	13	.
25-29	114	99	15	.	93	52	41	.
30-34	142	90	52	.	128	53	74	1
35-39	194	117	77	.	221	78	139	4
40-44	330	163	163	4	293	83	196	14
45-49	523	202	305	16	389	138	222	29
50-54	731	248	449	34	561	187	321	53
55-59	1,160	360	731	69	759	238	391	130
60-64	1,468	480	854	134	1,068	329	472	267
65-69	2,003	622	1,109	272	1,399	413	529	457
70-74	2,582	836	1,203	543	2,322	610	635	1,077
75-79	3,006	885	1,216	905	2,734	657	511	1,566
80-84	2,603	665	907	1,031	2,573	602	297	1,674
85 and over	1,822	410	483	929	2,172	508	108	1,556

TABLE 14.—BIRTHS AND DEATHS REGISTERED IN 1957 FOR EACH URBAN DISTRICT, CLASSIFIED BY SEX

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow	66	79	145	24	37	61
Athy	63	37	100	30	19	49
Naas... ..	55	47	102	17	20	37
Longford	39	42	81	25	15	40
Ceannanus Mor	36	34	70	11	11	22
An Uaimh	48	53	101	20	20	40
Trim	17	11	28	9	10	19
Birr	49	39	88	19	14	33
Tullamore	78	87	165	26	27	53
Athlone	136	114	250	43	40	83
Enniscorthy	70	81	151	31	36	67
New Ross	47	45	92	25	25	50
Arklow	79	54	133	23	26	49
Wicklow	29	41	70	18	18	36
Ennis	83	72	155	34	33	67
Kilrush	35	19	54	14	15	29
Clonakilty	18	18	36	17	19	36
Cobh	65	76	141	42	47	89
Fermoy	30	38	68	23	23	46
Kinsale	13	7	20	24	11	35
Macroom	15	20	35	5	13	18
Mallow	61	52	113	19	26	45
Midleton	24	25	49	17	13	30
Skibbereen	20	14	34	15	12	27
Youghal	47	49	96	21	26	47
Killarney	47	43	90	40	25	65
Listowel	23	32	55	9	11	20
Nenagh	40	43	83	24	25	49
Templemore	13	17	30	11	9	20
Thurles	65	67	132	28	30	58
Carriack-on-Suir	65	58	123	22	24	46
Cashel	24	18	42	24	13	37
Tipperary	50	44	94	19	32	51
Dungarvan	45	47	92	29	24	53
Ballinasloe	37	24	61	6	12	18
Ballina	54	64	118	26	28	54
Castlebar	43	43	86	21	15	36
Westport	28	20	48	27	20	47
Cavan	40	38	78	12	15	27
Buncrana	23	27	50	11	13	24
Bundoran	21	19	40	11	8	19
Letterkenny	34	37	71	12	9	21
Carriackmacross	23	19	42	7	7	14
Castleblayney	13	18	31	11	14	25
Clones	23	22	45	12	8	20
Monaghan	23	35	58	17	18	35

TABLE 15.—BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1957 FOR THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births						Deaths				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
Dublin County Borough ...	6,501	6,118	12,619	115	107	222	2,796	2,789	5,585	141	929
Cork County Borough ...	877	852	1,729	7	11	18	489	504	993	28	160
Limerick County Borough ...	703	691	1,394	3	4	7	251	222	473	18	72
Waterford County Borough ...	306	342	648	3	3	6	164	155	319	8	45
Dun Laoghaire Borough ...	525	509	1,034	5	6	11	244	309	553	4	89
Galway Borough	233	227	460	4	.	4	94	96	190	5	35
Dundalk U.D.	214	208	422	2	2	4	114	96	210	5	30
Drogheda ..	215	194	409	1	1	2	82	81	163	3	19
Sligo ..	132	164	296	.	1	1	62	86	148	3	12
Tralee ..	115	107	222	1	1	2	72	65	137	6	14
Bray ..	133	132	265	1	.	1	65	55	120	3	20
Wexford ..	146	135	281	.	1	1	73	79	152	4	21
Clonmel ..	128	130	258	.	1	1	55	61	116	1	17
Kilkenny ..	150	140	290	.	1	1	69	64	133	3	17
Total above Principal Towns ...	10,378	9,949	20,327	142	139	281	4,630	4,662	9,292	232	1,480
All Other Urban Districts ...	1,957	1,889	3,846	21	20	41	931	916	1,847	46	267
All Boroughs and Urban Districts:											
Leinster ...	8,696	8,200	16,896	136	130	266	3,764	3,791	7,555	185	1,214
Munster ...	2,912	2,881	5,793	22	28	50	1,468	1,438	2,906	79	428
Connacht ...	527	542	1,069	4	1	5	236	257	493	11	69
Ulster (part of)	200	215	415	1	.	1	93	92	185	3	36
Total—Boroughs and Urban Districts ...	12,335	11,838	24,173	163	159	322	5,561	5,578	11,139	278	1,747
All Rural Districts:—											
Leinster ...	7,199	6,781	13,980	143	169	312	3,902	3,216	7,118	132	996
Munster ...	6,220	5,991	12,211	125	104	229	4,465	3,671	8,136	161	1,097
Connacht ...	3,646	3,516	7,162	46	42	88	2,850	2,262	5,112	77	613
Ulster (part of)	1,935	1,781	3,716	49	32	81	1,577	1,229	2,806	48	366
Total—Rural Districts ...	19,000	18,069	37,069	363	347	710	12,794	10,378	23,172	418	3,072
Total ...	31,335	29,907	61,242	526	506	1,032	18,355	15,956	34,311	696	4,819

TABLE 16.—BIRTH AND DEATH RATES IN 1957 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death Rate per 1,000 Population		
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms
Dublin County Borough	23.39	1.76	10.35	0.26	1.72
Cork County Borough	21.61	1.04	12.41	0.35	2.00
Limerick County Borough	27.39	0.50	9.30	0.35	1.41
Waterford County Borough	22.44	0.93	11.05	0.28	1.56
Dun Laoghaire Borough	21.74	1.06	11.63	0.08	1.87
Galway Borough	21.68	0.87	8.95	0.24	1.65
Dundalk U.D.	20.94	0.95	10.42	0.25	1.49
Drogheda „	24.05	0.49	9.58	0.18	1.12
Sligo „	22.86	0.34	11.43	0.23	0.93
Tralee „	20.31	0.90	12.54	0.55	1.28
Bray „	24.41	0.38	11.05	0.28	1.84
Wexford „	25.93	0.36	14.02	0.37	1.94
Clonmel „	24.12	0.39	10.84	0.09	1.59
Kilkenny „	27.34	0.34	12.54	0.28	1.60
Total above Principal Towns	23.31	1.38	10.66	0.27	1.70
All other Urban Districts	20.81	1.07	9.99	0.25	1.44
All Boroughs and Urban Districts :—					
Leinster	23.48	1.57	10.50	0.26	1.69
Munster	22.26	0.86	11.17	0.30	1.64
Connacht	19.81	4.68	9.14	0.20	1.28
Ulster (part of)	17.98	2.41	8.01	0.13	1.56
Total—Boroughs and Urban Districts	22.87	1.33	10.54	0.26	1.65
All Rural Districts :—					
Leinster	22.64	2.23	11.53	0.21	1.61
Munster	19.91	1.88	13.26	0.26	1.79
Connacht	18.48	1.23	13.19	0.20	1.58
Ulster (part of)	17.73	2.18	13.39	0.23	1.75
Total—Rural Districts	20.28	1.92	12.68	0.23	1.68
Total	21.23	1.69	11.89	0.24	1.67

TABLE 17.—DEATHS REGISTERED IN 1957 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Under 1 year ...	778	448	330	1,249	725	524	2,027	1,173	854
1 year ...	49	29	20	96	58	38	145	87	58
2 years ...	33	15	18	57	36	21	90	51	39
3 „ ...	19	11	8	28	15	13	47	26	21
4 „ ...	18	7	11	27	15	12	45	22	23
1-4 „ ...	119	62	57	208	124	84	327	186	141
5 „ ...	14	10	4	22	12	10	36	22	14
6 „ ...	11	5	6	14	7	7	25	12	13
7 „ ...	17	10	7	24	11	13	41	21	20
8 „ ...	17	6	11	17	12	5	34	18	16
9 „ ...	9	4	5	14	5	9	23	9	14
5-9 „ ...	68	35	33	91	47	44	159	82	77
10 „ ...	8	6	2	15	8	7	23	14	9
11 „ ...	8	6	2	12	7	5	20	13	7
12 „ ...	14	8	6	17	11	6	31	19	12
13 „ ...	4	.	4	7	7	.	11	7	4
14 „ ...	10	10	.	14	8	6	24	18	6
10-14 „ ...	44	30	14	65	41	24	109	71	38
15 „ ...	11	5	6	13	6	7	24	11	13
16 „ ...	7	3	4	15	9	6	22	12	10
17 „ ...	13	4	9	14	10	4	27	14	13
18 „ ...	13	5	8	22	15	7	35	20	15
19 „ ...	9	5	4	20	12	8	29	17	12
15-19 „ ...	53	22	31	84	52	32	137	74	63
20 „ ...	19	12	7	17	4	13	36	16	20
21 „ ...	12	4	8	16	15	1	28	19	9
22 „ ...	10	7	3	12	9	3	22	16	6
23 „ ...	12	8	4	22	12	10	34	20	14
24 „ ...	12	5	7	30	15	15	42	20	22
20-24 „ ...	65	36	29	97	55	42	162	91	71
25 „ ...	17	8	9	18	12	6	35	20	15
26 „ ...	20	11	9	22	12	10	42	23	19
27 „ ...	13	8	5	29	12	17	42	20	22
28 „ ...	13	7	6	29	21	8	42	28	14
29 „ ...	17	10	7	29	13	16	46	23	23
25-29 „ ...	80	44	36	127	70	57	207	114	93
30 „ ...	23	16	7	34	19	15	57	35	22
31 „ ...	12	5	7	26	12	14	38	17	21
32 „ ...	23	14	9	35	18	17	58	32	26
33 „ ...	17	6	11	33	17	16	50	23	27
34 „ ...	26	12	14	41	23	18	67	35	32
30-34 „ ...	101	53	48	169	89	80	270	142	128

TABLE 17—(contd.)—DEATHS REGISTERED IN 1957 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years ...	28	14	14	42	22	20	70	36	34
36 „ ...	30	12	18	56	29	27	86	41	45
37 „ ...	26	11	15	52	25	27	78	36	42
38 „ ...	41	9	32	55	26	29	96	35	61
39 „ ...	34	16	18	51	30	21	85	46	39
35-39 „ ...	159	62	97	256	132	124	415	194	221
40 „ ...	26	10	16	86	43	43	112	53	59
41 „ ...	34	16	18	64	35	29	98	51	47
42 „ ...	59	30	29	87	46	41	146	76	70
43 „ ...	65	37	28	80	46	34	145	83	62
44 „ ...	44	23	21	78	44	34	122	67	55
40-44 „ ...	228	116	112	395	214	181	623	330	293
45 „ ...	61	29	32	98	57	41	159	86	73
46 „ ...	60	32	28	111	63	48	171	95	76
47 „ ...	74	43	31	121	72	49	195	115	80
48 „ ...	81	37	44	112	71	41	193	108	85
49 „ ...	82	51	31	112	68	44	194	119	75
45-49 „ ...	358	192	166	554	331	223	912	523	389
50 „ ...	100	64	36	199	123	76	299	187	112
51 „ ...	70	42	28	115	47	68	185	89	96
52 „ ...	105	57	48	151	78	73	256	135	121
53 „ ...	111	66	45	151	83	68	262	149	113
54 „ ...	106	63	43	184	108	76	290	171	119
50-54 „ ...	492	292	200	800	439	361	1,292	731	561
55 „ ...	121	80	41	175	97	78	296	177	119
56 „ ...	181	108	73	233	137	96	414	245	169
57 „ ...	171	102	69	251	152	99	422	254	168
58 „ ...	156	92	64	247	146	101	403	238	165
59 „ ...	175	116	59	209	130	79	384	246	138
55-59 „ ...	804	498	306	1,115	662	453	1,919	1,160	759
60 „ ...	230	125	105	366	229	137	596	354	242
61 „ ...	150	83	67	238	139	99	388	222	166
62 „ ...	191	112	79	292	161	131	483	273	210
63 „ ...	226	129	97	307	177	130	533	306	227
64 „ ...	215	128	87	321	185	136	536	313	223
60-64 „ ...	1,012	577	435	1,524	891	633	2,536	1,468	1,068
65 „ ...	274	163	111	470	279	191	744	442	302
66 „ ...	193	101	92	343	208	135	536	309	227
67 „ ...	245	140	105	382	244	138	627	384	243
68 „ ...	231	100	131	498	307	191	729	407	322
69 „ ...	257	135	122	509	326	183	766	461	305
65-69 „ ...	1,200	639	561	2,202	1,364	838	3,402	2,003	1,399

TABLE 17.—(contd.)—DEATHS REGISTERED IN 1957 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND
IN THE AGGREGATE RURAL DISTRICTS

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years ...	325	164	161	622	349	273	947	513	434
71 „ ...	277	143	134	488	276	212	765	419	346
72 „ ...	321	173	148	707	371	336	1,028	544	484
73 „ ...	342	163	179	708	381	327	1,050	544	506
74 „ ...	386	189	197	728	373	355	1,114	562	552
70-74 „ ...	1,651	832	819	3,253	1,750	1,503	4,904	2,582	2,322
75 „ ...	394	189	205	864	490	374	1,258	679	579
76 „ ...	358	140	218	863	451	412	1,221	591	630
77 „ ...	336	147	189	761	448	313	1,097	595	502
78 „ ...	323	142	181	896	491	405	1,219	633	586
79 „ ...	241	121	120	704	387	317	945	508	437
75-79 „ ...	1,652	739	913	4,088	2,267	1,821	5,740	3,006	2,734
80 „ ...	362	146	216	992	537	455	1,354	683	671
81 „ ...	235	98	137	686	363	323	921	461	460
82 „ ...	286	119	167	759	399	360	1,045	518	527
83 „ ...	236	94	142	649	345	304	885	439	446
84 „ ...	244	100	144	727	402	325	971	502	469
80-84 „ ...	1,363	557	806	3,813	2,046	1,767	5,176	2,603	2,573
85 „ ...	206	85	121	641	340	301	847	425	422
86 „ ...	180	65	115	557	261	296	737	326	411
87 „ ...	143	49	94	451	233	218	594	282	312
88 „ ...	92	25	67	322	162	160	414	187	227
89 „ ...	67	32	35	228	115	113	295	147	148
85-89 „ ...	688	256	432	2,199	1,111	1,088	2,887	1,367	1,520
90 „ ...	68	26	42	261	120	141	329	146	183
91 „ ...	36	16	20	164	72	92	200	88	112
92 „ ...	27	7	20	135	53	82	162	60	102
93 „ ...	29	9	20	92	48	44	121	57	64
94 „ ...	18	7	11	61	25	36	79	32	47
90-94 „ ...	178	65	113	713	318	395	891	383	508
95 „ ...	16	1	15	57	19	38	73	20	53
96 „ ...	13	.	13	42	22	20	55	22	33
97 „ ...	7	2	5	27	7	20	34	9	25
98 „ ...	2	.	2	14	6	8	16	6	10
99 „ ...	5	3	2	15	7	8	20	10	10
95-99 „ ...	43	6	37	155	61	94	198	67	131
100 years and over	3	.	3	15	5	10	18	5	13
Total ...	11,139	5,561	5,578	23,172	12,794	10,378	34,311	18,355	15,956

TABLE 18.—DEATHS REGISTERED IN 1957 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,355	1,173	87	51	26	22	1,359	82	71	74	91	114
	Females	15,956	854	58	39	21	23	995	77	38	63	71	93
LEINSTER	Males	7,666	627	40	19	11	11	708	46	37	30	49	51
	Females	7,007	433	30	15	9	11	498	37	18	27	33	52
MUNSTER	Males	5,933	310	27	15	8	5	365	25	18	23	30	33
	Females	5,109	240	20	16	11	7	294	25	11	25	26	21
CONNACHT	Males	3,086	155	13	9	6	2	185	9	7	12	6	16
	Females	2,519	123	7	4	1	2	137	11	5	5	7	15
ULSTER (part of)	Males	1,670	81	7	8	1	4	101	2	9	9	6	14
	Females	1,321	58	1	4	.	3	66	4	4	6	5	5
LEINSTER Carlow	Males	199	14	2	1	2	1	20	1	2	.	.	3
	Females	187	8	.	.	.	.	8	.	1	.	1	2
Dublin County Borough	Males	2,796	247	15	9	7	4	282	19	14	13	15	19
	Females	2,789	174	14	6	4	8	206	16	7	13	13	21
Dun Laoghaire Borough	Males	244	13	1	.	.	.	14	2	.	.	1	2
	Females	309	21	1	2	1	.	25	1	1	2	1	.
Dublin County (remainder)	Males	500	63	4	.	.	2	69	3	5	.	3	3
	Females	471	41	3	.	.	1	45	1	1	1	3	4
Kildare	Males	402	50	1	1	.	.	52	5	2	2	4	2
	Females	304	13	2	1	.	.	16	2	4	3	2	4
Kilkenny	Males	421	23	2	.	.	.	25	4	1	2	6	2
	Females	369	18	.	1	1	.	20	4	1	.	.	1
Laois	Males	356	24	1	.	.	1	26	.	1	3	4	5
	Females	249	19	.	1	.	.	20	.	.	.	2	1
Longford	Males	256	5	.	.	1	.	6	1	.	2	.	1
	Females	192	8	2	1	.	.	11	1	1	.	.	1
Louth	Males	431	27	2	2	.	.	31	4	5	1	2	4
	Females	375	29	.	.	.	1	30	2	.	4	1	2
Meath	Males	399	31	2	1	.	.	34	.	.	.	3	3
	Females	359	21	3	.	.	.	24	.	1	1	1	5
Offaly	Males	358	36	1	1	.	1	39	1	2	1	2	.
	Females	272	18	.	2	.	1	21	4	1	.	2	2
Westmeath	Males	363	31	4	2	.	.	37	3	.	1	1	1
	Females	300	19	3	1	.	.	23	3	.	1	.	2
Wexford	Males	587	42	2	.	1	1	46	1	2	2	6	6
	Females	522	27	2	.	2	.	31	3	.	1	2	6
Wicklow	Males	354	21	3	2	.	1	27	2	3	3	2	.
	Females	309	17	.	.	1	.	18	.	.	1	5	1

FOR EACH COUNTY AND COUNTY BOROUGH

Death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
142	194	330	523	731	1,160	1,468	2,003	2,582	3,006	2,603	1,822	Males	
128	221	293	389	561	759	1,068	1,399	2,322	2,734	2,573	2,172	Females	
64	84	151	240	355	565	668	878	1,059	1,137	943	601	Males	LEINSTER
56	105	134	200	247	381	511	660	1,060	1,125	1,056	807	Females	
48	65	100	177	225	343	487	652	871	1,028	861	582	Males	MUNSTER
39	68	88	111	188	227	347	456	762	892	814	715	Females	
19	29	49	66	99	159	204	300	411	518	547	450	Males	CONNACHT
18	31	45	51	67	98	129	157	326	476	484	457	Females	
11	16	30	40	52	93	109	173	241	323	252	189	Males	ULSTER (part of)
15	17	26	27	59	53	81	126	174	241	219	193	Females	
2	1	4	5	7	18	13	23	19	31	33	17	Males	LEINSTER Carlow
4	4	4	5	7	11	11	15	38	23	28	25	Females	
26	32	63	95	163	262	303	319	398	355	266	152	Males	Dublin County Borough
18	47	49	85	95	148	226	287	422	432	398	306	Females	
4	1	6	10	8	21	17	35	38	42	20	23	Males	Dun Laoghaire Borough
2	3	7	9	13	14	15	32	36	47	56	45	Females	
7	10	9	16	26	30	38	58	63	70	65	25	Males	Dublin County (remainder)
6	7	13	17	25	21	31	36	71	63	68	58	Females	
1	5	7	11	25	23	34	37	44	56	42	50	Males	Kildare
6	6	8	12	17	14	22	18	48	51	45	26	Females	
1	3	8	9	17	24	33	38	58	80	66	44	Males	Kilkenny
4	6	6	8	10	29	24	30	58	63	68	37	Females	
2	3	7	9	11	15	21	43	44	66	53	43	Males	Laois
2	2	5	8	5	10	16	17	31	53	39	38	Females	
1	2	4	10	13	12	19	28	40	39	56	22	Males	Longford
	1	4	3	2	9	14	19	24	34	33	35	Females	
3	5	6	13	17	24	38	59	68	59	59	33	Males	Louth
3	6	11	14	6	14	26	38	67	65	47	39	Females	
4	4	8	16	13	19	26	52	57	67	56	37	Males	Meath
1	8	5	7	11	26	26	34	61	61	53	34	Females	
2	2	6	7	10	20	24	38	59	52	61	32	Males	Offaly
3	8	2	7	10	17	20	27	39	41	41	27	Females	
4	6	7	10	14	28	23	39	45	56	44	44	Males	Westmeath
1		5	6	11	17	25	32	41	49	51	33	Females	
3	6	11	20	19	40	43	67	78	105	89	43	Males	Wexford
5	6	8	10	21	24	31	42	85	94	85	68	Females	
4	4	5	9	12	29	36	42	48	59	33	36	Males	Wicklow
1	1	7	9	14	27	24	33	39	49	44	36	Females	

TABLE 18—(contd.)—DEATHS REGISTERED IN 1957 CLASSIFIED BY SEX AND AGE

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER Clare	Males	517	32	2	1	.	.	35	1	3	2	2	4
	Females	439	22	1	.	3	.	26	4	.	1	1	2
Cork County Borough	Males	489	22	2	.	.	.	24	3	2	3	4	3
	Females	504	20	4	1	1	.	26	4	3	3	1	1
Cork County	Males	1,801	73	5	8	6	1	93	7	4	7	13	12
	Females	1,569	57	3	6	3	2	71	4	4	12	9	8
Kerry	Males	873	49	7	.	.	1	57	4	3	3	1	4
	Females	682	36	3	1	2	2	44	5	1	.	5	.
Limerick County Borough	Males	251	17	1	1	.	.	19	.	.	2	3	2
	Females	222	16	1	1	.	1	19	.	.	2	2	1
Limerick County	Males	580	25	2	2	1	1	31	1	3	2	3	2
	Females	488	27	4	3	.	1	35	3	.	2	2	5
Tipperary, North Riding	Males	406	24	3	3	1	.	31	3	1	1	.	2
	Females	339	17	1	.	.	1	19	2	2	1	3	2
Tipperary, South Riding	Males	529	44	2	.	.	1	47	2	.	2	2	2
	Females	435	27	2	1	.	.	30	2	1	2	1	1
Waterford County Borough	Males	164	9	2	.	.	.	11	2	2	.	.	1
	Females	155	6	.	3	1	.	10	.	.	.	2	1
Waterford County	Males	323	15	1	.	.	1	17	2	.	1	2	1
	Females	276	12	1	.	1	.	14	1	.	2	.	.
CONNACHT													
Galway	Males	995	54	4	6	2	1	67	4	5	5	1	4
	Females	751	47	.	.	.	1	48	2	.	2	4	4
Leitrim	Males	287	18	1	1	.	.	20	1	1	.	1	.
	Females	220	7	.	.	.	.	7	1	.	.	.	1
Mayo	Males	935	55	5	2	1	1	64	3	1	5	2	7
	Females	749	31	3	4	1	1	40	5	2	3	1	4
Roscommon	Males	452	12	1	.	2	.	15	1	.	1	2	1
	Females	406	15	3	.	.	.	18	.	3	.	1	1
Sligo	Males	417	16	2	.	1	.	19	.	.	1	.	4
	Females	393	23	1	.	.	.	24	3	.	.	1	5
ULSTER (part of)													
Cavan	Males	469	20	1	3	.	1	25	.	2	2	1	3
	Females	344	10	.	2	.	.	12	.	2	3	1	.
Donegal	Males	825	43	4	2	1	3	53	1	6	7	4	7
	Females	692	31	1	2	.	3	37	4	2	3	3	4
Monaghan	Males	376	18	2	3	.	.	23	1	1	.	1	4
	Females	285	17	.	.	.	.	17	.	.	.	1	1

FOR EACH COUNTY AND COUNTY BOROUGH

Death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
4	9	11	14	8	24	44	52	71	78	79	76	Males MUNSTER
4	10	4	10	17	13	26	27	68	70	78	78	Females Clare
3	5	10	16	28	54	50	54	92	65	44	29	Males Cork County
7	5	9	12	23	33	37	57	71	107	67	38	Females Cork County
16	26	29	39	72	95	141	210	254	319	288	176	Males Cork County
10	14	27	32	53	53	102	141	250	267	254	258	Females
7	7	15	25	29	43	67	94	113	170	131	100	Males Kerry
4	11	11	14	20	19	50	56	95	122	125	100	Females
4	3	6	16	9	21	27	22	39	35	29	14	Males Limerick County
2	6	5	8	10	14	17	27	32	39	21	17	Females Limerick County
6	5	11	29	17	25	41	70	86	107	82	59	Males Limerick County
6	6	10	10	24	28	22	39	72	82	73	69	Females
3	5	6	13	21	27	32	45	65	62	59	30	Males Tipperary, North
2	7	9	6	12	18	27	29	44	53	63	40	Females Riding
2	3	9	9	24	25	43	51	85	95	74	54	Males Tipperary, South
1	2	5	9	13	25	30	47	72	72	74	48	Females Riding
		2	2	9	15	17	20	23	27	23	10	Males Waterford County
1	4	5	4	3	10	16	14	20	28	17	20	Females Waterford County
3	2	1	14	8	14	25	34	43	70	52	34	Males Waterford County
2	3	3	6	13	14	20	19	38	52	42	47	Females
8	12	17	18	40	47	71	93	131	159	175	138	Males CONNACHT
6	14	13	17	15	36	44	34	113	135	127	137	Females Galway
2	3	1	7	12	6	17	35	47	49	51	34	Males Leitrim
1	6	5	5	10	9	8	15	29	39	48	36	Females
4	7	17	20	26	51	63	83	117	152	155	158	Males Mayo
6	1	16	15	19	25	35	51	80	153	153	140	Females
3	3	7	12	7	32	28	44	71	84	85	56	Males Roscommon
1	4	7	11	12	13	24	29	53	72	75	82	Females
2	4	7	9	14	23	25	45	45	74	81	64	Males Sligo
4	6	4	3	11	15	18	28	51	77	81	62	Females
3	4	10	10	13	30	33	43	74	85	74	57	Males ULSTER (part of)
6	1	8	4	16	21	24	38	37	67	55	49	Females Cavan
6	7	14	19	23	40	53	91	110	159	127	98	Males Donegal
7	13	12	16	27	20	37	57	89	124	125	112	Females
2	5	6	11	16	23	23	39	57	79	51	34	Males Monaghan
2	3	6	7	16	12	20	31	48	50	39	32	Females

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
74 68	91 71	114 93	142 128	194 221	330 293	523 389	731 561	1,160 759	1,468 1,068	2,003 1,399	2,582 2,322	3,006 2,734	2,603 2,573	1,822 2,172	
8 7	13 14	23 15	22 23	37 30	38 22	45 22	49 24	57 22	57 27	47 18	37 13	24 12	6 5	3 1	001-138
6 5	12 13	22 14	21 20	33 28	34 21	41 19	45 21	50 20	53 24	40 15	33 13	21 10	4 4	1 1	001-019
.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	001
2 2	7 9	19 13	16 15	32 24	30 18	34 15	40 18	47 17	50 20	39 14	32 12	19 8	3 4	1 1	002
.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	003
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	004
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	007
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	008
1	1	1	1	1	1	3	.	1	1	.	.	.	.	.	010
.	1	.	.	1	2	1	.	1	.	1	.	.	.	.	011
2 2	.	1	.	2	.	2	1	.	1	.	1	.	1	.	012
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	013
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	015
.	.	1	1	.	.	1	2	.	1	.	.	.	.	.	016
.	.	1	3	1	1	1	1	.	.	.	.	.	.	.	017
.	.	.	1	.	.	1	1	.	1	.	.	.	.	.	018
1	1	.	1	.	1	.	.	.	.	.	.	1	.	.	019
.	.	.	.	.	.	.	1	3	1	1	.	1	.	.	022
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	023
.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	024
.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	025
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	026
.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	029
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	042
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	044
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	045
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	048
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	050
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	052

DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	053
.	.	.	.	.	1	1	.	1	.	.	.	.	1	.	054
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	055
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	057
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	061
.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	063
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	070
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	072
.	.	.	.	.	.	1	1	.	2	1	.	1	.	.	080
1	1	.	2	2	1	1	1	.	.	.	.	.	.	.	082
1	.	.	1	1	.	1	1	.	.	.	.	.	.	.	083
.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	085
.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	087
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	092
.	.	.	.	.	.	1	1	1	1	.	.	1	.	1	093
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	096
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	116
.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	130
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	132
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	134
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	138
.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	140-239
17	12	7	18	30	59	127	180	297	310	402	432	366	241	118	140-239
6	11	7	25	45	95	147	186	236	289	273	357	309	185	101	140-239
16	10	7	17	28	57	121	175	293	304	397	426	355	232	111	140-205
6	10	6	25	42	91	144	183	230	280	271	347	303	180	99	140-205
.	.	.	.	.	.	1	.	5	1	1	11	6	6	8	140
.	.	.	.	.	.	.	.	.	.	1	2	1	.	1	140
.	.	.	2	.	.	.	1	5	6	6	10	4	4	2	141
.	.	.	.	.	.	.	.	2	1	2	1	1	.	.	141

TABLE 19—(contd.)—DEATHS IN 1957, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
142	Malignant neoplasm of salivary gland	M	7	•	•	•	•	•	•	•	•
		F	4	•	•	•	•	•	•	•	•
143	Malignant neoplasm of floor of mouth	M	7	•	•	•	•	•	•	•	•
		F	2	•	•	•	•	•	•	•	•
144	Malignant neoplasm of other parts of mouth and of mouth unspecified	M	18	•	•	•	•	•	•	•	•
		F	4	•	•	•	•	•	•	•	•
145	Malignant neoplasm of oral mesopharynx	M	15	•	•	•	•	•	•	•	•
		F	4	•	•	•	•	•	•	•	•
146	Malignant neoplasm of nasopharynx	M	1	•	•	•	•	•	•	•	•
		F	3	•	•	•	•	•	•	•	•
147	Malignant neoplasm of hypopharynx	M	3	•	•	•	•	•	•	•	•
		F	5	•	•	•	•	•	•	•	•
148	Malignant neoplasm of pharynx, unspecified	M	32	•	•	•	•	•	•	•	•
		F	13	•	•	•	•	•	•	•	•
150	Malignant neoplasm of oesophagus	M	80	•	•	•	•	•	•	•	•
		F	71	•	•	•	•	•	•	•	•
151	Malignant neoplasm of stomach	M	599	•	•	•	•	•	•	•	•
		F	427	•	•	•	•	•	•	•	•
152	Malignant neoplasm of small intestine, including duodenum	M	9	•	•	•	•	•	•	•	•
		F	5	•	•	•	•	•	•	•	•
153	Malignant neoplasm of large intestine, except rectum	M	227	•	•	•	•	•	•	•	1
		F	239	•	•	•	•	•	•	•	•
154	Malignant neoplasm of rectum	M	168	•	•	•	•	•	•	•	•
		F	95	•	•	•	•	•	•	•	•
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	14	•	•	•	•	•	•	•	•
		F	48	•	•	•	•	•	•	•	•
156	Malignant neoplasm of liver (secondary and unspecified)	M	58	•	•	•	•	•	•	•	•
		F	55	•	•	•	•	•	•	•	•
157	Malignant neoplasm of pancreas	M	114	•	•	•	•	•	•	•	•
		F	109	•	•	•	•	•	•	•	•
158	Malignant neoplasm of peritoneum	M	8	•	•	•	•	•	•	•	•
		F	8	•	•	•	•	•	•	•	•
159	Malignant neoplasm of unspecified digestive organs	M	3	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•	•
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	9	•	•	•	•	•	•	•	•
		F	9	•	•	•	•	•	•	•	•
161	Malignant neoplasm of larynx	M	59	•	•	•	•	•	•	•	•
		F	14	•	•	•	•	•	•	•	•
162	Malignant neoplasm of trachea and of bronchus and lung specified as primary	M	90	•	•	•	•	•	•	•	•
		F	26	•	•	•	•	•	•	•	•
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	M	300	•	•	•	•	•	•	•	•
		F	107	•	1	•	•	•	1	•	•
164	Malignant neoplasm of mediastinum	M	7	•	•	•	•	•	•	•	•
		F	2	•	•	•	•	•	•	•	•
165	Malignant neoplasm of thoracic organs (secondary)	M	1	•	•	•	•	•	•	•	•
		F	•	•	•	•	•	•	•	•	•
170	Malignant neoplasm of breast	M	•	•	•	•	•	•	•	•	•
		F	373	•	•	•	•	•	•	•	•
171	Malignant neoplasm of cervix uteri	F	47	•	•	•	•	•	•	•	•
172	Malignant neoplasm of corpus uteri	F	9	•	•	•	•	•	•	•	•
174	Malignant neoplasm of uterus, unspecified	F	115	•	•	•	•	•	•	•	•
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	85	•	•	•	•	•	•	•	•

DETAILED LIST, 6TH REVISION 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	1	.	2	.	3	.	1	142
.	.	.	.	.	1	.	.	.	.	.	.	2	1	.	143
.	.	.	.	.	.	.	1	1	2	6	2	3	1	2	144
.	.	.	.	.	.	.	1	.	3	4	5	.	2	.	145
.	.	.	.	.	.	.	.	.	3	3	.	1	.	.	146
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	147
.	1	.	.	.	.	.	.	1	.	.	2	.	.	.	148
.	.	.	.	1	.	.	1	3	3	3	8	6	6	1	149
.	.	.	.	.	.	.	2	2	5	.	1	.	1	2	150
.	.	1	.	.	.	5	6	7	12	16	13	12	6	2	151
.	.	.	1	2	2	5	5	10	7	6	13	7	11	2	152
.	.	.	3	5	10	22	53	73	71	102	108	89	45	18	153
.	1	.	1	1	9	18	27	31	49	50	92	86	43	19	154
.	.	.	.	.	1	1	1	2	.	2	1	1	.	.	155
.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	156
.	.	.	.	.	5	10	11	13	31	39	45	38	22	12	157
.	.	.	2	.	6	9	18	20	38	24	36	40	26	20	158
1	.	.	.	2	3	5	7	12	14	29	29	34	20	12	159
.	.	.	1	1	6	3	5	9	14	11	17	13	9	6	160
.	.	.	1	3	1	2	4	5	2	2	5	.	1	1	161
.	.	.	.	.	.	.	.	.	5	6	10	5	5	1	162
.	.	.	1	.	1	2	5	4	7	6	14	10	6	2	163
.	.	1	.	.	.	3	4	6	6	14	8	8	4	1	164
.	.	.	.	2	6	4	5	18	10	18	21	13	12	5	165
.	.	.	.	.	1	3	5	13	12	23	24	16	9	3	166
1	.	.	.	.	.	2	1	1	1	1	.	1	.	.	167
.	.	.	.	.	1	1	.	.	2	1	1	1	1	.	168
.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	169
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	170
.	1	.	.	.	.	.	.	1	.	3	2	1	.	2	171
.	.	.	.	.	.	.	.	.	2	.	3	2	1	.	172
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	173
.	.	.	1	2	10	8	13	14	16	12	17	8	11	3	174
.	2	.	.	3	6	10	9	19	10	11	4	9	1	1	175

TABLE 19—(contd.)—DEATHS IN 1957, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
176	Malignant neoplasm of other and unspecified female genital organs	F	16	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	183	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	12	.	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs	M	7	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	31	.	.	1	.	.	1	1	.
		F	19	.	1	1	1	.	3	1	.
181	Malignant neoplasm of bladder and other urinary organs	M	58	.	.	.	.	.	.	.	.
		F	28	.	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M	7	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	52	.	.	.	.	.	.	.	.
		F	34	.	.	.	.	.	.	.	.
192	Malignant neoplasm of eye	M	6	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	29	.	.	.	.	.	.	2	.
		F	31	1	.	2	.	.	3	3	.
194	Malignant neoplasm of thyroid gland	M	6	.	.	.	.	.	.	.	.
		F	22	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
196	Malignant neoplasm of bone (including jaw bone)	M	37	.	.	.	.	.	.	1	.
		F	32	.	.	.	.	.	.	1	.
197	Malignant neoplasm of connective tissue	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	10	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	92	.	.	.	.	.	.	.	.
		F	84	.	.	.	.	.	.	1	.
200	Lymphosarcoma and reticulosarcoma	M	15	.	.	.	.	.	.	1	.
		F	11	.	.	.	.	.	.	.	.
201	Hodgkin's disease	M	30	.	.	.	.	.	.	.	1
		F	11	.	.	.	.	.	.	1	1
202	Other forms of lymphoma (reticulosis)	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma)	M	17	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia	M	67	1	2	4	2	3	12	6	2
		F	39	3	2	.	1	1	7	2	1
210	Benign neoplasm of buccal cavity and pharynx	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M	5	1	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
214	Uterine fibromyoma	F	4	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	4	.	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M	7	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
225	Benign neoplasm of bone and cartilage	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

DETAILED LIST, 6TH REVISION 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	1	.	2	.	3	.	1	142
.	.	.	.	.	1	.	.	.	.	.	.	2	1	.	143
.	.	.	.	.	.	.	.	.	1	.	2	2	2	1	144
.	.	.	.	.	.	.	1	1	2	6	2	3	1	2	145
.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	146
.	.	.	.	.	.	.	.	.	3	4	5	.	2	.	147
.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	148
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	149
.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	150
.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	151
.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	152
.	.	.	.	1	.	.	1	3	3	3	8	6	6	1	153
.	.	.	.	.	.	.	2	2	5	.	1	.	1	2	154
.	.	1	.	.	.	5	6	7	12	16	13	12	6	2	155
.	.	.	1	2	2	5	5	10	7	6	13	7	11	2	156
.	.	.	3	5	10	22	53	73	71	102	108	89	45	18	157
.	1	.	1	1	9	18	27	31	49	50	92	86	43	19	158
.	.	.	.	.	1	1	1	2	.	2	1	1	.	.	159
.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	160
.	.	.	.	.	5	10	11	13	31	39	45	38	22	12	161
.	.	.	2	.	6	9	18	20	38	24	36	40	26	20	162
1	.	.	.	2	3	5	7	12	14	29	29	34	20	12	163
.	.	.	1	1	6	3	5	9	14	11	17	13	9	6	164
.	.	.	.	.	.	1	1	1	2	2	5	.	1	1	165
.	.	.	1	3	1	2	4	5	5	6	10	5	5	1	166
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	167
.	.	.	1	.	1	2	5	4	7	6	14	10	6	2	168
.	.	1	.	.	.	3	4	6	6	14	8	8	4	1	169
.	.	.	.	2	6	4	5	18	10	18	21	13	12	5	170
.	.	.	.	.	1	3	5	13	12	23	24	16	9	3	171
1	.	.	.	.	.	2	1	1	1	1	.	1	.	.	172
.	.	.	.	.	1	1	.	.	2	1	1	1	1	.	173
.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	174
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	175
.	1	.	.	2	3	5	7	12	14	29	29	34	20	12	176
.	.	.	1	1	6	3	5	9	14	11	17	13	9	6	177
.	.	.	.	.	.	1	1	1	2	2	5	.	1	1	178
.	.	.	1	3	1	2	4	5	5	6	10	5	5	1	179
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	180
.	.	.	.	1	1	2	5	4	7	6	14	10	6	2	181
.	.	1	.	.	.	3	4	6	6	14	8	8	4	1	182
.	.	.	.	2	6	4	5	18	10	18	21	13	12	5	183
.	.	.	.	.	1	3	5	13	12	23	24	16	9	3	184
1	.	.	.	.	.	2	1	1	1	1	.	1	.	.	185
.	.	.	.	.	1	1	.	.	2	1	1	1	1	.	186
.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	187
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	188
.	1	.	.	.	.	.	.	1	.	3	2	1	.	2	189
.	1	.	.	.	.	.	.	.	2	.	3	2	1	.	190
.	.	.	.	1	1	1	5	5	10	14	9	9	3	1	191
.	.	.	.	.	1	2	2	2	1	3	.	2	1	.	192
.	.	.	.	2	6	6	10	20	13	11	14	4	3	1	193
.	.	.	.	.	1	2	3	5	5	5	3	1	.	1	194
1	.	.	.	2	6	28	26	57	69	52	34	16	7	2	195
.	.	.	2	1	2	5	10	15	20	9	21	14	6	1	196
.	.	.	.	1	.	2	.	2	2	.	.	.	.	.	197
.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	198
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	199
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	200
.	1	1	8	15	24	37	44	43	49	43	37	34	21	16	201
.	.	1	.	3	4	5	8	8	3	4	7	4	.	.	202
.	.	.	.	.	.	2	1	2	.	1	.	2	.	1	203
.	.	.	1	2	10	8	13	14	16	12	17	8	11	3	204
.	2	.	.	3	6	10	9	19	10	11	4	9	1	1	205

TABLE 19—(contd.)—DEATHS IN 1957, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
176	Malignant neoplasm of other and unspecified female genital organs	F	16	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	183	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	12	.	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs	M	7	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	31	.	.	1	.	.	1	1	.
		F	19	.	1	1	1	.	3	1	.
181	Malignant neoplasm of bladder and other urinary organs	M	58	.	.	.	.	.	.	.	.
		F	28	.	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M	7	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	52	.	.	.	.	.	.	.	.
		F	34	.	.	.	.	.	.	.	.
192	Malignant neoplasm of eye	M	6	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	29	.	.	.	.	.	.	2	.
		F	31	1	.	2	.	.	3	3	.
194	Malignant neoplasm of thyroid gland	M	6	.	.	.	.	.	.	.	.
		F	22	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
196	Malignant neoplasm of bone (including jaw bone)	M	37	.	.	.	.	.	.	1	.
		F	32	.	.	.	.	.	.	1	.
197	Malignant neoplasm of connective tissue	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
198	Secondary and unspecified malig- nant neoplasm of lymph nodes	M	10	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	92	.	.	.	.	.	.	.	.
		F	84	.	.	.	.	.	.	1	.
200	Lymphosarcoma and reticulosarcoma	M	15	.	.	.	.	.	.	1	.
		F	11	.	.	.	.	.	.	.	.
201	Hodgkin's disease	M	30	.	.	.	.	.	.	.	1
		F	11	.	.	.	.	.	.	1	1
202	Other forms of lymphoma (reticulosis)	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma)	M	17	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia	M	67	1	2	4	2	3	12	6	2
		F	39	3	2	.	1	1	7	2	1
210	Benign neoplasm of buccal cavity and pharynx	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M	5	1	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
214	Uterine fibromyoma	F	4	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	4	.	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M	7	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
225	Benign neoplasm of bone and cartilage	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	1	3	1	.	1	7	1	2	.	176
.	.	.	.	.	1	1	4	7	9	28	35	45	40	13	177
.	1	2	3	1	.	2	.	.	1	1	.	1	.	.	178
.	.	.	.	.	.	2	.	.	1	1	2	.	.	1	179
.	.	.	1	.	3	5	4	4	1	7	1	2	1	1	180
.	.	.	1	2	.	1	1	1	2	2	4	3	.	.	181
.	.	.	1	.	.	4	5	5	5	8	11	8	6	3	181
.	.	.	1	.	.	1	.	.	3	4	9	5	3	2	190
.	.	1	1	.	.	1	.	1	.	.	1	1	1	1	190
.	.	.	.	1	.	2	.	.	1	.	1	.	1	.	191
.	.	.	.	.	.	1	3	1	4	3	9	9	13	9	191
.	.	.	.	.	.	.	.	.	1	1	3	9	7	12	191
.	1	.	.	.	.	.	1	1	.	1	1	.	1	.	192
1	1	1	1	1	1	4	4	8	4	1	1	1	.	.	193
.	1	.	.	1	3	6	6	5	1	1	.	.	.	.	193
.	1	.	.	1	.	.	.	2	1	.	1	.	.	.	194
.	.	.	.	.	.	3	1	2	3	6	3	2	2	.	194
.	.	.	2	.	.	1	.	.	.	.	1	.	.	.	195
4	1	.	1	2	1	2	3	3	4	6	4	5	3	.	196
1	.	.	.	.	6	1	1	2	3	3	4	5	2	.	196
.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	197
.	.	.	.	.	.	.	1	2	2	1	2	2	.	.	198
.	.	.	.	.	.	.	1	.	.	.	2	2	1	.	198
.	.	1	.	1	4	2	6	11	5	7	11	18	19	8	199
.	.	.	.	2	2	7	3	10	9	15	9	12	8	5	199
1	1	.	.	.	1	1	1	4	2	1	2	1	.	2	200
2	2	2	3	2	2	1	1	1	.	1	1	1	.	1	200
.	1	1	1	2	2	1	.	4	3	4	1	1	.	.	201
.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	202
.	1	.	.	2	2	.	4	1	1	4	1	1	.	.	203
.	.	.	.	1	.	.	1	.	1	5	1	.	.	.	203
5	2	.	1	2	2	6	3	3	4	6	7	5	1	.	204
3	1	.	2	3	1	3	3	1	3	2	4	2	1	.	204
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	210
.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	211
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	211
.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	214
.	.	.	.	2	.	.	1	.	.	.	.	1	.	.	216
1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	219
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	219
.	1	.	.	.	.	2	1	.	2	.	1	.	.	.	223
.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	223
.	.	.	.	1	.	2	.	1	.	.	.	.	.	.	224
.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	224
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	225
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	225

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
229	Benign neoplasm of other and unspecified organs and tissues	M F	. 1	. .	. .	. 1	. .	. .	. 1	. .	. .
230	Neoplasm of unspecified nature of digestive organs	M F	13 15	. .	. .	. .	. .	. .	. .	. .	. .
231	Neoplasm of unspecified nature of respiratory organs	M F	6 6	. .	. .	. .	. .	. .	. .	. .	. .
234	Neoplasm of unspecified nature of ovary	F	3	.	.	.	.	.	.	.	.
236	Neoplasm of unspecified nature of other genito-urinary organs	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
237	Neoplasm of unspecified nature of brain and other parts of nervous system	M F	19 15	1 .	1 .	. .	. .	. .	2 .	1 2	1 .
239	Neoplasm of unspecified nature of other and unspecified organs	M F	6 3	1 1	. .	. .	. .	. .	1 1	. .	. .
240-289	III—Allergic, endocrine system, metabolic and nutritional diseases	M F	319 302	10 2	2 1	1 2	. 1	1 3	14 9	3 3	1 .
241	Asthma	M F	195 104	2 .	. .	. 1	. 1	1 1	3 3	1 .	. .
250	Simple goitre	M F	1 5	. .	. .	. .	. .	. .	. .	. .	. .
252	Thyrotoxicosis with or without goitre	M F	2 27	. .	. .	. .	. .	. .	. .	. .	. .
253	Myxoedema and cretinism	M F	. 8	. .	. .	. .	. .	. .	. .	. .	. .
254	Other diseases of thyroid gland	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
260	Diabetes mellitus	M F	87 126	. .	. 1	. 1	. .	. 1	. 3	. .	. .
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
272	Diseases of pituitary gland	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. .
273	Diseases of thymus gland	M F	6 3	4 2	2 .	. .	. .	. .	6 2	. .	. .
274	Diseases of adrenal glands	M F	11 7	2 .	. .	. .	. .	. .	2 .	1 1	. .
277	Polyglandular dysfunction and other diseases of endocrine glands	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
286	Other avitaminoses and nutritional deficiency states	M F	9 13	2 .	. .	1 .	. .	. .	3 .	1 1	1 .
287	Obesity not specified as of endocrine origin	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. .
289	Other metabolic diseases	M F	4 2	. .	. .	. .	. .	. 1	. 1	. 1	. .

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	229
.	.	.	.	.	.	.	1	1	.	3	.	2	5	1	230
.	.	.	.	.	.	.	.	1	1	1	6	3	1	2	
.	.	.	.	.	.	.	2	1	.	1	.	2	.	.	231
.	.	.	.	.	1	1	.	2	1	.	.	.	1	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	234
.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	236
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	1	.	1	1	1	2	1	.	3	1	1	2	1	.	237
.	1	1	.	1	2	1	1	.	4	.	1	.	1	.	
.	.	.	.	.	1	.	.	1	.	.	3	.	.	.	239
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
2	.	6	3	5	12	14	24	40	37	51	36	38	24	9	240-289
3	4	6	3	10	14	14	18	30	28	33	50	39	26	12	
1	.	4	3	4	6	10	17	30	29	34	19	18	11	5	241
.	1	3	1	1	3	9	6	19	10	9	13	11	11	4	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	250
.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	
.	1	.	2	3	2	2	3	1	4	.	4	3	2	.	252
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	2	.	1	.	.	.	.	1	1	.	1	2	.	253
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	254
.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
.	.	2	.	1	3	2	2	7	5	16	15	18	12	4	260
1	.	1	.	1	6	1	5	9	11	18	29	21	13	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	270
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	272
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	273
.	.	.	.	.	2	1	3	.	2	.	.	.	.	.	274
.	1	.	.	2	1	1	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	277
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	1	1	1	.	.	.	1	1	.	1	286
1	.	.	.	.	1	1	1	.	2	.	2	3	.	.	
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	287
.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	289

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at									
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	
290-299	IV—Diseases of the Blood and Blood-forming Organs	M F	100 167	2 2	· ·	· ·	· ·	· ·	· ·	2 2	1 1	· ·
290	Pernicious and other hyperchromic anaemias	M F	34 55	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
291	Iron deficiency anaemias (hypochromic anaemias)	M F	2 5	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
292	Other anaemias of specified type	M F	13 12	· 1	· ·	· ·	· ·	· ·	· 1	· ·	1 ·	· ·
293	Anaemia of unspecified type	M F	32 80	1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· 1	· ·
294	Polycythaemia	M F	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
295	Haemophilia	M F	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
296	Purpura and other haemorrhagic conditions	M F	14 7	1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·
297	Agranulocytosis	M F	· 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
298	Diseases of spleen	M F	2 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
299	Other diseases of blood and blood-forming organs	M F	1 3	· 1	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·
300-326	V—Mental, Psychoneurotic and Personality Disorders	M F	45 55	6 17	· 1	1 1	· ·	· ·	· ·	7 19	3 2	2 ·
300	Schizophrenic disorders (dementia praecox)	M F	2 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
301	Manic-depressive reaction	M F	2 4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
304	Senile psychosis	M F	10 11	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
309	Other and unspecified psychoses	M F	7 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
310	Anxiety reaction without mention of somatic symptoms	M F	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
311	Hysterical reaction without mention of anxiety reaction	M F	· 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
318	Psychoneurotic disorders, other, mixed, and unspecified types	M F	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
322	Alcoholism	M F	3 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
323	Other drug addiction	M F	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
325	Mental deficiency	M F	18 32	6 17	· 1	1 1	· ·	· ·	7 19	3 2	2 ·	·
330-398	VI — Diseases of the Nervous System and Sense Organs	M F	2,010 2,437	12 19	3 5	4 3	1 1	1 ·	21 28	7 8	6 5	·
330	Subarachnoid haemorrhage	M F	59 91	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	1 ·
331	Cerebral haemorrhage	M F	730 889	3 ·	1 ·	· 1	· ·	· ·	4 1	· ·	1 ·	·

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1 2	· 3	2 2	4 2	· 3	6 4	5 6	1 3	5 12	10 16	15 18	19 29	17 35	5 19	7 10	290-299
· ·	· ·	· ·	1 ·	· ·	· 2	2 2	· ·	1 3	6 4	6 4	9 15	6 13	2 8	1 4	290
· ·	· 1	1 ·	· ·	· ·	· ·	· 1	· 1	· ·	· ·	1 1	· ·	· 1	· ·	· ·	291
· 1	· ·	· ·	· 1	· 2	2 ·	1 ·	· ·	1 ·	2 3	3 2	2 ·	1 2	· ·	· ·	292
· ·	· 1	· 1	1 ·	· ·	1 2	2 3	· 2	1 6	1 9	5 9	5 12	8 18	2 11	5 5	293
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	· ·	· ·	· ·	· ·	· ·	· ·	294
· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	295
1 1	· ·	· 1	2 ·	· ·	3 ·	· ·	1 ·	1 2	· ·	· ·	2 1	1 1	1 ·	1 1	296
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· 1	· ·	· ·	· ·	297
· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·	· 1	· ·	1 ·	· ·	· ·	298
· ·	· 1	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	299
1 2	1 1	2 1	1 1	1 5	1 ·	1 2	5 3	1 1	2 1	7 3	2 3	5 6	3 2	· 3	300-328
· ·	1 ·	· ·	· ·	2 ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	300
· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	1 ·	· ·	· ·	1 2	· ·	· ·	· ·	· ·	301
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 1	2 1	3 5	3 1	· 3	304
· ·	· ·	· ·	· ·	1 ·	· ·	· 1	1 ·	· ·	2 1	3 ·	· ·	· ·	· ·	· ·	309
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	310
· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	1 ·	· ·	311
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· 1	· ·	· ·	· ·	318
· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	322
· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	323
1 2	· 1	2 1	· 1	· 1	· ·	· 1	2 2	· 1	· ·	· ·	· ·	1 1	· ·	· ·	325
3 11	11 3	10 10	9 7	18 20	28 35	40 57	55 91	126 125	150 177	248 264	364 449	431 505	302 385	181 257	330-398
1 3	2 ·	2 3	1 1	4 6	7 4	6 12	6 10	6 6	9 12	3 19	2 7	3 7	4 1	1 ·	330
· ·	· ·	1 1	2 1	3 3	8 9	18 20	28 48	59 65	62 86	97 102	136 165	153 183	105 127	53 78	331

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
332	Cerebral embolism and thrombosis	M	676	.	1	.	.	.	1	.	.
		F	857	.	.	.	.	.	.	.	.
334	Other and ill-defined vascular lesions affecting central nervous system	M	247	.	.	.	.	.	.	1	.
		F	292	.	.	.	.	.	.	.	1
340	Meningitis, except meningococcal and tuberculous	M	22	9	1	1	.	1	12	2	1
		F	20	10	1	1	1	.	13	.	1
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	1	.	.	.	.	.	.	.	.
		F	2	1	.	.	.	.	1	.	.
342	Intracranial and intraspinal abscess	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
343	Encephalitis, myelitis, and en- cephalomyelitis (except acute infectious)	M	8	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	1	1
344	Late effects of intracranial abscess or pyogenic infection	M	.	.	.	.	.	.	.	.	.
		F	6	1	.	.	.	.	1	1	.
345	Multiple sclerosis	M	33	.	.	.	.	.	.	.	.
		F	46	.	.	.	.	.	.	.	.
350	Paralysis agitans	M	57	.	.	.	.	.	.	.	.
		F	43	.	.	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis	M	7	.	.	1	.	.	1	3	1
		F	8	2	.	1	.	.	3	2	.
352	Other cerebral paralysis	M	99	.	.	.	.	.	.	.	1
		F	114	.	.	.	.	.	.	.	.
353	Epilepsy	M	31	.	.	2	.	.	2	1	1
		F	32	.	1	.	.	.	1	4	1
355	Other diseases of brain	M	8	.	.	.	.	.	.	.	.
		F	8	2	.	.	.	.	2	.	.
356	Motor neurone disease and muscular atrophy	M	14	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
357	Other diseases of spinal cord	M	2	.	.	.	.	.	.	.	.
		F	5	.	1	.	.	.	1	.	.
361	Trigeminal neuralgia	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
363	Sciatica	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
364	Polyneuritis and polyradiculitis	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
367	Other diseases of cranial nerves	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	1
368	Other diseases of peripheral nerves except autonomic	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis	M	4	.	.	.	.	.	.	.	.
		F	5	3	1	.	.	.	4	.	.
393	Mastoiditis without mention of otitis media	M	2	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	1	.	.
400-468	VII—Diseases of the Circulatory System	M	6,777	.	2	1	.	.	3	5	8
		F	5,581	.	.	.	.	.	.	7	1
400	Rheumatic fever without mention of heart involvement	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
401	Rheumatic fever with heart involvement	M	23	.	.	1	.	.	1	3	3
		F	22	.	.	.	.	.	.	5	.

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	1	.	1	.	3	8	34	39	71	134	175	131	78	332
1	.	1	.	1	5	7	16	23	49	90	169	200	174	121	
.	1	.	.	.	2	2	.	10	15	39	49	61	34	33	334
.	.	.	1	1	2	4	5	9	8	29	66	72	54	40	
.	.	1	.	2	.	.	1	1	2	.	.	.	.	.	340
2	.	.	.	.	1	.	.	3	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	341
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	342
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	.	1	1	1	.	2	1	.	.	.	1	343
.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	344
1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	2	1	5	2	4	1	6	1	8	1	2	.	.	345
.	.	2	1	5	6	7	5	6	5	3	3	2	1	.	
.	.	.	.	.	.	.	2	3	5	11	18	10	6	2	350
.	.	.	.	.	2	1	2	2	5	6	10	7	7	1	
.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	351
.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	
.	.	.	1	.	1	.	2	3	6	12	20	21	20	12	352
.	.	.	1	.	.	3	1	5	7	7	24	31	19	16	
1	4	1	3	1	4	4	1	1	3	1	2	1	.	.	353
4	.	2	1	2	5	2	2	1	.	3	2	1	1	.	
.	.	.	.	.	1	.	1	.	2	1	1	.	1	1	355
.	.	.	.	1	1	.	.	1	1	1	.	.	.	1	
.	1	.	.	.	.	1	1	3	1	3	1	2	1	.	356
.	.	.	.	.	.	.	.	.	2	3	1	2	.	.	
.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	357
.	1	.	.	.	.	.	2	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	361
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	363
.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	364
.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	367
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	368
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	1	.	1	1	.	1	.	.	.	.	.	.	.	391
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	393
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
7	10	11	26	38	91	156	250	397	577	788	1,128	1,349	1,174	759	400-468
3	7	18	15	45	56	79	136	218	363	532	959	1,135	1,140	867	
.	.	.	.	1	.	.	1	1	.	1	.	.	.	.	400
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
2	1	.	2	1	4	2	.	2	1	.	.	.	.	1	401
.	2	3	3	2	1	3	1	2	.	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
410	Diseases of mitral valve	M	153	.	.	.	.	.	.	.	.
		F	161	.	.	.	.	.	.	.	.
411	Diseases of aortic valve specified as rheumatic	M	9	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
412	Diseases of tricuspid valve	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
414	Other endocarditis specified as rheumatic	M	15	.	.	.	.	.	.	.	1
		F	24	.	.	.	.	.	.	.	.
415	Other myocarditis specified as rheumatic	M	5	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.
416	Other heart disease specified as rheumatic	M	18	.	.	.	.	.	.	.	.
		F	24	.	.	.	.	.	.	.	1
420	<i>Arteriosclerotic heart disease includ- ing coronary disease</i>	M	2,208	.	.	.	.	.	.	.	.
		F	1,190	.	.	.	.	.	.	.	.
420·0	Arteriosclerotic heart disease	M	40	.	.	.	.	.	.	.	.
		F	26	.	.	.	.	.	.	.	.
420·1	Heart disease specified as involv- ing coronary arteries	M	2,108	.	.	.	.	.	.	.	.
		F	1,135	.	.	.	.	.	.	.	.
420·2	Angina pectoris without mention of coronary disease	M	60	.	.	.	.	.	.	.	.
		F	29	.	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic	M	219	.	.	.	.	.	.	1	.
		F	188	.	.	.	.	.	.	1	.
422	Other myocardial degeneration	M	2,402	.	.	.	.	.	.	.	.
		F	2,395	.	.	.	.	.	.	.	.
430	Acute and subacute endocarditis	M	12	.	.	.	.	.	.	.	1
		F	11	.	.	.	.	.	.	1	.
431	Acute myocarditis not specified as rheumatic	M	9	.	1	.	.	.	1	.	1
		F	6	.	.	.	.	.	.	.	.
433	Functional disease of heart	M	278	.	.	.	.	.	.	.	1
		F	277	.	.	.	.	.	.	.	.
434	Other and unspecified disease of heart	M	379	.	.	.	.	.	.	1	1
		F	302	.	.	.	.	.	.	.	.
440	Essential benign hypertension with heart disease	M	2	.	.	.	.	.	.	.	.
		F		.	.	.	.	.	.	.	.
441	Essential malignant hypertension with heart disease	M	6	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
443	Other and unspecified hyperten- sive heart disease	M	239	.	.	.	.	.	.	.	.
		F	291	.	.	.	.	.	.	.	.
444	Essential benign hypertension without mention of heart	M	155	.	.	.	.	.	.	.	.
		F	158	.	.	.	.	.	.	.	.
445	Essential malignant hypertension without mention of heart	M	32	.	.	.	.	.	.	.	.
		F	19	.	.	.	.	.	.	.	.
446	Hypertension with arteriolar nephrosclerosis without men- tion of heart	M	17	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.
447	Other hypertensive disease with- out mention of heart	M	55	.	.	.	.	.	.	.	.
		F	47	.	.	.	.	.	.	.	.
450	General arteriosclerosis	M	403	.	.	.	.	.	.	.	.
		F	317	.	.	.	.	.	.	.	.
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M	21	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.
452	Other aneurysm, except of heart aorta	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
453	Peripheral vascular disease	M	5	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
454	Arterial embolism and thrombosis	M	9	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
455	Gangrene of unspecified cause	M	37	.	.	.	.	.	.	.	.
		F	28	.	.	.	.	.	.	.	.

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	3	3	6	3	6	8	14	12	14	20	22	25	11	6	410
.	1	3	2	14	12	13	16	14	10	18	15	23	13	7	
.	.	.	.	1	2	1	2	.	1	2	.	.	.	.	411
.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	412
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	3	2	.	1	2	.	2	.	2	414
.	.	3	2	2	2	2	2	3	1	3	1	1	2	.	
.	.	.	.	.	.	2	.	.	.	.	1	1	1	.	415
.	.	.	.	.	.	.	2	1	1	2	4	2	2	3	
.	1	.	1	3	1	2	2	1	3	.	.	2	1	1	416
.	.	.	3	2	3	2	2	1	2	2	2	1	3	.	
1	2	1	6	13	48	79	146	235	321	371	386	345	174	80	420
2	1	2	2	12	16	20	42	74	142	171	238	235	153	80	
.	.	.	.	.	.	.	1	3	2	7	9	6	7	5	420.0
.	.	.	.	.	.	.	2	1	1	.	6	4	8	4	
1	2	1	6	13	48	78	142	229	309	351	367	327	162	72	420.1
2	1	2	2	11	16	20	39	72	139	170	222	225	138	76	
.	.	.	.	.	.	1	3	3	10	13	10	12	5	3	420.2
.	.	.	.	1	.	.	1	1	2	1	10	6	7	.	
1	1	3	.	.	3	14	14	15	17	35	33	37	28	17	421
.	1	1	.	2	.	4	8	12	17	19	38	33	28	24	
.	.	.	2	6	11	17	31	49	97	171	377	547	622	472	422
.	.	1	.	3	3	10	22	50	74	154	384	516	617	561	
1	2	.	.	.	1	.	.	3	1	1	1	1	.	.	430
1	.	.	.	.	4	2	1	.	.	1	1	.	.	.	
1	.	.	.	.	.	.	.	1	2	1	.	.	2	.	431
.	.	1	.	.	.	.	.	1	1	.	2	.	1	.	
.	.	.	2	2	2	4	3	11	22	31	63	67	48	22	433
.	.	1	1	1	3	3	13	11	20	31	52	63	49	29	
1	.	1	.	2	6	4	14	22	29	46	67	78	69	38	434
.	.	.	1	3	2	4	6	15	22	35	51	54	66	43	
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	440
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	3	1	1	3	1	1	.	.	.	.	441
.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	442
.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	
.	.	.	.	1	.	4	7	11	16	38	50	54	38	20	443
.	.	.	.	.	3	3	6	13	26	38	58	65	49	30	
.	.	2	2	1	1	4	5	8	11	21	33	32	24	11	444
.	1	.	.	.	.	3	3	10	20	16	43	29	24	9	
.	.	.	4	2	.	4	5	7	4	1	1	3	1	.	445
.	1	1	.	1	3	2	2	.	4	1	2	1	1	.	
.	.	.	.	.	1	.	.	.	2	1	3	1	6	3	446
.	.	.	.	.	.	.	.	1	3	1	5	4	1	2	
.	.	.	.	.	.	1	.	2	7	8	6	14	13	4	447
.	.	.	.	.	.	.	1	2	5	6	6	16	7	4	
.	.	.	.	.	.	.	.	8	12	18	61	118	114	72	450
.	.	.	.	.	.	.	1	1	6	22	41	70	106	70	
.	.	.	.	.	.	2	.	1	3	3	6	5	.	1	451
.	.	.	.	.	.	1	.	.	1	3	1	1	2	1	
.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	452
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	
.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	453
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
.	.	.	.	2	.	.	.	.	.	.	2	.	2	1	454
.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	
.	.	.	.	.	.	.	.	.	2	1	3	11	15	5	455
.	.	.	.	.	.	1	.	.	.	2	4	8	10	3	

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
456	Other diseases of arteries	M F	7 .	. .	. .	. .	. .	. .	. .	. .	. .
460	Varicose veins of lower extremities	M F	1 6	. .	. .	. .	. .	. .	. .	. .	. .
462	Varicose veins of other specified sites	M F	3 2	. .	. .	. .	. .	. .	. .	. .	. .
463	Phlebitis and thrombophlebitis of lower extremities	M F	. 4	. .	. .	. .	. .	. .	. .	. .	. .
464	Phlebitis and thrombophlebitis of other sites	M F	3 11	. .	. .	. .	. .	. .	. .	. .	. .
465	Pulmonary embolism and infarction	M F	20 22	. .	. .	. .	. .	. .	. .	. .	. .
466	Other venous embolism and thrombosis	M F	15 3	. .	. .	. .	. .	. .	. .	. .	. .
467	Other diseases of circulatory system	M F	4 2	. .	. .	. .	. .	. .	. .	. .	. .
468	Certain diseases of lymph nodes and lymph channels	M F	3 1	. .	1 .	. .	. .	. .	1 .	. .	. .
470-527	VIII—Diseases of the Respiratory System	M F	1,720 1,318	133 90	31 16	14 10	2 5	3 7	183 123	10 9	4 7
		470	Acute nasopharyngitis (common cold)	M F	1 1	. .	. .	. .	. .	. .	. .
472	Acute pharyngitis	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
473	Acute tonsilitis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
474	Acute laryngitis and tracheitis	M F	4 .	. .	1 .	. .	1 .	. .	2 .	. .	. .
475	Acute upper respiratory infection of multiple or unspecified sites	M F	2 1	1 1	. .	. .	. .	. .	1 1	. .	. .
480	Influenza with pneumonia	M F	130 121	8 5	4 1	1 2	. .	. 1	13 9	. .	1 5
481	Influenza with other respiratory manifestations and influenza unqualified	M F	223 210	1 4	3 1	. .	1 1	1 1	6 7	3 1	. .
482	Influenza with digestive manifestations but without respiratory symptoms	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
483	Influenza with nervous manifestations but without digestive or respiratory symptoms	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
490	Lobar pneumonia	M F	62 65	10 11	. .	. .	. .	. .	10 11	1 .	. .
491	Bronchopneumonia	M F	319 269	77 46	7 7	8 6	. 2	1 2	93 63	3 6	1 2
492	Primary atypical pneumonia	M F	17 9	7 2	1 .	1 .	. .	. .	9 2	. .	. .
493	Pneumonia, other and unspecified	M F	152 117	14 11	8 6	1 1	. 2	1 1	24 21	1 1	1 .
500	Acute bronchitis	M F	34 57	2 2	3 .	1 1	. .	. .	6 3	1 .	. .
501	Bronchitis unqualified	M F	152 111	6 2	3 1	1 .	. .	. .	10 3	. .	. .
502	Chronic bronchitis	M F	439 232	. .	. .	. .	. .	. .	. .	. .	. .
510	Hypertrophy of tonsils and adenoids	M F	1 2	. .	. .	. .	. .	. 1	. 1	1 .	. .

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	1	.	.	.	2	.	1	1	1	1	.	456
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	460
.	.	.	.	.	.	.	1	1	1	1	1	1	1	.	462
.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	463
.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	464
.	.	.	.	.	1	3	2	1	2	1	.	2	1	.	465
.	.	1	1	.	.	1	1	1	4	5	4	2	1	1	466
.	.	.	.	1	1	1	1	.	1	5	4	1	.	.	467
.	.	.	.	.	1	.	1	.	.	.	.	1	1	2	468
.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	470-527
6 10	3 6	10 3	7 10	17 19	31 18	44 15	72 34	121 47	142 88	212 128	238 197	267 222	192 206	161 171	470
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	472
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	473
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	474
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	475
1 2	.	1	2	2	1	3	4	14	13	21	20	15	9	10	480
3 2	1 3	.	1	1	4	7	10	12	12	28	32	47	35	21	481
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	482
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	483
.	.	1	.	2	2	.	7	4	4	6	7	10	6	2	490
1 2	1	1	1	5	3	5	8	13	17	22	33	36	35	41	491
.	.	.	1	.	1	1	.	.	1	.	2	1	1	.	492
1	.	1	1	3	6	3	3	10	8	13	22	23	15	18	493
.	.	2	.	.	.	1	.	.	2	3	5	7	3	6	500
.	1	.	.	1	1	3	1	4	8	18	29	36	21	20	501
1 2	1	2	1	1	7	14	26	39	54	76	65	74	50	28	502
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	510

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	511
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	512
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	516
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	517
.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	518
.	.	.	.	.	.	.	1	4	.	1	1	3	1	.	519
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	520
.	.	1	.	.	1	.	2	.	1	2	.	.	1	.	521
.	.	.	.	1	1	1	1	2	2	.	8	3	6	8	522
.	.	.	.	.	.	1	1	.	3	3	8	11	7	11	523
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	525
.	.	.	.	1	1	.	2	2	2	1	2	1	1	1	526
1	.	1	1	1	1	2	3	8	6	11	4	5	3	3	527
.	1	1	.	1	3	2	3	8	12	8	6	4	4	3	530-537
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	536
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	537
.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	538
.	.	.	.	.	.	1	.	1	3	1	.	.	.	1	539
.	.	.	2	.	5	4	9	8	13	18	18	12	8	3	540
.	.	.	1	.	1	3	4	3	7	7	7	10	6	1	541
1	.	1	2	3	2	6	3	8	14	12	17	13	1	1	542
.	.	.	.	.	.	.	.	.	1	3	2	.	.	.	543
.	.	.	.	.	.	1	.	.	1	.	2	5	3	3	544
.	.	1	1	.	1	1	.	.	.	1	1	3	.	1	545
.	.	.	.	.	.	.	3	1	1	2	1	1	.	.	550
1	.	1	1	1	.	.	1	1	2	2	3	1	3	.	551
2	.	.	.	1	1	.	.	1	.	1	.	3	2	.	553
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	560
.	.	.	.	.	1	.	1	.	1	1	1	2	1	.	

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
608	Stricture of urethra	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
609	Other diseases of urethra	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
610	Hyperplasia of prostate	M	215	.	.	.	.	.	.	.	.
611	Prostatitis	M	20	.	.	.	.	.	.	.	.
612	Other diseases of prostate	M	3	.	.	.	.	.	.	.	.
617	Other diseases of male genital organs	M	4	.	.	.	.	.	.	.	.
621	Other diseases of breast	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
624	Salpingitis and oophoritis, un- qualified	F	1	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F	1	.	.	.	.	.	.	.	.
630	Infective diseases of uterus, vagina and vulva	F	1	.	.	.	.	.	.	.	.
631	Uterovaginal prolapse	F	4	.	.	.	.	.	.	.	.
633	Other diseases of uterus	F	7	.	.	.	.	.	.	.	.
640-689	XI—Deliveries and Complications of Pregnancy, Childbirth and the Puerperium	F	81	.	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F	18	.	.	.	.	.	.	.	.
643	Placenta praevia	F	1	.	.	.	.	.	.	.	.
644	Other haemorrhage of pregnancy	F	1	.	.	.	.	.	.	.	.
645	Ectopic pregnancy	F	2	.	.	.	.	.	.	.	.
648	Other complications arising from pregnancy	F	3	.	.	.	.	.	.	.	.
651	Abortion with sepsis	F	2	.	.	.	.	.	.	.	.
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	8	.	.	.	.	.	.	.	.
671	Delivery complicated by retained placenta	F	3	.	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	F	5	.	.	.	.	.	.	.	.
674	Delivery complicated by dispro- portion or malposition of foetus	F	1	.	.	.	.	.	.	.	.
675	Delivery complicated by pro- longed labour of other origin	F	2	.	.	.	.	.	.	.	.
677	Delivery with other trauma	F	3	.	.	.	.	.	.	.	.
678	Delivery with other complications of childbirth	F	7	.	.	.	.	.	.	.	.
682	Puerperal phlebitis and thrombosis	F	2	.	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F	13	.	.	.	.	.	.	.	.
685	Puerperal eclampsia	F	3	.	.	.	.	.	.	.	.
687	Cerebral haemorrhage in the puerperium	F	6	.	.	.	.	.	.	.	.
688	Other and unspecified complica- tions of the puerperium	F	1	.	.	.	.	.	.	.	.

[illegible]

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	.	2	1	.	2	3	5	6	6	4	4	690-716
.	1	.	.	1	1	.	2	.	1	6	3	4	1	4	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	690
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	691
.	.	.	1	1	.	1	.	1	2	2	.	1	.	1	692
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	693
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	695
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	698
.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	701
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	703
.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	704
.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	705
.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	710
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	714
.	.	.	.	.	1	.	1	.	.	1	2	3	2	1	715
.	.	.	.	.	1	.	.	.	.	1	1	2	2	3	716
.	.	1	.	.	2	3	3	7	15	16	16	17	14	9	720-749
.	.	.	.	.	1	3	3	4	13	22	29	27	15	11	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	720
.	.	.	.	.	1	3	2	5	8	8	11	7	4	2	722
.	.	.	.	.	.	.	1	1	6	13	17	18	7	4	723
.	.	.	.	.	.	1	.	1	2	2	2	3	3	.	725
.	.	.	.	.	.	.	1	1	1	4	2	1	4	1	727
.	.	.	.	.	.	1	.	1	1	2	.	5	1	5	730
.	.	1	.	.	1	.	.	1	2	1	1	.	2	1	731
.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	733
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	738
.	.	.	.	.	.	1	1	.	.	2	1	1	.	.	744
.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	745
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	749

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
750-759	XIV—Congenital Malformations	M F	240 250	196 211	7 9	4 3	3 1	2 .	212 224	7 7	5 2
750	Monstrosity	M F	8 23	8 23	. .	. .	. .	. .	8 23	. .	. .
751	Spina bifida and meningocele	M F	32 51	31 48	1 2	. .	. .	. .	32 50	. .	. .
752	Congenital hydrocephalus	M F	22 34	17 33	1 1	2 .	. .	. .	20 34	1 .	1 .
753	Other congenital malformations of nervous system and sense organs	M F	5 2	4 2	1 .	. .	. .	. .	5 2	. .	. .
754	Congenital malformations of circulatory system	M F	88 73	67 50	2 4	1 2	2 1	2 .	74 57	4 6	2 2
755	Cleft palate and harelip	M F	2 .	2 .	. .	. .	. .	. .	2 .	. .	. .
756	Congenital malformations of digestive system	M F	37 33	36 31	. 2	. .	. .	. .	36 33	. .	1 .
757	Congenital malformations of genito-urinary system	M F	16 8	6 1	1 .	1 1	. .	. .	8 2	2 1	1 .
758	Congenital malformations of bone and joint	M F	1 1	. 1	1 .	. .	. .	. .	1 1	. .	. .
759	Other and unspecified congenital malformations, not elsewhere classified	M F	29 25	25 22	. .	. .	1 .	. .	26 22	. .	. .
760-776	XV—Certain Diseases of Early Infancy	M F	689 414	689 414	. .	. .	. .	. .	689 414	. .	. .
760	Intracranial and spinal injury at birth	M F	76 51	76 51	. .	. .	. .	. .	76 51	. .	. .
761	Other birth injury	M F	46 21	46 21	. .	. .	. .	. .	46 21	. .	. .
762	Postnatal asphyxia and atelectasis	M F	122 75	122 75	. .	. .	. .	. .	122 75	. .	. .
763	Pneumonia of newborn	M F	73 45	73 45	. .	. .	. .	. .	73 45	. .	. .
764	Diarrhoea of newborn	M F	20 8	20 8	. .	. .	. .	. .	20 8	. .	. .
765	Ophthalmia neonatorum	M F	. 1	. 1	. .	. .	. .	. .	. 1	. .	. .
766	Pemphigus neonatorum	M F	3 1	3 1	. .	. .	. .	. .	3 1	. .	. .
767	Umbilical sepsis	M F	. 3	. 3	. .	. .	. .	. .	. 3	. .	. .
768	Other sepsis of newborn	M F	13 8	13 8	. .	. .	. .	. .	13 8	. .	. .
769	Neonatal disorders arising from maternal toxæmia	M F	12 8	12 8	. .	. .	. .	. .	12 8	. .	. .
770	Haemolytic disease of newborn (erythroblastosis)	M F	30 20	30 20	. .	. .	. .	. .	30 20	. .	. .
771	Haemorrhagic disease of newborn	M F	12 10	12 10	. .	. .	. .	. .	12 10	. .	. .
772	Nutritional maladjustment	M F	3 2	3 2	. .	. .	. .	. .	3 2	. .	. .
773	Ill-defined diseases peculiar to early infancy	M F	77 49	77 49	. .	. .	. .	. .	77 49	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	5 2	5 2	. .	. .	. .	. .	5 2	. .	. .
776	Immaturity unqualified	M F	197 110	197 110	. .	. .	. .	. .	197 110	. .	. .

[illegible]

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
780-795	XVI—Symptoms, Senility and Ill-defined Conditions	M F	1,408 1,567	18 7	3 .	1 1	. .	2 2	24 10	. 1	1 1
780	Certain symptoms referable to nervous system and special senses	M F	19 10	15 7	3 .	. 1	. .	. 1	18 9	. .	. .
781	Other symptoms referable to nervous system and special senses	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. 1
782	Symptoms referable to cardiovascular and lymphatic system	M F	210 150	. .	. .	. .	. .	1 1	1 1	. 1	. .
783	Symptoms referable to respiratory system	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
784	Symptoms referable to upper gastro-intestinal tract	M F	3 6	. .	. .	. .	. .	. .	. .	. .	. .
785	Symptoms referable to abdomen and lower gastro-intestinal system	M F	5 1	2 .	. .	. .	. .	. .	2 .	. .	. .
786	Symptoms referable to genito-urinary system	M F	5 .	. .	. .	. .	. .	. .	. .	. .	. .
790	Nervousness and debility	M F	5 2	. .	. .	1 .	. .	1 .	2 .	. .	1 .
792	Uraemia unqualified	M F	37 14	. .	. .	. .	. .	. .	. .	. .	. .
794	Senility without mention of psychosis	M F	1,094 1,355	. .	. .	. .	. .	. .	. .	. .	. .
795	Ill-defined and unknown causes of morbidity and mortality	M F	29 27	1 .	. .	. .	. .	. .	1 .	. .	. .
E800-E999	XVII—Accidents, Poisonings and Violence	M F	569 328	20 16	10 6	9 6	9 7	3 3	51 38	20 15	18 10
E800	Railway accident involving rail-road employee	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E801	Railway accident involving passenger	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. 1
E802	Railway accident involving other and unspecified person	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
E812	Motor vehicle traffic accident to pedestrian	M F	51 32	. .	3 1	5 1	2 1	1 2	11 5	9 5	2 1
E813	Motor vehicle traffic accident to pedal cyclist	M F	20 3	. .	. .	. .	. .	. .	. .	2 .	1 .
E814	Motor vehicle traffic accident to rider or passenger of motorcycle, in collision with non-motor vehicle or object	M F	6 .	. .	. .	. .	. .	. .	. .	. .	. .
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	M F	11 1	. .	. .	. .	. .	. .	. .	. .	. .
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F	11 6	. .	. .	. .	. .	. .	. .	. .	. .
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
E820	Motor vehicle traffic accident while boarding or alighting	M F	2 1	. .	. .	. .	. .	. .	. .	. .	1 .
E821	Motor vehicle traffic accident to rider of motorcycle not involving collision	M F	9 1	. .	. .	. .	. .	. .	. .	. .	. .
E822	Motor vehicle traffic accident involving overturning in roadway	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .

[illegible]

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E823	Motor vehicle traffic accident in- volving running off roadway	M	3	.	.	.	.	.	.	1	.
		F	5	.	.	.	.	.	.	.	2
E824	Other non-collision motor vehicle traffic accident	M	10	.	.	.	.	.	.	1	.
		F	3	.	.	.	.	.	.	.	.
E825	Motor vehicle traffic accident of unspecified nature	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E830	Motor vehicle non-traffic accident to pedestrian	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E832	Motor vehicle non-traffic accident to rider or passenger of motor- cycle	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E835	Motor vehicle non-traffic accident of other and unspecified nature	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E842	Accident to pedestrian caused by pedal cycle	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M	25	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
E845	Other non-motor road vehicle accidents	M	8	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	1	.
E851	Other water transport injury by submersion	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E853	Other falls from one level to another in water transport	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E860	Accident to personnel in military aircraft	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E871	Accidental poisoning by barbi- turic acid and derivatives	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E874	Accidental poisoning by other analgesic and soporific drugs	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E880	Accidental poisoning by alcohol	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E890	Accidental poisoning by utility (illuminating) gas	M	4	.	1	.	.	.	1	.	.
		F	6	.	.	1	1	.	2	.	.
E894	Accidental poisoning by other specified gases and vapours	M	.	.	.	.	.	.	.	.	.
		F	2	2	.	.	.	.	2	.	.
E900	Fall on stairs	M	8	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
E901	Fall from ladders	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E902	Other falls from one level to another	M	22	.	1	.	.	.	1	.	2
		F	7	.	.	.	.	.	.	1	.
E903	Fall on same level	M	5	.	.	.	.	.	.	.	1
		F	1	.	.	.	.	.	.	1	.
E904	Unspecified falls	M	71	1	.	.	.	.	1	1	1
		F	138	.	.	.	.	.	.	.	.
E910	Blow from falling object	M	8	.	.	1	.	1	2	.	.
		F	.	.	.	.	.	.	.	.	.
E911	Accident caused by vehicle	M	1	.	.	.	.	1	1	.	.
		F	1	.	.	.	.	.	.	1	.
E912	Accident caused by machinery	M	6	.	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.
E913	Accident caused by cutting and piercing instruments	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E914	Accident caused by electric current	M	5	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E916	Accident caused by fire and ex- plosion of combustible material	M	12	.	.	.	1	.	1	.	.
		F	18	.	2	1	3	.	6	.	4

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1 1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E823
.	1	1	2	1	1	1	1	.	1	.	.	.	.	.	E824
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	E825
1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E830
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E832
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E835
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	E842
1 1	1	3	1	2	5	3	1	1	.	1 2	4	1	1	.	E843
1	.	1	1	.	.	.	2	.	.	1	.	.	1	.	E845
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E851
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E853
.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	E860
.	.	.	.	1 1	.	.	.	.	.	.	.	.	.	.	E871
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E874
.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	E880
1 1	1	.	.	.	1	1	1	.	.	.	1	.	.	.	E890
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E894
.	.	.	.	.	.	1	.	.	2	1	1	1	1	1	E900
.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	E901
.	.	.	2 1	2	1 1	1	3	3 1	1	3	2 1	.	1 1	.	E902
.	.	1	.	1	.	.	.	.	1	.	.	.	1	.	E903
.	.	1	1	1	.	1	1	2 1	3 2	3 3	14 15	15 26	14 60	12 30	E904
.	.	2	.	.	1	1	1	.	.	1	.	.	.	.	E910
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E911
.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	E912
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E913
1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	E914
.	.	.	.	.	1	1	2 1	.	.	2 2	1	2 1	1 1	1 1	E916

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E917	Accident caused by hot substance, corrosive liquid and steam	M F	22 20	2 .	2 1	1 1	4 .	. .	9 2	. 2	. 1
E919	Accident caused by firearm	M F	11 3	. .	. .	. .	. .	. .	. .	. 1	. 1
E921	Inhalation and ingestion of food causing obstruction or suffocation	M F	10 8	7 5	1 1	. .	1 2	. .	9 8	. .	. .
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
E923	Foreign body entering other orifice	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E924	Accidental mechanical suffocation in bed and cradle	M F	5 7	5 7	. .	. .	. .	. .	5 7	. .	. .
E925	Accidental mechanical suffocation in other and unspecified cir- cumstances	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
E926	Lack of care of infants under 1 year of age	M F	2 2	2 2	. .	. .	. .	. .	2 2	. .	. .
E927	Accidents caused by bites and stings of venomous animals and insects	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E928	Other accidents caused by animals	M F	6 1	. .	. .	. .	. .	. .	. .	. .	. .
E929	Accidental drowning and submersion	M F	87 20	. .	2 1	1 2	1 .	. .	4 3	5 1	8 .
E931	Excessive heat and insolation	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E932	Excessive cold	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E933	Hunger, thirst and exposure	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
E934	Cataclysm	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
E935	Lightning	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E936	Other and unspecified accidents	M F	14 5	. .	. .	1 .	. .	. 1	1 1	. 2	1 .
E944	Other complications of prophy- lactic inoculation	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
E950	Therapeutic misadventure in surgical treatment	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
E954	Therapeutic misadventure in anaesthesia	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
E962	Late effect of other accidental injury	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
E965	Late effects of injuries due to war operations	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
E970	Suicide and self-inflicted poison- ing by analgesic and soporific substances	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
E971	Suicide and self-inflicted poison- ing by other solid and liquid substances	M F	1 4	. .	. .	. .	. .	. .	. .	. .	. .
E972	Suicide and self-inflicted poison- ing by gases in domestic use	M F	2 4	. .	. .	. .	. .	. .	. .	. .	. .
E974	Suicide and self-inflicted injury by hanging and strangulation	M F	25 2	. .	. .	. .	. .	. .	. .	. .	. .
E975	Suicide and self-inflicted injury by submersion (drowning)	M F	11 4	. .	. .	. .	. .	. .	. .	. .	. .

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	1	.	.	1	.	.	.	2	4	2	3	E917
.	1	.	.	.	.	.	.	.	.	1	2	1	4	6	
2	2	2	.	1	1	.	1	1	1	.	.	.	.	.	E919
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E921
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E922
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E923
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E924
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	E925
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E926
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E927
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	3	.	2	.	.	E928
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
7	5	6	4	7	.	8	8	3	8	6	3	3	2	.	E929
.	1	.	1	2	.	1	1	1	1	2	3	1	2	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E931
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	E932
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	E933
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	E934
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E935
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	2	.	1	.	1	.	2	1	2	.	1	1	.	E936
.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E944
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E950
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	E954
.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	E962
.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	
.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	E965
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	E970
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	1	1	1	.	1	.	.	.	E971
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	1	1	.	.	1	.	.	.	.	.	E972
.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	
.	.	1	3	1	2	3	1	5	3	3	2	.	1	.	E974
.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	
.	1	1	1	.	1	2	2	2	1	.	1	.	.	.	E975
.	.	.	1	.	1	.	1	1	.	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1957 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E976	Suicide and self-inflicted injury by firearms and explosives	M	8	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M	9	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	
E979	Suicide and self-inflicted injury by other and unspecified means	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	
E981	Assault by firearm and explosive	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	
E982	Assault by cutting and piercing instruments	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	
E983	Assault by other means	M	3	1	.	.	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	1	.	.	1	3	2	.	.	.	.	.	E976
.	.	.	.	1	.	1	1	1	1	3	1	.	.	.	E977
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E979
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E981
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E982
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E983
.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	E983
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E983

TABLE 20.—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1957, CLASSIFIED BY PLACE OF OCCURRENCE

Area		Total Deaths	Place of Occurrence			
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere
Total	M	18,355	2,702	608	5,292	9,753
	F	15,956	2,255	584	4,020	9,097
LEINSTER	M	7,666	1,724	269	1,981	3,692
	F	7,007	1,476	294	1,656	3,581
MUNSTER	M	5,933	735	200	1,901	3,097
	F	5,109	602	188	1,418	2,901
CONNACHT	M	3,086	166	94	949	1,877
	F	2,519	126	71	685	1,637
ULSTER (part of)	M	1,670	77	45	461	1,087
	F	1,321	51	31	261	978
LEINSTER						
Carlow	M	199	20	4	65	110
	F	187	18	7	50	112
Dublin County Borough	M	2,796	1,019	99	591	1,087
	F	2,789	863	124	593	1,209
Dun Laoghaire Borough	M	244	100	11	21	112
	F	309	114	12	42	141
Dublin County (remainder)	M	500	162	23	81	234
	F	471	133	22	74	242
Kildare	M	402	68	6	119	209
	F	304	52	12	75	165
Kilkenny	M	421	31	15	139	236
	F	369	30	17	117	205
Laois	M	356	23	19	138	176
	F	249	10	3	75	161
Longford	M	256	25	10	88	133
	F	192	24	3	46	119
Louth	M	431	69	13	116	233
	F	375	60	18	102	195
Meath	M	399	41	11	107	240
	F	359	29	11	110	209
Offaly	M	358	20	8	137	193
	F	272	14	13	87	158
Westmeath	M	363	40	21	116	186
	F	300	24	18	95	163
Wexford	M	587	46	15	175	351
	F	522	51	18	131	322
Wicklow	M	354	60	14	88	192
	F	309	54	16	59	180
MUNSTER						
Clare	M	517	38	15	175	289
	F	439	26	22	145	246
Cork County Borough	M	489	128	17	135	209
	F	504	114	15	120	255
Cork County	M	1,801	247	61	524	969
	F	1,569	202	45	380	942
Kerry	M	873	87	16	283	487
	F	682	65	13	167	437
Limerick County Borough	M	251	47	10	94	100
	F	222	36	12	96	78
Limerick County	M	580	52	25	176	327
	F	488	56	15	131	286
Tipperary North Riding	M	406	37	6	159	204
	F	339	24	10	107	198
Tipperary South Riding	M	529	61	22	187	259
	F	435	46	19	148	222
Waterford County Borough	M	164	15	14	45	90
	F	155	12	16	40	87
Waterford County	M	323	23	14	123	163
	F	276	21	21	84	150
CONNACHT						
Galway	M	995	98	29	337	531
	F	751	71	20	221	439
Leitrim	M	287	9	14	71	193
	F	220	6	7	52	155
Mayo	M	935	25	27	278	605
	F	749	19	19	180	531
Roscommon	M	452	19	10	131	292
	F	406	12	15	111	268
Sligo	M	417	15	14	132	256
	F	393	18	10	121	244
Ulster (part of)						
Cavan	M	469	30	20	134	285
	F	344	18	12	75	239
Donegal	M	825	26	15	194	590
	F	692	26	12	114	540
Monaghan	M	376	21	10	133	212
	F	285	7	7	72	199

TABLE 21.—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Detailed List Numbers	Abbreviated List Number	Cause of Death	Total	Uncertified
001-008	B 1	Tuberculosis of respiratory system M F	383 200	3 1
010-019	B 2	Tuberculosis, other forms M F	65 48	· ·
020-029	B 3	Syphilis and its sequelae M F	15 5	· ·
040	B 4	Typhoid fever M F	· ·	· ·
045-048	B 6	Dysentery, all forms M F	2 1	· ·
050	B 7a	Scarlet fever M F	· 1	· ·
051	B 7b	Streptococcal sore throat M F	· ·	· ·
055	B 8	Diphtheria M F	3 3	· ·
056	B 9	Whooping cough M F	9 11	· 1
057	B 10	Meningococcal infections M F	10 6	· ·
080	B 12	Acute poliomyelitis M F	7 6	· ·
085	B 14	Measles M F	9 10	1 ·
030-039, 041-042, 044, 049, 052-054, 059-074, 081-083, 086-096, 110-138	B 17	Other infective and parasitic diseases M F	44 28	1 ·
151	B 18a	Malignant neoplasms :— of stomach M F	599 427	8 4
150, 152-159	B 18b	of other digestive organs and peritoneum M F	681 630	2 4
160-165	B 18c	of respiratory system M F	466 158	1 1
170	B 18d	of breast M F	· 373	· 4
171-181	B 18e	of genito-urinary system M F	291 319	2 1
200-205	B 18f	of lymphatic and haematopoietic tissues M F	132 71	· ·
140-148, 190-199	B 18g	other M F	408 264	10 1
210-239	B 19	Benign and unspecified neoplasms M F	68 59	2 ·
260	B 20	Diabetes mellitus M F	87 126	3 1
290-293	B 21	Anaemias M F	81 152	1 2
330-334	B 22	Vascular lesions affecting central nervous system M F	1,712 2,129	72 59
340	B 23	Nonmeningococcal meningitis M F	22 20	· ·
400-402	B 24	Rheumatic fever M F	27 23	· ·
410-416	B 25	Chronic rheumatic heart disease M F	201 231	1 1
421	B 26a	Chronic endocarditis M F	219 188	1 1
420	B 26b	Coronary and arteriosclerotic heart disease M F	2,208 1,190	101 52
422	B 26c	Other myocardial degeneration M F	2,402 2,395	94 91
430-434	B 27	Other diseases of heart M F	678 596	55 38

NOTE.—No deaths were recorded due to causes B 5 (Cholera), B 11 (Plague), B 13 (Smallpox), or B 15 (Typhus and other rickettsial diseases).

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Detailed List Numbers	Abbreviated List Number	Cause of death	Total	Uncertified
440-443	B 28	Hypertension with heart disease M F	249 302	1 .
444-447	B 29	Hypertension without mention of heart M F	259 241	5 8
450-468	B 46a	Other diseases of circulatory system M F	534 415	9 6
480-483	B 30	Influenza M F	354 333	24 20
490-493	B 31	Pneumonia M F	550 460	15 6
500-502	B 32	Bronchitis M F	625 400	18 9
526	B 46b	Bronchiectasis M F	49 25	. .
470-475, 510-525, 527	B 46c	Other diseases of respiratory system M F	142 100	1 2
540, 541	B 33	Ulcer of stomach and duodenum M F	183 64	2 1
550-553	B 34	Appendicitis M F	25 15	. .
560, 561, 570	B 35	Intestinal obstruction and hernia M F	94 90	2 3
543, 571, 572	B 36	Gastritis and enteritis (except of newborn) M F	112 84	2 2
764, 571.0	B 36, 43, parts of	Gastro-enteritis (under 2 years) M F	66 38	1 .
581	B 37	Cirrhosis of liver M F	42 18	. .
530-539, 542, 544, 545, 573-578, 580, 582-587	B 46d	Other diseases of digestive system M F	130 142	3 1
590-594	B 38	Nephritis and nephrosis M F	255 196	4 6
610	B 39	Hyperplasia of prostate M	215	2
640-689	B 40	Complications of pregnancy and childbirth F	81	.
750-759	B 41	Congenital malformations M F	240 250	3 2
760-762	B 42	Birth injuries, asphyxia and atelectasis M F	244 147	. .
763-768	B 43	Infections of the newborn M F	109 66	2 2
769-776	B 44	Other diseases of early infancy M F	336 201	6 8
794	B 45a	Senility without psychosis M F	1,094 1,355	582 720
780-793, 795	B 45b	Ill-defined and unknown causes M F	314 212	169 110
240-245, 250-254, 270-277, 280-289, 294-326, 341-345, 350-357, 360-398, 600-609, 611-637, 690-716, 720-727, 730-738, 740-749	B 46e	All other diseases M F	802 761	35 29
E810-E835	B 47	External Causes Motor vehicle accidents M F	135 55	. .
E800-E802, E840-E962	B 48	All other accidents M F	369 255	2 1
E963, E970-E979	B 49	Suicide and self-inflicted injury M F	58 15	. .
E964, E965, E980-E999	B 50	Homicide and operations of war M F	7 3	. .
		Total M F	18,355 15,956	1,245 1,198

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	176	1	137	1	48	.	22	1
		F	94	1	62	.	25	.	19	.
B 2	Tuberculosis, other forms	M	24	.	29	.	6	.	6	.
		F	23	.	12	.	9	.	4	.
B 3	Syphilis and its sequelae	M	11	.	2	.	1	.	1	.
		F	4	.	.	.	.	.	1	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	2	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.
B 8	Diphtheria	M	3	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.
B 9	Whooping cough	M	5	.	1	.	1	.	2	.
		F	4	.	4	1	1	.	2	.
B 10	Meningococcal infections	M	1	.	7	.	2	.	.	.
		F	3	.	3	.	.	.	.	.
B 12	Acute poliomyelitis	M	4	.	3	.	.	.	.	.
		F	3	.	2	.	.	.	1	.
B 14	Measles	M	6	.	1	1	1	.	1	.
		F	3	.	3	.	2	.	2	.
B 17	Other infective and parasitic diseases	M	24	1	10	.	7	.	3	.
		F	13	.	9	.	6	.	.	.
B 18a	Malignant neoplasms :— of stomach	M	249	2	157	2	108	3	85	1
		F	204	1	116	.	62	1	45	2
B 18b	of other digestive organs and peritoneum	M	286	.	238	.	103	2	54	.
		F	292	.	212	3	82	1	44	.
B 18c	of respiratory system	M	274	.	134	1	37	.	21	.
		F	87	.	46	1	14	.	11	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	177	1	119	.	52	1	25	2
B 18e	of genito-urinary system	M	121	.	114	.	31	2	25	.
		F	157	.	101	1	41	.	20	.
B 18f	of lymphatic and haematopoietic tissues	M	66	.	35	.	20	.	11	.
		F	34	.	22	.	11	.	4	.
B 18g	other	M	153	2	139	3	80	2	36	3
		F	110	.	92	.	41	1	21	.
B 19	Benign and unspecified neoplasms	M	29	1	20	.	13	1	6	.
		F	32	.	20	.	6	.	1	.
B 20	Diabetes mellitus	M	44	1	23	.	10	2	10	.
		F	65	.	37	1	14	.	10	.
B 21	Anaemias	M	25	.	32	1	15	.	9	.
		F	67	.	51	.	22	2	12	.
B 22	Vascular lesions affecting central nervous system	M	745	14	525	23	258	17	184	18
		F	1,025	6	625	18	283	20	196	15
B 23	Nonmeningococcal meningitis	M	13	.	5	.	3	.	1	.
		F	8	.	6	.	4	.	2	.
B 24	Rheumatic fever	M	12	.	8	.	5	.	2	.
		F	12	.	6	.	4	.	1	.
B 25	Chronic rheumatic heart disease	M	98	.	66	1	13	.	24	.
		F	119	.	84	1	13	.	15	.
B 26a	Chronic endocarditis	M	67	.	84	1	39	.	29	.
		F	80	1	64	.	32	.	12	.
B 26b	Coronary and arteriosclerotic heart disease	M	1,030	37	678	32	323	14	177	18
		F	569	18	339	17	176	9	106	8
B 26c	Other myocardial degeneration	M	828	17	816	28	507	27	251	22
		F	928	17	866	23	391	36	210	15
B 27	Other diseases of heart	M	304	7	224	19	87	17	63	12
		F	278	3	195	12	77	16	46	7
B 28	Hypertension with heart disease	M	128	.	63	1	32	.	26	.
		F	163	.	74	.	44	.	21	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 29	Hypertension without mention of heart	M	137	1	59	2	48	2	15	.
		F	136	4	55	.	36	3	14	1
B 46a	Other diseases of circulatory system	M	227	1	183	3	86	5	38	.
		F	188	2	134	.	69	4	24	.
B 30	Influenza	M	121	7	141	7	60	8	32	2
		F	136	2	105	4	46	10	46	4
B 31	Pneumonia	M	276	6	148	1	84	6	42	2
		F	241	.	145	1	49	2	25	3
B 32	Bronchitis	M	311	3	188	7	93	3	33	5
		F	203	1	112	2	58	4	27	2
B 46b	Bronchiectasis	M	24	.	18	.	4	.	3	.
		F	14	.	7	.	1	.	3	.
B 46c	Other diseases of respiratory system	M	74	1	33	.	19	.	16	.
		F	43	1	39	.	10	1	8	.
B 33	Ulcer of stomach and duodenum	M	73	1	73	.	22	1	15	.
		F	28	.	27	1	5	.	4	.
B 34	Appendicitis	M	10	.	7	.	6	.	2	.
		F	4	.	5	.	6	.	.	.
B 35	Intestinal obstruction and hernia	M	38	.	30	.	17	2	9	.
		F	40	.	23	.	22	2	5	1
B 36	Gastritis and enteritis (except of newborn)	M	50	.	45	2	12	.	5	.
		F	32	.	36	.	9	2	7	.
<i>B 36, 43, parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>42</i>	<i>.</i>	<i>16</i>	<i>1</i>	<i>8</i>	<i>.</i>	<i>.</i>	<i>.</i>
		<i>F</i>	<i>18</i>	<i>.</i>	<i>12</i>	<i>.</i>	<i>6</i>	<i>.</i>	<i>2</i>	<i>.</i>
B 37	Cirrhosis of liver	M	26	.	11	.	2	.	3	.
		F	9	.	5	.	2	.	2	.
B 46d	Other diseases of digestive system	M	55	1	42	1	27	1	6	.
		F	61	.	47	.	20	.	14	1
B 38	Nephritis and nephrosis	M	111	.	78	1	40	2	26	1
		F	97	.	59	3	23	2	17	1
B 39	Hyperplasia of prostate	M	71	.	82	1	41	1	21	.
B 40	Complications of pregnancy and childbirth	F	39	.	23	.	13	.	6	.
B 41	Congenital malformations	M	139	.	51	1	25	2	25	.
		F	128	2	83	.	29	.	10	.
B 42	Birth injuries, asphyxia and atelectasis	M	124	.	75	.	34	.	11	.
		F	73	.	40	.	25	.	9	.
B 43	Infections of the newborn	M	72	1	21	1	13	.	3	.
		F	45	2	12	.	8	.	1	.
B 44	Other diseases of early infancy	M	165	1	97	1	46	2	28	2
		F	103	3	50	3	32	2	16	.
B 45a	Senility without psychosis	M	210	58	421	212	355	266	108	46
		F	278	74	546	266	415	309	116	71
B 45b	Ill-defined and unknown causes	M	111	48	91	37	75	60	37	24
		F	70	23	60	26	52	41	30	20
B 46e	All other diseases	M	291	5	295	8	136	16	80	6
		F	334	5	225	6	127	12	75	6
EXTERNAL CAUSES										
B 47	Motor vehicle accidents	M	76	.	40	.	16	.	3	.
		F	30	.	19	.	4	.	2	.
B 48	All other accidents	M	129	.	124	1	65	.	51	1
		F	108	1	77	.	43	.	27	.
B 49	Suicide and self-inflicted injury	M	13	.	27	.	9	.	9	.
		F	8	.	3	.	2	.	2	.
B 50	Homicide and operations of war	M	4	.	2	.	1	.	.	.
		F	1	.	1	.	1	.	.	.
Total			M	7,666	217	5,933	400	3,086	464	1,670
			F	7,007	163	5,109	390	2,519	481	1,321

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	7	.	78	1	2	.	13	.
		F	1	.	50	.	2	.	5	.
B 2	Tuberculosis, other forms	M	1	.	5	.	.	.	4	.
		F	2	.	8	.	.	.	1	.
B 3	Syphilis and its sequelae	M	1	.	10	.	.	.	.	.
		F	.	.	3	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	1	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	3	.	.	.	.	.
		F	.	.	3	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	1	.	.	.	.	.
		F	.	.	2	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	2	.
		F	.	.	2	.	.	.	.	.
B 14	Measles	M	1	.	3	.	.	.	.	.
		F	.	.	2	.	.	.	1	.
B 17	Other infective and parasitic diseases	M	1	.	13	.	.	.	3	.
		F	.	.	4	.	2	.	1	.
B 18a	Malignant neoplasms :— of stomach	M	6	.	65	.	7	.	19	.
		F	2	.	80	.	3	.	12	.
B 18b	of other digestive organs and peritoneum	M	6	.	132	.	7	.	15	.
		F	6	.	129	.	21	.	17	.
B 18c	of respiratory system	M	2	.	155	.	10	.	25	.
		F	2	.	37	.	5	.	7	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	4	.	81	.	12	.	11	.
B 18e	of genito-urinary system	M	2	.	48	.	6	.	9	.
		F	5	.	67	.	6	.	11	.
B 18f	of lymphatic and haematopoietic tissues	M	1	.	24	.	1	.	7	.
		F	.	.	20	.	1	.	3	.
B 18g	other	M	.	.	53	.	5	.	15	.
		F	4	.	38	.	5	.	7	.
B 19	Benign and unspecified neoplasms	M	.	.	15	.	1	.	2	.
		F	.	.	9	.	2	.	2	.
B 20	Diabetes mellitus	M	1	.	13	.	5	.	3	.
		F	.	.	31	.	3	.	1	.
B 21	Anaemias	M	.	.	7	.	1	.	2	.
		F	1	.	27	.	3	.	4	.
B 22	Vascular lesions affecting central nervous system	M	17	.	272	4	18	.	47	.
		F	26	.	396	2	57	.	70	.
B 23	Nonmeningococcal meningitis	M	1	.	5	.	.	.	3	.
		F	.	.	6	.	.	.	1	.
B 24	Rheumatic fever	M	.	.	7	.	1	.	.	.
		F	.	.	4	.	1	.	.	.
B 25	Chronic rheumatic heart disease	M	4	.	39	.	2	.	4	.
		F	7	.	55	.	7	.	9	.
B 26a	Chronic endocarditis	M	3	.	21	.	2	.	4	.
		F	5	.	24	.	.	.	3	.
B 26b	Coronary and arteriosclerotic heart disease	M	24	4	438	5	54	1	63	.
		F	13	5	266	.	28	.	49	.
B 26c	Other myocardial degeneration	M	34	1	170	.	22	.	38	.
		F	34	3	308	.	35	.	53	.
B 27	Other diseases of heart	M	7	.	138	4	8	.	19	.
		F	15	.	125	2	11	.	14	.
B 28	Hypertension with heart disease	M	5	.	59	.	8	.	8	.
		F	5	.	87	.	8	.	14	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 29	Hypertension without mention of heart	M	4	.	40	.	6	.	7	.
		F	3	.	57	.	5	.	12	.
B 46a	Other diseases of circulatory system	M	4	.	53	.	3	.	8	.
		F	.	.	59	.	10	.	8	.
B 30	Influenza	M	1	1	40	.	1	.	6	.
		F	1	.	50	.	5	.	6	.
B 31	Pneumonia	M	6	1	117	.	12	.	23	.
		F	3	.	121	.	15	.	16	.
B 32	Bronchitis	M	13	.	162	1	11	.	21	.
		F	5	.	98	.	2	.	14	.
B 46b	Bronchiectasis	M	.	.	11	.	2	.	1	.
		F	1	.	6	.	.	.	1	.
B 46c	Other diseases of respiratory system	M	1	.	41	.	1	.	5	.
		F	1	.	18	.	3	.	7	.
B 33	Ulcer of stomach and duodenum	M	.	.	26	.	6	.	3	.
		F	1	.	14	.	2	.	3	.
B 34	Appendicitis	M	.	.	2	.	2	.	1	.
		F	.	.	.	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	19	.	3	.	2	.
		F	.	.	22	.	2	.	5	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	25	.	1	.	3	.
		F	1	.	13	.	.	.	6	.
<i>B 36, 43, partsof</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>1</i>	.	<i>23</i>	.	<i>1</i>	.	<i>4</i>	.
		<i>F</i>	.	.	<i>8</i>	.	<i>1</i>	.	<i>2</i>	.
B 37	Cirrhosis of liver	M	.	.	12	.	2	.	1	.
		F	.	.	4	.	1	.	1	.
B 46d	Other diseases of digestive system	M	1	.	19	.	3	.	6	.
		F	1	.	34	.	4	.	5	.
B 38	Nephritis and nephrosis	M	2	.	39	.	3	.	6	.
		F	2	.	31	.	3	.	9	.
B 39	Hyperplasia of prostate	M	2	.	20	.	2	.	2	.
B 40	Complications of pregnancy and childbirth	F	5	.	4	.	1	.	1	.
B 41	Congenital malformations	M	3	.	55	.	2	.	10	.
		F	4	1	53	.	7	.	12	.
B 42	Birth injuries, asphyxia and atelectasis	M	.	.	42	.	3	.	14	.
		F	1	.	25	.	1	.	8	.
B 43	Infections of the newborn	M	.	.	37	.	2	.	12	.
		F	.	.	26	.	2	.	4	.
B 44	Other diseases of early infancy	M	9	.	63	.	1	.	16	.
		F	4	.	30	.	5	.	8	.
B 45a	Senility without psychosis	M	10	4	17	.	1	.	8	.
		F	11	5	38	.	4	.	15	.
B 45b	Ill-defined and unknown causes	M	3	1	19	8	1	.	2	1
		F	1	1	21	7	1	.	1	.
B 46e	All other diseases	M	9	.	91	1	7	.	24	.
		F	6	.	139	1	15	.	20	.
EXTERNAL CAUSES										
B 47	Motor vehicle accidents	M	1	.	33	.	5	.	5	.
		F	2	.	17	.	1	.	1	.
B 48	All other accidents	M	3	.	33	.	4	.	9	.
		F	2	.	38	.	7	.	9	.
B 49	Suicide and self-inflicted injury	M	1	.	5	.	.	.	.	.
		F	.	.	6	.	.	.	1	.
B 50	Homicide and operations of war	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	1	.
Total			M	199	12	2,796	24	244	1	500
			F	187	15	2,789	12	309	.	471

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	8	.	10	.	3	.	5	.
		F	8	.	2	.	2	.	.	.
B 2	Tuberculosis, other forms	M	2	.	1	.	4	.	2	.
		F	1	.	1	.	1	.	.	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	2	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	1	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	1	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	2	.	2	.	.	.	.	.
		F	1	.	.	.	.	.	1	.
B 18a	Malignant neoplasms :— of stomach	M	17	.	24	.	13	1	5	.
		F	13	.	13	.	6	.	7	1
B 18b	of other digestive organs and peritoneum	M	14	.	8	.	9	.	10	.
		F	10	.	10	.	8	.	12	.
B 18c	of respiratory system	M	8	.	8	.	5	.	3	.
		F	5	.	6	.	1	.	2	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	8	.	8	.	5	.	1	.
B 18e	of genito-urinary system	M	9	.	9	.	6	.	.	.
		F	5	.	8	.	8	.	6	.
B 18f	of lymphatic and haematopoietic tissues	M	3	.	1	.	2	.	3	.
		F	2	.	1	.	.	.	1	.
B 18g	other	M	5	.	7	.	6	1	6	.
		F	10	.	10	.	2	.	2	.
B 19	Benign and unspecified neoplasms	M	.	.	2	.	3	1	1	.
		F	1	.	2	.	4	.	.	.
B 20	Diabetes mellitus	M	5	.	1	.	2	1	2	.
		F	2	.	2	.	3	.	1	.
B 21	Anaemias	M	3	.	.	.	1	.	1	.
		F	3	.	.	.	4	.	1	.
B 22	Vascular lesions affecting central nervous system	M	33	1	36	.	32	.	30	2
		F	40	1	55	.	29	2	23	.
B 23	Nonmeningococcal meningitis	M	1	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	.	.	1	.	.	.	.	.
		F	1	.	1	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	14	.	1	.	3	.	4	.
		F	12	.	3	.	3	.	.	.
B 26a	Chronic endocarditis	M	3	.	6	.	5	.	1	.
		F	5	.	4	1	4	.	.	.
B 26b	Coronary and arteriosclerotic heart disease	M	29	1	37	.	34	5	22	5
		F	14	1	26	1	21	3	8	2
B 26c	Other myocardial degeneration	M	47	.	73	5	53	3	64	2
		F	39	.	57	2	32	.	47	2
B 27	Other diseases of heart	M	12	.	10	.	21	.	7	.
		F	9	.	7	.	17	.	4	.
B 28	Hypertension with heart disease	M	2	.	6	.	6	.	2	.
		F	2	.	3	.	4	.	7	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 29	Hypertension without mention of heart	M	4	.	7	.	18	.	4	.
		F	6	.	7	.	6	.	3	3
B 46a	Other diseases of circulatory system	M	14	.	17	.	18	1	2	.
		F	8	1	8	.	12	.	2	1
B 30	Influenza	M	8	1	6	.	8	.	10	4
		F	4	.	14	.	4	.	4	.
B 31	Pneumonia	M	20	2	14	.	11	.	7	2
		F	12	.	12	.	4	.	3	.
B 32	Bronchitis	M	24	.	11	1	9	.	.	.
		F	12	.	8	.	7	.	4	1
B 46b	Bronchiectasis	M	1	.	1	.	1	.	.	.
		F	1	.	.	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	2	.	4	.	3	.	.	.
		F	1	.	1	.	1	.	.	.
B 33	Ulcer of stomach and duodenum	M	2	.	4	.	4	1	5	.
		F	.	.	1	.	1	.	.	.
B 34	Appendicitis	M	1	.	1	.	.	.	.	.
		F	1	.	2	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	1	.	1	.	.	.
		F	2	.	1	.	.	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	1	.	3	.	1	.
		F	1	.	.	.	1	.	.	.
B 36, 43, partsof	Gastro-enteritis (under 2 years)	M	4	.	1	.	2	.	1	.
		F	.	.	1	.	.	.	.	.
B 37	Cirrhosis of liver	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	1	.	.	.
B 46d	Other diseases of digestive system	M	.	.	1	.	3	.	.	.
		F	2	.	1	.	1	.	1	.
B 38	Nephritis and nephrosis	M	12	.	3	.	5	.	2	.
		F	2	.	6	.	2	.	7	.
B 39	Hyperplasia of prostate	M	3	.	6	.	4	.	7	.
B 40	Complications of pregnancy and childbirth	F	7	.	3	.	.	.	1	.
B 41	Congenital malformations	M	14	.	7	.	5	.	1	.
		F	6	.	1	.	3	1	2	.
B 42	Birth injuries, asphyxia and atelectasis	M	13	.	2	.	2	.	1	.
		F	3	.	3	.	6	.	4	.
B 43	Infections of the newborn	M	4	.	3	.	4	.	.	.
		F	.	.	1	.	1	.	.	.
B 44	Other diseases of early infancy	M	7	.	10	.	9	.	1	.
		F	2	.	11	.	5	.	2	1
B 45a	Senility without psychosis	M	6	1	31	7	13	6	17	14
		F	11	.	37	9	20	4	21	15
B 45b	Ill-defined and unknown causes	M	12	7	7	1	5	4	10	9
		F	4	2	6	3	4	3	1	1
B 46e	All other diseases	M	20	.	23	.	10	.	10	2
		F	23	.	17	.	14	1	9	1
External Causes										
B 47	Motor vehicle accidents	M	4	.	8	.	5	.	1	.
		F	1	.	1	.	.	.	.	.
B 48	All other accidents	M	5	.	8	.	4	.	5	.
		F	4	.	9	.	1	.	3	.
B 49	Suicide and self-inflicted injury	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	1	.	.	.
B 50	Homicide and operations of war	M	1	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
Total			M	402	13	421	14	356	24	40
			F	304	5	369	16	249	14	28

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	6	.	4	.	7	.	9	.
		F	6	.	3	.	5	1	2	.
B 2	Tuberculosis, other forms	M	1	.	1	.	.	.	1	.
		F	3	.	2	.	1	.	3	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	1	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	.	.	.	.	3	1
		F	1	.	1	.	.	.	1	.
B 18a	Malignant neoplasms :— of stomach	M	15	.	21	.	18	.	9	1
		F	13	.	16	.	10	.	8	.
B 18b	of other digestive organs and peritoneum	M	13	.	16	.	10	.	11	.
		F	11	.	10	.	10	.	8	.
B 18c	of respiratory system	M	16	.	5	.	5	.	10	.
		F	2	.	4	.	6	.	4	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	7	.	7	1	6	.	9	.
B 18e	of genito-urinary system	M	8	.	5	.	3	.	5	.
		F	11	.	4	.	4	.	4	.
B 18f	of lymphatic and haematopoietic tissues	M	6	.	5	.	3	.	.	.
		F	.	.	3	.	2	.	1	.
B 18g	other	M	8	.	6	.	9	1	9	.
		F	4	.	7	.	4	.	6	.
B 19	Benign and unspecified neoplasms	M	2	.	.	.	2	.	1	.
		F	2	.	2	.	3	.	2	.
B 20	Diabetes mellitus	M	2	.	3	.	3	.	2	.
		F	2	.	5	.	6	.	5	.
B 21	Anaemias	M	3	.	1	.	1	.	1	.
		F	3	.	6	.	1	.	4	.
B 22	Vascular lesions affecting central nervous system	M	36	.	46	.	45	1	35	5
		F	54	.	51	.	41	.	47	1
B 23	Nonmeningococcal meningitis	M	.	.	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	1	.	1	.	.	.	.	.
		F	1	.	2	.	1	.	.	.
B 25	Chronic rheumatic heart disease	M	5	.	5	.	2	.	4	.
		F	1	.	2	.	2	.	3	.
B 26a	Chronic endocarditis	M	7	.	3	.	3	.	2	.
		F	6	.	4	.	5	.	10	.
B 26b	Coronary and arteriosclerotic heart disease	M	55	2	52	2	26	5	60	6
		F	16	.	32	.	9	4	19	2
B 26c	Other myocardial degeneration	M	60	.	56	1	47	1	34	1
		F	71	1	48	2	26	2	47	.
B 27	Other diseases of heart	M	17	1	14	1	17	.	9	1
		F	9	1	26	.	8	.	11	.
B 28	Hypertension with heart disease	M	3	.	7	.	8	.	1	.
		F	3	.	3	.	7	.	6	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 29	Hypertension without mention of heart	M	6	.	11	.	7	.	5	1
		F	4	1	9	.	3	.	5	.
B 46a	Other diseases of circulatory system	M	6	.	12	.	6	.	27	.
		F	3	.	7	.	7	.	11	.
B 30	Influenza	M	10	.	1	.	4	.	4	1
		F	15	.	9	.	7	1	4	.
B 31	Pneumonia	M	8	.	12	.	10	.	11	1
		F	12	.	13	.	5	.	5	.
B 32	Bronchitis	M	15	.	7	.	4	1	9	.
		F	10	.	14	.	7	.	4	.
B 46b	Bronchiectasis	M	.	.	.	.	1	.	2	.
		F	.	.	1	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	2	.	2	1	1	.	3	.
		F	1	.	3	1	1	.	2	.
B 33	Ulcer of stomach and duodenum	M	5	.	3	.	6	.	3	.
		F	.	.	2	.	1	.	3	.
B 34	Appendicitis	M	1	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	1	.	2	.	2	.
		F	2	.	1	.	2	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	2	.	3	.	.	.
		F	.	.	.	.	.	.	3	.
B 36, 43, partsof	Gastro-enteritis (under 2 years)	M	1	.	.	.	2	.	.	.
		F	.	.	.	.	.	.	3	.
B 37	Cirrhosis of liver	M	2	.	2	.	1	.	2	.
		F	1	.	.	.	.	.	1	.
B 46d	Other diseases of digestive system	M	2	.	4	.	3	1	5	.
		F	2	.	2	.	2	.	1	.
B 38	Nephritis and nephrosis	M	4	.	6	.	12	.	6	.
		F	6	.	4	.	5	.	8	.
B 39	Hyperplasia of prostate	M	6	.	2	.	3	.	2	.
B 40	Complications of pregnancy and childbirth	F	.	.	2	.	4	.	1	.
B 41	Congenital malformations	M	5	.	4	.	10	.	9	.
		F	14	.	7	.	4	.	5	.
B 42	Birth injuries, asphyxia and atelectasis	M	8	.	9	.	8	.	8	.
		F	2	.	5	.	3	.	.	.
B 43	Infections of the newborn	M	.	.	2	.	4	.	2	1
		F	1	.	3	.	.	.	2	2
B 44	Other diseases of early infancy	M	9	.	9	.	8	1	8	.
		F	5	1	5	.	8	1	6	.
B 45a	Senility without psychosis	M	41	5	8	5	24	7	16	5
		F	39	6	14	7	26	17	12	5
B 45b	Ill-defined and unknown causes	M	12	6	13	4	7	2	7	4
		F	5	.	2	1	3	1	4	2
B 46e	All other diseases	M	13	.	17	.	15	.	12	.
		F	19	1	9	.	17	1	15	.
	External Causes									
B 47	Motor vehicle accidents	M	1	.	4	.	.	.	3	.
		F	1	.	1	.	.	.	1	.
B 48	All other accidents	M	6	.	14	.	9	.	8	.
		F	6	.	8	.	8	.	4	1
B 49	Suicide and self-inflicted injury	M	.	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
	Total	M	431	14	399	14	358	20	363	28
		F	375	11	359	12	272	28	300	13

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Wexford County		Wicklow County		Clare County		Cork County Borough	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	18	.	6	.	11	.	20	.
		F	4	.	4	.	7	.	3	.
B 2	Tuberculosis, other forms	M	1	.	1	.	4	.	3	.
		F	.	.	.	.	.	.	2	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	1	.	1	.	.	.	1	.
		F	1	.	.	.	.	.	1	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	2	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 14	Measles	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	.	.	1	.	.	.
		F	.	.	1	.	1	.	.	.
B 18a	Malignant neoplasms :— of stomach	M	24	.	6	.	19	1	13	.
		F	16	.	5	.	6	.	19	.
B 18b	of other digestive organs and peritoneum	M	20	.	15	.	17	.	21	.
		F	21	.	19	.	15	.	24	.
B 18c	of respiratory system	M	13	.	9	.	7	.	25	.
		F	4	.	2	.	3	.	4	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	8	.	10	.	6	.	14	.
B 18e	of genito-urinary system	M	7	.	4	.	13	.	8	.
		F	9	.	9	.	8	.	11	.
B 18f	of lymphatic and haematopoietic tissues	M	3	.	7	.	1	.	5	.
		F	.	.	.	.	2	.	3	.
B 18g	other	M	16	.	8	.	9	.	7	.
		F	8	.	3	.	7	.	6	.
B 19	Benign and unspecified neoplasms	M	.	.	.	.	3	.	1	.
		F	2	.	1	.	3	.	1	.
B 20	Diabetes mellitus	M	2	.	.	.	5	.	.	.
		F	2	.	2	.	4	.	3	.
B 21	Anaemias	M	3	.	1	.	4	.	1	.
		F	8	.	2	.	3	.	3	.
B 22	Vascular lesions affecting central nervous system	M	51	1	47	.	37	4	34	.
		F	76	.	60	.	36	6	54	.
B 23	Nonmeningococcal meningitis	M	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	.	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	1	.
B 25	Chronic rheumatic heart disease	M	5	.	6	.	7	.	9	.
		F	4	.	11	.	9	.	13	.
B 26a	Chronic endocarditis	M	6	.	1	.	10	.	2	.
		F	8	.	2	.	15	.	4	.
B 26b	Coronary and arteriosclerotic heart disease	M	83	1	53	.	52	2	71	1
		F	41	.	27	.	21	2	60	.
B 26c	Other myocardial degeneration	M	85	1	45	2	69	.	55	.
		F	88	5	43	.	86	3	85	.
B 27	Other diseases of heart	M	11	.	14	.	17	2	13	.
		F	14	.	8	.	17	1	18	.
B 28	Hypertension with heart disease	M	10	.	3	.	.	.	8	.
		F	8	.	6	.	2	.	10	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Wexford County		Wicklow County		Clare County		Cork County Borough	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 29	Hypertension without mention of heart	M	12	.	6	.	3	1	7	.
		F	9	.	7	.	4	.	4	.
B 46a	Other diseases of circulatory system	M	52	.	5	.	19	3	22	.
		F	48	.	5	.	13	.	11	.
B 30	Influenza	M	15	.	7	.	4	.	7	.
		F	10	1	3	.	7	.	13	.
B 31	Pneumonia	M	12	.	13	.	20	.	12	.
		F	11	.	9	.	13	.	21	.
B 32	Bronchitis	M	15	.	10	.	7	2	34	.
		F	11	.	7	.	5	1	18	.
B 46b	Bronchiectasis	M	4	.	.	.	1	.	4	.
		F	3	.	.	.	.	.	1	.
B 46c	Other diseases of respiratory system	M	3	.	6	.	2	.	6	.
		F	1	.	3	.	2	.	6	.
B 33	Ulcer of stomach and duodenum	M	2	.	4	.	4	.	10	.
		F	.	.	.	.	4	.	5	.
B 34	Appendicitis	M	1	.	.	.	.	.	1	.
		F	.	.	.	.	2	.	.	.
B 35	Intestinal obstruction and hernia	M	3	.	.	.	6	.	1	.
		F	.	.	.	.	.	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	1	.	5	1	1	.
		F	6	.	1	.	2	.	2	.
B 36, 43, partsof	Gastro-enteritis (under 2 years)	M	2	.	.	.	1	.	.	.
		F	2	.	1	.	.	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	3	.	.	.
		F	.	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	5	.	3	.	1	.	3	.
		F	2	.	3	.	8	.	5	.
B 38	Nephritis and nephrosis	M	7	.	4	.	7	1	4	.
		F	4	.	8	.	4	.	8	.
B 39	Hyperplasia of prostate	M	5	.	7	.	5	.	6	.
B 40	Complications of pregnancy and childbirth	F	9	.	1	.	2	.	2	.
B 41	Congenital malformations	M	10	.	4	.	4	.	3	.
		F	7	.	3	.	7	.	9	.
B 42	Birth injuries, asphyxia and atelectasis	M	4	.	10	.	10	.	9	.
		F	7	.	5	.	4	.	3	.
B 43	Infections of the newborn	M	1	.	1	.	3	.	1	.
		F	4	.	1	.	2	.	2	.
B 44	Other diseases of early infancy	M	11	.	4	.	7	.	5	.
		F	6	.	6	.	6	.	2	.
B 45a	Senility without psychosis	M	15	4	3	.	69	53	7	.
		F	24	6	6	.	68	55	14	.
B 45b	Ill-defined and unknown causes	M	5	1	8	.	10	2	5	.
		F	5	1	12	1	.	.	3	.
B 46e	All other diseases	M	24	2	16	.	25	3	24	.
		F	20	.	11	.	23	.	20	.
	External Causes									
B 47	Motor vehicle accidents	M	3	.	3	.	3	.	6	.
		F	2	.	2	.	.	.	4	.
B 48	All other accidents	M	15	.	6	.	10	.	9	.
		F	8	.	1	.	11	.	8	.
B 49	Suicide and self-inflicted injury	M	.	.	3	.	2	.	2	.
		F	.	.	.	.	1	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
	Total	M	587	10	354	2	517	75	489	1
		F	522	13	309	1	439	68	504	.

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Cork County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	46	.	20	1	8	.	10	.
		F	8	.	9	.	9	.	14	.
B 2	Tuberculosis, other forms	M	4	.	4	.	.	.	3	.
		F	1	.	1	.	1	.	4	.
B 3	Syphilis and its sequelae	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	3	1	.	.	.	.
B 10	Meningococcal infections	M	4	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	3	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.
B 14	Measles	M	.	.	1	1	.	.	.	.
		F	1	.	2	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	5	.	4	.	.	.	.	.
		F	3	.	1	.	.	.	1	.
B 18a	Malignant neoplasms:— of stomach	M	52	1	13	.	9	.	17	.
		F	38	.	8	.	7	.	8	.
B 18b	of other digestive organs and peritoneum	M	73	.	26	.	11	.	30	.
		F	67	2	37	1	10	.	17	.
B 18c	of respiratory system	M	40	1	12	.	10	.	13	.
		F	17	.	5	1	2	.	2	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	38	.	16	.	3	.	10	.
B 18e	of genito-urinary system	M	34	.	12	.	5	.	12	.
		F	27	.	16	1	5	.	15	.
B 18f	of lymphatic and haematopoietic tissues	M	8	.	5	.	1	.	3	.
		F	8	.	5	.	.	.	2	.
B 18g	other	M	51	1	23	.	5	.	15	2
		F	31	.	10	.	4	.	10	.
B 19	Benign and unspecified neoplasms	M	6	.	2	.	2	.	2	.
		F	8	.	2	.	2	.	.	.
B 20	Diabetes mellitus	M	7	.	.	.	1	.	6	.
		F	8	.	3	1	2	.	7	.
B 21	Anaemias	M	11	.	2	1	1	.	5	.
		F	15	.	4	.	.	.	11	.
B 22	Vascular lesions affecting central nervous system	M	155	7	72	7	27	.	46	1
		F	192	3	69	5	31	.	61	2
B 23	Nonmeningococcal meningitis	M	.	.	.	.	.	.	.	.
		F	3	.	.	.	1	.	1	.
B 24	Rheumatic fever	M	3	.	.	.	1	.	4	.
		F	.	.	.	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	27	1	3	.	.	.	9	.
		F	23	.	5	1	1	.	7	.
B 26a	Chronic endocarditis	M	30	.	15	1	.	.	8	.
		F	21	.	5	.	2	.	7	.
B 26b	Coronary and arteriosclerotic heart disease	M	187	4	97	14	35	3	61	.
		F	110	7	29	4	17	.	26	1
B 26c	Other myocardial degeneration	M	258	13	138	12	38	1	89	.
		F	308	9	107	7	38	1	74	1
B 27	Other diseases of heart	M	57	7	37	3	11	.	18	2
		F	54	1	25	6	17	2	15	1
B 28	Hypertension with heart disease	M	20	1	11	.	3	.	6	.
		F	20	.	14	.	3	.	3	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Cork County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 29	Hypertension without mention of heart	M F	11 20	1 .	8 10	. .	3 1	. .	6 2	. .
B 46a	Other diseases of circulatory system	M F	52 36	. .	46 31	. .	1 4	. .	8 6	. .
B 30	Influenza	M F	40 27	1 1	36 17	6 2	3 1	. .	15 11	. .
B 31	Pneumonia	M F	41 50	. .	22 11	1 1	7 6	. .	13 11	. .
B 32	Bronchitis	M F	51 37	1 .	14 5	3 1	12 1	. .	14 15	. .
B 46b	Bronchiectasis	M F	3 2	. .	2 .	. .	1 1	. .	3 1	. .
B 46c	Other diseases of respiratory system	M F	11 10	. .	4 9	. .	2 1	. .	4 5	. .
B 33	Ulcer of stomach and duodenum	M F	26 7	. 1	8 3	. .	2 1	. .	7 1	. .
B 34	Appendicitis	M F	4 1	. .	1 1	. .	. .	. .	. .	. .
B 35	Intestinal obstruction and hernia	M F	9 6	. .	3 4	. .	1 3	. .	2 2	. .
B 36	Gastritis and enteritis (except of newborn)	M F	15 9	. .	9 1	1 .	1 3	. .	8 4	. .
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	3 4	. .	5 .	1 .	1 1	. .	4 .	. .
B 37	Cirrhosis of liver	M F	5 3	. .	. .	. .	. .	. .	. .	. .
B 46d	Other diseases of digestive system	M F	12 9	. .	4 9	1 .	4 3	. .	6 8	. .
B 38	Nephritis and nephrosis	M F	28 10	. 1	9 7	. 2	5 3	. .	8 14	. .
B 39	Hyperplasia of prostate	M	25	. .	7 .	1 .	2 .	. .	11 .	. .
B 40	Complications of pregnancy and childbirth	F	6	. .	4 .	. .	. .	. .	2 .	. .
B 41	Congenital malformations	M F	18 23	. .	5 12	. .	2 4	. .	4 12	1 .
B 42	Birth injuries, asphyxia and atelectasis	M F	19 10	. .	10 5	. .	4 4	. .	4 2	. .
B 43	Infections of the newborn	M F	5 3	1 .	2 .	. .	2 1	. .	2 2	. .
B 44	Other diseases of early infancy	M F	18 9	. 1	21 9	1 1	5 2	. .	8 5	. .
B 45a	Senility without psychosis	M F	124 162	46 69	79 117	65 94	4 7	. .	38 52	14 24
B 45b	Ill-defined and unknown causes	M F	32 16	12 8	22 15	17 9	2 2	. .	8 6	1 .
B 46e	All other diseases	M F	101 78	. 2	34 20	3 2	12 13	. .	36 24	1 .
External Causes										
B 47	Motor vehicle accidents	M F	13 6	. .	5 1	. .	2 2	. .	3 1	. .
B 48	All other accidents	M F	46 23	. .	22 14	. .	5 4	. .	11 7	1 .
B 49	Suicide and self-inflicted injury	M F	10 2	. .	3 .	. .	1 .	. .	3 .	. .
B 50	Homicide and operations of war	M F	. 1	. .	. .	. .	. .	. .	. .	. .
Total		M F	1,801 1,569	98 105	878 682	139 140	251 222	4 3	580 488	23 29

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	6	.	11	.	3	.	2	.
		F	3	.	4	.	2	.	3	.
B 2	Tuberculosis, other forms	M	5	.	2	.	3	.	1	.
		F	2	.	.	.	.	.	1	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.
		F	1	.	2	.	.	.	.	.
B 18a	Malignant neoplasms:— of stomach	M	9	.	8	.	7	.	10	.
		F	6	.	12	.	3	.	9	.
B 18b	of other digestive organs and peritoneum	M	11	.	24	.	6	.	19	.
		F	9	.	15	.	5	.	13	.
B 18c	of respiratory system	M	8	.	6	.	1	.	12	.
		F	3	.	4	.	3	.	3	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	6	.	9	.	4	.	13	.
B 18e	of genito-urinary system	M	10	.	12	.	4	.	4	.
		F	5	.	7	.	2	.	5	.
B 18f	of lymphatic and haematopoietic tissues	M	6	.	3	.	1	.	2	.
		F	.	.	1	.	1	.	.	.
B 18g	other	M	8	.	11	.	3	.	7	.
		F	5	.	9	.	5	.	5	.
B 19	Benign and unspecified neoplasms	M	2	.	2	.	.	.	.	.
		F	3	.	1	.	.	.	.	.
B 20	Diabetes mellitus	M	2	.	1	.	.	.	1	.
		F	3	.	4	.	.	.	3	.
B 21	Anaemias	M	3	.	2	.	1	.	2	.
		F	4	.	6	.	2	.	3	.
B 22	Vascular lesions affecting central nervous system	M	48	1	59	.	18	.	29	3
		F	61	2	62	.	23	.	36	.
B 23	Nonmeningococcal meningitis	M	1	.	2	.	.	.	1	.
		F	.	.	.	.	1	.	.	.
B 24	Rheumatic fever	M	.	.	.	.	.	.	.	.
		F	1	.	3	.	1	.	.	.
B 25	Chronic rheumatic heart disease	M	3	.	4	.	1	.	3	.
		F	3	.	7	.	6	.	10	.
B 26a	Chronic endocarditis	M	6	.	8	.	1	.	4	.
		F	3	.	6	.	.	.	1	.
B 26b	Coronary and arteriosclerotic heart disease	M	54	1	56	5	17	.	48	2
		F	22	2	25	1	10	.	19	.
B 28c	Other myocardial degeneration	M	32	.	81	2	18	.	38	.
		F	28	.	71	1	33	.	36	1
B 27	Other diseases of heart	M	19	2	23	1	7	.	22	2
		F	17	1	9	.	7	.	16	.
B 28	Hypertension with heart disease	M	3	.	10	.	1	.	1	.
		F	6	.	12	.	.	.	4	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County		
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified	
B 29	Hypertension without mention of heart	M F	7 5	· ·	9 5	· ·	1 3	· ·	4 1	· ·	
B 46a	Other diseases of circulatory system	M F	6 5	· ·	11 11	· ·	7 6	· ·	11 11	· ·	
B 30	Influenza	M F	10 10	· ·	15 9	· ·	3 2	· ·	8 8	· 1	
B 31	Pneumonia	M F	5 8	· ·	9 8	· ·	11 8	· ·	8 9	· ·	
B 32	Bronchitis	M F	9 6	· 1	16 11	· ·	16 6	· ·	15 8	· ·	
B 46b	Bronchiectasis	M F	1 ·	· ·	2 1	· ·	· ·	· ·	1 1	· ·	
B 46c	Other diseases of respiratory system	M F	· 1	· ·	1 4	· ·	1 ·	· ·	2 1	· ·	
B 33	Ulcer of stomach and duodenum	M F	4 1	· ·	5 5	· ·	3 ·	· ·	4 ·	· ·	
B 34	Appendicitis	M F	· 1	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	
B 35	Intestinal obstruction and hernia	M F	4 1	· ·	1 1	· ·	1 1	· ·	2 3	· ·	
B 36	Gastritis and enteritis (except of newborn)	M F	3 5	· ·	2 8	· ·	· 1	· ·	1 1	· ·	
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	1 2	· ·	1 4	· ·	· ·	· ·	· 1	· ·	
B 37	Cirrhosis of liver	M F	· ·	· ·	1 2	· ·	· ·	· ·	2 ·	· ·	
B 46d	Other diseases of digestive system	M F	5 1	· ·	4 2	· ·	· 1	· ·	3 1	· ·	
B 38	Nephritis and nephrosis	M F	5 4	· ·	5 5	· ·	4 2	· ·	3 2	· ·	
B 39	Hyperplasia of prostate	M	11	·	7	·	2	·	6	·	
B 40	Complications of pregnancy and childbirth	F	5	·	1	·	1	·	·	·	
B 41	Congenital malformations	M F	4 6	· ·	7 5	· ·	2 1	· ·	2 4	· ·	
B 42	Birth injuries, asphyxia and atelectasis	M F	1 2	· ·	11 4	· ·	4 2	· ·	3 4	· ·	
B 43	Infections of the newborn	M F	· ·	· ·	5 1	· ·	· ·	· ·	1 1	· ·	
B 44	Other diseases of early infancy	M F	11 6	· ·	13 9	· 1	3 2	· ·	6 ·	· ·	
B 45a	Senility without psychosis	M F	42 56	16 15	38 41	10 5	2 6	· ·	18 23	8 4	
B 45b	Ill-defined and unknown causes	M F	7 2	4 2	2 9	1 4	2 1	· ·	1 6	· 3	
B 46e	All other diseases	M F	23 15	· 1	21 18	· ·	9 3	· ·	10 11	1 1	
External Causes											
B 47	Motor vehicle accidents	M F	2 3	· ·	6 1	· ·	· 1	· ·	· ·	· ·	
B 48	All other accidents	M F	8 5	· ·	10 4	· ·	1 ·	· ·	2 1	· ·	
B 49	Suicide and self-inflicted injury	M F	2 ·	· ·	1 ·	· ·	· ·	· ·	3 ·	· ·	
B 50	Homicide and operations of war	M F	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	
Total			M F	406 339	25 23	529 435	19 12	164 155	· ·	323 276	16 10

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	24	.	3	.	9	.	6	.
		F	11	.	2	.	6	.	2	.
B 2	Tuberculosis, other forms	M	1	.	2	.	1	.	2	.
		F	2	.	.	.	4	.	2	.
B 3	Syphilis and its sequelae	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	1	.	.	.
B 10	Meningococcal infections	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	1	.	1	.
B 17	Other infective and parasitic diseases	M	3	.	1	.	2	.	1	.
		F	1	.	1	.	2	.	.	.
B 18a	Malignant neoplasms :— of stomach	M	30	.	12	.	39	2	14	1
		F	12	.	5	.	17	.	17	1
B 18b	of other digestive organs and peritoneum	M	35	1	7	.	31	.	13	1
		F	33	.	6	.	17	1	16	.
B 18c	of respiratory system	M	19	.	.	.	13	.	3	.
		F	8	.	1	.	1	.	1	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	20	.	3	.	15	.	8	1
B 18e	of genito-urinary system	M	13	.	2	.	8	1	6	1
		F	19	.	7	.	7	.	5	.
B 18f	of lymphatic and haematopoietic tissues	M	8	.	.	.	7	.	2	.
		F	2	.	1	.	3	.	2	.
B 18g	other	M	34	1	7	.	20	1	9	.
		F	12	.	6	.	15	1	5	.
B 19	Benign and unspecified neoplasms	M	3	.	1	1	5	.	3	.
		F	2	.	1	.	1	.	2	.
B 20	Diabetes mellitus	M	4	.	.	.	5	2	.	.
		F	4	.	1	.	6	.	2	.
B 21	Anaemias	M	3	.	3	.	6	.	2	.
		F	3	1	2	.	7	.	4	1
B 22	Vascular lesions affecting central nervous system	M	90	6	11	1	94	6	31	1
		F	109	6	24	1	74	9	33	3
B 23	Nonmeningococcal meningitis	M	1	.	.	.	1	.	.	.
		F	3	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	1	.	1	.	1	.	2	.
		F	2	.	.	.	.	.	1	.
B 25	Chronic rheumatic heart disease	M	4	.	2	.	2	.	2	.
		F	2	.	1	.	6	.	2	.
B 26a	Chronic endocarditis	M	11	.	2	.	19	.	2	.
		F	8	.	1	.	16	.	.	.
B 26b	Coronary and arteriosclerotic heart disease	M	149	5	24	1	68	5	47	2
		F	66	1	8	.	49	4	32	2
B 28c	Other myocardial degeneration	M	126	9	89	3	116	9	114	6
		F	105	14	59	3	89	10	92	9
B 27	Other diseases of heart	M	21	5	4	1	26	3	23	8
		F	22	7	3	.	27	5	16	3
B 28	Hypertension with heart disease	M	13	.	1	.	9	.	6	.
		F	10	.	.	.	17	.	8	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- bre- viated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County		
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified	
B 29	Hypertension without mention of heart	M	18	1	2	.	11	1	6	.	
		F	17	1	.	.	8	2	3	.	
B 46a	Other diseases of circulatory system	M	20	1	8	.	30	2	9	1	
		F	20	.	4	.	18	4	5	.	
B 30	Influenza	M	28	3	5	.	12	2	12	3	
		F	15	3	2	.	12	1	9	3	
B 31	Pneumonia	M	27	5	10	.	27	.	9	.	
		F	16	2	1	.	15	.	8	.	
B 32	Bronchitis	M	34	2	9	.	16	.	10	.	
		F	23	2	4	.	10	2	8	.	
B 46b	Bronchiectasis	M	3	.	.	.	.	.	.	.	
		F	.	.	.	.	.	.	.	.	
B 46c	Other diseases of respiratory system	M	7	.	2	.	3	.	5	.	
		F	6	1	1	.	1	.	2	.	
B 33	Ulcer of stomach and duodenum	M	8	.	2	.	8	1	2	.	
		F	.	.	.	.	2	.	2	.	
B 34	Appendicitis	M	1	.	.	.	3	.	.	.	
		F	2	.	1	.	2	.	1	.	
B 35	Intestinal obstruction and hernia	M	8	.	.	.	8	2	.	.	
		F	5	2	1	.	10	.	4	.	
B 36	Gastritis and enteritis (except of newborn)	M	4	.	3	.	4	.	1	.	
		F	4	.	2	1	1	1	1	.	
B 36, 43, 45, of parts of	Gastro-enteritis (under 2 years)	M	5	.	.	.	3	.	.	.	
		F	3	.	.	.	2	.	1	.	
B 37	Cirrhosis of liver	M	.	.	.	.	1	.	1	.	
		F	.	.	.	.	.	.	1	.	
B 46d	Other diseases of digestive system	M	9	.	.	.	11	1	2	.	
		F	7	.	.	.	5	.	2	.	
B 38	Nephritis and nephrosis	M	15	.	2	1	12	1	6	.	
		F	7	.	1	1	6	1	2	.	
B 39	Hyperplasia of prostate	M	13	.	3	.	13	1	7	.	
B 40	Complications of pregnancy and childbirth	F	2	.	2	.	5	.	3	.	
B 41	Congenital malformations	M	6	1	4	.	9	1	4	.	
		F	13	.	2	.	4	.	3	.	
B 42	Birth injuries, asphyxia and atelectasis	M	19	.	1	.	12	.	.	.	
		F	11	.	.	.	11	.	1	.	
B 43	Infections of the newborn	M	5	.	.	.	7	.	.	.	
		F	2	.	.	.	6	.	.	.	
B 44	Other diseases of early infancy	M	13	.	7	.	11	.	6	2	
		F	10	1	5	1	6	.	4	.	
B 45a	Senility without psychosis	M	73	61	24	24	152	111	41	35	
		F	81	63	39	36	160	115	63	55	
B 45b	Ill-defined and unknown causes	M	16	10	15	15	25	18	10	9	
		F	12	10	7	7	18	12	6	4	
B 46e	All other diseases	M	37	5	12	2	48	7	21	1	
		F	34	3	9	1	46	7	20	.	
External Causes											
B 47	Motor vehicle accidents	M	5	.	1	.	4	.	4	.	
		F	2	.	.	.	1	.	.	.	
B 48	All other accidents	M	29	.	3	.	22	.	5	.	
		F	6	.	7	.	18	.	7	.	
B 49	Suicide and self-inflicted injury	M	1	.	1	.	3	.	3	.	
		F	.	.	.	.	2	.	.	.	
B 50	Homicide and operations of war	M	1	.	.	.	.	.	.	.	
		F	.	.	.	.	1	.	.	.	
Total			M	995	116	287	49	935	177	452	71
			F	751	117	220	51	749	175	406	82

TABLE 21.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 1	Tuberculosis of respiratory system	M	6	.	4	.	16	1	2	.
		F	4	.	6	.	12	.	1	.
B 2	Tuberculosis, other forms	M	.	.	.	.	4	.	2	.
		F	1	.	3	.	1	.	.	.
B 3	Syphilis and its sequelae	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	1	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	2	.
		F	.	.	.	.	.	.	2	.
B 10	Meningococcal infections	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 14	Measles	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	2	.
B 17	Other infective and parasitic diseases	M	.	.	.	.	3	.	.	.
		F	2	.	.	.	.	.	.	.
B 18a	Malignant neoplasms :— of stomach	M	13	.	21	.	44	1	20	.
		F	11	.	16	.	18	2	11	.
B 18b	of other digestive organs and peritoneum	M	17	.	13	.	30	.	11	.
		F	10	.	16	.	17	.	11	.
B 18c	of respiratory system	M	2	.	3	.	12	.	6	.
		F	3	.	2	.	3	.	6	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	6	.	5	1	13	1	7	.
B 18e	of genito-urinary system	M	2	.	9	.	12	.	4	.
		F	3	.	6	.	10	.	4	.
B 18f	of lymphatic and haematopoietic tissues	M	3	.	3	.	6	.	2	.
		F	3	.	1	.	2	.	1	.
B 18g	other	M	10	.	10	.	14	3	12	.
		F	3	.	2	.	16	.	3	.
B 19	Benign and unspecified neoplasms	M	1	.	.	.	5	.	1	.
		F	.	.	.	.	1	.	.	.
B 20	Diabetes mellitus	M	1	.	3	.	5	.	2	.
		F	1	.	6	.	2	.	2	.
B 21	Anaemias	M	1	.	2	.	2	.	5	.
		F	6	.	2	.	4	.	6	.
B 22	Vascular lesions affecting central nervous system	M	32	3	56	2	85	13	43	3
		F	43	1	50	1	95	14	51	.
B 23	Nonmeningococcal meningitis	M	1	.	1	.	.	.	.	.
		F	1	.	2	.	.	.	.	.
B 24	Rheumatic fever	M	.	.	.	.	1	.	1	.
		F	1	.	.	.	1	.	.	.
B 25	Chronic rheumatic heart disease	M	3	.	7	.	10	.	7	.
		F	2	.	6	.	8	.	1	.
B 26a	Chronic endocarditis	M	5	.	19	.	10	.	.	.
		F	7	.	9	.	3	.	.	.
B 26b	Coronary and arteriosclerotic heart disease	M	35	1	44	4	78	11	55	3
		F	21	2	23	2	55	5	28	1
B 26c	Other myocardial degeneration	M	62	.	82	3	119	16	50	3
		F	46	.	61	3	105	11	44	1
B 27	Other diseases of heart	M	13	.	12	4	37	8	14	.
		F	9	1	9	3	26	4	11	.
B 28	Hypertension with heart disease	M	3	.	10	.	15	.	1	.
		F	9	.	13	.	7	.	1	.

IN 1957 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Ab- brev- iated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County		
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified	
B 29	Hypertension without mention of heart	M	11	.	4	.	9	.	2	.	
		F	8	.	4	.	9	1	1	.	
B 46a	Other diseases of circulatory system	M	19	1	12	.	17	.	9	.	
		F	22	.	7	.	12	.	5	.	
B 30	Influenza	M	3	.	5	.	16	2	11	.	
		F	8	3	11	.	27	3	8	1	
B 31	Pneumonia	M	11	1	10	.	24	2	8	.	
		F	9	.	3	.	17	3	5	.	
B 32	Bronchitis	M	24	1	8	1	11	2	14	2	
		F	13	.	7	1	11	1	9	.	
B 46b	Bronchiectasis	M	1	.	.	.	1	.	2	.	
		F	1	.	2	.	.	.	1	.	
B 46c	Other diseases of respiratory system	M	2	.	5	.	10	.	1	.	
		F	.	.	3	.	1	.	4	.	
B 33	Ulcer of stomach and duodenum	M	2	.	6	.	6	.	3	.	
		F	1	.	.	.	4	.	.	.	
B 34	Appendicitis	M	2	.	1	.	.	.	1	.	
		F	.	.	.	.	.	.	.	.	
B 35	Intestinal obstruction and hernia	M	1	.	3	.	4	.	2	.	
		F	2	.	1	.	3	1	1	.	
B 36	Gastritis and enteritis (except of newborn)	M	.	.	1	.	4	.	.	.	
		F	1	.	1	.	6	.	.	.	
<i>B 36, 43, partsof</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	.	.	.	.	.	.	.	.	
		<i>F</i>	.	.	.	.	2	.	.	.	
B 37	Cirrhosis of liver	M	.	.	1	.	1	.	1	.	
		F	1	.	.	.	1	.	1	.	
B 46d	Other diseases of digestive system	M	5	.	.	.	4	.	2	.	
		F	6	.	2	.	12	1	.	.	
B 38	Nephritis and nephrosis	M	5	.	7	.	11	1	8	.	
		F	7	.	3	.	9	.	5	1	
B 39	Hyperplasia of prostate	M	5	.	5	.	14	.	2	.	
B 40	Complications of pregnancy and childbirth	F	1	.	2	.	4	.	.	.	
B 41	Congenital malformations	M	2	.	3	.	11	.	11	.	
		F	7	.	1	.	7	.	2	.	
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	5	.	5	.	1	.	
		F	2	.	1	.	5	.	3	.	
B 43	Infections of the newborn	M	1	.	2	.	1	.	.	.	
		F	.	.	1	.	.	.	.	.	
B 44	Other diseases of early infancy	M	9	.	6	.	16	2	6	.	
		F	7	.	2	.	11	.	3	.	
B 45a	Senility without psychosis	M	65	35	32	11	58	31	18	4	
		F	72	40	33	18	71	47	12	6	
B 45b	Ill-defined and unknown causes	M	9	8	6	3	25	18	6	3	
		F	9	8	4	2	21	16	5	2	
B 46e	All other diseases	M	18	1	26	1	36	4	18	1	
		F	18	1	11	1	46	4	18	1	
External Causes											
B 47	Motor vehicle accidents	M	2	.	2	.	1	.	.	.	
		F	1	.	1	.	.	.	1	.	
B 48	All other accidents	M	6	.	15	.	28	1	8	.	
		F	5	.	5	.	14	.	8	.	
B 49	Suicide and self-inflicted injury	M	1	.	4	.	3	.	2	.	
		F	.	.	1	.	1	.	.	.	
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.	
		F	.	.	.	.	.	.	.	.	
Total			M	417	51	469	29	825	116	376	19
			F	393	56	344	32	692	114	285	13

TABLE 22.—DEATHS REGISTERED IN 1957, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED)
DUBLIN COUNTY

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M F	2,796 2,789	247 174	35 32	33 23	23 26	45 39	95 96	258 180	565 374	717 709	773 1,136
B 1	Tuberculosis of respiratory system	M F	78 50	· ·	1 ·	· ·	· 3	6 8	8 10	17 6	22 11	18 8	6 4
B 2	Tuberculosis, other forms	M F	5 8	1 ·	1 1	1 1	· 1	1 ·	· 2	1 2	· 1	· ·	· ·
B 3	Syphilis and its sequelae	M F	10 3	· ·	· ·	· ·	· ·	1 ·	1 ·	3 ·	3 1	2 1	· 1
B 4	Typhoid fever	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 6	Dysentery, all forms	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 7a	Scarlet fever	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 7b	Streptococcal sore throat	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 8	Diphtheria	M F	3 3	· ·	· 1	2 2	1 ·	· ·	· ·	· ·	· ·	· ·	· ·
B 9	Whooping cough	M F	· 1	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 10	Meningococcal infections	M F	1 2	1 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 12	Acute poliomyelitis	M F	· 2	· ·	· 1	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·
B 14	Measles	M F	3 2	2 2	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 17	Other infective and parasitic diseases	M F	13 4	3 ·	3 1	1 1	· ·	1 ·	1 1	· ·	2 ·	1 1	1 ·
B 18a	Malignant neoplasms :— of stomach	M F	65 80	· ·	· ·	· ·	· ·	1 ·	2 1	7 10	22 12	22 20	11 37
B 18b	of other digestive organs and peritoneum	M F	132 129	· ·	· ·	· ·	· ·	1 ·	4 5	17 15	31 27	40 40	39 42
B 18c	of respiratory system	M F	155 37	· ·	· ·	· ·	· ·	· 1	5 4	31 5	65 15	39 10	15 2
B 18d	of breast	M F	· 81	· ·	· ·	· ·	· ·	· 3	· 10	· 19	· 20	· 21	· 8
B 18e	of genito-urinary system	M F	48 67	· ·	· 1	· ·	· 1	· 1	1 8	6 20	5 9	18 17	18 10
B 18f	of lymphatic and haematopoietic tissues	M F	24 20	1 ·	2 2	3 3	4 3	1 1	4 1	2 ·	2 2	3 4	2 4
B 18g	other	M F	53 38	· ·	· ·	· 1	3 ·	2 ·	1 2	2 5	20 11	14 13	11 6
B 19	Benign and unspecified neoplasms	M F	15 9	· ·	· ·	· ·	· ·	1 ·	1 ·	· 1	4 6	1 ·	8 2
B 20	Diabetes mellitus	M F	13 31	· ·	· ·	· ·	· ·	· ·	· ·	· 3	3 5	3 11	7 12
B 21	Anaemias	M F	7 27	· ·	· ·	· ·	· ·	· ·	· ·	· 2	· 3	6 8	1 14
B 22	Vascular lesions affecting central nervous system	M F	272 396	· ·	· ·	1 ·	1 ·	2 3	3 7	18 22	43 42	88 120	116 202
B 23	Nonmeningococcal meningitis	M F	5 6	3 4	· ·	· ·	· 1	· ·	· ·	1 ·	1 1	· ·	· ·
B 24	Rheumatic fever	M F	7 4	· ·	· ·	3 1	1 ·	1 1	· 1	1 1	1 ·	· ·	· ·
B 25	Chronic rheumatic heart disease	M F	39 55	· ·	· ·	· ·	3 ·	4 3	3 13	11 10	8 15	4 11	6 3
B 26a	Chronic endocarditis	M F	21 24	· ·	· ·	1 1	· ·	1 1	· 1	3 1	3 4	6 8	7 8
B 26b	Coronary and arteriosclerotic heart disease	M F	438 266	· ·	· ·	· ·	1 ·	· 1	16 3	51 11	130 50	143 95	97 106

TABLE 22.—(continued)—DEATHS REGISTERED IN 1957, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)

REMAINING

Ab- bre- viated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
	All Causes	M F	2,765 2,789	201 156	27 25	32 24	30 34	52 45	83 113	226 186	510 367	754 671	850 1,168
B 1	Tuberculosis of respiratory system	M M	73 35	· ·	· ·	· 1	2 2	9 4	12 6	12 9	23 4	13 8	2 1
B 2	Tuberculosis, other forms	M F	14 13	1 ·	2 1	5 ·	2 4	· 2	1 1	1 3	1 1	1 1	· ·
B 3	Syphilis and its sequelae	M F	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·
B 4	Typhoid fever	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 6	Dysentery, all forms	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 7a	Scarlet fever	M F	· 1	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 7b	Streptococcal sore throat	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 8	Diphtheria	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 9	Whooping cough	M F	1 2	1 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 10	Meningococcal infections	M F	2 3	1 2	1 ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 12	Acute poliomyelitis	M F	1 ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·
B 14	Measles	M F	2 1	1 ·	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 17	Other infective and parasitic diseases	M F	3 4	· 1	· ·	· ·	· ·	· ·	1 ·	· 1	· 1	1 ·	1 1
B 18a	Malignant neoplasms :— of stomach	M F	78 83	· ·	· ·	· ·	· 1	· ·	5 2	12 10	21 18	26 25	14 27
B 18b	of other digestive organs and peritoneum	M F	98 125	· ·	· ·	· ·	· ·	· 3	1 6	9 11	24 29	33 42	31 34
B 18c	of respiratory system	M F	84 37	· ·	· ·	· ·	· 1	· ·	3 1	16 8	39 9	22 9	4 9
B 18d	of breast	M F	· 74	· ·	· ·	· ·	· 1	· 3	· 10	· 15	· 21	· 15	· 9
B 18e	of genito-urinary system	M F	43 66	· ·	· 1	· 1	1 ·	1 1	1 11	6 8	4 15	16 16	14 13
B 18f	of lymphatic and haematopoietic tissues	M F	22 8	· ·	3 ·	3 ·	5 1	1 1	1 3	2 1	4 ·	2 2	1 ·
B 18g	other	M F	51 49	· ·	· 2	1 ·	1 ·	1 2	3 2	4 8	14 11	10 9	17 15
B 19	Benign and unspecified neoplasms	M F	12 10	1 1	· 1	· 1	· 1	· ·	1 1	2 1	1 1	4 1	3 2
B 20	Diabetes mellitus	M F	16 22	· ·	· ·	· ·	· ·	· ·	2 1	1 1	2 3	5 12	6 5
B 21	Anaemias	M F	12 17	· ·	· ·	· ·	· 1	· ·	1 2	1 ·	3 3	5 4	2 7
B 22	Vascular lesions affecting central nervous system	M F	266 385	· ·	1 ·	· ·	1 2	2 1	5 9	15 27	40 61	105 112	97 173
B 23	Nonmeningococcal meningitis	M F	3 3	· ·	· 1	1 ·	· ·	· ·	· ·	· ·	2 2	· ·	· ·
B 24	Rheumatic fever	M F	3 7	· ·	1 ·	1 1	· 1	1 2	· ·	· 2	· 1	· ·	· ·
B 25	Chronic rheumatic heart disease	M F	28 46	· ·	· ·	· 1	· 1	2 3	4 6	4 7	5 7	7 9	6 12
B 26a	Chronic endocarditis	M F	21 17	· ·	· ·	· ·	· ·	· ·	2 ·	1 4	5 ·	9 4	4 9
B 26b	Coronary and arteriosclerotic heart disease	M F	394 225	· ·	· ·	· ·	· 1	2 ·	8 9	57 8	117 43	128 85	82 79

Ab- bre- viated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B 26c	Other myocardial degeneration	M F	331 449	· ·	· ·	· ·	· ·	· ·	2 2	14 5	29 31	96 98	190 313
B 27	Other diseases of heart	M F	86 95	· ·	· ·	2 ·	1 ·	· 1	· 5	1 6	20 12	29 35	33 36
B 28	Hypertension with heart disease	M F	40 55	· ·	· ·	· ·	· ·	· ·	· 2	2 3	6 11	17 15	15 24
B 29	Hypertension without mention of heart	M F	36 36	· ·	· ·	· ·	· 2	2 ·	· 2	4 2	8 7	6 12	14 13
B 46a	Other diseases of circulatory system	M F	90 85	· ·	· ·	· ·	· ·	· ·	1 ·	· 1	9 3	27 21	53 60
B 30	Influenza	M F	41 60	· 3	· 1	· 3	· 3	2 2	1 ·	4 ·	11 12	11 19	12 17
B 31	Pneumonia	M F	83 90	15 12	4 7	· 1	· 2	1 1	4 5	5 3	9 10	14 14	31 35
B 32	Bronchitis	M F	119 65	2 ·	· ·	1 ·	1 ·	2 1	1 2	9 4	22 8	39 20	42 30
B 46b	Bronchiectasis	M F	13 6	· ·	· ·	1 1	· ·	1 1	2 ·	· 1	5 1	2 2	2 ·
B 46c	Other diseases of respiratory system	M F	24 23	· 1	· ·	· ·	1 ·	· ·	· 2	2 1	9 1	7 6	5 12
B 33	Ulcer of stomach and duodenum	M F	46 13	· ·	· ·	· ·	1 ·	· ·	3 ·	5 3	9 2	21 4	7 4
B 34	Appendicitis	M F	5 2	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 ·	2 ·	1 2
B 35	Intestinal obstruction and hernia	M F	10 15	· ·	· ·	· ·	· ·	· 1	· 1	2 ·	· ·	6 3	2 10
B 36	Gastritis and enteritis (except of newborn)	M F	13 11	6 2	· ·	· 1	· ·	· 1	· ·	· ·	1 3	3 4	3 ·
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	8 3	8 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 37	Cirrhosis of liver	M F	7 2	· ·	· ·	· ·	· ·	· ·	1 ·	1 1	2 ·	2 1	1 ·
B 46d	Other diseases of digestive system	M F	22 28	1 ·	1 1	· ·	1 ·	3 1	1 1	4 4	5 3	4 8	2 10
B 38	Nephritis and nephrosis	M F	36 37	1 ·	· 1	3 ·	1 1	· 2	· 1	4 9	9 6	12 12	6 5
B 39	Hyperplasia of prostate	M	25	·	·	·	·	·	·	·	2	11	12
B 40	Complications of pregnancy and childbirth	F	16	·	·	·	1	7	8	·	·	·	·
B 41	Congenital malformations	M F	36 50	29 45	4 1	1 1	1 1	· 1	· ·	1 ·	· 1	· ·	· ·
B 42	Birth injuries, asphyxia and atelectasis	M F	57 27	57 27	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 43	Infections of the newborn	M F	14 9	14 9	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 44	Other diseases of early infancy	M F	55 40	55 40	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
B 45a	Senility without psychosis	M F	85 145	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	4 5	81 140
B 45b	Ill-defined and unknown causes	M F	39 28	5 1	1 2	· 1	· ·	· ·	2 ·	1 2	6 2	11 6	13 14
B 46e	All other diseases	M F	128 118	6 5	· 1	5 5	3 2	4 4	5 13	15 13	28 24	33 27	29 24
	External Causes												
B 47	Motor vehicle accidents	M F	24 13	· ·	3 1	4 1	2 4	4 ·	1 				

TABLE 22.—(continued)—DEATHS REGISTERED IN 1957, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)

RURAL

Ab- bre- viated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
	All Causes	M F	12,794 10,378	725 524	124 84	88 68	107 74	159 137	346 305	770 584	1,553 1,086	3,114 2,341	5,808 5,175
B 1	Tuberculosis of respiratory system	M F	232 115	1 2	1 1	2 2	10 6	21 16	42 26	46 19	53 24	40 11	16 8
B 2	Tuberculosis, other forms	M F	46 27	4 4	7 5	5 2	4 2	6 4	4 4	9 1	4 3	1 .	2 2
B 3	Syphilis and its sequelae	M F	4 2	. .	. .	. .	. .	. .	. .	1 .	2 .	1 1	. 1
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	2 1	. .	. .	. 1	. .	. .	. .	. .	. .	1 .	1 .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	8 8	4 5	4 1	. 1	. .	. .	. .	. .	. 1	. .	. .
B 10	Meningococcal infections	M F	7 1	1 .	4 .	1 .	. .	. .	. .	. 1	1 .	. .	. .
B 12	Acute poliomyelitis	M F	6 4	. .	. .	1 .	2 .	. 2	1 1	2 1	. .	. .	. .
B 14	Measles	M F	4 7	. 3	3 3	. .	. 1	. .	. .	. .	. .	1 .	. .
B 17	Other infective and parasitic diseases	M F	28 20	6 5	4 4	3 2	. 1	. 2	3 1	2 3	3 2	3 .	4 .
B 18a	Malignant neoplasms :— of stomach	M F	456 264	. .	. .	. .	. .	2 1	8 7	56 25	101 50	162 97	127 84
B 18b	of other digestive organs and peritoneum	M F	451 376	. .	. .	1 .	2 .	1 3	15 12	41 41	80 92	168 113	143 115
B 18c	of respiratory system	M F	227 84	. .	. 1	. .	1 .	. 1	11 1	31 11	76 26	78 25	30 19
B 18d	of breast	M F	. 218	. .	. .	. .	. .	. 3	. 19	. 47	. 51	. 44	. 54
B 18e	of genito-urinary system	M F	200 186	. .	1 1	1 .	. 1	5 2	5 9	15 35	24 55	60 50	89 33
B 18f	of lymphatic and haematopoietic tissues	M F	86 43	. 3	6 2	4 2	4 4	4 2	8 6	13 8	17 5	22 9	8 2
B 18g	other	M F	304 177	. 1	. .	2 4	5 3	4 3	7 13	26 25	48 32	88 37	124 59
B 19	Benign and unspecified neoplasms	M F	41 40	2 .	1 .	2 1	3 .	. 1	2 6	9 4	5 8	6 11	11 9
B 20	Diabetes mellitus	M F	58 73	. .	. 3	. .	. 1	2 1	2 6	3 2	7 12	23 24	21 24
B 21	Anaemias	M F	62 108	1 1	. .	1 1	. 2	3 2	2 4	4 7	9 19	20 31	22 41
B 22	Vascular lesions affecting central nervous system	M F	1,174 1,348	3 .	2 1	2 1	2 2	3 4	17 15	38 73	151 155	338 415	618 682
B 23	Nonmeningococcal meningitis	M F	14 11	6 6	3 2	2 1	. 1	1 .	2 1	. .	. .	. .	. .
B 24	Rheumatic fever	M F	17 12	. .	. .	2 3	2 1	. 3	6 3	2 1	3 1	1 .	1 .
B 25	Chronic rheumatic heart disease	M F	134 130	. .	. .	1 .	1 .	5 8	11 16	21 23	19 14	36 27	40 42
B 26a	Chronic endocarditis	M F	177 147	. .	. .	. .	2 1	2 .	1 1	24 7	24 25	53 45	71 68
B 26b	Coronary and arteriosclerotic heart disease	M F	1,376 699	. .	. .	. .	2 2	5 3	37 16	117 43	309 123	486 229	420 283

SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS, AND AGGREGATE RURAL DISTRICTS
DISTRICTS

Ab- bre- viated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B 26c	Other myocardial degeneration	M	1,901	.	.	.	.	2	15	31	96	413	1,344
		F	1,638	.	.	.	.	1	4	26	74	383	1,150
B 27	Other diseases of heart	M	454	.	1	3	4	3	10	19	46	134	234
		F	376	.	.	1	1	3	8	17	40	98	208
B 28	Hypertension with heart disease	M	150	.	.	.	.	.	.	7	18	57	68
		F	160	.	.	.	.	.	2	5	21	58	74
B 29	Hypertension without mention of heart	M	183	.	.	.	.	5	1	15	29	52	81
		F	148	.	.	.	.	1	3	6	22	52	64
B 46a	Other diseases of circulatory system	M	391	.	1	.	.	1	3	7	20	79	280
		F	271	.	.	.	.	2	3	12	12	54	188
B 30	Influenza	M	273	6	8	4	3	3	4	14	30	81	120
		F	223	5	4	1	3	3	12	11	24	50	110
B 31	Pneumonia	M	350	71	18	6	2	5	15	15	31	63	124
		F	249	45	13	8	1	1	4	10	19	56	92
B 32	Bronchitis	M	344	6	7	.	1	1	7	17	51	101	153
		F	237	3	2	.	3	2	1	5	21	60	140
B 46b	Bronchiectasis	M	25	.	.	.	.	.	.	4	5	10	6
		F	13	1	.	.	1	.	.	2	1	4	4
B 46c	Other diseases of respiratory system	M	77	1	4	.	.	2	3	8	12	19	28
		F	59	4	2	.	.	1	3	3	7	9	30
B 33	Ulcer of stomach and duodenum	M	111	.	.	.	.	3	7	11	27	38	25
		F	37	.	.	.	.	2	1	5	8	11	10
B 34	Appendicitis	M	18	.	2	4	1	1	1	1	3	2	3
		F	13	.	1	2	2	.	1	.	1	1	5
B 35	Intestinal obstruction and hernia	M	65	3	.	.	.	1	3	3	11	20	24
		F	53	.	.	1	.	1	2	5	5	9	30
B 36	Gastritis and enteritis (except of newborn)	M	74	21	6	1	2	2	.	6	8	10	18
		F	60	21	4	.	.	1	.	.	4	10	20
<i>B 36, 43, partsof</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>35</i>	<i>30</i>	<i>5</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>
		<i>F</i>	<i>27</i>	<i>25</i>	<i>2</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>	<i>.</i>
B 37	Cirrhosis of liver	M	23	.	.	.	.	2	1	5	6	6	3
		F	12	.	.	.	.	.	1	3	2	5	1
B 46d	Other diseases of digestive system	M	89	5	3	.	3	4	5	5	16	25	23
		F	80	5	1	.	1	5	4	8	13	24	19
B 38	Nephritis and nephrosis	M	180	.	2	2	5	3	12	28	27	34	67
		F	128	.	.	2	8	2	8	19	21	27	41
B 39	Hyperplasia of prostate	M	170	.	.	.	.	.	.	.	10	34	126
B 40	Complications of pregnancy and childbirth	F	61	.	.	.	1	28	29	3	.	.	.
B 41	Congenital malformations	M	149	124	8	7	1	2	3	3	.	1	.
		F	147	115	11	8	4	2	1	4	1	1	.
B 42	Birth injuries, asphyxia and atelectasis	M	145	145	.	.	.	.	.	.	.	.	.
		F	95	95	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	58	58	.	.	.	.	.	.	.	.	.
		F	31	31	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	218	218	.	.	.	.	.	.	.	.	.
		F	131	131	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	992	.	.	.	.	.	.	.	.	59	933
		F	1,172	.	.	.	.	.	.	.	.	69	1,103
B 45b	Ill-defined and unknown causes	M	256	13	4	1	2	1	5	7	24	57	142
		F	163	5	1	1	.	1	5	3	15	37	95
B 46e	All other diseases	M	583	12	8	7	10	20	30	50	96	159	191
		F	504	25	9	6	13	13	39	51	63	129	156
External Causes													
B 47	Motor vehicle accidents	M	78	.	3	10	14	10	9	9	5	13	5
		F	25	.	1	5	4	2	1	2	3	3	4
B 48	All other accidents	M	273	13	13	13	18	19	22	36	28	50	61
		F	180	8	11	12	3	3	5	3	9	21	105
B 49	Suicide and self-inflicted injury	M	46	.	.	.	1	5	6	9	16	8	1
		F	8	.	.	.	.	2	1	3	2	.	.
B 50	Homicide and operations of war	M	4	1	.	.	.	.	.	.	2	1	.
		F	3	.	.	.	1	.	.	1	.	1	.

TABLE 23—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1957 WHICH WERE NOT MEDICALLY CERTIFIED, CLASSIFIED BY AGE.

Area	Age at death											Percent- age of deaths un- certified
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Total	2,443	39	5	8	3	9	15	34	97	325	1,908	7.1
LEINSTER	385	12	2	2	3	5	4	12	28	82	235	2.6
MUNSTER	790	8	1	2	.	2	7	13	34	105	618	7.2
CONNACHT	945	10	.	4	.	2	2	4	19	95	809	16.9
ULSTER (part of) ...	323	9	2	.	.	.	2	5	16	43	246	10.8
Carlow	27	.	1	1	.	.	1	2	2	5	15	7.0
Dublin County Borough ...	36	.	.	.	.	1	.	2	5	18	10	0.6
Dun Laoghaire Borough ...	1	.	.	.	.	.	.	.	1	.	.	0.2
Dublin County (remainder)	1	.	.	.	.	.	.	.	1	.	.	0.1
Kildare	18	1	.	.	.	.	1	1	1	5	9	2.5
Kilkenny	30	.	.	.	.	.	.	.	1	4	25	3.8
Laois	38	1	.	.	.	2	2	1	2	9	21	6.3
Longford	68	1	.	1	1	.	.	.	4	11	50	15.1
Louth	25	2	.	.	1	.	.	.	1	5	16	3.1
Meath	26	.	.	.	.	1	.	1	1	4	19	3.4
Offaly	48	2	1	.	1	.	.	3	3	7	31	7.6
Westmeath	41	5	.	.	.	1	.	2	5	7	21	6.2
Wexford	23	.	.	.	.	.	.	.	.	6	17	2.1
Wicklow	3	.	.	.	.	.	.	.	1	1	1	0.5
Clare	143	.	.	.	.	.	.	1	1	12	129	15.0
Cork County Borough ...	1	.	.	.	.	.	.	.	.	.	1	0.1
Cork County	203	3	.	.	.	.	3	5	8	31	153	6.0
Kerry	279	4	.	2	.	2	3	4	14	41	209	17.9
Limerick County Borough	7	.	.	.	.	.	.	1	2	3	1	1.5
Limerick County	52	.	1	.	.	.	.	.	1	5	45	4.9
Tipperary, North Riding ...	48	.	.	.	.	.	.	1	1	7	39	6.4
Tipperary, South Riding ...	31	1	.	.	.	.	.	.	4	3	23	3.2
Waterford County Borough	.	.	.	.	.	.	.	.	.	.	.	.
Waterford County	26	.	.	.	.	.	1	1	3	3	18	4.3
Galway	233	3	.	2	.	.	1	1	4	18	204	13.3
Leitrim	100	2	.	1	.	.	.	2	5	13	77	19.7
Mayo	352	2	.	1	.	1	.	1	6	41	300	20.9
Rosecommon	153	2	.	.	.	.	.	.	1	16	134	17.8
Sligo	107	1	.	.	.	1	1	.	3	7	94	13.2
Cavan	61	1	1	.	.	.	.	1	1	10	47	7.5
Donegal	230	8	1	.	.	.	2	4	12	25	178	15.2
Monaghan	32	.	.	.	.	.	.	.	3	8	21	4.8

TABLE 24.—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis of respiratory system	M	383	1	2	2	12	36	62	75	98	71	24
	F	200	2	1	3	11	28	42	34	39	27	13
Tuberculosis, other forms	M	65	6	10	11	6	7	5	11	5	2	2
	F	48	4	7	3	7	6	7	6	5	1	2
Other infective and parasitic diseases	M	99	20	21	8	3	2	8	8	11	11	7
	F	71	22	13	9	3	4	3	6	5	3	3
Malignant neoplasms	M	2,577	1	12	15	26	24	85	296	597	823	698
	F	2,242	4	10	11	16	31	133	327	510	618	582
Vascular lesions affecting central nervous system	M	1,712	3	3	3	4	7	25	71	234	531	831
	F	2,129	.	1	1	4	8	31	122	258	647	1,057
Diseases of the heart	M	5,708	.	1	7	14	26	112	362	857	1,630	2,699
	F	4,600	.	.	3	6	24	84	175	475	1,224	2,609
Other diseases of the circulatory system	M	1,069	.	2	6	3	11	17	44	117	286	583
	F	981	.	.	5	4	9	17	40	106	267	533
Diseases of the respiratory system	M	1,720	133	50	14	9	17	48	116	263	450	620
	F	1,318	90	38	16	16	13	37	49	135	325	599
Senility	M	1,094	.	.	.	.	.	.	.	.	63	1,031
	F	1,355	.	.	.	.	.	.	.	.	75	1,280
Other diseases	M	3,359	989	54	49	40	63	108	202	374	631	849
	F	2,684	716	49	39	49	91	148	175	273	491	653
Accidents and other external causes	M	569	20	31	38	48	63	54	69	72	87	87
	F	328	16	22	25	18	7	12	16	21	43	148
All causes	M	18,355	1,173	186	153	165	256	524	1,254	2,628	4,585	7,431
	F	15,956	854	141	115	134	221	514	950	1,827	3,721	7,479
LEINSTER												
Tuberculosis of respiratory system	M	176	.	1	1	5	19	25	37	47	31	10
	F	94	.	1	2	7	14	20	13	16	15	6
Tuberculosis, other forms	M	24	3	3	3	1	4	1	6	1	1	1
	F	23	2	4	1	2	2	4	5	2	1	.
Other infective and parasitic diseases	M	56	10	11	5	2	2	4	5	7	6	4
	F	34	8	6	5	2	.	2	2	4	3	2
Malignant neoplasms	M	1,149	1	7	11	13	12	41	151	290	348	275
	F	1,061	.	4	6	8	13	62	152	251	297	268
Vascular lesions affecting central nervous system	M	745	1	.	2	1	2	12	36	102	239	350
	F	1,025	.	1	.	.	4	14	64	124	302	516
Diseases of the heart	M	2,327	.	1	4	8	11	57	158	411	675	1,002
	F	1,974	.	.	2	1	16	42	80	233	540	1,060
Other diseases of the circulatory system	M	504	.	1	5	1	5	6	21	48	151	266
	F	499	.	.	3	2	3	6	17	61	127	280
Diseases of the respiratory system	M	806	75	23	6	2	4	22	63	143	211	257
	F	637	44	17	8	9	7	22	22	64	177	267
Senility	M	210	.	.	.	.	.	.	.	.	12	198
	F	278	.	.	.	.	.	.	.	.	19	239
Other diseases	M	1,447	526	25	27	22	27	44	89	158	239	290
	F	1,235	369	20	18	19	47	60	85	126	215	276
Accidents and other external causes	M	222	11	9	19	24	29	23	29	26	24	28
	F	147	10	12	10	10	2	7	7	11	24	54
All causes	M	7,666	627	81	83	79	115	235	595	1,233	1,937	2,681
	F	7,007	433	65	55	60	108	239	447	892	1,720	2,983

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis of respiratory system	M	137	.	1	.	5	10	21	27	36	28	9
	F	62	2	.	.	2	10	10	14	14	7	3
Tuberculosis, other forms	M	29	2	6	5	2	2	3	4	3	1	1
	F	12	1	1	1	4	1	1	.	2	.	1
Other infective and parasitic diseases	M	24	5	5	1	1	.	4	3	2	2	1
	F	22	7	6	2	.	3	.	3	1	.	.
Malignant neoplasms	M	817	.	2	4	7	8	21	81	192	265	237
	F	708	2	3	1	5	10	42	103	166	195	181
Vascular lesions affecting central nervous system	M	525	1	1	1	1	3	8	19	74	163	254
	F	625	.	.	1	4	1	5	32	75	205	302
Diseases of the heart	M	1,868	.	.	3	4	9	33	132	253	569	865
	F	1,548	.	.	.	4	4	30	66	139	429	876
Other diseases of the circulatory system	M	313	.	1	1	1	4	8	11	37	73	177
	F	269	.	.	2	1	1	7	15	29	87	127
Diseases of the respiratory system	M	528	30	11	7	4	10	16	32	86	137	195
	F	408	24	16	3	4	5	5	17	56	95	183
Senility	M	421	.	.	.	.	.	.	.	.	23	398
	F	546	.	.	.	.	.	.	.	.	33	513
Other diseases	M	1,078	269	17	10	13	17	33	65	122	226	306
	F	809	200	22	13	19	21	54	47	87	157	189
Accidents and other external causes	M	193	3	11	11	15	18	18	28	25	36	28
	F	100	4	6	13	8	4	2	2	5	10	46
All causes	M	5,933	310	55	43	53	81	165	402	830	1,523	2,471
	F	5,109	240	54	36	51	60	156	299	574	1,218	2,421
CONNACHT												
Tuberculosis of respiratory system	M	48	1	.	1	2	4	11	7	9	9	4
	F	25	.	.	.	1	3	8	3	5	3	2
Tuberculosis, other forms	M	6	1	1	2	1	.	.	.	1	.	.
	F	9	1	1	.	1	3	1	1	.	.	1
Other infective and parasitic diseases	M	12	5	3	.	.	.	.	.	1	1	2
	F	9	3	1	2	1	1	.	1	.	.	.
Malignant neoplasms	M	379	.	1	.	2	4	15	47	70	134	106
	F	303	1	3	2	1	5	21	38	58	83	91
Vascular lesions affecting central nervous system	M	258	.	1	.	.	2	3	7	38	76	131
	F	283	.	.	.	.	2	8	15	35	80	143
Diseases of the heart	M	969	.	.	.	1	3	12	49	121	232	551
	F	689	.	.	1	1	1	8	19	63	156	440
Other diseases of the circulatory system	M	171	.	.	.	1	1	1	9	21	39	99
	F	153	.	.	.	1	3	1	5	12	35	96
Diseases of the respiratory system	M	260	19	9	1	2	2	5	13	26	69	114
	F	164	9	2	4	1	.	6	7	11	27	97
Senility	M	355	.	.	.	.	.	.	.	.	24	331
	F	415	.	.	.	.	.	.	.	.	21	394
Other diseases	M	537	125	7	6	4	11	24	29	62	108	161
	F	419	108	3	6	5	15	22	23	39	74	124
Accidents and other external causes	M	91	4	8	6	5	8	7	4	14	19	16
	F	50	1	4	1	.	.	1	6	4	4	29
All causes	M	3,086	155	30	16	18	25	78	165	363	711	1,515
	F	2,519	123	14	16	12	33	76	113	227	483	1,417

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis of respiratory system	M	22	.	.	.	.	3	5	4	6	3	1
	F	19	.	.	1	1	1	4	4	4	2	2
Tuberculosis, other forms	M	6	.	.	1	2	1	1	1	.	.	.
	F	4	.	1	1	.	.	1	.	1	.	.
Other infective and parasitic diseases	M	7	.	2	2	.	.	.	.	1	2	.
	F	6	4	.	.	.	.	1	.	.	.	1
Malignant neoplasms	M	232	.	2	.	4	.	8	17	45	76	80
	F	170	1	.	2	2	3	8	34	35	43	42
Vascular lesions affecting central nervous system	M	184	1	1	.	2	.	2	9	20	53	96
	F	196	.	.	.	.	1	4	11	24	60	96
Diseases of the heart	M	544	.	.	.	1	3	10	23	72	154	281
	F	389	.	.	.	.	3	4	10	40	99	233
Other diseases of the circulatory system	M	81	.	.	.	.	1	2	3	11	23	41
	F	60	.	.	.	.	2	3	3	4	18	30
Diseases of the respiratory system	M	126	9	7	.	1	1	5	8	8	33	54
	F	109	13	3	1	2	1	4	3	4	26	52
Senility	M	108	.	.	.	.	.	.	.	.	4	104
	F	116	.	.	.	.	.	.	.	.	2	114
Other diseases	M	297	69	7	6	1	7	7	18	32	58	92
	F	221	39	4	2	6	8	12	20	21	45	64
Accidents and other external causes	M	63	2	3	2	4	8	6	8	7	8	15
	F	31	1	.	1	.	1	2	1	1	5	19
All causes	M	1,670	81	20	11	15	25	46	92	202	414	764
	F	1,321	58	8	8	11	20	43	86	134	300	653
COUNTY CARLOW												
Tuberculosis of respiratory system	M	7	.	.	.	.	3	2	.	1	1	.
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	1	.	.	1	.	.	.	.	.	.	.
	F	2	.	.	.	1	.	.	.	.	1	.
Other infective and parasitic diseases	M	3	.	2	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	17	.	1	.	.	.	1	.	4	7	4
	F	23	.	.	.	.	.	2	.	8	9	4
Vascular lesions affecting central nervous system	M	17	.	.	.	.	.	1	1	2	7	6
	F	26	.	.	.	.	.	2	3	2	6	13
Diseases of the heart	M	72	.	.	.	.	.	.	5	12	14	41
	F	74	.	.	.	.	.	2	4	6	25	37
Other diseases of the circulatory system	M	13	.	.	.	.	.	.	3	1	3	6
	F	8	.	.	.	.	.	.	.	1	3	4
Diseases of the respiratory system	M	21	1	3	.	.	.	1	.	5	5	6
	F	11	.	.	.	.	1	1	.	1	4	4
Sonility	M	10	.	.	.	.	.	.	.	.	.	10
	F	11	.	.	.	.	.	.	.	.	2	9
Other diseases	M	33	13	.	1	.	1	.	2	4	5	7
	F	27	8	.	1	.	5	1	2	4	3	3
Accidents and other external causes	M	5	.	.	1	.	1	.	1	1	.	1
	F	4	.	.	.	.	.	.	2	.	.	2
All causes	M	199	14	6	3	.	5	5	12	31	42	81
	F	187	8	.	1	1	6	8	12	22	53	76

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	78	.	1	.	.	6	8	17	22	18	6
	F	50	.	.	.	3	8	10	6	11	8	4
Tuberculosis, other forms	M	5	1	1	1	.	1	.	1	.	.	.
	F	8	.	1	1	1	.	2	2	1	.	.
Other infective and parasitic diseases	M	30	6	4	3	1	2	2	3	5	3	1
	F	17	4	4	3	1	.	1	.	1	2	1
Malignant neoplasms	M	477	1	2	3	7	5	17	65	145	136	96
	F	452	.	3	4	4	6	31	74	96	125	109
Vascular lesions affecting central nervous system	M	272	.	.	1	1	2	3	18	43	88	116
	F	396	.	.	.	.	3	7	22	42	120	202
Diseases of the heart	M	806	.	.	1	4	5	22	73	187	239	275
	F	778	.	.	1	.	5	17	29	106	211	409
Other diseases of the circulatory system	M	159	.	.	3	1	2	4	7	24	47	71
	F	207	.	.	1	.	1	4	8	28	55	110
Diseases of the respiratory system	M	371	32	9	2	1	.	11	38	78	103	97
	F	293	16	9	2	3	1	8	9	31	85	129
Senility	M	17	.	.	.	.	.	.	.	.	.	17
	F	38	.	.	.	.	.	.	.	.	1	37
Other diseases	M	509	206	11	12	6	10	17	30	54	77	86
	F	489	151	9	7	9	15	12	27	51	89	119
Accidents and other external causes	M	72	1	7	7	7	12	11	6	7	6	8
	F	61	3	6	4	5	.	4	3	7	13	16
All causes	M	2,796	247	35	33	28	45	95	258	565	717	773
	F	2,789	174	32	23	26	39	96	180	374	709	1,136
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	1	.	1	.	.
	F	2	.	.	.	.	.	.	.	.	1	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	36	.	.	1	.	.	1	3	10	12	9
	F	53	.	1	.	.	1	4	7	10	13	17
Vascular lesions affecting central nervous system	M	18	.	.	.	.	.	1	1	2	5	9
	F	57	.	.	.	.	.	.	4	6	12	35
Diseases of the heart	M	88	.	.	.	.	.	.	8	17	29	34
	F	81	.	.	1	.	.	2	3	7	22	46
Other diseases of the circulatory system	M	18	.	.	1	.	.	1	.	1	4	11
	F	24	.	.	.	1	.	.	2	1	2	18
Diseases of the respiratory system	M	27	2	1	.	.	.	.	3	4	6	11
	F	25	4	1	.	1	.	1	1	.	6	11
Senility	M	1	.	.	.	.	.	.	.	.	.	1
	F	4	.	.	.	.	.	.	.	.	.	4
Other diseases	M	45	10	.	.	.	3	1	2	3	16	10
	F	53	15	.	1	1	1	2	5	4	11	13
Accidents and other external causes	M	9	1	.	.	1	3	2	1	.	1	.
	F	8	1	2	.	.	.	1	.	.	1	3
All causes	M	244	13	1	2	1	6	7	18	38	73	85
	F	309	21	4	2	3	2	10	22	29	68	148

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis of respiratory system	M	13	.	.	.	.	1	1	5	3	1	2
	F	5	.	.	.	.	3	1	.	.	1	.
Tuberculosis, other forms	M	4	.	.	.	.	3	.	.	.	.	1
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	5	.	1	1	.	.	1	1	1	.	.
	F	3	.	1	1	1	.	.	.	.	.	.
Malignant neoplasms	M	90	.	.	1	.	3	6	11	19	28	22
	F	68	.	.	.	1	1	3	13	16	22	12
Vascular lesions affecting central nervous system	M	47	.	.	.	.	.	1	1	2	19	24
	F	70	.	.	.	.	.	1	6	6	23	34
Diseases of the heart	M	128	.	.	1	.	1	5	9	22	42	48
	F	128	.	.	.	.	1	7	9	17	27	67
Other diseases of the circulatory system	M	23	.	.	.	.	.	.	1	.	7	15
	F	34	.	.	.	.	.	.	1	5	7	21
Diseases of the respiratory system	M	56	6	1	1	.	.	1	5	11	13	18
	F	44	5	1	1	.	1	1	2	4	8	21
Senility	M	8	.	.	.	.	.	.	.	.	.	8
	F	15	.	.	.	.	.	.	.	.	2	13
Other diseases	M	112	56	4	2	1	1	3	7	9	11	18
	F	91	35	1	.	1	4	6	10	4	15	15
Accidents and other external causes	M	14	1	.	2	2	1	1	2	1	.	4
	F	12	1	.	.	1	.	1	1	.	2	6
All causes	M	500	63	6	8	3	10	19	42	68	121	160
	F	471	41	4	2	4	10	20	42	52	107	189
COUNTY KILDARE												
Tuberculosis of respiratory system	M	8	.	.	1	2	1	2	1	1	.	.
	F	8	.	1	.	.	2	1	1	1	1	1
Tuberculosis, other forms	M	2	.	.	.	.	.	.	2	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	.	1	.	1	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	56	.	.	1	1	.	4	15	8	10	17
	F	53	.	.	1	2	1	2	11	18	7	11
Vascular lesions affecting central nervous system	M	33	.	.	.	.	.	.	1	1	11	20
	F	40	.	.	.	.	.	1	2	5	14	18
Diseases of the heart	M	105	.	.	.	1	.	1	5	17	24	57
	F	79	.	.	.	.	.	1	6	5	24	43
Other diseases of the circulatory system	M	20	.	.	.	.	.	.	.	4	5	11
	F	17	.	.	.	.	1	.	.	.	3	13
Diseases of the respiratory system	M	55	8	2	.	.	1	2	1	9	14	18
	F	30	2	1	1	1	1	1	2	.	10	14
Senility	M	6	.	.	.	.	.	.	.	.	1	5
	F	11	.	.	.	.	.	.	.	.	.	11
Other diseases	M	103	41	.	3	1	1	2	6	15	15	19
	F	59	10	.	1	2	5	8	7	7	7	12
Accident and other external causes	M	11	.	.	2	1	.	1	4	2	.	1
	F	5	.	.	3	.	.	.	.	.	.	2
All causes	M	402	50	2	7	6	3	12	36	57	81	143
	F	304	13	3	6	5	10	14	29	36	66	122

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	10	.	.	.	.	.	3	3	3	.	1
	F	2	.	.	.	.	.	2	.	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	.	.	.	1	1
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	57	.	.	1	.	.	1	3	12	20	20
	F	56	.	.	.	.	1	1	7	16	14	17
Vascular lesions affecting central nervous system	M	36	.	.	.	.	.	.	.	8	9	19
	F	55	.	.	.	.	.	.	3	8	14	30
Diseases of the heart	M	127	.	.	.	1	.	5	9	20	28	64
	F	97	.	.	.	.	.	3	5	13	29	47
Other diseases of the circulatory system	M	31	.	.	1	.	.	.	2	.	11	17
	F	19	.	.	1	.	.	.	.	4	5	9
Diseases of the respiratory system	M	36	.	.	2	.	.	.	1	7	8	18
	F	35	1	1	2	.	1	2	.	4	11	13
Senility	M	31	.	.	.	.	.	.	.	.	2	29
	F	37	.	.	.	.	.	.	.	.	2	35
Other diseases	M	73	22	1	.	2	2	1	5	6	13	21
	F	57	17	1	1	.	3	4	3	4	12	12
Accidents and other external causes	M	17	1	1	1	5	1	.	3	1	4	.
	F	10	.	.	1	.	.	.	.	3	1	5
All causes	M	421	23	2	5	8	3	11	26	57	96	190
	F	369	18	2	5	.	5	12	18	53	88	168
COUNTY LAOIS												
Tuberculosis of respiratory system	M	3	.	.	.	.	1	.	1	1	.	.
	F	2	.	.	.	.	.	1	.	.	1	.
Tuberculosis, other forms	M	4	.	.	.	1	.	.	2	.	1	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	41	.	1	.	1	.	1	6	5	14	13
	F	30	.	.	.	.	.	.	4	5	7	14
Vascular lesions affecting central nervous system	M	32	.	.	.	.	.	.	3	2	9	18
	F	29	.	.	.	.	1	1	1	4	9	13
Diseases of the heart	M	116	.	.	1	.	.	4	5	14	31	61
	F	77	.	.	.	.	2	.	3	4	18	50
Other diseases of the circulatory system	M	42	.	.	.	.	1	.	.	4	10	27
	F	22	.	.	.	.	.	1	.	2	2	17
Diseases of the respiratory system	M	32	5	.	.	1	.	1	.	2	10	13
	F	16	3	.	.	.	.	1	.	1	3	8
Senility	M	13	.	.	.	.	.	.	.	.	.	13
	F	20	.	.	.	.	.	.	.	.	2	18
Other diseases	M	62	19	1	.	2	2	3	2	5	11	17
	F	50	16	.	.	2	.	3	4	10	6	9
Accidents and other external causes	M	11	.	.	.	2	3	1	1	3	1	.
	F	2	.	.	.	.	.	.	1	.	.	1
All causes	M	356	24	2	1	7	7	10	20	36	87	162
	F	249	19	1	.	2	3	7	13	26	48	130

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	.	2	.	2	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	2	.	1	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	1	.	.	1	.	.	.	.	1	1
	F	2	.	.	.	.	.	.	1	1	.	.
Malignant neoplasms	M	27	.	.	.	.	.	.	6	4	11	6
	F	31	.	.	.	.	.	.	2	5	12	12
Vascular lesions affecting central nervous system	M	30	.	.	.	.	.	.	2	4	12	12
	F	23	.	.	.	.	.	1	1	5	8	8
Diseases of the heart	M	98	.	.	.	.	.	2	2	11	27	56
	F	59	.	.	.	.	.	2	.	6	13	38
Other diseases of the circulatory system	M	8	.	.	.	.	1	.	.	1	4	2
	F	12	.	.	.	.	.	.	.	1	5	6
Diseases of the respiratory system	M	17	.	.	1	.	.	.	1	4	4	7
	F	11	.	.	.	.	.	.	1	1	2	7
Senility	M	17	.	.	.	.	.	.	.	.	1	16
	F	21	.	.	.	.	.	.	.	.	.	21
Other diseases	M	42	4	.	.	1	.	3	6	7	6	15
	F	30	8	2	2	.	1	2	.	4	3	8
Accidents and other external causes	M	6	.	.	.	.	.	1	3	.	.	2
	F	3	.	1	.	.	.	.	.	.	.	2
All causes	M	256	5	1	1	2	2	6	23	31	68	117
	F	192	8	3	2	.	1	5	5	23	43	102
COUNTY LOUTH												
Tuberculosis of respiratory system	M	6	.	.	.	.	1	2	1	.	2	.
	F	6	.	.	.	.	1	3	.	1	1	.
Tuberculosis, other forms	M	1	.	1	.	.	.	.	.	.	.	.
	F	3	.	.	.	.	1	1	1	.	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	66	.	1	2	1	.	2	8	15	25	12
	F	48	.	.	.	.	2	4	6	8	16	12
Vascular lesions affecting central nervous system	M	36	.	.	.	.	.	.	.	7	13	16
	F	54	.	.	.	.	.	.	3	15	11	25
Diseases of the heart	M	144	.	.	1	.	1	3	9	23	54	53
	F	103	.	.	.	1	.	1	3	4	47	47
Other diseases of the circulatory system	M	16	.	1	.	.	.	.	1	2	6	6
	F	11	.	.	.	.	.	.	.	3	4	4
Diseases of the respiratory system	M	35	3	.	.	.	1	.	4	4	11	12
	F	38	5	1	.	2	.	4	1	4	12	9
Senility	M	41	.	.	.	.	.	.	.	.	3	38
	F	39	.	.	.	.	.	.	.	.	3	36
Other diseases	M	78	24	.	5	2	2	4	7	10	12	12
	F	64	22	.	1	1	1	4	6	5	10	14
Accidents and other external causes	M	7	.	.	1	.	2	.	.	1	1	2
	F	7	1	.	1	1	.	.	.	.	1	3
All causes	M	431	27	4	9	3	7	11	30	62	127	151
	F	375	29	1	2	5	5	17	20	40	105	151

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY MEATH												
Tuberculosis of respiratory system	M	4	.	.	.	.	1	2	.	1	.	.
	F	3	.	.	.	1	.	.	1	1	.	.
Tuberculosis, other forms	M	1	1	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	1	1	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	58	.	.	.	.	1	2	6	13	17	19
	F	51	.	.	.	.	.	5	5	12	19	10
Vascular lesions affecting central nervous system	M	46	.	.	.	.	.	1	3	2	17	23
	F	51	.	.	.	.	.	.	1	7	14	29
Diseases of the heart	M	130	.	.	.	.	2	2	5	19	36	66
	F	112	.	.	.	.	1	3	5	16	33	54
Other diseases of the circulatory system	M	31	.	.	.	.	.	.	2	1	8	20
	F	21	.	.	.	.	1	1	2	1	6	10
Diseases of the respiratory system	M	22	.	3	.	.	.	1	3	2	6	7
	F	40	.	1	.	1	1	.	2	5	10	20
Senility	M	8	.	.	.	.	.	.	.	.	1	7
	F	14	.	.	.	.	.	.	.	.	1	13
Other diseases	M	80	26	.	.	3	2	4	5	7	19	14
	F	55	19	2	.	.	2	2	1	9	10	10
Accidents and other external causes	M	19	4	.	.	.	1	.	5	.	5	4
	F	9	2	.	1	.	1	1	.	.	2	2
All causes	M	399	31	3	.	3	7	12	29	45	109	160
	F	359	21	3	1	2	6	13	18	52	95	148
COUNTY OFFALY												
Tuberculosis of respiratory system	M	7	.	.	.	1	.	.	.	4	2	.
	F	5	.	.	1	1	.	1	1	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	48	.	.	.	1	.	.	4	13	18	12
	F	42	.	.	.	.	.	1	5	13	11	12
Vascular lesions affecting central nervous system	M	45	1	.	1	.	.	1	2	6	9	25
	F	41	.	1	.	.	.	1	3	3	12	21
Diseases of the heart	M	95	.	.	.	.	.	2	5	5	34	49
	F	50	.	.	.	.	2	1	2	12	10	23
Other diseases of the circulatory system	M	21	.	.	.	.	.	1	2	2	7	9
	F	18	.	.	.	1	.	.	1	3	8	5
Diseases of the respiratory system	M	20	4	.	.	.	.	1	.	2	4	9
	F	21	2	.	.	.	1	1	2	2	6	7
Senility	M	24	.	.	.	.	.	.	.	.	2	22
	F	26	.	.	.	.	.	.	.	.	1	25
Other diseases	M	88	30	3	1	1	.	2	3	11	19	18
	F	59	15	1	3	.	2	5	3	3	16	11
Accidents and other external causes	M	10	1	.	1	.	2	1	1	1	2	1
	F	8	.	1	.	.	.	.	.	.	2	5
All causes	M	358	36	3	3	3	2	8	17	44	97	145
	F	272	18	3	5	2	5	10	17	37	66	109

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	9	.	.	.	.	2	.	1	2	4	.
	F	2	.	.	.	.	.	.	1	1	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	3	1	.	.	.	1	.	1	.	.	.
Other infective and parasitic diseases	M	5	1	1	1	.	.	1	.	.	.	1
	F	2	.	1	.	.	.	.	.	.	1	.
Malignant neoplasms	M	44	.	.	.	.	1	1	7	11	12	12
	F	40	.	.	1	.	.	1	8	11	11	8
Vascular lesions affecting central nervous system	M	35	.	.	.	.	.	3	2	2	8	20
	F	47	.	.	.	.	.	.	4	3	15	25
Diseases of the heart	M	109	.	.	.	.	1	4	9	20	29	46
	F	90	.	.	.	.	1	1	.	12	21	55
Other diseases of the circulatory system	M	33	.	.	.	.	.	.	.	.	11	22
	F	22	.	.	.	.	.	.	.	1	9	12
Diseases of the respiratory system	M	29	3	2	.	.	.	.	1	2	8	13
	F	15	2	.	1	.	.	.	.	3	2	7
Senility	M	16	.	.	.	.	.	.	.	.	1	15
	F	12	.	.	.	.	.	.	.	.	1	11
Other diseases	M	71	27	2	1	1	1	2	3	11	10	13
	F	62	14	3	1	.	1	3	4	10	12	14
Accidents and other external causes	M	11	.	1	1	1	.	2	1	2	1	2
	F	5	2	.	.	1	.	.	.	1	.	1
All causes	M	363	31	6	3	2	5	13	24	51	84	144
	F	300	19	4	3	1	3	5	17	42	73	133
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	18	.	.	.	1	2	4	4	6	.	1
	F	4	.	.	1	.	.	1	1	.	1	.
Tuberculosis, other forms	M	1	1	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	83	.	1	.	1	1	1	11	18	24	26
	F	66	.	.	.	.	.	5	5	17	18	21
Vascular lesions affecting central nervous system	M	51	.	.	.	.	.	1	1	12	18	19
	F	76	.	.	.	.	.	.	10	8	25	33
Diseases of the heart	M	190	.	.	.	1	.	6	9	26	50	98
	F	155	.	.	.	.	3	2	5	13	41	91
Other diseases of the circulatory system	M	74	.	.	.	.	1	.	2	5	24	42
	F	66	.	.	1	.	.	.	2	5	15	43
Diseases of the respiratory system	M	49	10	1	.	.	2	1	5	6	10	14
	F	36	2	2	1	.	.	.	1	7	10	13
Senility	M	15	.	.	.	.	.	.	.	.	1	14
	F	24	.	.	.	.	.	.	.	.	4	20
Other diseases	M	87	29	2	2	2	.	1	7	8	16	20
	F	83	24	.	.	2	7	6	6	5	12	21
Accidents and other external causes	M	18	1	.	1	3	3	3	.	2	2	3
	F	10	.	2	.	1	1	.	.	.	1	5
All causes	M	587	42	4	3	8	9	17	39	83	145	237
	F	522	27	4	3	3	11	14	31	55	127	247

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	6	.	.	.	1	.	.	2	2	1	.
	F	4	.	.	.	2	.	.	2	.	.	.
Tuberculosis, other forms	M	1	.	.	1	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	2	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Malignant neoplasms	M	49	.	1	2	1	1	4	6	13	14	7
	F	48	.	.	.	1	1	3	5	16	13	9
Vascular lesions affecting central nervous system	M	47	.	.	.	.	.	.	1	9	14	23
	F	60	.	.	.	.	.	.	1	10	19	30
Diseases of the heart	M	119	.	1	.	1	1	1	5	18	38	54
	F	91	.	.	.	.	1	.	6	12	19	53
Other diseases of the circulatory system	M	15	.	.	.	.	.	.	1	3	4	7
	F	18	.	.	.	.	.	.	1	6	3	8
Diseases of the respiratory system	M	36	1	1	.	.	.	3	1	7	9	14
	F	22	2	.	.	1	.	2	1	1	8	7
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	64	19	1	.	.	2	1	4	8	9	20
	F	56	15	1	.	1	.	2	7	6	9	15
Accidents and other external causes	M	12	1	.	2	2	.	.	1	5	1	.
	F	3	.	.	.	1	.	.	.	.	1	1
All causes	M	354	21	6	5	5	4	9	21	65	90	128
	F	309	17	1	.	6	2	8	23	51	72	129
COUNTY CLARE												
Tuberculosis of respiratory system	M	11	.	.	.	.	1	4	3	1	2	.
	F	7	.	.	.	.	2	3	2	.	.	.
Tuberculosis, other forms	M	4	1	1	.	.	.	1	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	66	.	1	1	1	.	5	3	14	21	20
	F	47	.	.	.	.	1	2	9	9	15	11
Vascular lesions affecting central nervous system	M	37	.	.	.	.	.	.	2	7	12	16
	F	36	.	.	.	.	.	1	2	5	9	19
Diseases of the heart	M	155	.	.	.	.	.	2	6	23	47	77
	F	148	.	.	.	.	.	1	6	9	42	90
Other diseases of the circulatory system	M	22	.	.	.	.	.	1	1	2	3	15
	F	19	.	.	.	.	.	.	3	1	4	11
Diseases of the respiratory system	M	34	6	.	2	1	1	1	2	4	6	11
	F	27	3	.	.	.	.	2	1	4	7	10
Senility	M	69	.	.	.	.	.	.	.	.	3	66
	F	68	.	.	.	.	.	.	.	.	4	64
Other diseases	M	102	25	.	.	2	4	3	4	12	25	27
	F	74	19	2	1	2	2	4	4	10	14	16
Accidents and other external causes	M	16	.	1	1	.	2	2	1	4	4	1
	F	12	.	2	3	.	1	1	.	.	.	5
All causes	M	517	32	3	4	4	8	20	22	68	123	233
	F	439	22	4	4	2	6	14	27	39	95	226

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	20	.	.	.	1	.	4	3	8	4	.
	F	3	.	.	.	.	.	.	1	2	.	.
Tuberculosis, other forms	M	3	1	.	.	1	.	.	.	.	1	.
	F	2	.	1	.	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	2	.	.	.	.	.	.	.	1	.
	F	3	3	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	79	.	.	1	3	.	2	11	29	22	11
	F	81	.	1	.	1	3	6	10	15	22	23
Vascular lesions affecting central nervous system	M	34	.	.	.	.	.	.	2	3	15	14
	F	54	.	.	.	.	.	1	4	9	22	18
Diseases of the heart	M	150	.	.	.	.	3	2	15	26	51	53
	F	180	.	.	.	.	.	3	10	18	44	105
Other diseases of the circulatory system	M	37	.	.	.	.	.	1	.	6	10	20
	F	26	.	.	.	.	1	.	1	5	9	10
Diseases of the respiratory system	M	63	.	.	.	.	2	3	6	15	19	18
	F	59	2	2	2	.	1	.	4	8	14	26
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	14	.	.	.	.	.	.	.	.	2	12
Other diseases	M	76	18	1	1	2	.	1	6	15	20	12
	F	70	15	2	2	1	3	4	4	13	13	13
Accidents and other external causes	M	17	1	1	3	.	1	2	1	2	3	3
	F	12	.	.	3	1	.	.	1	.	2	5
All causes	M	489	22	2	5	7	6	15	44	104	146	138
	F	504	20	6	7	4	8	14	35	70	128	212
COUNTY CORK												
Tuberculosis of respiratory system	M	46	.	1	.	2	4	6	4	17	8	4
	F	8	1	.	.	.	2	.	3	.	1	1
Tuberculosis, other forms	M	4	.	.	1	1	1	1	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Other infective and parasitic diseases	M	13	1	5	.	1	.	2	2	.	1	1
	F	6	.	3	.	.	1	.	2	.	.	.
Malignant neoplasms	M	258	.	1	1	.	2	6	27	60	91	70
	F	226	.	1	.	3	3	12	32	57	63	55
Vascular lesions affecting central nervous system	M	155	1	.	.	.	1	1	4	22	53	73
	F	192	.	.	.	2	1	.	5	18	69	97
Diseases of the heart	M	559	.	.	1	.	4	12	34	62	174	272
	F	516	.	.	.	2	2	10	19	36	138	309
Other diseases of the circulatory system	M	86	.	1	.	.	1	3	2	10	17	52
	F	76	.	.	.	.	.	3	4	6	26	37
Diseases of the respiratory system	M	146	8	4	2	1	2	5	8	19	37	60
	F	126	3	2	.	2	1	1	4	22	32	59
Senility	M	124	.	.	.	.	.	.	.	.	9	115
	F	162	.	.	.	.	.	.	.	.	10	152
Other diseases	M	341	63	6	2	6	8	12	21	40	59	124
	F	224	51	8	6	7	7	14	16	14	49	52
Accidents and other external causes	M	69	.	2	4	9	5	7	9	6	15	12
	F	32	2	.	2	5	1	1	.	2	3	16
All causes	M	1,801	73	20	11	20	28	55	111	236	464	783
	F	1,569	57	14	8	21	18	41	85	155	391	779

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY KERRY												
Tuberculosis of respiratory system	M	20	.	.	.	.	2	2	4	4	4	4
	F	9	.	.	.	.	1	1	2	2	1	2
Tuberculosis, other forms	M	4	.	2	.	.	.	.	.	2	.	.
	F	1	.	.	.	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	5	2	.	.	.	.	1	1	1	.	.
	F	7	3	2	1	.	1	.	.	.	.	.
Malignant neoplasms	M	91	.	.	.	.	1	5	9	20	33	23
	F	97	1	.	.	1	1	6	14	24	31	19
Vascular lesions affecting central nervous system	M	72	.	1	1	.	.	1	1	9	21	38
	F	69	.	.	1	.	.	.	1	9	16	42
Diseases of the heart	M	290	.	.	1	1	.	5	17	35	84	147
	F	171	.	.	.	.	.	5	7	14	44	101
Other diseases of the circulatory system	M	65	.	.	.	.	1	.	1	10	16	37
	F	55	.	.	.	.	.	.	2	7	20	26
Diseases of the respiratory system	M	78	4	2	3	.	2	2	5	12	18	30
	F	42	5	3	1	1	.	2	2	4	8	16
Senility	M	79	.	.	.	.	.	.	.	.	3	76
	F	117	.	.	.	.	.	.	.	.	7	110
Other diseases	M	139	43	2	2	.	2	3	9	14	22	42
	F	99	27	1	1	1	1	8	6	8	22	24
Accidents and other external causes	M	30	.	1	.	3	3	3	7	3	6	4
	F	15	.	2	2	1	.	.	.	1	2	7
All causes	M	873	49	8	7	4	11	22	54	110	207	401
	F	682	36	8	6	5	4	22	34	69	151	347
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	8	.	.	.	1	2	1	1	2	1	.
	F	9	.	.	.	1	2	1	1	1	3	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	41	.	.	.	1	1	2	8	12	6	11
	F	31	.	.	.	.	.	2	5	8	7	9
Vascular lesions affecting central nervous system	M	27	.	.	.	1	.	.	3	4	10	9
	F	31	.	.	.	.	.	1	7	4	9	10
Diseases of the heart	M	84	.	.	.	.	.	2	6	15	23	38
	F	75	.	.	.	.	.	2	2	7	28	36
Other diseases of the circulatory system	M	8	.	.	.	.	1	.	.	2	3	2
	F	8	.	.	.	1	.	1	.	.	3	3
Diseases of the respiratory system	M	25	1	.	.	.	.	2	1	6	9	6
	F	10	1	1	.	.	.	.	.	3	3	2
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	46	16	1	.	.	.	2	4	7	9	7
	F	44	13	2	.	.	1	4	3	8	6	7
Accidents and other external causes	M	8	.	1	.	2	2	.	2	.	.	1
	F	6	2	.	.	1	.	.	.	.	.	3
All causes	M	251	17	2	.	5	6	9	25	48	61	78
	F	222	16	3	.	4	3	11	18	31	59	77

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	10	.	.	.	1	1	2	3	1	2	.
	F	14	1	.	.	.	2	3	3	3	2	.
Tuberculosis, other forms	M	3	.	.	1	.	.	.	2	.	.	.
	F	4	1	.	1	.	1	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	1	.	.	.	.	1	.	.	.	.	.
Malignant neoplasms	M	90	.	.	.	.	.	.	9	15	26	40
	F	64	1	.	.	.	.	6	12	12	14	19
Vascular lesions affecting central nervous system	M	46	.	.	.	.	1	2	.	7	8	28
	F	61	.	.	.	.	.	.	5	9	16	31
Diseases of the heart	M	185	.	.	.	1	.	4	16	20	66	78
	F	129	.	.	.	1	1	1	8	11	41	66
Other diseases of the circulatory system	M	24	.	.	1	1	.	2	3	3	5	9
	F	11	.	.	.	.	.	.	.	1	5	5
Diseases of the respiratory system	M	49	4	1	.	.	2	1	3	7	11	20
	F	43	3	4	.	1	.	.	2	1	8	24
Senility	M	38	.	.	.	.	.	.	.	.	3	35
	F	52	.	.	.	.	.	.	.	.	5	47
Other diseases	M	117	21	4	1	1	1	4	6	9	33	37
	F	101	21	3	1	2	4	5	4	13	20	28
Accidents and other external causes	M	17	.	1	1	1	3	1	4	3	2	1
	F	8	.	1	1	.	2	.	.	.	.	4
All causes	M	580	25	6	4	5	8	16	46	66	156	248
	F	488	27	8	3	4	11	16	34	50	111	224
COUNTY TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	6	.	.	.	.	.	1	4	.	1	.
	F	3	.	.	.	.	1	.	1	1	.	.
Tuberculosis, other forms	M	5	.	2	1	.	.	1	1	.	.	.
	F	2	.	.	.	1	.	.	.	1	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	52	.	.	.	1	2	1	5	14	15	14
	F	34	.	.	.	.	.	3	4	11	8	8
Vascular lesions affecting central nervous system	M	48	.	.	.	.	1	1	2	8	15	21
	F	61	.	.	.	.	.	1	3	6	25	26
Diseases of the heart	M	114	.	.	.	.	.	2	11	23	41	37
	F	73	.	.	.	.	.	4	1	12	20	36
Other diseases of the circulatory system	M	16	.	.	.	.	.	.	1	1	6	8
	F	17	.	.	.	.	.	2	.	2	4	9
Diseases of the respiratory system	M	25	3	1	.	.	.	.	4	3	4	10
	F	25	2	1	.	.	1	.	2	6	3	10
Senility	M	42	.	.	.	.	.	.	.	.	2	40
	F	56	.	.	.	.	.	.	.	.	2	54
Other diseases	M	86	20	2	3	.	1	3	5	10	22	20
	F	59	14	1	2	3	2	6	6	5	9	11
Accidents and other external causes	M	12	1	2	.	.	1	2	1	.	4	1
	F	8	.	.	2	.	.	.	1	1	2	2
All causes	M	406	24	7	4	1	5	11	34	59	110	151
	F	339	17	2	4	4	4	16	18	45	73	156

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	11	.	.	.	.	.	1	3	1	5	1
	F	4	.	.	.	.	.	.	1	3	.	.
Tuberculosis, other forms	M	2	.	.	.	.	1	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	.	.
	F	3	.	1	1	.	.	.	1	.	.	.
Malignant neoplasms	M	64	.	.	.	1	.	.	5	13	23	22
	F	57	.	1	.	.	.	2	9	12	17	16
Vascular lesions affecting central nervous system	M	59	.	.	.	.	.	1	2	10	21	25
	F	62	.	.	.	2	.	.	3	7	19	31
Diseases of the heart	M	172	.	.	.	2	2	3	14	23	47	81
	F	118	.	.	.	1	1	.	2	13	44	57
Other diseases of the circulatory system	M	30	.	.	.	.	.	1	2	2	8	17
	F	31	.	.	2	.	.	1	3	4	9	12
Diseases of the respiratory system	M	43	2	1	.	.	.	1	2	7	17	13
	F	33	2	.	.	.	.	.	1	5	13	12
Senility	M	38	.	.	.	.	.	.	.	.	1	37
	F	41	.	.	.	.	.	.	.	.	3	38
Other diseases	M	91	41	.	.	1	.	4	3	7	13	22
	F	81	25	1	.	.	1	4	2	10	13	25
Accidents and other external causes	M	18	1	2	1	.	1	1	1	5	1	5
	F	5	.	.	.	.	.	.	.	1	1	3
All Causes	M	529	44	3	2	4	4	12	33	68	136	223
	F	435	27	3	3	3	2	7	22	55	119	194
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	1	1	.
	F	2	.	.	.	1	.	1	.	.	.	.
Tuberculosis, other forms	M	3	.	1	2	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	22	.	.	.	.	.	.	1	6	7	8
	F	23	.	.	.	.	1	3	.	5	6	8
Vascular lesions affecting central nervous system	M	18	.	.	.	.	.	1	2	2	4	9
	F	23	.	.	.	.	.	1	1	4	8	9
Diseases of the heart	M	44	.	.	1	.	.	1	4	12	8	18
	F	56	.	.	.	.	.	3	4	10	11	28
Other diseases of the circulatory system	M	9	.	.	.	.	.	.	.	.	4	5
	F	10	.	.	.	.	.	.	2	1	3	4
Diseases of the respiratory system	M	31	.	.	.	.	1	.	.	7	7	16
	F	16	1	2	.	.	1	.	.	2	3	7
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	31	9	1	1	.	.	.	3	4	11	2
	F	18	5	1	.	1	.	1	.	4	3	3
Accidents and other external causes	M	1	.	.	.	.	.	.	.	.	1	.
	F	1	.	1	.	.	.	.	.	.	.	.
All causes	M	164	9	2	4	.	1	2	11	32	43	60
	F	155	6	4	.	2	2	9	7	26	34	65

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	1	.	.
	F	3	.	.	.	.	.	1	.	2	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	.	1
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	54	.	.	1	.	2	.	3	9	21	18
	F	48	.	.	1	.	1	.	8	13	12	13
Vascular lesions affecting central nervous system	M	29	.	.	.	.	.	1	1	2	4	21
	F	36	.	.	.	.	.	.	1	4	12	19
Diseases of the heart	M	115	.	.	.	.	.	.	9	14	28	64
	F	82	.	.	.	.	.	1	7	9	17	48
Other diseases of the circulatory system	M	16	.	.	.	.	1	.	1	1	1	12
	F	16	.	.	.	.	.	.	.	2	4	10
Diseases of the respiratory system	M	34	2	2	.	2	.	1	1	6	9	11
	F	27	2	1	.	.	1	.	1	1	4	17
Senility	M	18	.	.	.	.	.	.	.	.	2	16
	F	23	.	.	.	.	.	.	.	.	.	23
Other diseases	M	49	13	.	.	1	1	1	4	4	12	13
	F	39	10	1	.	2	.	4	2	2	8	10
Accidents and other external causes	M	5	.	.	1	.	.	.	2	2	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
All causes	M	323	15	2	2	3	4	3	22	39	77	156
	F	276	12	2	1	2	2	6	19	34	57	141
COUNTY GALWAY												
Tuberculosis of respiratory system	M	24	1	.	1	1	2	6	3	5	4	1
	F	11	.	.	.	.	.	3	1	4	2	1
Tuberculosis, other forms	M	1	.	.	1	.	.	.	.	.	.	.
	F	2	.	.	.	.	1	.	1	.	.	.
Other infective and parasitic diseases	M	5	2	1	.	.	.	.	.	1	.	1
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	139	.	1	.	1	1	9	16	26	45	40
	F	106	.	.	.	1	2	9	15	23	23	33
Vascular lesions affecting central nervous system	M	90	.	.	.	.	1	1	4	10	28	46
	F	109	.	.	.	.	1	2	6	14	35	51
Diseases of the heart	M	311	.	.	.	.	1	4	16	45	71	174
	F	203	.	.	.	.	1	1	4	18	44	135
Other diseases of the circulatory system	M	52	.	.	.	1	.	.	2	3	15	31
	F	49	.	.	.	.	2	.	1	5	11	30
Diseases of the respiratory system	M	99	4	5	1	1	1	1	4	7	18	57
	F	60	3	.	1	1	.	1	1	6	9	38
Senility	M	73	.	.	.	.	.	.	.	.	8	65
	F	81	.	.	.	.	.	.	.	.	3	78
Other diseases	M	165	45	2	3	1	2	5	11	18	28	50
	F	121	43	.	1	4	3	11	3	9	19	28
Accidents and other external causes	M	36	2	4	3	1	4	3	2	3	7	7
	F	8	.	1	.	.	.	.	.	1	1	5
All causes	M	995	54	13	9	6	12	29	53	118	224	472
	F	751	47	1	2	6	10	27	32	80	147	399

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	2	1	.	.
	F	2	.	.	.	.	.	2	.	.	.	.
Tuberculosis, other forms	M	2	.	.	1	1	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	1	.	.	.	.	.	.	.	1
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	28	.	.	.	.	.	.	2	4	11	11
	F	29	.	.	.	.	.	3	8	1	11	6
Vascular lesions affecting central nervous system	M	11	.	.	.	.	.	.	.	2	4	5
	F	24	.	.	.	.	.	1	1	5	8	9
Diseases of the heart	M	121	.	.	.	.	1	1	8	9	36	66
	F	72	.	.	.	.	.	1	1	7	16	47
Other diseases of the circulatory system	M	12	.	.	.	.	.	1	2	1	5	3
	F	4	.	.	.	.	.	.	.	.	1	3
Diseases of the respiratory system	M	26	3	.	.	.	.	.	3	1	9	10
	F	8	.	.	.	.	.	.	.	.	1	7
Senility	M	24	.	.	.	.	.	.	.	.	2	22
	F	39	.	.	.	.	.	.	.	.	.	39
Other diseases	M	53	15	.	1	.	.	2	2	4	13	16
	F	34	7	.	1	.	2	4	2	4	7	7
Accidents and other external causes	M	5	.	1	.	.	1	.	.	1	2	.
	F	7	.	.	.	.	.	.	2	.	.	5
All causes	M	287	18	2	2	1	2	4	19	23	82	134
	F	220	7	.	1	.	2	11	15	17	44	123
COUNTY MAYO												
Tuberculosis of respiratory system	M	9	.	.	.	.	1	1	1	2	2	2
	F	6	.	.	.	1	1	2	.	.	1	1
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	4	.	1	.	1	1	.	.	.	.	1
Other infective and parasitic diseases	M	3	3	.	.	.	.	.	.	.	.	.
	F	4	2	1	1	.	.	.	.	.	.	.
Malignant neoplasms	M	118	.	.	.	.	2	3	13	23	44	33
	F	75	.	2	2	.	2	4	7	13	17	28
Vascular lesions affecting central nervous system	M	94	.	.	.	.	1	2	1	15	26	49
	F	74	.	.	.	.	1	3	5	5	17	43
Diseases of the heart	M	231	.	.	.	1	.	4	13	34	56	123
	F	187	.	.	1	1	.	2	10	22	43	108
Other diseases of the circulatory system	M	51	.	.	.	.	1	.	2	8	8	32
	F	43	.	.	.	.	.	.	.	3	13	27
Diseases of the respiratory system	M	58	9	3	.	1	.	.	3	6	11	25
	F	38	1	2	1	.	.	.	1	3	5	25
Senility	M	152	.	.	.	.	.	.	.	.	9	143
	F	160	.	.	.	.	.	.	.	.	7	153
Other diseases	M	189	43	4	2	3	5	11	12	19	39	51
	F	136	28	.	2	1	5	5	7	14	27	47
Accidents and other external causes	M	29	.	2	2	2	1	3	1	6	5	7
	F	22	.	3	.	.	.	1	4	.	1	13
All causes	M	935	55	9	4	7	11	24	46	114	200	465
	F	749	31	9	7	4	10	17	34	60	131	446

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	6	.	.	.	1	1	2	.	.	2	.
	F	2	.	.	.	.	.	.	2	.	.	.
Tuberculosis, other forms	M	2	1	1	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	1	.
	F	1	.	.	.	1	.	.	.	.	.	.
Malignant neoplasms	M	47	.	.	.	.	.	2	5	6	18	16
	F	54	.	1	.	.	.	3	7	13	15	15
Vascular lesions affecting central nervous system	M	31	.	1	.	.	.	.	1	7	10	12
	F	33	.	.	.	.	.	2	1	4	6	20
Diseases of the heart	M	188	.	.	.	.	.	1	6	23	43	115
	F	142	.	.	.	.	.	2	2	10	33	95
Other diseases of the circulatory system	M	23	.	.	.	.	.	.	2	5	7	9
	F	17	.	.	.	.	.	1	2	2	5	7
Diseases of the respiratory system	M	36	2	1	.	.	1	2	1	5	14	10
	F	27	3	.	1	.	.	1	3	.	8	11
Senility	M	41	.	.	.	.	.	.	.	.	1	40
	F	63	.	.	.	.	.	.	.	.	3	60
Other diseases	M	65	9	.	.	.	2	3	3	11	15	22
	F	58	11	2	1	.	2	1	6	6	10	19
Accidents and other external causes	M	12	.	.	1	2	.	.	1	3	4	1
	F	7	.	.	1	.	.	.	.	2	2	2
All causes	M	452	12	3	1	3	4	10	19	60	115	225
	F	406	15	3	3	1	2	11	23	37	82	229
COUNTY SLIGO												
Tuberculosis of respiratory system	M	6	.	.	.	.	.	2	1	1	1	1
	F	4	.	.	.	.	2	1	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	1	.	.	.	.	.
Malignant neoplasms	M	47	.	.	.	1	1	1	11	11	16	6
	F	39	1	.	.	.	1	2	1	8	17	9
Vascular lesions affecting central nervous system	M	32	.	.	.	.	.	.	1	4	8	19
	F	43	.	.	.	.	.	.	2	7	14	20
Diseases of the heart	M	118	.	.	.	.	1	2	6	10	26	73
	F	85	.	.	.	.	.	2	2	6	20	55
Other diseases of the circulatory system	M	33	.	.	.	.	.	.	1	4	4	24
	F	40	.	.	.	1	1	.	2	2	5	29
Diseases of the respiratory system	M	41	1	.	.	.	.	2	2	7	17	12
	F	31	2	.	1	.	.	4	2	2	4	16
Senility	M	65	.	.	.	.	.	.	.	.	4	61
	F	72	.	.	.	.	.	.	.	.	8	64
Other diseases	M	65	13	1	.	.	2	3	1	10	13	22
	F	70	19	1	1	.	3	1	5	6	11	23
Accidents and other external causes	M	9	2	1	.	.	2	1	.	1	1	1
	F	6	1	.	.	.	.	.	.	1	.	4
All causes	M	417	16	3	.	1	6	11	23	48	90	219
	F	393	23	1	3	1	9	10	14	33	79	220

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY CAVAN												
Tuberculosis of respiratory system	M	4	.	.	.	.	1	1	.	1	1	.
	F	6	.	.	1	.	1	.	2	1	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	3	.	1	1	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	59	.	.	.	1	.	5	2	11	20	20
	F	48	.	.	.	1	1	2	10	13	11	10
Vascular lesions affecting central nervous system	M	56	.	1	.	1	.	.	1	6	15	32
	F	50	.	.	.	.	.	1	3	6	13	27
Diseases of the heart	M	164	.	.	.	.	.	3	7	23	48	83
	F	108	.	.	.	.	1	1	1	15	24	66
Other diseases of the circulatory system	M	26	.	.	.	.	.	.	1	1	6	18
	F	24	.	.	.	.	.	1	.	.	12	11
Diseases of the respiratory system	M	28	2	1	.	.	.	2	1	4	8	10
	F	26	3	.	.	1	.	1	1	4	4	12
Senility	M	32	.	.	.	.	.	.	.	.	4	28
	F	33	.	.	.	.	.	.	.	.	.	33
Other diseases	M	78	18	3	1	.	4	1	8	12	11	20
	F	39	7	1	.	2	3	3	3	4	9	7
Accidents and other external causes	M	21	.	.	1	1	1	2	3	5	3	5
	F	7	.	.	.	.	.	.	.	1	2	4
All causes	M	469	20	5	2	3	6	14	23	63	117	216
	F	344	10	2	2	4	6	9	20	45	75	171
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	16	.	.	.	.	2	4	2	5	2	1
	F	12	.	.	.	1	.	3	2	3	2	1
Tuberculosis, other forms	M	4	.	.	.	2	1	1	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	4	.	.	2	.	.	.	.	1	1	.
	F	1	.	.	.	.	.	1	.	.	.	.
Malignant neoplasms	M	118	.	1	.	3	.	.	9	25	39	41
	F	79	1	.	2	1	2	4	15	14	20	20
Vascular lesions affecting central nervous system	M	85	1	.	.	1	.	.	4	6	27	46
	F	95	.	.	.	.	.	1	3	11	32	48
Diseases of the heart	M	254	.	.	.	1	3	3	12	35	69	131
	F	197	.	.	.	.	2	3	6	18	44	124
Other diseases of the circulatory system	M	42	.	.	.	.	1	2	2	6	13	18
	F	29	.	.	.	.	1	2	2	1	5	18
Diseases of the respiratory system	M	62	6	5	.	1	.	2	5	2	11	30
	F	56	5	3	1	1	1	1	2	.	15	27
Senility	M	58	.	.	.	.	.	.	.	.	.	58
	F	71	.	.	.	.	.	.	.	.	1	70
Other diseases	M	150	34	1	4	1	3	5	5	11	34	52
	F	136	24	3	2	3	4	8	12	10	26	44
Accidents and other external causes	M	32	2	3	1	2	3	4	3	2	5	7
	F	15	1	.	1	.	1	1	1	.	1	9
All causes	M	825	43	10	7	11	13	21	42	93	201	384
	F	692	31	6	6	6	11	25	43	57	146	361

TABLE 24.—(continued)—DEATHS IN 1957 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	2	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	2	.	.	1	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	2	.	.	.	.	.	.	.	.
	F	5	4	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	55	.	1	.	.	.	3	6	9	17	19
	F	43	.	.	.	.	.	2	9	8	12	12
Vascular lesions affecting central nervous system	M	43	.	.	.	.	.	2	4	8	11	18
	F	51	.	.	.	.	1	2	5	7	15	21
Diseases of the heart	M	126	.	.	.	.	.	4	4	14	37	67
	F	84	.	.	.	.	.	.	3	7	31	43
Other diseases of the circulatory system	M	13	.	.	.	.	.	.	.	4	4	5
	F	7	.	.	.	.	1	.	1	3	1	1
Diseases of the respiratory system	M	36	1	1	.	.	1	1	2	2	14	14
	F	27	5	.	.	.	.	2	.	.	7	13
Senility	M	18	.	.	.	.	.	.	.	.	.	18
	F	12	.	.	.	.	.	.	.	.	1	11
Other diseases	M	69	17	1	1	.	1	1	6	9	13	20
	F	46	8	.	.	1	1	1	5	7	10	13
Accidents and other external causes	M	10	.	.	.	1	4	.	2	.	.	3
	F	9	.	.	.	.	.	1	.	.	2	6
All causes	M	376	18	5	2	1	6	11	27	46	96	164
	F	285	17	.	.	1	3	9	23	32	79	121

TABLE 25.—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF AGE

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M F	1,173 854	54 45	233 149	287 194	107 65	76 56	46 28	32 27	19 14	21 14
010	Tuberculosis of meninges and central nervous system	M F	5 4	• •	• •	• •	• •	• •	• •	• •	• •	• •
001-008 011-019	Tuberculosis, other forms	M F	2 2	• •	• •	• •	• •	• •	• •	• •	• •	• •
020-029	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
056	Whooping cough	M F	5 7	• •	• •	• •	• •	• •	• •	• •	• •	• •
030-055 057-138	Other infective and parasitic diseases	M F	15 15	• •	• •	• •	• •	• •	• •	1 1	• •	• •
340	Meningitis, except meningococcal and tuberculous	M F	9 10	• •	• •	• •	• •	• •	• •	1 1	• •	• •
330-334 341-398	Other diseases of the nervous system and sense organs	M F	3 9	• •	1 1	1 •	• •	• •	• •	• •	• •	• •
480-483	Influenza	M F	9 9	• •	• •	• •	• •	• •	• •	• •	• •	• •
490-493	Pneumonia	M F	108 70	• •	• •	• •	• •	• •	• •	• •	• •	• •
500-502	Bronchitis	M F	8 4	• •	• •	• •	• •	• •	• •	• •	• •	• •
470-475 510-527	Other diseases of the respiratory system	M F	8 7	• •	• •	• •	• •	• •	• •	• •	• •	• •
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	59 35	• •	• •	• •	• •	• •	• •	• •	• •	• •
530-570 572-587	Other diseases of the digestive system	M F	11 9	• •	• •	• •	• •	• •	• •	• •	• •	• •
750	Congenital malformations :— Monstrosity	M F	8 23	3 11	3 10	6 21	2 •	• 1	• 1	• •	• •	• •
751	Spina bifida and meningocele	M F	31 48	• •	2 4	2 4	1 1	1 4	1 2	2 2	• 1	• 2
752	Congenital hydrocephalus	M F	17 33	3 2	3 7	6 9	• 1	1 •	• 1	1 2	• •	• •
753	Other congenital malformations of nervous system and sense organs	M F	4 2	• •	• •	• •	• •	• •	• •	• •	• •	1 •
754	Congenital malformations of circulatory system	M F	67 50	3 2	5 3	8 5	1 2	6 6	4 2	6 •	• •	• •
755	Cleft palate and hairlip	M F	2 •	• •	1 •	1 •	• •	• •	• •	• •	• •	• •
756	Congenital malformations of digestive system	M F	36 31	• •	1 1	1 1	• •	2 2	3 1	• 3	3 1	5 1
757	Congenital malformations of genito-urinary system	M F	6 1	• •	1 •	1 •	• •	• •	• •	• •	• •	• •
758	Congenital malformations of bone and joint	M F	• 1	• •	• •	• •	• •	• •	• •	• •	• •	• •
759	Other and unspecified congenital malformations	M F	25 22	2 3	6 5	8 8	1 1	1 2	3 •	• 1	• •	• •
	Intracranial and spinal injury at birth :—											
760·0	Without mention of immaturity	M F	57 39	3 2	17 13	20 15	8 6	8 7	5 1	4 3	4 1	• 3
760·5	With immaturity	M F	19 12	1 •	8 4	9 4	3 2	2 1	2 •	• 1	• •	• 1
761·0	Other birth injury :— Without mention of immaturity	M F	24 7	2 1	12 5	14 6	7 •	2 •	1 •	• 1	• •	• •
761·5	With immaturity	M F	22 14	2 •	14 9	16 9	2 3	1 •	1 1	• •	• •	• •
	Post-natal asphyxia and atelectasis:—											
762·0	Without mention of immaturity	M F	65 34	10 6	25 13	35 19	11 6	5 3	3 2	2 •	1 •	2 •
762·5	With immaturity	M F	57 41	1 2	21 16	22 18	14 8	7 5	3 2	1 1	1 2	2 •

TABLE 25.—(continued)—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
763·0	Pneumonia of newborn :— Without mention of immaturity	M	60	.	3	3	.	2	2	3	1	4
		F	38	.	2	2	2	5	1	1	.	2
763·5	With immaturity	M	13	.	.	.	.	2	.	.	.	.
		F	7	.	.	.	.	1	.	2	.	.
765·0	Ophthalmia neonatorum :— Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.
765·5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766·0	Pemphigus neonatorum :— Without mention of immaturity	M	3	.	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	.	.	.
766·5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
767·0	Umbilical sepsis :— Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	1	.	.
767·5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
768·0	Other sepsis of newborn :— Without mention of immaturity	M	12	.	.	.	.	.	1	.	.	.
		F	8	.	.	.	.	.	.	1	.	.
768·5	With immaturity	M	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
Neonatal disorders arising from maternal toxæmia :—												
769·0— 769·4	Without mention of immaturity	M	3	.	.	.	2	.	1	.	.	.
		F	4	.	3	3	.	.	1	.	.	.
769·5— 769·9	With immaturity	M	9	.	4	4	1	2	1	.	1	.
		F	4	1	.	1	3	.	.	.	.	.
Haemolytic disease of newborn (erythroblastosis) :—												
770·0— 770·3	Without mention of immaturity	M	25	1	5	6	5	6	1	1	1	1
		F	17	1	7	8	1	.	2	.	.	2
770·5— 770·7	With immaturity	M	5	.	.	.	1	1	1	.	.	.
		F	3	.	1	1	.	.	.	.	.	.
771·0	Haemorrhagic disease of newborn :— Without mention of immaturity	M	10	.	.	.	3	2	2	1	.	.
		F	7	.	.	.	1	1	.	.	1	1
771·5	With immaturity	M	2	.	.	.	1	.	.	.	1	.
		F	3	.	.	.	2	1	.	.	.	.
772·0	Nutritional maladjustment :— Without mention of immaturity	M	3	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.
772·5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
Ill-defined diseases of early infancy :—												
773·0	Without mention of immaturity	M	39	4	8	12	.	3	.	1	1	.
		F	26	3	4	7	1	1	1	1	.	1
773·5	With immaturity	M	38	4	17	21	4	3	.	1	.	.
		F	23	1	6	7	5	3	3	1	1	.
774	Immaturity with mention of any other subsidiary condition	M	5	1	.	1	1	.	.	1	.	.
		F	2	.	.	.	.	1	.	.	.	.
776	Immaturity unqualified	M	197	10	77	87	39	17	10	6	3	5
		F	110	8	35	43	19	12	6	3	6	1
780·2	Convulsions	M	14	.	.	.	.	.	.	.	.	1
		F	7	.	.	.	.	.	.	.	.	.
	Other causes	M	52	4	.	4	.	2	1	1	1	.
		F	49	2	.	2	.	.	1	1	1	.

AGE IN 1957, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Total under 7	7-13	14-20	21-27	Total under 4 weeks	Months											Detailed Inter- national List Nos.
					4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	
15 13	15 6	17 15	13 4	60 38	.	.	.	.	.	.	.	.	.	.	.	763.0
2 3	6	2 3	3 1	13 7	.	.	.	.	.	.	.	.	.	.	.	763.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.5
1	.	2 1	.	3 1	.	.	.	.	.	.	.	.	.	.	.	766.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.0
1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	767.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.0
1 1	2 3	2	3 3	8 7	3 1	.	1	.	.	.	.	.	.	.	.	768.5
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	769.0- 769.4
3 4	.	.	.	3 4	.	.	.	.	.	.	.	.	.	.	.	769.5- 769.9
9 4	.	.	.	9 4	.	.	.	.	.	.	.	.	.	.	.	770.0- 770.3
21 13	2 1	1	.	23 15	2	.	.	1	1	.	.	.	.	.	.	770.5- 770.7
3 2	2 1	.	.	5 3	.	.	.	.	.	.	.	.	.	.	.	771.0
8 4	1	2	.	8 7	2	.	.	.	.	.	.	.	.	.	.	771.5
2 3	.	.	.	2 3	.	.	.	.	.	.	.	.	.	.	.	772.0
.	1	1	.	1 1	2 1	.	.	.	.	.	.	.	.	.	.	772.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773.0
17 12	9	1 1	1 1	28 14	6 5	2 2	2 3	1 1	.	1	.	.	.	.	.	773.5
29 20	1 1	1	2	33 21	4 1	1	.	1	.	.	.	.	.	.	.	774
3 1	.	1	1	4 2	1	.	.	.	.	.	.	.	.	.	.	776
167 90	17 13	2 3	3 1	189 107	8 3	.	.	.	.	.	.	.	.	.	.	780.2
1	1	.	.	1 1	2 1	4 1	3 1	4 1	1	.	.	1	.	.	.	780.2
9 5	3 4	1 1	4 3	17 13	5 7	4 5	5 6	4 6	.	3 1	5 3	1 2	3 3	2 2	3 1	

TABLE 26.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1957, CLASSIFIED BY SEX AND CAUSE FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter- national List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	798	375	174	86	38	10	47	16	55	23	484	240
		F	550	304	124	71	26	16	39	14	27	13	334	190
010	Tuberculosis of meninges and central nervous system	M	.	5	.	1	.	1	.	.	.	.	.	3
		F	.	4	.	.	.	.	.	.	.	.	.	4
001-008	Tuberculosis, other forms	M	1	1	.	.	.	.	.	.	.	.	1	1
011-019		F	.	2	.	.	.	.	.	.	.	.	.	2
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	5	.	.	.	1	.	.	.	.	.	4
		F	.	7	.	.	.	1	.	1	.	.	.	5
030-055	Other infective and parasitic diseases	M	6	9	2	4	.	1	.	1	.	.	4	3
057-138		F	3	12	1	4	.	2	.	.	.	.	2	6
340	Meningitis except meningococcal and tuberculous	M	2	7	1	2	.	.	.	.	.	.	1	5
		F	1	9	.	4	.	.	.	.	.	.	1	5
330-334	Other diseases of the nervous system and sense organs	M	.	3	.	.	.	.	.	.	.	.	.	3
341-398		F	1	8	.	2	.	.	.	.	.	.	1	6
480-483	Influenza	M	1	8	1	2	.	.	.	.	.	.	.	6
		F	2	7	.	1	.	.	1	.	.	2	1	4
490-493	Pneumonia	M	.	108	.	24	.	1	.	4	.	8	.	71
		F	.	70	.	16	.	4	.	4	.	1	.	45
500-502	Bronchitis	M	.	8	.	.	.	.	.	1	.	1	.	6
		F	1	3	.	1	.	.	.	.	.	.	1	2
470-475	Other diseases of the respiratory system	M	1	7	.	7	.	.	.	.	.	.	1	.
510-527		F	1	6	.	2	.	.	.	.	.	.	1	4
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M	20	39	8	14	.	1	.	2	2	2	10	20
		F	8	27	4	4	.	1	.	1	.	.	4	21
530-570	Other diseases of the digestive system	M	2	9	1	.	.	.	.	.	.	1	1	8
572-587		F	1	8	.	4	.	.	.	.	.	.	1	4
750-759	Congenital malformations	M	119	77	25	20	5	.	8	1	7	6	74	50
		F	135	76	37	19	8	4	11	5	7	5	72	43
760-761	Birth injuries	M	119	3	18	.	8	.	9	1	12	.	72	2
		F	71	1	12	1	5	.	3	.	4	.	47	.
762	Post-natal asphyxia and atelectasis	M	119	3	27	.	8	1	4	.	11	.	69	2
		F	75	.	13	.	4	.	5	.	5	.	48	.
763	Pneumonia of newborn	M	73	.	24	.	2	.	4	.	2	.	41	.
		F	45	.	19	.	2	.	1	.	1	.	22	.
765-768	Other infections of newborn	M	12	4	3	4	1	.	.	.	1	.	7	.
		F	11	2	3	2	1	.	2	.	.	.	5	.
	Other and ill-defined diseases of early infancy:—													
769·0-773·0	Without mention of immaturity	M	63	17	3	1	3	.	4	1	8	2	45	13
		F	41	15	3	.	1	1	1	1	6	1	30	12
769·5-773·5	With mention of immaturity	M	49	5	5	1	4	.	1	.	2	.	37	4
		F	31	2	3	.	1	.	4	.	.	.	23	2
774	Immaturity with mention of any other subsidiary condition	M	4	1	2	.	.	.	1	1	.	.	1	.
		F	2	.	2	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	189	8	50	2	6	.	14	.	8	.	111	6
		F	107	3	26	1	3	.	11	1	3	1	64	.
780·2	Convulsions	M	1	13	.	.	.	1	.	2	.	1	1	9
		F	1	6	.	.	.	1	.	.	.	.	1	5
	Other causes	M	17	35	4	4	1	3	2	2	2	2	8	24
		F	13	36	1	10	1	2	.	1	1	3	10	20

TABLE 27.—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN IN 1957 UNDER ONE YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 and and under 6 months	6 and and under 12 months
	All Causes	M F	44 28	8 2	6 5	3 3	17 10	11 6	11 9	5 3
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis except mening- ococcal and tuberculous	M F	1 1	. .	. .	. .	. 1	. .	. .	1 .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. 1	. .	. .	. .	. 1	. .	. .	. .
490-493	Pneumonia	M F	15 6	. .	. .	. .	. 6	. .	6 5	3 1
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	2 .	. .	. .	. .	. 1	. .	1 .	. .
571-764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	3 4	. .	. .	. .	. 1 3	. .	1 1	1 .
530-570 572-587	Other diseases of the digestive system	M F	1 .	. .	. .	1 .	1 .	. .	. .	. .
750-759	Congenital malformations	M F	5 6	1 .	1 2	. 1	2 3	1 .	2 1	. 2
760-761	Birth injuries	M F	3 3	1 2	1 1	1 .	3 3	. .	. .	. .
762	Post-natal asphyxia and atelectasis	M F	1 .	. .	1 .	. .	1 .	. .	. .	. .
763	Pneumonia of new-born	M F	. .	. .	. .	. .	. .	. .	. .	. .
765-768	Other infections of newborn	M F	1 1	. .	. .	. .	. 1 1	. .	. .	. .
769-0- 773-0	Other and ill-defined diseases of early infancy:— Without mention of immaturity	M F	1 2	. .	. .	1 1	1 1	. .	. 1	. .
769-5- 773-5	With mention of immaturity	M F	1 .	. .	1 .	. .	1 .	. .	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	5 2	3 .	2 1	. 1	5 2	. .	. .	. .
780-2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	5 2	3 .	. 1	. .	3 1	1 .	1 1	. .

TABLE 28.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER

Detailed Inter- national List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of))	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	798 550	375 304	432 289	195 144	204 145	106 95	111 83	44 40	51 33	30 25
010	Tuberculosis of meninges and central nervous system	M F	· ·	5 4	· ·	2 2	· ·	2 1	· ·	1 1	· ·	· ·
001-008 011-019	Tuberculosis, other forms	M F	1 ·	1 2	· ·	1 ·	· ·	· 2	1 ·	· ·	· ·	· ·
020-029	Syphilis and its sequelae	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
056	Whooping cough	M F	· ·	5 7	· ·	3 2	· ·	1 2	· ·	1 1	· ·	· 2
030-055 057-138	Other infective and parasitic diseases	M F	6 3	9 12	2 1	5 5	1 1	3 4	3 1	1 1	· ·	· 2
340	Meningitis except mening- ococcal and tuberculous	M F	2 1	7 9	2 ·	3 5	· ·	3 2	· ·	· 2	· 1	1 ·
330-334 341-398	Other diseases of the nervous system and sense organs	M F	· 1	3 8	· ·	1 2	· ·	1 3	· 1	· 3	· ·	1 ·
480-483	Influenza	M F	1 2	8 7	1 1	3 2	· ·	1 1	· ·	2 ·	· 1	2 4
490-493	Pneumonia	M F	· ·	108 70	· ·	57 33	· ·	29 22	· ·	15 9	· ·	7 6
500-502	Bronchitis	M F	· 1	8 3	· ·	7 3	· ·	· ·	· ·	1 ·	· 1	· ·
470-475 510-527	Other diseases of the respiratory system	M F	1 1	7 6	· 1	7 4	· ·	· 1	1 ·	· ·	· ·	· 1
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	20 8	39 27	14 6	23 10	3 ·	11 12	3 2	5 3	· ·	· 2
530-570 572-587	Other diseases of the digestive system	M F	2 1	9 8	1 ·	3 4	1 1	3 1	· ·	1 3	· ·	2 ·
750-759	Congenital malformations	M F	119 135	77 76	75 75	42 39	20 42	20 25	13 16	7 9	11 2	8 3
760-761	Birth injuries	M F	119 71	3 1	63 34	· 1	33 24	2 ·	16 6	1 ·	7 7	· ·
762	Postnatal asphyxia and atelectasis	M F	119 75	3 ·	60 38	1 ·	38 16	2 ·	17 19	· ·	4 2	· ·
763	Pneumonia of newborn	M F	73 45	· ·	45 28	· ·	15 10	· ·	10 6	· ·	3 1	· ·
765-768	Other infections of newborn	M F	12 11	4 2	9 9	4 2	3 2	· ·	· ·	· ·	· ·	· ·
	Other and ill-defined diseases of early infancy:—											
769·0- 773·0	Without mention of immaturity	M F	63 41	17 15	30 19	5 6	20 12	6 5	9 8	4 3	4 2	2 1
769·5- 773·5	With mention of immaturity	M F	49 31	5 2	25 18	3 2	18 3	2 ·	6 9	· ·	· 1	· ·
774	Immaturity with mention of any other subsidiary condition	M F	4 2	1 ·	4 2	1 ·	· ·	· ·	· ·	· ·	· ·	· ·
776	Immaturity unqualified	M F	189 107	8 3	94 54	3 2	47 29	4 1	27 12	· ·	21 12	1 ·
780·2	Convulsions	M F	1 1	13 6	· ·	3 1	1 ·	6 2	· ·	2 2	· 1	2 1
	Other causes	M F	17 13	35 36	7 3	18 19	4 5	10 11	5 3	3 3	1 2	4 3

ONE YEAR IN 1957, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

CARLOW COUNTY		DUBLIN CO. BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN CO. (remainder of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIS COUNTY		Detailed International List Nos.
Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
12 6	2 2	165 112	82 62	9 12	4 9	46 26	17 15	35 7	15 6	20 14	3 4	17 15	7 4	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	010
.	.	.	.	.	.	.	.	.	.	.	.	.	.	001-008
.	.	.	.	.	.	.	.	.	.	.	.	.	.	011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	.	.	.	.	1	.	.	.	.	056
.	.	2	4	.	.	.	.	.	1	.	.	.	.	030-055
.	.	.	4	1	.	.	.	.	.	.	.	.	.	057-138
.	.	1	2	.	.	.	.	.	.	1	.	.	.	340
.	.	.	4	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	330-334
.	.	.	1	.	.	.	.	.	.	.	.	.	.	341-398
.	.	1	2	.	.	.	.	.	1	.	.	.	.	480-483
.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	1	.	22	.	2	.	5	.	5	.	.	.	5	490-493
.	.	.	13	.	3	.	4	.	2	.	1	.	2	
.	.	.	.	.	.	.	1	.	2	.	.	.	.	500-502
.	.	.	1	.	.	.	.	.	.	.	.	.	1	
.	.	.	7	.	.	.	.	.	.	.	.	.	.	470-475
.	.	.	1	.	1	1	.	.	.	.	.	.	.	510-527
.	1	8	13	.	1	1	1	2	2	1	.	1	.	571, 764
.	.	3	4	1	.	.	2	.	.	1	.	.	.	
.	.	1	.	.	.	.	3	.	.	.	.	.	.	530-570
.	.	.	4	.	.	.	.	.	.	.	.	.	.	572-587
3	.	23	20	2	.	5	4	10	2	5	1	2	2	750-759
1	2	33	18	4	1	5	7	2	3	1	.	3	.	
.	.	16	.	2	.	7	.	6	.	.	.	.	.	760-761
.	.	11	1	1	.	3	.	2	.	3	.	2	.	
.	.	26	.	1	.	6	1	7	.	2	.	2	.	762
1	.	13	.	.	.	5	.	1	.	.	.	4	.	
.	.	23	.	1	.	8	.	2	.	2	.	2	.	763
.	.	19	.	.	.	2	.	.	.	.	.	1	.	
.	.	3	3	.	1	3	.	.	.	.	.	1	.	765-768
.	.	3	1	.	1	2	.	.	.	.	.	.	.	
.	.	3	1	.	.	4	.	3	.	1	.	3	.	769-0-773-0
2	.	3	.	.	.	3	.	.	.	2	2	1	.	
9	.	4	1	1	.	1	.	.	.	1	.	5	.	769-5-773-5
2	.	3	.	.	.	1	.	.	.	.	.	3	.	
.	.	2	.	.	.	1	.	.	.	.	.	.	.	774
.	.	1	.	1	.	.	.	.	.	.	.	.	.	
.	.	50	2	.	.	10	.	4	.	7	1	1	.	776
.	.	22	1	4	.	4	.	1	.	7	.	1	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	780-2
.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	2	4	2	.	.	2	1	1	.	1	.	.	
.	.	1	8	.	2	.	1	.	.	.	.	.	1	

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List Nos.	Cause of death		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WEST-MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	3 6	2 2	21 19	6 10	18 14	13 7	23 11	13 7	25 13	6 6
010	Tuberculosis of meninges and central nervous system	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· 1
001-008 011-019	Tuberculosis, other forms	M F	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·
020-029	Syphilis and its sequelae	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
056	Whooping cough	M F	· ·	1 ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·
030-055 057-138	Other infective and parasitic diseases	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·
340	Meningitis except meningococcal and tuberculous	M F	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·
330-334 341-398	Other diseases of the nervous system and sense organs	M F	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·
480-483	Influenza	M F	· ·	· ·	· 1	· ·	· ·	· ·	· ·	1 ·	· ·	· ·
490-493	Pneumonia	M F	· ·	· ·	· ·	2 3	· ·	· ·	· ·	4 ·	· ·	2 1
500-502	Bronchitis	M F	· ·	· ·	· ·	1 1	· ·	· ·	· ·	· ·	· ·	1 ·
470-475 510-527	Other diseases of the respiratory system	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	· ·	1 ·	· ·	1 ·	· ·	· ·	1 ·	1 ·	· ·	· 2
530-570 572-587	Other diseases of the digestive system	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
750-753	Congenital malformations	M F	1 1	· ·	3 10	1 4	· 2	4 2	6 2	3 1	7 4	1 ·
760-761	Birth injuries	M F	1 2	· ·	6 1	· ·	5 1	· ·	7 2	· ·	3 ·	· ·
762	Postnatal asphyxia and atelectasis	M F	· 2	· ·	2 1	· ·	4 4	· ·	1 1	· ·	5 ·	· ·
763	Pneumonia of newborn	M F	· ·	· ·	· ·	· ·	2 2	· ·	1 ·	· ·	2 2	· ·
765-768	Other infections of newborn	M F	· ·	· ·	· 1	· ·	· 1	· ·	2 ·	· ·	· ·	· ·
769·0- 773·0	Other and ill-defined diseases of early infancy:— Without mention of immaturity	M F	· ·	· ·	3 1	· ·	3 1	1 1	2 1	2 2	4 1	· ·
769·5- 773·5	With mention of immaturity	M F	· 1	· 1	· ·	· ·	1 1	1 ·	· 3	1 1	2 2	· ·
774	Immaturity with mention of any other subsidiary condition	M F	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
776	Immaturity unqualified	M F	1 ·	· ·	5 3	· ·	3 2	· ·	3 1	· ·	2 3	· ·
780·2	Convulsions	M F	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·
	Other causes	M F	· ·	· 1	1 ·	· 1	· ·	5 4	· 1	1 ·	· 1	1 1

UNDER ONE YEAR IN 1957, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK CO. BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK CO. BOROUGH		Detailed Inter-national List Nos.
Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
20 21	22 6	18 13	3 4	17 16	15 6	16 14	6 6	45 36	28 21	37 20	12 16	14 8	3 8	
.	1	.	.	.	1	.	1	.	.	.	.	.	.	010
.	.	.	.	.	.	.	.	.	1	.	.	.	.	001-008 011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	1	.	.	.	.	.	1	.	.	.	.	.	.	056
.	1	.	.	.	.	.	1	.	.	.	1	.	.	
.	.	.	.	.	.	.	2	.	1	1	1	.	.	030-055 057-138
.	.	.	.	.	.	.	.	.	.	.	.	.	.	340
.	.	.	.	.	.	.	.	.	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	330-334 341-398
.	.	.	.	.	.	.	.	.	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	480-483
.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	8	.	1	.	6	.	.	.	8	.	3	.	1	490-493
.	2	.	2	.	2	.	2	.	3	.	5	.	1	
.	2	.	.	.	.	.	.	.	.	.	.	.	.	500-502
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	470-475 510-527
.	2	.	.	1	.	.	.	1	2	.	4	.	1	571, 764
1	1	.	1	.	.	.	.	.	4	.	.	.	1	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	530-570 572-587
.	.	.	.	1	.	.	.	.	1	.	.	.	.	
6	3	2	1	1	3	2	.	5	8	4	1	2	.	750-759
5	1	2	.	4	2	6	1	14	3	6	5	2	2	
3	.	7	.	6	1	5	.	6	.	9	.	1	.	760-761
4	.	2	.	2	.	.	.	6	.	4	.	3	.	
1	.	3	.	3	.	3	1	12	1	1	.	3	.	762
3	.	3	.	2	.	3	.	4	.	1	.	1	.	
1	.	1	.	2	.	.	.	4	.	1	.	2	.	763
1	.	1	.	2	.	1	.	2	.	.	.	1	.	
.	.	.	.	.	.	1	.	.	.	1	.	.	.	765-768
2	.	.	.	.	.	1	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	1	1	.	2	.	2	.	5	1	4	2	1	.	769-0- 773-0
.	.	3	1	1	1	.	.	5	1	2	1	1	1	
1	.	.	.	.	.	1	.	3	1	2	.	3	.	769-5- 773-5
1	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	.	3	.	2	3	2	.	8	.	13	.	1	.	776
4	1	2	.	4	.	1	.	2	1	6	.	.	.	
.	.	.	1	.	1	.	.	.	3	1	.	.	1	780-2
.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	3	1	.	.	.	.	2	.	2	.	.	1	.	
.	.	.	.	.	.	1	.	2	3	.	3	.	2	

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND FOUR WEEKS

Detailed Inter- national List Nos.	Cause of death		LIMERICK COUNTY		TIPPERARY CO., N.R.		TIPPERARY CO., S.R.		WATER- FORD CO. BOROUGH		WATER- FORD COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M F	13 14	12 13	14 9	10 8	31 19	13 8	8 4	1 2	9 5	6 7
010	Tuberculosis of meninges and central nervous system	M F	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
001-008 011-019	Tuberculosis, other forms	M F	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
020-029	Syphilis and its sequelae	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
056	Whooping cough	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
030-055 057-138	Other infective and parasitic diseases	M F	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·
340	Meningitis except mening- ococcal and tuberculous	M F	· ·	· ·	· ·	· ·	· 2	· ·	· ·	· ·	· ·	1 ·
330-334 341-398	Other diseases of the nervous system and sense organs	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1
480-483	Influenza	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
490-493	Pneumonia	M F	· ·	4 2	· ·	3 2	· 2	2 2	· ·	· 1	· ·	2 2
500-502	Bronchitis	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
470-475 510-527	Other diseases of the respiratory system	M F	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	· ·	3 ·	· ·	1 2	1 ·	· 4	· ·	· ·	· ·	· 1
530-570 572-587	Other diseases of the digestive system	M F	· ·	1 ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·
750-759	Congenital malformations	M F	· 4	1 5	1 1	2 3	4 5	3 ·	1 ·	· 1	· ·	2 3
760-761	Birth injuries	M F	2 1	· ·	· 1	· ·	· 2	1 ·	2 2	· ·	2 3	· ·
762	Postnatal asphyxia and atelectasis	M F	2 1	· ·	1 1	· ·	10 2	· ·	2 ·	· ·	1 1	· ·
763	Pneumonia of newborn	M F	2 2	· ·	· ·	· ·	4 1	· ·	· ·	· ·	· 1	· ·
765-768	Other infections of newborn	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·
	Other and ill-defined diseases of early infancy :—											
769·0- 773·0	Without mention of immaturity	M F	1 1	1 1	1 ·	1 ·	2 2	1 ·	· ·	· ·	2 ·	· ·
769·5- 773·5	With mention of immaturity	M F	2 ·	· ·	4 1	· ·	1 1	1 ·	· ·	· ·	2 ·	· ·
774	Immaturity with mention of any other subsidiary condition	M F	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
776	Immaturity unqualified	M F	4 3	· ·	5 5	· ·	8 6	· ·	3 2	· ·	1 ·	1 ·
780·2	Convulsions	M F	· ·	· ·	· ·	1 ·	· ·	· 1	· ·	· ·	· ·	· ·
	Other causes	M F	· 2	2 2	2 ·	1 ·	1 ·	2 1	· ·	1 ·	· ·	· ·

AND UNDER ONE YEAR IN 1957, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROS-COMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed International List Nos.
Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
45 30	9 17	10 7	8 .	39 24	16 7	5 8	7 7	12 14	4 9	13 6	7 4	26 19	17 12	12 8	6 9	
.	.	.	.	.	.	.	1 1	.	.	.	.	.	.	.	.	010
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	001-008 011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	1 1	.	.	.	.	.	.	.	.	.	2	056
2 1	.	.	.	1	1 1	.	.	.	.	.	.	.	.	.	2	030-055 057-138
.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	340
.	2	.	.	.	.	1	1	.	.	.	.	.	1	.	.	330-334 341-398
.	.	.	.	.	1	.	1	.	.	.	1	1	2 2	.	1	480-483
.	2 3	.	3	.	8 1	.	1 3	.	1 2	.	2 1	.	4 2	.	1 3	490-493
.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	500-502
1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	470-475 510-527
2	3 3	.	.	1 2	2	.	.	.	.	.	.	.	2	.	.	571, 764
.	2	.	1	.	.	.	.	.	1	.	1	.	1	.	.	530-570 572-587
3 8	1 3	2 2	2	7	1 2	1 2	2 1	4	1 3	1	1 1	4 1	4 1	6 1	3 1	750-759
9 2	1	.	.	5 3	.	.	1	2	.	2 1	.	4 3	.	1 3	.	760-761
9 9	.	1	.	7 8	.	.	.	2	.	3	.	1 2	.	.	.	762
3 2	.	.	.	6 4	.	.	.	1	.	2 1	.	1	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-768
2 2	.	2 3	1	4 2	1 1	1	2	1	.	1	.	3 2	1 1	.	1	769-0- 773-0
4 2	.	1	.	1	.	.	2	1 4	.	1	.	.	.	.	.	769-5- 773-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
7 4	.	3 2	.	6 2	.	3 2	.	8 2	.	4 1	1	12 8	.	5 3	.	776
.	.	.	1	.	1	.	1	.	1	1	1	.	1 1	.	.	780-2
2	1	1	.	2 2	1	.	.	1	2 2	.	.	1 2	3 3	.	1	

TABLE 29.—DEATHS REGISTERED IN 1957 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total ...	5,258	4,530	4,411	3,913	3,852	3,364	4,834	4,149	18,355	15,553
Carlow ...	56	50	58	47	31	37	54	53	199	187
Dublin Co. Borough	811	778	641	642	605	588	739	781	2,796	2,789
Dun Laoghaire Boro'	61	85	56	87	58	64	69	73	244	309
Dublin Co. (remainder)	137	121	126	114	88	95	149	141	500	471
Kildare ...	121	72	96	75	95	77	90	80	402	304
Kilkenny ...	117	104	113	88	93	88	98	89	421	369
Laois ...	106	62	79	60	76	62	95	65	356	249
Longford ...	77	60	51	49	54	37	74	46	256	192
Louth ...	119	89	110	109	80	75	122	102	431	375
Meath ...	112	91	85	76	83	79	119	113	399	359
Offaly ...	108	83	83	60	80	56	87	73	358	272
Westmeath ...	115	92	76	70	70	74	102	64	363	300
Wexford ...	153	158	155	117	125	108	154	139	587	522
Wicklow ...	103	96	91	74	63	69	97	70	354	309
Leinster ...	2,196	1,941	1,820	1,668	1,601	1,509	2,049	1,889	7,666	7,007
Clare ...	152	116	129	106	98	98	138	119	517	439
Cork Co. Borough ...	140	146	122	130	112	96	115	132	489	504
Cork ...	519	486	449	359	372	319	461	405	1,801	1,569
Kerry ...	249	200	216	171	192	139	216	172	873	682
Limerick Co. Borough	61	65	60	50	54	56	76	51	251	222
Limerick ...	150	143	147	130	135	97	148	118	580	488
Tipperary, N.R. ...	108	80	102	79	87	77	109	103	406	339
Tipperary, S.R. ...	160	120	99	102	121	86	149	127	529	435
Waterford County Borough	34	34	39	44	37	40	54	37	164	155
Waterford ...	74	95	98	65	76	48	75	68	323	276
Munster ...	1,647	1,485	1,461	1,236	1,284	1,056	1,541	1,332	5,933	5,109
Galway ...	300	197	247	192	184	185	264	177	995	751
Leitrim ...	94	68	56	59	63	40	74	53	287	220
Mayo ...	284	225	242	223	181	143	228	158	935	749
Roscommon ...	120	117	124	109	95	86	113	94	452	406
Sligo ...	111	105	96	93	96	82	114	113	417	393
Connacht ...	909	712	765	676	619	536	793	595	3,086	2,519
Cavan ...	133	95	105	98	101	69	130	82	469	344
Donegal ...	267	222	180	167	166	129	212	174	825	692
Monaghan ...	106	75	80	68	81	65	109	77	376	285
Ulster (part of) ...	506	392	365	333	348	263	451	333	1,670	1,321

TABLE 30.—BIRTHS REGISTERED IN 1957 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	7,622	7,288	8,604	7,972	7,819	7,634	7,290	7,013	31,335	29,907
Carlow	87	89	104	96	102	97	77	101	370	383
Dublin Co. Borough	1,606	1,505	1,825	1,652	1,637	1,627	1,433	1,334	6,501	6,118
Dun Laoghaire Boro	116	115	149	149	132	126	128	119	525	509
Dublin Co. (remainder)	396	399	454	407	395	425	386	368	1,631	1,599
Kildare	203	173	249	205	224	182	170	178	846	738
Kilkenny	170	166	197	150	177	152	168	150	712	618
Laois	129	107	130	110	152	120	117	116	528	453
Longford	81	82	98	75	83	99	72	86	334	342
Louth	204	195	205	208	215	174	190	180	814	757
Meath	184	164	218	192	156	184	196	147	754	687
Offaly	173	150	150	126	160	174	122	145	605	595
Westmeath	154	131	177	166	158	169	177	157	666	623
Wexford	247	229	247	242	258	246	215	218	967	935
Wicklow	146	160	173	158	173	152	150	154	642	624
Leinster	3,896	3,665	4,376	3,936	4,022	3,927	3,601	3,453	15,895	14,981
Clare	157	165	221	201	154	172	197	173	729	711
Cork Co. Borough ...	205	209	241	222	224	207	207	214	877	852
Cork	643	634	730	695	627	600	591	581	2,591	2,510
Kerry	322	256	291	299	271	307	309	265	1,193	1,127
Limerick Co. Borough	183	168	180	193	168	161	172	169	703	691
Limerick	215	207	238	224	246	200	189	224	888	855
Tipperary, N.R. ...	174	147	184	163	154	149	129	143	641	602
Tipperary, S.R. ...	192	183	182	194	231	197	192	184	797	758
Waterford County Borough	70	82	91	87	79	94	66	79	306	342
Waterford	100	112	114	117	90	94	103	101	407	424
Munster	2,261	2,163	2,472	2,395	2,244	2,181	2,155	2,133	9,132	8,872
Galway	361	390	429	408	372	381	440	347	1,602	1,526
Leitrim	73	68	105	82	77	71	60	61	315	282
Mayo	293	294	349	307	294	288	287	327	1,223	1,216
Roscommon	107	106	157	153	120	145	124	118	508	522
Sligo	127	113	139	137	126	146	133	116	525	512
Connacht	961	971	1,179	1,087	989	1,031	1,044	969	4,173	4,058
Cavan	154	112	153	166	155	143	127	123	589	544
Donegal	250	246	300	249	274	245	234	213	1,058	953
Monaghan	100	131	124	139	135	107	129	122	488	499
Ulster (part of) ...	504	489	577	554	564	495	490	458	2,135	1,996

TABLE 31.—BIRTHS REGISTERED IN 1957 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net Number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Carlow	315	327	28	2	139	2	426	327
Dublin County Boro'	14,271	3,076	4,758	25	43	12	9,556	3,063
Dun Laoghaire Boro'	787	206	454	6	498	3	831	203
Dublin County (rem.)	86	738	67	21	2,455	39	2,474	756
Kildare	256	676	3	3	655	3	908	676
Kilkenny	743	446	48	1	190	.	885	445
Laois	510	338	6	1	140	.	644	337
Longford	535	132	99	.	107	1	543	133
Louth	1,672	317	473	.	55	.	1,254	317
Meath	361	386	1	.	689	6	1,049	392
Offaly	468	615	14	1	128	4	582	618
Westmeath	889	408	142	4	137	1	884	405
Wexford	1,025	731	28	1	174	1	1,171	731
Wicklow	174	534	8	3	567	2	733	533
Clare	858	430	4	.	155	1	1,009	431
Cork County Borough	2,476	478	1,669	21	460	5	1,267	462
Cork County	3,063	952	542	4	1,613	19	4,134	967
Kerry	1,721	527	37	1	109	1	1,793	527
Limerick Co. Borough	1,495	424	544	2	21	.	972	422
Limerick County ...	684	526	22	.	551	4	1,213	530
Tipperary, N.R. ...	986	325	167	2	101	.	920	323
Tipperary, S.R. ...	1,327	345	180	2	64	1	1,211	344
Waterford Co. Boro'	846	209	425	4	21	1	442	206
Waterford County ...	262	305	27	2	289	4	524	307
Galway	2,487	882	294	2	55	.	2,248	880
Leitrim	323	176	15	1	112	2	420	177
Mayo	1,131	1,090	12	1	230	1	1,349	1,090
Roscommon	579	295	31	1	187	1	735	295
Sligo	764	320	78	1	31	1	717	320
Cavan	427	488	33	3	253	1	647	486
Donegal	773	1,230	13	.	21	.	781	1,230
Monaghan... ..	848	168	87	1	59	.	820	167
Total	43,142	18,100	.	.	.	.	43,142	18,100

* Including registered private maternity homes.

TABLE 32.—BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND SEX AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS.

Age of mother at maternity	Total Births (including illegitimate)			Illegitimate Births		
	Total	Male	Female	Total	Male	Female
All ages	61,242	31,335	29,907	1,032	526	506
15 and under	24	9	15	19	8	11
16	44	22	22	22	14	8
17	156	88	68	63	33	30
18	303	147	156	77	40	37
19	506	257	249	85	44	41
Under 20	1,033	523	510	266	139	127
20	857	443	414	88	38	50
21	1,196	604	592	92	43	49
22	1,571	789	782	70	29	41
23	1,939	981	958	68	43	25
24	2,446	1,257	1,189	47	24	23
20—24	8,009	4,074	3,935	365	177	188
25	2,716	1,426	1,290	36	20	16
26	2,981	1,518	1,463	35	25	10
27	3,100	1,599	1,501	44	20	24
28	3,241	1,720	1,521	32	11	21
29	3,519	1,755	1,764	36	24	12
25—29	15,557	8,018	7,539	183	100	83
30	3,631	1,835	1,796	22	12	10
31	3,441	1,749	1,692	20	9	11
32	3,493	1,796	1,697	21	13	8
33	3,589	1,813	1,776	18	8	10
34	3,422	1,762	1,660	12	6	6
30—34	17,576	8,955	8,621	93	48	45
35	3,235	1,631	1,604	8	4	4
36	2,961	1,533	1,428	8	4	4
37	2,769	1,443	1,326	10	6	4
38	2,290	1,156	1,134	8	2	6
39	1,892	954	938	8	4	4
35—39	13,147	6,717	6,430	42	20	22
40	1,732	883	849	3	2	1
41	1,284	672	612	5	2	3
42	1,008	514	494	5	3	2
43	674	340	334	1	.	1
44	401	216	185	.	.	.
40—44	5,099	2,625	2,474	14	7	7
45	191	99	92	.	.	.
46	97	52	45	1	.	1
47	38	20	18	.	.	.
48	8	5	3	.	.	.
49	5	4	1	.	.	.
45—49	339	180	159	1	.	1
50	.	.	.	.	.	.
51	1	1	.	.	.	.
52	2	1	1	.	.	.
53	.	.	.	.	.	.
54	1	1	.	.	.	.
50—54	4	3	1	.	.	.
Age not stated	478	240	238	68	35	33

TABLE 33.—BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW							DUBLIN COUNTY BOROUGH					
Under 20 years ...	24	13	11	9	5	4	194	99	95	34	16	18
20-24 years ...	119	63	56	9	3	6	1,986	1,004	982	88	43	45
25-29 years ...	213	102	111	2	2	·	3,716	1,941	1,775	49	26	23
30-34 years ...	206	98	108	3	1	2	3,470	1,776	1,694	26	16	10
35-39 years ...	136	63	73	·	·	·	2,323	1,182	1,141	12	7	5
40-44 years ...	46	25	21	·	·	·	835	447	388	5	4	1
45 years and over ...	6	4	2	·	·	·	51	32	19	·	·	·
Age not stated ...	3	2	1	1	1	·	44	20	24	8	3	5
All ages ...	753	370	383	24	12	12	12,619	6,501	6,118	222	115	107
DUN LAOGHAIRE BOROUGH							DUBLIN COUNTY (remainder)					
Under 20 years ...	17	7	10	4	1	3	25	11	14	6	2	4
20-24 years ...	168	80	88	5	2	3	410	206	204	13	3	10
25-29 years ...	334	182	152	1	1	·	971	491	480	14	7	7
30-34 years ...	284	136	148	1	1	·	1,007	497	510	2	2	·
35-39 years ...	163	88	75	·	·	·	586	303	283	1	1	·
40-44 years ...	62	28	34	·	·	·	198	106	92	·	·	·
45 years and over ...	4	4	·	·	·	·	9	6	3	·	·	·
Age not stated ...	2	·	2	·	·	·	24	11	13	1	·	1
All ages ...	1,034	525	509	11	5	6	3,230	1,631	1,599	37	15	22
KILDARE							KILKENNY					
Under 20 years ...	52	23	29	17	8	9	26	10	16	4	1	3
20-24 years ...	275	155	120	11	7	4	171	105	66	8	3	5
25-29 years ...	396	213	183	6	5	1	296	160	136	4	2	2
30-34 years ...	382	198	184	3	1	2	376	197	179	1	·	1
35-39 years ...	302	167	135	·	·	·	302	152	150	1	·	1
40-44 years ...	106	54	52	1	·	1	134	77	57	2	1	1
45 years and over ...	12	5	7	·	·	·	10	4	6	·	·	·
Age not stated ...	59	31	28	1	·	1	15	7	8	3	1	2
All ages ...	1,584	846	738	39	21	18	1,330	712	618	23	8	15
LAOIS							LONGFORD					
Under 20 years ...	26	15	11	5	2	3	12	3	9	2	·	2
20-24 years ...	148	85	63	4	2	2	89	47	42	3	1	2
25-29 years ...	243	124	119	4	·	4	136	69	67	5	1	4
30-34 years ...	282	154	128	2	1	1	194	100	94	2	2	·
35-39 years ...	196	106	90	·	·	·	166	82	84	1	·	1
40-44 years ...	79	38	41	·	·	·	74	32	42	·	·	·
45 years and over ...	2	1	1	1	·	1	5	1	4	·	·	·
Age not stated ...	5	5	·	1	1	·	·	·	·	·	·	·
All ages ...	981	523	458	17	6	11	676	334	342	13	4	9

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years ...	33	15	18	8	5	3	28	12	16	11	5	6
20-24 years ...	211	105	106	1	.	1	197	101	96	21	11	10
25-29 years ...	404	219	185	3	1	2	379	201	178	3	2	1
30-34 years ...	486	257	229	4	1	3	375	187	188	5	3	2
35-39 years ...	302	153	149	2	.	2	321	177	144	1	1	.
40-44 years ...	121	63	58	.	.	.	130	70	60	.	.	.
45 years and over ...	12	2	10	.	.	.	6	3	3	.	.	.
Age not stated ...	2	.	2	.	.	.	5	3	2	2	2	.
All ages ...	1,571	814	757	18	7	11	1,441	754	687	43	24	19
OFFALY							WESTMEATH					
Under 20 years ...	33	20	13	5	4	1	20	13	7	8	4	4
20-24 years ...	163	74	89	4	1	3	166	87	79	5	2	3
25-29 years ...	289	145	144	5	2	3	320	160	160	5	3	2
30-34 years ...	368	177	191	1	1	.	398	200	198	3	1	2
35-39 years ...	238	140	98	.	.	.	265	146	119	2	1	1
40-44 years ...	87	38	49	.	.	.	108	56	52	.	.	.
45 years and over ...	6	3	3	.	.	.	6	2	4	.	.	.
Age not stated ...	16	8	8	7	4	3	6	2	4	2	1	1
All ages ...	1,200	605	595	22	12	10	1,289	666	623	25	12	13
WEXFORD							WICKLOW					
Under 20 years ...	47	25	22	10	4	6	29	15	14	3	3	.
20-24 years ...	294	151	143	16	8	8	199	100	99	17	7	10
25-29 years ...	482	264	218	3	3	.	346	180	166	6	2	4
30-34 years ...	544	269	275	2	1	1	346	183	163	4	1	3
35-39 years ...	366	180	186	.	.	.	248	116	132	.	.	.
40-44 years ...	126	59	67	1	.	1	81	40	41	.	.	.
45 years and over ...	11	8	3	.	.	.	9	4	5	.	.	.
Age not stated ...	32	11	21	22	9	13	8	4	4	.	.	.
All ages ...	1,902	967	935	54	25	29	1,266	642	624	30	13	17
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years ...	28	11	17	4	1	3	62	26	36	27	16	11
20-24 years ...	263	137	126	9	4	5	585	276	309	28	15	13
25-29 years ...	464	260	204	3	1	2	1,226	609	617	14	6	8
30-34 years ...	503	250	253	1	1	.	1,498	776	722	5	2	3
35-39 years ...	342	156	186	1	.	1	1,220	637	583	2	2	.
40-44 years ...	114	55	59	.	.	.	440	227	213	1	1	.
45 years and over ...	9	5	4	.	.	.	35	23	12	.	.	.
Age not stated ...	6	3	3	.	.	.	35	17	18	1	1	.
All ages ...	1,729	877	852	18	7	11	5,101	2,591	2,510	78	43	35

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	CLARE						KERRY					
Under 20 years ...	23	10	13	6	2	4	31	19	12	11	8	3
20-24 years ...	145	81	64	8	5	3	220	95	125	10	5	5
25-29 years ...	319	168	151	4	3	1	449	230	219	7	3	4
30-34 years ...	406	204	202	1	.	1	695	372	323	1	.	1
35-39 years ...	369	183	186	2	1	1	592	302	290	.	.	.
40-44 years ...	153	73	80	.	.	.	287	146	141	1	.	1
45 years and over ...	5	2	3	.	.	.	14	8	6	.	.	.
Age not stated ...	20	8	12	2	1	1	32	21	11	2	1	1
All ages ...	1,440	729	711	23	12	11	2,320	1,193	1,127	32	17	15
	LIMERICK COUNTY BOROUGH						LIMERICK COUNTY					
Under 20 years ...	29	18	11	.	.	.	31	14	17	19	11	8
20-24 years ...	233	118	115	6	2	4	180	91	89	7	3	4
25-29 years ...	418	211	207	1	1	.	389	191	198	7	5	2
30-34 years ...	372	188	184	.	.	.	525	269	256	7	1	6
35-39 years ...	238	114	124	.	.	.	414	207	207	5	3	2
40-44 years ...	96	51	45	.	.	.	182	101	81	.	.	.
45 years and over ...	6	2	4	.	.	.	13	9	4	.	.	.
Age not stated ...	2	1	1	.	.	.	9	6	3	1	1	.
All ages ...	1,394	703	691	7	3	4	1,743	883	855	46	24	22
	TIPPERARY, NORTH RIDING						TIPPERARY, SOUTH RIDING					
Under 20 years ...	22	14	8	5	4	1	38	23	15	8	3	5
20-24 years ...	154	75	79	8	3	5	201	103	98	11	8	3
25-29 years ...	296	168	128	2	1	1	393	202	191	1	1	.
30-34 years ...	405	203	202	.	.	.	436	229	207	2	1	1
35-39 years ...	263	130	133	.	.	.	347	169	178	2	1	1
40-44 years ...	87	42	45	.	.	.	116	60	56	.	.	.
45 years and over ...	8	4	4	.	.	.	7	1	6	.	.	.
Age not stated ...	8	5	3	1	1	.	17	10	7	3	1	2
All ages ...	1,243	641	602	16	9	7	1,555	797	758	27	15	12
	WATERFORD COUNTY BOROUGH						WATERFORD COUNTY					
Under 20 years ...	12	9	3	1	1	.	15	11	4	8	5	3
20-24 years ...	113	48	65	1	.	1	111	52	59	11	5	6
25-29 years ...	187	95	92	.	.	.	196	95	101	6	4	2
30-34 years ...	164	78	86	1	1	.	227	106	121	.	.	.
35-39 years ...	126	57	69	2	.	2	192	97	95	.	.	.
40-44 years ...	40	15	25	1	1	.	61	34	27	1	.	1
45 years and over ...	5	4	1	.	.	.	10	5	5	.	.	.
Age not stated ...	1	.	1	.	.	.	19	7	12	.	.	.
All ages ...	648	306	342	6	3	3	831	407	424	26	14	12

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE							KERRY					
Under 20 years ...	23	10	13	6	2	4	31	19	12	11	8	3
20-24 years ...	145	81	64	8	5	3	220	95	125	10	5	5
25-29 years ...	319	168	151	4	3	1	449	230	219	7	3	4
30-34 years ...	406	204	202	1	.	1	695	372	323	1	.	1
35-39 years ...	369	183	186	2	1	1	592	302	290	.	.	.
40-44 years ...	153	73	80	.	.	.	287	146	141	1	.	1
45 years and over ...	5	2	3	.	.	.	14	8	6	.	.	.
Age not stated ...	20	8	12	2	1	1	32	21	11	2	1	1
All ages ...	1,440	729	711	23	12	11	2,320	1,193	1,127	32	17	15
LIMERICK COUNTY BOROUGH							LIMERICK COUNTY					
Under 20 years ...	29	18	11	.	.	.	31	14	17	19	11	8
20-24 years ...	233	118	115	6	2	4	180	91	89	7	3	4
25-29 years ...	418	211	207	1	1	.	389	191	198	7	5	2
30-34 years ...	372	188	184	.	.	.	525	269	256	7	1	6
35-39 years ...	238	114	124	.	.	.	414	207	207	5	3	2
40-44 years ...	96	51	45	.	.	.	182	101	81	.	.	.
45 years and over ...	6	2	4	.	.	.	13	9	4	.	.	.
Age not stated ...	2	1	1	.	.	.	9	6	3	1	1	.
All ages ...	1,394	703	691	7	3	4	1,743	888	855	46	24	22
TIPPERARY, NORTH RIDING							TIPPERARY, SOUTH RIDING					
Under 20 years ...	22	14	8	5	4	1	38	23	15	8	3	5
20-24 years ...	154	75	79	8	3	5	201	103	98	11	8	3
25-29 years ...	296	168	128	2	1	1	393	202	191	1	1	.
30-34 years ...	405	203	202	.	.	.	436	229	207	2	1	1
35-39 years ...	263	130	133	.	.	.	347	169	178	2	1	1
40-44 years ...	87	42	45	.	.	.	116	60	56	.	.	.
45 years and over ...	8	4	4	.	.	.	7	1	6	.	.	.
Age not stated ...	8	5	3	1	1	.	17	10	7	3	1	2
All ages ...	1,243	641	602	16	9	7	1,555	797	758	27	15	12
WATERFORD COUNTY BOROUGH							WATERFORD COUNTY					
Under 20 years ...	12	9	3	1	1	.	15	11	4	8	5	3
20-24 years ...	113	48	65	1	.	1	111	52	59	11	5	6
25-29 years ...	187	95	92	.	.	.	196	95	101	6	4	2
30-34 years ...	164	78	86	1	1	.	227	106	121	.	.	.
35-39 years ...	126	57	69	2	.	2	192	97	95	.	.	.
40-44 years ...	40	15	25	1	1	.	61	34	27	1	.	1
45 years and over ...	5	4	1	.	.	.	10	5	5	.	.	.
Age not stated ...	1	.	1	.	.	.	19	7	12	.	.	.
All ages ...	648	306	342	6	3	3	831	407	424	26	14	12

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total Births inc. illegitimate			Illegitimate Births			Total Births inc. illegitimate			Illegitimate Births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	GALWAY						LEITRIM					
Under 20 years ...	44	24	20	16	11	5	10	5	5	2	2	.
20-24 years ...	316	163	153	12	4	8	43	23	20	.	.	.
25-29 years ...	641	306	335	8	5	3	127	63	64	.	.	.
30-34 years ...	975	528	447	8	5	3	177	99	78	.	.	.
35-39 years ...	789	406	383	2	1	1	162	85	77	.	.	.
40-44 years ...	319	156	163	.	.	.	71	35	36	.	.	.
45 years and over ...	19	9	10	.	.	.	3	3	.	.	.	.
Age not stated ...	25	10	15	3	1	2	4	2	2	1	1	.
All ages ...	3,128	1,602	1,526	49	27	22	597	315	282	3	3	.
	MAYO						ROSCOMMON					
Under 20 years ...	25	12	13	4	.	4	13	7	6	2	.	2
20-24 years ...	202	101	101	7	5	2	89	48	41	7	4	3
25-29 years ...	513	252	261	2	2	.	221	115	106	1	.	1
30-34 years ...	691	339	352	.	.	.	314	143	171	1	1	.
35-39 years ...	658	337	321	1	.	1	266	137	129	.	.	.
40-44 years ...	315	163	152	1	.	1	116	54	62	.	.	.
45 years and over ...	13	5	8	.	.	.	5	2	3	.	.	.
Age not stated ...	22	14	8	1	1	.	6	2	4	1	1	.
All ages ...	2,439	1,223	1,216	16	8	8	1,030	508	522	12	6	6
	SLIGO						CAVAN					
Under 20 years ...	12	4	8	3	2	1	13	6	7	5	2	3
20-24 years ...	105	59	46	7	4	3	117	63	54	10	5	5
25-29 years ...	241	118	123	1	.	1	253	138	115	4	4	.
30-34 years ...	302	155	147	1	.	1	320	163	157	3	1	2
35-39 years ...	267	133	134	1	.	1	284	140	144	1	1	.
40-44 years ...	103	52	51	.	.	.	124	69	55	.	.	.
45 years and over ...	5	3	2	.	.	.	16	6	10	.	.	.
Age not stated ...	2	1	1	.	.	.	6	4	2	.	.	.
All ages ...	1,037	525	512	13	6	7	1,133	589	544	23	13	10
	DONEGAL						MONAGHAN					
Under 20 years ...	41	24	17	13	10	3	18	5	13	6	1	5
20-24 years ...	233	126	107	16	10	6	103	52	51	2	2	.
25-29 years ...	460	229	231	8	4	4	239	117	122	4	3	1
30-34 years ...	562	293	269	2	2	.	286	131	155	1	1	.
35-39 years ...	473	254	219	3	1	2	231	118	113	.	.	.
40-44 years ...	193	103	90	.	.	.	95	56	39	.	.	.
45 years and over ...	15	8	7	.	.	.	6	5	1	.	.	.
Age not stated ...	34	21	13	4	3	1	9	4	5	.	.	.
All ages ...	2,011	1,058	953	46	30	16	987	488	499	18	7	6

TABLE 34—TOTAL BIRTHS REGISTERED IN 1957, CLASSIFIED BY AGE

Age of mother at maternity	Number of previous											
	Total	0	1	2	3	4	5	6	7	8	9	10
All Ages	61,242	12,953	11,257	9,746	7,777	5,899	4,310	3,102	2,113	1,377	941	581
15 and under	24	23	1	.	.	.	.	.	.	.	.	.
16	44	40	4	.	.	.	.	.	.	.	.	.
17	156	139	15	2	.	.	.	.	.	.	.	.
18	303	245	45	11	1	.	.	.	.	.	.	.
19	506	359	117	23	6	1	.	.	.	.	.	.
Under 20	1,033	806	182	36	7	1	.	.	.	.	.	.
20	857	513	241	80	16	6	.	.	.	.	.	.
21	1,196	668	333	125	56	7	5	1	.	.	.	.
22	1,571	800	445	214	79	26	4	2	.	.	.	.
23	1,939	872	561	307	117	59	17	2	.	.	.	.
24	2,446	984	730	384	186	97	39	20	3	1	.	.
20-24	8,009	3,837	2,310	1,110	454	195	65	25	3	1	.	.
25	2,716	987	764	463	272	141	57	18	8	3	2	.
26	2,981	958	814	555	327	168	95	42	13	6	.	1
27	3,100	907	814	569	372	217	139	53	17	7	4	1
28	3,241	778	811	632	401	269	165	84	70	19	2	3
29	3,519	747	762	731	491	317	204	127	76	36	11	7
25-29	15,557	4,377	3,965	2,950	1,863	1,112	660	324	184	71	19	12
30	3,631	640	795	720	496	384	256	172	78	53	19	10
31	3,441	560	643	655	539	375	276	167	102	63	37	7
32	3,493	513	596	621	540	446	281	215	122	62	45	21
33	3,589	412	563	667	592	452	312	241	127	104	57	32
34	3,422	361	463	606	580	439	318	254	154	107	66	35
30-34	17,576	2,486	3,060	3,269	2,747	2,096	1,443	1,049	583	389	224	105
35	3,235	331	392	523	521	422	326	226	180	124	72	60
36	2,961	258	322	469	474	396	320	248	193	115	75	44
37	2,769	228	257	358	446	390	311	217	183	134	94	63
38	2,290	141	208	275	359	341	270	219	149	102	84	49
39	1,892	133	174	215	258	267	222	167	140	95	87	42
35-39	13,147	1,091	1,353	1,840	2,053	1,816	1,449	1,077	845	570	412	258
40	1,732	92	132	174	218	230	224	184	144	98	82	46
41	1,284	64	77	144	143	161	160	149	96	81	59	50
42	1,008	37	50	84	118	121	130	119	94	65	54	42
43	674	30	51	45	74	68	83	61	66	47	36	32
44	401	18	12	32	31	35	43	56	45	30	34	17
40-44	5,099	241	322	479	584	615	640	569	445	321	265	137
45	191	7	16	8	16	16	21	23	29	11	9	11
46	97	5	3	6	11	10	9	9	7	11	6	4
47	38	1	1	6	3	2	3	7	6	.	1	1
48	8	.	1	.	.	3	.	1	2	.	1	.
49 and over	9	.	.	.	2	.	1	2	.	1	.	2
45 and over	343	13	21	20	32	31	34	42	44	23	17	18
Age not stated	478	102	44	42	32	33	19	16	9	2	4	1

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children											Not stated	Age of mother at maternity
11	12	13	14	15	16	17	18	19	20	21		
380	215	131	76	41	16	13	6	4	1	3	300	All Ages
.	.	.	.	.	.	.	.	.	.	.	.	15 and under
.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	17
.	.	.	.	.	.	.	.	.	.	.	1	18
.	.	.	.	.	.	.	.	.	.	.	.	19
.	.	.	.	.	.	.	.	.	.	.	1	Under 20
.	.	.	.	.	.	.	.	.	.	.	1	20
.	.	.	.	.	.	.	.	.	.	.	1	21
.	.	.	.	.	.	.	.	.	.	.	1	22
.	.	.	.	.	.	.	.	.	.	.	4	23
.	.	.	.	.	.	.	.	.	.	.	2	24
.	.	.	.	.	.	.	.	.	.	.	9	20-24
.	.	.	.	.	.	.	.	.	.	.	1	25
1	.	.	.	.	.	.	.	.	.	.	1	26
.	.	.	.	.	.	.	.	.	.	.	.	27
.	.	1	.	.	.	.	.	.	.	.	6	28
1	.	.	.	.	.	.	.	.	.	.	9	29
2	.	1	.	.	.	.	.	.	.	.	17	25-29
4	.	.	.	.	.	.	.	.	.	.	4	30
6	2	1	1	.	.	.	.	.	.	.	7	31
11	7	1	.	.	.	.	.	.	.	.	12	32
12	5	2	.	.	.	.	.	.	.	.	11	33
16	10	4	1	2	.	.	.	.	.	.	6	34
49	24	8	2	2	.	.	.	.	.	.	40	30-34
27	10	6	2	.	1	.	.	.	.	.	12	35
19	10	6	1	1	.	.	1	.	.	.	9	36
36	20	11	7	1	2	2	.	1	.	1	7	37
36	24	15	6	2	1	.	.	1	.	1	7	38
43	23	10	6	6	.	.	.	.	.	.	4	39
161	87	48	22	10	4	2	1	2	.	2	39	35-39
35	27	17	12	7	2	2	.	1	.	.	5	40
35	16	16	8	9	3	4	2	1	.	.	6	41
38	18	13	13	3	1	1	1	.	.	.	6	42
29	19	12	9	3	4	2	1	.	.	.	2	43
18	9	7	6	4	1	.	1	.	.	1	1	44
155	89	65	48	26	11	9	5	2	.	1	20	40-44
6	9	3	2	2	1	.	.	.	.	.	1	45
5	2	4	2	1	.	1	.	.	.	.	1	46
1	3	1	.	.	.	1	.	.	.	.	1	47
.	.	.	.	.	.	.	.	.	.	.	.	48
1	.	.	.	.	.	.	.	.	.	.	.	49 and over
13	14	8	4	3	1	2	.	.	.	.	3	45 and over
.	1	1	.	.	.	.	.	.	1	.	171	Age not stated

TABLE 35.—LEGITIMATE BIRTHS REGISTERED IN 1957, CLASSIFIED

Age of mother at maternity	Legitimate Births: the marriage											
	All durations	0	1	2	3	4	5	6	7	8	9	10
All Ages	60,210	6,104	5,954	5,844	5,255	4,606	4,247	3,859	3,522	2,878	2,745	2,628
15	5	3	2	.	.	.	.	.	.	.	.	.
16	22	18	4	.	.	.	.	.	.	.	.	.
17	93	70	12	6	3	.	.	.	.	.	.	.
18	226	134	68	16	2	3	.	.	.	.	.	.
19	421	217	116	56	25	2	4	.	.	.	.	.
Under 20	767	442	202	78	30	5	4	.	.	.	.	.
20	769	318	223	128	55	24	11	2	.	.	.	.
21	1,104	422	282	201	114	45	22	10	5	.	.	.
22	1,501	481	380	273	167	115	40	18	16	4	.	.
23	1,871	491	427	342	277	147	109	49	15	9	2	.
24	2,399	545	498	460	310	264	139	105	44	23	6	2
20-24	7,644	2,257	1,810	1,404	923	595	321	184	80	36	8	2
25	2,680	503	522	463	375	281	225	139	90	44	18	11
26	2,946	475	463	473	439	332	249	222	147	63	41	19
27	3,056	422	448	444	418	335	283	251	196	127	64	35
28	3,209	346	397	434	374	378	342	268	212	154	141	87
29	3,483	303	381	404	416	357	345	311	268	192	181	135
25-29	15,374	2,049	2,211	2,218	2,022	1,683	1,444	1,191	913	580	445	287
30	3,609	292	333	408	370	351	339	313	298	219	208	198
31	3,421	223	275	305	347	306	303	297	291	232	211	204
32	3,472	185	233	279	287	275	311	300	265	267	223	238
33	3,571	167	182	255	272	287	297	305	267	262	274	230
34	3,410	115	164	213	227	236	254	271	285	253	246	220
30-34	17,483	982	1,187	1,460	1,503	1,455	1,504	1,486	1,406	1,233	1,162	1,090
35	3,227	105	135	182	195	225	241	233	222	201	218	240
36	2,953	105	96	140	154	167	187	204	215	176	205	207
37	2,759	60	90	110	106	135	149	147	191	180	186	196
38	2,282	33	66	76	92	93	133	128	145	135	150	151
39	1,884	24	48	65	82	69	88	108	111	97	107	139
35-39	13,105	327	435	573	629	689	798	820	884	789	866	933
40	1,729	24	40	39	56	62	70	70	90	71	95	115
41	1,279	10	23	30	44	45	46	41	56	66	61	70
42	1,003	2	14	12	20	23	21	27	37	52	45	51
43	673	3	9	15	10	18	10	19	25	23	27	35
44	401	.	5	5	4	8	6	8	16	12	16	23
40-44	5,085	39	91	101	134	156	153	165	224	224	244	294
45	191	1	2	1	2	7	1	3	5	5	5	5
46	96	.	.	1	2	.	4	1	1	2	3	8
47	38	1	.	.	1	.	1	.	.	1	2	1
48	8	.	.	.	.	1	.	.	1	.	.	1
49 and over	9	.	.	.	.	.	.	.	.	1	1	1
45 and over	342	2	2	2	5	8	6	4	7	9	11	16
Age not stated	410	6	16	8	9	15	17	9	8	7	9	6

BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE

duration in completed years being												Age of mother at maternity
11	12	13	14	15	16	17	18	19	20-24	25 & over	Not stated	All Ages
2,274	1,962	1,688	1,468	1,146	858	728	567	412	934	97	434	
.	.	.	.	.	.	.	.	.	.	.	.	15
.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	2	17
.	.	.	.	.	.	.	.	.	.	.	3	18
.	.	.	.	.	.	.	.	.	.	.	1	19
.	.	.	.	.	.	.	.	.	.	.	6	Under 20
.	.	.	.	.	.	.	.	.	.	.	8	20
.	.	.	.	.	.	.	.	.	.	.	3	21
.	.	.	.	.	.	.	.	.	.	.	7	22
.	.	.	.	.	.	.	.	.	.	.	3	23
.	.	.	.	.	.	.	.	.	.	.	3	24
.	.	.	.	.	.	.	.	.	.	.	24	20-24
3	.	.	.	.	.	.	.	.	.	.	6	25
13	3	.	.	.	.	.	.	.	.	.	7	26
22	5	2	.	.	.	.	.	.	.	.	4	27
36	17	10	5	.	.	.	.	.	.	.	8	28
96	48	20	11	7	.	.	.	.	.	.	8	29
170	78	32	16	7	.	.	.	.	.	.	33	25-29
122	77	44	17	9	4	.	.	.	.	.	7	30
170	120	63	37	14	8	2	.	.	.	.	13	31
211	159	108	70	33	12	6	2	.	.	.	8	32
196	190	158	97	71	34	11	6	4	.	.	6	33
220	206	169	138	88	54	33	13	2	1	.	2	34
919	752	542	359	215	112	52	21	6	1	.	36	30-34
207	196	159	171	111	84	50	21	9	10	.	12	35
193	186	190	167	114	100	66	43	17	10	.	11	36
198	178	176	167	140	105	91	66	26	51	.	11	37
147	162	121	143	129	91	88	65	55	75	.	4	38
115	110	117	118	106	81	86	75	52	80	.	6	39
860	832	763	766	600	461	381	270	159	226	.	44	35-39
117	91	109	117	107	87	93	62	63	148	1	2	40
84	67	88	77	75	65	62	61	58	137	7	6	41
56	57	68	68	63	60	66	49	50	143	15	4	42
39	41	43	31	41	40	19	58	30	115	21	1	43
8	26	18	21	23	17	31	28	24	80	21	1	44
304	282	326	314	309	269	271	258	225	623	65	14	40-44
7	12	17	7	10	8	13	12	13	43	12	.	45
6	3	4	4	3	3	8	4	5	20	14	.	46
4	2	.	1	1	3	2	2	.	12	4	.	47
.	.	.	.	.	.	.	.	2	3	.	.	48
.	1	.	.	.	1	.	.	.	2	2	.	49 and over
17	18	21	12	14	15	23	18	20	80	32	.	45 and over
4	5	4	1	1	1	1	.	2	4	.	277	Age not stated

AT MATERNITY AND DURATION OF MARRIAGE FOR DURATIONS UNDER TWO YEARS

duration in completed months being									Age of mother at maternity
9	10	11	0-8	9-11	12-14	15-17	18-20	21-23	
1,816	1,436	1,050	1,802	4,302	2,035	1,285	1,111	1,523	All ages
			3		1			1	15
1		3	14	4	3	1			16
8	10	4	48	22	4	6	1	1	17
5	19	8	102	32	26	25	11	6	18
44	26	24	123	94	37	37	19	23	19
58	55	39	290	152	71	69	31	31	Under 20
65	41	44	168	150	67	59	42	55	20
111	77	65	169	253	98	62	59	63	21
156	116	72	137	344	134	83	74	89	22
158	131	78	124	367	152	86	83	106	23
175	134	87	149	396	194	85	94	125	24
665	499	346	747	1,510	645	375	352	438	20-24
151	138	82	132	371	196	102	99	125	25
169	112	90	104	371	151	108	84	120	26
138	109	76	99	323	153	91	70	134	27
115	99	62	70	276	113	92	83	109	28
117	71	62	53	250	150	72	61	98	29
690	529	372	458	1,591	763	465	397	586	25-29
95	74	58	65	227	101	78	67	87	30
68	60	43	52	171	95	45	57	78	31
55	42	57	31	154	82	41	45	65	32
51	42	39	35	132	60	40	36	46	33
33	28	21	33	82	55	39	31	39	34
302	246	218	216	766	393	243	236	315	30-34
23	33	20	29	76	43	35	20	37	35
32	27	25	21	84	25	19	19	33	36
17	20	10	13	47	25	23	11	31	37
7	8	9	9	24	21	16	8	21	38
10	5	5	4	20	18	11	10	9	39
89	93	69	76	251	132	104	68	131	35-39
5	8	3	8	16	9	13	10	8	40
2	3	2	3	7	8	4	5	6	41
1	1			2	4	5	3	2	42
1			2	1	2	2	4	1	43
						2	3		44
9	12	5	13	26	23	26	25	17	40-44
			1		1			1	45
									46
1				1					47
									48
									49 & over
1			1	1	1			1	45 & over
2	2	1	1	5	7	3	2	4	Age not stated

TABLE 37.—LEGITIMATE FIRST BIRTHS REGISTERED IN 1957 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE.

Age of mother at maternity	Legitimate first births : the duration of marriage being																	
	All durations	Completed months		Completed years														
		0-8	9-11	0	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25 and over	Not stated
All ages	12,142	1,615	4,070	5,685	4,054	1,029	483	248	154	114	63	37	37	131	36	8	1	62
15 & under	4	3	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
16	20	13	4	17	3	.	.	.	.	.	.	.	.	.	.	.	.	.
17	80	46	21	67	8	1	2	.	.	.	.	.	.	.	.	.	.	2
18	173	99	32	131	37	3	.	.	.	.	.	.	.	.	.	.	.	2
19	275	119	89	208	61	2	1	1	1	.	.	.	.	.	.	.	.	1
20	434	156	143	299	112	12	3	1	1	.	.	.	.	.	.	.	.	6
21	587	153	235	388	171	21	2	1	1	2	.	.	.	.	.	.	.	1
22	746	127	327	454	240	29	14	3	1	.	.	1	.	.	.	.	.	4
23	817	113	352	465	279	45	19	6	1	.	1	.	.	.	.	.	.	1
24	950	138	371	509	328	75	21	9	2	3	.	.	2	.	.	.	.	1
25	964	120	357	477	361	69	27	13	8	3	2	1	.	1	.	.	.	2
26	934	91	357	448	339	85	30	13	9	4	1	2	1	1	.	.	.	1
27	877	86	307	393	313	90	34	20	14	6	2	1	.	2	.	.	.	2
28	757	61	266	327	272	74	33	17	12	12	6	.	1	3	.	.	.	.
29	720	46	236	282	282	66	44	13	14	5	2	1	3	5	.	.	.	3
Under 20	552	280	146	426	110	6	3	1	1	.	.	.	.	.	.	.	.	5
20-24	3,534	687	1,428	2,115	1,130	182	59	20	6	5	1	1	2	.	.	.	.	13
25-29	4,252	404	1,523	1,927	1,567	384	168	76	57	30	13	5	5	12	.	.	.	8
30-34	2,442	176	716	892	847	281	151	76	48	39	28	11	15	44	6	.	.	4
35-39	1,065	57	226	283	321	137	86	54	35	34	14	14	14	53	16	2	.	2
40-44	234	9	25	34	72	33	15	18	6	3	7	6	1	20	13	5	1	.
45 & over	12	1	1	2	1	2	.	1	1	1	.	.	.	2	1	1	.	.
Age not stated	51	1	5	6	6	4	1	2	.	2	.	.	.	.	.	.	.	30

TABLE 38.—MARRIAGES REGISTERED IN EACH

Area	Total Marriages	Catholic Marriages	Marriages other than Catholic							
			Total	Pro- testant Episco- palian	Presby- terian	Methodist	Jewish	Society of Friends	Other Religious Denom- inations	Civil Mar- riages
Total ...	14,657	13,948	709	509	97	27	19	2	3	52
Carlow ...	125	114	11	11	.	.	.	.	.	.
Dublin County Borough	4,782	4,577	205	123	10	8	19	1	1	43
Dun Laoghaire Borough	351	321	30	25	5	.	.	.	.	.
Dublin County (remainder)	397	378	19	19	.	.	.	.	.	.
Kildare ...	271	261	10	9	1	.	.	.	.	.
Kilkenny ...	257	253	4	4	.	.	.	.	.	.
Laois ...	178	155	23	23	.	.	.	.	.	.
Longford ...	107	103	4	4	.	.	.	.	.	.
Louth ...	410	395	15	9	6	.	.	.	.	.
Meath ...	235	228	7	4	1	.	.	.	.	2
Offaly ...	228	214	14	12	.	2	.	.	.	.
Westmeath ...	257	251	6	6	.	.	.	.	.	.
Wexford ...	378	358	20	20	.	.	.	.	.	.
Wicklow ...	290	246	44	40	.	2	.	.	.	2
Leinster ...	8,266	7,854	412	309	23	12	19	1	1	47
Clare ...	305	301	4	4	.	.	.	.	.	.
Cork County Borough ...	608	600	8	6	.	1	.	.	.	1
Cork County ...	953	894	59	53	1	3	.	.	.	2
Kerry ...	480	476	4	4	.	.	.	.	.	.
Limerick County Borough	451	441	10	4	3	2	.	.	1	.
Limerick County ...	270	266	4	1	.	3	.	.	.	.
Tipperary N.R. ...	249	241	8	5	.	3	.	.	.	.
Tipperary S.R. ...	250	250	.	.	.	.	.	.	.	.
Waterford Co. Boro' ...	208	205	3	1	.	.	.	1	.	1
Waterford County ...	208	201	7	6	.	.	.	.	.	1
Munster ...	3,982	3,875	107	84	4	12	.	1	1	5
Galway ...	570	567	3	3	.	.	.	.	.	.
Leitrim ...	112	103	9	9	.	.	.	.	.	.
Mayo ...	369	364	5	5	.	.	.	.	.	.
Roscommon ...	203	201	2	2	.	.	.	.	.	.
Sligo ...	181	167	14	13	1	.	.	.	.	.
Connacht ...	1,435	1,402	33	32	1	.	.	.	.	.
Cavan ...	267	228	39	29	10	.	.	.	.	.
Donegal ...	453	382	71	31	37	2	.	.	1	.
Monaghan ...	254	207	47	24	22	1	.	.	.	.
Ulster (part of) ...	974	817	157	84	69	3	.	.	1	.

COUNTY AND COUNTY BOROUGH DURING 1957

Total marriages Registered in the Quarter ending the last day of				Marriages				Area
March	June	Sept.	Dec.	Contracted between				
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
2,718	3,365	5,460	3,114	14,140	127	322	68	Total
24	29	46	26	121	3	1	.	Carlow
792	1,072	1,893	1,025	4,582	40	138	22	Dublin County Borough
49	99	144	59	339	4	5	3	Dun Laoghaire Borough
48	76	197	76	379	2	14	2	Dublin County (rem'der)
44	56	102	69	262	4	3	2	Kildare
51	69	89	48	246	3	8	.	Kilkenny
36	46	61	35	175	3	.	.	Laois
28	23	29	27	106	.	.	1	Longford
64	105	181	60	399	1	8	2	Louth
41	49	88	57	229	1	4	1	Meath
49	48	72	59	225	2	1	.	Offaly
38	44	93	82	247	4	4	2	Westmeath
82	84	145	67	365	3	10	.	Wexford
39	55	103	93	279	3	6	2	Wicklow
1,385	1,855	3,243	1,783	7,954	73	202	37	Leinster
60	68	127	50	297	4	2	2	Clare
115	118	244	131	590	3	14	1	Cork County Borough
240	190	355	168	917	5	26	5	Cork County
145	95	91	149	470	5	4	1	Kerry
42	111	206	92	433	2	12	4	Limerick County Borough
75	64	77	54	259	2	8	1	Limerick County
48	77	66	58	239	3	7	.	Tipperary N.R.
60	59	69	62	242	2	5	1	Tipperary S.R.
31	46	90	41	196	1	9	2	Waterford County Boro'
41	50	65	52	198	2	4	4	Waterford County
857	878	1,390	857	3,841	29	91	21	Munster
114	149	192	115	558	5	5	2	Galway
20	38	35	19	109	.	3	.	Leitrim
77	104	113	75	359	4	5	1	Mayo
40	65	65	33	197	3	1	2	Roscommon
31	41	73	36	177	.	2	2	Sligo
282	397	478	278	1,400	12	16	7	Connacht
58	56	100	53	257	3	5	2	Cavan
90	107	159	97	442	5	5	1	Donegal
46	72	90	46	246	5	3	.	Monaghan
194	235	349	196	945	13	13	3	Ulster (part of)

TABLE 39—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY
ALL

Age of groom	Age of																								
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35			
16	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.			
17	.	1	1	2	5	.	1	2	.	2	.	.	1	.	.	.	.	.	.	.	.	.			
18	.	3	2	7	5	5	5	3	3	2	.	1	1	1	.	.	1	.	1	.	.	.			
19	1	2	6	13	17	33	20	11	5	3	5	5	1	1	1	.	1	.	.	.	.	.			
20	.	1	3	17	22	39	51	34	23	22	9	1	3	1	3	1	1	2	.	1	.	.			
21	.	1	6	10	33	50	56	66	53	39	17	19	6	9	3	3	.	4	1	.	.	.			
22	.	2	6	22	30	59	87	113	86	78	40	29	23	19	9	4	2	3	2	2	.	1			
23	.	1	1	7	34	51	89	129	109	92	60	48	38	16	13	4	8	4	5	1	1	.			
24	.	1	2	10	23	37	80	110	107	140	111	57	37	27	16	18	13	6	3	3	3	1			
25	.	1	4	5	18	40	51	87	120	127	107	105	75	46	27	25	9	7	7	4	6	1			
26	.	1	2	3	16	22	49	68	83	122	124	117	114	66	48	28	18	10	10	10	3	5			
27	.	.	1	7	16	27	31	62	89	98	97	121	98	95	42	41	33	16	18	11	5	6			
28	.	.	.	5	11	23	32	54	58	65	87	91	75	70	61	43	37	18	23	10	6	5			
29	.	.	1	7	7	24	30	40	54	58	86	74	66	67	64	38	43	25	11	12	10	9			
30	.	1	.	3	2	11	23	38	40	69	58	77	66	63	60	55	37	36	19	12	10	5			
31	.	.	1	2	12	7	15	21	32	40	62	58	58	45	42	44	41	37	24	20	9	14			
32	.	.	.	3	4	4	9	17	30	31	39	39	50	35	52	42	34	35	24	17	22	10			
33	.	2	1	.	7	9	19	22	37	33	26	44	38	38	51	39	30	32	24	21	14	21			
34	.	.	1	3	1	9	15	16	15	31	33	29	35	37	42	27	33	31	32	22	22	16			
35	.	.	.	1	4	6	11	9	19	22	21	24	36	24	23	35	35	23	40	23	28	26			
36	.	.	1	.	2	5	10	9	10	13	24	19	18	20	28	19	35	22	30	27	21	16			
37	.	.	1	.	4	2	7	8	12	12	16	23	20	28	20	29	31	16	22	30	15	23			
38	.	.	.	1	2	5	4	10	5	4	14	17	19	24	17	26	19	18	18	24	19	19			
39	.	.	2	1	1	2	3	4	4	6	7	14	16	13	19	18	18	17	18	20	24	15			
40	.	.	1	.	2	2	2	6	4	6	10	13	8	14	15	19	14	13	11	23	15	19			
41	.	.	1	1	1	2	1	3	6	4	7	8	11	10	12	12	13	12	16	24	15	14			
42	.	.	.	.	.	1	2	2	1	5	4	6	10	4	11	13	10	11	13	10	11	5			
43	.	.	.	1	2	1	1	3	.	4	5	5	3	13	8	15	6	13	16	12	12	13			
44	.	.	.	.	.	1	.	1	2	6	4	3	3	3	7	5	9	9	9	11	11	8			
45	.	.	.	.	1	.	2	1	2	3	4	3	6	3	6	4	13	7	7	9	5	7			
46	.	.	.	.	.	.	.	1	3	2	3	3	4	5	4	2	6	.	4	5	5	7			
47	.	.	.	1	.	.	1	3	.	2	2	2	5	1	4	6	2	5	3	3	4	11			
48	.	.	.	1	.	.	.	.	.	.	1	2	2	.	4	.	3	4	2	1	4	6			
49	.	.	.	.	.	2	.	1	.	.	.	1	.	1	1	3	2	2	4	4	4	5			
50-54	.	.	1	.	.	.	.	2	1	4	1	.	6	1	6	6	7	4	10	8	14	13			
55-59	.	.	.	.	.	2	.	.	1	.	1	2	.	.	4	1	6	2	3	2	2	7			
60-64	.	.	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	1	.	3	1	.			
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.			
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Not stated	.	1	.	3	4	4	9	2	3	3	5	3	.	1	5	2	1	3	2	2	1	4			
All ages	1	18	47	136	286	485	717	958	1,017	1,148	1,090	1,064	953	802	729	628	571	449	432	388	322	312			

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated		All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	41	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	126	19
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	239	20
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	383	21
1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	623	22
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	717	23
.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	813	24
.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	883	25
.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6	929	26
3	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	3	923	27
3	.	4	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	7	791	28
4	1	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	6	741	29
11	7	2	.	2	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	3	714	30
8	6	3	4	.	1	1	.	.	2	.	.	.	.	1	.	.	.	.	.	4	614	31
8	4	4	3	1	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	3	523	32
7	10	5	5	2	.	3	3	.	1	1	.	.	.	.	.	.	.	.	.	4	549	33
12	4	2	2	4	1	1	2	.	.	2	.	1	1	.	.	.	.	.	.	3	485	34
13	8	5	4	5	1	2	2	1	4	2	.	.	1	1	.	.	.	.	.	3	462	35
17	10	6	7	.	1	3	1	1	1	.	1	1	.	.	1	.	.	.	.	3	382	36
17	12	6	10	3	9	1	1	.	.	3	1	2	.	.	.	.	.	.	.	3	387	37
12	10	11	8	3	3	1	1	.	2	1	1	.	.	.	.	.	.	.	.	6	324	38
22	15	9	4	5	4	4	2	1	1	1	.	1	.	1	.	.	.	.	.	3	295	39
16	14	9	8	13	3	4	5	2	.	3	1	1	.	1	1	.	.	.	.	2	280	40
16	9	12	6	9	6	5	5	1	3	1	.	1	.	1	.	.	.	.	.	1	249	41
8	9	8	10	9	6	2	3	10	4	2	.	2	.	3	.	.	.	.	.	2	197	42
10	10	7	7	5	4	3	3	5	1	1	.	1	.	2	.	1	.	.	.	3	196	43
7	17	8	3	4	2	2	3	2	2	4	.	2	.	.	1	.	.	.	.	4	153	44
10	11	5	5	5	6	3	7	5	3	.	3	2	1	3	2	.	.	.	.	1	155	45
8	8	4	6	5	2	6	1	4	5	1	1	3	2	.	.	.	.	.	.	2	112	46
2	5	6	3	8	7	2	5	5	4	1	2	3	.	5	1	.	.	.	.	2	116	47
4	8	8	4	4	2	5	5	2	4	1	6	4	1	.	1	1	.	.	.	.	90	48
2	3	4	5	5	3	4	3	4	4	1	4	1	2	3	1	1	.	.	.	.	80	49
18	11	7	11	15	13	17	13	8	8	8	4	7	9	17	7	5	.	.	.	.	262	50-54
5	3	2	3	4	7	4	5	3	7	5	6	2	3	21	7	6	.	.	.	2	123	55-59
2	2	2	3	1	2	1	3	5	1	1	3	1	5	13	5	4	1	.	.	.	66	60-64
.	2	.	.	.	.	.	.	.	1	1	3	1	2	10	3	.	2	.	.	.	26	65-69
.	.	.	.	.	.	.	1	.	.	.	1	2	1	3	5	.	2	2	.	.	17	70-74
.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	3	.	1	1	8	75 and over
1	2	2	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	494	560	Not stated
249	209	144	125	113	86	77	77	63	59	41	38	38	29	89	35	18	8	2	1	603	14,657	All ages

TABLE 40.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY
FIRST MARR

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
16	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
17	.	1	1	2	5	.	1	2	.	2	.	.	1	.	.	.	.	.	.	.	.	.
18	.	3	2	7	5	5	5	3	3	2	.	1	1	1	.	.	1	.	1	.	.	.
19	1	2	6	13	17	33	20	11	5	3	5	5	1	1	1	.	1	.	.	.	.	.
20	.	1	3	17	22	39	51	34	23	22	9	1	3	1	3	1	1	2	.	1	.	.
21	.	1	6	10	33	50	56	66	53	39	17	19	6	9	3	3	.	4	1	.	.	.
22	.	2	6	22	30	59	87	113	86	78	40	29	23	19	9	4	2	3	2	2	.	.
23	.	1	1	7	34	51	89	129	109	92	60	48	38	16	13	4	7	4	5	1	1	.
24	.	1	2	10	23	37	80	110	107	140	111	57	37	27	16	18	13	6	3	3	3	1
25	.	1	4	5	18	40	51	87	120	127	107	105	75	45	27	25	9	7	7	4	6	1
26	.	1	2	3	16	22	49	68	83	122	124	116	114	66	47	28	18	10	10	10	3	5
27	.	.	1	7	16	27	31	62	88	97	97	121	98	95	42	41	33	16	18	11	4	6
28	.	.	.	5	11	23	32	53	57	65	87	91	75	70	61	43	36	18	23	10	6	5
29	.	.	1	7	7	24	30	40	54	58	86	74	66	67	64	38	43	25	11	12	9	9
30	.	1	.	3	2	11	23	38	40	69	57	77	66	63	60	54	36	36	19	11	9	5
31	.	.	1	2	12	7	15	20	32	39	62	58	58	45	42	44	41	37	24	20	9	14
32	.	.	.	3	4	4	8	16	29	31	39	39	49	35	51	42	34	35	23	17	22	10
33	.	2	1	.	7	9	19	22	37	32	25	44	38	38	51	38	29	31	24	20	14	21
34	.	.	1	3	1	9	15	16	14	31	33	29	35	37	42	27	31	30	32	22	22	14
35	.	.	.	1	4	5	11	9	19	21	21	24	35	23	23	35	34	23	40	23	27	25
36	.	.	.	.	2	5	9	9	10	13	24	16	17	19	27	18	35	22	28	27	21	16
37	.	.	1	.	4	2	6	8	12	12	16	22	19	28	18	28	30	16	21	28	15	21
38	.	.	.	1	2	5	4	10	5	4	14	16	19	24	17	26	19	18	18	23	18	18
39	.	.	2	1	1	2	3	4	4	6	7	11	16	12	19	18	16	16	18	20	22	15
40	.	.	1	.	2	2	2	6	4	6	10	12	8	12	15	19	13	13	11	22	15	16
41	.	.	1	1	.	2	1	3	6	4	7	8	11	10	10	12	13	12	14	22	14	13
42	.	.	.	.	.	1	2	2	1	5	4	5	10	3	9	13	10	10	12	8	9	5
43	.	.	.	1	2	1	.	3	.	3	5	5	3	12	8	14	6	11	14	10	11	10
44	.	.	.	.	.	1	.	1	2	6	4	2	3	3	7	5	9	9	8	11	10	7
45	.	.	.	.	1	.	2	1	2	3	3	3	6	3	5	4	13	7	7	8	5	6
46	.	.	.	.	.	.	.	1	3	2	3	3	4	4	4	2	6	.	2	5	5	6
47	.	.	.	1	.	.	1	3	.	2	1	2	5	.	3	6	2	4	3	3	4	11
48	.	.	.	1	.	.	.	.	.	.	1	2	2	.	4	.	3	4	1	1	3	6
49	.	.	.	.	.	2	.	1	.	.	.	1	.	1	1	3	2	1	3	3	3	5
50-54	.	.	1	.	.	.	.	1	.	4	1	.	3	1	4	6	6	4	10	7	9	13
55-59	.	.	.	.	.	2	.	.	1	.	1	1	.	.	3	1	4	1	2	1	2	6
60-64	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3	.	.
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	1	.	3	4	4	9	2	3	3	5	3	.	1	5	2	1	2	2	2	1	3
All ages	1	18	46	136	285	484	712	954	1,012	1,143	1,086	1,050	945	792	715	622	557	439	417	372	302	293

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
AGES ONLY.

bride																				Age of groom		
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over		Not stated	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	41	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	126	19
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	239	20
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	383	21
1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	622	22
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	716	23
.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	812	24
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	881	25
.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	926	26
3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	918	27
3	.	4	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	7	788	28
4	1	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	6	740	29
11	7	1	.	2	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	707	30
8	5	3	3	.	1	1	.	.	2	.	.	.	.	1	.	.	.	.	.	4	610	31
8	3	4	3	1	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	3	516	32
7	9	4	5	2	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	4	539	33
11	4	2	2	3	1	1	2	.	.	2	.	1	1	.	.	.	.	.	.	3	477	34
11	8	5	4	5	1	2	2	1	4	2	.	.	1	1	.	.	.	.	.	3	453	35
17	10	6	6	.	1	2	1	.	.	.	1	.	.	.	1	.	.	.	.	3	366	36
17	11	5	10	3	8	.	1	.	.	2	.	2	.	.	.	.	.	.	.	3	369	37
12	8	11	6	3	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	6	313	38
22	14	9	3	5	3	4	1	1	1	1	.	.	.	.	.	.	.	.	.	3	280	39
13	14	8	6	10	3	3	4	2	.	2	.	1	.	1	1	.	.	.	.	2	259	40
14	9	12	5	9	6	5	4	1	3	1	.	1	.	.	.	.	.	.	.	1	235	41
6	9	8	9	9	6	2	2	4	3	1	.	2	.	1	.	.	.	.	.	2	173	42
7	9	7	7	5	4	3	3	5	.	1	.	.	.	2	.	.	.	.	.	2	174	43
6	14	7	3	4	2	2	3	1	1	2	.	2	.	.	.	.	.	.	.	4	139	44
8	10	5	4	4	6	3	7	4	2	.	1	2	1	.	.	.	.	.	.	1	137	45
8	7	4	5	5	2	6	1	4	3	.	1	2	1	.	.	.	.	.	.	2	101	46
2	5	5	3	7	7	2	3	4	3	1	2	2	.	3	.	.	.	.	.	2	102	47
4	6	7	3	4	1	5	4	2	3	1	3	4	1	.	.	1	.	.	.	.	77	48
2	3	4	4	4	3	3	2	3	3	1	2	.	2	3	.	.	.	.	.	.	65	49
12	10	4	9	10	10	14	6	5	4	6	2	4	3	11	2	4	.	.	.	.	186	50-54
4	2	1	2	4	6	1	2	2	4	2	2	1	2	11	1	2	.	.	.	1	75	55-59
1	.	1	1	.	.	1	1	2	.	1	.	1	1	2	2	3	.	.	.	.	23	60-64
.	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	.	.	.	.	6	65-69
.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	1	.	.	.	5	70-74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75 and over
1	2	2	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	479	543	Not stated
225	186	131	107	100	77	65	53	45	41	28	16	25	16	39	9	10	1	.	.	585	14,140	All ages

TABLE 41.—MARRIAGES REGISTERED IN 1957 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM

Form of ceremony	Age of groom												Average age of groom
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	178	2,661	4,041	2,740	1,762	1,036	520	249	123	104	534	13,948	31.7
Protestant Episcopalian	4	82	161	104	66	31	22	8	4	7	20	509	32.0
Presbyterian	1	10	35	22	13	4	4	5	.	1	2	97	32.6
Other religions	.	5	20	12	5	2	3	.	.	2	2	51	32.5
Civil Marriage	2	17	10	7	4	2	4	.	1	3	2	52	31.8
Total	185	2,775	4,267	2,885	1,850	1,075	553	262	128	117	560	14,657	31.7

TABLE 42.—MARRIAGES REGISTERED IN 1957 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE

Form of ceremony	Age of bride												Average age of bride
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	929	4,651	3,986	2,073	1,003	397	198	77	35	24	575	13,948	27.6
Protestant Episcopalian	26	204	139	62	26	14	5	7	.	4	22	509	27.3
Presbyterian	5	38	29	16	3	2	1	.	.	1	2	97	27.0
Other religions	4	16	14	8	4	1	.	2	.	.	2	51	28.0
Civil Marriage	9	21	8	3	3	2	1	3	.	.	2	52	27.0
Total	973	4,930	4,176	2,162	1,039	416	205	89	35	29	603	14,657	27.6

TABLE 43.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM

Social group of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
i—Farmers, relatives assisting and farm managers ...	8	131	499	718	690	460	253	101	51	32	214	3,157	36.6
ii—Farm labourers	7	118	149	101	78	48	32	12	7	5	16	573	32.3
iii—Higher professional ...	.	58	234	133	69	26	11	5	2	10	10	558	31.5
iv—Lower professional ...	3	68	153	78	37	26	14	2	3	2	8	394	30.8
v—Employers and managers (including shopkeepers) ...	7	122	315	273	158	87	45	24	9	11	34	1,085	32.9
vi—Salaried employees ...	5	44	146	80	39	26	10	6	2	7	9	374	31.8
vii—Clerks and other "white collar" workers	24	433	733	361	187	76	32	36	15	14	48	1,959	30.1
viii—Non-manual wage earners ...	23	316	390	239	122	73	40	15	7	10	36	1,271	30.3
ix—Skilled manual workers ...	45	792	954	477	242	125	50	18	10	3	64	2,780	29.0
x—Semi-skilled manual workers	10	118	163	79	55	29	18	10	3	3	15	503	30.5
xi—Unskilled manual workers ...	44	515	495	325	160	92	45	30	17	9	99	1,831	29.8
Unknown	9	60	36	21	13	7	3	3	2	11	7	172	30.1
Total	185	2,775	4,267	2,885	1,850	1,075	553	262	128	117	560	14,657	31.7

TABLE 44.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
i—Farmers, relatives assisting and farm managers ...	29	150	204	201	107	40	15	7	1	1	51	806	30.4
ii—Farm labourers ...		5	2	5	1		1				1	15	29.6
iii—Higher professional ...		8	23	22	1							54	29.0
iv—Lower professional ...	15	269	444	240	102	31	9	7	1	2	42	1,162	29.0
v—Employers and managers (including shopkeepers) ...	3	49	81	43	34	22	8	5	1	5	12	263	31.9
vi—Salaried employees ...		11	13	5	4	2						35	28.6
vii—Clerks and other "white collar" workers ...	107	1,039	988	388	153	55	21	8	1	1	57	2,818	27.0
viii—Non-manual wage earners ...	236	726	543	318	175	71	46	11	3	1	68	2,198	27.4
ix—Skilled manual workers ...	78	481	267	73	38	24	8	3	1	1	23	997	25.7
x—Semi-skilled manual workers ...	41	218	103	38	7	2	2		1		6	418	24.7
xi—Unskilled manual workers ...	120	547	261	71	26	3	3	2	1		35	1,069	24.5
Unknown ...	344	1,427	1,247	758	391	166	92	46	25	18	308	4,822	28.4
Total ...	973	4,930	4,176	2,162	1,039	416	205	89	35	29	603	14,657	27.6

TABLE 45.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY SOCIAL GROUPS OF GROOM AND BRIDE

Social group of groom	Social group of bride												
	Total	Farmers, relatives assisting, and farm managers (i)	Farm labourers (ii)	Higher professional (iii)	Lower professional (iv)	Employers and managers (including shopkeepers) (v)	Salaried employees (vi)	Clerks and other "white collar" workers (vii)	Non-manual wage earners (viii)	Skilled manual workers (ix)	Semi-skilled manual workers (x)	Unskilled manual workers (xi)	
i—Farmers, relatives assisting and farm managers ...	3,157	650	6	4	254	58	3	232	373	46	9	32	1,490
ii—Farm labourers ...	573	12	6		15	4		31	240	27	6	47	185
iii—Higher professional ...	558	2		33	120	18	3	179	22	16	2	5	158
iv—Lower professional ...	394	6		5	131	7	1	116	29	10	5	5	79
v—Employers and managers (including shopkeepers) ...	1,085	35	1	5	155	62	7	314	86	39	9	20	352
vi—Salaried employees ...	374	2		1	45	13	7	160	24	16	1	7	98
vii—Clerks and other "white collar" workers ...	1,959	14	1	2	181	34	7	776	204	109	39	85	507
viii—Non-manual wage earners ...	1,271	16			61	19	2	231	242	123	87	131	359
ix—Skilled manual workers ...	2,780	38	1	4	149	29	3	588	387	417	149	281	734
x—Semi-skilled manual workers ...	503	2			9	8		50	113	57	47	85	132
xi—Unskilled manual workers ...	1,831	27			33	11	2	135	467	132	61	360	603
Unknown ...	172	2			9			6	11	5	3	11	125
Total ...	14,657	806	15	54	1,162	263	35	2,818	2,198	997	418	1,069	4,822

TABLE 46.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	185	2,775	4,287	2,885	1,850	1,075	553	262	128	117	560	14,657	31.7
Carlow	1	17	44	26	23	8	7	5	1	1	3	135	32.7
Dublin County Borough	64	1,072	1,288	615	244	136	64	52	26	25	75	3,661	29.1
Dun Laoghaire Borough	6	53	95	36	13	9	5	1	3	8	2	231	30.2
Dublin County (remainder)	3	107	170	85	42	35	16	6	2	5	28	499	30.7
Kildare	7	104	87	54	29	24	11	12	2	1	10	341	30.4
Kilkenny	1	39	66	54	40	27	18	5	6	4	20	280	33.9
Laois	4	33	52	48	36	19	9	5	1	2	9	218	32.7
Longford	1	10	29	24	17	16	9	4	1	1	9	118	34.5
Louth	3	76	109	72	47	19	7	7	2	1	9	352	30.8
Meath	2	32	76	52	49	34	14	6	2	5	18	290	33.9
Offaly	3	35	68	57	43	22	12	1	1	1	11	253	32.2
Westmeath	4	35	52	47	32	17	15	9	1	2	16	230	33.2
Wexford	10	57	106	78	52	32	20	8	2	5	19	389	32.5
Wicklow	4	53	74	75	22	16	6	4	4	5	11	274	31.5
Leinster	112	1,723	2,316	1,323	689	414	213	125	52	64	240	7,271	30.5
Clare	4	30	52	74	50	48	13	8	2	1	19	300	34.3
Cork County Borough	7	93	140	60	25	18	10	7	3	4	11	378	29.9
Cork County	2	126	261	241	207	110	55	17	9	13	50	1,091	33.8
Kerry	2	50	120	104	101	57	23	10	2	2	9	480	33.8
Limerick County Borough	7	66	85	52	18	5	10	2	3	2	10	260	29.6
Limerick County	2	45	63	67	61	56	18	10	2	1	23	348	34.4
Tipperary N.R.	4	40	75	53	41	26	14	2	4	2	3	264	32.7
Tipperary S.R.	3	46	86	62	52	19	19	5	3	3	6	304	32.7
Waterford County Borough	2	47	64	24	15	6	6	1	1	3	169	29.8	
Waterford County	1	33	43	49	29	15	7	4	5	2	1	189	33.1
Munster	34	576	989	786	599	380	175	66	34	32	132	3,783	32.8
Galway	2	53	113	117	92	54	31	9	5	5	56	537	34.2
Leitrim	1	5	21	28	27	15	8	1	2	1	9	116	35.5
Mayo	1	26	80	104	65	37	22	8	5	1	38	387	34.4
Roscommon	1	14	54	48	46	32	12	7	7	1	11	232	35.5
Sligo	1	17	47	44	30	18	8	4	1	1	3	173	33.6
Connacht	3	115	315	341	260	156	81	29	20	8	117	1,445	34.5
Cavan	2	20	40	62	62	30	15	5	9	2	12	259	35.7
Donegal	1	50	102	79	64	31	22	14	4	1	10	376	33.4
Monaghan	3	23	54	44	43	27	15	8	1	2	12	232	34.4
Ulster (part of)	5	93	196	185	169	88	52	27	14	4	34	867	34.8
Ireland*	154	2,507	3,816	2,635	1,717	1,018	521	247	120	108	523	13,366	31.8
Six Counties	2	31	64	47	26	14	12	3	4	3	4	210	32.7
England and Wales	19	195	327	166	97	32	18	8	1	3	26	892	29.6
Scotland	1	9	26	19	5	5	1	1	1	1	1	68	31.3
Elsewhere	1	20	27	14	3	4	1	2	2	2	4	79	31.0
Not stated	10	13	7	4	2	2	1	1	1	1	2	42	26.5

*Exclusive of the Six Counties.

TABLE 47.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	973	4,930	4,176	2,162	1,039	416	205	89	35	29	603	14,657	27·6
Carlow	19	50	36	24	7	3	1	2	1	·	4	147	26·8
Dublin County Borough	256	1,699	1,174	421	190	81	59	19	10	6	93	4,008	26·6
Dun Laoghaire Borough	15	113	88	34	17	7	9	3	1	1	2	290	27·7
Dublin County (remainder)	24	190	138	62	38	11	9	2	·	2	31	507	27·4
Kildare	47	96	53	32	15	10	5	·	2	1	9	270	26·4
Kilkenny	19	69	87	41	28	15	2	2	2	·	19	284	28·7
Laois	22	88	55	31	15	8	3	2	·	·	9	233	26·9
Longford	9	25	31	27	16	5	3	2	·	·	10	128	29·7
Louth	26	157	109	48	24	8	4	2	·	1	8	387	26·8
Meath	17	85	66	46	25	10	1	2	·	1	14	267	28·1
Offaly	13	76	76	38	21	7	·	·	·	·	12	243	27·5
Westmeath	21	57	70	38	17	9	4	1	1	1	25	244	28·3
Wexford	51	125	93	54	35	14	10	2	2	·	17	403	27·5
Wicklow	26	96	77	40	23	7	4	5	·	·	20	298	27·5
Leinster	565	2,926	2,153	936	471	195	114	44	19	13	273	7,709	27·0
Clare	21	70	77	70	37	10	1	1	·	·	20	307	28·7
Cork County Borough	19	161	139	50	18	9	7	2	3	1	8	417	27·2
Cork County	46	302	345	217	76	32	14	6	4	4	56	1,102	28·5
Kerry	25	113	161	122	45	19	8	4	3	·	14	514	29·3
Limerick County Borough	26	123	69	28	8	6	3	·	1	·	12	276	25·7
Limerick County	25	86	91	53	40	21	3	1	1	·	25	346	28·8
Tipperary N.R.	13	85	79	56	24	8	·	4	·	·	4	273	28·2
Tipperary S.R.	29	98	86	44	30	8	4	2	1	1	7	310	27·7
Waterford County Borough	14	86	47	23	9	2	3	2	1	1	2	190	26·6
Waterford County	16	58	56	36	19	3	6	·	·	1	1	196	28·1
Munster	234	1,182	1,150	699	306	118	49	22	14	8	149	3,931	28·1
Galway	25	127	161	98	45	19	9	8	·	2	57	551	29·1
Leitrim	6	25	34	23	15	8	·	·	·	·	9	120	29·3
Mayo	14	92	120	76	36	13	7	2	1	·	38	399	29·0
Roscommon	11	59	61	45	20	4	4	1	·	3	17	225	28·9
Sligo	8	50	53	38	15	6	·	4	·	·	5	179	28·6
Connacht	64	353	429	280	131	50	20	15	1	5	126	1,474	29·0
Cavan	9	66	78	53	33	20	3	·	·	·	15	277	29·5
Donegal	31	128	129	70	32	13	3	1	1	·	14	422	27·6
Monaghan	10	71	73	45	23	7	7	1	·	·	13	250	28·6
Ulster (part of)	50	265	280	168	88	40	13	2	1	·	42	949	28·4
Ireland*	913	4,726	4,012	2,083	996	403	196	83	35	26	590	14,063	27·6
Six Counties	11	35	22	20	15	6	3	3	·	2	3	120	29·7
England and Wales	26	142	122	53	24	6	4	2	·	1	5	385	26·9
Scotland	2	11	2	5	3	·	·	·	·	·	·	23	26·6
Elsewhere	·	2	7	·	·	·	·	1	·	·	·	10	29·0
Not stated	21	14	11	1	1	1	2	·	·	·	5	56	23·4

*Exclusive of the Six Counties.

TABLE 48.—MARRIAGES REGISTERED IN 1957 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin Co. Borough	Dun Laoghaire Borough	Dublin Co. (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork Co. Borough	Cork County
Total ...	14,657	147	4,008	290	507	270	284	233	128	387	267	243	244	403	298	7,709	307	417	1,102
Carlow ...	135	91	2	1	2	4	6	7	.	.	1	2	.	6	9	131	.	.	2
Dublin Co. Borough ...	3,661	9	3,159	71	190	5	5	8	3	9	13	8	9	5	19	3,513	6	14	16
Dun Laoghaire Borough ...	231	1	57	128	15	3	.	.	.	2	.	1	1	3	9	220	.	.	2
Dublin Co. (remainder) ...	499	1	218	20	208	4	1	1	1	1	10	3	.	2	12	482	.	.	1
Kildare ...	341	6	32	3	14	219	4	11	.	1	5	10	1	4	9	319	1	2	3
Kilkenny ...	280	8	5	.	.	.	205	4	1	.	1	.	1	9	1	235	.	.	4
Laois ...	218	4	7	1	3	9	12	157	.	.	1	5	.	.	1	200	1	.	.
Longford ...	118	.	1	.	.	.	.	.	92	1	2	.	9	1	1	107	.	.	1
Louth ...	352	2	15	4	4	.	1	.	.	292	15	.	2	1	.	336	.	1	2
Meath ...	290	2	24	4	6	7	.	.	.	19	185	3	5	.	2	257	1	.	.
Offaly ...	253	.	12	.	.	3	1	17	.	1	1	172	12	.	1	220	2	.	2
Westmeath ...	230	.	7	3	.	1	.	1	7	2	3	8	174	2	1	209	.	.	1
Wexford ...	389	10	15	1	1	2	8	1	.	1	4	1	3	316	10	373	.	.	1
Wicklow ...	274	2	30	7	14	2	2	3	.	.	.	1	.	11	191	263	.	.	2
Leinster ...	7,271	136	3,584	243	457	259	245	210	104	329	241	214	217	360	266	6,365	11	17	37
Clare ...	300	.	4	3	.	1	1	1	.	1	.	.	.	.	.	11	251	.	5
Cork Co. Borough ...	378	.	5	.	1	.	2	.	1	.	.	.	.	.	.	9	.	267	98
Cork County ...	1,091	.	14	4	9	.	1	1	.	2	1	.	.	3	1	36	2	111	872
Kerry ...	480	1	8	.	2	.	.	.	.	.	.	.	.	1	1	13	.	2	11
Limerick Co. Borough ...	260	.	7	.	.	.	.	3	.	.	.	.	1	.	.	11	10	1	.
Limerick County ...	348	.	6	.	.	.	2	.	1	.	1	.	1	2	.	13	4	.	14
Tipperary N.R. ...	264	1	9	.	1	1	3	5	1	.	1	11	1	.	3	37	6	.	1
Tipperary S.R. ...	304	.	6	.	1	1	6	.	.	1	1	1	.	4	.	21	2	1	6
Waterford Co. Borough ...	169	.	2	1	.	.	3	.	.	.	.	.	1	4	.	11	.	.	6
Waterford County ...	189	.	4	1	2	.	4	.	.	.	.	.	.	2	2	15	.	.	6
Munster ...	3,783	2	65	9	16	3	22	10	3	4	4	12	4	16	7	177	275	382	1,019
Galway ...	537	1	11	2	1	.	1	1	1	2	.	2	2	1	.	25	10	.	3
Leitrim ...	116	.	5	.	1	.	.	1	5	.	.	.	1	.	1	14	1	.	.
Mayo ...	387	1	8	1	2	.	.	1	.	.	3	1	.	2	.	19	2	.	1
Roscommon ...	232	.	11	.	1	.	1	1	6	1	.	3	5	1	.	30	.	1	.
Sligo ...	173	.	7	.	.	.	.	.	.	.	.	.	.	.	.	7	.	.	2
Connacht ...	1,445	2	42	3	5	.	2	4	12	3	3	6	3	4	1	95	13	1	6
Cavan ...	259	.	9	1	.	.	1	.	5	1	3	.	.	1	.	21	1	1	.
Donegal ...	376	.	4	1	.	.	1	1	.	1	.	1	1	1	.	11	1	.	1
Monaghan ...	232	.	5	1	1	1	.	.	.	8	3	.	2	.	.	21	.	.	.
Ulster (part of) ...	867	.	18	3	1	1	2	1	5	10	6	1	3	2	.	53	2	1	1
Ireland*	13,366	140	3,709	258	479	263	271	225	124	346	254	233	232	382	274	7,190	301	401	1,063
Six Counties ...	210	1	33	3	2	.	1	1	.	16	.	2	1	2	2	64	1	.	3
England and Wales ...	892	5	220	22	21	7	10	6	3	23	13	7	10	16	19	382	3	12	31
Scotland ...	68	1	19	3	1	.	.	.	.	1	.	.	.	1	2	28	.	.	1
Elsewhere ...	79	.	26	3	4	.	1	1	.	1	.	1	.	2	1	40	2	4	3
Not stated ...	42	.	1	1	.	.	1	.	1	.	.	.	1	.	.	5	.	.	1

*Exclusive of the Six Counties.

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

residence of bride																								
Kerry	Limerick Co. Borough	Limerick County	Tipperary N.R.	Tipperary S.R.	Waterford Co. Borough	Waterford County	Monster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland*	Six Counties	England and Wales	Scotland	Elsewhere	Not stated	
514	276	346	273	310	190	196	3,931	551	120	399	225	179	1,474	277	422	250	949	14,063	120	385	23	10	56	
1	.	1	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	135	.	.	.	.	.	
8	5	4	7	4	2	3	69	14	3	12	7	4	40	5	6	4	15	3,637	7	8	3	.	6	
1	.	.	4	1	.	.	8	1	.	.	.	.	1	.	.	.	.	229	2	.	.	.	.	
.	1	2	.	.	.	1	5	4	.	4	1	.	9	1	.	1	2	498	1	.	.	.	.	
2	.	1	.	5	.	.	14	2	.	1	1	1	5	.	1	.	1	339	.	2	.	.	.	
.	.	.	2	10	12	10	38	1	.	.	1	.	2	.	.	2	2	277	.	.	.	.	3	
.	.	2	9	.	1	.	13	1	.	.	1	.	2	.	1	.	1	216	1	1	.	.	.	
.	.	.	.	.	.	.	1	.	1	1	2	1	5	3	1	.	4	117	.	.	.	.	1	
.	.	.	.	.	.	.	3	1	.	.	.	3	3	2	1	5	8	350	2	.	.	.	.	
2	1	1	1	.	.	.	6	2	.	3	1	2	8	11	1	4	16	287	2	1	.	.	.	
2	1	.	14	1	.	.	22	3	.	2	1	1	7	.	1	1	2	251	1	.	.	.	1	
.	.	2	.	1	1	2	7	4	1	2	3	1	11	2	.	.	2	229	.	.	.	.	1	
2	.	1	.	2	3	2	11	.	.	.	.	.	.	.	.	.	.	384	1	2	.	1	1	
2	.	.	1	.	.	.	5	1	1	.	1	.	3	.	.	.	.	271	3	.	.	.	.	
20	8	14	38	24	19	18	206	34	6	25	19	12	96	24	12	17	53	7,220	20	14	3	1	13	
1	10	5	5	1	1	.	279	7	.	.	1	1	9	.	.	.	.	299	.	1	.	.	.	
1	.	.	.	.	.	.	366	.	.	1	.	.	1	1	.	.	1	377	1	.	.	.	.	
21	3	16	2	5	1	11	1,044	5	.	1	.	.	6	.	.	.	.	1,086	1	1	.	.	3	
431	.	13	.	1	.	1	459	2	1	.	.	.	3	1	.	.	1	476	.	2	.	.	2	
4	210	15	3	1	.	.	244	1	.	1	1	.	3	1	1	.	2	260	.	.	.	.	.	
12	25	249	6	17	1	1	329	2	.	1	1	.	4	.	.	.	.	346	.	2	.	.	.	
3	2	5	188	18	.	.	223	1	.	1	1	.	3	.	.	.	.	263	.	1	.	.	.	
.	1	15	22	220	2	10	279	1	.	.	.	.	1	.	.	.	.	301	.	3	.	.	.	
.	.	.	.	4	136	11	157	.	.	.	.	.	.	.	.	.	.	168	1	.	.	.	.	
1	.	1	1	10	14	137	170	1	.	.	.	.	1	.	.	1	1	187	.	2	.	.	.	
474	251	319	227	277	155	171	3,550	20	1	5	4	1	31	3	1	1	5	3,763	3	12	.	.	5	
3	4	4	3	.	.	.	27	454	2	12	9	2	479	3	1	.	4	535	1	1	.	.	.	
1	.	.	.	.	.	.	2	2	81	1	5	2	91	6	2	.	8	115	.	1	.	.	.	
1	1	2	.	.	.	2	9	15	.	327	2	6	350	.	2	.	2	380	1	4	.	.	2	
.	.	2	.	1	.	.	4	9	4	7	167	4	191	2	1	.	3	228	1	1	.	1	1	
.	.	.	.	.	.	.	2	.	7	6	8	139	160	.	4	.	4	173	.	.	.	.	.	
5	5	3	3	1	.	2	44	480	94	353	191	153	1,271	11	10	.	21	1,431	3	7	.	1	3	
3	.	.	.	.	.	.	5	2	6	1	1	1	11	209	.	9	218	255	3	1	.	.	.	
1	.	.	.	.	.	.	3	2	5	3	1	3	14	1	330	3	334	362	10	1	3	.	.	
1	.	.	.	1	.	.	2	.	.	1	1	.	2	11	1	187	199	224	7	1	.	.	.	
5	.	.	.	1	.	.	10	4	11	5	3	4	27	221	331	199	751	841	20	3	3	.	.	
504	264	341	268	303	174	191	3,810	538	112	388	217	170	1,425	259	354	217	830	13,255	46	36	6	2	21	
.	.	3	.	1	.	1	9	1	5	1	2	.	9	9	28	21	58	140	67	2	.	.	1	
8	9	2	4	6	14	3	92	8	2	9	6	7	32	8	22	7	37	543	5	344	.	.	.	
.	1	.	.	.	1	.	3	.	.	1	.	1	2	.	16	2	18	51	.	.	17	.	.	
2	2	.	1	.	1	1	16	4	1	.	.	1	6	.	2	3	5	67	2	2	.	8	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	7	.	1	.	.	34	

*Exclusive of the Six Counties.

TABLE 49.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM.

Country of future permanent residence	Age of groom											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated		
Six Counties ...	1	30	61	45	24	16	11	2	4	3	1	198	32.8
England and Wales ...	45	449	523	229	126	44	23	6	4	3	15	1,467	28.3
Scotland ...	.	11	29	27	8	3	5	.	.	1	1	85	31.5
Europe (remainder) ...	1	12	8	2	2	.	.	.	.	.	1	26	25.9
U.S.A. ...	.	25	54	19	5	6	1	2	.	2	1	115	29.7
Canada ...	2	44	49	10	2	2	.	.	.	.	.	109	26.2
Australia and New Zealand.	.	3	6	3	2	.	.	.	1	.	.	15	30.8
Elsewhere ...	.	13	18	13	3	2	.	.	.	.	.	49	28.7
Total ...	49	587	748	348	172	73	40	10	9	9	19	2,064	28.9

TABLE 50.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE.

Country of future permanent residence	Age of bride											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated		
Six Counties ...	11	65	59	36	12	7	2	2	.	3	1	198	28.3
England and Wales ...	141	622	423	152	74	24	10	5	1	.	15	1,467	25.9
Scotland ...	6	30	25	13	7	1	1	1	.	.	1	85	27.3
Europe (remainder) ...	3	13	7	2	1	.	.	.	.	.	.	26	24.6
U.S.A. ...	5	54	36	11	3	2	2	2	.	.	.	115	26.5
Canada ...	11	49	42	6	1	.	.	.	.	.	.	109	24.6
Australia and New Zealand	2	6	4	2	.	1	.	.	.	.	.	15	25.8
Elsewhere ...	3	25	15	4	.	2	.	.	.	.	.	49	25.4
Total ...	182	864	611	226	98	37	15	10	1	3	17	2,064	26.1

TABLE 51.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM.

Country of future permanent residence	Social group of groom												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Six Counties ...	198	32	2	24	20	27	6	26	17	34	3	6	1
England and Wales ...	1,467	39	21	104	35	64	21	165	143	491	92	275	17
Scotland ...	85	1	1	7	2	4	5	7	5	26	8	19	.
Europe (remainder) ...	26	.	.	2	5	2	1	12	.	4	.	.	.
U.S.A. ...	115	8	1	19	3	13	8	32	9	16	1	3	2
Canada ...	109	6	1	16	3	6	5	28	7	30	2	5	.
Australia and New Zealand	15	3	.	.	.	.	2	3	1	5	1	.	.
Elsewhere ...	49	2	.	17	4	2	5	11	.	6	.	.	2
Total ...	2,064	91	26	189	72	118	58	284	182	612	107	308	22

TABLE 52.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Six Counties	198	3	.	3	44	3	1	44	15	11	5	7	62
England and Wales ...	1,467	9	1	10	144	11	7	306	241	158	63	193	324
Scotland	85	1	.	.	4	1	.	20	19	4	2	12	22
Europe (remainder) ...	26	.	.	.	5	.	1	11	2	.	.	1	6
U.S.A.	115	.	.	1	20	1	1	44	12	6	2	1	27
Canada	109	.	.	1	5	1	.	51	7	15	3	5	21
Australia and New Zealand	15	.	.	.	2	.	.	9	.	.	1	.	3
Elsewhere	49	2	.	4	11	.	.	13	1	1	2	1	14
Total ...	2,064	15	1	19	235	17	10	498	297	195	78	220	478

TABLE 53.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Total marriages	Form of ceremony							
		Catholic	Protestant Episcopalian	Presbyterian	Methodist	Jewish	Society of Friends	Other religions	Civil marriage
Six Counties	198	132	42	18	4	1	.	.	1
England and Wales ...	1,467	1,391	52	10	2	4	.	1	7
Scotland	85	73	6	3	2	1	.	.	.
Europe (remainder) ...	26	21	4	.	.	.	.	.	1
U.S.A.	115	109	3	.	.	.	.	.	3
Canada	109	86	14	6	.	.	.	.	3
Australia & New Zealand	15	14	1	.	.	.	.	.	.
Elsewhere	49	42	4	.	1	.	.	.	2
Total ...	2,064	1,868	126	37	9	6	.	1	17

TABLE 54.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties ...	198	4	5	3	.	16	169	1
England and Wales ...	1,467	300	150	130	55	42	790	.
Scotland ...	85	4	3	1	1	11	65	.
Europe (remainder) ...	26	9	1	.	.	.	16	.
U.S.A. ...	115	27	9	18	14	6	41	.
Canada ...	109	61	21	7	2	4	14	.
Australia and New Zealand	15	5	4	3	.	.	3	.
Elsewhere ...	49	20	5	9	5	1	9	.
Total ...	2,064	430	198	171	77	80	1,107	1

TABLE 55.—MARRIAGES REGISTERED IN 1957 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties ...	198	37	22	9	7	52	70	1
England and Wales ...	1,467	513	266	198	73	75	341	1
Scotland ...	85	26	10	3	2	26	18	.
Europe (remainder) ...	26	15	4	3	1	1	2	.
U.S.A. ...	115	40	16	26	16	7	10	.
Canada ...	109	69	17	14	1	3	4	1
Australia and New Zealand	15	8	3	4	.	.	.	.
Elsewhere ...	49	18	14	9	4	1	3	.
Total ...	2,064	726	352	268	104	165	448	3

TABLE 56.—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED

COUNTY OR COUNTY BOROUGH	Acute Anterior Poliomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
COUNTY BOROUGH												
Cork	.	.	1	36	.	3	.	24	2	.	12	.
Dublin	22	.	13	903	79	43	.	67	223	30	215	.
Limerick	2	.	1	.	1	1	.	2	.	.	.	.
Waterford	.	1	.	3	.	.	.	1	.	.	1	.
COUNTIES												
Carlow												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	3	.	1	.	.	.	2	12	.	.	.
Cavan												
Urban	.	.	.	16	.	.	.	.	3	.	102	.
Rural	1	1	1	8	.	1	.	3	15	.	65	.
Clare												
Urban	.	.	.	2	.	.	.	2	.	.	5	.
Rural	3	.	.	4	.	.	.	.	1	.	.	.
Cork												
Urban	1	.	.	.	.	.	.	.	.	.	.	.
Rural	23	.	4	15	1	5	.	3	6	.	26	.
Donegal												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	4	.	.	7	.	10	.	3	14	.	11	.
Dublin												
Urban	1	.	1	41	4	3	.	5	7	7	2	.
Rural	6	.	3	67	4	43	.	8	18	7	13	.
Galway												
Urban	1	.	.	23	.	.	.	2	.	2	.	.
Rural	1	1	3	42	.	.	.	1	3	.	.	.
Kerry												
Urban	1	.	.	.	.	.	.	.	.	.	1	.
Rural	5	.	2	.	.	.	.	.	1	.	2	.
Kildare												
Urban	.	.	.	2	1	.	.	.	.	.	.	.
Rural	1	.	2	10	.	.	.	8	25	.	5	.
Kilkenny												
Urban	1	.	.	.	.	.	.	.	.	.	4	.
Rural	8	.	.	2	.	.	.	1	2	.	16	.
Laois												
Rural	2	.	.	.	.	.	.	3	3	.	2	.
Leitrim												
Rural	1	.	.	.	.	.	.	.	.	.	.	.
Limerick												
Rural	2	.	.	9	.	.	.	3	.	.	6	.
Longford												
Urban	.	.	.	2	.	23	.	.	1	.	.	.
Rural	4	.	1	2	.	1	.	.	.	.	.	.
Louth												
Urban	.	.	.	3	.	.	.	1	.	3	43	.
Rural	1	.	4	1	.	.	.	5	.	1	28	.

TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1957.

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weill's Disease	Whooping Cough	Other Notifiable Infectious Diseases
COUNTY BOROUGH													
Cork	5	.	.	.	4	5	19	.	.	.	.	88	13d
Dublin	2,548	.	.	2	157	244	403	22	.	1	.	491	1a, 7c, 32d
Limerick	1	.	.	.	1	.	9	1	.	1	.	22	.
Waterford	.	.	.	.	.	.	2	.	.	.	.	.	.
COUNTIES													
Carlow													
Urban	.	.	.	.	1	.	6	.	.	.	.	.	1c
Rural	58	.	.	.	24	.	5	.	.	.	.	9	.
Cavan													
Urban	242	.	.	.	29	.	2	1	.	.	.	.	.
Rural	741	.	1	.	33	.	6	1	.	1	.	41	.
Clare													
Urban	2	.	.	.	.	.	.	1	.	1	.	2	.
Rural	4	.	.	.	.	.	7	7	.	.	.	10	.
Cork													
Urban	.	.	1	.	.	.	3	.	.	.	1	.	.
Rural	12	.	3	.	2	.	62	.	.	.	4	53	.
Donegal													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	12	.	.	.	1	.	22	.	.	2	1	67	.
Dublin													
Urban	210	.	.	2	17	9	36	1	.	.	.	28	.
Rural	641	.	.	1	41	1	57	4	.	.	.	33	3d
Galway													
Urban	10	.	.	.	.	.	3	.	.	.	.	.	.
Rural	35	.	.	.	.	.	7	.	.	1	.	34	1b
Kerry													
Urban	46	.	.	.	.	.	7	.	.	3	.	.	1d
Rural	82	.	.	.	2	.	4	.	.	4	1	72	.
Kildare													
Urban	39	.	.	.	.	.	.	.	.	.	.	12	1d
Rural	32	.	.	.	2	.	19	1	.	.	.	52	1d
Kilkenny													
Urban	30	.	.	.	9	.	6	.	.	.	.	1	.
Rural	28	1	2	.	2	.	16	.	.	.	.	91	1b
Laois													
Rural	194	5	1	1	43	.	1	.	.	.	.	46	.
Leitrim													
Rural	13	.	.	.	.	.	7	.	.	.	.	12	.
Limerick													
Rural	103	.	.	.	1	.	86	1	.	1	.	5	.
Longford													
Urban	1	5	.	.	.	.	.	.	.	.	.	.	.
Rural	141	.	.	.	.	.	4	.	.	.	.	15	.
Louth													
Urban	83	.	.	.	.	.	19	1	.	.	.	3	.
Rural	93	.	1	.	2	.	8	.	.	.	.	.	1d

(a) Pemphigus Neonatorum.

(c) Salmonella Infection.

(b) Ophthalmia Neonatorum.

(d) Acute Lymphocytic Meningitis.

TABLE 56.—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES

COUNTY OR COUNTY BOROUGH	Acute Anterior Polomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenza Pneumonia	Malaria
Mayo												
Urban	1	1	2	3	1	1	1	1	1	1	1	1
Rural	6	1	2	3	1	1	1	1	3	1	6	1
Meath												
Urban	1	1	1	4	1	1	1	1	2	1	5	1
Rural	1	1	1	4	1	1	1	1	2	1	5	1
Monaghan												
Urban	1	1	1	7	1	1	1	1	5	4	5	1
Rural	3	1	1	7	1	1	1	1	5	4	5	1
Offaly												
Urban	1	1	1	7	1	1	1	1	1	1	2	1
Rural	13	1	1	9	1	1	1	1	2	1	2	1
Roscommon												
Rural	2	1	1	2	1	1	1	1	4	1	11	1
Sligo												
Urban	1	1	1	2	1	1	1	1	1	1	4	1
Rural	1	1	1	1	1	1	1	1	1	1	6	1
Tipperary (N.R.)												
Urban	1	1	1	1	1	1	1	1	1	1	2	1
Rural	1	1	2	1	1	1	1	1	1	1	4	1
Tipperary (S.R.)												
Urban	1	1	1	1	1	1	1	1	1	1	6	1
Rural	1	1	1	1	1	1	1	1	1	1	6	1
Waterford												
Urban	1	1	1	10	1	5	1	1	52	1	15	1
Rural	1	1	1	10	1	5	1	1	52	1	15	1
Westmeath												
Urban	5	1	1	1	1	7	1	1	4	1	3	1
Rural	1	1	1	1	1	7	1	1	4	1	3	1
Wexford												
Urban	1	1	1	16	1	4	1	2	1	1	2	1
Rural	19	1	1	13	1	2	1	4	1	1	27	1
Wicklow												
Urban	1	1	1	1	1	3	1	9	1	2	1	1
Rural	1	1	1	2	1	5	1	1	7	1	1	1
All County Boroughs	24	1	15	942	80	47	1	94	225	30	228	1
All Urban Districts	13	1	3	115	7	34	1	24	15	15	166	1
All Rural Districts	111	6	26	219	6	80	1	48	180	13	264	1
Total	148	7	44	1,276	93	161	1	166	420	58	653	1

NOTIFIED TO THE DEPARTMENT OF HEALTH, DURING THE YEAR, 1957.

COUNTRY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases
Mayo													
Urban ...	10	.	.	.	.	.	3	2	.	2	.	20	.
Rural ...	115	.	.	.	.	4	9	.	.	1	1	46	1a
Meath													
Urban ...	41	.	.	.	.	.	.	.	.	.	.	.	1a
Rural ...	283	.	.	.	.	.	4	.	.	.	.	75	4d
Monaghan													
Urban ...	28	.	.	.	.	.	5	.	.	.	.	.	.
Rural ...	146	.	.	.	1	.	16	.	.	1	.	56	.
Offaly													
Urban ...	52	.	.	.	.	.	1	.	.	.	.	6	.
Rural ...	217	.	1	.	.	.	5	.	.	1	.	24	2a
Roscommon													
Rural ...	92	.	.	1	.	.	1	.	.	1	.	12	.
Sligo													
Urban ...	100	.	.	.	10	1	7	.	.	.	.	126	.
Rural ...	12	.	.	.	.	.	2	.	.	.	.	43	.
Tipperary (N.R.)													
Urban ...	6	.	.	.	.	.	.	.	.	.	.	10	.
Rural ...	22	.	1	.	1	1	8	.	.	.	.	18	.
Tipperary (S.R.)													
Urban ...	56	.	.	.	.	1	20	.	.	.	.	1	.
Rural ...	28	2	.	.	19	.	11	.	.	1	.	2	.
Waterford													
Urban ...	.	.	.	.	.	1	1	.	.	.	.	3	.
Rural ...	5	.	2	.	5	5	23	6	.	.	.	14	.
Westmeath													
Urban ...	13	.	.	.	.	.	.	.	.	.	.	4	.
Rural ...	259	.	.	.	.	.	13	.	.	.	.	53	1d
Wexford													
Urban ...	2	.	.	.	.	.	22	.	.	.	.	6	.
Rural ...	109	.	.	.	.	.	9	.	.	.	1	35	1c, 1d
Wicklow													
Urban ...	260	.	1	.	2	1	6	2	.	.	.	.	1d
Rural ...	78	.	.	.	.	.	16	.	.	.	.	34	.
All County Boroughs	2,554	.	.	2	162	249	433	23	.	2	.	601	1a, 7c, 45d
All Urban Districts	1,231	5	2	2	68	13	147	8	.	6	1	222	1a, 1c, 3d
All Rural Districts ...	3,555	8	12	3	179	11	428	20	.	14	8	952	3a, 2b, 1c, 11d
Total ...	7,340	13	14	7	409	273	1,008	51	.	22	9	1,775	5a, 2b, 9c, 59d

(a) Pemphigus Neonatorum.

(c) Salmonella Infection.

(b) Ophthalmia Neonatorum.

(d) Acute Lymphocytic Meningitis.

NOTE.—One case of Anthrax notified to the Department of Health from the rural area of Co. Wexford in 1955 was inadvertently omitted from the summary of cases of infectious diseases published in the report for the year 1955.

