

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

1961

CONTENTS

PART I—TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	x
Mode of celebration	x
Social group	xi
Area of residence	xii
BIRTHS	
Number and rate	xv
Age at maternity, parity, duration of marriage	xvi
Births by date of occurrence	xviii
Multiple births	xviii
DEATHS	
Number and rate	xix
Comparison between counties	xix
Causes of death	xxii
Tuberculosis	xxv
Cancer	xxvi
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxii
Pregnancy, childbirth and the puerperium	xxxii
Infant mortality	xxxiii
Accidents, poisoning and violence	xxxv
Uncertified deaths	xxxvii
Inquests and post-mortems	xxxvii
DIAGRAM	
1—Birth, marriage and death rates (per 1,000 population) 1938 to 1961	viii
2—Standardised death rates (per 1,000 population) from all causes, 1961	xx
3—Death rate (per 1,000 population) from tuberculosis and cancer, 1939-1961	xxiv
4—Death rates from lung cancer (per 100,000 population), 1956-1961	xxiv
5—Infant and neo-natal mortality (per 1,000 live births), 1939-1961	xxxiii

PART II—TABLES

Contents	Area	Title	Page
Population	State	Table 1.—Estimated population in thousands at the middle of each year 1851 to 1961.	2
Population by age and conjugal condition.	State	Table 2.—Estimated classification of the population enumerated at the 1956 Census according to age and conjugal condition.	3
Population	Counties	Table 3.—Population by sex in each county and county borough according to the Census of Population, 1961.	4
Marriages, births, deaths, 1864–1961.	State	Table 4.—Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864–1961.	5
Marriage, birth, death rates, 1864–1961.	State	Table 5.—Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1961.	6
Marriages, births, deaths, 1951–1961.	State	Table 6.—Marriages, births and deaths registered during each of the years 1951–1961 with the average annual rates for the ten years 1951–1960 and the rates for each year from 1951 to 1961 per 1,000 of the population.	7
Deaths, by principal causes, 1961 with rates.	State and Six Counties.	Table 7.—Deaths from principal causes in Ireland and the Six Counties, 1961 with rates per 100,000 population.	8
Deaths by age, 1864–1961 ..	State	Table 8.—Average annual number of deaths of males and females, classified by age, registered during the years 1864–1961.	10
Death rates by age, 1864–1961.	State	Table 9.—Average annual number of deaths of males and females, classified by age, per 1,000 corresponding population 1864–1961.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1961.	Counties	Table 10.—Births and deaths registered in each county and county borough in 1961 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1961.	Counties	Table 11.—Marriages registered in and births and deaths assigned to each county and county borough during 1961, showing illegitimate births and deaths from some principal causes separately.	14
Marriage, birth and death rates, 1961.	Counties	Table 12.—Marriage, birth and death rates and the proportions of illegitimate births in 1961 in each county and county borough and the death rates for some of the principal diseases.	15
Deaths, by conjugal condition, 1961.	State	Table 13.—Deaths registered in 1961 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1961 ..	Urban Districts ..	Table 14.—Births and deaths assigned to each urban district in 1961 classified by sex.	16
Births and deaths, 1961 ..	Principal Towns, Agg. U.D.'s and Agg. R.D.'s.	Table 15.—Births and deaths classified by sex, registered in 1961 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1961	Principal Towns, Agg. U.D.'s and Agg. R.D.'s.	Table 16.—Birth and death rates in 1961 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1961 ..	Agg. Urban and Agg. Rural.	Table 17.—Deaths registered in 1961, at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1961 ..	Counties	Table 18.—Deaths registered in 1961 classified by sex and age of residents in each county and county borough.	22

Contents	Area	Title	Page
Deaths by cause and age, 1961.	State	Table 19.—Deaths in 1961 classified by cause (International detailed list, 7th Revision 1955) and by sex and age.	26
Deaths by cause and uncertified deaths, 1961	Counties ..	Table 20.—Deaths of residents of each county and county borough in 1961 classified by cause, and showing the number of uncertified deaths.	60
Deaths by cause, sex and age, 1961.	Dublin C.B. Other U.D.'s and Agg. R.D.'s.	Table 21.—Deaths registered in 1961, classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
Deaths in hospitals, 1961 ..	Counties ..	Table 22.—Deaths of residents of each province, county and county borough registered in 1961 classified by place of occurrence.	86
Deaths not medically certified, by age, 1961.	Counties ..	Table 23.—Deaths of residents of each county and county borough registered in 1961 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1961.	Counties ..	Table 24.—Deaths in 1961, classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1961 ..	Principal Towns, U.D.'s and R.D.'s.	Table 25.—Infant mortality—Deaths, at ages under 4 weeks, 4 weeks and under one year in 1961 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1961 ..	State ..	Table 26.—Infant mortality—Total deaths under one year of age in 1961, classified by sex, age and cause (International detailed list).	108
Infant mortality, 1961 (illegitimate infants). ..	State ..	Table 27.—Infant mortality—Deaths of illegitimate children in 1961 under one year of age classified by sex, age and cause.	112
Infant mortality, 1961 ..	Counties ..	Table 28.—Infant mortality—Deaths, at ages under 4 weeks and 4 weeks and under one year in 1961 classified by sex and cause, assigned to each county and county borough.	113
Deaths, by quarter of registration, 1961.	Counties ..	Table 29.—Deaths registered in 1961 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	120
Births, by quarter of registration, 1961.	Counties ..	Table 30.—Births registered in 1961 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	121
Births, hospital and domiciliary, 1961.	Counties ..	Table 31.—Births registered in 1961 in each county and county borough, showing place of occurrence and areas of normal residence.	122
Births, by age of mother, 1961.	State ..	Table 32.—Births registered in 1961, classified by age of mother at maternity and sex and showing the number of illegitimate births.	123
Births, by age of mother, by county, 1961.	Counties ..	Table 33.—Births registered in 1961, classified by age of mother at maternity and county of normal residence.	124
Births, by age of mother and previous children, 1961.	State ..	Table 34.—Total births registered in 1961, classified by age of mother at maternity and number of previous liveborn children.	128
Legitimate births by age at maternity and year of marriage, 1961.	State ..	Table 35.—Legitimate births registered in 1961, classified by age of mother at maternity and year of marriage.	130
Legitimate first births, by age at maternity and year of marriage, 1961.	State ..	Table 36.—Legitimate first births registered in 1961, classified by age of mother at maternity and year of marriage.	132
Births, by date of occurrence, 1961.	State ..	Table 37.—Births, classified by date of occurrence in each month during 1961.	134
Marriages, 1961	Counties ..	Table 38.—Marriages registered in each county and county borough during 1961.	136
All marriages by ages of groom and bride, 1961.	State ..	Table 39.—Marriages registered in 1961, classified by age of groom and age of bride in single years—All marriages.	138

Contents	Area	Title	Page
First marriages by ages of groom and bride, 1961.	State	Table 40.—Marriages registered in 1961, classified by age of groom and age of bride in single years—First marriages only.	140
Marriages by form of ceremony and age of groom, 1961.	State	Table 41.—Marriages registered in 1961, classified according to form of ceremony and age of groom.	142
Marriages by form of ceremony and age of bride, 1961.	State	Table 42.—Marriages registered in 1961, classified according to form of ceremony and age of bride.	142
Marriages by social group and age of groom, 1961.	State	Table 43.—Marriages registered in 1961, classified by social group and age of groom.	142
Marriages by social group and age of bride, 1961.	State	Table 44.—Marriages registered in 1961, classified by social group and age of bride.	143
Marriages by social group of groom and bride, 1961.	State	Table 45.—Marriages registered in 1961, classified by social group of groom and bride.	143
Marriages by age and area of residence of groom, 1961.	Counties ..	Table 46.—Marriages registered in 1961, classified by age and area of residence of groom before marriage.	144
Marriages by age and area of residence of bride, 1961.	Counties ..	Table 47.—Marriages registered in 1961, classified by age and area of residence of bride before marriage.	145
Marriages by areas of residence of groom and bride, 1961.	Counties ..	Table 48.—Marriages registered in 1961, classified by area of residence of groom and area of residence of bride before marriage.	146
Marriages with intended future residence abroad by age of groom, 1961.	State	Table 49.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified by age of groom.	148
Marriages with intended future residence abroad by age of bride, 1961.	State	Table 50.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified by age of bride.	148
Marriages with intended future residence abroad by social group of groom, 1961.	State	Table 51.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	148
Marriages with intended future residence abroad by social group of bride, 1961.	State	Table 52.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	149
Marriages with intended future residence abroad by form of ceremony, 1961.	State	Table 53.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	149
Marriages with intended future residence abroad by area of residence of groom before marriage, 1961.	State	Table 54.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	150
Marriages with intended future residence abroad by area of residence of bride before marriage, 1961.	State	Table 55.—Marriages registered in 1961, in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	150
Notifications of infectious diseases, 1961.	State	Table 56.—Summary of cases of infectious diseases notified to the Department of Health during the year 1961.	151

REPORT ON VITAL STATISTICS FOR THE YEAR 1961

THIS Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births have been assigned to the district containing the normal residence of the mother and deaths to the district containing the normal residence of the deceased. The number of births for each of the years 1943 to 1961 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1961 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages.—There were 15,329 marriages registered during the year 1961 compared with 15,465 in 1960. The marriage rate per 1,000 population was 5.44 compared with 5.46 in 1960.

Births.—The number of births registered during 1961 was 59,825 and the birth rate was 21.23 per 1,000 population, compared with 21.45 per 1,000 population in 1960. The number of illegitimate births registered in 1961 was 975 or 1.63 per cent of all births.

Deaths.—The number of deaths registered during 1961 was 34,763 and the death rate was 12.33 per 1,000 population. In 1960 deaths registered numbered 32,660 and the rate was 11.53. The greater part of the increase in 1961 is attributable to an outbreak of influenza early in the year, which accounted for 1,154 deaths, compared with 190 in 1960.

Of the deaths registered in 1961, 31.83 per cent were stated to be due to heart diseases, 13.53 per cent to malignant neoplasms, 11.61 per cent to vascular lesions affecting the central nervous system and 1.21 per cent to tuberculosis (all forms).

The number of deaths in 1961 from tuberculosis of all forms was 420 and the rate was 0.15 per 1,000 population, compared with 468 deaths and a rate of 0.17 in 1960. There has been a considerable decline in the death rate from tuberculosis since 1947, when it was 1.24 per 1,000 population. The number of deaths from this disease in 1961 was the lowest recorded.

There were 4,518 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1961 was 1.60 per 1,000 population, compared with 1.61 in 1960.

During 1961 the deaths of 1,827 infants under one year were registered, equivalent to a rate of 30.54 per 1,000 live births. In the previous year 1,777 deaths, equivalent to a rate of 29.26 per 1,000 live births were registered.

The total number of deaths from accidents and other external causes in 1961 was 998, of which road vehicle accidents accounted for 315.


Marriage, birth and death rates per 1,000 population for the years 1938 to 1961 are illustrated in Diagram I.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd-Chlaraitheóir. The number of births registered on the authority of An tArd-Chlaraitheóir in 1961 was 952 and the number of deaths registered was 196. Throughout the tables in this Report these births and deaths have been excluded.

Population.—The population according to the Census taken on the 9th April, 1961 was 2,818,341.

Diagram 1.

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1938-1961



MARRIAGES

An alteration in the form of the marriage register was made in 1957 with a view to increasing the amount of statistical information available and bringing Irish statistics of marriages into conformity with international recommendations made by the United Nations Organisation. The column of the register headed "Age" was replaced by a column headed "Date of birth" with the result that, whereas up to 1956 the only entries made were "full age" or "minor", the exact age of persons married is now available. In addition a question is asked on "Intended future permanent residence", enabling an examination to be made of the numbers taking up residence in the different parts of the country or going abroad. The classifications of marriages prepared are shown in TABLES 38 to 55.

The number of marriages registered in 1961 was 15,329 representing a decrease of 136 on the previous year. The 1961 marriage rate at 5.4 per 1,000 population compared with 5.5 in 1960, 5.4 in 1959 and 5.3 in 1958. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1951 to 1961 with those in the Six Counties, England and Wales and Scotland.

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1961

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	5.4	6.8	8.2	8.1
1952	5.4	6.8	8.0	8.0
1953	5.4	6.8	7.8	8.0
1954	5.4	6.6	7.7	8.2
1955	5.6	6.8	8.1	8.4
1956	5.8	6.7	7.9	8.5
1957	5.1	6.7	7.7	8.3
1958	5.3	6.6	7.5	8.0
1959	5.4	6.8	7.5	7.8
1960	5.5	7.0	7.5	7.7
1961	5.4	6.9	7.5	7.8

*Exclusive of the Six Counties

An increase in the marriage rate occurred in Scotland between 1960 and 1961, but in England and Wales there was no change, whilst in Ireland and The Six Counties slight decreases were recorded. It will be noted that the rate has remained constant in this country in the period 1951-1961, while in England, Wales and Scotland the rate has fallen.

Age at marriage

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained from the 1961 marriage registrations make possible an examination of the trends in age at marriage over the intervening period, as may be seen from the following table.

TABLE II

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1958 TO 1961.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1958	1959	1960	1961	1945-46	1958	1959	1960	1961
Under 20 years ..	% 1.0	% 1.3	% 1.4	% 1.5	% 1.7	% 6.6	% 6.6	% 7.1	% 7.4	% 7.8
20 to 24 years ..	14.3	20.3	21.8	23.1	24.1	29.5	36.6	38.6	39.0	40.4
25 to 29 years ..	25.7	30.9	32.1	32.1	32.2	31.1	29.9	29.2	28.6	28.5
30 to 34 years ..	24.2	20.3	18.8	18.9	18.6	19.9	14.8	13.8	13.6	12.7
35 to 44 years ..	25.8	19.6	18.7	17.6	16.6	11.1	9.9	9.0	9.1	8.3
45 years and over	9.0	7.6	7.1	6.8	6.8	1.9	2.2	2.2	2.3	2.3
Total ..	100--	100--	100--	100--	100--	100--	100--	100--	100--	100--
Average age ..	33.1	31.5	31.1	30.9	30.6	28.0	27.4	27.1	27.1	26.9

Whereas, in 1945-46, 59 per cent of the men who married were aged 30 years and over the proportion over this age had fallen to 41.9 in 1961, the average age of men at marriage declining from 33.1 years in 1945-46 to 30.6 years in 1961. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over, compared with 23.4 per cent in 1961, while the average age at marriage declined from 28.0 years in 1945-46 to 26.9 in 1961. In TABLE 39 the marriages registered in 1961 are shown cross-classified by age of groom and age of bride in single years while in TABLE 40 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1961 were 30.1 and 26.4 respectively.

A comparison of marriage rates per 1,000 population by age groups in Ireland in 1961 and in England and Wales in 1960 is made in Table III. The figures for Ireland were obtained by dividing the number of males marrying in each group by the total number of single and widowed males in that age group and similarly for females. In obtaining the figures for England and Wales divorced persons were also included.

TABLE III

MARRIAGE RATES PER 1,000 POPULATION BY AGE GROUP IRELAND*, 1961 AND ENGLAND AND WALES, 1960

Age groups	Males		Females	
	Ireland* 1961	England and Wales, 1960	Ireland* 1961	England and Wales, 1960
15-19 years	1.9	11.7	9.7	57.7
20-24 years	42.9	158.0	95.1	268.7
25-29 years	89.9	193.7	124.4	181.5
30-34 years	69.4	115.3	79.2	103.3
35-39 years	47.4	70.3	40.8	52.3
40-44 years	27.5	46.9	15.8	37.7
45-49 years	17.7	42.5	7.7	23.9
50-54 years	8.6	31.6	3.0	14.0
55-59 years	6.2	28.2	1.2	8.0
60-64 years	2.4	25.5	0.7	5.6
65 years and over ..	0.8	9.0	0.1	1.2
Total, 15 years and over	26.6	68.9	28.5	51.6

*Exclusive of the Six Counties

For each sex and age group the marriage rates in Ireland were considerably below those in England and Wales. In the 15-19 year age group the marriage rate in England and Wales was six times that in Ireland in the case of both males and females. In the 20-24 year group the England and Wales rate for males was almost four times that in Ireland and, for females, three times that in Ireland.

Mode of celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1961 amounted to 14,772 (equal to 96.4 per cent of the total) and other marriages numbered 557, of which 375 were according to the rites and ceremonies of the Church of Ireland, 92 in Presbyterian Churches, 29 in Methodist Churches, 17 according to Jewish Rites, 5 in registered buildings belonging to other religious denominations and 39 by civil contract in Registrars' Offices.

The number of Catholic marriages recorded during 1961 corresponds to a rate of 5.56 per 1,000 of the Catholic population, being the same as that for the preceding year. The rate for all other marriages in 1961 was 3.47 per 1,000 of all persons other than Catholics in the population, a decrease of 0.24 on the corresponding rate for 1960. Details of marriages registered in each of the years 1951 to 1961 are given in Table IV.

TABLE IV

MARRIAGES REGISTERED IN THE YEARS 1951 TO 1961 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 estimated corresponding population		
	Church of Ireland	Presbyterian	Jewish	Society of Friends	Other religious denominations	In Registrars' Offices	Total			Catholic marriages	All other marriages	Total marriages
1951	570	131	6	2	50	63	822	15,195	16,017	5.44	4.85	5.41
1952	582	147	30	2	32	98	891	14,985	15,876	5.38	5.30	5.38
1953	534	121	15	.	46	54	770	15,118	15,888	5.44	4.58	5.39
1954	582	121	21	2	41	64	831	15,000	15,831	5.42	4.95	5.38
1955	605	107	25	3	42	67	849	15,594	16,443	5.66	5.10	5.63
1956	483	95	12	4	51	75	720	16,041	16,761	5.87	4.36	5.73
1957	509	97	19	2	30	52	709	13,948	14,657	5.13	4.30	5.08
1958	389	91	17	2	34	45	578	14,483	15,061	5.38	3.55	5.28
1959	444	97	16	1	38	76	672	14,748	15,420	5.50	4.14	5.42
1960	371	115	18	1	37	57	599	14,866	15,465	5.56	3.71	5.46
1961	375	92	17	.	34	39	557	14,772	15,329	5.56	3.47	5.44

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 41 and 42. There was little difference between the various religious denominations in respect of average age at marriage in 1961. For Catholic marriages the average age of groom was 30.6 years, compared with 31.6 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 26.8 years and, for other marriages, 27.2 years.

Social group

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation, although status (i.e., whether the person is an employer, own-account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1961 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 43 to 45.

TABLE 43 shows men classified by social group, age at marriage and the average age at marriage. The average age at marriage of 35.7 years in the "Farmers, relatives assisting and farm managers" social group was appreciably higher than in any of the other social groups, while the lowest average age of 28.5 years, occurred in the "Skilled and semi-skilled manual workers" groups. In the case of females the difficulty arises that since many are not gainfully occupied immediately before marriage no information as to occupation is given, with the result that in many cases the social group code can not be assigned. The average age of women at marriage ranged from 30.6 years in the case of the "Farmers, relatives assisting and farm managers" group to 24.1 years in the case of semi-skilled manual workers, as may be seen from TABLE 44. The most striking feature of this table is the much lower average age in the case of the wage earner groups, and particularly the manual worker groups than among the remaining groups.

TABLE 45 shows marriages registered in 1961 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Farmers, relatives assisting and farm managers" social group, in the case of whom occupation was stated, 32 per cent were in the same social group, 20 per cent in the "Lower professional" group and 38 per cent in the "Clerks and other 'white collar' workers" and the "non-manual wage earner" groups, while there were small percentages in each of the other social groups. Of the women marrying men in the "Skilled manual worker" group 46 per cent were in the "Clerks and other 'white collar' workers" and the "Non-manual wage earner" groups, 15 per cent were skilled manual workers and 18 per cent were unskilled manual workers, there being smaller percentages in each of the other groups. The distribution, by social group, of women marrying men in each of the remaining social groups may be considered in the same way. Alternatively the table may be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that less than 18 per cent of the women in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Clerks and other 'white collar' workers" group married men in each of the other social groups, but in the case of women in the "Non-manual wage earner" group, the numbers marrying men in the "Higher professional", "Lower professional" or "Salaried employee" groups were relatively small. In the case of the majority of women in the "Skilled", "Semi-skilled" and "Unskilled manual worker" groups the husbands also belonged to these groups or to the "Clerks and other 'white collar' workers" and the "Non-manual wage earner" groups.

Area of residence

Although the marriage registers in use prior to 1957 contained particulars of residence of bride and groom before marriage the difficulties of analysis by clerical methods prevented the summarisation of this information, hence only figures for marriages registered in each area were compiled. Following the alteration in the form of the marriage register in 1957 punched-card summarisation methods were introduced, with the result that four districts may now be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 38 figures for marriages according to place of occurrence are given for 1961 in the same form as in earlier Reports in this series. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made for 1961 in Table V.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1961

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	152	132	20	% 86.8
Dublin County Borough	4,831	4,017	814	83.2
Dun Laoghaire Borough	399	289	110	72.4
Dublin County (remainder)	532	382	150	71.8
Kildare	271	232	39	85.6
Kilkenny	275	224	51	81.5
Laois	159	136	23	85.5
Longford	87	70	17	80.5
Louth	372	338	34	90.9
Meath	273	239	34	87.5
Offaly	249	195	54	78.3
Westmeath	277	220	57	79.4
Wexford	414	371	43	89.6
Wicklow	335	276	59	82.4
Clare	267	225	42	84.3
Cork County Borough	706	426	280	60.3
Cork County	1,107	888	219	80.2
Kerry	445	406	39	91.2
Limerick County Borough	508	263	245	51.8
Limerick County	225	184	41	81.8
Tipperary N.R.	230	198	32	86.1
Tipperary S.R.	291	238	53	81.8
Waterford County Borough	222	164	58	73.9
Waterford County	233	171	62	73.4
Galway	585	477	108	81.5
Leitrim	120	93	27	77.5
Mayo	394	316	78	80.2
Roscommon	176	138	38	78.4
Sligo	202	167	35	82.7
Cavan	237	197	40	83.1
Donegal	529	445	84	84.1
Monaghan	226	199	27	88.1
Total	15,329	12,316	3,013	80.3

*Includes cases in which area of residence of bride was not stated.

In TABLES 46 and 47 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is appreciably lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of groom was under 30 years, whereas in the counties Longford, Clare, Galway, Leitrim, Mayo and Roscommon the average age was over 33 years. The average age of women at marriage was under 27 years in the four county boroughs, the borough of Dun Laoghaire and in most of the counties of Leinster. In all the counties of Connaught the average age was over 27 years.

TABLE 48 shows marriages cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. The remarkable feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,245 of the men married in the State in 1961 were returned as residing in England, Wales or Scotland, 245 in the Six Counties and 104 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 712, the number from the Six Counties was 102 and the number from other countries was 48. In 759 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area. In Table VI the rates calculated in this way are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION OF EACH COUNTY AND COUNTY BOROUGH CALCULATED USING (a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA IN 1961.

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	4.6	5.0	Clare	3.6	3.7
Dublin County Borough ..	9.0	7.2	Cork County Borough ..	9.1	6.5
Dun Laoghaire Borough ..	8.3	5.9	Cork County	4.4	4.6
Dublin County (remainder) ..	4.0	4.4	Kerry	3.8	3.6
Kildare	4.2	4.7	Limerick County Borough ..	10.0	5.5
Kilkenny	4.5	4.5	Limerick County	2.7	4.0
Laois	3.5	4.5	Tipperary N.R.	4.3	4.4
Longford	2.8	3.0	Tipperary S.R.	4.1	4.1
Louth	5.5	5.0	Waterford County Borough ..	7.9	6.3
Meath	4.2	4.5	Waterford County	5.4	5.1
Offaly	4.8	4.5			
Westmeath	5.2	5.0	Munster	5.0	4.6
Wexford	5.0	4.6			
Wicklow	5.7	5.3	Galway	3.9	3.5
Leinster	6.5	5.7	Leitrim	3.6	3.5
			Mayo	3.2	3.0
Cavan	4.2	3.7	Roscommon	3.0	2.9
Donegal	4.6	3.6	Sligo	3.8	3.6
Monaghan	4.8	4.1			
Ulster (part of)	4.6	3.8	Connacht	3.5	3.3
			Total	5.4	4.9

It will be observed that the total rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rates (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 581 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a very high proportion of cases, the intended future residence was outside the State. Out of the total of 15,329 marriages registered in 1961 there were 2,266 or 15 per cent where the intended future residence was outside the State. These cases are examined in some detail in TABLES 49 to 55. In the case of 1,753 marriages the future residence was in England and Wales, 210 in the Six Counties, 72 in Scotland, 38 in other parts of Europe, 114 in the United States of America, 23 in Canada, 14 in Australia and New Zealand and 42 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 49 and 50 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were appreciably below those

for all marriages in the State. The average age in the case of men going to the Continent of Europe was somewhat lower than those going elsewhere. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 51 and 52 respectively. By comparing TABLES 43 and 51 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied widely between the different groups. Table VII contains the results obtained.

TABLE VII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1960 AND 1961

Social group of groom	Percentage with intended future residence outside the State	
	1960	1961
Farmers, relatives assisting and farm managers ..	% 3	% 3
Farm labourers	7	6
Higher professionals	34	33
Lower professionals	20	19
Employers and Managers (including shopkeepers) ..	11	12
Salaried employees	16	16
Clerks and other "white collar" workers	14	14
Non-manual wage earners	17	17
Skilled manual workers	22	21
Semi-skilled manual workers	25	18
Unskilled manual workers	20	19
Total, all groups combined ..	15	15

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 53. By comparison with TABLE 38, it will be seen that the proportions that these represent of all marriages in the State are as shown in the following table:—

TABLE VIII

PERCENTAGE OF MARRIAGES OF EACH DENOMINATION IN THE CASE OF WHICH THE FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1960 AND 1961

Form of ceremony	Percentage with intended future residence outside the State	
	1960	1961
Catholic	% 15	% 14
Church of Ireland	25	28
Presbyterian	41	39
Methodist	35*	38*
Jewish	39*	12*
Civil marriage	28*	31*
Total	15	15

*Percentages based on small numbers.

Finally, in TABLES 54 and 55 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1960 AND 1961, IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1960	1961
Dublin County Borough and Dun Laoghaire Borough	% 11	% 9
Remainder of Leinster	5	5
Munster	4	4
Connacht	4	5
Ulster (part of)	9	7
Outside the State	92	91

BIRTHS

Under a system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1961 are presented in TABLES 30 to 37.

The number of births registered during the year 1961 was 59,825, the males numbering 30,687 and the females 29,138. Births registered in 1960 numbered 60,735 and in 1959, 60,188. The birth rate in 1961 was 21.2 per 1,000 population, compared with 21.5 in 1960 and 21.1 in 1959.

Table X compares the birth rates in Ireland in the years 1951 to 1961 with those in the Six Counties England and Wales and Scotland.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1961

Year	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1951	62.9	21.2	20.7	15.5	17.7
1952	64.6	21.9	20.9	15.3	17.7
1953	62.6	21.2	20.9	15.5	17.8
1954	62.5	21.3	20.8	15.2	18.0
1955	61.6	21.1	20.8	15.0	18.0
1956	60.7	21.0	21.1	15.6	18.5
1957	61.2	21.2	21.5	16.1	19.0
1958	59.5	20.9	21.6	16.4	19.2
1959	60.2	21.1	21.9	16.5	19.1
1960	60.7	21.5	22.5	17.1	19.4
1961	59.8	21.2	22.4	17.4	19.5

*Exclusive of the Six Counties.

In the years 1951 to 1955 the birth rates for this country were higher than those for the other areas but, from 1956 onwards, the Six County rates were the highest. Comparing 1961 with 1960 the rates for England and Wales and Scotland showed small increases whilst in this country and the Six Counties slight decreases were recorded.

Classification by age at maternity, parity and duration of marriage

In TABLE 34 is shown the total number of births registered in 1961, classified by age of mother at maternity and number of previous live-born children. The number of births in the case of which the mother's age was not stated was 440 or 0.7 per cent of the total, and the number where the parity was not stated was 312 or 0.5 per cent of the total. The results contained in TABLE 34 are summarised in Table XI.

TABLE XI

BIRTHS REGISTERED IN 1961 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years ..	1,070	874	147	43	2	2	.	.	.	2
20-24 years ..	8,333	4,176	2,246	1,166	497	153	79	.	.	16
25-29 years ..	15,736	4,090	4,133	3,196	1,981	1,093	1,212	15	.	16
30-34 years ..	16,126	2,195	2,592	3,051	2,695	1,972	3,345	239	2	35
35-39 years ..	12,867	885	1,222	1,707	1,960	1,822	4,464	749	25	33
40-44 years ..	4,897	202	293	402	540	649	2,202	545	56	8
45 years and over ..	356	10	18	19	29	38	173	60	9	.
Not stated ..	440	68	31	37	27	18	48	8	1	202
Total ..	59,825	12,500	10,682	9,621	7,731	5,747	11,523	1,616	93	312

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1960 to 1961 in the distribution of births according to age of mother at maternity, as may be seen from Table XII in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1960 AND 1961, AND IN ENGLAND AND WALES AND SCOTLAND IN 1960

Age at maternity	Ireland*		England and Wales (1960)	Scotland (1960)
	1961	1960		
Under 20 years ..	% 1.8	% 1.6	6.6	5.9
20-24 years ..	14.0	13.6	30.6	30.9
25-29 years ..	26.5	26.0	30.8	31.3
30-34 years ..	27.2	27.9	19.2	19.3
35-39 years ..	21.7	22.3	9.9	9.9
40-44 years ..	8.2	8.0	2.7	2.5
45 years and over ..	0.6	0.6	0.2	0.2
Total ..	100.—	100.—	100.—	100.—
Average age at maternity	31.5	31.6	27.7	27.7

*Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown by Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average a larger number of children and so continue bearing children for a greater number of years. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced (as may be seen from the Report for the year 1955 in this series).

Fertility rates in Ireland in 1961 and in England and Wales in 1960 are compared in Table XIII.

TABLE XIII

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND*, 1961 AND ENGLAND AND WALES, 1960

Age of mother at maternity	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland*	England and Wales	Ireland*	England and Wales	Ireland*	England and Wales
15-19 years ..	9.4	34.2	600.6	453.5	2.7	6.8
20-24 years ..	108.2	165.5	478.0	270.7	5.5	22.3
25-29 years ..	216.9	171.8	392.3	196.9	5.3	37.6
30-34 years ..	209.5	100.5	298.6	108.4	4.1	34.9
35-39 years ..	152.2	46.2	202.4	50.2	2.0	18.4
40-44 years ..	57.7	13.8	77.1	14.8	0.6	6.9
45-49 years ..	4.2	0.8	5.8	0.9	0.1	0.4
Total, 15-49 years	100.0	73.3	195.4	97.6	3.2	13.7

*Exclusive of the Six Counties.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was over 36 per cent above that in England and Wales, in the 20-24 year group 77 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed or divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined was higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The percentage distribution of births according to the number of previous children in 1960 and 1961 is shown in Table XIV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1960. The correspondence is not exact since the England and Wales figures relate to legitimate maternities to women married only once, while the figures for Scotland refer to all legitimate births and to previous live or stillborn children. The Irish figures include illegitimate births, whereas, if these had been excluded, the contrast with England and Wales and Scotland would have been still more pronounced.

TABLE XIV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1960 AND 1961 AND IN ENGLAND AND WALES AND SCOTLAND IN 1960

Number of previous children	Ireland*		England and Wales (1960)	Scotland (1960)
	1961	1960		
0	21.0	21.1	37.5	34.0
1	17.9	18.2	30.9	29.2
2	16.2	16.1	16.0	17.3
3	13.0	13.0	7.6	9.0
4	9.7	9.6	3.7	4.7
5 to 9	19.4	19.4	4.1	5.5
10 to 14	2.7	2.5	0.2	0.3
15 and over	0.1	0.1	0.0	0.0
Total	100-	100-	100-	100-

*Exclusive of the Six Counties.

The difference between the years 1960 and 1961 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1960, 19.4 per cent of the mothers had 5 to 9 previous children, the corresponding percentages being only 4.1 in England and Wales and 5.5 in Scotland.

Births by date of occurrence

For the first time in this series a table showing births by date of occurrence has been included in Part II of this Report. In TABLE 37 details of the number of births which occurred on each day during 1961 are set out.

Table XV shows the number of children born in each month in 1961, classified according to the year in which the births were registered. The average daily number of births and the percentage ratio of males to females in each month are also included in the table.

TABLE XV

BIRTHS BY MONTH OF OCCURRENCE IN 1961, CLASSIFIED ACCORDING TO YEAR OF REGISTRATION, AVERAGE DAILY NUMBER OF BIRTHS AND PERCENTAGE RATIO OF MALES TO FEMALES

Month of occurrence	Total No. of births	No. registered during 1961	No. registered during 1962	Average daily no. of births	Ratio of males to females
January, 1961 ..	4,845	4,829	16	156	% 106.1
February, ...	4,405	4,397	8	157	107.5
March, ...	5,427	5,416	11	175	108.2
April, ...	5,409	5,397	12	180	103.0
May, ...	5,584	5,571	13	180	100.2
June, ...	5,155	5,144	11	172	104.2
July, ...	5,284	5,271	13	170	111.1
August, ...	5,097	5,075	22	164	104.7
September, ...	4,949	4,901	48	165	100.1
October, ...	4,765	4,662	103	154	107.2
November, ...	4,338	4,050	288	145	107.9
December, ...	4,796	2,421	2,375	155	105.3
Total	60,054	57,134	2,920	165	105.3

Of the 60,054 births which took place in 1961, 30,807 were males and 29,247 were females. The number of births occurring in 1961 which were not registered until 1962 amounted to 2,920 but over 80 per cent of these registrations were in respect of children born in the month of December, 1961.

The average number of children born daily throughout 1961 was 165, and ranged from 180 in April and May to 145 in November. It will be observed from the table that births were more numerous in the spring and summer months than at other times during the year.

During 1961 the over-all ratio of male to female births was 105.3 to 100. In every month without exception the male births exceeded those of females, the proportions ranging from 111.1 males per 100 females in July to 100.1 males per 100 females in September.

Multiple births

The number of infants born alive in multiple births registered in 1961 was 1,840, consisting of 911 pairs of twins and 6 sets of triplets.

DEATHS

The number of deaths registered during the year 1961 was 34,763 of which 18,750 were those of males and 16,013 those of females. This is equivalent to a rate of 12·33 deaths per 1,000 total population, compared with 11·53 in the previous year and 12·03 in 1959.

In Table XVI are shown the average annual death rates, by age group, for decennial periods since the beginning of this century, and for single years from 1951 to 1961.

TABLE XVI

AGE SPECIFIC DEATH RATES PER 1,000 POPULATION FOR DECENNIAL PERIODS 1901-1960 AND EACH YEAR FROM 1951-1960

Period	Age groups												Crude rate per 1,000 population
	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1901-10	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79	16·91
1911-20	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00	16·64
1921-30	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72	14·45
1931-40	19·55	2·20	1·59	2·75	3·95	4·77	6·17	10·70	24·64	54·46	100·41	172·56	14·17
1941-50	18·76	1·45	1·10	2·28	3·30	3·79	5·02	9·18	19·90	48·78	118·20	204·26	13·97
1951-60	8·84	0·59	0·45	0·73	1·15	1·68	2·99	7·00	16·74	43·81	111·41	245·14	12·18
1951 ..	11·25	0·81	0·65	1·29	2·04	2·58	4·07	8·56	20·31	52·19	134·68	272·64	14·32
1952 ..	10·27	0·77	0·59	1·08	1·46	2·08	3·46	7·61	16·69	43·54	104·97	216·57	11·89
1953 ..	9·50	0·69	0·48	0·78	1·30	1·92	3·09	7·29	16·40	42·72	104·65	229·86	11·73
1954 ..	9·13	0·54	0·47	0·72	1·07	1·77	3·05	7·18	16·82	44·52	108·61	243·64	12·08
1955 ..	8·69	0·57	0·48	0·65	1·13	1·78	2·74	6·95	17·14	47·54	111·77	272·93	12·59
1956 ..	8·53	0·55	0·40	0·47	1·12	1·43	2·86	6·66	16·04	40·44	110·46	231·81	11·70
1957 ..	7·95	0·54	0·39	0·59	0·91	1·42	2·88	6·79	16·46	41·85	110·99	239·65	11·89
1958 ..	8·19	0·41	0·34	0·57	0·86	1·26	2·74	6·34	16·33	41·71	112·92	257·27	12·00
1959 ..	7·66	0·47	0·32	0·61	0·92	1·33	2·61	6·40	15·79	42·87	111·69	247·43	12·03
1960 ..	7·20	0·51	0·34	0·57	0·72	1·24	2·44	6·27	15·45	40·72	103·39	239·62	11·53
1961 ..	7·12	0·46	0·39	0·48	0·85	1·27	2·50	6·40	16·25	42·88	110·91	264·63	12·33

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages. In the age groups above 65 years little change has occurred in the death rates since the period 1901-1910.

Table XVII compares the death rates in the years 1951-61 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country was somewhat higher than those in England and Wales and the Six Counties and of about the same order as that in Scotland.

TABLE XVII

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1961

Year	Numbers of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1951 ..	42·4	14·3	12·8	12·5	12·9
1952 ..	35·1	11·9	10·8	11·3	12·0
1953 ..	34·6	11·7	10·7	11·4	11·5
1954 ..	35·5	12·1	10·9	11·3	12·0
1955 ..	36·8	12·6	11·1	11·7	12·0
1956 ..	33·9	11·7	10·6	11·7	12·0
1957 ..	34·3	11·9	10·9	11·5	11·9
1958 ..	34·2	12·0	10·8	11·7	12·0
1959 ..	34·2	12·0	10·9	11·6	12·1
1960 ..	32·7	11·5	10·8	11·5	11·9
1961 ..	34·8	12·3	11·3	12·0	12·3



*Exclusive of the Six Counties.

Comparison between counties

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared, as follows :—

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1961



For each county the death rate in each age group is calculated by dividing the deaths of persons whose normal residence was in that county in each age group by the corresponding population. By multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products, an estimate is obtained of the number of deaths to be expected in the whole country, if the rates in the county under investigation applied generally. This "expected number" of deaths is divided by the total population of the country to give the county standardised death rate.

Table XVIII shows the crude and standardised death rates for each county and county borough in 1961.

TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1961

Area							Deaths per 1,000 population	
							Crude	Standardised
Total	..	..	..	..	..	..	12.33	12.33
Carlow	..	..	..	..	..	..	12.84	13.28
Dublin County Borough	..	..	..	..	..	..	10.69	13.24
Dun Laoghaire Borough	..	..	..	..	..	..	12.05	11.70
Dublin County (remainder)	..	..	..	..	..	..	7.40	10.82
Kildare	..	..	..	..	..	..	10.56	13.28
Kilkenny	..	..	..	..	..	..	13.48	13.04
Laois	..	..	..	..	..	..	12.47	12.01
Longford	..	..	..	..	..	..	13.35	11.69
Louth	..	..	..	..	..	..	11.15	12.37
Meath	..	..	..	..	..	..	11.69	12.13
Offaly	..	..	..	..	..	..	11.91	12.26
Westmeath	..	..	..	..	..	..	11.14	10.79
Wexford	..	..	..	..	..	..	13.22	12.51
Wicklow	..	..	..	..	..	..	12.28	12.78
Leinster	..	..	..	..	..	..	11.07	11.80
Clare	..	..	..	..	..	..	13.72	11.44
Cork County Borough	..	..	..	..	..	..	13.35	15.15
Cork County	..	..	..	..	..	..	13.11	12.08
Kerry	..	..	..	..	..	..	13.76	12.11
Limerick County Borough	..	..	..	..	..	..	11.18	14.11
Limerick County	..	..	..	..	..	..	13.72	13.00
Tipperary N.R.	..	..	..	..	..	..	14.40	13.69
Tipperary S.R.	..	..	..	..	..	..	12.88	12.63
Waterford County Borough	..	..	..	..	..	..	12.19	13.48
Waterford County	..	..	..	..	..	..	14.44	12.86
Munster	..	..	..	..	..	..	13.32	12.66
Galway	..	..	..	..	..	..	11.42	10.55
Leitrim	..	..	..	..	..	..	15.60	12.26
Mayo	..	..	..	..	..	..	14.50	11.46
Roscommon	..	..	..	..	..	..	14.74	11.39
Sligo	..	..	..	..	..	..	15.20	12.68
Connacht	..	..	..	..	..	..	13.61	11.36
Cavan	..	..	..	..	..	..	15.30	13.07
Donegal	..	..	..	..	..	..	13.01	10.94
Monaghan	..	..	..	..	..	..	13.76	12.81
Ulster (part of)	..	..	..	..	..	..	13.77	11.88

In certain areas the standardised rates differ appreciably from the crude rates. Leinster, which had the lowest crude death rate among the provinces in 1961, had the highest standardised rate. The standardised death rates in 1961 were lowest in the counties of Galway, Westmeath, Dublin and Donegal and highest in the County Boroughs of Limerick, Cork, Waterford and Dublin and the counties of Tipperary N.R., Carlow, Kildare, Cavan and Kilkenny.

The standardised death rate for each county is illustrated in Diagram 2.

Causes of death

The tables in this Report showing cause of death are based on the Seventh Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1955, prepared by the World Health Organisation. The Seventh Revision was used for the first time in classifying deaths by causes in the 1958 Report. From 1940 to 1949 the Fifth Revision was used, and the Reports for the years 1950 to 1957 were based on the Sixth Revision.

Table XIX shows the deaths and death rates in each of the years 1958, 1959, 1960 and 1961 from some of the principal groups of causes and the average numbers and rates for these causes in the periods 1935-37, 1945-47, 1950-52 and 1955-57.

TABLE XIX

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47, 1950-52, 1955-57, AND EACH YEAR FROM 1958 TO 1961

Causes	1935-37	1945-47	1950-52	1955-57	1958	1959	1960	1961
	Annual Average				Number			
Tuberculosis of respiratory system ..	2,851	2,731	1,598	625	502	451	416	381
Tuberculosis, other forms	778	863	442	133	79	66	52	39
Diphtheria	339	144	7	12	6	9	2	3
Other infective and parasitic diseases ..	929	569	349	187	160	172	155	156
Cancer	3,601	3,980	4,194	4,695	4,682	4,777	4,761	4,704
Vascular lesions affecting central nervous system	2,350	2,810	2,907	3,738	3,696	3,790	3,818	4,035
Diseases of the heart	7,509	10,459	10,519	10,580	10,984	10,830	10,633	11,064
Other diseases of the circulatory system	907	948	1,620	2,172	2,006	1,953	1,875	1,995
Influenza	1,473	575	987	502	311	612	190	1,154
Other diseases of the respiratory system	5,253	3,473	2,667	2,407	2,403	2,702	2,407	2,899
Senility	6,176	6,229	4,436	2,680	2,631	2,339	2,104	2,086
Other diseases	9,924	9,069	7,762	6,275	5,848	5,601	5,236	5,249
Accidents and other external causes ..	982	910	921	988	940	941	1,011	998
All Causes	43,072	42,760	38,409	34,994	34,248	34,243	32,660	34,763
Rates per 100,000 population								
Tuberculosis of respiratory system ..	96.0	92.4	54.0	21.6	17.6	15.8	14.7	13.5
Tuberculosis, other forms	26.2	29.2	14.9	4.6	2.8	2.3	1.8	1.4
Diphtheria	11.4	4.9	0.2	0.4	0.2	0.3	0.1	0.1
Other infective and parasitic diseases	31.3	19.2	11.8	6.5	5.6	6.0	5.5	5.5
Cancer	121.3	134.7	141.6	162.0	164.1	167.8	168.1	166.9
Vascular lesions affecting central nervous system	79.2	95.1	98.2	129.0	129.5	133.2	134.8	143.2
Diseases of the heart	253.0	353.9	355.3	365.0	385.0	380.5	375.4	392.6
Other diseases of the circulatory system	30.6	32.1	54.7	74.9	70.3	68.6	66.3	70.8
Influenza	49.6	19.5	33.3	17.3	10.9	21.5	6.7	40.9
Other diseases of the respiratory system	177.0	117.5	90.1	83.0	84.2	94.9	85.1	102.9
Senility	208.0	210.8	149.8	92.5	92.2	82.2	74.3	74.0
Other diseases	334.3	306.9	262.4	216.5	205.1	197.0	184.8	186.3
Accidents and other external causes ..	33.1	30.8	31.1	34.1	32.9	33.1	35.7	35.4
All causes	1,451.0	1,447.0	1,297.4	1,207.4	1,200.4	1,203.2	1,153.3	1,233.5

The death rate from tuberculosis (all forms) in 1961 was less than one-eighth of its level in the periods 1935-37 and 1945-47. Deaths from cancer were slightly lower than in 1960 but represented 13.5 per cent of all deaths registered, compared with 8.4 per cent in 1935-37. The death rate from vascular lesions affecting the nervous system continues to increase and the rate for 1961 was 80 per cent greater than that for the period 1935-37. A substantial rise in the death rate from diseases of the heart took place between 1935-37 and 1945-47 but, since then, although the trend has been upwards, relatively little change has occurred. Other diseases of the circulatory system accounted for a steadily increasing number of deaths, the rate in 1961 being more than double its level in 1935-37. Deaths from influenza varied considerably in number from year to year and the rate for 1961 was one of the highest in the period under review. A fairly steady decline has been recorded in the death rate from other respiratory diseases, the rate for 1961, although higher than that for 1960, being only a little more than half the 1935-37 rate. In each period a large number of deaths were stated to be due simply to senility, although a considerable reduction in this number has occurred over the twenty-four year interval (6,176 in 1935-37 compared with 2,086 in 1961). This reduction is largely explained by an increasing accuracy in certification of cause of death, as well as a falling proportion of deaths not medically certified. The question of medical certification is discussed in a later section, but it will be realised that the accuracy of the comparisons made in this table is appreciably reduced by the fact that many of the deaths are not medically certified.

Deaths registered in 1961, classified by sex, age group and cause are shown in TABLE 19 of this Report, the Detailed International List of Causes of Death being used and in Table XX the principal causes of death in each age group are examined.

TABLE XX

PROPORTIONS OF DEATHS FROM PRINCIPAL CAUSES IN CERTAIN AGE GROUPS IN 1961

Abbreviated List Nos.	Cause of death	All ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
B 1	Tuberculosis of respiratory system	11	.	.	4	24	58	68	33	25	11	2
B 2	Tuberculosis, other forms ..	1	1	19	20	8	11	5	1	2	0	0
B 8	Diphtheria ..	0	.	3	8	.	.	.	.	.	.	.
B 9	Whooping cough ..	0	4	13	.	.	.	.	.	.	.	.
B 14	Measles ..	1	5	45	16	.	.	1	.	.	.	0
B 18	Malignant neoplasms of:											
(a)	Digestive organs and peritoneum ..	61	.	3	4	24	53	59	98	101	82	44
(b)	Respiratory system	20	.	.	4	12	11	25	49	54	28	5
(c)	Other sites including lymphatic system	54	2	80	121	81	116	142	118	85	60	33
B 20	Diabetes mellitus ..	8	.	.	12	24	8	9	8	11	11	6
B 22	Vascular lesions ..	116	.	3	20	37	45	79	93	111	139	130
B 25-B 27	Diseases of the heart	318	1	.	8	77	114	197	286	318	350	368
B 24, B 28 B 29 and B 46 (a) B 30	Other diseases of the circulatory system	57	.	6	24	20	24	36	40	44	64	71
	Influenza ..	33	14	45	8	24	13	20	21	22	33	42
B 31	Pneumonia (excluding that of newborn)	35	109	166	53	24	32	25	20	23	29	32
B 32	Bronchitis ..	38	4	19	8	8	16	21	35	54	48	36
B 33	Ulcer of stomach and duodenum ..	7	.	.	.	.	13	11	12	11	9	4
B 34	Appendicitis ..	1	.	10	12	.	3	4	1	1	0	0
B 35	Intestinal obstruction and hernia ..	4	6	10	4	8	3	6	5	5	5	4
B 38	Nephritis and nephrosis ..	12	2	16	.	45	37	23	13	15	13	10
B 39	Hyperplasia of prostate	5	.	.	.	.	.	.	1	2	5	8
B 40	Deliveries and complications of pregnancy and childbirth	1	.	.	.	4	26	19	.	.	.	.
B 41-B 44	Congenital malformations, birth injuries, etc. ..	43	755	156	130	45	11	5	3	2	0	0
B 45 (part of)	Senility without mention of psychosis	60	.	.	.	.	.	.	.	.	9	125
	Other diseases ..	85	80	269	289	185	200	138	117	89	85	65
BE 47 -BE 50	External causes—accidents, etc. ..	29	17	137	255	350	206	107	46	25	19	15
	Total ..	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	No. of deaths in 1961	34,763	1,827	314	247	246	378	844	2,123	4,342	8,417	16,025

Diagram 3

DEATH RATE (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1939-1961





Diagram 4

DEATH RATES FROM LUNG CANCER (NºS 162-163) PER 100,000 POPULATION



Diseases of the heart caused the largest proportion of all deaths, namely 318 in every thousand deaths. Next in order were malignant neoplasms (135 per 1,000), vascular lesions affecting the central nervous system (116 per 1,000) and senility without psychosis (60 per 1,000). At ages under one year congenital malformations, etc. accounted for 755 per 1,000 deaths and, in the age group 1-4 years pneumonia was the principal cause of death at 166 per 1,000, followed by congenital malformations (156 per 1,000) and accidents (137 per 1,000). Although deaths from congenital malformations were again prominent at ages 5-14 years (130 per 1,000) accidents were the chief cause of death in this and the next two age groups, the proportions being 255, 350 and 206 respectively. Between the ages 35-74 years diseases of the heart, malignant neoplasms and vascular lesions affecting the central nervous system accounted for the greatest proportion of deaths and at ages 75 and over deaths from heart diseases, vascular lesions and senility predominated.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XXI shows the number of deaths and the death rates per 1,000 population for each of the years 1951 to 1961.

TABLE XXI

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1951-1961

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1951	1,712	0.58	450	0.15	1.22	1.23
1952	1,207	0.41	372	0.13	1.45	1.27
1953	911	0.31	276	0.09	1.52	1.09
1954	797	0.27	208	0.07	1.59	0.93
1955	729	0.25	160	0.05	1.38	1.12
1956	562	0.19	127	0.04	1.81	1.31
1957	583	0.20	113	0.04	1.92	1.35
1958	502	0.18	79	0.03	1.80	1.93
1959	451	0.16	66	0.02	1.70	1.54
1960	416	0.15	52	0.02	1.81	1.00
1961	381	0.14	39	0.01	1.78	1.29

In 1961 there were 420 deaths from tuberculosis of which 381 were caused by the respiratory form and 39 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period; the number of deaths in 1961 was the lowest recorded, showing a fall of 81 per cent since 1951. The trend in the death rate from tuberculosis (all forms) since 1938 is shown in Diagram 3.

In Table XXII tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XXII

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION IN THE PERIODS 1935-37, 1945-47, 1955-57, AND IN EACH YEAR 1958 TO 1961

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages
1935-37	0.53	1.36	2.25	2.18	1.63	1.32	0.71	1.22
1945-47	0.52	1.40	2.17	1.99	1.58	1.38	0.87	1.22
1955-57	0.07	0.06	0.16	0.29	0.34	0.41	0.51	0.26
1958	0.03	0.03	0.05	0.20	0.24	0.30	0.50	0.20
1959	0.03	0.01	0.05	0.13	0.23	0.33	0.42	0.18
1960	0.02	0.01	0.05	0.13	0.23	0.28	0.39	0.17
1961	0.01	0.01	0.03	0.09	0.18	0.22	0.41	0.15

There was little change, either in the overall death rate or in the rates for individual age groups, between the periods 1935-37 and 1945-47. By 1955-57, however, the death rates in the younger age groups had declined considerably, and in the most recent years the rates for these groups were only a fraction of their level in 1945-47. Thus, between 1945-47 and 1961 the death rate in the age group under 15 years fell from 0.52 to 0.01 per 1,000 corresponding population and at ages 15-19 and 20-24 more striking declines occurred. In the age group 55 years and over the reduction in the death rate was less marked, the 1961 rate being 0.41 per 1,000 corresponding population compared with 0.87 in the period 1945-47.

The death rates from tuberculosis in the years 1951 to 1961 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XXIII.

TABLE XXIII
DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1961

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	0.73	0.45	0.32	0.43
1952	0.54	0.30	0.24	0.32
1953	0.40	0.23	0.20	0.26
1954	0.34	0.18	0.18	0.22
1955	0.30	0.15	0.15	0.19
1956	0.24	0.12	0.12	0.16
1957	0.24	0.13	0.11	0.14
1958	0.20	0.11	0.10	0.13
1959	0.18	0.10	0.08	0.11
1960	0.17	0.08	0.07	0.10
1961	0.15	0.07	0.07	0.09

*Exclusive of the Six Counties

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. A feature of this table, however, is the extent to which Ireland has shared in the general improvement.

The mortality from tuberculosis in the counties and county boroughs in 1961 is compared in TABLE 12 of this Report. The highest death rates from all forms per 1,000 population were in Tipperary N.R. (0.26), Waterford Co. Borough (0.25) and Dublin County Borough (0.23) whilst the lowest rates were in the counties Sligo and Cavan (0.04) and Westmeath and Louth (0.06).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while in the years 1950 to 1957, deaths were classified according to the Sixth Revision. The 1958 and subsequent Reports are based on the Seventh Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia and aleukaemia) should also be shown.

In 1961 there were 4,704 deaths from cancer (Nos. 140 to 205). Of this number, 50 deaths were caused by Hodgkin's disease and 136 by leukaemia and aleukaemia.

Table XXIV shows the death rate from cancer in certain age groups in the years 1951 to 1961.

TABLE XXIV
DEATHS FROM CANCER (Nos. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1951 TO 1961

Year	Age group (years)								
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total	
Males	1951	8	22	53	179	415	829	1,058	161
	1952	9	21	48	159	368	846	1,162	160
	1953	8	20	54	169	406	808	1,188	164
	1954	8	20	48	164	394	866	1,149	165
	1955	8	22	42	164	428	910	1,310	176
	1956	8	21	50	176	419	773	1,253	170
	1957	8	15	47	178	440	853	1,283	177
	1958	8	11	54	159	394	857	1,300	173
	1959	7	23	56	154	431	875	1,396	182
	1960	8	20	47	171	435	842	1,290	178
	1961	9	20	50	162	437	865	1,374	183
	Females	1951	5	17	63	182	381	604	750
1952		5	18	75	183	340	568	755	135
1953		7	24	76	203	337	591	716	140
1954		6	19	61	196	367	644	810	147
1955		5	21	66	181	348	658	768	145
1956		6	19	68	188	349	609	846	145
1957		7	18	73	207	378	619	960	157
1958		5	16	73	190	363	629	977	155
1959		6	24	66	182	345	614	972	153
1960		7	13	60	189	375	664	908	158
1961		6	26	63	178	343	600	893	151

In most of the age groups the death rate from cancer among males is appreciably higher than among females; in 1961 the male death rate for all ages was 21 per cent above that for females. Between the ages of 25 and 54 years the cancer death rates for males were below those for females but at other ages, particularly above 65 years, the excess of male deaths was very marked. The trend in the death rate from cancer since 1938 is shown in Diagram 3; for the reason given earlier, the figures plotted in this diagram exclude deaths from Hodgkin's disease and leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1951 to 1961 are compared in Table XXV.

TABLE XXV

DEATHS FROM CANCER (Nos. 140-205) PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951 TO 1961

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	1.49	1.53	1.96	1.92
1952	1.48	1.53	1.99	1.98
1953	1.52	1.58	1.99	1.98
1954	1.56	1.54	2.03	2.05
1955	1.61	1.60	2.03	2.06
1956	1.58	1.63	2.08	2.09
1957	1.67	1.70	2.09	2.09
1958	1.64	1.67	2.12	2.10
1959	1.68	1.67	2.14	2.12
1960	1.68	1.62	2.16	2.12
1961	1.67	1.60	2.16	2.09

*Exclusive of the Six Counties

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1961 in counties and county boroughs are compared in Table XXVI. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXVI

DEATH RATES FROM CANCER (Nos. 140-205) IN EACH COUNTY AND COUNTY BOROUGH (CRUDE AND STANDARDISED) IN 1961

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.50	1.54	Clare	1.42	1.21
Dublin County Borough	1.82	2.21	Cork County Borough	1.77	1.97
Dun Laoghaire Borough	2.16	2.08	Cork County	1.83	1.69
Dublin County (remainder)	1.14	1.70	Kerry	1.64	1.45
Kildare	1.27	1.57	Limerick County Borough	1.79	2.20
Kilkenny	1.61	1.56	Limerick County	1.66	1.57
Laois	1.53	1.49	Tipperary, N.R.	1.77	1.69
Longford	2.51	2.22	Tipperary, S.R.	1.87	1.83
Louth	1.57	1.74	Waterford County Borough	1.70	1.89
Meath	1.43	1.49	Waterford County	1.55	1.38
Offaly	1.77	1.83			
Westmeath	1.57	1.54	Munster	1.73	1.64
Wexford	1.69	1.61			
Wicklow	1.62	1.68	Galway	1.48	1.38
			Leitrim	1.61	1.23
Leinster	1.67	1.87	Mayo	1.60	1.34
			Roscommon	1.64	1.32
Cavan	1.89	1.61	Sligo	1.66	1.43
Donegal	1.63	1.41			
Monaghan	1.42	1.30	Connacht	1.57	1.35
Ulster (part of)	1.65	1.45	TOTAL	1.67	1.67

The crude death rate from cancer in 1961 varied from 2.51 per 1,000 population in Longford County to 1.14 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.22 per 1,000 population in Longford County to 1.21 in Clare. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e. 12-16 per cent) in the counties of Mayo, Leitrim, Kerry and Donegal, and low (i.e., less than 2 per cent) in the County Boroughs, the Borough of Dun Laoghaire and in the counties of Carlow, Dublin, Kildare, Louth, Wexford and Wicklow. Thus the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1961, classified by site of the disease, and age group are contained in TABLE 19. The number of deaths and death rate from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXVII and it will be observed that there is

TABLE XXVII

MORTALITY IN 1961 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1955 Inter- national List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
	Malignant neoplasms of:	Number of deaths															
140-148	Buccal cavity and pharynx ..	.	1	4	4	17	31	47	104	1	.	.	2	15	10	12	40
150-159	Digestive organs and peritoneum ..	5	7	28	112	251	382	372	1,157	3	13	22	97	189	307	335	966
160-165	Respiratory system ..	2	3	17	79	194	195	65	555	2	1	4	24	40	44	23	138
170-181	Breast and genito-urinary organs ..	3	2	3	22	41	107	157	335	4	8	64	128	165	150	138	657
190-199	Other and unspecified sites ..	20	8	19	30	48	76	84	285	12	6	14	24	31	74	59	220
200-205	Lymphatic and haematopoietic tissues ..	26	8	12	30	30	33	18	157	12	11	4	11	20	21	11	90
	Total ..	56	29	83	277	581	824	743	2,593	34	39	108	286	460	606	578	2,111
	Malignant neoplasms of:	Rates per 100,000 population															
140-148	Buccal cavity and pharynx ..	.	0.7	2.4	2.3	12.8	32.5	86.9	7.3	0.2	.	.	1.2	11.2	9.9	18.5	2.9
150-159	Digestive organs and peritoneum ..	0.8	4.8	16.9	65.6	188.7	401.1	688.1	81.8	0.5	8.6	12.9	60.2	141.0	303.8	517.6	68.9
160-165	Respiratory system ..	0.3	2.0	10.2	46.3	145.8	204.8	120.2	39.2	0.3	0.7	2.3	14.9	29.8	43.6	35.5	9.8
170-181	Breast and genito-urinary organs ..	0.5	1.4	1.8	12.9	30.8	112.3	290.4	23.6	0.7	5.3	37.6	79.6	123.0	148.5	213.2	46.9
190-199	Other and unspecified sites ..	3.1	5.4	11.4	17.6	36.1	79.8	155.4	20.1	1.9	4.0	8.2	14.9	23.1	73.2	91.2	15.7
200-205	Lymphatic and haematopoietic tissues ..	3.9	5.4	7.2	17.6	22.5	34.6	33.3	11.1	1.9	7.3	2.3	6.8	14.9	20.8	17.0	6.4
	Total ..	8.6	19.7	49.9	162.3	436.7	865.1	1,374.3	183.1	5.5	25.9	63.3	177.6	343.0	599.8	893.0	150.6

in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented almost half the total cancer deaths for each sex, the death rate being almost 20 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was four times as great for males as for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female death rate was double that of males, being higher even in the younger age groups.

Cancer of the respiratory system

The number of deaths from cancer of the bronchus, lung, trachea, larynx and mediastinum (Nos. 161-165) shows a very marked increase, year by year, up to 1961, although in 1958 a slight decrease in the trend was recorded. Since 1959 deaths from cancer of the respiratory system have outnumbered deaths from tuberculosis of the respiratory system. Table XXVIII shows the numbers of deaths from cancer of the respiratory system at five-yearly intervals from 1935 to 1955 and in each year 1956 to 1961 and also the death rates per 100,000 population at each period in Ireland, the Six Counties, Scotland and England and Wales.

TABLE XXVIII

DEATHS AND DEATH RATES IN CERTAIN YEARS IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM (Nos. 161-165)

Area	1935	1940	1945	1950	1955	1956	1957	1958	1959	1960	1961
	Deaths										
Ireland*	120	158	209	298	524	542	606	564	601	648	682
Six Counties	73	124	122	204	304	364	342	340	377	353	379
Scotland	527	676	954	1,543	1,925	2,104	2,195	2,350	2,432	2,532	2,558
England and Wales ..	4,513	6,399	8,656	13,474	18,323	19,189	20,086	20,772	22,011	22,954	23,751
Area	Rates per 100,000 population										
Ireland*	4.0	5.3	7.0	10.0	17.9	18.7	21.0	19.8	21.1	22.9	24.2
Six Counties	5.7	9.6	9.2	14.9	21.8	26.1	24.5	24.2	26.8	24.9	26.6
Scotland	10.6	14.0	20.4	29.8	37.5	40.9	42.6	45.5	46.8	48.6	49.3
England and Wales ..	11.1	16.0	22.1	30.7	41.2	43.0	44.7	46.0	48.5	50.1	51.4

*Exclusive of the Six Counties

The death rate in this country was the lowest in each year shown, the rate in 1961 being less than half that in England and Wales and Scotland. Nevertheless, the percentage rate of increase has been about the same in each area over the whole period, and the mortality rate in Ireland at any particular time has been roughly the same as that in England and Wales fifteen years previously.

Table XXIX shows the figures relating to Ireland in greater detail, the number and sex for each age group being given.

TABLE XXIX

DEATHS AND DEATH RATES IN CERTAIN YEARS FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM (Nos. 161-165), CLASSIFIED BY SEX AND AGE GROUP

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Deaths												
1935 ..	1	7	13	27	27	75	.	5	19	14	7	45
1940 ..	8	11	17	40	27	103	3	6	9	17	20	55
1945 ..	4	11	28	43	55	141	2	9	14	18	25	68
1950 ..	5	17	52	81	71	226	5	4	6	21	36	72
1955 ..	3	17	79	150	155	404	1	11	20	41	47	120
1956 ..	3	12	102	148	164	429	1	9	17	30	56	113
1957 ..	1	19	78	179	180	457	3	6	24	48	68	149
1958 ..	3	18	73	154	188	436	1	9	17	41	60	128
1959 ..	4	23	76	177	199	479	3	7	21	30	61	122
1960 ..	6	18	76	212	206	518	1	2	28	43	56	130
1961 ..	4	17	77	194	256	548	3	4	23	40	64	134
Death rates per 100,000 population												
1935 ..	0.1	3.9	8.2	18.9	19.2	4.9	.	2.9	12.6	10.7	4.8	3.1
1940 ..	0.9	6.1	11.0	29.8	17.6	6.8	0.3	3.4	6.1	13.2	12.8	3.7
1945 ..	0.4	6.0	17.9	33.7	35.3	9.4	0.2	5.1	9.2	14.2	15.8	4.6
1950 ..	0.6	8.7	31.5	64.1	45.8	15.0	0.6	2.2	3.8	16.9	22.3	5.0
1955 ..	0.4	8.9	46.7	110.6	103.3	27.3	0.1	6.0	12.6	30.8	28.7	8.3
1956 ..	0.4	6.6	62.0	110.0	105.7	29.3	0.1	4.9	11.0	22.3	34.7	7.9
1957 ..	0.1	10.6	46.8	131.8	117.6	31.4	0.4	3.3	15.2	35.6	42.4	10.4
1958 ..	0.4	10.4	43.7	113.1	125.4	30.3	0.1	5.1	10.7	30.6	37.7	9.1
1959 ..	0.5	13.6	44.9	128.9	133.3	33.4	0.4	4.0	13.0	22.2	38.1	8.6
1960 ..	0.7	10.9	44.3	152.7	139.5	36.3	0.1	1.1	17.0	31.8	34.8	9.2
1961 ..	0.5	10.2	45.1	145.8	171.5	38.7	0.4	2.3	14.3	29.8	38.6	9.6

TABLE XXXI
DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1961, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH
RATES PER 100,000 POPULATION

1955 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Number of deaths																	
400-402	Rheumatic fever ..	3	.	1	1	.	.	.	5	5	3	.	.	.	.	1	9
410-416	Chronic rheumatic heart disease ..	5	8	17	24	26	29	32	141	3	9	16	41	29	36	39	173
421	Chronic endocarditis ..	1	2	6	23	30	55	47	164	1	2	3	7	25	50	86	174
420	Coronary and arterio- sclerotic heart disease	2	11	68	307	643	947	824	2,802	1	2	26	85	257	506	606	1,483
422	Other myocardial degen- eration ..	1	2	11	40	120	476	1,644	2,294	.	.	4	19	104	415	1,762	2,304
430-434	Other diseases of heart ..	5	2	9	40	86	218	427	787	3	5	6	21	62	216	429	742
440-443	Hypertensive heart dis- ease ..	1	.	2	13	34	97	132	279	.	.	1	8	36	113	222	380
444-447	Other hypertensive dis- ease ..	2	2	10	19	36	68	53	190	.	1	4	11	23	61	89	189
450-468	Other diseases of circula- tory system ..	.	1	7	18	44	109	312	491	2	2	5	15	17	88	323	452
400-468	Total diseases of circula- tory system ..	20	28	131	485	1,019	1,999	3,471	7,153	15	24	65	207	553	1,485	3,557	5,906
Rates per 100,000 corresponding population																	
400-402	Rheumatic fever ..	0.5	.	0.6	0.6	.	.	.	0.4	0.7	2.0	.	.	.	.	1.5	0.6
410-416	Chronic rheumatic heart disease ..	0.7	5.3	10.2	14.1	19.5	30.4	59.2	10.0	0.5	6.0	9.4	25.5	21.6	35.6	60.3	12.3
421	Chronic endocarditis ..	0.2	1.4	3.6	13.5	22.5	57.7	86.9	11.6	0.2	1.3	1.8	4.3	18.6	49.5	132.9	12.4
420	Coronary and arterio- sclerotic heart disease	0.3	7.4	40.9	179.9	483.3	994.3	1,524.2	197.7	0.2	1.3	15.3	52.9	191.7	500.8	936.3	105.8
422	Other myocardial degen- eration ..	0.2	1.4	6.6	23.4	90.2	499.8	3,041.0	161.9	.	.	2.3	11.8	77.6	410.8	2,722.4	164.5
430-434	Other diseases of heart ..	0.7	1.4	5.4	23.4	64.6	228.9	789.8	55.6	0.5	3.3	3.5	13.0	46.2	213.8	662.8	52.9
440-443	Hypertensive heart dis- ease ..	0.2	.	1.2	7.6	25.6	101.8	244.2	19.7	.	.	0.6	5.0	26.8	111.9	343.0	27.1
444-447	Other hypertensive dis- ease ..	0.3	1.4	6.0	11.1	27.1	71.4	98.0	13.4	.	0.7	2.3	6.8	17.1	60.4	137.5	13.5
450-468	Other diseases of circula- tory system ..	.	0.7	4.2	10.5	33.1	114.4	577.1	34.7	0.3	1.3	2.9	9.3	12.7	87.1	499.0	32.2
400-468	Total diseases of circula- tory system ..	3.1	19.0	78.7	284.1	765.9	2,098.7	6,420.4	505.0	2.4	15.9	38.1	128.6	412.3	1,469.9	5,495.7	421.3

The first point that emerges from Table XXIX is that deaths from cancer of the respiratory system have always been much more common among males than among females. Over the period 1935 to 1961 the disparity has gradually increased so that, whereas in 1935 the number of male deaths was less than double that of females, in 1961 there were four times as many male as female deaths from the disease. Between 1935 and 1961 seven-fold and three-fold increases occurred in the death rates among males and females respectively in the age group 55-64 years. Among males aged 65 years and over a nine-fold increase in the death rate occurred between 1935 and 1961 while among females in this age group an eight-fold increase in the death rate occurred.

The following table, which is introduced for the first time in this series, shows deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163), commonly referred to as cancer of the lung, in Ireland and the neighbouring countries during the years 1956 to 1961.

TABLE XXX

DEATHS AND DEATH RATES IN IRELAND AND THE NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG (Nos. 162 AND 163) IN EACH YEAR 1956 TO 1961

Area	1956	1957	1958	1959	1960	1961
	No. of deaths					
Ireland*	470	523	485	527	567	604
Six Counties	332	313	314	346	335	365
Scotland	1,983	2,081	2,226	2,330	2,422	2,475
England and Wales	18,097	19,028	19,820	21,063	22,000	22,810
	Rates per 100,000 population					
Ireland*	16	18	17	19	20	21
Six Counties	24	22	22	25	24	26
Scotland	39	40	43	45	47	50
England and Wales	40	42	44	46	48	49

*Exclusive of the Six Counties.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales and Scotland were more than double the Irish rates, while the Six County rates exceeded those for this country by at least 20 per cent in every year. Except for a few minor declines in the case of Ireland and the Six Counties there has been a steady all-over increase in deaths from lung cancer in the period. The trend in each area is illustrated in Diagram 4.

Diseases of the circulatory system

There were 13,059 deaths ascribed to diseases of the circulatory system (Nos. 400-468) registered in 1961, of which 7,153 were deaths of males and 5,906 deaths of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county or county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXXI.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (2,802 males compared with 1,483 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced. In interpreting Table XXXI it should be borne in mind that a number of deaths (mainly of elderly persons), stated to be due to heart diseases, are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXXII.

TABLE XXXII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1961 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED

Cause of Death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Rheumatic fever	5	.	.	9	.	.
Chronic rheumatic heart disease	141	1	0.7	173	.	.
Chronic endocarditis	164	1	0.6	174	2	1.1
Coronary and arteriosclerotic heart disease	2,802	70	2.5	1,483	31	2.1
Other myocardial degeneration	2,294	75	3.3	2,304	94	4.1
Other diseases of heart	787	42	5.3	742	35	4.7
Hypertension with heart disease	279	2	0.7	380	5	1.3
Hypertension without mention of heart	190	1	0.5	189	6	3.2
Other diseases of circulatory system	491	4	0.8	452	2	0.4

It appears that only in the case of " Other diseases of heart " are errors due to the incorrect assignment of uncertified deaths to the above groups likely to be significant. A more serious source of error is the large number of uncertified deaths ascribed simply to " senility ". Thus, out of a total of 2,086 deaths (1,000 male, 1,086 female) stated to be due to senility, 933 (455 male, 478 female) were not medically certified. Of these uncertified deaths it is fair to suppose that a substantial proportion were caused by heart diseases.

Respiratory diseases

Deaths from respiratory diseases (Nos. 470-527 in the International List) in 1961 numbered 4,053. These included 1,154 deaths caused by influenza, 1,204 by pneumonia, 1,333 by bronchitis and 362 due to other respiratory diseases.

Pregnancy, childbirth and puerperium

The number of deaths in this group in 1961 was 27 compared with 35 in 1960. The death rate was 0.45 per thousand births. Table XXXIII shows the deaths in 1961 classified by age of mother and cause.

TABLE XXXIII

DEATHS IN 1961 FROM PUERPERAL CONDITIONS CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						45 years and upwards
		15-19	20-24	25-29	30-34	35-39	40-44	
Toxaemia of pregnancy	8	.	.	.	1	7	.	.
Placenta praevia and other haemorrhage of pregnancy	1	.	.	.	.	.	1	.
Other complications of pregnancy	2	.	.	.	1	1	.	.
Abortion with sepsis	.	.	.	.	.	.	.	.
Other abortion	.	.	.	.	.	.	.	.
Haemorrhage of childbirth	8	.	1	.	5	1	1	.
Delivery complicated by retained placenta	.	.	.	.	.	.	.	.
Other complications at childbirth	2	.	.	1	.	1	.	.
Puerperal pulmonary embolism	3	.	.	.	.	2	1	.
Sepsis of childbirth and the puerperium	1	.	.	.	1	.	.	.
Other puerperal complications	2	.	.	.	1	.	1	.
Total	27	.	1	1	9	12	4	.

Table XXXIV shows the maternal mortality rates in Ireland and neighbouring countries for the years 1951 to 1961.

TABLE XXXIV

MATERNAL DEATHS PER 100,000 BIRTHS IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1961

Year	Number of deaths Ireland*	Deaths per 100,000 live births			
		Ireland*	Six Counties	England and Wales	Scotland
1951	103	164	109	84	109
1952	92	142	108	74	102
1953	83	133	59	77	95
1954	69	110	73	71	76
1955	70	114	83	66	46
1956	52	86	58	57	54
1957	81	132	110	48	47
1958	61	103	53	44	54
1959	39	65	58	39	26
1960	35	58	44	39	34
1961	27	45	53	34	37

*Exclusive of the Six Counties.

The maternal mortality rates for Ireland and England and Wales in 1961 were the lowest ever recorded, while those for the Six Counties and Scotland showed increases over the 1960 figures. In each of the years 1951 to 1960 the highest rate was that of Ireland but in 1961 it was exceeded by the rate for the Six Counties. Since 1951 the decline in maternal mortality has been more marked in this country than in any of the other areas.

Infant Mortality

During the year 1961 the deaths of 1,827 infants under one year of age were registered, compared with 1,777 in the previous year and 1,927 in 1959. The 1961 rate was 30.5 per 1,000 live births registered, compared with 29.3 in 1960 and 32.0 in 1959.

Table XXXV shows the mortality rates at different ages under one year for the years 1938 and 1946 to 1961.

TABLE XXXV
INFANT MORTALITY BY AGE, 1938 AND 1946 TO 1961


Year	Deaths per 1,000 births at ages											
	Under 24 hrs.	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total* under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1938	8.2	8.5	4.5	3.5	3.6	28.3	8.3	6.9	12.4	10.7	38.3	66.6
1946	7.0	8.7	5.1	4.5	4.0	29.3	8.4	6.9	11.5	8.5	35.3	64.6
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8
1955	7.6	9.0	2.8	2.0	1.5	22.9	3.5	2.1	4.4	3.8	13.8	36.7
1956	7.4	8.2	3.0	2.5	1.6	22.7	3.5	2.4	3.9	3.1	12.9	35.6
1957	7.8	8.2	2.8	1.8	1.4	22.0	2.7	2.0	3.7	2.7	11.1	33.1
1958	8.4	9.0	2.3	2.4	1.5	23.6	3.5	2.1	3.4	2.8	11.8	35.4
1959	8.4	8.0	2.2	1.5	1.1	21.2	2.8	1.9	3.6	2.5	10.8	32.0
1960	8.7	7.4	1.9	1.3	1.1	20.4	2.2	1.7	2.7	2.2	8.9	29.3
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5

*Under one month prior to 1950.

Infant mortality showed little change from 1938 to 1947 but since then a considerable reduction has occurred. The greatest improvement has been in respect of mortality of infants over four weeks : deaths between the ages of four weeks and one year declined from 39.1 per 1,000 births in 1947 to 9.9 per 1,000 births in 1961. The reduction in neo-natal mortality (i.e., at ages under four weeks) has been less marked : whereas deaths under four weeks amounted to 28.8 per 1,000 births in 1947, the corresponding figure in 1961 was 20.7. No significant change has occurred since 1947 (or 1938) in mortality at ages under 24 hours or between one day and one week. Deaths occurring within 24 hours of birth represented 7.0 per 1,000 births in 1947, compared with 7.7 in 1961. Deaths occurring between one day and one week after birth represented 8.8 per 1,000 births in 1947 compared with 8.1 in 1961. The trends in the infant and neo-natal mortality rates are illustrated in Diagram 5.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1939-1961



In Table XXXVI the infant mortality rates in Ireland and neighbouring countries are compared for the years 1951 to 1961.

TABLE XXXVI

INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1961

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1951	46	41	30	37
1952	41	39	28	35
1953	39	38	27	31
1954	38	33	25	31
1955	37	32	25	30
1956	36	29	24	29
1957	33	29	23	29
1958	35	28	23	28
1959	32	28	22	28
1960	29	27	22	26
1961	31	27	22	26

*Exclusive of the Six Counties.

The infant mortality rate per 1,000 live births in this country for 1961 was slightly higher than that for 1960, whereas, in the Six Counties, England and Wales and Scotland there was no change.

Table XXXVII compares the neo-natal and infant mortality rates in the year 1961 for counties and county boroughs.

TABLE XXXVII

NEO-NATAL AND INFANT MORTALITY RATES FOR COUNTIES AND COUNTY BOROUGHS IN 1961

Area	Deaths of infants per 1,000 births			Area	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow	25	6	31	Clare	25	7	32
Dublin County Borough ..	23	11	34	Cork County Borough ..	19	9	28
Dun Laoghaire Borough ..	12	6	17	Cork County	18	8	26
Dublin County (remainder)	13	10	23	Kerry	25	9	34
Kildare	22	7	29	Limerick County Borough	21	12	33
Kilkenny	33	15	48	Limerick County	23	7	30
Laois	15	14	29	Tipperary, N.R.	16	12	28
Longford	15	14	29	Tipperary, S.R.	28	6	34
Louth	21	6	27	Waterford County Borough	13	6	19
Meath	19	9	28	Waterford County	19	8	27
Offaly	31	6	37				
Westmeath	20	15	35	Munster	21	8	29
Wexford	16	15	30				
Wicklow	18	10	29	Galway	16	10	26
				Leitrim	26	7	33
Leinster	21	10	31	Mayo	19	11	30
				Roscommon	19	13	33
Cavan	26	10	36	Sligo	31	10	41
Donegal	18	13	31				
Monaghan	23	10	33	Connacht	20	11	30
Ulster (part of)	21	11	33	Total	21	10	31

NOTE—In some cases the figures in the first two columns do not tot to that in the third column on account of rounding.

In 1961 the infant mortality rates were highest in the Counties Kilkenny, Offaly, Cavan and Sligo, and lowest in county Dublin and the Boroughs of Dun Laoghaire and Waterford. The neo-natal rate ranged from 12 per 1,000 births in Dun Laoghaire Borough to 33 per 1,000 births in County Kilkenny. The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXVIII.

TABLE XXXVIII

DEATHS OF INFANTS UNDER ONE YEAR REGISTERED IN 1961, CLASSIFIED BY CAUSE AND AGE

International List Nos.	Cause	Age				
		Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
001-019	Tuberculosis, all forms	.	.	.	1	1
340	Meningitis, except meningococcal and tuberculous ..	.	.	3	13	16
0 56,470-475 480-483 490-493 500-502 510-527, 763	Whooping cough, influenza, pneumonia, bronchitis, and other respiratory diseases	5	24	61	239	329
530-587, 764	Diseases of digestive system (including gastro- enteritis, colitis and diarrhoea of newborn) ..	5	3	30	70	108
750-759	Congenital malformations	88	93	95	146	422
760, 761	Birth injuries	56	70	10	2	138
762	Asphyxia and atelectasis	80	86	11	4	181
770	Haemolytic disease (erythroblastosis)	35	27	3	3	68
771	Haemorrhagic disease	7	12	3	1	23
774, 776	Immaturity	131	115	27	15	288
773-0	Ill-defined diseases of early infancy :— Without mention of immaturity	15	16	8	13	52
773-5	With mention of immaturity	26	25	10	2	63
780-2	Convulsions	.	2	1	5	8
	Other causes	10	9	35	76	130
	Total	453	482	297	590	1,827

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. At ages under one week 26 per cent of all deaths were ascribed to immaturity, while, as may be seen from TABLE 26, immaturity was a contributory factor to many deaths ascribed to other underlying causes. Postnatal asphyxia and atelectasis accounted for 18 per cent of deaths under one week, birth injuries for 13 per cent, and congenital malformations for 19 per cent. Nine per cent of the deaths under one week were assigned to the heading "Ill-defined diseases peculiar to early infancy" (No. 773 of the Detailed International List); deaths described by such terms as "asthenia", "athrepsia", "cachexia", "debility", "inanition", "marasmus", "cyanosis neonatorum", "hepatitis of newborn", or "sclerema neonatorum", and not otherwise specified are allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic disease were at ages under one week. At ages over 4 weeks, congenital malformations were still an important cause of death, but only a small proportion of deaths were ascribed to immaturity or asphyxia. The majority of infant deaths from respiratory diseases and gastro-enteritis, occurred at ages over 4 weeks. Details of the 130 deaths ascribed to "other causes" may be obtained from TABLE 19. This figure includes 31 deaths from external causes (accidents etc.), 7 from neo-natal disorders arising from certain diseases of the mother during pregnancy, 19 from sepsis of the new-born, 16 from mental deficiency, 5 from diseases of the genito-urinary system and 6 from diseases of the thymus gland.

Accidents, poisoning and violence

The number of deaths from external causes (Nos. E800-999) registered in 1961 was 998, of which 649 were those of males and 349 those of females. The corresponding figures for 1960 were 1,011, 660 and 351 respectively. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 10 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was almost entirely due to the higher number of deaths from accidents. Table XXXIX shows the number of deaths from accidents, poisoning and violence in 1961 and certain previous years.

TABLE XXXIX

DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1938, 1946 AND 1951 TO 1961

Cause of death	1938	1946	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961
Railway accidents ..	5	14	10	6	8	2	6	13	6	4	11	6	2
Road vehicle accidents	190	134	235	239	251	260	273	310	229	273	285	287	315
Accidental poisoning	10	20	29	22	20	13	19	18	18	15	10	27	24
Accidents caused by fire, explosion and burns	156	105	85	77	71	96	95	78	72	77	59	72	69
Accidental drowning	98	119	121	104	134	125	146	112	107	127	109	143	103
Accident falls ..	401	409	264	198	195	237	270	256	257	240	249	259	266
Other accidents and external causes			175	150	166	178	174	153	135	127	146	133	130
Suicide	97	79	77	66	62	59	68	76	73	77	72	84	89
Total ..	957	880	996	862	907	970	1,051	1,016	897	940	941	1,011	998

Particulars of deaths registered in 1961 due to accidents in the home are given in Table XL.

TABLE XL

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1961, CLASSIFIED BY CAUSE AND AGE GROUP

Inter- national List Nos.	Cause of death	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
E870— E888	Poisoning by solid and liquid substances M F	. 2	. .	. 1	. .	. .	. 1	. .	. .	. .	. .	. .
E890— E895	Poisoning by gases and vapours M F	11 5	. .	. .	. .	. .	3 .	1 1	3 .	2 1	. 1	2 2
E900— E904	Accidental falls M F	13 10	. .	1 .	1 1	1 .	. 1	. .	1 .	1 .	2 2	6 6
E910	Blow from falling object M F	2 1	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	1 .
E916	Accident caused by fire and explosion of combustible material M F	12 20	1 .	1 6	. 1	. 1	. .	1 .	2 .	1 3	2 2	4 7
E917	Accident caused by hot substance, corrosive liquid and steam M F	3 4	. .	. 3	. .	. .	. .	. .	. .	1 .	1 1	1 .
E919	Accident caused by firearm M F	2 1	. .	. .	. .	. .	. .	. .	. .	2 1	. .	. .
E921	Inhalation and ingestion of food causing ob- struction or suffocation M F	1 3	. 2	. .	. .	. .	. .	. .	. .	1 .	. .	. 1
E924	Suffocation in bed and cradle M F	7 2	5 2	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E925	Accidental mechanical suffocation in other and unspecified cir- cumstances M F	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
E926	Lack of care of infants under 1 year of age M F	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
E929	Drowning and submersion M F	1 2	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	. 1
	Other and unspecified accidents M F	1 3	. .	. .	. .	. .	. 1	1 .	. .	. .	. 2	. .
	Total deaths from accidents in the home M F	55 53	8 5	4 10	2 2	1 1	3 3	3 1	6 .	9 5	5 9	14 17

Owing to the fact that, in many cases of death caused by accidents, the place of occurrence is not indicated on the medical certificate of death the figures in the above table probably do not cover all deaths from accidents in the home.

There were 108 deaths due to accidents in the home registered in 1961. It will be seen that accidental falls resulted in 23 deaths, of which the majority were deaths of elderly persons. Accidents caused by fire, hot liquids, etc., resulted in 39 deaths, of which 11 were of children under 5 years and 12 were of persons aged 75 years and over.

Uncertified deaths

The number of cases in 1961 in which the cause of death was not certified by a medical practitioner was 1,706, which represents 4.9 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1961 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1961, in the counties of Mayo (16.2 per cent), Leitrim (15.3 per cent), and Donegal (12.1 per cent).

Table XLI compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XLI

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1938, AND 1951 TO 1961

Province			1938	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961
Leinster	..	..	7.3	4.6	4.6	3.6	3.4	3.5	2.6	2.6	2.0	1.8	1.6	1.5
Munster	..	..	14.7	12.1	9.4	9.3	8.4	7.8	7.4	7.2	6.5	6.0	5.5	4.7
Connacht	..	..	32.7	26.9	24.4	22.8	21.1	20.3	18.0	16.9	16.3	15.8	14.8	12.5
Ulster (part of)	..	..	26.2	18.6	16.2	15.7	16.0	14.7	13.6	10.8	11.0	10.3	8.1	7.9
Total	..	..	16.0	12.2	10.6	9.8	9.2	8.8	7.7	7.1	6.6	6.1	5.6	4.9

Table XLII shows the percentage of deaths uncertified in 1961 by age group, in each province.

TABLE XLII

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1961

Province			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	..	..	1.5	0.5	.	0.9	.	.	0.5	0.4	0.7	0.8	2.7
Munster	..	..	4.7	0.6	2.0	.	.	1.8	0.8	1.8	1.2	2.0	8.3
Connacht	..	..	12.5	0.3	5.3	.	.	.	3.4	2.5	2.5	6.2	19.9
Ulster (part of)	..	..	7.9	0.2	.	7.1	4.8	.	1.7	1.2	2.1	4.9	11.9
Total	..	..	4.9	0.9	1.3	0.8	0.4	0.5	1.1	1.2	1.2	2.4	8.7
Actual number of deaths uncertified			1,706	17	4	2	1	2	9	26	51	198	1,396

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while only a very small proportion of young adult deaths was uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare very unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1961 was 1,623 compared with 1,590 in 1960 and 1,601 in 1959.

PART II—TABLES

In the following tables births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR,* 1851 TO 1961

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Female
1851	5,079	2,486	2,593	1888	3,554	1,766	1,788	1925	2,985	1,512	1,473
1852	4,927	2,413	2,514	1889	3,516	1,748	1,768	1926	2,971	1,507	1,464
1853	4,807	2,358	2,449	1890	3,482	1,733	1,749	1927	2,957	1,502	1,455
1854	4,704	2,311	2,393	1891	3,449	1,718	1,731	1928	2,944	1,498	1,446
1855	4,638	2,281	2,357	1892	3,408	1,697	1,711	1929	2,937	1,496	1,441
1856	4,594	2,261	2,333	1893	3,382	1,684	1,698	1930	2,927	1,493	1,434
1857	4,540	2,234	2,306	1894	3,362	1,675	1,687	1931	2,933	1,497	1,436
1858	4,506	2,217	2,289	1895	3,333	1,662	1,671	1932	2,949	1,505	1,444
1859	4,471	2,199	2,272	1896	3,314	1,653	1,661	1933	2,962	1,512	1,450
1860	4,428	2,179	2,249	1897	3,298	1,646	1,652	1934	2,971	1,518	1,453
1861	4,393	2,164	2,229	1898	3,283	1,640	1,643	1935	2,971	1,520	1,451
1862	4,377	2,158	2,219	1899	3,265	1,631	1,634	1936	2,967	1,520	1,447
1863	4,328	2,134	2,194	1900	3,234	1,616	1,618	1937	2,948	1,510	1,438
1864	4,263	2,103	2,160	1901	3,213	1,607	1,606	1938	2,937	1,505	1,432
1865	4,223	2,084	2,139	1902	3,200	1,603	1,597	1939	2,934	1,503	1,431
1866	4,163	2,061	2,112	1903	3,185	1,599	1,586	1940	2,958	1,515	1,443
1867	4,130	2,033	2,097	1904	3,175	1,597	1,578	1941	2,993	1,533	1,460
1868	4,109	2,022	2,087	1905	3,165	1,594	1,571	1942	2,963	1,499	1,464
1869	4,090	2,012	2,078	1906	3,160	1,593	1,567	1943	2,946	1,490	1,456
1870	4,062	1,996	2,066	1907	3,151	1,589	1,562	1944	2,944	1,487	1,457
1871	4,042	1,986	2,056	1908	3,145	1,588	1,557	1945	2,952	1,490	1,462
1872	4,023	1,975	2,048	1909	3,142	1,589	1,553	1946	2,957	1,496	1,461
1873	3,989	1,955	2,034	1910	3,139	1,588	1,551	1947	2,974	1,505	1,469
1874	3,966	1,944	2,022	1911	3,132	1,586	1,546	1948	2,985	1,512	1,473
1875	3,951	1,940	2,011	1912	3,120	1,581	1,539	1949	2,981	1,513	1,468
1876	3,949	1,942	2,007	1913	3,103	1,572	1,531	1950	2,969	1,510	1,459
1877	3,956	1,947	2,009	1914	3,092	1,568	1,524	1951	2,961	1,507	1,454
1878	3,952	1,948	2,004	1915	3,068	1,546	1,522	1952	2,953	1,501	1,452
1879	3,939	1,944	1,995	1916	3,068	1,549	1,519	1953	2,949	1,498	1,451
1880	3,891	1,920	1,971	1917	3,065	1,551	1,514	1954	2,941	1,493	1,448
1881	3,847	1,901	1,946	1918	3,066	1,553	1,513	1955	2,921	1,479	1,442
1882	3,808	1,882	1,926	1919	3,102	1,598	1,504	1956	2,898	1,463	1,435
1883	3,745	1,853	1,892	1920	3,103	1,598	1,505	1957	2,885	1,456	1,429
1884	3,703	1,834	1,869	1921	3,096	1,599	1,497	1958	2,853	1,439	1,414
1885	3,671	1,820	1,851	1922	3,022	1,529	1,493	1959	2,846	1,435	1,411
1886	3,642	1,808	1,834	1923	3,014	1,526	1,488	1960	2,832	1,427	1,405
1887	3,600	1,788	1,812	1924	3,005	1,521	1,484	1961	2,818	1,417	1,402

* For 1951 and subsequent years the figures relate to the month of April.

TABLE 2.—ESTIMATED CLASSIFICATION OF THE POPULATION ENUMERATED AT THE 1956 CENSUS ACCORDING TO AGE AND CONJUGAL CONDITION.

Age groups	Males				Females			
	Single	Married	Widowed	Total	Single	Married	Widowed	Total
0-4	151,302	.	.	151,302	146,777	.	.	146,777
5-9	151,608	.	.	151,608	144,481	.	.	144,481
10-14	140,282	.	.	140,282	136,310	.	.	136,310
15-19	120,666	119	11	120,796	110,356	957	22	111,335
20-24	86,320	5,240	32	91,592	71,138	16,291	39	87,468
25-29	62,026	21,872	55	83,953	45,708	39,710	356	85,774
30-34	48,140	37,873	253	86,266	29,607	58,478	813	88,898
35-39	9,143	49,408	555	89,106	25,412	65,725	1,679	92,816
40-44	33,200	59,615	1,158	93,973	21,412	65,638	3,601	90,651
45-49	27,874	58,944	1,853	88,671	20,554	57,353	5,766	83,673
50-54	22,825	50,408	2,566	75,799	17,443	45,635	8,307	71,385
55-59	21,837	50,652	4,249	76,738	19,219	41,756	14,109	75,084
60-64	15,582	36,490	5,678	57,750	14,228	29,286	15,632	59,146
65-69	16,390	31,722	7,125	55,237	13,390	20,913	19,362	53,665
70-74	12,748	23,646	8,784	45,178	11,929	14,175	21,734	47,838
75-79	9,062	14,426	8,823	32,311	8,324	7,061	18,256	33,641
80-84	3,490	5,860	5,842	15,192	4,191	2,641	10,520	17,352
85 and over	1,234	2,164	3,776	7,174	1,734	784	6,524	9,042
Total	908,729	448,439	50,760	1,462,928	842,213	466,403	126,720	1,435,336

Note.—Only the total numbers of males and females are exact, as derived at the Census. The other figures in this table are estimates based on data from various sources, and although shown to the nearest unit should not be regarded as accurate to this degree.

TABLE 3.—POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS OF POPULATION, 1961

Area							Persons	Males	Females
Carlow	..	..	..	..	..	..	33,342	17,360	15,982
Dublin County Borough	..	..	..	..	..	..	537,448	249,055	288,393
Dun Laoghaire Borough	..	..	..	..	..	..	47,792	20,980	26,812
Dublin County (remainder)	..	..	..	..	..	..	133,092	64,969	68,123
Kildare	..	..	..	..	..	..	64,420	34,068	30,352
Kilkenny	..	..	..	..	..	..	61,668	32,252	29,416
Laois	..	..	..	..	..	..	45,069	23,989	21,080
Longford	..	..	..	..	..	..	30,643	16,133	14,510
Louth	..	..	..	..	..	..	67,378	33,627	33,751
Meath	..	..	..	..	..	..	65,122	33,826	31,296
Offaly	..	..	..	..	..	..	51,533	27,188	24,345
Westmeath	..	..	..	..	..	..	52,861	27,183	25,678
Wexford	..	..	..	..	..	..	83,308	42,128	41,180
Wicklow	..	..	..	..	..	..	58,473	29,150	29,323
Clare	..	..	..	..	..	..	73,702	38,904	34,798
Cork County Borough	..	..	..	..	..	..	77,980	36,500	41,480
Cork County	..	..	..	..	..	..	252,463	128,208	124,255
Kerry	..	..	..	..	..	..	116,458	60,838	55,620
Limerick County Borough	..	..	..	..	..	..	50,786	24,134	26,652
Limerick County	..	..	..	..	..	..	82,553	43,039	39,514
Tipperary, N.R.	..	..	..	..	..	..	53,696	28,088	25,608
Tipperary, S.R.	..	..	..	..	..	..	70,126	36,053	34,073
Waterford County Borough	..	..	..	..	..	..	28,216	13,163	15,053
Waterford County	..	..	..	..	..	..	43,223	22,365	20,858
Galway	..	..	..	..	..	..	149,887	78,993	70,894
Leitrim	..	..	..	..	..	..	33,470	18,031	15,439
Mayo	..	..	..	..	..	..	123,330	63,844	59,486
Roscommon	..	..	..	..	..	..	59,217	31,477	27,740
Sligo	..	..	..	..	..	..	53,561	27,638	25,923
Cavan	..	..	..	..	..	..	56,594	30,277	26,317
Donegal	..	..	..	..	..	..	113,842	58,501	55,341
Monaghan	..	..	..	..	..	..	47,088	24,588	22,500
TOTAL	..	..	..	..	..	..	2,818,341	1,416,549	1,401,792

TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864–1961

PERIOD	MARRIAGES	BIRTHS							DEATHS			Natural increase
		TOTAL (including illegitimate)			Legitimate	Illegitimate			Total	Males	Females	
		Total	Males	Females	Total	Total	Males	Females				
Average 1864—1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871—1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881—1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891—1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901—1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911—1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921—1930	14,245	60,406	30,983	29,423	58,700	1,706	880	836	43,203	21,850	21,353	17,203
1931—1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941—1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951—1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,289
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,299	959	493	466	34,243	18,603	15,640	25,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062

TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1961

PERIOD	MARRIAGES	BIRTHS					DEATHS		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864—1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871—1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881—1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891—1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901—1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911—1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921—1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931—1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941—1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951—1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.36	1.69	1,048	11.89	33.10	9.33
1958	5.28	20.86	20.52	0.34	1.64	1,051	12.00	35.44	8.85
1959	5.42	21.15	20.81	0.34	1.59	1,040	12.03	32.02	9.12
1960	5.46	21.45	21.12	0.34	1.59	1,052	11.54	29.26	9.92
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89

TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951-61 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951-60 AND THE RATES FOR EACH YEAR FROM 1951 TO 1961 PER 1,000 OF THE POPULATION

Year	MARRIAGES										BIRTHS										DEATHS				
	Catholic					All others					Total					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1951	3,249	3,651	5,144	3,151	15,195	140	206	298	188	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	18,886	62,878	16,659	10,205	7,584	7,984	42,882
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,374	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,063	7,705	33,910
1957	2,672	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
1958	2,587	3,465	5,460	2,971	14,483	105	183	199	91	578	2,692	3,648	5,659	3,062	15,061	14,722	15,966	14,836	13,986	59,510	10,284	8,970	7,099	7,895	34,248
1959	2,412	3,762	5,385	3,189	14,748	121	143	266	142	672	2,533	3,905	5,651	3,331	15,420	14,687	16,342	15,275	13,884	60,188	10,621	9,554	6,667	7,401	34,243
1960	2,817	3,333	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	60,735	9,458	7,958	6,921	8,323	32,660
Average for ten years 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
1961	2,209	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763

EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION.

1951	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	5.4	21.2	22.9	22.0	18.8	21.2	22.5	13.8	10.2	10.7	14.3
1952	4.6	5.0	7.1	4.9	5.4	3.7	6.6	6.7	4.2	5.3	4.6	5.1	7.1	4.8	5.4	22.2	23.7	21.8	20.0	21.9	14.5	11.8	9.8	11.5	11.9
1953	4.1	5.2	7.5	5.0	5.4	2.7	4.8	7.1	3.7	4.6	4.0	5.2	7.5	4.9	5.4	21.3	23.0	21.4	19.3	21.2	14.3	12.2	9.6	10.9	11.7
1954	4.6	4.9	7.5	4.6	5.4	2.9	6.1	7.0	3.7	4.9	4.5	5.0	7.5	4.6	5.4	21.0	22.5	21.8	20.0	21.3	14.3	12.1	10.5	11.7	12.1
1955	4.4	5.5	8.0	5.0	5.7	3.4	5.9	8.0	3.2	5.1	4.3	5.5	8.0	4.8	5.7	20.9	22.7	21.7	19.5	21.2	16.2	13.4	10.1	10.8	12.6
1956	4.0	5.8	7.9	5.7	5.9	2.6	4.5	6.7	3.7	4.4	4.0	5.7	7.9	5.6	5.8	19.7	23.1	21.3	19.8	21.0	14.5	11.9	9.8	10.6	11.7
1957	3.8	4.7	7.6	4.4	5.1	3.5	4.1	6.7	2.8	4.3	3.8	4.7	7.6	4.3	5.1	20.7	23.0	21.4	19.8	21.2	13.6	11.5	10.0	12.5	11.9
1958	3.8	5.2	8.1	4.4	5.4	2.6	4.5	4.9	2.2	3.6	3.8	5.1	7.9	4.3	5.3	20.6	22.4	20.8	19.6	20.9	14.4	12.6	10.0	11.1	12.0
1959	3.6	5.6	8.0	4.8	5.5	3.0	3.5	6.6	3.5	4.1	3.6	5.5	7.9	4.7	5.4	20.6	23.0	21.5	19.5	21.1	14.9	13.4	9.4	10.4	12.0
1960	4.2	5.0	8.5	4.5	5.6	2.3	4.6	5.6	2.4	3.7	4.1	5.0	8.3	4.4	5.5	20.7	23.1	22.2	19.7	21.4	13.3	11.2	9.8	11.7	11.5
Average for ten years 1951-1960	4.2	5.2	7.8	4.8	5.5	3.0	5.0	6.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.6	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.3	5.5	8.5	4.9	5.6	1.7	4.2	4.8	3.1	3.5	3.2	5.5	8.3	4.8	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.8	10.8	12.3

TABLE 7.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1961, WITH RATES PER 100,000 POPULATION

NOTE.—The classification of cause of death in this table is based on the Abbreviated List, 1955.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	34,763	1,233.5	16,108	1,128.5
001-008	Tuberculosis of respiratory system	381	13.5	87	6.1
010-019	Tuberculosis, other forms	39	1.4	18	1.3
020-029	Syphilis and its sequelae	6	0.2	19	1.3
040	Typhoid fever	.	.	1	0.1
045-048	Dysentery, all forms	3	0.1	1	0.1
050-051	Scarlet fever and streptococcal sore throat ...	.	.	.	.
055	Diphtheria	3	0.1	.	.
056	Whooping cough	12	0.4	2	0.1
057	Meningococcal infections	7	0.2	5	0.3
080	Acute poliomyelitis	7	0.2	3	0.2
085	Measles	31	1.1	4	0.3
100-108	Typhus and other rickettsial diseases ...	.	.	.	.
110-117	Malaria	.	.	.	.
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	90	3.2	42	2.9
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-205 (except 201 and 204)	(a) Cancer	4,518	160.3	2,186	153.1
201, 204	(b) Hodgkin's disease and leukaemia ...	186	6.6	104	7.3
210-239	Benign and unspecified neoplasms	96	3.4	28	2.0
260	Diabetes mellitus	272	9.7	88	6.2
290-293	Anaemias	116	4.1	63	4.4
330-334	Vascular lesions affecting central nervous system	4,035	143.2	2,276	159.4
340	Non-meningococcal meningitis	41	1.5	13	0.9
400-402	Rheumatic fever	14	0.5	14	1.0
410-416	Chronic rheumatic heart disease	314	11.1	181	12.7

* Exclusive of the Six Counties.

TABLE 7.—(contd.)—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1961,
WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease	9,221	327.2	4,771	334.2
430-434	Other diseases of heart	1,529	54.3	594	41.6
440-443	Hypertensive heart disease	659	23.4	361	25.3
444-447	Other hypertensive disease	379	13.5	137	9.6
480-483	Influenza	1,154	40.9	337	23.6
490-493	Pneumonia	1,204	42.7	856	60.0
500-502	Bronchitis	1,333	47.3	701	49.1
540-541	Ulcer of stomach and duodenum	226	8.0	125	8.8
550-553	Appendicitis	28	1.0	15	1.1
560, 561, 570	Intestinal obstruction and hernia	153	5.4	67	4.7
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of newborn	184	6.5	68	4.8
581	Cirrhosis of liver	66	2.3	44	3.1
590-594	Nephritis and nephrosis	410	14.5	118	8.3
610	Hyperplasia of prostate	189	6.7	96	6.7
640-689	Deliveries and complications of pregnancy, child- birth and the puerperium	27	1.0	17	1.2
750-759	Congenital malformations	537	19.1	240	16.8
760-762	Birth injuries, post-natal asphyxia and atelectasis	319	11.3	221	15.5
763-768	Infections of newborn	130	4.6	42	2.9
769-776	Other diseases peculiar to early infancy and im- maturity unqualified	506	18.0	218	15.3
780-795	Senility without mention of psychosis, ill-defined and unknown causes	2,507	89.0	105	7.4
	All other diseases	2,833	100.5	1,269	88.9
E810-E835	Motor vehicle accidents	286	10.1	189	13.2
E800-E802 E840-E962	All other accidents	617	21.9	299	20.9
E963, E970-E979	Suicide and self-inflicted injury	89	3.2	72	5.0
E964-E965, E980- E999	Homicide and operations of war	6	0.2	11	0.8

* Exclusive of the Six Counties.

TABLE 8.—AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864-1960 AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1956-1961. CLASSIFIED BY SEX AND AGE

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average—														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1956	18,269	1,456	90	62	71	120	265	555	1,254	2,500	4,544	5,631	1,641	80
1957	18,355	1,359	82	71	74	91	256	524	1,254	2,628	4,585	5,609	1,750	72
1958	18,495	1,402	72	54	91	90	217	499	1,164	2,598	4,595	5,711	1,918	84
1959	18,603	1,295	72	57	96	107	228	475	1,210	2,556	4,706	5,768	1,948	85
1960	17,484	1,214	78	60	91	68	207	444	1,185	2,535	4,282	5,271	1,963	86
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
Females														
Average—														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1956	15,641	1,088	72	49	38	81	227	493	873	1,810	3,622	5,249	1,916	123
1957	15,956	995	77	38	63	71	221	514	950	1,827	3,721	5,307	2,028	144
1958	15,753	1,005	48	41	43	59	188	462	903	1,814	3,507	5,368	2,173	142
1959	15,640	940	63	35	48	51	189	427	911	1,744	3,534	5,353	2,175	170
1960	15,176	871	67	39	44	55	168	385	923	1,701	3,438	5,123	2,216	146
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
Persons														
Average—														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,375	2,673	171	122	174	214	590	1,099	2,289	4,442	8,704	11,079	3,603	216
1956	33,910	2,544	162	111	109	201	492	1,048	2,127	4,310	8,166	10,880	3,557	203
1957	34,311	2,354	159	109	137	162	477	1,038	2,204	4,455	8,306	10,916	3,778	216
1958	34,248	2,407	120	95	134	149	405	961	2,067	4,412	8,102	11,079	4,091	226
1959	34,243	2,235	135	92	144	158	417	902	2,121	4,300	8,240	11,121	4,123	255
1960	32,660	2,085	145	99	135	123	375	829	2,108	4,236	7,720	10,394	4,179	232
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9.—AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH YEAR 1956-1961 PER 1,000 CORRESPONDING POPULATION, CLASSIFIED BY SEX AND AGE

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1956	12.49	9.62	0.60	0.44	0.59	1.31	1.56	3.03	7.62	18.59	45.25	118.54	239.75
1957	12.61	9.04	0.55	0.50	0.60	1.00	1.55	2.93	7.52	19.35	46.49	118.76	253.87
1958	12.85	9.39	0.48	0.38	0.74	1.00	1.37	2.89	7.00	19.08	47.66	122.67	289.81
1959	12.96	8.74	0.49	0.39	0.76	1.19	1.49	2.81	7.14	18.61	49.48	122.77	280.84
1960	12.24	8.25	0.54	0.41	0.71	0.76	1.40	2.69	6.91	18.25	45.79	112.60	278.02
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1956	10.90	7.41	0.50	0.36	0.34	0.93	1.30	2.69	5.63	13.48	35.68	102.94	225.50
1957	11.17	6.83	0.54	0.28	0.57	0.82	1.30	2.83	6.02	13.55	37.26	103.81	228.90
1958	11.14	6.95	0.34	0.30	0.39	0.70	1.15	2.59	5.68	13.54	35.84	104.12	234.50
1959	11.08	6.55	0.45	0.25	0.44	0.62	1.18	2.42	5.63	12.92	36.39	101.80	224.29
1960	10.79	6.11	0.48	0.28	0.40	0.68	1.08	2.20	5.60	12.57	35.78	95.37	213.99
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	35.19	100.91	245.83
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	245.14
1956	11.70	8.53	0.55	0.40	0.47	1.12	1.43	2.86	6.66	16.04	40.44	110.46	231.81
1957	11.89	7.95	0.54	0.39	0.59	0.91	1.42	2.88	6.79	16.46	41.85	110.99	239.65
1958	12.00	8.19	0.41	0.34	0.57	0.86	1.26	2.74	6.34	16.33	41.71	112.92	257.27
1959	12.03	7.66	0.47	0.32	0.61	0.92	1.33	2.61	6.40	15.79	42.87	111.69	247.43
1960	11.52	7.20	0.51	0.34	0.57	0.72	1.24	2.44	6.27	15.45	40.72	103.39	239.62
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63

TABLE 10.—BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number
Total	59,825	—	—	59,825	975	—	—	975
Carlow	693	84	164	773	6	.	6	12
Dublin County Borough ...	18,855	6,168	161	12,848	287	96	47	238
Dun Laoghaire Borough ...	685	223	625	1,087	1	1	5	5
Dublin County (remainder) ...	773	146	2,873	3,500	123	112	21	32
Kildare	677	4	834	1,507	8	1	30	37
Kilkenny	972	35	235	1,172	5	1	15	19
Laois	766	5	224	985	5	.	12	17
Longford	519	123	190	586	5	1	6	10
Louth	2,279	772	54	1,561	8	1	12	19
Meath	414	9	895	1,300	6	.	17	23
Offaly	1,027	31	168	1,164	.	.	15	15
Westmeath	1,154	194	261	1,221	86	81	14	19
Wexford	1,583	50	243	1,776	14	2	38	50
Wicklow	676	20	600	1,256	4	.	19	23
Clare	1,141	7	185	1,319	10	1	18	27
Cork County Borough ...	2,113	897	776	1,992	6	1	8	13
Cork County	5,183	1,086	921	5,018	132	83	21	70
Kerry	1,973	26	159	2,106	6	1	19	25
Limerick County Borough ...	2,702	1,389	22	1,335	29	18	3	14
Limerick County	330	3	1,353	1,680	6	.	55	61
Tipperary, N.R.	1,172	198	154	1,128	108	89	7	26
Tipperary, S.R.	1,679	186	100	1,593	19	3	11	27
Waterford County Borough ...	1,146	540	93	699	5	3	1	3
Waterford County	601	130	410	881	10	.	8	18
Galway	3,306	534	68	2,840	16	4	24	36
Leitrim	433	34	146	545	2	.	4	6
Mayo	1,766	18	324	2,072	3	.	16	19
Roscommon	733	21	270	982	3	.	6	9
Sligo	990	66	53	977	9	.	8	17
Cavan	714	57	437	1,094	6	1	13	18
Donegal	1,920	32	34	1,922	41	.	10	51
Monaghan	850	78	134	906	6	.	10	16

1961, AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number regis- tered	Trans- ferred from area	Trans- ferred to area	Net number	Total number regis- tered	Trans- ferred from area	Trans- ferred to area	Net number		
34,763	—	—	34,763	1,827	—	—	1,827	25,062	Total
397	22	53	428	14	.	10	24	345	Carlow
6,977	1,472	241	5,746	681	268	22	435	7,103	Dublin County Borough
574	145	147	576	12	4	11	19	510	Dun Laoghaire Borough
713	268	540	985	26	19	73	80	2,515	Dublin County (remainder)
539	12	153	680	13	1	31	43	827	Kildare
786	17	62	831	42	1	15	56	341	Kilkenny
540	32	54	562	17	4	16	29	423	Laois
372	17	54	409	11	.	6	17	177	Longford
774	64	41	751	53	16	5	42	810	Louth
667	40	134	761	14	1	24	37	539	Meath
556	11	69	614	34	2	11	43	550	Offaly
593	74	70	589	23	3	23	43	632	Westmeath
1,034	13	80	1,101	23	.	31	54	675	Wexford
561	15	172	718	11	1	26	36	538	Wicklow
954	11	68	1,011	32	.	10	42	308	Clare
898	239	382	1,041	32	14	37	55	951	Cork County Borough
3,494	444	259	3,309	164	49	15	130	1,709	Cork County
1,548	8	63	1,603	56	.	15	71	503	Kerry
724	220	64	568	78	41	7	44	767	Limerick County Borough
1,001	79	211	1,133	27	10	33	50	547	Limerick County
720	13	66	773	27	4	9	32	355	Tipperary, N.R.
894	46	55	903	55	4	3	54	690	Tipperary, S.R.
340	81	85	344	38	29	4	13	355	Waterford County Borough
645	113	92	624	20	7	11	24	257	Waterford County
1,827	152	36	1,711	90	20	3	73	1,129	Galway
476	9	55	522	19	4	3	18	23	Leitrim
1,693	12	107	1,788	59	1	5	63	284	Mayo
798	27	102	873	17	1	16	32	109	Roscommon
811	30	33	814	40	3	3	40	163	Sligo
787	7	86	866	26	1	14	39	228	Cavan
1,459	6	28	1,481	55	.	4	59	441	Donegal
611	18	55	648	18	.	12	30	258	Monaghan

TABLE 11.—MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1961, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY.

Area	Marriages	Births						Deaths						
		Total (including illegitimate)			Illegitimate			Total			Under one year of age	Principal epidemic diseases*	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total	Total
Total	15,329	30,687	29,138	59,825	531	444	975	18,750	16,013	34,763	1,827	153	420	4,704
Carlow	152	395	378	773	7	5	12	243	185	428	24	1	7	50
Dublin County Borough	4,831	6,623	6,225	12,848	147	91	238	2,884	2,862	5,746	435	48	126	979
Dun Laoghaire Borough	399	577	510	1,087	2	3	5	255	321	576	19	5	9	103
Dublin County (remainder)	532	1,795	1,705	3,500	17	15	32	523	462	985	80	17	13	152
Kildare	271	824	683	1,507	19	18	37	387	293	680	43	.	13	82
Kilkenny	275	571	601	1,172	10	9	19	480	351	831	56	2	11	99
Laois	159	500	485	985	10	7	17	321	241	562	29	.	7	69
Longford	87	300	286	586	5	5	10	229	180	409	17	.	4	77
Louth	372	799	762	1,561	9	10	19	401	350	751	42	1	4	106
Meath	273	660	640	1,300	8	15	23	413	348	761	37	4	4	93
Offaly	249	607	557	1,164	11	4	15	361	253	614	43	4	6	91
Westmeath	277	611	610	1,221	5	14	19	337	252	589	43	7	3	83
Wexford	414	907	869	1,776	24	26	50	566	535	1,101	54	3	9	141
Wicklow	335	645	611	1,256	13	10	23	392	326	718	36	3	8	95
LEINSTER	8,626	15,814	14,922	30,736	287	232	519	7,792	6,959	14,751	958	95	224	2,220
Clare	267	679	640	1,319	15	12	27	548	463	1,011	42	1	12	105
Cork County Borough	706	1,035	957	1,992	3	10	13	542	499	1,041	55	4	17	138
Cork County	1,107	2,618	2,400	5,018	41	29	70	1,783	1,526	3,309	130	4	26	462
Kerry	445	1,026	1,080	2,106	14	11	25	901	702	1,603	71	4	19	191
Limerick County Borough	508	691	644	1,335	8	6	14	291	277	568	44	3	8	91
Limerick County	225	855	825	1,680	37	24	61	607	526	1,133	50	4	15	137
Tipperary, N.R.	230	588	540	1,128	15	11	26	450	323	773	32	2	14	95
Tipperary, S.R.	291	794	799	1,593	9	18	27	483	420	903	54	1	9	131
Waterford County Borough	222	354	345	699	1	2	3	164	180	344	13	1	7	48
Waterford County	233	419	462	881	7	11	18	370	254	624	24	1	3	67
MUNSTER	4,234	9,059	8,692	17,751	150	134	284	6,139	5,170	11,309	515	25	130	1,465
Galway	585	1,468	1,372	2,840	18	18	36	972	739	1,711	73	14	18	222
Leitrim	120	291	254	545	3	3	6	283	239	522	18	1	5	54
Mayo	394	1,035	1,037	2,072	11	8	19	968	820	1,788	63	8	15	197
Roscommon	176	468	514	982	4	5	9	525	348	873	32	1	5	97
Sligo	202	525	452	977	12	5	17	434	380	814	40	1	2	89
CONNACHT	1,477	3,787	3,629	7,416	48	39	87	3,182	2,526	5,708	226	25	45	659
Cavan	237	569	525	1,094	6	12	18	476	390	866	39	3	2	107
Donegal	529	986	936	1,922	34	17	51	791	690	1,481	59	4	13	186
Monaghan	226	472	434	906	6	10	16	370	278	648	30	1	6	67
ULSTER (part of)	992	2,027	1,895	3,922	46	39	85	1,637	1,358	2,995	128	8	21	360

*Whooping cough, diphtheria, dysentery, measles, gastro-enteritis (under two years) and poliomyelitis.

TABLE 12 —MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN 1961 IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

Area	Marriages per 1,000 popula- tion	Births		Death rate per 1,000 population				Deaths under one year per 1,000 births
		Total births per 1,000 popula- tion	Illegit- imate % of total births	All causes	Prin- cipal epidemic diseases	Tuber- culosis	Malig- nant neo- plasms	
Total	5.44	21.23	1.63	12.33	0.05	0.15	1.67	30.54
Carlow	4.56	23.18	1.55	12.84	0.03	0.21	1.50	31.05
Dublin County Borough ...	8.99	23.91	1.85	10.69	0.09	0.23	1.82	33.85
Dun Laoghaire Borough ...	8.35	22.74	.46	12.05	0.10	0.19	2.16	17.50
Dublin County (remainder) ...	4.00	26.30	.91	7.40	0.13	0.10	1.14	22.86
Kildare	4.21	23.39	2.46	10.56	.	0.20	1.27	28.53
Kilkenny	4.46	19.00	1.62	13.48	0.03	0.18	1.61	47.78
Laois	3.53	21.86	1.73	12.47	.	0.16	1.53	29.44
Longford	2.84	19.12	1.71	13.35	.	0.13	2.51	29.01
Louth	5.52	23.17	1.22	11.15	0.01	0.06	1.57	26.91
Meath	4.19	19.96	1.77	11.69	0.06	0.06	1.43	28.46
Offaly	4.83	22.59	1.29	11.91	0.08	0.12	1.77	36.94
Westmeath	5.24	23.10	1.56	11.14	0.13	0.06	1.57	35.22
Wexford	4.97	21.32	2.82	13.22	0.04	0.11	1.69	30.41
Wicklow	5.73	21.48	1.83	12.28	0.05	0.14	1.62	28.66
LEINSTER	6.48	23.07	1.69	11.07	0.07	0.17	1.67	31.17
Clare	3.62	17.90	2.05	13.72	0.01	0.16	1.42	31.84
Cork County Borough ...	9.05	25.55	0.65	13.35	0.05	0.22	1.77	27.61
Cork County	4.38	19.88	1.39	13.11	0.02	0.10	1.83	25.91
Kerry	3.82	18.08	1.19	13.76	0.03	0.16	1.64	33.71
Limerick County Borough	10.00	26.29	1.05	11.18	0.06	0.16	1.79	32.96
Limerick County	2.73	20.35	3.63	13.72	0.05	0.18	1.66	29.76
Tipperary, N.R.	4.28	21.01	2.30	14.40	0.04	0.26	1.77	28.37
Tipperary, S.R.	4.15	22.72	1.69	12.88	0.01	0.13	1.87	33.90
Waterford County Borough	7.87	24.77	0.43	12.19	0.04	0.25	1.70	18.60
Waterford County	5.39	20.38	2.04	14.44	0.02	0.07	1.55	27.24
MUNSTER	4.99	20.90	1.60	13.32	0.03	0.15	1.73	29.01
Galway	3.90	18.95	1.27	11.42	0.09	0.12	1.48	25.70
Leitrim	3.59	16.28	1.10	15.60	0.03	0.15	1.61	33.03
Mayo	3.19	16.80	0.92	14.50	0.06	0.12	1.60	30.41
Roscommon	2.97	16.58	0.92	14.74	0.02	0.08	1.64	32.59
Sligo	3.77	18.24	1.74	15.20	0.02	0.04	1.66	40.94
CONNACHT	3.52	17.68	1.17	13.61	0.06	0.11	1.57	30.47
Cavan	4.19	19.33	1.65	15.30	0.05	0.04	1.89	35.65
Donegal	4.65	16.88	2.65	13.01	0.04	0.11	1.63	30.70
Monaghan... ..	4.80	19.24	1.77	13.76	0.02	0.13	1.42	33.11
ULSTER (part of) ...	4.56	18.03	2.17	13.77	0.04	0.10	1.65	32.64

TABLE 13.—DEATHS REGISTERED IN 1961 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages ...	18,750	6,987	7,696	4,067	16,013	5,100	3,755	7,158
Under 15 years	1,333	1,333	.	.	1,055	1,055	.	.
15-19	76	76	.	.	36	36	.	.
20-24	84	79	5	.	50	47	3	.
25-29	85	69	16	.	68	48	19	1
30-34	119	80	39	.	106	33	72	1
35-39	185	118	65	2	169	54	113	2
40-44	286	141	144	1	204	62	138	4
45-49	477	197	269	11	348	100	228	20
50-54	784	297	461	26	514	153	318	43
55-59	1,033	347	618	68	638	190	344	104
60-64	1,604	485	959	160	1,067	322	482	263
65-69	2,047	641	1,124	282	1,409	402	520	487
70-74	2,714	907	1,259	548	2,247	634	580	1,033
75-79	2,888	944	1,146	798	2,626	653	461	1,512
80-84	2,794	796	969	1,029	2,811	697	329	1,785
85 and over	2,241	477	622	1,142	2,665	614	148	1,903

TABLE 14.—BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1961, CLASSIFIED BY SEX

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow ...	65	78	143	41	37	78
Athy ...	46	48	94	15	22	37
Naas ...	56	53	109	22	17	39
Longford ...	35	39	74	14	17	31
Ceannanus Mor ...	28	20	48	9	8	17
An Uaimh ...	67	52	119	20	24	44
Trim ...	13	20	33	4	8	12
Birr ...	32	35	67	14	18	32
Tullamore ...	69	71	140	33	26	59
Athlone ...	118	115	233	38	32	70
Enniscorthy ...	47	73	120	30	29	59
New Ross ...	45	34	79	28	26	54
Arklow ...	75	75	150	27	27	54
Wicklow ...	37	43	80	20	17	37
Ennis ...	60	56	116	27	16	43
Kilrush ...	26	22	48	14	12	26
Clonakilty ...	19	21	40	12	16	28
Cobh ...	60	58	118	43	37	80
Fermoy ...	36	31	67	25	27	52
Kinsale ...	10	8	18	8	19	27
Macroom ...	9	12	21	18	16	34
Mallow ...	58	47	105	24	24	48
Midleton ...	34	26	60	12	24	36
Skibbereen ...	21	14	35	10	12	22
Youghal ...	51	40	91	25	23	48
Killarney ...	46	46	92	24	20	44
Listowel ...	31	25	56	19	15	34
Nenagh ...	38	40	78	16	22	38
Templemore ...	15	14	29	13	10	23
Thurles ...	61	58	119	35	28	63
Carrick-on-Suir ...	59	58	117	24	26	50
Cashel ...	14	29	43	22	19	41
Tipperary ...	50	46	96	29	21	50
Dungarvan ...	43	41	84	37	28	65
Ballinasloe ...	31	26	57	12	11	23
Ballina ...	64	53	117	30	26	56
Castlebar ...	48	29	77	17	18	35
Westport ...	27	27	54	21	13	34
Cavan ...	29	41	70	13	13	26
Buncrana ...	26	22	48	8	6	14
Bundoran ...	7	6	13	9	12	21
Letterkenny ...	36	25	61	12	10	22
Carrikmacross ...	19	25	44	4	5	9
Castleblayney ...	19	20	39	10	10	20
Clones ...	18	29	47	14	12	26
Monaghan ...	47	34	81	22	15	37

TABLE 15.—BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1961, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births						Deaths				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
Total ...	30,687	29,138	59,825	531	444	975	18,750	16,013	34,763	420	4,704
Dublin County Borough ...	6,623	6,225	12,848	147	91	238	2,884	2,862	5,746	126	979
Cork County Borough ...	1,035	957	1,992	3	10	13	542	499	1,041	17	138
Limerick County Borough ...	691	644	1,335	8	6	14	291	277	568	8	91
Waterford County Borough ...	354	345	699	1	2	3	164	180	344	7	48
Dun Laoghaire Borough ...	577	510	1,087	2	3	5	255	321	576	9	103
Galway Borough	209	186	395	.	3	3	92	81	173	2	27
Dundalk U.D. ...	230	188	418	2	4	6	100	88	188	.	31
Drogheda „ ...	193	191	384	2	1	3	74	78	152	1	20
Sligo „ ...	147	140	287	2	.	2	80	89	169	.	17
Bray „ ...	125	118	243	.	1	1	70	71	141	3	24
Wexford „ ...	136	137	273	3	.	3	66	61	127	1	20
Tralee „ ...	120	107	227	3	1	4	80	67	147	.	18
Clonmel „ ...	128	152	280	1	2	3	53	51	104	.	19
Kilkenny „ ...	94	103	197	1	2	3	75	55	130	5	19
Total above Principal Towns ...	10,662	10,003	20,665	175	126	301	4,826	4,780	9,606	179	1,554
All other Urban Districts ...	1,845	1,785	3,630	26	27	53	924	874	1,798	21	279
All Boroughs and Urban Districts:											
Leinster ...	8,711	8,228	16,939	165	113	278	3,839	3,844	7,683	150	1,285
Munster ...	3,069	2,897	5,966	28	33	61	1,567	1,489	3,056	45	454
Connacht ...	526	461	987	3	5	8	252	238	490	4	66
Ulster (part of)	201	202	403	5	2	7	92	83	175	1	28
Total—Boroughs and Urban Districts ...	12,507	11,788	24,295	201	153	354	5,750	5,654	11,404	200	1,833
All Rural Districts :—											
Leinster ...	7,103	6,694	13,797	122	119	241	3,953	3,115	7,068	74	935
Munster ...	5,990	5,795	11,785	122	101	223	4,572	3,681	8,253	85	1,011
Connacht ...	3,261	3,168	6,429	45	34	79	2,930	2,288	5,218	41	593
Ulster (part of)	1,826	1,693	3,519	41	37	78	1,545	1,275	2,820	20	332
Total—Rural Districts ...	18,180	17,350	35,530	330	291	621	13,000	10,359	23,359	220	2,871

TABLE 16.—BIRTH AND DEATH RATES IN 1961 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
Total	21.23	1.63	12.33	0.15	1.67
Dublin County Borough	23.91	1.85	10.69	0.23	1.82
Cork County Borough	25.55	0.65	13.35	0.22	1.77
Limerick County Borough	26.29	1.05	11.18	0.16	1.79
Waterford County Borough	24.77	0.43	12.19	0.25	1.70
Dun Laoghaire Borough	22.74	0.46	12.05	0.19	2.16
Galway Borough... ..	17.93	0.76	7.85	0.09	1.23
Dundalk U.D.	21.12	1.44	9.50	.	1.57
Drogheda „	22.48	0.78	8.90	0.06	1.17
Sligo „	21.83	0.70	12.86	.	1.29
Bray „	20.79	0.41	12.06	0.26	2.05
Wexford „	24.10	1.10	11.21	0.09	1.77
Tralee „	21.17	1.76	13.71	.	1.68
Clonmel „	26.32	1.07	9.77	.	1.79
Kilkenny „	19.39	1.52	12.80	0.49	1.87
Total above Principal Towns	23.79	1.46	11.06	0.21	1.79
All other Urban Districts	19.65	1.46	9.73	0.11	1.51
All Boroughs and Urban Districts :—					
Leinster	23.54	1.64	10.67	0.21	1.79
Munster	23.27	1.02	11.92	0.18	1.77
Connacht	17.86	0.81	8.86	0.07	1.19
Ulster (part of)	18.31	1.74	7.95	0.05	1.27
Total—Boroughs and Urban Districts	23.06	1.46	10.83	0.19	1.74
All Rural Districts :—					
Leinster	22.53	1.75	11.54	0.12	1.53
Munster	19.88	1.89	13.92	0.14	1.71
Connacht	17.65	1.23	14.32	0.11	1.63
Ulster (part of)	18.00	2.22	14.43	0.10	1.70
Total—Rural Districts	20.13	1.75	13.24	0.12	1.63

TABLE 17.—DEATHS, REGISTERED IN 1961 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total ...	11,404	5,750	5,654	23,359	13,000	10,359	34,763	18,750	16,013
Under 1 year ...	767	426	341	1,060	603	457	1,827	1,029	798
1 year ...	60	35	25	72	39	33	132	74	58
2 years ...	36	16	20	51	26	25	87	42	45
3 „ ...	22	10	12	37	22	15	59	32	27
4 „ ...	14	7	7	22	11	11	36	18	18
1-4 „ ...	132	68	64	182	98	84	314	166	148
5 „ ...	12	4	8	21	11	10	33	15	18
6 „ ...	10	5	5	11	5	6	21	10	11
7 „ ...	8	5	3	20	11	9	28	16	12
8 „ ...	4	3	1	21	13	8	25	16	9
9 „ ...	9	6	3	17	14	3	26	20	6
5-9 „ ...	43	23	20	90	54	36	133	77	56
10 „ ...	9	3	6	13	8	5	22	11	11
11 „ ...	9	5	4	11	6	5	20	11	9
12 „ ...	10	9	1	18	10	8	28	19	9
13 „ ...	5	3	2	16	12	4	21	15	6
14 „ ...	3	1	2	20	4	16	23	5	18
10-14 „ ...	36	21	15	78	40	38	114	61	53
15 „ ...	7	3	4	17	10	7	24	13	11
16 „ ...	4	4	.	12	8	4	16	12	4
17 „ ...	6	5	1	20	13	7	26	18	8
18 „ ...	11	7	4	12	10	2	23	17	6
19 „ ...	10	7	3	13	9	4	23	16	7
15-19 „ ...	38	26	12	74	50	24	112	76	36
20 „ ...	9	5	4	20	13	7	29	18	11
21 „ ...	7	4	3	17	11	6	24	15	9
22 „ ...	10	4	6	19	15	4	29	19	10
23 „ ...	10	7	3	15	4	11	25	11	14
24 „ ...	9	6	3	18	15	3	27	21	6
20-24 „ ...	45	26	19	89	58	31	134	84	50
25 „ ...	7	4	3	20	12	8	27	16	11
26 „ ...	11	7	4	20	11	9	31	18	13
27 „ ...	11	9	2	18	8	10	29	17	12
28 „ ...	16	7	9	15	7	8	31	14	17
29 „ ...	10	4	6	25	16	9	35	20	15
25-29 „ ...	55	31	24	98	54	44	153	85	68
30 „ ...	14	8	6	29	13	16	43	21	22
31 „ ...	15	9	6	24	13	11	39	22	17
32 „ ...	21	11	10	24	11	13	45	22	23
33 „ ...	21	10	11	34	20	14	55	30	25
34 „ ...	15	9	6	28	15	13	43	24	19
30-34 „ ...	86	47	39	139	72	67	225	119	106

TABLE 17—(contd.)—DEATHS REGISTERED IN 1961 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years ...	20	6	14	39	24	15	59	30	29
36 „ ...	20	11	9	43	20	23	63	31	32
37 „ ...	25	14	11	46	30	16	71	44	27
38 „ ...	30	13	17	46	21	25	76	34	42
39 „ ...	30	17	13	55	29	26	85	46	39
35-39 „ ...	125	61	64	229	124	105	354	185	169
40 „ ...	38	24	14	70	42	28	108	66	42
41 „ ...	40	25	15	55	30	25	95	55	40
42 „ ...	33	20	13	75	36	39	108	56	52
43 „ ...	35	19	16	53	32	21	88	51	37
44 „ ...	34	22	12	57	36	21	91	58	33
40-44 „ ...	180	110	70	310	176	134	490	286	204
45 „ ...	58	37	21	111	71	40	169	108	61
46 „ ...	48	24	24	72	44	28	120	68	52
47 „ ...	58	29	29	101	67	34	159	96	63
48 „ ...	69	34	35	129	76	53	198	110	88
49 „ ...	76	40	36	103	55	48	179	95	84
45-49 „ ...	309	164	145	516	313	203	825	477	348
50 „ ...	116	66	50	180	120	60	296	186	110
51 „ ...	92	55	37	112	72	40	204	127	77
52 „ ...	112	66	46	149	95	54	261	161	100
53 „ ...	110	66	44	138	74	64	248	140	108
54 „ ...	111	60	51	178	110	68	289	170	119
50-54 „ ...	541	313	228	757	471	286	1,298	784	514
55 „ ...	119	79	40	196	130	66	315	209	106
56 „ ...	132	81	51	179	103	76	311	184	127
57 „ ...	132	80	52	187	104	83	319	184	135
58 „ ...	162	104	58	205	128	77	367	232	135
59 „ ...	149	97	52	210	127	83	359	224	135
55-59 „ ...	694	441	253	977	592	385	1,671	1,033	638
60 „ ...	231	118	113	336	217	119	567	335	232
61 „ ...	182	111	71	272	165	107	454	276	178
62 „ ...	203	120	83	317	182	135	520	302	218
63 „ ...	214	131	83	328	201	127	542	332	210
64 „ ...	248	148	100	340	211	129	588	359	229
60-64 „ ...	1,078	628	450	1,593	976	617	2,671	1,604	1,067
65 „ ...	291	181	110	470	276	194	761	457	304
66 „ ...	238	140	98	358	217	141	596	357	239
67 „ ...	234	143	91	371	219	152	605	362	243
68 „ ...	282	172	110	477	282	195	759	454	305
69 „ ...	282	157	125	453	260	193	735	417	318
65-69 „ ...	1,327	793	534	2,129	1,254	875	3,456	2,047	1,409

TABLE 17.—(contd.)—DEATHS REGISTERED IN 1961 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years ...	382	207	175	622	350	272	1,004	557	447
71 „ ...	286	152	134	498	278	220	784	430	354
72 „ ...	326	166	160	671	386	285	997	552	445
73 „ ...	346	161	185	719	428	291	1,065	589	476
74 „ ...	362	170	192	749	416	333	1,111	586	525
70-74 „ ...	1,702	856	846	3,259	1,858	1,401	4,961	2,714	2,247
75 „ ...	356	162	194	791	437	354	1,147	599	548
76 „ ...	373	149	224	808	442	366	1,181	591	590
77 „ ...	271	134	137	744	436	308	1,015	570	445
78 „ ...	332	140	192	829	461	368	1,161	601	560
79 „ ...	300	138	162	710	389	321	1,010	527	483
75-79 „ ...	1,632	723	909	3,882	2,165	1,717	5,514	2,888	2,626
80 „ ...	382	144	238	1,026	528	498	1,408	672	736
81 „ ...	281	129	152	704	384	320	985	513	472
82 „ ...	300	142	158	856	463	393	1,156	605	551
83 „ ...	243	85	158	726	383	343	969	468	501
84 „ ...	260	106	154	827	430	397	1,087	536	551
80-84 „ ...	1,466	606	860	4,139	2,188	1,951	5,605	2,794	2,811
85 „ ...	213	87	126	725	371	354	938	458	480
86 „ ...	228	71	157	634	335	299	862	406	456
87 „ ...	154	63	91	527	274	253	681	337	344
88 „ ...	114	41	73	431	212	219	545	253	292
89 „ ...	107	35	72	328	159	169	435	194	241
85-89 „ ...	816	297	519	2,645	1,351	1,294	3,461	1,648	1,813
90 „ ...	105	35	70	310	150	160	415	185	230
91 „ ...	55	20	35	210	97	113	265	117	148
92 „ ...	50	11	39	166	80	86	216	91	125
93 „ ...	36	10	26	132	65	67	168	75	93
94 „ ...	22	3	19	93	42	51	115	45	70
90-94 „ ...	268	79	189	911	434	477	1,179	513	666
95 „ ...	22	3	19	65	21	44	87	24	63
96 „ ...	17	3	14	57	21	36	74	24	50
97 „ ...	12	2	10	24	10	14	36	12	24
98 „ ...	4	1	3	25	10	15	29	11	18
99 „ ...	4	1	3	14	3	11	18	4	14
95-99 „ ...	59	10	49	185	65	120	244	75	169
100 years and over	5	1	4	17	4	13	22	5	17

TABLE 18.—DEATHS REGISTERED IN 1961 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,750	1,029	74	42	32	18	1,195	77	61	76	84	85
	Females	16,013	798	58	45	27	18	946	56	53	36	50	68
LEINSTER	Males	7,792	542	32	17	14	10	615	37	33	31	36	39
	Females	6,959	416	33	28	13	9	499	27	16	16	21	35
MUNSTER	Males	6,139	294	24	18	11	5	352	31	16	24	31	24
	Females	5,170	221	15	12	10	6	264	18	23	13	15	18
CONNACHT	Males	3,182	124	10	7	5	2	148	7	8	13	12	18
	Females	2,526	102	6	3	3	2	116	7	10	3	10	8
ULSTER (part of)	Males	1,637	69	8	.	2	1	80	2	4	8	5	4
	Females	1,358	59	4	2	1	1	67	4	4	4	4	7
LEINSTER Carlow	Males	243	7	1	2	2	.	12	2	.	2	1	1
	Females	185	17	1	2	2	.	22	.	.	1	.	1
Dublin County Borough	Males	2,884	238	12	4	6	3	263	15	14	16	10	19
	Females	2,862	197	11	13	6	6	233	14	4	7	6	14
Dun Laoghaire Borough	Males	255	11	1	1	1	1	15	2	.	.	1	1
	Females	321	8	2	1	.	.	11	.	1	.	1	1
Dublin County (remainder)	Males	523	51	2	1	.	.	54	2	5	3	6	2
	Females	462	29	2	3	1	.	35	5	3	2	5	7
Kildare	Males	387	28	3	2	2	.	35	1	2	1	3	1
	Females	293	15	1	1	1	1	19	.	1	3	5	2
Kilkenny	Males	480	31	2	2	2	1	38	3	4	1	4	2
	Females	351	25	.	1	.	.	26	2	1	.	.	1
Laois	Males	321	24	.	1	.	.	25	.	1	.	1	.
	Females	241	5	1	1	.	.	7	2	1	.	2	1
Longford	Males	229	9	.	.	.	1	10	1	.	.	1	1
	Females	180	8	.	.	.	.	8	.	.	.	.	1
Louth	Males	401	27	2	.	.	2	31	1	1	2	3	.
	Females	350	15	.	2	1	.	18	1	2	.	.	2
Meath	Males	413	23	1	2	.	2	28	2	2	2	.	2
	Females	348	14	4	.	1	.	19	.	.	1	1	.
Offaly	Males	361	21	2	1	1	.	25	.	1	2	2	3
	Females	253	22	2	2	.	.	26	1	2	.	.	.
Westmeath	Males	337	30	2	.	.	.	32	2	.	1	.	4
	Females	252	13	2	1	.	2	18	2	1	.	.	2
Wexford	Males	566	24	2	1	.	.	27	4	2	1	.	2
	Females	535	30	4	1	1	.	36	.	.	2	.	3
Wicklow	Males	392	18	2	.	.	.	20	2	1	.	4	1
	Females	326	18	3	.	.	.	21	.	.	.	1	.

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
119	185	286	477	784	1,033	1,604	2,047	2,714	2,888	2,794	2,241	Males
106	169	204	348	514	638	1,067	1,409	2,247	2,626	2,811	2,665	Females
55	76	149	202	362	527	749	967	1,129	1,140	966	679	Males LEINSTER
48	86	96	165	241	310	521	629	991	1,168	1,123	967	Females
39	67	77	151	245	315	531	625	925	984	941	761	Males MUNSTER
30	47	71	116	159	205	330	458	735	852	929	887	Females
15	29	44	83	117	116	218	308	445	513	566	522	Males CONNACHT
16	22	22	43	74	90	144	197	333	373	492	566	Females
10	13	16	41	60	75	106	147	215	251	321	279	Males ULSTER (part of)
12	14	15	24	40	33	72	125	188	233	267	245	Females
3	3	4	1	9	16	25	28	35	37	38	26	Males LEINSTER Carlow
2	3	1	3	3	8	11	19	23	31	28	29	Females
28	29	67	82	171	246	326	415	408	338	272	165	Males Dublin County Borough
20	34	44	71	112	136	238	270	427	458	402	372	Females
1	1	5	5	18	15	27	39	41	37	25	22	Males Dun Laoghaire Borough
3	2	2	12	7	12	22	23	46	52	59	67	Females
2	9	15	14	19	35	56	59	59	82	65	36	Males Dublin County (remainder)
2	5	6	9	13	19	31	48	63	67	80	62	Females
3	3	5	13	16	28	34	41	57	48	57	39	Males Kildare
4	4	9	8	9	13	26	21	31	59	39	40	Females
4	4	7	9	14	23	44	50	65	88	70	50	Males Kilkenny
2	4	2	4	13	19	32	28	34	58	76	49	Females
3	3	4	8	10	23	22	36	49	54	51	31	Males Laois
2	2	1	5	6	12	21	18	35	44	41	41	Females
.	2	3	3	8	12	20	24	40	42	28	34	Males Longford
.	2	2	5	9	5	12	20	18	28	39	31	Females
4	4	8	10	17	17	36	44	62	69	53	39	Males Louth
3	8	5	6	16	17	23	33	56	64	61	35	Females
.	4	9	10	23	22	21	46	78	66	59	39	Males Meath
2	4	4	9	7	14	25	44	57	64	48	49	Females
2	6	4	14	12	12	31	38	50	56	62	41	Males Offaly
1	2	5	4	5	8	11	21	39	50	44	34	Females
1	2	2	8	8	18	34	33	50	54	50	38	Males Westmeath
.	2	3	8	16	4	14	23	39	37	53	30	Females
1	3	5	11	23	33	35	70	82	99	89	79	Males Wexford
6	10	6	12	19	26	25	39	80	86	107	78	Females
3	3	11	14	14	27	38	44	53	70	47	40	Males Wicklow
1	4	6	9	6	17	30	22	43	70	46	50	Females

TABLE 18—(contd.)—DEATHS REGISTERED IN 1961 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	548	26	2	.	1	1	30	4	3	1	2	4
	Females	463	16	2	3	3	2	26	2	4	.	2	1
Cork County Borough	Males	542	28	3	.	.	1	32	1	1	3	2	6
	Females	499	27	1	1	2	.	31	2	2	1	4	2
Cork County	Males	1,783	82	3	9	4	.	98	11	4	11	12	5
	Females	1,526	48	3	5	3	1	60	6	5	5	3	2
Kerry	Males	901	39	6	3	3	1	52	5	4	4	1	1
	Females	702	32	3	1	1	1	38	2	2	2	1	5
Limerick County Borough	Males	291	26	3	2	1	.	32	2	.	.	6	1
	Females	277	18	1	1	.	.	20	2	3	2	1	2
Limerick County	Males	607	24	1	1	.	.	26	2	1	2	3	2
	Females	526	26	2	.	1	2	31	2	3	1	.	3
Tipperary, North Riding	Males	450	24	4	.	2	2	32	3	1	.	.	3
	Females	323	8	2	1	.	.	11	2	.	.	.	2
Tipperary, South Riding	Males	483	27	1	.	.	.	28	1	1	2	1	2
	Females	420	27	.	.	.	.	27	.	1	.	1	1
Waterford County Borough	Males	164	6	1	3	.	.	10	.	.	.	1	.
	Females	180	7	.	.	.	.	7	.	1	1	1	.
Waterford County	Males	370	12	.	.	.	.	12	2	1	1	3	.
	Females	254	12	1	.	.	.	13	.	2	1	2	.
CONNACHT													
Galway	Males	972	38	1	3	3	1	46	.	4	6	4	4
	Females	739	35	3	2	1	2	43	2	3	2	5	3
Leitrim	Males	283	10	2	.	.	1	13	2	.	1	1	.
	Females	239	8	.	.	.	.	8	2	3	.	.	.
Mayo	Males	968	38	6	1	1	.	46	1	2	5	5	10
	Females	820	25	2	.	.	.	27	2	2	.	4	2
Roscommon	Males	525	16	.	.	1	.	17	3	1	1	.	4
	Females	348	16	.	.	1	.	17	.	2	1	1	2
Sligo	Males	434	22	1	3	.	.	26	1	1	.	2	.
	Females	380	18	1	1	1	.	21	1	.	.	.	1
ULSTER (part of)													
Cavan	Males	476	20	1	.	1	1	23	.	2	1	.	.
	Females	390	19	.	1	1	.	21	1	2	.	.	3
Donegal	Males	791	35	3	.	.	.	38	1	2	4	2	2
	Females	690	24	4	1	.	1	30	2	2	2	4	3
Monaghan	Males	370	14	4	.	1	.	19	1	.	3	3	2
	Females	278	16	.	.	.	.	16	1	.	2	.	1

OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
3	2	6	16	15	17	46	54	82	90	94	79	Males MUNSTER Clare
2	5	10	11	12	21	18	48	62	63	83	93	Females
3	4	7	21	25	39	53	67	87	73	78	40	Males Cork County Borough
2	5	4	9	21	19	40	57	79	94	75	52	Females
10	21	28	47	58	87	144	158	263	298	299	229	Males Cork County
11	11	23	26	40	51	92	132	219	272	286	282	Females
5	11	7	24	53	36	75	81	142	140	130	130	Males Kerry
1	6	7	19	21	24	41	64	110	113	114	132	Females
1	2	5	11	18	27	32	31	45	34	26	18	Males Limerick County Borough
2	3	2	5	9	16	28	19	31	33	57	42	Females
4	11	8	12	16	35	54	62	86	100	97	86	Males Limerick County
4	7	7	15	13	23	38	44	72	72	95	96	Females
4	1	7	7	16	23	33	49	69	74	61	67	Males Tipperary, North Riding
.	4	8	13	11	14	17	35	53	58	53	42	Females
7	6	4	4	25	28	34	60	64	93	72	51	Males Tipperary, South Riding
2	4	5	9	24	17	27	25	52	69	80	76	Females
.	4	2	6	3	9	19	24	24	23	22	17	Males Waterford County Borough
2	.	3	5	5	12	12	17	21	29	35	29	Females
2	5	3	3	16	14	41	39	63	59	62	44	Males Waterford County
4	2	2	4	3	8	17	17	36	49	51	43	Females
5	11	7	22	33	34	76	87	147	156	176	154	Males CONNACHT Galway
6	4	3	14	26	28	38	60	96	105	133	168	Females
1	2	4	8	8	11	17	30	39	57	53	36	Males Leitrim
2	3	2	5	9	10	13	23	32	42	39	46	Females
4	8	13	29	43	35	60	94	115	151	179	168	Males Mayo
4	9	8	13	20	31	45	50	120	110	178	195	Females
4	4	12	13	13	20	36	49	74	90	89	95	Males Roscommon
1	1	3	3	9	12	20	37	44	55	67	73	Females
1	4	8	11	20	16	29	48	70	59	69	69	Males Sligo
3	5	6	8	10	9	28	27	41	61	75	84	Females
2	1	1	15	19	27	31	49	66	75	88	76	Males ULSTER (part of) Cavan
6	2	4	7	11	8	23	42	49	74	81	56	Females
5	8	11	20	25	33	48	67	93	117	153	162	Males Donegal
2	9	10	9	20	14	34	56	101	110	133	149	Females
3	4	4	6	16	15	27	31	56	59	80	41	Males Monaghan
4	3	1	8	9	11	15	27	38	49	53	40	Females

TABLE 19.—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
	Total deaths—All causes	M F	18,750 16,013	1,029 798	74 58	42 45	32 27	18 18	1,195 946	77 56	61 53
001-138	I—Infective and parasitic diseases	M F	348 231	23 11	5 9	5 6	2 1	2 3	37 30	9 12	4 5
001-019	<i>Tuberculosis—all forms</i>	M F	266 154	1 .	. 1	1 2	1 .	. 1	3 4	2 2	2 .
002	Pulmonary tuberculosis	M F	241 133	. .	. .	. .	. .	. .	. .	. .	. .
003	Pleural tuberculosis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
004	Primary tuberculosis complex with symptoms	M F	. 1	. .	. .	. .	. .	. .	. .	1 .	. .
008	Tuberculosis, unspecified site	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
010	Tuberculosis of meninges and central nervous system	M F	5 8	1 .	. 1	. 2	1 .	. 1	2 4	. 1	2 .
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M F	3 4	. .	. .	1 .	. .	. .	1 .	1 .	. .
012	Tuberculosis of bones and joints, active or unspecified	M F	8 2	. .	. .	. .	. .	. .	. .	1 .	. .
013	Late effects of tuberculosis of bones and joints	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
014	Tuberculosis of skin and subcutaneous cellular tissue	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
016	Tuberculosis of genito-urinary system	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
017	Tuberculosis of adrenal glands	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
018	Tuberculosis of other organs	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
022	Aneurysm of aorta	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
023	Other cardiovascular syphilis	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
024	Tabes dorsalis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
029	Syphilis, unqualified	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
042	Other Salmonella infections	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
045	Bacillary dysentery	M F	1 1	. .	. .	. .	. .	. .	. .	1 .	. .
047	Other protozoal dysentery	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .

[illegible]

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
053	Septicaemia and pyaemia	M F	11 3	5 1	1 . .	. . .	. . .	. . .	6 1	2 . .	. . .
054	Bacterial toxæmia	M F	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
055	Diphtheria	M F	2 1	. . .	. . .	1 . .	. . .	. . .	1 . .	2 . .	. . .
056	Whooping cough	M F	4 8	3 5	1 3	. . .	. . .	. . .	4 8	. . .	. . .
057	Meningococcal infections	M F	5 2	1 1	1 . .	. . .	. . .	. . .	2 1	2 . .	. 1
061	Tetanus	M F	2 5	. . .	. . .	. . .	. . .	. . .	. . .	. 2	1 1
072	Leptospirosis	M F	3 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
080	Acute poliomyelitis	M F	3 4	. . .	. . .	. . .	1 . .	. . .	1 . .	1 2	1 . .
081	Late effects of acute poliomyelitis	M F	1 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
082	Acute infectious encephalitis	M F	2 4	. 1	. . .	. . .	. . .	1 1	1 1	. . .	. . .
083	Late effects of acute infectious encephalitis	M F	2 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
085	Measles	M F	15 16	7 3	2 3	3 3	1 . .	1 1	14 10	. 3	1 . .
088	Herpes zoster	M F	1 3	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
089	Mumps	M F	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
092	Infectious hepatitis	M F	7 18	2 . .	. 1	1 . .	. . .	. 1	3 2	. 2	. 2
096	Other diseases attributed to viruses	M F	1 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
122	Other protozoal diseases	M F	1 2	1 . .	. 1	. . .	. . .	. . .	1 1	. . .	. . .
130	Infestation with worms of other, mixed, and unspecified type	M F	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
132	Actinomycosis	M F	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
134	Other fungus infections	M F	2 1	2 . .	. . .	. . .	. . .	. . .	2 . .	. . .	. . .
135	Scabies	M F	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
138	Other infective and parasitic diseases	M F	9 4	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
140-239	II. Neoplasms	M F	2,636 2,164	4 2	4 2	7 5	5 1	2 . .	22 10	9 8	12 7
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M F	2,593 2,111	3 . .	4 2	7 5	5 1	2 . .	21 8	8 6	11 7
140	Malignant neoplasm of lip	M F	20 4	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
141	Malignant neoplasm of tongue	M F	29 6	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	053
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	054
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	055
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	057
.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	061
.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	072
.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	080
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	081
1	.	.	1	.	1	.	.	1	.	.	.	.	.	.	082
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	083
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	085
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	088
.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	089
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	092
.	.	2	.	1	1	1	2	.	.	1	1	3	1	2	096
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	122
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	132
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	134
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	135
.	.	1	1	.	2	1	2	.	.	1	.	.	1	.	138
12 6	5 8	14 17	16 24	27 49	62 68	108 120	179 175	248 181	336 283	385 281	449 334	380 249	257 214	115 130	140-239
11 5	5 8	13 16	16 23	23 44	60 64	103 115	174 171	245 178	336 282	330 277	444 329	378 243	253 209	112 126	140-205
.	.	.	.	.	.	1	.	.	2	1	4	4	6	2	140
.	.	.	1	.	3	.	2	2	1	5	5	3	3	4	141
.	.	.	.	.	.	.	.	1	2	.	.	2	1	.	

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	053
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	054
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	055
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	057
.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	061
.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	072
.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	080
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	081
1	.	.	1	.	1	.	.	1	.	.	.	.	.	.	082
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	083
.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	085
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	088
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	089
.	.	2	.	1	1	1	2	.	.	1	1	3	1	2	092
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	096
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	122
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	130
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	132
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	134
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	135
.	.	1	1	.	2	1	2	.	.	1	.	.	1	.	138
.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
12 6	5 8	14 17	16 24	27 49	62 68	108 120	179 175	248 181	336 283	385 281	449 384	380 249	257 214	115 130	140-239
11 5	5 8	13 16	16 23	23 44	60 64	103 115	174 171	245 178	336 282	380 277	444 329	378 243	253 209	112 126	140-205
.	.	.	.	.	.	1	.	.	2	1	4	4	6	2	140
.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.
.	.	.	1	.	3	.	2	2	1	5	5	3	3	4	141
.	.	.	.	.	.	.	.	1	2	.	.	2	1	.	.

Detailed List Number	Cause of death		Age at							
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9
142	Malignant neoplasm of salivary gland	M F	4 3	. .	. .	. .	. .	. .	. .	. .
143	Malignant neoplasm of floor of mouth	M F	5 .	. .	. .	. .	. .	. .	. .	. .
144	Malignant neoplasm of other parts of mouth, and of mouth unspecified	M F	14 6	. .	. .	. .	. .	. .	. .	. .
145	Malignant neoplasm of oral mesopharynx	M F	3 4	. .	. .	. .	. .	. .	. .	. .
146	Malignant neoplasm of nasopharynx	M F	1 2	. .	. .	. .	. .	. .	. .	. .
147	Malignant neoplasm of hypopharynx	M F	1 4	. .	. .	. .	. .	. .	. .	. .
148	Malignant neoplasm of pharynx, unspecified	M F	27 11	. .	. .	. .	. .	. .	. .	. .
150	Malignant neoplasm of oesophagus	M F	112 61	. .	. .	. .	. .	. .	. .	. .
151	Malignant neoplasm of stomach	M F	476 333	. .	. .	. .	. .	. .	. .	. .
152	Malignant neoplasm of small intestine, including duodenum	M F	4 7	. .	. .	. .	. .	. .	. .	. .
153	Malignant neoplasm of large intestine, except rectum	M F	238 297	. .	. .	. .	. .	. .	. .	. .
154	Malignant neoplasm of rectum	M F	131 72	. .	. .	. .	. .	. .	. .	. .
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M F	30 41	. .	. 1	. .	. .	. 1	. .	. .
156	Malignant neoplasm of liver (secondary and unspecified)	M F	36 35	. .	. .	. .	. .	. .	. .	. .
157	Malignant neoplasm of pancreas	M F	120 110	. .	. .	. .	. .	. .	. .	. .
158	Malignant neoplasm of peritoneum	M F	8 6	. .	. .	. .	. .	. .	. .	1 .
159	Malignant neoplasm of unspecified digestive organs	M F	2 4	. .	. .	. .	. .	. .	. .	. .
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M F	7 4	. .	. .	. .	. .	. .	. .	. .
161	Malignant neoplasm of larynx	M F	52 17	. .	. .	. .	. .	. .	. .	. .
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	M F	220 53	. .	. .	. .	. .	. .	. .	. .
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	M F	275 56	. .	. .	. .	. .	. .	1 .	. .
164	Malignant neoplasm of mediastinum	M F	. 4	. .	. .	. .	. .	. .	. .	. .
165	Malignant neoplasm of thoracic organs (secondary)	M F	1 4	. .	. .	. .	. .	. .	. .	. .
170	Malignant neoplasm of breast	M F	4 355	. .	. .	. .	. .	. .	. .	. .
171	Malignant neoplasm of cervix uteri	F	36	. .	. .	. .	. .	. .	. .	. .
172	Malignant neoplasm of corpus uteri	F	5	. .	. .	. .	. .	. .	. .	. .
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	F	2	. .	. .	. .	. .	. .	. .	. .
174	Malignant neoplasm of uterus, unspecified	F	95	. .	. .	. .	. .	. .	. .	. .
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	87	. .	. .	. .	. .	. .	. .	1

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	142
.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	143
.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	144
.	.	.	.	.	1	.	.	4	.	.	2	2	1	4	145
.	.	.	.	.	.	.	.	.	1	1	2	1	1	.	146
.	.	.	.	.	.	.	.	2	1	.	.	.	3	.	147
.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	148
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	149
.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	150
.	1	.	.	.	.	2	.	1	4	6	5	2	7	2	151
.	.	.	.	.	2	6	9	8	16	19	23	14	10	5	152
.	.	.	.	.	1	8	5	5	9	11	4	5	5	8	153
.	1	2	1	4	10	13	25	51	69	77	81	82	45	15	154
.	.	3	1	1	7	9	18	16	41	50	64	60	39	24	155
.	.	.	1	.	1	2	1	1	1	.	.	.	1	.	156
.	.	.	1	.	1	.	.	.	.	1	.	1	1	.	157
2	.	.	2	.	6	7	18	20	23	19	48	46	37	10	158
.	1	1	4	3	5	7	14	21	44	39	59	33	40	26	159
.	.	1	1	.	1	3	6	8	11	16	33	30	16	5	160
.	.	.	1	1	.	1	7	6	6	16	6	12	11	5	161
.	.	.	.	.	1	1	1	3	3	11	2	5	3	.	162
.	.	.	.	.	1	3	2	2	5	5	8	6	5	3	163
.	.	.	1	.	.	2	1	2	5	6	6	4	8	2	164
.	.	.	1	.	.	1	3	2	7	3	5	6	4	3	165
1	.	.	.	3	7	11	9	17	15	25	19	9	4	.	166
.	1	1	.	1	1	7	9	12	8	13	23	14	12	8	167
.	.	.	.	1	.	1	.	1	3	1	.	.	.	.	168
.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	169
.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	170
.	.	.	1	.	.	1	1	.	.	1	1	1	1	1	171
.	.	.	.	.	1	2	3	3	7	6	12	9	6	3	172
.	.	.	.	.	.	.	.	.	5	3	2	4	.	1	173
2	.	.	.	2	4	15	22	47	49	38	27	11	2	1	174
.	.	.	.	3	3	3	10	9	7	8	4	6	3	.	175
.	.	1	1	3	7	9	25	38	50	65	45	23	7	1	176
.	.	.	.	1	.	3	5	5	13	12	9	2	4	1	177
.	.	1	.	.	.	.	.	1	.	2	.	.	.	.	178
.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	179
1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	180
.	.	2	.	15	23	31	44	34	50	33	44	29	30	20	181
.	.	.	3	3	3	2	3	2	4	2	7	4	3	.	182
.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	183
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	184
.	.	.	1	5	4	4	13	9	17	9	16	9	5	3	185
.	.	.	1	4	7	6	12	15	12	7	9	7	4	2	186

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
176	Malignant neoplasm of other and unspecified female genital organs	F	20	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	218	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	7	.	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs	M	8	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	30	.	.	1	.	.	1	1	.
		F	22	.	.	1	.	.	1	.	.
181	Malignant neoplasm of bladder and other urinary organs	M	68	.	1	.	.	.	1	.	.
		F	35	.	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M	14	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	56	.	.	.	.	.	.	.	.
		F	34	.	.	.	.	.	.	.	.
192	Malignant neoplasm of eye	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	53	1	.	2	1	1	5	2	3
		F	29	.	1	2	.	.	3	2	1
194	Malignant neoplasm of thyroid gland	M	6	.	.	.	.	.	.	.	.
		F	16	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
196	Malignant neoplasm of bone (including jaw bone)	M	49	.	.	.	.	.	.	.	3
		F	26	.	.	.	.	.	.	1	1
197	Malignant neoplasm of connective tissue	M	5	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	9	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	91	.	.	1	.	.	1	.	.
		F	96	.	.	.	.	.	.	.	.
200	Lymphosarcoma and reticulosarcoma	M	18	.	1	.	.	.	1	1	.
		F	11	.	.	.	.	.	.	.	.
201	Hodgkin's disease	M	32	.	.	.	.	.	.	2	1
		F	18	.	.	.	.	.	.	.	.
202	Other forms of lymphoma (reticulosis)	M	2	.	.	.	1	.	1	1	.
		F	2	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma)	M	17	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia	M	88	2	2	3	3	1	11	1	3
		F	48	.	.	2	1	.	3	2	4
211	Benign neoplasm of other parts of digestive system	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	4	.	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M	5	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
225	Benign neoplasm of bone and cartilage	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
227	Other benign neoplasm of muscular and connective tissue	M F	. 2	. .	. .	. .	. .	. .	. .	. 1	. .
228	Haemangioma and lymphangioma	M F	1 3	1 1	. .	. .	. .	. .	1 1	. .	. .
230	Neoplasm of unspecified nature of digestive organs	M F	9 10	. .	. .	. .	. .	. .	. .	. .	. .
231	Neoplasm of unspecified nature of respiratory organs	M F	7 2	. .	. .	. .	. .	. .	. .	. .	. .
233	Neoplasm of unspecified nature of uterus	F	3	.	.	.	.	.	.	.	.
236	Neoplasm of unspecified nature of other genito-urinary organs	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
237	Neoplasm of unspecified nature of brain and other parts of nervous system	M F	16 11	. .	. .	. .	. .	. .	. .	1 1	1 .
239	Neoplasm of unspecified nature of other and unspecified organs	M F	1 5	. 1	. .	. .	. .	. .	1 .	. .	. .
240-289	III—Allergic, endocrine system, metabolic and nutritional diseases	M F	276 260	4 4	1 2	. .	. .	1 .	6 6	1 1	2 2
241	Asthma	M F	110 48	. .	. .	. .	. .	1 .	1 .	. .	1 .
245	Other allergic disorders	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
250	Simple goitre	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
252	Thyrotoxicosis with or without goitre	M F	6 19	. .	. .	. .	. .	. .	. .	. .	. .
253	Myxoedema and cretinism	M F	4 8	. .	1 .	. .	. .	. .	1 .	. .	. .
254	Other diseases of thyroid gland	M F	. 2	. .	. .	. .	. .	. .	. .	1 .	. .
260	Diabetes mellitus	M F	123 149	. .	. .	. .	. .	. .	. .	1 .	. 2
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
271	Diseases of parathyroid gland	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
272	Diseases of pituitary gland	M F	1 5	. .	. .	. .	. .	. .	. .	. .	. .
273	Diseases of thymus gland	M F	4 4	3 3	. .	. .	. .	. .	3 3	. .	1 .
274	Diseases of adrenal glands	M F	6 8	. .	. .	. .	. .	. .	. .	. .	. .
277	Polyglandular dysfunction and other diseases of endocrine glands	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
286	Other avitaminoses and nutritional deficiency states	M F	9 7	1 .	. 1	. .	. .	. .	1 1	. .	. .
287	Obesity not specified as of endocrine origin	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
289	Other metabolic diseases	M F	10 6	. 1	. 1	. .	. .	. .	. 2	. .	. .

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	227
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	228
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	230
.	.	.	.	.	.	2	.	.	.	1	2	1	1	3	231
1	.	.	.	1	.	.	.	.	.	1	2	1	1	.	233
.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	236
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	237
.	.	1	1	1	2	2	2	3	.	3	1	.	.	.	239
.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	240-289
4	2	4	6	4	9	18	18	30	28	45	40	28	22	9	241
3	4	.	.	4	8	12	9	21	41	26	49	37	25	12	245
1	2	2	3	2	3	8	8	20	13	19	13	6	5	3	250
.	.	.	.	2	4	4	4	5	8	5	6	3	5	2	252
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	253
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	254
.	.	1	.	.	.	.	1	1	1	1	.	.	.	1	260
.	.	.	.	.	2	.	1	3	3	4	3	1	2	.	270
.	.	.	.	.	2	.	.	.	.	1	1	1	.	.	271
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	272
2	.	1	2	2	4	6	5	7	10	21	20	21	16	5	273
1	3	.	.	.	2	5	1	8	23	14	34	29	17	10	274
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	277
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	286
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	287
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	289
.	1	.	.	.	.	1	1	1	1	2	3	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
290-299	IV—Diseases of the blood and blood-forming organs	M F	60 79	. 1	. 1	. .	2 .	. .	2 2	1 2	2 1
290	Pernicious and other hyperchromic anaemias	M F	18 26	. .	. .	. .	. .	. .	. .	. .	. .
291	Iron deficiency anaemias (hyperchromic anaemias)	M F	1 3	. .	. .	. .	. .	. .	. .	. .	. .
292	Other anaemias of specified type	M F	6 6	. .	. .	. .	1 .	. .	1 .	. 1	1 .
293	Anaemia of unspecified type	M F	26 30	. .	. .	. .	. .	. .	. .	. .	. .
295	Haemophilia	M F	2 .	. .	. .	. .	. .	. .	. .	1 .	1 .
296	Purpura and other haemorrhagic conditions	M F	6 5	. 1	. 1	. .	1 .	. .	1 2	. .	. 1
297	Agranulocytosis	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
298	Diseases of spleen	M F	1 6	. .	. .	. .	. .	. .	. .	1 .	. .
299	Other diseases of blood and blood-forming organs	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
300-326	V—Mental, psychoneurotic and personality disorders	M F	42 35	7 9	. .	1 .	. 1	. 1	8 11	2 .	3 .
300	Schizophrenic disorders (dementia praecox)	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. .
301	Manic-depressive reaction	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
303	Paranoia and paranoid states	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
304	Senile psychosis	M F	11 7	. .	. .	. .	. .	. .	. .	. .	. .
305	Presenile psychosis	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
307	Alcoholic psychosis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
309	Other and unspecified psychosis	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
311	Hysterical reaction without mention of anxiety reaction	M F	. 3	. .	. .	. .	. .	. .	. .	. .	. .
318	Psychoneurotic disorders, other, mixed and unspecified types	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
322	Alcoholism	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
325	Mental deficiency	M F	18 16	7 9	. .	1 .	. 1	. 1	8 11	2 .	3 .

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	. 1	. 2	. 2	. 2	4 2	1 4	3 3	3 9	8 15	7 11	11 13	12 8	5 2	290-299
.	.	.	.	2	.	.	1 1	2 1	1	3 5	1 8	7 4	2 4	2	290
.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	291
.	1	.	.	.	1	.	.	.	2	.	1 1	1 1	1	.	292
.	.	.	1	.	1	1	3	1 1	2 4	5 7	3 2	3 6	8 3	3 2	293
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	295
.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	296
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	297
.	.	1	.	.	.	1 1	.	.	1	1	.	1	.	.	298
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	299
1 1	3 1	1 2	2 .	.	.	3 2	2	1 .	2 1	3 4	3 3	4 3	3 3	3 2	300-326
.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	300
.	.	.	.	.	.	1	.	.	.	2	1 1	.	.	.	301
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	303
.	.	.	.	.	.	.	.	.	.	1	1	4 2	3 2	3 2	304
.	.	.	.	.	.	.	.	.	.	1 1	.	.	.	.	305
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	307
.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	309
.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	311
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	318
.	1	.	1	.	.	1	.	.	.	.	1	.	1	.	322
1 1	2	1	1	.	.	1	2	1	.	.	.	.	.	.	325

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

[illegible]

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
400-468	VII—Diseases of the circulatory system	M	7,153	.	.	.	.	1	1	1	3
		F	5,906	1	1	.	.	.	2	1	3
400	Rheumatic fever without mention of heart involvement	M	3	.	.	.	.	.	.	1	1
		F	1	.	.	.	.	.	.	.	.
401	Rheumatic fever with heart involvement	M	2	.	.	.	.	1	1	.	.
		F	8	.	.	.	.	.	.	1	3
410	Diseases of mitral valve	M	74	.	.	.	.	.	.	.	.
		F	140	.	.	.	.	.	.	.	.
411	Diseases of aortic valve specified as rheumatic	M	8	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
412	Diseases of tricuspid valve	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
414	Other endocarditis specified as rheumatic	M	18	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.
415	Other myocarditis specified as rheumatic	M	9	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
416	Other heart disease specified as rheumatic	M	31	.	.	.	.	.	.	.	1
		F	12	.	.	.	.	.	.	.	.
420	Arteriosclerotic heart disease including coronary disease	M	2,802	.	.	.	.	.	.	.	.
		F	1,483	.	.	.	.	.	.	.	.
420-0	Arteriosclerotic heart disease so described	M	47	.	.	.	.	.	.	.	.
		F	31	.	.	.	.	.	.	.	.
420-1	Heart disease specified as involving coronary arteries	M	2,731	.	.	.	.	.	.	.	.
		F	1,438	.	.	.	.	.	.	.	.
420-2	Angina pectoris without mention of coronary disease	M	24	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic	M	164	.	.	.	.	.	.	.	.
		F	174	.	.	.	.	.	.	.	.
422	Other myocardial degeneration	M	2,294	.	.	.	.	.	.	.	.
		F	2,304	.	.	.	.	.	.	.	.
430	Acute and subacute endocarditis	M	9	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
431	Acute myocarditis not specified as rheumatic	M	17	.	.	.	.	.	.	.	.
		F	8	1	.	.	.	.	1	.	.
433	Functional disease of heart	M	399	.	.	.	.	.	.	.	.
		F	413	.	.	.	.	.	.	.	.
434	Other and unspecified diseases of heart	M	362	.	.	.	.	.	.	.	1
		F	315	.	.	.	.	.	.	.	.
441	Essential malignant hypertensive heart disease	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	5	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
443	Other and unspecified hypertensive heart disease	M	273	.	.	.	.	.	.	.	.
		F	375	.	.	.	.	.	.	.	.
444	Essential benign hypertension	M	132	.	.	.	.	.	.	.	.
		F	163	.	.	.	.	.	.	.	.
445	Essential malignant hypertension	M	49	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.
446	Hypertension with arteriolar nephrosclerosis	M	7	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.
447	Other hypertensive disease without mention of heart	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
450	General arteriosclerosis	M	337	.	.	.	.	.	.	.	.
		F	337	.	.	.	.	.	.	.	.
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	28	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
6 1	9 8	7 10	21 14	44 27	87 38	170 69	315 138	382 193	637 360	852 543	1,147 942	1,258 1,140	1,258 1,249	955 1,168	400-468
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	400
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	401
.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	410
.	1	3	6 3	4 8	4 7	5 13	2 20	5 7	8 13	15 16	5 15	7 19	9 10	2 5	411
.	.	.	1	.	1	2	1	.	2	.	.	.	1	.	412
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	413
.	1	.	.	2	.	2	3	1	.	2	3	2	1	1	414
.	1	1	.	1	.	.	.	1	4	1	.	1	2	.	415
.	1	.	.	.	.	1	.	3	.	.	.	2	2	.	416
.	1	.	1	.	.	1	.	1	1	2	.	.	2	.	417
.	1	1	.	3	2	3	5	6	1	3	1	3	1	1	418
.	1	1	.	.	.	3	4	1	.	1	1	.	.	.	419
2	.	2	9	24	44	105	202	237	406	487	460	373	302	149	420
.	1	.	2	11	15	28	57	98	159	210	296	262	207	137	420-0
.	.	.	.	.	.	.	.	1	4	3	8	7	18	6	420-1
.	.	.	.	.	.	.	1	1	2	.	6	5	10	6	420-2
2	.	2	9	23	44	105	202	234	400	477	448	363	282	140	421
.	1	.	2	11	13	28	55	97	153	207	290	256	195	130	422
.	.	.	.	1	.	.	.	2	2	7	4	3	2	3	423
.	.	.	.	.	2	.	1	.	4	3	.	1	2	1	424
1	.	1	1	.	6	6	17	9	21	27	28	26	14	7	425
1	.	1	1	1	2	5	2	11	14	24	26	38	27	21	426
.	.	.	.	3	8	12	28	42	78	144	332	497	597	550	427
.	.	.	.	2	2	2	17	32	72	122	293	453	633	676	428
.	2	1	.	.	1	2	.	1	1	.	1	.	.	.	429
.	.	.	1	.	1	.	3	.	1	.	.	.	.	.	430
.	1	.	1	.	2	2	.	1	1	3	2	2	1	1	431
.	.	.	.	.	.	.	.	.	1	.	.	3	1	2	432
.	.	.	.	1	1	5	12	18	19	31	86	84	82	60	433
.	.	.	.	.	4	3	5	5	25	41	81	92	96	61	434
.	1	.	.	.	4	7	12	17	28	33	62	77	75	45	435
.	2	1	3	.	1	5	5	10	20	31	63	62	48	64	436
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	441
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	442
.	.	.	.	.	.	.	.	.	.	1	.	2	1	1	443
1	.	.	.	.	2	5	8	9	25	36	59	59	42	27	444
.	.	.	.	.	1	2	6	16	19	39	73	86	76	57	445
.	.	.	.	.	.	3	1	9	13	21	37	20	15	13	446
.	.	.	.	1	1	2	2	3	15	24	31	40	21	23	447
1	1	.	2	4	5	4	10	8	6	7	.	.	.	1	448
.	.	.	1	.	2	2	4	2	1	2	1	.	.	.	449
.	.	.	.	.	.	.	1	.	.	1	2	2	.	1	450
.	.	.	.	.	.	.	.	1	1	.	1	1	1	2	451
.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	452
.	.	.	.	.	2	.	3	4	9	19	41	74	99	86	453
.	.	.	.	.	.	.	3	1	3	13	35	70	103	109	454
.	.	1	.	1	1	2	.	3	2	8	3	7	.	.	455
.	.	.	.	.	.	.	2	1	.	3	3	2	3	3	456

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
452	Other aneurysm, except of heart and aorta	M F	4 2	. .	. .	. .	. .	. .	. .	. .	. .
453	Peripheral vascular disease	M F	5 .	. .	. .	. .	. .	. .	. .	. .	. .
454	Arterial embolism and thrombosis	M F	6 5	. .	. .	. .	. .	. .	. .	. .	. .
455	Gangrene of unspecified cause	M F	32 11	. .	. .	. .	. .	. .	. .	. .	. .
456	Other diseases of arteries	M F	5 4	. .	. .	. .	. .	. .	. .	. .	. .
460	Varicose veins of lower extremities	M F	5 12	. .	. .	. .	. .	. .	. .	. .	. .
461	Haemorrhoids	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
462	Varicose veins of other specified sites	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
463	Phlebitis and thrombophlebitis of lower extremities	M F	3 2	. .	. .	. .	. .	. .	. .	. .	. .
464	Phlebitis and thrombophlebitis of other sites	M F	8 9	. .	. .	. .	. .	. .	. .	. .	. .
465	Pulmonary embolism and infarction	M F	34 35	. .	. .	. .	. .	. .	. .	. .	. .
466	Other venous embolism and thrombosis	M F	17 12	. .	. .	. .	. .	. .	. .	. .	. .
467	Other diseases of circulatory system	M F	4 3	. .	. .	. .	. .	. .	. .	. .	. .
468	Certain diseases of lymph nodes and lymph channels	M F	2 1	. .	1 .	. .	. .	. .	1 .	. .	. .
470-527	VIII—Diseases of the respiratory system	M F	2,321 1,732	134 104	26 15	15 9	5 7	3 2	183 187	5 3	1 11
473	Acute tonsillitis	M F	2 .	. .	. .	1 .	. .	. .	1 .	. .	. .
474	Acute laryngitis and tracheitis	M F	2 .	. .	1 .	1 .	. .	. .	2 .	. .	. .
475	Acute upper respiratory infection of multiple or unspecified sites	M F	3 .	2 .	. .	. .	. .	. .	2 .	. .	. .
480	Influenza with pneumonia	M F	216 240	6 5	3 1	2 1	1 .	. .	12 7	. .	. 1
481	Influenza with other respiratory manifestations and influenza unqualified	M F	349 342	6 6	2 1	1 .	. 1	. .	9 8	. .	. .
482	Influenza with digestive manifestations but without respiratory symptoms	M F	1 3	. 1	. .	. .	. .	1 .	1 1	. .	. .
483	Influenza with nervous manifestations but without digestive or respiratory symptoms	M F	1 2	. 1	. .	. .	. .	. .	. 1	. .	. 1
490	Lobar pneumonia	M F	59 56	9 5	. 3	. .	. .	. .	9 8	. .	. 1
491	Bronchopneumonia	M F	377 371	67 58	12 6	6 4	3 1	. 2	88 71	2 2	1 3

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	452
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	453
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	2	.	1	1	1	.	454
.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	
.	.	.	.	.	1	.	.	.	.	1	5	11	6	8	455
.	.	.	.	.	.	.	.	.	.	.	2	3	3	3	
.	.	.	.	.	1	2	.	1	.	1	.	.	.	.	456
.	1	.	.	.	.	1	.	.	1	1	.	.	.	.	
.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	460
.	.	.	.	.	.	1	.	.	2	5	.	.	4	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	461
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	462
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	463
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
.	.	.	.	.	1	.	2	2	1	1	3	1	.	.	464
.	.	.	.	.	1	.	2	.	1	1	3	1	.	.	
.	.	1	1	.	1	1	3	1	7	5	9	4	2	1	465
.	.	.	.	.	1	.	1	1	4	4	9	3	5	5	
.	.	.	.	.	.	1	3	1	3	3	2	.	4	.	466
.	.	.	.	3	.	1	3	.	1	.	2	2	.	.	
.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	467
.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	468
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	5	6	7	15	25	40	77	122	216	300	348	376	338	256	470-527
3	6	9	6	11	12	27	38	56	86	143	243	301	341	299	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	473
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	474
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	475
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	.	.	2	1	2	8	7	13	14	28	34	34	38	23	480
.	.	.	2	2	2	3	1	10	9	20	28	50	58	45	
1	2	.	.	2	3	5	12	9	22	33	51	66	63	72	481
1	1	.	1	2	2	3	5	10	10	21	63	59	81	75	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	482
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	483
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	1	1	3	2	5	4	8	7	10	8	5	490
.	.	4	.	1	1	3	2	1	1	6	8	8	6	6	
.	2	1	.	2	1	3	6	15	23	30	38	66	58	41	491
.	1	2	.	3	2	6	6	12	20	33	37	44	70	59	

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death										Age at	
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	
492	Primary atypical pneumonia	M	28	9	.	1	.	2	12	.	.	
		F	31	11	1	.	.	.	12	1	1	
493	Pneumonia, other and unspecified	M	158	27	3	2	1	.	33	.	.	
		F	124	13	1	2	2	.	18	.	2	
500	Acute bronchitis	M	42	2	1	.	.	.	3	1	.	
		F	36	1	.	.	1	.	2	.	.	
501	Bronchitis unqualified	M	196	2	2	.	.	.	4	1	.	
		F	139	2	.	1	1	.	4	.	.	
502	Chronic bronchitis	M	664	.	.	.	.	.	.	.	.	
		F	256	.	.	.	.	.	.	.	.	
517	Other diseases of upper respiratory tract	M	2	.	.	.	.	.	.	.	.	
		F	2	.	.	1	.	.	1	.	.	
518	Empyema	M	8	1	1	.	.	.	2	.	.	
		F	4	.	.	.	1	.	1	.	.	
519	Pleurisy	M	13	.	.	.	.	.	.	.	.	
		F	4	.	.	.	.	.	.	.	.	
520	Spontaneous pneumothorax	M	1	.	.	.	.	.	.	.	.	
		F	1	.	.	.	.	.	.	.	.	
521	Abscess of lung	M	6	.	.	.	.	.	.	.	.	
		F	2	.	.	.	.	.	.	.	.	
522	Pulmonary congestion and hypostasis	M	61	1	.	1	.	.	2	1	.	
		F	56	.	.	.	.	.	.	.	.	
525	Other chronic interstitial pneumonia	M	20	1	.	.	.	.	1	.	.	
		F	6	.	.	.	.	.	.	.	.	
526	Bronchiectasis	M	53	.	.	.	.	.	.	.	.	
		F	28	.	.	.	.	.	.	.	1	
527	Other diseases of lung and pleural cavity	M	59	1	1	.	.	.	2	.	.	
		F	29	1	2	.	.	.	3	.	1	
530-587	IX—Diseases of the digestive system	M	485	41	7	3	3	2	56	3	4	
		F	376	38	6	5	2	2	53	4	1	
531	Abscesses of supporting structures of teeth	M	1	.	.	.	.	.	.	.	.	
		F	.	.	.	.	.	.	.	.	.	
537	Diseases of salivary glands	M	.	.	.	.	.	.	.	.	.	
		F	1	.	.	.	.	.	.	.	.	
538	Other diseases of buccal cavity	M	1	.	.	.	.	.	.	.	.	
		F	1	.	.	.	.	.	.	.	.	
539	Diseases of oesophagus	M	4	.	.	.	.	.	.	.	.	
		F	1	.	.	.	.	.	.	.	.	
540	Ulcer of stomach	M	97	.	.	.	.	.	.	.	.	
		F	46	.	.	.	.	.	.	.	.	
541	Ulcer of duodenum	M	67	.	.	.	.	.	.	.	.	
		F	16	.	.	.	.	.	.	.	.	
542	Gastrojejunal ulcer	M	6	.	.	.	.	.	.	.	.	
		F	.	.	.	.	.	.	.	.	.	
543	Gastritis and duodenitis	M	7	.	.	.	.	.	.	1	.	
		F	5	.	.	.	.	.	.	.	.	
544	Disorder of functions of stomach	M	1	.	.	.	.	.	.	.	.	
		F	.	.	.	.	.	.	.	.	.	
545	Other diseases of stomach and duodenum	M	11	.	.	.	.	.	.	.	.	
		F	6	.	.	.	.	.	.	.	.	
550	Acute appendicitis	M	15	.	.	1	1	.	2	1	.	
		F	9	.	.	.	.	1	1	1	.	

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	3	1	.	.	.	.	1	.	3	3	3	1	1	492
.	.	.	.	1	.	.	1	.	1	1	1	5	6	1	
.	1	.	.	4	2	3	5	3	7	21	21	24	20	14	493
.	2	.	.	1	3	2	4	2	6	9	19	25	16	15	
.	.	.	1	.	1	.	2	.	3	6	7	9	3	6	500
.	1	.	.	.	.	.	1	1	2	1	5	7	8	8	
.	.	.	.	.	2	1	4	5	21	33	36	39	28	22	501
.	1	1	.	.	1	2	4	2	10	11	14	31	30	28	
.	.	1	2	4	8	16	27	60	100	105	110	90	93	48	502
.	.	.	1	1	1	6	11	13	19	28	48	46	45	37	
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	517
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	2	.	.	2	.	1	.	518
.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	
.	.	.	.	.	.	.	1	1	1	2	3	3	.	2	519
.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	520
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	2	1	1	1	.	52i
.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	1	4	8	13	13	18	522
.	.	.	.	.	.	.	.	2	.	4	7	13	12	18	
.	.	.	1	.	.	.	3	.	4	4	4	3	.	.	525
.	.	.	1	.	.	.	.	.	.	.	2	3	.	.	
1	.	.	.	.	2	2	2	4	5	12	12	8	3	2	526
.	.	.	.	.	.	1	2	.	3	7	7	2	3	2	
.	.	.	.	1	4	.	5	3	11	8	9	7	7	2	527
.	.	1	.	.	.	.	1	1	3	1	3	6	4	5	
2	2	2	6	10	12	26	20	36	57	46	74	59	47	23	530-587
1	3	2	4	10	7	19	18	20	27	41	55	57	30	24	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	531
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	537
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	538
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	539
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	2	2	2	5	7	11	13	14	17	15	8	1	540
.	.	.	.	.	1	3	1	4	1	7	8	10	7	4	
.	.	.	2	2	.	5	4	5	12	6	15	8	6	2	541
.	.	.	1	2	.	.	.	1	.	1	5	3	2	1	
.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	542
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	3	2	543
.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	544
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	2	.	1	1	2	2	.	1	1	545
.	.	.	.	.	.	.	2	.	1	1	1	.	.	1	
.	.	.	1	.	3	1	1	.	2	.	1	.	2	1	550
.	.	.	.	.	.	.	1	.	2	.	.	2	2	.	

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
551	Appendicitis unqualified	M	1	.	.	.	.	.	.	.	1
		F	2	.	.	.	.	.	.	.	.
553	Other diseases of appendix	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
560	Hernia of abdominal cavity without mention of obstruction	M	6	4	.	.	.	.	4	.	.
		F	13	6	.	.	1	.	7	.	.
561	Hernia of abdominal cavity with obstruction	M	19	.	.	.	.	.	.	.	.
		F	19	1	1	.	.	.	2	.	.
570	Intestinal obstruction, without mention of hernia	M	53	.	.	.	.	.	.	.	.
		F	43	.	.	.	1	.	1	.	1
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	53	31	4	2	1	.	38	1	1
		F	55	29	5	3	.	.	37	2	.
572	Chronic enteritis and ulcerative colitis	M	24	.	.	.	.	1	1	.	.
		F	40	.	.	.	.	.	.	.	.
573	Functional disorders of intestines	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
576	Peritonitis	M	9	.	1	.	1	.	2	.	.
		F	4	.	.	.	.	.	.	.	.
577	Peritoneal adhesion	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum	M	13	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.
580	Acute and subacute yellow atrophy of liver	M	3	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
581	Cirrhosis of liver	M	42	.	.	.	.	.	.	.	1
		F	24	.	.	.	.	.	.	.	.
582	Suppurative hepatitis and liver abscess	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
583	Other diseases of liver	M	13	1	1	.	.	.	2	.	1
		F	6	.	.	.	.	.	.	.	.
584	Cholelithiasis	M	7	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
585	Cholecystitis and cholangitis without mention of calculi	M	6	.	1	.	.	.	1	.	.
		F	22	.	.	.	.	.	.	.	.
586	Other diseases of gallbladder and biliary ducts	M	5	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.
587	Diseases of pancreas	M	18	5	.	.	.	1	6	.	.
		F	18	2	.	2	.	1	5	1	.
590-637	X—Diseases of genito-urinary system	M	508	3	2	.	2	.	7	.	.
		F	244	2	.	1	1	1	5	.	.
590	Acute nephritis	M	5	.	1	.	.	.	1	.	.
		F	8	1	.	.	1	.	2	.	.
591	Nephritis, with oedema, including nephrosis	M	10	1	.	.	.	.	1	.	.
		F	4	.	.	.	.	1	1	.	.
592	Chronic nephritis	M	135	.	.	.	.	.	.	.	.
		F	104	.	.	.	.	.	.	.	.
593	Nephritis not specified as acute or chronic	M	79	1	.	.	1	.	2	.	.
		F	63	.	.	1	.	.	1	.	.
594	Other renal sclerosis	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
600	Infections of kidney	M	43	1	1	.	.	.	2	.	.
		F	38	1	.	.	.	.	1	.	.
601	Hydronephrosis	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
602	Calculi of kidney and ureter	M	4	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.
603	Other diseases of kidney and ureter	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
605	Cystitis	M	7	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
606	Other diseases of bladder	M	12	.	.	.	1	.	1	.	.
		F	1	.	.	.	.	.	.	.	.
608	Stricture of urethra	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
609	Other diseases of urethra	M	3	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
610	Hyperplasia of prostate	M	189	.	.	.	.	.	.	.	.
611	Prostatitis	M	9	.	.	.	.	.	.	.	.
612	Other diseases of prostate	M	4	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F	2	.	.	.	.	.	.	.	.
631	Uterovaginal prolapse	F	2	.	.	.	.	.	.	.	.
633	Other diseases of uterus	F	4	.	.	.	.	.	.	.	.
640-689	XI—Deliveries and complications of pregnancy, childbirth, and the puerperium	F	27	.	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F	8	.	.	.	.	.	.	.	.
644	Other haemorrhage of pregnancy	F	1	.	.	.	.	.	.	.	.
648	Other complications arising from pregnancy	F	2	.	.	.	.	.	.	.	.
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	3	.	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	F	5	.	.	.	.	.	.	.	.
677	Delivery with other trauma	F	2	.	.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium	F	1	.	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F	3	.	.	.	.	.	.	.	.
686	Other forms of puerperal toxæmia	F	1	.	.	.	.	.	.	.	.
687	Cerebral haemorrhage in the puerperium	F	1	.	.	.	.	.	.	.	.
690-716	XII—Diseases of the skin and cellular tissue	M	21	1	.	.	.	1	2	.	1
		F	26	1	.	.	.	.	1	.	1
690	Boil and carbuncle	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
692	Cellulitis and abscess without mention of lymphangitis	M	4	1	.	.	.	.	1	.	.
		F	3	.	.	.	.	.	.	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	.	1	1	.	1	3	1	8	4	7	6	3	7	600
.	1	.	1	1	.	1	1	6	1	7	2	5	6	5	
.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	601
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	1	.	.	1	.	1	.	2	1	.	1	1	.	.	602
.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	603
.	.	.	.	.	.	.	.	.	.	.	2	2	.	3	605
.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	
.	.	1	.	.	.	.	1	.	1	1	.	4	2	1	606
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	608
.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	609
.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	
.	.	.	.	.	.	1	1	3	4	15	29	46	42	48	610
.	.	.	.	.	.	.	.	.	.	.	1	.	5	3	611
.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	612
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	626
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	631
.	.	.	1	.	1	.	.	1	.	.	.	.	1	.	633
.	1	1	9	12	4	.	.	.	.	.	.	.	.	.	640-689
.	.	.	1	7	.	.	.	.	.	.	.	.	.	.	642
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	644
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	648
.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	679
.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	672
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	677
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	681
.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	684
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	686
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	687
.	1	.	1	.	.	.	2	.	2	1	3	2	3	3	690-716
.	.	.	2	.	.	.	.	.	.	1	9	5	4	3	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	690
.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	692
.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
698	Other local infections of skin and subcutaneous tissue	M F	. 2	. 1	. .	. .	. .	. .	. 1	. .	. .
701	Eczema	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
703	Other dermatitis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
704	Pemphigus	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
705	Erythematous conditions	M F	3 4	. .	. .	. .	. .	1 .	1 .	. .	1 1
706	Psoriasis and similar disorders	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
710	Other hypertrophic and atrophic conditions of skin	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
711	Other dermatoses	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
715	Chronic ulcer of skin	M F	8 13	. .	. .	. .	. .	. .	. .	. .	. .
720-749	XIII—Diseases of the bones and organs of movement	M F	82 130	1 .	. 2	. 1	1 1	. .	2 4	. .	1 .
720	Acute arthritis due to pyogenic organisms	M F	1 3	. .	. 1	. .	. .	. .	1 .	. .	. .
722	Rheumatoid arthritis and allied conditions	M F	28 73	. .	. .	. .	. .	. .	. .	. .	. .
723	Osteo-arthritis (arthrosis) and allied conditions	M F	7 12	. .	. .	. .	. .	. .	. .	. .	. .
724	Other specified forms of arthritis	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
725	Arthritis, unspecified	M F	17 22	. .	. .	. .	. .	. .	. .	. .	. .
727	Rheumatism, unspecified	M F	7 5	. .	. .	. .	. .	. .	. .	. .	. .
730	Osteomyelitis and periostitis	M F	4 3	. .	. .	. .	1 .	. .	1 .	. .	. .
731	Osteitis deformans	M F	3 4	. .	. .	. .	. .	. .	. .	. .	. .
733	Other diseases of bone	M F	3 2	. .	. .	. .	. .	. .	. .	. .	. .
735	Displacement of intervertebral disc	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
744	Other diseases of muscle, tendon, and fascia	M F	7 5	1 .	. 1	. 1	1 .	. .	2 2	. .	1 .
745	Curvature of spine	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
749	Other deformities	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
750-759	XIV—Congenital malformations	M F	275 262	222 200	17 14	3 8	. 3	2 2	244 227	14 8	2 8
750	Monstrosity	M F	10 33	10 33	. .	. .	. .	. .	10 33	. .	. .
751	Spina bifida and meningocele	M F	36 57	35 52	1 2	. 3	. .	. .	36 57	. .	. .

[illegible]

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
752	Congenital hydrocephalus	M F	21 24	17 21	2 2	1 .	. .	. 1	20 24	1 .	. .
753	Other congenital malformations of nervous system and sense organs	M F	4 6	3 2	. 1	. 2	. .	. .	3 5	1 1	. .
754	Congenital malformations of circulatory system	M F	104 84	77 50	6 7	2 3	. 3	1 1	86 64	10 5	1 6
755	Cleft palate and harelip	M F	2 3	2 2	. 1	. .	. .	. .	2 3	. .	. .
756	Congenital malformations of digestive system	M F	43 20	39 17	3 .	. .	. .	. .	42 17	1 .	. 1
757	Congenital malformations of genito-urinary system	M F	19 12	10 5	2 .	. .	. .	1 .	13 5	. 1	1 1
758	Congenital malformations of bone and joint	M F	2 3	1 2	. 1	. .	. .	. .	1 3	. .	. .
759	Other and unspecified congenital malformations, not elsewhere classified	M F	34 20	28 16	3 .	. .	. .	. .	31 16	1 1	. .
760-776	XV—Certain diseases of early infancy	M F	559 396	559 396	. .	. .	. .	. .	559 396	. .	. .
760	Intracranial and spinal injury at birth	M F	55 38	55 38	. .	. .	. .	. .	55 38	. .	. .
761	Other birth injury	M F	31 14	31 14	. .	. .	. .	. .	31 14	. .	. .
762	Postnatal asphyxia and atelectasis	M F	101 80	101 80	. .	. .	. .	. .	101 80	. .	. .
763	Pneumonia of newborn	M F	49 34	49 34	. .	. .	. .	. .	49 34	. .	. .
764	Diarrhoea of newborn	M F	14 14	14 14	. .	. .	. .	. .	14 14	. .	. .
768	Other sepsis of newborn	M F	12 7	12 7	. .	. .	. .	. .	12 7	. .	. .
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M F	5 2	5 2	. .	. .	. .	. .	5 2	. .	. .
770	Haemolytic disease of newborn (erythroblastosis)	M F	35 33	35 33	. .	. .	. .	. .	35 33	. .	. .
771	Haemorrhagic disease of newborn	M F	10 13	10 13	. .	. .	. .	. .	10 13	. .	. .
772	Nutritional maladjustment	M F	1 4	1 4	. .	. .	. .	. .	1 4	. .	. .
773	Ill-defined diseases peculiar to early infancy	M F	69 46	69 46	. .	. .	. .	. .	69 46	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	5 3	5 3	. .	. .	. .	. .	5 3	. .	. .
776	Immaturity unqualified	M F	172 108	172 108	. .	. .	. .	. .	172 108	. .	. .
780-795	XVI—Symptoms, senility, and ill-defined conditions	M F	1,229 1,278	6 4	1 2	. 1	. .	. .	7 7	2 .	. .
780	Certain symptoms referable to nervous system and special senses	M F	5 6	4 4	1 1	. .	. .	. .	5 5	. .	. .

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death														85 and over	Detailed List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	752
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	753
3	1	.	2	1	.	.	.	.	.	.	.	.	.	.	754
3	1	.	.	2	.	1	1	.	.	.	.	1	.	.	755
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	756
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	757
.	1	.	.	1	.	.	1	1	1	1	.	.	.	.	758
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	759
.	1	1	.	.	.	.	.	1	1	1	.	.	.	.	760-776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	.	1	1	2	4	4	7	7	12	20	82	196	365	519	780-795
.	.	.	1	.	.	2	3	1	6	20	64	189	395	590	780
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
782	Symptoms referable to cardiovascular and lymphatic system	M F	161 145	. .	. .	. .	. .	. .	. .	1 .	. .
783	Symptoms referable to respiratory system	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
784	Symptoms referable to upper gastro-intestinal tract	M F	4 2	. .	. .	. .	. .	. .	. .	. .	. .
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M F	2 1	. .	. .	. .	. .	. .	. .	1 .	. .
786	Symptoms referable to genito-urinary system	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
788	Other general symptoms	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
789	Abnormal urinary constituents of unspecified cause	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
790	Nervousness and debility	M F	. 2	. .	. .	1 .	. .	. .	1 .	. .	. .
792	Uraemia	M F	27 13	. .	. .	. .	. .	. .	. .	. .	. .
794	Senility without mention of psychosis	M F	1,000 1,086	. .	. .	. .	. .	. .	. .	. .	. .
795	Ill-defined and unknown causes of morbidity and mortality	M F	27 22	1 .	. 1	. .	. .	. .	1 1	. .	. .
E800-E999	XVII-Accidents, poisonings and violence	M F	649 349	13 18	5 3	6 5	9 7	3 5	36 38	25 9	23 6
E802	Railway accident involving other and unspecified person	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E812	Motor vehicle traffic accident to pedestrian	M F	77 32	. .	. .	2 2	6 1	1 .	9 3	10 4	2 .
E813	Motor vehicle traffic accident to pedal cyclist	M F	31 7	. .	. .	. .	1 .	1 .	2 .	1 .	4 1
E814	Motor vehicle traffic accident to rider or passenger of motor-cycle, in collision with non-motor vehicle or object	M F	7 .	. .	. .	. .	. .	. .	. .	. .	. .
E815	Motor vehicle traffic accident to rider or passenger of motor-cycle in collision with other motor vehicle	M F	23 2	. .	. .	. .	. .	. .	. .	. .	. .
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F	29 12	. .	. .	. .	1 .	. .	1 .	1 .	1 .
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M F	6 1	. .	. .	. .	. .	. .	. .	. .	. .
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	M F	10 1	. .	. .	. .	. .	. .	. .	. .	. .
E822	Motor vehicle traffic accident involving overturning in roadway	M F	5 1	. .	. .	. .	. .	. .	. .	. .	. .

death														Detailed List Number	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85 and over
.	.	1	1	1	3	3	6	4	7	15	34	33	25	27	782
.	.	.	1	.	.	2	2	1	4	14	29	27	34	31	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	783
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	784
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	785
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	786
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	788
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	789
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	790
.	.	.	.	.	.	1	1	1	1	.	4	5	5	9	792
.	.	.	.	.	.	.	.	.	.	.	1	4	4	4	
.	.	.	.	.	.	.	.	.	.	4	38	155	332	471	794
.	.	.	.	.	.	.	.	.	.	3	30	152	352	549	
.	.	.	.	1	1	.	.	2	3	1	5	2	2	9	795
.	.	.	.	.	.	.	.	.	1	3	4	6	1	6	
29 7	43 7	29 6	33 10	32 7	44 7	41 7	40 10	40 14	43 13	44 18	58 37	42 52	23 48	24 53	E800- E999
.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	E802
1 1	3 1	2 .	.	2 1	3 .	3 .	5 2	3 6	9 3	8 1	6 4	7 2	3 3	1 1	E812
4 .	1 .	1 2	1 .	1 .	2 .	3 .	2 .	2 .	1 1	2 1	5 .	1 .	.	.	E813
.	1 .	.	1 .	1 .	2 .	1 .	1 .	.	.	.	.	.	.	.	E814
5 .	3 1	2 .	3 .	.	7 1	1 .	1 .	.	.	1 .	.	.	.	.	E815
1 .	6 .	3 1	5 .	1 2	6 2	2 1	1 .	1 1	1 .	.	1 1	1 1	.	.	E816
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E817
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	E818
1 .	.	2 .	1 .	2 .	.	.	.	.	.	.	.	.	.	.	E819
2 .	5 .	1 .	1 1	.	.	1 .	.	.	.	.	.	.	.	.	E821
.	2 1	1 .	1 .	.	.	.	.	.	.	.	.	1	.	.	E822

[illegible]

[illegible]

TABLE 19—(contd.)—DEATHS IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E914	Accident caused by electric current	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
E916	Accident caused by fire and explosion of combustible material	M F	17 26	1 .	1 1	. 1	. 2	. 4	2 8	. 1	. .
E917	Accident caused by hot substance, corrosive liquid and steam	M F	12 14	. .	. 2	1 1	1 1	. 1	2 5	. 1	. .
E919	Accident caused by firearm	M F	9 1	. .	. .	. .	. .	. .	. .	. .	. .
E921	Inhalation and ingestion of food causing obstruction or suffocation	M F	4 12	1 10	. .	. .	. .	. .	1 10	. .	. .
E923	Foreign body entering other orifice	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E924	Accidental mechanical suffocation in bed and cradle	M F	8 5	6 5	2 .	. .	. .	. .	8 5	. .	. .
E925	Accidental mechanical suffocation in other and unspecified circumstances	M F	3 .	1 .	. .	. .	. .	. .	1 .	. .	. .
E926	Lack of care of infants under 1 year of age	M F	4 1	4 1	. .	. .	. .	. .	4 1	. .	. .
E928	Accidents caused by animals	M F	6 1	. .	. .	. .	. .	. .	. .	1 .	. .
E929	Accidental drowning and submersion	M F	79 24	. .	. .	2 .	1 1	1 .	4 1	5 .	4 3
E932	Excessive cold	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
E933	Hunger, thirst and exposure	M F	7 1	. .	. .	. .	. .	. .	. .	. .	. .
E936	Other and unspecified accidents	M F	9 .	. .	1 .	. .	. .	. .	1 .	. .	. .
E962	Late effect of other accidental injury	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E965	Late effects of injuries due to war operations	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
E972	Suicide and self-inflicted poisoning by gases in domestic use	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
E973	Suicide and self-inflicted poisoning by other gases	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E974	Suicide and self-inflicted injury by hanging and strangulation	M F	31 4	. .	. .	. .	. .	. .	. .	. .	. .
E975	Suicide and self-inflicted injury by submersion (drowning)	M F	15 10	. .	. .	. .	. .	. .	. .	. .	. .
E976	Suicide and self-inflicted injury by firearms and explosives	M F	5 .	. .	. .	. .	. .	. .	. .	. .	. .
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M F	5 .	. .	. .	. .	. .	. .	. .	. .	. .
E979	Suicide and self-inflicted injury by other and unspecified means	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
E982	Assault by cutting and piercing instruments	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
E983	Assault by other means	M F	1 1	. .	. .	. .	. 1	. .	. 1	. .	. .

[illegible]

TABLE 20—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

International Detailed List Numbers	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	18,750 16,013	875 831
001-008	B 1	Tuberculosis of respiratory system	M F	244 137	. .
010-019	B 2	Tuberculosis, other forms	M F	22 17	. .
020-029	B 3	Syphilis and its sequelae	M F	5 1	. .
040	B 4	Typhoid fever	M F	. .	. .
045-048	B 6	Dysentery, all forms	M F	2 1	. .
050	B 7a	Scarlet fever	M F	. .	. .
051	B 7b	Streptococcal sore throat	M F	. .	. .
055	B 8	Diphtheria	M F	2 1	. .
056	B 9	Whooping cough	M F	4 8	. .
057	B 10	Meningococcal infections	M F	5 2	. .
080	B 12	Acute poliomyelitis	M F	3 4	. .
085	B 14	Measles	M F	15 16	. .
110-117	B 16	Malaria	M F	. .	. .
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138 151	B 17	Other infective and parasitic diseases	M F	46 44	. .
150, 152-159	B 18a	Malignant neoplasms :— of stomach	M F	476 333	8 2
160-165	B 18b	of other digestive organs and peritoneum	M F	681 633	1 1
170	B 18c	of respiratory system	M F	555 138	1 1
171-181	B 18d	of breast	M F	4 355	. 2
200-205	B 18e	of genito-urinary system	M F	331 302	2 1
140-148, 190-199	B 18f	of lymphatic and haematopoietic tissues	M F	157 90	. .
210-239	B 18g	other	M F	389 260	13 .
260	B 19	Benign and unspecified neoplasms	M F	43 53	1 1
290-293	B 20	Diabetes mellitus	M F	123 149	3 2
330-334	B 21	Anaemias	M F	51 65	1 .
340	B 22	Vascular lesions affecting central nervous system	M F	1,811 2,224	17 24
400-402	B 23	Non-meningococcal meningitis	M F	24 17	. .
410-416	B 24	Rheumatic fever	M F	5 9	. .
421	B 25	Chronic rheumatic heart disease	M F	141 173	1 .
420	B 26a	Chronic endocarditis	M F	164 174	1 2
422	B 26b	Coronary and arteriosclerotic heart disease	M F	2,802 1,483	70 31
430-434	B 26c	Other myocardial degeneration	M F	2,294 2,304	75 94
	B 27	Other diseases of heart	M F	787 742	42 35

NOTE.—No deaths were recorded due to causes B 5 (cholera), B 11 (Plague), B 13 (Smallpox), or B 15 (Typhus and other rickettsial diseases).

TABLE 20—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Detailed List Numbers	Abbreviated List Number	Cause of death	Total	Uncertified
440-443	B 28	Hypertension with heart disease M F	279 380	2 5
444-447	B 29	Hypertension without mention of heart M F	190 189	1 6
450-468	B 46a	Other diseases of circulatory system M F	491 452	4 2
480-483	B 30	Influenza M F	567 587	33 32
490-493	B 31	Pneumonia M F	622 582	2 9
500-502	B 32	Bronchitis M F	902 431	6 3
526	B 46b	Bronchiectasis M F	53 28	1 .
470-475, 510-525, 527	B 46c	Other diseases of respiratory system M F	177 104	1 .
540, 541	B 33	Ulcer of stomach and duodenum M F	164 62	. 1
550-553	B 34	Appendicitis M F	17 11	. .
560, 561, 570	B 35	Intestinal obstruction and hernia M F	78 75	. 2
543, 571, 572	B 36	Gastritis and enteritis (except of newborn) M F	84 100	1 .
764, 571-0	B 36, 43, parts of	Gastro-enteritis (under 2 years) M F	49 48	1 .
581	B 37	Cirrhosis of liver M F	42 24	. .
530-539, 542, 544, 545, 573-578, 580, 582-587	B 46d	Other diseases of digestive system M F	100 104	. .
590-594	B 38	Nephritis and nephrosis M F	230 180	6 2
610	B 39	Hyperplasia of prostate M	189	.
640-689	B 40	Deliveries and complications of pregnancy and childbirth F	27	.
750-759	B 41	Congenital malformations M F	275 262	4 2
760-762	B 42	Birth injuries, asphyxia and atelectasis M F	187 132	1 .
763-768	B 43	Infections of the newborn M F	75 55	1 .
769-776	B 44	Other diseases of early infancy M F	297 209	. 3
794	B 45a	Senility without psychosis M F	1,000 1,086	455 478
780-793, 795	B 45b	Ill-defined and unknown causes M F	229 192	96 73
240-245, 250-254, 270-277, 280-289, 294-326, 341-345, 350-357, 360-398, 600-609, 611-637, 690-716, 720-727, 730-738, 740-749	B 46e	All other diseases M F	667 657	23 17
E810-E835	B 47	External Causes Motor vehicle accidents M F	225 61	1 .
E800-E802, E840-E962	B 48	All other accidents M F	349 268	1 .
E963, E970-E979	B 49	Suicide and self-inflicted injury M F	70 19	. .
E964, E965, E980-E999	B 50	Homicide and operations of war M F	5 1	. .

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	7,792 6,959	117 102	6,139 5,170	282 253	3,182 2,526	362 353	1,637 1,358	114 123
B 1	Tuberculosis of respiratory system	M F	141 66	. .	69 45	. .	21 20	. .	13 6	. .
B 2	Tuberculosis, other forms	M F	7 10	. .	12 4	. .	3 1	. .	. 2	. .
B 3	Syphilis and its sequelae	M F	5 .	. .	. 1	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	1 1	. .	1 .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	2 1	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	1 3	. .	1 2	. .	2 2	. .	. 1	. .
B 10	Meningococcal infections	M F	. 1	. .	4 1	. .	1 .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. 2	. .	2 .	. .	1 1	. .	. 1	. .
B 14	Measles	M F	13 13	. .	1 2	. .	1 1	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	17 20	. .	20 14	. .	6 8	. .	3 2	. .
B 18a	Malignant neoplasms :— of stomach	M F	189 165	. .	142 94	. .	93 42	8 2	52 32	. .
B 18b	of other digestive organs and peritoneum	M F	284 299	1 1	227 195	. .	113 84	. .	57 55	. .
B 18c	of respiratory system	M F	344 72	. 1	141 41	1 .	42 22	. .	28 3	. .
B 18d	of breast	M F	. 169	. 1	1 115	. .	3 49	. .	. 22	. 1
B 18e	of genito-urinary system	M F	143 153	. .	122 82	1 1	43 41	1 .	23 26	. .
B 18f	of lymphatic and haematopoietic tissues	M F	79 43	. .	49 33	. .	22 10	. .	7 4	. .
B 18g	other	M F	175 105	8 .	123 100	1 .	61 34	2 .	30 21	2 .
B 19	Benign and unspecified neoplasms	M F	13 26	. .	18 10	. .	5 9	. .	7 8	1 1
B 20	Diabetes mellitus	M F	49 69	. .	39 41	1 .	18 27	2 2	17 12	. .
B 21	Anaemias	M F	17 29	. .	16 18	1 .	13 10	. .	5 8	. .
B 22	Vascular lesions affecting central nervous system	M F	821 1,027	3 4	545 684	5 9	294 319	4 6	151 194	5 5
B 23	Non-meningococcal meningitis	M F	12 11	. .	6 2	. .	3 1	. .	3 3	. .
B 24	Rheumatic fever	M F	3 3	. .	1 4	. .	. 2	. .	1 .	. .
B 25	Chronic rheumatic heart disease	M F	59 104	. .	49 50	1 .	21 13	. .	12 6	. .
B 26a	Chronic endocarditis	M F	64 66	. .	54 61	1 1	25 24	. 1	21 23	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	1,247 701	15 4	862 465	21 10	458 207	17 8	235 110	17 9
B 26c	Other myocardial degeneration	M F	768 882	17 18	864 800	21 19	444 438	22 39	218 184	15 18

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 27	Other diseases of heart	M	282	4	287	9	146	20	72	9
		F	296	6	274	10	112	16	60	3
B 28	Hypertension with heart disease	M	126	.	78	1	52	1	23	.
		F	184	3	99	1	70	1	27	.
B 29	Hypertension without mention of heart	M	87	.	57	1	33	.	13	.
		F	89	.	59	2	29	3	12	1
B 46a	Other diseases of circulatory system	M	218	.	163	1	78	2	32	1
		F	216	1	146	1	65	.	25	.
B 30	Influenza	M	195	3	199	11	94	11	79	8
		F	227	8	190	5	106	10	64	9
B 31	Pneumonia	M	273	.	172	.	107	2	70	.
		F	294	.	146	3	66	4	76	2
B 32	Bronchitis	M	471	.	275	2	111	1	45	3
		F	257	1	105	.	45	.	24	2
B 46b	Bronchiectasis	M	22	.	20	.	9	1	2	.
		F	14	.	11	.	2	.	1	.
B 46c	Other diseases of respiratory system	M	87	.	46	.	28	.	16	1
		F	46	.	32	.	15	.	11	.
B 33	Ulcer of stomach and duodenum	M	65	.	67	.	15	.	17	.
		F	23	.	19	.	12	1	8	.
B 34	Appendicitis	M	2	.	5	.	7	.	3	.
		F	6	.	3	.	2	.	.	.
B 35	Intestinal obstruction and hernia	M	30	.	22	.	19	.	7	.
		F	28	1	27	1	13	.	7	.
B 36	Gastritis and enteritis (except of newborn)	M	40	.	21	1	17	.	6	.
		F	53	.	26	.	13	.	8	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	28	.	8	1	11	.	2	.
		F	30	.	8	.	6	.	4	.
B 37	Cirrhosis of liver	M	20	.	13	.	7	.	2	.
		F	13	.	8	.	3	.	.	.
B 46d	Other diseases of digestive system	M	45	.	23	.	20	.	12	.
		F	57	.	34	.	9	.	4	.
B 38	Nephritis and nephrosis	M	92	2	71	1	41	2	26	1
		F	79	.	61	1	25	1	15	.
B 39	Hyperplasia of prostate	M	52	.	72	.	44	.	21	.
B 40	Deliveries and complications of pregnancy and childbirth	F	9	.	8	.	6	.	4	.
B 41	Congenital malformations	M	153	2	81	1	26	.	15	1
		F	138	1	80	.	30	1	14	.
B 42	Birth injuries, asphyxia and atelectasis	M	99	1	58	.	17	.	13	.
		F	65	.	42	.	16	.	9	.
B 43	Infections of the newborn	M	44	.	19	.	8	1	4	.
		F	32	.	13	.	4	.	6	.
B 44	Other diseases of early infancy	M	143	.	92	.	42	.	20	.
		F	99	1	65	.	29	2	16	.
B 45a	Senility without psychosis	M	168	31	417	159	305	227	110	38
		F	198	39	464	163	301	219	123	57
B 45b	Ill-defined and unknown causes	M	76	23	73	36	47	29	33	8
		F	52	10	62	23	46	28	32	12
B 46e	All other diseases	M	252	7	234	5	115	8	66	3
		F	277	2	222	3	99	9	59	3
External Causes										
B 47	Motor vehicle accidents	M	124	.	66	.	20	.	15	1
		F	39	.	19	.	2	.	1	.
B 48	All other accidents	M	142	.	119	.	65	1	23	.
		F	115	.	86	.	39	.	28	.
B 49	Suicide and self-inflicted injury	M	27	.	19	.	15	.	9	.
		F	12	.	4	.	2	.	1	.
B 50	Homicide and operations of war	M	3	.	1	.	1	.	.	.
		F	.	.	1	.	.	.	.	.

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	243 185	2 6	2,884 2,862	8 6	255 321	. .	523 462	2 1
B 1	Tuberculosis of respiratory system	M F	4 2	. .	84 34	. .	4 4	. .	7 4	. .
B 2	Tuberculosis, other forms	M F	. 1	. .	3 5	. .	. 1	. .	. 2	. .
B 3	Syphilis and its sequelae	M F	. .	. .	3 .	. .	1 .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	1 .	. .	. .	. .	1 .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	2 .	. .	. .	. .	1 .	. .
B 9	Whooping cough	M F	. .	. .	1 2	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. 1	. .	. 1	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	8 8	. .	. 1	. .	4 2	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	. .	. .	4 6	. .	. 2	. .	4 1	. .
B 18a	Malignant neoplasms :— of stomach	M F	6 3	. .	70 58	. .	5 8	. .	12 10	. .
B 18b	of other digestive organs and peritoneum	M F	6 7	. .	116 135	. .	11 20	. .	22 22	. .
B 18c	of respiratory system	M F	8 2	. .	180 40	. .	21 3	. .	26 4	. .
B 18d	of breast	M F	. 4	. .	. 78	. .	. 8	. .	. 11	. .
B 18e	of genito-urinary system	M F	3 1	. .	57 76	. .	3 10	. .	8 14	. .
B 18f	of lymphatic and haematopoietic tissues	M F	5 .	. .	25 21	. .	6 1	. .	4 3	. .
B 18g	other	M F	4 1	. .	75 48	. .	3 4	. .	9 7	. .
B 19	Benign and unspecified neoplasms	M F	. .	. .	9 14	. .	. .	. .	1 5	. .
B 20	Diabetes mellitus	M F	. .	. .	20 33	. .	6 3	. .	5 2	. .
B 21	Anaemias	M F	1 1	. .	6 14	. .	. 2	. .	. .	. .
B 22	Vascular lesions affecting central nervous system	M F	32 23	. .	254 402	. .	28 57	. .	51 69	1 1
B 23	Non-meningococcal men- ingitis	M F	. .	. .	4 2	. .	. .	. .	1 2	. .
B 24	Rheumatic fever	M F	. .	. .	2 2	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	4 4	. .	21 49	. .	. 6	. .	3 6	. .
B 26a	Chronic endocarditis	M F	2 1	. .	17 26	. .	1 6	. .	5 5	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	44 8	. .	531 327	1 .	56 36	. .	89 58	1 .

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 26c	Other myocardial degeneration	M	24	.	140	.	18	.	31	.
		F	17	.	286	.	37	.	38	.
B 27	Other diseases of heart	M	22	.	80	.	13	.	15	.
		F	24	.	116	.	16	.	22	.
B 28	Hypertension with heart disease	M	4	.	37	.	5	.	6	.
		F	8	.	74	.	6	.	13	.
B 29	Hypertension without mention of heart	M	3	.	22	.	2	.	9	.
		F	3	.	35	.	1	.	5	.
B 46a	Other diseases of circulatory system	M	3	.	67	.	9	.	10	.
		F	4	.	70	.	13	.	9	.
B 30	Influenza	M	15	2	38	.	3	.	6	.
		F	11	.	78	1	6	.	19	.
B 31	Pneumonia	M	6	.	134	.	8	.	33	.
		F	3	.	169	.	13	.	26	.
B 32	Bronchitis	M	7	.	267	.	14	.	40	.
		F	3	.	138	.	12	.	17	.
B 46b	Bronchiectasis	M	.	.	12	.	1	.	3	.
		F	.	.	6	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	2	.	39	.	5	.	5	.
		F	2	.	21	.	7	.	7	.
B 33	Ulcer of stomach and duodenum	M	3	.	23	.	.	.	9	.
		F	.	.	11	.	2	.	1	.
B 34	Appendicitis	M	.	.	.	.	1	.	.	.
		F	.	.	4	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	1	.	13	.	3	.	2	.
		F	1	.	15	.	.	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	14	.	2	.	6	.
		F	1	.	19	.	5	.	5	.
<i>B 36, 43, partsof</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	.	.	<i>12</i>	.	<i>2</i>	.	<i>6</i>	.
		<i>F</i>	.	.	<i>13</i>	.	<i>2</i>	.	<i>3</i>	.
B 37	Cirrhosis of liver	M	1	.	9	.	1	.	1	.
		F	.	.	2	.	1	.	2	.
B 46d	Other diseases of digestive system	M	3	.	15	.	2	.	6	.
		F	2	.	23	.	1	.	.	.
B 38	Nephritis and nephrosis	M	.	.	37	.	2	.	4	.
		F	4	.	28	.	4	.	6	.
B 39	Hyperplasia of prostate	M	.	.	13	.	.	.	1	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	3	.	.	.	2	.
B 41	Congenital malformations	M	.	.	71	.	3	.	10	.
		F	5	.	67	.	3	.	12	.
B 42	Birth injuries, asphyxia and atelectasis	M	.	.	42	.	1	.	6	.
		F	4	.	27	.	1	.	4	.
B 43	Infections of the newborn	M	.	.	19	.	.	.	6	.
		F	4	.	15	.	.	.	5	.
B 44	Other diseases of early infancy	M	3	.	66	.	4	.	10	.
		F	3	.	46	.	.	.	3	.
B 45a	Senility without psychosis	M	2	.	8	1	.	.	7	.
		F	9	5	29	1	7	.	2	.
B 45b	Ill-defined and unknown causes	M	1	.	24	6	.	.	3	.
		F	6	1	14	3	.	.	2	.
B 46e	All other diseases	M	11	.	83	.	7	.	14	.
		F	7	.	112	1	10	.	15	.
External Causes										
B 47	Motor vehicle accidents	M	3	.	51	.	2	.	14	.
		F	1	.	15	.	.	.	6	.
B 48	All other accidents	M	9	.	54	.	4	.	13	.
		F	3	.	52	.	2	.	11	.
B 49	Suicide and self-inflicted injury	M	.	.	10	.	.	.	2	.
		F	1	.	6	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	3	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	387 293	4 3	480 351	7 12	321 241	9 11	229 180	21 18
B 1	Tuberculosis of respiratory system	M F	8 4	. .	9 1	. .	4 3	. .	2 1	. .
B 2	Tuberculosis, other forms	M F	1 .	. .	1 .	. .	. .	. .	. 1	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 18	Other infective and parasitic diseases	M F	1 1	. .	1 2	. .	. .	. .	. 1	. .
B 18a	Malignant neoplasms :— of stomach	M F	11 2	. .	8 13	. .	8 3	. .	10 11	. .
B 18b	of other digestive organs and peritoneum	M F	18 5	. 1	14 14	. .	12 8	. .	8 8	1 .
B 18c	of respiratory system	M F	9 .	. .	9 5	. .	8 .	. .	9 3	. .
B 18d	of breast	M F	. 6	. .	. 14	. .	. 7	. .	. 2	. .
B 18e	of genito-urinary system	M F	6 5	. .	7 3	. .	6 4	. .	8 1	. .
B 18f	of lymphatic and haematopoietic tissues	M F	2 3	. .	3 1	. .	2 .	. .	2 .	. .
B 18g	other	M F	11 4	. .	6 2	. .	8 3	. .	10 5	. .
B 19	Benign and unspecified neoplasms	M F	. 1	. .	. 1	. .	1 1	. .	. 1	. .
B 20	Diabetes mellitus	M F	2 1	. .	2 3	. .	1 2	. .	1 2	. .
B 21	Anaemias	M F	. 1	. .	1 1	. .	1 .	. .	3 1	. .
B 22	Vascular lesions affecting central nervous system	M F	28 29	. .	64 51	. .	32 35	. .	33 27	1 .
B 23	Non-meningococcal meningitis	M F	. .	. .	1 1	. .	3 .	. .	. .	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	6 12	. .	7 3	. .	2 2	. .	2 1	. .
B 26a	Chronic endocarditis	M F	5 3	. .	3 3	. .	3 4	. .	6 1	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	51 19	2 1	62 28	. .	36 18	3 1	19 11	1 1

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 26c	Other myocardial degeneration	M	46	.	49	1	55	.	47	5
		F	40	1	51	2	45	1	44	5
B 27	Other diseases of heart	M	29	1	18	.	18	.	4	.
		F	22	.	6	.	16	2	2	.
B 28	Hypertension with heart disease	M	10	.	8	.	3	.	4	.
		F	6	.	3	1	9	1	6	.
B 29	Hypertension without mention of heart	M	2	.	2	.	6	.	1	.
		F	3	.	5	.	3	.	2	.
B 46a	Other diseases of circulatory system	M	7	.	24	.	9	.	5	.
		F	5	.	18	.	9	.	2	.
B 30	Influenza	M	12	.	21	.	9	1	.	.
		F	7	.	12	.	11	.	5	2
B 31	Pneumonia	M	12	.	7	.	4	.	4	.
		F	13	.	12	.	4	.	3	.
B 32	Bronchitis	M	19	.	13	.	10	.	4	.
		F	15	.	7	.	7	.	4	1
B 46b	Bronchiectasis	M	.	.	2	.	2	.	1	.
		F	2	.	1	.	1	.	1	.
B 46c	Other diseases of respiratory system	M	6	.	1	.	5	.	3	.
		F	3	.	1	.	2	.	.	.
B 33	Ulcer of stomach and duodenum	M	5	.	.	.	7	.	3	.
		F	.	.	.	.	1	.	.	.
B 34	Appendicitis	M	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	2	.	.	.	1	.
		F	4	.	.	.	2	1	1	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	1	.	.	.	.	.
		F	4	.	3	.	1	.	1	.
<i>B 36, 43, parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	.	.	<i>1</i>	.	.	.	.	.
		<i>F</i>	.	.	<i>1</i>	.	.	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	1	.	.	.
		F	.	.	1	.	.	.	1	.
B 46d	Other diseases of digestive system	M	.	.	4	.	.	.	.	.
		F	5	.	3	.	1	.	.	.
B 38	Nephritis and nephrosis	M	7	.	6	.	3	.	3	1
		F	4	.	3	.	5	.	2	.
B 39	Hyperplasia of prostate	M	3	.	4	.	3	.	.	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	1	.	.	.
B 41	Congenital malformations	M	10	.	8	.	8	.	.	.
		F	5	.	3	1	2	.	2	.
B 42	Birth injuries, asphyxia and atelectasis	M	9	.	6	.	1	.	2	.
		F	7	.	2	.	.	.	2	.
B 43	Infections of the newborn	M	1	.	3	.	2	.	.	.
		F	.	.	1	.	.	.	.	.
B 44	Other diseases of early infancy	M	5	.	11	.	8	.	3	.
		F	3	.	12	.	2	.	3	1
B 45a	Senility without psychosis	M	5	1	47	4	18	4	9	7
		F	7	.	41	8	16	4	4	4
B 45b	Ill-defined and unknown causes	M	.	.	11	1	1	.	4	3
		F	3	.	1	.	1	.	4	3
B 46e	All other diseases	M	20	.	16	1	9	1	12	2
		F	27	.	13	.	7	.	11	1
External Causes										
B 47	Motor vehicle accidents	M	8	.	10	.	5	.	1	.
		F	2	.	1	.	2	.	1	.
B 48	All other accidents	M	6	.	4	.	6	.	4	.
		F	7	.	4	.	2	.	2	.
B 49	Suicide and self-inflicted injury	M	1	.	3	.	1	.	1	.
		F	2	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	401 350	3 2	413 348	13 12	361 253	20 13	337 252	8 9
B 1	Tuberculosis of respiratory system	M F	2 2	. .	2 2	. .	3 1	. .	2 1	. .
B 2	Tuberculosis, other forms	M F	. .	. .	. .	. .	2 .	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	1 1	. .	. .	. .	1 .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	2 3	. .	1 .	. .	1 1	. .	1 .	. .
B 18a	Malignant neoplasms:— of stomach	M F	9 18	. .	9 4	. .	13 10	. .	3 5	. .
B 18b	of other digestive organs and peritoneum	M F	12 22	. .	8 17	. .	14 7	. .	7 6	. .
B 18c	of respiratory system	M F	16 3	. .	16 2	. .	9 2	. 1	12 2	. .
B 18d	of breast	M F	. 5	. .	. 4	. .	. 2	. .	. 11	. .
B 18e	of genito-urinary system	M F	6 3	. .	6 7	. .	5 5	. .	4 7	. .
B 18f	of lymphatic and haematopoietic tissues	M F	1 2	. .	7 3	. .	8 3	. .	8 3	. .
B 18g	other	M F	4 5	. .	5 5	. .	11 2	. .	10 5	. .
B 19	Benign and unspecified neoplasms	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 20	Diabetes mellitus	M F	2 5	. .	2 3	. .	. 3	. .	3 1	. .
B 21	Anaemias	M F	. 1	. .	. 3	. .	. 1	. .	2 .	. .
B 22	Vascular lesions affecting central nervous system	M F	44 52	. .	56 78	. .	33 33	. 1	48 35	. 1
B 23	Non-meningococcal meningitis	M F	1 .	. .	. 3	. .	. 1	. .	. 1	. .
B 24	Rheumatic fever	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	2 6	. .	. 2	. .	2 1	. .	6 3	. .
B 26a	Chronic endocarditis	M F	4 3	. .	6 4	. .	3 2	. .	3 2	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	52 28	1 1	69 22	. .	44 12	4 .	35 16	1 .

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 26c	Other myocardial degeneration	M	63	.	46	1	69	5	56	2
		F	59	.	42	.	61	6	51	1
B 27	Other diseases of heart	M	20	.	13	1	8	.	12	2
		F	14	.	12	1	9	1	15	2
B 28	Hypertension with heart disease	M	9	.	8	.	6	.	7	.
		F	9	.	11	.	8	1	10	.
B 29	Hypertension without mention of heart	M	2	.	11	.	1	.	9	.
		F	4	.	10	.	2	.	4	.
B 46a	Other diseases of circulatory system	M	7	.	7	.	6	.	10	.
		F	5	.	9	.	10	.	7	.
B 30	Influenza	M	16	.	20	.	7	.	5	.
		F	14	1	14	1	7	1	2	.
B 31	Pneumonia	M	10	.	6	.	7	.	11	.
		F	9	.	4	.	5	.	8	.
B 32	Bronchitis	M	21	.	30	.	12	.	2	.
		F	7	.	14	.	5	.	4	.
B 46b	Bronchiectasis	M	.	.	.	.	1	.	.	.
		F	.	.	1	.	.	.	1	.
B 46c	Other diseases of respiratory system	M	2	.	7	.	2	.	5	.
		F	.	.	1	.	1	.	1	.
B 33	Ulcer of stomach and duodenum	M	1	.	1	.	4	.	4	.
		F	2	.	.	.	1	.	1	.
B 34	Appendicitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	4	.	4	.	1	.	1	.
		F	1	.	2	.	3	.	3	.
<i>B 36, 43, parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	<i>1</i>	.	<i>1</i>	.	<i>1</i>	.	<i>3</i>	.
		<i>F</i>	.	.	<i>1</i>	.	<i>3</i>	.	<i>3</i>	.
B 37	Cirrhosis of liver	M	.	.	.	.	1	.	1	.
		F	2	.	2	.	.	.	.	.
B 46d	Other diseases of digestive system	M	2	.	3	.	1	.	3	.
		F	2	.	6	.	4	.	3	.
B 38	Nephritis and nephrosis	M	5	.	2	.	11	.	5	.
		F	7	.	1	.	4	.	2	.
B 39	Hyperplasia of prostate	M	3	.	6	.	2	.	5	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	.	.	.	.
B 41	Congenital malformations	M	8	.	9	.	5	.	9	1
		F	5	.	6	.	7	.	7	.
B 42	Birth injuries, asphyxia and atelectasis	M	3	.	7	.	6	.	4	.
		F	1	.	3	.	6	.	1	.
B 43	Infections of the newborn	M	1	.	2	.	3	.	4	.
		F	1	.	.	.	1	.	2	.
B 44	Other diseases of early infancy	M	10	.	3	.	6	.	6	.
		F	7	.	2	.	7	.	3	.
B 45a	Senility without psychosis	M	26	2	13	5	11	3	5	1
		F	27	.	22	10	7	2	7	3
B 45b	Ill-defined and unknown causes	M	2	.	7	6	14	5	5	1
		F	.	.	2	.	2	.	5	2
B 46e	All other diseases	M	12	.	9	.	14	3	13	.
		F	7	.	17	.	9	.	7	.
External Causes										
B 47	Motor vehicle accidents	M	11	.	2	.	7	.	2	.
		F	3	.	1	.	1	.	1	.
B 48	All other accidents	M	4	.	7	.	5	.	9	.
		F	6	.	5	.	5	.	6	.
B 49	Suicide and self-inflicted injury	M	1	.	1	.	2	.	1	.
		F	.	.	.	.	1	.	1	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	566 535	14 7	392 326	6 2	542 499	. 1	1,783 1,526	62 51
B 1	Tuberculosis of respiratory system	M F	5 4	. .	5 3	. .	13 2	. .	11 8	. .
B 2	Tuberculosis, other forms	M F	. .	. .	. .	. .	. 2	. .	6 1	. .
B 3	Syphilis and its sequelae	M F	. .	. .	1 .	. .	. .	. .	. 1	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. 1	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	1 .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 .	. .	2 2	. .	. .	. .	5 5	. .
B 18a	Malignant neoplasms:— of stomach	M F	14 13	. .	11 7	. .	7 7	. .	42 32	. .
B 18b	of other digestive organs and peritoneum	M F	23 20	. .	13 8	. .	18 19	. .	86 70	. .
B 18c	of respiratory system	M F	11 2	. .	10 4	. .	24 1	. .	29 11	. .
B 18d	of breast	M F	. 12	. 1	. 5	. .	. 12	. .	. 31	. .
B 18e	of genito-urinary system	M F	11 10	. .	13 7	. .	5 8	. .	36 32	1 1
B 18f	of lymphatic and haematopoietic tissues	M F	4 1	. .	2 2	. .	5 1	. .	13 8	. .
B 18g	other	M F	10 10	8 .	9 4	. .	14 17	. .	36 36	. .
B 19	Benign and unspecified neoplasms	M F	. 3	. .	1 .	. .	. 1	. .	6 .	. .
B 20	Diabetes mellitus	M F	3 5	. .	2 6	. .	2 2	. .	10 9	. .
B 21	Anaemias	M F	3 3	. .	. 1	. .	1 3	. .	6 5	. .
B 22	Vascular lesions affecting central nervous system	M F	50 75	. .	68 61	1 .	47 66	. .	170 184	4 6
B 23	Non-meningococcal meningitis	M F	1 .	. .	1 1	. .	. .	. .	2 2	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	. 2	. .
B 25	Chronic rheumatic heart disease	M F	1 3	. .	3 6	. .	4 4	. .	19 15	1 .
B 26a	Chronic endocarditis	M F	4 1	. .	2 5	. .	4 6	. .	17 19	1 .
B 26b	Coronary and arteriosclerotic heart disease	M F	91 67	. .	68 51	1 .	91 67	. .	259 131	3 1
B 26c	Other myocardial degeneration	M F	95 75	1 1	29 36	2 1	69 78	. 1	243 257	13 4

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 27	Other diseases of heart	M	14	.	16	.	16	.	83	2
		F	11	.	11	.	21	.	89	3
B 28	Hypertension with heart disease	M	12	.	7	.	9	.	16	1
		F	12	.	9	.	13	.	22	.
B 29	Hypertension without mention of heart	M	14	.	3	.	2	.	24	.
		F	11	.	1	.	7	.	23	1
B 46a	Other diseases of circulatory system	M	46	.	8	.	23	.	41	.
		F	47	1	8	.	17	.	45	.
B 30	Influenza	M	34	.	9	.	19	.	66	7
		F	32	2	9	.	30	.	75	2
B 31	Pneumonia	M	11	.	20	.	17	.	44	.
		F	11	.	14	.	11	.	33	.
B 32	Bronchitis	M	23	.	9	.	47	.	63	.
		F	15	.	9	.	19	.	24	.
B 46b	Bronchiectasis	M	.	.	.	.	1	.	6	.
		F	.	.	.	.	2	.	4	.
B 46c	Other diseases of respiratory system	M	3	.	2	.	4	.	11	.
		F	.	.	.	.	2	.	10	.
B 33	Ulcer of stomach and duodenum	M	2	.	3	.	8	.	23	.
		F	3	.	1	.	1	.	5	.
B 34	Appendicitis	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	1	.
B 35	Intestinal obstruction and hernia	M	1	.	4	.	2	.	8	.
		F	3	.	1	.	3	.	7	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	1	.	2	.	10	.
		F	3	.	2	.	3	.	9	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	.	.	1	.	3	.
		F	2	.	2	.	2	.	1	.
B 37	Cirrhosis of liver	M	2	.	1	.	2	.	4	.
		F	1	.	1	.	1	.	2	.
B 46d	Other diseases of digestive system	M	.	.	6	.	3	.	3	.
		F	4	.	3	.	4	.	8	.
B 38	Nephritis and nephrosis	M	4	1	3	.	4	.	19	.
		F	8	.	1	.	7	.	16	.
B 39	Hyperplasia of prostate	M	6	.	6	.	13	.	31	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	1	.	2	.
B 41	Congenital malformations	M	11	1	1	.	11	.	25	.
		F	10	.	4	.	15	.	20	.
B 42	Birth injuries, asphyxia and atelectasis	M	4	1	8	.	6	.	17	.
		F	4	.	3	.	4	.	10	.
B 43	Infections of the newborn	M	2	.	1	.	1	.	6	.
		F	1	.	2	.	1	.	2	.
B 44	Other diseases of early infancy	M	5	.	3	.	9	.	23	.
		F	6	.	2	.	4	.	10	.
B 45a	Senility without psychosis	M	10	2	7	1	4	.	107	22
		F	13	1	7	1	17	.	142	29
B 45b	Ill-defined and unknown causes	M	1	.	3	1	.	.	18	6
		F	4	1	8	.	1	.	16	3
B 46e	All other diseases	M	14	.	18	.	21	.	72	1
		F	18	.	17	.	10	.	71	1
External Causes										
B 47	Motor vehicle accidents	M	4	.	4	.	3	.	24	.
		F	4	.	1	.	.	.	4	.
B 48	All other accidents	M	10	.	7	.	8	.	36	.
		F	8	.	2	.	8	.	17	.
B 49	Suicide and self-inflicted injury	M	2	.	2	.	.	.	6	.
		F	1	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	1	.	.	.

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	548 463	45 37	901 702	104 89	291 277	4 4	607 526	22 24
B 1	Tuberculosis of respiratory system	M F	5 6	. .	13 4	. .	5 3	. .	7 8	. .
B 2	Tuberculosis, other forms	M F	1 .	. .	2 .	. .	. .	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	1 .	. .	. .	. .	1 .	. .
B 10	Meningococcal infections	M F	1 .	. .	1 .	. .	. .	. .	1 .	. .
B 12	Acute poliomyelitis	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 14	Measles	M F	. 1	. .	. .	. .	. .	. .	1 1	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 1	. .	6 1	. .	. 1	. .	2 1	. .
B 18a	Malignant neoplasms:— of stomach	M F	7 6	. .	18 13	. .	8 3	. .	18 10	. .
B 18b	of other digestive organs and peritoneum	M F	21 11	. .	33 23	. .	13 13	. .	17 20	. .
B 18c	of respiratory system	M F	7 2	. .	20 10	1 .	10 5	. .	13 1	. .
B 18d	of breast	M F	. 13	. .	1 15	. .	. 8	. .	. 9	. .
B 18e	of genito-urinary system	M F	10 4	. .	18 8	. .	4 6	. .	15 5	. .
B 18f	of lymphatic and haematopoietic tissues	M F	3 3	. .	4 9	. .	3 2	. .	7 5	. .
B 18g	other	M F	6 12	. .	17 2	1 .	8 8	. .	10 7	. .
B 19	Benign and unspecified neoplasms	M F	1 .	. .	5 4	. .	2 1	. .	2 2	. .
B 20	Diabetes mellitus	M F	3 7	. .	8 8	1 .	2 1	. .	3 6	. .
B 21	Anaemias	M F	. 2	. .	3 2	1 .	1 2	. .	1 1	. .
B 22	Vascular lesions affecting central nervous system	M F	44 62	. 2	78 90	1 .	20 47	. .	56 71	. .
B 23	Non-meningococcal meningitis	M F	1 .	. .	1 .	. .	1 .	. .	1 .	. .
B 24	Rheumatic fever	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	1 5	. .	7 4	. .	2 1	. .	11 6	. .
B 26a	Chronic endocarditis	M F	9 15	. 1	10 8	. .	3 1	. .	4 3	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	58 31	. .	100 61	10 7	48 23	3 .	86 40	1 .

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 26c	Other myocardial degeneration	M	123	1	125	3	13	.	94	3
		F	82	1	94	3	33	.	93	8
B 27	Other diseases of heart	M	35	2	46	3	21	.	28	.
		F	24	2	38	2	29	.	21	.
B 28	Hypertension with heart disease	M	6	.	9	.	13	.	6	.
		F	10	.	14	.	9	.	11	1
B 29	Hypertension without mention of heart	M	5	.	9	1	.	.	9	.
		F	6	.	8	.	1	.	4	.
B 46a	Other diseases of circulatory system	M	10	.	34	1	1	.	17	.
		F	11	.	29	1	5	.	11	.
B 30	Influenza	M	15	1	27	1	6	.	15	1
		F	9	.	22	2	.	.	14	.
B 31	Pneumonia	M	16	.	19	.	19	.	14	.
		F	8	.	17	.	10	2	12	1
B 32	Bronchitis	M	19	.	28	1	26	.	23	.
		F	5	.	5	.	6	.	19	.
B 46b	Bronchiectasis	M	.	.	5	.	1	.	1	.
		F	1	.	.	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	3	.	8	.	6	.	2	.
		F	.	.	9	.	2	.	3	.
B 33	Ulcer of stomach and duodenum	M	5	.	7	.	3	.	6	.
		F	3	.	4	.	2	.	1	.
B 34	Appendicitis	M	.	.	3	.	.	.	1	.
		F	1	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	5	.	.	.	3	.
		F	3	.	3	1	1	.	3	.
B 36	Gastritis and enteritis (except of newborn)	M	.	.	3	1	1	.	.	.
		F	1	.	4	.	2	.	3	.
B 36, 43, parts of B 37	<i>Gastro-enteritis</i> (under 2 years)	M	.	.	1	1	1	.	1	.
		F	.	.	1	.	2	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	2	.
B 46d	Other diseases of digestive system	M	1	.	5	.	1	.	1	.
		F	2	.	9	.	.	.	3	.
B 38	Nephritis and nephrosis	M	5	.	14	1	.	.	12	.
		F	10	.	10	1	4	.	5	.
B 39	Hyperplasia of prostate	M	6	.	8	.	1	.	6	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	2	.	.	.	2	.
B 41	Congenital malformations	M	2	.	11	.	6	.	9	.
		F	5	.	14	.	5	.	8	.
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	7	.	5	.	6	.
		F	1	.	9	.	3	.	6	.
B 43	Infections of the newborn	M	2	.	1	.	2	.	2	.
		F	1	.	4	.	1	.	1	.
B 44	Other diseases of early infancy	M	15	.	18	.	5	.	2	.
		F	10	.	4	.	6	.	10	.
B 45a	Senility without psychosis	M	51	36	83	62	9	.	31	15
		F	48	30	78	62	10	1	46	12
B 45b	Ill-defined and unknown causes	M	7	5	19	13	1	.	13	2
		F	4	1	14	9	2	1	10	2
B 46e	All other diseases	M	23	.	31	2	11	1	20	.
		F	25	.	24	1	15	.	26	.
External Causes										
B 47	Motor vehicle accidents	M	4	.	7	.	2	.	6	.
		F	1	.	3	.	4	.	3	.
B 48	All other accidents	M	11	.	18	.	8	.	20	.
		F	9	.	20	.	1	.	11	.
B 49	Suicide and self-inflicted injury	M	2	.	4	.	.	.	5	.
		F	1	.	.	.	.	.	1	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	450 323	19 15	483 420	13 18	164 180	. .	370 254	13 14
B 1	Tuberculosis of respiratory system	M F	5 6	. .	6 2	. .	2 5	. .	2 1	. .
B 2	Tuberculosis, other forms	M F	3 .	. .	. 1	. .	. .	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	1 .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	1 .	. .	. .
B 12	Acute poliomyelitis	M F	1 .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	2 1	. .	3 1	. .	1 1	. .	. 2	. .
B 18a	Malignant neoplasms :— of stomach	M F	6 7	. .	17 9	. .	6 4	. .	13 3	. .
B 18b	of other digestive organs and peritoneum	M F	11 9	. .	12 14	. .	7 5	. .	9 11	. .
B 18c	of respiratory system	M F	9 3	. .	12 5	. .	12 3	. .	5 .	. .
B 18d	of breast	M F	. 10	. .	. 11	. .	. 2	. .	. 4	. .
B 18e	of genito-urinary system	M F	10 2	. .	20 11	. .	. 3	. .	4 3	. .
B 18f	of lymphatic and haematopoietic tissues	M F	4 2	. .	3 2	. .	2 1	. .	5 .	. .
B 18g	other	M F	16 6	. .	7 8	. .	2 1	. .	7 3	. .
B 19	Benign and unspecified neoplasms	M F	1 1	. .	. 1	. .	. .	. .	1 .	. .
B 20	Diabetes mellitus	M F	2 1	. .	4 5	. .	1 2	. .	4 .	. .
B 21	Anaemias	M F	1 .	. .	. .	. .	2 .	. .	3 1	. .
B 22	Vascular lesions affecting central nervous system	M F	34 39	. 1	49 57	. .	23 28	. .	24 40	. .
B 23	Non-meningococcal meningitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 24	Rheumatic fever	M F	1 .	. .	. 1	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	2 5	. .	2 3	. .	. 2	. .	1 5	. .
B 26a	Chronic endocarditis	M F	3 1	. .	2 5	. .	. 1	. .	2 2	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	57 34	1 .	65 38	1 .	29 17	. .	69 23	2 2
B 26c	Other myocardial degeneration	M F	50 48	. .	76 58	. 1	12 21	. .	59 36	1 1

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Tbtal	Un- certified
B 27	Other diseases of heart	M	25		14	1	6		13	1
		F	21	2	16		5		10	1
B 28	Hypertension with heart disease	M	4		13		1		1	
		F	7		8		2		3	
B 29	Hypertension without mention of heart	M	4		3				1	
		F	6		1		1		2	1
B 46a	Other diseases of circulatory system	M	7		10		4		16	
		F	4		6		9		9	
B 30	Influenza	M	22		11		12		6	1
		F	9		12		12		7	1
B 31	Pneumonia	M	8		5		16		14	
		F	7		12		21		15	
B 32	Bronchitis	M	12		21	1	14		22	
		F	5		11		4		7	
B 46b	Bronchiectasis	M	1		1		2		2	
		F			1		1		1	
B 46c	Other diseases of respiratory system	M	3		5		2		2	
		F	1		4				1	
B 33	Ulcer of stomach and duodenum	M	2		6		1		6	
		F			2				1	
B 34	Appendicitis	M								
		F			1					
B 35	Intestinal obstruction and hernia	M	1		2				1	
		F	1		3		3			
B 36	Gastritis and enteritis (except of newborn)	M	2		2				1	
		F	1		2				1	
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M			1					
		F					1		1	
B 37	Cirrhosis of liver	M			4				1	
		F			1		1			
B 46d	Other diseases of digestive system	M	5		2				2	
		F	1		5				2	
B 38	Nephritis and nephrosis	M	5		6		1		5	
		F	2		1		2		4	
B 39	Hyperplasia of prostate	M	1		3				3	
B 40	Deliveries and complications of pregnancy and childbirth	F	1							
B 41	Congenital malformations	M	8	1	5		1		3	
		F	5		3		3		2	
B 42	Birth injuries, asphyxia and atelectasis	M	3		8				4	
		F	2		6				1	
B 43	Infections of the newborn	M	1		4					
		F	1				1		1	
B 44	Other diseases of early infancy	M	6		9		2		3	
		F	2		12		3		4	
B 45a	Senility without psychosis	M	65	11	41	8	2		24	5
		F	48	7	55	16	2		18	6
B 45b	Ill-defined and unknown causes	M	8	5	2	2			5	3
		F	6	4	4	1	1		4	2
B 46e	All other diseases	M	19	1	19		2		16	
		F	11	1	18		6		16	
External Causes										
B 47	Motor vehicle accidents	M	10		5				5	
		F	1				1		2	
B 48	All other accidents	M	7		4		1		6	
		F	6		4		4		6	
B 49	Suicide and self-inflicted injury	M	2							
		F							2	
B 50	Homicide and operations of war	M								
		F								

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- brev- iated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	972 739	86 82	283 239	39 41	968 820	140 150	525 348	66 32
B 1	Tuberculosis of respiratory system	M F	6 9	. .	2 2	. .	9 6	. .	3 2	. .
B 2	Tuberculosis, other forms	M F	2 1	. .	1 .	. .	. .	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	1 .	. .	. .	. .	1 2	. .	. .	. .
B 10	Meningococcal infections	M F	1 .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	1 1	. .	. .	. .
B 14	Measles	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	4 3	. .	. .	. .	1 2	. .	. 2	. .
B 18a	Malignant neoplasms:— of stomach	M F	20 10	. 1	11 3	. .	25 16	8 .	23 5	. .
B 18b	of other digestive organs and peritoneum	M F	42 30	. .	8 9	. .	29 28	. .	22 11	. .
B 18c	of respiratory system	M F	14 9	. .	4 2	. .	18 4	. .	3 1	. .
B 18d	of breast	M F	. 13	. .	. 1	. .	2 18	. .	1 4	. .
B 18e	of genito-urinary system	M F	20 14	1 .	1 4	. .	13 10	. .	6 6	. .
B 18f	of lymphatic and haematopoietic tissues	M F	9 4	. .	2 1	. .	6 2	. .	4 1	. .
B 18g	other	M F	24 13	1 .	4 4	1 .	13 13	. .	10 .	. .
B 19	Benign and unspecified neoplasms	M F	1 5	. .	1 .	. .	1 3	. .	1 .	. .
B 20	Diabetes mellitus	M F	5 6	1 1	1 2	. .	4 10	. 1	6 6	. .
B 21	Anaemias	M F	2 1	. .	2 1	. .	4 3	. .	5 3	. .
B 22	Vascular lesions affecting central nervous system	M F	103 101	4 1	24 28	. .	91 89	. 4	39 53	. 1
B 23	Non-meningococcal meningitis	M F	1 1	. .	. .	. .	2 .	. .	. .	. .
B 24	Rheumatic fever	M F	. 2	. .	. .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	10 3	. .	3 2	. .	4 3	. .	2 3	. .
B 26a	Chronic endocarditis	M F	6 6	. 1	3 3	. .	10 11	. .	2 1	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	161 65	8 3	29 26	1 .	138 68	5 4	66 27	3 1
B 26c	Other myocardial degeneration	M F	92 89	. 9	67 51	5 1	116 143	3 20	123 103	14 6

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 27	Other diseases of heart	M F	48 35	7 2	11 4	2 1	49 48	10 13	23 15	1 .
B 28	Hypertension with heart disease	M F	18 21	1 .	4 4	. .	16 24	. 1	4 11	. .
B 29	Hypertension without mention of heart	M F	9 10	. 1	3 3	. 1	5 9	. 1	3 .	. .
B 46a	Other diseases of circulatory system	M F	16 27	. .	4 2	1 .	29 19	1 .	10 2	. .
B 30	Influenza	M F	27 34	1 4	5 6	1 .	38 39	6 3	13 18	2 2
B 31	Pneumonia	M F	49 27	. 2	7 5	. .	22 19	1 2	17 9	. .
B 32	Bronchitis	M F	42 16	1 .	10 3	. .	26 15	. .	8 2	. .
B 46b	Bronchiectasis	M F	5 1	1 .	1 .	. .	1 .	. .	. .	. .
B 46c	Other diseases of respiratory system	M F	12 10	. .	1 1	. .	7 .	. .	5 1	. .
B 33	Ulcer of stomach and duodenum	M F	2 3	. .	2 .	. .	7 6	. 1	2 1	. .
B 34	Appendicitis	M F	. .	. .	1 1	. .	2 1	. .	3 .	. .
B 35	Intestinal obstruction and hernia	M F	7 6	. .	1 2	. .	5 4	. .	3 .	. .
B 36	Gastritis and enteritis (except of newborn)	M F	7 5	. .	. 1	. .	6 2	. .	3 2	. .
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	9 4	. .	. .	. .	2 1	. .	. 1	. .
B 37	Cirrhosis of liver	M F	4 2	. .	1 .	. .	1 1	. .	. .	. .
B 46d	Other diseases of digestive system	M F	6 3	. .	. 1	. .	6 4	. .	6 1	. .
B 38	Nephritis and nephrosis	M F	11 10	1 1	4 2	. .	15 7	1 .	5 3	. .
B 39	Hyperplasia of prostate	M	20	.	1	.	13	.	3	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	1	.	1	.
B 41	Congenital malformations	M F	7 12	. .	4 1	. .	7 9	. 1	6 4	. .
B 42	Birth injuries, asphyxia and atelectasis	M F	5 5	. .	3 .	. .	6 4	. .	1 2	. .
B 43	Infections of the newborn	M F	4 1	1 .	. .	. .	1 2	. .	. 1	. .
B 44	Other diseases of early infancy	M F	9 8	. .	2 6	. 2	12 4	. .	7 3	. .
B 45a	Senility without psychosis	M F	59 64	49 53	20 32	17 26	134 117	94 82	45 24	39 20
B 45b	Ill-defined and unknown causes	M F	7 5	5 2	12 9	11 8	11 18	6 12	16 6	7 1
B 46e	All other diseases	M F	37 33	3 1	15 11	. 2	39 26	5 5	9 7	. 1
External Causes										
B 47	Motor vehicle accidents	M F	6 2	. .	1 .	. .	6 .	. .	3 .	. .
B 48	All other accidents	M F	24 12	1 .	5 5	. .	12 9	. .	13 7	. .
B 49	Suicide and self-inflicted injury	M F	7 1	. .	2 .	. .	3 .	. .	1 .	. .
B 50	Homicide and operations of war	M F	. .	. .	. .	. .	1 .	. .	. .	. .

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	434 380	31 48	476 390	16 22	791 690	38 91	370 278	10 10
B 1	Tuberculosis of respiratory system	M F	1 1	. .	2 .	. .	8 5	. .	3 1	. .
B 2	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	2 .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 14	Measles	M F	1 .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 1	. .	2 1	. .	1 1	. .	. .	. .
B 18a	Malignant neoplasms:— of stomach	M F	14 8	. 1	15 14	. .	33 13	. .	4 5	. .
B 18b	of other digestive organs and peritoneum	M F	12 6	. .	16 12	. .	28 26	. .	13 17	. .
B 18c	of respiratory system	M F	3 6	. .	12 1	. .	10 1	. .	6 1	. .
B 18d	of breast	M F	. 13	. .	. 3	. .	. 18	. 1	. 1	. .
B 18e	of genito-urinary system	M F	3 7	. .	9 3	. .	10 18	. .	4 5	. .
B 18f	of lymphatic and haematopoietic tissues	M F	1 2	. .	2 1	. .	5 3	. .	. .	. .
B 18g	other	M F	10 4	. .	14 5	. .	11 10	2 .	5 6	. .
B 19	Benign and unspecified neoplasms	M F	1 1	. .	. 3	. 1	4 3	1 .	3 2	. .
B 20	Diabetes mellitus	M F	2 3	1 .	7 3	. .	7 7	. .	3 2	. .
B 21	Anaemias	M F	. 2	. .	. .	. .	. 4	. .	5 4	. .
B 22	Vascular lesions affecting central nervous system	M F	37 48	. .	46 54	. 3	69 101	5 2	36 39	. .
B 23	Non-meningococcal meningitis	M F	. .	. .	1 .	. .	. 3	. .	2 .	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	1 .	. .
B 25	Chronic rheumatic heart disease	M F	2 2	. .	3 3	. .	5 2	. .	4 1	. .
B 26a	Chronic endocarditis	M F	4 3	. .	20 20	. .	. 1	. .	1 2	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	64 21	. .	49 23	. 1	119 66	17 8	67 21	. .

TABLE 20.—(continued)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1961, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Ab- bre- viated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 26c	Other myocardial degeneration	M	46	.	65	2	109	12	44	1
		F	52	3	70	2	76	14	38	2
B 27	Other diseases of heart	M	15	.	13	1	40	6	19	2
		F	10	.	14	.	34	3	12	.
B 28	Hypertension with heart disease	M	10	.	8	.	12	.	3	.
		F	10	.	12	.	11	.	4	.
B 29	Hypertension without mention of heart	M	13	.	5	.	5	.	3	.
		F	7	.	4	.	6	1	2	.
B 46a	Other diseases of circulatory system	M	19	.	8	.	16	1	8	.
		F	15	.	2	.	18	.	5	.
B 30	Influenza	M	11	1	19	.	35	6	25	2
		F	9	1	17	1	31	8	16	.
B 31	Pneumonia	M	12	1	15	.	35	.	20	.
		F	6	.	14	1	48	1	14	.
B 32	Bronchitis	M	25	.	19	.	13	2	13	1
		F	9	.	9	.	9	2	6	.
B 46b	Bronchiectasis	M	2	.	.	.	2	.	.	.
		F	1	.	.	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	3	.	4	.	9	1	3	.
		F	3	.	4	.	3	.	4	.
B 33	Ulcer of stomach and duodenum	M	2	.	5	.	10	.	2	.
		F	2	.	3	.	4	.	1	.
B 34	Appendicitis	M	1	.	1	.	2	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	3	.	.	.	3	.	4	.
		F	1	.	2	.	3	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	1	.	5	.	.	.
		F	3	.	1	.	6	.	1	.
<i>B 36, 43, parts of</i>	<i>Gastro-enteritis (under 2 years)</i>	<i>M</i>	.	.	.	<i>1</i>	.	<i>1</i>	.	
		<i>F</i>	.	.	3	.	<i>1</i>	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	2	.	2	.	5	.	5	.
		F	.	.	.	.	2	.	2	.
B 38	Nephritis and nephrosis	M	6	.	5	.	13	1	8	.
		F	3	.	3	.	6	.	6	.
B 39	Hyperplasia of prostate	M	7	.	4	.	14	.	3	.
B 40	Deliveries and complications of pregnancy and childbirth	F	3	.	2	.	2	.	.	.
B 41	Congenital malformations	M	2	.	7	.	8	1	.	.
		F	4	.	3	.	5	.	6	.
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	3	.	6	.	4	.
		F	5	.	2	.	4	.	3	.
B 43	Infections of the newborn	M	3	.	3	.	.	.	1	.
		F	.	.	3	.	1	.	2	.
B 44	Other diseases of early infancy	M	12	.	3	.	10	.	7	.
		F	8	.	6	.	7	.	3	.
B 45a	Senility without psychosis	M	47	28	42	11	51	24	17	3
		F	64	38	33	12	71	39	19	6
B 45b	Ill-defined and unknown causes	M	1	.	12	2	19	6	2	.
		F	8	5	8	1	21	9	3	2
B 46e	All other diseases	M	15	.	21	.	34	3	11	.
		F	22	.	17	.	27	3	15	.
External Causes										
B 47	Motor vehicle accidents	M	4	.	2	.	8	.	5	1
		F	.	.	1	.	.	.	.	.
B 48	All other accidents	M	11	.	5	.	13	.	5	.
		F	6	.	13	.	10	.	5	.
B 49	Suicide and self-inflicted injury	M	2	.	5	.	3	.	1	.
		F	1	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 21.—DEATHS REGISTERED IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Ab- bre- viated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	2,884	238	25	29	26	47	96	253	572	823	775
		F	2,862	197	36	18	13	34	78	183	374	697	1,232
B 1	Tuberculosis of respiratory system	M	84	.	.	.	1	2	8	14	27	28	4
		F	34	.	.	1	1	4	6	7	8	5	2
B 2	Tuberculosis, other forms	M	3	.	.	.	1	1	.	.	.	.	1
		F	5	.	2	.	.	1	.	.	1	.	1
B 3	Syphilis and its sequelae	M	3	.	.	.	.	.	.	.	1	.	2
		F	.	.	.	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	1	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	2	.	.	2	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	1	.	1	.	.	.	.	.	.	.	.
		F	2	1	1	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	.	.	.	.	.
B 14	Measles	M	8	1	6	1	.	.	.	.	.	.	.
		F	8	2	5	1	.	.	.	.	.	.	.
B 16	Malaria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	4	1	.	.	.	.	.	1	1	.	1
		F	6	.	.	1	1	2	.	.	.	.	2
B 18a	Malignant neoplasms:— of stomach	M	70	.	.	.	.	.	1	8	20	22	19
		F	58	.	.	.	.	1	.	3	18	16	20
B 18b	of other digestive organs and peritoneum	M	116	.	.	1	.	2	4	23	29	31	26
		F	135	.	.	.	.	1	3	20	27	37	47
B 18c	of respiratory system	M	180	.	.	.	.	.	6	22	67	68	17
		F	40	.	.	1	.	.	2	8	9	11	9
B 18d	of breast	M	.	.	.	.	.	.	.	.	.	.	.
		F	78	.	.	.	.	.	11	18	14	18	17
B 18e	of genito-urinary system	M	57	.	.	.	1	2	.	2	9	20	26
		F	76	.	.	.	.	.	5	15	17	18	18
B 18f	of lymphatic and haematopoietic tissues	M	25	2	2	4	1	.	1	5	4	4	2
		F	21	.	1	.	1	5	1	2	3	7	1
B 18g	other	M	75	.	1	3	2	1	7	4	20	21	16
		F	48	.	1	2	1	.	1	5	11	12	15
B 19	Benign and unspecified neoplasms	M	9	.	.	.	.	.	1	1	.	5	2
		F	14	.	.	1	.	.	3	1	.	4	5
B 20	Diabetes mellitus	M	20	.	.	.	.	.	1	3	2	11	3
		F	33	.	.	.	.	.	1	1	10	15	6
B 21	Anaemias	M	6	.	.	.	.	.	.	.	1	2	3
		F	14	.	.	1	.	.	2	.	2	3	6
B 22	Vascular lesions affecting central nervous system	M	254	.	.	.	.	1	10	19	36	90	98
		F	402	.	.	2	1	1	12	24	64	107	191
B 23	Non-meningococcal meningitis	M	4	1	.	1	.	.	.	.	1	1	.
		F	2	.	2	.	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	2	.	.	.	.	.	1	1	.	.	.
		F	2	.	.	.	1	1	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	21	.	.	.	.	5	2	5	2	5	2
		F	49	.	.	.	.	4	2	20	10	8	5
B 26a	Chronic endocarditis	M	17	.	.	.	.	.	1	1	4	6	5
		F	26	.	.	.	1	1	1	.	5	7	11
B 26b	Coronary and arterio- sclerotic heart disease	M	531	.	.	.	.	1	16	71	139	164	140
		F	327	.	.	.	.	.	7	15	51	108	146

Ab- bre- viated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B 26c	Other myocardial degeneration	M F	140 286	. .	. .	. .	. .	1 .	1 1	3 .	14 21	32 49	89 215
B 27	Other diseases of heart	M F	80 116	. .	. .	. .	1 .	1 .	2 .	3 3	11 12	27 36	35 65
B 28	Hypertension with heart disease	M F	37 74	. .	. .	. .	1 .	. .	1 .	1 1	2 8	14 26	18 39
B 29	Hypertension without mention of heart	M F	22 35	. .	. .	. .	1 .	. .	2 .	1 .	8 5	4 11	6 19
B 46a	Other diseases of circulatory system	M F	67 70	. .	. .	. .	. .	. .	2 .	4 1	11 2	21 15	29 52
B 30	Influenza	M F	38 78	. .	1 1	. .	2 .	1 .	. 1	5 2	7 5	11 25	11 44
B 31	Pneumonia	M F	134 169	22 34	6 5	1 2	1 .	. 3	1 2	2 5	14 11	30 33	57 74
B 32	Bronchitis	M F	267 138	2 .	1 .	. .	. .	1 1	6 1	16 10	69 13	100 40	72 73
B 46b	Bronchiectasis	M F	12 6	. .	. .	. .	. .	. .	1 .	1 1	3 .	5 4	2 1
B 46e	Other diseases of respiratory system	M F	39 21	2 .	. 1	. .	. .	1 .	1 .	1 .	9 2	11 5	14 13
B 33	Ulcer of stomach and duodenum	M F	23 11	. .	. .	. .	. .	1 .	2 1	5 .	6 1	7 5	2 4
B 34	Appendicitis	M F	. 4	. .	. .	. .	. .	. .	. .	. .	. 2	. .	. 2
B 35	Intestinal obstruction and hernia	M F	13 15	. 3	. 1	. .	1 .	1 .	. .	2 .	5 3	1 4	3 4
B 36	Gastritis and enteritis (except of newborn)	M F	14 19	7 8	1 .	1 1	. .	. .	. 2	. 1	3 2	2 2	. 3
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	12 13	11 13	1 .	. .	. .	. .	. .	. .	. .	. .	. .
B 37	Cirrhosis of liver	M F	9 2	. .	. .	. .	. .	. 1	. .	2 .	4 .	2 1	1 .
B 46d	Other diseases of digestive system	M F	15 23	1 .	. 3	1 1	. .	. 1	1 1	1 2	2 2	4 7	5 6
B 38	Nephritis and nephrosis	M F	37 28	. .	1 .	. .	. 1	5 1	2 1	3 1	7 4	12 11	7 9
B 39	Hyperplasia of prostate	M	13	. .	. .	. .	. .	. .	. .	. .	2 .	6 .	5 .
B 40	Deliveries and complications of pregnancy and childbirth	F	3	. .	. .	. .	. .	. .	3 .	. .	. .	. .	. .
B 41	Congenital malformations	M F	71 67	63 56	2 6	2 1	2 .	1 .	1 .	1 1	. 3	. .	. .
B 42	Birth injuries, asphyxia and atelectasis	M F	42 27	42 27	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 43	Infections of the newborn	M F	19 15	19 15	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 44	Other diseases of early infancy	M F	66 46	66 46	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 45a	Senility without psychosis	M F	8 29	. .	. .	. .	. .	. .	. .	. .	. .	1 .	8 28
B 45b	Ill-defined and unknown causes	M F	24 14	. .	. .	. .	. .	. .	1 .	1 .	1 .	11 6	10 8
B 46e	All other diseases	M F	83 112	6 3	1 3	2 1	1 3	5 2	1 4	6 10	18 20	27 28	16 38
	External Causes												
B 47	Motor vehicle accidents	M F	51 15	. .	2 1	5 .	6 1	9 .	5 3	7 1	7 2	6 3	4 4
B 48	All other accidents	M F	54 52	2 2	. 3	5 1	3 .	6 2	2 1	7 1	5 4	10 9	14 29
B 49	Suicide and self-inflicted injury	M F	10 6	. .	. .	. .							

TABLE 21.—(continued)—DEATHS REGISTERED IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M F	2,866 2,792	188 144	43 28	15 17	26 18	31 29	75 56	224 190	497 329	826 683	941 1,298
B 1	Tuberculosis of respiratory system	M F	44 24	. .	. .	. .	. .	. 3	6 4	6 2	20 6	11 6	1 3
B 2	Tuberculosis, other forms	M F	2 4	. .	. 1	1 .	. .	. .	. .	. 1	. 2	1 .	. .
B 3	Syphilis and its sequelae	M F	2 .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	2 1	2 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. 1	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. 1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	1 1	. .	1 1	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	8 10	4 .	1 1	. 1	. .	1 1	. .	. 2	1 .	1 1	. 4
B 18a	Malignant neoplasms;— of stomach	M F	59 68	. .	. .	. .	. .	. 1	3 1	8 8	15 9	24 28	9 21
B 18b	of other digestive organs and peritoneum	M F	121 112	. .	. .	. .	. 2	. 4	3 1	14 13	21 26	47 35	36 31
B 18c	of respiratory system	M F	141 28	. .	. .	. .	1 1	2 .	5 1	17 6	53 9	52 10	11 1
B 18d	of breast	M F	. 70	. .	. .	. .	. .	1 .	. 7	. 15	. 17	. 13	. 17
B 18e	of genito-urinary system	M F	36 67	. .	2 .	. 1	. .	. .	. 6	3 9	8 19	14 15	9 17
B 18f	of lymphatic and haematopoietic tissues	M F	26 9	. .	3 .	3 1	. .	2 1	1 1	4 3	5 .	6 2	2 1
B 18g	other	M F	60 57	. .	. .	. 1	1 1	2 2	4 5	4 7	13 7	16 24	20 10
B 19	Benign and unspecified neoplasms	M F	6 7	. 1	. .	. .	1 .	. 1	1 1	1 2	. 2	2 .	1 .
B 20	Diabetes mellitus	M F	17 27	. .	. .	. .	. 2	. .	2 .	2 2	2 5	5 8	6 10
B 21	Anaemias	M F	4 14	. .	. .	. .	. .	. .	. .	1 1	. 3	2 8	1 2
B 22	Vascular lesions affecting central nervous system	M F	291 429	. .	. .	. .	1 .	2 2	2 4	20 27	46 43	92 127	128 226
B 23	Non-meningococcal meningitis	M F	5 3	1 .	3 2	. .	. .	. 1	1 .	. .	. .	. .	. .
B 24	Rheumatic fever	M F	. 1	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	20 35	. .	. .	1 .	2 1	. 2	3 1	8 8	4 6	1 8	1 9
B 26a	Chronic endocarditis	M F	16 32	. .	. .	. .	. .	. .	1 2	5 .	5 4	3 11	2 15
B 26b	Coronary and arterio- sclerotic heart disease	M F	493 310	. .	. .	. .	. 1	3 .	16 4	48 20	117 58	200 103	109 124

TABLE 21.—(continued)—DEATHS REGISTERED IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Ab- bre- viated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B 26c	Other myocardial degeneration	M	282	.	.	.	.	.	.	10	19	71	182
		F	355	.	.	.	.	.	.	4	21	65	265
B 27	Other diseases of heart	M	119	.	.	.	1	.	2	10	20	36	50
		F	131	.	.	.	.	3	1	3	12	37	75
B 28	Hypertension with heart disease	M	50	.	.	.	.	.	.	5	8	22	15
		F	61	.	.	.	.	.	.	4	8	18	31
B 29	Hypertension without mention of heart	M	21	.	.	.	.	.	1	2	3	11	4
		F	27	.	.	.	.	1	.	1	3	11	11
B 46a	Other diseases of circulatory system	M	77	.	.	.	.	.	2	3	6	13	53
		F	79	.	.	.	.	.	2	4	3	18	52
B 30	Influenza	M	79	1	2	.	.	.	.	6	12	21	37
		F	102	2	1	.	1	.	3	3	7	21	64
B 31	Pneumonia	M	102	21	9	.	.	3	.	2	10	23	34
		F	100	11	4	1	.	.	1	5	5	21	52
B 32	Bronchitis	M	187	1	1	.	.	2	3	11	45	57	67
		F	80	.	.	.	.	.	.	6	11	27	36
B 46b	Bronchiectasis	M	13	.	.	.	.	.	1	1	5	4	2
		F	9	.	.	.	.	.	.	1	.	5	3
B 46c	Other diseases of respiratory system	M	32	1	2	1	.	.	1	3	5	11	8
		F	18	.	.	1	.	.	.	.	4	2	11
B 33	Ulcer of stomach and duodenum	M	26	.	.	.	.	.	.	4	7	10	5
		F	7	.	.	.	.	.	.	.	3	1	3
B 34	Appendicitis	M	2	.	.	.	.	.	.	1	.	.	1
		F	.	.	.	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	12	1	.	.	.	.	1	.	2	5	3
		F	13	2	1	.	.	.	.	3	2	2	3
B 36	Gastritis and enteritis (except of newborn)	M	19	9	3	.	1	.	.	2	1	.	3
		F	16	7	2	.	2	.	.	2	.	1	2
B 36, 43, parts of	<i>Gastro-enteritis</i> (under 2 years)	M	13	12	1	.	.	.	.	.	.	.	.
		F	11	9	2	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	7	.	.	.	.	.	1	1	3	2	.
		F	6	.	.	.	.	.	.	2	3	.	1
B 46d	Other diseases of digestive system	M	14	2	3	.	.	.	1	3	2	3	.
		F	18	.	.	.	.	.	1	3	2	5	7
B 38	Nephritis and nephrosis	M	27	.	.	.	2	2	1	1	6	9	6
		F	34	.	.	.	.	.	3	6	8	6	11
B 39	Hyperplasia of prostate	M	29	.	.	.	.	.	.	1	1	6	21
B 40	Deliveries and complica- tions of pregnancy and childbirth	F	2	.	.	.	.	2	.	.	.	.	.
B 41	Congenital malformations	M	50	39	5	3	1	1	.	.	1	.	.
		F	55	44	5	3	1	.	1	.	1	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	29	29	.	.	.	.	.	.	.	.	.
		F	19	19	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	18	18	.	.	.	.	.	.	.	.	.
		F	11	11	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	56	56	.	.	.	.	.	.	.	.	.
		F	36	36	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	68	.	.	.	.	.	.	.	.	6	62
		F	130	.	.	.	.	.	.	.	.	1	129
B 45b	Ill-defined and unknown causes	M	13	1	.	.	.	.	.	.	2	3	7
		F	20	1	1	.	.	.	.	1	1	6	10
B 46e	All other diseases	M	109	.	3	1	1	6	6	12	21	29	30
		F	101	5	1	3	4	2	4	12	15	27	28
External causes													
B 47	Motor vehicle accidents	M	27	.	2	2	5	4	5	.	1	4	4
		F	12	.	2	.	2	.	2	2	3	1	.
B 48	All other accidents	M	42	2	3	3	8	1	2	3	6	3	11
		F	37	5	3	4	.	1	.	2	1	8	13
B 49	Suicide and self-inflicted injury	M	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.
B 50	Homicide and operations of war	M	1	.	.	.	1	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.	.	.	.

TABLE 21.—(continued)—DEATHS REGISTERED IN 1961, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST): SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS,

RURAL DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M	13,000	603	98	94	108	126	300	784	1,568	3,112	6,207
		F	10,359	457	84	74	55	111	239	489	1,002	2,276	5,572
B 1	Tuberculosis of respiratory system	M	116	.	.	.	1	8	12	20	34	30	11
		F	79	.	.	.	3	5	21	21	12	10	7
B 2	Tuberculosis, other forms	M	17	1	2	3	1	1	4	1	2	2	.
		F	8	.	1	1	.	1	.	1	2	1	1
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	1	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	1	1	.	.	.	.	.	.	.	.	.
		F	5	4	1	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	5	1	1	2	.	.	.	.	1	.	.
		F	1	1	.	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	3	.	.	1	.	.	1	.	1	.	.
		F	2	.	.	2	.	.	.	.	.	.	.
B 14	Measles	M	6	6	.	.	.	.	.	.	.	.	.
		F	7	1	1	2	.	.	1	.	.	.	2
B 16	Malaria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	34	5	2	3	1	1	2	8	5	3	4
		F	28	2	2	5	.	2	4	4	2	3	4
B 18a	Malignant neoplasms :— of stomach	M	347	.	.	.	1	3	10	22	85	112	114
		F	207	.	.	.	.	2	7	16	30	70	82
B 18b	of other digestive organs and peritoneum	M	444	.	.	.	3	2	7	37	81	146	168
		F	386	.	1	.	.	4	10	37	79	121	134
B 18c	of respiratory system	M	234	.	.	.	1	1	6	40	74	75	37
		F	70	.	.	.	.	1	1	10	22	23	13
B 18d	of breast	M	4	.	.	.	.	.	1	.	.	.	3
		F	207	.	.	.	.	1	20	42	53	46	45
B 18e	of genito-urinary system	M	238	.	.	1	.	2	2	17	24	73	119
		F	159	.	1	.	1	4	15	29	45	40	24
B 18f	of lymphatic and haematopoietic tissues	M	106	.	6	2	3	6	10	21	21	23	14
		F	60	.	2	5	2	5	2	6	17	12	9
B 18g	other	M	254	1	4	5	3	6	12	26	32	70	95
		F	155	.	2	2	3	4	8	14	28	48	46
B 19	Benign and unspecified neoplasms	M	28	1	.	2	.	1	4	8	3	3	6
		F	32	1	.	1	1	1	5	6	2	5	10
B 20	Diabetes mellitus	M	86	.	.	1	2	3	3	6	13	25	33
		F	89	.	.	2	2	.	1	3	16	25	40
B 21	Anaemias	M	41	.	1	1	1	.	.	1	5	9	23
		F	37	.	.	.	.	1	2	3	4	13	14
B 22	Vascular lesions affecting central nervous system	M	1,266	.	1	1	4	5	16	47	134	371	687
		F	1,393	.	.	2	3	6	23	60	160	383	756
B 23	Non-meningococcal meningitis	M	15	7	2	2	.	.	1	2	1	.	.
		F	12	7	3	1	.	.	.	1	.	.	.
B 24	Rheumatic fever	M	3	.	1	2	.	.	.	.	.	.	.
		F	6	.	.	4	.	1	.	.	.	.	1
B 25	Chronic rheumatic heart disease	M	100	.	.	.	2	3	12	11	20	23	29
		F	89	.	.	.	2	3	13	13	13	20	25
B 26a	Chronic endocarditis	M	131	.	.	.	1	2	4	17	21	46	40
		F	116	.	.	.	.	1	.	7	16	32	60
B 26b	Coronary and arterio- sclerotic heart disease	M	1,778	.	.	.	2	7	36	188	387	583	575
		F	846	.	.	.	.	2	15	50	148	295	336

TABLE 22.—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1961, CLASSIFIED BY PLACE OF OCCURRENCE

Area		Total deaths	Place of occurrence			
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere
Total	M	18,750	3,042	644	5,795	9,269
	F	16,013	2,622	554	4,667	8,170
LEINSTER	M	7,792	1,964	271	2,025	3,532
	F	6,959	1,706	290	1,770	3,193
MUNSTER	M	6,139	770	189	2,158	3,022
	F	5,170	679	149	1,732	2,610
CONNACHT	M	3,182	214	136	1,091	1,741
	F	2,526	168	85	792	1,481
ULSTER (part of)	M	1,637	94	48	521	974
	F	1,358	69	30	373	886
LEINSTER						
Carlow	M	243	28	12	62	141
	F	185	22	4	58	101
Dublin County Borough	M	2,884	1,152	98	555	1,079
	F	2,862	993	153	571	1,145
Dun Laoghaire Borough	M	255	93	13	36	113
	F	321	120	17	60	124
Dublin County (remainder)	M	523	159	18	110	236
	F	462	153	23	77	209
Kildare	M	387	78	8	105	196
	F	293	52	8	83	150
Kilkenny	M	480	40	12	227	201
	F	351	29	6	146	170
Laois	M	321	30	14	115	162
	F	241	13	9	78	141
Longford	M	229	71	14	27	117
	F	180	65	3	28	84
Louth	M	401	65	13	145	178
	F	350	59	8	137	146
Meath	M	413	64	16	99	234
	F	348	27	15	127	179
Offaly	M	361	17	13	141	190
	F	253	14	7	81	151
Westmeath	M	337	40	16	127	154
	F	252	27	14	100	111
Wexford	M	566	43	16	177	330
	F	535	70	14	156	295
Wicklow	M	392	84	8	99	201
	F	326	62	9	68	187
MUNSTER						
Clare	M	548	50	19	224	255
	F	463	56	10	181	216
Cork County Borough	M	542	155	15	144	228
	F	499	111	16	140	232
Cork County	M	1,783	236	45	575	927
	F	1,526	220	41	467	798
Kerry	M	901	87	27	329	458
	F	702	75	19	232	376
Limerick County Borough	M	291	59	7	124	101
	F	277	58	10	121	88
Limerick County	M	607	37	18	202	350
	F	526	47	16	187	276
Tipperary, North Riding	M	450	30	10	178	232
	F	323	20	7	125	171
Tipperary, South Riding	M	483	69	17	179	218
	F	420	58	7	150	205
Waterford County Borough	M	164	14	9	44	97
	F	180	20	9	41	110
Waterford County	M	370	33	22	159	156
	F	254	14	14	88	138
CONNACHT						
Galway	M	972	104	46	345	477
	F	739	81	37	259	362
Leitrim	M	283	11	9	99	164
	F	239	15	7	72	145
Mayo	M	968	51	42	315	560
	F	820	34	17	241	528
Roscommon	M	525	28	26	182	289
	F	348	18	15	108	207
Sligo	M	434	20	13	150	251
	F	380	20	9	112	239
ULSTER (part of)						
Cavan	M	476	28	7	181	260
	F	390	18	8	129	235
Donegal	M	791	41	28	189	533
	F	690	30	14	143	503
Monaghan	M	370	25	13	151	181
	F	278	21	8	101	148

TABLE 23.—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1961
WHICH WERE NOT MEDICALLY CERTIFIED, CLASSIFIED BY AGE.

Area	Age at death											Percent- age of deaths un- certified
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Total	1,706	17	4	2	1	2	9	26	51	198	1,396	4.9
LEINSTER	219	5	.	1	.	.	2	4	15	30	162	1.5
MUNSTER	535	3	2	.	.	2	2	12	16	56	442	4.7
CONNACHT	715	6	2	.	.	.	4	8	14	79	602	12.5
ULSTER (part of) ..	237	3	.	1	1	.	1	2	6	33	190	7.9
Carlow	8	.	.	.	.	.	.	.	.	2	6	1.9
Dublin County Borough ..	14	.	.	.	.	.	.	1	1	5	7	0.2
Dun Laoghaire Borough ..	.	.	.	.	.	.	.	.	.	.	.	.
Dublin County (remainder)	3	.	.	.	.	.	.	.	1	.	2	0.3
Kildare	7	.	.	.	.	.	.	1	1	1	4	1.0
Kilkenny	19	1	.	1	.	.	.	.	.	3	14	2.3
Laois	20	.	.	.	.	.	.	.	4	2	14	3.6
Longford	39	1	.	.	.	.	.	.	3	6	29	9.5
Louth	5	.	.	.	.	.	.	.	1	1	3	0.7
Meath	25	.	.	.	.	.	.	1	.	4	20	3.3
Offaly	33	.	.	.	.	.	2	1	1	2	27	5.4
Westmeath	17	1	.	.	.	.	.	.	.	2	14	2.9
Wexford	21	2	.	.	.	.	.	.	1	2	16	1.9
Wicklow	8	.	.	.	.	.	.	.	2	.	6	1.1
Clare	82	.	.	.	.	.	.	1	.	5	76	8.1
Cork County Borough ..	1	.	.	.	.	.	.	.	.	1	.	0.1
Cork County	113	1	1	.	.	.	1	1	2	10	97	3.4
Kerry	193	1	1	.	.	2	1	6	7	27	148	12.0
Limerick County Borough	8	.	.	.	.	.	.	2	1	2	3	1.4
Limerick County ..	46	.	.	.	.	.	.	.	2	3	41	4.1
Tipperary, North Riding	34	1	.	.	.	.	.	.	.	3	30	4.4
Tipperary, South Riding ..	31	.	.	.	.	.	.	.	.	3	28	3.4
Waterford County Borough	.	.	.	.	.	.	.	.	.	.	.	.
Waterford County ..	27	.	.	.	.	.	.	2	4	2	19	4.3
Galway	168	2	1	.	.	.	1	2	7	22	133	9.8
Leitrim	80	2	.	.	.	.	1	2	2	9	64	15.3
Mayo	290	2	.	.	.	.	2	4	5	29	248	16.2
Roscommon	98	.	.	.	.	.	.	.	.	11	87	11.2
Sligo	79	.	1	.	.	.	.	.	.	8	70	9.7
Cavan	38	1	.	.	.	.	.	1	2	3	31	4.4
Donegal	179	2	.	1	.	.	1	1	4	27	143	12.1
Monaghan	20	.	.	.	1	.	.	.	.	3	16	3.1

TABLE 24.—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis of respiratory system	M	244	.	.	.	2	10	26	40	81	69	16
	F	137	.	.	1	4	12	31	30	26	21	12
Tuberculosis, other forms	M	22	1	2	4	2	2	4	1	2	3	1
	F	17	.	4	1	.	2	.	2	5	1	2
Other infective and parasitic diseases	M	82	22	12	9	1	2	3	11	11	4	7
	F	77	11	15	15	1	5	5	6	2	5	12
Malignant neoplasms	M	2,593	3	18	19	16	29	83	277	581	824	743
	F	2,111	.	8	13	13	39	108	286	460	606	578
Vascular lesions affecting central nervous system	M	1,811	.	1	1	5	8	28	86	216	553	913
	F	2,224	.	.	4	4	9	39	111	267	617	1,173
Diseases of the heart	M	6,188	.	.	2	12	25	111	434	905	1,725	2,974
	F	4,876	1	.	.	7	18	55	173	477	1,223	2,922
Other diseases of the circulatory system	M	965	.	1	2	3	3	20	51	114	274	497
	F	1,030	.	1	4	2	6	10	34	76	262	635
Diseases of the respiratory system	M	2,321	134	49	6	6	13	40	117	338	648	970
	F	1,732	104	33	14	9	15	23	65	142	386	941
Senility	M	1,000	.	.	.	.	.	.	.	.	42	958
	F	1,086	.	.	.	.	.	.	.	.	33	1,053
Other diseases	M	2,875	856	60	47	41	50	80	163	306	517	755
	F	2,374	664	67	42	32	52	88	138	223	447	621
Accidents and other external causes	M	649	13	23	48	72	62	76	81	83	102	89
	F	349	18	20	15	14	16	14	17	27	55	153
All causes	M	18,750	1,029	166	138	160	204	471	1,261	2,637	4,761	7,923
	F	16,013	798	148	109	86	174	373	862	1,705	3,656	8,102
LEINSTER												
Tuberculosis of respiratory system	M	141	.	.	.	2	6	15	24	46	43	5
	F	66	.	.	1	3	5	16	14	13	9	5
Tuberculosis, other forms	M	7	.	.	2	1	2	1	.	.	.	1
	F	10	.	3	.	.	2	.	1	2	1	1
Other infective and parasitic diseases	M	39	11	9	5	.	.	1	4	5	1	3
	F	41	4	11	10	1	4	1	2	.	1	7
Malignant neoplasms	M	1,214	3	7	13	7	8	41	135	312	375	313
	F	1,006	.	4	6	5	21	48	144	224	270	284
Vascular lesions affecting central nervous system	M	821	.	1	.	.	3	17	47	112	247	394
	F	1,027	.	.	3	3	6	20	52	140	287	516
Diseases of the heart	M	2,420	.	.	.	3	12	56	181	402	724	1,042
	F	2,049	.	.	.	3	10	23	77	230	491	1,215
Other diseases of the circulatory system	M	434	.	.	1	2	1	11	25	57	136	201
	F	492	.	.	1	1	2	5	14	37	129	303
Diseases of the respiratory system	M	1,048	70	19	3	5	4	17	52	179	313	386
	F	838	63	20	3	4	7	7	36	69	204	425
Senility	M	168	.	.	.	.	.	.	.	.	4	164
	F	198	.	.	.	.	.	.	.	.	6	192
Other diseases	M	1,204	449	26	23	13	24	32	62	126	207	242
	F	1,066	342	36	14	12	20	52	54	101	192	243
Accidents and other external causes	M	296	9	11	23	34	34	34	34	37	46	34
	F	166	7	9	5	5	6	10	12	15	30	67
All causes	M	7,792	542	73	70	67	94	225	564	1,276	2,096	2,785
	F	6,959	416	83	43	37	83	182	406	831	1,620	3,258

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis of respiratory system	M	69	.	.	.	.	3	9	12	24	16	5
	F	45	.	.	.	.	6	10	12	8	3	6
Tuberculosis, other forms	M	12	1	2	1	1	.	3	1	1	2	.
	F	4	.	.	.	.	.	.	1	3	.	.
Other infective and parasitic diseases	M	29	6	1	4	1	2	1	5	3	3	3
	F	20	3	2	2	.	.	3	3	.	4	3
Malignant neoplasms	M	805	.	8	5	7	11	23	89	166	262	234
	F	660	.	2	6	5	11	40	83	143	208	162
Vascular lesions affecting central nervous system	M	545	.	.	1	2	2	6	22	60	172	280
	F	684	.	.	.	.	2	12	32	76	189	373
Diseases of the heart	M	2,116	.	.	1	3	8	32	137	322	610	1,003
	F	1,650	1	.	.	2	3	19	61	155	450	959
Other diseases of the circulatory system	M	299	.	1	.	.	1	6	18	32	79	162
	F	308	.	1	1	1	2	4	12	24	80	183
Diseases of the respiratory system	M	712	36	18	3	1	4	11	36	107	192	304
	F	484	14	6	9	3	5	8	22	44	96	277
Senility	M	417	.	.	.	.	.	.	.	.	10	407
	F	464	.	.	.	.	.	.	.	.	8	456
Other diseases	M	930	248	21	14	14	16	25	55	107	172	258
	F	741	198	23	14	11	12	19	45	73	143	203
Accidents and other external causes	M	205	3	7	18	26	16	28	21	24	32	30
	F	110	5	9	9	6	7	3	4	9	12	46
All causes	M	6,139	294	58	47	55	63	144	396	846	1,550	2,636
	F	5,170	221	43	41	28	48	118	275	535	1,193	2,668
CONNACHT												
Tuberculosis of respiratory system	M	21	.	.	.	.	1	2	1	8	5	4
	F	20	.	.	.	1	1	3	3	4	8	.
Tuberculosis, other forms	M	3	.	.	1	.	.	.	.	1	1	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	11	4	1	.	.	.	1	2	2	.	1
	F	12	3	2	2	.	1	.	1	2	.	1
Malignant neoplasms	M	377	.	3	1	1	7	13	36	64	120	132
	F	282	.	2	.	2	3	12	42	63	76	82
Vascular lesions affecting central nervous system	M	294	.	.	.	2	2	4	12	30	92	152
	F	319	.	.	1	1	.	3	15	36	83	180
Diseases of the heart	M	1,094	.	.	1	3	4	16	76	121	264	609
	F	794	.	.	.	1	3	11	21	57	195	506
Other diseases of the circulatory system	M	163	.	.	.	1	1	3	7	17	42	92
	F	166	.	.	2	.	1	1	6	10	40	106
Diseases of the respiratory system	M	349	12	7	.	.	3	8	22	34	96	167
	F	234	15	4	2	1	1	4	4	24	39	140
Senility	M	305	.	.	.	.	.	.	.	.	24	281
	F	301	.	.	.	.	.	.	.	.	15	286
Other diseases	M	464	107	8	7	11	5	16	28	44	91	147
	F	354	80	4	9	6	14	10	24	36	66	105
Accidents and other external causes	M	101	1	5	5	7	10	10	16	13	18	16
	F	43	4	1	1	1	.	.	1	2	8	25
All causes	M	3,182	124	24	15	25	33	73	200	334	753	1,601
	F	2,528	102	14	17	13	24	44	117	234	530	1,431

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis of respiratory system	M	13	.	.	.	.	.	.	3	3	5	2
	F	6	.	.	.	.	.	2	1	1	1	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	.	.	.	.	.	1
Other infective and parasitic diseases	M	3	1	1	.	.	.	.	.	1	.	.
	F	4	1	.	1	.	.	1	.	.	.	1
Malignant neoplasms	M	197	.	.	.	1	3	6	17	39	67	64
	F	163	.	.	1	1	4	8	17	30	52	50
Vascular lesions affecting central nervous system	M	151	.	.	.	1	1	1	5	14	42	87
	F	194	.	.	.	.	1	4	12	15	58	104
Diseases of the heart	M	558	.	.	.	3	1	7	40	60	127	320
	F	383	.	.	.	1	2	2	14	35	87	242
Other diseases of the circulatory system	M	69	.	.	1	.	.	.	1	8	17	42
	F	64	.	.	.	.	1	.	2	5	13	43
Diseases of the respiratory system	M	212	16	5	.	.	2	4	7	18	47	113
	F	176	12	3	.	1	2	4	3	5	47	99
Senility	M	110	.	.	.	.	.	.	.	.	4	106
	F	123	.	.	.	.	.	.	.	.	4	119
Other diseases	M	277	52	5	3	3	5	7	18	29	47	108
	F	213	44	4	5	3	6	7	15	13	46	70
Accidents and other external causes	M	47	.	.	2	5	2	4	10	9	6	9
	F	30	2	1	.	2	3	1	.	1	5	15
All causes	M	1,637	69	11	6	13	14	29	101	181	362	851
	F	1,358	59	8	8	8	19	29	64	105	313	745
COUNTY CARLOW												
Tuberculosis of respiratory system	M	4	.	.	.	1	1	1	.	1	.	.
	F	2	.	.	.	.	.	1	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	32	.	1	.	.	.	2	1	14	6	8
	F	18	.	.	.	.	1	.	1	4	5	7
Vascular lesions affecting central nervous system	M	32	.	.	.	.	.	.	1	7	3	21
	F	23	.	.	.	.	.	1	1	4	7	10
Diseases of the heart	M	96	.	.	.	1	.	2	3	13	33	44
	F	54	.	.	.	.	1	.	1	6	10	36
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	1	1	3	5
	F	15	.	.	.	.	.	1	.	1	6	7
Diseases of the respiratory system	M	30	2	1	.	.	.	1	3	1	8	14
	F	19	1	1	.	.	.	.	1	3	6	7
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	25	4	1	1	.	1	1	1	3	7	6
	F	38	16	2	.	1	.	1	.	1	6	11
Accidents and other external causes	M	12	1	2	1	1	2	.	.	1	3	1
	F	5	.	1	.	.	1	.	1	.	1	1
All causes	M	243	7	5	2	3	4	7	10	41	63	101
	F	185	17	5	.	1	3	4	6	19	42	88

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	84	.	.	.	1	2	8	14	27	28	4
	F	34	.	.	1	1	4	6	7	8	5	2
Tuberculosis, other forms	M	3	.	.	.	1	1	.	.	.	.	1
	F	5	.	2	.	.	1	.	.	1	.	1
Other infective and parasitic diseases	M	19	3	7	3	.	.	.	1	2	.	3
	F	17	3	6	3	1	2	.	.	.	.	2
Malignant neoplasms	M	523	2	3	8	3	3	19	64	149	166	106
	F	456	.	2	3	3	9	23	71	99	119	127
Vascular lesions affecting central nervous system	M	254	.	.	.	.	1	10	19	36	90	98
	F	402	.	.	2	1	1	12	24	64	107	191
Diseases of the heart	M	789	.	.	.	1	8	22	83	170	234	271
	F	804	.	.	.	1	5	11	38	99	208	442
Other diseases of the circulatory system	M	128	.	.	.	2	.	6	7	21	39	53
	F	181	.	.	.	1	1	.	2	15	52	110
Diseases of the respiratory system	M	490	26	8	1	3	3	9	25	102	157	156
	F	412	34	7	2	.	4	4	18	31	107	205
Senility	M	8	.	.	.	.	.	.	.	.	.	8
	F	29	.	.	.	.	.	.	.	.	1	28
Other diseases	M	468	205	5	7	4	13	10	24	52	91	57
	F	449	158	15	6	4	5	18	17	49	86	91
Accidents and other external causes	M	118	2	2	10	11	16	12	16	13	18	18
	F	73	2	4	1	1	2	4	6	8	12	33
All causes	M	2,884	238	25	29	26	47	96	253	572	823	775
	F	2,862	197	36	18	13	34	78	183	374	697	1,232
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	1	1	.	2	.
	F	4	.	.	.	.	.	1	.	.	2	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	4	.	1	1	.	1	.	.	.	.	1
Malignant neoplasms	M	49	.	1	1	.	.	2	7	7	20	11
	F	54	.	.	.	.	1	2	9	9	13	20
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	.	3	4	8	13
	F	57	.	.	.	.	.	.	.	7	11	39
Diseases of the heart	M	88	.	.	.	.	.	2	8	16	25	37
	F	101	.	.	.	1	1	.	4	13	18	64
Other diseases of the circulatory system	M	16	.	.	.	.	.	1	1	3	5	6
	F	20	.	.	.	.	.	.	1	.	5	14
Diseases of the respiratory system	M	31	2	.	.	.	.	.	1	7	12	9
	F	39	1	1	.	.	.	.	2	2	12	21
Senility	M	.	.	.	.	.	.	.	.	.	.	.
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	32	9	3	.	.	2	.	2	3	8	5
	F	32	6	1	.	.	1	1	2	3	8	10
Accidents and other external causes	M	6	.	.	1	1	.	.	.	1	.	3
	F	2	1	.	.	.	.	.	.	.	.	1
All causes	M	255	11	4	2	1	2	6	28	42	80	84
	F	321	8	3	1	1	4	4	19	34	69	173

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis of respiratory system	M	7	.	.	.	.	.	1	2	1	2	1
	F	4	.	.	.	1	.	1	1	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	1	.	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	8	6	.	2	.	.	.	.	.	.	.
	F	5	.	1	3	.	.	.	1	.	.	.
Malignant neoplasms	M	81	.	.	.	.	1	2	7	23	24	24
	F	71	.	1	1	1	1	3	7	18	18	21
Vascular lesions affecting central nervous system	M	51	.	.	.	.	2	3	2	9	12	23
	F	69	.	.	.	.	.	.	2	8	22	37
Diseases of the heart	M	143	.	.	.	.	.	8	13	23	43	56
	F	129	.	.	.	1	.	1	3	10	41	73
Other diseases of the circulatory system	M	25	.	.	.	.	.	1	1	3	9	11
	F	27	.	.	.	.	.	1	2	2	3	19
Diseases of the respiratory system	M	87	6	1	.	.	.	3	3	15	19	40
	F	69	3	2	1	1	1	1	2	6	15	37
Senility	M	7	.	.	.	.	.	.	.	.	1	6
	F	2	.	.	.	.	.	.	.	.	.	2
Other diseases	M	85	38	2	4	1	.	4	2	11	6	17
	F	67	24	1	3	1	4	4	3	3	10	14
Accidents and other external causes	M	29	1	.	1	8	1	2	3	6	2	5
	F	17	2	.	.	2	2	.	1	2	2	6
All causes	M	523	51	3	7	9	4	24	33	91	118	183
	F	462	29	6	8	7	9	11	22	50	111	209
COUNTY KILDARE												
Tuberculosis of respiratory system	M	8	.	.	.	.	.	.	1	4	3	.
	F	4	.	.	.	.	.	2	.	.	1	1
Tuberculosis, other forms	M	1	.	.	1	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	1	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	57	.	.	.	1	.	3	5	18	12	18
	F	25	.	.	.	1	1	2	3	9	6	3
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	.	.	5	4	19
	F	29	.	.	.	1	2	1	3	5	8	9
Diseases of the heart	M	137	.	.	.	1	1	1	12	17	45	60
	F	96	.	.	.	.	1	.	4	15	14	62
Other diseases of the circulatory system	M	19	.	.	.	.	.	.	2	5	6	6
	F	14	.	.	.	.	.	1	.	1	1	11
Diseases of the respiratory system	M	49	5	2	.	.	.	1	2	5	14	20
	F	40	2	.	.	2	.	.	1	4	6	25
Senility	M	5	.	.	.	.	.	.	.	.	.	5
	F	7	.	.	.	.	.	.	.	.	1	6
Other diseases	M	67	22	5	.	1	.	1	4	6	12	16
	F	66	13	3	.	2	2	6	5	5	13	17
Accidents and other external causes	M	15	1	.	2	1	3	2	2	2	2	.
	F	11	.	1	1	2	.	1	.	.	2	4
All causes	M	387	28	7	3	4	4	8	29	62	98	144
	F	293	15	4	1	8	6	13	17	39	52	138

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	9	.	.	.	.	1	.	1	4	3	.
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	1	.	.	.	.	.
Malignant neoplasms	M	47	.	1	1	.	.	1	4	11	18	11
	F	52	.	.	1	.	.	.	7	16	13	15
Vascular lesions affecting central nervous system	M	64	.	.	.	.	.	1	1	8	15	39
	F	51	.	.	.	.	.	.	3	7	13	28
Diseases of the heart	M	139	.	.	.	.	1	5	9	21	43	60
	F	91	.	.	.	.	1	1	3	13	14	59
Other diseases of the circulatory system	M	34	.	.	.	.	.	.	2	4	13	15
	F	26	.	.	.	.	.	1	1	5	9	10
Diseases of the respiratory system	M	44	4	1	.	1	.	.	2	7	9	20
	F	33	5	.	.	.	.	.	1	5	3	19
Senility	M	47	.	.	.	.	.	.	.	.	1	46
	F	41	.	.	.	.	.	.	.	.	2	39
Other diseases	M	77	27	2	4	2	2	1	1	9	12	17
	F	49	19	1	2	.	1	2	2	4	7	11
Accidents and other external causes	M	17	.	2	2	2	2	2	3	3	1	.
	F	5	.	.	.	.	.	2	.	.	1	2
All causes	M	480	31	7	7	5	6	11	23	67	115	208
	F	351	25	1	3	.	3	6	17	51	62	183
COUNTY LAOIS												
Tuberculosis of respiratory system	M	4	.	.	.	.	1	2	1	.	.	.
	F	3	.	.	.	1	.	1	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	44	.	.	1	.	.	1	5	14	13	10
	F	25	.	.	.	.	1	1	4	5	9	5
Vascular lesions affecting central nervous system	M	32	.	.	.	.	.	1	.	1	10	20
	F	35	.	.	.	.	.	.	2	8	9	16
Diseases of the heart	M	114	.	.	.	.	.	.	3	17	35	59
	F	85	.	.	.	.	.	.	.	12	24	49
Other diseases of the circulatory system	M	18	.	.	.	.	.	.	3	1	5	9
	F	22	.	.	1	.	.	.	1	.	4	16
Diseases of the respiratory system	M	30	4	.	.	.	.	.	2	4	9	11
	F	25	1	1	.	.	.	1	2	3	4	13
Senility	M	18	.	.	.	.	.	.	.	.	.	18
	F	16	.	.	.	.	.	.	.	.	.	16
Other diseases	M	49	20	1	.	1	.	3	3	5	8	8
	F	26	4	1	.	1	2	.	1	5	3	9
Accidents and other external causes	M	12	.	.	.	.	2	.	1	3	5	1
	F	4	.	.	2	.	.	.	.	.	.	2
All causes	M	321	24	1	1	1	3	7	18	45	85	136
	F	241	5	2	3	2	3	3	11	33	53	126

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	1	1	.
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	47	.	.	.	.	.	1	2	10	14	20
	F	30	.	.	.	.	1	1	5	5	9	9
Vascular lesions affecting central nervous system	M	33	.	.	.	.	.	2	1	4	12	14
	F	27	.	.	.	.	.	.	1	3	6	17
Diseases of the heart	M	78	.	.	.	.	.	1	3	9	23	42
	F	59	.	.	.	.	.	1	2	5	10	41
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	.	1	3	6
	F	10	.	.	.	.	.	.	1	.	6	3
Diseases of the respiratory system	M	12	4	.	.	.	.	.	1	1	3	3
	F	13	1	.	.	.	.	.	1	.	3	8
Senility	M	9	.	.	.	.	.	.	.	.	.	9
	F	4	.	.	.	.	.	.	.	.	.	4
Other diseases	M	32	5	1	1	1	.	1	3	4	6	10
	F	31	7	.	.	.	.	1	2	3	4	14
Accidents and other external causes	M	6	.	.	.	.	1	.	1	2	2	.
	F	3	.	.	.	.	.	.	2	.	.	1
All causes	M	229	9	1	1	1	1	5	11	32	64	104
	F	180	8	.	.	.	1	4	14	17	38	98
COUNTY LOUTH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	.	1	.
	F	2	.	.	.	.	.	1	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	1	.	.	.	.	.	.	1	.
	F	3	.	.	2	.	.	1	.	.	.	.
Malignant neoplasms	M	48	.	.	.	1	1	2	8	11	15	10
	F	58	.	.	.	.	3	3	8	10	20	14
Vascular lesions affecting central nervous system	M	44	.	1	.	.	.	.	3	5	15	20
	F	52	.	.	.	.	2	1	1	6	16	26
Diseases of the heart	M	141	.	.	.	.	.	3	10	20	45	63
	F	110	.	.	.	.	.	4	5	10	26	65
Other diseases of the circulatory system	M	18	.	.	.	.	.	.	.	2	5	11
	F	18	.	.	.	.	.	1	1	3	7	6
Diseases of the respiratory system	M	49	3	.	1	.	.	.	1	6	16	22
	F	30	1	2	.	.	.	.	3	3	10	11
Senility	M	26	.	.	.	.	.	.	.	.	.	26
	F	27	.	.	.	.	.	.	.	.	1	26
Other diseases	M	55	23	1	1	1	1	1	3	8	7	9
	F	41	14	.	1	.	.	2	4	6	6	8
Accidents and other external causes	M	16	1	1	.	3	2	6	1	1	1	.
	F	9	.	1	.	.	.	.	.	2	2	4
All causes	M	401	27	4	2	5	4	12	27	53	106	161
	F	350	15	3	3	.	5	13	22	40	89	160

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	.	1	.
	F	2	.	.	.	.	.	.	2	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	.	.	.	1	.	.	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	51	.	.	.	.	1	1	11	6	18	14
	F	42	.	.	.	.	.	3	6	9	16	8
Vascular lesions affecting central nervous system	M	56	.	.	.	.	.	.	5	7	18	26
	F	78	.	.	.	1	1	.	2	10	27	37
Diseases of the heart	M	134	.	.	.	.	1	5	9	16	47	56
	F	82	.	.	.	.	.	1	1	9	22	49
Other diseases of the circulatory system	M	27	.	.	1	.	.	1	2	3	10	10
	F	30	.	.	.	.	.	.	1	3	10	16
Diseases of the respiratory system	M	63	1	2	.	.	.	1	2	9	16	32
	F	34	2	.	.	.	.	.	.	1	10	21
Senility	M	13	.	.	.	.	.	.	.	.	2	11
	F	22	.	.	.	.	.	.	.	.	1	21
Other diseases	M	55	21	2	1	1	.	2	2	1	11	14
	F	51	12	3	.	1	1	4	4	7	13	6
Accidents and other external causes	M	10	.	1	2	1	.	2	1	1	1	1
	F	6	.	1	.	.	.	.	.	.	2	3
All causes	M	413	23	5	4	2	2	13	33	43	124	164
	F	348	14	5	.	2	2	8	16	39	101	161
COUNTY OFFALY												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	3	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	2	.	.	1	.	1	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	60	.	.	.	1	1	3	5	7	22	21
	F	31	.	.	.	.	.	2	3	7	10	9
Vascular lesions affecting central nervous system	M	33	.	.	.	.	.	.	2	4	8	19
	F	33	.	.	1	.	.	2	1	3	9	17
Diseases of the heart	M	126	.	.	.	.	.	1	10	15	35	65
	F	85	.	.	.	.	.	1	.	4	19	61
Other diseases of the circulatory system	M	13	.	.	.	.	.	.	2	2	3	6
	F	20	.	.	.	.	.	.	1	1	2	16
Diseases of the respiratory system	M	29	2	2	.	.	.	.	2	3	10	10
	F	18	1	3	.	.	1	.	1	1	4	7
Senility	M	11	.	.	.	.	.	.	.	.	.	11
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	69	19	1	.	.	3	3	4	6	7	26
	F	50	21	1	1	.	.	2	2	1	13	9
Accidents and other external causes	M	14	.	1	.	3	.	3	1	2	3	1
	F	7	.	.	.	.	.	.	.	2	3	2
All causes	M	361	21	4	1	4	5	10	26	43	88	159
	F	253	22	4	3	.	1	7	9	19	60	128

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
		COUNTY WESTMEATH										
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	2	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	1	1
	F	2	.	.	.	.	.	.	.	.	1	1
Malignant neoplasms	M	44	1	1	1	.	1	.	2	15	14	9
	F	39	.	1	1	.	1	1	9	6	8	12
Vascular lesions affecting central nervous system	M	48	.	.	.	.	.	.	3	4	12	29
	F	35	.	.	.	.	.	1	3	2	10	19
Diseases of the heart	M	112	.	.	.	.	.	2	5	15	26	64
	F	87	.	.	.	.	.	1	5	1	27	53
Other diseases of the circulatory system	M	26	.	.	.	.	1	1	2	2	13	7
	F	21	.	.	.	.	.	.	2	3	3	13
Diseases of the respiratory system	M	23	5	.	.	.	1	.	1	5	6	5
	F	16	2	.	.	.	.	.	1	2	6	5
Senility	M	5	.	.	.	.	.	.	.	.	.	5
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	65	23	1	.	.	1	.	2	8	8	22
	F	36	11	3	1	.	1	.	3	4	5	8
Accidents and other external causes	M	12	1	.	1	1	1	1	1	1	4	1
	F	8	.	1	1	.	.	1	1	.	2	2
All causes	M	337	30	2	2	1	5	4	16	52	83	142
	F	252	13	5	3	.	2	5	24	18	62	120
		COUNTY WEXFORD										
Tuberculosis of respiratory system	M	5	.	.	.	.	1	.	.	3	1	.
	F	4	.	.	.	.	.	.	1	2	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	73	.	.	.	1	.	.	9	15	21	27
	F	68	.	.	.	.	2	4	7	14	20	21
Vascular lesions affecting central nervous system	M	50	.	.	.	.	.	.	3	7	19	21
	F	75	.	.	.	.	.	.	5	7	26	37
Diseases of the heart	M	205	.	.	.	.	.	2	8	28	55	112
	F	157	.	.	.	.	1	1	8	16	33	98
Other diseases of the circulatory system	M	72	.	.	.	.	.	1	1	4	18	48
	F	70	.	.	.	.	1	.	1	2	14	52
Diseases of the respiratory system	M	71	2	1	.	.	.	1	4	9	25	29
	F	58	8	1	.	1	1	1	3	4	13	26
Senility	M	10	.	.	.	.	.	.	.	.	.	10
	F	13	.	.	.	.	.	.	.	.	.	13
Other diseases	M	63	20	1	4	.	1	2	5	1	9	20
	F	77	21	5	.	1	3	8	5	6	10	18
Accidents and other external causes	M	16	2	1	2	.	1	2	3	1	4	.
	F	13	1	.	.	.	1	2	1	.	3	5
All causes	M	566	24	3	6	1	3	8	34	68	152	267
	F	535	30	6	.	2	9	16	31	51	119	271

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	2	2	.	1	.
	F	3	.	.	.	.	1	1	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	.	1	1	.	.
	F	3	.	1	.	.	.	.	.	.	.	2
Malignant neoplasms	M	58	.	.	1	.	.	4	5	12	12	24
	F	37	.	.	.	.	.	3	4	13	4	13
Vascular lesions affecting central nervous system	M	68	.	.	.	.	.	.	4	11	21	32
	F	61	.	.	.	.	.	2	4	6	16	33
Diseases of the heart	M	118	.	.	.	.	1	2	5	22	35	53
	F	109	.	.	.	.	.	1	3	17	25	63
Other diseases of the circulatory system	M	18	.	.	.	.	.	.	1	5	4	8
	F	18	.	.	.	.	.	.	.	1	7	10
Diseases of the respiratory system	M	40	4	1	1	1	.	1	3	5	9	15
	F	32	1	2	.	.	.	.	.	4	5	20
Senility *	M	7	.	.	.	.	.	.	.	.	.	7
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	62	13	.	.	1	.	3	6	9	15	15
	F	53	16	.	.	1	.	3	4	4	8	17
Accidents and other external causes	M	13	.	1	1	2	3	2	1	.	.	3
	F	3	1	.	.	.	.	.	.	1	.	1
All causes	M	392	18	2	3	4	4	14	28	65	97	157
	F	326	18	3	.	1	1	10	15	47	65	166
COUNTY CLARE												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	1	.	2	1	.
	F	6	.	.	.	.	1	2	3	.	.	.
Tuberculosis, other forms	M	1	.	1	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	1	.	.	.	.	.	1	.
	F	2	.	.	.	.	.	1	.	.	.	.
Malignant neoplasms	M	54	.	1	.	1	1	.	7	7	23	14
	F	51	.	1	.	.	.	7	3	11	20	9
Vascular lesions affecting central nervous system	M	44	.	.	1	.	.	.	4	6	8	25
	F	62	.	.	.	.	.	2	2	10	12	36
Diseases of the heart	M	226	.	.	.	.	2	2	9	24	69	120
	F	157	.	.	.	.	1	.	9	9	48	90
Other diseases of the circulatory system	M	21	.	.	.	.	.	.	1	4	5	11
	F	27	.	.	.	.	.	.	.	1	6	20
Diseases of the respiratory system	M	53	3	2	.	.	.	.	4	10	10	24
	F	23	2	.	1	.	.	.	1	1	7	11
Senility	M	51	.	.	.	.	.	.	.	.	.	51
	F	48	.	.	.	.	.	.	.	.	1	47
Other diseases	M	74	22	.	1	.	1	3	6	7	17	17
	F	76	14	6	2	2	1	2	5	7	15	22
Accidents and other external causes	M	17	.	.	4	2	2	2	.	3	3	1
	F	11	.	3	3	.	.	1	.	.	.	4
All causes	M	548	26	4	7	3	7	8	31	63	136	263
	F	463	16	10	6	2	3	15	23	39	110	239

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	13	.	.	.	.	.	1	4	4	3	1
	F	2	.	.	.	.	.	.	.	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	2	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	73	.	1	.	1	2	3	5	20	25	16
	F	65	.	.	.	2	2	4	7	14	24	12
Vascular lesions affecting central nervous system	M	47	.	.	.	.	1	.	6	8	14	18
	F	66	.	.	.	.	.	2	5	7	21	31
Diseases of the heart	M	184	.	.	.	.	.	2	15	34	57	76
	F	176	.	.	.	.	1	2	5	19	54	95
Other diseases of the circulatory system	M	34	.	.	.	.	.	1	3	1	8	21
	F	37	.	.	.	.	.	1	3	3	13	17
Diseases of the respiratory system	M	88	2	.	.	.	3	1	6	15	28	33
	F	64	1	1	1	.	.	.	3	8	14	36
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	17	.	.	.	.	.	.	.	.	1	16
Other diseases	M	86	26	3	1	1	2	2	5	9	18	19
	F	61	26	.	1	3	1	.	6	5	8	11
Accidents and other external causes	M	12	.	.	1	3	1	1	1	1	1	3
	F	9	.	3	2	.	.	.	1	.	.	3
All causes	M	542	28	4	2	5	9	11	46	92	154	191
	F	499	27	4	4	5	4	9	30	59	136	221
COUNTY CORK												
Tuberculosis of respiratory system	M	11	.	.	.	.	.	2	2	3	1	3
	F	8	.	.	.	.	1	2	2	.	1	2
Tuberculosis, other forms	M	6	1	.	.	1	.	2	.	1	1	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	6	.	.	2	1	.	.	1	.	1	1
	F	6	1	.	1	.	.	.	1	.	2	1
Malignant neoplasms	M	242	.	4	3	2	4	7	20	54	76	72
	F	220	.	1	1	1	6	14	23	45	67	62
Vascular lesions affecting central nervous system	M	170	.	.	.	1	.	1	3	15	48	102
	F	184	.	.	.	.	1	4	5	18	51	105
Diseases of the heart	M	621	.	.	.	1	2	13	43	86	156	320
	F	511	1	.	.	.	.	8	11	41	124	326
Other diseases of the circulatory system	M	81	.	.	.	.	1	3	4	7	21	45
	F	92	.	1	1	1	.	1	2	7	25	54
Diseases of the respiratory system	M	190	8	2	1	.	1	3	10	24	57	84
	F	146	4	2	2	1	1	1	7	11	35	82
Senility	M	107	.	.	.	.	.	.	.	.	5	102
	F	142	.	.	.	.	.	.	.	.	2	140
Other diseases	M	283	73	5	5	6	5	9	15	31	46	88
	F	195	42	8	4	3	4	3	14	18	42	57
Accidents and other external causes	M	66	.	5	4	11	2	9	7	10	9	9
	F	21	.	.	2	2	.	1	1	2	2	11
All causes	M	1,783	82	16	15	23	15	49	105	231	421	826
	F	1,526	48	12	11	8	13	34	66	143	351	840

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis of respiratory system	M	13	.	.	.	.	.	1	4	4	4	.
	F	4	.	.	.	.	.	.	2	.	1	1
Tuberculosis, other forms	M	2	.	1	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	8	.	1	.	.	1	1	2	1	.	2
	F	2	1	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	111	.	1	.	.	2	4	14	17	38	35
	F	80	.	.	1	1	.	2	12	24	24	16
Vascular lesions affecting central nervous system	M	78	.	.	.	1	.	2	3	8	28	36
	F	90	.	.	.	.	.	2	4	9	30	45
Diseases of the heart	M	288	.	.	1	.	1	2	27	49	74	134
	F	205	.	.	.	.	.	.	10	16	64	115
Other diseases of the circulatory system	M	52	.	.	.	.	.	2	3	4	14	29
	F	52	.	.	.	.	1	.	3	.	14	34
Diseases of the respiratory system	M	87	5	2	1	.	.	1	6	12	18	42
	F	53	1	1	1	.	2	3	2	6	8	29
Senility	M	83	.	.	.	.	.	.	.	.	1	82
	F	78	.	.	.	.	.	.	.	.	.	78
Other diseases	M	150	34	8	2	3	1	3	12	14	39	34
	F	115	30	4	1	.	2	6	6	8	29	29
Accidents and other external causes	M	29	.	.	5	1	1	1	6	2	7	6
	F	23	.	.	1	2	1	.	1	2	4	12
All causes	M	901	39	13	9	5	6	13	77	111	223	400
	F	702	32	6	4	3	6	13	40	65	174	359
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	.	1	3	1	.
	F	3	.	.	.	.	1	1	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	46	.	.	.	1	1	12	11	12	9	9
	F	45	.	.	2	1	2	3	4	10	13	10
Vascular lesions affecting central nervous system	M	20	.	.	.	.	.	.	2	3	7	8
	F	47	.	.	.	.	.	.	1	4	11	31
Diseases of the heart	M	87	.	.	.	1	.	4	6	23	27	26
	F	87	.	.	.	.	.	.	3	14	18	52
Other diseases of the circulatory system	M	14	.	.	.	.	.	.	.	1	8	5
	F	15	.	.	.	.	.	.	1	2	3	9
Diseases of the respiratory system	M	58	5	4	1	.	.	1	3	13	13	18
	F	19	1	.	.	.	.	.	1	4	2	11
Senility	M	9	.	.	.	.	.	.	.	.	1	8
	F	10	.	.	.	.	.	.	.	.	.	10
Other diseases	M	42	21	1	.	1	.	1	5	4	6	3
	F	45	17	1	3	1	1	.	3	7	3	9
Accidents and other external causes	M	10	.	1	1	4	1	.	.	1	1	1
	F	5	.	1	.	1	.	1	.	2	.	.
All causes	M	291	26	6	2	6	2	7	29	59	76	78
	F	277	13	2	5	3	4	5	14	44	50	132

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	7	.	.	.	.	.	1	1	3	1	1
	F	8	.	.	.	.	2	2	1	3	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	2	.	.	.	.	.	.	.	2	.
	F	3	.	1	1	.	.	.	.	.	.	1
Malignant neoplasms	M	80	.	1	1	2	.	.	10	12	23	31
	F	57	.	.	1	.	.	2	9	13	22	10
Vascular lesions affecting central nervous system	M	56	.	.	.	.	.	1	1	9	21	24
	F	71	.	.	.	.	.	1	7	11	19	33
Diseases of the heart	M	223	.	.	.	.	.	3	7	40	61	112
	F	163	.	.	.	.	1	3	4	18	42	95
Other diseases of the circulatory system	M	32	.	.	.	.	.	.	3	6	6	17
	F	26	.	.	.	.	.	2	.	3	5	16
Diseases of the respiratory system	M	55	3	1	.	.	.	1	1	8	10	31
	F	48	.	2	2	.	1	.	2	3	7	31
Senility	M	31	.	.	.	.	.	.	.	.	2	29
	F	46	.	.	.	.	.	.	.	.	3	43
Other diseases	M	88	18	.	1	1	5	4	1	9	16	33
	F	89	25	1	1	1	1	4	4	8	16	28
Accidents and other external causes	M	31	1	.	1	2	1	9	4	2	6	5
	F	15	1	1	.	.	2	.	1	2	2	6
All causes	M	607	24	2	3	5	6	19	28	89	148	283
	F	526	26	5	5	1	7	14	28	61	116	263
COUNTY TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	1	.	1	2	.
	F	6	.	.	.	.	.	1	4	1	.	.
Tuberculosis, other forms	M	3	.	.	1	.	.	.	1	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	2	.	1	.	.	.	.	1	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	56	.	.	.	.	.	2	11	13	17	13
	F	39	.	.	.	.	.	4	9	8	10	8
Vascular lesions affecting central nervous system	M	34	.	.	.	.	.	.	.	3	13	18
	F	39	.	.	.	.	.	1	1	2	16	19
Diseases of the heart	M	137	.	.	.	.	2	2	6	21	52	54
	F	109	.	.	.	.	.	2	7	11	42	47
Other diseases of the circulatory system	M	16	.	1	.	.	.	.	1	3	2	9
	F	17	.	.	.	.	.	.	1	4	6	6
Diseases of the respiratory system	M	46	4	3	.	.	.	1	.	3	19	16
	F	22	1	.	.	.	1	1	1	2	5	11
Senility	M	65	.	.	.	.	.	.	.	.	.	65
	F	48	.	.	.	.	.	.	.	.	.	48
Other diseases	M	65	17	3	1	.	1	.	2	9	8	24
	F	35	7	2	1	.	1	3	1	3	7	10
Accidents and other external causes	M	19	1	1	1	.	3	2	2	2	4	3
	F	7	.	1	1	.	.	.	.	.	2	3
All causes	M	450	24	8	4	.	7	8	23	56	118	202
	F	323	8	3	2	.	2	12	24	31	88	153

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	6	.	.	.	.	1	1	.	3	1	.
	F	2	.	.	.	.	.	1	.	.	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	3	.	.	.	.	1	.	1	1	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	71	.	.	1	.	1	4	7	11	19	28
	F	60	.	.	.	.	1	3	11	10	15	20
Vascular lesions affecting central nervous system	M	49	.	.	.	.	1	.	3	6	19	20
	F	57	.	.	.	.	.	.	5	5	14	33
Diseases of the heart	M	159	.	.	.	.	1	2	8	17	50	81
	F	120	.	.	.	.	.	2	8	12	27	71
Other diseases of the circulatory system	M	26	.	.	.	.	.	.	2	6	7	11
	F	16	.	.	.	.	1	.	2	.	3	10
Diseases of the respiratory system	M	43	2	.	.	1	.	2	2	7	14	15
	F	40	2	.	1	1	.	3	2	4	8	19
Senility	M	41	.	.	.	.	.	.	.	.	1	40
	F	55	.	.	.	.	.	.	.	.	1	54
Other diseases	M	76	24	1	1	2	.	.	6	9	13	20
	F	64	23	.	.	.	1	.	4	12	8	16
Accidents and other external causes	M	9	1	.	.	.	4	1	.	2	.	1
	F	4	2	.	.	.	.	.	.	1	.	1
All causes	M	483	27	1	2	3	9	10	29	62	124	216
	F	420	27	.	1	1	3	9	33	44	77	225
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	1	.	1	.	.
	F	5	.	.	.	.	1	1	.	2	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	29	.	.	.	.	.	1	1	11	10	6
	F	19	.	.	.	.	.	1	3	5	6	4
Vascular lesions affecting central nervous system	M	23	.	.	.	.	.	1	.	2	10	10
	F	28	.	.	.	.	.	.	1	3	8	16
Diseases of the heart	M	47	.	.	.	1	.	1	6	5	19	15
	F	46	.	.	.	.	.	1	1	7	11	26
Other diseases of the circulatory system	M	5	.	.	.	.	.	.	.	.	.	5
	F	12	.	.	.	.	.	.	.	3	2	7
Diseases of the respiratory system	M	46	2	4	.	.	.	1	1	8	9	21
	F	38	1	.	.	.	.	.	2	1	4	30
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	2	.	.	.	.	.	.	.	.	.	2
Other diseases	M	8	3	.	.	.	.	1	1	1	.	2
	F	24	6	.	1	1	.	.	2	3	6	5
Accidents and other external causes	M	1	.	.	.	.	.	.	.	.	.	1
	F	5	.	.	.	1	1	.	.	.	1	2
All causes	M	164	6	4	.	1	.	6	9	28	48	62
	F	180	7	.	1	2	2	3	10	24	38	93

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	.	2	.
	F	1	.	.	.	.	.	.	.	.	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	3	1	.	.	.	.	2	.	.	.	.
Malignant neoplasms	M	43	.	.	.	1	.	1	2	10	19	10
	F	24	.	.	1	.	.	.	2	3	7	11
Vascular lesions affecting central nervous system	M	24	.	.	.	.	.	1	.	.	4	19
	F	40	.	.	.	.	1	.	1	7	7	24
Diseases of the heart	M	144	.	.	.	.	.	1	10	23	45	65
	F	76	.	.	.	2	.	1	3	8	20	42
Other diseases of the circulatory system	M	18	.	.	.	.	.	.	1	.	8	9
	F	14	.	.	.	.	.	.	.	1	3	10
Diseases of the respiratory system	M	46	2	.	.	.	.	.	3	7	14	20
	F	31	1	.	1	1	.	.	1	4	6	17
Senility	M	24	.	.	.	.	.	.	.	.	.	24
	F	18	.	.	.	.	.	.	.	.	.	18
Other diseases	M	58	10	.	2	.	1	2	2	14	9	18
	F	37	8	1	.	.	.	1	.	2	9	16
Accidents and other external causes	M	11	.	.	1	3	1	3	1	1	1	.
	F	10	2	.	.	.	3	.	.	.	1	4
All causes	M	370	12	.	3	4	2	8	19	55	102	165
	F	254	12	1	2	3	4	4	7	25	53	143
COUNTY GALWAY												
Tuberculosis of respiratory system	M	6	.	.	.	.	.	.	.	3	.	3
	F	9	.	.	.	.	1	1	2	1	4	.
Tuberculosis, other forms	M	2	.	.	1	.	.	.	.	1	.	.
	F	1	.	1	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	6	3	.	.	.	.	.	2	1	.	.
	F	3	.	2	.	.	.	.	1	.	.	.
Malignant neoplasms	M	129	.	2	1	1	1	1	8	28	39	48
	F	93	.	.	.	1	1	.	11	27	19	34
Vascular lesions affecting central nervous system	M	103	.	.	.	.	.	.	3	7	39	54
	F	101	.	.	.	.	.	.	7	10	26	58
Diseases of the heart	M	317	.	.	1	.	2	5	21	40	74	174
	F	198	.	.	.	1	.	4	7	9	44	133
Other diseases of the circulatory system	M	43	.	.	.	.	.	2	1	4	18	18
	F	60	.	.	2	.	.	.	2	4	21	31
Diseases of the respiratory system	M	135	3	3	.	.	2	3	8	8	27	81
	F	88	6	3	1	.	1	.	2	5	16	54
Senility	M	59	.	.	.	.	.	.	.	.	4	55
	F	64	.	.	.	.	.	.	.	.	2	62
Other diseases	M	135	31	2	1	6	.	2	9	14	25	45
	F	107	28	2	1	4	6	2	8	9	19	28
Accidents and other external causes	M	37	1	1	.	3	4	5	3	4	8	8
	F	15	1	.	1	1	.	.	.	1	5	6
All causes	M	972	38	8	4	10	9	18	55	110	234	486
	F	739	35	8	5	7	9	7	40	66	156	406

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	1	1	1
	F	2	.	.	.	.	.	.	.	2	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	.	.	.	1	.	.
Malignant neoplasms	M	69	.	.	.	.	2	2	9	10	21	25
	F	28	.	1	.	.	1	3	5	3	12	3
Vascular lesions affecting central nervous system	M	39	.	.	.	.	.	1	1	3	14	20
	F	53	.	.	.	1	.	1	1	7	14	29
Diseases of the heart	M	216	.	.	.	.	1	3	8	21	45	138
	F	149	.	.	.	.	1	.	2	10	40	96
Other diseases of the circulatory system	M	17	.	.	.	.	1	.	1	4	4	7
	F	13	.	.	.	.	.	.	1	1	3	8
Diseases of the respiratory system	M	43	1	.	.	.	.	3	2	8	12	17
	F	30	3	.	.	.	.	.	1	4	6	16
Senility	M	45	.	.	.	.	.	.	.	.	4	41
	F	24	.	.	.	.	.	.	.	.	.	24
Other diseases	M	76	15	.	2	1	2	7	1	8	18	22
	F	40	13	.	1	1	1	.	2	4	5	13
Accidents and other external causes	M	17	.	1	2	.	2	.	4	1	4	3
	F	7	.	.	.	.	.	.	.	.	1	6
All causes	M	525	16	1	4	1	8	16	26	56	123	274
	F	348	16	1	2	2	3	4	12	32	81	195
COUNTY SLIGO												
Tuberculosis of respiratory system	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	1	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	43	.	.	.	.	1	3	5	5	19	10
	F	46	.	.	.	.	1	5	4	10	15	11
Vascular lesions affecting central nervous system	M	37	.	.	.	.	.	1	3	6	10	17
	F	48	.	.	.	.	.	.	2	7	11	28
Diseases of the heart	M	131	.	.	.	1	.	1	11	18	40	60
	F	88	.	.	.	.	.	3	3	8	18	56
Other diseases of the circulatory system	M	42	.	.	.	.	.	1	2	5	5	29
	F	32	.	.	.	.	.	.	2	2	5	23
Diseases of the respiratory system	M	53	2	2	.	.	.	.	4	5	16	24
	F	28	1	1	.	.	.	.	1	2	4	19
Senility	M	47	.	.	.	.	.	.	.	.	10	37
	F	64	.	.	.	.	.	.	.	.	5	59
Other diseases	M	61	20	1	1	.	.	1	4	2	16	16
	F	65	15	1	1	.	3	3	5	7	8	22
Accidents and other external causes	M	17	.	.	1	1	.	3	2	4	2	4
	F	7	2	1	.	.	.	.	1	.	1	2
All causes	M	434	22	4	2	2	1	12	31	45	118	197
	F	380	18	3	1	.	4	11	18	37	68	220

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	1	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	68	.	.	.	.	.	1	4	14	29	20
	F	39	.	.	.	.	1	2	5	7	8	16
Vascular lesions affecting central nervous system	M	46	.	.	.	.	1	.	3	2	19	21
	F	54	.	.	.	.	.	.	2	6	21	25
Diseases of the heart	M	150	.	.	.	.	.	.	15	17	30	88
	F	130	.	.	.	.	2	1	6	11	28	82
Other diseases of the circulatory system	M	21	.	.	.	.	.	.	1	3	4	13
	F	18	.	.	.	.	.	.	.	2	5	11
Diseases of the respiratory system	M	57	3	.	.	.	.	.	2	7	14	31
	F	44	4	2	.	.	1	1	1	1	10	24
Senility	M	42	.	.	.	.	.	.	.	.	2	40
	F	33	.	.	.	.	.	.	.	.	2	31
Other diseases	M	76	16	2	1	.	1	.	6	12	15	23
	F	56	14	.	3	.	2	1	4	3	14	15
Accidents and other external causes	M	12	.	.	1	1	.	1	2	3	2	2
	F	15	1	.	.	.	3	1	.	1	3	6
All causes	M	476	20	3	2	1	2	2	34	58	115	239
	F	390	19	2	3	.	9	6	18	31	91	211
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	8	.	.	.	.	.	.	1	2	4	1
	F	5	.	.	.	.	.	2	1	.	1	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	3	1	.	1	.	.	1	.	.	.	.
Malignant neoplasms	M	97	.	.	.	.	1	5	11	17	26	37
	F	89	.	.	1	1	1	4	10	13	32	27
Vascular lesions affecting central nervous system	M	69	.	.	.	.	.	.	2	7	12	48
	F	101	.	.	.	.	1	4	8	5	26	57
Diseases of the heart	M	273	.	.	.	2	1	6	15	26	63	160
	F	179	.	.	.	1	.	1	1	18	42	116
Other diseases of the circulatory system	M	33	.	.	.	.	.	.	.	3	8	22
	F	35	.	.	.	.	.	.	2	3	6	24
Diseases of the respiratory system	M	94	12	1	.	.	1	.	2	6	17	55
	F	92	5	1	.	1	1	2	.	3	25	54
Senility	M	51	.	.	.	.	.	.	.	.	1	50
	F	71	.	.	.	.	.	.	.	.	2	69
Other diseases	M	141	23	2	2	2	3	5	9	13	26	56
	F	105	17	4	2	1	2	5	7	6	22	39
Accidents and other external causes	M	24	.	.	1	2	1	3	5	6	3	3
	F	10	1	1	.	2	.	.	.	.	1	5
All causes	M	791	35	3	3	6	7	19	45	81	160	432
	F	690	24	6	4	6	5	19	29	48	157	392

TABLE 24.—(continued)—DEATHS IN 1961, CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	1	1	.
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	1	.	.	.	.	.	.	1
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	32	.	.	.	1	2	.	2	8	12	7
	F	35	.	.	.	.	2	2	2	10	12	7
Vascular lesions affecting central nervous system	M	36	.	.	.	1	.	1	.	5	11	18
	F	39	.	.	.	.	.	.	2	4	11	22
Diseases of the heart	M	135	.	.	.	1	.	1	10	17	34	72
	F	74	.	.	.	.	.	.	7	6	17	44
Other diseases of the circulatory system	M	15	.	.	1	.	.	.	.	2	5	7
	F	11	.	.	.	.	1	.	.	.	2	8
Diseases of the respiratory system	M	61	1	4	.	.	1	4	3	5	16	27
	F	40	3	.	.	.	.	1	2	1	12	21
Senility	M	17	.	.	.	.	.	.	.	.	1	16
	F	19	.	.	.	.	.	.	.	.	.	19
Other diseases	M	60	13	1	.	1	1	2	3	4	6	29
	F	52	13	.	.	2	2	1	4	4	10	16
Accidents and other external causes	M	11	.	.	.	2	1	.	3	.	1	4
	F	5	.	.	.	.	.	.	.	.	1	4
All causes	M	370	14	5	1	6	5	8	22	42	87	180
	F	273	16	.	1	2	5	4	17	26	65	142

TABLE 25.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter- national List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	699 538	330 260	174 132	75 73	40 34	20 18	41 26	15 10	42 30	19 18	402 316	201 141
010	Tuberculosis of meninges and central nervous system	M F	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	3 5	. .	. 1	. .	. .	. .	1 .	. .	1 .	. .	1 4
030-055 057-138	Other infective and parasitic diseases	M F	4 .	15 6	1 .	2 2	. .	1 .	1 .	. .	. .	2 .	2 .	10 4
340	Meningitis except meningococcal and tuberculous	M F	1 2	8 5	1 .	. .	. .	1 .	. .	. .	. .	. .	2 .	7 5
330-334 341-398	Other diseases of the nervous system and sense organs	M F	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .
480-483	Influenza	M F	2 2	10 11	. .	. .	. .	1 .	. .	1 .	. .	. .	2 2	9 9
490-493	Pneumonia	M F	. .	112 87	. .	24 35	. .	7 2	. .	6 2	. .	6 6	. .	69 42
500-502	Bronchitis	M F	. 1	4 2	. .	2 .	. .	1 .	. .	. .	. .	. .	1 .	1 2
470-475 510-527	Other diseases of the respiratory system	M F	2 .	4 1	1 .	1 .	1 .	. .	. .	. .	. .	. .	. .	3 1
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	14 14	31 29	4 5	8 9	. 1	2 4	. .	2 .	3 1	4 2	7 7	15 14
530-570 572-587	Other diseases of the digestive system	M F	6 4	4 6	1 2	1 1	. .	. 1	. .	. 2	2 .	. .	3 2	3 2
750-759	Congenital malformations	M F	136 140	86 60	41 41	24 18	10 12	6 5	6 4	4 3	8 11	3 6	71 72	49 28
760-761	Birth injuries	M F	85 51	1 1	18 12	. .	3 3	. .	4 2	. .	5 3	. .	55 31	1 1
762	Post-natal asphyxia and atelectasis	M F	99 78	2 2	23 16	2 .	8 3	. 1	4 4	. .	4 2	. .	60 53	. 1
763	Pneumonia of newborn	M F	49 34	. .	12 8	. .	2 2	. .	7 3	. .	2 3	. .	26 18	. .
765-768	Other infections of newborn	M F	10 4	2 3	2 2	1 .	1 .	. .	1 .	. .	2 .	. 1	4 2	1 2
769-0- 773-0	Other and ill-defined dis- eases of early infancy:— Without mention of immaturity	M F	59 55	13 7	11 9	2 1	3 3	1 1	3 2	. .	4 1	1 .	38 40	9 5
769-5- 773-5	With mention of immaturity	M F	47 34	1 2	16 9	1 1	1 2	. .	3 3	. .	4 .	. .	23 20	. 1
774	Immaturity with mention of any other subsidiary condition	M F	3 1	2 2	. 1	1 1	. .	1 .	. .	. .	. .	. .	3 .	. 1
776	Immaturity unqualified	M F	165 104	7 4	39 24	. .	10 7	. .	12 8	1 .	8 9	. .	96 56	6 4
780-2	Convulsions	M F	1 2	3 2	. .	1 .	. .	. 1	. .	. .	. .	. .	1 2	2 1
	Other causes	M F	15 12	20 25	4 3	5 4	1 1	. 2	. .	. 2	. .	2 3	10 8	13 14

TABLE 26.—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF AGE

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M F	1,029 798	43 51	200 164	243 215	115 88	76 35	46 31	19 22	15 12	14 9
010	Tuberculosis of meninges and central nervous system	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	3 5	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	19 6	. .	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis, except meningococcal and tuberculous	M F	9 7	. .	. .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	12 13	. .	. .	. .	. .	. .	. .	. .	1 .	. .
490-493	Pneumonia	M F	112 87	. .	. .	. .	. .	. .	. .	. .	. .	. .
500-502	Bronchitis	M F	4 3	. .	. .	. .	. 1	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	6 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	45 43	. .	. .	. .	. .	. .	. .	. .	. .	. .
530-570 572-587	Other diseases of the digestive system	M F	10 10	. .	3 2	3 2	. .	1 .	1 .	. .	1 .	. .
750	Congenital malformations:— Monstrosity	M F	10 33	. 17	7 10	7 27	. 4	1 2	2 .	. .	. .	. .
751	Spina bifida and meningocele	M F	35 52	. 4	2 4	2 8	2 1	1 2	. 1	1 1	1 2	. 1
752	Congenital hydrocephalus	M F	17 21	1 .	5 6	6 6	. 2	1 .	. .	. .	. .	. .
753	Other congenital malformations of nervous system and sense organs	M F	3 2	. .	. .	. .	. 1	. .	. .	. .	. .	. .
754	Congenital malformations of circulatory system	M F	77 50	1 1	8 4	9 5	7 5	5 2	4 1	1 2	2 .	2 .
755	Cleft palate and hairlip	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .
756	Congenital malformations of digestive system	M F	39 17	. .	2 .	2 .	2 1	1 1	5 3	1 1	2 .	. .
757	Congenital malformations of genito-urinary system	M F	10 5	. .	. .	. .	. .	. .	2 .	. .	. .	1 .
758	Congenital malformations of bone and joint	M F	1 2	. .	1 .	1 .	. .	1 .	1 .	. .	. .	. .
759	Other and unspecified congenital malformations	M F	28 16	3 1	6 5	9 6	4 .	2 1	2 2	. .	. .	1 1
	Intracranial and spinal injury at birth:—											
760-0	Without mention of immaturity	M F	44 27	3 2	11 5	14 7	11 5	5 3	5 3	3 4	3 .	. 1
760-5	With immaturity	M F	11 11	. .	3 5	3 5	3 1	. 1	2 1	. .	1 .	1 .
761-0	Other birth injury:— Without mention of immaturity	M F	17 9	4 1	6 5	10 6	5 .	1 1	1 1	. .	1 .	. .
761-5	With immaturity	M F	14 5	2 1	7 1	9 2	2 3	1 .	1 .	. .	. .	. .
762-0	Post-natal asphyxia and atelectasis:— Without mention of immaturity	M F	63 40	8 5	29 13	37 18	13 9	4 4	3 2	. 2	. .	1 .
762-5	With immaturity	M F	38 40	. 3	10 12	10 15	16 15	4 3	1 3	. 1	2 1	2 .

TABLE 26.—(continued)—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
763-0	Pneumonia of newborn:— Without mention of immaturity	M	37	1	2	3	1	2	2	1	1	.
		F	21	.	1	1	1	1	1	.	1	.
763-5	With immaturity	M	12	.	.	.	1	2	1	1	.	1
		F	13	.	1	1	2	.	.	2	.	1
765-0	Ophthalmia neonatorum:— Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
765-5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766-0	Pemphigus neonatorum:— Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766-5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
767-0	Umbilical sepsis:— Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
767-5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
768-0	Other sepsis of newborn:— Without mention of immaturity	M	11	.	.	.	.	.	1	.	.	.
		F	7	.	.	.	.	.	.	.	.	.
768-5	With immaturity	M	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
769-0- 769-4	Neonatal disorders arising from certain diseases of the mother during pregnancy:— Without mention of immaturity	M	4	1	1	2	.	1	.	.	.	1
		F	1	.	1	1	.	.	.	.	.	.
769-5- 769-9	With immaturity	M	1	1	.	1	.	.	.	.	.	.
		F	1	.	1	1	.	.	.	.	.	1
770-0- 770-2	Haemolytic disease of newborn (erythroblastosis):— Without mention of immaturity	M	27	.	11	11	3	6	3	.	.	.
		F	26	4	12	16	5	2	2	.	.	1
770-5- 770-7	With immaturity	M	8	1	3	4	1	1	.	.	.	.
		F	7	.	4	4	2	1	.	.	.	.
771-0	Haemorrhagic disease of newborn:— Without mention of immaturity	M	8	.	2	2	2	.	1	.	.	1
		F	11	1	3	4	3	1	.	1	.	1
771-5	With immaturity	M	2	.	1	1	.	.	.	.	.	1
		F	2	.	.	.	.	.	1	.	.	.
772-0	Nutritional maladjustment:— Without mention of immaturity	M	1	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.
772-5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
773-0	Ill-defined diseases of early infancy:— Without mention of immaturity	M	32	.	5	5	7	5	.	.	.	.
		F	20	3	7	10	1	2	1	.	.	.
773-5	With immaturity	M	37	.	15	15	3	6	3	1	1	1
		F	26	.	11	11	4	2	3	.	.	1
774	Immaturity with mention of any other subsidiary condition	M	5	.	.	.	1	1	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	172	13	61	74	31	24	6	9	1	1
		F	108	8	49	57	22	6	5	2	5	1
780-2	Convulsions	M	4	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	1	.	1
	Other causes	M	35	4	.	4	.	.	.	2	1	.
		F	37	.	1	1	.	.	.	3	.	.

AGE IN 1961, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Total under 7	7-13	14-20	21-27	Total under 4 weeks	Months											Detailed Inter- national List Nos.
					4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	
10	11	7	9	37	.	.	.	.	.	.	.	.	.	.	.	763-0
5	6	7	3	21	.	.	.	.	.	.	.	.	.	.	.	
6	1	3	2	12	.	.	.	.	.	.	.	.	.	.	.	763-5
6	6	.	1	13	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766-0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767-0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	3	4	1	9	1	1	.	.	.	.	.	.	.	.	.	768-0
.	.	3	1	4	.	3	.	.	.	.	.	.	.	.	.	
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	768-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	769-0-
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	769-4
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	769-5-
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	769-9
23	2	.	.	25	1	.	1	.	.	.	.	.	.	.	.	770-0-
26	.	.	.	26	.	.	.	.	.	.	.	.	.	.	.	770-2
6	1	.	.	7	.	1	.	.	.	.	.	.	.	.	.	770-5-
7	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	770-7
6	1	.	1	8	.	.	.	.	.	.	.	.	.	.	.	771-0
10	.	.	.	10	1	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	771-5
1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	772-0
.	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	772-5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
17	3	.	2	22	4	4	1	.	.	.	.	.	1	.	.	773-0
14	1	2	.	17	.	.	.	.	1	1	.	.	.	.	1	
30	7	.	.	37	.	.	.	.	.	.	.	.	.	.	.	773-5
21	1	.	2	24	2	.	.	.	.	.	.	.	.	.	.	
2	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	774
.	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	
146	13	6	.	165	4	3	.	.	.	.	.	.	.	.	.	776
98	3	2	1	104	3	.	.	.	1	.	.	.	.	.	.	
.	1	.	.	1	1	.	.	1	.	.	1	.	.	.	.	780-2
2	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	
7	3	3	2	15	3	3	3	2	3	2	1	1	.	1	1	
4	5	1	2	12	3	6	5	3	.	3	.	2	2	.	1	

TABLE 27.—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN IN 1961 UNDER ONE YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M	43	7	6	9	22	6	6	9
		F	26	3	3	9	15	3	4	4
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic diseases	M	6	.	.	1	1	1	.	4
057-138		F	.	.	.	.	.	.	.	.
340	Meningitis except meningo- coccal and tuberculous	M	1	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.
330-334	Other diseases of the nervous system and sense organs	M	.	.	.	.	.	.	.	.
341-398		F	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	7	.	.	.	.	1	3	3
		F	2	.	.	.	.	.	.	2
500-502	Bronchitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
470-475	Other diseases of the respiratory system	M	.	.	.	.	.	.	.	.
510-527		F	.	.	.	.	.	.	.	.
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M	3	.	.	.	.	1	2	.
		F	2	.	.	1	1	1	.	.
530-570	Other diseases of the digestive system	M	1	.	.	.	.	.	1	.
572-587		F	.	.	.	.	.	.	.	.
750-759	Congenital malformations	M	12	.	3	6	9	2	.	1
		F	16	1	.	8	9	2	3	2
760, 761	Birth injuries	M	2	1	.	.	1	1	.	.
		F	1	.	1	.	1	.	.	.
762	Post-natal asphyxia and atelectasis	M	2	2	.	.	2	.	.	.
		F	1	1	.	.	1	.	.	.
763	Pneumonia of newborn	M	3	.	2	1	3	.	.	.
		F	.	.	.	.	.	.	.	.
765-768	Other infections of newborn	M	1	.	.	1	1	.	.	.
		F	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:—									
769-0- 773-0	Without mention of immaturity	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
769-5- 773-5	With mention of immaturity	M	1	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	3	3	.	.	3	.	.	.
		F	4	1	2	.	3	.	1	.
780-2	Convulsions	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
	Other causes	M	1	1	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 28.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	699	330	363	179	206	88	84	40	46	23
		F	538	260	273	143	164	57	64	38	37	22
010	Tuberculosis of meninges and central nervous system	M	.	1	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	3	.	.	.	1	.	2	.	.
		F	.	5	.	1	.	1	.	2	.	1
030-055	Other infective and	M	4	15	2	9	.	5	1	1	1	.
057-138	parasitic diseases	F	.	6	.	3	.	2	.	1	.	.
340	Meningitis except mening- ococcal and tuberculous	M	1	8	1	5	.	3	.	.	1	.
		F	2	5	1	4	.	.	.	.	1	1
330-334	Other diseases of the	M	1	1	.	.	.	.	1	1	.	.
341-398	nervous system and sense organs	F	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	2	10	.	3	2	3	.	2	.	2
		F	2	11	1	5	1	1	.	3	.	2
490-493	Pneumonia	M	.	112	.	61	.	28	.	10	.	13
		F	.	87	.	56	.	12	.	9	.	10
500-502	Bronchitis	M	.	4	.	2	.	1	.	.	.	1
		F	1	2	1	.	.	.	.	2	.	.
470-475	Other diseases of the	M	2	4	1	3	1	1	.	.	.	.
510-527	respiratory system	F	.	1	.	.	.	.	.	1	.	.
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	14	31	9	17	1	6	3	7	1	1
		F	14	29	9	19	1	6	1	4	3	.
530-570	Other diseases of the	M	6	4	4	3	2	1	.	.	.	.
572-587	digestive system	F	4	6	3	2	1	4	.	.	.	.
750-759	Congenital malformations	M	136	86	77	49	37	24	13	11	9	2
		F	140	60	74	34	46	14	15	8	5	4
760, 761	Birth injuries	M	85	1	38	1	27	.	11	.	9	.
		F	51	1	31	.	13	1	4	.	3	.
762	Postnatal asphyxia and atelectasis	M	99	2	58	2	31	.	6	.	4	.
		F	78	2	34	.	26	2	12	.	6	.
763	Pneumonia of newborn	M	49	.	28	.	13	.	5	.	3	.
		F	34	.	19	.	11	.	3	.	1	.
765-768	Other infections of newborn	M	10	2	5	2	5	.	.	.	.	1
		F	4	3	2	2	1	.	.	.	1	.
	Other and ill-defined diseases of early infancy:—											
769-0-	Without mention of	M	59	13	24	5	15	4	15	2	5	2
773-0	immaturity	F	55	7	24	2	15	3	14	2	2	.
773-5-	With mention of	M	47	1	27	1	14	.	4	.	2	.
769-5	immaturity	F	34	2	15	1	11	1	6	.	2	.
774	Immaturity with mention of any other subsidiary condition	M	3	2	.	1	.	1	2	.	1	.
		F	1	2	1	2	.	.	.	.	.	.
776	Immaturity unqualified	M	165	7	83	2	53	5	19	.	10	.
		F	104	4	53	1	33	2	6	1	12	.
780-2	Convulsions	M	1	3	.	1	.	.	1	1	.	1
		F	2	2	.	.	1	1	1	.	.	1
	Other causes	M	15	20	6	12	5	4	3	3	1	1
		F	12	25	5	11	4	7	2	5	1	2

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		CARLOW COUNTY		DUBLIN CO. BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN CO. (remainder of)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	5	2	166	72	8	3	27	24	20	8
		F	14	3	127	70	5	3	18	11	13	2
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001-008 011-019	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
030-055 057-138	Other infective and parasitic diseases	M	.	.	1	2	.	.	1	5	.	.
		F	.	.	.	2	.	.	.	.	.	.
340	Meningitis except mening- coccal and tuberculous	M	.	.	1	.	.	.	.	2	.	.
		F	.	.	.	.	.	.	.	.	.	.
330-334 341-398	Other diseases of the nervous system and sense organs	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	2	.	22	.	2	.	6	.	4
		F	.	1	.	34	.	1	.	3	.	2
500-502	Bronchitis	M	.	.	.	2	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
470-475 510-527	Other diseases of the respiratory system	M	.	.	1	1	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	.	.	4	7	.	1	1	5	.	.
		F	.	.	5	8	.	1	2	1	.	.
530-570 572-587	Other diseases of the digestive system	M	2	.	.	1	1	.	.	1	.	.
		F	.	.	2	1	.	.	.	.	1	.
750-759	Congenital malformations	M	.	.	39	24	2	.	6	3	5	2
		F	3	2	38	18	3	.	8	1	2	.
760, 761	Birth injuries	M	.	.	17	.	1	.	2	1	3	.
		F	3	.	11	.	1	.	1	.	1	.
762	Postnatal asphyxia and atelectasis	M	.	.	23	2	.	.	3	.	6	.
		F	1	.	16	.	.	.	3	.	6	.
763	Pneumonia of newborn	M	.	.	12	.	.	.	3	.	1	.
		F	4	.	8	.	.	.	1	.	.	.
765-768	Other infections of newborn	M	.	.	2	1	.	.	1	1	.	.
		F	.	.	2	.	.	.	.	2	.	.
	Other and ill-defined diseases of early infancy:—											
769-0- 773-0	Without mention of immaturity	M	1	.	9	2	2	.	4	.	1	.
		F	1	.	9	1	.	.	2	.	.	.
769-5- 773-5	With mention of immaturity	M	2	.	15	1	1	.	2	.	1	.
		F	1	.	9	1	.	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	1	.	.	.	.	.	.
		F	.	.	1	1	.	.	.	.	.	.
776	Immaturity unqualified	M	.	.	38	.	1	.	4	.	3	.
		F	1	.	24	.	.	.	1	.	3	.
780-2	Convulsions	M	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other causes	M	.	.	4	5	.	.	.	2	.	1
		F	.	.	2	3	1	1	.	2	.	.

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	22 17	9 8	13 2	11 3	4 5	5 3	20 13	7 2	17 8	6 6
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-056 057-138	Other infective and parasitic diseases	M F	. .	. 1	. .	. .	. .	. .	. .	. .	. .	1 .
340	Meningitis except mening- ococcal and tuberculous	M F	. .	. .	. .	3 .	. .	. .	. .	. .	. .	. 2
330-334 341 398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	2 1	. .	. .	. 1	. .	. .	. .	. .	1 1
490-493	Pneumonia	M F	. .	2 4	. .	4 1	. .	3 .	. 3	1 .	. .	. 1
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	1 .	. 1	. .	. .	. .	. .	1 .	. .	. .	1 1
530-570 572-587	Other diseases of the digestive system	M F	. .	1 .	. .	. .	. .	. .	. .	1 .	. .	. .
750-759	Congenital malformations	M F	3 2	3 .	3 .	3 1	. .	2 .	4 4	3 .	4 3	3 1
760, 761	Birth injuries	M F	2 .	. .	. .	. .	2 .	. .	1 .	. .	4 3	. .
762	Postnatal asphyxia and atelectasis	M F	4 2	. .	1 .	. .	2 .	. .	3 .	. .	3 .	. .
763	Pneumonia of newborn	M F	2 1	. .	1 .	. .	. .	. .	1 1	. .	2 .	. .
765-768	Other infections of newborn	M F	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .
Other and ill-defined diseases of early infancy:—												
769-0- 773-0	Without mention of immaturity	M F	2 .	. 1	2 1	1 .	. 1	1 .	2 .	. .	1 .	. .
769-5- 773-5	With mention of immaturity	M F	. .	. .	. .	. .	1 .	. .	1 1	. .	1 1	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	8 11	1 .	5 .	. 1	1 2	. .	9 4	. .	2 .	. .
780-2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	. 1	. .	. 1	. .	. .	. .	2 .	. 1	. .	. .

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Deatiled Inter- national List Nos.	Cause of death		OFFALY COUNTY		WEST- MEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	18	3	19	11	12	12	12	6	19	7
		F	18	4	6	7	16	14	11	7	14	2
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	1	.	1
057-138		F	.	.	.	.	.	.	.	.	.	.
340	Meningitis except mening- ococcal and tuberculous	M	.	.	.	.	.	1	.	1	.	1
		F	.	.	.	.	.	.	1	.	.	.
330-334	Other diseases of the nervous system and sense organs	M	.	.	.	.	.	.	.	.	.	.
341-398		F	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	1	2	.	.	1	.
490-493	Pneumonia	M	.	2	.	5	.	2	.	4	.	2
		F	.	1	.	2	.	4	.	1	.	1
500-502	Bronchitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.	.	.
470-475	Other diseases of the respiratory system	M	.	.	.	.	.	.	.	.	.	.
510-527		F	.	.	.	.	.	.	.	.	.	.
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	1	.	2	1	.	1	.	.	.	.
		F	1	1	1	2	.	2	.	2	.	.
530-570	Other diseases of the digestive system	M	.	.	.	.	.	.	.	.	.	.
572-587		F	.	.	.	.	.	1	.	.	.	.
750-759	Congenital malformations	M	3	1	5	3	3	4	.	.	.	1
		F	5	1	.	3	3	4	3	1	2	.
760, 761	Birth injuries	M	5	.	2	.	2	.	.	.	.	.
		F	4	.	.	.	3	.	1	.	.	.
762	Postnatal asphyxia and atelectasis	M	1	.	2	.	2	.	8	.	2	.
		F	2	.	1	.	1	.	2	.	1	.
763	Pneumonia of newborn	M	2	.	2	.	1	.	1	.	2	.
		F	.	.	1	.	1	.	2	.	1	.
765-768	Other infections of newborn	M	.	.	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:—											
769-0- 773-0	Without mention of immaturity	M	1	.	.	.	1	1	1	.	1	.
		F	2	.	1	.	3	.	1	.	1	.
769-5- 773-5	With mention of immaturity	M	1	.	1	.	1	.	.	.	1	.
		F	2	.	1	.	.	.	.	.	1	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	4	.	5	.	1	1	2	.	12	1
		F	2	.	1	.	3	.	1	.	7	1
780-2	Convulsions	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other causes	M	.	.	.	2	.	2	.	.	.	1
		F	.	.	.	.	.	1	.	3	.	.

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		CORK CO. BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK CO. BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	20 17	8 10	57 34	25 14	27 26	12 6	16 12	10 6	17 22	7 4
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. 1	. .	. .	. .	. .	. .	2 .
340	Meningitis except mening- ococcal and tuberculous	M F	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .
490-493	Pneumonia	M F	. .	2 1	. .	8 4	. .	3 1	. .	4 1	. .	2 .
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
571-764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	. .	1 2	. .	3 1	. .	1 1	. .	1 2	1 .	. .
530-570 572-587	Other diseases of the digestive system	M F	. .	. 1	1 1	1 2	. .	. .	. .	. .	1 .	. 1
750-759	Congenital malformations	M F	5 9	3 4	13 11	7 4	2 10	3 2	4 1	3 1	5 5	2 2
760, 761	Birth injuries	M F	1 1	. .	5 3	. 1	6 3	. .	2 2	. .	3 1	. .
762	Postnatal asphyxia and atelectasis	M F	5 2	. 1	12 5	. 1	1 6	. .	3 1	. .	3 5	. .
763	Pneumonia of newborn	M F	1 1	. .	5 2	. .	1 3	. .	1 1	. .	1 1	. .
765-768	Other infections of newborn	M F	. .	. .	1 .	. .	. 1	. .	1 .	. .	. .	. .
Other and ill-defined diseases of early infancy:—												
769-0- 773-0	Without mention of immaturity	M F	1 .	1 .	4 1	2 .	2 .	1 1	1 3	. .	1 7	. .
769-5- 773-5	With mention of immaturity	M F	. 1	. .	3 1	. .	2 1	. .	1 .	. .	. 1	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	6 3	. .	13 8	1 .	12 2	1 .	3 3	. .	1 2	. .
780-2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
	Other causes	M F	1 .	. 1	. 2	2 .	1 .	. .	. 1	. 1	1 .	. 1

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

International List Nos.	Cause of death		TIPPERARY CO., N.R.		TIPPERARY CO., S.R.		WATER- FORD CO. BOROUGH		WATER- FORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	12 6	12 2	25 20	2 7	4 5	2 2	9 8	3 4	24 21	14 14	8 6	2 2
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	1 .	. .	. .	1 .	. .	. .	1 1	1 .	1 .	. .	1 .
340	Meningitis except meningococcal and tuberculous	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
480-483	Influenza	M F	1 .	1 .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	. .	2 1	. .	2 2	. .	1 .	. .	2 1	. .	3 4	. .	. .
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	. .
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	. .	. .	. .	. .	1 .	. .	. .	3 1	6 2	. .	. .	. .
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
750-759	Congenital malformations	M F	2 2	5 .	3 2	. 1	1 2	. .	2 2	. .	4 6	1 4	2 .	2 .
760, 761	Birth injuries	M F	3 1	. .	6 2	. .	. .	. .	1 .	. .	2 .	. .	1 .	. .
762	Postnatal asphyxia and atelectasis	M F	. 1	. .	2 4	. .	. .	. .	3 1	. .	3 5	. .	2 .	. .
763	Pneumonia of newborn	M F	1 1	. .	1 .	. .	. .	. .	. 1	. .	1 .	. .	. .	. .
765-768	Other infections of newborn	M F	. .	. .	3 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
769-0- 773-0	Other and ill-defined dis- eases of early infancy:— Without mention of immaturity	M F	1 .	. 1	1 2	. .	1 .	1 .	2 1	. .	3 6	1 .	1 3	. 1
769-5- 773-5	With mention of immaturity	M F	. .	. .	7 5	. 1	1 .	. .	. .	. .	1 .	. .	1 2	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	. .
776	Immaturity unqualified	M F	4 1	1 .	1 3	. 1	1 1	. .	. 3	1 .	2 2	. .	. .	. .
780-2	Convulsions	M F	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	. .	1 .	1 1	. 2	. .	. .	1 .	. 2	1 1	1 2	1 1	. .

TABLE 28.—(continued)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1961, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Inter- national List Nos.	Cause of death		MAYO COUNTY		ROS- COMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	24 16	14 9	11 8	5 8	17 13	5 5	15 13	5 6	20 14	15 10	11 10	3 6
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	1 2	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .
340	Meningitis except meningococcal and tuberculous	M F	. .	. .	. .	. .	. .	. .	. .	. .	1 1	1 .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	2 3	. .	. .	. .	. .	1 1	. .	. .	1 1	. .	. .
490-493	Pneumonia	M F	. .	4 2	. .	1 3	. .	2 .	. 3	2 .	. .	10 4	. .	1 3
500-502	Bronchitis	M F	. .	. .	. .	. .	. 1	. .	. .	. .	. .	1 .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	. .	1 1	. .	1 .	. .	. 3	. .	. .	. .	1 .	1 .	. .
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
750-759	Congenital malformations	M F	4 6	3 1	2 2	4 2	1 1	1 1	5 1	1 2	4 1	1 .	. 3	. 2
760, 761	Birth injuries	M F	6 1	. .	1 1	. .	1 2	. .	1 .	. .	4 2	. .	4 1	. .
762	Postnatal asphyxia and atelectasis	M F	. 3	. .	. 1	. .	1 3	. .	2 2	. .	2 2	. .	2 .	. .
763	Pneumonia of newborn	M F	1 2	. .	. 1	. .	3 .	. .	3 .	. .	. .	. .	1 .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .
769-0- 773-0	Other and ill-defined dis- eases of early infancy:— Without mention of immaturity	M F	2 3	. .	4 1	. .	5 1	1 1	1 2	. .	4 .	. .	. .	2 .
769-5- 773-5	With mention of immaturity	M F	1 1	. .	1 .	. .	. 3	. .	1 1	. .	. .	. .	1 1	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
776	Immaturity unqualified	M F	9 .	. .	2 1	. 1	6 3	. .	1 3	. .	6 7	. .	3 2	. .
780-2	Convulsions	M F	1 .	. .	. 1	. .	. .	1 .	. .	. .	. .	1 1	. .	. .
	Other causes	M F	. .	2 .	1 .	. 1	. .	. 2	. 1	1 .	. .	. 2	1 .	. .

TABLE 29.—DEATHS REGISTERED IN 1961 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	6,479	5,581	4,493	3,691	3,656	3,229	4,122	3,512	18,750	16,013
Carlow	62	53	72	51	42	42	67	39	243	185
Dublin Co. Borough	1,011	1,039	661	618	536	547	676	658	2,884	2,862
Dun Laoghaire Boro'	86	102	58	88	40	61	71	70	255	321
Dublin Co. (remainder)	160	157	106	101	126	94	131	110	523	462
Kildare	132	89	97	78	73	51	85	75	387	293
Kilkenny	160	121	121	85	94	69	105	76	480	351
Laois	116	100	68	45	71	51	66	45	321	241
Longford	76	56	55	42	40	42	58	40	229	180
Louth	137	110	101	76	65	75	98	89	401	350
Meath	133	119	104	81	89	78	87	70	413	348
Offaly	107	83	91	66	81	55	82	49	361	253
Westmeath ..	115	67	85	75	72	64	65	46	337	252
Wexford	216	180	142	134	91	106	117	115	566	535
Wicklow	138	109	89	81	96	64	69	72	392	326
Leinster	2,649	2,385	1,850	1,621	1,516	1,399	1,777	1,554	7,792	6,959
Clare	199	148	133	94	99	101	117	120	548	463
Cork Co. Borough ..	214	190	118	107	102	93	108	109	542	499
Cork County ..	624	558	419	348	327	292	413	328	1,783	1,526
Kerry	293	232	228	178	182	136	198	156	901	702
Limerick Co. Borough	96	92	67	61	65	56	63	68	291	277
Limerick County ..	197	160	152	118	128	131	130	117	607	526
Tipperary, N.R. ..	151	105	118	56	80	79	101	83	450	323
Tipperary, S.R. ..	174	144	118	97	93	90	98	89	483	420
Waterford County Borough	60	92	51	24	29	25	24	39	164	180
Waterford County ..	132	99	93	63	68	46	77	46	370	254
Munster	2,140	1,820	1,497	1,146	1,173	1,049	1,329	1,155	6,139	5,170
Galway	328	253	225	168	203	138	216	180	972	739
Leitrim	94	88	70	57	69	51	50	43	283	239
Mayo	353	287	228	201	198	170	189	162	968	820
Rosecommon ..	160	120	137	75	117	82	111	71	525	348
Sligo	154	139	108	100	68	61	104	80	434	380
Connacht	1,089	887	768	601	655	502	670	536	3,182	2,526
Cavan	178	128	110	111	94	70	94	81	476	390
Donegal	295	252	190	158	140	147	166	133	791	690
Monaghan ..	128	109	78	54	78	62	86	53	370	278
Ulster (part of) ..	601	489	378	323	312	279	346	267	1,637	1,358

TABLE 30.—BIRTHS REGISTERED IN 1961, IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	7,602	7,143	8,258	7,929	7,921	7,552	6,906	6,514	30,687	29,138
Carlow	92	102	116	100	105	89	82	87	395	378
Dublin Co. Borough	1,577	1,481	1,803	1,731	1,725	1,612	1,518	1,401	6,623	6,225
Dun Laoghaire Boro'	131	114	157	137	144	131	145	128	577	510
Dublin Co. (remainder)	413	366	509	481	484	498	389	360	1,795	1,705
Kildare	219	179	232	210	212	168	161	126	824	683
Kilkenny	141	154	147	162	154	151	129	134	571	601
Laois	116	113	142	132	141	148	101	92	500	485
Longford	62	74	93	75	73	74	72	63	300	286
Louth	200	172	250	222	177	198	172	170	799	762
Meath	147	139	184	164	173	172	156	165	660	640
Offaly	162	144	152	168	147	137	146	108	607	557
Westmeath	149	130	162	168	152	169	148	143	611	610
Wexford	240	202	260	253	231	214	176	200	907	869
Wicklow	151	150	171	163	182	162	141	136	645	611
Leinster	3,800	3,520	4,378	4,166	4,100	3,923	3,536	3,313	15,814	14,922
Clare	180	156	190	160	148	157	161	167	679	640
Cork Co. Borough ..	258	230	290	249	262	262	225	216	1,035	957
Cork County	668	635	665	655	678	624	607	486	2,618	2,400
Kerry	254	274	271	313	271	255	230	238	1,026	1,080
Limerick Co. Borough	174	161	187	187	159	146	171	150	691	644
Limerick County ..	255	221	232	215	196	198	172	191	855	825
Tipperary, N.R. ..	138	132	137	145	157	144	156	119	588	540
Tipperary, S.R. ..	197	197	210	219	205	188	182	195	794	799
Waterford County Borough	91	88	109	73	82	105	72	79	354	345
Waterford County ..	96	118	105	117	118	119	100	108	419	462
Munster	2,311	2,212	2,396	2,333	2,276	2,198	2,076	1,949	9,059	8,692
Galway	368	367	404	334	365	368	331	303	1,468	1,372
Leitrim	66	81	82	68	76	62	67	43	291	254
Mayo	302	252	263	280	253	260	217	245	1,035	1,037
Roscommon	127	133	103	124	132	148	106	109	468	514
Sligo	138	129	124	116	153	118	110	89	525	452
Connacht	1,001	962	976	922	979	956	831	789	3,787	3,629
Cavan	147	133	136	135	161	135	125	122	569	525
Donegal	246	217	242	247	264	235	234	237	986	936
Monaghan	97	99	130	126	141	105	104	104	472	434
Ulster (part of) ..	490	449	508	508	566	475	463	463	2,027	1,895

TABLE 31.—BIRTHS REGISTERED IN 1961 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary
Total	47,644	12,181	.	.	.	.	47,644	12,181
Carlow	427	266	81	3	163	1	509	264
Dublin County Boro'	16,129	2,726	6,134	34	156	5	10,151	2,697
Dun Laoghaire Boro'	529	156	219	4	621	4	931	156
Dublin Co. (remainder)	146	627	127	19	2,831	42	2,850	650
Kildare	246	431	4	.	829	5	1,071	436
Kilkenny	721	251	35	.	232	3	918	254
Laois	507	259	5	.	224	.	726	259
Longford	424	95	123	.	188	2	489	97
Louth	2,100	179	770	2	53	1	1,383	178
Meath	225	189	7	2	892	3	1,110	190
Offaly	693	334	30	1	167	1	830	334
Westmeath ..	865	289	193	1	259	2	931	290
Wexford	1,060	523	48	2	241	2	1,253	523
Wicklow	239	437	19	1	598	2	818	438
Clare	885	256	6	1	183	2	1,062	257
Cork Co. Borough ..	1,696	417	892	5	771	5	1,575	417
Cork County ..	4,662	521	1,079	7	915	6	4,498	520
Kerry	1,694	279	26	.	152	7	1,820	286
Limerick Co. Borough	2,396	306	1,381	8	20	2	1,035	300
Limerick County ..	32	298	2	1	1,347	6	1,377	303
Tipperary, N.R. ..	978	194	196	2	153	1	935	193
Tipperary, S.R. ..	1,441	238	182	4	100	.	1,359	234
Waterford Co. Boro'	914	232	537	3	91	2	468	231
Waterford County ..	347	254	128	2	409	1	628	253
Galway	2,901	405	528	6	65	3	2,438	402
Leitrim	362	71	34	.	144	2	472	73
Mayo	1,218	548	13	5	321	3	1,526	546
Roscommon ..	598	135	21	.	270	.	847	135
Sligo	824	166	65	1	52	1	811	166
Cavan	481	233	54	3	435	2	862	232
Donegal	1,133	787	30	2	31	3	1,134	788
Monaghan ..	771	79	77	1	133	1	827	79

* Including registered private maternity homes.

TABLE 32. — BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND SEX AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS.

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Male	Female	Total	Male	Female
All ages	59,825	30,687	29,138	975	531	444
15 and under	42	25	17	31	19	12
16	55	32	23	40	24	16
17	155	92	63	65	40	25
18	333	179	154	84	49	35
19	485	257	228	85	43	42
Under 20	1,070	585	485	305	175	130
20	770	404	366	71	43	28
21	1,202	625	577	73	39	34
22	1,682	856	826	57	33	24
23	2,083	1,078	1,005	64	31	33
24	2,596	1,344	1,252	58	30	28
20—24	8,333	4,307	4,026	323	176	147
25	2,796	1,412	1,384	33	14	19
26	2,994	1,586	1,408	44	23	21
27	3,189	1,627	1,562	31	16	15
28	3,416	1,707	1,709	36	19	17
29	3,341	1,703	1,638	26	15	11
25—29	15,736	8,035	7,701	170	87	83
30	3,409	1,751	1,658	26	14	12
31	3,185	1,623	1,562	12	5	7
32	3,231	1,640	1,591	22	8	14
33	3,117	1,620	1,497	20	12	8
34	3,184	1,632	1,552	14	9	5
30—34	16,126	8,266	7,860	94	48	46
35	2,862	1,497	1,365	14	7	7
36	2,857	1,454	1,403	9	4	5
37	2,568	1,323	1,245	8	6	2
38	2,442	1,244	1,198	7	3	4
39	2,138	1,085	1,053	4	2	2
35—39	12,867	6,603	6,264	42	22	20
40	1,701	875	826	3	2	1
41	1,341	672	669	6	3	3
42	901	445	456	1	.	1
43	584	290	294	2	2	.
44	370	199	171	2	2	.
40—44	4,897	2,481	2,416	14	9	5
45	189	92	97	2	1	1
46	98	57	41	.	.	.
47	40	21	19	.	.	.
48	18	8	10	.	.	.
49	9	4	5	.	.	.
45—49	354	182	172	2	1	1
50	1	.	1	.	.	.
51	1	1	.	.	.	.
52	.	.	.	.	.	.
53	.	.	.	.	.	.
54	.	.	.	.	.	.
50—54	2	1	1	.	.	.
Age not stated	440	227	213	25	13	12

TABLE 33.—BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	CARLOW						DUBLIN COUNTY BOROUGH					
Under 20 years	22	11	11	5	4	1	260	133	127	59	36	23
20-24 years	103	65	38	3	2	1	2,264	1,192	1,072	87	54	33
25-29 years	198	103	95	.	.	.	3,750	1,964	1,786	46	26	20
30-34 years	197	94	103	2	1	1	3,289	1,676	1,613	29	17	12
35-39 years	177	83	94	.	.	.	2,415	1,234	1,181	8	7	1
40-44 years	67	35	32	1	.	1	786	381	405	4	3	1
45 years and over ..	4	1	3	.	.	.	52	26	26	.	.	.
Age not stated	5	3	2	1	.	1	32	17	15	5	4	1
All ages	773	395	378	12	7	5	12,848	6,623	6,225	233	147	91
	DUN LAOGHAIRE BOROUGH						DUBLIN COUNTY (remainder)					
Under 20 years	6	3	3	.	.	.	31	16	15	10	4	6
20-24 years	202	103	99	2	1	1	521	266	255	9	7	2
25-29 years	337	187	150	2	1	1	1,043	524	519	8	3	5
30-34 years	292	153	139	.	.	.	1,001	516	485	1	1	.
35-39 years	171	90	81	1	.	1	653	346	307	3	2	1
40-44 years	76	39	37	.	.	.	222	111	111	.	.	.
45 years and over ..	3	2	1	.	.	.	11	7	4	.	.	.
Age not stated	.	.	.	.	.	.	18	9	9	1	.	1
All ages	1,087	577	510	5	2	3	3,500	1,795	1,705	32	17	15
	KILDARE						KILKENNY					
Under 20 years	46	30	16	16	11	5	22	13	9	7	5	2
20-24 years	254	128	126	8	2	6	151	62	89	2	1	1
25-29 years	402	214	188	6	4	2	282	134	148	9	3	6
30-34 years	367	210	157	3	.	3	339	174	165	1	1	.
35-39 years	310	168	142	1	.	1	243	127	116	.	.	.
40-44 years	102	58	44	.	.	.	111	49	62	.	.	.
45 years and over ..	4	2	2	.	.	.	16	8	8	.	.	.
Age not stated	22	14	8	3	2	1	8	4	4	.	.	.
All ages	1,507	824	683	37	19	18	1,172	571	601	19	10	9
	LAOIS						LONGFORD					
Under 20 years	21	13	8	9	7	2	7	2	5	3	1	2
20-24 years	133	70	63	4	2	2	55	30	25	4	2	2
25-29 years	232	118	114	4	1	3	127	58	69	.	.	.
30-34 years	283	143	140	.	.	.	169	81	88	1	.	1
35-39 years	221	107	114	.	.	.	154	89	65	1	1	.
40-44 years	76	40	36	.	.	.	62	33	29	1	1	.
45 years and over ..	5	2	3	.	.	.	4	2	2	.	.	.
Age not stated	14	7	7	.	.	.	8	5	3	.	.	.
All ages	985	500	485	17	10	7	586	300	286	10	5	5

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years	26	15	11	6	4	2	29	16	13	9	4	5
20-24 years	237	130	107	7	2	5	156	69	87	7	2	5
25-29 years	414	218	196	.	.	.	311	166	145	4	1	3
30-34 years	403	195	208	5	2	3	372	178	194	1	1	.
35-39 years	347	176	171	.	.	.	301	168	133	2	.	2
40-44 years	115	56	59	.	.	.	116	56	60	.	.	.
45 years and over ..	16	6	10	.	.	.	10	4	6	.	.	.
Age not stated	3	3	.	1	1	.	5	3	2	.	.	.
All ages	1,561	799	762	19	9	10	1,300	660	640	23	8	15
OFFALY							WESTMEATH					
Under 20 years	24	15	9	5	5	.	30	14	16	9	2	7
20-24 years	167	85	82	7	4	3	162	82	80	3	1	2
25-29 years	287	153	134	1	.	1	316	144	172	3	1	2
30-34 years	333	179	154	1	1	.	315	171	144	2	.	2
35-39 years	251	117	134	1	1	.	280	146	134	1	.	1
40-44 years	84	51	33	.	.	.	92	43	49	.	.	.
45 years and over ..	13	3	10	.	.	.	10	6	4	.	.	.
Age not stated	5	4	1	.	.	.	16	5	11	1	1	.
All ages	1,164	607	557	15	11	4	1,221	611	610	19	5	14
WEXFORD							WICKLOW					
Under 20 years	46	28	18	16	9	7	30	15	15	9	6	3
20-24 years	273	129	144	18	7	11	206	101	105	9	6	3
25-29 years	468	240	228	5	4	1	350	178	172	5	1	4
30-34 years	463	239	224	4	2	2	326	172	154	.	.	.
35-39 years	378	197	181	4	.	4	249	132	117	.	.	.
40-44 years	125	67	58	2	2	.	92	44	48	.	.	.
45 years and over ..	8	2	6	.	.	.	2	2	.	.	.	.
Age not stated	15	5	10	1	.	1	1	1	.	.	.	.
All ages	1,776	907	869	50	24	26	1,256	645	611	23	13	10
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years	28	13	15	2	1	1	70	41	29	25	14	11
20-24 years	377	193	184	5	1	4	528	278	250	19	12	7
25-29 years	614	316	298	4	.	4	1,298	681	617	11	8	3
30-34 years	479	245	234	1	1	.	1,478	765	713	8	3	5
35-39 years	360	190	170	.	.	.	1,105	559	546	2	1	1
40-44 years	128	74	54	.	.	.	460	256	204	2	1	1
45 years and over ..	4	3	1	.	.	.	39	19	20	1	1	.
Age not stated	2	1	1	1	.	1	40	19	21	2	1	1
All ages	1,992	1,035	957	13	3	10	5,018	2,618	2,400	70	41	29

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE							KERRY					
Under 20 years	16	10	6	7	4	3	35	24	11	10	7	3
20-24 years	129	61	68	11	5	6	212	114	98	6	3	3
25-29 years	312	150	162	2	2	.	481	221	260	4	2	2
30-34 years	376	199	177	4	2	2	585	274	311	1	1	.
35-39 years	345	186	159	1	1	.	504	253	251	3	1	2
40-44 years	128	66	62	1	1	.	220	110	110	.	.	.
45 years and over ..	7	5	2	.	.	.	14	5	9	1	.	1
Age not stated	6	2	4	1	.	1	55	25	30	.	.	.
All ages	1,319	679	640	27	15	12	2,106	1,026	1,080	25	14	11
LIMERICK COUNTY BOROUGH							LIMERICK COUNTY					
Under 20 years	31	23	8	5	2	3	29	18	11	14	8	6
20-24 years	215	109	106	5	3	2	189	99	90	22	15	7
25-29 years	401	213	188	3	2	1	401	193	208	15	8	7
30-34 years	346	173	173	1	1	.	458	244	214	7	4	3
35-39 years	253	131	122	.	.	.	379	197	182	1	1	.
40-44 years	85	40	45	.	.	.	179	78	101	.	.	.
45 years and over ..	2	2	.	.	.	.	15	9	6	.	.	.
Age not stated	2	.	2	.	.	.	30	17	13	2	1	1
All ages	1,335	691	644	14	8	6	1,680	855	825	61	37	24
TIPPERARY, NORTH RIDING							TIPPERARY, SOUTH RIDING					
Under 20 years	24	11	13	11	6	5	32	16	16	11	2	9
20-24 years	137	72	65	11	7	4	229	129	100	9	4	5
25-29 years	277	129	148	2	1	1	395	184	211	2	1	1
30-34 years	296	158	138	.	.	.	396	205	191	4	1	3
35-39 years	284	158	126	2	1	1	388	172	216	.	.	.
40-44 years	100	54	46	.	.	.	140	78	62	.	.	.
45 years and over ..	6	4	2	.	.	.	5	4	1	.	.	.
Age not stated	4	2	2	.	.	.	8	6	2	1	1	.
All ages	1,128	588	540	26	15	11	1,593	794	799	27	9	18
WATERFORD COUNTY BOROUGH							WATERFORD COUNTY					
Under 20 years	14	6	8	1	.	1	25	13	12	6	2	4
20-24 years	146	69	77	2	1	1	120	65	55	5	2	3
25-29 years	221	111	110	.	.	.	211	92	119	3	1	2
30-34 years	156	77	79	.	.	.	195	104	91	3	1	2
35-39 years	125	71	54	.	.	.	211	86	125	1	1	.
40-44 years	37	20	17	.	.	.	89	43	46	.	.	.
45 years and over ..	.	.	.	.	.	.	5	4	1	.	.	.
Age not stated	.	.	.	.	.	.	25	12	13	.	.	.
All ages	699	354	345	3	1	2	881	419	462	18	7	11

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
GALWAY							LEITRIM					
Under 20 years	35	15	20	10	7	3	8	2	6	4	2	2
20-24 years	298	160	138	13	4	9	44	21	23	.	.	.
25-29 years	641	326	315	6	3	3	108	57	51	1	1	.
30-34 years	816	428	388	2	1	1	156	77	79	1	.	1
35-39 years	708	370	338	4	2	2	146	86	60	.	.	.
40-44 years	270	133	137	.	.	.	75	42	33	.	.	.
45 years and over ..	35	18	17	.	.	.	6	5	1	.	.	.
Age not stated	37	18	19	1	1	.	2	1	1	.	.	.
All ages	2,840	1,468	1,372	36	18	18	545	291	254	6	3	3
MAYO							ROSCOMMON					
Under 20 years	27	14	13	5	2	3	12	5	7	4	2	2
20-24 years	197	93	104	4	3	1	77	46	31	1	1	.
25-29 years	478	243	235	6	4	2	212	104	108	3	1	2
30-34 years	609	306	303	2	2	.	294	136	158	1	.	1
35-39 years	486	236	250	1	.	1	264	124	140	.	.	.
40-44 years	236	121	115	.	.	.	112	47	65	.	.	.
45 years and over ..	15	7	8	.	.	.	6	3	3	.	.	.
Age not stated	24	15	9	1	.	1	5	3	2	.	.	.
All ages	2,072	1,035	1,037	19	11	8	932	468	514	9	4	5
SLIGO							CAVAN					
Under 20 years	19	12	7	4	4	.	14	7	7	7	1	6
20-24 years	110	62	48	8	5	3	88	45	43	3	1	2
25-29 years	211	106	105	3	1	2	265	143	122	1	1	.
30-34 years	272	143	129	1	1	.	290	154	136	3	2	1
35-39 years	240	131	109	1	1	.	290	151	139	3	1	2
40-44 years	115	64	51	.	.	.	125	58	67	1	.	1
45 years and over ..	5	3	2	.	.	.	10	5	5	.	.	.
Age not stated	5	4	1	.	.	.	12	6	6	.	.	.
All ages	977	525	452	17	12	5	1,094	569	525	18	6	12
DONEGAL							MONAGHAN					
Under 20 years	35	23	12	13	10	3	16	8	8	3	3	.
20-24 years	249	120	129	21	13	8	104	59	45	8	3	5
25-29 years	478	246	232	9	6	3	215	119	96	2	.	2
30-34 years	505	258	247	5	3	2	270	139	131	1	.	1
35-39 years	424	222	202	.	.	.	205	100	105	.	.	.
40-44 years	190	92	98	2	1	1	82	42	40	.	.	.
45 years and over ..	18	12	6	.	.	.	6	2	4	.	.	.
Age not stated	23	13	10	1	1	.	8	3	5	2	.	2
All ages	1,922	986	936	51	34	17	906	472	434	16	6	10

TABLE 34.—TOTAL BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	59,825	12,500	10,682	9,621	7,731	5,747	4,072	2,898	2,032	1,546	975
15 & under	42	42	.	.	.	.	.	.	.	.	.
16	55	55	.	.	.	.	.	.	.	.	.
17	155	136	15	3	.	.	.	.	.	.	.
18	333	278	43	10	.	1	.	.	.	.	.
19	485	363	89	30	2	1	.	.	.	.	.
Under 20	1,070	874	147	43	2	2	.	.	.	.	.
20	770	492	181	75	15	3	1	.	.	.	.
21	1,202	717	305	118	45	10	4	.	.	.	.
22	1,682	895	471	212	74	19	8	1	.	.	.
23	2,083	982	570	326	136	44	18	2	.	.	.
24	2,596	1,090	719	435	227	77	33	10	2	.	.
20-24	8,333	4,176	2,246	1,166	497	153	64	13	2	.	.
25	2,796	988	804	518	239	149	64	28	3	1	1
26	2,994	933	861	570	319	161	81	50	9	7	1
27	3,189	831	876	653	376	212	119	57	41	16	5
28	3,416	731	823	756	488	286	157	90	46	23	6
29	3,341	607	769	699	559	285	182	114	63	36	12
25-29	15,736	4,090	4,133	3,196	1,981	1,093	603	339	162	83	25
30	3,409	616	652	720	535	378	210	141	74	47	11
31	3,185	443	573	637	543	384	244	179	74	60	29
32	3,231	432	537	625	542	389	239	172	134	71	39
33	3,117	358	446	554	538	411	275	178	118	100	65
34	3,184	346	384	515	537	410	303	231	157	124	70
30-34	16,126	2,195	2,592	3,051	2,695	1,972	1,271	901	557	402	214
35	2,862	243	333	421	472	450	289	220	142	116	66
36	2,857	213	280	442	457	406	294	243	164	120	94
37	2,568	156	246	341	395	364	292	214	188	115	80
38	2,442	158	176	283	354	329	309	219	172	132	123
39	2,138	115	187	220	282	273	266	217	165	130	94
35-39	12,867	885	1,222	1,707	1,960	1,822	1,450	1,113	831	613	457
40	1,701	58	128	171	200	233	217	162	139	136	76
41	1,341	72	74	104	140	184	187	132	119	109	68
42	901	35	47	63	100	118	108	99	81	75	51
43	584	22	20	38	59	77	70	61	55	48	36
44	370	15	24	26	41	37	47	27	42	38	19
40-44	4,897	202	293	402	540	649	629	481	436	406	250
45	189	6	9	8	15	20	19	21	23	20	12
46	98	3	4	6	6	10	11	15	8	10	8
47	40	1	4	3	5	5	2	2	2	3	3
48	18	.	.	.	2	3	2	4	3	.	.
49 & over	11	.	1	2	1	.	2	.	1	.	2
45 & over	356	10	18	19	29	38	36	42	37	33	25
Age not stated	440	68	31	37	27	18	19	9	7	9	4

OF MOTHER AT MATERNITY AND NUMBERS OF PREVIOUS LIVEBORN CHILDREN.

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
682	395	273	181	85	44	20	14	6	6	2	.	1	312	All Ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	15 and under
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	.	1	17
.	.	.	.	.	.	.	.	.	.	.	.	.	1	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	19
.	.	.	.	.	.	.	.	.	.	.	.	.	2	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	.	3	20
.	.	.	.	.	.	.	.	.	.	.	.	.	3	21
.	.	.	.	.	.	.	.	.	.	.	.	.	2	22
.	.	.	.	.	.	.	.	.	.	.	.	.	5	23
.	.	.	.	.	.	.	.	.	.	.	.	.	3	24
.	.	.	.	.	.	.	.	.	.	.	.	.	16	20-24
.	.	.	.	.	.	.	.	.	.	.	.	.	1	25
1	.	.	.	.	.	.	.	.	.	.	.	.	1	26
.	.	.	.	.	.	.	.	.	.	.	.	.	3	27
3	.	.	1	.	.	.	.	.	.	.	.	.	6	28
5	5	.	.	.	.	.	.	.	.	.	.	.	5	29
9	5	.	1	.	.	.	.	.	.	.	.	.	16	25-29
15	3	2	.	1	.	.	.	.	.	.	.	.	4	30
8	2	2	1	.	.	1	.	.	.	.	.	.	5	31
27	8	5	1	1	.	1	.	.	.	.	.	.	8	32
37	14	8	7	.	.	.	.	.	.	.	.	.	8	33
53	18	18	6	2	.	.	.	.	.	.	.	.	10	34
140	45	35	15	4	.	2	.	.	.	.	.	.	35	30-34
37	27	19	12	5	.	.	1	1	.	.	.	.	8	35
61	35	26	10	3	2	.	.	.	.	.	.	.	7	36
63	41	28	22	11	3	.	1	.	.	.	.	.	8	37
76	45	27	15	14	3	2	.	.	.	.	.	.	5	38
61	47	27	23	14	4	3	4	1	.	.	.	.	5	39
298	195	127	82	47	12	5	6	2	.	.	.	.	33	35-39
62	40	30	28	8	5	4	3	.	.	.	.	.	1	40
60	31	26	17	3	4	4	2	1	1	1	.	.	2	41
44	32	15	9	8	7	1	1	1	4	.	.	.	2	42
28	23	19	10	6	6	2	.	1	.	.	.	.	3	43
20	7	10	5	4	5	.	2	.	1	.	.	.	.	44
214	133	100	69	29	27	11	8	3	6	1	.	.	8	40-44
10	8	5	5	4	2	.	.	1	.	.	.	1	.	45
6	2	3	3	.	.	2	.	.	.	1	.	.	.	46
2	3	1	3	.	1	.	.	.	.	.	.	.	.	47
.	2	1	1	.	.	.	.	.	.	.	.	.	.	48
.	1	.	.	.	1	.	.	.	.	.	.	.	.	49 and over
18	16	10	12	4	4	2	.	1	.	1	.	1	.	45 and over
3	1	1	2	1	1	.	.	.	.	.	.	.	202	Age not stated

TABLE 35.—LEGITIMATE BIRTHS REGISTERED IN 1961, CLASSIFIED

Age of mother at maternity	Legitimate births: the year of											
	Total	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
All ages	58,850	984	7,735	5,843	5,358	4,780	4,437	4,071	3,445	3,058	2,804	2,405
15	11	4	6	.	.	.	.	.	.	.	.	.
16	15	7	7	1	.	.	.	.	.	.	.	.
17	90	26	51	6	3	1	.	.	.	.	.	.
18	249	61	139	34	11	1	1	.	.	.	.	.
19	400	88	211	74	20	3	3	.	.	.	.	.
Under 20	765	186	414	115	34	5	4	.	.	.	.	.
20	699	73	340	161	83	30	7	3	1	.	.	.
21	1,129	104	499	283	133	74	20	8	3	1	.	.
22	1,625	100	655	399	214	136	67	34	11	3	2	1
23	2,019	67	726	459	311	204	152	64	16	12	3	.
24	2,538	54	781	508	436	300	213	136	52	32	12	5
20-24	8,010	398	3,001	1,810	1,177	744	459	245	83	48	17	6
25	2,763	57	681	537	452	357	272	199	89	69	25	12
26	2,950	43	634	487	483	371	346	226	150	107	53	25
27	3,158	64	536	472	456	399	366	305	205	136	102	57
28	3,380	38	427	399	461	412	411	373	288	185	157	116
29	3,315	31	377	345	392	403	374	352	280	244	189	127
25-29	15,566	233	2,655	2,240	2,244	1,942	1,769	1,455	1,012	741	526	337
30	3,383	35	342	298	344	345	348	359	315	270	200	184
31	3,173	29	244	269	279	302	294	310	292	257	254	172
32	3,209	22	220	212	279	270	287	306	270	260	239	210
33	3,097	10	202	196	217	204	242	248	278	236	255	173
34	3,170	12	187	149	163	206	235	249	261	240	231	200
30-34	16,032	108	1,195	1,124	1,282	1,327	1,406	1,472	1,416	1,263	1,179	939
35	2,848	14	117	143	141	175	164	205	203	222	212	194
36	2,848	11	98	114	122	160	154	159	196	197	202	205
37	2,560	4	67	93	105	109	131	162	132	143	167	194
38	2,435	7	69	65	64	101	106	113	121	149	146	165
39	2,134	5	50	52	69	80	94	101	89	104	106	128
35-39	12,825	41	401	467	501	625	649	740	741	815	833	886
40	1,698	3	21	21	57	47	69	53	65	62	97	84
41	1,335	3	17	28	24	31	31	30	48	53	68	71
42	900	2	11	16	14	25	15	25	37	34	32	28
43	582	1	4	4	9	8	15	19	11	15	18	28
44	368	.	3	3	3	11	8	15	12	9	12	15
40-44	4,883	9	56	72	107	122	133	142	173	173	227	226
45	187	1	3	1	1	2	3	.	4	.	8	5
46	98	1	1	.	1	1	1	2	3	4	.	2
47	40	.	.	.	.	.	.	2	1	1	2	.
48	18	.	.	.	.	.	.	.	.	.	.	1
49 and over	11	.	.	1	.	.	.	.	.	1	2	1
45 and over	354	2	4	2	2	3	4	4	8	6	12	9
Age not stated	415	7	9	13	11	12	8	13	12	12	10	2

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

marriage being												Age of mother at maternity
1950	1949	1948	1947	1946	1945	1944	1943	1942	1937- 1941	1936 and earlier	Not stated	
2,506	1,915	1,661	1,482	1,280	1,137	930	760	659	1,136	112	352	All ages
.	.	.	.	.	.	.	.	.	.	.	1	15
.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	3	17
.	.	.	.	.	.	.	.	.	.	.	2	18
.	.	.	.	.	.	.	.	.	.	.	1	19
.	.	.	.	.	.	.	.	.	.	.	7	Under 20
.	.	.	.	.	.	.	.	.	.	.	1	20
.	.	.	.	.	.	.	.	.	.	.	4	21
.	.	.	.	.	.	.	.	.	.	.	3	22
1	.	.	.	.	.	.	.	.	.	.	4	23
3	.	.	.	.	.	.	.	.	.	.	6	24
4	.	.	.	.	.	.	.	.	.	.	18	20-24
6	3	1	.	.	.	.	.	.	.	.	3	25
13	4	.	5	.	.	.	.	.	.	.	3	26
33	11	8	6	.	.	.	.	.	.	.	2	27
65	28	9	4	1	.	.	.	.	.	.	6	28
105	40	26	16	7	4	1	.	.	.	.	2	29
222	86	44	31	8	4	1	.	.	.	.	16	25-29
168	61	51	27	15	6	4	.	.	.	.	11	30
205	121	71	33	16	14	5	3	1	.	.	2	31
213	148	107	78	42	21	13	6	.	1	.	5	32
215	170	173	111	86	48	23	6	3	1	.	.	33
233	191	171	133	134	83	52	23	12	2	.	3	34
1,034	691	573	382	298	172	97	38	16	4	.	21	30-34
207	174	148	142	138	96	83	32	26	9	.	3	35
229	191	151	157	121	129	105	72	31	39	.	5	36
186	198	170	156	126	126	96	79	69	46	.	1	37
181	163	132	142	147	143	118	115	72	110	1	5	38
145	106	132	133	131	132	106	110	102	149	7	3	39
948	832	733	730	663	626	508	408	300	353	8	17	35-39
97	115	106	114	112	117	97	90	87	176	6	2	40
89	76	82	89	78	85	72	83	84	180	11	2	41
41	57	60	57	53	49	65	52	72	136	19	.	42
32	22	28	36	41	31	48	38	43	118	13	.	43
18	15	17	26	12	27	15	23	27	74	23	.	44
277	285	293	322	296	309	297	286	313	684	72	4	40-44
11	9	6	8	8	11	16	14	17	46	13	.	45
4	3	5	2	4	10	4	8	5	27	10	.	46
2	1	2	1	1	3	2	1	4	13	4	.	47
1	2	1	.	2	1	2	1	.	4	3	.	48
.	.	1	.	.	.	.	1	2	.	2	.	49 and over
18	15	15	11	15	25	24	25	28	90	32	.	45 and over
3	6	3	6	5	1	3	3	2	5	.	269	Age not stated

TABLE 36.—LEGITIMATE FIRST BIRTHS REGISTERED IN 1961, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

[illegible]

TABLE 37.—BIRTHS, BY DATE OF OCCURRENCE,

Date of occurrence	JANUARY			FEBRUARY			MARCH		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1	76	69	145	70	77	147	95	78	173
2	89	60	149	88	82	170	92	74	166
3	98	80	178	70	72	142	74	80	154
4	96	71	167	82	75	157	117	101	218
5	82	96	178	64	63	127	92	89	181
6	84	84	168	80	84	164	83	85	168
7	70	86	156	92	68	160	91	93	184
8	79	63	142	93	67	160	94	78	172
9	90	80	170	96	86	182	95	86	181
10	73	68	141	70	70	140	77	91	168
11	69	73	142	88	77	165	83	76	159
12	89	69	158	68	85	153	85	76	161
13	66	61	127	70	71	141	75	95	170
14	80	64	144	77	86	163	102	75	177
15	69	60	129	93	73	166	103	105	208
16	80	83	163	89	71	160	86	91	177
17	77	91	168	81	68	149	87	77	164
18	89	77	166	88	79	167	101	82	183
19	70	76	146	80	72	152	97	72	169
20	93	79	172	65	69	134	88	83	171
21	74	85	159	90	73	163	81	89	170
22	78	75	153	77	79	156	85	89	174
23	85	81	166	80	84	164	96	60	156
24	84	84	168	74	85	159	83	73	156
25	77	94	171	84	68	152	104	83	187
26	87	83	170	94	76	170	92	87	179
27	62	81	143	86	76	162	91	96	187
28	84	72	156	93	87	180	91	80	171
29	92	79	171				101	80	181
30	79	63	142				83	92	175
31	73	64	137				97	90	187
Total	2,494	2,351	4,845	2,282	2,123	4,405	2,821	2,606	5,427

Date of occurrence	JULY			AUGUST			SEPTEMBER		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1	107	102	209	78	80	158	86	80	166
2	82	72	154	97	82	179	77	86	163
3	85	91	176	98	73	171	76	87	163
4	90	92	182	83	96	179	66	84	150
5	96	88	184	95	77	172	88	81	169
6	96	73	169	78	78	156	92	73	165
7	91	88	179	76	72	148	93	83	176
8	96	75	171	96	77	173	69	75	144
9	98	58	156	81	83	164	82	97	179
10	90	81	171	83	87	170	78	78	156
11	78	76	154	86	83	169	82	82	164
12	92	102	194	83	92	175	85	74	159
13	102	80	182	60	82	142	90	91	181
14	78	98	176	77	89	166	70	69	139
15	86	83	169	77	76	153	88	80	168
16	85	81	166	83	83	166	80	66	146
17	97	73	170	110	82	192	76	73	149
18	104	87	191	81	88	169	77	94	171
19	77	60	137	88	73	161	80	82	162
20	87	94	181	90	73	163	82	95	177
21	75	80	155	87	86	173	79	93	172
22	77	82	159	87	77	164	79	94	173
23	94	71	165	99	79	178	98	80	178
24	70	84	154	84	82	166	77	87	164
25	94	73	167	87	82	169	85	77	162
26	100	81	181	82	83	165	90	82	172
27	105	81	186	76	73	149	92	81	173
28	95	80	175	75	67	142	83	87	170
29	112	86	198	80	87	167	96	80	176
30	80	76	156	77	73	150	80	82	162
31	62	55	117	73	75	148			
Total	2,781	2,503	5,284	2,607	2,490	5,097	2,476	2,473	4,949

IN EACH MONTH DURING 1961.

APRIL			MAY			JUNE		
Males	Females	Total	Males	Females	Total	Males	Females	Total
97	79	176	93	85	178	84	87	171
93	87	180	87	98	185	98	96	194
80	70	150	88	92	180	73	95	168
90	75	165	93	101	194	82	88	170
94	117	211	81	104	185	90	77	167
90	71	161	92	92	184	91	85	176
93	97	190	78	68	146	89	79	168
90	72	162	87	86	173	96	80	176
82	97	179	92	110	202	84	85	169
81	86	167	89	94	183	91	70	161
82	90	172	83	108	191	86	76	162
98	95	193	91	111	202	94	77	171
90	91	181	76	96	172	80	73	153
96	105	201	95	89	184	84	81	165
87	87	174	75	89	164	94	82	176
88	89	177	102	86	188	98	92	190
100	84	184	80	98	178	93	83	176
79	89	168	93	90	183	95	67	162
78	96	174	106	82	188	93	81	174
99	93	192	103	77	180	81	79	160
87	96	183	78	84	162	96	86	182
114	88	202	96	86	182	71	81	152
107	74	181	84	79	163	77	56	133
78	94	172	89	90	179	81	103	184
95	91	186	100	80	180	79	94	173
96	102	198	109	86	195	86	84	170
92	89	181	88	84	172	84	113	197
96	85	181	88	84	172	84	90	174
104	87	191	109	98	207	99	95	194
89	88	177	78	82	160	97	90	187
			92	80	172			
2,745	2,664	5,409	2,795	2,789	5,584	2,630	2,525	5,155

OCTOBER			NOVEMBER			DECEMBER		
Males	Females	Total	Males	Females	Total	Males	Females	Total
77	81	158	84	62	146	90	70	160
82	83	165	57	71	128	65	86	151
95	88	183	70	71	141	78	67	145
88	84	172	84	82	166	75	55	130
84	68	152	67	79	146	87	64	151
98	85	183	66	65	131	90	73	163
90	65	155	96	77	173	63	56	119
87	83	170	75	71	146	76	80	156
81	67	148	82	68	150	94	78	172
85	84	169	63	65	128	68	90	158
90	82	172	79	94	173	86	86	172
73	77	150	70	63	133	71	96	167
79	67	146	69	59	128	81	77	158
71	62	133	73	82	155	86	93	179
81	82	163	76	75	151	85	80	165
66	73	139	62	78	140	101	81	182
76	71	147	68	62	130	67	61	128
70	78	148	64	58	122	69	65	134
83	79	162	66	71	137	70	80	150
94	69	163	71	55	126	88	76	164
72	72	144	90	67	157	88	74	162
65	71	136	93	72	165	76	80	156
78	57	135	84	80	164	77	72	149
65	73	138	66	63	129	67	65	132
82	71	153	67	71	138	68	77	145
75	67	142	76	70	146	66	65	131
77	84	161	81	65	146	69	78	147
88	53	141	81	68	149	88	87	175
73	84	157	86	60	146	78	79	157
71	63	134	85	63	148	96	70	166
69	77	146				97	75	172
2,465	2,300	4,765	2,251	2,087	4,338	2,460	2,386	4,796

TABLE 38.—MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic							
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religious denominations	Civil marriages
Total	15,329	14,772	557	375	92	29	17	.	5	39
Carlow	152	145	7	7	.	.	.	.	.	.
Dublin County Borough ..	4,831	4,671	160	80	14	12	17	.	2	35
Dun Laoghaire Borough ..	399	370	29	19	8	1	.	.	1	.
Dublin County (remainder)	532	508	24	18	6	.	.	.	.	.
Kildare	271	263	8	6	1	.	.	.	1	.
Kilkenny	275	265	10	10	.	.	.	.	.	.
Laois	159	159	.	.	.	.	.	.	.	.
Longford	87	85	2	1	.	.	.	.	.	1
Louth	372	364	8	7	1	.	.	.	.	.
Meath	273	270	3	3	.	.	.	.	.	.
Offaly	249	246	3	3	.	.	.	.	.	.
Westmeath	277	264	13	13	.	.	.	.	.	.
Wexford	414	401	13	13	.	.	.	.	.	.
Wicklow	335	301	34	33	1	.	.	.	.	.
Leinster	8,626	8,312	314	213	31	13	17	.	4	36
Clare	267	267	.	.	.	.	.	.	.	.
Cork County Borough ..	706	691	15	12	1	2	.	.	.	.
Cork County	1,107	1,067	40	36	.	3	.	.	.	1
Kerry	445	442	3	3	.	.	.	.	.	.
Limerick County Borough	508	503	5	2	2	1	.	.	.	.
Limerick County ..	225	222	3	1	.	1	.	.	.	1
Tipperary, N.R. ..	230	219	11	10	.	1	.	.	.	.
Tipperary, S.R. ..	291	283	8	7	1	.	.	.	.	.
Waterford Co. Borough ..	222	222	.	.	.	.	.	.	.	.
Waterford County ..	233	229	4	4	.	.	.	.	.	.
Munster	4,234	4,145	89	75	4	3	.	.	.	2
Galway	585	583	2	1	.	.	.	.	.	1
Leitrim	120	115	5	4	.	1	.	.	.	.
Mayo	394	388	6	6	.	.	.	.	.	.
Roscommon	176	175	1	1	.	.	.	.	.	.
Sligo	202	195	7	5	1	1	.	.	.	.
Connacht	1,477	1,456	21	17	1	2	.	.	.	1
Cavan	237	214	23	18	3	2	.	.	.	.
Donegal	529	441	88	43	40	4	.	.	1	.
Monaghan	226	204	22	9	13	.	.	.	.	.
Ulster (part of)	992	859	133	70	56	6	.	.	1	.

COUNTY AND COUNTY BOROUGH DURING 1961.

Total marriages registered in the Quarter ending the last day of				Marriages				Area
March	June	Sept.	Dec.	Contracted between				
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
2,270	3,843	5,854	3,362	14,866	109	267	87	Total
14	42	56	40	147	2	3	.	Carlow
704	1,186	1,951	990	4,676	30	91	34	Dublin County Borough
56	116	152	75	383	2	13	1	Dun Laoghaire Borough
44	134	245	109	516	5	8	3	Dublin County (remainder)
29	70	100	72	266	1	2	2	Kildare
39	70	110	56	266	6	2	1	Kilkenny
11	40	76	32	155	1	2	1	Laois
16	25	26	20	86	.	1	.	Longford
40	80	196	56	362	4	4	2	Louth
32	78	106	57	266	2	5	.	Meath
34	55	125	35	242	3	2	2	Offaly
28	76	107	66	274	2	.	1	Westmeath
48	88	193	85	404	1	6	3	Wexford
55	99	127	54	321	1	11	2	Wicklow
1,150	2,159	3,570	1,747	8,364	60	150	52	Leinster
43	80	84	60	258	2	4	3	Clare
142	148	214	202	684	3	17	2	Cork County Borough
159	261	456	231	1,071	7	24	5	Cork County
90	128	133	94	434	5	5	1	Kerry
112	119	130	147	493	1	12	2	Limerick County Borough
51	66	56	52	210	4	8	3	Limerick County
35	57	73	65	225	1	4	.	Tipperary, N.R.
43	76	112	60	282	3	5	1	Tipperary, S.R.
40	48	96	38	214	4	3	1	Waterford County Borough
33	56	85	59	230	.	3	.	Waterford County
748	1,039	1,439	1,008	4,101	30	85	18	Munster
85	154	199	147	568	4	9	4	Galway
13	27	39	41	119	.	.	1	Leitrim
63	123	124	84	385	3	6	.	Mayo
40	46	46	44	171	2	2	1	Roscommon
34	43	63	62	195	3	2	2	Sligo
235	393	471	378	1,438	12	19	8	Connacht
33	69	90	45	229	1	4	3	Cavan
73	142	187	127	513	3	7	6	Donegal
31	41	97	57	221	3	2	.	Monaghan
137	252	374	229	963	7	13	9	Ulster (part of)

TABLE 39.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	1	20	59	147	377	569	896	1,232	1,419	1,328	1,238	1,146	994	882	693	590	516	458	371	290	289	235
15	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	.	.	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
17	.	3	3	13	7	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
18	.	.	4	10	21	14	9	3	1	2	1	3	.	.	.	.	1	.	.	.	.	.
19	.	4	6	11	25	29	26	21	12	8	6	2	1	1	.	.	.	.	.	.	.	.
20	.	7	4	20	26	54	49	42	20	9	12	9	2	4	.	.	1	.	1	.	.	.
21	.	.	5	11	54	81	79	96	89	47	24	18	18	6	.	3	4	.	.	.	1	.
22	1	1	2	15	50	71	126	147	147	83	47	26	22	14	8	3	4	2	3	1	.	.
23	.	2	8	10	39	66	98	185	198	148	72	54	25	25	12	11	5	5	.	2	1	.
24	.	2	6	15	32	46	113	153	160	176	146	101	51	34	25	16	11	6	3	3	.	1
25	.	.	3	6	27	35	74	119	167	165	151	119	87	64	26	20	10	11	7	2	3	5
26	.	.	4	3	15	36	55	94	142	132	146	133	97	81	34	38	22	12	8	2	1	2
27	.	.	2	8	16	32	61	68	101	91	123	120	110	88	57	35	22	14	6	4	5	7
28	.	.	3	3	9	21	38	69	79	88	105	92	82	77	64	50	37	29	14	14	7	5
29	.	.	2	4	12	12	50	47	68	80	67	97	71	70	62	52	33	30	19	16	9	6
30	.	.	2	1	7	16	14	45	45	54	73	72	73	64	64	60	49	14	29	10	10	8
31	.	.	.	2	8	11	17	36	39	46	57	56	57	53	45	33	44	30	23	16	16	8
32	.	.	1	2	3	3	12	21	26	40	51	38	52	52	45	39	28	42	17	14	14	11
33	.	.	.	.	5	12	16	13	22	24	31	55	43	47	34	19	35	38	21	18	15	13
34	.	.	.	.	4	5	11	11	18	28	27	30	40	37	35	29	21	28	30	24	20	13
35	.	1	1	.	3	.	5	13	15	20	22	23	32	34	24	31	22	24	27	19	15	12
36	.	.	1	1	1	5	2	9	14	20	19	22	36	24	34	26	27	32	26	16	23	12
37	.	.	1	1	2	2	7	7	8	13	12	24	22	27	23	18	17	20	15	15	17	18
38	.	.	.	1	2	5	4	6	11	8	10	11	15	12	18	19	23	19	25	18	13	11
39	.	.	.	1	1	1	4	7	8	6	10	4	10	11	12	12	25	14	19	12	18	15
40	.	.	.	2	2	1	6	2	8	7	3	3	6	9	15	13	19	15	12	11	19	17
41	.	.	.	.	1	1	4	4	4	6	5	7	6	10	7	10	12	14	12	7	11	10
42	.	.	.	.	.	1	2	4	2	1	7	6	4	6	10	8	6	9	8	7	17	9
43	.	.	.	.	.	2	2	.	.	5	3	4	7	5	6	7	6	9	9	13	6	8
44	.	.	.	1	1	1	.	.	2	3	.	3	5	3	4	5	5	10	8	7	4	6
45	.	.	.	1	.	.	1	3	1	4	1	6	4	2	6	4	5	9	5	8	7	6
46	.	.	.	.	1	1	1	1	2	3	2	.	1	5	5	8	8	5	2	7	3	9
47	.	.	.	.	.	.	1	.	2	1	.	3	3	6	3	4	6	4	6	8	7	2
48	.	.	.	.	.	1	.	1	1	1	.	1	.	2	1	1	2	3	2	4	6	6
49	.	.	.	.	1	.	.	.	1	.	2	.	2	1	2	5	1	2	2	4	3	1
50-54	.	.	.	.	.	.	.	1	1	5	3	3	5	1	10	7	2	6	8	5	12	7
55-59	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	1	1	2	2	1	6	5
60-64	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1
65-69	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	.	1	2	2	7	2	3	4	.	1	1	4	2	3	2	.	2	1	.	1

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated		All ages
200	165	149	144	90	95	58	60	58	48	53	32	29	33	83	36	24	16	2	.	204	15,329	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	33	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	152	19
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	260	20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	540	21
1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	777	22
.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	7	975	23
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1,104	24
5	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	5	1,114	25
3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,063	26
3	.	2	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	3	982	27
2	2	1	1	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	4	900	28
6	3	3	2	3	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	829	29
6	1	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	725	30
7	5	1	7	1	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	5	627	31
2	8	7	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	540	32
6	4	5	3	.	1	1	1	1	.	.	.	1	.	.	.	.	.	.	.	.	484	33
11	7	6	5	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	5	449	34
15	9	8	4	4	2	.	4	2	.	.	.	.	.	1	.	.	.	.	.	2	394	35
11	10	8	3	3	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	6	396	36
16	11	4	10	3	4	1	1	2	.	3	1	1	.	1	.	.	.	.	.	2	329	37
11	10	5	5	3	2	1	2	.	.	1	.	.	.	1	.	.	.	.	.	2	274	38
8	10	11	9	3	7	4	2	3	.	.	1	.	.	.	.	.	.	.	.	2	250	39
14	7	10	9	7	9	2	2	4	1	.	.	1	.	1	.	.	.	.	.	3	240	40
5	12	9	7	7	3	3	2	.	1	.	1	.	1	.	1	.	.	.	.	1	184	41
10	7	4	6	6	10	2	2	1	3	3	1	1	.	2	1	.	.	.	.	2	168	42
8	4	8	5	5	7	4	3	3	.	3	.	.	.	1	.	.	.	.	.	2	145	43
10	4	3	9	11	5	3	5	3	3	3	.	2	1	3	.	.	.	.	.	.	133	44
9	9	6	4	6	6	3	2	3	1	2	3	2	3	2	.	.	.	.	.	1	135	45
7	6	13	7	7	3	4	1	1	3	2	1	2	1	3	.	.	.	.	.	1	126	46
5	2	4	9	2	3	4	3	2	4	1	3	3	1	5	.	.	.	.	.	1	108	47
5	7	2	8	.	3	1	6	1	3	2	3	.	1	3	.	.	.	.	.	1	78	48
2	6	6	6	3	7	2	2	2	4	3	2	1	2	2	.	3	.	.	.	1	81	49
4	11	13	12	10	10	7	7	16	10	10	9	4	6	9	7	3	.	.	.	4	228	50-54
6	5	4	4	2	5	5	8	8	7	11	4	5	9	24	10	5	1	.	.	1	146	55-59
1	1	2	1	1	.	3	2	3	3	1	.	3	5	11	6	8	1	.	.	.	55	60-64
.	3	.	1	.	.	.	1	.	1	2	3	2	1	8	7	3	6	.	.	1	41	65-69
.	.	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	3	.	.	1	14	70-74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	5	2	.	.	11	75 and over
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	124	164	Not stated

TABLE 40.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY
FIRST MARR

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	1	20	59	146	376	567	895	1,230	1,414	1,323	1,235	1,141	985	874	688	582	505	447	358	274	272	225
15	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	.	.	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
17	.	3	3	13	7	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
18	.	.	4	10	21	14	9	3	1	2	1	3	.	.	.	.	1	.	.	.	.	.
19	.	4	6	11	25	29	26	21	12	8	6	1	1	1	.	.	.	.	.	.	.	.
20	.	7	4	20	26	54	49	42	20	9	12	9	2	4	.	.	1	.	1	.	.	.
21	.	.	5	11	54	81	79	96	89	47	24	18	18	6	.	3	4	.	.	.	1	.
22	1	1	2	15	50	71	125	147	147	83	47	26	22	14	8	3	4	2	3	1	.	.
23	.	2	8	10	39	66	98	185	197	148	72	54	25	25	12	11	5	5	.	2	1	.
24	.	2	6	15	32	46	113	153	160	176	146	101	50	34	25	16	11	6	3	3	.	1
25	.	.	3	6	27	35	74	119	167	165	151	119	87	64	26	20	10	11	7	2	3	5
26	.	.	4	3	15	36	55	94	142	131	146	133	97	81	34	38	22	12	8	2	1	2
27	.	.	2	8	16	32	61	68	101	91	123	120	110	88	57	35	22	14	5	4	5	7
28	.	.	3	3	9	20	38	69	79	88	105	92	82	77	64	50	37	27	14	14	7	5
29	.	.	2	4	12	12	50	47	67	80	67	96	71	70	62	52	33	29	19	14	9	6
30	.	.	2	1	7	16	14	45	45	54	73	71	73	64	64	60	49	14	29	10	10	8
31	.	.	.	2	8	11	17	35	39	46	57	56	56	53	45	33	42	29	23	16	16	8
32	.	.	1	2	3	3	12	21	26	40	51	37	52	52	44	39	28	42	17	14	14	10
33	.	.	.	.	4	12	16	13	22	23	31	55	43	47	34	18	33	38	21	18	15	13
34	.	.	.	.	4	5	11	11	18	28	26	30	40	37	34	29	21	27	28	24	20	13
35	.	1	1	.	3	.	5	13	15	20	22	23	31	34	24	30	22	24	26	18	13	11
36	.	.	1	.	1	5	2	9	14	20	19	22	36	22	34	25	27	31	25	16	22	12
37	.	.	1	1	2	2	7	7	8	13	11	24	22	27	23	18	16	20	15	15	17	17
38	.	.	.	1	2	5	4	6	11	8	10	11	15	12	17	18	23	18	24	17	11	11
39	.	.	.	1	1	1	4	7	7	6	10	4	9	11	12	11	25	14	17	11	18	15
40	.	.	.	2	2	1	6	2	8	7	3	3	5	8	15	12	19	14	12	11	19	17
41	.	.	.	.	1	1	4	4	3	6	5	7	6	10	7	10	11	14	12	7	10	9
42	.	.	.	.	.	.	2	4	2	1	7	6	4	6	10	8	6	9	8	7	16	9
43	.	.	.	.	.	2	2	.	.	3	3	4	6	5	6	7	5	9	9	11	5	8
44	.	.	.	1	1	1	.	.	2	3	.	3	5	2	4	5	5	10	6	5	4	6
45	.	.	.	1	.	.	1	3	1	3	1	6	4	1	6	4	5	8	4	8	6	6
46	.	.	.	.	1	1	1	.	2	3	2	.	1	4	5	8	7	5	2	6	2	8
47	.	.	.	.	.	.	1	.	1	1	.	3	2	5	3	4	5	4	6	8	5	2
48	.	.	.	.	.	1	.	1	1	1	.	1	.	2	1	1	2	2	1	3	5	6
49	.	.	.	.	1	.	.	.	1	.	1	.	2	1	2	5	.	2	1	3	2	1
50-54	.	.	.	.	.	.	.	1	1	5	3	2	5	1	8	6	2	5	8	2	11	5
55-59	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2	2	1	4	2
60-64	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	.	1	2	2	7	2	3	4	.	1	1	4	2	3	2	.	2	1	.	1

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
AGES ONLY.

bride																				Not stat- ed	All ages	Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over			
132	149	139	128	79	79	49	43	45	33	31	18	12	15	36	9	7	1	.	.	194	14,866	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	33	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	151	19
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	260	20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	540	21
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	775	22
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	7	973	23
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1,103	24
5	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	5	1,114	25
3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,062	26
3	.	2	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	3	981	27
2	2	1	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	4	895	28
6	3	3	2	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	823	29
6	1	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	724	30
7	5	1	7	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	620	31
2	8	7	4	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	536	32
6	4	5	3	.	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	478	33
11	7	5	4	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	5	441	34
13	9	8	4	4	1	.	3	2	.	.	.	.	.	1	.	.	.	.	.	2	383	35
9	8	7	3	3	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	6	384	36
16	11	4	10	2	4	1	.	2	.	2	1	.	.	.	.	.	.	.	.	2	321	37
10	10	4	5	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	262	38
6	10	11	9	3	6	4	.	2	.	.	1	.	.	.	.	.	.	.	.	1	237	39
14	7	9	9	6	7	2	2	3	1	.	.	1	.	1	.	.	.	.	.	3	231	40
5	11	9	7	7	3	3	2	.	1	.	1	.	.	.	.	.	.	.	.	1	177	41
10	7	4	6	6	9	1	1	1	3	1	.	.	.	1	.	.	.	.	.	2	157	42
6	4	7	5	4	6	4	2	3	.	3	.	.	.	.	.	.	.	.	.	2	131	43
10	3	3	9	10	4	2	5	3	3	3	.	2	1	2	.	.	.	.	.	.	123	44
9	9	6	4	6	4	3	2	2	1	1	3	1	3	1	.	.	.	.	.	1	124	45
6	6	13	5	7	3	4	.	1	2	.	1	2	.	1	.	.	.	.	.	1	110	46
4	2	3	7	1	3	4	3	2	2	1	1	2	.	3	.	.	.	.	.	.	88	47
5	7	2	6	.	3	1	5	1	2	1	2	.	.	.	.	.	.	.	.	1	64	48
1	5	6	5	3	4	2	2	1	4	2	2	.	.	.	.	2	.	.	.	.	61	49
3	7	12	9	8	9	5	4	15	7	7	3	2	3	6	1	1	.	.	.	3	170	50-54
2	2	3	1	.	2	5	4	5	2	4	3	1	2	12	4	.	.	.	.	1	67	55-59
.	.	.	.	.	.	.	1	.	3	1	.	.	3	5	1	3	.	.	.	.	19	60-64
.	.	.	1	.	.	.	.	.	.	1	.	.	1	2	2	1	.	.	.	1	9	65-69
.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	4	70-74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	75 and over
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	119	159	Not stated

TABLE 41.—MARRIAGES REGISTERED IN 1961 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom											All ages	Average age of groom
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Catholic	252	3,534	4,711	2,726	1,582	846	506	221	137	105	152	14,772	30.6
Church of Ireland ..	6	77	114	73	48	16	8	5	6	12	10	375	31.7
Presbyterian ..	.	27	34	15	3	3	5	.	1	2	2	92	29.9
Other Religions ..	.	10	19	7	8	2	3	1	.	1	.	51	31.7
Civil marriage ..	2	8	10	4	2	3	6	1	2	1	.	39	34.3
Total	260	3,656	4,888	2,825	1,643	870	528	228	146	121	164	15,329	30.6

TABLE 42.—MARRIAGES REGISTERED IN 1961 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride											All ages	Average age of bride
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Catholic	1,130	5,868	4,181	1,865	863	342	186	75	31	39	192	14,772	26.8
Church of Ireland ..	24	170	83	39	22	13	6	3	3	3	9	375	27.3
Presbyterian ..	10	38	23	8	3	2	2	2	1	.	3	92	26.7
Other Religions ..	3	26	12	7	.	2	.	1	.	.	.	51	26.1
Civil marriage ..	6	11	6	5	5	2	1	2	1	.	.	39	29.8
Total	1,173	6,113	4,305	1,924	893	361	195	83	36	42	204	15,329	26.9

TABLE 43.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM

Social group of groom	Age of groom											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Farmers, relatives assisting and farm managers ..	10	168	566	717	563	388	229	78	36	29	81	2,865	35.7
Farm labourers	14	95	136	82	54	41	37	20	10	8	7	504	33.1
Higher professional ..	.	75	288	125	55	23	16	2	6	3	2	595	30.5
Lower professional ..	4	116	230	95	43	12	8	1	3	2	4	518	29.1
Employers and managers (including shopkeepers) ..	3	151	341	238	131	66	35	17	5	9	6	1,002	31.8
Salaried employees ..	.	86	164	81	33	16	9	9	5	3	2	408	30.5
Clerks and other "white collar workers" ..	51	616	851	436	194	83	40	26	14	18	12	2,341	29.3
Non-manual wage earners ..	31	403	413	218	132	41	27	16	13	8	9	1,311	29.3
Skilled manual workers ..	43	1,046	1,099	446	217	94	64	21	18	18	13	3,079	28.5
Semi-skilled manual workers	29	227	206	104	56	19	14	9	6	2	4	876	28.5
Unskilled manual workers ..	57	621	549	268	146	75	47	25	24	14	22	1,848	29.2
Unknown	18	52	45	15	19	12	2	4	6	7	2	182	30.7
Total	260	3,656	4,888	2,825	1,643	870	528	228	146	121	164	15,329	30.6

TABLE 44.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers ..	15	116	173	130	82	39	11	6	3	.	18	593	30.6
Farm labourers ..	.	6	6	2	.	.	2	.	.	.	.	16	28.8
Higher professional ..	.	15	19	9	4	.	2	.	.	.	.	49	28.5
Lower professional ..	24	442	601	266	93	24	18	3	2	.	20	1,493	28.0
Employers and managers (including shopkeepers) ..	7	73	63	42	26	12	10	1	4	2	7	247	30.1
Salaried employees ..	.	12	17	4	4	1	.	.	1	.	2	41	28.7
Clerks and other "white collar" workers ..	173	1,593	1,140	380	131	52	21	15	2	2	19	3,528	26.1
Non-manual wage earners ..	201	693	474	220	115	43	27	13	5	3	21	1,815	26.7
Skilled manual workers ..	77	437	197	55	22	13	7	2	.	1	8	819	25.0
Semi-skilled manual workers	92	343	136	36	16	2	3	1	1	1	3	634	24.1
Unskilled manual workers ..	200	879	341	118	36	13	8	3	1	.	10	1,609	24.4
Unknown ..	384	1,504	1,138	662	364	162	86	39	17	33	96	4,485	28.0
Total ..	1,173	6,113	4,305	1,924	893	361	195	83	36	42	204	15,329	26.9

TABLE 45.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY SOCIAL GROUPS OF GROOM AND BRIDE.

Social group of groom	Social group of bride												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	
Farmers, relatives assisting and farm managers ..	2,865	487	5	2	306	38	3	311	271	27	19	46	1,350
Farm labourers ..	504	5	4	.	24	3	.	39	181	16	7	35	190
Higher professional ..	595	.	.	27	140	20	6	189	24	4	3	6	176
Lower professional ..	518	7	.	3	194	9	1	168	32	11	6	11	76
Employers and managers (including shopkeepers)	1,002	17	.	7	138	38	6	364	70	21	9	33	299
Salaried employees ..	408	4	2	2	61	14	10	156	29	13	4	8	105
Clerks and other "white collar" workers ..	2,341	18	.	7	274	48	6	944	221	94	72	172	485
Non-manual wage earners	1,311	12	1	.	79	13	3	275	209	113	85	185	336
Skilled manual workers ..	3,079	24	.	1	191	40	3	798	328	360	248	444	642
Semi-skilled manual workers	676	2	1	.	23	6	.	102	96	64	97	125	160
Unskilled manual workers	1,848	15	3	.	50	16	2	174	340	94	83	534	537
Unknown ..	182	2	.	.	13	2	1	8	14	2	1	10	129
Total ..	15,329	593	16	49	1,493	247	41	3,528	1,815	819	634	1,609	4,485

TABLE 46.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	260	3,656	4,888	2,825	1,643	870	528	228	146	121	164	15,329	30.6
Carlow	7	30	49	30	20	11	13	2	.	1	3	166	31.4
Dublin County Borough	89	1,331	1,317	594	256	120	82	32	33	25	9	3,888	28.6
Dun Laoghaire Borough	8	85	89	42	30	10	6	5	4	1	1	281	29.5
Dublin County (remainder)	10	159	206	102	50	14	15	9	6	8	4	583	29.8
Kildare	4	87	99	45	27	18	8	8	3	2	2	303	30.2
Kilkenny	4	46	73	64	44	22	11	9	2	3	1	279	32.6
Laois	5	26	61	45	31	13	9	6	3	.	2	201	32.4
Longford	.	9	22	16	26	10	5	2	.	.	2	92	34.1
Louth	5	89	120	65	23	12	15	5	1	4	1	340	30.0
Meath	4	52	88	48	35	33	14	7	3	.	12	296	32.2
Offaly	7	43	61	39	34	17	8	4	5	4	8	230	32.3
Westmeath	6	46	89	45	37	23	10	4	2	1	1	264	31.5
Wexford	9	100	108	69	44	21	15	9	4	4	1	384	30.9
Wicklow	6	81	101	58	23	11	12	4	5	4	5	310	30.3
Leinster	164	2,184	2,483	1,262	680	335	223	106	71	57	52	7,617	29.7
Clare	1	24	72	74	38	30	15	9	4	2	2	271	34.1
Cork County Borough	6	155	190	76	40	11	9	5	7	6	.	505	29.2
Cork County	10	175	374	252	145	84	59	19	10	11	19	1,158	32.2
Kerry	5	54	119	93	56	42	21	14	4	7	4	419	33.5
Limerick County Borough	9	81	109	41	23	10	2	.	1	.	2	278	28.1
Limerick County	3	49	91	75	38	38	14	10	3	4	5	330	33.1
Tipperary, N.R.	2	33	52	50	51	27	7	4	4	2	2	234	33.6
Tipperary, S.R.	2	57	96	63	28	16	15	1	3	3	4	288	31.2
Waterford County Borough	5	57	73	21	10	5	1	2	1	1	2	178	28.0
Waterford County	1	34	62	51	29	18	10	9	4	1	2	221	33.0
Munster	44	719	1,238	796	458	281	153	73	41	37	42	3,882	31.7
Galway	4	54	134	126	92	47	36	10	4	3	10	520	33.7
Leitrim	.	12	29	24	23	10	9	2	1	.	7	117	33.9
Mayo	2	35	118	66	73	27	19	10	8	4	8	370	33.8
Roscommon	1	11	46	27	36	18	10	3	2	4	11	169	34.9
Sligo	3	31	42	50	30	22	9	1	2	.	4	194	32.6
Connacht	10	143	369	293	254	124	83	26	17	11	40	1,370	33.7
Cavan	2	18	50	57	38	19	14	3	2	2	4	209	34.0
Donegal	5	69	125	89	57	26	20	6	2	4	11	414	31.9
Monaghan	1	26	54	56	21	10	10	5	6	1	2	192	33.0
Ulster (part of)	8	113	229	202	116	55	44	14	10	7	17	815	32.7
Ireland*	226	3,159	4,319	2,553	1,508	795	503	219	139	112	151	13,684	30.9
Six Counties	5	64	85	36	20	14	11	1	1	4	4	245	30.1
England and Wales	12	377	418	191	99	49	12	7	4	3	8	1,180	28.6
Scotland	1	15	23	15	7	3	.	.	1	.	.	65	29.6
Elsewhere	.	20	35	28	8	7	2	.	1	2	1	104	31.0
Not stated	16	21	8	2	1	2	.	1	.	.	.	51	23.8

*Exclusive of the Six Counties.

TABLE 47.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Area of residence of bride	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	1,173	6,113	4,305	1,924	893	361	195	83	36	42	204	15,329	26.9
Carlow	24	59	39	24	7	6	3	3	1	.	1	167	27.0
Dublin County Borough	309	2,005	1,133	395	169	69	44	19	10	17	21	4,191	26.0
Dun Laoghaire Borough	17	165	81	36	15	11	9	1	.	.	4	339	26.6
Dublin County (remainder)	48	254	136	67	27	9	9	5	.	2	3	560	26.4
Kildare	39	124	68	30	14	3	2	2	1	.	2	285	25.5
Kilkenny	11	92	88	39	26	6	3	7	.	.	4	276	28.3
Laois	22	69	49	17	14	5	2	.	3	1	4	186	27.0
Longford	1	25	33	17	7	5	1	.	.	.	3	92	28.8
Louth	27	157	99	42	14	10	7	1	1	.	1	359	26.5
Meath	25	94	93	35	25	13	3	.	1	.	10	299	27.5
Offaly	19	78	65	31	10	7	1	1	.	2	10	224	27.0
Westmeath	25	104	84	32	17	7	3	3	.	.	3	278	26.8
Wexford	48	188	95	44	24	13	8	2	1	1	2	426	26.3
Wicklow	29	142	83	36	15	6	6	2	2	2	2	325	26.6
Leinster	644	3,5	2,146	845	384	170	101	46	20	25	70	8,007	26.4
Clare	15	77	87	47	23	9	3	4	1	.	6	272	28.5
Cork County Borough	37	232	175	55	15	10	2	3	3	2	.	584	25.9
Cork County	71	370	357	183	86	24	15	6	1	4	18	1,135	27.7
Kerry	26	130	142	86	47	7	9	3	1	1	5	457	28.4
Limerick County Borough	23	150	70	25	14	4	1	3	.	.	8	298	25.6
Limerick County	20	107	84	60	28	6	5	1	.	1	8	320	27.8
Tipperary, N.R.	24	80	79	46	16	10	2	.	.	.	5	262	27.3
Tipperary, S.R.	23	105	86	40	18	10	5	1	2	.	2	292	27.4
Waterford County Borough	14	105	52	17	5	3	2	.	2	.	4	204	25.6
Waterford County	24	65	53	34	19	10	9	3	.	.	2	219	28.4
Munster	277	1,471	1,185	593	271	93	53	24	10	8	58	4,043	27.3
Galway	34	146	173	112	45	16	4	3	1	2	10	546	28.3
Leitrim	7	29	33	22	10	7	1	.	.	.	7	116	28.6
Mayo	19	112	121	65	30	14	9	.	2	1	17	390	28.5
Roscommon	6	34	59	42	17	4	3	1	.	1	10	177	29.5
Sligo	14	60	61	34	16	9	.	.	.	1	3	198	27.8
Connacht	80	381	447	275	118	50	17	4	3	5	47	1,427	28.4
Cavan	11	64	72	29	30	8	5	.	.	.	5	224	28.6
Donegal	42	154	144	65	40	11	2	1	1	1	12	473	27.1
Monaghan	19	69	72	28	16	5	5	2	.	1	2	219	27.6
Ulster (part of)	72	287	288	122	86	24	12	3	1	2	19	916	27.6
Ireland*	1,073	5,695	4,066	1,835	859	337	183	77	34	40	194	14,393	26.9
Six Counties	15	33	28	15	2	2	2	3	.	2	.	102	27.5
England and Wales	55	336	182	60	28	12	9	1	2	.	7	692	25.7
Scotland	1	10	5	2	.	2	.	.	.	.	.	20	26.5
Elsewhere	1	16	15	11	.	4	.	1	.	.	.	48	28.5
Not stated	28	23	9	1	4	4	1	1	.	.	3	74	24.0

*Exclusive of the Six Counties.

TABLE 48.—MARRIAGES REGISTERED IN 1961 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin Co. Borough	Dun Laoghaire Borough	Dublin Co. (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork Co. Borough	Cork County
Total	15,329	167	4,191	339	560	285	276	186	92	359	289	224	278	426	325	8,007	272	584	1,135
Carlow	166	108	5	.	.	9	15	2	.	.	.	.	.	6	11	166	1	.	.
Dublin Co. Borough	3,888	4	3,331	68	212	21	5	3	3	9	15	9	9	15	25	3,729	3	13	14
Dun Laoghaire Borough	281	1	68	163	16	1	1	.	.	1	2	1	.	3	10	267	.	1	1
Dublin Co. (remainder)	583	2	209	39	241	14	1	1	1	3	23	1	2	6	16	559	1	2	4
Kildare	303	9	31	1	12	197	2	4	.	3	8	1	3	6	7	284	2	.	4
Kilkenny	279	11	10	2	3	1	191	3	.	.	3	.	3	11	1	239	1	1	2
Laois	201	5	6	.	.	10	10	136	1	.	1	12	.	1	4	186	.	.	.
Longford	92	.	4	.	.	.	.	.	63	.	.	2	4	.	.	73	2	.	.
Louth	340	1	22	3	1	2	.	.	1	279	12	.	1	2	.	324	.	1	1
Meath	296	1	31	4	15	3	.	.	.	15	196	1	7	1	.	274	1	.	1
Offaly	230	1	6	.	.	1	.	10	.	.	1	165	12	.	1	197	1	.	2
Westmeath	264	.	12	1	2	2	2	4	5	.	5	13	198	2	1	247	.	.	.
Wexford	384	7	4	1	2	.	9	1	.	.	1	.	2	329	12	368	1	.	1
Wicklow	310	13	30	14	13	6	1	2	1	4	1	1	1	14	201	302	1	.	.
Leinster	7,617	163	3,766	296	517	267	237	166	75	314	268	206	242	396	289	7,205	14	18	30
Clare	271	.	8	.	.	.	.	1	.	.	.	.	.	.	1	10	215	.	2
Cork Co. Borough	505	.	9	2	2	.	.	1	.	.	.	1	.	.	.	15	.	369	108
Cork County	1,158	1	13	2	.	2	2	4	2	1	.	1	2	.	2	32	3	160	894
Kerry	419	.	7	.	1	.	1	.	.	.	.	.	.	.	.	9	.	.	14
Limerick Co. Borough	278	.	5	1	2	.	1	1	.	.	.	.	1	1	.	12	5	3	5
Limerick County	330	.	2	.	1	.	.	.	.	1	.	.	.	.	1	5	9	1	10
Tipperary, N.R.	234	.	9	.	2	.	5	1	.	1	1	4	1	1	1	26	5	.	1
Tipperary, S.R.	288	.	7	.	.	1	9	1	.	.	1	2	2	.	2	25	1	2	9
Waterford Co. Borough	178	.	3	.	.	.	4	.	.	.	.	.	.	2	.	9	.	1	4
Waterford County	221	.	2	.	.	.	5	1	.	.	.	.	.	1	.	9	.	1	11
Munster	3,882	1	65	5	8	3	27	10	2	3	2	3	6	5	7	152	233	537	1,058
Galway	520	.	15	3	1	1	.	1	.	.	.	.	3	.	4	28	9	.	3
Leitrim	117	.	9	2	1	2	.	.	.	.	.	1	.	2	.	17	1	.	.
Mayo	370	.	7	.	1	.	.	.	.	.	2	.	3	.	.	13	2	1	2
Roscommon	169	.	3	.	.	.	.	.	4	1	.	.	5	.	.	13	.	.	.
Sligo	194	.	9	1	1	1	.	.	1	.	.	.	.	1	.	14	.	.	.
Connacht	1,370	.	43	6	4	4	.	1	5	1	2	1	11	3	4	85	12	1	5
Cavan	209	.	4	1	.	1	1	1	3	2	6	1	5	.	.	25	.	.	2
Donegal	414	.	2	.	1	.	.	2	.	.	2	.	1	2	1	11	1	.	1
Monaghan	192	.	3	1	.	1	.	.	1	5	3	.	1	1	.	16	1	.	.
Ulster (part of)	815	.	9	2	1	2	1	3	4	7	11	1	7	3	1	52	2	.	3
Ireland*	13,684	164	3,886	309	530	276	265	180	86	325	283	216	266	407	301	7,494	263	556	1,096
Six Counties	245	.	42	1	9	1	2	1	1	13	4	2	1	.	3	80	.	1	6
England and Wales	1,180	3	213	25	17	7	8	5	4	18	10	6	10	17	17	360	5	27	27
Scotland	65	.	23	1	1	1	.	.	1	1	.	.	.	.	1	29	.	.	.
Elsewhere	104	.	26	2	3	.	1	.	.	2	2	.	1	1	3	41	.	.	4
Not stated	51	.	1	1	.	.	.	.	.	.	.	.	.	1	.	3	1	.	2

*Exclusive of the Six Counties.

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

residence of bride

Kerry	Limerick Co. Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford Co. Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland*	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
457	298	320	262	292	204	219	4,043	546	116	390	177	198	1,427	224	473	219	916	14,393	102	692	20	48	74
1	.	.	2	1	.	.	5	1	1	1	.	.	3	.	1	.	1	165	.	1	.	.	.
9	3	8	10	9	6	5	80	14	3	9	4	5	35	9	5	3	17	3,861	6	14	.	4	3
1	.	.	.	.	2	.	5	2	.	1	1	.	4	.	.	.	.	276	.	2	.	.	3
1	1	.	3	1	1	.	14	1	1	1	1	.	4	.	1	2	3	580	1	2	.	.	.
1	.	1	.	1	.	1	10	3	1	2	.	.	6	.	.	.	.	300	.	1	.	.	2
.	.	.	7	11	5	9	36	2	.	1	.	.	3	.	.	.	.	278	.	1	.	.	.
.	.	1	5	1	.	2	9	1	.	2	1	.	4	.	.	.	.	199	.	2	.	.	.
1	.	.	.	1	.	.	4	1	2	.	3	1	7	6	1	.	7	91	.	1	.	.	.
.	1	.	.	.	.	.	3	.	.	2	.	.	2	1	1	8	10	339	.	1	.	.	.
.	.	.	.	.	.	.	2	3	2	.	2	1	8	6	1	.	7	291	.	3	.	.	2
.	1	1	15	1	.	.	21	3	.	1	3	.	7	1	.	1	2	227	.	.	.	.	3
.	.	.	3	1	.	.	4	5	.	.	3	2	10	.	.	1	1	262	1	.	.	.	1
.	2	.	1	1	2	2	10	1	.	1	.	.	2	.	.	.	.	380	1	1	.	.	2
.	.	.	1	1	.	.	3	.	.	1	.	.	1	.	1	.	1	307	1	1	.	.	1
14	8	11	47	29	16	19	206	37	10	22	18	9	96	23	11	15	49	7,556	10	30	.	4	17
1	10	9	3	.	.	1	241	13	.	2	.	1	16	1	.	1	2	269	.	2	.	.	.
5	1	.	1	2	.	.	486	.	.	1	.	1	2	.	.	.	.	503	.	2	.	.	.
21	2	18	1	7	.	8	1,114	2	.	1	.	.	3	1	1	.	2	1,151	2	4	.	.	1
379	1	10	.	1	.	.	405	1	.	.	.	.	1	.	.	.	.	415	.	2	.	.	2
2	217	20	2	.	.	2	256	4	.	2	.	.	6	.	2	.	2	276	1	1	.	.	.
12	40	226	6	12	.	.	316	1	.	.	.	1	2	.	.	1	1	324	1	3	1	.	1
2	.	4	179	9	.	.	200	3	1	.	2	.	6	1	1	.	2	234	.	.	.	.	.
3	1	11	9	215	2	8	261	.	.	.	.	.	.	.	.	.	.	286	.	.	.	.	2
.	.	1	.	1	150	12	169	.	.	.	.	.	.	.	.	.	.	178	.	.	.	.	.
1	.	.	.	4	28	164	209	.	.	1	.	.	1	.	.	.	.	219	.	2	.	.	.
426	272	299	201	251	180	195	3,657	24	1	7	2	3	37	3	4	2	9	3,855	4	16	1	.	6
3	1	1	1	.	.	.	18	488	.	18	10	1	467	2	1	.	3	516	1	3	.	.	.
.	1	.	1	.	.	.	3	2	83	1	1	4	91	5	.	.	5	116	.	.	.	.	1
2	1	.	.	2	.	.	10	17	.	302	7	6	332	1	3	.	4	359	1	7	.	.	3
.	.	.	.	.	.	.	.	10	3	5	120	5	152	1	1	1	3	168	.	.	.	.	1
.	.	.	.	.	.	.	.	1	7	13	2	155	178	.	.	.	.	192	.	1	.	.	1
5	3	1	2	2	.	.	31	468	93	339	149	171	1,220	9	5	1	15	1,351	2	11	.	.	6
1	.	.	.	.	.	.	3	.	2	1	.	3	6	163	1	8	172	206	2	1	.	.	.
.	.	1	.	.	.	.	3	.	3	1	4	.	.	375	.	.	375	397	9	2	3	2	1
.	.	.	.	.	.	.	1	.	1	1	1	3	6	.	159	165	185	4	2	.	.	1	
1	.	1	.	.	.	.	7	.	3	4	2	8	17	169	376	167	712	788	15	5	3	2	2
446	283	312	250	282	196	214	3,901	529	107	372	171	191	1,370	204	396	185	785	13,550	31	62	4	6	31
1	1	.	1	.	1	1	12	2	3	2	.	.	7	11	41	26	78	177	68	.	.	.	.
7	12	4	8	7	6	3	106	10	4	15	5	6	40	8	26	7	41	547	3	627	1	.	2
2	.	1	.	1	1	1	6	2	.	.	.	.	2	.	9	1	10	47	.	2	15	.	1
1	2	2	1	2	.	.	12	3	1	1	.	1	6	1	1	.	2	61	.	1	.	41	1
.	.	1	2	.	.	.	6	.	1	.	1	.	2	.	.	.	.	11	.	.	.	1	39

*Exclusive of the Six Counties.

TABLE 49.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM.

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties ..	6	52	72	34	13	13	10	1	2	5	2	210	30.6
England and Wales	41	647	592	256	118	54	17	8	6	6	8	1,753	27.8
Scotland ..	2	15	26	14	8	5	.	.	1	.	1	72	29.8
Europe (remainder)	1	21	7	4	2	2	1	.	.	.	.	38	26.8
U.S.A. ..	.	21	50	25	11	4	1	.	.	1	1	114	29.7
Canada ..	.	6	10	5	2	.	.	.	.	.	.	23	28.2
Australia and New Zealand ..	.	4	6	1	1	1	.	1	.	.	.	14	30.0
Elsewhere ..	.	10	16	9	4	1	1	.	.	.	1	42	29.2
Total ..	50	776	779	348	159	80	30	10	9	12	13	2,266	28.3

TABLE 50.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE.

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties ..	22	68	73	26	5	8	2	2	.	3	1	210	27.2
England and Wales	162	834	476	164	59	21	13	5	2	2	15	1,753	25.5
Scotland ..	2	27	26	7	6	2	.	.	.	.	2	72	27.1
Europe (remainder)	4	21	9	3	1	.	.	.	.	.	.	38	24.3
U.S.A. ..	3	53	39	13	4	1	.	1	.	.	.	114	26.2
Canada ..	.	9	6	8	.	.	.	.	.	.	.	23	27.3
Australia and New Zealand ..	2	6	4	.	1	.	1	.	.	.	.	14	26.1
Elsewhere ..	.	19	13	6	1	1	.	.	.	.	2	42	28.4
Total ..	195	1,037	646	227	77	33	16	8	2	5	20	2,266	25.7

TABLE 51.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM.

Country of future permanent residence	Social group of groom												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Six Counties ..	210	29	3	23	17	32	3	42	10	28	7	15	1
England and Wales	1,753	42	24	129	58	67	38	226	190	539	110	314	16
Scotland ..	72	1	1	7	1	6	2	12	6	19	3	14	.
Europe (remainder)	38	.	.	8	5	1	3	13	.	8	.	.	.
U.S.A. ..	114	2	1	19	7	4	5	22	6	37	3	7	1
Canada ..	23	2	.	5	2	3	3	3	3	2	.	.	.
Australia and New Zealand ..	14	2	.	.	.	2	1	2	1	5	1	.	.
Elsewhere ..	42	.	1	8	6	2	9	10	1	5	.	.	.
Total ..	2,266	78	30	199	96	117	64	330	217	643	124	350	18

TABLE 52.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Six Counties ..	210	4	.	3	30	6	1	38	24	9	13	17	65
England and Wales ..	1,753	6	.	8	235	14	3	430	218	119	107	263	350
Scotland	72	1	.	1	16	.	.	13	19	4	1	4	13
Europe (remainder)	38	.	.	.	6	1	1	6	7	1	1	4	11
U.S.A.	114	.	.	4	19	1	2	40	10	5	4	2	27
Canada	23	.	.	.	3	.	.	8	1	.	1	2	8
Australia and New Zealand ..	14	.	.	.	3	.	.	6	.	.	1	.	4
Elsewhere ..	42	.	.	1	10	1	3	12	3	.	1	2	9
Total ..	2,266	11	.	17	322	23	10	553	282	138	129	294	487

TABLE 53.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Total marriages	Form of ceremony							
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religions	Civil marriage
Six Counties ..	210	160	28	17	4	.	.	.	1
England and Wales ..	1,753	1,666	59	13	3	1	.	3	8
Scotland ..	72	63	3	3	3	.	.	.	.
Europe (remainder) ..	38	31	4	2	.	.	.	.	1
U.S.A. ..	114	110	3	.	1	.	.	.	.
Canada ..	23	21	2	.	.	.	.	.	.
Australia and New Zealand ..	14	11	1	1	.	.	.	.	1
Elsewhere ..	42	36	4	.	.	1	.	.	1
Total ..	2,266	2,098	104	36	11	2	.	3	12

TABLE 54.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	210	7	5	1	.	8	189	.
England and Wales ..	1,753	297	145	133	54	36	1,086	2
Scotland	72	3	.	.	.	10	59	.
Europe (remainder) ..	38	7	3	2	1	1	24	.
U.S.A.	114	22	9	14	7	1	61	.
Canada	23	6	3	1	1	.	12	.
Australia and New Zealand ..	14	2	4	4	.	2	2	.
Elsewhere	42	15	4	5	1	1	16	.
Total	2,266	359	173	160	64	59	1,449	2

TABLE 55.—MARRIAGES REGISTERED IN 1961 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	210	46	19	10	6	59	70	.
England and Wales ..	1,753	526	225	222	80	74	623	3
Scotland	72	20	6	6	2	19	18	1
Europe (remainder) ..	38	16	4	10	2	1	4	1
U.S.A.	114	32	14	15	15	4	34	.
Canada	23	10	6	2	.	1	4	.
Australia and New Zealand ..	14	3	2	5	1	1	2	.
Elsewhere	42	25	7	5	3	.	2	.
Total	2,266	678	283	275	109	159	757	5

TABLE 56.—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1961.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria
COUNTY BOROUGH												
Cork	7	.	.	9	.	7	.	.	10	.	.	.
Dublin	12	.	4	990	36	217	.	35	364	71	66	.
Limerick	1	.	.	54	2	7	.	2	2	4	5	.
Waterford	.	.	.	.	.	.	.	.	5	.	.	.
COUNTIES												
Carlow												
Urban	2	.	1	.	.	.	.	.	.	.	.	.
Rural	2	.	1	.	.	.	.	.	14	.	1	.
Cavan												
Urban	1	.	.	.	.	.	.	.	.	.	.	.
Rural	1	.	.	5	.	.	.	.	22	.	26	.
Clare												
Urban	.	.	.	2	.	.	.	.	.	.	17	.
Rural	1	2	.	3	.	.	.	1	5	1	61	.
Cork												
Urban	.	.	.	1	.	2	.	.	.	.	.	.
Rural	4	.	1	1	.	9	.	3	29	.	1	.
Donegal												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	.	2	8	.	.	.	.	69	.	.	.
Dublin												
Urban	2	.	1	43	.	7	.	4	24	126	4	.
Rural	3	.	1	89	3	31	.	2	152	30	8	.
Galway												
Urban	.	.	.	34	.	.	.	.	32	.	.	.
Rural	.	1	.	27	.	8	.	3	48	.	.	.
Kerry												
Urban	.	.	1	.	.	.	.	1	.	.	3	.
Rural	1	.	.	.	.	.	.	3	11	.	18	.
Kildare												
Urban	.	.	.	1	.	.	.	.	5	.	.	.
Rural	1	.	1	12	.	.	.	2	22	1	.	.
Kilkenny												
Urban	.	.	.	5	.	.	.	.	1	1	.	.
Rural	1	.	.	1	.	.	.	3	10	.	94	.
Laois												
Rural	2	.	.	.	.	.	.	.	10	.	.	.
Leitrim												
Rural	1	.	.	.	.	.	.	.	4	.	1	.
Limerick												
Rural	1	.	.	3	.	5	.	.	14	.	1	.
Longford												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	.	.	.	.	.	1	.	.	.
Louth												
Urban	1	2	2	3	.	5	.	.	.	.	12	.
Rural	.	.	1	2	.	5	.	1	12	.	3	.

TABLE 56—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1961.

County or County Borough			Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
MAYO														
Urban	..	..	2	.	5	7	.	.	.	1	28	.	2	.
Rural	..	..	2	.	5	22	.	.	.	3	40	.	13	.
MEATH														
Urban	..	..	1	1	3	1	.	1	1	.	1	1	.	.
Rural	..	..	1	1	3	3	.	9	1	.	2	1	.	.
MONAGHAN														
Urban	..	..	.	1	.	1	.	.	.	.	1	.	.	.
Rural	..	..	.	.	.	1	.	.	.	2	1	.	.	.
OFFALY														
Urban	..	..	1	.	.	18	.	1	.	.	13	1	4	.
Rural	..	..	1	.	.	28	.	1	.	.	13	1	4	.
ROSCOMMON														
Rural	..	..	.	.	.	.	.	1	.	.	67	1	.	.
SLIGO														
Urban	..	..	.	.	.	1	.	.	.	.	2	.	5	.
Rural	..	..	3	.	.	1	.	.	.	.	.	.	5	.
TIPPERARY N.R.														
Urban	..	..	.	1	.	1	.	.	.	1	14	.	11	.
Rural	..	..	1	1	.	1	.	.	.	.	59	1	11	.
TIPPERARY S.R.														
Urban	..	..	.	1	.	.	.	2	.	.	1	.	19	.
Rural	..	..	.	.	.	.	.	.	.	1	11	.	27	.
WATERFORD														
Urban	..	..	.	.	.	.	.	.	.	.	7	.	.	.
Rural	..	..	.	.	.	2	.	.	.	.	3	.	.	.
WESTMEATH														
Urban	..	..	.	.	.	22	1	.	.	.	1	.	1	.
Rural	..	..	2	.	.	.	1	.	.	3	75	.	1	.
WEXFORD														
Urban	..	..	.	.	.	15	.	6	.	.	2	.	8	.
Rural	..	..	.	.	.	19	.	21	.	4	2	1	4	1
WICKLOW														
Urban	..	..	2	.	.	2	.	.	.	.	6	2	.	.
Rural	..	..	.	.	.	5	.	.	.	.	9	2	.	.
ALL COUNTY BOROUGHES			20	.	4	1,053	38	231	.	37	381	75	71	.
ALL URBAN DISTRICTS			8	4	5	154	.	23	.	7	125	129	66	.
ALL RURAL DISTRICTS			35	5	15	238	4	90	1	31	705	39	279	1
Total			63	9	24	1,445	42	344	1	75	1,211	243	416	1

TABLE 56—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1961.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHES													
Cork	157	.	.	1	6	12	4	.	.	.	.	2	1z
Dublin	5,486	.	2	1	2,085	267	229	20	.	.	.	688	5c, 29d
Limerick	453	.	.	.	84	14	32	4	.	.	.	9	.
Waterford	9	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES													
CARLOW													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	1d
Rural	11	.	.	.	.	.	3	.	.	.	.	.	.
CAVAN													
Urban	.	.	.	.	.	.	.	2	.	.	.	.	.
Rural	18	.	.	.	4	.	11	1	.	.	.	19	.
CLARE													
Urban	44	.	.	.	1	4	.	1	.	.	.	.	.
Rural	30	.	.	.	22	.	6	3	.	1	.	3	.
CORK													
Urban	13	.	.	.	.	.	.	.	.	.	.	.	1d
Rural	241	.	.	.	20	.	6	2	.	1	2	16	1d
DONEGAL													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	220	.	1	.	.	.	2	.	.	.	.	28	.
DUBLIN													
Urban	469	.	1	.	296	.	18	4	.	.	.	21	4c, 1d
Rural	1,352	.	.	.	464	.	40	.	.	.	.	80	1c, 6d
GALWAY													
Urban	5	.	.	.	31	.	6	.	.	.	.	66	.
Rural	205	.	.	.	13	.	5	.	.	.	.	64	.
KERRY													
Urban	.	.	.	.	4	.	1	.	.	1	.	5	.
Rural	81	.	1	.	1	.	4	3	.	2	1	12	.
KILDARE													
Urban	113	.	.	.	1	.	1	.	.	.	.	2	.
Rural	161	.	.	.	11	.	8	.	.	.	.	8	1c
KILKENNY													
Urban	11	.	.	.	46	12	.	.	.	.	.	.	1c
Rural	10	.	.	.	14	.	10	1	.	.	.	17	1c
LAOIS													
Rural	20	.	.	.	3	.	2	.	.	.	.	35	.
LEITRIM													
Rural	20	.	.	.	.	.	1	.	.	.	.	.	.
LIMERICK													
Rural	47	.	1	.	5	.	1	2	.	1	1	3	.
LONGFORD													
Urban	1	.	.	.	.	.	.	.	.	.	.	1	.
Rural	.	.	.	.	1	.	5	.	.	.	.	.	.
LOUTH													
Urban	32	.	.	.	5	1	4	.	.	.	.	1	.
Rural	9	.	.	.	31	.	13	.	.	.	.	7	.

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis.

(z) Anthrax.

TABLE 56—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1961.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban	76	.	.	.	.	.	3	.	.	.	.	30	.
Rural	273	.	.	.	1	.	19	.	.	2	.	81	.
MEATH													
Urban	13	.	.	.	1	.	2	.	.	.	.	3	.
Rural	79	.	.	.	11	.	4	.	.	.	.	23	1d
MONAGHAN													
Urban	24	.	.	.	.	.	2	.	.	.	.	.	.
Rural	47	.	.	.	.	.	6	.	.	.	.	3	.
OFFALY													
Urban	4	.	.	.	1	1	1	2	.	.	.	2	1d
Rural	25	.	.	.	17	.	2	5	.	.	.	40	.
ROSCOMMON													
Rural	72	.	.	.	6	.	4	.	.	.	.	7	.
SLIGO													
Urban	346	.	.	.	3	.	3	.	.	.	.	28	.
Rural	116	.	.	.	7	.	6	.	.	.	.	11	.
TIPPERARY N.R.													
Urban	9	.	.	.	2	.	.	.	.	.	.	.	.
Rural	8	.	.	.	10	.	14	.	.	.	.	2	.
TIPPERARY S.R.													
Urban	78	1	.	.	.	.	2	.	.	.	.	2	.
Rural	16	.	.	.	.	.	1	.	.	.	.	4	.
WATERFORD													
Urban	.	.	.	.	48	.	.	.	.	.	.	.	.
Rural	88	.	.	.	7	.	5	.	.	.	.	.	.
WESTMEATH													
Urban	22	.	.	.	.	.	.	.	.	.	.	5	.
Rural	200	1	.	.	9	.	15	.	.	.	.	.	.
WEXFORD													
Urban	31	.	.	.	.	.	3	.	.	.	.	.	.
Rural	22	.	.	.	2	.	5	1	.	.	.	.	.
WICKLOW													
Urban	129	.	.	.	29	5	9	.	.	.	.	5	.
Rural	90	.	.	.	2	.	5	.	.	.	.	5	.
ALL COUNTY BOROUGHs	6,105	.	2	2	2,175	293	265	24	.	.	.	699	5c, 29d, 1z
ALL URBAN DISTRICTS	1,420	1	1	.	468	23	55	9	.	1	.	171	4c, 2d
ALL RURAL DISTRICTS	3,461	1	3	.	661	.	203	18	.	7	4	468	3c, 9d
Total	10,986	2	6	2	3,304	316	523	51	.	8	4	1,338	12c, 40d, 1z

- (c) *Salmonella* infection.
(d) Acute lymphocytic meningitis.
(z) Anthrax.