


Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLAINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1964

COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN
or through any Bookseller

Price : Six Shillings



AN ROINN SLAINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1964

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN
or through any Bookseller

Price : Six Shillings

CONTENTS

PART I - TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xii
BIRTHS	
Number and rate	xiv
Age at maternity, parity, duration of marriage	xv
Multiple births	xvi
DEATHS	
Number and rate	xvii
Comparison between counties	xix
Causes of death	xx
Tuberculosis	xxiii
Cancer	xxv
Diseases of the circulatory system	xxix
Respiratory disease	xxxi
Pregnancy, childbirth and the puerperium	xxxii
Infant mortality	xxxiii
Accidents, poisoning and violence	xxxiv
Uncertified deaths	xxxvi
Inquests and post-mortems	xxxvii
DIAGRAM 1 - Birth, marriage and death rates (per 1,000 population) 1940 to 1964 ...	viii
" 2 - Standardised death rates (per 1,000 population) from all causes, 1964	xviii
" 3 - Death rates (per 1,000 population) from tuberculosis and cancer, 1940-1964	xxiv
" 4 - Death rates from lung cancer (per 100,000 population), 1956-1964 ...	xxiv
" 5 - Infant and neo-natal mortality (per 1,000 live births), 1940-1964 ...	xxxii

PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1.—Estimated population in thousands at the middle of each year 1851 to 1964.	2
Population by age and conjugal condition	State	Table 2.—Population at the 1961 Census according to age and conjugal condition.	3
Population	Counties ..	Table 3.—Population by sex in each county and county borough according to the Census of Population, 1961.	4
Marriages, births, deaths, 1864-1964	State	Table 4.—Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1964.	5
Marriage, birth, death rates, 1864-1964	State	Table 5.—Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1964.	6
Marriages, births, deaths, 1951-1964	State	Table 6.—Marriages, births and deaths registered during each of the years 1951-1964 with the average annual rates for the ten years 1951-1960 and the rates for 1961, 1962, 1963 and 1964 per 1,000 of the population.	7
Deaths, by principal causes, 1964 with rates	State and Six Counties	Table 7.—Deaths from principal causes in Ireland and the Six Counties, 1964 with rates per 100,000 population.	8
Deaths by age, 1864-1964	State	Table 8.—Average annual number of deaths of males and females, classified by age, registered during the years 1864-1960 and the numbers for each year from 1961 to 1964.	10
Death rates by age, 1864-1964	State	Table 9.—Average annual death rates of males and females, classified by age, per 1,000 corresponding population 1864-1960 and rates for each year from 1961 to 1964.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1964	Counties ..	Table 10.—Births and deaths registered in each county and county borough in 1964 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1964	Counties ..	Table 11.—Marriages registered in and births and deaths assigned to each county and county borough during 1964 showing illegitimate births and deaths from tuberculosis and malignant neoplasms.	14
Marriage, birth and death rates, 1964	Counties ..	Table 12.—Marriage, birth, death, infant mortality, tuberculosis and cancer death rates in 1964 with the proportions of illegitimate births for each county and county borough.	15
Deaths, by conjugal condition, 1964 ..	State	Table 13.—Deaths registered in 1964 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1964	Urban Districts	Table 14.—Births and deaths assigned to each urban district in 1964 classified by sex.	16
Births and deaths, 1964	Principal Towns, Agg.U.D.'s and Agg.R.D.'s	Table 15.—Births and deaths classified by sex, registered in 1964 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1964	Principal Towns, Agg.U.D.'s and Agg.R.D.'s	Table 16.—Birth and death rates in 1964 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1964	Agg. Urban and Agg. Rural	Table 17.—Deaths registered in 1964 at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1964	Counties ..	Table 18.—Deaths registered in 1964 classified by sex and age of residents in each county and county borough.	22

Contents	Area	Title	Page
Deaths by cause and age, 1964	State	Table 19.—Deaths in 1964 classified by cause (International detailed list, 7th Revision 1955) and by sex and age.	26
Deaths by cause and uncertified deaths, 1964	Counties	Table 20.—Deaths of residents of each county and county borough in 1964 classified by cause, and showing the number of uncertified deaths.	60
Deaths by cause, sex and age, 1964	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21.—Deaths registered in 1964 classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts	80
Deaths in hospitals, 1964	Counties	Table 22.—Deaths of residents of each province, county and county borough registered in 1964 classified by place of occurrence.	86
Deaths not medically certified, by age, 1964	Counties	Table 23.—Deaths of residents of each county and county borough registered in 1964 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1964	Counties	Table 24.—Deaths in 1964 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1964	Principal Towns, U.D.'s and R.D.'s	Table 25.—Infant mortality—Deaths, at ages under 4 weeks, 4 weeks and under one year in 1964 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1964	State	Table 26.—Infant mortality—Total deaths under one year of age in 1964 classified by sex, age and cause (International detailed list).	108
Infant mortality, 1964 (illegitimate infants)	State	Table 27.—Infant mortality—Deaths of illegitimate infants in 1964 classified by sex, age and cause.	112
Infant mortality, 1964	Counties	Table 28.—Infant mortality—Deaths, at ages under 4 weeks and 4 weeks and under one year in 1964 classified by sex and cause, assigned to each county and county borough.	113
Deaths, by quarter of registration, 1964	Counties	Table 29.—Deaths registered in 1964 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	120
Births, by quarter of registration, 1964	Counties	Table 30.—Births registered in 1964 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	121
Births, hospital and domiciliary, 1964	Counties	Table 31.—Births registered in 1964 in each county and county borough, showing place of occurrence and areas of normal residence.	122
Births, by age of mother, 1964	State	Table 32.—Births registered in 1964 classified by sex and age of mother at maternity and showing the number of illegitimate births.	123
Births, by age of mother, by county, 1964	Counties	Table 33.—Births registered in 1964 classified by age of mother at maternity and county of normal residence.	124
Births, by age of mother and previous children, 1964	State	Table 34.—Total births registered in 1964 classified by age of mother at maternity and number of previous liveborn children.	128

Contents	Area	Title	Page
Legitimate births by age at maternity and year of marriage, 1964	State	Table 35.—Legitimate births registered in 1964 classified by age of mother at maternity and year of marriage.	130
Legitimate first births, by age of maternity and year of marriage, 1964	State	Table 36.—Legitimate first births registered in 1964, classified by age of mother at maternity and year of marriage.	132
Marriages, 1964	Counties	Table 37.—Marriages registered in each county and county borough during 1964	134
All marriages by ages of groom and bride, 1964	State	Table 38.—Marriages registered in 1964, classified by age of groom and age of bride in single years - All marriages.	136
First marriages by ages of groom and bride, 1964	State	Table 39.—Marriages in 1964, classified by age of groom and age of bride in single years - First marriages only.	138
Marriages by form of ceremony and age of groom, 1964	State	Table 40.—Marriages in 1964, classified according to form of ceremony and age of groom.	140
Marriages by form of ceremony and age of bride, 1964	State	Table 41.—Marriages in 1964, classified according to form of ceremony and age of bride.	140
Marriages by social group and age of groom, 1964	State	Table 42.—Marriages in 1964, classified by social group and age of groom.	141
Marriages by social group and age of bride, 1964	State	Table 43.—Marriages in 1964, classified by social group and age of bride.	141
Marriages by social group of groom and bride, 1964	State	Table 44.—Marriages in 1964, classified by social group of groom and bride.	141
Marriages by age and area of residence of groom, 1964	Counties	Table 45.—Marriages in 1964, classified by age and area of residence of groom before marriage.	142
Marriages by age and area of residence of bride, 1964	Counties	Table 46.—Marriages in 1964 classified by age and area of residence of bride before marriage.	143
Marriages by areas of residence of groom and bride, 1964	Counties	Table 47.—Marriages in 1964 classified by area of residence of groom and area of residence of bride before marriage.	144
Marriages with intended future residence abroad by age of groom, 1964	State	Table 48.—Marriages in 1964, in which the future permanent residence was stated to be outside the country, classified by age of groom.	146
Marriages with intended future residence abroad by age of bride, 1964	State	Table 49.—Marriages in 1964, in which the future permanent residence was stated to be outside the country, classified by age of bride.	146
Marriages with intended future residence abroad by social group of groom, 1964	State	Table 50.—Marriages in 1964, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	146
Marriages with intended future residence abroad by social group of bride, 1964	State	Table 51.—Marriages in 1964, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	147
Marriages with intended future residence abroad by form of ceremony, 1964	State	Table 52.—Marriages in 1964, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	147
Marriages with intended future residence abroad by area of residence of groom before marriage, 1964	State	Table 53.—Marriages in 1964, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	148
Marriages with intended future residence abroad by area of residence of bride before marriage, 1964	State	Table 54.—Marriages in 1964 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	148
Notifications of infectious diseases, 1964.	State	Table 55.—Summary of cases of infectious diseases, notified to the Department of Health during the year 1964.	149

REPORT ON VITAL STATISTICS FOR THE YEAR 1964

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births have been assigned to the district containing the normal residence of the mother and deaths to the district containing the normal residence of the deceased. The number of births for each of the years 1943 to 1964 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1964 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages. - There were 16,128 marriages registered during the year 1964 compared with 15,556 in 1963. The marriage rate per 1,000 population was 5.66 compared with 5.48 in 1963.

Births. - The number of births registered during 1964 was 64,072 and the birth rate was 22.49 per 1,000 population, compared with 22.26 per 1,000 population in 1963. The number of illegitimate births registered in 1964 was 1,292 or 2.02 per cent of all births.

Deaths. - The number of deaths registered during 1964 was 32,630 and the death rate was 11.45 per 1,000 population. In 1963 deaths registered numbered 33,795 and the rate was 11.90.

Of the deaths registered in 1964 31.58 per cent were stated to be due to heart diseases, 15.21 per cent to malignant neoplasms, 12.04 per cent to vascular lesions affecting the central nervous system and 1.23 per cent to tuberculosis (all forms).

The number of deaths in 1964 from tuberculosis of all forms was 401 and the rate was 0.14 per 1,000 population, 0.01 below that for 1963.

There were 4,725 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1964 was 1.66 per 1,000 population, compared with 1.67 in 1963.

During 1964 the deaths of 1,712 infants under one year were registered, equivalent to a rate of 26.72 per 1,000 live births. In the previous year 1,682 deaths, equivalent to a rate of 26.59 per 1,000 live births, were registered.

The total number of deaths from accidents and other external causes in 1964 was 1,072, of which road vehicle accidents accounted for 312.


Marriage, birth and death rates per 1,000 population for the years 1940 to 1964 are illustrated in Diagram 1.

Issue of Authority for Registration. - Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd-Chlaraitheoir. The number of births registered on the authority of An tArd-Chlaraitheoir in 1964 was 726 and the number of deaths registered was 205. Throughout the tables in this Report these births and deaths have been excluded.

Population. - The estimated population in April, 1964 was 2,849,000.

Diagram I.

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1940-1964



MARRIAGES

An alteration in the form of the marriage register was made in 1957 with a view to increasing the amount of statistical information available and bringing Irish statistics of marriages into conformity with international recommendations made by the United Nations Organisation. The column of the register headed "Age" was replaced by a column headed "Date of birth" with the result that, whereas up to 1956 the only entries made were "full age" or "minor", the exact age of persons married is now available. In addition a question is asked on "intended future permanent residence", enabling an examination to be made of the numbers taking up residence in the different parts of the country or going abroad. The classifications of marriages prepared are shown in TABLES 37 to 54.

The number of marriages registered in 1964 was 16,128, an increase of 572 on the previous year; the rate was 5.7 per 1,000 population. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1952. The following table compares the marriage rate in Ireland in the years 1954 to 1964 with those in the Six Counties, England and Wales and Scotland.

TABLE 1

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES,
1954-1964.

Year	Ireland*	Six Counties	England and Wales	Scotland
1954	5.4	6.6	7.7	8.2
1955	5.6	6.8	8.1	8.5
1956	5.8	6.7	7.9	8.6
1957	5.1	6.7	7.7	8.3
1958	5.3	6.6	7.5	8.0
1959	5.4	6.8	7.5	7.8
1960	5.5	7.0	7.5	7.7
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.7	7.3	7.5	7.7

*Exclusive of the Six Counties.

From this table it will be seen that over the period under review, the marriage rate in this country has been consistently lower than the rates in the other areas.

Age at marriage

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained from the 1964 marriage registrations made possible an examination of the trends in age at marriage over the intervening period, as may be seen from the following table.

TABLE 11

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE
AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1961 TO 1964.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1961	1962	1963	1964	1945-46	1961	1962	1963	1964
	%	%	%	%	%	%	%	%	%	%
Under 20 years	1.0	1.7	2.0	2.5	2.6	6.6	7.8	8.8	9.8	9.7
20 to 24 years	14.3	24.1	25.9	26.8	28.6	29.5	40.4	41.2	42.3	43.7
25 to 29 years	25.7	32.2	32.2	31.9	32.2	31.1	28.5	27.5	26.3	26.1
30 to 34 years	24.2	18.6	17.9	17.3	16.9	19.9	12.7	12.1	11.4	10.9
35 to 44 years	25.8	16.6	15.4	15.2	14.2	11.1	8.3	8.2	7.8	7.3
45 years and over	9.0	6.8	6.6	6.3	5.5	1.9	2.3	2.2	2.4	2.3
Total	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	30.6	30.3	30.1	29.8	28.0	26.9	26.6	26.5	26.3

Whereas, in 1945-46, 59 per cent of the men who married were aged 30 years and over the proportion over this age had fallen to 36.6 in 1964, the average age of men at marriage declining from 33.1 years in 1945-46 to 29.8 years in 1964. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over, compared with 20.5 per cent in 1964, while the average age at marriage declined from 28.0 years in 1945-46 to 26.3 in 1964. In TABLE 38 the marriages registered in 1964 are shown cross-classified by age of groom and age of bride in single years while in TABLE 39 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1964 were 29.3 and 25.9 respectively.

A comparison of marriage rates per 1,000 population by age groups in Ireland in 1964 and in England and Wales in 1963 is made in Table III. The figures for Ireland were obtained by dividing the number of males marrying in each group by the total number of single and widowed males in that age group and similarly for females. In obtaining the figures for England and Wales divorced persons were also included.

TABLE III
MARRIAGE RATES PER 1,000 CORRESPONDING POPULATION BY AGE GROUP IRELAND*, 1964 AND ENGLAND AND WALES, 1963.

Age groups	Males		Females	
	Ireland* 1964	England and Wales, 1963	Ireland* 1964	England and Wales, 1963
15-19 years	3.0	13.4	12.5	57.6
20-24 years	48.5	157.6	96.8	259.5
25-29 years	97.0	189.7	122.1	188.6
30-34 years	70.9	108.4	75.8	111.6
35-39 years	43.8	74.3	37.8	61.8
40-44 years	29.1	46.9	17.6	38.8
45-49 years	13.5	37.4	7.6	25.5
50-54 years	8.4	33.9	3.7	15.2
55-59 years	5.2	25.9	1.2	8.4
60-64 years	3.1	24.3	0.6	5.7
65 years and over	0.8	9.6	0.2	1.3
Total, 15 years and over	27.7	65.9	29.4	51.2

*Exclusive of the Six Counties.

For each sex and age group the marriage rates in Ireland were considerably below those in England and Wales. In the 15-19 age group the marriage rate in England and Wales was over four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was more than three times that in Ireland and, for females, almost three times the Irish rate.

Mode of celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1964 amounted to 15,506 (equal to 96 per cent of the total) and other marriages numbered 622, of which 412 were according to the rites and ceremonies of the Church of Ireland, 103 in Presbyterian Churches, 31 in Methodist Churches, 7 according to Jewish Rites, 3 in registered buildings belonging to other religious denominations and 66 by civil contract in Registrars' Offices.

The rate for Catholic marriages in 1964 was 5.74 per 1,000 of the Catholic population an increase of 0.22 on the corresponding rate for 1963. The rate for all other marriages combined was 4.25 per 1,000 of the population other than Catholic, a decrease of 0.36 from the 1963 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1954 TO 1964 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 estimated corresponding population		
	Church of Ireland	Presbyterian	Jewish	Society of Friends	Other religious denominations	In Registrars' Offices	Total			Catholic marriages	All other marriages	Total marriages
1954	582	121	21	2	41	64	831	15,000	15,831	5.42	5.22	5.38
1955	605	107	25	3	42	67	849	15,594	16,443	5.66	5.41	5.63
1956	483	95	12	4	51	75	720	16,041	16,761	5.87	4.66	5.78
1957	509	97	19	2	30	52	709	13,948	14,657	5.13	4.64	5.08
1958	389	91	17	2	34	45	578	14,483	15,061	5.38	3.85	5.28
1959	444	97	16	1	38	76	672	14,748	15,420	5.50	4.52	5.42
1960	371	115	18	1	37	57	599	14,866	15,465	5.56	4.13	5.46
1961	375	92	17	.	34	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	14	.	31	47	650	14,977	15,627	5.59	4.49	5.53
1963	430	112	12	.	36	78	668	14,888	15,556	5.52	4.61	5.48
1964	412	103	7	.	34	66	622	15,506	16,128	5.74	4.25	5.66

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 40 and 41. There was little difference between the various religious denominations in respect of average age at marriage in 1964. For Catholic marriages the average age of groom was 29.7 years, compared with 30.7 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 26.3 years and, for other marriages, 26.7 years.

Social group

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation, although status (i.e., whether the person is an employer, own-account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1964 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 42 to 44.

In TABLES 42 and 43 grooms and brides are classified by social group and age at marriage in each group. In both cases the average marriage age in 1964 was appreciably higher in the social group "Farmers, relatives assisting and farm managers" than in any of the other groups, whilst the lowest average age was in the unskilled manual workers group. In the case of females the difficulty arises that, since many are not gainfully occupied immediately before marriage, information as to occupation is not given, with the result that in many instances the social group cannot be assigned. Thus, it will be seen from TABLE 43 that the number of cases in which the social group of the bride was not stated amounted to almost a quarter of the total number of marriages registered in 1964.

TABLE 44 shows marriages registered in 1964 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 49 per cent were in the "Intermediate and other non-manual workers" groups, 25 per cent were other manual workers and 15 per cent were skilled manual workers, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. In the case of marriages where the grooms were in the social group "Farmers, relatives assisting and farm managers", however, the percentage distribution of brides by social group is not very meaningful in view of the very high number in the "not stated" category; it is probable that the great majority of these were also in the "Farmers and relatives assisting" group. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 19 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

Area of residence

Although the marriage registers in use prior to 1957 contained particulars of residence of bride and groom before marriage the difficulties of analysis by clerical methods prevented the summarisation of this information, hence only figures for marriages registered in each area were compiled. Following the alteration in the form of the marriage register in 1957 punched-card summarisation methods were introduced, with the result that four districts may now be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 37 figures for marriages according to place of occurrence are given for 1964 in the same form as in earlier Reports in this series. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made for 1964 in Table V.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1964.

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	187	159	28	85.0
Dublin County Borough	4,901	4,177	724	85.2
Dun Laoghaire Borough	385	295	90	76.6
Dublin County (remainder)	626	422	204	67.4
Kildare	358	302	56	84.4
Kilkenny	276	227	49	82.2
Laois	167	144	23	86.2
Longford	101	83	18	82.2
Louth	398	360	38	90.5
Meath	351	286	65	81.5
Offaly	254	216	38	85.0
Westmeath	297	217	80	73.1
Wexford	401	365	36	91.0
Wicklow	342	291	51	85.1
Clare	353	292	61	82.7
Cork County Borough	785	546	239	69.6
Cork County	1,159	984	175	84.9
Kerry	420	378	42	90.0
Limerick County Borough	480	282	198	58.8
Limerick County	239	224	45	83.3
Tipperary, N.R.	269	231	38	85.9
Tipperary, S.R.	312	257	55	82.4
Waterford County Borough	231	185	46	80.1
Waterford County	217	154	63	71.0
Galway	628	514	114	81.8
Leitrim	84	76	8	90.5
Mayo	404	338	66	83.7
Roscommon	191	153	38	80.1
Sligo	190	155	35	81.6
Cavan	247	214	33	86.6
Donegal	606	508	98	83.8
Monaghan	239	202	37	84.5
Total	16,128	13,237	2,891	82.1

*Includes cases in which residence was not stated or was outside the country.

In TABLES 45 and 46 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is appreciably lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 28 years, whereas in the counties Longford, Mayo, Leitrim, Roscommon and Cavan the average age was over 33 years. The average age of brides was not over 26 years in the four County Boroughs. The lowest average age was in counties Kildare and Wexford (24.6) and the highest was 29.1 years in County Leitrim.

In TABLE 47 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,055 of the men married in the State in 1964 were returned as residing in England, Wales or Scotland, 238 in the Six Counties and 133 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 612, the number from the Six Counties was 85 and the number from other countries was 48. In 650 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area. In Table VI the rates calculated in this way are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION OF EACH COUNTY AND COUNTY BOROUGH CALCULATED USING (a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA IN 1964.

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	5.5	5.7	Clare	4.8	4.6
Dublin County Borough	8.9	7.5	Cork County Borough	10.0	7.7
Dun Laoghaire Borough	7.8	6.2	Cork County	4.5	4.7
Dublin County (remainder)	4.3	4.1	Kerry	3.6	3.6
Kildare	5.5	5.6	Limerick County Borough	9.2	5.5
Kilkenny	4.5	4.3	Limerick County	3.3	4.4
Laois	3.7	4.7	Tipperary, N.R.	5.0	5.0
Longford	3.4	3.1	Tipperary, S.R.	4.5	4.2
Louth	5.8	5.5	Waterford County Borough	8.1	6.6
Meath	5.3	5.5	Waterford County	5.0	4.8
Offaly	4.8	4.5			
Westmeath	5.6	4.9	Munster	5.3	4.9
Wexford	4.8	5.1			
Wicklow	5.8	5.5	Galway	4.2	3.8
			Leitrim	2.6	3.5
Leinster	6.6	6.0	Mayo	3.3	3.4
			Roscommon	3.3	3.1
Cavan	4.5	4.2	Sligo	3.4	3.4
Donegal	5.4	3.8			
Monaghan	5.2	4.2	Connacht	3.6	3.5
Ulster (part of)	5.1	4.0	Total	5.7	5.1

It will be observed that the total rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rates (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 522 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a very high proportion of cases, the intended future residence was outside the State. Out of the total of 16,128 marriages registered in 1964 there were 1,995 or 12 per cent where the intended future residence was outside the State. These cases are examined in some detail in TABLES 48 to 54. In the case of 1,443 marriages the future residence was in England and Wales, 230 in the Six Counties, 68 in Scotland, 51 in other parts of Europe, 131 in the United States of America, 20 in Canada, 13 in Australia and New Zealand and 39 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 48 and 49 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were appreciably below those for all marriages in the State. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 50 and 51 respectively. By comparing TABLES 41 and 49 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VII contains the results obtained.

TABLE VII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1963 AND 1964.

Social group of groom	Percentage with intended future residence outside the State	
	1963	1964
	%	%
Farmers, relatives assisting and farm managers	3	2
Other agricultural occupations and fishermen	5	7
Higher professionals	30	26
Lower professionals	19	19
Employers and managers (including shopkeepers)	9	13
Salaried employees	16	13
Intermediate non-manual workers	16	13
Other non-manual workers	14	15
Skilled manual workers	16	15
Other manual workers	12	13
Total, all groups combined	13	12

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 52. By comparison with TABLE 37, it will be seen that the proportions that these represent of all marriages in the State are as shown in the following table:-

TABLE VIII

PERCENTAGE OF MARRIAGES OF EACH DENOMINATION IN THE CASE OF WHICH THE FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1963 AND 1964.

Form of ceremony	Percentage with intended future residence outside the State	
	1963	1964
	%	%
Catholic	12	12
Church of Ireland	28	29
Presbyterian	37	43
Methodist	30*	13*
Jewish	33*	29*
Civil marriage	35*	18*
Total	13	12

*Percentages based on small numbers.

Finally, in TABLES 53 and 54 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1963 AND 1964 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1963	1964
	%	%
Dublin County Borough and County	5	6
Remainder of Leinster	4	4
Munster	3	3
Connacht	4	5
Ulster (part of)	7	9
Outside the State	90	90

BIRTHS

Under a system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1964 are presented in TABLES 30 to 36.

The number of births registered during the year 1964 was 64,072, 32,759 males and 31,313 females. Births registered in 1963 numbered 63,246 and in 1962, 61,782. The birth rate in 1964 was 22.5 per 1,000 population, compared with 22.3 in 1963 and 21.9 in 1962.

Table X compares the birth rates in Ireland in the years 1954 to 1964 with those in the Six Counties, England and Wales and Scotland.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1964.

Year	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1954	62.5	21.3	20.8	15.2	18.1
1955	61.6	21.1	20.8	15.0	18.1
1956	60.7	21.0	21.1	15.6	18.6
1957	61.2	21.2	21.5	16.1	19.1
1958	59.5	20.9	21.6	16.4	19.4
1959	60.2	21.1	21.9	16.4	19.2
1960	60.7	21.5	22.5	17.1	19.6
1961	59.8	21.2	22.4	17.5	19.5
1962	61.8	21.9	22.7	17.9	20.1
1963	63.2	22.3	23.1	18.2	19.7
1964	64.1	22.5	23.6	18.5	20.0

* Exclusive of the Six Counties.

In the years 1954 and 1955 the birth rates for this country were higher than those for the other areas but, from 1956 onwards, the Six County rates were the highest. The 1964 rates showed increases over those for 1963 in all areas.

Classification by age at maternity, parity and duration of marriage

In TABLE 34 is shown the total number of births registered in 1964 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 405 or 0.6 per cent of the total, and the number where the parity was not stated was 209 or 0.3 per cent of the total. The results contained in TABLE 34 are summarised in TABLE XI.

TABLE XI

BIRTHS REGISTERED IN 1964 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	1,576	1,240	267	55	13	-	-	-	-	1
20-24 years	10,460	5,272	2,981	1,409	500	195	92	-	-	11
25-29 years	17,483	4,474	4,733	3,725	2,188	1,177	1,147	6	-	33
30-34 years	16,477	2,004	2,631	3,196	2,961	2,099	3,324	230	3	29
35-39 years	12,261	845	1,072	1,581	1,828	1,731	4,374	769	33	28
40-44 years	5,103	221	261	390	558	643	2,292	662	61	15
45 years and over	307	5	11	20	20	33	164	49	5	
Not stated	405	86	30	19	22	10	26	3	-	209
Total	64,072	14,147	11,986	10,395	8,090	5,888	11,419	1,719	102	326

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1963 to 1964 in the distribution of births according to age of mother at maternity, as may be seen from Table XII in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1963 AND 1964, AND IN ENGLAND AND WALES AND SCOTLAND IN 1963.

Age at maternity	Ireland*		England and Wales 1963	Scotland 1963
	1964	1963		
	%	%	%	%
Under 20 years	2.5	2.3	8.4	7.2
20-24 years	16.4	15.7	31.4	31.1
25-29 years	27.5	26.7	30.8	31.2
30-34 years	25.9	26.7	18.0	18.8
35-39 years	19.2	20.1	8.7	9.0
40-44 years	8.0	8.0	2.6	2.6
45 years and over	0.5	0.5	0.1	0.1
Total	100.-	100.-	100.-	100.-
Average age at maternity	30.9	31.1	27.3	27.4

*Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown by Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced (as may be seen from the Report for the year 1955 in this series).

Fertility rates in Ireland in 1964 and in England and Wales in 1963 are compared in Table XIII.

TABLE XIII

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND*, 1964 AND ENGLAND AND WALES, 1963.

Age of mother at maternity	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1964	England and Wales 1963	Ireland* 1964	England and Wales 1963	Ireland* 1964	England and Wales 1963
15-19 years	13.0	40.0	854.0	464.7	3.5	9.3
20-24 years	118.5	179.0	519.3	283.6	7.1	30.8
25-29 years	244.4	183.8	441.4	205.9	6.6	54.7
30-34 years	227.5	105.6	324.4	111.8	4.3	49.2
35-39 years	155.0	48.4	206.4	51.0	1.7	26.1
40-44 years	61.4	13.4	81.9	14.2	1.1	8.2
45-49 years	3.7	0.8	5.2	0.9	-	0.4
Total, 15-49 years	106.3	78.3	214.4	103.9	4.2	18.2

* Exclusive of the Six Counties.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 84 per cent above that in England and Wales, in the 20-24 year group 83 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed or divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The percentage distribution of births according to the number of previous children in 1963 and 1964 is shown in Table XIV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1963.

TABLE XIV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1963 AND 1964 AND IN ENGLAND AND WALES AND SCOTLAND IN 1963.

Number of previous children	Ireland*		England and Wales (1963)	Scotland (1963)
	1964	1963		
	%	%	%	%
0	22.2	22.1	36.2	33.3
1	18.8	18.1	30.8	28.7
2	16.3	16.4	16.6	17.6
3	12.7	12.6	8.1	9.6
4	9.2	9.6	3.9	5.2
5 to 9	17.9	18.4	4.2	5.4
10 to 14	2.7	2.6	0.2	0.2
15 and over	0.2	0.2	0.0	0.0
Total	100.-	100.-	100.-	100.-

* Exclusive of the Six Counties.

The difference between the years 1963 and 1964 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1963, 21 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 4.4 in England and Wales and 5.6 in Scotland.

Multiple births

The number of infants born alive in multiple births registered in 1964 was 1,779, consisting of 873 pairs of twins and 11 sets of triplets.

DEATHS

The number of deaths registered during the year 1964 was 32,630 of which 17,630 were those of males and 15,000 those of females. This is equivalent to a rate of 11.45 deaths per 1,000 total population, compared with 11.90 in the previous year and 11.98 in 1962.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1964 and the death rates for each year from 1961 to 1964.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages. In the age groups above 65 years little change has occurred in the death rates since the period 1901-1910.

Table XV compares the death rates in the years 1953-1964 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country is somewhat higher than in England and Wales and the Six Counties and of about the same order as the Scottish rate.

TABLE XV

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1953-1964.

Year	Numbers of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1953	34.6	11.7	10.7	11.4	11.5
1954	35.5	12.1	10.9	11.3	12.0
1955	36.8	12.6	11.1	11.7	12.1
1956	33.9	11.7	10.6	11.7	12.1
1957	34.3	11.9	10.9	11.5	11.9
1958	34.2	12.0	10.8	11.7	12.1
1959	34.2	12.0	10.9	11.6	12.2
1960	32.7	11.5	10.8	11.5	11.9
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.5	10.5	11.3	11.7


* Exclusive of the Six Counties.

Comparison between counties

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared.

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1964



For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

TABLE XVI
CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1964

Area	Deaths per 1,000 population	
	Crude	Standardised
Total	11.45	11.45
Carlow	12.24	12.71
Dublin County Borough	9.76	12.20 X
Dun Laoghaire Borough	11.85	11.50
Dublin County (remainder)	7.24	10.49 X
Kildare	10.10	12.56
Kilkenny	12.44	12.06
Laois	11.38	11.01
Longford	14.24	12.59
Louth	11.60	12.92
Meath	10.87	11.30
Offaly	10.22	10.56
Westmeath	11.02	10.72
Wexford	12.28	11.65
Wicklow	11.78	12.26
Leinster	10.37	11.77
Clare	12.51	10.44
Cork County Borough	13.06	14.86
Cork County	12.64	11.69
Kerry	13.04	11.49
Limerick County Borough	9.27	11.67
Limerick County	13.85	13.16
Tipperary, N.R.	11.94	11.39
Tipperary, S.R.	12.33	12.11
Waterford County Borough	12.01	13.24
Waterford County	12.10	10.94
Munster	12.52	11.92
Galway	11.41	10.59
Leitrim	15.08	11.86
Mayo	11.80	9.38
Roscommon	13.36	10.20
Sligo	12.74	10.62
Connacht	12.25	10.26
Cavan	13.79	11.79
Donegal	12.04	12.14
Monaghan	12.49	11.60
Ulster (part of)	12.59	10.90

In certain areas the standardised death rates differ appreciably from the crude rates. The standardised rates in 1964 were lowest in the counties of Mayo, Roscommon and Clare and highest in the County Boroughs of Cork and Waterford and in County Limerick.

Causes of death

The tables in this Report showing cause of death are based on the Seventh Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1955, prepared by the World Health Organisation. The Seventh Revision was used for the first time in classifying deaths by causes in the 1958 Report. From 1940 to 1949 the Fifth Revision was used, and the Reports for the years 1950 to 1957 were based on the Sixth Revision.

Table XVII shows the number of deaths and death rates in 1963 and 1964 and the average annual number of deaths and death rates in each period, 1950-52, 1955-57 and 1960-62 from some of the principal causes.

TABLE XVII

NUMBER OF DEATHS AND DEATH RATES IN 1963 and 1964 AND THE AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES IN EACH PERIOD, 1950-52, 1955-57 AND 1960-62 FROM SOME OF THE PRINCIPAL CAUSES.

I. L. Nos.	Causes	1950-52	1955-57	1960-62	1963	1964
		Average Annual Number			Number	
001-019	Tuberculosis, all forms	2,040	758	438	432	401
Rem. to 138	Other infective and parasitic diseases	349	187	143	105	147
140-205	Cancer	4,194	4,695	4,787	4,938	4,962
330-334	Vascular lesions affecting central nervous system	2,907	3,738	3,960	4,220	3,928
410-434	Diseases of the heart	10,519	10,580	10,884	10,794	10,303
400-468	Other diseases of the circulatory system	1,620	2,172	1,958	2,100	1,983
(Rem.)	Influenza	987	502	554	157	316
480-483	Other diseases of the respiratory system	2,667	2,407	2,788	3,051	3,076
470-475						
490-527						
794	Senility	4,436	2,680	2,010	1,783	1,582
	Other diseases	7,769	6,287	5,233	5,139	4,860
E800-E999	Accidents and other external causes	921	988	998	1,076	1,072
	All Causes	38,409	34,994	33,753	33,795	32,630
		Average annual rates per 100,000 population			Rate per 100,000 population	
001-019	Tuberculosis, all forms	68.9	26.2	15.5	15.2	14.1
Rem. to 138	Other infective and parasitic diseases	11.8	6.5	5.1	3.7	5.2
140-205	Cancer	141.6	162.0	169.9	173.8	174.2
330-334	Vascular lesions affecting central nervous system	98.2	129.0	140.5	148.5	137.9
410-434	Diseases of the heart	355.3	365.0	386.2	379.9	361.6
400-468	Other diseases of the circulatory system	54.7	74.9	69.5	73.9	69.6
(Rem.)	Influenza	33.3	17.3	19.7	5.5	11.1
480-483	Other diseases of the respiratory system	90.1	83.0	98.9	107.4	108.0
470-475						
490-527						
794	Senility	149.8	92.5	71.3	62.8	55.5
	Other diseases	262.6	216.9	185.6	180.9	170.5
E800-E999	Accidents and other external causes	31.1	34.1	35.4	37.9	37.6
	All Causes	1,297.4	1,207.4	1,197.6	1,189.5	1,145.3

The death rate from tuberculosis (all forms) in the year 1964 was only about one fifth of its level in the period 1950-52. Cancer deaths rose steadily over the years and the 1964 rate showed an increase of 23 per cent on the rate for 1950-52. Relatively little change has occurred since 1950-52 in the death rate from diseases of the heart although the trend has been upward, but the death rate from other diseases of the circulatory system has increased by 27 per cent between 1950-52 and 1964. Vascular lesions affecting the central nervous system accounted for 35 per cent more deaths in 1964 than in 1950-52 but a decrease of 7 per cent was recorded in the number of deaths from respiratory diseases. In each period shown in the table large numbers of deaths were stated to be due simply to senility but a considerable reduction has occurred over the years under review, the number of deaths in 1964 being only 37 per cent of those in 1950-52. This reduction is largely explained by an increasing accuracy in certification of cause of death, as well as a falling proportion of deaths not medically certified. It will be realised that the accuracy of the comparisons made in this table is somewhat reduced by the fact that many of the deaths are not medically certified.

The following table shows the age-sex specific death rates for the principal causes of death in the year 1964.

TABLE XVIII
AGE - SEX SPECIFIC DEATH RATES FOR THE PRINCIPAL CAUSES OF DEATH IN 1964.

I.D.L. Nos.	Cause of death	Death rates per 100,000 corresponding population											
		All ages	0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
	All Causes	M	1232.5	696.4	39.5	75.4	156.8	292.0	756.6	2028.5	4628.9	10890.3	27306.7
		F	1057.2	582.1	37.6	49.2	104.9	205.9	529.9	1252.8	3149.1	8969.4	23517.9
001-019	Tuberculosis, all forms	M	19.6	.	1.0	0.9	13.9	17.1	31.6	53.4	75.5	60.2	40.0
		F	8.5	1.3	0.7	1.0	4.8	11.6	14.8	23.7	21.3	16.2	8.9
020-138	Other infective and parasitic diseases	M	5.7	16.7	2.0	2.7	1.4	2.5	4.2	10.2	12.6	6.5	13.3
		F	4.7	14.0	3.9	0.5	1.4	5.5	1.9	3.7	4.8	10.8	26.8
001-138	Total infective and parasitic diseases	M	25.3	16.7	3.0	3.6	15.3	19.6	35.8	63.6	88.1	66.7	53.3
		F	13.2	15.3	4.6	1.5	6.2	17.1	16.7	27.4	26.1	26.9	35.7
	Malignant neoplasms of:												
150	oesophagus	M	8.3	.	.	.	0.7	1.9	7.7	16.8	40.9	73.1	80.0
		F	6.0	.	.	.	.	1.8	6.2	11.1	31.0	34.2	53.6
151	stomach	M	33.3	.	.	0.9	0.7	6.3	25.0	101.0	168.8	230.1	200.0
		F	25.1	.	.	.	2.1	2.5	14.2	55.4	116.2	179.9	276.8
152, 153	intestines	M	15.9	.	0.3	0.5	1.4	5.1	13.7	24.9	82.8	139.8	200.0
		F	19.7	.	.	.	2.8	5.5	14.2	31.8	88.1	149.3	232.1
154	rectum	M	8.7	.	.	0.5	2.1	2.5	6.0	14.6	41.9	88.2	66.7
		F	6.0	.	.	.	0.7	2.5	6.2	6.7	32.0	39.6	53.6
157	pancreas	M	9.3	.	.	.	0.7	1.9	5.4	24.9	44.0	68.8	160.0
		F	7.6	.	.	0.5	.	1.8	4.3	18.5	30.0	62.9	53.6
155, 156, 158, 159	other and unspecified digestive organs	M	6.9	.	0.3	0.9	0.7	1.9	7.7	13.2	33.5	51.6	53.3
		F	5.7	.	.	0.5	.	.	3.7	17.7	24.2	37.8	35.7
150-159	digestive organs and peritoneum	M	82.4	.	0.6	2.8	6.3	19.7	65.5	195.3	411.9	651.6	760.0
		F	70.1	.	.	1.0	5.6	14.1	48.6	141.2	321.4	503.7	705.4
162, 163	bronchus, trachea and lung	M	36.6	.	.	.	.	10.8	39.3	143.4	175.1	157.0	66.7
		F	8.7	.	.	.	1.4	3.1	13.5	31.0	33.9	30.6	.
170	breast	M	0.1	.	.	.	.	.	0.6	.	.	2.2	.
		F	28.7	.	.	.	6.2	23.9	53.5	82.8	83.3	104.3	142.9
177	prostate	M	17.8	.	.	.	.	.	3.0	16.1	105.9	230.1	253.3
171-176, 178-181	other genito-urinary organs	M	8.4	2.6	.	0.5	2.8	6.3	4.2	19.8	37.7	49.5	106.7
		F	22.0	0.7	.	1.4	3.5	11.6	40.7	53.2	81.3	100.7	53.5
140-8,160, 161,164-5, 190-9	other and unspecified sites	M	28.9	1.3	2.7	2.7	6.3	13.9	27.4	47.6	123.7	221.5	466.7
		F	20.7	2.0	0.7	1.9	4.8	8.6	19.7	48.0	61.0	125.9	303.6
200-205	lymphatic and haematopoietic tissues	M	13.6	10.3	2.4	5.8	4.9	8.2	17.9	28.5	47.2	49.5	13.3
		F	10.3	4.0	5.3	3.3	9.7	4.3	11.7	17.0	32.9	36.0	8.9
140-205	Total malignant neoplasms	M	187.8	14.2	5.7	11.8	20.2	58.9	157.7	450.6	901.5	972.1	1346.7
		F	160.5	6.7	6.0	7.6	31.1	65.6	187.7	373.2	613.7	901.3	1214.3
260	Diabetes mellitus	M	6.9	.	.	0.9	0.7	1.9	2.4	9.5	41.9	66.7	66.7
		F	10.3	0.7	0.4	0.5	0.7	.	7.4	14.8	51.3	86.3	80.4
240-259	Other allergic, endocrine system, metabolic and nutritional diseases	M	10.1	5.1	0.7	2.3	2.8	8.2	11.9	31.5	32.5	30.1	66.7
		F	8.3	2.0	.	1.9	2.1	6.7	10.5	21.4	30.0	27.0	44.6
330	Subarachnoid haemorrhage	M	5.8	1.3	0.3	0.9	2.8	5.1	13.1	12.4	13.6	23.7	40.0
		F	8.6	0.7	1.4	1.0	6.9	4.9	19.7	18.5	20.3	30.6	17.9
331	Cerebral haemorrhage	M	48.6	.	.	.	3.5	6.3	28.0	90.0	211.7	531.2	813.3
		F	61.7	1.3	.	1.0	0.7	9.2	29.5	25.1	244.9	588.1	839.3
332	Cerebral embolism and thrombosis	M	53.0	.	.	.	.	1.3	7.1	47.6	248.4	705.4	1520.0
		F	64.5	.	0.4	.	1.4	2.5	10.5	47.3	227.5	753.6	1544.6
333, 334	Other and ill-defined vascular lesions	M	14.9	.	0.3	.	.	.	1.8	13.2	62.9	204.3	480.0
		F	18.8	.	.	.	.	1.8	4.9	6.7	74.5	201.4	508.9
	affecting central nervous system												
330-334	Vascular lesions	M	122.3	1.3	0.6	0.9	6.3	12.7	50.0	163.2	536.6	1464.6	2853.3
	affecting central nervous system	F	153.6	2.0	1.8	2.0	9.0	18.4	64.6	97.6	567.2	1573.7	2910.7

TABLE XVIII (contd.)

Age - sex specific death rates for the principal causes of death in 1964.

I.D.L. Nos.	Cause of death		Death rates per 100,000 corresponding population										
			All ages	0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
340-398	Other diseases of the nervous system and sense organs	M F	18.2 16.9	10.3 11.4	1.4 3.2	4.5 3.3	5.6 7.6	11.4 8.6	16.1 12.9	32.2 17.0	68.1 54.2	103.2 115.1	266.7 160.7
410-416	Chronic rheumatic heart disease	M F	9.0 12.2	. .	. .	1.8 2.4	5.6 4.8	8.2 10.4	14.9 18.5	18.3 23.1	32.5 31.0	40.9 66.5	40.0 62.5
420	Arteriosclerotic heart disease including coronary disease	M F	230.3 129.9	. 0.7	. .	0.5 .	10.5 2.8	47.5 11.6	218.5 63.4	560.4 216.6	1080.7 554.7	1817.2 1120.5	2586.7 2026.8
421	Chronic endocarditis not specified as rheumatic	M F	10.0 9.0	. .	. 0.4	0.5 1.0	0.7 1.4	5.7 0.6	7.7 2.5	19.8 14.0	37.7 29.0	88.2 102.5	200.0 98.2
422	Other myocardial degeneration	M F	108.6 111.1	. 0.7	0.3 .	0.5 1.0	0.7 .	1.9 0.6	9.5 6.8	60.0 39.9	308.2 225.6	1565.6 1320.1	5693.3 4821.4
420-422	Arteriosclerotic and degenerative heart disease	M F	348.9 250.0	. 1.4	0.3 0.4	1.5 2.0	11.9 3.7	55.1 12.8	235.7 72.7	640.2 270.5	1156.6 809.3	3471.0 2543.1	8480.0 6946.4
430-434	Other diseases of heart	M F	53.4 49.5	0.6 1.3	. 0.4	1.4 0.5	3.5 .	10.8 4.3	17.3 12.3	68.0 52.5	200.2 173.3	638.7 487.4	1706.7 1339.3
440-443	Hypertensive heart disease	M F	18.4 22.3	. .	. .	. .	. .	2.5 0.6	4.2 6.8	28.5 22.9	89.1 77.4	215.1 259.0	373.3 446.4
410-443	Heart diseases including hypertensive	M F	429.7 334.0	0.6 2.7	0.3 0.8	4.7 4.9	21.0 8.5	76.6 28.1	272.1 110.3	755.0 369.0	1478.4 1091.0	4365.7 3357.0	10600.0 8794.6
450	General arteriosclerosis	M F	25.9 26.6	. .	. .	. .	. .	. .	0.6 1.8	9.5 3.7	70.2 48.4	412.9 304.0	1306.7 1339.3
400-402	Other diseases of the circulatory system	M F	22.0 24.0	. 0.7	. .	0.9 1.0	0.7 2.8	9.5 5.5	22.6 14.8	43.2 38.4	96.4 75.5	169.9 244.6	386.7 303.6
451-468													
480-483	Influenza	M F	10.7 11.5	3.2 0.7	0.3 0.4	0.9 .	0.7 0.7	3.2 0.6	4.2 2.5	13.9 5.9	33.5 29.0	116.1 140.3	360.0 348.2
490-493	Pneumonia (excluding pneumonia of newborn)	M F	46.5 43.0	66.6 61.4	4.1 2.8	1.4 3.8	4.9 2.1	5.7 5.5	14.3 6.8	49.0 28.8	148.9 120.0	458.1 374.1	1120.0 964.3
500-502	Bronchitis	M F	64.7 35.0	7.8 4.0	. 0.4	0.5 1.0	2.1 2.1	13.3 2.5	34.5 18.5	160.9 45.8	317.6 105.5	511.8 372.3	933.3 642.9
470-475	Other diseases of the respiratory system	M F	15.9 10.6	9.6 4.0	1.0 0.4	. 1.0	2.1 2.1	1.9 3.1	17.9 8.0	23.4 14.0	56.6 31.0	122.6 79.1	413.3 232.1
540, 541	Ulcer of stomach and duodenum	M F	9.9 4.5	. .	. .	. .	1.4 0.7	3.2 1.2	7.1 1.2	17.6 8.1	55.6 22.3	83.9 39.6	80.0 26.8
560, 561, 570	Intestinal obstruction and hernia	M F	5.5 4.6	2.6 1.3	. .	. .	1.4 .	1.3 0.6	1.2 3.1	6.6 3.0	25.2 16.5	55.9 39.6	120.0 125.0
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	M F	4.3 5.3	15.4 13.4	0.3 0.7	. .	0.7 1.4	1.9 2.5	3.6 5.5	8.8 9.6	5.2 5.8	12.9 28.8	40.0 26.8
530-587 (rem.)	Other diseases of digestive system	M F	12.0 9.8	4.9 4.0	0.3 1.1	0.9 1.0	2.8 2.1	5.1 1.2	9.5 4.3	29.3 15.5	52.4 43.6	60.2 75.5	200.0 71.4
590-594	Nephritis and nephrosis	M F	15.5 10.9	1.3 0.7	1.4 .	3.1 4.3	6.3 2.1	6.3 4.3	17.3 8.6	27.8 20.0	46.1 28.1	116.1 77.3	320.0 187.5
600-637	Other diseases of the genito-urinary system	M F	17.3 5.4	5.8 .	0.3 .	0.5 0.5	0.7 2.8	1.9 2.5	4.8 6.2	10.2 8.1	60.8 20.3	221.5 27.0	666.7 98.2
640-689	Deliveries and complications of pregnancy, childbirth etc.	F	2.1	. .	. .	1.0 .	4.1 .	11.6 .	1.9 .	. .	. .	. .	. .
750-759	Congenital malformations	M F	19.9 20.0	157.0 169.6	4.1 3.9	2.7 1.4	4.2 2.3	0.6 1.2	4.2 4.3	3.7 1.5	1.1 1.0	2.2 .	. .
760-776	Certain diseases of early infancy	M F	35.3 25.7	323.5 243.0	. .	. .	. .	. .	. .	. .	. .	. .	. .
794	Senility without mention of psychosis	M F	48.4 62.7	. .	. .	. .	. .	. .	. .	. 1.5	32.5 33.9	640.9 598.9	4840.0 4642.9
210-795 (Rem)	All other diseases	M F	32.1 30.5	7.7 11.4	3.4 2.8	3.1 3.3	6.3 5.5	9.5 8.6	22.0 20.9	49.0 30.3	125.8 89.1	296.8 257.2	586.7 607.1
E800-E936	Accidents	M F	42.5 27.3	41.6 26.0	12.5 8.2	32.8 9.0	43.2 6.2	32.9 9.8	42.3 10.5	61.5 17.0	73.4 42.6	144.1 221.2	360.0 660.7
E940-E999	Other external causes	M F	4.1 1.3	1.9 1.3	. 0.4	0.5 1.0	7.7 2.1	6.3 0.6	4.8 1.2	8.8 2.2	10.5 2.9	6.5 3.6	. .

Of the total number of deaths registered in 1964 almost 71 per cent were due to four main causes, i.e. heart diseases, malignant neoplasms, vascular lesions affecting the central nervous system and respiratory diseases. Diseases of the heart were responsible for the largest proportion of all deaths, the death rates per 100,000 population being 429.7 in the case of males and 334.0 in the case of females. The great majority of deaths from heart diseases occurred at ages 55 and over, and more than 78 per cent were due to arteriosclerotic and degenerative heart disease. Malignant neoplasms were the next major cause of death, accounting for 187.8 male deaths and 160.5 female deaths in every 100,000 of their respective populations. Most of these deaths were in the age groups over 35 years and were caused chiefly by malignant neoplasms of the stomach, bronchus, trachea and lung, breast and genito-urinary organs. In the case of vascular lesions affecting the central nervous system the death rates were 122.3 for males and 153.6 for females per 100,000

corresponding population. As in the case of heart diseases, these deaths were confined mainly to the age groups 55 years and upwards and most of them were due to cerebral haemorrhage, cerebral embolism and thrombosis. Respiratory diseases caused 137.8 deaths in every 100,000 of the male population and 100.1 deaths per 100,000 of the female population. These deaths occurred mostly in the upper age groups and were due principally to pneumonia and bronchitis. It is noted, however, that pneumonia accounted for about one tenth of the total number of deaths in the 0-4 age group. Other causes which contributed substantially to the deaths of children under five years of age were certain diseases of early infancy (birth injury, postnatal asphyxia and atelectasis, immaturity, etc) and congenital malformations. Between the ages 5 to 34 years accidents were the greatest single cause of death, whilst in the age group 35-44 over 46 per cent of the deaths were due to malignant neoplasms and heart diseases.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XIX shows the number of deaths and the death rates per 1,000 population for each of the years 1954 to 1964.

TABLE XIX

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1954-1964.

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1954	797	0.27	208	0.07	1.59	0.93
1955	729	0.25	160	0.05	1.38	1.12
1956	562	0.19	127	0.04	1.81	1.31
1957	583	0.20	113	0.04	1.92	1.35
1958	502	0.18	79	0.03	1.80	1.93
1959	451	0.16	66	0.02	1.70	1.54
1960	416	0.15	52	0.02	1.81	1.00
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75

In 1964 there were 401 deaths from tuberculosis, of which 368 were caused by the respiratory form and 33 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period, the number of deaths in 1964 showing a fall of 60 per cent since 1954. The trend in the death rate from tuberculosis (all forms) since 1940 is shown in Diagram 3.

In Table XX tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XX

DEATH RATES IN 1963 AND 1964 AND AVERAGE ANNUAL DEATH RATES IN EACH PERIOD 1945-47, 1955-57 AND 1960-62 FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES, PER 1,000 CORRESPONDING POPULATION.

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages
1945-47	0.52	1.40	2.17	1.99	1.58	1.38	0.87	1.22
1955-57	0.07	0.06	0.16	0.29	0.34	0.41	0.51	0.26
1960-62	0.02	0.01	0.04	0.10	0.20	0.25	0.40	0.16
1963	0.02	0.01	0.03	0.08	0.17	0.22	0.43	0.15
1964	0.01	.	0.02	0.09	0.14	0.23	0.41	0.14

Diagram 3

DEATH RATE (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1940-1964





Diagram 4

DEATH RATES FROM LUNG CANCER (Nos 162-163) PER 100,000 POPULATION



Between the periods 1945-47 and 1955-57 the death rates from tuberculosis in the younger age groups had declined considerably, and in the most recent years the rates for these groups were only a fraction of their level in 1945-47. Thus, between 1945-47 and 1964 the death rate in the age group under 15 years fell from 0.52 to 0.01 per 1,000 corresponding population and at ages 15 to 24 more striking declines occurred. In the older age groups the reduction in the death rate was less marked, the 1964 rate for the age group 55 years and over being 0.41 per 1,000 corresponding population compared with 0.87 in the period 1945-47.

The death rates from tuberculosis in the years 1954 to 1964 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XXI.

TABLE XXI

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1964.

Year	Ireland*	Six Counties	England and Wales	Scotland
1954	0.34	0.18	0.18	0.22
1955	0.30	0.15	0.15	0.19
1956	0.24	0.12	0.12	0.16
1957	0.24	0.13	0.11	0.14
1958	0.20	0.11	0.10	0.13
1959	0.18	0.10	0.08	0.11
1960	0.17	0.08	0.07	0.10
1961	0.15	0.07	0.07	0.09
1962	0.15	0.07	0.07	0.08
1963	0.15	0.08	0.06	0.10
1964	0.14	0.06	0.05	0.07

*Exclusive of the Six Counties.

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. A feature of this table, however, is the extent to which Ireland has shared in the general improvement

The mortality from tuberculosis in the counties and county boroughs in 1964 is compared in TABLE 12 of this Report. The highest death rates from all forms per 1,000 population were in Limerick County Borough (0.31) and the counties of Limerick (0.24) and Monaghan (0.24). The lowest rates were in the counties of Kilkenny (0.06) and and Tipperary N.R. (0.06).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while in the years 1950 to 1957, deaths were classified according to the Sixth Revision. The 1958 and subsequent Reports are based on the Seventh Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia) should also be shown.

In 1964 there were 4,962 deaths from cancer (Nos. 140 to 205). Of this number, 50 deaths were caused by Hodgkin's disease and 187 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1957 to 1964.

TABLE XXII

DEATHS FROM CANCER (Nos. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1957 TO 1964.

Year	Age group (years)							Total
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	
	Males							
1957	8	15	47	178	440	853	1,283	177
1958	8	11	54	159	394	857	1,300	173
1959	7	23	56	154	431	875	1,396	182
1960	8	20	47	171	435	842	1,290	178
1961	9	20	50	162	437	865	1,374	183
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	186
1964	10	20	59	158	451	901	1,404	188
	Females							
1957	7	18	73	207	378	619	960	157
1958	5	16	73	190	363	629	977	155
1959	6	24	66	182	345	614	972	153
1960	7	13	60	189	375	664	908	158
1961	6	26	63	178	343	600	893	151
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160

In the years under review the death rates from cancer were higher among males than among females in the age groups under 25 years and 55 years and upwards but between the ages 25 and 54 years the female rates were generally greater than those for males. In 1964 the male death rate for all ages was 17.5 per cent above that for females. The trend in the death rates from cancer since 1940 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1954 to 1964 are compared in Table XXIII.

TABLE XXIII

DEATHS FROM CANCER (Nos. 140-205) PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1954 TO 1964.

Year	Ireland*	Six Counties	England and Wales	Scotland
1954	1.56	1.54	2.03	2.06
1955	1.61	1.60	2.03	2.07
1956	1.58	1.63	2.08	2.10
1957	1.67	1.70	2.09	2.10
1958	1.64	1.67	2.12	2.11
1959	1.68	1.67	2.14	2.14
1960	1.68	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.54	2.18	2.21
1963	1.74	1.63	2.18	2.25
1964	1.74	1.57	2.44	2.26

*Exclusive of the Six Counties.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1964 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos 140-205) IN EACH COUNTY AND COUNTY BOROUGH IN 1964.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.98	2.03	Clare	1.48	1.26
Dublin County Borough	1.87	2.27	Cork County Borough	2.31	2.57
Dun Laoghaire Borough	2.24	2.16	Cork County	1.95	1.80
Dublin County (remainder)	1.24	1.85	Kerry	1.45	1.28
Kildare	1.67	2.06	Limerick County Borough	1.52	1.87
Kilkenny	1.49	1.44	Limerick County	2.01	1.90
Laois	2.06	2.01	Tipperary, N.R.	1.74	1.66
Longford	2.19	1.94	Tipperary, S.R.	1.77	1.73
Louth	1.57	1.74	Waterford County Borough	2.17	2.41
Meath	1.41	1.47	Waterford County	1.99	1.77
Offaly	1.46	1.51			
Westmeath	1.89	1.85	Munster	1.84	1.74
Wexford	1.85	1.76			
Wicklow	1.65	1.71	Galway	1.59	1.48
Leinster	1.74	1.95	Leitrim	1.95	1.49
Cavan	1.83	1.56	Mayo	1.44	1.21
Donegal	1.34	1.33	Roscommon	1.73	1.39
Monaghan	1.47	1.35	Sligo	1.81	1.56
Ulster (part of)	1.60	1.41	Connacht	1.62	1.39
			Total	1.74	1.74

TABLE XXV

MORTALITY IN 1964 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1955 Inter- national List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
140-148	Malignant neoplasms of: Buccal cavity and pharynx ..	1	1	1	5	10	29	48	95	-	-	5	6	12	9	13	45
150-159	Digestive organs and peritoneum ..	8	9	31	110	267	393	360	1,178	2	8	23	79	191	332	359	994
160-165	Respiratory system ..	.	.	21	69	205	191	98	584	.	2	7	25	52	41	29	156
170-181	Breast and genito-urinary organs ..	5	4	10	13	49	137	158	376	4	14	58	153	184	170	136	719
190-199	Other and unspecified sites ..	15	8	17	38	46	65	70	259	9	7	7	23	43	48	79	216
200-205	Lymphatic and haematopoietic tissues ..	36	7	13	30	39	45	24	194	28	14	7	19	23	34	21	146
	Total ..	65	29	93	265	616	860	758	2,686	43	45	107	305	505	634	637	2,276
		Rates per 100,000 corresponding population															
	Malignant neoplasms of:																
140-148	Buccal cavity and pharynx ..	0.2	0.7	0.6	3.0	7.3	30.4	88.9	6.6	.	.	3.1	3.7	8.9	8.7	19.5	3.2
150-159	Digestive organs and peritoneum ..	1.2	6.2	19.7	65.5	195.3	411.9	666.7	82.4	0.3	5.5	14.1	48.6	141.2	321.4	537.4	70.0
160-165	Respiratory system ..	.	.	13.3	41.1	150.0	200.2	181.5	40.8	.	1.4	4.3	15.4	38.4	39.7	43.4	11.0
170-181	Breast and genito-urinary organs ..	0.7	2.8	6.3	7.7	35.8	143.6	292.6	26.3	0.6	9.7	35.5	94.1	136.0	164.6	203.6	50.7
190-199	Other and unspecified sites ..	2.2	5.6	10.8	22.6	33.7	68.2	129.6	18.1	1.4	4.8	4.3	14.2	31.7	46.4	118.3	15.2
200-205	Lymphatic and haematopoietic tissues ..	5.3	4.9	8.2	17.8	28.5	47.2	44.4	13.6	4.4	9.7	4.3	11.7	17.0	32.9	31.4	10.3
	Total ..	9.6	20.2	58.9	157.7	450.6	901.5	1,403.7	187.8	6.7	31.1	65.6	187.7	373.2	613.7	953.6	160.4

The crude death rate from cancer in 1964 varied from 2.31 per 1,000 population in Cork County Borough to 1.24 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.57 per 1,000 population in Cork County Borough to 1.21 in Mayo. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e. over 12 per cent) in the county of Leitrim, and low (i.e. less than one per cent) in the County Boroughs and in the counties of Dublin, Louth and Wicklow. Thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1964, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rate from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate being almost 18 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was nearly four times greater for males than for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female death rate was almost double that of males.

Cancer of the bronchus, trachea and lung

The number of deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163) in each year 1957 to 1964, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1957 TO 1964 FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG, (Nos. 162-163) CLASSIFIED BY SEX AND AGE GROUP

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1957	1	16	70	159	144	390	3	4	20	45	61	133
1958	2	17	65	143	156	383	1	8	14	31	48	102
1959	3	22	71	166	167	429	1	5	18	25	49	98
1960	4	15	72	200	169	460	1	2	19	40	45	107
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	.	4	25	30	62	121
1964	.	17	66	196	245	524	2	5	22	42	52	123
Death rates per 100,000 corresponding population												
1957	0.1	8.7	40.8	114.6	98.1	26.8	0.4	2.2	12.4	32.9	37.4	9.3
1958	0.3	10.0	38.4	104.1	104.5	26.6	0.1	4.5	8.6	23.0	29.9	7.2
1959	0.4	13.0	41.9	120.9	111.8	29.9	0.1	2.8	11.1	18.5	30.5	6.9
1960	0.5	9.0	42.2	150.3	113.2	32.4	0.1	1.2	11.8	29.8	27.1	7.6
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	35.0	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.3	.	2.4	15.3	22.3	36.9	8.6
1964	.	10.8	39.3	143.4	164.0	36.6	0.3	3.1	13.5	31.0	30.6	8.7

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1957 the death rate in the case of males was 26.8 compared with 9.3 in the case of females and by 1964 the disparity was even greater, the corresponding rates for that year being 36.6 and 8.7 respectively. In each of the years shown 75 to over 80 per cent of both male and female deaths occurred at ages 55 years and over, whilst the number of deaths in the age group under 35 years seldom exceeded 2 per cent of the total.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163) in Ireland and neighbouring countries during the years 1959 to 1964.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG (Nos. 162 and 163) IN EACH YEAR 1959 TO 1964.

Area	1959	1960	1961	1962	1963	1964
Number of deaths						
Ireland*	527	567	604	639	610	647
Six Counties	346	335	365	350	414	396
Scotland	2,330	2,422	2,478	2,604	2,772	2,892
England and Wales	21,063	22,000	22,810	23,779	24,434	25,371
Rates per 100,000 population						
Ireland*	19	20	21	23	21	23
Six Counties	25	24	26	25	29	27
Scotland	45	46	47	50	53	56
England and Wales	46	48	49	51	52	54

*Exclusive of the Six Counties.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales and Scotland were more than double the Irish rates, while the Six County rates exceeded those for this country by at least 17 per cent in every year except 1962. The trend in each area is illustrated in Diagram 4.

Diseases of the circulatory system

There were 12,286 deaths ascribed to diseases of the circulatory system (Nos. 400-468) registered in 1964 of which 6,831 were deaths of males and 5,455 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXVIII.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (3,294 males compared with 1,843 females): in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced. In interpreting Table XXVIII it should be borne in mind that a number of deaths (mainly of elderly persons), stated to be due to heart diseases, are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXIX.

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1964 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of Death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Rheumatic fever	1	.	.	4	.	.
Chronic rheumatic heart disease	128	.	.	173	.	.
Chronic endocarditis	143	.	.	127	2	1.6
Coronary and arteriosclerotic heart disease	3,294	65	2.0	1,843	26	1.4
Other myocardial degeneration	1,553	38	2.4	1,576	40	2.5
Other diseases of heart	764	41	5.4	702	27	3.9
Hypertension with heart disease	263	1	0.4	317	2	0.6
Hypertension without mention of heart	174	1	0.6	179	1	0.6
Other diseases of circulatory system	511	7	1.4	534	5	0.9

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1964, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

1955 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
400-402	Rheumatic fever	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	4
410-416	Chronic rheumatic heart disease ..	4	8	13	25	25	31	22	128	5	7	17	30	38	32	44	173
421	Chronic endocarditis	1	1	9	13	27	36	56	143	3	2	1	4	19	30	68	127
420	Coronary and arteriosclerotic heart disease	1	15	75	367	766	1,031	1,039	3,294	1	4	19	103	293	573	850	1,843
422	Other myocardial degeneration ..	2	1	3	16	82	294	1,155	1,553	3	-	1	11	54	233	1,274	1,576
430-434	Other diseases of heart	4	5	17	29	93	191	425	764	4	-	7	20	71	179	421	702
440-443	Hypertensive heart disease ..	-	-	4	7	39	85	128	263	-	-	1	11	31	80	194	317
444-447	Other hypertensive disease ..	1	-	9	24	35	47	58	174	1	-	4	10	22	41	101	179
450-468	Other diseases of circulatory system	1	1	6	14	37	112	340	511	-	3	4	17	35	87	388	534
400-468	Total diseases of circulatory system	14	31	136	496	1,104	1,827	3,223	6,831	19	17	55	206	563	1,255	3,340	5,455
		Rates per 100,000 corresponding population															
400-402	Rheumatic fever	.	.	.	0.6	.	.	.	0.1	0.3	0.7	0.6	..	.	.	.	0.3
410-416	Chronic rheumatic heart disease ..	0.6	5.6	8.2	14.9	18.3	32.5	40.8	8.9	0.8	4.8	10.4	18.5	28.1	31.0	65.9	12.2
421	Chronic endocarditis	0.2	0.7	5.7	7.7	19.7	37.7	103.7	10.0	0.5	1.4	0.6	2.5	14.0	29.0	101.8	9.0
420	Coronary and arteriosclerotic heart disease	0.1	10.4	47.5	218.4	560.4	1,080.7	1,924.1	230.3	0.1	2.8	11.6	63.4	216.5	554.7	1,272.5	129.9
422	Other myocardial degeneration ..	0.3	0.7	1.9	9.5	60.0	308.2	2,138.9	108.6	0.5	.	0.6	6.8	39.9	225.6	1,907.2	111.1
430-434	Other diseases of heart	0.6	3.5	10.8	17.3	68.0	200.2	787.0	53.4	0.6	.	4.3	12.3	52.5	173.3	630.2	49.5
440-443	Hypertensive heart disease ..	.	.	2.5	4.2	28.5	89.1	237.0	18.4	.	.	0.6	6.8	22.9	77.4	290.4	22.3
444-447	Other hypertensive disease ..	0.1	.	5.7	14.3	25.6	49.3	107.4	12.2	0.1	.	2.5	6.0	16.3	39.7	151.2	12.6
450-468	Other diseases of circulatory system	0.2	0.7	3.8	8.3	27.1	117.4	629.6	35.7	.	2.0	2.5	10.5	25.9	84.2	580.8	37.6
400-468	Total diseases of circulatory system	2.1	21.6	86.1	295.2	807.6	1,915.1	5,968.5	477.6	2.9	11.7	33.7	126.8	416.1	1,214.9	5,000.0	384.5

XXX

A possible source of error is the large number of uncertified deaths ascribed simply to "senility." Thus, out of a total of 1,582 deaths (692 male, 890 female), stated to be due to senility, 596 (279 male, 317 female) were not medically certified. Of these uncertified deaths it may be presumed that a substantial proportion were caused by heart diseases.

Respiratory diseases

Deaths from respiratory diseases (Nos. 470-527 in the International List) in 1964 numbered 3,392. These included 316 deaths caused by influenza, 1,275 by pneumonia, 1,422 by bronchitis and 379 due to other respiratory diseases.

Pregnancy, childbirth and puerperium

The number of maternal deaths in 1964 was 30, 8 more than in 1963. The death rate was 0.47 per thousand live births. Table XXX shows the maternal deaths in 1964 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1964 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE.

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and upwards
Pyelitis of pregnancy	1	.	1	.	.	.	.	.
Toxaemia of pregnancy	6	.	.	.	2	2	1	1
Haemorrhage of pregnancy	.	.	.	.	.	.	.	.
Ectopic pregnancy	1	.	.	.	.	1	.	.
Other complications of pregnancy	4	.	1	.	.	2	1	.
Abortion without sepsis or toxaemia	1	.	.	.	1	.	.	.
Haemorrhage of childbirth	8	.	.	.	2	4	1	1
Other complications of childbirth	6	.	.	.	.	3	3	.
Puerperal pulmonary embolism	1	.	.	.	.	.	.	1
Puerperal eclampsia	2	.	.	1	.	.	1	.
Total	30	.	2	1	5	12	7	3

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1964

Tuberculosis, miliary	1	.	.	.	1	.	.	.
Cancer of rectum	1	.	.	.	.	1	.	.
Diseases of mitral valve	5	.	2	.	2	.	1	.
Diseases of aortic valve	1	.	1	.	.	.	.	.
Rheumatic fever	1	.	.	.	1	.	.	.
Coronary thrombosis	1	.	.	.	.	1	.	.
Acute cardio myopathy	1	.	.	.	.	1	.	.
Broncho pneumonia	1	.	.	.	1	.	.	.
Total	12	.	3	.	5	3	1	.

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1954 to 1964.

TABLE XXXI

MATERNAL DEATHS PER 100,000 BIRTHS IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1964.

Year	Number of deaths Ireland*	Deaths per 100,000 live births			
		Ireland*	Six Counties	England and Wales	Scotland
1954	69	110	73	71	76
1955	70	114	83	66	46
1956	52	86	58	57	54
1957	81	132	110	48	47
1958	61	103	56	44	54
1959	39	65	55	39	36
1960	35	58	44	39	34
1961	27	45	52	34	37
1962	27	44	30	36	40
1963	22	35	41	28	40
1964	30	47	15	25	23

*Exclusive of the Six Counties.

Maternal deaths in this country in 1964 numbered 30, an increase of 8 on the 1963 figure and the mortality rate rose correspondingly from 35 to 47 per 100,000 live births. In all the other areas considerable reductions were recorded particularly in the case of the Six Counties where the rate fell from 41 to 15 per 100,000 live births. In all areas a marked improvement has been effected over the period 1954 to 1964.

Infant Mortality

During the year 1964 the deaths of 1,712 infants under one year of age were registered, compared with 1,682 in the previous year and 1,800 in 1962. The 1964 rate was 26.7 per 1,000 live births registered, compared with 26.6 in 1963 and 29.1 in 1962.

Table XXXII shows the mortality rates at different ages under one year for the years 1947 to 1964.

TABLE XXXII

INFANT MORTALITY BY AGE, 1947 TO 1964.

Year	Deaths per 1,000 births at ages											
	Under 24 hrs.	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total* under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8
1955	7.6	9.0	2.8	2.0	1.5	22.9	3.5	2.1	4.4	3.8	13.8	36.7
1956	7.4	8.2	3.0	2.5	1.6	22.7	3.5	2.4	3.9	3.1	12.9	35.6
1957	7.8	8.2	2.8	1.8	1.4	22.0	2.7	2.0	3.7	2.7	11.1	33.1
1958	8.4	9.0	2.3	2.4	1.5	23.6	3.5	2.1	3.4	2.8	11.8	35.4
1959	8.4	8.0	2.2	1.5	1.1	21.2	2.8	1.9	3.6	2.5	10.8	32.0
1960	8.7	7.4	1.9	1.3	1.1	20.4	2.2	1.7	2.7	2.2	8.9	29.3
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7


*Under one month prior to 1950.

Infant mortality has shown a considerable reduction over the period in the table, the rate for 1964 (26.7 per 1,000 live births) being less than 40 per cent of that for 1947. The greatest improvement has been in respect of mortality of infants aged over four weeks, which showed a decline of 78 per cent in the period. The reduction in neo-natal mortality (i.e. at ages under 4 weeks) was less marked, being only 37 per cent in that period. No significant changes occurred since 1947 in mortality at ages under 24 hours or 1-6 days.

The trends in infant and neo-natal mortality rates are illustrated in Diagram 5.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1940-1964



In Table XXXIII the infant mortality rates in Ireland and neighbouring countries are compared for the years 1954 to 1964.

TABLE XXXIII

INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1964.

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1954	38	33	25	31
1955	37	32	25	30
1956	36	29	24	29
1957	33	29	23	29
1958	35	28	23	28
1959	32	28	22	28
1960	29	27	22	26
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24

*Exclusive of the Six Counties.

The infant mortality rate for this country in 1964 remained the same as that in 1963, i.e. 27 per 1,000 live births, whilst decreases occurred in the Six Counties, England and Wales and Scotland. Over the period shown in the table the decline in infant mortality has been greater in this country than in any of the other areas.

Table XXXIV compares the neo-natal and infant mortality rates in the year 1964 for counties and county boroughs.

TABLE XXXIV

NEO-NATAL AND INFANT MORTALITY RATES FOR COUNTIES AND COUNTY BOROUGHS IN 1964.

Area	Deaths of infants per 1,000 births			Area	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow	24	7	31	Clare	26	10	36
Dublin County Borough	17	12	29	Cork County Borough	14	8	22
Dun Laoghaire Borough	15	5	20	Cork County	16	7	23
Dublin County (remainder)	13	5	18	Kerry	21	9	30
Kildare	21	14	35	Limerick County Borough	21	5	26
Kilkenny	24	5	29	Limerick County	23	10	33
Laois	21	9	30	Tipperary, N.R.	19	7	26
Longford	12	12	24	Tipperary, S.R.	18	6	24
Louth	23	9	32	Waterford County Borough	24	4	28
Meath	18	8	26	Waterford County	33	9	42
Offaly	16	6	22				
Westmeath	18	8	26	Munster	20	7	27
Wexford	17	11	28				
Wicklow	20	10	30	Galway	16	6	22
				Leitrim	29	7	35
Leinster	17	10	27	Mayo	20	9	29
Cavan	16	6	22	Roscommon	17	9	26
Donegal	19	6	25	Sligo	15	10	25
Monaghan	25	5	30	Connacht	18	8	26
Ulster (part of)	19	6	25	Total	18	9	27

In 1964 the infant mortality rates were highest in Counties Waterford, Clare, Leitrim and Kildare and lowest in County Dublin and Dun Laoghaire Borough. The neo-natal rate ranged from 12 per 1,000 births in County Longford to 33 per 1,000 births in County Waterford.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in Table 19. In Table 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

DEATHS OF INFANTS UNDER ONE YEAR REGISTERED IN 1964 CLASSIFIED BY CAUSE AND AGE

International List Nos.	Cause	Age				
		Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
001-019	Tuberculosis, all forms	.	.	.	2	2
340	Meningitis, except meningococcal and tuberculous	.	1	6	7	14
056, 470-475 480-483 490-493 500-502 510-527, 763	Whooping cough, influenza, pneumonia, bronchitis, and other respiratory diseases	7	28	48	196	279
530-587, 764	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn)	1	4	23	36	64
750-759	Congenital malformations	104	107	76	171	458
760, 761	Birth injuries	71	66	7	1	145
762	Asphyxia and atelectasis	96	76	9	3	184
770	Haemolytic disease (erythroblastosis)	34	18	4	2	58
771	Haemorrhagic disease	2	10	5	1	18
774, 776	Immaturity	148	94	13	5	260
773.0	Ill-defined diseases of early infancy :- Without mention of immaturity	8	11	8	14	41
773.5	With mention of immaturity	19	23	4	1	47
780.2	Convulsions	.	.	.	2	2
	Other causes	8	14	16	102	140
	Total	498	452	219	543	1,712

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. At ages under one week 25 per cent of all deaths were ascribed to immaturity, while as may be seen from TABLE 26, immaturity was a contributory factor to many deaths ascribed to other underlying causes. Congenital malformations accounted for 22 per cent of deaths under one week, post-natal asphyxia and atelectasis 18 per cent and birth injuries 14 per cent. Six per cent of the deaths under one week were assigned to the heading "Illdefined diseases of early infancy" (No. 773 of the Detailed International List); deaths described by such terms as "debility," "inanition," "marasmus," "cyanosis neonatorum," "hepatitis of newborn" or "sclerema neonatorum" and not otherwise specified are allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic diseases were at ages under one week. At ages over 4 weeks respiratory diseases (37 per cent) and congenital malformations (31 per cent) were the main causes of death but only a small proportion were ascribed to immaturity or asphyxia. Details of the 140 deaths ascribed to "other causes" may be obtained from TABLE 19.

Accidents, poisoning and violence

The number of deaths from external causes (Nos. E800-999) registered in 1964 was 1,072 of which 666 were those of males and 406 those of females. The corresponding figures for 1963 were 1,070, 675 and 401 respectively. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 15 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was almost entirely due to the higher number of deaths from accidents. Table XXXVI shows the number of deaths from accidents, poisoning and violence in 1964 and previous years.

There were 272 deaths resulting from accidents in the home recorded in 1964, compared with 181 in 1963. This increase is due partly to more precise information becoming available regarding the location of the accident. As will be seen from the table more deaths in 1964 were attributed to

TABLE XXXVI

DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1953 TO 1964

Cause of death	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
Railway accidents ..	8	2	6	13	6	4	11	6	2	6	6	4
Road vehicle accidents ..	251	260	273	310	229	273	285	287	315	310	322	312
Accidental poisoning ..	20	13	19	18	18	15	10	27	24	35	20	25
Accidents caused by fire, explosion and burns ..	71	96	95	78	72	77	59	72	69	74	77	79
Accidental drowning ..	134	125	146	112	107	127	109	143	103	110	112	124
Accidental falls ..	195	237	270	256	257	240	249	259	266	274	316	309
Other accidents and external causes ..	166	178	174	153	135	127	146	133	130	125	153	161
Suicide ..	62	59	68	76	73	77	72	84	89	52	70	58
Total ..	907	970	1,051	1,016	897	940	941	1,011	998	986	1,076	1,072

Particulars of deaths registered in 1964 due to accidents in the home are given in Table XXXVII.

TABLE XXXVII

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1964, CLASSIFIED BY CAUSE AND AGE GROUP

Inter-national List Nos.	Cause of death	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
E870- E888	Poisoning by solid and liquid substances M F	2 3					1 1			1 2		
E890- E892	Poisoning by gases M F	7 8	.. 1			1 ..	1 2	1 ..	1 ..	1 2	1 ..	1 3
E900- E904	Accidental falls M F	43 83			1 ..		1 ..	3 ..	3 ..	4 2	6 12	26 68
E910	Blow from falling object M F	1 ..							1 ..			
E912	Accident caused by machinery M F	3 1		2 1			1 ..					
E913	Accident caused by cutting and piercing instruments M F	1 ..							1 ..			
E914	Accident caused by electric current M F	1 ..		1 ..								
E916	Accident caused by fire and explosion of combustible material M F	18 34		3 3	1 3	1 ..	2 2	2 ..	2 ..	3 1	1 6	8 14
E917	Accident caused by hot substance, corrosive liquid and steam M F	3 4		2 ..	1 ..						1 ..	1 2
E919	Accident caused by firearm M F	4 1		1 ..	1 1			1 ..	1 ..			
E921	Inhalation and ingestion of food causing obstruction or suffocation M F	26 5	16 5	4 ..			1 ..	1 ..	1 ..	1 ..	2 ..	
E922	Inhalation and ingestion of other object causing obstruction or suffocation M F	1 1	1 ..	1 ..								
E923	Foreign body entering other orifice M F	.. 1		1 ..								
E924	Suffocation in bed and cradle M F	5 4	4 4	1 ..								
E925	Accidental mechanical suffocation in other and unspecified circumstances M F	1 1	1 ..	1 ..								
E928	Other accidents caused by animals M F	1 ..									1 ..	
E929	Drowning and submersion M F	1 2	1 ..	1 1								
E936	Other and unspecified accidents M F	2 4		2 3								.. 1
	Total M F	120 152	21 12	18 10	2 6	1 1	6 5	7 2	8 2	10 7	11 19	36 88

accidental falls in the home than to any other single cause. Deaths resulting from accidental falls numbered 126 and were mostly of elderly persons. Accidents caused by fire, hot liquids etc. accounted, for 59 deaths, of which 8 were of children under 5 years of age and 37 of persons aged 55 years and over. Twenty one deaths of children under one year old were due to obstruction and suffocation by food and 8 to suffocation in bed. There were 20 deaths from accidental poisoning, 11 of which were of persons aged 55 years and over.

Uncertified deaths

The number of cases in 1964 in which the cause of death was not certified by a medical practitioner was 1,107 which represents 3.4 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1964 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1964 in the counties of Leitrim (12.3 per cent), Mayo (10.0 per cent), Kerry (9.2) per cent and Roscommon (9.1 per cent).

Table XXXVIII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XXXVIII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1953 TO 1964.

Province	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
Leinster	3.6	3.4	3.5	2.6	2.6	2.0	1.8	1.6	1.5	1.4	1.4	1.2
Munster	9.3	8.4	7.8	7.4	7.2	6.5	6.0	5.5	4.7	4.4	4.2	3.3
Connacht	22.8	21.1	20.3	18.0	16.9	16.3	15.8	14.8	12.5	12.5	11.0	8.9
Ulster (part of)	15.7	16.0	14.7	13.6	10.8	11.0	10.3	8.1	7.9	7.9	6.4	5.3
Total	9.8	9.2	8.8	7.7	7.1	6.6	6.1	5.6	4.9	4.7	4.2	3.4

Table XXXIX shows the percentage of deaths uncertified in 1964 by age group, in each province.

Table XXXIX

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1964.

Province	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	1.2	0.2	0.8	0.8	0.7	0.6	0.5	0.5	0.9	0.9	1.8
Munster	3.3	.	.	.	.	1.7	1.4	1.1	0.8	1.8	5.7
Connacht	8.9	.	.	.	.	.	1.1	0.3	1.7	4.1	14.7
Ulster (part of)	5.3	.	.	10.0	5.9	.	5.9	3.0	1.6	1.9	8.6
Total	3.4	0.1	0.4	0.9	0.7	0.8	1.3	0.9	1.0	1.7	6.0
Actual number of deaths uncertified	1,107	2	1	2	2	3	10	19	44	134	890

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while only a very small number of young adult deaths were uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1964 was 1,757 compared with 1,792 in 1963 and 1,593 in 1962.

PART II—TABLES

In the following tables births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR*, 1851 TO 1964.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1889	3,516	1,748	1,768	1927	2,957	1,502	1,455
1852	4,927	2,413	2,514	1890	3,482	1,733	1,749	1928	2,944	1,498	1,446
1853	4,807	2,358	2,449	1891	3,449	1,718	1,731	1929	2,937	1,496	1,441
1854	4,704	2,311	2,393	1892	3,408	1,697	1,711	1930	2,927	1,493	1,434
1855	4,638	2,281	2,357	1893	3,382	1,684	1,698	1931	2,933	1,497	1,436
1856	4,594	2,261	2,333	1894	3,362	1,675	1,687	1932	2,949	1,505	1,444
1857	4,540	2,234	2,306	1895	3,333	1,662	1,671	1933	2,962	1,512	1,450
1858	4,506	2,217	2,289	1896	3,314	1,653	1,661	1934	2,971	1,518	1,453
1859	4,471	2,199	2,272	1897	3,298	1,646	1,652	1935	2,971	1,520	1,451
1860	4,428	2,179	2,249	1898	3,283	1,640	1,643	1936	2,967	1,520	1,447
1861	4,393	2,164	2,229	1899	3,265	1,631	1,634	1937	2,948	1,510	1,438
1862	4,377	2,158	2,219	1900	3,234	1,616	1,618	1938	2,937	1,505	1,432
1863	4,328	2,134	2,194	1901	3,213	1,607	1,606	1939	2,934	1,503	1,431
1864	4,263	2,103	2,160	1902	3,200	1,603	1,597	1940	2,958	1,515	1,443
1865	4,223	2,084	2,139	1903	3,185	1,599	1,586	1941	2,993	1,533	1,460
1866	4,163	2,051	2,112	1904	3,175	1,597	1,578	1942	2,963	1,499	1,464
1867	4,130	2,033	2,097	1905	3,165	1,594	1,571	1943	2,946	1,490	1,456
1868	4,109	2,022	2,087	1906	3,160	1,593	1,567	1944	2,944	1,487	1,457
1869	4,090	2,012	2,078	1907	3,151	1,589	1,562	1945	2,952	1,490	1,462
1870	4,062	1,996	2,066	1908	3,145	1,588	1,557	1946	2,957	1,496	1,461
1871	4,042	1,986	2,056	1909	3,142	1,589	1,553	1947	2,974	1,505	1,469
1872	4,023	1,975	2,048	1910	3,139	1,588	1,551	1948	2,985	1,512	1,473
1873	3,989	1,955	2,034	1911	3,132	1,586	1,546	1949	2,981	1,513	1,468
1874	3,966	1,944	2,022	1912	3,120	1,581	1,539	1950	2,969	1,510	1,459
1875	3,951	1,940	2,011	1913	3,103	1,572	1,531	1951	2,961	1,507	1,454
1876	3,949	1,942	2,007	1914	3,092	1,568	1,524	1952	2,953	1,501	1,452
1877	3,956	1,947	2,009	1915	3,068	1,546	1,522	1953	2,949	1,498	1,451
1878	3,952	1,948	2,004	1916	3,068	1,549	1,519	1954	2,941	1,493	1,448
1879	3,939	1,944	1,995	1917	3,065	1,551	1,514	1955	2,921	1,479	1,442
1880	3,891	1,920	1,971	1918	3,066	1,553	1,513	1956	2,898	1,463	1,435
1881	3,847	1,901	1,946	1919	3,102	1,598	1,504	1957	2,885	1,456	1,429
1882	3,808	1,882	1,926	1920	3,103	1,598	1,505	1958	2,853	1,439	1,414
1883	3,745	1,853	1,892	1921	3,096	1,599	1,497	1959	2,846	1,435	1,411
1884	3,703	1,834	1,869	1922	3,022	1,529	1,493	1960	2,832	1,427	1,405
1885	3,671	1,820	1,851	1923	3,014	1,526	1,488	1961	2,818	1,417	1,402
1886	3,642	1,808	1,834	1924	3,005	1,521	1,484	1962	2,824	1,419	1,405
1887	3,600	1,788	1,812	1925	2,985	1,512	1,473	1963	2,841	1,427	1,414
1888	3,554	1,766	1,788	1926	2,971	1,507	1,464	1964	2,849	1,430	1,419

* For 1951 and subsequent years the figures relate to the month of April.

TABLE 2 - CLASSIFICATION OF THE POPULATION ENUMERATED AT THE 1961 CENSUS ACCORDING TO AGE AND CONJUGAL CONDITION.

Age groups	Males				Females			
	Single	Married	Widowed	Total	Single	Married	Widowed	Total
0-4	153,430	.	.	153,430	147,360	.	.	147,360
5-9	146,991	.	.	146,991	140,677	.	.	140,677
10-14	148,319	.	.	148,319	140,482	.	.	140,482
15-19	120,138	208	1	120,347	112,226	1,257	2	113,485
20-24	74,398	6,004	18	80,420	60,678	16,876	33	77,587
25-29	48,547	23,700	42	72,289	32,968	39,960	160	73,088
30-34	37,052	38,047	142	75,241	22,960	54,068	518	77,546
35-39	31,743	49,468	415	81,626	20,023	63,803	1,341	85,167
40-44	28,514	55,520	761	84,795	18,788	63,815	2,895	85,498
45-49	27,193	60,344	1,499	89,036	18,885	61,314	5,390	85,589
50-54	23,468	55,976	2,244	81,688	18,241	49,110	8,083	75,434
55-59	19,383	45,991	3,245	68,619	17,016	39,183	11,305	67,504
60-64	18,067	41,206	5,162	64,435	16,550	32,625	17,450	66,625
65-69	14,034	30,817	6,290	51,141	13,093	20,925	18,329	52,347
70-74	12,465	23,304	8,341	44,110	12,155	14,381	22,144	48,680
75-79	8,041	13,823	7,830	29,694	8,091	7,092	18,333	33,516
80-84	3,890	6,743	6,041	16,674	4,514	2,887	12,965	20,366
85 and over	1,497	2,452	3,745	7,694	2,435	932	7,474	10,841
Total	912,170	453,603	45,776	1,411,549	607,142	468,228	126,422	1,401,792

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS OF POPULATION, 1961.

Area					Persons	Males	Females
Carlow	..	..	..	..	33,342	17,360	15,982
Dublin County Borough	..	..	..	..	537,448	249,055	288,393
Dun Laoghaire Borough	..	..	..	..	47,792	20,980	26,812
Dublin County (remainder)	..	..	..	..	133,092	64,969	68,123
Kildare	..	..	..	..	64,420	34,068	30,352
Kilkenny	..	..	..	..	61,668	32,252	29,416
Laois	..	..	..	..	45,069	23,989	21,080
Longford	..	..	..	..	30,643	16,133	14,510
Louth	..	..	..	..	67,378	33,627	33,751
Meath	..	..	..	..	65,122	33,826	31,296
Offaly	..	..	..	..	51,533	27,188	24,345
Westmeath	..	..	..	..	52,861	27,183	25,678
Wexford	..	..	..	..	83,308	42,128	41,180
Wicklow	..	..	..	..	58,473	29,150	29,323
Clare	..	..	..	..	73,702	38,904	34,798
Cork County Borough	..	..	..	..	77,980	36,500	41,480
Cork County	..	..	..	..	252,463	128,208	124,255
Kerry	..	..	..	..	116,458	60,838	55,620
Limerick County Borough	..	..	..	..	50,786	24,134	26,652
Limerick County	..	..	..	..	82,553	43,039	39,514
Tipperary, N.R.	..	..	..	..	53,696	28,088	25,608
Tipperary, S.R.	..	..	..	..	70,126	36,053	34,073
Waterford County Borough	..	..	..	..	28,216	13,163	15,053
Waterford County	..	..	..	..	43,223	22,365	20,858
Galway	..	..	..	..	149,887	78,993	70,894
Leitrim	..	..	..	..	33,470	18,031	15,439
Mayo	..	..	..	..	123,330	63,844	59,486
Roscommon	..	..	..	..	59,217	31,477	27,740
Sligo	..	..	..	..	53,561	27,638	25,923
Cavan	..	..	..	..	55,594	30,277	26,317
Donegal	..	..	..	..	113,842	58,501	55,341
Monaghan	..	..	..	..	47,088	24,588	22,500
Total	..	..	..	..	2,818,341	1,416,549	1,401,792

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1964.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,229	959	493	466	34,243	18,603	15,640	26,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062
1962	15,627	61,782	31,650	30,132	60,671	1,111	534	577	33,838	18,355	15,483	27,944
1963	15,556	63,246	32,486	30,760	62,089	1,157	587	570	33,795	18,199	15,596	29,451
1964	16,128	64,072	32,759	31,313	62,780	1,292	641	651	32,630	17,630	15,000	31,442

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1964.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864 - 1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871 - 1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881 - 1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891 - 1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901 - 1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911 - 1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921 - 1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931 - 1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941 - 1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951 - 1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.36	1.69	1,048	11.89	33.10	9.33
1958	5.28	20.86	20.52	0.34	1.64	1,051	12.00	35.44	8.85
1959	5.42	21.15	20.81	0.34	1.59	1,040	12.03	32.02	9.12
1960	5.46	21.46	21.12	0.34	1.59	1,052	11.54	29.26	9.92
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89
1962	5.53	21.88	21.48	0.39	1.80	1,050	11.98	29.13	9.90
1963	5.48	22.26	21.85	0.41	1.83	1,056	11.90	26.59	10.37
1964	5.66	22.49	22.04	0.45	2.02	1,046	11.45	26.72	11.04

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951-1964 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951-60 AND THE RATES FOR EACH OF THE YEARS 1961 TO 1964 PER 1,000 OF THE POPULATION

Year	MARRIAGES															BIRTHS					DEATHS				
	Catholic					All others					Total					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total										
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.		
1951	3,269	3,851	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	32,373	16,662	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,043	14,740	34,331	16,657	8,713	7,256	3,479	35,106
1953	2,829	3,318	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,723	14,211	32,558	16,544	8,943	7,104	7,995	34,591
1954	3,210	3,833	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,437	15,974	14,694	32,534	16,470	3,847	7,073	3,545	35,595
1955	2,992	2,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	31,622	11,306	9,731	7,362	7,866	33,761
1956	2,705	3,056	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,236	16,718	15,405	14,331	30,740	16,519	3,313	7,033	7,705	33,310
1957	2,572	3,134	5,182	3,000	13,943	146	171	273	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,676	15,453	14,303	31,242	9,783	3,324	7,213	8,933	34,211
1958	2,537	3,465	5,480	2,971	14,483	105	133	199	91	578	2,692	3,643	5,359	3,062	15,061	14,722	15,966	14,336	13,986	59,510	10,284	3,970	7,099	7,835	34,243
1959	2,413	3,732	5,385	3,139	14,748	121	143	266	142	572	2,533	3,905	5,651	3,331	15,420	14,637	16,342	15,275	13,884	30,188	10,621	9,554	3,667	7,401	34,243
1960	2,617	3,833	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	30,735	9,458	7,953	6,921	3,323	32,330
Average for ten years 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,939	3,764	5,583	3,406	15,742	15,154	16,633	15,659	14,213	31,664	11,081	8,937	7,195	3,112	35,375
1961	2,209	2,676	5,630	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,325	12,060	3,164	6,385	7,634	34,733
1962	2,723	2,332	5,972	3,045	14,977	113	133	253	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	31,782	10,322	3,517	3,974	7,525	33,333
1963	2,379	3,221	5,692	3,296	14,888	113	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	13,876	16,376	14,549	33,246	10,337	3,472	7,141	7,495	33,795
1964	2,413	3,999	5,353	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	34,072	9,291	3,397	6,964	7,473	32,630

EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION:

Average for ten years 1951-1960	4.3	5.2	7.8	4.8	5.5	3.0	5.0	3.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.3	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.3	5.6	3.6	4.3	5.6	1.9	4.3	5.4	3.5	3.3	3.2	5.5	3.3	4.0	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.3	10.3	12.3
1962	4.1	4.3	3.3	4.6	5.6	3.1	5.1	7.1	2.7	4.5	4.0	4.3	3.3	4.4	6.5	21.7	23.4	22.3	20.1	21.9	15.3	12.1	9.9	10.7	12.6
1963	4.0	4.3	3.4	4.9	5.6	3.2	4.4	7.0	3.6	4.6	3.9	4.3	3.4	4.8	6.6	21.2	23.3	23.1	20.6	22.3	15.1	11.9	10.1	10.6	11.9
1964	3.5	3.9	3.6	4.7	5.7	2.3	4.2	7.4	2.3	4.2	3.5	5.3	2.3	4.7	5.7	21.4	24.4	23.3	21.0	22.5	13.0	12.5	9.6	10.5	11.5

Table 7. - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1964, WITH
RATES PER 100,000 POPULATION

Note.- The classification of cause of death in this table is based on the Abbreviated
List, 1955.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	32,630	1145.3	15,354	1053.1
001-008	Tuberculosis of respiratory system ..	368	12.9	70	4.8
010-019	Tuberculosis, other forms	33	1.2	13	0.9
020-029	Syphilis and its sequelae	7	0.2	9	0.6
040	Typhoid fever	1	0.0	.	.
045-048	Dysentery, all forms	1	0.0	.	.
050-051	Scarlet fever and streptococcal sore throat .	3	0.1	1	0.1
055	Diphtheria	5	0.2	.	.
056	Whooping cough	7	0.2	1	0.1
057	Meningococcal infections	5	0.2	5	0.3
080	Acute poliomyelitis	3	0.1	.	.
085	Measles	14	0.5	2	0.1
100-108	Typhus and other rickettsial diseases .	.	.	.	.
110-117	Malaria	.	.	1	0.1
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	101	3.6	35	2.4
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-205 (except 201 and 204)	(a) Cancer	4,725	165.8	2,292	157.2
201, 204	(b) Hodgkin's disease and leukaemia .	237	8.3	118	8.1
210-239	Benign and unspecified neoplasms ..	133	4.7	38	2.6
260	Diabetes mellitus	245	8.6	115	7.9
290-293	Anaemias	133	4.7	51	3.5
330-334	Vascular lesions affecting central nervous system	3,928	137.9	2,212	151.7
340	Non-meningococcal meningitis	38	1.3	18	1.2
400-402	Rheumatic fever	5	0.2	8	0.5
410-416	Chronic rheumatic heart disease ..	301	10.6	189	13.0

*Exclusive of the Six Counties

TABLE 7.- (contd.) - DEATH FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1964
WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease	8,536	299.6	4,506	309.1
430-434	Other diseases of heart	1,466	51.4	592	40.6
440-443	Hypertensive heart disease	580	20.4	273	18.7
444-447	Other hypertensive disease	353	12.4	106	7.3
480-483	Influenza	316	11.1	51	3.5
490-493	Pneumonia	1,275	44.7	754	51.7
500-502	Bronchitis	1,422	49.9	673	46.2
540-541	Ulcer of stomach and duodenum	205	7.2	107	7.3
550-553	Appendicitis	19	0.7	14	1.0
560, 561, 570	Intestinal obstruction and hernia	143	5.0	82	5.6
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of newborn	136	4.8	57	3.9
581	Cirrhosis of liver	78	2.7	40	2.7
590-594	Nephritis and nephrosis	375	13.2	91	6.2
610	Hyperplasia of prostate	156	5.5	65	4.5
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	30	1.1	5	0.3
750-759	Congenital malformations	568	19.9	257	17.6
760-762	Birth injuries, post-natal asphyxia and atelectasis	329	11.5	219	15.0
763-768	Infections of newborn	106	3.7	29	2.0
769-776	Other diseases peculiar to early infancy and immaturity unqualified	434	15.2	243	16.7
780-795	Senility without mention of psychosis, ill-defined and unknown causes	1,929	67.7	111	7.6
	All other diseases	2,809	98.7	1,300	89.2
E810-835	Motor vehicle accidents	290	10.2	228	15.6
E800-E802 E840-E962	All other accidents	708	24.8	287	19.7
E963, E970-E979	Suicide and self-inflicted injury	58	2.0	79	5.4
E E964, E965, E980-E999	Homicide and operations of war	16	0.6	7	0.5

*Exclusive of the Six Counties

Table 8. - AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864-1960
AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1961 TO 1964, CLASSIFIED BY SEX AND AGE

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average -														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224/	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
1962	18,355	1,178	80	59	89	93	202	453	1,265	2,652	4,601	5,448	2,135	100
1963	18,199	1,101	72	56	86	86	182	444	1,207	2,749	4,677	5,434	2,009	96
1964	17,630	1,087	67	50	94	74	225	461	1,271	2,773	4,416	5,064	1,957	91
Females														
Average -														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387/	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
1962	15,483	883	63	30	37	51	136	376	895	1,675	3,512	5,209	2,434	182
1963	15,596	811	46	38	35	53	145	416	845	1,676	3,548	5,234	2,571	178
1964	15,000	872	57	49	54	50	152	336	861	1,695	3,253	4,987	2,454	180
Persons														
Average -														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611/	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,375	2,673	171	122	174	214	590	1,099	2,289	4,442	8,704	11,079	3,603	216
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266
1962	33,838	2,061	143	89	126	144	338	829	2,160	4,327	8,113	10,657	4,569	282
1963	33,795	1,912	118	94	121	139	327	860	2,052	4,425	8,225	10,668	4,580	274
1964	32,630	1,959	124	99	148	124	377	797	2,132	4,468	7,669	10,051	4,411	271

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

/For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH OF THE YEARS 1961 TO 1964 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
1962	12.94	7.68	0.54	0.40	0.74	1.16	1.37	2.72	7.41	19.93	48.30	117.49	290.49
1963	12.75	7.17	0.48	0.39	0.70	0.94	1.23	2.76	7.11	20.28	48.97	118.02	265.65
1964	12.33	6.96	0.45	0.34	0.72	0.80	1.57	2.92	7.57	20.29	46.29	108.90	273.07
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	36.19	100.91	245.83
1962	11.02	5.99	0.45	0.21	0.33	0.66	0.90	2.20	5.56	12.49	34.76	96.67	241.31
1963	11.03	5.48	0.32	0.28	0.30	0.60	0.97	2.50	5.17	12.45	34.96	95.83	228.00
1964	10.57	5.82	0.40	0.35	0.44	0.56	1.05	2.06	5.30	12.53	31.49	89.69	235.18
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63
1962	11.98	6.85	0.50	0.31	0.54	0.91	1.13	2.46	6.51	16.19	41.33	106.30	261.72
1963	11.89	6.34	0.40	0.33	0.51	0.77	1.09	2.63	6.16	16.38	41.75	105.98	242.93
1964	11.45	6.40	0.43	0.35	0.58	0.69	1.31	2.48	6.45	16.43	38.60	98.44	250.37

TABLE 10 - BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN 1964, AND PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number
Total	64,072	-	-	64,072	1,292	-	-	1,292
Carlow	761	82	234	913	12	-	20	32
Dublin County Borough	20,802	7,340	112	13,574	432	165	59	326
Dun Laoghaire Borough	1,371	786	549	1,134	12	8	11	15
Dublin County (remainder)	710	127	4,297	4,880	131	114	51	68
Kildare	635	11	1,000	1,624	7	.	30	37
Kilkenny	1,015	29	293	1,279	11	.	20	31
Laois	811	15	214	1,010	3	.	13	16
Longford	498	111	204	591	6	3	10	13
Louth	2,773	1,192	50	1,631	12	4	15	23
Meath	356	3	1,134	1,487	9	.	29	38
Offaly	1,115	47	212	1,280	4	.	10	14
Westmeath	1,157	169	315	1,303	94	87	22	29
Wexford	1,634	33	281	1,882	28	1	36	63
Wicklow	505	29	904	1,380	10	.	31	41
Clare	1,168	11	266	1,423	7	.	19	26
Cork County Borough	2,140	1,071	967	2,036	11	7	20	24
Cork County	5,685	1,299	1,091	5,477	173	110	34	97
Kerry	1,871	22	207	2,056	10	.	30	40
Limerick County Borough	3,267	1,931	12	1,348	15	.	3	18
Limerick County	152	1	1,677	1,828	31	26	69	74
Tipperary, N.R.	1,209	243	223	1,189	163	154	9	18
Tipperary, S.R.	1,638	172	104	1,570	20	1	19	38
Waterford County Borough	1,178	615	153	716	9	4	7	12
Waterford County	650	215	447	882	5	4	15	16
Galway	3,700	710	58	3,048	12	.	23	35
Leitrim	362	14	209	557	3	.	5	8
Mayo	1,594	13	437	2,018	4	.	17	21
Roscommon	632	63	318	887	4	1	8	11
Sligo	1,069	93	39	1,015	10	2	11	19
Cavan	819	48	299	1,070	13	.	24	37
Donegal	2,068	14	36	2,090	27	.	15	42
Monaghan	727	77	244	894	4	.	6	10

THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH CORRESPONDING AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
32,630	-	-	32,630	1,712	-	-	1,712	31,442	
371	21	65	415	20	-	8	28	498	Carlow
6,686	1,539	224	5,371	668	285	4	387	8,203	Dublin County Borough
629	179	133	583	30	18	11	23	551	Dun Laoghaire Borough
730	246	581	1,065	10	3	81	88	3,815	Dublin County (remainder)
532	13	140	659	11	-	46	57	965	Kildare
726	23	67	770	33	2	6	37	509	Kilkenny
474	24	63	513	12	-	18	30	497	Laois
371	10	68	429	8	-	6	14	162	Longford
839	82	33	790	67	22	7	52	841	Louth
598	15	133	716	8	-	30	38	771	Meath
490	9	57	538	27	2	3	28	742	Offaly
608	68	50	590	19	1	16	34	713	Westmeath
947	17	92	1,022	27	-	25	52	860	Wexford
482	15	225	692	5	1	37	41	688	Wicklow
881	16	56	921	40	-	11	51	502	Clare
949	293	374	1,030	26	13	31	44	1,006	Cork County Borough
3,363	444	325	3,244	155	44	17	128	2,233	Cork County
1,470	18	65	1,517	44	-	17	61	539	Kerry
656	257	84	483	91	61	5	35	865	Limerick County Borough
987	104	255	1,138	28	11	44	61	690	Limerick County
600	20	64	644	29	10	12	31	545	Tipperary, N.R.
831	36	67	862	30	3	11	38	708	Tipperary, S.R.
343	95	95	343	54	39	5	20	373	Waterford County Borough
544	121	100	523	13	5	29	37	359	Waterford County
1,843	163	39	1,719	76	13	5	68	1,329	Galway
403	4	89	488	14	-	6	20	69	Letttrim
1,338	12	103	1,429	51	1	8	58	589	Mayo
715	33	96	778	14	1	10	23	109	Roscommon
674	39	42	677	23	2	4	25	338	Sligo
695	10	76	761	22	1	3	24	309	Cavan
1,315	7	43	1,351	45	-	7	52	739	Donegal
540	30	59	569	12	-	15	27	325	Monaghan

TABLE 11 - MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1964 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuber-culosis	Malignant neo-plasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Total	16,128	32,759	31,313	64,072	641	651	1,292	17,630	15,000	32,630	1,712	401	4,962
Carlow	187	450	463	913	19	13	32	213	202	415	28	5	67
Dublin Co. Borough ..	4,901	6,943	6,631	13,574	170	156	326	2,693	2,678	5,371	387	90	1,030
Dun Laoghaire Borough	385	567	567	1,134	9	6	15	260	323	583	23	7	110
Dublin Co. (remainder) ..	626	2,510	2,370	4,880	33	35	68	561	504	1,065	88	13	182
Kildare	358	851	773	1,624	20	17	37	358	301	659	57	7	109
Kilkenny	276	646	633	1,279	15	16	31	431	339	770	37	4	92
Laois	167	508	502	1,010	10	6	16	285	228	513	30	6	93
Longford	101	318	273	591	8	5	13	250	179	429	14	4	66
Louth	398	869	762	1,631	11	12	23	424	366	790	52	7	107
Meath	351	759	728	1,487	16	22	38	392	324	716	38	10	93
Offaly	254	664	616	1,280	6	8	14	304	234	538	28	10	77
Westmeath	297	653	650	1,303	12	17	29	328	262	590	34	4	101
Wexford	401	950	932	1,882	29	34	63	533	489	1,022	52	16	154
Wicklow	342	718	662	1,380	18	23	41	388	304	692	41	11	97
LEINSTER	9,044	17,406	16,562	33,968	376	370	746	7,420	6,733	14,153	909	194	2,378
Clare	353	686	737	1,423	15	11	26	493	428	921	51	5	109
Cork Co. Borough ..	785	1,020	1,016	2,036	10	14	24	516	514	1,030	44	17	182
Cork County	1,159	2,800	2,677	5,477	48	49	97	1,778	1,466	3,244	128	33	500
Kerry	420	1,038	1,018	2,056	13	27	40	835	682	1,517	61	21	169
Limerick Co. Borough ..	480	693	655	1,348	8	10	18	253	230	483	35	16	79
Limerick County	269	955	873	1,828	39	35	74	681	457	1,138	61	20	165
Tipperary, N.R.	269	628	561	1,189	14	4	18	364	280	644	31	3	94
Tipperary, S.R.	312	811	759	1,570	24	14	38	459	403	862	38	7	124
Waterford Co. Borough ..	231	361	355	716	6	6	12	169	174	343	20	6	62
Waterford County	217	450	432	882	10	6	16	305	218	523	37	6	86
MUNSTER	4,495	9,442	9,083	18,525	187	176	363	5,853	4,852	10,705	506	134	1,570
Galway	628	1,543	1,505	3,048	15	20	35	999	720	1,719	68	15	239
Leitrim	84	288	269	557	3	5	8	301	187	488	20	6	63
Mayo	404	1,054	964	2,018	5	16	21	772	657	1,429	58	9	174
Roscommon	191	466	421	887	5	6	11	436	342	778	23	4	101
Sligo	190	500	515	1,015	11	8	19	368	309	677	25	10	96
CONNACHT	1,497	3,851	3,674	7,525	39	55	94	2,876	2,215	5,091	194	44	673
Cavan	247	537	533	1,070	17	20	37	442	319	761	24	5	101
Donegal	606	1,063	1,027	2,090	19	23	42	733	618	1,351	52	13	173
Monaghan	239	460	434	894	3	7	10	306	263	569	27	11	67
ULSTER (part of) ..	1,092	2,060	1,994	4,054	39	50	89	1,481	1,200	2,681	103	29	341

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1964.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegitimate% of total births	All causes	Tuber- culosis	Malignant neoplasms	
TOTAL	5.66	22.49	2.02	11.45	0.14	1.74	26.72
Carlow	5.51	26.92	3.50	12.24	0.15	1.98	30.67
Dublin County Borough	8.90	24.66	2.40	9.76	0.16	1.87	28.51
Dun Laoghaire Borough	7.82	23.04	1.32	11.85	0.14	2.24	20.28
Dublin County (remainder)	4.25	33.17	1.39	7.24	0.09	1.24	18.03
Kildare	5.49	24.89	2.28	10.10	0.11	1.67	35.10
Kilkenny	4.46	20.67	2.42	12.44	0.06	1.49	28.93
Laois	3.70	22.40	1.58	11.38	0.13	2.06	29.70
Longford	3.35	19.61	2.20	14.24	0.13	2.19	23.69
Louth	5.84	23.95	1.41	11.60	0.10	1.57	31.88
Meath	5.33	22.57	2.56	10.87	0.15	1.41	25.55
Offaly	4.83	24.32	1.09	10.22	0.19	1.46	21.88
Westmeath	5.55	24.34	2.23	11.02	0.07	1.89	26.09
Wexford	4.82	22.62	3.35	12.28	0.19	1.85	27.64
Wicklow	5.82	23.48	2.97	11.78	0.19	1.65	29.71
Leinster	6.62	24.88	2.20	10.37	0.14	1.74	26.76
Clare	4.79	19.33	1.83	12.51	0.07	1.48	35.84
Cork County Borough	9.96	25.82	1.18	13.06	0.22	2.31	21.22
Cork County	4.52	21.34	1.77	12.64	0.13	1.95	23.39
Kerry	3.61	17.68	1.95	13.04	0.18	1.45	29.67
Limerick County Borough	9.22	25.88	1.34	9.27	0.31	1.52	25.96
Limerick County	3.27	22.25	4.05	13.85	0.24	2.01	33.37
Tipperary, N.R.	4.99	22.04	1.51	11.94	0.06	1.74	26.07
Tipperary, S.R.	4.46	22.46	2.42	12.33	0.10	1.77	24.20
Waterford County Borough	8.09	25.06	1.68	12.01	0.21	2.17	27.93
Waterford County	5.02	20.40	1.81	12.10	0.14	1.99	41.95
Munster	5.26	21.66	1.96	12.52	0.16	1.84	27.32
Galway	4.17	20.23	1.15	11.41	0.10	1.59	22.31
Leitrim	2.60	17.21	1.44	15.08	0.19	1.95	35.91
Mayo	3.34	16.66	1.04	11.80	0.07	1.44	28.74
Roscommon	3.28	15.23	1.24	13.36	0.07	1.73	25.93
Sligo	3.58	19.10	1.87	12.74	0.19	1.81	24.63
Connacht	3.60	18.11	1.25	12.25	0.11	1.62	25.78
Cavan	4.48	19.39	3.46	13.79	0.09	1.83	22.43
Donegal	5.40	18.63	2.01	12.04	0.12	1.54	24.88
Monaghan	5.24	19.62	1.12	12.49	0.24	1.47	30.20
Ulster (part of)	5.13	19.04	2.20	12.59	0.14	1.60	25.41

TABLE 13. - DEATHS REGISTERED IN 1964 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages ...	17,630	6,418	7,617	3,598	18,000	4,747	3,612	6,641
Under 15 years	1,204	1,204	.	.	978	978	.	.
15-19	94	94	.	.	54	54	.	.
20-24	74	70	4	.	50	40	9	1
25-29	101	75	25	1	64	36	28	.
30-34	124	81	43	.	88	39	48	1
35-39	159	84	70	5	116	40	76	.
40-44	302	119	180	3	220	75	140	5
45-49	454	189	256	9	359	104	221	34
50-54	817	284	510	23	502	137	306	59
55-59	1,089	370	666	53	632	194	333	105
60-64	1,684	503	1,028	153	1,063	310	499	254
65-69	1,953	621	1,076	256	1,293	368	480	445
70-74	2,463	831	1,196	436	1,960	547	561	852
75-79	2,644	815	1,115	714	2,357	609	453	1,295
80-84	2,420	650	881	889	2,630	640	304	1,686
85 and over	2,048	425	567	1,056	2,634	576	154	1,904

TABLE 14. - BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1964 CLASSIFIED BY SEX

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow ...	109	117	226	40	40	80
Athy ...	41	30	71	17	22	39
Naas ...	60	44	104	18	17	35
Longford ...	50	42	92	21	26	47
Ceannanus Mor ...	28	38	66	8	5	13
An Uaimh ...	66	61	127	26	17	43
Trim ...	23	24	47	12	9	21
Birr ...	39	24	63	24	21	45
Tullamore ...	79	72	151	22	20	42
Athlone ...	131	108	239	44	37	81
Enniscorthy ...	55	59	114	31	32	63
New Ross ...	41	37	78	19	15	34
Arklow ...	73	77	150	30	18	48
Wicklow ...	42	37	79	19	10	29
Ennis ...	95	87	182	37	43	80
Kilrush ...	32	24	56	20	34	54
Clonakilty ...	17	16	33	17	16	33
Cobh ...	84	66	150	41	41	82
Fermoy ...	33	41	74	20	15	35
Kinsale ...	13	7	20	11	17	28
Macroom ...	10	8	18	9	16	25
Mallow ...	61	61	122	28	19	47
Midleton ...	19	32	51	16	12	28
Skibbereen ...	18	14	32	11	10	21
Youghal ...	47	38	85	20	29	49
Killarney ...	54	52	106	39	27	66
Listowel ...	16	18	34	12	16	28
Nenagh ...	49	48	97	15	20	35
Templemore ...	22	21	43	7	5	12
Thurles ...	56	60	118	25	22	47
Carrick-on-Suir ...	55	51	106	15	21	36
Cashel ...	28	25	53	18	11	29
Tipperary ...	50	50	100	29	39	68
Dungarvan ...	59	47	106	25	22	47
Ballinasloe ...	22	31	53	7	8	15
Ballina ...	60	62	122	32	23	55
Castlebar ...	49	40	89	22	7	29
Westport ...	28	23	51	9	12	21
Cavan ...	37	42	79	13	13	26
Buncrana ...	16	26	42	8	7	15
Bundoran ...	29	22	51	13	10	23
Letterkenny ...	45	43	88	20	6	26
Carrickmacross ...	22	17	39	13	19	32
Castlesblaney ...	25	15	40	15	6	21
Clones ...	21	33	54	8	6	14
Monaghan ...	48	42	90	18	17	35

TABLE 15 - BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1964, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births						Deaths				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
Total	32,759	31,313	64,072	641	651	1,292	17,630	15,000	32,630	401	4,962
Dublin County Borough	6,943	6,631	13,574	170	156	326	2,693	2,678	5,371	90	1,030
Cork County Borough	1,020	1,016	2,036	10	14	24	516	514	1,030	17	182
Limerick County Borough	693	655	1,348	8	10	18	253	230	483	16	79
Waterford County Borough	361	355	716	6	6	12	169	174	343	6	62
Dun Laoghaire Borough	567	567	1,134	9	6	15	260	323	583	7	110
Municipal Boroughs:											
Galway	241	237	478	.	7	7	99	78	177	.	24
Drogheda	225	212	437	2	4	6	109	98	207	3	36
Sligo	157	146	303	2	3	5	59	73	132	1	17
Wexford	134	145	279	1	3	4	58	70	128	1	27
Clonmel	140	153	293	.	1	1	56	52	108	1	22
Kilkenny	122	104	226	2	.	2	42	55	97	1	10
Urban Districts:											
Dundalk	224	212	436	3	1	4	97	100	197	2	25
Brey	171	158	329	1	5	6	75	68	143	6	23
Tralee	115	129	244	1	1	2	56	75	131	1	20
Total above Principal Towns	11,113	10,720	21,833	215	217	432	4,542	4,588	9,130	152	1,667
All other Urban Districts	2,059	1,932	3,991	29	25	54	924	858	1,782	30	283
All Boroughs and Urban Districts:											
Leinster	9,223	8,799	18,022	201	182	383	3,665	3,681	7,346	122	1,361
Munster	3,149	3,074	6,223	40	42	82	1,465	1,480	2,945	50	498
Connacht	557	539	1,096	2	11	13	228	201	429	5	57
Ulster (part of)	243	240	483	1	7	8	108	84	192	5	32
Total - Boroughs and Urban Districts	13,172	12,652	25,824	244	242	486	5,465	5,446	10,912	182	1,950
All Rural Districts:-											
Leinster	8,183	7,763	15,946	175	188	363	3,755	3,052	6,807	72	1,012
Munster	6,293	6,009	12,302	147	134	281	4,388	3,372	7,760	84	1,072
Connacht	3,294	3,135	6,429	37	44	81	2,648	2,014	4,662	39	614
Ulster (part of)	1,817	1,754	3,571	36	43	81	1,373	1,116	2,489	24	307
Total - Rural Districts	19,587	18,661	38,248	397	409	806	12,164	9,554	21,718	219	3,012

TABLE 16 - BIRTH AND DEATH RATES IN 1964 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate% of total births	All causes	Tuberculosis	Malignant neoplasms
Total	22.49	2.02	11.45	0.14	1.74
Dublin County Borough	24.66	2.40	9.76	0.16	1.87
Cork County Borough	25.82	1.18	13.06	0.22	2.31
Limerick County Borough	25.88	1.34	9.27	0.31	1.52
Waterford County Borough	25.06	1.68	12.01	0.21	2.17
Dun Laoghaire Borough	23.04	1.32	11.85	0.14	2.24
Municipal Boroughs:					
Galway	21.70	1.46	8.04	-	1.09
Drogheda	25.58	1.37	12.12	0.18	2.11
Sligo	23.05	1.65	10.04	0.08	1.29
Wexford	24.63	1.43	11.30	0.09	2.38
Clonmel	27.54	0.34	10.15	0.09	2.07
Kilkenny	22.25	0.88	9.55	0.10	0.98
Urban Districts:					
Dundalk	22.03	0.92	9.95	0.10	1.26
Bray	28.15	1.82	12.23	0.51	1.97
Tralee	22.75	0.82	12.22	0.09	1.87
Total above Principal Towns	24.65	1.98	10.31	0.17	1.88
All other Urban Districts	20.85	1.35	9.31	0.16	1.48
All Boroughs and Urban Districts:-					
Leinster	24.44	2.13	9.96	0.17	1.85
Munster	23.89	1.32	11.31	0.19	1.91
Connacht	19.04	1.19	7.45	0.09	1.03
Ulster (part of)	22.03	1.66	8.76	0.23	1.46
Total - Boroughs and Urban Districts	23.97	1.88	10.13	0.17	1.81
All Rural Districts:-					
Leinster	25.40	2.28	10.84	0.11	1.62
Munster	20.68	2.28	13.05	0.14	1.80
Connacht	17.96	1.26	13.02	0.11	1.72
Ulster (part of)	18.69	2.27	13.03	0.13	1.62
Total - Rural Districts	21.59	2.11	12.26	0.12	1.70

TABLE 17 - DEATHS, REGISTERED IN 1964 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	10,912	5,466	5,446	21,718	12,164	9,554	32,630	17,630	15,000
Under 1 year	714	385	329	998	572	426	1,712	957	755
1 year	34	22	12	58	23	35	92	45	47
2 years	25	11	14	37	19	18	62	30	32
3 "	12	6	6	27	14	13	39	20	19
4 "	16	12	4	38	23	15	54	35	19
1-4 "	87	51	36	160	79	81	247	130	117
5 "	11	4	7	18	11	7	29	15	14
6 "	9	6	3	25	12	13	34	18	16
7 "	8	3	5	10	5	5	18	8	10
8 "	12	6	6	9	5	4	21	11	10
9 "	8	5	3	14	10	4	22	15	7
5-9 "	48	24	24	76	43	33	124	67	57
10 "	8	1	7	14	10	4	22	11	11
11 "	8	4	4	11	4	7	19	8	11
12 "	9	5	4	10	6	4	19	11	8
13 "	11	8	3	10	4	6	21	12	9
14 "	8	2	6	10	6	4	18	8	10
10-14 "	44	20	24	55	30	25	99	50	49
15 "	5	5	-	21	9	12	26	14	12
16 "	9	3	6	16	9	7	25	12	13
17 "	14	11	3	18	11	7	32	22	10
18 "	7	2	5	19	14	5	26	16	10
19 "	10	8	2	29	22	7	39	30	9
15-19 "	45	29	16	103	65	38	148	94	54
20 "	10	7	3	24	18	6	34	25	9
21 "	8	7	1	14	7	7	22	14	8
22 "	14	7	7	13	5	8	27	12	15
23 "	8	6	2	14	9	5	22	15	7
24 "	5	2	3	14	6	8	19	8	11
20-24 "	45	29	16	79	45	34	124	74	50
25 "	11	5	6	29	15	14	40	20	20
26 "	10	8	2	17	13	4	27	21	6
27 "	18	11	7	13	7	6	31	18	13
28 "	15	11	4	11	7	4	26	19	8
29 "	17	11	6	24	13	11	41	24	17
25-29 "	71	46	25	94	55	39	165	101	64
30 "	22	9	13	26	12	14	48	21	27
31 "	13	7	6	23	12	11	36	19	17
32 "	11	8	3	22	16	6	33	24	9
33 "	23	12	11	20	15	5	43	27	16
34 "	20	11	9	32	22	10	52	33	19
30-34 "	89	47	42	123	77	46	212	124	88

TABLE 17 (contd.) - DEATHS REGISTERED IN 1964 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	20	10	10	24	12	12	44	22	22
36 "	21	9	12	39	26	13	60	35	25
37 "	15	9	6	32	24	8	47	33	14
38 "	26	11	15	39	23	16	65	34	31
39 "	23	15	8	36	20	16	59	35	24
35-39 "	105	54	51	170	105	65	275	159	116
40 "	46	27	19	52	26	26	98	53	45
41 "	32	17	15	57	31	26	89	48	41
42 "	42	18	24	68	39	29	110	57	53
43 "	50	33	17	67	49	18	117	82	35
44 "	46	28	18	62	34	28	108	62	46
40-44 "	216	123	93	306	179	127	522	302	220
45 "	51	34	17	84	52	32	135	86	49
46 "	47	24	23	82	47	35	129	71	58
47 "	65	36	29	98	56	42	163	92	71
48 "	77	45	32	126	67	59	203	112	91
49 "	75	39	36	108	54	54	183	93	90
45-49 "	315	178	137	498	276	222	813	454	359
50 "	93	53	40	173	97	76	266	150	116
51 "	60	42	18	113	65	48	173	107	66
52 "	103	60	43	196	122	74	299	182	117
53 "	122	76	46	142	97	45	264	173	91
54 "	130	77	53	187	128	59	317	205	112
50-54 "	508	308	200	811	509	302	1,319	817	502
55 "	108	68	40	186	122	64	294	190	104
56 "	131	84	47	202	133	69	333	217	116
57 "	137	81	56	194	136	58	331	217	114
58 "	172	101	71	223	136	87	395	237	158
59 "	157	110	47	211	118	93	368	228	140
55-59 "	705	444	261	1,016	645	371	1,721	1,089	632
60 "	193	124	69	344	215	129	537	339	198
61 "	160	109	51	209	129	80	369	238	131
62 "	211	130	81	281	164	117	492	294	198
63 "	246	156	90	368	226	142	614	382	232
64 "	282	160	122	453	271	182	735	431	304
60-64 "	1,092	679	413	1,655	1,005	650	2,747	1,684	1,063
65 "	237	138	99	400	242	158	637	380	257
66 "	235	138	97	329	213	116	564	351	213
67 "	223	140	83	347	204	143	570	344	226
68 "	261	153	108	518	314	204	779	467	312
69 "	247	141	106	449	270	179	696	411	285
65-69 "	1,203	710	493	2,043	1,243	800	3,246	1,953	1,293

TABLE 17 (contd.) - DEATHS REGISTERED IN 1964 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	324	138	186	549	345	204	873	483	390
71 "	223	116	107	432	251	181	655	367	288
72 "	324	164	160	652	401	251	976	565	411
73 "	304	158	146	614	349	265	918	507	411
74 "	292	132	160	709	409	300	1,001	541	460
70-74 "	1,467	708	759	2,956	1,755	1,201	4,423	2,463	1960
75 "	337	166	171	744	434	310	1,081	600	481
76 "	331	144	187	753	411	342	1,084	555	529
77 "	296	137	159	628	372	256	924	509	415
78 "	325	138	187	754	393	361	1,079	531	548
79 "	240	108	132	593	341	252	833	449	384
75-79 "	1,529	693	836	3,472	1,951	1,521	5,001	2,644	2,357
80 "	355	145	210	863	446	417	1,218	591	627
81 "	245	90	155	583	303	280	828	393	435
82 "	274	114	160	723	391	332	997	505	492
83 "	265	89	176	673	323	350	938	412	526
84 "	284	112	172	785	407	378	1,069	519	550
80-84 "	1,423	550	873	3,627	1,870	1,757	5,050	2,420	2,630
85 "	205	76	129	612	305	307	817	381	436
86 "	206	70	136	538	252	286	744	322	422
87 "	163	61	102	480	244	236	643	305	338
88 "	156	49	107	413	206	207	569	255	314
89 "	100	36	64	329	161	168	429	197	232
85-89 "	830	292	538	2,372	1,168	1,204	3,202	1,460	1,742
90 "	102	28	74	316	155	161	418	183	235
91 "	73	21	52	178	86	92	251	107	144
92 "	63	19	44	177	83	94	240	102	138
93 "	38	10	28	129	51	78	167	61	106
94 "	34	5	29	99	39	60	133	44	89
90-94 "	310	83	227	899	414	485	1,209	497	712
95 "	28	6	22	58	20	38	86	26	60
96 "	18	1	17	44	22	22	62	23	39
97 "	8	2	6	32	9	23	40	11	29
98 "	5	3	2	29	12	17	34	15	19
99 "	2	1	1	15	6	9	17	7	10
95-99 "	61	13	48	178	69	109	239	82	157
100 "	3	-	3	8	3	5	11	3	8
101 "	-	-	-	11	5	6	11	5	6
102 "	2	-	2	3	-	3	5	-	5
103 "	-	-	-	3	-	3	3	-	3
104 "	-	-	-	-	-	-	-	-	-
105 "	-	-	-	2	1	1	2	1	1
100 years and over	5	-	5	27	9	18	32	9	23

TABLE 18. - DEATHS REGISTERED IN 1964 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	17,630	957	45	30	20	35	1,087	67	50	94	74	101
	Females	15,000	755	47	32	19	19	872	57	49	54	50	64
LEINSTER	Males	7,420	498	23	14	11	17	563	34	28	50	34	43
	Females	6,733	411	23	14	10	9	467	33	29	31	23	34
MUNSTER	Males	5,853	291	19	8	5	11	334	22	15	30	23	36
	Females	4,852	215	10	9	7	10	251	11	14	14	14	19
CONNACHT	Males	2,876	108	1	7	3	5	124	10	5	10	11	13
	Females	2,215	86	10	6	2	-	104	8	4	5	10	3
ULSTER (part of)	Males	1,481	60	2	1	1	2	66	1	2	4	6	9
	Females	1,200	43	4	3	-	-	50	5	2	4	3	8
LEINSTER Carlow	Males	213	15	1	1	-	1	18	1	-	2	-	3
	Females	202	13	1	1	1	-	16	-	2	3	2	-
Dublin County Borough	Males	2,693	213	9	5	4	7	238	13	11	12	19	19
	Females	2,678	174	7	6	3	1	191	16	15	11	9	13
Dun Laoghaire Borough	Males	260	8	1	-	-	-	9	1	1	2	-	2
	Females	323	15	-	1	-	-	16	2	-	-	1	1
Dublin County (remainder)	Males	561	53	1	1	3	3	61	5	2	6	2	3
	Females	504	35	3	1	1	4	44	1	-	3	3	4
Kildare	Males	358	31	2	1	-	2	36	1	-	3	1	5
	Females	301	26	2	1	-	1	30	3	3	2	1	2
Kilkenny	Males	431	22	1	2	-	-	25	-	3	4	-	1
	Females	339	15	-	-	-	1	16	-	1	3	1	-
Laois	Males	285	17	1	-	-	1	19	1	1	4	2	1
	Females	228	13	-	-	2	-	15	1	-	1	-	3
Longford	Males	250	6	-	2	1	-	9	1	1	-	2	1
	Females	179	8	-	1	-	-	9	-	3	-	1	1
Louth	Males	424	27	2	-	-	1	30	2	2	4	-	-
	Females	366	25	2	-	-	-	27	2	3	1	1	1
Meath	Males	392	25	-	2	1	1	29	1	1	1	1	2
	Females	324	13	4	-	-	-	17	-	-	3	3	1
Offaly	Males	304	16	2	-	-	1	19	-	1	1	2	2
	Females	234	12	-	-	2	-	14	2	1	-	-	3
Westmeath	Males	328	18	1	-	1	-	20	2	1	2	1	1
	Females	262	16	2	-	-	1	19	3	-	3	1	2
Wexford	Males	533	28	2	-	1	-	31	4	2	6	2	1
	Females	489	24	1	1	1	-	27	2	1	1	-	3
Wicklow	Males	388	19	-	-	-	-	19	2	2	3	2	2
	Females	304	22	1	2	-	1	26	1	-	-	-	-

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
124	159	302	454	817	1,089	1,684	1,953	2,463	2,644	2,420	2,048	Males
88	116	220	359	502	632	1,063	1,293	1,960	2,357	2,630	2,634	Females
52	75	137	208	365	530	816	911	985	1,048	889	652	Males LEINSTER
45	67	101	177	223	296	521	571	917	1,032	1,130	1,036	Females
35	62	101	156	274	347	541	639	844	864	815	715	Males MUNSTER
25	33	80	104	165	238	328	434	583	775	859	905	Females
25	16	39	61	115	142	205	260	412	473	489	466	Males CONNACHT
10	12	23	51	68	56	134	189	308	356	410	464	Females
12	6	25	29	63	70	122	143	222	259	227	215	Males ULSTER(part of)
8	4	16	27	46	42	80	99	152	194	231	229	Females
-	1	-	4	11	15	29	22	37	31	18	21	Males LEINSTER Carlow
-	2	1	8	9	9	13	13	25	33	32	34	Females
23	30	62	78	157	232	346	378	353	337	230	155	Males Dublin County Borough
22	28	46	70	94	128	213	219	392	414	429	368	Females
3	2	2	9	12	20	40	28	38	40	27	24	Males Dun Laoghaire Borough
1	2	2	9	10	11	30	36	43	46	53	60	Females
4	12	10	18	33	44	65	67	68	72	50	39	Males Dublin County (remainder)
5	7	9	14	15	25	33	40	64	65	95	77	Females
2	2	8	11	20	33	33	40	35	47	48	33	Males Kildare
1	5	7	13	9	9	34	29	33	40	44	36	Females
2	7	9	5	11	18	55	44	60	85	59	43	Males Kilkenny
1	2	5	7	14	8	29	30	36	64	57	65	Females
-	2	3	7	5	14	23	37	48	40	47	31	Males Laois
-	1	4	7	4	13	19	14	35	37	37	37	Females
4	1	3	6	8	8	29	33	37	37	36	34	Males Longford
-	-	1	3	4	10	13	11	34	20	34	35	Females
4	2	6	12	23	28	40	40	48	60	75	48	Males Louth
3	1	6	5	12	9	22	38	46	65	67	57	Females
3	3	5	15	15	21	24	43	53	70	60	45	Males Meath
2	9	6	8	9	11	24	30	34	54	62	51	Females
4	-	8	11	21	12	22	29	48	42	44	38	Males Offaly
3	2	4	6	8	9	19	17	24	46	42	34	Females
1	5	4	12	14	23	29	40	38	49	51	35	Males Westmeath
-	1	3	5	7	17	14	24	36	37	40	50	Females
1	5	6	9	18	34	48	57	70	81	94	64	Males Wexford
4	3	7	11	17	21	29	43	73	78	94	75	Females
1	3	11	11	17	28	33	53	52	57	50	42	Males Wicklow
3	4	-	11	11	16	29	27	42	33	44	57	Females

TABLE 18 (contd.) - DEATHS REGISTERED IN 1964 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER Clare	Males	493	28	1	-	-	-	29	2	-	1	-	3
	Females	428	23	1	1	-	1	26	2	1	-	2	1
Cork County Borough	Males	516	21	3	1	1	-	26	1	-	4	3	5
	Females	514	23	1	1	2	2	29	1	2	-	2	3
Cork County	Males	1,778	71	6	4	-	5	86	7	7	10	6	11
	Females	1,466	57	3	5	3	5	73	3	4	6	5	8
Kerry	Males	835	41	3	2	2	2	50	1	1	2	3	5
	Females	682	20	-	-	-	1	21	-	1	1	2	2
Limerick County Borough	Males	253	18	1	1	-	-	20	1	3	1	-	3
	Females	230	17	-	-	-	-	17	1	1	-	1	1
Limerick County	Males	681	44	2	-	-	2	48	4	2	4	3	1
	Females	457	17	2	-	-	-	19	2	2	2	2	-
Tipperary, North Riding	Males	364	17	1	-	1	-	19	2	1	3	1	2
	Females	280	14	-	-	2	1	17	1	1	1	-	-
Tipperary, South Riding	Males	459	17	1	-	-	2	20	2	1	2	1	2
	Females	403	21	3	2	-	-	26	-	1	1	-	-
Waterford County Borough	Males	169	11	-	-	1	-	12	1	-	2	1	-
	Females	174	9	-	-	-	-	9	-	-	2	-	2
Waterford County	Males	305	23	1	-	-	-	24	1	-	1	5	4
	Females	218	14	-	-	-	-	14	1	1	1	-	2
CONNACHT Galway	Males	999	33	-	2	2	1	38	2	2	6	5	3
	Females	720	35	4	4	-	-	43	6	2	1	7	1
Leitrim	Males	301	14	-	1	1	1	17	-	1	-	1	1
	Females	187	6	-	-	-	-	6	-	-	1	-	-
Mayo	Males	772	34	1	3	-	2	40	5	1	1	3	2
	Females	657	24	4	1	2	-	31	2	1	2	1	-
Roscommon	Males	436	13	-	-	-	-	13	1	-	1	2	3
	Females	342	10	-	-	-	-	10	-	1	1	1	2
Sligo	Males	368	14	-	1	-	1	16	2	1	2	-	4
	Females	309	11	2	1	-	-	14	-	-	-	1	-
ULSTER (part of) Cavan	Males	442	11	-	-	-	2	13	-	-	-	1	2
	Females	319	13	2	1	-	-	16	-	-	-	1	2
Donegal	Males	733	35	2	1	1	-	39	1	1	3	4	6
	Females	618	17	2	2	-	-	21	3	2	4	2	3
Monaghan	Males	306	14	-	-	-	-	14	-	1	1	1	1
	Females	263	13	-	-	-	-	13	2	-	-	-	3

OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
3	4	8	7	16	20	46	41	80	76	62	95	Males	MUNSTER
-	3	4	16	12	15	31	38	51	65	69	92	Females	Clare
3	7	16	14	28	41	65	68	63	68	60	44	Males	Cork County
3	6	9	15	17	25	28	51	65	94	92	72	Females	Borough
7	17	30	47	92	107	144	184	281	288	253	201	Males	Cork County
7	7	25	24	45	78	95	131	180	220	271	284	Females	
6	11	9	25	31	45	79	86	118	112	133	118	Males	Kerry
4	7	11	8	32	30	43	65	80	122	118	135	Females	
2	4	4	9	18	17	36	28	36	28	26	17	Males	Limerick County
2	4	6	5	10	17	20	25	23	34	34	29	Females	Borough
3	9	14	19	26	37	65	71	102	97	93	83	Males	Limerick County
2	2	6	10	16	20	28	39	57	65	88	97	Females	
3	4	5	6	14	13	28	42	56	61	54	50	Males	Tipperary North
1	1	1	5	8	15	25	26	32	47	48	51	Females	Riding
4	4	8	16	27	34	36	60	51	73	63	55	Males	Tipperary South
3	1	6	8	18	26	32	30	51	61	65	74	Females	Riding
2	1	2	9	12	12	15	21	12	21	27	19	Males	Waterford County
1	1	5	4	2	1	12	10	23	33	31	38	Females	Borough
2	1	5	4	10	21	27	38	45	40	44	33	Males	Waterford County
2	1	7	9	5	11	14	19	21	34	43	33	Females	
15	6	11	20	41	53	80	94	118	164	184	157	Males	CONNACHT
4	3	5	20	21	22	53	63	97	112	127	133	Females	Galway
1	2	4	5	14	13	21	30	51	59	45	36	Males	Leitrim
-	1	3	5	3	5	16	18	24	46	30	29	Females	
3	3	16	13	31	35	58	59	130	113	116	143	Males	Mayo
4	2	6	16	23	15	36	58	92	90	114	164	Females	
1	5	2	15	14	17	20	47	54	76	90	75	Males	Roscommon
1	2	5	3	8	8	14	19	58	59	69	81	Females	
5	-	6	8	15	24	26	30	59	61	54	55	Males	Sligo
1	4	4	7	13	6	15	31	37	49	70	57	Females	
3	1	5	8	20	25	39	46	58	88	73	60	Males	ULSTER(part of)
1	3	3	7	15	10	26	26	38	57	67	47	Females	Cavan
5	1	14	14	29	35	54	68	104	131	110	114	Males	Donegal
4	1	8	12	14	20	39	55	87	88	107	148	Females	
4	4	6	7	14	10	29	29	60	40	44	41	Males	Monaghan
3	-	5	8	17	12	15	18	27	49	57	34	Females	

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
94 54	74 50	101 64	124 88	159 116	302 220	454 359	817 502	1,089 632	1,684 1,063	1,953 1,293	2,463 1,960	2,644 2,357	2,420 2,630	2,048 2,634	
6 1	2 2	7 6	15 3	14 10	17 18	23 13	37 14	42 22	45 15	46 15	38 12	16 10	15 5	4 4	001-138
.	2 2	6 4	14 3	11 7	16 12	20 12	33 12	35 18	38 14	41 13	31 9	16 7	12 2	3 1	001-019
.	2 2	6 4	13 2	10 6	15 11	16 11	33 12	31 17	36 13	37 13	29 7	16 6	12 2	3 1	002
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	004
.	.	.	.	.	.	3 1	.	.	.	.	.	.	.	.	010
.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	011
.	.	.	.	1	.	1	.	4	.	1	.	.	.	.	012
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	015
.	.	.	1	.	1	.	.	1	2	.	1	1	.	.	016
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	017
.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	019
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	022
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	023
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	025
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	029
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	040
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	044
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	045
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	051
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	052
1 1	.	.	.	.	1	.	1	.	.	1	2 1	1	1	1	053
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	055
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	057
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	061
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	070
.	.	.	.	1	.	1	.	.	1	2	.	1	1	.	072

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
080	Acute poliomyelitis	M	2	.	.	1	.	.	1	.	.
		F	1	1	.	.	.	.	1	.	.
081	Late effects of acute poliomyelitis	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.
082	Acute infectious encephalitis	M	6	2	.	.	1	.	3	.	1
		F	8	.	.	1	1	1	3	2	.
083	Late effects of acute infectious encephalitis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
085	Measles	M	5	1	2	1	.	.	4	.	1
		F	9	2	1	2	1	.	6	1	.
087	Chickenpox	M	1	.	.	1	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
088	Herpes zoster	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
089	Mumps	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
092	Infectious hepatitis	M	14	2	.	.	.	.	2	2	.
		F	11	.	.	.	1	1	2	1	1
096	Other diseases attributable to viruses	M	5	.	1	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
122	Other protozoal diseases	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
138	Other infective and parasitic diseases	M	6	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
140-239	II. Neoplasms	M	2,761	3	2	1	4	14	24	8	11
		F	2,334	3	1	4	3	1	12	10	8
140-205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,686	2	1	1	4	14	22	8	9
		F	2,276	2	1	4	2	1	10	9	8
140	Malignant neoplasm of lip	M	18	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
141	Malignant neoplasm of tongue	M	20	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
142	Malignant neoplasm of salivary gland	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
143	Malignant neoplasm of floor of mouth	M	8	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
144	Malignant neoplasm of other parts of mouth, and of mouth unspecified	M	15	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
145	Malignant neoplasm of oral mesopharynx	M	4	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
146	Malignant neoplasm of nasopharynx	M	2	.	.	.	.	.	.	.	1
		F	1	.	.	.	.	.	.	.	.
147	Malignant neoplasm of hypopharynx	M	4	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.
148	Malignant neoplasm of pharynx, unspecified	M	20	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.
150	Malignant neoplasm of oesophagus	M	119	.	.	.	.	.	.	.	.
		F	85	.	.	.	.	.	.	.	.
151	Malignant neoplasm of stomach	M	476	.	.	.	.	.	.	.	.
		F	356	.	.	.	.	.	.	.	.
152	Malignant neoplasm of small intestine, including duodenum	M	10	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	080
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	081
1	.	.	.	.	2	1	1	.	.	.	.	.	.	.	082
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	083
.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	085
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	087
.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	088
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	089
.	.	1	.	1	1	1	1	3 1	.	1	3	.	2	1	092
2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	096
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	122
1	.	1	.	.	1	.	1	1 2	3 1	.	.	.	.	.	138
21 13	9 6	15 17	17 29	30 35	69 78	91 145	187 172	253 200	379 315	419 283	461 358	402 296	234 220	131 137	140-239
17 11	9 5	13 17	16 28	26 33	67 74	85 139	180 166	247 196	369 309	406 280	454 354	401 286	232 215	125 136	140-205
.	.	.	.	.	.	.	.	1	1	1	4	4 1	1	6	140
.	.	.	.	.	.	.	.	2	.	2	5	6	4	3 1	141
.	.	.	.	.	.	.	.	.	.	.	2	1 1	3	.	142
.	.	.	.	1	.	1	.	1	.	2	2	1	.	.	143
.	.	.	.	.	.	.	1	1 2	.	5 2	2	3 2	2	2 1	144
.	.	.	.	.	.	.	.	.	1	1	1	1	1	1	145
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	146
.	.	.	.	.	3	2	.	.	1 2	1	1	2	2	.	147
.	.	.	1	.	2	1	2	2	5 3	2	1 4	3 2	3 1	2 1	148
.	.	.	1	1	2	1	12 5	10 7	13 8	16 18	23 14	28 12	6 7	6 6	150
.	2	1 1	2	3 3	7 1	14 9	28 14	54 30	84 45	69 49	92 71	66 55	41 45	15 31	151
.	.	.	.	2	1	.	.	3 1	1	1 1	1	1	1 1	.	152

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
153	Malignant neoplasm of large intestine, except rectum	M	218	.	.	.	.	.	.	.	1
		F	275	.	.	.	.	.	.	.	.
154	Malignant neoplasm of rectum	M	124	.	.	.	.	.	.	.	.
		F	85	.	.	.	.	.	.	.	.
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	66	.	.	.	.	.	.	1	.
		F	56	.	.	.	.	.	.	.	.
156	Malignant neoplasm of liver (secondary and unspecified)	M	14	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.
157	Malignant neoplasm of pancreas	M	133	.	.	.	.	.	.	.	.
		F	108	.	.	.	.	.	.	.	.
158	Malignant neoplasm of peritoneum	M	10	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
159	Malignant neoplasm of unspecified digestive organs	M	8	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	12	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
161	Malignant neoplasm of larynx	M	44	.	.	.	.	.	.	.	.
		F	27	.	.	.	.	.	.	.	.
162	Malignant neoplasm of bronchus and trachea and of lung specified as primary	M	524	.	.	.	.	.	.	.	.
		F	123	.	.	.	.	.	.	.	.
162.0	Trachea	M	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
162.1	Bronchus and lung	M	524	.	.	.	.	.	.	.	.
		F	120	.	.	.	.	.	.	.	.
164	Malignant neoplasm of mediastinum	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
165	Malignant neoplasm of thoracic organs (secondary)	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
170	Malignant neoplasm of breast	M	2	.	.	.	.	.	.	.	.
		F	407	.	.	.	.	.	.	.	.
171	Malignant neoplasm of cervix uteri	F	53	.	.	.	.	.	.	.	.
172	Malignant neoplasm of corpus uteri	F	8	.	.	.	.	.	.	.	.
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	F	1	.	.	.	.	.	.	.	.
174	Malignant neoplasm of uterus, unspecified	F	95	.	.	.	.	.	.	.	.
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	92	.	.	.	.	.	.	.	.
176	Malignant neoplasm of other and unspecified female genital organs	F	21	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	254	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	13	.	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs	M	4	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	39	.	.	.	1	3	4	.	.
		F	16	.	.	1	.	.	1	.	.
181	Malignant neoplasm of bladder and other urinary organs	M	64	.	.	.	.	.	.	.	.
		F	26	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	2	.	4	1	8	15	10	20	31	47	39	24	15	153
.	.	2	2	4	5	11	12	15	27	35	54	46	36	26	
.	1	1	2	.	4	7	3	6	14	25	15	27	14	5	154
.	.	.	1	1	3	4	6	3	6	15	18	11	11	6	
1	1	.	.	1	.	2	8	1	11	14	9	10	3	4	155
.	.	.	.	.	.	1	3	7	7	7	14	9	5	3	
.	.	.	.	.	.	.	2	1	2	.	4	3	2	.	156
.	.	.	.	.	.	.	1	1	4	1	2	3	2	1	
1	.	1	.	.	3	4	5	14	20	20	22	21	11	12	157
.	.	.	.	.	3	3	4	6	19	13	18	21	14	6	
1	.	.	.	.	2	.	1	.	1	1	3	2	.	.	158
.	.	.	.	.	.	1	.	.	4	.	.	1	1	.	
.	.	.	1	.	.	.	.	1	1	.	1	2	2	.	159
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
.	.	.	.	.	.	1	.	.	2	4	.	4	1	.	160
.	.	.	.	.	.	.	.	1	1	1	.	1	.	2	
.	.	.	.	2	2	.	1	4	2	11	7	10	4	1	161
.	.	.	.	.	2	1	2	1	7	3	2	5	3	1	
.	.	.	.	4	13	16	50	87	109	99	68	50	23	5	162
.	.	1	1	1	4	11	11	14	28	19	16	9	8	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	162.0
.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	
.	.	.	.	4	13	16	50	87	109	99	68	50	23	5	162.1
.	.	1	1	1	4	11	11	13	27	19	15	9	8	.	
.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	164
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	165
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	2	7	12	27	44	43	47	65	35	51	1	30	16	170
.	.	.	.	1	4	9	9	5	9	5	4	6	1	.	171
.	.	.	.	.	.	.	1	1	2	2	.	.	2	.	172
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	173
.	.	.	.	1	3	10	11	12	10	17	14	9	7	1	174
.	2	2	2	4	3	8	14	9	12	12	12	9	1	2	175
1	.	.	.	.	.	.	1	1	3	4	4	3	2	2	176
.	.	.	.	.	.	2	3	1	21	39	62	60	47	19	177
.	.	2	1	1	1	.	.	1	.	1	3	1	1	1	178
.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	179
.	.	.	1	.	4	1	3	7	2	4	5	5	2	1	180
.	.	.	.	.	3	.	2	2	1	1	3	1	2	.	
1	.	.	.	1	3	2	1	8	9	9	13	10	1	6	181
.	.	.	.	.	.	.	1	1	4	2	4	7	6	1	

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
190	Malignant melanoma of skin	M	12	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	39	.	.	.	.	.	.	.	.
		F	31	.	.	.	.	.	.	.	.
192	Malignant neoplasm of eye	M	6	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	53	.	.	.	.	1	1	3	2
		F	33	.	.	.	.	1	1	1	.
194	Malignant neoplasm of thyroid gland	M	8	.	.	.	.	.	.	.	.
		F	25	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	1	.	1	.	.
196	Malignant neoplasm of bone	M	41	.	.	.	.	.	.	.	2
		F	13	.	.	.	.	.	.	.	1
197	Malignant neoplasm of connective tissue	M	6	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	90	.	.	.	1	.	1	.	.
		F	97	.	.	.	.	.	1	.	.
200	Lymphosarcoma and reticulosarcoma	M	33	.	.	.	1	.	1	1	.
		F	19	.	.	1	.	.	1	.	.
201	Hodgkin's disease	M	25	.	.	.	.	.	.	1	.
		F	25	.	.	.	.	.	.	1	.
202	Other forms of lymphoma (reticulosis)	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmacytoma)	M	22	.	.	.	.	.	.	.	.
		F	21	.	.	.	.	.	.	.	.
204	Leukaemia and alukaemia	M	110	2	1	1	1	10	15	2	3
		F	77	2	.	2	1	.	5	7	6
205	Mycosis fungoides	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
214	Uterine fibromyoma	F	2	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	4	.	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M	5	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
225	Benign neoplasm of bone and cartilage	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
226	Lipoma	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
228	Haemangioma and lymphangioma	M	2	1	.	.	.	.	1	.	.
		F	1	.	.	.	1	.	1	.	.
229	Benign neoplasm of other and unspecified organs and tissues	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
230	Neoplasm of unspecified nature of digestive organs	M	13	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	.	2	2	2	1	1	1	1	.	1	.	190
.	.	.	1	1	.	.	2	.	1	.	2	.	.	2	191
.	.	.	.	.	.	.	3	3	.	2	4	6	11	10	192
.	.	.	.	.	.	.	.	.	3	1	1	8	9	9	193
.	.	.	1	.	.	1	1	1	1	1	1	1	1	1	194
2	.	1	2	.	7	6	9	7	6	5	1	.	.	1	195
2	1	1	3	2	3	6	2	2	4	3	1	1	.	.	196
.	.	.	1	.	1	.	1	1	.	3	2	.	.	.	197
.	.	.	.	.	1	.	1	4	2	6	6	3	1	1	198
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	199
3	.	.	1	.	1	.	3	3	8	.	8	6	4	2	200
1	.	1	.	.	.	.	.	.	.	3	1	2	1	3	201
.	.	.	.	.	1	1	.	.	1	.	2	1	1	.	202
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	203
1	.	1	.	1	4	5	6	6	7	12	20	9	9	8	204
.	.	1	.	.	.	2	7	13	13	10	14	15	10	11	205
1	1	1	.	2	2	1	2	2	3	4	5	2	4	1	206
1	1	.	.	1	.	3	1	2	.	2	4	3	.	.	207
1	2	2	1	.	1	4	4	1	3	4	.	1	.	.	208
1	.	1	7	.	1	2	1	1	2	4	2	1	.	.	209
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	210
.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	211
.	.	.	.	.	1	2	2	4	4	5	3	1	.	.	212
.	.	.	.	.	.	3	2	3	5	2	1	3	1	1	213
7	1	1	2	3	4	4	10	7	14	8	14	13	2	.	214
3	1	4	2	1	4	1	5	.	9	5	12	7	5	.	215
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	216
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	217
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	218
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	219
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	220
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	221
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	222
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	223
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	224
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	225
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	226
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	227
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	228
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	229
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	230
.	.	.	1	.	.	.	.	2	.	2	3	1	2	5	231
.	.	.	.	.	.	.	.	2	.	.	2	1	3	1	232

TABLE 19 (contd.) - DEATHS IN 1964. CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
231	Neoplasm of unspecified nature of respiratory organs	M F	9 6	. 1	. .	. .	. .	. .	. 1	. .	. .
233	Neoplasm of unspecified nature of uterus	F	1	.	.	.	.	.	.	.	.
234	Neoplasm of unspecified nature of ovary	F	1	.	.	.	.	.	.	.	.
235	Neoplasm of unspecified nature of other female genital organs	F	1	.	.	.	.	.	.	.	.
236	Neoplasm of unspecified nature of other genito-urinary organs	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
237	Neoplasm of unspecified nature of brain and other parts of nervous system	M F	36 17	. .	1 .	. .	. .	. .	1 .	. 1	2 .
238	Neoplasm of unspecified nature of skin and musculoskeletal system	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
239	Neoplasm of unspecified nature of other and unspecified organs	M F	3 2	.. .	. .	. .	. .	. .	. .	. .	. .
240-289	III. Allergic, endocrine system, metabolic and nutritional diseases	M F	244 264	5 2	2 .	1 1	. 1	. .	8 4	. .	2 1
241	Asthma	M F	105 53	1 .	1 .	. .	. 1	. .	2 1	. .	2 .
245	Other allergic disorders	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
251	Non-toxic nodular-goitre	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
252	Thyrotoxicosis with or without goitre	M F	2 15	. .	. .	. .	. .	. .	. .	. .	. .
253	Myxoedema and cretinism	M F	1 15	. .	. .	. .	. .	. .	. .	. .	. .
260	Diabetes mellitus	M F	99 146	. .	. 1	. .	. .	. .	. 1	. .	. 1
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
272	Diseases of pituitary gland	M F	3 7	. .	. .	. .	. .	. .	. .	. .	. .
273	Diseases of thymus gland	M F	2 .	1 .	. .	. .	. .	. .	1 .	. .	. .
274	Diseases of adrenal glands	M F	5 3	. 1	. .	. .	. .	. .	. 1	. .	. .
277	Polyglandular dysfunction and other diseases of endocrine glands	M F	. 3	. .	. .	. .	. .	. .	. .	. .	. .
284	Late effects of rickets	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
286	Other avitaminoses and nutritional deficiency states	M F	9 9	2 1	1 .	. .	. .	. .	3 1	. .	. .
287	Obesity, not specified as of endocrine origin	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
289	Other metabolic diseases	M F	13 8	1 .	. .	1 .	. .	. .	2 .	. .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
290-299	IV. Diseases of the blood and blood-forming organs	M	73	1	.	.	.	.	1	2	1
		F	91	4	.	.	.	1	5	2	2
290	Pernicious and other hyperchromic anaemias	M	16	.	.	.	.	.	.	.	.
		F	23	.	.	.	.	.	.	.	.
291	Iron deficiency anaemias (hypochromic anaemias)	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
292	Other anaemias of specified type	M	12	.	.	.	.	.	.	.	1
		F	10	1	.	.	.	.	1	.	.
293	Anaemia of unspecified type	M	31	.	.	.	.	.	.	1	.
		F	37	.	.	.	.	.	.	1	1
294	Polycythaemia	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
295	Haemophilia	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
296	Purpura and other haemorrhagic conditions	M	5	1	.	.	.	.	1	1	.
		F	11	2	.	.	.	1	3	1	.
297	Agranulocytosis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
298	Diseases of spleen	M	4	.	.	.	.	.	.	.	1
		F	5	.	.	.	.	.	.	.	1
299	Other diseases of blood and blood-forming organs	M	1	.	.	.	.	.	.	1	.
		F	1	1	.	.	.	.	1	.	.
300-326	V. Mental, psychoneurotic, and personality disorders	M	31	2	1	1	.	1	5	2	2
		F	18	5	2	.	.	1	8	2	.
301	Manic-depressive reaction	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
304	Senile psychosis	M	10	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
305	Presenile psychosis	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
309	Other and unspecified psychoses	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
310	Anxiety reaction without mention of somatic symptoms	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
311	Hysterical reaction without mention of anxiety reaction	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
322	Alcoholism	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
325	Mental deficiency	M	13	2	1	1	.	1	5	2	2
		F	12	5	2	.	.	1	8	2	.
330-398	VI. Diseases of the nervous system and sense organs	M	2,009	14	.	3	.	1	18	3	3
		F	2,419	10	4	3	1	2	20	5	9
330	Subarachnoid haemorrhage	M	83	1	.	.	.	1	2	1	.
		F	122	1	.	.	.	.	1	1	3
331	Cerebral haemorrhage	M	695	.	.	.	.	.	.	.	.
		F	876	.	1	1	.	.	2	.	.
332	Cerebral embolism and thrombosis	M	758	.	.	.	.	.	.	1	.
		F	915	.	.	.	.	.	.	.	.
334	Other and ill-defined vascular lesions affecting central nervous system	M	213	.	.	.	.	.	.	1	.
		F	266	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	1	1	2	2	2	3	3	4	9	8	16	9	7	5	290-299
.	.	.	1	.	3	4	3	4	3	8	12	8	18	13	
.	.	.	.	.	.	1	1	1	2	2	4	3	2	1	290
.	.	.	.	.	.	.	1	1	.	2	4	4	7	3	
.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	291
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	.	1	1	1	1	2	1	5	2	.	1	292
1	.	.	.	1	1	3	1	2	4	5	6	3	4	4	293
.	.	.	.	.	1	2	.	.	2	1	6	3	9	8	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	294
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	295
.	1	1	1	1	1	.	.	.	1	2	.	1	.	1	296
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	297
.	.	.	.	.	1	.	1	1	1	.	1	1	.	.	298
.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	299
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	5	3	1	2	2	1	4	3	300-325
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	301
.	.	.	.	.	.	.	.	.	.	1	1	1	4	3	304
.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	305
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	309
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	310
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	311
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	322
.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	325
5	7	2	15	7	31	34	77	88	179	247	330	400	329	234	330-399
4	7	8	16	9	35	52	74	93	162	244	398	462	477	344	
.	2	1	3	1	7	9	13	7	10	6	7	9	2	3	330
.	2	3	7	2	6	15	17	13	12	10	11	9	8	2	
.	.	1	4	2	8	13	34	37	86	83	119	137	110	61	331
.	2	1	.	2	13	19	29	47	87	92	161	176	151	94	
.	.	.	.	1	1	2	10	22	43	93	144	179	149	114	332
.	.	1	1	.	4	6	11	18	46	78	157	186	233	173	
.	.	.	.	.	.	1	2	4	14	25	35	49	46	36	334
.	.	.	.	.	3	4	4	5	4	33	44	58	54	57	

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
340	Meningitis, except meningococcal and tuberculous	M	18	7	.	1	.	.	8	.	.
		F	20	7	1	1	.	1	10	1	2
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	1	.	.	.	.	.	.	.	.
		F	2	.	1	.	.	.	1	.	.
342	Intracranial and intraspinal abscess	M	2	1	.	.	.	.	1	.	.
		F	4	.	.	.	.	.	.	.	.
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	6	.	.	.	.	.	.	.	.
		F	7	.	.	.	1	.	1	1	.
344	Late effects of intracranial abscess or pyogenic infection	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	1	.
345	Multiple sclerosis	M	38	.	.	.	.	.	.	1	.
		F	41	.	.	.	.	.	.	.	.
350	Paralysis agitans	M	50	.	.	.	.	.	.	.	.
		F	46	.	.	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis	M	3	1	.	1	.	.	2	.	.
		F	4	1	1	1	.	1	4	.	.
352	Other cerebral paralysis	M	69	.	.	.	.	.	.	.	.
		F	76	.	.	.	.	.	.	.	.
353	Epilepsy	M	33	.	.	1	.	.	1	.	3
		F	21	.	.	.	.	.	.	.	3
355	Other diseases of the brain	M	8	1	.	.	.	.	1	.	.
		F	3	.	.	.	.	.	.	.	.
356	Motor neurone disease and muscular atrophy	M	24	1	.	.	.	.	1	.	.
		F	7	1	.	.	.	.	1	.	.
357	Other diseases of spinal cord	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
361	Trigeminal neuralgia	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
364	Polyneuritis and polyradiculitis	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
366	Other and unspecified forms of neuralgia and neuritis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis	M	3	2	.	.	.	.	2	.	.
		F	.	.	.	.	.	.	.	.	.
393	Mastoiditis without mention of otitis media	M	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
400-468	VII. Diseases of the circulatory system	M	6,831	.	1	.	.	.	1	1	.
		F	5,455	3	1	1	.	.	5	1	1
401	Rheumatic fever with heart involvement	M	1	.	.	.	.	.	.	.	.
		F	4	.	.	1	.	.	1	.	.
410	Diseases of mitral valve	M	96	.	.	.	.	.	.	.	.
		F	131	.	.	.	.	.	.	.	.
411	Diseases of aortic valve, specified as rheumatic	M	1	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
414	Other endocarditis specified as rheumatic	M	9	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.
415	Other myocarditis specified as rheumatic	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
416	Other heart disease specified as rheumatic	M	20	.	.	.	.	.	.	.	.
		F	28	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	1	.	.	2	2	.	.	1	1	2	.	.	.	.	340
2	.	.	.	.	.	.	1	2	.	1	1	.	.	.	341
.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	342
.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	343
.	.	.	.	1	2	1	.	.	1	2	1	1	.	.	344
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	345
.	.	.	3	1	6	6	7	4	1	6	2	1	.	1	350
.	.	.	5	.	8	4	6	5	3	4	2	2	1	.	351
.	.	.	1	.	1	.	3	3	7	9	8	13	3	2	352
.	.	.	.	.	.	.	2	.	.	14	6	14	8	2	353
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	354
.	.	.	.	.	1	.	2	1	8	11	8	9	14	15	355
.	.	.	.	.	.	1	2	.	3	8	14	14	20	14	356
2	3	.	3	.	2	2	3	6	1	3	2	2	.	.	357
2	2	1	3	2	1	1	1	.	.	2	.	1	2	.	358
.	1	.	.	1	.	.	1	1	1	.	.	.	2	.	359
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	360
1	.	1	.	.	1	1	2	2	4	6	3	.	3	.	361
.	.	.	.	.	.	1	.	1	2	.	1	.	.	.	362
.	.	1	.	.	.	1	.	.	1	.	1	.	.	.	363
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	364
1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	365
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	366
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	367
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	368
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	369
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	370
3	9	11	20	39	97	175	321	426	678	774	1,053	1,172	1,129	922	400-468
5	7	8	9	22	33	76	130	190	373	482	773	1,001	1,170	1,169	401
1	.	.	1	.	1	.	1	.	.	.	.	.	.	.	402
.	1	3	2	8	9	10	8	10	6	13	14	11	7	2	410
.	2	2	3	.	6	12	8	13	15	13	10	19	14	6	411
.	1	.	1	.	.	.	.	.	2	1	.	.	.	.	412
1	.	1	1	1	1	1	1	2	2	.	1	.	.	.	413
.	.	.	.	1	.	1	1	.	1	.	1	.	.	.	414
1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	415
.	2	.	1	.	2	1	5	3	2	1	2	.	1	.	416
.	1	1	.	.	2	4	2	6	1	2	5	2	2	.	417

TABLE 19 (contd.) — DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	1	6	9	21	54	130	237	311	455	480	551	462	383	194	420
.	.	1	3	5	14	33	70	97	196	241	332	333	290	227	
.	.	.	.	1	.	1	1	4	5	12	27	26	41	28	420.0
.	.	.	.	.	.	.	2	2	5	4	20	15	31	32	
.	1	6	9	20	53	127	236	307	447	467	515	434	342	165	420.1
.	.	1	3	5	14	33	68	95	190	236	311	315	258	192	
.	.	.	.	.	1	2	.	.	3	1	9	2	.	1	420.2
.	.	.	.	.	.	.	.	.	1	1	1	3	1	3	
1	1	.	1	4	5	5	8	9	18	12	24	28	13	15	421
1	1	.	2	.	1	2	2	3	16	12	18	27	30	11	
1	.	.	1	1	2	7	9	17	65	89	205	344	384	427	422
2	.	.	.	1	.	4	7	18	36	73	160	295	439	540	
.	.	.	3	1	1	.	1	1	1	.	.	1	.	.	430
.	1	.	.	2	.	.	.	.	4	1	.	1	.	1	
.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	431
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	432
.	1	.	.	1	2	2	4	10	26	33	54	78	77	62	433
.	.	.	.	.	1	5	6	12	22	28	65	72	75	65	
1	1	1	.	3	10	5	15	18	36	43	60	70	71	66	434
.	.	.	.	.	3	3	6	9	24	33	52	46	77	82	
.	.	.	.	.	1	1	.	1	.	.	.	1	.	.	441
.	.	.	.	.	.	1	.	1	2	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	442
.	.	.	.	1	2	2	5	11	26	40	44	53	47	28	443
.	.	.	.	1	.	2	8	11	17	29	51	70	73	50	
.	.	.	.	2	2	1	5	7	11	17	22	28	14	13	444
.	.	.	.	1	.	.	2	5	10	17	22	33	42	18	
.	1	.	.	3	2	7	11	9	7	2	3	1	.	1	445
.	1	.	.	.	2	1	6	2	5	1	1	2	.	.	
.	.	.	.	.	.	.	1	.	1	1	2	1	3	1	446
.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	447
.	.	.	.	.	.	.	1	4	9	22	45	80	112	98	450
.	.	.	.	.	.	.	3	2	3	11	39	69	100	150	
.	.	1	.	.	1	2	3	1	2	7	7	1	2	2	451
.	.	.	.	.	1	1	1	2	5	7	1	9	5	2	
.	.	.	.	.	1	1	.	.	.	2	1	.	1	.	452
.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	453
.	.	.	.	.	.	.	.	.	.	.	1	4	1	.	454
.	.	.	.	1	.	.	1	.	2	2	2	3	5	8	455</

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
462	Varicose veins of other specified sites	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
463	Phlebitis and thrombophlebitis of lower extremities	M F	3 3	. .	. .	. .	. .	. .	. .	. .	. .
464	Phlebitis and thrombophlebitis of other sites	M F	3 7	. .	. .	. .	. .	. .	. .	. .	. .
465	Pulmonary embolism and infarction	M F	41 34	. .	. .	. .	. .	. .	. .	. .	. .
466	Other venous embolism and thrombosis	M F	17 25	. .	. .	. .	. .	. .	. .	. .	. .
467	Other diseases of circulatory system	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
468	Certain diseases of lymph nodes and lymph channels	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
470-527	VIII. Diseases of the respiratory system	M F	1,972 1,420	119 79	7 12	8 7	2 4	. 3	136 105	9 5	7 6
470	Acute nasopharyngitis (common cold)	M F	2 .	2 .	. .	. .	. .	. .	2 .	. .	. .
472	Acute pharyngitis	M F	. 1	. .	. .	. .	. .	. .	. .	1 .	. .
473	Acute tonsillitis	M F	. 2	. 1	. .	. .	. .	. .	. 1	. .	. .
474	Acute laryngitis and tracheitis	M F	2 .	. .	. .	. .	. .	. .	. .	1 .	. .
475	Acute upper respiratory infection of multiple or unspecified sites	M F	7 2	4 1	. .	1 .	. .	. .	5 1	. .	. .
480	Influenza with pneumonia	M F	62 67	3 .	1 .	. .	1 .	. .	4 1	. .	1 .
481	Influenza with other respiratory manifestations and influenza unqualified	M F	91 92	1 .	. .	. .	. .	. .	1 .	. .	1 .
482	Influenza with digestive manifestations but without respiratory symptoms	M F	. 3	. .	. .	. .	. .	. .	. .	. .	. .
483	Influenza with nervous manifestation but without digestive or respiratory symptoms	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
490	Lobar pneumonia	M F	69 48	10 7	. .	. .	. .	. 1	10 8	. .	1 .
491	Bronchopneumonia	M F	404 375	52 35	4 6	4 4	. 1	. 1	60 47	6 3	4 2
492	Primary atypical pneumonia	M F	13 23	6 6	. 3	1 1	. .	. .	7 10	. .	. .
493	Pneumonia, other and unspecified	M F	179 164	23 21	2 3	1 .	1 2	. 1	27 27	1 1	. 2
500	Acute bronchitis	M F	42 57	9 3	. .	. 1	1 .	. .	10 4	. .	. .
501	Bronchitis unqualified	M F	147 100	2 1	. .	. 1	. .	. .	2 2	. .	1 .
502	Chronic bronchitis	M F	737 339	. .	. .	. .	. .	. .	. .	. .	. .
516	Chronic laryngitis	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
517	Other diseases of upper respiratory tract	M F	2 .	. .	. .	1 .	. .	. .	1 .	. .	. .

[illegible]

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
518	Empyema	M	2	1	.	.	.	.	1	.	.
		F	2	1	.	.	.	.	1	.	.
519	Pleurisy	M	10	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
520	Spontaneous pneumothorax	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
521	Abscess of lung	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
522	Pulmonary congestion and hypostasis	M	72	.	.	.	.	.	.	.	.
		F	60	1	.	.	.	.	1	.	.
523	Pneumoconiosis due to silica and silicates (occupational)	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
525	Other chronic interstitial pneumonia	M	14	2	.	.	.	.	2	.	1
		F	12	.	.	.	.	.	.	.	.
526	Bronchiectasis	M	32	.	.	.	.	.	.	.	.
		F	24	.	.	.	.	.	.	.	.
527	Other diseases of lung and pleural cavity	M	75	3	.	.	.	.	3	1	.
		F	46	2	.	.	.	.	2	.	.
530-587	IX. Diseases of the digestive system	M	451	25	6	2	2	.	35	1	1
		F	343	18	7	2	.	1	28	1	4
537	Diseases of salivary glands	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
538	Other diseases of buccal cavity	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
539	Diseases of oesophagus	M	1	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
540	Ulcer of stomach	M	88	.	.	.	.	.	.	.	.
		F	51	.	.	.	.	.	.	.	.
541	Ulcer of duodenum	M	53	.	.	.	.	.	.	.	.
		F	13	.	.	.	.	.	.	.	.
542	Gastrojejunal ulcer	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
543	Gastritis and duodenitis	M	4	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
544	Disorders of function of stomach	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
545	Other diseases of stomach and duodenum	M	5	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
550	Acute appendicitis	M	7	.	1	1	.	.	2	.	.
		F	8	.	.	.	.	.	.	.	.
551	Appendicitis, unqualified	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
560	Hernia of abdominal cavity without mention of obstruction	M	8	2	.	.	.	.	2	.	.
		F	6	2	.	.	.	.	2	.	.
561	Hernia of abdominal cavity with obstruction	M	23	1	.	.	.	.	1	.	.
		F	17	.	.	.	.	.	.	.	.
570	Intestinal obstruction, without mention of hernia	M	47	.	.	.	1	.	1	.	.
		F	42	.	.	.	.	.	.	.	.
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	30	18	4	1	1	.	24	1	.
		F	35	12	6	2	.	.	20	.	1
572	Chronic enteritis and ulcerative colitis	M	27	.	.	.	.	.	.	.	.
		F	38	.	.	.	.	.	.	.	.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	518
.	.	.	.	.	.	.	1	1	.	1	2	.	3	1	519
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	520
.	.	.	.	.	.	1	2	.	.	.	1	.	1	.	521
.	.	.	.	1	.	.	3	4	5	6	10	9	10	24	522
.	.	.	.	.	.	.	1	3	2	3	5	9	16	20	522
.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	523
.	.	.	.	.	2	1	2	1	4	1	1	2	.	.	525
.	.	.	.	.	.	1	5	3	.	1	1	1	.	.	525
.	2	1	1	1	.	1	1	1	4	3	4	4	5	1	526
.	.	.	.	1	1	3	8	4	3	3	4	6	1	.	526
.	.	.	.	1	1	1	4	3	5	14	10	13	8	5	527
.	.	.	.	1	1	1	4	3	5	5	8	7	3	6	527
2	2	3	6	5	13	15	21	38	47	59	73	57	42	33	530-587
2	.	2	4	7	2	5	18	18	31	48	43	53	49	28	530-587
.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	537
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	538
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	539
.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	539
.	.	1	1	1	3	2	3	3	6	20	12	18	12	6	540
.	.	.	1	2	.	.	2	2	7	12	8	5	10	2	540
.	.	.	.	.	1	3	4	6	9	5	16	5	4	.	541
.	.	.	.	.	.	.	.	1	1	2	1	5	2	1	541
.	.	.	.	.	.	1	.	1	2	.	1	.	.	.	542
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	542
.	.	.	.	.	.	.	1	.	.	.	.	1	2	1	543
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	544
.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	544
.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	545
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	545
.	.	.	1	.	.	.	1	.	1	2	.	2	2	1	550
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	551
.	.	.	.	.	.	.	.	.	.	1	1	3	.	1	560
.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	560
.	.	.	.	.	.	.	2	.	2	.	4	5	3	5	561
.	.	.	.	.	.	.	.	.	.	4	3	3	.	4	561
.	.	.	.	.	1	1	1	2	4	9	9	7	8	3	570
.	.	.	.	.	.	2	1	1	1	4	6	11	6	10	570
.	.	.	.	1	.	1	.	1	2	1	.	2	.	1	571
.	.	1	1	3	2	1	4	8	3	1	4	1	1	1	572
.	.	.	.	3	.	2	5	3	7	1	3	4	5	3	572

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
573	Functional disorders of intestines	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
576	Peritonitis	M F	5 6	. .	. .	. .	. .	. .	. .	. .	. .
577	Peritoneal adhesion	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
578	Other diseases of intestines and peritoneum	M F	28 15	. 1	. .	. .	. .	. .	. 1	. .	. 1
580	Acute and subacute yellow atrophy of liver	M F	2 2	. .	. 1	. .	. .	. .	. 1	. .	. .
581	Cirrhosis of liver	M F	56 22	. .	. .	. .	. .	. .	. .	. .	1 .
583	Other diseases of liver	M F	7 9	. .	. .	. .	. .	. .	. .	. .	. 1
584	Cholelithiasis	M F	8 9	. .	. .	. .	. .	. .	. .	. .	. .
585	Cholecystitis and cholangitis, without mention of calculi	M F	9 17	. .	. .	. .	. .	. .	. .	. .	. .
586	Other diseases of gallbladder and biliary ducts	M F	11 16	. .	. .	. .	. .	. .	. .	. .	. .
587	Diseases of pancreas	M F	21 19	4 3	1 .	. .	. .	. 1	5 4	. .	. 1
590-637	X. Diseases of the genito-urinary system	M F	469 231	9 1	. .	1 .	. .	1 .	11 1	3 .	2 .
590	Acute nephritis	M F	5 4	. 1	. .	. .	. .	. .	. 1	. 1	. .
591	Nephritis with oedema, including nephrosis	M F	9 4	. .	. .	. .	. .	1 .	1 .	. .	. .
592	Chronic nephritis	M F	119 95	. .	. .	. .	. .	. .	. .	. .	2 .
593	Nephritis not specified as acute or chronic	M F	86 49	1 .	. .	. .	. .	. .	1 .	1 .	. .
594	Other renal sclerosis	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
600	Infections of kidney	M F	58 53	7 .	. .	. .	. .	. .	7 .	1 .	. .
601	Hydronephrosis	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
602	Calculi of kidney and ureter	M F	1 7	. .	. .	. .	. .	. .	. .	. .	. .
603	Other diseases of kidney and ureter	M F	4 1	. .	. .	. .	. .	. .	. .	. .	. .
605	Cystitis	M F	4 4	. .	. .	. .	. .	. .	. .	. .	. .
606	Other diseases of bladder	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
608	Stricture of urethra	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
609	Other diseases of urethra	M F	4 4	1 .	. .	1 .	. .	. .	2 .	. .	. .
610	Hyperplasia of prostate	M	156	. .	. .	. .	. .	. .	. .	. .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	573
.	.	.	.	.	.	.	1	.	.	1	.	2	1	.	576
.	.	.	.	1	.	.	1	1	.	3	.	.	.	.	577
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	578
.	.	.	1	1	1	2	1	1	1	7	3	.	5	5	579
.	.	.	.	.	.	.	.	1	.	.	1	5	5	1	580
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	581
1	2	1	1	.	3	1	3	12	10	8	10	4	1	.	582
1	.	.	.	.	.	.	1	1	1	5	4	4	3	1	583
.	.	.	.	.	.	.	1	.	2	1	1	1	1	2	584
.	.	.	.	.	1	.	.	.	1	2	1	1	.	2	585
.	.	.	.	.	.	.	.	.	2	1	.	2	.	4	586
.	.	.	.	.	.	.	2	2	2	4	2	5	3	1	587
.	.	.	2	2	.	1	.	1	4	2	2	2	.	.	588
.	.	1	.	.	.	.	2	2	1	4	4	.	.	.	589
1	7	7	3	3	10	17	20	29	23	46	56	84	73	74	590-637
7	3	3	4	3	8	13	11	15	23	20	30	28	30	32	590
.	1	.	.	.	1	.	.	.	.	2	.	.	.	.	591
.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	592
1	1	.	.	.	.	1	.	.	2	1	1	1	1	.	593
.	2	4	3	1	3	7	11	17	6	11	11	17	9	15	594
6	2	1	1	1	4	3	4	8	10	7	7	12	16	13	595
1	2	2	.	1	4	4	5	9	4	11	7	12	14	8	596
.	.	1	.	.	2	2	4	2	6	5	8	6	7	6	597
.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	598
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	599
.	1	1	.	.	2	3	4	3	3	7	8	10	5	3	600
.	1	1	3	2	1	2	1	1	5	7	11	6	4	8	601
.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	602
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	603
.	.	.	.	.	.	2	1	2	1	1	.	.	.	1	604
.	.	.	.	1	.	.	1	.	.	.	.	1	.	2	605
.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	606
.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	607
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	608
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	609
.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	610
.	.	.	.	.	.	.	.	.	6	11	29	35	38	37	611

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
611	Prostatitis	M	6	.	.	.	.	.	.	.	.
612	Other diseases of prostate	M	7	.	.	.	.	.	.	.	.
621	Other diseases of breast	F	1	.	.	.	.	.	.	.	.
625	Other diseases of ovary and fallopian tube	F	1	.	.	.	.	.	.	.	.
630	Infective disease of uterus, vagina and vulva	F	1	.	.	.	.	.	.	.	.
633	Other diseases of uterus	F	1	.	.	.	.	.	.	.	.
637	Other diseases of female genital organs	F	3	.	.	.	.	.	.	.	.
640-689	XI. Deliveries and complications of pregnancy, childbirth and the puerperium	F	30	.	.	.	.	.	.	.	.
640	Pyelitis and pyelonephritis of pregnancy	F	1	.	.	.	.	.	.	.	.
641	Other infections of genito-urinary tract during pregnancy	F	1	.	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F	6	.	.	.	.	.	.	.	.
645	Ectopic pregnancy	F	1	.	.	.	.	.	.	.	.
648	Other complications arising from pregnancy	F	3	.	.	.	.	.	.	.	.
650	Abortion without mention of sepsis or toxæmia	F	1	.	.	.	.	.	.	.	.
670	Delivery complicated by placenta prævia or antepartum hæmorrhage	F	5	.	.	.	.	.	.	.	.
671	Delivery complicated by retained placenta	F	1	.	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum hæmorrhage	F	2	.	.	.	.	.	.	.	.
677	Delivery with other trauma	F	2	.	.	.	.	.	.	.	.
678	Delivery with other complications of childbirth	F	1	.	.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium	F	2	.	.	.	.	.	.	.	.
682	Puerperal phlebitis and thrombosis	F	1	.	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F	1	.	.	.	.	.	.	.	.
685	Puerperal eclampsia	F	2	.	.	.	.	.	.	.	.
690-716	XII. Diseases of the skin and cellular tissue	M	19	2	1	.	.	.	3	.	.
		F	30	.	.	.	.	.	.	.	.
690	Boil and carbuncle	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
692	Other cellulitis and abscess, without mention of lymphangitis	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	2	2	2	611
.	.	.	.	.	.	.	.	.	.	2	.	2	1	2	612
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	621
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	625
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	630
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	633
.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	637
.	2	1	5	12	7	3	.	.	.	.	.	.	.	.	640-689
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	640
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	641
.	.	.	2	2	1	1	.	.	.	.	.	.	.	.	642
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	645
.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	648
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	650
.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	670
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	671
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	672
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	677
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	678
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	681
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	682
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	684
.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	685
.	.	1	1	.	1	1	1	1	1	2	6	4	1	.	690-716
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	690
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	692
.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
698	Other local infections of skin and subcutaneous tissue	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
700	Seborrhoeic dermatitis	M F	1 .	. .	1 .	. .	. .	. .	1 .	. .	. .
701	Eczema	M F	2 .	1 .	. .	. .	. .	. .	1 .	. .	. .
704	Pemphigus	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
705	Erythematous conditions	M F	1 3	. .	. .	. .	. .	. .	. .	. .	. .
710	Other hypertrophic and atrophic conditions of skin	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
715	Chronic ulcer of skin	M F	6 20	. .	. .	. .	. .	. .	. .	. .	. .
720-749	XIII. Diseases of the bones and organs of movement	M F	60 89	. .	. .	. .	. .	. .	. .	. 1	1 .
720	Acute arthritis due to pyogenic organisms	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
722	Rheumatoid arthritis and allied conditions	M F	22 45	. .	. .	. .	. .	. .	. .	. .	. .
723	Osteo-arthritis (arthrosis) and allied conditions	M F	7 7	. .	. .	. .	. .	. .	. .	. .	. .
724	Other specified forms of arthritis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
725	Arthritis, unspecified	M F	11 11	. .	. .	. .	. .	. .	. .	. .	. .
726	Muscular rheumatism	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
727	Rheumatism, unspecified	M F	4 6	. .	. .	. .	. .	. .	. .	. .	. .
730	Osteomyelitis and periostitis	M F	2 4	. .	. .	. .	. .	. .	. .	. .	. .
731	Osteitis deformans	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
733	Other diseases of bone	M F	. 3	. .	. .	. .	. .	. .	. .	. .	. .
744	Other diseases of muscle, tendon and fascia	M F	8 8	. .	. .	. .	. .	. .	. .	. 1	1 .
745	Curvature of spine	M F	3 1	. .	. .	. .	. .	. .	. .	. .	. .
749	Other deformities	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
750-759	XIV. Congenital malformations	M F	284 284	225 233	8 12	5 6	2 1	5 2	245 254	7 7	5 4
750	Monstrosity	M F	15 29	15 29	. .	. .	. .	. .	15 29	. .	. .
751	Spina bifida and meningocele	M F	40 54	37 50	1 .	1 1	. .	1 1	40 52	. 1	. .
752	Congenital hydrocephalus	M F	32 33	29 28	. 3	1 1	. .	1 .	31 32	. 1	1 .

[illegible]

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
753	Other congenital malformations of nervous system and sense organs	M	9	6	2	.	.	.	8	1	.
		F	9	6	2	.	.	.	8	.	.
754	Congenital malformations of circulatory system	M	102	75	2	2	.	1	80	3	4
		F	94	70	5	1	1	1	78	4	2
755	Cleft palate and harelip	M	2	2	.	.	.	.	2	.	.
		F	1	1	.	.	.	.	1	.	.
756	Congenital malformations of digestive system	M	27	25	2	.	.	.	27	.	.
		F	24	21	1	1	.	.	23	.	.
757	Congenital malformations of genito-urinary system	M	15	8	.	.	1	.	9	.	.
		F	9	3	.	.	.	.	3	.	1
758	Congenital malformations of bone and joint	M	3	2	.	.	.	1	3	.	.
		F	5	3	.	1	.	.	4	.	.
759	Other and unspecified congenital malformations not elsewhere classified	M	39	26	1	1	1	1	30	3	.
		F	26	22	1	1	.	.	24	1	.
760-776	XV. Certain diseases of early infancy	M	505	505	.	.	.	.	505	.	.
		F	364	364	.	.	.	.	364	.	.
760	Intracranial and spinal injury at birth	M	58	58	.	.	.	.	58	.	.
		F	36	36	.	.	.	.	36	.	.
761	Other birth injury	M	33	33	.	.	.	.	33	.	.
		F	18	18	.	.	.	.	18	.	.
762	Postnatal asphyxia and atelectasis	M	105	105	.	.	.	.	105	.	.
		F	79	79	.	.	.	.	79	.	.
763	Pneumonia of newborn	M	52	52	.	.	.	.	52	.	.
		F	23	23	.	.	.	.	23	.	.
764	Diarrhoea of newborn	M	12	12	.	.	.	.	12	.	.
		F	9	9	.	.	.	.	9	.	.
767	Umbilical sepsis	M	2	2	.	.	.	.	2	.	.
		F	1	1	.	.	.	.	1	.	.
768	Other sepsis of newborn	M	4	4	.	.	.	.	4	.	.
		F	3	3	.	.	.	.	3	.	.
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	4	4	.	.	.	.	4	.	.
		F	4	4	.	.	.	.	4	.	.
770	Haemolytic disease of newborn (erythroblastosis)	M	31	31	.	.	.	.	31	.	.
		F	27	27	.	.	.	.	27	.	.
771	Haemorrhagic disease of newborn	M	10	10	.	.	.	.	10	.	.
		F	8	8	.	.	.	.	8	.	.
772	Nutritional maladjustment	M	2	2	.	.	.	.	2	.	.
		F	.	.	.	.	.	.	.	.	.
773	Ill-defined diseases peculiar to early infancy	M	45	45	.	.	.	.	45	.	.
		F	43	43	.	.	.	.	43	.	.
774	Immaturity with mention of any other subsidiary condition	M	4	4	.	.	.	.	4	.	.
		F	.	.	.	.	.	.	.	.	.
776	Immaturity, unqualified	M	143	143	.	.	.	.	143	.	.
		F	113	113	.	.	.	.	113	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

[illegible]

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	.	1	.	1	1	3	5	9	9	22	64	126	261	388	780-795
.	.	2	.	.	1	.	8	5	8	13	44	132	263	558	
.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	780
1	.	1	.	.	1	1	5	7	7	15	27	29	26	16	782
.	.	.	.	.	.	.	6	4	4	6	6	23	21	23	
.	.	.	.	.	.	.	.	.	1	.	.	1	5	1	784
.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	
.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	785
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	786
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	788
.	.	.	.	.	.	.	.	.	.	2	2	5	8	3	792
.	.	.	.	.	1	.	.	.	.	2	2	3	3	4	
.	.	.	.	.	.	.	.	.	.	1	30	83	215	363	794
.	.	.	.	.	.	.	.	.	2	4	31	102	231	520	
1	.	1	.	1	.	2	.	2	2	3	2	7	4	5	795
.	.	.	.	.	.	.	2	1	1	1	5	3	4	9	
47	27	42	31	34	28	39	40	47	49	41	39	38	32	27	E800- E999
12	9	6	6	8	9	7	12	11	15	16	31	49	76	74	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E800
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E801
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	E802
3	1	5	1	5	4	5	3	6	6	9	10	4	3	1	E812
2	.	.	.	.	1	.	1	.	2	.	2	2	2	1	
7	3	1	1	2	1	1	2	1	.	4	3	.	.	.	E813
1	1	.	.	.	1	1	2	.	2	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E814
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	4	3	1	.	.	2	1	.	1	.	.	.	.	.	E815
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	3	3	7	4	3	4	2	.	6	2	1	.	.	1	E816
1	3	.	1	1	1	.	1	1	.	.	.	.	.	.	
.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	E817
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E818
.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	E819
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E820

TABLE 19 (contd.) - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	M F	10 2	. .	. .	. .	. .	. .	. .	. .	. .
E822	Motor vehicle traffic accident involving overturning in roadway	M F	11 .	. .	. .	. .	. .	. .	. .	. .	. .
E823	Motor vehicle traffic accident involving running off roadway	M F	21 10	. .	. .	. .	. .	. .	. .	. .	. .
E824	Other non-collision motor vehicle traffic accident	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
E825	Motor vehicle traffic accident of unspecified nature	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
E830	Motor vehicle non-traffic accident to pedestrian	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E835	Motor vehicle non-traffic accident of other and unspecified nature	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E842	Accident to pedestrain caused by pedal cycle	M F	3 .	. .	. .	. .	. .	. .	. .	1 .	. .
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M F	10 3	. .	. .	. .	. .	. .	. .	. .	. 1
E845	Other non-motor road vehicle accidents	M F	4 2	. .	. .	. 1	. .	. .	. 1	. .	. .
E850	Submersion of occupant of small boat	M F	3 2	. .	. .	. .	. .	. .	. .	. .	. 1
E861	Injury to occupant by accident to commercial "transport" aircraft	M F	2 1	. .	. .	. .	. .	. .	. .	. .	. 1
E871	Accidental poisoning by barbituric acid and derivatives	M F	3 4	. .	. .	. .	. .	. .	. .	. .	. .
E878	Accidental poisoning by other and unspecified drugs	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E890	Accidental poisoning by utility (illuminating) gas	M F	8 8	. 1	. .	. .	. .	. .	. 1	. .	. .
E891	Accidental poisoning by motor exhaust gas	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E900	Fall on stairs	M F	12 2	. .	. .	. .	. .	. .	. .	. .	. .
E902	Other falls from one level to another	M F	31 7	. .	. .	. .	. .	. .	. .	2 .	. 1
E903	Fall on same level	M F	19 13	. .	. .	. .	. .	. .	. .	. .	. 1
E904	Unspecified falls	M F	53 172	. .	. .	. .	. .	. 1	. 1	. .	. .
E910	Blow from falling or projected object or missile	M F	13 .	. .	. .	1 .	1 .	1 .	3 .	. .	. 1
E912	Accident caused by machinery	M F	14 2	. .	1 .	. .	1 .	1 .	3 2	1 .	. 1
E913	Accident caused by cutting and piercing instruments	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
E914	Accident caused by electric current	M F	7 1	. .	1 .	. .	. .	. .	1 .	. .	. 2
E915	Accident caused by explosion of pressure vessel	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. 1
E916	Accident caused by fire and explosion of combustible material	M F	26 41	. .	1 .	. 1	1 .	1 .	3 3	1 2	. 1
E917	Accident caused by hot substance, corrosive liquid and steam	M F	4 7	. .	1 .	. .	. .	1 .	2 .	1 .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
4 1	1	2	1	1	2	.	.	.	.	.	.	.	.	.	E821
1	.	3	1	.	1	.	2	1	.	.	1	.	1	.	E822
2 1	3	4	2	2 1	2 1	3	1	2	1 1	.	.	1	2	.	E823
1	1	.	.	.	.	.	1	1	.	.	.	1	.	.	E824
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E825
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E830
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	E835
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	E842
.	.	1	.	.	.	1	2	3	3	.	1 1	.	.	.	E843
1	.	.	.	.	.	1	.	.	2	.	1	.	.	.	E845
.	.	.	.	.	1	1	.	.	1 1	.	.	.	.	.	E850
.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	E861
.	.	1	1	.	.	.	.	1	2	1	.	.	.	.	E871
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E878
.	1	1 1	1	1	.	2	.	2 1	1	1	.	1	.	2	E890
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E891
.	.	.	.	1	1	.	3	2	.	.	1	3	1	1	E900
4	.	1	1	1	2 1	1	5	2	3	2	2	2	3 2	2	E902
.	.	1	2	.	1	.	1	2	.	2	3 2	3 5	3 1	2 3	E903
.	.	.	.	.	.	1	1	2	3	3	5 16	12 28	16 57	14 57	E904
2	2	1	.	1	.	.	2	1	.	.	.	.	.	.	E910
3	1	1	1	1	.	1	.	.	1	.	.	.	.	.	E912
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	E913
1	1	.	1	1	.	.	.	.	1	.	.	.	.	.	E914
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E915
1	.	2	2 1	2	1	1	1	2 1	1 2	1 2	2 4	2 8	4 4	6 5	E916
.	.	.	.	.	.	.	.	.	.	.	1	1	2	2	E917

TABLE 19. - DEATHS IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E919	Accident caused by firearm	M	7	.	.	.	1	.	1	.	1
		F	1	.	.	.	.	.	.	.	1
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	35	20	3	.	.	1	24	.	.
		F	8	7	.	.	.	.	7	.	.
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	1	.	1	.	.	.	1	.	.
		F	2	1	.	.	.	.	1	1	.
E923	Foreign body entering other orifice	M	1	.	.	.	.	.	1	.	.
		F	1	.	.	1	.	.	1	.	.
E924	Accidental mechanical suffocation in bed and cradle	M	6	5	1	.	.	.	6	.	.
		F	4	4	.	.	.	.	4	.	.
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	3	1	.	.	.	.	1	.	.
		F	2	1	1	.	.	.	2	.	.
E926	Lack of care of infants under 1 year of age	M	1	1	.	.	.	.	1	.	.
		F	2	2	.	.	.	.	2	.	.
E928	Other accidents caused by animals	M	4	.	.	.	1	.	1	.	.
		F	1	.	.	.	.	.	.	.	.
E929	Accidental drowning and submersion	M	101	.	.	2	1	3	6	11	2
		F	23	1	2	.	.	.	3	1	1
E932	Excessive cold	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E933	Hunger, thirst, and exposure	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E936	Other and unspecified accidents	M	6	.	2	.	.	.	2	1	.
		F	5	.	3	.	.	.	3	.	.
E952	Therapeutic misadventure in local applications	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	1	.
E962	Late effect of other accidental injury	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E972	Suicide and self-inflicted poisoning by gases in domestic use	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E973	Suicide and self-inflicted poisoning by other gases	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
E974	Suicide and self-inflicted injury by hanging and strangulation	M	20	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E975	Suicide and self-inflicted injury by submersion (drowning)	M	9	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
E976	Suicide and self-inflicted injury by firearms and explosives	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E978	Suicide and self-inflicted injury by jumping from high place	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E979	Suicide and self-inflicted injury by other and unspecified means	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E981	Assult by firearm and explosive	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E982	Assult by cutting and piercing instruments	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E983	Assult by other means	M	6	2	1	.	.	.	3	.	.
		F	7	2	.	.	.	.	2	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	.	.	.	1	.	2	.	.	1	.	.	.	.	.	E919
.	1	.	2	1	1	1	1	1	2	1	1	.	.	.	E921
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E922
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E923
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E924
.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	E925
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E926
.	.	.	.	.	.	.	1	.	.	1	.	1	.	1	E928
10	3	2	5	3	6	5	8	12	11	7	4	5	.	1	E929
2	2	.	.	1	3	1	2	2	.	1	2	.	2	.	E929
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	E932
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E933
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	E936
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E952
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	E962
.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	E970
.	.	1	.	.	.	1	1	.	2	.	.	.	.	.	E971
.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	E972
.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	E973
.	.	1	1	3	.	2	1	4	2	3	2	1	.	.	E974
.	.	2	.	.	1	.	.	.	3	.	.	2	.	.	E975
.	.	1	.	.	.	1	1	.	1	1	.	.	.	.	E976
.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	E977
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E978
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E979
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E981
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E982
.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	E983

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	17,630 15,000	567 540
001-008	B 1	Tuberculosis of respiratory system	M F	260 108	1 1
010-019	B 2	Tuberculosis, other forms	M F	21 12	· ·
020-029	B 3	Syphilis and its sequelae	M F	6 1	· ·
040	B 4	Typhoid fever	M F	· 1	· ·
045-048	B 6	Dysentery, all forms	M F	· 1	· ·
050	B 7a	Scarlet fever	M F	· ·	· ·
051	B 7b	Streptococcal sore throat	M F	3 ·	· ·
055	B 8	Diphtheria	M F	· 5	· ·
056	B 9	Whooping cough	M F	3 4	· ·
057	B 10	Meningococcal infections	M F	3 2	· ·
080	B 12	Acute poliomyelitis	M F	2 1	· ·
085	B 14	Measles	M F	5 9	· ·
110-117	B 16	Malaria	M F	· ·	· ·
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138 151	B 17	Other infective and parasitic diseases	M F	59 42	· 1
150, 152-159	B 18a	Malignant neoplasms :- of stomach	M F	476 356	· 1
	B 18b	of other digestive organs and peritoneum	M F	702 638	4 2
160-165	B 18c	of respiratory system	M F	584 156	2 ·
170	B 18d	of breast	M F	2 407	· 1
171-181	B 18e	of genito-urinary system	M F	374 312	2 1
200-205	B 18f	of lymphatic and haematopoietic tissues	M F	194 146	· ·
140-148, 190-199	B 18g	other	M F	354 261	4 3
210-239	B 19	Benign and unspecified neoplasms	M F	75 58	1 ·
260	B 20	Diabetes mellitus	M F	99 146	2 3
290-293	B 21	Anaemias	M F	61 72	· ·
330-334	B 22	Vascular lesions affecting central nervous system	M F	1,749 2,179	16 28
340	B 23	Non-meningococcal meningitis	M F	18 20	· 1
400-402	B 24	Rheumatic fever	M F	1 4	· ·
410-416	B 25	Chronic rheumatic heart disease	M F	128 173	· ·
421	B 26a	Chronic endocarditis	M F	143 127	· 2
420	B 26b	Coronary and arteriosclerotic heart disease	M F	3,294 1,843	65 26

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed List Numbers	Abbreviated List Number	Cause of death		Total	Uncertified
422	B 26c	Other myocardial degeneration	M F	1,553 1,576	38 40
430-434	B 27	Other diseases of heart	M F	764 702	41 27
440-443	B 28	Hypertension with heart disease	M F	263 317	1 2
444-447	B 29	Hypertension without mention of heart	M F	174 179	1 1
450-468	B 46a	Other diseases of circulatory system	M F	511 534	7 5
480-483	B 30	Influenza	M F	153 163	2 6
490-493	B 31	Pneumonia	M F	665 610	5 6
500-502	B 32	Bronchitis	M F	926 496	5 3
526	B 46b	Bronchiectasis	M F	32 24	. .
470-475, 510-525, 527	B 46c	Other diseases of respiratory system	M F	196 127	1 .
540, 541	B 33	Ulcer of stomach and duodenum	M F	141 64	. .
550-553	B 34	Appendicitis	M F	8 11	. .
560, 561, 570	B 35	Intestinal obstruction and hernia	M F	78 65	1 .
543, 571, 572	B 36	Gastritis and enteritis (except of newborn)	M F	61 75	. .
764, 571.0	B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	34 27	. .
581	B 37	Cirrhosis of liver	M F	56 22	. .
530-539, 542, 544, 545, 573-578, 580, 582-587	B 46d	Other diseases of digestive system	M F	107 106	. 1
590-594	B 38	Nephritis and nephrosis	M F	221 154	1 1
610	B 39	Hyperplasia of prostate	M	156	2
640-689	B 40	Deliveries and complications of pregnancy and childbirth	F	30	.
750-759	B 41	Congenital malformations	M F	284 284	. .
760-762	B 42	Birth injuries, asphyxia and atelectasis	M F	196 133	. 1
763-768	B 43	Infections of the newborn	M F	70 36	. .
769-776	B 44	Other diseases of early infancy	M F	239 195	. .
794	B 45a	Senility without psychosis	M F	692 890	279 317
780-793, 795	B 45b	Ill-defined and unknown causes	M F	201 146	74 49
240-245, 250-254, 270-277, 280-289, 294-326, 341-345, 350-357, 360-398, 600-609, 611-637, 690-716, 720-727, 730-738, 740-749	B 46c	All other diseases	M F	601 571	12 8
External Causes					
E810-E835	B 47	Motor vehicle accidents	M F	220 70	. .
E800-E802, E840-E962	B 48	All other accidents	M F	390 318	. 2
E963, E970-E979	B 49	Suicide and self-inflicted injury	M F	48 10	. .
E964, E965, E980-E999	B 50	Homicide and operations of war	M F	8 8	. .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause or death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
	Total	M F	7,420 6,733	104 61	5,853 4,852	177 171	2,876 2,215	217 234	1,481 1,200	69 74
B 1	Tuberculosis of respiratory system	M F	124 55	1 .	87 38	. 1	32 9	. .	17 6	. .
B 2	Tuberculosis, other forms	M F	9 6	. .	7 2	. .	2 1	. .	3 3	. .
B 3	Syphilis and its sequelae	M F	6 1	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. 1	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. 1	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	3 .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. 5	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	3 1	. .	. .	. .	3 .	. .	. .	. .
B 10	Meningococcal infections	M F	. 1	. .	2 1	. .	1 .	. .	. .	. .
B 12	Acute poliomyelitis	M F	2 1	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	3 6	. .	1 1	. .	2 .	. .	1 .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	18 25	. 1	27 11	. .	8 4	. .	6 2	. .
B 18a	Malignant neoplasms :- of stomach	M F	229 166	. .	133 94	. .	67 65	. 1	47 31	. .
B 18b	of other digestive organs and peritoneum	M F	327 310	. 1	241 206	4 .	88 76	. .	46 46	. 1
B 18c	of respiratory system	M F	339 88	2 .	156 42	. .	55 18	. .	34 8	. .
B 18d	of breast	M F	1 200	. 1	. 128	. .	1 56	. .	. 23	. .
B 18e	of genito-urinary system	M F	157 137	. .	139 109	1 .	58 40	1 1	20 26	. .
B 18f	of lymphatic and haematopoietic tissues	M F	85 75	. .	61 46	. .	33 20	. .	15 5	. .
B 18g	other	M F	135 129	1 .	133 82	1 2	66 30	2 .	20 20	. 1
B 19	Benign and unspecified neoplasms	M F	39 30	. .	22 19	1 .	13 3	. .	1 6	. .
B 20	Diabetes mellitus	M F	44 65	. .	32 52	1 1	15 17	. 1	8 12	1 1
B 21	Anaemias	M F	25 36	. .	20 20	. .	9 6	. .	7 10	. .
B 22	Vascular lesions affecting central nervous system	M F	731 1,024	2 2	539 663	1 5	308 335	7 11	171 157	6 10
B 23	Non-meningococcal meningitis	M F	5 9	. .	8 4	. .	4 4	. .	1 3	. 1
B 24	Rheumatic fever	M F	. 1	. .	1 1	. .	. 2	. .	. .	. .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 25	Chronic rheumatic heart disease	M F	59 84	• •	40 58	• •	18 24	• •	11 7	• •
B 26a	Chronic endocarditis	M F	41 45	• •	55 50	• •	19 11	• •	28 21	• 2
B 26b	Coronary and arteriosclerotic heart disease	M F	1,435 854	27 5	1,083 625	20 9	493 227	6 6	283 137	12 6
B 26c	Other myocardial degeneration	M F	567 592	8 4	568 586	10 8	296 261	12 20	122 137	8 8
B 27	Other diseases of heart	M F	299 324	14 2	263 220	14 11	119 105	8 7	83 53	5 7
B 28	Hypertension with heart disease	M F	102 159	• •	89 95	• 1	51 35	1 1	21 28	• •
B 29	Hypertension without mention of heart	M F	69 86	1 •	50 50	• 1	35 33	• •	20 10	• •
B 46a	Other diseases of circulatory system	M F	204 247	• 1	172 179	2 •	90 77	5 4	45 31	• •
B 30	Influenza	M F	40 50	• 1	43 50	• •	54 49	2 4	16 14	• 1
B 31	Pneumonia	M F	280 270	2 1	221 200	2 1	100 81	1 2	64 59	• 2
B 32	Bronchitis	M F	489 261	• 1	288 151	• 1	109 49	3 1	40 35	2 •
B 46b	Bronchiectasis	M F	14 14	• •	9 6	• •	5 2	• •	4 2	• •
B 46c	Other diseases of respiratory system	M F	69 56	• 1	66 37	• •	40 27	1 •	21 7	• •
B 33	Ulcer of stomach and duodenum	M F	51 24	• •	56 19	• •	23 14	• •	11 7	• •
B 34	Appendicitis	M F	2 4	• •	2 1	• •	4 2	• •	• 4	• •
B 35	Intestinal obstruction and hernia	M F	35 29	• •	20 15	• •	17 18	• •	6 3	1 •
B 36	Gastritis and enteritis (except of newborn)	M F	34 39	• •	17 20	• •	8 10	• •	2 6	• •
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	22 18	• •	10 3	• •	1 4	• •	1 2	• •
B 37	Cirrhosis of liver	M F	25 7	• •	9 10	• •	13 4	• •	9 1	• •
B 46d	Other diseases of digestive system	M F	50 48	• •	36 36	• •	13 19	• •	8 3	• 1
B 38	Nephritis and nephrosis	M F	101 81	• •	69 43	• •	33 19	1 1	18 11	• •
B 39	Hyperplasia of prostate	M	44	1	60	•	33	1	19	•
B 40	Deliveries and complications of pregnancy and childbirth	F	15	•	11	•	2	•	2	•
B 41	Congenital malformations	M F	146 155	• •	93 84	• •	30 32	• •	15 13	• •
B 42	Birth injuries, asphyxia and atelectasis	M F	95 70	• 1	59 34	• •	25 16	• •	17 13	• •
B 43	Infections of the newborn	M F	36 25	• •	24 5	• •	8 5	• •	2 1	• •
B 44	Other diseases of early infancy	M F	107 91	• •	86 75	• •	24 18	• •	22 11	• •
B 45a	Senility without psychosis	M F	153 216	18 21	278 352	101 116	196 209	139 153	65 113	21 27
B 45b	Ill defined and unknown causes	M F	65 52	25 18	51 35	14 9	53 42	26 19	32 17	9 3
B 46e	All other diseases	M F	227 275	2 •	211 162	5 3	111 72	1 2	52 62	4 3
External Causes										
B 47	Motor vehicle accidents	M F	107 44	• •	73 15	• •	29 7	• •	11 4	• •
B 48	All other accidents	M F	168 131	• •	130 108	• 2	60 52	• •	32 27	• •
B 49	Suicide and self-inflicted injury	M F	16 7	• •	21 1	• •	7 1	• •	4 1	• •
B 50	Homicide and operations of war	M F	5 5	• •	2 •	• •	• 1	• •	1 2	• •

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	213 202	7 1	2,693 2,678	9 5	260 323	1 1	561 504	1 1
B 1	Tuberculosis of respiratory system	M F	5 .	. .	64 19	. .	3 4	. .	6 6	. .
B 2	Tuberculosis, other forms	M F	. .	. .	4 3	. .	. .	. .	1 .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	4 1	. .	. .	. .	1 .	. .
B 4	Typhoid fever	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	1 .	. .	. .	. .	2 .	. .
B 8	Diphtheria	M F	. .	. .	5 .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	2 2	. .	. .	. .	1 .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 5	. .	5 4	. .	1 3	. .	2 5	. .
B 18a	Malignant neoplasms:- of stomach	M F	9 3	. .	81 61	. .	6 11	. .	17 11	. .
B 18b	of other digestive organs and peritoneum	M F	11 15	. .	126 136	. .	11 19	. .	30 22	. .
B 18c	of respiratory system	M F	6 1	. .	182 45	. .	17 8	. .	23 2	. .
B 18d	of breast	M F	3 .	. .	103 .	. .	9 .	. .	14 .	. .
B 18e	of genito-urinary system	M F	5 2	. .	69 51	. .	5 6	. .	10 13	. .
B 18f	of lymphatic and haematopoietic tissues	M F	2 4	. .	33 33	. .	3 4	. .	9 10	. .
B 18g	other	M F	5 1	. .	50 60	. .	2 9	. .	9 11	. .
B 19	Benign and unspecified neoplasms	M F	. .	. .	15 18	. .	3 .	. .	3 2	. .
B 20	Diabetes mellitus	M F	1 2	. .	13 27	. .	3 2	. .	2 2	. .
B 21	Anaemias	M F	1 1	. .	5 8	. .	1 3	. .	1 3	. .
B 22	Vascular lesions affecting central nervous system	M F	20 36	. .	235 392	. .	27 59	. .	51 85	. .
B 23	Non-meningococcal meningitis	M F	1 .	. .	2 2	. .	1 .	. .	1 .	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	2 2	. .	22 38	. .	1 4	. .	4 8	. .
B 26a	Chronic endocarditis	M F	. 1	. .	11 12	. .	1 .	. .	4 5	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	39 21	1 .	551 386	7 1	63 40	. .	140 61	. .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 26c	Other myocardial degeneration	M	9	.	96	.	11	.	20	.
		F	12	.	156	.	27	.	32	.
B 27	Other diseases of heart	M	24	1	99	.	10	.	24	.
		F	25	.	142	.	18	.	19	.
B 28	Hypertension with heart disease	M	3	.	29	.	7	.	10	.
		F	6	.	61	.	7	.	10	.
B 29	Hypertension without mention of heart	M	2	.	18	.	2	.	6	.
		F	3	.	31	.	2	.	7	.
B 46a	Other diseases of circulatory system	M	4	.	51	.	8	.	10	.
		F	6	.	81	.	14	.	16	.
B 30	Influenza	M	.	.	8	.	2	.	.	.
		F	2	.	10	.	.	.	.	.
B 31	Pneumonia	M	6	.	133	.	10	.	21	.
		F	5	.	161	1	10	.	18	.
B 32	Bronchitis	M	11	.	231	.	24	.	38	.
		F	3	.	129	.	12	.	27	.
B 46b	Bronchiectasis	M	2	.	9	.	.	.	1	.
		F	.	.	5	.	.	.	2	.
B 46c	Other diseases of respiratory system	M	.	.	37	.	5	.	8	.
		F	.	.	36	.	1	.	8	.
B 33	Ulcer of stomach and duodenum	M	1	.	26	.	1	.	2	.
		F	2	.	10	.	.	.	1	.
B 34	Appendicitis	M	.	.	1	.	.	.	.	.
		F	.	.	2	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	15	.	2	.	.	.
		F	.	.	12	.	2	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	12	.	.	.	2	.
		F	2	.	18	.	3	.	2	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	9	.	.	.	1	.
		F	1	.	5	.	1	.	1	.
B 37	Cirrhosis of liver	M	.	.	11	.	2	.	1	.
		F	.	.	4	.	.	.	1	.
B 46d	Other diseases of digestive system	M	.	.	27	.	.	.	4	.
		F	.	.	26	.	3	.	3	.
B 38	Nephritis and nephrosis	M	4	.	31	.	3	.	5	.
		F	4	.	22	.	4	.	5	.
B 39	Hyperplasia of prostate	M	.	.	13	.	1	.	3	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	3	.	.	.	2	.
B 41	Congenital malformations	M	2	.	61	.	3	.	19	.
		F	6	.	62	.	4	.	11	.
B 42	Birth injuries, asphyxia and atelectasis	M	.	.	37	.	3	.	9	.
		F	1	.	24	.	3	.	7	.
B 43	Infections of the newborn	M	3	.	10	.	.	.	5	.
		F	1	.	12	.	1	.	1	.
B 44	Other diseases of early infancy	M	8	.	47	.	1	.	11	.
		F	5	.	35	.	3	.	11	.
B 45a	Senility without psychosis	M	7	4	14	1	1	.	2	.
		F	7	1	32	.	3	.	10	.
B 45b	Ill-defined and unknown causes	M	1	1	11	1	.	.	5	.
		F	2	.	16	3	3	1	1	.
B 46c	All other diseases	M	10	.	77	.	7	.	10	.
		F	4	.	105	.	16	.	20	.
External Causes										
B 47	Motor vehicle accidents	M	1	.	35	.	6	.	9	.
		F	.	.	14	.	1	.	8	.
B 48	All other accidents	M	3	.	71	.	5	.	17	.
		F	6	.	54	.	2	.	16	.
B 49	Suicide and self-inflicted injury	M	3	.	4	.	.	.	1	.
		F	1	.	4	.	.	.	1	.
B 50	Homicide and operations of war	M	.	.	3	.	.	.	2	.
		F	.	.	3	.	.	.	1	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	358 301	9 1	431 339	4 8	285 228	8 7	250 179	10 9
B 1	Tuberculosis of respiratory system	M F	5 2	• •	• 3	• •	2 2	• •	4 •	• •
B 2	Tuberculosis, other forms	M F	• •	• •	1 •	• •	1 1	• •	• •	• •
B 3	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• 1	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	1 •	• •	• •	• •	• •	• 1	• •	• •
B 10	Meningococcal infections	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	1 •	• •	1 •	• •
B 14	Measles	M F	• 1	• •	• •	• •	• 1	• •	• •	• •
B 16	Malaria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	• 1	• •	1 •	• •	• •	• •	2 •	• •
B 18a	Malignant neoplasms : of stomach	M F	11 11	• •	8 6	• •	11 6	• •	10 2	• •
B 18b	of other digestive organs and peritoneum	M F	16 11	• •	16 10	• •	24 11	• •	12 7	• •
B 18c	of respiratory system	M F	12 6	• •	10 2	• •	10 1	1 •	4 •	• •
B 18d	of breast	M F	• 7	• •	• 10	• •	• 6	• •	• 8	• •
B 18e	of genito-urinary system	M F	3 8	• •	11 5	• •	5 3	• •	5 3	• •
B 18f	of lymphatic and haematopoietic tissues	M F	5 2	• •	6 2	• •	4 3	• •	2 2	• •
B 18g	other	M F	12 5	• •	4 2	• •	6 3	• •	7 4	1 •
B 19	Benign and unspecified neoplasms	M F	2 1	• •	4 •	• •	1 •	• •	1 •	• •
B 20	Diabetes mellitus	M F	1 4	• •	2 6	• •	2 •	• •	1 2	• •
B 21	Anaemias	M F	• 1	• •	2 3	• •	2 1	• •	1 •	• •
B 22	Vascular lesions affecting central nervous system	M F	28 43	• •	34 46	• •	24 20	• •	28 19	• 1
B 23	Non-meningococcal meningitis	M F	1 •	• •	1 1	• •	• •	• •	• •	• •
B 24	Rheumatic fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	8 6	• •	6 5	• •	5 3	• •	2 •	• •
B 26a	Chronic endocarditis	M F	5 2	• •	1 •	• •	4 2	• •	2 •	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	51 23	1 •	69 47	• 1	49 34	4 1	34 11	1 •

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 26c	Other myocardial degeneration	M	27	.	50	2	38	2	56	1
		F	19	.	32	1	39	1	38	.
B 27	Other diseases of heart	M	35	3	16	.	11	.	1	.
		F	18	.	23	.	10	.	.	.
B 28	Hypertension with heart disease	M	4	.	4	.	4	.	14	.
		F	7	.	4	.	7	.	18	.
B 29	Hypertension without mention of heart	M	2	.	1	.	1	.	2	.
		F	.	.	4	.	1	.	3	.
B 46a	Other diseases of circulatory system	M	7	.	27	.	10	.	4	.
		F	11	.	18	1	7	.	6	.
B 30	Influenza	M	4	.	4	.	2	.	5	.
		F	6	.	4	.	3	.	2	1
B 31	Pneumonia	M	12	1	13	.	12	.	2	.
		F	12	.	6	.	7	.	.	.
B 32	Bronchitis	M	26	.	20	.	8	.	8	.
		F	19	.	9	1	7	.	3	.
B 46b	Bronchiectasis	M	1	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	3	.	1	.	2	1	.	.
		F	.	.	.	.	1	.	.	.
B 33	Ulcer of stomach and duodenum	M	1	.	3	.	1	.	1	.
		F	.	.	2	.	.	.	.	.
B 34	Appendicitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	2	.	1	.	1	.
		F	1	.	1	.	.	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	2	.	2	.	1	.
		F	2	.	2	.	.	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	2	.	2	.	1	.	1	.
		F	1	.	3	.	1	.	1	.
B 37	Cirrhosis of liver	M	.	.	2	.	2	.	.	.
		F	.	.	.	.	.	.	1	.
B 46d	Other diseases of digestive system	M	2	.	3	.	1	.	.	.
		F	4	.	.	.	1	.	2	.
B 38	Nephritis and nephrosis	M	6	.	4	.	2	.	2	.
		F	9	.	1	.	3	.	6	.
B 39	Hyperplasia of prostate	M	.	.	3	.	2	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	1	.	.	.
B 41	Congenital malformations	M	10	.	6	.	8	.	2	.
		F	13	.	2	.	5	.	3	.
B 42	Birth injuries, asphyxia and atelectasis	M	5	.	4	.	3	.	.	.
		F	5	.	1	1	5	.	3	.
B 43	Infections of the newborn	M	3	.	7	.	1	.	1	.
		F	2	.	3	.	2	.	.	.
B 44	Other diseases of early infancy	M	6	.	5	.	2	.	.	.
		F	4	.	7	.	1	.	.	.
B 45a	Senility without psychosis	M	6	.	41	2	8	1	11	2
		F	7	1	39	.	11	4	10	5
B 45b	Ill-defined and unknown causes	M	5	4	5	.	4	.	6	5
		F	.	.	7	3	1	.	2	2
B 46e	All other diseases	M	13	.	23	.	2	.	10	.
	External Causes	F	14	.	13	.	8	.	14	.
B 47	Motor vehicle accidents	M	8	.	3	.	7	.	2	.
		F	4	.	2	.	2	.	3	.
B 48	All other accidents	M	5	.	6	.	3	.	4	.
		F	7	.	8	.	4	.	2	.
B 49	Suicide and self-inflicted injury	M	1	.	1	.	1	.	1	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	424 366	2 .	392 324	15 4	304 234	19 9	328 262	16 5
B 1	Tuberculosis of respiratory system	M F	5 1	. .	8 2	. .	7 2	1 .	3 1	. .
B 2	Tuberculosis, other forms	M F	1 .	. .	. .	. .	1 .	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 14	Measles	M F	. 1	. .	. .	. .	. .	. .	1 .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 .	. .	1 .	. .	2 .	. .	1 3	. 1
B 18a	Malignant neoplasms:- of stomach	M F	16 9	. .	10 3	. .	10 7	. .	11 12	. .
B 18b	of other digestive organs and peritoneum	M F	16 13	. .	7 13	. .	14 7	. 1	17 10	. .
B 18c	of respiratory system	M F	13 3	. .	9 3	1 .	5 5	. .	13 4	. .
B 18d	of breast	M F	. 9	. .	. 11	. .	. 5	. 1	. 3	. .
B 18e	of genito-urinary system	M F	7 9	. .	11 11	. .	7 5	. .	4 6	. .
B 18f	of lymphatic and haematopoietic tissues	M F	2 2	. .	3 2	. .	1 4	. .	6 3	. .
B 18g	other	M F	3 5	. .	4 6	. .	5 2	. .	8 4	. .
B 19	Benign and unspecified neoplasms	M F	3 .	. .	2 2	. .	1 2	. .	. .	. .
B 20	Diabetes mellitus	M F	. 1	. .	2 2	. .	5 3	. .	3 4	. .
B 21	Anaemias	M F	2 4	. .	3 2	. .	. .	. .	2 3	. .
B 22	Vascular lesions affecting central nervous system	M F	46 64	. .	47 65	. .	33 40	1 .	29 35	1 1
B 23	Non-meningococcal meningitis	M F	. .	. .	. .	. .	. .	. .	1 .	. .
B 24	Rheumatic fever	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	. 4	. .	2 2	. .	1 3	. .	. 1	. .
B 26a	Chronic endocarditis	M F	5 9	. .	2 2	. .	3 3	. .	2 .	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	73 39	1 .	86 35	4 .	46 19	4 1	48 23	4 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 26c	Other myocardial degeneration	M	49	.	51	.	26	1	39	.
		F	46	.	41	.	24	.	40	.
B 27	Other diseases of heart	M	17	.	13	2	15	1	13	7
		F	5	.	12	.	10	.	15	1
B 28	Hypertension with heart disease	M	6	.	7	.	1	.	4	.
		F	5	.	10	.	8	.	4	.
B 29	Hypertension without mention of heart	M	3	.	7	1	2	.	5	.
		F	7	.	8	.	1	.	1	.
B 46a	Other diseases of circulatory system	M	10	.	7	.	9	.	7	.
		F	7	.	6	.	7	.	8	.
B 30	Influenza	M	1	.	1	.	1	.	8	.
		F	3	.	6	.	.	.	7	.
B 31	Pneumonia	M	18	.	9	.	14	.	11	.
		F	13	.	7	.	5	.	9	.
B 32	Bronchitis	M	26	.	27	.	9	.	20	.
		F	10	.	10	.	4	.	7	.
B 46b	Bronchiectasis	M	.	.	.	.	.	.	1	.
		F	2	.	1	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	2	.	1	.	1	.	2	.
		F	2	.	1	.	1	.	.	.
B 33	Ulcer of stomach and duodenum	M	4	.	1	.	5	.	3	.
		F	2	.	.	.	.	.	.	.
B 34	Appendicitis	M	1	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	1	.	2	.	3	.
		F	2	.	.	.	1	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	.	.	2	.	2	.
		F	2	.	.	.	1	.	1	.
B 36, 43, part of	Gastro-enteritis (under 2 years)	M	1	.	.	.	2	.	1	.
		F	1	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	3	.	2	.
		F	.	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	2	.	3	.	3	.	3	.
		F	4	.	1	.	3	.	.	.
B 38	Nephritis and nephrosis	M	7	.	2	.	11	.	9	.
		F	3	.	1	.	10	.	5	.
B 39	Hyperplasia of prostate	M	3	.	2	1	5	.	1	.
B 40	Deliveries and complications of pregnancy and childbirth	F	2	.	2	.	2	.	1	.
B 41	Congenital malformations	M	7	.	8	.	7	.	4	.
		F	11	.	9	.	3	.	7	.
B 42	Birth injuries, asphyxia and atelectasis	M	8	.	7	.	4	.	4	.
		F	8	.	2	.	5	.	2	.
B 43	Infections of the newborn	M	1	.	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	6	.	5	.	2	.	3	.
		F	5	.	1	.	4	.	5	.
B 45a	Senility without psychosis	M	25	1	6	.	17	5	3	1
		F	31	.	21	3	19	3	9	1
B 45b	Ill-defined and unknown causes	M	4	.	8	6	6	5	4	2
		F	1	.	4	1	5	3	5	.
B 46e	All other diseases	M	11	.	7	.	7	1	13	1
		F	12	.	9	.	11	.	16	.
External Causes										
B 47	Motor vehicle accidents	M	8	.	9	.	4	.	4	.
		F	3	.	2	.	.	.	2	.
B 48	All other accidents	M	8	.	12	.	8	.	8	.
		F	6	.	6	.	1	.	3	.
B 49	Suicide and self-inflicted injury	M	.	.	.	.	.	.	3	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	533 489	5 11	388 304	• •	516 514	1 •	1,778 1,466	24 24
B 1	Tuberculosis of respiratory system	M F	8 8	• •	4 5	• •	10 5	• •	21 10	• •
B 2	Tuberculosis, other forms	M F	• •	• •	• 2	• •	1 1	• •	2 •	• •
B 3	Syphilis and its sequelae	M F	• •	• •	1 •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	1 •	• •	• •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	• •	• •	• •	• •	• •	1 •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	• •	• •	• •	• •	• •	1 •	• •	• •
B 16	Malaria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	3 1	• •	1 •	• •	• •	11 5	• •	• •
B 18a	Malignant neoplasms:- of stomach	M F	19 15	• •	10 9	• •	17 10	• •	40 32	• •
B 18b	of other digestive organs and peritoneum	M F	16 25	• •	11 11	• •	25 36	• •	73 52	• •
B 18c	of respiratory system	M F	22 5	• •	13 3	• •	28 6	• •	36 14	• •
B 18d	of breast	M F	• 5	• •	• 7	• •	• 13	• •	• 47	• •
B 18e	of genito-urinary system	M F	9 12	• •	6 3	• •	12 7	• •	58 31	• •
B 18f	of lymphatic and haematopoietic tissues	M F	6 2	• •	3 2	• •	4 5	• •	26 17	• •
B 18g	other	M F	10 8	• •	10 9	• •	14 5	• •	45 29	• •
B 19	Benign and unspecified neoplasms	M F	3 2	• •	2 2	• •	4 2	• •	4 2	• •
B 20	Diabetes mellitus	M F	6 5	• •	5 3	• •	2 7	• •	7 12	• •
B 21	Anaemias	M F	5 6	• •	• 1	• •	1 1	• •	6 4	• •
B 22	Vascular lesions affecting central nervous system	M F	69 72	• •	60 48	• •	39 60	• •	170 213	• 2
B 23	Non-meningococcal meningitis	M F	1 2	• •	• •	• •	1 •	• •	4 1	• •
B 24	Rheumatic fever	M F	• •	• •	• •	• •	• 1	• •	1 •	• •
B 25	Chronic rheumatic heart disease	M F	2 4	• •	4 4	• •	5 13	• •	7 23	• •
B 26a	Chronic endocarditis	M F	1 7	• •	2 •	• •	1 4	• •	15 17	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	110 76	• •	76 39	• •	112 86	• •	331 199	4 2

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Un- certified	Total	Un- certified	Total	Un- certified	Total	Un- certified
B 26c	Other myocardial degeneration	M	42	2	53	.	30	.	166	1
		F	44	2	42	.	54	.	188	2
B 27	Other diseases of heart	M	14	.	7	.	19	.	79	3
		F	15	1	12	.	22	.	60	3
B 28	Hypertension with heart disease	M	5	.	4	.	10	.	17	.
		F	3	.	9	.	13	.	24	.
B 29	Hypertension without mention of heart	M	9	.	9	.	7	.	7	.
		F	11	.	7	.	10	.	12	.
B 46a	Other diseases of circulatory system	M	44	.	6	.	16	.	66	.
		F	57	.	3	.	25	.	66	.
B 30	Influenza	M	5	.	.	.	1	.	11	.
		F	3	.	3	.	2	.	12	.
B 31	Pneumonia	M	10	1	9	.	11	.	88	.
		F	7	.	10	.	18	.	73	.
B 32	Bronchitis	M	20	.	21	.	53	.	64	.
		F	10	.	11	.	18	.	40	1
B 46b	Bronchiectasis	M	.	.	.	.	.	.	3	.
		F	.	.	1	.	.	.	3	.
B 46c	Other diseases of respiratory system	M	3	.	4	.	9	.	18	.
		F	1	.	4	.	2	.	12	.
B 33	Ulcer of stomach and duodenum	M	1	.	3	.	7	.	21	.
		F	2	.	3	.	3	.	4	.
B 34	Appendicitis	M	.	.	.	.	.	.	2	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	2	.	1	.	8	.
		F	5	.	1	.	2	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	4	.	.	.	.	.	5	.
		F	3	.	2	.	2	.	4	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	2	.	.	.	.	1	3	.
		F	.	.	3	.	.	.	.	.
B 37	Cirrhosis of liver	M	.	.	.	.	1	.	6	.
		F	1	.	.	.	.	.	4	.
B 46d	Other diseases of digestive system	M	2	.	.	.	1	.	19	.
		F	1	.	.	.	3	.	11	.
B 38	Nephritis and nephrosis	M	10	.	5	.	5	.	28	.
		F	6	.	2	.	2	.	16	.
B 39	Hyperplasia of prostate	M	8	.	1	.	4	.	27	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	.	.	1	.	1	.
B 41	Congenital malformations	M	4	.	5	.	9	.	31	.
		F	14	.	5	.	8	.	27	.
B 42	Birth injuries, asphyxia and atelectasis	M	6	.	5	.	6	.	11	.
		F	1	.	3	.	3	.	14	.
B 43	Infections of the newborn	M	1	.	2	.	1	.	6	.
		F	2	.	1	.	.	.	1	.
B 44	Other diseases of early infancy	M	7	.	4	.	3	.	14	.
		F	4	.	6	.	10	.	12	.
B 45a	Senility without psychosis	M	4	1	8	.	12	.	64	12
		F	8	6	9	.	24	.	82	12
B 45b	Ill-defined and unknown causes	M	4	1	2	.	1	1	20	2
		F	3	2	2	.	1	.	13	2
B 46e	All other diseases	M	20	.	17	.	20	.	65	2
		F	20	.	13	.	16	.	44	.
External Causes										
B 47	Motor vehicle accidents	M	3	.	8	.	2	.	21	.
		F	1	.	2	.	3	.	5	.
B 48	All other accidents	M	13	.	5	.	9	.	45	.
		F	12	.	4	.	10	.	29	.
B 49	Suicide and self-inflicted injury	M	1	.	.	.	2	.	5	.
		F	.	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	2	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	493 428	33 32	835 682	70 70	253 230	2	681 457	16 13
B 1	Tuberculosis of respiratory system	M F	5 .	. .	15 4	. .	10 5	. .	14 6	. 1
B 2	Tuberculosis, other forms	M F	. .	. .	2 .	. .	1 .	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	1 .	. .	. .	. .	. .	. 1	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. 1	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	2 3	. .	3 .	. .	2 1	. .	2 .	. .
B 18a	Malignant neoplasms :- of stomach	M F	7 4	. .	11 16	. .	7 4	. .	14 6	. .
B 18b	of other digestive organs and peritoneum	M F	13 16	1 .	25 23	. .	16 8	. .	26 19	1 .
B 18c	of respiratory system	M F	5 7	. .	13 2	. .	13 2	. .	18 2	. .
B 18d	of breast	M F	. 9	. .	16 .	. .	6 .	. .	13 .	. .
B 18e	of genito-urinary system	M F	9 8	. .	22 14	. .	2 8	. .	17 13	. .
B 18f	of lymphatic and haematopoietic tissues	M F	6 2	. .	7 4	. .	2 2	. .	7 3	. .
B 18g	other	M F	13 10	. .	7 9	. .	7 2	. .	20 7	. .
B 19	Benign and unspecified neoplasms	M F	1 2	1 .	3 6	. .	2 2	. .	1 .	. .
B 20	Diabetes mellitus	M F	5 11	1 .	6 13	. 1	. .	. .	5 2	. .
B 21	Anaemias	M F	1 .	. .	7 3	. .	2 1	. .	. 4	. .
B 22	Vascular lesions affecting central nervous system	M F	39 38	. 1	71 85	. 1	17 33	. .	66 64	1 .
B 23	Non-meningococcal meningitis	M F	. .	. .	2 .	. .	. .	. .	1 .	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	5 3	. .	4 2	. .	1 .	. .	6 8	. .
B 26a	Chronic endocarditis	M F	8 7	. .	7 8	. .	2 1	. .	15 6	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	68 34	2 .	133 92	3 4	51 23	1	137 60	2 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 26c	Other myocardial degeneration	M	77	3	113	6	15	.	55	.
		F	80	.	73	4	22	.	59	2
B 27	Other diseases of heart	M	22	.	52	6	12	.	31	2
		F	20	2	34	1	12	.	25	.
B 28	Hypertension with heart disease	M	6	.	12	.	6	.	6	.
		F	6	.	16	1	7	.	3	.
B 29	Hypertension without mention of heart	M	3	.	11	.	2	.	11	.
		F	4	1	4	.	4	.	4	.
B 46a	Other diseases of circulatory system	M	22	1	26	1	2	.	19	.
		F	16	.	23	.	12	.	16	.
B 30	Influenza	M	4	.	13	.	.	.	5	.
		F	2	.	15	.	1	.	7	.
B 31	Pneumonia	M	11	.	35	.	11	.	20	.
		F	14	.	24	.	12	.	12	.
B 32	Bronchitis	M	26	.	21	.	17	.	35	.
		F	18	.	13	.	11	.	16	.
B 46b	Bronchiectasis	M	.	.	2	.	1	.	2	.
		F	.	.	2	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	9	.	6	.	4	.	3	.
		F	1	.	6	.	4	.	2	.
B 33	Ulcer of stomach and duodenum	M	7	.	5	.	2	.	3	.
		F	3	.	2	.	2	.	.	.
B 34	Appendicitis	M	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	1	.	1	.	1	.
		F	3	.	.	.	.	.	5	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	1	.	2	.	4	.
		F	2	.	2	.	1	.	4	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	.	.	.	.	1	.	1	.
		F	.	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	4	.	3	.	2	.	1	.
		F	1	.	9	.	3	.	2	.
B 38	Nephritis and nephrosis	M	13	.	4	.	.	.	5	.
		F	4	.	6	.	2	.	2	.
B 39	Hyperplasia of prostate	M	6	.	8	.	.	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	3	.	2	.	1	.
B 41	Congenital malformations	M	7	.	12	.	3	.	14	.
		F	11	.	9	.	8	.	6	.
B 42	Birth injuries, asphyxia and atelectasis	M	6	.	10	.	4	.	10	.
		F	2	.	3	.	3	.	1	.
B 43	Infections of the newborn	M	2	.	3	.	1	.	2	.
		F	.	.	.	.	.	.	2	.
B 44	Other diseases of early infancy	M	11	.	11	.	7	.	14	.
		F	9	.	6	.	6	.	5	.
B 45a	Senility without psychosis	M	37	23	67	45	2	.	27	9
		F	38	24	82	52	2	1	42	9
B 45b	Ill-defined and unknown causes	M	4	1	13	6	2	.	3	1
		F	2	1	10	5	2	.	.	.
B 46e	All other diseases	M	12	.	33	3	7	.	32	.
		F	17	1	24	1	9	.	16	.
External Causes										
B 47	Motor vehicle accidents	M	5	.	10	.	6	.	11	.
		F	.	.	1	.	1	.	1	.
B 48	All other accidents	M	8	.	23	.	7	.	12	.
		F	18	2	18	.	4	.	12	.
B 49	Suicide and self-inflicted injury	M	2	.	2	.	2	.	3	.
		F	.	.	.	.	1	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	364 280	18 14	459 403	4 5	169 174	.	305 218	11 11
B 1	Tuberculosis of respiratory system	M F	3 .	. .	4 3	. .	4 2	. .	1 3	. .
B 2	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	1 1	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 .	. .	3 2	. .	2 .	. .	1 .	. .
B 18a	Malignant neoplasms :- of stomach	M F	10 4	. .	15 9	. .	4 5	. .	8 4	. .
B 18b	of other digestive organs and peritoneum	M F	17 12	2 .	18 22	. .	13 8	. .	15 10	. .
B 18c	of respiratory system	M F	10 2	. .	14 3	. .	10 .	. .	9 4	. .
B 18d	of breast	M F	8 .	. .	5 .	. .	7 .	. .	4 .	. .
B 18e	of genito-urinary system	M F	9 7	. .	3 14	. .	1 3	. .	6 4	1 .
B 18f	of lymphatic and haematopoietic tissues	M F	1 3	. .	4 2	. .	1 1	. .	3 7	. .
B 18g	other	M F	4 7	1 2	10 5	. .	4 5	. .	9 3	. .
B 19	Benign and unspecified neoplasms	M F	3 .	. .	3 3	. .	. .	. .	1 2	. .
B 20	Diabetes mellitus	M F	2 2	. .	5 3	. .	1 .	. .	1 .	. .
B 21	Anaemias	M F	. 3	. .	2 3	. .	. .	. .	1 1	. .
B 22	Vascular lesions affecting central nervous system	M F	40 34	. 1	46 66	. .	23 35	. .	28 35	. .
B 23	Non-meningococcal meningitis	M F	. .	. .	. .	. .	1 .	. .	1 .	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	4 .	. .	3 2	. .	1 3	. .	4 4	. .
B 26a	Chronic endocarditis	M F	2 3	. .	3 2	. .	. .	. .	2 2	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	61 24	2 .	90 51	. .	33 20	. .	67 36	7 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B. 26c	Other myocardial degeneration	M	37	.	57	.	4	.	14	.
		F	22	.	46	.	17	.	25	.
B 27	Other diseases of heart	M	19	2	19	1	2	.	8	.
		F	15	.	19	.	2	.	11	5
B 28	Hypertension with heart disease	M	4	.	26	.	1	.	1	.
		F	6	.	17	.	3	.	.	.
B 29	Hypertension without mention of heart	M	3	.	2	.	3	.	4	.
		F	4	.	2	.	.	.	3	.
B 46a	Other diseases of circulatory system	M	2	.	5	.	3	.	11	.
		F	4	.	7	.	1	.	9	.
B 30	Influenza	M	5	.	4	.	.	.	.	.
		F	6	.	3	.	.	.	2	.
B 31	Pneumonia	M	8	1	13	.	12	.	12	1
		F	9	1	9	.	23	.	6	.
B 32	Bronchitis	M	12	.	22	.	13	.	25	.
		F	11	.	7	.	10	.	7	.
B 46b	Bronchiectasis	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	4	.	7	.	2	.	4	.
		F	2	.	7	.	.	.	1	.
B 33	Ulcer of stomach and duodenum	M	.	.	4	.	3	.	4	.
		F	1	.	3	.	1	.	.	.
B' 34	Appendicitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	3	.	2	.	2	.	1	.
		F	.	.	2	.	2	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	.	.	1	.	1	.	2	.
		F	1	.	4	.	.	.	.	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	4	.	.	.	.	.	1	.
		F	1	.	2	.	.	.	.	.
B 37	Cirrhosis of liver	M	.	.	1	.	.	.	.	.
		F	2	.	3	.	.	.	.	.
B 46d	Other diseases of digestive system	M	1	.	3	.	1	.	1	.
		F	.	.	6	.	1	.	.	.
B 38	Nephritis and nephrosis	M	4	.	5	.	3	.	2	.
		F	5	.	4	.	.	.	2	.
B 39	Hyperplasia of prostate	M	2	.	7	.	2	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	1	.	.	.
B 41	Congenital malformations	M	4	.	4	.	3	.	6	.
		F	3	.	9	.	2	.	1	.
B 42	Birth injuries, asphyxia and atelectasis	M	3	.	3	.	3	.	3	.
		F	2	.	2	.	2	.	2	.
B 43	Infections of the newborn	M	4	.	1	.	1	.	3	.
		F	1	.	.	.	1	.	.	.
B 44	Other diseases of early infancy	M	7	.	7	.	4	.	8	.
		F	7	.	8	.	3	.	9	.
B 45a	Senility without psychosis	M	47	9	9	3	.	.	13	.
		F	49	9	20	5	4	.	9	4
B 45b	Ill-defined and unknown causes	M	3	1	.	.	1	.	4	2
		F	2	1	1	.	3	.	1	.
B 46e	All other diseases	M	10	.	19	.	3	.	10	.
		F	10	.	20	.	1	.	5	1
External Causes										
B 47	Motor vehicle accidents	M	5	.	6	.	3	.	4	.
		F	.	.	2	.	2	.	.	.
B 48	All other accidents	M	7	.	8	.	5	.	6	.
		F	9	.	5	.	.	.	3	.
B 49	Suicide and self-inflicted injury	M	2	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	999 720	68 72	301 187	34 26	772 657	72 71	436 342	25 46
B 1	Tuberculosis of respiratory system	M F	9 6	• •	6 •	• •	5 2	• •	3 1	• •
B 2	Tuberculosis, other forms	M F	• •	• •	• •	• •	1 1	• •	• •	• •
B 3	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	• •	• •	• •	• •	2 •	• •	• •	• •
B 10	Meningococcal infections	M F	• •	• •	• •	• •	1 •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	• 1	• •	• •	• •	• •	• •	• •	• •
B 16	Malaria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	5 2	• •	1 •	• •	1 •	• •	1 •	• •
B 18a	Malignant neoplasms:- of stomach	M F	25 24	• •	8 10	• •	17 13	• •	6 6	• 1
B 18b	of other digestive organs and peritoneum	M F	28 25	• •	11 5	• •	24 17	• •	15 18	• •
B 18c	of respiratory system	M F	19 10	• •	5 •	• •	16 3	• •	7 1	• •
B 18d	of breast	M F	1 18	• •	• 7	• •	• 18	• •	2 •	• •
B 18e	of genito-urinary system	M F	18 17	• 1	4 1	• •	18 9	• •	15 9	1 •
B 18f	of lymphatic and haematopoietic tissues	M F	11 13	• •	2 1	• •	10 2	• •	4 4	• •
B 18g	other	M F	21 9	• •	7 2	• •	15 12	• •	10 4	2 •
B 19	Benign and unspecified neoplasms	M F	6 1	• •	• •	• •	3 2	• •	4 •	• •
B 20	Diabetes mellitus	M F	5 3	• •	1 •	• •	6 6	• 1	• 5	• •
B 21	Anaemias	M F	2 2	• •	• •	• •	6 2	• •	1 2	• •
B 22	Vascular lesions affecting central nervous system	M F	115 105	2 4	33 30	• •	78 98	3 6	35 48	• 1
B 23	Non-meningococcal meningitis	M F	2 1	• •	• •	• •	2 •	• •	• •	• •
B 24	Rheumatic fever	M F	• 1	• •	• •	• •	1 •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	10 8	• •	• 2	• •	1 4	• •	2 2	• •
B 26a	Chronic endocarditis	M F	7 7	• •	2 1	• •	7 1	• •	2 •	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	184 60	2 1	64 28	• •	131 67	4 1	64 31	• 3

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 26c	Other myocardial degeneration	M	71	2	31	1	81	4	91	3
		F	69	6	25	1	79	3	67	9
B 27	Other diseases of heart	M	44	2	5	2	32	1	24	3
		F	29	1	4	.	38	2	24	4
B 28	Hypertension with heart disease	M	15	.	4	.	14	1	8	.
		F	15	.	3	.	8	.	2	1
B 29	Hypertension without mention of heart	M	7	.	3	.	6	.	7	.
		F	12	.	1	.	6	.	6	.
B 46a	Other diseases of circulatory system	M	37	4	16	1	17	.	7	.
		F	31	2	5	.	21	1	8	.
B 30	Influenza	M	22	1	4	.	10	1	12	.
		F	20	3	2	.	12	1	6	.
B 31	Pneumonia	M	39	1	9	.	24	.	16	.
		F	37	2	5	.	24	.	11	.
B 32	Bronchitis	M	47	2	8	.	22	1	14	.
		F	16	1	4	.	12	.	4	.
B 46b	Bronchiectasis	M	3	.	.	.	1	.	.	.
		F	1	.	.	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	20	.	3	.	10	1	5	.
		F	9	.	.	.	11	.	5	.
B 33	Ulcer of stomach and duodenum	M	9	.	3	.	4	.	2	.
		F	3	.	1	.	5	.	2	.
B 34	Appendicitis	M	1	.	.	.	1	.	2	.
		F	.	.	.	.	.	.	1	.
B 35	Intestinal obstruction and hernia	M	3	.	2	.	5	.	5	.
		F	6	.	.	.	7	.	4	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	1	.	5	.	1	.
		F	4	.	.	.	1	.	.	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	6	.	.	.	3	.	2	.
		F	1	.	.	.	.	.	2	.
B 46d	Other diseases of digestive system	M	5	.	1	.	4	.	3	.
		F	5	.	.	.	9	.	3	.
B 38	Nephritis and nephrosis	M	13	.	3	1	9	.	2	.
		F	9	1	.	.	3	.	5	.
B 39	Hyperplasia of prostate	M	12	.	2	.	14	.	5	1
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	1	.	.	.
B 41	Congenital malformations	M	10	.	2	.	10	.	4	.
		F	21	.	.	.	8	.	1	.
B 42	Birth injuries, asphyxia and atelectasis	M	4	.	2	.	12	.	2	.
		F	7	.	.	.	6	.	3	.
B 43	Infections of the newborn	M	4	.	2	.	1	.	1	.
		F	1	.	.	.	2	.	.	.
B 44	Other diseases of early infancy	M	10	.	3	.	6	.	2	.
		F	6	.	5	.	4	.	2	.
B 45a	Senility without psychosis	M	62	45	25	23	71	49	14	10
		F	50	43	22	21	86	55	22	19
B 45b	Ill-defined and unknown causes	M	10	6	9	6	18	7	9	5
		F	12	7	7	4	8	.	13	7
B 46e	All other diseases	M	39	1	13	.	33	.	13	.
		F	23	.	9	.	19	1	9	1
External Causes										
B 47	Motor vehicle accidents	M	13	.	1	.	5	.	4	.
		F	1	.	1	.	2	.	2	.
B 48	All other accidents	M	20	.	7	.	11	.	11	.
		F	17	.	3	.	23	.	6	.
B 49	Suicide and self-inflicted injury	M	2	.	.	.	2	.	2	.
		F	.	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
	Total	M F	368 309	18 19	442 319	14 8	733 618	49 60	306 263	6 6
B 1	Tuberculosis of respiratory system	M F	9 .	. .	3 1	. .	8 3	. .	6 2	. .
B 2	Tuberculosis, other forms	M F	1 .	. .	1 .	. .	1 1	. .	1 2	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. 1	. .	. .	. .	1 .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 1	. .	2 .	. .	3 1	. .	1 1	. .
B 18a	Malignant neoplasms:- of stomach	M F	11 12	. .	16 7	. .	22 17	. .	9 7	. .
B 18b	of other digestive organs and peritoneum	M F	10 11	. .	16 8	. .	20 32	1 .	10 6	. .
B 18c	of respiratory system	M F	8 4	. .	9 2	. .	20 3	. .	5 3	. .
B 18d	of breast	M F	. 11	. .	. 8	. .	. 8	. .	. 7	. .
B 18e	of genito-urinary system	M F	3 4	. .	6 7	. .	12 10	. .	2 9	. .
B 18f	of lymphatic and haematopoietic tissues	M F	6 .	. .	5 1	. .	9 1	. .	1 3	. .
B 18g	other	M F	13 3	. .	10 6	. .	9 10	1 1	1 4	. .
B 19	Benign and unspecified neoplasms	M F	. .	. .	1 .	. .	1 5	. .	. .	. .
B 20	Diabetes mellitus	M F	3 3	. .	3 2	. .	3 10	1 1	2 .	. .
B 21	Anaemias	M F	. .	. .	2 3	. .	2 3	. .	3 4	. .
B 22	Vascular lesions affecting central nervous system	M F	47 54	2 .	48 44	1 2	84 82	5 7	39 31	. 1
B 23	Non-meningococcal meningitis	M F	. 3	. .	1 .	. .	. 3	1 .	. .	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	5 8	. .	4 1	. .	3 2	. .	4 4	. .
B 26a	Chronic endocarditis	M F	1 2	. .	17 13	. .	9 7	. 2	2 1	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	50 41	. 1	81 26	3 1	139 79	9 5	63 32	. .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1964, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Un-certified	Total	Un-certified	Total	Un-certified	Total	Un-certified
B 26c	Other myocardial degeneration	M	22	2	49	1	51	6	22	1
		F	21	1	39	.	56	5	42	3
B 27	Other diseases of heart	M	14	.	16	.	47	4	20	1
		F	10	.	12	1	26	5	15	1
B 28	Hypertension with heart disease	M	10	.	5	.	16	.	.	.
		F	7	.	9	.	13	.	6	.
B 29	Hypertension without mention of heart	M	12	.	2	.	14	.	4	.
		F	8	.	3	.	6	.	1	.
B 46a	Other diseases of circulatory system	M	13	.	17	.	17	.	11	.
		F	12	1	9	.	16	.	6	.
B 30	Influenza	M	6	.	3	.	6	.	7	.
		F	9	.	3	.	6	1	5	.
B 31	Pneumonia	M	12	.	15	.	39	.	10	.
		F	4	.	5	.	41	2	13	.
B 32	Bronchitis	M	18	.	15	.	12	2	13	.
		F	13	.	18	.	9	.	8	.
B 46b	Bronchiectasis	M	1	.	1	.	2	.	1	.
		F	1	.	1	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	2	.	2	.	12	.	7	.
		F	2	.	1	.	5	.	1	.
B 33	Ulcer of stomach and duodenum	M	5	.	4	.	5	.	2	.
		F	3	.	.	.	7	.	.	.
B 34	Appendicitis	M	1	.	2	.	1	.	1	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	1	.	4	1	1	.
		F	1	.	1	.	2	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	.	.	.	.	1	.	1	.
		F	3	.	1	.	4	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	.	.	1	.	.	.
		F	3	.	.	.	2	.	.	.
B 37	Cirrhosis of liver	M	2	.	4	.	4	.	1	.
		F	1	.	1	.	.	.	.	.
B 46d	Other diseases of digestive system	M	.	.	3	.	3	.	2	.
		F	2	.	2	1	.	.	1	.
B 38	Nephritis and nephrosis	M	6	.	6	.	7	.	5	.
		F	2	.	3	.	4	.	4	.
B 39	Hyperplasia of prostate	M	.	.	8	.	10	.	1	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	.	.	1	.
B 41	Congenital malformations	M	4	.	5	.	7	.	3	.
		F	2	.	5	.	4	.	4	.
B 42	Birth injuries, asphyxia and atelectasis	M	5	.	4	.	7	.	6	.
		F	.	.	3	.	5	.	5	.
B 43	Infections of the newborn	M	.	.	.	.	2	.	.	.
		F	2	.	.	.	1	.	.	.
B 44	Other diseases of early infancy	M	3	.	4	.	15	.	3	.
		F	1	.	4	.	5	.	2	.
B 45a	Senility without psychosis	M	24	12	26	6	31	12	8	3
		F	29	15	35	3	69	24	9	.
B 45b	Ill-defined and unknown causes	M	7	2	6	2	22	6	4	1
		F	2	1	1	.	11	2	5	1
B 46e	All other diseases	M	13	.	13	1	27	3	12	.
		F	12	.	17	.	31	3	14	.
External Causes										
B 47	Motor vehicle accidents	M	6	.	2	.	7	.	2	.
		F	1	.	1	.	2	.	1	.
B 48	All other accidents	M	11	.	6	.	15	.	11	.
		F	3	.	10	.	15	.	2	.
B 49	Suicide and self-inflicted injury	M	1	.	1	.	3	.	.	.
		F	.	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	1	.	.	.
		F	.	.	1	.	1	.	.	.

TABLE 21 - DEATHS REGISTERED IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
	All Causes	M F	2,699 2,678	219 174	25 17	24 21	31 20	42 35	92 74	235 164	578 341	791 611	722 1,211
B 1	Tuberculosis of respiratory system	M F	64 19	.	.	1	.	3 2	10 4	9 3	16 4	17 1	9 4
B 2	Tuberculosis, other forms	M F	4 3	1	.	.	.	1	.	.	1 1	2	1
B 3	Syphilis and its sequelae	M F	4 1	.	.	.	.	.	1 1	.	2	1	.
B 4	Typhoid fever	M F	1	.	.	.	.	.	1	.	.	.	.
B 6	Dysentery, all forms	M F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	1	.	1	.	.	.	.	.	.	.	.
B 8	Diphtheria	M F	5	.	.	5	.	.	.	.	.	.	.
B 9	Whooping cough	M F	1	1	.	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M F	1	1	.	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M F	.	.	.	.	.	.	.	.	.	.	.
B 14	Measles	M F	2 2	1 1	1	.	.	.	.	.	.	.	.
B 16	Malaria	M F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	5 4	2	.	1 1	1	.	.	.	2	1	1
B 18a	Malignant neoplasms:- of stomach	M F	81 61	.	.	.	.	.	2 2	9 3	34 11	16 23	20 22
B 18b	of other digestive organs and peritoneum	M F	126 136	.	.	.	1	3	6 7	13 10	27 24	50 42	27 50
B 18c	of respiratory system	M F	182 45	.	.	.	.	.	6 7	19 7	69 12	63 15	25 11
B 18d	of breast	M F	103	.	.	.	.	4	11	21	32	16	19
B 18e	of genito-urinary system	M F	69 51	.	2	.	.	.	1 4	9	15 11	23 15	28 12
B 18f	of lymphatic and haematopoietic tissues	M F	33 33	2	3	3	3	1 4	1	5 5	10 7	5 2	2 5
B 18g	other	M F	50 60	.	.	2	2	2 2	6 3	7 8	11 16	12 10	8 18
B 19	Benign and unspecified neoplasms	M F	15 18	1	.	.	2	1	3	4 1	1 3	5 2	3 7
B 20	Diabetes mellitus	M F	13 27	.	.	.	.	1	.	.	2	7 14	4 10
B 21	Anaemias	M F	5 8	.	.	.	.	.	.	1 1	1 1	2 1	1 5
B 22	Vascular lesions affecting central nervous system	M F	235 392	.	.	1	.	1 2	2 6	20 16	51 53	78 115	82 199
B 23	Non-meningococcal meningitis	M F	2 2	2	.	.	1	.	.	.	.	1	.
B 24	Rheumatic fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M F	22 38	.	.	.	1	3	6 2	4 11	5 8	8	3 3
B 26a	Chronic endocarditis	M F	11 12	.	.	.	.	.	1	3	3	1	3
B 26b	Coronary and arteriosclerotic heart disease	M F	551 386	.	.	.	1	5	19 3	77 20	151 60	167 124	131 179

TABLE 21 (contd.) - DEATHS REGISTERED IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
B 26c	Other myocardial degeneration	M F	96 156	. .	. .	1 .	. .	. .	. 1	. .	8 5	21 17	66 133
B 27	Other diseases of heart	M F	99 142	. 2	. .	1 1	1 .	. .	1 4	4 7	15 12	27 34	51 81
B 28	Hypertension with heart disease	M F	29 61	. .	. .	. .	. .	. .	1 .	. .	4 9	11 14	13 38
B 29	Hypertension without mention of heart	M F	18 31	. .	. .	. .	1 .	. .	1 .	1 .	4 6	6 9	6 15
B 46a	Other diseases of circulatory system	M F	51 81	. .	. .	. .	. .	1 .	3 1	2 2	8 6	14 18	23 54
B 30	Influenza	M F	8 10	. .	1 .	1 .	. .	. .	. .	1 .	3 1	2 2	1 6
B 31	Pneumonia	M F	133 161	21 21	1 9	1 4	2 .	2 .	2 1	4 .	12 5	32 29	60 85
B 32	Bronchitis	M F	231 129	5 2	. .	. .	1 .	1 .	7 2	14 9	63 10	79 26	63 78
B 46b	Bronchiectasis	M F	9 5	. .	. .	. .	. .	1 1	. .	1 .	2 3	3 .	2 1
B 46c	Other diseases of respiratory system	M F	37 36	3 1	1 .	. .	. .	1 .	. 1	6 3	5 4	8 9	13 18
B 33	Ulcer of stomach and duodenum	M F	26 10	. .	. .	. .	. .	. .	. .	2 .	7 1	12 2	5 7
B 34	Appendicitis	M F	1 2	. .	1 .	. .	. .	. .	. .	1 .	. .	1 .	. .
B 35	Intestinal obstruction and hernia	M F	15 12	. .	1 .	. .	. .	. .	. .	1 .	3 2	5 4	5 6
B 36	Gastritis and enteritis (except of newborn)	M F	12 18	6 4	3 1	. .	. .	1 1	2 .	1 .	1 4	1 2	. 3
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	9 5	7 5	2 .	. .	. .	. .	. .	. .	. .	. .	. .
B 37	Cirrhosis of liver	M F	11 4	. .	. .	. .	. .	. .	1 .	1 .	5 1	3 1	1 2
B 46d	Other diseases of digestive system	M F	27 26	1 1	1 1	1 .	. .	. .	. .	3 1	10 3	6 6	7 13
B 38	Nephritis and nephrosis	M F	31 22	. .	. .	. .	4 2	2 .	1 .	3 2	6 3	8 5	8 9
B 39	Hyperplasia of prostate	M	13	. .	. .	. .	. .	. .	. .	. .	. .	6 .	7 .
B 40	Deliveries and complications of pregnancy and childbirth	F	3	. .	. .	. .	. .	1 .	2 .	. .	. .	. .	. .
B 41	Congenital malformations	M F	61 62	56 54	3 2	1 1	1 1	. .	. .	. 4	. .	. .	. .
B 42	Birth injuries, asphyxia and atelectasis	M F	37 24	37 24	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 43	Infections of the newborn	M F	10 12	10 12	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 44	Other diseases of early infancy	M F	47 35	47 35	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 45a	Senility without psychosis	M F	14 32	. .	. .	. .	. .	. .	. .	. .	. .	1 2	13 30
B 45b	Ill-defined and unknown causes	M F	11 16	. .	. .	. .	. .	. .	. .	1 2	. .	4 2	6 12
B 46e	All other diseases	M F	77 105	8 3	. .	5 2	4 1	4 6	4 7	12 11	12 11	16 32	12 32
	External Causes												
B 47	Motor vehicle accidents	M F	35 14	. .	1 2	2 5	10 1	6 .	3 1	1 1	1 .	7 .	4 4
B 48	All other accidents	M F	71 54	13 7	7 .	6 4	2 1	4 1	6 4	7 1	10 4	5 4	11 28
B 49	Suicide and self-inflicted injury	M F	4 4	. .	. .	. .	. .	3 1	1 .	1 .	1 .	1 .	. .
B 50	Homicide and operations of war	M F	3 3	1 1	. .	. .	. .	1 .	1 .	. .	. .	2 .	. .

TABLE 21 (contd.) - DEATHS REGISTERED IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.
REMAINING URBAN DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M F	2,773 2,768	172 165	26 19	20 17	27 12	51 32	85 70	251 173	546 333	687 641	909 1,316
B 1	Tuberculosis of respiratory system	M F	55 27	.	.	.	.	4 1	4 4	8 6	15 9	17 4	7 3
B 2	Tuberculosis, other forms	M F	4 6	1	.	1 1	.	1 1	1 1	.	2 1	1 1	.
B 3	Syphilis and its sequelae	M F	1 .	.	.	.	.	.	.	.	1 .	.	.
B 4	Typhoid fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	.	.	.	.	.	.	.	.	.	.	.
B 8	Diphtheria	M F	.	.	.	.	.	.	.	.	.	.	.
B 9	Whooping cough	M F	1 1	1	.	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M F	1 .	.	.	.	.	1 .	.	.	.	.	.
B 12	Acute poliomyelitis	M F	.	.	.	.	.	.	.	.	.	.	.
B 14	Measles	M F	1 .	.	1 .	.	.	.	.	.	.	.	.
B 16	Malaria	M F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	11 12	2 .	2 1	1 1	.	1 .	1 .	1 1	1 2	2 4	1 2
B 18a	Malignant neoplasms:- of stomach	M F	82 62	.	.	.	.	1 .	3 1	7 2	25 12	23 21	23 26
B 18b	of other digestive organs and peritoneum	M F	125 133	.	.	.	1 .	1 .	3 3	15 14	28 23	34 46	43 47
B 18c	of respiratory system	M F	138 34	.	.	.	.	1 .	4 2	23 4	51 14	45 6	15 7
B 18d	of breast	M F	69 .	.	.	.	.	1 .	9 .	13 .	18 .	17 .	11 .
B 18e	of genito-urinary system	M F	56 75	.	1 .	.	1 .	1 .	1 4	5 15	3 15	23 26	23 12
B 18f	of lymphatic and haematopoietic tissues	M F	26 24	.	1 1	3 .	1 .	4 .	2 2	3 3	6 2	5 7	6 2
B 18g	other	M F	55 41	.	.	1 .	2 1	3 2	4 2	6 3	10 9	14 9	15 15
B 19	Benign and unspecified neoplasms	M F	19 7	.	.	1 .	1 .	.	2 .	1 .	9 3	4 1	1 2
B 20	Diabetes mellitus	M F	14 26	.	.	.	.	.	1 .	4 .	3 3	6 6	4 13
B 21	Anaemias	M F	10 17	.	.	1 .	.	1 .	.	1 .	1 .	3 5	5 8
B 22	Vascular lesions affecting central nervous system	M F	243 424	.	1 2	2 .	1 .	5 3	4 7	11 22	39 42	62 118	121 227
B 23	Non-meningococcal meningitis	M F	2 4	1 3	1 .	.	1 .	.	.	.	.	.	.
B 24	Rheumatic fever	M F	1 .	.	1 .	.	.	.	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M F	20 36	.	.	.	1 .	1 2	3 3	4 6	5 9	3 5	3 11
B 26a	Chronic endocarditis	M F	14 11	.	.	.	.	.	2 .	2 .	6 1	2 2	2 8
B 26b	Coronary and arteriosclerotic heart disease.	M F	562 395	.	.	.	.	4 .	14 4	89 27	164 66	150 125	141 173

TABLE 21 (contd.) - DEATHS REGISTERED IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.
REMAINING URBAN DISTRICTS

Ab- brev- iated List No.	Cause of death	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M 173 F 257	.	.	.	1	.	1	4	11	38	119
B 27	Other diseases of heart	M 103 F 127	.	1	.	1	1	5	5	13	27	50
B 28	Hypertension with heart disease	M 43 F 57	.	.	.	.	.	3	3	9	11	17
B 29	Hypertension without mention of heart	M 25 F 35	.	.	.	.	.	1	4	5	10	5
B 46a	Other diseases of circulatory system	M 81 F 98	.	.	.	1	.	2	2	7	20	51
B 30	Influenza	M 7 F 16	1	.	.	.	.	1	.	1	3	2
B 31	Pneumonia	M 100 F 114	12 14	2	4	1	1	1	3	16	22	39
B 32	Bronchitis	M 206 F 93	2 1	.	.	.	1	5	10	54	77	58
B 46b	Bronchiectasis	M 3 F 3	.	.	.	.	1	.	.	1	.	2
B 46c	Other diseases of respiratory system	M 39 F 19	3 2	.	.	.	.	2	8	5	10	11
B 33	Ulcer of stomach and duodenum	M 22 F 16	.	.	.	.	.	2	3	4	7	6
B 34	Appendicitis	M 2 F 2	.	1	.	.	.	.	.	2	.	1
B 35	Intestinal obstruction and hernia	M 9 F 9	.	.	.	.	1	1	.	2	4	2
B 36	Gastritis and enteritis (except of newborn)	M 9 F 12	1 1	1	1	.	.	1	3	1	1	1
36, 43, parts of	Gastro-enteritis (under 2 years)	M 2 F 4	1 2	1	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M 6 F 3	.	.	.	1	.	.	.	4	2	1
B 46d	Other diseases of digestive system	M 15 F 26	1	1	.	.	1	1	2	2	6	2
B 38	Nephritis and nephrosis	M 31 F 22	.	.	.	1	3	2	8	6	6	6
B 39	Hyperplasia of prostate	M 18	.	.	.	.	.	.	.	2	5	11
B 40	Deliveries and complications of pregnancy and childbirth	F 9	.	.	.	2	2	3	2	.	.	.
B 41	Congenital malformations	M 52 F 61	39 50	7 3	2 3	1	2	1	1	1	.	.
B 42	Birth injuries, asphyxia and atelectasis	M 44 F 27	44 27	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M 7 F 7	7 7	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M 49 F 44	49 44	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M 63 F 122	.	.	.	.	.	.	.	.	2	61
B 45b	Ill-defined and unknown causes	M 19 F 20	1	.	.	.	1	.	1	.	5	11
B 46e	All other diseases	M 104 F 102	4 2	.	2	4	3	6	6	21	28	32
	External causes											
B 47	Motor vehicle accidents	M 34 F 15	.	3	5	5	8	2	4	3	3	1
B 48	All other accidents	M 64 F 43	5 2	7	5	8	5	2	8	7	7	10
B 49	Suicide and self-inflicted injury	M 7 F 2	.	.	.	.	4	.	.	1	2	1
B 50	Homicide and operations of war	M 1 F 1	.	.	.	1	.	.	.	.	.	.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M F	12,164 9,554	872 426	79 81	79 68	110 72	132 85	284 192	785 524	1,650 1,021	2,998 2,001	5,481 5,094
B 1	Tuberculosis of respiratory system	M F	141 62	.	.	.	2 2	12 3	11 9	32 14	36 17	33 15	15 2
B 2	Tuberculosis, other forms	M F	13 3	.	.	2	.	.	1 1	4 1	3	3 1	.
B 3	Syphilis and its sequelae	M F	1 .	.	.	.	.	.	.	1	.	.	.
B 4	Typhoid fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M F	1 .	.	.	.	.	.	.	.	.	.	1
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	2 .	1	1	.	.	.	.	.	.	.	.
B 8	Diphtheria	M F	.	.	.	.	.	.	.	.	.	.	.
B 9	Whooping cough	M F	2 3	2 2	1	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M F	2 1	1 1	.	.	.	.	.	.	1	.	.
B 12	Acute poliomyelitis	M F	2 1	1 1	1	.	1	.	.	.	.	.	.
B 14	Measles	M F	3 6	1 1	2 2	1 1	.	.	1	.	1	.	.
B 16	Malaria	M F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	43 26	6 2	2 5	3 3	4 1	1 1	2 6	5 2	9	8 1	3 5
B 18a	Malignant neoplasms:- of stomach	M F	313 233	.	.	.	2	3	5 1	26 18	79 52	122 76	79 93
B 18b	of other digestive organs and peritoneum	M F	451 369	.	.	2	2 2	5 2	12 9	40 32	74 69	148 124	168 131
B 18c	of respiratory system	M F	264 77	.	.	.	.	1	11 5	27 14	85 26	83 20	58 11
B 18d	of breast	M F	2 235	.	.	.	.	4	19	53	62	53	1 44
B 18e	of genito-urinary system	M F	249 186	.	2	.	1 2	3 4	8 11	7 42	31 46	91 43	106 38
B 18f	of lymphatic and haematopoietic tissues	M F	135 89	2	10 3	4 9	9 2	6 6	8 5	22 11	23 14	35 25	16 14
B 18g	other	M F	249 160	.	2 3	5	2 2	4 3	8 7	30 18	35 30	68 38	95 59
B 19	Benign and unspecified neoplasms	M F	41 33	1	1 1	1 1	3 1	2 1	4 3	8 10	6 4	11 4	5 7
B 20	Diabetes mellitus	M F	72 93	.	1	1	2 1	1	2	4 8	8 15	27 33	28 34
B 21	Anaemias	M F	46 47	1	.	1 1	2	.	3	3 5	9 2	19 10	14 23
B 22	Vascular lesions affecting central nervous system	M F	1,271 1,363	1 1	.	1 2	2 3	3 8	14 17	53 67	133 137	372 353	692 775
B 23	Non-meningococcal meningitis	M F	14 14	6 2	1 2	3	2	.	4	1	2 2	1 2	.
B 24	Rheumatic fever	M F	1 3	.	.	.	1	1	1	1	.	.	.
B 25	Chronic rheumatic heart disease	M F	86 99	.	.	.	3 4	5 2	4 12	17 13	15 21	25 19	17 28
B 26a	Chronic endocarditis	M F	118 104	.	.	1	1 2	1 2	6 1	8 4	18 15	33 27	51 52
B 26b	Coronary and arteriosclerotic heart disease	M F	2,181 1,062	1	.	.	.	6 4	42 12	201 56	451 167	714 324	767 498

TABLE 21 (contd.) - DEATHS REGISTERED IN 1964, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M F	1,284 1,163	. .	. 1	. .	1 1	1 .	2 .	12 10	63 41	235 180	970 930
B 27	Other diseases of heart	M F	562 433	. .	. .	. .	1 .	4 .	11 3	20 11	65 46	137 100	324 273
B 28	Hypertension with heart disease	M F	191 199	. .	. .	. .	. .	. .	. 1	4 7	26 15	63 50	98 126
B 29	Hypertension without mention of heart	M F	131 113	. .	. .	. .	1 .	. .	7 1	19 9	26 13	31 26	47 64
B 46a	Other diseases of circulatory system	M F	379 355	. .	. .	. .	. .	3 3	3 1	10 11	22 22	78 53	266 265
B 30	Influenza	M F	138 137	3 .	1 .	. 1	2 .	1 1	5 .	6 4	15 7	27 24	78 100
B 31	Pneumonia	M F	432 335	58 34	10 12	7 2	3 5	6 1	6 4	17 8	39 26	88 78	198 165
B 32	Bronchitis	M F	489 274	4 1	1 2	. 1	1 1	3 1	9 .	34 15	103 39	147 62	187 152
B 46b	Bronchiectasis	M F	20 16	. .	. .	. .	2 .	1 .	1 .	5 1	4 .	4 7	6 5
B 46c	Other diseases of respiratory system	M F	120 72	7 3	1 .	3 1	. .	1 .	1 3	10 5	15 9	29 14	54 36
B 33	Ulcer of stomach and duodenum	M F	93 38	. .	. .	. .	. .	2 1	3 1	7 1	13 6	34 14	34 15
B 34	Appendicitis	M F	5 7	. .	. .	. .	. .	1 .	. .	1 .	1 .	1 1	3 4
B 35	Intestinal obstruction and hernia	M F	54 44	3 2	. .	. .	. .	1 .	2 .	1 5	4 1	15 12	28 24
B 36	Gastritis and enteritis (except of newborn)	M F	40 45	11 7	2 5	1 1	. .	1 .	2 1	3 6	10 9	3 2	8 13
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	23 18	22 14	1 4	. .	. .	. .	. .	. .	. .	. .	. .
B 37	Cirrhosis of liver	M F	39 15	. .	. .	1 .	1 1	1 1	2 .	3 .	13 1	15 6	3 6
B 46d	Other diseases of digestive system	M F	65 54	2 3	1 .	2 .	1 1	2 1	4 2	6 2	6 8	19 16	25 19
B 38	Nephritis and nephrosis	M F	159 110	1 1	1 .	4 .	3 6	4 3	8 5	18 7	26 18	30 20	64 50
B 39	Hyperplasia of prostate	M	125	. .	. .	. .	. .	. .	. .	. .	4 .	29 .	92 .
B 40	Deliveries and complications of pregnancy and childbirth	F	18	. .	. .	. .	. .	3 .	14 .	1 .	. .	. .	. .
B 41	Congenital malformations	M F	171 161	130 129	10 16	9 7	5 1	4 1	1 1	6 3	4 2	1 1	1 .
B 42	Birth injuries, asphyxia and atelectasis	M F	115 82	115 82	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 43	Infections of the newborn	M F	53 17	53 17	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 44	Other diseases of early infancy	M F	143 116	143 116	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 45a	Senility without psychosis	M F	615 736	. .	. .	. .	. .	. .	. .	. .	2 .	28 32	587 702
B 45b	Ill-defined and unknown causes	M F	171 110	1 .	1 .	. .	2 .	2 .	2 1	6 6	18 11	46 13	97 75
B 46e	All other diseases	M F	420 364	12 7	10 10	9 7	7 11	11 12	27 21	48 31	82 50	89 90	125 125
External Causes													
B 47	Motor vehicle accidents	M F	151 41	1 1	5 4	3 6	27 10	23 2	22 2	22 5	22 6	20 2	6 3
B 48	All other accidents	M F	255 221	9 8	14 12	16 8	21 5	16 3	17 6	30 6	41 7	29 30	62 136
B 49	Suicide and self-inflicted injury	M F	37 4	. .	. .	. .	1 .	3 1	6 .	7 1	10 1	7 .	3 1
B 50	Homicide and operations of war	M F	5 4	1 1	1 .	. .	1 1	1 1	2 1	. .	1 .	. .	. .

TABLE 22. - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1964, CLASSIFIED BY PLACE OF OCCURRENCE

Area		Total deaths	Place of occurrence			
			Special and General Hospitals and Nursing Homes	Mental Hospitals	Local Authority Institutions	Elsewhere
Total	M	17,630	2,182	537	5,756	8,184
	F	15,000	2,719	476	4,657	7,148
LEINSTER	M	7,420	2,018	224	1,987	3,191
	F	6,733	1,735	236	1,834	2,928
MUNSTER	M	5,853	798	166	2,246	2,643
	F	4,852	714	158	1,735	2,245
CONNACHT	M	2,876	243	102	1,058	1,473
	F	2,215	188	42	759	1,226
ULSTER (part of)	M	1,481	94	45	465	877
	F	1,200	82	40	329	749
LEINSTER						
Carlow	M	213	34	3	73	103
	F	202	20	4	72	106
Dublin County Borough	M	2,693	1,136	83	483	991
	F	2,678	972	125	579	1,002
Dun Laoghaire Borough	M	260	104	7	33	116
	F	323	128	6	53	136
Dublin County (remainder)	M	561	201	18	84	258
	F	504	161	14	81	248
Kildare	M	358	70	5	118	165
	F	301	60	7	96	138
Kilkenny	M	431	41	15	198	177
	F	339	30	14	137	158
Laois	M	285	28	10	110	137
	F	228	21	7	88	112
Longford	M	250	22	15	99	114
	F	179	21	9	68	81
Louth	M	424	103	15	119	187
	F	366	79	11	120	156
Meath	M	392	74	10	120	188
	F	324	62	8	99	155
Offaly	M	304	22	5	128	149
	F	234	13	3	87	131
Westmeath	M	328	20	19	149	140
	F	262	18	12	125	107
Wexford	M	533	66	9	173	285
	F	489	71	8	152	258
Wicklow	M	388	97	10	100	181
	F	304	79	8	77	140
MUNSTER						
Clare	M	493	47	16	202	228
	F	428	44	17	185	182
Cork County Borough	M	516	159	10	129	218
	F	514	148	12	139	215
Cork County	M	1,778	300	36	626	816
	F	1,466	247	45	479	695
Kerry	M	835	69	21	348	397
	F	682	57	24	250	351
Limerick County Borough	M	253	52	11	101	89
	F	230	48	8	92	82
Limerick County	M	681	40	25	310	306
	F	457	34	15	192	216
Tipperary, North Riding	M	364	25	8	146	185
	F	280	10	5	128	137
Tipperary, South Riding	M	459	45	13	204	197
	F	403	72	9	159	163
Waterford County Borough	M	169	26	8	45	90
	F	174	26	12	34	102
Waterford County	M	305	35	18	135	117
	F	218	28	11	77	102
CONNACHT						
Galway	M	999	125	43	363	468
	F	720	108	21	245	346
Leitrim	M	301	25	19	101	156
	F	187	8	5	59	115
Mayo	M	772	40	11	284	437
	F	657	31	6	227	393
Roscommon	M	436	33	15	175	213
	F	342	22	5	123	192
Sligo	M	368	20	14	135	199
	F	309	19	5	105	180
ULSTER (part of)						
Cavan	M	442	19	16	177	230
	F	319	21	13	125	160
Donegal	M	733	42	21	172	498
	F	618	35	16	128	439
Monaghan	M	306	33	8	116	149
	F	263	26	11	76	150

TABLE 23.- DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1964 WHICH WERE NOT MEDICALLY CERTIFIED, CLASSIFIED BY AGE.

Area	Age at death											Percentage of deaths un-certified
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Total	1,107	2	1	2	2	3	10	19	44	134	890	3.4
LEINSTER	165	2	1	1	1	1	2	5	19	30	103	1.2
MUNSTER	348	.	.	.	.	2	4	8	11	44	279	3.3
CONNACHT	451	.	.	.	.	.	1	1	9	48	392	8.9
ULSTER (part of) ..	143	.	.	1	1	.	3	5	5	12	116	5.3
Carlow	8	.	.	.	.	.	.	.	.	1	7	1.9
Dublin County Borough..	14	.	1	.	.	.	.	1	1	3	8	0.3
Dun Laoghaire Borough..	1	.	.	.	.	.	.	.	.	1	.	0.2
Dublin County (remainder)	.	.	.	.	.	.	.	.	.	.	.	.
Kildare	10	.	.	.	1	.	.	1	4	1	3	1.5
Kilkenny	12	1	.	.	.	.	.	.	1	2	8	1.6
Laois	15	.	.	.	.	.	.	.	3	4	8	2.9
Longford	19	.	.	.	.	1	.	.	2	3	13	4.4
Louth	2	.	.	.	.	.	.	.	.	.	2	0.3
Meath	19	.	.	.	.	.	1	.	1	6	11	2.7
Offaly	28	.	.	.	.	.	.	1	4	4	19	5.2
Westmeath	21	.	.	1	.	.	1	2	3	5	9	3.6
Wexford	16	1	.	.	.	.	.	.	.	.	15	1.6
Wicklow	.	.	.	.	.	.	.	.	.	.	.	.
Clare	65	.	.	.	.	1	.	.	1	9	54	7.1
Cork County Borough ..	.	.	.	.	.	.	.	.	.	.	.	.
Cork County	49	.	.	.	.	1	1	2	1	5	39	1.5
Kerry	140	.	.	.	.	.	1	3	6	15	115	9.2
Limerick County Borough	2	.	.	.	.	.	.	.	.	.	2	0.4
Limerick County ..	29	.	.	.	.	.	.	1	1	5	22	2.5
Tipperary, North Riding	32	.	.	.	.	.	.	1	1	4	26	5.0
Tipperary, South Riding	9	.	.	.	.	.	.	.	.	1	8	1.0
Waterford County Borough	.	.	.	.	.	.	.	.	.	.	.	.
Waterford County ..	22	.	.	.	.	.	2	1	1	5	13	4.2
Galway	140	.	.	.	.	.	1	1	4	12	122	8.1
Leitrim	60	.	.	.	.	.	.	.	3	9	48	12.3
Mayo	143	.	.	.	.	.	.	.	2	17	124	10.0
Roscommon	71	.	.	.	.	.	.	.	.	8	63	9.1
Sligo	37	.	.	.	.	.	.	.	.	2	35	5.5
Cavan	22	.	.	.	.	.	1	1	.	2	18	2.9
Donegal	109	.	.	1	1	.	2	3	4	10	88	8.1
Monaghan	12	.	.	.	.	.	.	1	1	.	10	2.1

TABLE 24 - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis of respiratory system	M	260	.	.	.	2	19	25	49	67	67	31
	F	108	.	.	1	2	6	17	23	30	20	9
Tuberculosis, other forms	M	21	.	.	3	.	1	2	4	6	5	.
	F	12	2	.	1	.	1	2	1	2	2	1
Other infective and parasitic diseases	M	81	16	10	6	6	2	4	7	14	12	4
	F	66	10	11	11	1	2	9	3	5	5	9
Malignant neoplasms	M	2,686	2	20	17	26	29	93	265	616	860	758
	F	2,276	2	8	17	16	45	107	305	505	634	637
Vascular lesions affecting central nervous system	M	1,749	1	1	2	2	9	20	84	223	512	895
	F	2,179	1	2	5	4	13	30	105	232	586	1,201
Diseases of the heart	M	5,882	.	1	1	10	30	117	450	993	1,583	2,697
	F	4,421	3	1	2	10	13	45	168	475	1,047	2,657
Other diseases of the circulatory system	M	949	.	.	.	2	1	19	46	111	244	526
	F	1,034	.	1	.	2	4	10	38	88	208	683
Diseases of the respiratory system	M	1,972	119	17	16	6	14	38	119	338	531	774
	F	1,420	79	26	11	12	10	19	58	128	295	782
Senility	M	692	.	.	.	.	.	.	.	.	31	661
	F	890	.	.	.	.	.	.	.	2	35	853
Other diseases	M	2,673	789	43	35	40	48	81	168	309	491	669
	F	2,188	638	47	34	36	46	80	141	202	374	590
Accidents and other external causes	M	665	30	38	37	74	72	62	79	96	80	97
	F	406	20	21	24	21	12	17	19	26	47	199
All Causes	M	17,630	957	130	117	168	225	461	1,271	2,773	4,416	7,112
	F	15,000	755	117	106	104	152	336	861	1,695	3,253	7,621
LEINSTER												
Tuberculosis of respiratory system	M	124	.	.	.	1	8	14	21	35	28	17
	F	55	.	.	1	.	6	10	16	12	4	6
Tuberculosis, other forms	M	9	.	.	.	.	1	.	1	3	4	.
	F	6	2	.	.	.	.	1	.	1	1	1
Other infective and parasitic diseases	M	35	10	6	3	3	.	1	1	6	5	.
	F	42	7	4	8	.	2	6	2	3	4	6
Malignant neoplasms	M	1,273	2	8	11	10	12	44	136	340	394	316
	F	1,105	2	4	9	10	23	52	147	244	306	308
Vascular lesions affecting central nervous system	M	731	1	.	1	1	4	11	45	116	207	345
	F	1,024	1	.	2	2	8	11	47	121	276	556
Diseases of the heart	M	2,401	.	1	1	6	14	51	206	470	652	1,000
	F	1,899	2	.	1	5	9	20	77	228	455	1,102
Other diseases of the circulatory system	M	375	.	.	.	.	1	10	11	48	111	194
	F	493	.	.	.	1	1	5	18	43	108	317
Diseases of the respiratory system	M	892	66	7	9	2	6	15	55	177	262	293
	F	651	43	16	7	6	6	8	31	60	132	342
Senility	M	153	.	.	.	.	.	.	.	.	5	148
	F	216	.	.	.	.	.	.	.	.	7	209
Other diseases	M	1,132	396	24	16	23	18	34	69	115	198	239
	F	1,055	341	25	18	18	17	42	53	92	177	272
Accidents and other external causes	M	295	23	19	21	38	31	32	28	36	30	37
	F	187	13	7	16	12	7	13	9	13	18	79
All causes	M	7,420	498	65	62	84	95	212	573	1,346	1,896	2,589
	F	6,733	411	56	62	54	79	168	400	817	1,488	3,198

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis of respiratory system	M	87	.	.	.	1	7	9	18	22	22	8
	F	38	.	.	.	1	.	4	5	15	12	1
Tuberculosis, other forms	M	7	.	.	3	.	.	1	.	2	1	.
	F	2	.	.	1	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	30	6	3	2	2	1	3	2	5	4	2
	F	13	1	5	1	.	.	3	1	2	.	.
Malignant neoplasms	M	863	.	7	3	8	11	26	81	171	295	261
	F	707	.	2	7	5	13	36	92	164	190	198
Vascular lesions affecting central nervous system	M	539	.	.	.	1	2	7	19	64	171	275
	F	663	.	.	1	1	4	14	28	74	170	371
Diseases of the heart	M	2,009	.	.	.	2	9	44	163	337	553	901
	F	1,539	.	.	.	3	4	13	55	167	360	937
Other diseases of the circulatory system	M	312	.	.	.	1	.	6	18	37	73	177
	F	325	.	1	.	.	2	5	12	24	55	226
Diseases of the respiratory system	M	627	29	4	6	4	1	13	37	112	164	257
	F	444	23	7	3	4	1	9	17	48	93	239
Senility	M	278	.	.	.	.	.	.	.	.	13	265
	F	352	.	.	.	.	.	.	.	.	12	340
Other diseases	M	875	251	12	13	12	15	33	57	107	157	218
	F	645	188	12	7	10	15	27	53	64	105	164
Accidents and other external causes	M	226	5	17	10	22	25	21	35	31	30	30
	F	124	3	9	5	4	5	2	5	8	20	63
All causes	M	5,853	291	43	37	53	71	163	430	888	1,483	2,394
	F	4,852	215	36	25	28	44	113	269	566	1,017	2,539
CONNACHT												
Tuberculosis of respiratory system	M	32	.	.	.	.	2	.	9	8	11	2
	F	9	.	.	.	1	.	2	.	2	3	1
Tuberculosis, other forms	M	2	.	.	.	.	.	.	1	1	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	9	.	.	1	1	.	.	3	2	1	1
	F	9	2	2	1	1	.	.	.	.	1	2
Malignant neoplasms	M	368	.	4	2	6	4	17	36	68	111	120
	F	305	.	2	1	1	5	13	43	59	99	82
Vascular lesions affecting central nervous system	M	308	.	1	1	.	.	2	14	26	87	177
	F	335	.	2	2	1	.	3	22	23	91	191
Diseases of the heart	M	945	.	.	.	1	5	9	51	114	230	535
	F	628	.	1	1	.	.	9	21	44	159	393
Other diseases of the circulatory system	M	176	.	.	.	.	.	2	7	16	44	107
	F	147	.	.	.	1	1	.	4	11	27	103
Diseases of the respiratory system	M	308	15	6	1	.	5	8	17	35	78	143
	F	208	8	1	.	1	3	2	5	15	44	129
Senility	M	196	.	.	.	.	.	.	.	.	12	184
	F	209	.	.	.	.	.	.	.	1	10	198
Other diseases	M	436	91	4	6	4	11	9	29	60	83	139
	F	303	74	7	5	5	4	6	21	30	56	95
Accidents and other external causes	M	96	2	1	4	9	11	8	9	17	15	20
	F	61	2	3	2	4	.	.	3	4	7	36
All causes	M	2,876	108	16	15	21	38	55	176	347	672	1,428
	F	2,215	86	18	12	15	13	35	119	190	497	1,230

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis of respiratory system	M	17	.	.	.	.	2	2	1	2	6	4
	F	6	.	.	.	.	.	1	2	1	1	1
Tuberculosis, other forms	M	3	.	.	.	.	.	1	2	.	.	.
	F	3	.	.	.	.	1	1	.	.	1	.
Other infective and parasitic diseases	M	7	.	1	.	.	1	.	1	1	2	1
	F	2	.	1	1	.	.	.	.	.	.	1
Malignant neoplasms	M	182	.	1	1	2	2	6	12	37	60	61
	F	159	.	.	.	.	4	6	23	38	39	49
Vascular lesions affecting central nervous system	M	171	.	.	.	.	3	.	6	17	47	98
	F	157	.	.	.	.	1	2	8	14	49	83
Diseases of the heart	M	527	.	.	.	1	2	13	30	72	148	261
	F	355	1	.	.	2	.	3	15	36	73	225
Other diseases of the circulatory system	M	86	.	.	.	1	.	1	10	10	16	48
	F	69	.	.	.	.	.	.	4	10	18	37
Diseases of the respiratory system	M	145	9	.	.	.	2	2	10	14	27	81
	F	117	5	2	1	1	.	.	5	5	26	72
Senility	M	65	.	.	.	.	.	.	.	.	1	64
	F	113	.	.	.	.	.	.	.	1	6	106
Other diseases	M	230	51	3	.	1	4	5	13	27	53	73
	F	185	35	3	4	3	10	5	14	16	36	59
Accidents and other external causes	M	48	.	1	2	5	5	1	7	12	5	10
	F	34	2	2	1	1	.	2	2	1	2	21
All causes	M	1,481	60	6	3	10	21	31	92	192	365	701
	F	1,200	43	7	7	7	16	20	73	122	251	654
COUNTY CARLOW												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	.	.	2	1	1
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	5	.	2	.	.	.	.	1	.	1	1
Malignant neoplasms	M	38	.	1	.	.	1	.	7	10	15	4
	F	29	.	.	.	1	.	.	6	7	9	6
Vascular lesions affecting central nervous system	M	20	.	.	.	.	.	.	.	3	4	13
	F	36	.	.	.	.	.	.	3	4	6	23
Diseases of the heart	M	74	.	.	.	.	.	.	6	17	20	31
	F	61	.	.	.	.	.	1	4	5	14	37
Other diseases of the circulatory system	M	9	.	.	.	.	.	.	.	1	3	5
	F	15	.	.	.	.	.	.	1	1	4	9
Diseases of the respiratory system	M	19	1	.	1	.	.	.	2	3	8	4
	F	10	.	.	.	.	.	.	.	1	1	8
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	33	13	2	.	.	.	.	.	6	7	5
	F	32	12	1	1	3	.	1	1	4	3	6
Accidents and other external causes	M	7	.	.	.	2	1	1	.	2	1	.
	F	7	1	.	1	1	.	1	1	.	.	2
All causes	M	213	15	3	1	2	3	1	15	44	59	70
	F	202	13	3	2	5	.	3	17	22	38	99

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	64	.	.	.	.	3	10	9	16	17	9
	F	19	.	.	1	.	2	4	3	4	1	4
Tuberculosis, other forms	M	4	.	.	.	.	1	.	.	1	2	.
	F	3	1	.	.	.	.	.	.	1	.	1
Other infective and parasitic diseases	M	13	4	2	1	1	.	1	.	2	2	.
	F	14	2	1	6	.	.	2	.	2	.	1
Malignant neoplasms	M	541	.	5	5	6	5	22	53	166	169	110
	F	489	2	.	5	6	13	27	63	113	123	137
Vascular lesions affecting central nervous system	M	235	.	.	1	.	1	2	20	51	78	82
	F	392	.	.	1	.	2	6	16	53	115	199
Diseases of the heart	M	779	.	.	1	2	7	27	88	182	219	253
	F	734	2	.	1	2	3	10	38	88	184	406
Other diseases of the circulatory system	M	98	.	.	.	.	1	5	3	16	31	42
	F	173	.	.	.	1	.	1	2	21	41	107
Diseases of the respiratory system	M	418	29	2	2	.	2	9	26	85	124	139
	F	341	24	10	4	3	4	4	15	23	66	188
Senility	M	14	.	.	.	.	.	.	.	.	1	13
	F	32	.	.	.	.	.	.	.	.	2	30
Other diseases	M	414	166	8	6	10	8	5	28	48	76	59
	F	406	135	4	4	6	9	15	24	31	72	106
Accidents and other external causes	M	113	14	8	8	12	14	11	8	11	12	15
	F	75	8	2	9	2	2	5	3	5	7	32
All causes	M	2,693	213	25	24	31	42	92	235	578	731	722
	F	2,678	174	17	31	20	35	74	164	341	611	1,211
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	3	.	.	.	.	1	.	.	.	1	1
	F	4	.	.	.	.	.	.	1	2	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	1	.
	F	3	.	.	1	.	1	.	.	.	1	.
Malignant neoplasms	M	44	.	.	1	.	1	1	5	12	8	16
	F	66	.	1	1	.	1	2	7	14	22	18
Vascular lesions affecting central nervous system	M	27	.	.	.	.	1	.	.	6	5	15
	F	59	.	.	.	1	.	.	2	3	13	40
Diseases of the heart	M	86	.	.	.	.	.	1	7	23	25	30
	F	89	.	.	.	.	.	.	3	10	23	53
Other diseases of the circulatory system	M	17	.	.	.	.	.	.	.	2	8	7
	F	23	.	.	.	.	.	.	.	2	7	14
Diseases of the respiratory system	M	41	2	.	1	.	.	1	2	11	10	14
	F	23	2	.	.	.	.	.	2	3	1	15
Senility	M	1	.	.	.	.	.	.	.	.	.	1
	F	3	.	.	.	.	.	.	.	.	.	3
Other diseases	M	29	6	.	.	1	1	.	6	4	5	6
	F	50	13	.	.	.	.	1	4	7	11	14
Accidents and other external causes	M	11	.	1	.	1	1	1	1	2	3	1
	F	3	.	.	.	.	.	1	.	.	1	1
All causes	M	260	8	1	2	2	5	4	21	60	66	91
	F	323	15	1	2	1	2	4	19	41	79	159

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis of respiratory system	M	6	.	.	.	.	1	.	1	1	1	2
	F	6	.	.	.	.	1	.	2	1	2	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	5	2	1	.	.	.	.	1	1	.	.
	F	6	1	1	.	.	1	1	.	.	.	2
Malignant neoplasms	M	99	1	.	2	1	1	4	14	25	28	23
	F	83	.	1	.	.	3	5	14	16	22	22
Vascular lesions affecting central nervous system	M	51	1	.	.	.	.	2	3	7	16	22
	F	85	1	.	.	1	1	1	6	8	22	45
Diseases of the heart	M	192	.	.	.	.	2	5	19	50	47	69
	F	125	.	.	.	.	.	3	2	18	25	77
Other diseases of the circulatory system	M	26	.	.	.	.	.	.	1	5	12	8
	F	33	.	.	.	.	.	.	2	1	9	21
Diseases of the respiratory system	M	68	8	.	.	.	1	.	3	13	22	21
	F	55	1	3	.	2	.	1	2	8	10	28
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	10	.	.	.	.	.	.	.	.	2	8
Other diseases	M	82	40	2	3	3	.	6	5	4	6	13
	F	75	29	2	1	.	1	3	1	6	12	20
Accidents and other external causes	M	29	1	5	2	4	2	5	3	3	3	1
	F	26	3	2	.	3	2	2	.	.	.	14
All causes	M	561	53	8	7	8	7	22	51	109	135	161
	F	504	35	9	1	6	9	16	29	58	104	237
COUNTY KILDARE												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	1	.	3	.
	F	2	.	.	.	.	.	.	2	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	2	.	.	.	.
Malignant neoplasms	M	59	.	1	.	.	1	3	5	12	21	16
	F	50	.	.	.	.	1	2	9	11	11	16
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	.	3	6	6	13
	F	43	.	.	1	.	.	.	3	4	13	22
Diseases of the heart	M	126	.	.	.	2	2	2	14	29	20	57
	F	68	.	.	.	1	1	3	2	13	20	28
Other diseases of the circulatory system	M	13	.	.	.	.	.	.	.	1	4	8
	F	18	.	.	.	.	.	1	1	2	2	12
Diseases of the respiratory system	M	46	6	.	.	.	.	.	6	8	9	17
	F	38	2	.	.	.	.	.	2	5	8	21
Senility	M	6	.	.	.	.	.	.	.	.	1	5
	F	7	.	.	.	.	.	.	.	.	1	6
Other diseases	M	60	24	3	.	.	1	2	2	7	10	11
	F	61	24	3	3	1	.	3	3	6	7	11
Accidents and other external causes	M	14	.	1	1	2	3	2	.	3	1	1
	F	12	.	1	2	1	1	1	.	2	.	4
All causes	M	358	31	5	1	4	7	10	31	66	75	128
	F	301	26	4	6	3	3	12	22	43	62	120

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, of respiratory system	M	.	.	.	.	.	.	.	.	.	.	.
	F	3	.	.	.	.	.	1	1	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	55	.	.	.	1	.	2	6	17	16	13
	F	37	.	.	.	.	.	1	4	12	9	11
Vascular lesions affecting central nervous system	M	34	.	.	.	.	1	2	.	5	9	17
	F	46	.	.	.	.	.	3	3	9	12	19
Diseases of the heart	M	142	.	.	.	.	.	3	5	28	37	69
	F	107	.	.	.	1	.	.	7	9	25	65
Other diseases of the circulatory system	M	32	.	.	.	.	.	.	.	4	11	17
	F	26	.	.	.	.	.	.	1	2	3	20
Diseases of the respiratory system	M	38	1	.	.	.	.	3	3	8	10	13
	F	21	.	.	.	.	.	1	1	2	6	11
Senility	M	41	.	.	.	.	.	.	.	.	3	38
	F	39	.	.	.	.	.	.	.	.	1	38
Other diseases	M	78	20	3	1	2	2	4	2	9	16	19
	F	49	15	1	1	2	1	1	2	2	8	16
Accidents and other external causes	M	10	1	.	2	1	.	2	.	2	1	1
	F	10	.	.	.	1	.	.	2	.	1	6
All causes	M	431	22	3	3	4	3	16	16	73	104	187
	F	339	15	1	1	4	1	7	21	37	66	186
COUNTY LAOIS												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	1	1	.
	F	2	.	.	.	.	.	1	.	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	1	.
	F	1	.	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	1	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	1	.	1
Malignant neoplasms	M	60	.	.	2	.	.	1	3	16	23	15
	F	33	.	.	.	.	1	.	3	11	11	7
Vascular lesions affecting central nervous system	M	24	.	.	.	.	.	.	1	4	7	12
	F	20	.	.	.	.	.	.	3	4	6	7
Diseases of the heart	M	107	.	.	.	1	.	.	4	8	37	57
	F	88	.	.	.	.	.	.	2	12	16	58
Other diseases of the circulatory system	M	15	.	.	.	.	.	.	.	2	4	9
	F	15	.	.	.	.	.	.	2	.	3	10
Diseases of the respiratory system	M	24	3	1	.	.	.	1	2	4	6	7
	F	18	.	.	.	.	.	.	.	2	7	9
Senility	M	8	.	.	.	.	.	.	.	.	.	8
	F	11	.	.	.	.	.	.	.	.	.	11
Other diseases	M	32	13	1	.	1	.	1	1	2	4	9
	F	32	13	1	.	.	2	2	1	1	4	8
Accidents and other external causes	M	11	1	.	.	3	1	2	1	.	2	1
	F	6	.	1	1	1	.	1	.	.	2	.
All causes	M	285	17	2	2	6	1	5	12	37	85	118
	F	228	13	2	1	1	3	5	11	32	49	111

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	4	.	.	.	1	1	.	1	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	2	.	.	.	.	.	1	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	40	.	.	.	.	1	.	7	10	11	11
	F	26	.	1	.	.	.	.	2	7	7	9
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	2	.	3	9	14
	F	19	.	.	.	.	.	.	.	2	6	11
Diseases of the heart	M	93	.	.	.	.	1	1	4	12	30	45
	F	51	.	.	.	.	.	.	2	7	12	30
Other diseases of the circulatory system	M	20	.	.	.	.	.	.	.	2	6	12
	F	27	.	.	.	.	.	.	1	3	6	17
Diseases of the respiratory system	M	15	1	.	.	1	1	.	.	6	3	3
	F	5	1	.	1	.	1	.	.	.	1	1
Senility	M	11	.	.	.	.	.	.	.	.	.	11
	F	10	.	.	.	.	.	.	.	.	.	10
Other diseases	M	30	5	1	1	.	1	.	2	3	9	8
	F	35	6	.	1	1	.	1	1	3	11	11
Accidents and other external causes	M	6	.	.	1	.	.	1	.	.	1	3
	F	5	.	.	1	.	.	.	1	1	2	.
All causes	M	250	6	3	2	2	5	4	14	37	70	107
	F	179	8	1	3	1	1	1	7	23	45	89
COUNTY LOUTH												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	1	2	.	1
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	57	.	.	.	.	.	.	9	13	17	18
	F	50	.	.	.	.	1	2	8	8	15	16
Vascular lesions affecting central nervous system	M	46	.	.	.	.	.	.	3	6	11	26
	F	64	.	.	.	.	1	1	3	7	21	31
Diseases of the heart	M	144	.	1	.	.	.	2	13	26	34	68
	F	103	.	.	.	.	.	.	5	9	25	64
Other diseases of the circulatory system	M	19	.	.	.	.	.	.	3	1	3	12
	F	19	.	.	.	.	.	.	.	2	5	12
Diseases of the respiratory system	M	47	2	.	3	1	1	.	1	11	12	16
	F	30	2	.	1	.	.	1	.	1	3	22
Senility	M	25	.	.	.	.	.	.	.	.	.	25
	F	31	.	.	.	.	.	.	.	.	.	31
Other diseases	M	64	24	1	.	.	2	3	2	6	11	15
	F	57	22	2	3	1	1	1	1	2	14	10
Accidents and other external causes	M	16	1	1	1	3	1	2	3	2	.	2
	F	9	.	.	1	1	1	1	.	2	.	3
All causes	M	424	27	3	4	4	4	8	35	68	88	183
	F	366	25	2	5	2	4	7	17	31	84	189

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis of respiratory system	M	8	.	.	.	.	1	1	1	2	1	2
	F	2	.	.	.	.	.	1	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	1	.	.	.	.	1	.	.	.	.
Malignant neoplasms	M	44	.	1	.	.	.	.	3	8	15	17
	F	49	.	.	.	1	.	5	5	6	13	19
Vascular lesions affecting central nervous system	M	47	.	.	.	1	.	.	4	2	10	30
	F	65	.	.	.	.	2	.	2	8	14	39
Diseases of the heart	M	154	.	.	.	.	.	3	12	17	43	79
	F	92	.	.	.	.	.	1	2	14	21	54
Other diseases of the circulatory system	M	21	.	.	.	.	.	1	1	5	5	9
	F	25	.	.	.	.	.	2	1	2	5	15
Diseases of the respiratory system	M	38	3	1	.	.	.	.	1	5	14	14
	F	25	1	.	.	1	.	.	2	2	6	13
Senility	M	6	.	.	.	.	.	.	.	.	.	6
	F	21	.	.	.	.	.	.	.	.	1	20
Other diseases	M	53	20	.	1	.	1	1	4	3	7	16
	F	35	11	4	.	3	.	4	3	2	4	4
Accidents and other external causes	M	21	2	2	1	1	3	2	4	3	1	2
	F	8	.	.	.	1	1	1	1	1	.	3
All causes	M	392	25	4	2	2	5	8	30	45	96	175
	F	324	13	4	.	6	3	15	17	35	64	167
COUNTY OFFALY												
Tuberculosis of respiratory system	M	7	.	.	.	.	.	.	1	5	1	.
	F	2	.	.	.	.	.	1	1	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	.	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	42	.	.	3	.	1	2	7	4	13	15
	F	35	.	.	.	.	1	.	4	8	7	12
Vascular lesions affecting central nervous system	M	33	.	.	.	.	1	.	4	4	7	17
	F	40	.	.	.	.	1	.	.	5	14	20
Diseases of the heart	M	91	.	.	.	.	1	2	9	10	31	38
	F	59	.	.	.	.	2	1	2	9	11	34
Other diseases of the circulatory system	M	12	.	.	.	.	.	.	1	.	4	7
	F	16	.	.	.	.	.	.	2	.	1	13
Diseases of the respiratory system	M	24	.	1	.	.	1	1	2	2	8	9
	F	12	2	1	.	.	1	.	1	.	1	6
Senility	M	17	.	.	.	.	.	.	.	.	.	17
	F	19	.	.	.	.	.	.	.	.	.	19
Other diseases	M	63	15	1	.	2	1	3	7	6	10	18
	F	50	10	1	.	.	1	4	4	6	7	17
Accidents and other external causes	M	12	.	1	1	1	1	.	1	2	2	3
	F	1	.	.	.	.	.	.	.	.	.	1
All causes	M	304	16	3	1	3	6	8	32	34	77	124
	F	234	12	2	3	.	6	6	14	28	41	122

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	2	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	1	.	.	.	.	.	1	.	.
	F	3	.	.	1	.	.	.	1	.	.	1
Malignant neoplasms	M	59	.	.	.	2	1	2	5	14	17	20
	F	42	.	.	.	2	.	3	7	8	17	5
Vascular lesions affecting central nervous system	M	29	.	.	.	.	.	.	5	3	6	15
	F	35	.	.	.	.	.	.	2	5	7	21
Diseases of the heart	M	102	.	.	.	1	.	.	5	18	25	53
	F	79	.	.	.	.	1	.	2	7	14	55
Other diseases of the circulatory system	M	16	.	.	.	.	.	1	.	1	6	8
	F	13	.	.	.	.	1	.	.	1	1	10
Diseases of the respiratory system	M	42	5	1	.	.	.	.	3	7	13	13
	F	23	1	1	.	.	.	.	.	3	10	8
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	57	13	.	1	.	1	4	4	4	10	20
	F	52	14	2	1	1	.	1	.	6	9	18
Accidents and other external causes	M	15	.	.	2	2	.	2	3	2	1	3
	F	5	1	.	1	1	.	.	.	.	2	.
All causes	M	328	18	2	3	3	2	9	26	52	78	135
	F	262	16	3	3	4	2	4	12	31	60	127
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	8	.	.	.	.	.	1	3	3	1	.
	F	8	.	.	.	.	2	1	3	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	1	.	1	1	.	.	.	.	1	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	82	.	.	.	2	.	4	7	21	24	24
	F	72	.	1	.	.	1	4	8	12	29	17
Vascular lesions affecting central nervous system	M	69	.	.	.	.	.	1	1	10	21	36
	F	72	.	.	.	.	1	.	2	4	14	51
Diseases of the heart	M	169	.	.	.	.	.	3	8	25	43	90
	F	146	.	.	.	1	2	1	6	17	39	80
Other diseases of the circulatory system	M	58	.	.	.	.	.	1	1	5	8	43
	F	71	.	.	.	.	.	1	1	3	15	51
Diseases of the respiratory system	M	38	3	1	2	.	.	.	1	8	12	11
	F	21	2	.	.	.	.	.	4	2	5	8
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	8	.	.	.	.	.	.	.	.	.	8
Other diseases	M	84	21	2	2	3	.	.	4	8	16	28
	F	77	21	2	3	.	1	3	3	10	11	23
Accidents and other external causes	M	17	3	.	1	2	2	1	2	2	1	3
	F	13	.	.	.	.	.	.	1	1	2	9
All causes	M	533	28	3	6	8	2	11	27	82	127	239
	F	489	24	3	3	1	7	10	28	50	116	247

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	2	1	.	1
	F	5	.	.	.	.	1	.	2	1	.	1
Tuberculosis, other forms	M	.	1	.	.	.	.	.	.	.	1	.
	F	2	1	.	.	.	.	.	.	.	1	.
Other infective and parasitic diseases	M	2	.	.	1	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	53	1	.	1	.	.	3	5	12	17	14
	F	44	.	.	.	.	1	1	7	11	11	13
Vascular lesions affecting central nervous system	M	60	.	.	.	.	.	2	1	6	18	33
	F	48	.	.	.	.	.	.	2	5	13	28
Diseases of the heart	M	142	.	.	.	.	1	2	12	25	41	61
	F	97	.	.	.	.	.	.	.	10	26	61
Other diseases of the circulatory system	M	19	.	.	.	.	.	2	1	3	6	7
	F	19	.	.	.	.	.	.	4	3	6	6
Diseases of the respiratory system	M	34	2	.	.	.	.	.	3	6	11	12
	F	29	5	1	1	.	.	1	2	8	7	4
Senility	M	8	.	.	.	.	.	.	.	.	.	8
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	53	16	.	1	1	.	5	2	5	11	12
	F	44	16	2	.	.	1	2	5	6	4	8
Accidents and other external causes	M	13	.	.	1	4	2	.	2	2	1	1
	F	7	.	1	.	.	.	.	.	1	1	4
All causes	M	388	19	.	4	5	3	14	28	61	105	149
	F	304	22	4	1	.	3	4	22	45	69	134
COUNTY CLARE												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	1	1	1	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	1	.	.	1	.	.	1	.	.
	F	4	.	1	.	.	.	2	1	.	.	.
Malignant neoplasms	M	53	.	.	.	.	.	2	5	10	20	16
	F	56	.	.	1	.	.	1	12	13	19	10
Vascular lesions affecting central nervous system	M	39	.	.	1	.	.	.	1	6	13	19
	F	38	.	.	.	.	.	2	3	8	10	14
Diseases of the heart	M	180	.	.	.	.	.	4	8	22	43	103
	F	144	.	.	.	.	.	.	4	11	34	95
Other diseases of the circulatory system	M	31	.	.	.	.	.	.	3	2	5	21
	F	26	.	.	.	.	.	.	2	.	4	20
Diseases of the respiratory system	M	50	3	.	1	.	.	2	.	13	16	15
	F	35	2	.	.	1	.	.	.	4	11	17
Senility	M	37	.	.	.	.	.	.	.	.	5	32
	F	38	.	.	.	.	.	.	.	.	1	37
Other diseases	M	80	25	.	1	1	1	2	2	9	16	23
	F	69	21	2	.	1	1	2	5	8	8	21
Accidents and other external causes	M	15	.	.	1	.	3	1	3	2	2	4
	F	18	.	.	.	.	.	.	1	2	2	12
All causes	M	493	28	1	2	1	6	12	23	66	121	233
	F	428	23	3	3	2	1	7	28	46	89	226

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	10	.	.	.	.	.	2	2	3	2	1
	F	5	.	.	.	.	.	1	1	1	2	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	100	.	.	.	2	1	4	9	26	30	28
	F	82	.	.	.	.	2	4	10	16	19	31
Vascular lesions affecting central nervous system	M	39	.	.	.	.	1	1	.	6	11	20
	F	60	.	.	.	.	1	1	.	5	19	34
Diseases of the heart	M	167	.	.	.	1	1	9	22	36	42	56
	F	179	.	.	.	.	1	4	7	16	52	99
Other diseases of the circulatory system	M	33	.	.	.	.	.	2	.	6	10	15
	F	49	.	1	.	.	.	1	3	5	7	32
Diseases of the respiratory system	M	74	2	1	.	.	.	2	6	16	23	24
	F	40	4	1	1	.	1	2	2	7	5	17
Senility	M	12	.	.	.	.	.	.	.	.	.	12
	F	24	.	.	.	.	.	.	.	.	.	24
Other diseases	M	67	19	2	.	1	2	3	3	10	12	15
	F	61	18	1	1	1	1	2	8	3	9	17
Accidents and other external causes	M	13	.	2	1	3	3	.	.	2	1	1
	F	13	1	3	.	1	.	.	1	.	3	4
All causes	M	516	21	5	1	7	8	23	42	106	131	172
	F	514	23	6	3	2	6	15	32	53	116	258
COUNTY CORK												
Tuberculosis of respiratory system	M	21	.	.	.	.	.	3	7	3	7	1
	F	10	.	.	.	.	.	3	1	4	2	.
Tuberculosis, other forms	M	2	.	.	1	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	13	5	.	2	1	.	1	1	2	.	1
	F	5	.	3	1	.	.	1	.	.	.	.
Malignant neoplasms	M	278	.	3	2	2	3	7	28	49	99	85
	F	222	.	1	2	2	6	12	26	53	59	61
Vascular lesions affecting central nervous system	M	170	.	.	.	1	.	1	5	21	49	93
	F	213	.	.	.	1	1	2	11	23	42	133
Diseases of the heart	M	598	.	.	.	.	2	13	43	98	163	279
	F	487	.	.	.	.	1	3	15	58	115	295
Other diseases of the circulatory system	M	91	.	.	.	.	.	1	6	10	18	56
	F	102	.	.	.	.	2	1	1	8	19	71
Diseases of the respiratory system	M	184	6	1	2	3	.	3	10	19	57	83
	F	140	6	5	.	1	.	3	3	13	35	74
Senility	M	64	.	.	.	.	.	.	.	.	3	61
	F	82	.	.	.	.	.	.	.	.	.	82
Other diseases	M	284	58	7	4	4	6	10	25	40	57	73
	F	171	51	5	2	5	2	6	11	13	34	42
Accidents and other external causes	M	73	2	4	3	5	7	8	14	8	12	10
	F	34	.	2	2	2	3	1	1	1	5	17
All causes	M	1,778	71	15	14	16	18	47	139	251	465	742
	F	1,466	57	16	7	11	15	32	69	173	311	775

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis of respiratory system	M	15	.	.	.	1	2	.	1	5	5	2
	F	4	.	.	.	.	.	.	1	2	.	.
Tuberculosis, other forms	M	2	.	.	.	.	.	1	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	.	.	.	.	.	.	1	2	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	85	.	2	.	.	2	2	11	17	26	25
	F	84	.	.	1	.	1	5	9	20	24	24
Vascular lesions affecting central nervous system	M	71	.	.	.	.	1	2	3	10	24	31
	F	85	.	.	.	.	.	3	3	3	30	46
Diseases of the heart	M	309	.	.	.	1	.	7	22	53	81	145
	F	209	.	.	.	.	1	2	8	27	48	123
Other diseases of the circulatory system	M	49	.	.	.	1	.	1	3	5	14	25
	F	43	.	.	.	.	.	1	3	3	9	27
Diseases of the respiratory system	M	77	6	1	.	.	.	2	4	9	20	35
	F	60	3	.	.	2	.	.	5	8	5	37
Senility	M	67	.	.	.	.	.	.	.	.	3	64
	F	82	.	.	.	.	.	.	.	.	6	76
Other diseases	M	122	34	1	2	2	2	3	8	15	24	31
	F	96	16	.	.	.	3	6	10	9	19	33
Accidents and other external causes	M	35	1	5	.	1	4	2	4	9	4	5
	F	19	1	1	.	.	1	1	1	1	4	9
All causes	M	835	41	9	2	5	11	20	56	124	204	363
	F	682	20	1	1	3	6	18	40	73	145	375
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	10	.	.	.	.	2	1	2	2	2	1
	F	5	.	.	.	.	.	.	.	4	1	.
Tuberculosis, other forms	M	1	.	.	1	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	1	.	.	.	.	1	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	47	.	.	.	.	.	1	7	10	19	10
	F	32	.	.	1	.	1	1	4	10	12	3
Vascular lesions affecting central nervous system	M	17	.	.	.	.	.	.	2	3	4	8
	F	33	.	.	.	.	.	3	2	7	8	13
Diseases of the heart	M	81	.	.	.	.	.	2	8	23	19	29
	F	58	.	.	.	.	.	.	2	6	9	41
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	1	2	4	3
	F	23	.	.	.	.	.	2	1	1	2	17
Diseases of the respiratory system	M	33	3	.	1	.	.	1	3	6	10	9
	F	28	.	.	.	.	.	3	2	2	7	14
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	2	.	.	.	.	.	.	.	.	.	2
Other diseases	M	35	15	.	1	1	1	2	2	6	3	7
	F	42	17	.	.	.	.	1	4	3	9	5
Accidents and other external causes	M	15	.	1	2	1	3	1	1	1	3	2
	F	6	.	.	.	.	1	.	.	3	.	2
All causes	M	253	18	2	4	1	5	8	27	53	64	71
	F	230	17	.	2	1	3	10	15	37	48	97

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	14	.	.	.	1	1	1	3	4	1	3
	F	6	.	.	.	.	.	.	1	2	3	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	1	.	1	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	102	.	1	1	2	2	6	7	19	32	32
	F	63	.	1	.	1	.	3	11	12	17	18
Vascular lesions affecting central nervous system	M	66	.	.	.	.	.	3	2	3	29	29
	F	64	.	.	.	.	1	.	4	7	21	31
Diseases of the heart	M	244	.	.	.	.	.	1	16	38	75	114
	F	158	.	.	.	2	.	1	6	11	36	102
Other diseases of the circulatory system	M	36	.	.	.	.	.	.	3	7	12	14
	F	23	.	.	.	.	.	.	1	1	5	16
Diseases of the respiratory system	M	65	5	1	.	1	.	1	3	14	9	31
	F	37	3	.	2	.	.	.	.	5	5	22
Senility	M	27	.	.	.	.	.	.	.	.	1	26
	F	42	.	.	.	.	.	.	.	.	3	39
Other diseases	M	99	39	.	4	1	1	6	5	10	13	20
	F	50	13	.	1	1	1	4	3	10	5	12
Accidents and other external causes	M	26	.	2	1	2	.	4	6	6	1	4
	F	13	.	1	1	.	.	.	.	.	1	10
All causes	M	681	44	4	6	7	4	23	45	102	173	273
	F	457	17	2	4	4	2	8	26	48	96	250
COUNTY TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	3	.	.	.	.	1	1	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	1	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	51	.	.	.	.	1	2	1	7	24	16
	F	43	.	.	1	.	1	.	5	16	11	9
Vascular lesions affecting central nervous system	M	40	.	.	.	.	.	.	1	3	19	17
	F	34	.	.	.	.	.	.	2	4	6	22
Diseases of the heart	M	123	.	.	.	.	3	2	12	20	38	48
	F	64	.	.	.	.	.	1	3	7	23	30
Other diseases of the circulatory system	M	9	.	.	.	.	.	1	.	.	3	5
	F	14	.	.	.	.	.	.	.	4	3	7
Diseases of the respiratory system	M	30	1	.	.	.	.	.	1	2	8	18
	F	28	2	1	.	.	.	.	1	3	7	14
Senility	M	47	.	.	.	.	.	.	.	.	.	47
	F	49	.	.	.	.	.	.	.	.	1	48
Other diseases	M	46	16	.	1	2	1	.	3	6	5	12
	F	39	12	2	.	1	.	1	2	6	5	10
Accidents and other external causes	M	14	.	1	2	2	.	3	1	2	1	2
	F	9	.	.	1	.	.	.	.	.	2	6
All causes	M	364	17	2	3	4	6	9	20	40	98	165
	F	280	14	3	2	1	1	2	13	40	58	146

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	1	.	3	.
	F	3	.	.	.	.	.	.	1	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	1	.	1	.	.	.	1	1	.
	F	2	.	1	.	.	.	.	.	1	.	.
Malignant neoplasms	M	64	.	1	.	.	1	1	4	16	16	25
	F	60	.	.	.	.	2	7	7	15	14	22
Vascular lesions affecting central nervous system	M	46	.	.	.	.	.	.	3	8	15	20
	F	66	.	.	.	.	2	2	2	11	17	34
Diseases of the heart	M	172	.	.	.	.	3	2	20	22	47	78
	F	120	.	.	.	1	.	.	3	15	24	77
Other diseases of the circulatory system	M	33	.	.	.	.	.	.	1	2	5	25
	F	26	.	.	.	.	.	.	1	.	2	23
Diseases of the respiratory system	M	46	1	.	2	.	.	1	6	15	8	13
	F	26	1	.	.	.	.	1	2	3	7	12
Senility	M	9	.	.	.	.	.	.	.	.	.	9
	F	20	.	.	.	.	.	.	.	.	1	19
Other diseases	M	67	15	1	1	.	.	6	4	7	13	20
	F	73	20	2	1	.	3	2	9	11	13	12
Accidents and other external causes	M	15	.	1	.	2	2	2	4	.	3	1
	F	7	.	2	.	.	.	.	1	1	2	1
All causes	M	459	17	3	3	3	6	12	43	70	111	191
	F	403	21	5	1	1	3	7	26	58	81	200
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	.	3	1	.
	F	2	.	.	.	.	.	.	.	.	1	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	1	.	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	33	.	.	.	1	1	1	6	9	8	7
	F	29	.	.	.	1	.	5	3	2	8	10
Vascular lesions affecting central nervous system	M	23	.	.	.	.	1	.	2	3	1	17
	F	35	.	.	.	.	.	.	.	3	8	23
Diseases of the heart	M	40	.	.	.	.	.	1	6	6	11	16
	F	42	.	.	.	.	1	.	3	5	7	26
Other diseases of the circulatory system	M	4	.	.	.	.	.	.	.	.	.	4
	F	7	.	.	.	.	.	.	.	1	2	4
Diseases of the respiratory system	M	27	.	.	.	.	.	.	2	5	4	16
	F	34	1	.	.	.	.	.	.	2	5	26
Senility	M	.	.	.	.	.	.	.	.	.	.	.
	F	4	.	.	.	.	.	.	.	.	.	4
Other diseases	M	27	10	.	.	.	.	.	3	1	7	6
	F	19	8	.	.	.	1	1	.	.	1	8
Accidents and other external causes	M	9	1	1	1	2	1	.	2	.	1	.
	F	2	.	.	.	1	.	.	.	.	1	.
All causes	M	169	11	1	1	3	2	3	21	27	33	67
	F	174	9	.	.	2	3	6	6	13	33	102

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	1	.	.	.	.	1	.	.	.	.	.
	F	3	.	.	.	.	.	.	.	1	2	.
Tuberculosis, other forms	M	1	.	.	1	.	.	.	1	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	50	.	.	.	1	.	.	3	8	21	17
	F	36	.	.	1	1	2	3	5	7	7	10
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	.	.	1	6	21
	F	35	.	.	.	.	.	1	1	3	9	21
Diseases of the heart	M	95	.	.	.	.	.	3	6	19	34	33
	F	78	.	.	.	.	.	2	4	11	12	49
Other diseases of the circulatory system	M	16	.	.	.	.	.	1	1	3	2	9
	F	12	.	.	.	.	.	.	.	1	2	9
Diseases of the respiratory system	M	41	2	.	.	.	1	1	2	13	9	13
	F	16	1	.	.	.	.	.	2	1	6	6
Senility	M	13	.	.	.	.	.	.	.	.	1	12
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	48	20	1	.	1	2	1	2	3	7	11
	F	25	12	.	1	.	2	2	1	1	2	4
Accidents and other external causes	M	11	1	.	.	4	2	.	.	1	2	1
	F	3	1	.	.	.	.	.	.	.	.	2
All causes	M	305	23	1	1	6	6	6	14	48	83	117
	F	218	14	.	2	1	4	8	14	25	40	110
COUNTY GALWAY												
Tuberculosis of respiratory system	M	9	.	.	.	.	2	.	1	2	3	1
	F	6	.	.	.	1	.	1	.	2	2	.
Tuberculosis other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	5	.	.	.	1	.	.	2	1	.	1
	F	3	.	.	1	.	.	.	.	.	1	1
Malignant neoplasms	M	123	.	1	1	4	1	5	9	27	29	46
	F	116	.	1	.	1	3	4	19	26	38	24
Vascular lesions affecting central nervous system	M	115	.	.	.	.	.	.	6	9	29	71
	F	105	.	1	2	.	.	1	6	12	29	54
Diseases of the heart	M	316	.	.	.	.	3	4	21	45	65	178
	F	173	.	.	1	.	.	.	10	11	41	110
Other diseases of the circulatory system	M	59	.	.	.	.	.	.	3	7	15	34
	F	59	.	.	.	1	.	.	1	7	12	38
Diseases of the respiratory system	M	131	3	2	1	.	3	3	4	16	32	67
	F	83	3	.	.	.	2	.	1	6	13	58
Senility	M	62	.	.	.	.	.	.	.	.	5	57
	F	50	.	.	.	.	.	.	.	1	1	48
Other diseases	M	144	29	1	1	3	3	4	11	18	28	46
	F	106	32	6	2	3	.	2	4	8	19	30
Accidents and other external causes	M	35	1	1	1	3	6	1	4	8	6	4
	F	19	.	.	2	2	.	.	.	2	4	9
All causes	M	999	33	5	4	11	18	17	61	133	212	505
	F	720	35	8	8	8	5	8	41	75	160	372

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	6	.	.	.	.	.	.	2	2	2	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	1	.	.	.	.	.	.
Malignant neoplasms	M	37	.	2	.	.	.	2	3	5	11	14
	F	26	.	.	.	.	.	1	2	8	11	4
Vascular lesions affecting central nervous system	M	33	.	.	.	.	.	1	2	3	8	19
	F	30	.	.	.	.	.	.	2	3	5	20
Diseases of the heart	M	102	.	.	.	1	.	.	8	13	34	46
	F	60	.	.	.	.	.	2	1	3	14	40
Other diseases of the circulatory system	M	23	.	.	.	.	.	.	1	.	7	15
	F	9	.	.	.	.	.	.	.	1	3	5
Diseases of the respiratory system	M	24	4	1	.	.	.	.	1	4	7	7
	F	11	.	.	.	.	.	.	.	.	4	7
Senility	M	25	.	.	.	.	.	.	.	.	2	23
	F	22	.	.	.	.	.	.	.	.	1	21
Other diseases	M	43	10	.	1	.	2	.	2	6	9	13
	F	23	5	.	.	.	.	1	2	5	4	6
Accidents and other external causes	M	8	.	.	.	.	.	3	.	1	1	3
	F	5	1	.	.	.	.	.	1	1	.	2
All causes	M	301	14	3	1	1	2	6	19	34	81	140
	F	187	6	.	.	1	.	4	8	21	42	105
COUNTY MAYO												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	.	1	1	2	1
	F	2	.	.	.	.	.	.	.	.	1	1
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	2	.	.	1	.	.	.	.	1	.	.
	F	3	2	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	100	.	1	.	1	1	7	13	19	35	23
	F	74	.	1	.	.	.	2	12	16	24	19
Vascular lesions affecting central nervous system	M	78	.	.	1	.	.	1	4	9	23	40
	F	98	.	.	.	1	.	1	10	3	27	56
Diseases of the heart	M	252	.	.	.	.	1	3	11	25	74	138
	F	189	.	1	.	.	.	2	7	16	52	111
Other diseases of the circulatory system	M	37	.	.	.	.	.	1	1	4	4	27
	F	36	.	.	.	.	1	.	1	1	6	27
Diseases of the respiratory system	M	67	2	3	.	.	1	2	6	10	15	26
	F	59	1	1	.	.	1	2	1	3	17	33
Senility	M	71	.	.	.	.	.	.	.	.	5	66
	F	86	.	.	.	.	.	.	.	.	8	78
Other diseases	M	141	32	2	2	.	1	3	8	19	29	45
	F	84	20	.	3	1	2	1	8	11	14	24
Accidents and other external causes	M	18	.	.	2	3	1	2	.	4	2	4
	F	25	1	3	.	1	.	.	.	.	1	19
All causes	M	772	34	6	6	4	5	19	44	93	189	372
	F	657	24	7	3	3	4	8	39	51	150	368

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	1	1	.
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	57	.	.	1	.	1	.	6	6	24	19
	F	44	.	.	1	.	1	2	2	6	16	16
Vascular lesions affecting central nervous system	M	35	.	.	.	.	.	.	1	2	13	19
	F	48	.	.	.	.	.	1	.	2	13	32
Diseases of the heart	M	183	.	.	.	.	.	1	6	15	33	128
	F	124	.	.	.	.	.	2	2	5	31	84
Other diseases of the circulatory system	M	22	.	.	.	.	.	1	1	2	5	13
	F	16	.	.	.	.	.	.	1	1	1	13
Diseases of the respiratory system	M	47	3	.	.	.	.	2	3	3	15	21
	F	26	3	.	.	1	.	.	1	4	4	13
Senility	M	14	.	.	.	.	.	.	.	.	.	14
	F	22	.	.	.	.	.	.	.	.	.	22
Other diseases	M	57	10	.	.	1	2	1	7	6	7	23
	F	53	7	.	.	.	2	1	3	4	11	25
Accidents and other external causes	M	17	.	.	.	2	1	2	3	2	3	4
	F	8	.	.	.	1	.	.	2	.	1	4
All causes	M	436	13	.	1	3	4	7	29	37	101	241
	F	342	10	.	1	2	3	7	11	22	77	209
COUNTY SLIGO												
Tuberculosis of respiratory system	M	9	.	.	.	.	.	.	4	2	3	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	1	.
	F	2	.	1	.	.	.	.	.	.	.	1
Malignant neoplasms	M	51	.	.	.	1	1	3	5	11	12	18
	F	45	.	.	.	.	1	4	8	3	10	19
Vascular lesions affecting central nervous system	M	47	.	1	.	.	.	.	1	3	14	28
	F	54	.	1	.	.	.	.	4	3	17	29
Diseases of the heart	M	92	.	.	.	.	1	1	5	16	24	45
	F	82	.	.	.	.	.	3	1	9	21	48
Other diseases of the circulatory system	M	35	.	.	.	.	.	.	1	3	13	18
	F	27	.	.	.	.	.	.	1	1	5	20
Diseases of the respiratory system	M	39	3	.	.	.	1	1	3	2	9	20
	F	29	1	.	.	.	.	.	2	2	6	18
Senility	M	24	.	.	.	.	.	.	.	.	.	24
	F	29	.	.	.	.	.	.	.	.	.	29
Other diseases	M	51	10	1	2	.	3	1	1	11	10	12
	F	37	10	1	.	1	.	1	4	2	8	10
Accidents and other external causes	M	18	1	.	1	1	3	.	2	2	3	5
	F	4	.	.	.	.	.	.	.	1	1	2
All causes	M	368	14	2	3	2	9	6	23	50	89	170
	F	309	11	3	.	1	1	8	20	21	68	176

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
		COUNTY CAVAN										
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	1	.	2
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	1	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	62	.	.	.	.	.	2	3	14	15	28
	F	39	.	.	.	.	.	2	8	14	5	10
Vascular lesions affecting central nervous system	M	48	.	.	.	.	.	.	2	6	11	29
	F	44	.	.	.	.	.	.	2	2	15	25
Diseases of the heart	M	167	.	.	.	.	1	3	9	23	46	85
	F	91	.	.	.	.	.	.	1	10	21	59
Other diseases of the circulatory system	M	24	.	.	.	.	.	1	2	1	7	13
	F	21	.	.	.	.	.	.	3	2	5	11
Diseases of the respiratory system	M	36	1	.	.	.	.	.	5	8	7	15
	F	28	2	.	.	1	.	.	.	2	4	19
Senility	M	26	.	.	.	.	.	.	.	.	.	26
	F	35	.	.	.	.	.	.	.	1	4	30
Other diseases	M	64	10	2	.	1	2	.	4	10	16	19
	F	47	10	1	.	.	3	2	6	4	10	11
Accidents and other external causes	M	9	.	.	.	.	1	.	2	1	1	4
	F	13	1	2	.	.	.	2	1	1	.	6
All causes		M	442	11	2	.	1	5	6	28	64	221
		F	319	13	3	.	1	3	6	22	36	171
		COUNTY DONEGAL										
Tuberculosis of respiratory system	M	8	.	.	.	.	1	.	.	.	6	1
	F	3	.	.	.	.	.	1	.	1	.	1
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	1	.
	F	1	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	.	1	.	.	.	.	1	1	.	1
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	92	.	1	1	2	2	3	9	19	30	25
	F	81	.	.	.	.	3	4	4	15	25	30
Vascular lesions affecting central nervous system	M	84	.	.	.	.	3	.	2	6	20	53
	F	82	.	.	.	.	1	2	4	8	25	42
Diseases of the heart	M	249	.	.	.	1	.	5	10	33	71	129
	F	170	1	.	.	2	.	1	8	18	39	101
Other diseases of the circulatory system	M	47	.	.	.	.	.	.	7	7	8	25
	F	35	.	.	.	.	.	.	1	6	10	18
Diseases of the respiratory system	M	71	6	.	.	.	2	2	4	5	12	40
	F	62	2	2	.	.	.	.	3	1	18	36
Senility	M	31	.	.	.	.	.	.	.	.	.	31
	F	69	.	.	.	.	.	.	.	.	2	67
Other diseases	M	120	29	1	4	3	3	3	7	9	25	46
	F	96	13	2	4	3	3	1	6	10	20	34
Accidents and other external causes	M	26	.	1	1	4	3	1	3	9	.	4
	F	18	1	.	1	1	.	.	.	.	2	13
All causes		M	733	35	4	2	7	11	15	43	89	355
		F	618	17	4	5	6	7	9	26	59	343

TABLE 24 (contd.) - DEATHS IN 1964 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	6	.	.	.	.	1	2	1	1	.	1
	F	2	.	.	.	.	.	.	1	.	1	.
Tuberculosis, other forms	M	1	.	.	.	.	1	.	1	.	.	.
	F	2	.	.	.	.	1	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	1	.
	F	1	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	28	.	.	.	.	1	1	.	4	15	8
	F	39	.	.	.	.	1	.	11	9	9	9
Vascular lesions affecting central nervous system	M	39	.	.	.	.	.	.	2	5	16	16
	F	31	.	.	.	.	.	.	2	4	9	16
Diseases of the heart	M	111	.	.	.	.	1	5	11	16	31	47
	F	94	.	.	.	.	.	2	6	8	13	65
Other diseases of the circulatory system	M	15	.	.	.	1	.	.	1	2	1	10
	F	13	.	.	.	.	.	.	.	2	3	8
Diseases of the respiratory system	M	38	2	.	1	.	.	.	1	1	8	26
	F	27	1	.	1	.	.	.	2	2	4	17
Senility	M	8	.	.	.	.	.	.	.	.	1	7
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	46	12	.	.	.	2	2	2	8	12	8
	F	42	12	.	.	.	4	2	2	2	6	14
Accidents and other external causes	M	13	.	.	1	1	1	.	2	2	4	2
	F	3	.	.	.	.	.	.	1	.	.	2
All causes	M	306	14	.	1	2	5	10	21	39	89	125
	F	263	13	.	2	.	6	5	25	27	45	140

TABLE 25. - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter- national List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	647	310	133	88	38	12	34	11	52	17	390	182
		F	522	233	115	74	36	13	28	13	36	14	307	119
010	Tuberculosis of meninges and central nervous system	M	.	.	.	1	.	.	.	1	.	.	.	.
		F	.	2	.	.	.	.	.	.	.	.	.	.
001-008 011-019	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	3	.	1	.	.	.	.	.	1	.	2
		F	.	3	.	.	.	.	.	.	.	.	.	2
030-055 057-138	Other infective and parasitic diseases	M	1	12	.	3	.	.	.	.	1	1	.	8
		F	1	6	1	1	.	.	.	.	.	.	.	5
340	Meningitis except meningococcal and tuberculous	M	3	4	.	1	.	1	1	.	.	.	3	3
		F	4	3	2	1	.	1	.	.	.	.	1	1
330-334 341-398	Other diseases of the nervous system and sense organs	M	.	7	.	1	.	.	.	1	.	.	1	5
		F	1	2	.	.	.	.	.	.	.	.	.	2
480-483	Influenza	M	1	3	.	1	.	.	.	.	.	.	1	2
		F	.	.	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	91	.	22	.	2	.	2	.	7	.	58
		F	.	69	.	23	.	3	.	5	.	4	.	34
500-502	Bronchitis	M	1	10	1	4	.	1	.	.	.	1	.	4
		F	1	3	.	2	.	1	.	.	.	.	1	.
470-475 510-527	Other diseases of the respiratory system	M	3	10	.	3	.	2	.	.	.	1	3	4
		F	2	4	.	1	1	.	.	.	.	1	1	2
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M	13	17	2	5	.	.	.	1	.	.	11	11
		F	9	12	1	5	.	.	.	.	1	.	7	7
530-570 572-587	Other diseases of the digestive system	M	4	3	1	.	.	.	1	.	.	.	2	3
		F	2	4	.	1	.	.	.	.	.	.	2	3
750-759	Congenital malformations	M	137	88	33	25	8	4	5	3	14	3	77	53
		F	150	83	32	26	8	5	11	4	12	6	87	42
760-761	Birth injuries	M	90	1	17	.	4	.	5	.	10	.	54	1
		F	54	.	10	.	3	.	3	.	4	.	34	.
762	Post-natal asphyxia and atelectasis	M	103	2	22	1	9	.	9	.	4	.	59	1
		F	78	1	17	.	5	.	5	.	4	.	47	1
763	Pneumonia of newborn	M	52	.	9	.	3	.	1	.	3	.	36	.
		F	23	.	10	.	1	.	2	.	2	.	8	.
765-768	Other infections of newborn	M	3	3	.	.	.	.	.	.	.	.	3	3
		F	2	2	1	1	.	.	.	.	.	.	1	1
769.0- 773.0	Other and ill-defined dis- eases of early infancy:- Without mention of immaturity	M	48	10	10	2	4	.	5	2	1	2	28	4
		F	42	8	6	.	7	.	2	3	3	.	24	5
769.5- 773.5	With mention of immaturity	M	32	2	9	1	2	.	2	.	1	.	18	1
		F	32	.	8	.	1	.	2	.	.	.	21	.
774	Immaturity with mention of any other subsidiary condition	M	3	1	.	.	1	.	.	.	1	.	1	1
		F	.	.	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	141	2	25	1	7	.	6	.	14	.	89	1
		F	111	2	24	.	10	1	2	.	9	1	66	.
780.2	Convulsions	M	.	1	.	.	.	.	.	.	.	1	.	1
		F	.	1	.	.	.	.	.	.	.	.	.	1
	Other causes	M	12	40	4	18	.	2	.	2	3	1	5	17
		F	10	28	3	12	.	2	.	.	1	1	6	13

TABLE 26. - INFANT MORTALITY - TOTAL DEATHS UNDER ONE YEAR OF AGE

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M F	957 755	41 55	215 187	256 242	119 76	56 48	37 28	21 20	15 13	10 9
010	Tuberculosis of meninges and central nervous system	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	3 3	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	13 7	. .	. .	. .	. .	1 .	. .	. .	. .	. .
340	Meningitis, except meningoccal and tuberculous	M F	7 7	. .	. .	. .	. .	. .	. .	. .	. .	1 .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	7 3	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	91 69	. .	. .	. .	. .	. .	. .	. .	. .	. .
500-502	Bronchitis	M F	11 4	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	13 6	. .	. .	. .	. .	. .	1 .	. .	. .	1 .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	30 21	. .	. .	. .	. .	. .	. .	. .	1 .	. .
530-570 572-587	Other diseases of the digestive system	M F	7 6	1 .	. .	1 .	1 .	. .	1 .	. .	. .	1 .
750	Congenital malformations:- Monstrosity	M F	15 29	2 12	8 16	10 28	1 1	1 .	3 .	. .	. .	. .
751	Spina bifida and meningocele	M F	37 50	. 1	5 8	5 9	3 2	. 4	. 1	. 3	. 3	. 2
752	Congenital hydrocephalus	M F	29 28	2 3	1 4	3 7	1 2	1 .	2 .	. 1	1 1	1 1
753	Other congenital malformations of nervous system and sense organs	M F	6 6	. .	. .	. .	. .	. .	. .	1 .	. .	. .
754	Congenital malformations of circulatory system	M F	75 70	. 2	9 7	9 9	8 3	2 9	5 2	3 1	3 3	1 .
755	Cleft palate and hairlip	M F	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
756	Congenital malformations of digestive system	M F	25 21	. .	2 .	2 .	4 1	1 .	. 1	1 2	1 .	. .
757	Congenital malformations of genito-urinary system	M F	8 3	. .	3 .	3 .	. .	2 .	. .	. .	. .	. .
758	Congenital malformations of bone and joint	M F	2 3	. .	. 1	. 1	1 1	. .	. .	. .	. .	. .
759	Other and unspecified congenital malformations	M F	26 22	2 2	9 5	11 7	1 2	3 1	2 3	1 1	. 1	1 .
760.0	Intracranial and spinal injury at birth:- Without mention of immaturity	M F	46 28	2 1	22 6	24 7	5 6	5 5	4 4	3 4	. .	1 .
760.5	With immaturity	M F	12 8	. .	4 2	4 2	5 3	2 1	. 1	. 1	. .	. .
761.0	Other birth injury:- Without mention of immaturity	M F	31 14	7 5	14 4	21 9	5 3	2 2	. .	1 .	1 .	. .
761.5	With immaturity	M F	2 4	. 2	2 .	2 .	. .	1 .	1 .	. .	. .	. .
762.0	Post-natal asphyxia and atelectasis:- Without mention of immaturity	M F	52 49	8 7	19 19	27 26	13 9	3 5	2 1	. 1	. 1	2 2
762.5	With immaturity	M F	53 30	3 1	25 14	28 15	16 8	3 4	2 .	1 1	1 1	. .

[illegible]

TABLE 26 (contd.) - INFANT MORTALITY - TOTAL DEATHS UNDER ONE YEAR OF AGE

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
763.0	Pneumonia of newborn:- Without mention of immaturity	M	45	2	2	4	4	5		3		1
		F	18	1	1	2	2	1	1		1	2
763.5	With immaturity	M	7		1	1	1	1		1	1	
		F	5				1			1		
765.0	Ophthalmia neonatorum:- Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
765.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766.0	Pemphigus neonatorum:- Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
767.0	Umbilical sepsis:- Without mention of immaturity	M	2	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.
767.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
768.0	Other sepsis of newborn:- Without mention of immaturity	M	4	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.
768.5	With immaturity	M	.	.	.	.	.	.	1	.	.	.
		F	2	.	.	.	.	.		.	.	.
769.0- 769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy:- Without mention of immaturity	M	2	1	.	1	1	.	.	.	.	.
		F	2	.	.	.	2	.	.	.	.	.
769.5- 769.9	With immaturity	M	2	.	.	.	.	1	.	.	1	.
		F	2	.	2	2	.	.	.	.	.	.
770.0- 770.2	Haemolytic disease of newborn (erythroblastosis):- Without mention of immaturity	M	27	2	7	9	5	3	4	1	.	1
		F	17	4	11	15	.	.	1	.	.	.
770.5- 770.7	With immaturity	M	4	.	2	2	1	.	.	.	.	.
		F	10	4	4	8	.	2	.	.	.	.
771.0	Haemorrhagic disease of newborn:- Without mention of immaturity	M	9	.	1	1	1	2	1	.	.	.
		F	8	.	1	1	3	.	.	2	.	.
771.5	With immaturity	M	1	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.
772.0	Nutritional maladjustment:- Without mention of immaturity	M	2	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
772.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
773.0	Ill-defined diseases of early infancy:- Without mention of immaturity	M	18	.	2	2	6	.	.	1	.	.
		F	23	2	4	6	2	1	.	1	.	.
773.5	With immaturity	M	27	1	6	7	9	3	3	1	1	.
		F	20	1	11	12	3	1	1	1	.	.
774	Immaturity with mention of any other subsidiary condition	M	4	2	.	2	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unequalified	M	143	5	72	77	27	14	7	2	3	.
		F	113	5	64	69	20	10	8	.	2	.
780.2	Convulsions	M	1	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.
	Other causes	M	52	1	1	2	.	1	1	.	.	1
		F	38	2	1	3	2	1	1	.	.	.

IN 1964, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Total under 7	7-13	14-20	21-27	Total under 4 weeks	Months											Detailed Inter- national List Nos.
					4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	
17	11	12	5	45	.	.	.	.	.	.	.	.	.	.	.	763.0
9	4	4	1	18	.	.	.	.	.	.	.	.	.	.	.	
5	2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	763.5
2	.	2	1	5	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	767.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	768.0
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	768.5
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	769.0- 769.4
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	769.5- 769.9
2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
23	.	2	1	26	1	.	.	.	.	.	.	.	.	.	.	770.0- 770.2
16	1	.	.	17	.	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	770.5- 770.7
10	.	.	.	10	.	.	.	.	.	.	.	.	.	.	.	
5	3	.	1	9	.	.	.	.	.	.	.	.	.	.	.	771.0
6	1	.	.	7	.	.	.	.	.	.	.	1	.	.	.	
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	771.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	772.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	1	1	.	11	1	2	1	1	2	2	.	.	1	.	.	773.0
10	4	2	.	16	2	.	2	.	.	2	.	.	.	.	.	
24	2	.	.	26	1	.	.	.	.	.	.	.	.	.	.	773.5
18	1	1	.	20	.	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
130	7	3	1	141	1	.	1	.	.	.	.	.	.	.	.	776
109	1	.	1	111	2	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	780.2
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
5	2	4	1	12	10	8	4	3	5	2	3	.	2	2	1	
7	.	3	.	10	5	4	3	4	4	.	3	1	.	.	4	

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE IN 1964, CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M	19	6	4	6	16	2	1	.
		F	15	4	1	8	10	4	.	1
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic	M	.	.	.	.	.	.	.	.
057-138	diseases	F	.	.	.	.	.	.	.	.
340	Meningitis except meningo- coccal and tuberculous	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
330-334	Other diseases of the nervous	M	.	.	.	.	.	.	.	.
341-398	system and sense organs	F	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	1	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
500-502	Bronchitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
470-475	Other diseases of the	M	.	.	.	.	.	.	.	.
510-527	respiratory system	F	.	.	.	.	.	.	.	.
571,764	Gastro-enteritis and colitis	M	1	.	.	1	1	.	.	.
	and diarrhoea of newborn	F	3	.	.	1	1	2	.	.
530-570	Other diseases of the	M	.	.	.	.	.	.	.	.
572-587	digestive system	F	.	.	.	.	.	.	.	.
750-759	Congenital malformations	M	4	1	2	.	3	1	.	.
		F	7	1	1	3	5	2	.	.
760-761	Birth injuries	M	1	.	.	1	1	.	.	.
		F	.	.	.	.	.	.	.	.
762	Post-natal asphyxia and atelectasis	M	2	1	1	.	2	.	.	.
		F	.	.	.	.	.	.	.	.
763	Pneumonia of newborn	M	3	.	.	3	3	.	.	.
		F	.	.	.	.	.	.	.	.
765-768	Other infections of newborn	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-									
769.0-	Without mention of	M	1	.	.	.	.	1	.	.
773.0	immaturity	F	.	.	.	.	.	.	.	.
769.5-	With mention of	M	.	.	.	.	.	.	.	.
773.5	immaturity	F	.	.	.	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	4	2	1	1	4	.	.	.
		F	2	1	.	1	2	.	.	.
780.2	Convulsions	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
	Other causes	M	2	2	.	.	2	.	.	.
		F	2	2	.	.	2	.	.	.

TABLE 28. - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	647	310	318	180	206	85	76	32	47	13
		F	522	233	272	139	159	56	59	27	32	11
010	Tuberculosis of meninges and central nervous system	M	.	.	.	2	.	.	.	.	.	.
		F	.	2	.	2	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	3	.	3	.	.	.	.	.	.
		F	.	3	.	1	.	.	.	2	.	.
030-055	Other infective and parasitic diseases	M	1	12	.	7	1	5	.	.	.	.
057-138		F	1	6	1	5	.	1	.	.	.	.
340	Meningitis except meningococcal and tuberculous	M	3	4	.	1	1	2	2	1	.	.
		F	4	3	3	2	.	1	1	.	.	.
330-334	Other diseases of the nervous system and sense organs	M	.	7	.	4	.	.	.	3	.	.
341-398		F	1	2	1	1	.	1	.	.	.	.
480-483	Influenza	M	1	3	.	1	1	.	.	2	.	.
		F	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	91	.	51	.	22	.	11	.	7
		F	.	69	.	39	.	20	.	6	.	4
500-502	Bronchitis	M	1	10	1	8	.	1	.	.	.	1
		F	1	3	1	2	.	1	.	.	.	.
470-475	Other diseases of the respiratory system	M	3	10	2	3	.	5	1	1	.	1
510-527		F	2	4	.	1	1	1	.	2	1	.
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	13	17	5	13	7	3	.	1	1	.
		F	9	12	7	7	1	.	.	4	1	1
530-570	Other diseases of the digestive system	M	4	3	2	.	2	1	.	1	.	1
572-587		F	2	4	1	2	.	2	.	.	1	.
750-759	Congenital malformations	M	137	88	74	52	41	28	16	6	6	2
		F	150	83	81	51	47	19	18	9	4	4
760,761	Birth injuries	M	90	1	48	1	24	.	9	.	9	.
		F	54	.	32	.	10	.	9	.	3	.
762	Postnatal asphyxia and atelectasis	M	103	2	45	1	35	.	15	1	8	.
		F	78	1	38	.	24	.	6	1	10	.
763	Pneumonia of newborn	M	52	.	31	.	14	.	6	.	1	.
		F	23	.	14	.	4	.	5	.	.	.
765-768	Other infections of newborn	M	3	3	1	.	.	3	2	.	.	.
		F	2	2	2	2	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	48	10	21	4	13	6	8	.	6	.
		F	42	8	18	5	17	3	4	.	3	.
769.5-775.5	With mention of immaturity	M	32	2	17	1	7	1	5	.	3	.
		F	32	.	18	.	7	.	3	.	4	.
774	Immaturity with mention of any other subsidiary condition	M	3	1	2	.	1	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	141	2	61	1	57	.	10	1	13	.
		F	111	2	50	.	46	2	11	.	4	.
780.2	Convulsions	M	.	1	.	.	.	.	.	1	.	.
		F	.	1	.	.	.	.	.	1	.	.
	Other causes	M	12	40	8	29	2	7	2	3	.	1
		F	10	28	5	19	2	5	2	2	1	2

TABLE 28 (contd.)-INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos	Cause of death		CARLOW COUNTY		DUBLIN CO. BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN CO (remainder of)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	12 10	3 3	128 103	85 71	5 12	3 3	34 28	19 7	17 17	14 9
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .
030-055 057-138	Other infective and parasitic diseases	M F	. .	1 .	. 1	3 1	. .	. .	. .	2 1	. .	. .
340	Meningitis except meningococcal and tuberculous	M F	. .	. .	. 1	. 1	. 1	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	1 .	. .	1 .	. .	. .	1 1	1 1	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
490-493	Pneumonia	M F	. .	. .	. .	21 21	. .	1 2	. .	7 1	. .	5 2
500-502	Bronchitis	M F	. .	1 .	1 .	4 2	. .	. .	. .	. .	. .	1 .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	3 1	. .	. .	1 .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	. .	. .	2 1	5 4	. .	. 1	. .	1 .	1 1	. .
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	1 .	. 1	. .	. .	. .	. .	. .	1 .
750-759	Congenital malformations	M F	1 3	. 2	32 28	24 26	1 4	1 .	8 7	6 2	4 6	5 4
760,761	Birth injuries	M F	. 1	. .	16 8	. .	1 2	. .	7 4	. .	2 4	. .
762	Postnatal asphyxia and atelectasis	M F	. .	. .	20 16	1 .	2 1	. .	2 3	. .	3 1	. .
763	Pneumonia of newborn	M F	3 1	. .	9 9	. .	. 1	. .	5 1	. .	2 .	. .
765-768	Other infections of newborn	M F	. .	. .	. 1	1 .	. .	. .	. .	. .	. .	1 .
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	2 1	. .	10 5	2 .	. 1	. .	1 2	. .	. 1	1 .
769.5- 773.5	With mention of immaturity	M F	1 1	. .	9 7	1 .	. 1	. .	1 2	. .	1 2	. .
774	Immaturity with mention of any other subsidiary condition	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	3 3	. .	24 23	1 .	1 1	. .	9 7	. .	4 1	. .
780.2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	. .	. 1	4 3	18 12	. .	. .	. 1	2 2	. 1	1 1

TABLE 28 (contd.)—INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH:

Detailed Inter- national List Nos	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	18	4	9	8	2	4	19	8	18	7
		F	12	3	12	1	5	3	19	6	8	5
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	1	.	.	.	.
030-055	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.
057-138		F	.	.	.	.	.	.	.	1	.	1
340	Meningitis except mening- ococcal and tuberculous	M	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.
330-334	Other diseases of the nervous system and sense organs	M	.	.	.	.	.	.	.	1	.	.
341-398		F	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	1	.	3	.	1	.	2	.	2
		F	.	.	.	.	.	.	.	2	.	1
500-502	Bronchitis	M	.	.	.	.	1	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.
470-475	Other diseases of the respiratory system	M	.	.	.	.	.	.	.	.	.	.
510-527		F	.	.	.	.	.	.	.	.	.	.
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	2	.	.	1	.	1	.	1	.	.
		F	3	.	1	.	.	1	.	.	.	.
530-570	Other diseases of the digestive system	M	.	.	.	.	.	.	1	.	.	.
572-587		F	.	.	.	.	.	.	.	.	.	.
750-759	Congenital malformations	M	1	3	3	3	1	1	4	3	5	2
		F	2	.	4	1	1	1	6	2	5	3
760,761	Birth injuries	M	3	.	2	.	.	.	3	.	4	1
		F	.	.	2	.	2	.	3	.	.	.
762	Postnatal asphyxia and atelectasis	M	1	.	1	.	.	.	5	.	2	.
		F	1	.	3	.	1	.	5	.	2	.
763	Pneumonia of newborn	M	5	.	1	.	1	.	1	.	1	.
		F	.	.	.	.	.	.	.	.	.	.
765-768	Other infections of newborn	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-											
769 0-	Without mention of	M	.	.	.	.	.	.	3	.	1	.
773.0	immaturity	F	1	2	.	.	.	.	1	1	1	.
769.5-	With mention of	M	.	.	.	.	.	.	2	.	1	.
773.5	immaturity	F	1	.	.	.	.	.	2	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	5	.	2	.	.	.	1	.	3	.
		F	3	.	1	.	.	.	1	.	.	.
780.2	Convulsions	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other causes	M	1	.	.	1	.	1	.	1	1	1
		F	.	1	.	.	.	.	.	.	.	.

TABLE 28 (contd.)—INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos	Cause of death		OFFALY COUNTY		WEST- MEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	11 9	5 3	11 12	7 4	18 14	10 10	16 11	3 11	21 16	7 7
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	1 .	. .	. .	. .	. 1	. .	. .	. .	. .
340	Meningitis except mening- ococcal and tuberculous	M F	. .	. .	. .	. .	. .	1 1	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	. .	. 2	. .	4 1	. .	3 2	. .	1 5	. .	2 2
500-502	Bronchitis	M F	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	. .	2 .	. .	1 .	. .	1 .	. 1	. 1	. .	. .
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .
750-759	Congenital malformations	M F	5 .	2 1	4 6	. 1	2 7	1 5	3 2	1 3	2 6	2 2
760,761	Birth injuries	M F	3 3	. .	1 .	. .	3 .	. .	4 2	. .	4 1	. .
762	Postnatal asphyxia and atelectasis	M F	1 2	. .	4 1	. .	3 1	. .	1 1	. .	2 1	. .
763	Pneumonia of newborn	M F	. .	. .	1 .	. .	. 2	. .	2 .	. .	2 .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-											
769 0- 773.0	Without mention of immaturity	M F	2 1	. .	1 2	1 1	1 1	. .	. 1	. 1	. 1	. 1
769.5- 773.5	With mention of immaturity	M F	. 2	. .	. .	. .	1 .	. .	1 .	. .	. 1	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	. 1	. .	1 2	. .	5 3	. .	3 4	. .	11 6	. .
780.2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	. .	. .	. .	. 1	1 .	3 1	1 .	1 .	. .	2 1

TABLE 28 (contd.)-INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos	Cause of death		CORK CO BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK CO BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F
	All causes		13	8	45	26	28	13	15	3	30	14
			16	7	44	13	14	6	13	4	13	4
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic diseases	M	.	.	1	4	.	.	.	.	.	.
057-138		F	.	.	.	.	.	.	.	.	.	1
340	Meningitis except mening- ococcal and tuberculous	M	.	1	1	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
330-334	Other diseases of the nervous system and sense organs	M	.	.	.	1	.	.	.	.	.	.
341-398		F	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	1	.	6	.	4	.	1	.	3
		F	.	3	.	6	.	2	.	.	.	3
500-502	Bronchitis	M	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
470-475	Other diseases of the respiratory system	M	.	.	.	.	.	2	.	2	.	.
510-527		F	1	.	.	.	.	1	.	.	.	.
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	.	.	1	2	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.
530-570	Other diseases of the digestive system	M	.	.	2	1	.	.	.	.	.	.
572-587		F	.	.	.	1	.	.	.	.	.	.
750-759	Congenital malformations	M	3	4	12	9	7	2	3	.	6	7
		F	3	2	16	5	6	1	4	3	5	.
760,761	Birth injuries	M	.	.	3	.	4	.	1	.	6	.
		F	.	.	2	.	1	.	1	.	.	.
762	Postnatal asphyxia and atelectasis	M	6	.	8	.	6	.	3	.	4	.
		F	3	.	12	.	2	.	2	.	1	.
763	Pneumonia of newborn	M	1	.	4	.	1	.	1	.	1	.
		F	.	.	1	.	.	.	.	.	2	.
765-768	Other infections of newborn	M	.	.	.	1	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-											
769 0-	Without mention of immaturity	M	1	.	2	1	1	2	2	.	3	2
773.0		F	3	.	2	.	2	1	4	.	2	.
769.5-	With mention of immaturity	M	1	.	.	.	.	.	.	.	3	.
773.5		F	1	.	2	.	1	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	1	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	1	.	10	.	8	.	4	.	6	.
		F	5	1	8	.	2	.	2	.	3	.
780.2	Convulsions	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other causes	M	.	1	1	1	.	1	.	.	.	.
		F	.	1	1	.	.	1	.	1	.	.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		TIPPERARY CO., N.R.		TIPPERARY CO., S.R.		WATERFORD CO. BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes		14 9	3 8	13 15	4 6	10 7	1 2	17 12	6 2	25 23	8 12	10 6	4 -
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis except meningococcal and tuberculous	M F	. .	. .	. .	. .	. 1	. .	. .	. .	. .	1 .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
480-483	Influenza	M F	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
490-493	Pneumonia	M F	. .	1 2	. 1	. .	. .	. .	. 2 1	. .	. .	2 3	. .	4 .
500-502	Bronchitis	M F	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	4 1	. .	. .	. .	. .	. .	. 1	. .	. .	1 1	. .	. .
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
750-759	Congenital malformations	M F	. .	2 2	2 5	1 4	2 1	. .	4 1	1 .	7 10	. 7	2 .	. .
760,761	Birth injuries	M F	2 2	. .	1 .	. .	3 2	. .	. 1	. .	2 2	. .	. .	. .
762	Postnatal asphyxia and atelectasis	M F	1 .	. .	2 2	. .	. .	. .	3 1	. .	2 4	. 1	2 .	. .
763	Pneumonia of newborn	M F	. .	. .	1 .	. .	1 1	. .	2 .	. .	3 1	. .	1 .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	. .	. .	. 1	. .	1 .	. .	1 .	. .
	Other and ill-defined diseases of early infancy:-													
769.0- 773.0	Without mention of immaturity	M F	1 2	. .	2 1	1 1	1 .	. .	. .	. .	3 1	. .	1 2	. .
769.5- 773.5	With mention of immaturity	M F	. 1	. .	1 1	. .	1 .	. .	1 .	1 .	1 .	. .	2 2	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	6 3	. 1	3 5	. .	2 3	. .	6 9	. .	5 5	1 .	. 1	. .
780.2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	. .	. .	. 1	. .	. 1	. 1	1 .	. 1	1 .	1 .	1 1	. .

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1964, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F	M	F
	All causes		23	11	9	4	9	5	9	2	27	8	11	3
			18	6	6	4	6	5	8	5	13	4	11	2
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
001-008 011-019	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	2	.	.	.	.	.	.	.	.	.	.
030-055 057-138	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
340	Meningitis except meningococcal and tuberculous	M	2	.	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
330-334 341-398	Other diseases of the nervous system and sense organs	M	.	1	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	2	.	1	.	2	.	1	.	1	.	1
		F	.	1	.	2	.	.	.	2	.	1	.	1
500-502	Bronchitis	M	.	.	.	.	.	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.	.	.	.
470-475 510-527	Other diseases of the respiratory system	M	.	.	.	1	1	.	.	.	1	1	.	.
		F	.	.	.	1	1	1	.	.	1	1	.	.
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	.	.	.	.	.	3	.	.	1	1	.	.
		F	.	.	.	.	.	.	.	.	1	1	.	.
530-570 572-587	Other diseases of the digestive system	M	.	.	.	1	.	.	.	.	.	1	1	.
		F	.	.	.	1	.	.	.	.	.	1	1	.
750-759	Congenital malformations	M	3	5	4	.	1	1	1	1	3	.	2	1
		F	5	2	1	.	2	.	1	2	.	1	3	1
760,761	Birth injuries	M	6	.	2	.	1	.	2	.	4	.	3	.
		F	5	.	.	.	.	1	.	.	1	.	1	.
762	Postnatal asphyxia and atelectasis	M	5	1	2	.	4	.	2	.	3	.	3	.
		F	1	.	1	.	.	2	.	.	4	.	4	.
763	Pneumonia of newborn	M	1	.	1	.	.	.	.	.	1	.	.	.
		F	2	.	.	.	2	.	.	.	.	.	.	.
765-768	Other infections of newborn	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
	Other and ill-defined dis- eases of early infancy:-													
769.0- 773.0	Without mention of immaturity	M	2	.	1	.	2	.	.	.	5	.	1	.
		F	.	.	.	.	.	.	.	.	2	.	1	.
769.5- 773.5	With mention of immaturity	M	1	.	.	.	1	.	2	.	1	.	1	.
		F	1	.	.	.	.	2	.	.	1	.	1	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	3	.	2	.	1	.	2	.	9	.	2	.
		F	3	.	1	.	1	.	2	.	2	.	.	.
780.2	Convulsions	M	.	1	.	.	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.	.	.
	Other causes	M	.	1	.	1	.	1	.	1	1	1	.	.
		F	1	.	.	1	.	1	.	1	1	1	.	.

TABLE 29. - DEATHS REGISTERED IN 1964 OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH
SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,022	4,269	4,807	4,090	3,712	3,252	4,089	3,389	17,630	15,000
Carlow	53	63	52	55	55	37	53	47	213	202
Dublin Co. Borough	757	731	677	686	544	577	715	684	2,693	2,678
Dun Laoghaire Boro'	67	86	71	86	52	65	70	86	260	323
Dublin Co. (remainder)	133	128	155	135	132	111	141	130	561	504
Kildare	95	86	105	75	68	61	90	79	358	301
Kilkenny	126	84	120	108	80	70	105	77	431	339
Laois	72	62	68	71	75	54	70	41	285	228
Longford	78	58	73	46	51	39	48	36	250	179
Louth	103	88	134	102	89	94	98	82	424	366
Meath	128	84	82	94	80	84	102	62	392	324
Offaly	97	72	92	75	60	50	55	37	304	234
Westmeath	107	78	86	57	70	68	65	59	328	262
Wexford	154	140	148	122	108	113	123	114	533	489
Wicklow	115	79	105	83	89	67	79	75	388	304
Leinster	2,083	1,839	1,968	1,795	1,553	1,490	1,814	1,609	7,420	6,733
Clare	152	140	123	109	96	96	122	83	493	428
Cork Co. Borough ..	153	138	146	148	88	105	129	123	516	514
Cork County	545	458	443	348	368	339	422	321	1,778	1,466
Kerry	243	199	234	192	172	129	186	162	835	682
Limerick Co. Borough	73	74	65	61	63	43	52	52	253	230
Limerick County ..	204	129	182	133	149	96	146	99	681	457
Tipperary, N.R. ..	89	86	95	81	85	59	95	54	364	280
Tipperary, S.R. ..	138	96	129	127	104	84	88	96	459	403
Waterford County	43	54	35	52	47	31	44	37	169	174
Borough	80	76	76	40	74	57	75	45	305	218
Munster	1,720	1,450	1,528	1,291	1,246	1,039	1,359	1,072	5,853	4,852
Galway	268	182	328	217	207	167	196	154	999	720
Leitrim	93	55	98	61	55	36	55	35	301	187
Mayo	236	191	248	208	135	144	153	114	772	657
Roscommon	120	98	132	99	98	73	86	72	436	342
Sligo	160	93	111	90	70	57	87	69	368	309
Connacht	817	619	917	675	868	877	877	844	2,876	2,218
Cavan	124	95	121	89	107	72	90	63	442	319
Donegal	195	185	188	165	174	124	176	144	733	618
Monaghan	81	81	85	75	67	50	73	57	306	263
Ulster (part of) ..	400	361	394	329	348	246	339	264	1,481	1,200

TABLE 30 - BIRTHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1964 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGH.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	7,814	7,410	8,904	8,443	8,404	8,161	7,637	7,299	32,789	31,319
Carlow	100	108	126	130	111	104	113	121	450	463
Dublin Co. Borough	1,647	1,534	1,924	1,792	1,809	1,695	1,563	1,610	6,943	6,631
Dun Laoghaire Boro ^o	142	158	144	155	148	128	133	126	567	567
Dublin Co. (remainder)	528	547	696	666	636	622	650	535	2,510	2,370
Kildare	214	200	236	226	220	187	181	160	851	773
Kilkenny	139	135	176	175	150	178	181	145	646	633
Laois	113	134	152	134	124	127	119	107	508	502
Longford	69	62	92	79	90	74	67	58	318	273
Louth	223	170	236	208	225	194	185	190	869	762
Meath	170	174	189	190	225	200	175	164	759	728
Offaly	157	143	172	141	169	157	166	175	664	616
Westmeath	179	134	174	185	154	160	146	171	653	650
Wexford	234	232	278	242	208	243	230	215	950	932
Wicklow	165	167	209	165	169	152	175	178	718	662
Leinster	4,080	3,898	4,804	4,488	4,438	4,221	4,084	3,955	17,406	16,562
Clare	159	148	158	224	195	206	174	159	686	737
Cork Co. Borough ..	251	250	266	251	235	237	218	223	1,020	1,016
Cork County	666	637	737	699	711	721	686	620	2,800	2,677
Kerry	233	232	291	285	273	281	241	220	1,038	1,018
Limerick Co. Borough	204	189	173	167	180	183	136	116	693	655
Limerick County ..	232	197	243	215	260	242	220	219	955	873
Tipperary, N.R. ..	142	133	167	136	171	154	148	138	628	561
Tipperary, S.R. ..	191	187	220	231	204	184	196	157	811	759
Waterford County Borough	91	78	103	99	88	104	79	74	361	355
Waterford County ..	100	103	116	116	122	116	112	97	450	422
Munster	2,269	2,154	2,474	2,423	2,489	2,478	2,210	2,028	9,442	9,002
Galway	368	336	444	416	371	393	360	360	1,543	1,505
Leitrim	66	61	88	76	73	76	61	56	288	269
Mayo	263	229	297	264	252	243	242	228	1,054	964
Roscommon	132	109	113	103	114	123	107	86	466	421
Sligo	121	128	149	120	123	133	107	134	500	515
Connacht	980	863	1,091	979	933	968	877	864	3,851	3,674
Cavan	131	133	138	158	150	138	118	99	537	533
Donegal	270	250	275	265	263	249	255	263	1,063	1,027
Monaghan	114	107	122	130	131	107	93	90	460	434
Ulster (part of) ..	616	496	596	553	544	494	466	452	2,060	1,954

TABLE 31 - BIRTHS REGISTERED IN 1964 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary
Total ..	56,355	7,717	.	.	.	.	56,355	7,717
Carlow	654	107	81	1	231	3	804	109
Dublin County Boro'	18,887	1,915	7,317	23	111	1	11,681	1,893
Dun Laoghaire Boro'	1,254	117	784	2	548	1	1,018	116
Dublin Co. (remainder)	147	563	126	1	4,276	21	4,297	583
Kildare	336	299	9	2	999	1	1,326	298
Kilkenny	829	186	28	1	292	1	1,093	186
Laois	651	160	11	4	213	1	853	157
Longford	437	61	111	.	204	.	530	61
Louth	2,693	80	1,191	1	49	1	1,551	80
Meath	262	94	3	.	1,132	2	1,391	96
Offaly	873	242	44	3	211	1	1,040	240
Westmeath	991	166	167	2	315	.	1,139	164
Wexford	1,263	371	32	1	278	3	1,509	373
Wicklow	218	287	29	.	903	1	1,092	288
Clare	1,053	115	10	1	266	.	1,309	114
Cork Co. Borough ..	1,958	182	1,070	1	967	.	1,855	181
Cork County	5,445	240	1,299	.	1,088	3	5,234	243
Kerry	1,727	144	22	.	207	.	1,912	144
Limerick Co. Borough	3,106	161	1,931	.	12	.	1,187	161
Limerick County ..	.	152	.	1	1,677	.	1,677	151
Tipperary, N.R. ..	1,101	108	242	1	222	1	1,081	108
Tipperary, S.R. ..	1,506	132	172	.	103	1	1,437	133
Waterford Co. Boro'	973	205	615	.	153	.	511	205
Waterford County ..	486	164	215	.	447	.	718	164
Galway	3,448	252	709	1	57	1	2,796	252
Leitrim	326	36	14	.	208	1	520	37
Mayo	1,294	300	11	2	436	1	1,719	299
Roscommon	570	62	63	.	318	.	825	62
Sligo	970	99	92	1	38	1	916	99
Cavan	675	144	48	.	298	1	925	145
Donegal	1,535	533	14	.	34	2	1,555	535
Monaghan	687	40	76	1	243	1	854	40

TABLE 32 - BIRTHS REGISTERED IN 1964 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	64,072	32,789	31,313	1,292	641	651
15 and under	35	23	12	25	19	6
16	80	45	35	45	25	20
17	232	130	102	86	47	39
18	464	250	214	127	61	66
19	765	378	387	129	56	73
Under 20	1,876	826	780	412	208	204
20	1,149	562	587	134	72	62
21	1,707	880	827	119	48	71
22	2,045	1,017	1,028	84	39	45
23	2,402	1,237	1,165	72	36	36
24	3,157	1,620	1,537	69	35	34
25-29	10,460	5,316	5,144	478	230	248
25	3,272	1,676	1,596	53	31	22
26	3,370	1,737	1,633	48	23	25
27	3,641	1,877	1,764	38	18	20
28	3,620	1,860	1,760	40	20	20
29	3,580	1,807	1,773	30	14	16
30-34	17,483	8,987	8,526	209	106	109
30	3,423	1,736	1,687	25	11	14
31	3,533	1,786	1,747	27	11	16
32	3,404	1,736	1,668	16	7	9
33	3,031	1,533	1,498	13	6	7
34	3,086	1,627	1,459	11	6	5
35-39	16,477	8,418	8,069	92	41	51
35	2,730	1,417	1,313	7	5	2
36	2,681	1,347	1,334	8	3	5
37	2,610	1,361	1,249	7	4	3
38	2,262	1,139	1,123	7	4	3
39	1,978	1,032	946	3	2	1
40-44	12,261	6,296	5,965	32	18	14
40	1,661	831	830	8	4	4
41	1,372	700	672	5	5	.
42	994	535	459	7	2	5
43	660	332	328	2	2	.
44	416	205	211	.	.	.
45-49	5,103	2,603	2,500	22	13	9
45	169	76	93	.	.	.
46	93	49	44	.	.	.
47	33	14	19	.	.	.
48	10	5	5	.	.	.
49	2	1	1	.	.	.
50-54	307	148	162	.	.	.
50	.	.	.	.	.	.
51	.	.	.	.	.	.
52	.	.	.	.	.	.
53	.	.	.	.	.	.
54	.	.	.	.	.	.
55-59	.	.	.	.	.	.
Age not stated	406	198	207	47	28	22

TABLE 33 - BIRTHS REGISTERED IN 1964, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW							DUBLIN COUNTY BOROUGH					
Under 20 years	32	17	15	10	7	3	344	180	164	69	37	32
20-24 years	160	79	81	13	6	7	2,799	1,407	1,392	128	63	65
25-29 years	233	110	123	8	6	2	3,873	2,032	1,841	64	35	29
30-34 years	244	125	119	.	.	.	3,393	1,706	1,687	34	16	18
35-39 years	161	81	80	1	.	1	2,213	1,146	1,067	10	8	2
40-44 years	76	32	44	.	.	.	877	438	439	7	4	3
45 years and over	5	4	1	.	.	.	37	14	23	.	.	.
Age not stated	2	2	.	.	.	.	38	20	18	14	7	7
All ages	913	450	463	32	19	13	13,574	6,943	6,631	326	170	156
DUN LAOGHAIRE BOROUGH							DUBLIN COUNTY (remainder)					
Under 20 years	26	15	11	6	2	4	76	46	30	19	10	9
20-24 years	201	107	94	4	3	1	857	428	429	23	9	14
25-29 years	370	180	190	1	1	.	1,620	832	788	11	7	4
30-34 years	289	148	141	1	1	.	1,225	630	595	8	3	5
35-39 years	178	89	89	1	1	.	793	408	385	2	1	1
40-44 years	60	25	35	1	1	.	272	147	125	2	1	1
45 years and over	2	.	2	.	.	.	15	7	8	.	.	.
Age not stated	8	3	5	1	.	1	22	12	10	3	2	1
All ages	1,134	567	567	15	9	6	4,880	2,510	2,370	68	33	35
KILDARE							KILKENNY					
Under 20 years	55	30	25	15	9	6	44	20	24	15	6	9
20-24 years	342	190	152	12	6	6	190	98	92	15	8	7
25-29 years	425	226	199	5	4	1	320	168	152	.	.	.
30-34 years	368	178	190	1	.	1	340	180	160	1	1	.
35-39 years	291	164	127	.	.	.	272	136	136	.	.	.
40-44 years	123	52	71	1	.	1	100	36	64	.	.	.
45 years and over	10	8	2	.	.	.	12	7	5	.	.	.
Age not stated	10	3	7	3	1	2	1	1	.	.	.	.
All ages	1,624	851	773	37	20	17	1,279	646	633	31	15	16
LAOIS							LONGFORD					
Under 20 years	21	10	11	6	3	3	14	9	5	4	3	1
20-24 years	156	78	78	5	4	1	74	35	39	6	2	4
25-29 years	255	136	119	1	1	.	126	62	64	2	2	.
30-34 years	252	119	133	4	2	2	163	90	73	.	.	.
35-39 years	209	104	105	.	.	.	142	85	57	.	.	.
40-44 years	92	51	41	.	.	.	66	34	32	1	1	.
45 years and over	13	7	6	.	.	.	5	3	2	.	.	.
Age not stated	12	3	9	.	.	.	1	.	1	.	.	.
All ages	1,010	508	502	16	10	6	591	318	273	13	8	5

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1964, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years	55	28	27	6	2	4	43	18	25	10	3	7
20-24 years	306	157	149	13	7	6	234	126	108	21	10	11
25-29 years	450	251	199	3	1	2	396	191	205	6	3	3
30-34 years	395	211	184	.	.	.	412	222	190	.	.	.
35-39 years	285	152	133	1	1	.	267	141	126	1	.	1
40-44 years	132	65	67	.	.	.	121	53	68	.	.	.
45 years and over	6	3	3	.	.	.	7	4	3	.	.	.
Age not stated	2	2	.	.	.	.	7	4	3	.	.	.
All ages	1,631	869	762	23	11	12	1,487	759	728	38	16	22
OFFALY							WESTMEATH					
Under 20 years	28	15	13	7	2	5	37	24	13	10	4	6
20-24 years	196	110	86	4	3	1	178	90	88	11	4	7
25-29 years	367	181	186	1	1	.	332	154	178	3	1	2
30-34 years	309	162	147	.	.	.	255	176	179	8	1	2
35-39 years	247	132	115	1	.	1	272	132	140	.	.	.
40-44 years	106	56	50	.	.	.	126	69	47	1	2	.
45 years and over	9	3	6	.	.	.	9	4	5	.	.	.
Age not stated	13	5	13	1	.	1	4	4	.	1	1	.
All ages	1,280	664	616	14	6	8	1,203	639	564	29	12	17
WEXFORD							WICKLOW					
Under 20 years	74	39	35	25	14	11	54	25	29	16	8	8
20-24 years	319	156	163	21	8	13	266	136	130	17	8	9
25-29 years	515	265	250	8	3	5	368	180	188	4	.	4
30-34 years	446	219	227	1	.	1	306	174	132	2	2	1
35-39 years	359	182	177	1	.	1	270	142	128	.	.	.
40-44 years	146	76	68	.	.	.	103	55	48	.	.	.
45 years and over	8	3	5	.	.	.	7	4	3	.	.	.
Age not stated	15	8	7	7	4	3	6	2	4	1	.	1
All ages	1,882	950	932	69	29	24	1,380	718	662	41	18	23
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years	49	22	27	6	3	5	104	52	52	35	15	20
20-24 years	408	199	209	3	2	5	724	371	353	36	19	17
25-29 years	543	327	315	4	2	2	1,441	746	695	17	8	9
30-34 years	471	233	238	1	.	1	1,531	769	762	6	3	3
35-39 years	326	173	153	1	.	1	1,124	586	538	1	1	.
40-44 years	134	64	70	2	2	.	457	230	227	.	.	.
45 years and over	2	1	1	.	.	.	53	14	19	.	.	.
Age not stated	4	1	3	.	.	.	63	32	31	2	2	.
All ages	2,096	1,020	1,016	24	10	14	3,477	1,800	2,677	97	48	49

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1964, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE												
Under 20 years	38	22	16	11	6	5	41	18	23	12	4	8
20-24 years	183	82	101	5	2	3	228	114	114	18	6	12
25-29 years	360	166	194	4	3	1	511	268	243	7	3	4
30-34 years	364	179	185	2	1	1	533	267	266	2	.	2
35-39 years	324	151	173	.	.	.	471	239	232	1	.	1
40-44 years	138	76	62	.	.	.	211	109	102	.	.	.
45 years and over	8	4	4	.	.	.	12	3	9	.	.	.
Age not stated	8	6	2	4	3	1	49	20	29	.	.	.
All ages	1,423	686	737	26	15	11	2,056	1,038	1,018	40	13	27
KERRY												
Under 20 years	46	25	21	6	3	3	55	32	23	25	13	12
20-24 years	286	148	138	5	3	2	238	118	120	23	14	9
25-29 years	372	183	189	4	2	2	476	241	235	13	6	7
30-34 years	338	183	155	1	.	1	460	249	211	9	3	6
35-39 years	213	105	108	2	.	2	397	209	188	1	1	.
40-44 years	87	46	41	.	.	.	179	93	86	1	.	1
45 years and over	4	1	3	.	.	.	8	5	3	.	.	.
Age not stated	2	2	.	.	.	.	15	8	7	2	2	.
All ages	1,348	693	655	18	8	10	1,828	955	873	74	39	35
LIMERICK COUNTY BOROUGH												
LIMERICK COUNTY												
Under 20 years	27	18	9	4	3	1	59	31	28	15	9	6
20-24 years	172	94	78	8	7	1	234	125	109	16	10	6
25-29 years	314	161	153	3	1	2	408	210	198	2	1	1
30-34 years	323	177	146	1	1	.	373	191	182	3	2	1
35-39 years	237	117	120	1	1	.	323	167	156	2	2	.
40-44 years	109	57	52	1	1	.	153	82	71	.	.	.
45 years and over	6	3	3	.	.	.	10	3	7	.	.	.
Age not stated	1	1	.	.	.	.	10	2	8	.	.	.
All ages	1,189	628	561	18	14	4	1,570	811	759	38	24	14
TIPPERARY, NORTH RIDING												
TIPPERARY, SOUTH RIDING												
Under 20 years	23	11	12	5	3	2	29	15	14	5	3	2
20-24 years	159	83	76	4	2	2	153	70	83	4	2	2
25-29 years	217	113	104	1	.	1	234	115	119	3	2	1
30-34 years	175	82	93	1	.	1	206	107	99	3	2	1
35-39 years	99	50	49	.	.	.	153	84	69	.	.	.
40-44 years	40	21	19	.	.	.	93	48	45	.	.	.
45 years and over	1	.	1	.	.	.	1	1	.	.	.	.
Age not stated	2	1	1	1	1	.	13	10	3	1	1	.
All ages	716	361	355	12	6	6	882	450	432	16	10	6
WATERFORD COUNTY BOROUGH												
WATERFORD COUNTY												
Under 20 years	23	11	12	5	3	2	29	15	14	5	3	2
20-24 years	159	83	76	4	2	2	153	70	83	4	2	2
25-29 years	217	113	104	1	.	1	234	115	119	3	2	1
30-34 years	175	82	93	1	.	1	206	107	99	3	2	1
35-39 years	99	50	49	.	.	.	153	84	69	.	.	.
40-44 years	40	21	19	.	.	.	93	48	45	.	.	.
45 years and over	1	.	1	.	.	.	1	1	.	.	.	.
Age not stated	2	1	1	1	1	.	13	10	3	1	1	.
All ages	716	361	355	12	6	6	882	450	432	16	10	6

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1964, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
GALWAY							LEITRIM					
Under 20 years	60	28	32	12	6	6	8	4	4	4	3	1
20-24 years	362	192	170	12	5	7	48	24	24	1	.	1
25-29 years	782	390	392	10	3	7	127	62	65	2	.	2
30-34 years	825	405	420	.	.	.	164	93	71	.	.	.
35-39 years	685	348	337	1	1	.	145	72	73	1	.	1
40-44 years	302	164	138	.	.	.	56	30	26	.	.	.
45 years and over	21	11	10	.	.	.	6	2	4	.	.	.
Age not stated	11	5	6	.	.	.	3	1	2	.	.	.
All ages	3,048	1,543	1,505	36	15	20	557	288	269	8	3	5
MAYO							ROSCOMMON					
Under 20 years	29	16	13	12	5	7	7	6	1	2	2	.
20-24 years	223	103	120	4	.	4	92	48	44	5	1	4
25-29 years	494	264	230	2	.	2	202	103	99	1	1	.
30-34 years	576	306	270	2	.	2	276	151	125	1	.	1
35-39 years	458	236	222	1	.	1	203	103	100	1	1	.
40-44 years	187	97	90	.	.	.	103	52	51	.	.	.
45 years and over	11	8	3	.	.	.	2	2	.	.	.	.
Age not stated	40	24	16	.	.	.	2	1	1	1	.	1
All ages	2,018	1,054	964	21	5	16	887	466	421	11	5	6
SLIGO							CAVAN					
Under 20 years	25	12	13	9	6	3	26	17	9	12	7	5
20-24 years	136	73	63	6	4	2	115	59	56	15	5	10
25-29 years	239	106	133	1	.	1	252	133	119	6	3	3
30-34 years	253	133	120	2	1	1	291	136	155	1	1	.
35-39 years	248	121	127	.	.	.	247	120	127	.	.	.
40-44 years	100	51	49	.	.	.	107	56	51	3	1	2
45 years and over	9	3	6	.	.	.	9	4	5	.	.	.
Age not stated	5	1	4	1	.	1	23	12	11	.	.	.
All ages	1,018	500	518	19	11	8	1,070	537	533	37	17	20
DONEGAL							MONAGHAN					
Under 20 years	34	14	20	14	6	8	13	7	6	3	1	2
20-24 years	281	142	139	14	6	8	140	74	66	1	.	1
25-29 years	554	288	266	8	4	4	208	113	95	4	2	2
30-34 years	562	284	278	1	1	.	259	133	126	1	.	1
35-39 years	455	234	221	.	.	.	194	87	107	1	.	1
40-44 years	186	95	91	1	1	.	71	41	30	.	.	.
45 years and over	13	5	8	.	.	.	6	4	2	.	.	.
Age not stated	5	1	4	4	1	3	3	1	2	.	.	.
All ages	2,090	1,063	1,027	42	19	23	894	460	434	10	3	7

TABLE 34 - TOTAL BIRTHS REGISTERED IN 1964 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	64,072	14,147	11,986	10,395	8,090	5,888	4,117	2,880	1,945	1,469	1,008
15 & under	35	33	2	.	.	.	.	.	.	.	.
16	80	77	3	.	.	.	.	.	.	.	.
17	232	205	22	3	1	.	.	.	.	.	.
18	464	372	77	14	1	.	.	.	.	.	.
19	765	553	163	38	11	.	.	.	.	.	.
Under 20	1,576	1,240	267	55	13	.	.	.	.	.	.
20	1,149	756	290	85	15	3	.	.	.	.	.
21	1,707	1,009	439	190	53	10	4	.	.	.	.
22	2,045	1,089	591	249	91	17	4	2	.	.	.
23	2,402	1,166	697	340	119	58	11	5	3	.	.
24	3,157	1,252	964	545	222	107	43	14	5	.	1
20-24	10,460	5,272	2,981	1,409	500	195	62	21	8	.	1
25	3,272	1,169	1,006	569	298	135	60	23	6	.	1
26	3,370	987	1,035	671	355	190	65	34	20	5	2
27	3,641	891	994	828	461	238	126	53	28	13	2
28	3,620	771	912	838	497	291	171	81	31	17	3
29	3,580	656	786	819	577	323	192	119	47	38	10
25-29	17,483	4,474	4,733	3,725	2,188	1,177	614	310	132	73	18
30	3,423	545	671	777	584	376	200	128	66	44	18
31	3,533	474	601	735	652	438	273	162	73	59	30
32	3,404	401	540	650	628	430	290	179	102	76	50
33	3,031	298	458	530	546	404	276	191	118	84	56
34	3,086	286	361	504	551	451	328	206	136	106	73
30-34	16,477	2,004	2,631	3,196	2,961	2,099	1,367	866	495	369	227
35	2,730	223	307	414	431	416	287	212	153	111	62
36	2,681	206	253	394	422	372	301	222	171	98	96
37	2,610	165	235	319	415	360	327	219	185	119	81
38	2,262	154	148	248	318	308	270	242	153	133	97
39	1,978	97	129	206	242	275	241	190	160	150	94
35-39	12,261	845	1,072	1,581	1,828	1,731	1,426	1,085	822	611	430
40	1,661	88	115	155	190	236	194	167	123	110	101
41	1,372	61	61	98	163	185	176	144	125	113	63
42	994	42	47	66	106	117	116	111	102	56	62
43	660	18	23	42	63	64	80	73	70	66	47
44	416	12	15	29	36	41	39	57	39	32	26
40-44	5,103	221	261	390	558	643	605	552	459	377	299
45	169	2	2	13	16	20	20	15	15	20	17
46	93	.	7	6	1	10	6	16	7	13	8
47	33	2	2	1	3	3	6	6	3	.	3
48	10	1	.	.	.	.	1	4	.	1	1
49 & over	2	.	.	.	.	.	.	.	.	2	.
45 & over	307	5	11	20	20	33	33	41	25	36	29
Age not stated	405	86	30	19	22	10	10	5	4	3	4

OF MOTHER AT MATERNITY AND NUMBERS OF PREVIOUS LIVEBORN CHILDREN.

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
684	472	294	161	108	54	28	10	5	3	1	1	.	326	All Ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	15 and under
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	.	1	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	19
.	.	.	.	.	.	.	.	.	.	.	.	.	1	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	20
.	.	.	.	.	.	.	.	.	.	.	.	.	2	21
.	.	.	.	.	.	.	.	.	.	.	.	.	2	22
.	.	.	.	.	.	.	.	.	.	.	.	.	3	23
.	.	.	.	.	.	.	.	.	.	.	.	.	4	24
.	.	.	.	.	.	.	.	.	.	.	.	.	11	20-24
.	.	.	.	.	.	.	.	.	.	.	.	.	5	25
.	.	.	.	.	.	.	.	.	.	.	.	.	6	26
.	.	.	.	.	.	.	.	.	.	.	.	.	7	27
1	.	.	.	.	.	.	.	.	.	.	.	.	7	28
2	2	1	.	.	.	.	.	.	.	.	.	.	8	29
3	2	1	.	.	.	.	.	.	.	.	.	.	33	25-29
6	4	1	.	.	.	.	.	.	.	.	.	.	3	30
19	9	2	2	.	.	.	.	.	.	.	.	.	4	31
28	14	7	3	.	.	.	.	.	.	.	.	.	6	32
34	19	4	3	3	1	.	.	.	.	.	.	.	6	33
32	20	13	6	1	2	.	.	.	.	.	.	.	10	34
119	66	27	14	4	3	.	.	.	.	.	.	.	29	30-34
44	38	15	9	.	.	1	.	.	.	.	.	.	7	35
57	31	30	13	7	1	1	.	.	.	.	.	.	6	36
67	56	27	12	8	3	2	.	1	.	.	1	.	8	37
78	42	34	13	10	6	2	1	.	.	.	.	.	5	38
69	44	32	20	13	9	4	1	.	.	.	.	.	2	39
315	211	138	67	38	19	10	2	1	.	.	1	.	28	35-39
49	52	33	20	13	6	3	3	.	.	.	.	.	3	40
64	38	38	13	13	8	3	.	2	2	.	.	.	2	41
67	36	21	19	10	7	5	.	.	1	1	.	.	2	42
30	32	13	12	12	5	3	2	2	.	.	.	.	3	43
25	21	10	9	12	2	3	3	.	.	.	.	.	5	44
235	179	115	73	60	28	17	8	4	3	1	.	.	15	40-44
5	7	7	5	2	2	1	.	.	.	.	.	.	.	45
2	6	4	2	4	1	.	.	.	.	.	.	.	.	46
2	1	1	.	.	.	.	.	.	.	.	.	.	.	47
1	.	.	.	.	1	.	.	.	.	.	.	.	.	48
.	.	.	.	.	.	.	.	.	.	.	.	.	.	49 and over
10	14	12	7	6	4	1	.	.	.	.	.	.	.	45 and over
2	.	1	.	.	.	.	.	.	.	.	.	.	209	Age not stated

TABLE 35 - LEGITIMATE BIRTHS REGISTERED IN 1964, CLASSIFIED

Age of mother at maternity	Legitimate births: the year of											
	Total	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954
All ages	62,780	1,361	8,474	6,201	5,898	5,591	4,871	4,231	3,638	2,243	2,888	2,669
15	10	4	3	3	.	.	.	.	.	.	.	.
16	35	15	19	.	1	.	.	.	.	.	.	.
17	146	51	76	12	4	1	.	1	.	.	.	.
18	337	98	163	57	12	5	1	.	.	.	.	.
19	636	118	328	120	52	14	3	1	.	.	.	.
Under 20	1,164	286	889	192	69	20	4	2	.	.	.	.
20	1,015	162	451	244	90	59	6	1	.	1	.	.
21	1,588	148	684	366	211	126	36	10	5	2	.	.
22	1,961	125	783	462	310	183	72	18	3	4	.	.
23	2,330	97	828	491	421	262	147	53	19	5	3	.
24	3,088	104	844	579	598	442	262	144	65	31	10	2
20-24	9,982	636	3,890	2,142	1,630	1,072	823	226	92	43	13	2
25	3,219	78	801	587	563	436	321	201	124	55	27	9
26	3,322	72	626	537	523	541	422	233	149	115	60	21
27	3,603	60	566	455	485	551	467	384	251	173	93	70
28	3,580	47	442	441	462	481	465	364	322	209	142	91
29	3,550	20	386	332	421	440	411	383	340	275	204	142
25-29	17,274	277	2,821	2,362	2,454	2,449	2,086	1,566	1,186	827	526	333
30	3,398	35	286	273	320	368	395	368	308	305	251	188
31	3,506	32	249	259	254	321	359	400	345	315	284	241
32	3,388	20	216	208	275	254	313	307	298	316	291	261
33	3,018	13	158	172	188	223	219	259	253	250	271	227
34	3,075	21	121	144	170	188	219	244	252	231	253	276
30-34	16,385	121	1,030	1,066	1,207	1,354	1,506	1,578	1,456	1,417	1,350	1,193
35	2,723	10	116	103	134	162	168	193	201	201	206	203
36	2,673	13	94	94	105	128	150	159	162	179	181	209
37	2,603	9	63	77	90	125	135	156	165	170	176	189
38	2,255	6	61	59	55	94	87	91	126	107	136	150
39	1,975	3	44	34	50	63	72	94	98	85	89	137
35-39	12,229	41	378	367	434	572	612	693	752	742	788	888
40	1,653	5	30	43	41	47	48	58	58	83	76	103
41	1,367	3	15	16	22	30	43	42	39	55	57	69
42	987	1	7	17	20	21	18	36	28	35	43	33
43	658	3	4	4	12	9	17	13	13	22	18	24
44	416	1	4	4	2	9	4	6	5	9	9	9
40-44	5,081	13	60	84	97	116	130	155	143	204	203	238
45	169	.	.	1	.	1	2	4	5	3	3	6
46	93	.	.	.	.	.	1	.	3	4	2	3
47	33	.	.	.	.	.	.	1	.	1	2	.
48	10	1	.	.	.	.	.	.	.	.	.	.
45 and over	2	.	.	.	.	.	.	.	.	.	.	.
45 and over	307	1	.	1	.	1	3	5	8	8	7	9
Age not stated	358	6	6	7	7	7	8	7	1	2	1	6

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

marriage being												Age of mother at maternity
1953	1952	1951	1950	1949	1948	1947	1946	1945	1940 - 1944	1939 and earlier	Not stated	
2,227	2,004	1,604	1,572	1,186	1,010	886	728	616	1,398	122	349	All ages
.	.	.	.	.	.	.	.	.	.	.	.	15
.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	1	17
.	.	.	.	.	.	.	.	.	.	.	1	18
.	.	.	.	.	.	.	.	.	.	.	.	19
.	.	.	.	.	.	.	.	.	.	.	2	Under 20
.	.	.	.	.	.	.	.	.	.	.	1	20
.	.	.	.	.	.	.	.	.	.	.	.	21
.	.	.	.	.	.	.	.	.	.	.	1	22
.	.	.	.	.	.	.	.	.	.	.	4	23
2	2	.	.	.	.	.	.	.	.	.	3	24
2	2	.	.	.	.	.	.	.	.	.	9	25-28
5	3	.	1	.	.	.	.	.	.	.	8	25
12	7	2	.	.	.	.	.	.	.	.	2	26
29	8	6	4	.	.	.	.	.	.	.	1	27
62	31	10	5	1	1	.	.	.	.	.	4	28
86	55	28	16	2	1	3	.	.	.	.	5	29
194	104	46	26	3	2	3	.	.	.	.	20	25-29
143	86	40	22	3	3	1	1	.	.	.	2	30
157	125	70	48	24	12	3	3	.	1	.	4	31
210	146	97	86	49	22	10	2	1	.	.	6	32
198	184	137	120	68	43	18	9	3	2	.	3	33
214	193	164	159	92	63	34	20	13	2	.	2	34
922	794	608	436	236	143	66	36	17	6	.	17	30-34
196	179	155	140	108	106	71	39	14	17	.	1	35
198	202	157	165	122	118	100	69	37	29	.	2	36
171	174	156	171	126	124	99	99	58	70	.	.	37
136	176	154	142	161	106	107	95	81	121	1	3	38
138	140	130	126	104	93	106	104	94	164	5	2	39
839	871	782	744	621	547	483	406	284	401	6	8	35-39
92	105	85	119	94	90	99	77	93	201	5	1	40
79	78	84	101	74	85	87	74	66	236	10	2	41
45	41	56	55	65	56	76	55	58	197	24	.	42
23	26	33	48	36	41	37	35	49	170	20	1	43
18	25	21	26	29	25	17	28	28	110	26	1	44
257	276	279	349	298	297	316	269	294	914	86	8	40-44
7	7	7	10	18	9	10	10	12	43	11	.	45
3	4	6	3	4	6	6	4	4	27	13	.	46
1	2	2	1	5	3	1	3	2	6	3	.	47
.	1	1	.	1	1	.	.	2	2	1	.	48
.	1	.	.	.	.	.	.	.	.	1	.	49 and over
11	16	16	14	28	19	17	17	20	78	29	.	45 and over
2	9	3	4	.	2	1	1	.	.	2	282	Age not stated

TABLE 36 - LEGITIMATE FIRST BIRTHS REGISTERED IN 1964 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

[illegible]

TABLE 37 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total ...	16,128	15,506	622	412	109	31	7	3	66
Carlow ...	187	181	6	6	.	.	.	.	.
Dublin County Borough	4,901	4,699	202	99	24	16	7	2	54
Dun Laoghaire Borough	385	349	36	31	1	3	.	.	1
Dublin County (remainder)	626	592	34	34	.	.	.	.	.
Kildare ...	358	347	11	10	1	.	.	.	.
Kilkenny ...	276	271	5	5	.	.	.	.	.
Laois ...	167	162	5	5	.	.	.	.	.
Longford ...	101	95	6	6	.	.	.	.	.
Louth ...	398	397	1	1	.	.	.	.	.
Meath ...	351	345	6	5	.	.	.	.	1
Offaly ...	254	245	9	8	.	1	.	.	.
Westmeath ...	297	294	3	3	.	.	.	.	.
Wexford ...	401	383	18	17	1	.	.	.	.
Wicklow ...	342	304	38	35	2	.	.	.	1
Leinster ...	9,044	8,664	380	265	29	20	7	2	57
Clare ...	353	350	3	2	.	.	.	.	1
Cork County Borough ...	785	767	18	15	.	2	.	.	1
Cork County ...	1,159	1,132	27	23	.	3	.	.	1
Kerry ...	420	417	3	3	.	.	.	.	.
Limerick County Borough	480	477	3	1	.	1	.	.	1
Limerick County ...	269	265	4	3	.	1	.	.	.
Tipperary, N.R. ...	269	260	9	8	.	1	.	.	.
Tipperary, S.R. ...	312	311	1	1	.	.	.	.	.
Waterford County Borough	231	229	2	.	1	1	.	.	.
Waterford County ...	217	215	2	2	.	.	.	.	.
Munster ...	4,495	4,423	72	58	1	9	.	.	4
Galway ...	628	625	3	1	.	.	.	.	2
Leitrim ...	84	81	3	2	.	.	.	.	1
Mayo ...	404	402	2	2	.	.	.	.	.
Roscommon ...	191	191	.	.	.	.	.	.	.
Sligo ...	190	177	13	11	2	.	.	.	.
Connacht ...	1,497	1,476	21	16	2	.	.	.	3
Cavan ...	247	215	32	25	5	2	.	.	.
Donegal ...	606	517	89	40	49	.	.	.	.
Monaghan ...	239	211	28	8	17	.	.	1	2
Ulster (part of) ...	1,092	983	149	73	71	2	.	1	2

COUNTY AND COUNTY BOROUGH DURING 1964

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	Sept.	Dec.	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
2,800	4,154	6,125	3,949	15,724	106	218	80	Total
25	50	79	33	184	.	1	2	Carlow
696	1,380	1,803	1,022	4,748	35	98	20	Dublin County Borough
61	111	145	68	371	4	8	2	Dun Laoghaire Borough
81	160	203	182	608	5	7	6	Dublin Co. (remainder)
40	89	137	92	351	1	4	2	Kildare
54	66	108	48	265	4	5	2	Kilkenny
20	47	55	45	158	4	4	1	Laois
24	21	38	18	97	3	1	.	Longford
58	81	184	75	394	1	2	1	Louth
43	81	153	74	346	3	1	1	Meath
53	58	88	55	251	.	3	.	Offaly
37	83	136	41	292	1	3	1	Westmeath
63	93	166	79	392	1	4	4	Wexford
47	93	130	72	325	4	13	.	Wicklow
1,902	2,413	3,425	1,904	8,782	66	154	42	Leinster
73	75	129	76	345	1	5	2	Clare
138	175	307	165	775	4	4	2	Cork County Borough
179	289	440	251	1,130	5	15	9	Cork County
94	103	144	79	409	4	4	3	Kerry
61	160	177	82	476	.	2	2	Limerick Co. Borough
62	52	89	66	264	2	1	2	Limerick County
40	65	100	64	265	1	3	.	Tipperary, N.R.
53	66	141	52	305	2	2	3	Tipperary, S.R.
53	50	92	36	229	1	.	1	Waterford Co. Borough
36	58	70	53	211	.	4	2	Waterford County
789	1,093	1,689	924	4,409	20	40	26	Munster
111	166	214	137	612	4	7	5	Galway
8	22	38	16	82	1	.	1	Leitrim
75	89	157	83	399	2	2	1	Mayo
33	38	67	53	189	1	.	1	Roscommon
26	69	72	23	184	4	2	.	Sligo
283	384	548	312	1,466	12	11	8	Connacht
37	69	89	52	240	2	4	1	Cavan
81	152	266	107	593	5	5	3	Donegal
38	43	108	50	234	1	4	.	Monaghan
156	264	443	209	1,067	8	13	4	Ulster (part of)

TABLE 38 - MARRIAGES REGISTERED IN 1964 CLASSIFIED BY ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	6	26	98	215	479	720	1,128	1,501	1,842	1,478	1,246	1,178	974	817	645	561	493	420	301	289	229	210
15	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
16	2	.	2	2	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
17	2	6	4	9	10	6	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.
18	.	2	13	24	28	19	13	9	2	2	1	1	.	.	.	.	.	.	.	.	.	.
19	.	3	20	27	50	40	42	18	24	5	5	.	3	2	.	.	.	.	.	.	.	.
20	1	4	13	38	59	80	89	76	35	21	8	6	6	1	1	3	.	1	1	1	.	.
21	.	7	7	23	65	91	133	164	79	53	32	16	7	3	5	3	2	.	1	.	.	.
22	.	3	10	19	57	104	160	191	169	95	48	29	20	14	12	2	4	.	.	.	2	.
23	1	2	4	18	46	66	133	211	208	185	98	60	41	30	20	9	6	7	2	.	2	1
24	.	2	5	16	34	68	130	172	230	219	149	119	55	47	24	15	11	9	5	2	4	2
25	.	1	3	9	30	57	109	144	174	173	172	131	104	52	21	24	16	8	11	6	3	2
26	.	1	1	7	22	37	76	126	142	143	165	125	100	59	37	34	22	23	6	6	9	4
27	.	2	1	4	16	35	48	79	98	110	127	135	94	79	62	37	24	22	8	9	1	3
28	.	.	.	.	16	28	37	68	79	102	116	103	96	91	54	35	31	25	15	12	5	8
29	.	1	2	6	6	15	24	60	66	78	86	96	81	67	44	47	42	22	14	20	11	6
30	.	.	1	2	7	20	28	41	50	57	70	92	62	61	50	39	43	31	16	13	8	2
31	.	1	2	1	2	12	27	30	38	43	52	51	68	52	63	41	34	28	22	9	11	8
32	.	.	3	3	7	8	16	17	41	34	49	27	43	42	47	32	37	27	27	19	8	10
33	.	.	2	1	4	1	10	24	22	30	36	38	41	33	35	42	28	33	22	19	10	11
34	.	.	.	.	3	4	9	12	12	27	28	28	35	36	25	34	27	16	21	15	8	5
35	.	.	.	1	1	1	7	10	13	26	25	14	22	27	22	23	14	21	14	16	10	20
36	.	.	.	.	.	3	3	8	12	14	11	15	21	28	18	25	22	28	8	16	21	12
37	.	.	.	.	1	5	6	8	10	11	14	12	16	26	19	9	18	22	14	21	12	10
38	.	.	1	1	3	1	4	8	5	15	7	15	15	8	12	22	17	12	16	12	11	17
39	.	.	.	.	1	1	5	5	6	7	8	14	5	10	13	14	22	15	8	11	15	16
40	.	.	.	1	2	4	5	4	7	3	10	13	7	9	9	17	15	14	17	20	7	10
41	.	.	1	1	.	1	1	3	4	6	7	7	9	14	11	7	12	7	13	14	10	10
42	.	.	.	1	1	1	2	2	4	1	3	5	3	9	2	14	7	7	7	9	13	10
43	.	.	.	.	1	1	1	1	.	4	2	5	6	4	6	7	8	10	2	7	12	2
44	.	.	.	.	.	1	.	2	.	3	4	4	1	1	9	3	6	6	6	4	9	9
45	.	.	.	.	.	.	.	1	1	2	1	5	5	2	1	7	4	5	3	6	6	1
46	.	.	.	.	.	.	.	.	.	1	2	4	1	1	6	4	5	8	5	4	3	5
47	.	.	.	.	.	.	1	1	1	.	.	1	1	1	2	3	2	5	4	5	1	3
48	.	.	.	.	1	2	1	.	.	1	2	1	.	1	4	2	2	1	5	4	.	3
49	.	.	.	.	1	1	.	.	1	.	.	1	2	2	.	3	.	3	3	.	4	2
50-54	.	.	.	.	.	1	1	2	2	.	3	.	2	1	7	3	7	6	5	7	5	14
55-59	.	.	.	1	.	1	1	.	.	.	.	1	.	1	.	.	3	2	.	2	4	3
60-64	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	2	1	.	.	2	.
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	3	.	3	3	5	3	4	4	3	1	1	3	4	.	.	4	.	.	1	.

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated	All Ages	
199	188	114	97	111	80	72	67	53	49	51	26	37	26	102	39	19	14	4	4	143	16,128	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	41	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	114	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	241	19
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	447	20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	694	21
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	948	22
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1,156	23
2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	1,332	24
.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1,259	25
1	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,153	26
4	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	6	1,007	27
3	4	2	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	8	941	28
4	4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	809	29
4	4	3	1	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	712	30
7	3	2	2	2	2	.	1	.	.	1	.	.	1	.	.	.	.	.	.	5	621	31
8	6	5	.	.	2	.	2	.	.	1	.	.	.	.	.	.	.	.	.	9	530	32
11	6	5	3	3	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	474	33
6	5	4	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	370	34
12	10	7	2	4	1	2	2	1	1	.	1	.	1	1	.	.	.	.	.	2	334	35
15	6	6	3	5	1	2	.	2	1	2	.	.	1	1	.	.	.	.	.	1	311	36
5	5	6	4	2	7	1	1	4	1	3	2	.	1	.	1	.	.	.	.	.	277	37
15	8	11	7	4	7	6	2	1	.	.	1	1	1	1	.	.	.	.	.	2	269	38
8	12	6	3	7	2	3	3	1	.	.	.	2	.	.	.	.	.	.	.	3	226	39
8	11	4	6	9	3	3	1	.	2	1	.	3	.	.	.	.	.	.	.	.	225	40
15	8	7	8	11	4	5	2	.	.	1	.	2	1	1	1	.	.	.	.	.	204	41
16	5	5	3	8	2	3	3	5	3	.	.	.	1	.	.	.	.	.	.	.	155	42
5	10	2	3	8	4	4	4	3	1	2	5	1	.	.	.	.	.	.	.	.	131	43
13	7	7	12	5	6	11	3	4	4	3	2	1	1	.	3	.	.	.	.	1	151	44
8	9	7	3	3	3	2	2	3	1	2	2	1	2	.	1	.	.	.	.	1	100	45
5	6	5	4	5	1	.	2	2	.	2	1	1	.	2	.	.	.	.	.	.	85	46
5	2	1	2	6	.	3	5	1	1	4	.	.	1	2	1	.	.	.	.	.	65	47
3	3	1	2	1	4	2	3	2	4	1	.	1	.	6	1	.	.	.	.	1	65	48
3	5	3	5	1	5	3	3	5	2	1	1	2	.	2	.	1	.	1	.	.	66	49
9	11	5	10	9	11	11	15	11	9	14	5	12	6	22	4	2	.	.	.	3	235	50-54
1	5	4	5	3	6	6	9	7	3	5	2	5	5	31	10	5	5	.	.	1	137	55-59
.	.	.	3	.	4	2	3	.	5	3	1	4	2	20	9	3	3	.	2	2	74	60-64
1	1	.	.	3	.	1	.	1	3	3	1	.	1	10	5	6	3	.	.	.	39	65-69
.	.	.	.	1	1	.	.	.	.	.	1	.	.	2	2	1	2	.	1	1	15	70-74
.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	3	1	.	3	75 and over
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	95	Not stated

TABLE 39 - MARRIAGES REGISTERED IN 1964 CLASSIFIED BY
FIRST MARR

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	6	36	98	218	477	719	1,126	1,499	1,598	1,470	1,341	1,166	970	810	641	549	482	422	293	279	216	201
15	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
16	2	.	2	2	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
17	2	6	4	9	10	6	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.
18	.	2	13	24	28	19	13	9	2	2	1	1	.	.	.	.	.	.	.	.	.	.
19	.	3	20	27	50	40	42	18	24	5	5	.	3	2	.	.	.	.	.	.	.	.
20	1	4	13	38	59	80	89	76	35	21	8	6	6	1	1	3	.	1	1	1	.	.
21	.	7	7	23	65	91	133	164	79	53	32	16	7	3	5	3	2	.	1	.	.	.
22	.	3	10	19	57	104	160	191	169	95	48	29	20	14	12	2	4	1	.	.	2	.
23	1	2	4	18	46	66	133	211	208	185	98	60	41	30	19	9	6	7	2	.	1	1
24	.	2	5	16	33	68	129	172	230	219	149	119	55	46	24	15	11	9	5	2	3	2
25	.	1	3	9	30	57	109	144	174	172	172	131	103	52	21	23	16	8	11	6	3	2
26	.	1	1	7	22	37	76	126	142	143	165	124	100	59	37	33	22	23	6	6	9	4
27	.	2	1	4	16	35	48	79	98	110	127	135	94	78	62	37	24	22	8	9	1	3
28	.	.	.	.	16	28	37	68	79	102	116	101	95	90	54	35	30	25	15	12	5	7
29	.	1	2	6	6	15	24	60	66	77	85	95	81	67	44	47	41	22	14	19	11	6
30	.	.	1	2	7	20	28	41	49	57	69	92	62	61	50	39	43	31	16	13	8	2
31	.	1	2	1	2	12	27	30	38	43	52	51	68	52	63	41	34	28	22	9	11	7
32	.	.	3	3	7	8	16	17	40	34	49	27	43	42	47	32	37	26	26	19	8	9
33	.	.	2	1	4	1	10	24	22	30	36	38	41	32	35	42	28	33	22	17	9	11
34	.	.	.	.	3	4	9	12	12	27	28	28	35	36	25	33	26	15	21	15	8	5
35	.	.	.	1	1	1	7	9	13	26	25	12	22	27	21	23	14	21	14	16	10	20
36	.	.	.	.	.	3	3	8	12	13	10	15	21	28	18	24	22	28	8	16	20	12
37	.	.	.	.	1	5	6	8	10	11	14	12	16	26	19	9	18	22	14	20	11	10
38	.	.	1	1	3	1	4	8	5	15	7	15	15	7	11	20	17	12	14	11	10	17
39	.	.	.	.	1	1	5	5	6	6	8	12	5	9	13	13	20	14	7	10	14	16
40	.	.	.	1	2	4	5	4	7	3	10	13	7	9	9	16	14	13	16	19	7	10
41	.	.	1	1	.	1	1	3	4	6	7	7	9	14	11	7	10	7	12	13	10	8
42	.	.	.	.	.	1	2	2	4	1	3	5	2	9	2	14	6	7	7	9	12	10
43	.	.	.	.	1	1	1	1	.	4	2	5	6	4	5	7	8	10	2	7	12	2
44	.	.	.	.	.	1	.	2	.	2	4	4	1	1	9	3	5	6	6	4	9	8
45	.	.	.	.	.	.	.	1	1	2	1	5	4	2	1	6	4	5	3	5	6	1
46	.	.	.	.	.	.	.	.	.	1	1	4	1	1	6	4	5	8	5	4	3	5
47	.	.	.	.	.	.	.	1	1	.	.	1	1	1	2	2	2	4	4	5	1	3
48	.	.	.	.	1	2	1	.	.	1	.	1	.	1	4	2	2	1	5	4	.	3
49	.	.	.	.	1	1	.	.	1	.	.	.	2	2	.	2	.	2	2	.	3	2
50-54	.	.	.	.	.	1	1	1	1	.	2	.	2	.	6	2	7	4	4	7	5	12
55-59	.	.	.	1	.	.	1	.	.	.	.	1	.	1	1	.	3	2	.	1	2	2
60-64	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	3	.	3	3	5	3	4	4	3	1	1	3	4	.	.	4	.	.	1	1

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
 TAGES ONLY

bride																						Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated	All Ages		
193	145	106	86	96	72	61	55	43	28	31	13	22	14	49	17	4	2	1	2	138	15,724	All ages	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	15	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	16	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	41	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	114	18	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	241	19	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	447	20	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	694	21	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	949	22	
1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1,155	23	
2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	1,328	24	
.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1,255	25	
1	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,151	26	
4	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	6	1,005	27	
3	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	933	28	
4	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	803	29	
4	4	2	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	707	30	
7	3	2	2	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	618	31	
8	6	5	.	.	2	.	2	.	.	1	.	.	.	.	.	.	.	.	.	9	526	32	
11	5	5	3	3	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	469	33	
6	5	4	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	367	34	
12	10	7	1	4	1	2	2	1	1	.	1	.	1	1	.	.	.	.	.	2	329	35	
14	4	6	3	5	1	2	.	2	.	2	.	.	1	1	.	.	.	.	.	1	303	36	
5	5	6	4	2	7	1	1	2	1	2	2	.	1	.	1	.	.	.	.	.	272	37	
15	8	10	6	4	7	5	2	1	.	.	1	.	1	.	.	.	.	.	.	2	256	38	
8	12	6	2	7	2	3	1	1	.	.	.	2	.	.	.	.	.	.	.	3	212	39	
8	10	4	6	9	3	2	1	.	2	1	.	2	.	.	.	.	.	.	.	.	217	40	
15	8	7	7	11	4	5	2	.	.	1	.	2	1	1	1	.	.	.	.	.	197	41	
15	5	5	3	7	2	3	3	5	2	.	.	.	1	.	.	.	.	.	.	.	147	42	
5	9	2	3	7	4	4	4	3	.	2	2	.	.	.	.	.	.	.	.	.	123	43	
13	7	6	11	4	6	11	3	3	2	2	.	1	1	.	2	.	.	.	.	1	138	44	
7	9	7	3	3	2	2	2	3	1	2	1	1	.	.	.	.	.	.	.	1	91	45	
4	4	3	4	4	1	.	2	2	.	2	1	.	.	1	.	.	.	.	.	.	76	46	
4	2	1	1	5	.	3	3	1	1	4	.	.	.	1	.	.	.	.	.	.	54	47	
3	3	1	2	1	4	1	3	2	3	.	.	.	.	2	1	.	.	.	.	.	56	48	
3	5	3	5	1	5	3	3	2	1	1	.	2	.	2	.	.	.	.	.	.	54	49	
8	10	5	8	7	9	6	14	10	5	8	3	8	1	12	2	.	.	.	.	3	174	50-54	
1	1	1	5	.	5	3	5	5	3	2	1	4	4	16	4	2	1	.	.	.	78	55-59	
.	.	.	1	.	1	3	.	.	.	.	.	.	2	8	2	1	.	2	.	.	24	60-64	
1	1	.	.	.	.	.	.	.	1	1	.	.	.	4	2	1	1	.	.	.	12	65-69	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	70-74	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	75 and over	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48	92	Not stated	

TABLE 40 - MARRIAGES REGISTERED IN 1964 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												Average age of groom
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	400	4,426	4,952	2,607	1,365	834	369	219	129	125	80	15,506	29.7
Church of Ireland ..	1	99	145	72	30	22	8	13	4	5	13	412	30.7
Presbyterian	1	27	35	13	13	5	1	1	3	3	1	103	31.1
Other Religions ..	2	9	16	7	4	3	.	.	.	.	.	41	28.9
Civil marriage ..	4	16	21	8	5	2	3	2	1	3	1	66	31.3
Total	408	4,577	5,169	2,707	1,417	866	381	235	137	136	95	16,128	29.8

TABLE 41 - MARRIAGES REGISTERED IN 1964 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												Average age of bride
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	1,505	6,695	4,035	1,686	750	363	173	93	38	37	131	15,506	26.3
Church of Ireland ..	23	200	93	44	17	9	7	6	.	2	11	412	26.6
Presbyterian	12	45	26	7	3	4	2	2	1	1	.	103	26.9
Other Religions ..	3	21	11	2	4	.	.	.	.	.	.	41	25.4
Civil marriage ..	10	31	7	3	4	7	1	1	.	1	1	66	27.1
Total	1,553	6,992	4,172	1,742	778	383	183	102	39	41	143	16,128	26.3

TABLE 42 - MARRIAGES REGISTERED IN 1964 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	17	215	569	723	540	386	175	90	28	25	37	2,805	35.1
Other agricultural occupations and fishermen ..	15	118	137	87	39	28	7	15	11	6	7	470	30.9
Higher professional ..	2	107	350	129	47	21	4	10	7	2	2	681	29.7
Lower professional ..	6	168	262	114	47	26	5	7	3	2	2	642	29.0
Employers and managers (including shopkeepers) ..	2	72	183	93	31	19	14	11	7	7	2	441	31.4
Salaried employees ..	3	126	165	75	40	31	9	8	3	3	2	465	30.0
Intermediate non-manual workers	60	975	983	426	180	88	46	20	19	32	6	2,735	29.0
Other non-manual workers	41	495	491	233	120	52	26	24	14	4	7	1,507	28.8
Skilled manual workers	126	1,389	1,272	523	226	120	44	24	24	23	15	3,786	27.9
Other manual workers ..	118	963	708	287	135	85	49	25	19	14	9	2,412	27.8
Not stated	18	49	49	17	12	10	2	1	2	18	6	184	31.4
Total	408	4,577	5,169	2,707	1,417	866	381	235	137	136	95	16,128	29.8 88

TABLE 43 - MARRIAGES REGISTERED IN 1964 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers ..	19	99	146	89	49	25	9	3	1	1	8	449	29.7
Other agricultural occupations and fishermen ..	1	9	4	5	2	.	.	.	.	.	.	21	27.0
Higher professional ..	.	13	21	11	2	1	.	1	.	.	.	49	28.4
Lower professional ..	26	556	732	253	119	46	16	3	2	3	15	1,771	27.9
Employers and managers (including shopkeepers) ..	5	28	33	18	6	4	1	.	.	.	2	97	27.9
Salaried employees ..	2	17	12	2	4	1	.	.	.	.	.	38	26.5
Intermediate non-manual workers ..	267	2,028	1,170	443	149	67	27	17	4	2	24	4,198	25.9
Other non-manual workers ..	316	939	460	188	96	42	23	16	4	3	13	2,100	25.5
Skilled manual workers ..	123	566	203	74	17	9	5	2	2	.	7	1,008	24.4
Other manual workers ..	381	1,328	439	142	48	20	9	3	1	.	17	2,388	23.9
Not stated ..	413	1,409	952	517	286	168	93	57	25	32	57	4,009	28.0
Total ..	1,552	6,992	4,172	1,742	778	383	189	102	99	41	143	16,128	26.3

TABLE 44 - MARRIAGES REGISTERED IN 1964 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											Total
	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	
Farmers, relatives assisting and farm managers ..	2,805	362	9	1	387	13	5	431	291	38	76	1,192
Other agricultural occupations and fishermen ..	470	7	3	.	27	1	1	67	140	9	54	161
Higher professional ..	681	4	1	29	172	11	3	240	60	24	15	122
Lower professional ..	642	2	.	2	239	3	2	210	51	11	18	104
Employers and managers (including shopkeepers) ..	441	10	.	5	60	14	2	177	47	12	11	103
Salaried employees ..	465	.	.	3	58	6	11	223	46	19	15	84
Intermediate non-manual workers	2,735	17	2	8	367	24	5	1,104	314	111	268	515
Other non-manual workers ..	1,507	10	.	.	87	6	3	380	270	131	319	301
Skilled manual workers ..	3,786	23	2	1	291	17	5	1,068	440	457	782	700
Other manual workers ..	2,412	11	4	.	76	2	1	286	426	193	821	592
Not stated ..	184	3	.	.	7	.	.	12	15	3	9	135
Total ..	16,128	449	21	49	1,771	97	38	4,198	2,100	1,008	2,388	4,009

TABLE 45 - MARRIAGES REGISTERED IN 1964, CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	408	4,578	5,168	2,707	1,417	866	381	235	137	136	95	16,128	29.8
Carlow	9	54	48	28	24	12	9	3	5	1	2	195	30.8
Dublin County Borough	151	1,575	1,409	522	223	92	49	44	30	31	8	4,134	27.7
Dun Laoghaire Borough	8	130	87	41	17	8	4	3	3	2	1	304	27.8
Dublin County (remainder)	13	188	225	93	36	26	8	4	4	10	1	608	29.0
Kildare	12	135	119	47	21	13	6	6	2	4	2	367	28.4
Kilkenny	4	78	71	55	22	11	13	5	2	2	.	263	30.4
Laois	5	41	61	40	29	21	5	3	3	2	.	210	31.7
Longford	-	14	25	16	19	8	6	3	-	1	.	92	33.5
Louth	9	121	123	54	30	23	8	3	3	2	1	377	29.2
Meath	11	71	122	63	35	32	12	7	2	5	1	361	31.2
Offaly	3	61	76	38	19	16	9	8	2	2	1	235	30.9
Westmeath	7	57	81	49	24	31	4	4	2	3	2	264	31.1
Wexford	6	121	119	78	37	30	13	9	2	3	5	423	30.4
Wicklow	15	97	98	52	21	11	4	6	9	4	5	322	29.5
Leinster	253	2,743	2,664	1,176	557	334	150	108	69	72	29	8,155	28.8
Clare	4	58	95	73	56	31	14	5	1	3	2	342	32.2
Cork County Borough	17	211	228	75	32	17	7	3	4	6	4	604	28.6
Cork County	18	219	392	248	149	99	31	28	11	6	6	1,207	31.5
Kerry	3	67	115	101	56	37	14	5	3	5	7	413	32.3
Limerick County Borough	17	108	95	36	16	5	6	1	1	2	1	288	27.4
Limerick County	3	71	118	80	42	23	10	8	3	2	4	364	31.2
Tipperary, N.R.	4	43	86	63	34	25	8	4	1	1	2	271	31.6
Tipperary, S.R.	13	80	80	43	41	23	11	1	3	1	-	296	30.3
Waterford County Borough	10	71	70	21	10	3	-	1	1	2	-	189	27.1
Waterford County	6	38	64	48	19	17	9	1	4	3	-	209	31.7
Munster	95	966	1,343	788	455	280	110	57	32	31	26	4,183	30.5
Galway	7	73	176	132	73	49	29	12	5	5	4	565	32.7
Leitrim	-	7	29	37	14	16	6	1	1	1	-	112	34.1
Mayo	3	53	99	109	58	36	18	13	5	4	13	411	33.4
Roscommon	1	17	51	43	27	19	11	8	1	1	4	183	34.0
Sligo	2	40	48	36	17	24	6	3	2	2	1	181	32.1
Connacht	13	190	403	357	189	144	70	37	14	13	22	1,452	32.7
Cavan	2	30	61	50	39	21	14	7	3	4	3	234	33.9
Donegal	3	118	138	69	39	23	16	8	6	5	3	428	30.7
Monaghan	3	37	54	47	26	12	6	2	1	3	2	193	31.5
Ulster (part of)	8	185	253	166	104	56	36	17	10	12	8	855	31.7
Ireland*	369	4,084	4,663	2,487	1,305	814	366	219	125	128	85	14,645	29.9
Six Counties	7	65	70	50	21	11	2	3	1	4	4	238	29.7
England and Wales	16	341	369	135	74	32	10	12	6	3	3	1,001	28.3
Scotland	.	20	22	5	2	3	1	.	.	.	1	54	27.7
Elsewhere	.	47	33	29	13	3	2	1	4	1	.	133	29.8
Not stated	16	21	11	1	2	3	.	.	1	.	2	57	24.5

* Exclusive of the Six Counties.

TABLE 46:— MARRIAGES REGISTERED IN 1964, CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	1,553	6,992	4,172	1,742	778	383	183	102	39	41	143	16,128	26.3
Carlow	28	79	40	22	14	4	1	1	.	1	1	191	26.0
Dublin County Borough	413	2,205	1,067	382	154	90	52	39	11	6	27	4,446	25.7
Dun Laoghaire Borough	26	189	85	28	7	6	5	1	1	2	1	351	25.1
Dublin County (remainder)	63	309	147	47	27	7	6	2	1	2	4	615	25.4
Kildare	70	155	72	32	9	5	3	1	2	.	3	352	24.6
Kilkenny	25	125	54	37	17	8	2	3	2	.	4	277	26.4
Laois	22	76	47	20	12	4	4	.	.	.	2	187	26.2
Longford	7	36	30	7	7	7	2	.	.	1	3	100	27.9
Louth	38	184	101	39	19	7	5	2	2	1	1	399	26.1
Meath	41	148	87	42	20	13	4	2	1	1	1	360	24.9
Offaly	38	103	58	25	15	6	3	2	.	.	.	250	25.8
Westmeath	33	98	83	24	9	9	1	1	.	.	1	259	26.2
Wexford	63	176	97	41	15	16	8	3	1	.	4	424	24.6
Wicklow	44	162	79	27	9	5	9	1	.	.	1	337	25.3
Leinster	911	4,045	2,047	773	334	187	105	58	21	14	53	8,548	25.8
Clare	34	110	97	62	27	13	1	4	.	.	1	349	27.5
Cork County Borough	53	344	159	50	29	9	7	2	1	.	6	660	25.4
Cork County	80	443	372	179	77	34	10	4	3	5	11	1,218	27.3
Kerry	42	135	122	65	25	14	5	3	1	1	8	421	27.3
Limerick County Borough	38	154	73	25	9	6	3	.	2	1	7	318	25.3
Limerick County	32	130	89	35	28	7	3	4	.	3	2	333	27.1
Tipperary, N.R.	35	86	84	40	15	10	2	4	1	.	5	282	27.1
Tipperary, S.R.	49	117	81	44	13	5	1	1	.	2	2	315	25.8
Waterford County Borough	30	116	56	18	6	2	1	1	1	.	.	231	24.8
Waterford County	17	76	57	20	11	1	2	2	.	2	.	188	26.6
Munster	410	1,711	1,190	538	240	101	35	25	9	14	42	4,315	26.6
Galway	35	198	173	90	44	23	4	6	.	1	7	581	27.8
Leitrim	1	26	36	17	10	3	2	1	.	2	3	99	29.1
Mayo	17	128	127	62	35	13	3	.	2	.	12	401	28.1
Roscommon	8	58	62	33	13	6	8	1	1	.	4	194	28.7
Sligo	10	68	50	24	11	9	3	.	.	1	1	177	27.6
Connacht	71	478	448	226	113	54	20	8	3	4	27	1,452	28.1
Cavan	14	74	74	36	23	14	3	1	.	1	3	243	28.5
Donegal	46	244	133	50	20	9	13	8	2	3	7	535	26.3
Monaghan	19	97	55	30	15	5	2	.	1	2	.	226	26.8
Ulster (part of)	79	415	262	116	58	28	18	9	3	6	10	1,004	27.1
Ireland*	1,471	6,649	3,947	1,653	745	370	178	100	36	38	132	15,319	26.3
Six Counties	7	27	30	6	8	.	1	.	1	2	3	85	27.8
England and Wales	39	269	168	71	21	13	3	2	1	1	4	592	26.1
Scotland	.	8	8	2	1	.	1	.	.	.	.	20	27.5
Elsewhere	4	22	16	4	1	.	.	.	1	.	.	48	25.6
Not stated	32	17	3	6	2	.	.	.	.	.	4	64	21.6

* Exclusive of the Six Counties.

TABLE 47 - MARRIAGES REGISTERED IN 1964 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin Co. Borough	Dun Laoghaire Borough	Dublin Co. (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork Co. Borough	Cork County
Total	16,128	191	4,446	351	615	352	277	187	100	399	360	250	259	424	337	3,548	349	660	1,218
Carlow	195	129	11	1	1	9	11	4	.	.	.	3	1	8	7	185	.	.	1
Dublin County Borough ..	4,134	9	3,529	92	229	16	8	7	3	14	18	7	7	15	29	3,983	6	5	18
Dun Laoghaire Borough ..	304	1	78	157	30	2	2	1	.	1	3	.	.	.	12	287	2	1	2
Dublin County (remainder) ..	608	1	249	31	230	19	1	5	.	6	15	.	2	1	25	585	1	1	3
Kildare	367	8	45	1	8	249	.	9	.	2	9	14	2	.	8	355	1	.	2
Kilkenny	263	9	5	.	.	2	189	5	.	.	1	2	.	5	.	218	.	.	2
Laois	210	7	10	1	2	8	7	129	1	.	1	15	1	1	3	186	1	1	4
Longford	92	.	4	.	2	.	.	1	61	.	1	1	5	.	.	75	.	.	.
Louth	377	.	22	2	8	1	.	1	.	308	19	2	.	1	.	364	1	.	.
Meath	361	3	30	1	21	10	1	.	2	21	235	2	7	1	.	334	.	1	1
Offaly	235	1	13	4	5	5	2	2	2	1	2	165	10	1	.	213	.	.	1
Westmeath	264	.	12	1	5	.	.	2	13	.	7	8	185	2	2	237	.	.	.
Wexford	423	6	16	2	.	1	8	2	1	.	.	1	1	354	7	399	.	2	1
Wicklow	322	1	31	16	18	7	1	2	1	.	2	.	.	11	211	301	1	1	3
Leinster	8,155	175	4,055	309	559	329	290	170	84	353	313	220	221	400	304	7,722	13	12	36
Clare	342	.	9	.	1	.	.	1	.	.	1	.	.	1	.	13	282	1	5
Cork County Borough ..	604	.	7	.	3	.	2	.	.	.	.	.	1	.	1	14	.	445	127
Cork County	1,207	1	22	.	1	3	2	1	.	2	1	1	.	.	.	34	2	160	944
Kerry	413	.	6	.	2	.	1	2	.	.	.	1	1	1	1	15	.	1	13
Limerick County Borough ..	288	.	7	1	1	.	.	.	.	.	1	.	1	.	1	12	12	3	3
Limerick County	364	.	10	1	2	.	1	1	1	.	2	.	.	2	.	20	9	2	16
Tipperary, N.R.	271	2	6	1	1	2	5	4	.	1	1	16	.	.	1	40	5	1	4
Tipperary, S.R.	296	.	1	.	.	.	13	1	1	.	1	2	.	1	.	20	3	3	4
Waterford County Borough ..	189	1	1	.	.	1	7	.	.	.	.	1	1	2	.	14	.	.	2
Waterford County	209	.	2	.	.	1	8	.	.	.	.	.	.	2	.	13	2	1	18
Munster	4,183	4	71	3	11	7	39	10	2	3	7	21	4	9	4	195	315	617	1,136
Galway	565	.	8	2	5	1	.	1	.	.	2	4	6	.	.	29	7	.	5
Leitrim	112	.	5	.	.	1	.	.	3	1	1	.	1	.	1	13	.	.	2
Mayo	411	1	10	1	.	2	.	.	.	.	.	1	1	1	1	18	4	.	.
Roscommon	183	1	3	2	.	.	.	.	3	.	1	1	9	.	1	21	1	.	1
Sligo	181	.	9	1	1	.	1	1	1	.	.	.	1	.	2	17	1	1	2
Connacht	1,452	2	35	6	6	4	1	2	7	1	4	6	18	1	5	98	13	1	10
Cavan	234	.	16	.	.	.	.	3	3	1	18	1	2	.	.	44	.	.	.
Donegal	428	.	5	2	2	.	.	.	.	.	2	.	.	1	1	13	.	1	.
Monaghan	193	.	5	.	.	.	.	.	.	9	3	.	.	.	.	17	.	.	.
Ulster (part of)	855	.	26	2	2	.	.	3	3	10	23	1	2	1	1	74	.	1	.
Ireland*	14,645	181	4,187	320	578	340	270	185	96	367	347	248	245	411	314	8,089	341	631	1,184
Six Counties	238	.	33	4	5	2	1	.	1	12	3	.	2	2	2	67	.	2	3
England and Wales	1,001	10	170	23	26	8	2	2	3	14	7	1	11	8	13	298	5	24	26
Scotland	54	.	17	.	2	.	1	.	.	.	1	.	.	.	2	23	.	.	1
Elsewhere	133	.	36	3	4	2	3	.	.	6	2	1	.	3	5	65	3	3	3
Not stated	57	.	3	1	.	.	.	.	.	.	.	.	1	.	1	6	.	.	1

*Exclusive of the Six Counties.

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

residence of bride

Kerry	Limerick Co. Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford Co. Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland*	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
421	318	333	282	315	231	188	4,315	581	99	401	194	177	1,452	243	535	226	1,004	15,319	85	592	20	48	64
.	.	.	3	.	.	1	5	2	.	1	1	.	4	.	.	1	1	195	.	.	.	.	.
10	8	3	6	10	4	1	71	12	4	5	6	4	31	7	14	5	26	4,111	4	17	1	1	.
1	.	.	2	1	.	.	9	3	.	.	.	.	3	.	2	.	2	301	1	1	.	.	1
.	1	.	2	.	1	2	11	6	1	.	.	1	8	1	.	.	1	605	.	3	.	.	.
1	.	.	1	.	.	1	6	.	.	2	.	.	2	.	1	1	2	365	1	.	.	.	1
.	1	.	5	8	17	7	40	3	.	.	.	.	3	.	.	.	.	261	1	.	.	.	1
1	1	1	7	3	.	2	21	.	.	.	.	.	.	2	.	.	2	209	.	1	.	.	.
2	.	.	1	.	.	.	3	.	1	.	3	.	4	4	2	1	7	89	.	2	.	.	1
.	.	.	.	.	.	1	2	1	.	.	.	1	2	3	2	3	8	376	1	.	.	.	.
.	.	.	.	1	.	1	4	3	1	1	.	.	5	14	1	.	15	358	1	1	1	.	.
.	1	.	8	1	.	.	11	3	1	.	1	2	7	.	.	.	.	231	.	3	.	.	1
.	.	.	1	1	1	1	4	7	.	2	6	2	17	1	1	1	3	261	.	2	.	.	1
.	.	1	.	1	7	5	17	1	1	.	1	.	3	.	1	.	1	420	.	3	.	.	.
.	1	2	.	4	2	.	14	2	1	1	.	.	4	1	.	1	2	321	.	1	.	.	.
15	13	7	36	30	32	22	218	43	10	12	18	10	93	33	24	13	70	8,103	9	34	2	1	6
2	14	2	5	3	.	1	315	11	.	1	1	.	13	.	1	.	1	342	.	.	.	.	.
1	1	2	3	3	.	3	585	2	.	.	.	.	2	1	.	1	2	603	.	1	.	.	.
14	6	20	.	6	4	8	1,164	.	1	2	1	2	6	.	1	1	2	1,206	.	.	1	.	.
362	2	10	.	.	1	1	390	1	1	.	.	.	2	1	1	.	2	409	.	2	.	1	1
.	231	21	3	.	.	.	273	1	.	.	.	.	1	.	.	.	.	286	.	1	.	.	1
9	27	251	11	10	.	1	336	2	.	.	1	.	3	1	.	.	1	360	.	3	.	.	1
.	2	5	196	9	.	.	222	.	.	1	.	1	2	2	1	1	4	268	.	2	.	.	1
3	5	3	13	227	5	4	270	.	.	1	.	.	1	.	1	.	1	292	1	3	.	.	.
1	1	.	.	2	156	10	172	.	.	.	.	.	.	.	1	1	2	188	.	1	.	.	.
.	.	1	1	13	23	133	192	2	.	.	.	.	2	.	1	.	1	208	1	.	.	.	.
392	289	315	232	273	189	161	3,919	19	2	5	3	3	32	5	7	4	16	4,162	2	13	1	1	4
1	6	1	6	3	.	.	29	464	2	18	17	2	503	.	.	2	2	563	.	1	.	.	1
.	.	.	.	.	.	1	3	1	68	2	3	2	76	11	5	.	16	108	1	3	.	.	.
2	1	2	1	.	.	.	10	24	2	331	8	11	376	1	3	1	5	409	1	1	.	.	.
.	.	1	1	.	.	.	4	6	5	9	133	2	155	.	1	.	1	181	.	1	.	.	1
.	.	.	1	.	.	.	5	4	4	7	2	137	154	.	2	.	2	178	1	1	.	1	.
3	7	4	9	3	.	1	51	499	81	367	163	154	1,234	12	11	3	26	1,439	3	7	.	1	2
1	.	.	.	.	.	.	1	2	3	2	.	1	8	162	3	12	177	230	1	3	.	.	.
1	.	.	.	.	.	.	2	.	1	3	1	4	9	.	390	.	390	414	5	3	3	2	1
.	.	.	.	.	.	.	.	.	1	.	.	.	1	10	.	161	171	189	2	2	.	.	.
2	.	.	.	.	.	.	3	2	4	6	1	5	18	172	393	173	738	833	8	8	3	2	1
412	309	326	277	306	221	184	4,191	563	97	390	185	172	1,407	222	435	193	850	14,537	22	62	6	8	13
.	.	1	.	.	1	.	7	2	1	3	1	3	10	13	66	17	96	180	55	2	1	.	.
8	6	3	5	6	9	3	53	12	1	6	8	2	29	7	22	11	40	462	8	524	2	1	4
.	.	.	.	.	.	1	2	.	.	1	.	.	1	.	10	5	15	41	.	2	11	.	.
1	3	2	.	3	.	.	18	2	.	1	.	.	3	1	2	.	3	89	.	2	.	42	.
.	.	1	.	.	.	.	2	2	.	.	.	.	2	.	.	.	.	10	.	.	.	.	47

*Exclusive of the Six Counties.

TABLE 48:- MARRIAGES REGISTERED IN 1964, IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM.

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	5	70	66	44	20	11	4	3	1	3	3	230	29.6
England and Wales	49	553	514	168	81	38	12	11	9	2	6	1,443	27.4
Scotland	2	26	27	6	3	2	1	.	.	.	1	68	27.0
Europe (remainder)	1	22	13	7	6	1	1	.	.	.	.	51	27.7
U.S.A.	2	37	47	24	12	6	2	.	.	1	.	131	29.1
Canada	.	8	7	3	1	.	.	.	1	.	.	20	*
Australia and New Zealand	.	4	5	1	2	1	.	.	.	.	.	13	*
Elsewhere	.	8	15	11	2	2	.	.	1	.	.	39	*
Total	59	728	694	264	127	61	20	14	12	6	10	1,995	27.8

TABLE 49:- MARRIAGES REGISTERED IN 1964, IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE.

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	22	101	62	16	12	6	2	2	1	2	4	230	26.4
England and Wales	140	703	373	120	54	22	9	5	1	2	14	1,443	25.4
Scotland	6	29	22	4	3	2	2	.	.	.	.	68	26.3
Europe (remainder)	7	25	16	1	2	.	.	.	.	.	.	51	25.0
U.S.A.	6	58	50	12	3	1	.	.	1	.	.	131	25.8
Canada	2	10	6	1	.	.	.	1	.	.	.	20	*
Australia and New Zealand	1	5	3	4	.	.	.	.	.	.	.	13	*
Elsewhere	2	16	14	2	2	3	.	.	.	.	.	39	*
Total	186	947	546	160	76	34	13	8	3	4	18	1,995	25.6

TABLE 50:- MARRIAGES REGISTERED IN 1964, IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM.

Country of future permanent residence	Social group of groom												
	Total	Formers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	
Six Counties	230	27	7	24	25	11	7	45	22	45	15	2	
England and Wales	1,443	36	20	105	67	31	31	234	172	461	271	15	
Scotland	68	3	1	8	3	3	3	7	5	15	19	1	
Europe (remainder)	51	.	.	11	8	4	2	18	4	4	.	.	
U.S.A.	131	3	2	12	6	5	8	32	14	34	11	4	
Canada	20	1	.	4	6	1	1	1	3	3	.	.	
Australia and New Zealand	13	.	.	1	.	.	1	5	.	6	.	.	
Elsewhere	39	.	1	13	9	2	7	6	.	1	.	.	
Total	1,995	70	31	178	124	57	60	348	220	569	316	22	

* Averages ages not calculated as numbers were too small.

TABLE 51 - MARRIAGES REGISTERED IN 1964 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	230	1	1	.	52	.	1	57	30	7	26	55
England and Wales ..	1,443	6	.	12	222	6	2	412	198	96	245	244
Scotland	68	.	.	.	13	.	.	11	13	6	11	14
Europe (remainder) ..	51	.	.	.	8	.	.	17	6	2	6	12
U.S.A.	131	1	.	1	21	1	.	45	27	3	8	24
Canada	20	.	.	.	4	.	.	7	1	.	.	8
Australia and New Zealand	13	.	.	.	6	.	.	2	2	.	1	2
Elsewhere	39	.	.	1	7	.	1	15	1	1	1	12
Total	1,995	8	1	14	333	7	4	566	278	115	298	371

TABLE 52 - MARRIAGES REGISTERED IN 1964 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Total marriages	Form of ceremony							
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religions	Civil marriage
Six Counties	230	162	37	26	1	1	.	1	2
England and Wales ..	1,443	1,359	60	14	1	1	.	.	8
Scotland	68	59	9	.	.	.	.	.	.
Europe (remainder)	51	46	5	.	.	.	.	.	.
U.S.A.	131	127	3	.	1	.	.	.	.
Canada	20	15	4	.	1	.	.	.	.
Australia and New Zealand	13	10	1	2	.	.	.	.	.
Elsewhere	39	33	2	2	.	.	.	.	2
Total	1,995	1,811	121	44	4	2	.	1	12

TABLE 53 - MARRIAGES REGISTERED IN 1964 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties ..	230	10	4	3	2	15	196	.
England and Wales	1,443	222	102	103	56	45	910	5
Scotland	68	.	1	1	2	15	49	.
Europe (remainder)	51	10	4	4	.	.	33	.
U.S.A.	131	16	9	15	15	8	68	.
Canada	20	7	4	2	.	1	6	.
Australia and New Zealand	13	4	2	1	.	1	5	.
Elsewhere	39	14	2	4	1	.	18	.
Total ..	1,996	282	128	133	76	85	1,285	5

TABLE 54 - MARRIAGES REGISTERED IN 1964 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties ..	230	42	21	8	10	91	58	.
England and Wales	1,443	411	180	178	76	75	517	6
Scotland	68	22	5	2	3	23	13	.
Europe (remainder)	51	27	8	9	.	3	4	.
U.S.A.	131	33	17	24	11	10	36	.
Canada	20	9	7	2	1	.	1	.
Australia and New Zealand	13	5	2	2	.	2	2	.
Elsewhere	39	25	2	8	.	1	3	.
Total ..	1,996	574	242	235	101	205	624	6

TABLE 55 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1964.

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGHS												
CORK	.	.	4	15	.	11	.	4	5	.	.	.
DUBLIN	1	.	5	800	29	81	.	28	545	41	33	.
LIMERICK	.	.	.	14	.	4	.	.	1	.	3	.
WATERFORD	.	.	.	.	.	.	.	.	.	.	1	.
COUNTIES												
CARLOW												
Urban	.	.	.	.	.	.	.	1	42	.	.	.
Rural	.	.	.	.	.	.	.	.	.	.	.	.
CAVAN												
Urban	.	.	.	.	.	1	.	.	.	.	.	.
Rural	.	1	1	3	.	2	.	3	38	.	17	.
CLARE												
Urban	.	.	.	3	.	.	.	.	.	.	9	.
Rural	.	.	2	7	.	.	1	.	3	.	12	.
CORK												
Urban	.	.	.	.	.	1	.	.	49	.	.	.
Rural	1	.	2	19	.	13	.	5	45	5	.	.
DONEGAL												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	1	.	16	.	1	.	3	11	.	.	.
DUBLIN												
Urban	.	1	1	46	.	2	.	1	43	24	1	.
Rural	1	1	1	109	3	28	.	2	94	13	2	.
GALWAY												
Urban	.	2	.	67	.	2	.	.	3	.	.	.
Rural	.	.	.	94	.	12	.	5	16	.	.	.
KERRY												
Urban	.	.	1	.	.	.	.	3	2	1	3	.
Rural	.	2	1	8	.	1	.	3	8	1	25	.
KILDARE												
Urban	.	.	.	1	.	.	.	.	5	.	.	.
Rural	2	1	.	17	.	1	.	2	24	1	.	.
KILKENNY												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	1	.	4	.	3	.	1	19	.	.	.
LAOIS												
Rural	3	.	.	5	.	.	.	1	44	.	.	.
LEITRIM												
Rural	.	.	.	1	.	1	.	.	3	.	.	.
LIMERICK												
Rural	.	1	.	1	.	1	.	1	24	.	.	.
LONGFORD												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	.	1	2	.	.	.	.	30	.	.	.
LOUTH												
Urban	2	1	.	1	.	3	.	1	2	.	.	.
Rural	.	.	.	1	.	112	.	.	1	.	.	.

TABLE 55 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1964.

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
MAYO												
Urban	.	.	1	1	.	12	.	.	16	.	1	.
Rural	.	1	.	10	.	4	.	3	32	.	.	.
MEATH												
Urban	.	.	.	14	.	2	.	.	17	.	.	.
Rural	3	2	.	28	.	1	.	.	24	2	.	.
MONAGHAN												
Urban	.	.	.	1	.	.	.	1	8	.	.	.
Rural	.	.	.	1	.	.	.	.	6	.	.	.
OFFALY												
Urban	.	.	.	7	.	.	.	.	.	.	.	.
Rural	.	.	.	24	.	.	.	.	.	1	.	.
ROSCOMMON												
Rural	.	1	.	.	.	5	.	.	7	1	4	.
SLIGO												
Urban	.	.	.	19	.	1	.	.	.	.	1	.
Rural	.	.	.	9	.	1	.	1	2	.	1	.
TIPPERARY (N.R.)												
Urban	.	.	.	.	.	1	.	.	1	.	.	.
Rural	.	.	.	.	.	.	.	.	3	1	5	.
TIPPERARY (S.R.)												
Urban	.	.	.	2	.	3	.	.	7	.	.	.
Rural	1	1	1	1	.	.	.	.	.	.	1	.
WATERFORD												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	2	.	.	.	.	.	.	1	.
WESTMEATH												
Urban	.	.	.	.	.	.	.	.	1	.	.	.
Rural	.	.	.	1	.	.	.	1	9	1	.	.
WEXFORD												
Urban	.	.	.	36	.	11	.	2	1	.	6	.
Rural	.	.	2	24	.	9	.	1	8	.	10	.
WICKLOW												
Urban	.	.	.	13	.	.	.	.	2	.	.	.
Rural	.	.	.	4	.	.	.	.	14	.	.	.
ALL COUNTY BOROUGHES	1	.	9	829	29	96	.	32	551	41	37	.
ALL URBAN DISTRICTS	2	4	3	211	.	39	.	8	157	25	21	.
ALL RURAL DISTRICTS	14	13	11	391	3	195	1	33	507	26	78	.
TOTAL	17	17	23	1,431	32	380	1	73	1,215	92	136	.

TABLE 55 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1964.

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Timea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH													
CORK	64	.	.	.	2	.	3	.	.	.	.	6	1c, 7d
DUBLIN	3,248	2	1	1	553	124	287	10	.	3	.	503	2c, 25d
LIMERICK	79	.	.	.	.	21	16	4	.	1	2	31	.
WATERFORD	41	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES													
CARLOW													
Urban	.	.	.	.	.	.	2	.	.	.	.	.	.
Rural	31	.	1	.	.	.	4	.	.	.	.	5	1c
CAVAN													
Urban	.	.	.	.	.	.	1	.	.	.	.	.	.
Rural	235	.	.	.	.	.	3	.	.	.	.	82	.
CLARE													
Urban	190	.	.	.	.	.	.	.	.	.	.	3	.
Rural	158	.	.	.	2	.	.	3	.	.	.	37	.
CORK													
Urban	3	.	1	.	.	.	.	.	.	.	.	7	.
Rural	181	1	1	.	13	.	20	.	.	1	.	69	3d
DONEGAL													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	23	.	.	.	.	.	6	.	.	.	.	4	1d
DUBLIN													
Urban	404	.	.	.	49	.	17	.	.	.	.	32	1d
Rural	766	1	.	.	132	.	75	2	.	.	.	122	2d
GALWAY													
Urban	45	.	.	.	7	.	4	.	.	.	.	11	.
Rural	117	.	.	.	.	.	17	.	.	.	1	136	.
KERRY													
Urban	3	.	.	.	.	.	.	1	.	.	.	2	.
Rural	11	.	2	1	.	.	6	8	.	3	.	8	1d
KILDARE													
Urban	26	.	.	.	6	.	1	.	.	.	.	5	.
Rural	54	.	.	.	4	.	3	.	.	.	.	12	2d
KILKENNY													
Urban	.	.	.	.	.	.	.	.	.	.	.	3	.
Rural	224	.	.	.	4	.	8	1	.	.	.	41	.
LAOIS													
Rural	33	.	.	.	.	.	4	.	.	.	.	52	.
LEITRIM													
Rural	144	.	.	.	1	.	.	.	.	.	.	3	1d
LIMERICK													
Rural	50	.	.	.	3	.	15	.	.	.	2	13	.
LONGFORD													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	18	.	1	.	.	.	1	.	.	.	.	31	.
LOUTH													
Urban	5	.	.	.	1	.	3	.	.	.	.	2	.
Rural	73	.	.	.	1	.	2	.	.	1	.	23	.

(c) Salmonella Infection.

(d) Acute Lymphocytic Meningitis.

TABLE 55 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1964.

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Timea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
MAYO													
Urban	2	.	.	.	.	.	2	.	.	.	.	4	.
Rural	217	.	.	.	10	.	2	.	.	1	.	70	3c
MEATH													
Urban	182	.	.	.	.	.	7	.	.	.	.	28	.
Rural	165	.	.	.	1	.	12	.	.	.	.	83	1d
MONAGHAN													
Urban	44	.	.	.	2	.	.	.	.	.	.	5	1d
Rural	99	.	.	.	1	.	1	.	.	.	.	2	1d
OFFALY													
Urban	.	.	1	.	.	.	.	.	.	.	.	9	.
Rural	208	.	.	.	.	.	3	.	.	.	.	37	.
BOSCOMMON													
Rural	38	.	.	.	.	.	2	.	.	.	.	3	1d
SLIGO													
Urban	45	.	.	.	11	1	8	.	.	.	.	52	.
Rural	90	.	.	.	1	.	10	.	.	.	.	19	.
TIPPERARY (N.R.)													
Urban	1	.	.	.	.	.	2	.	.	.	.	4	.
Rural	75	.	.	.	.	.	1	.	.	.	1	.	.
TIPPERARY (S.R.)													
Urban	17	.	.	.	.	.	.	.	.	.	.	2	.
Rural	13	.	.	.	.	.	.	.	.	.	.	8	1d
WATERFORD													
Urban	50	.	.	.	.	.	.	.	.	.	.	.	.
Rural	103	.	.	.	5	.	6	.	.	.	.	1	.
WESTMEATH													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	124	.	.	.	.	.	10	.	.	.	.	109	.
WEXFORD													
Urban	18	.	.	.	1	2	38	.	.	.	.	3	.
Rural	138	.	1	.	5	.	25	1	.	.	.	61	.
WICKLOW													
Urban	181	.	.	.	2	.	7	.	.	.	.	21	.
Rural	131	.	.	.	2	.	14	.	.	.	.	47	.
ALL COUNTY BOROUGHs	3,432	2	1	1	555	145	306	14	.	4	2	540	3c, 32d
ALL URBAN DISTRICTS	1,216	.	2	.	79	3	92	1	.	.	.	193	2d
ALL RURAL DISTRICTS	3,519	2	6	1	185	.	250	15	.	6	4	1,078	4c, 14d
TOTAL	8,167	4	9	2	819	148	648	30	.	10	6	1,811	7c, 48d

(a) Pemphigus Neonatorum. (c) Salmonella Infection. (d) Acute Lymphocytic Meningitis.
(e) Typhus (Brill's Disease)