

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

W.D. Mason



AN ROINN SLAINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1965

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price : Six Shillings

(Pr. 9536).



AN ROINN SLAINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1965

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price : Six Shillings

(Pr. 9536).

CONTENTS

TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xiv
Age at maternity, parity, duration of marriage	xv
Multiple births	xvi
DEATHS	
Number and rate	xvii
Comparison between counties	xix
Causes of death	xx
Tuberculosis	xxiii
Cancer	xxv
Diseases of the circulatory system	xxix
Respiratory disease	xxxi
Pregnancy, childbirth and the puerperium	xxxii
Infant mortality	xxxii
Accidents, poisoning and violence	xxxiv
Uncertified deaths	xxxvi
Inquests and post-mortems	xxxvi
DIAGRAM 1 -- Birth, marriage and death rates (per 1,000 population) 1940 to 1965 ...	viii
" 2 -- Standardised death rates (per 1,000 population) from all causes, 1965	xviii
" 3 -- Death rates (per 1,000 population) from tuberculosis and cancer, 1940-1965	xxiv
" 4 -- Death rates from lung cancer (per 100,000 population), 1956-1965 ...	xxiv
" 5 -- Infant and neo-natal mortality (per 1,000 live births), 1940-1965 ...	xxxi

TABLES

Contents	Area	Title	Page
Population	State	Table 1.—Estimated population in thousands at the middle of each year 1851 to 1965.	2
Population by age and conjugal condition	State	Table 2.—Population at the 1961 Census according to age and conjugal condition.	3
Population	Counties ..	Table 3.—Population by sex in each county and county borough according to the Census of Population, 1961.	4
Marriages, births, deaths, 1864-1965	State	Table 4.—Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1965.	5
Marriage, birth, death rates, 1864-1965	State	Table 5.—Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1965.	6
Marriages, births, deaths, 1951-1965	State	Table 6.—Marriages, births and deaths registered during each of the years 1951-1965 with the average annual rates for the ten years 1951-1960 and the rates for each of the years 1961 to 1965 per 1,000 of the population.	7
Deaths, by principal causes, 1965 with rates	State and Six Counties	Table 7.—Deaths from principal causes in Ireland and the Six Counties, 1965 with rates per 100,000 population.	8
Deaths by age, 1864-1965	State	Table 8.—Average annual number of deaths of males and females, classified by age, registered during the years 1864-1960 and the numbers for each year from 1961 to 1965.	10
Death rates by age, 1864-1965	State	Table 9.—Average annual death rates of males and females, classified by age, per 1,000 corresponding population 1864-1960 and rates for each year from 1961 to 1965.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1965	Counties ..	Table 10.—Births and deaths registered in each county and county borough in 1965 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1965	Counties ..	Table 11.—Marriages registered in and births and deaths assigned to each county and county borough during 1965 showing illegitimate births and deaths from tuberculosis and malignant neoplasms.	14
Marriage, birth and death rates, 1965	Counties ..	Table 12.—Marriage, birth, death, infant mortality, tuberculosis and cancer death rates in 1965 with the proportions of illegitimate births for each county and county borough.	15
Deaths, by conjugal condition, 1965 ..	State	Table 13.—Deaths registered in 1965 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1965	Urban Districts	Table 14.—Births and deaths assigned to each urban district in 1965 classified by sex.	16
Births and deaths, 1965	Principal Towns, Agg.U.D.'s and Agg.R.D.'s	Table 15.—Births and deaths classified by sex, registered in 1965 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1965	Principal Towns, Agg.U.D.'s and Agg.R.D.'s	Table 16.—Birth and death rates in 1965 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1965	Agg. Urban and Agg. Rural	Table 17.—Deaths registered in 1965 at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1965	Counties ..	Table 18.—Deaths registered in 1965 classified by sex and age of residents in each county and county borough.	22

Contents	Area	Title	Page
Deaths by cause and age, 1965	State	Table 19.—Deaths in 1965 classified by cause (International detailed list, 7th Revision 1955) and by sex and age.	26
Deaths by cause and uncertified deaths, 1965	Counties	Table 20.—Deaths of residents of each county and county borough in 1965 classified by cause, and showing the number of uncertified deaths.	60
Deaths by cause, sex and age, 1965	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21.—Deaths registered in 1965 classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts	80
Deaths in hospitals, 1965	Counties	Table 22.—Deaths of residents of each province, county and county borough registered in 1965 classified by place of occurrence.	86
Deaths not medically certified, by age, 1965	Counties	Table 23.—Deaths of residents of each county and county borough registered in 1965 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1965	Counties	Table 24.—Deaths in 1965 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1965	Principal Towns, U.D.'s and R.D.'s	Table 25.—Infant mortality—Deaths, at ages under 4 weeks, 4 weeks and under one year in 1965 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1965	State	Table 26.—Infant mortality—Total deaths under one year of age in 1965 classified by sex, age and cause (International detailed list).	108
Infant mortality, 1965 (illegitimate infants)	State	Table 27.—Infant mortality—Deaths of illegitimate infants in 1965 classified by sex, age and cause.	112
Infant mortality, 1965	Counties	Table 28.—Infant mortality—Deaths, at ages under 4 weeks and 4 weeks and under one year in 1965 classified by sex and cause, assigned to each county and county borough.	113
Deaths, by quarter of registration, 1965	Counties	Table 29.—Deaths registered in 1965 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	120
Births, by quarter of registration, 1965	Counties	Table 30.—Births registered in 1965 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	121
Births, hospital and domiciliary, 1965	Counties	Table 31.—Births registered in 1965 in each county and county borough, showing place of occurrence and areas of normal residence.	122
Births, by age of mother, 1965	State	Table 32.—Births registered in 1965 classified by sex and age of mother at maternity and showing the number of illegitimate births.	123
Births, by age of mother, by county, 1965	Counties	Table 33.—Births registered in 1965 classified by age of mother at maternity and county of normal residence.	124
Births, by age of mother and previous children, 1965	State	Table 34.—Total births registered in 1965 classified by age of mother at maternity and number of previous liveborn children.	128

Contents	Area	Title	Page
Legitimate births by age at maternity and year of marriage, 1965	State	Table 35.—Legitimate births registered in 1965 classified by age of mother at maternity and year of marriage.	130
Legitimate first births, by age of maternity and year of marriage, 1965	State	Table 36.—Legitimate first births registered in 1965, classified by age of mother at maternity and year of marriage.	132
Marriages, 1965	Counties	Table 37.—Marriages registered in each county and county borough during 1965	134
All marriages by ages of groom and bride, 1965	State	Table 38.—Marriages registered in 1965, classified by age of groom and age of bride in single years — All marriages.	136
First marriages by ages of groom and bride, 1965	State	Table 39.—Marriages in 1965, classified by age of groom and age of bride in single years — First marriages only.	138
Marriages by form of ceremony and age of groom, 1965	State	Table 40.—Marriages in 1965, classified according to form of ceremony and age of groom.	140
Marriages by form of ceremony and age of bride, 1965	State	Table 41.—Marriages in 1965, classified according to form of ceremony and age of bride.	140
Marriages by social group and age of groom, 1965	State	Table 42.—Marriages in 1965, classified by social group and age of groom.	141
Marriages by social group and age of bride, 1965	State	Table 43.—Marriages in 1965, classified by social group and age of bride.	141
Marriages by social group of groom and bride, 1965	State	Table 44.—Marriages in 1965, classified by social group of groom and bride.	141
Marriages by age and area of residence of groom, 1965	Counties	Table 45.—Marriages in 1965, classified by age and area of residence of groom before marriage.	142
Marriages by age and area of residence of bride, 1965	Counties	Table 46.—Marriages in 1965 classified by age and area of residence of bride before marriage.	143
Marriages by areas of residence of groom and bride, 1965	Counties	Table 47.—Marriages in 1965 classified by area of residence of groom and area of residence of bride before marriage.	144
Marriages with intended future residence abroad by age of groom, 1965	State	Table 48.—Marriages in 1965, in which the future permanent residence was stated to be outside the country, classified by age of groom.	146
Marriages with intended future residence abroad by age of bride, 1965	State	Table 49.—Marriages in 1965, in which the future permanent residence was stated to be outside the country, classified by age of bride.	146
Marriages with intended future residence abroad by social group of groom, 1965	State	Table 50.—Marriages in 1965, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	146
Marriages with intended future residence abroad by social group of bride, 1965	State	Table 51.—Marriages in 1965, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	147
Marriages with intended future residence abroad by form of ceremony, 1965	State	Table 52.—Marriages in 1965, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	147
Marriages with intended future residence abroad by area of residence of groom before marriage, 1965	State	Table 53.—Marriages in 1965, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	148
Marriages with intended future residence abroad by area of residence of bride before marriage, 1965	State	Table 54.—Marriages in 1965 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	148
Notifications of infectious diseases, 1965.	State	Table 55.—Summary of cases of infectious diseases, notified to the Department of Health during the year 1965.	149

REPORT ON VITAL STATISTICS FOR THE YEAR 1965

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1965 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1965 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages. - There were 16,946 marriages registered during the year 1965 compared with 16,128 in 1964. The marriage rate per 1,000 population was 5.90 compared with 5.64 in 1964.

Births. - The number of births registered during 1965 was 63,525 and the birth rate was 22.11 per 1,000 population, compared with 22.39 per 1,000 population in 1964. The number of illegitimate births registered in 1965 was 1,403 or 2.21 per cent of all births.

Deaths. - The number of deaths registered during 1965 was 33,022 and the death rate was 11.49 per 1,000 population. In 1964 deaths registered numbered 32,630 and the rate was 11.40

Of the deaths registered in 1965 32.21 per cent were stated to be due to heart diseases, 14.43 per cent to malignant neoplasms, 13.13 per cent to vascular lesions affecting the central nervous system and 1.01 per cent to tuberculosis (all forms).

The number of deaths in 1965 from tuberculosis of all forms was 334 and the rate was 0.12 per 1,000 population, 0.02 below that for 1964.

There were 4,766 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1965 was 1.66 per 1,000 population, compared with 1.65 in 1964.

During 1965 the deaths of 1,604 infants under one year were registered, equivalent to a rate of 25.25 per 1,000 live births. In the previous year 1,712 deaths, equivalent to a rate of 26.72 per 1,000 live births, were registered.

The total number of deaths from accidents and other external causes in 1965 was 1,088, of which road vehicle accidents accounted for 326.


Marriage, birth and death rates per 1,000 population for the years 1940 to 1965 are illustrated in Diagram 1.

Issue of Authority for Registration. - Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd-Chlaraitheoir. The number of births registered on the authority of An tArd-Chlaraitheoir in 1965 was 651 and the number of deaths registered was 198. Throughout the tables in this Report these births and deaths have been excluded.

Population. - The estimated population in April, 1965 was 2,873,000.

Diagram 1.

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1940 — 1965



MARRIAGES

An alteration in the form of the marriage register was made in 1957 with a view to increasing the amount of statistical information available and bringing Irish statistics of marriages into conformity with international recommendations made by the United Nations Organisation. The column of the register headed "Age" was replaced by a column headed "Date of birth" with the result that, whereas up to 1956 the only entries made were "full age" or "minor", the exact age of persons married is now available. In addition a question is asked on "intended future permanent residence", enabling an examination to be made of the numbers taking up residence in the different parts of the country or going abroad. The classifications of marriages prepared are shown in TABLES 37 to 54.

The number of marriages registered in 1965 was 16,946, an increase of 818 on the previous year; the rate was 5.9 per 1,000 population. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1954 to 1965 with those in the Six Counties, England and Wales and Scotland

TABLE 1

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES,
1954-1965.

Year	Ireland*	Six Counties	England and Wales	Scotland
1954	5.4	6.6	7.7	8.2
1955	5.6	6.8	8.1	8.5
1956	5.8	6.7	7.9	8.6
1957	5.1	6.7	7.7	8.3
1958	5.3	6.6	7.5	8.0
1959	5.4	6.8	7.5	7.8
1960	5.5	7.0	7.5	7.7
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.7	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8

* Exclusive of the Six Counties

From this table it will be seen that over the period under review, the marriage rate in this country has been consistently lower than the rates in the other areas.

Age at marriage

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained from the 1965 marriage registrations made possible an examination of the trends in age at marriage over the intervening period, as may be seen from the following table.

TABLE 11

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE
AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1962 TO 1965.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1962	1963	1964	1965	1945-46	1962	1963	1964	1965
	%	%	%	%	%	%	%	%	%	%
Under 20 years	1.0	2.0	2.5	2.6	2.7	6.6	8.8	9.8	9.7	10.2
20 to 24 years	14.3	25.9	26.8	28.6	30.1	29.5	41.2	42.3	43.7	45.6
25 to 29 years	25.7	32.2	31.9	32.2	33.1	31.1	27.5	26.3	26.1	25.6
30 to 34 years	24.2	17.9	17.3	16.9	15.9	19.9	12.1	11.4	10.9	10.0
35 to 44 years	25.8	15.4	15.2	14.2	13.0	11.1	8.2	7.8	7.3	6.7
45 years and over	9.0	6.6	6.3	5.5	5.2	1.9	2.2	2.4	2.3	1.9
Total	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	30.3	30.1	29.8	29.4	28.0	26.6	26.5	26.3	26.0

Whereas, in 1945-46, 59 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 34.1 in 1965 the average age of men at marriage declining from 33.1 years in 1945-46 to 29.4 years in 1965. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over, compared with 18.6 per cent in 1965 while the average age at marriage declined from 28.0 years in 1945-46 to 26.0 in 1965. In TABLE 38 the marriages registered in 1965 are shown cross-classified by age of groom and age of bride in single years while in TABLE 39 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1965 were 28.9 and 25.6 respectively.

A comparison of marriage rates per 1,000 population by age groups in Ireland in 1965 and in England and Wales in 1964 is made in Table 111. The figures for Ireland were obtained by dividing the number of males marrying in each group by the total number of single and widowed males in that age group and similarly for females. In obtaining the figures for England and Wales divorced persons were also included.

TABLE 111
MARRIAGE RATES PER 1,000 CORRESPONDING POPULATION BY AGE GROUP IRELAND*, 1965 AND ENGLAND AND WALES, 1964.

Age groups	Males		Females	
	Ireland* 1965	England and Wales, 1964	Ireland* 1965	England and Wales, 1964
15-19 years	3.4	13.9	13.8	58.2
20-24 years	56.5	157.8	105.2	257.0
25-29 years	113.7	188.8	131.9	168.4
30-34 years	76.2	99.7	77.2	93.2
35-39 years	46.1	63.0	38.0	56.3
40-44 years	29.6	44.8	18.2	37.6
45-49 years	16.9	36.6	6.9	25.2
50-54 years	7.9	31.2	3.0	15.5
55-59 years	4.1	27.2	1.4	8.4
60-64 years	3.1	22.8	0.6	5.9
65 years and over	0.8	9.9	0.1	1.4
Total, 15 years and over	31.4	65.5	32.0	51.1

* Exclusive of the Six Counties.

For each sex and age group the marriage rates in Ireland were considerably below those in England and Wales. In the 15-19 age group the marriage rate in England and Wales was over four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was almost three times that in Ireland and, for females, over twice the Irish rate.

Mode of celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1965 amounted to 16,329 (equal to 96 per cent of the total) and other marriages numbered 617, of which 429 were according to the rites and ceremonies of the Church of Ireland, 83 in Presbyterian Churches, 33 in Methodist Churches, 9 according to Jewish Rites, 7 in registered buildings belonging to other religious denominations and 56 by civil contract in Registrars' Offices.

The rate for Catholic marriages in 1965 was 6.0 per 1,000 of the Catholic population an increase of 0.25 on the corresponding rate for 1964. The rate for all other marriages combined was 4.21 per 1,000 of the population other than Catholic, a decrease of 0.04 from the 1964 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1954 TO 1965 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 estimated corresponding population		
	Church of Ireland	Presbyterian	Jewish	Society of Friends	Other religious denominations	In Registrars' Offices	Total			Catholic marriages	All other marriages	Total marriages
1954	582	121	21	2	41	64	831	15,000	15,831	5.42	5.22	5.38
1955	605	107	25	3	42	67	849	15,594	16,443	5.66	5.41	5.63
1956	483	95	12	4	51	75	720	16,041	16,761	5.87	4.66	5.78
1957	509	97	19	2	30	52	709	13,948	14,657	5.13	4.64	5.08
1958	389	91	17	2	34	45	578	14,483	15,061	5.38	3.85	5.28
1959	444	97	16	1	38	76	672	14,748	15,420	5.50	4.52	5.42
1960	371	115	18	1	37	57	599	14,866	15,465	5.56	4.13	5.46
1961	375	92	17	.	34	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	14	.	31	47	650	14,977	15,627	5.59	4.49	5.53
1963	430	112	12	.	36	78	668	14,888	15,556	5.52	4.61	5.48
1964	412	103	7	.	34	66	622	15,506	16,128	5.74	4.25	5.66
1965	429	83	9	.	40	56	617	16,329	16,946	5.99	4.21	5.90

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 40 and 41. There was little difference between the various religious denominations in respect of average age at marriage in 1965. For Catholic marriages the average age of groom was 29.3 years, compared with 30.5 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 26.0 years and, for other marriages, 26.3 years.

Social group

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation, although status (i.e., whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1965 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 42 to 44.

In TABLES 42 and 43 grooms and brides are classified by social group and age at marriage in each group. In both cases the average marriage age in 1965 was higher in the social group "Farmers, relatives assisting and farm managers" than in any of the other groups with the single exception of "salaried employees", in the case of which the average age was highest in the female groups whilst the lowest average age was in the manual workers groups. In the case of females the difficulty arises that, since many are not gainfully occupied immediately before marriage, information as to occupation is not given, with the result that in many instances the social group cannot be assigned. Thus, it will be seen from TABLE 43 that the number of cases in which the social group of the bride was not stated amounted to almost 22 per cent of the total number of marriages registered in 1965.

TABLE 44 shows marriages registered in 1965 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 50 per cent were in the "Intermediate and other non-manual workers" groups, 29 per cent were other manual workers and 10 per cent were skilled manual workers, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. In the case of marriages where the grooms were in the social group "Farmers, relatives assisting and farm managers", however, the percentage distribution of brides by social group is not very meaningful in view of the very high number in the "not stated" category; it is probable that the great majority of these were also in the "Farmers and relatives assisting" group. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 13 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

Area of residence

Although the marriage registers in use prior to 1957 contained particulars of residence of bride and groom before marriage the difficulties of analysis by clerical methods prevented the summarisation of this information, hence only figures for marriages registered in each area were compiled. Following the alteration in the form of the marriage register in 1957 punched-card summarisation methods were introduced, with the result that four districts may now be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 37 figures for marriages according to place of occurrence are given for 1965 in the same form as in earlier Reports in this series. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made for 1965 in Table V.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1965.

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	164	141	23	86.0
Dublin County Borough	4,985	4,265	720	85.6
Dun Laoghaire Borough	428	308	120	72.0
Dublin County (remainder)	681	428	253	62.8
Kildare	390	343	47	87.9
Kilkenny	343	283	60	82.5
Laois	172	140	32	81.4
Longford	147	125	22	85.0
Louth	506	458	48	90.5
Meath	372	299	73	80.4
Offaly	285	229	56	80.4
Westmeath	294	212	82	72.1
Wexford	442	396	46	89.6
Wicklow	373	327	46	87.7
Clare	305	248	57	81.3
Cork County Borough	902	680	222	75.4
Cork County	1,071	925	146	86.4
Kerry	511	447	64	87.5
Limerick County Borough	513	317	196	61.8
Limerick County	320	281	39	87.8
Tipperary, N.R.	296	239	57	80.7
Tipperary, S.R.	326	267	59	81.9
Waterford County Borough	257	171	86	66.5
Waterford County	205	173	32	84.4
Galway	685	563	122	82.2
Leitrim	102	86	16	84.3
Mayo	405	339	66	83.7
Roscommon	191	146	45	76.4
Sligo	231	186	45	80.5
Cavan	243	184	59	75.7
Donegal	545	433	112	79.4
Monaghan	256	224	32	87.5
Total	16,946	13,863	3,083	81.8

* Includes cases in which residence was not stated or was outside the country.

In TABLES 45 and 46 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in three of the four county boroughs the average age of grooms was not over 28 years, whereas in the counties Leitrim, Roscommon and Cavan the average age was over 33 years. The average age of brides was not over 26 years in the four county boroughs. The lowest average age were in County Louth 24.8, Limerick County Borough 24.9 and Waterford County borough 25.0, and the highest was in Co. Cavan (28.7).

In TABLE 47 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,062 of the men married in the State in 1965 were returned as residing in England, Wales or Scotland, 243 in the Six Counties and 143 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 650, the number from the Six Counties was 109 and the number from other countries was 58. In 717 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area. In Table VI the rates calculated in this way are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION OF EACH COUNTY AND COUNTY BOROUGH CALCULATED USING (a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA, IN 1965

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	4.9	4.8	Clare	4.1	4.0
Dublin County Borough	8.9	7.5	Cork County Borough	11.1	8.6
Dun Laoghaire Borough	8.4	6.1	Cork County	4.2	4.5
Dublin County (remainder)	4.1	4.6	Kerry	4.5	4.3
Kildare	5.9	6.0	Limerick County Borough	9.3	6.3
Kilkenny	5.6	5.4	Limerick County	3.9	4.9
Laois	3.9	4.9	Tipperary, N.R.	5.5	5.3
Longford	5.0	4.8	Tipperary, S.R.	4.7	4.5
Louth	7.3	7.2	Waterford County Borough	8.7	5.7
Meath	5.6	5.3	Waterford County	4.7	5.0
Offaly	5.5	5.0			
Westmeath	5.6	4.7	Munster	5.5	5.1
Wexford	5.3	5.2			
Wicklow	6.2	6.0	Galway	4.6	4.1
			Leitrim	3.3	3.3
Leinster	6.9	6.2	Mayo	3.5	3.3
			Roscommon	3.4	3.2
Cavan	4.5	3.8	Sligo	4.5	4.0
Donegal	5.0	3.8			
Monaghan	5.6	4.6	Connacht	4.0	3.7
Ulster (part of)	5.0	4.0			
			Total	5.9	5.9

It will be observed that the total rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rates (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 474 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a very high proportion of cases, the intended future residence was outside the State. Out of the total of 16,946 marriages registered in 1965 there were 2,004 or 12 per cent where the intended future residence was outside the State. These cases are examined in some detail in TABLES 48 to 54. In the case of 1,442 marriages the future residence was in England and Wales, 237 in the Six Counties, 461 in Scotland, 61 in other parts of Europe, 147 in the United States of America, 33 in Canada, 13 in Australia and New Zealand and 25 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 48 and 49 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were appreciably below those for all marriages in the State. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 50 and 51 respectively. By comparing TABLES 41 and 49 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VII contains the results obtained.

TABLE VII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1964 AND 1965.

Social group of groom	Percentage with intended future residence outside the State	
	1964	1965
	%	%
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	7	5
Higher professionals	26	30
Lower professionals	19	19
Employers and managers (including shopkeepers)	13	15
Salaried employees	13	12
Intermediate non-manual workers	13	12
Other non-manual workers	15	10
Skilled manual workers	15	15
Other manual workers	13	13
Total, all groups combined	12	12

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 52. By comparison with TABLE 37, it will be seen that the proportions that these represent of all marriages in the State are as shown in the following table:-

TABLE VIII

PERCENTAGE OF MARRIAGES OF EACH DENOMINATION IN THE CASE OF WHICH THE FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1964 AND 1965

Form of ceremony	Percentage with intended future residence outside the State	
	1964	1965
	%	%
Catholic	12	11
Church of Ireland	29	25
Presbyterian	43	49
Methodist	13*	27
Jewish	29*	11
Civil marriage	18*	20
Total	12	12

* Percentage based on small numbers.

Finally, in TABLES 53 and 54 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1964 AND 1965 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1964	1965
	%	%
Dublin County Borough and Dun Laoghaire	6	6
Remainder of Leinster	4	4
Munster	3	3
Connacht	5	4
Ulster (part of)	9	7
Outside the State	90	91

BIRTHS

Under a system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1965 are presented in TABLES 30 to 36.

The number of births registered during the year 1965 was 63,525, comprising 32,438 males and 31,087 females. The corresponding figures for 1964 were 64,072, 32,759 and 31,313 respectively. The birth rate in 1965 was 22.1 per 1,000 population compared with 22.4 in 1964.

Table X compares the birth rates in Ireland in the years 1954 to 1965 with those in the Six Counties, England and Wales and Scotland.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1965.

Year	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1954	62.5	21.3	20.8	15.2	18.1
1955	61.6	21.1	20.8	15.0	18.1
1956	60.7	21.0	21.1	15.6	18.6
1957	61.2	21.2	21.5	16.1	19.1
1958	59.5	20.9	21.6	16.4	19.4
1959	60.2	21.1	21.9	16.4	19.2
1960	60.7	21.5	22.5	17.1	19.6
1961	59.8	21.2	22.4	17.5	19.5
1962	61.8	21.8	22.7	17.9	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3

* Exclusive of the Six Counties.

In the years 1954 and 1955 the birth rates for this country were higher than those for the other areas but, from 1956 onwards, the Six County rates were the highest. The 1965 rates showed decreases over those for 1964 in all areas.

Classification by age at maternity, parity and duration of marriage

In TABLE 34 is shown the total number of births registered in 1965 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 336 or 0.5 per cent of the total, and the number where the parity was not stated was 216 or 0.3 per cent of the total. The results contained in TABLE 34 are summarised in TABLE XI.

TABLE XI

BIRTHS REGISTERED IN 1965 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	1,721	1,338	325	45	10	.	.	.	.	3
20-24 years	10,963	5,668	3,103	1,447	508	174	59	.	.	4
25-29 years	17,427	4,617	4,732	3,689	2,202	1,124	1,045	12	.	6
30-34 years	16,089	2,110	2,578	3,078	2,910	1,942	3,253	201	2	15
35-39 years	11,874	863	1,145	1,531	1,790	1,785	4,078	639	31	12
40-44 years	4,768	212	277	361	512	622	2,116	600	64	4
45 years and over	347	19	5	24	28	37	164	64	6	.
Not stated	336	75	18	21	12	10	24	4	.	172
Total	63,525	14,902	12,183	10,196	7,972	5,694	10,739	1,520	103	216

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance, if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1964 to 1965 in the distribution of births according to age of mother at maternity, as may be seen from Table XII in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1964 AND 1965, AND IN ENGLAND AND WALES AND SCOTLAND IN 1964.

Age at maternity	Ireland*		England and Wales 1964	Scotland 1964
	1965	1964		
	%	%	%	%
Under 20 years	2.7	2.5	8.8	7.7
20-24 years	17.3	16.4	31.5	31.1
25-29 years	27.6	27.5	30.9	30.9
30-34 years	25.5	25.9	17.5	18.4
35-39 years	18.8	19.2	8.6	9.2
40-44 years	7.6	8.0	2.6	2.6
45 years and over	0.5	0.5	0.1	0.1
Total	100.-	100.-	100.-	100.-
Average age at maternity	30.7	30.9	27.2	27.4

*Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced (as may be seen from the Report for the year 1955 in this series).

Fertility rates in Ireland in 1965 and in England and Wales in 1964 are compared in Table XIII.

TABLE XIII

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND*, 1965 AND ENGLAND AND WALES, 1964.

Age of mother at maternity	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1965	England and Wales 1964	Ireland* 1965	England and Wales 1964	Ireland* 1965	England and Wales 1964
15-19 years	13.6	42.3	917.7	469.6	3.5	10.3
20-24 years	117.9	179.5	515.3	287.2	7.4	31.6
25-29 years	241.7	185.1	436.6	210.5	6.7	51.8
30-34 years	225.0	107.1	320.7	115.3	4.7	44.1
35-39 years	151.8	50.0	201.7	53.3	3.0	24.7
40-44 years	57.3	13.1	76.6	13.9	0.6	7.4
45-49 years	4.2	0.8	5.8	0.9	0.1	0.5
Total, 15-49 years	104.1	80.2	212.4	107.6	4.3	18.8

* Exclusive of the Six Counties.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 95 per cent above that in England and Wales, in the 20-24 year group 79 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed or divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The percentage distribution of births according to the number of previous children in 1964 and 1965 is shown in Table XIV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1964.

TABLE XIV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1965 AND 1964 AND IN ENGLAND AND WALES AND SCOTLAND IN 1964.

Number of previous children	Ireland*		England and Wales (1964)	Scotland (1964)
	1965	1964		
	%	%	%	%
0	23.5	22.2	35.6	33.2
1	19.2	18.8	31.0	28.4
2	16.1	16.3	16.9	17.9
3	12.6	12.7	8.2	9.7
4	9.0	9.2	3.9	5.1
5 to 9	17.0	17.9	4.1	5.5
10 to 14	2.4	2.7	0.2	0.2
15 and over	0.2	0.2	0.0	0.0
Total	100.-	100.-	100.-	100.-

* Exclusive of the Six Counties.

The difference between the years 1965 and 1964 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1964 20.8 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 4.3 in England and Wales and 5.7 in Scotland.

Multiple births

The number of infants born alive in multiple births registered in 1965 was 1,740, consisting of 850 pairs of twins, 12 sets of triplets and one set of quadruplets.

The number of deaths registered during the year 1965 was 33,022 of which 17,965 were those of males and 15,057 those of females, equivalent to a rate of 11.49 deaths per 1,000 total population, compared with 11.40 in the previous year.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1960 and the death rates for each year 1961 to 1965.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages. In the age groups above 65 years little change has occurred in the death rates since the period 1901-1910.

Table XV compares the death rates in the years 1954-1965 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country is somewhat higher than in England and Wales and the Six Counties and of about the same order as the Scottish rate.

TABLE XV

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1965.

Year	Numbers of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1954	35.5	12.1	10.9	11.3	12.0
1955	36.8	12.6	11.1	11.7	12.1
1956	33.9	11.7	10.6	11.7	12.1
1957	34.3	11.9	10.9	11.5	11.9
1958	34.2	12.0	10.8	11.7	12.1
1959	34.2	12.0	10.9	11.6	12.2
1960	32.7	11.5	10.8	11.5	11.9
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1

* Exclusive of the Six Counties.

Comparison between counties

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the country.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1965




TABLE XVI

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1965

Area	Deaths per 1,000 population	
	Crude	Standardised
TOTAL	11.49	11.49
Carlow	11.02	11.42
Dublin County Borough	10.03	12.55
Dun Laoghaire Borough	11.73	11.43
Dublin County (Remainder)	6.82	9.77
Kildare	10.65	13.50
Kilkenny	12.45	12.05
Laois	11.09	10.71
Longford	14.29	12.57
Louth	10.71	11.87
Meath	11.44	11.91
Offaly	11.09	11.48
Westmeath	11.16	10.87
Wexford	12.05	11.43
Wicklow	11.98	12.47
LEINSTER	10.38	11.81
Clare	14.17	11.30
Cork County Borough	12.57	14.25
Cork County	12.11	11.13
Kerry	12.82	11.23
Limerick County Borough	9.74	12.39
Limerick County	12.44	11.81
Tipperary, N.R.	11.89	11.33
Tipperary, S.R.	13.07	13.72
Waterford County Borough	13.27	14.64
Waterford County	13.30	11.93
MUNSTER	12.47	11.87
Galway	10.46	9.70
Leitrim	15.98	12.43
Mayo	13.26	10.48
Roscommon	14.73	11.30
Sligo	13.74	11.49
CONNACHT	12.71	10.62
Cavan	13.35	12.22
Donegal	12.28	10.31
Monaghan	12.33	10.71
ULSTER (part of)	12.57	10.84

In certain areas the standardised death rates differ appreciably from the crude rates. The standardised rates in 1965 were lowest in the counties of Galway and Dublin (rem.) and highest in the County Boroughs of Cork and Waterford.

Causes of death

The tables in this Report showing cause of death are based on the Seventh Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1955, prepared by the World Health Organisation. The Seventh Revision was used for the first time in classifying deaths by causes in the 1958 Report. The Reports for the years 1950 to 1957 were based on the Sixth Revision.

Table XVII shows the average annual number of deaths and death rates in each period 1950-52, 1955-57, 1960-62 and 1963-65 from some of the principal causes.

TABLE XVII

AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES IN EACH PERIOD 1950-52, 1955-57, 1960-62 AND 1963-65 FROM SOME OF THE PRINCIPAL CAUSES

I. L. Nos.	Causes	1950-52	1955-57	1960-62	1963-65
		Average Annual Number			
001-019	Tuberculosis, all forms	2,040	758	438	389
Rem. to 138	Other infective and parasitic diseases	349	187	143	116
140-205	Cancer	4,194	4,695	4,787	4,960
330-334	Vascular lesions affecting central nervous system	2,907	3,738	3,960	4,163
410-434	Diseases of the heart	10,519	10,580	10,884	10,578
400-468 Rem	Other diseases of the circulatory system	1,620	2,172	1,958	2,031
480-483	Influenza	987	502	554	203
470-475	Other diseases of the respiratory system	2,667	2,407	2,788	3,118
490-527	Senility	4,436	2,680	2,010	1,611
794	Other diseases	7,769	6,287	5,233	4,901
E800-E999	Accidents and other external causes	921	988	998	1,079
All Causes		38,409	34,994	33,753	33,149
		Average annual rates per 100,000 population			
001-019	Tuberculosis, all forms	68.9	26.2	15.5	13.6
Rem to 138	Other infective and parasitic diseases	11.8	6.5	5.1	4.1
140-205	Cancer	141.6	162.0	169.9	173.8
330-334	Vascular lesions affecting central nervous system	98.2	129.0	140.5	145.8
410-434	Diseases of the heart	355.3	365.0	386.2	370.6
400-468 Rem	Other diseases of the circulatory system	54.7	74.9	69.5	71.2
480-483	Influenza	33.3	17.3	19.7	7.1
470-475	Other diseases of the respiratory system	90.1	83.0	98.9	109.2
490-527	Senility	149.8	92.5	71.3	56.4
794	Other diseases	262.6	216.9	185.6	171.7
E800-E999	Accidents and other external causes	31.1	34.1	35.4	37.8
All causes		1,297.4	1,207.4	1,197.6	1,161.3

The death rate from tuberculosis (all forms) in the period 1963-65 was only about one fifth of its level in the period 1950-52. Cancer deaths rose steadily over the years and the 1963-65 rate showed an increase of 22 per cent on the rate for 1950-52. Relatively little change has occurred since 1950-52 in the death rate from diseases of the heart although the trend has been upward, but the death rate from other diseases of the circulatory system has increased by 30 per cent between 1950-52 and 1963-65. Vascular lesions affecting the central nervous system accounted for 48 per cent more deaths per 100,000 population in 1963-65 than in 1950-52 but a decrease of 6 per cent was recorded in the rate for respiratory diseases. In each period shown in the table large numbers of deaths were stated to be due simply to senility but a considerable reduction has occurred over the years under review, the deaths in 1963-65 being only 38 per cent of those in 1950-52. This reduction is largely explained by an increasing accuracy in certification of cause of death, as well as a falling proportion of deaths not medically certified. It will be realised that the accuracy of the comparisons made in this table is somewhat reduced by the fact that many of the deaths are not medically certified.

The following table shows the age-sex specific death rates for the principal causes of death in the year 1965.

TABLE XVIII
AGE-SEX SPECIFIC DEATH RATES FOR THE PRINCIPAL CAUSES OF DEATH IN 1965.

I.D.L. Nos.	Cause of death	Death rates per 100,000 corresponding population											
			All ages	0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
	All Causes	M F	1,244.1 1,053.7	655.7 527.1	41.6 28.9	84.8 38.8	122.2 85.7	297.1 196.4	710.8 522.4	1,977.7 1,166.1	4,930.5 3,328.2	10,708.2 9,057.0	29,653.3 24,063.1
001-019	Tuberculosis, all forms	M F	15.7 7.6	0.6 0.7	0.3 0.7	0.4 0.5	2.1 7.0	17.3 11.8	21.2 11.6	46.7 16.2	71.6 20.2	42.3 19.6	53.3 18.0
020-138	Other infective and parasitic diseases	M F	4.3 2.2	12.7 6.0	1.3 0.7	0.9 -	1.4 0.7	1.9 0.6	1.2 0.6	6.5 4.4	8.3 2.9	16.9 8.9	53.3 36.0
001-138	Total infective and parasitic diseases	M F	20.0 9.8	13.3 6.7	1.6 1.4	1.3 0.5	3.5 7.7	19.2 12.4	22.4 12.2	53.2 20.6	79.9 23.1	59.2 28.5	106.6 54.0
150	Malignant neoplasms of: oesophagus	M F	7.1 5.0	- -	- -	- -	- 0.7	0.6 1.2	5.4 4.3	8.6 8.1	38.4 24.0	74.0 32.1	120.0 63.1
151	stomach	M F	32.3 24.9	- -	- -	- -	3.5 0.7	5.1 5.0	30.9 18.4	79.1 45.8	162.9 110.4	245.2 192.5	253.3 288.3
152, 153	intestines	M F	19.4 21.1	- -	- -	- 0.9	4.2 1.4	5.8 5.6	12.1 15.9	27.3 33.2	105.8 94.0	190.3 164.0	200.0 243.2
154	rectum	M F	12.1 4.7	- -	- -	- -	2.1 0.7	2.6 0.6	6.1 7.3	21.6 11.1	53.9 17.3	129.0 28.5	200.0 36.0
157	pancreas	M F	8.9 8.4	- -	- -	0.4 -	- -	5.8 0.6	10.3 8.0	20.8 14.8	44.6 39.3	55.0 74.9	40.0 27.0
155, 156, 158, 159	other and unspecified digestive organs	M F	5.4 6.5	- -	0.3 -	- 0.5	- 0.7	2.6 1.2	4.8 4.3	11.5 16.2	28.0 31.7	33.8 42.8	80.0 27.0
150-159	digestive organs and peritoneum	M F	85.2 70.6	- -	0.3 -	0.4 1.4	9.8 4.2	22.5 14.2	69.6 58.2	168.9 129.2	433.6 316.7	727.3 534.8	893.3 684.6
162, 163	bronchus, trachea and lung	M F	39.5 10.2	- -	- -	- -	- 0.7	9.0 5.0	40.5 14.1	155.3 28.0	221.0 53.7	116.3 26.7	66.7 45.0
170	breast	M F	0.1 27.2	- -	- -	- -	- 4.9	- 26.0	- 50.8	- 69.4	- 79.7	- 103.4	- 189.2
177	prostate	M	17.0	-	-	-	-	-	1.2	14.4	103.7	222.0	240.0
171-176, 178-181	other genito-urinary organs	M F	7.7 20.9	1.3 1.3	- 0.7	0.4 -	- 1.4	1.9 9.3	6.7 39.2	16.5 38.4	44.6 84.5	45.6 107.0	40.0 126.1
140-8, 160, 161, 164-5, 190-9	other and unspecified sites	M F	27.0 19.0	2.5 2.0	3.7 1.1	3.5 2.7	6.9 4.2	12.8 7.4	20.5 26.9	47.5 38.4	117.2 55.7	212.3 114.1	360.0 207.2
200-205	lymphatic and haematopoietic tissues	M F	13.4 8.9	4.4 3.3	3.7 2.5	5.6 3.7	5.6 5.6	9.0 8.1	15.1 8.6	30.2 21.4	50.0 27.8	52.9 21.4	- 18.0
140-205	Total malignant neoplasms	M F	189.9 156.8	8.2 6.6	7.7 4.3	9.9 7.8	22.3 21.0	55.2 70.0	153.6 197.8	432.8 324.8	970.1 618.1	1,378.5 907.4	1,600.0 1,270.1
260	Diabetes mellitus	M F	6.5 10.8	- 0.7	0.3 0.4	0.4 0.5	0.7 1.4	1.9 1.9	3.6 3.1	9.3 13.3	37.3 50.0	59.2 105.2	66.7 108.1
240-259	Other allergic, endocrine system, metabolic and nutritional diseases	M F	9.8 9.9	5.7 5.3	0.7 1.1	1.7 2.3	2.8 3.5	9.0 8.1	7.9 12.2	23.7 22.1	34.2 34.5	48.6 35.7	80.0 9.0
330	Subarachnoid haemorrhage	M F	5.4 7.2	0.6 -	0.3 0.4	0.9 0.5	2.8 1.4	7.0 8.7	9.7 11.6	10.8 20.7	15.6 23.0	23.3 19.6	26.7 27.0
331	Cerebral haemorrhage	M F	50.4 63.5	- 0.7	- 1.4	0.4 1.4	1.4 2.8	8.3 6.8	24.8 38.6	94.2 71.6	228.2 257.2	528.5 616.8	933.3 1,000.0
332	Cerebral embolism and thrombosis	M F	64.5 77.9	- -	- -	- -	1.4 0.7	1.3 3.1	8.5 9.8	65.4 48.0	223.0 238.0	892.2 939.4	2,480.0 2,261.2
333, 334	Other and ill-defined vascular lesions affecting central nervous system	M F	14.5 18.7	- -	0.3 -	0.4 0.5	0.7 -	0.6 -	2.4 0.6	16.5 9.6	61.2 64.3	164.9 226.4	560.0 522.5
330-334	Vascular lesions affecting central nervous system	M F	134.8 167.3	0.6 0.7	0.6 1.8	1.7 2.4	6.3 4.9	17.2 18.6	45.4 60.6	186.9 149.9	528.0 582.5	1,608.9 1,802.2	4,000.0 3,810.7

TABLE XVIII (contd.)

Age-sex specific death rates for the principal causes of death in 1965.

I.D.L. Nos.	Cause of death		Death rates per 100,000 corresponding population										
			All ages	0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
340-398	Other diseases of the nervous system and sense organs	M	18.2	9.5	3.4	5.6	5.6	8.3	9.7	37.4	75.7	116.3	106.7
		F	16.7	12.6	1.1	1.8	2.8	9.3	10.4	19.2	64.3	110.5	189.2
410-416	Chronic rheumatic heart disease	M	10.4	-	-	2.1	7.6	8.3	18.1	16.5	28.0	50.7	226.7
		F	11.4	-	-	2.7	7.7	5.6	17.1	26.6	36.5	44.6	90.1
420	Arteriosclerotic heart disease including coronary disease	M	245.8	-	-	1.3	9.0	55.7	214.2	585.2	1,236.5	1,833.0	2,933.3
		F	69.0	-	-	0.9	2.8	13.0	58.2	226.6	632.4	1,199.6	2,027.0
421	Chronic endocarditis not specified as rheumatic	M	9.5	-	-	0.4	2.1	2.6	5.4	18.7	45.6	80.3	160.0
		F	8.1	-	0.4	-	-	1.9	6.1	7.4	26.9	83.8	153.2
422	Other myocardial degeneration	M	112.9	-	-	0.4	1.4	3.2	15.1	57.5	345.4	1,518.0	6,213.3
		F	104.4	-	-	-	-	2.5	10.4	36.2	226.5	1,197.9	4,630.6
420-422	Arteriosclerotic and degenerative heart disease	M	368.2	-	-	2.1	12.5	61.5	234.7	661.4	1,627.5	3,431.3	9,306.6
		F	181.5	-	0.4	0.9	2.8	17.4	74.7	270.2	885.8	2,481.3	6,810.8
430-434	Other diseases of heart	M	47.8	-	0.3	0.4	-	5.1	12.1	52.5	205.4	581.4	1,520.0
		F	50.6	-	-	0.5	3.5	5.0	12.2	38.4	175.6	566.8	1,225.2
440-443	Hypertensive heart disease	M	18.3	-	-	-	-	1.9	4.8	20.8	98.5	209.3	400.0
		F	21.6	-	-	-	-	0.6	2.4	17.0	83.5	267.4	396.4
410-443	Heart diseases including hypertensive	M	434.7	-	0.3	4.6	20.1	76.8	269.7	751.2	1,959.4	4,272.7	11,453.3
		F	265.1	-	0.4	4.1	14.0	28.6	106.4	352.2	1,181.4	3,360.1	8,522.5
450	General arteriosclerosis	M	27.2	-	-	-	-	1.9	1.2	6.5	67.4	397.5	1,680.0
		F	28.2	-	-	-	-	-	2.4	5.9	52.8	352.9	1,243.2
400-402	Other diseases of the circulatory system	M	23.1	0.6	0.3	-	2.1	12.2	18.8	46.0	101.7	175.5	453.3
444-447		F	21.3	-	-	1.4	4.2	4.3	16.5	23.6	80.6	190.7	351.4
451-468	Influenza	M	5.1	1.9	-	0.9	1.2	1.9	1.8	6.5	15.6	50.7	173.3
		F	4.2	0.7	0.4	-	0.7	0.6	0.6	3.7	11.5	44.6	117.1
490-493	Pneumonia (excluding pneumonia of newborn)	M	51.8	60.1	3.0	2.6	6.3	11.5	21.8	52.5	192.9	460.9	1,306.7
		F	45.1	49.6	3.5	1.8	2.1	3.7	16.5	33.2	134.4	383.2	1,081.0
500-502	Bronchitis	M	65.7	0.6	-	0.4	1.2	6.4	29.0	143.1	343.4	566.6	1,186.7
		F	35.1	2.0	0.4	-	0.7	4.3	14.1	50.9	130.5	317.3	756.8
470-475	Other diseases of the respiratory system	M	14.0	1.3	-	0.9	0.7	0.6	15.1	31.6	62.2	101.5	253.3
510-527		F	13.3	5.3	-	0.9	0.7	1.9	6.7	11.8	44.1	115.9	342.3
540, 541	Ulcer of stomach and duodenum	M	10.8	0.6	-	0.9	0.7	3.8	6.1	28.8	46.7	84.6	146.7
		F	4.3	-	-	-	-	-	2.4	11.1	16.3	33.9	63.1
560, 561, 570	Intestinal obstruction and hernia	M	6.0	5.7	0.7	0.4	1.2	1.9	3.6	8.6	24.9	40.2	120.0
		F	5.0	-	0.4	-	-	-	1.2	7.4	22.1	44.6	90.1
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	M	5.7	29.7	0.3	-	-	1.3	2.4	2.9	9.3	23.3	66.7
		F	5.7	20.5	-	0.5	0.7	0.6	2.4	4.4	14.4	32.1	36.0
530-587 (rem)	Other diseases of digestive system	M	9.9	2.5	0.7	0.4	0.7	5.1	10.9	27.3	44.6	46.5	80.0
		F	10.0	1.3	1.1	-	-	3.1	9.8	25.8	33.6	69.5	72.1
590-594	Nephritis and nephrosis	M	13.3	1.3	0.3	4.3	6.3	7.7	12.1	19.4	51.9	95.1	213.3
		F	10.1	0.7	0.4	2.3	3.5	3.7	8.6	17.0	37.4	55.3	180.2
600-637	Other diseases of the genito-urinary system	M	17.2	3.8	0.3	0.9	0.7	0.6	2.4	10.8	63.3	205.1	813.3
		F	6.6	0.7	0.4	0.9	1.4	4.3	6.1	11.1	25.0	33.9	99.1
640-689	Deliveries and complications of pregnancy and childbirth	F	1.3	-	-	2.3	4.2	4.3	-	-	-	-	-
750-759	Congenital malformations	M	17.0	134.8	5.0	0.4	2.1	2.6	2.4	3.6	1.0	-	-
		F	16.7	139.6	3.5	1.8	0.7	3.1	1.8	2.2	-	1.8	-
760-776	Certain diseases of early infancy	M	35.5	324.7	-	-	-	-	-	-	-	-	-
		F	24.6	232.1	-	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	M	42.5	-	-	-	-	-	-	-	17.6	562.4	4,413.3
		F	59.8	-	-	-	-	-	-	-	23.0	625.7	4,315.3
210-795 (Rem.)	All other diseases	M	27.2	12.8	0.6	4.8	-	10.4	17.0	35.9	105.9	209.0	840.1
		F	28.5	11.2	3.2	2.7	4.9	8.2	11.6	31.5	89.1	229.5	685.1
E800-E962	Accidents	M	44.8	38.0	15.1	41.8	34.7	34.6	47.8	53.9	89.2	137.4	480.0
		F	26.7	30.4	5.3	4.6	7.0	5.6	17.8	21.4	57.6	176.5	666.7
E963-E999	Other external causes	M	3.4	-	0.7	0.9	2.8	7.0	6.1	5.8	8.3	8.5	13.3
		F	0.8	0.7	0.4	0.5	-	-	1.2	3.0	1.9	-	-

Of the total number of deaths registered in 1965 almost 69 per cent were due to four main causes, i.e. heart diseases, malignant neoplasms, vascular lesions affecting the central nervous system and respiratory diseases. Diseases of the heart were responsible for the largest proportion of all deaths, the death rates per 100,000 population being 434.7 in the case of males and 265.1 in the case of females. The great majority of deaths from heart diseases occurred at ages 55 and over, and more than 78 per cent were due to arteriosclerotic and degenerative heart disease. Malignant neoplasms were the next major cause of death, accounting for 189.9 male deaths and 156.8 female deaths in every 100,000 of their respective populations. Most of these were in the age groups over 35 years and were caused chiefly by malignant neoplasms of the stomach, bronchus, trachea and lung, breast and genito-urinary organs. In the case of vascular lesions affecting the central nervous system the death rates were 134.8 for males and 167.3 for females per 100,000 corresponding population.

As in the case of heart diseases, these deaths were confined mainly to the age groups 55 years and upwards and most of them were due to cerebral haemorrhage, cerebral embolism and thrombosis. Respiratory diseases caused 136.6 deaths in every 100,000 of the male population and 97.7 deaths per 100,000 of the female population. These deaths occurred mostly in the upper age groups and were due principally to pneumonia and bronchitis. It is noted, however, that pneumonia accounted for about one tenth of the total number of deaths in the 0-4 age group. Other causes which contributed substantially to the deaths of children under five years of age were certain diseases of early infancy (birth injury, postnatal asphyxia and atelectasis, immaturity, etc), congenital malformations and accidents. Between the ages 5 to 34 years accidents were the greatest single cause of death, whilst in the age group 35-44 over 47 per cent of the deaths were due to malignant neoplasms and heart diseases.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XIX shows the number of deaths and the death rates per 1,000 population for each of the years 1955 to 1965.

TABLE XIX

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1955-1965.

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1955	729	0.25	160	0.05	1.38	1.12
1956	562	0.19	127	0.04	1.81	1.31
1957	583	0.20	113	0.04	1.92	1.35
1958	502	0.18	79	0.03	1.80	1.93
1959	451	0.16	66	0.02	1.70	1.54
1960	416	0.15	52	0.02	1.81	1.00
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67

In 1965 there were 334 deaths from tuberculosis, of which 302 were caused by the respiratory form and 32 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period, the number of deaths in 1965 showing a fall of 58 per cent since 1955. The trend in the death rate from tuberculosis (all forms) since 1940 is shown in Diagram 3.

In Table XX tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XX

DEATH RATES IN 1963, 1964 AND 1965 AND AVERAGE ANNUAL DEATH RATES IN EACH PERIOD 1945-47, 1955-57 AND 1960-62 FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES, PER 1,000 CORRESPONDING POPULATION.

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages
1945-47	0.52	1.40	2.17	1.99	1.58	1.38	0.87	1.22
1955-57	0.07	0.06	0.16	0.29	0.34	0.41	0.51	0.26
1960-62	0.02	0.01	0.04	0.10	0.20	0.25	0.40	0.16
1963	0.02	0.01	0.03	0.08	0.17	0.22	0.43	0.15
1964	0.01	.	0.02	0.09	0.14	0.23	0.41	0.14
1965	0.01	0.01	0.01	0.05	0.14	0.16	0.36	0.12

Diagram 3

DEATH RATE (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1940 - 1965





Diagram 4

DEATH RATES FROM LUNG CANCER (Nos. 162 - 163) PER 100,000 POPULATION



Between the periods 1945-47 and 1955-57 the death rates from tuberculosis in the younger age groups had declined considerably, and in the most recent years the rates for these groups were only a fraction of their level in 1945-47. Thus, between 1945-47 and 1965 the death rate in the age group under 15 years fell from 0.52 to 0.01 per 1,000 corresponding population and at ages 15 to 24 more striking declines occurred. In the older age groups the reduction in the death rate was less marked the 1965 rate for the age group 55 years and over being 0.36 per 1,000 corresponding population compared with 0.87 in the period 1945-47.

The death rates from tuberculosis in the years 1955 to 1965 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XXI.

TABLE XXI

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1955-1965.

Year	Ireland*	Six Counties	England and Wales	Scotland
1955	0.30	0.15	0.15	0.19
1956	0.24	0.12	0.12	0.16
1957	0.24	0.13	0.11	0.14
1958	0.20	0.11	0.10	0.13
1959	0.18	0.10	0.08	0.11
1960	0.17	0.08	0.07	0.10
1961	0.15	0.07	0.07	0.09
1962	0.15	0.07	0.07	0.08
1963	0.15	0.08	0.06	0.10
1964	0.14	0.06	0.05	0.07
1965	0.12	0.05	0.05	0.07

* Exclusive of the Six Counties.

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. A feature of this table, however, is the extent to which Ireland has shared in the general improvement.

The mortality from tuberculosis in the counties and county boroughs in 1965 is compared in TABLE 12 of this Report. The highest death rates from all forms per 1,000 population were in Waterford County (0.25) and Limerick County (0.24). The lowest rates were in the counties of Laois (0.02) and Longford (0.03).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while in the years 1950 to 1957, deaths were classified according to the Sixth Revision. The 1958 and subsequent Reports are based on the Seventh Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia) should also be shown.

In 1965 there were 4,979 deaths from cancer (Nos. 140 to 205). Of this number, 52 deaths were caused by Hodgkin's disease and 161 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1957 to 1965.

TABLE XXII

DEATHS FROM CANCER (Nos. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1957 TO 1965.

Year	Age group (years)							Total
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	
	Males							
1957	8	15	47	178	440	853	1,283	177
1958	8	11	54	159	394	857	1,300	173
1959	7	23	56	154	431	875	1,396	182
1960	8	20	47	171	435	842	1,290	178
1961	9	20	50	162	437	865	1,374	183
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
	Females							
1957	7	18	73	207	378	619	960	157
1958	5	16	73	190	363	629	977	155
1959	6	24	66	182	345	614	972	153
1960	7	13	60	189	375	664	908	158
1961	6	26	63	178	343	600	893	151
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157

In the years under review the death rates from cancer were higher among males than among females in the age groups under 34 years and 55 years and upwards but between the ages 35 and 54 years the females rates were generally greater than those for males. In 1965 the male death rate for all ages was 20 per cent above that for females. The trend in the death rates from cancer since 1940 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1955 to 1965 are compared in Table XXIII.

TABLE XXIII

DEATHS FROM CANCER (Nos. 140-205) PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1955 TO 1965.

Year	Ireland*	Six Counties	England and Wales	Scotland
1955	1.61	1.60	2.03	2.07
1956	1.58	1.63	2.08	2.10
1957	1.67	1.70	2.09	2.10
1958	1.64	1.67	2.12	2.11
1959	1.68	1.67	2.14	2.14
1960	1.62	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.61	2.18	2.21
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29

* Exclusive of the Six Counties.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1965 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos 140-205) IN EACH COUNTY AND COUNTY BOROUGH IN 1965.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.67	1.72	Clare	1.89	1.61
Dublin County Borough	1.87	2.27	Cork County Borough	1.96	2.18
Dun Laoghaire Borough	1.51	1.45	Cork County	1.96	1.81
Dublin County (remainder)	1.23	1.83	Kerry	1.62	1.43
Kildare	1.66	2.05	Limerick County Borough	1.36	1.67
Kilkenny	1.43	1.39	Limerick County	1.96	1.85
Laois	1.61	1.57	Tipperary, N.R.	1.65	1.58
Longford	2.11	1.87	Tipperary, S.R.	1.86	1.82
Louth	2.19	2.43	Waterford County Borough	1.73	1.92
Meath	1.67	1.74	Waterford County	1.73	1.54
Offaly	1.43	1.48			
Westmeath	1.47	1.44			
Wexford	1.38	1.32	Munster	1.82	1.73
Wicklow	1.73	1.79			
			Galway	1.51	1.41
Leinster	1.69	1.89	Leitrim	1.86	1.42
			Mayo	1.68	1.41
Cavan	1.78	1.52	Roscommon	1.67	1.34
Donegal	1.63	1.41	Sligo	2.21	1.90
Monaghan	1.98	1.81			
			Connacht	1.70	1.46
Ulster (part of)	1.75	1.54	Total	1.73	1.73

TABLE XXV

MORTALITY IN 1965 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1955 Inter- national List Nos.	Site	Males							Females								
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
140-148	Malignant neoplasms of: Buccal cavity and pharynx	.	.	4	3	13	31	34	85	1	1	2	4	7	7	18	40
150-159	Digestive organs and peritoneum	2	14	35	115	235	418	411	1,230	3	6	23	95	175	330	376	1,008
160-165	Respiratory system	2	.	14	73	227	237	73	626	.	1	9	32	42	59	27	170
170-181	Breast and genito-urinary organs	3	.	3	13	43	143	152	357	4	9	57	147	146	171	153	687
190-199	Other and unspecified sites	21	10	16	25	42	58	77	249	11	5	9	31	41	48	62	207
200-205	Lymphatic and haematopoietic tissues	31	8	14	25	42	48	25	193	20	8	13	14	29	29	14	127
	TOTAL	59	32	86	254	602	935	772	2,740	39	30	113	323	440	644	650	2,239
		Rates per 100,000 corresponding population															
140-148	Malignant neoplasms of: Buccal cavity and pharynx	.	.	2.6	1.8	9.3	32.2	62.0	5.9	0.2	0.7	1.2	2.4	5.2	6.7	26.8	2.8
150-159	Digestive organs and peritoneum	0.3	9.7	22.4	69.6	168.9	433.6	750.0	85.2	0.5	4.2	14.3	58.2	129.2	316.7	559.5	70.5
160-165	Respiratory system	0.3	.	9.0	44.2	163.2	245.9	133.2	43.3	.	0.7	5.6	19.6	31.0	56.6	40.2	11.9
170-181	Breast and genito-urinary organs	0.4	.	1.9	7.9	30.9	148.3	277.4	24.7	0.6	6.3	35.3	90.0	107.7	164.1	227.7	48.1
190-199	Other and unspecified sites	3.1	6.9	10.2	15.1	30.3	60.1	140.6	17.2	1.6	3.4	5.5	19.0	30.2	46.1	92.3	14.5
200-205	Lymphatic and haematopoietic tissues	4.5	5.6	9.0	15.1	30.2	49.8	45.6	13.4	3.1	5.6	8.1	8.6	21.4	27.8	20.8	8.9
	TOTAL	8.6	22.2	55.1	153.7	432.8	969.9	1,408.8	189.7	6.0	20.9	70.0	197.8	324.7	618.0	967.3	156.7

The crude death rate from cancer in 1965 varied from 2.21 per 1,000 population in County Sligo to 1.23 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.43 per 1,000 population in County Louth to 1.21 in County Wexford. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e. over 14 per cent) in the county of Leitrim, and low (i.e. less than one per cent) in the County Boroughs and in the counties of Dublin, Louth, Wicklow, Carlow, Wexford and Monaghan. Thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1965, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate being almost 20 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was nearly four times greater for males than for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female death rate was almost double that of males.

Cancer of the bronchus, trachea and lung

The number of deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163) in each year 1957 to 1965, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1957 TO 1965 FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG, (Nos. 162-163) CLASSIFIED BY SEX AND AGE GROUP

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1957	1	16	70	159	144	390	3	4	20	45	61	133
1958	2	17	65	143	156	383	1	8	14	31	48	102
1959	3	22	71	166	167	429	1	5	18	25	49	98
1960	4	15	72	200	169	460	1	2	19	40	45	107
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	.	4	25	30	62	121
1964	.	17	66	196	245	524	2	5	22	42	52	123
1965	.	14	67	216	273	570	1	8	23	38	76	146
Death rates per 100,000 corresponding population												
1957	0.1	8.7	40.8	114.6	98.1	26.8	0.4	2.2	12.4	32.9	37.4	9.3
1958	0.3	10.0	38.4	104.1	104.5	26.6	0.1	4.5	8.6	23.0	29.9	7.2
1959	0.4	13.0	41.9	120.9	111.8	29.9	0.1	2.8	11.1	18.5	30.5	6.9
1960	0.5	9.0	42.2	150.3	113.2	32.4	0.1	1.2	11.8	29.8	27.1	7.6
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	35.0	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.1	.	2.4	15.3	22.3	36.9	8.5
1964	.	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	.	9.0	40.5	155.3	180.6	39.5	0.1	5.0	14.1	28.0	44.3	10.2

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1957 the death rate in the case of males was 26.8 compared with 9.3 in the case of females, and by 1965 the disparity was even greater, the corresponding rates for that year being 39.5 and 10.2 respectively. In each of the years shown 78 to over 85 per cent of both male and female deaths occurred at ages 55 years and over, whilst the number of deaths in the age group under 35 years seldom exceeded 2 per cent of the total.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163) in Ireland and neighbouring countries during the years 1959 to 1965.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG (Nos. 162 and 163) IN EACH YEAR 1959 TO 1965.

Area	1959	1960	1961	1962	1963	1964	1965
	Number of deaths						
Ireland*	527	567	604	639	610	647	716
Six Counties	346	335	365	360	414	396	414
Scotland	2,330	2,422	2,478	2,604	2,772	2,892	2,961
England and Wales	21,063	22,000	22,810	23,779	24,434	25,371	26,399
	Rates per 100,000 population						
Ireland*	19	20	21	23	21	23	25
Six Counties	25	24	26	25	29	27	28
Scotland	45	46	47	50	53	56	57
England and Wales	46	48	49	51	52	54	55

* Exclusive of the Six Counties.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales and Scotland were more than double the Irish rates, while the Six County rates exceeded those for this country by at least 12 per cent in every year except 1962. The trend in each area is illustrated in Diagram 4.

Diseases of the circulatory system

There were 12,645 deaths ascribed to diseases of the circulatory system (Nos. 400-468) registered in 1965 of which 7,148 were deaths of males and 5,497 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXVIII.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (3,550 males compared with 1,986 females): in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced. In interpreting Table XXVIII it should be borne in mind that a number of deaths (mainly of elderly persons), stated to be due to heart diseases, are not medically certified. The numbers of un-certified deaths in the above groups are shown in Table XXIX.

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1965 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of Death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Rheumatic fever	5	.	.	4	.	.
Chronic rheumatic heart disease	150	.	.	163	1	0.6
Chronic endocarditis	137	.	.	116	2	1.7
Coronary and arteriosclerotic heart disease	3,550	85	2.4	1,986	31	1.6
Other myocardial degeneration	1,630	30	1.8	1,492	29	1.9
Other diseases of heart	690	30	4.3	723	28	3.9
Hypertension with heart disease	264	1	0.4	309	—	—
Hypertension without mention of heart	176	1	0.6	167	5	3.0
Other diseases of circulatory system	546	6	1.1	537	1	0.2

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1965, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

1955 Inter- national List Nos.	Cause of death	Males							Females									
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	
		Number of deaths																
400-402	Rheumatic fever	2	.	.	1	1	1	.	5	.	.	1	1	1	.	1	4	
410-416	Chronic rheumatic heart disease	5	11	13	30	23	27	41	150	6	11	9	28	36	38	35	163	
421	Chronic endocarditis	1	3	4	9	26	44	50	137	1	.	3	10	10	28	64	116	
420	Coronary and arteriosclerotic heart disease	3	13	87	354	814	1,192	1,087	3,550	2	4	21	95	307	659	898	1,986	
422	Other myocardial degeneration	1	2	5	25	80	333	1,184	1,630	.	.	4	17	49	236	1,186	1,492	
430-434	Other diseases of heart	2	.	8	20	73	198	389	690	1	5	8	20	52	183	454	723	
440-443	Hypertensive heart disease	.	.	3	8	29	95	129	264	.	.	1	4	23	87	194	309	
444-447	Other hypertensive disease	.	2	10	20	34	48	62	176	1	2	.	14	16	44	90	167	
450-468	Other diseases of circulatory system	.	1	12	12	38	114	369	546	2	4	6	16	23	95	391	537	
400-468	Total diseases of circulatory system	14	32	142	479	1,118	2,052	3,311	7,148	13	26	53	205	517	1,370	3,313	5,497	
		Rates per 100,000 corresponding population																
400-402	Rheumatic fever	0.3	.	.	0.6	0.7	1.0	.	0.3	.	.	0.6	0.6	0.7	.	1.5	0.3	
410-416	Chronic rheumatic heart disease	0.7	7.6	8.3	18.1	16.5	28.0	74.8	10.4	0.9	7.7	5.6	17.1	26.6	36.5	52.1	11.4	
421	Chronic endocarditis	0.1	2.1	2.6	5.4	18.7	45.6	91.2	9.5	0.2	.	1.9	6.1	7.4	26.9	95.2	8.1	
420	Coronary and arteriosclerotic heart disease	0.4	9.0	55.7	214.2	585.2	1,236.5	1,983.6	245.8	0.3	2.8	13.0	58.2	226.6	632.4	1,336.3	139.0	
422	Other myocardial degeneration	0.1	1.4	3.2	15.1	57.6	345.4	2,160.6	112.8	.	.	2.5	10.4	36.2	226.5	1,764.9	104.4	
430-434	Other diseases of heart	0.3	.	5.1	12.1	52.5	205.4	709.9	47.8	0.2	3.5	5.0	12.2	38.4	175.6	675.6	50.6	
440-443	Hypertensive heart disease	.	.	1.9	4.8	20.8	98.5	235.4	18.3	.	.	0.6	2.4	16.9	83.5	288.7	21.6	
444-447	Other hypertensive disease	.	1.4	6.4	12.1	24.4	49.8	113.1	12.2	0.2	1.4	.	8.6	11.8	42.2	133.9	11.7	
450-468	Other diseases of circulatory system	.	0.7	7.7	7.3	27.3	118.4	673.4	37.8	0.2	2.7	3.6	9.9	16.9	91.2	581.8	37.6	
400-468	Total diseases of circulatory system	2.0	22.2	90.9	289.8	803.7	2,128.6	6,042.0	494.9	2.0	18.1	32.8	125.5	381.5	1,314.8	4,930.1	384.7	

A possible source of error is the large number of uncertified deaths ascribed simply to "senility". Thus out of a total of 1,468 deaths (614 male, 854 female), stated to be due to senility, 613 (254 male, 359 female) were not medically certified. Of these uncertified deaths it may be presumed that a substantial proportion were caused by heart diseases.

Respiratory diseases

Deaths from respiratory diseases (Nos. 470-527 in the International List) in 1965 numbered 3,370. These included 134 deaths caused by influenza, 1,393 by pneumonia, 1,451 by bronchitis and 392 due to other respiratory diseases.

Pregnancy, childbirth and puerperium

The number of maternal deaths in 1965 was 18, 12 less than in 1964. The death rate was 0.28 per thousand live births. Table XXX shows the maternal deaths in 1965 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1965 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and over
Pyelitis and pyelonephritis of pregnancy	1	.	.	.	1	.	.	.
Toxaemias of pregnancy	3	.	1	1	.	.	1	.
Other complications arising from pregnancy	3	1	.	.	.	2	.	.
Delivery complicated by retained placenta	1	.	.	.	.	1	.	.
Delivery complicated by prolonged labour	1	.	1	.	.	.	.	.
Delivery with other trauma	3	.	.	.	2	.	1	1
Delivery with other complications of childbirth	2	.	1	.	.	1	.	.
Sepsis of childbirth and the puerperium	3	.	.	1	1	.	1	.
Puerperal pulmonary embolism	1	.	1	.	.	.	.	.
Total	18	1	4	2	4	4	3	.

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1965

Malignant neoplasm of breast	1	.	.	.	.	1	.	.
Malignant neoplasm of leg	1	.	.	.	.	1	.	.
Mitral Stenosis	2	.	.	1	1	.	.	.
Coronary Thrombosis	1	.	1	.	.	.	.	.
Dissecting aneurysm of aorta	1	.	.	.	.	.	1	.
Influenza	1	.	.	.	.	.	1	.
Total	7	.	1	1	1	2	2	.

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1954 to 1965.

TABLE XXXI

MATERNAL DEATHS PER 100,000 BIRTHS IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1965.

Year	Number of deaths Ireland*	Deaths per 100,000 live births			
		Ireland*	Six Counties	England and Wales	Scotland
1954	69	110	73	71	76
1955	70	114	83	66	46
1956	52	86	58	57	54
1957	81	132	110	48	47
1958	61	103	56	44	54
1959	39	65	55	39	36
1960	35	58	44	39	34
1961	27	45	52	34	37
1962	27	44	30	36	40
1963	22	35	41	28	40
1964	30	47	15	25	23
1965	18	28	32	25	38

*Exclusive of the Six Counties.

Maternal deaths in this country in 1965 numbered 18 a decrease of 12 on the 1964 figure and the mortality rate fell correspondingly from 47 to 28 per 100,000 live births. The 1965 rate for England and Wales remained the same as that in 1964 but sharp increases on the 1964 rates were recorded in 1965 in the Six Counties and Scotland. It will be noted that in the period under review, the decline in the Irish rate has been greater than in any of the other areas.

Infant Mortality

During the year 1965 the deaths of 1,604 infants under one year of age were registered, compared with 1,712 in the previous year and 1,682 in 1963. The 1965 rate was 25.2 per 1,000 live births registered, compared with 26.7 in 1964 and 26.6 in 1963.

Table XXXII shows the mortality rates at different ages under one year for the years 1948 to 1965.

TABLE XXXII
INFANT MORTALITY BY AGE, 1948 TO 1965


Year	Deaths per 1,000 births at ages											
	Under 24 hrs.	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total* under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.2	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8
1955	7.6	9.0	2.8	2.0	1.5	22.9	3.5	2.1	4.4	3.8	13.8	36.7
1956	7.4	8.2	3.0	2.5	1.6	22.7	3.5	2.4	3.9	3.1	12.9	35.6
1957	7.8	8.2	2.8	1.8	1.4	22.0	2.7	2.0	3.7	2.7	11.1	33.1
1958	8.4	9.0	2.3	2.4	1.5	23.6	3.5	2.1	3.4	2.8	11.8	35.4
1959	8.4	8.0	2.2	1.5	1.1	21.2	2.8	1.9	3.6	2.5	10.8	32.0
1960	8.7	7.4	1.9	1.3	1.1	20.4	2.2	1.7	2.7	2.2	8.9	29.3
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2

*Under one month prior to 1950

Infant mortality has shown a considerable reduction over the period in the table, the rate for 1965(per 1,000 live births) being only 52 per cent of that for 1948. The greatest reduction has been in respect of mortality of infants aged over four weeks, which showed a decline of 70 per cent in the period. The reduction in neo-natal mortality (i.e. at ages under 4 weeks) was less marked, being only 33 per cent in that period. No significant changes occurred since 1948 in mortality at ages under 24 hours.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1940-1965



In Table XXXIII the infant mortality rates in Ireland and neighbouring countries are compared for the years 1954 to 1965.

TABLE XXXIII
INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1965.

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1954	38	33	25	31
1955	37	32	25	30
1956	36	29	24	29
1957	33	29	23	29
1958	35	28	23	28
1959	32	28	22	28
1960	29	27	22	26
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25

* Exclusive of the Six Counties.

The infant mortality rate in this country decreased from 27 per 1,000 live births in 1964 to 25 per 1,000 live births in 1965 and, for the first time was the same as those in the Six Counties and Scotland, but the rate for England and Wales continued to be the lowest in the table. Over the period reviewed the decline in infant mortality has been greater in Ireland than in any of the other areas.

Table XXXIV compares the neo-natal and infant mortality rates in the year 1965 for counties and county boroughs.

TABLE XXXIV
NEO-NATAL AND INFANT MORTALITY RATES FOR COUNTIES AND COUNTY BOROUGHS IN 1965.

Area	Deaths of infants per 1,000 births			Area	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow	29	9	38	Clare	29	10	39
Dublin County Borough	18	10	28	Cork County Borough	17	6	23
Dun Laoghaire Borough	18	13	31	Cork County	10	5	15
Dublin County (remainder)	15	6	21	Kerry	14	9	23
Kildare	23	7	30	Limerick County Borough	27	10	37
Kilkenny	18	4	22	Limerick County	19	8	27
Laois	21	10	31	Tipperary, N.R.	24	8	32
Longford	18	11	29	Tipperary, S.R.	21	5	26
Louth	17	5	22	Waterford County Borough	15	7	22
Meath	15	7	22	Waterford County	17	11	28
Offaly	18	12	30				
Westmeath	19	7	26	Munster	17	7	24
Wexford	13	8	21				
Wicklow	20	13	33	Galway	11	8	19
				Leitrim	22	2	24
Leinster	18	8	26	Mayo	16	9	25
				Roscommon	15	12	27
Cavan	14	9	23	Sligo	21	9	30
Donegal	15	8	23				
Monaghan	16	8	24	Connacht	15	8	23
Ulster (part of)	16	7	23	Total	17	8	25

In 1965 the highest infant mortality rates were recorded in Counties Clare (39 per 1,000 births) and Carlow (38 per 1,000 births) and the lowest in Counties Cork (15 per 1,000 births) and Galway (19 per 1,000 births). The neo-natal rates ranged from 29 per 1,000 births in Counties Carlow and Clare to 10 per 1,000 births in County Cork.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

DEATHS OF INFANTS UNDER ONE YEAR REGISTERED IN 1965 CLASSIFIED BY CAUSE AND AGE

International List Nos.	Cause	Age				
		Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
340	Meningitis, except meningococcal and tuberculous	-	-	1	12	13
056, 470-475 480-483 490-493 500-502 510-527, 763	Whooping cough, influenza, pneumonia, bronchitis, and other respiratory diseases	4	15	60	153	232
530-587, 764	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn)	3	5	31	66	105
750-759	Congenital malformations	86	74	75	145	380
760, 761	Birth injuries	52	59	9	4	124
762	Asphyxia and atelectasis	135	69	9	16	229
770	Haemolytic disease (erythroblastosis)	25	13	2	3	43
771	Haemorrhagic disease	9	14	4	2	29
774, 776	Immaturity	125	76	13	4	218
773.0	Ill-defined diseases of early infancy :- Without mention of immaturity	10	18	4	10	42
773.5	With mention of immaturity	26	21	4	1	52
780.2	Convulsions	·	1	3	2	6
	Other causes	9	15	13	94	131
	Total	484	380	228	512	1,604

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. At ages under one week 23 per cent of all deaths were ascribed to immaturity, while as may be seen from TABLE 26, immaturity was a contributory factor to many deaths ascribed to other underlying causes. Asphyxia and atelectasis accounted for 24 per cent of deaths under one week. Congenital malformations 18 per cent and birth injuries 13 per cent. Nine per cent of the deaths under one week were assigned to the heading "Ill-defined diseases of early infancy" (No 773 of the Detailed International List); deaths described by such terms as "debility", "inanition", "marasmus", "cyanosis neonatorum", "hepatitis of newborn" or "sclerema neonatorum" and not otherwise specified are allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic diseases were at ages under one week. At ages over 4 weeks respiratory diseases (32 per cent) and congenital malformations (28 per cent) were the main causes of death but only a small proportion were ascribed to immaturity or asphyxia. Details of the 131 deaths ascribed to "other causes" may be obtained from TABLE 19.

Accidents, poisoning and violence

The number of deaths from external causes (Nos. E800-999) registered in 1965 was 1,088, of which 696 were those of males and 392 those of females. The corresponding figures for 1964 were 1,072, 666 and 406 respectively. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 15 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was almost entirely due to the higher number of deaths from accidents. Table XXXVI shows the number of deaths from accidents, poisoning and violence in 1965 and previous years.

There were 389 deaths resulting from accidents in the home recorded in 1965, compared with 272 in 1964. This increase is due partly to more precise information becoming available regarding the location of the accident. As will be seen from Table XXXVII 218 deaths in 1965 were attributed to accidental falls in the home and these

TABLE XXXVI
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1954 TO 1965

Cause of death	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965
Railway accidents ..	2	6	13	6	4	11	6	2	6	6	4	4
Road vehicle accidents ..	260	273	310	229	273	285	287	315	310	322	312	326
Accidental poisoning ..	13	19	18	18	15	10	27	24	35	20	25	41
Accidents caused by fire, explosion and burns ..	96	95	78	72	77	59	72	69	74	77	79	64
Accidental drowning ..	125	146	112	107	127	109	143	103	110	112	124	118
Accidental falls ..	237	270	256	257	240	249	259	266	274	316	309	329
Other accidents and external causes ..	178	174	153	135	127	146	133	130	125	153	161	155
Suicide ..	59	68	76	73	77	72	84	89	52	70	58	51
Total ..	970	1,051	1,016	897	940	941	1,011	998	986	1,076	1,072	1,088

Particulars of deaths registered in 1965 due to accidents in the home are given in Table XXXVII.

TABLE XXXVII
DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1965, CLASSIFIED BY CAUSE AND AGE GROUP

Inter-national List Nos.	Cause of death	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
E870- E888	Poisoning by solid and liquid substances M F	6 8	.. .	1 1	1 .	2 .	1 1	3 3	3 .	1 .	.. .	.. .
E890- E892	Poisoning by gases M F	7 7	.. .	.. .	.. .	1 1	1 2	.. .	2 2	2 2	.. .	1 .
E900- E904	Accidental falls M F	68 150	1 .	1 .	1 .	.. .	2 .	2 .	4 2	5 6	9 25	43 117
E910	Blow from falling object M F	1 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	1 .	.. .	.. .
E912	Accident caused by machinery M F	3 .	.. .	.. .	.. .	1 .	.. .	1 .	.. .	.. .	1 .	.. .
E913	Accident caused by cutting and piercing instruments M F	1 .	.. .	.. .	.. .	.. .	.. .	.. .	1 .	.. .	.. .	.. .
E914	Accident caused by electric current M F	2 1	.. .	.. .	.. .	1 1	1 .	1 .	.. .	.. .	.. .	.. .
E916	Accident caused by fire and explosion of combustible material M F	27 29	.. 1	2 5	1 1	1 .	.. .	.. .	2 .	4 1	7 7	10 14
E917	Accident caused by hot substance, corrosive liquid and steam M F	.. 2	.. .	.. 1	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. 1
E919	Accident caused by firearm M F	1 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	1 .	.. .	.. .
E921	Inhalation and ingestion of food causing obstruction or suffocation M F	19 20	13 15	1 1	.. .	.. .	.. .	2 .	2 2	.. .	1 2	.. .
E922	Inhalation and ingestion of other object causing obstruction or suffocation M F	1 .	1 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .
E923	Foreign body entering other orifice M F	1 1	1 .	1 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .
E924	Suffocation in bed and cradle M F	10 6	10 5	1 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .
E925	Accidental mechanical suffocation in other and unspecified circumstances M F	3 .	1 .	2 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .
E926	Lack of care of infants M F	3 .	3 .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .	.. .
E929	Drowning and submersion M F	3 2	.. .	.. 1	.. .	1 .	.. .	.. .	.. 1	1 .	1 .	.. .
E932- E936	Other and unspecified accidents M F	6 1	.. .	.. .	.. .	1 .	.. .	.. .	2 1	2 .	.. .	1 .
	Total M F	162 227	90 21	7 11	3 4	7 2	5 3	6 3	13 11	17 9	19 34	55 192

were mostly of elderly persons. Accidents caused by fire, hot liquids etc., accounted, for 58 deaths, of which 9 were of children under 5 years of age and 44 of persons aged 55 years and over. Twenty eight deaths of children under one year old were due to obstruction and suffocation by food and 15 to suffocation in bed. There were 30 deaths from accidental poisoning, 15 of which were of persons aged 45 years and over.

Uncertified deaths

The number of cases in 1965 in which the cause of death was not certified by a medical practitioner was 1,088 which represents 3.3 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1965 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1965 in the counties of Leitrim (14.1 per cent), Mayo (11.1 per cent), and Roscommon (10.2 per cent).

Table XXXVIII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XXXVIII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1954 TO 1965.

Province	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965
Leinster	3.4	3.5	2.6	2.6	2.0	1.8	1.6	1.5	1.4	1.4	1.2	1.1
Munster	8.4	7.8	7.4	7.2	6.5	6.0	5.5	4.7	4.4	4.2	3.3	3.0
Connacht	21.1	20.3	18.0	16.9	16.3	15.8	14.8	12.5	12.5	11.0	8.9	9.3
Ulster (part of)	16.0	14.7	13.6	10.8	11.0	10.3	8.1	7.9	7.9	6.4	5.3	4.8
Total	9.2	8.8	7.7	7.1	6.8	6.1	5.6	4.9	4.7	4.2	3.4	3.3

Table XXXIX shows the percentage of deaths uncertified in 1965 by age group, in each province.

Table XXXIX

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1965.

Province	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	1.1	0.1	.	.	0.7	2.2	.	1.3	0.9	1.0	1.4
Munster	3.0	.	1.4	.	.	.	.	0.9	1.6	1.4	5.1
Connacht	9.3	.	.	3.8	2.2	.	2.0	1.0	2.2	2.8	16.1
Ulster (part of)	4.8	.	8.3	.	.	.	.	2.3	0.6	2.3	7.8
Total	3.3	0.1	0.9	0.5	0.7	1.0	0.3	1.2	1.2	1.5	5.8
Actual number of deaths uncertified	1,088	1	2	1	2	3	2	24	53	126	874

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while only a very small number of young adult deaths were uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1965 was 1,827 compared with 1,757 in 1964 and 1,792 in 1963.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR*, 1851 TO 1965.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1889	3,516	1,748	1,768	1927	2,957	1,502	1,455
1852	4,927	2,413	2,514	1890	3,482	1,733	1,749	1928	2,944	1,498	1,446
1853	4,807	2,358	2,449	1891	3,449	1,718	1,731	1929	2,937	1,496	1,441
1854	4,704	2,311	2,393	1892	3,408	1,697	1,711	1930	2,927	1,493	1,434
1855	4,638	2,281	2,357	1893	3,382	1,684	1,698	1931	2,933	1,497	1,436
1856	4,594	2,261	2,333	1894	3,362	1,675	1,687	1932	2,949	1,505	1,444
1857	4,540	2,234	2,306	1895	3,333	1,662	1,671	1933	2,962	1,512	1,450
1858	4,506	2,217	2,289	1896	3,314	1,653	1,661	1934	2,971	1,518	1,453
1859	4,471	2,199	2,272	1897	3,298	1,646	1,652	1935	2,971	1,520	1,451
1860	4,428	2,179	2,249	1898	3,283	1,640	1,643	1936	2,967	1,520	1,447
1861	4,393	2,164	2,229	1899	3,265	1,631	1,634	1937	2,948	1,510	1,438
1862	4,377	2,158	2,219	1900	3,234	1,616	1,618	1938	2,937	1,505	1,432
1863	4,328	2,134	2,194	1901	3,213	1,607	1,606	1939	2,934	1,503	1,431
1864	4,263	2,103	2,160	1902	3,200	1,603	1,597	1940	2,958	1,515	1,443
1865	4,223	2,084	2,139	1903	3,185	1,599	1,586	1941	2,993	1,533	1,460
1866	4,163	2,051	2,112	1904	3,175	1,597	1,578	1942	2,963	1,499	1,464
1867	4,130	2,033	2,097	1905	3,165	1,594	1,571	1943	2,946	1,490	1,456
1868	4,109	2,022	2,087	1906	3,160	1,593	1,567	1944	2,944	1,487	1,457
1869	4,090	2,012	2,078	1907	3,151	1,589	1,562	1945	2,952	1,490	1,462
1870	4,062	1,996	2,066	1908	3,145	1,588	1,557	1946	2,957	1,496	1,461
1871	4,042	1,986	2,056	1909	3,142	1,589	1,553	1947	2,974	1,505	1,469
1872	4,023	1,975	2,048	1910	3,139	1,588	1,551	1948	2,985	1,512	1,473
1873	3,989	1,955	2,034	1911	3,132	1,586	1,546	1949	2,981	1,513	1,468
1874	3,966	1,944	2,022	1912	3,120	1,581	1,539	1950	2,969	1,510	1,459
1875	3,951	1,940	2,011	1913	3,103	1,572	1,531	1951	2,961	1,507	1,454
1876	3,949	1,942	2,007	1914	3,092	1,568	1,524	1952	2,953	1,501	1,452
1877	3,956	1,947	2,009	1915	3,068	1,546	1,522	1953	2,949	1,498	1,451
1878	3,952	1,948	2,004	1916	3,068	1,549	1,519	1954	2,941	1,493	1,448
1879	3,939	1,944	1,995	1917	3,065	1,551	1,514	1955	2,921	1,479	1,442
1880	3,891	1,920	1,971	1918	3,066	1,553	1,513	1956	2,898	1,463	1,435
1881	3,847	1,901	1,946	1919	3,102	1,598	1,504	1957	2,885	1,456	1,429
1882	3,808	1,882	1,926	1920	3,103	1,598	1,505	1958	2,853	1,439	1,414
1883	3,745	1,853	1,892	1921	3,096	1,599	1,497	1959	2,846	1,435	1,411
1884	3,703	1,834	1,869	1922	3,022	1,529	1,493	1960	2,832	1,427	1,405
1885	3,671	1,820	1,851	1923	3,014	1,526	1,488	1961	2,818	1,417	1,402
1886	3,642	1,808	1,834	1924	3,005	1,521	1,484	1962	2,829	1,422	1,407
1887	3,600	1,788	1,812	1925	2,985	1,512	1,473	1963	2,849	1,432	1,417
1888	3,554	1,766	1,788	1926	2,971	1,507	1,464	1964	2,862	1,439	1,423
								1965	2,873	1,444	1,429

* For 1951 and subsequent years the figures relate to the month of April.

TABLE 2 - CLASSIFICATION OF THE POPULATION ENUMERATED AT THE 1961 CENSUS ACCORDING TO AGE AND CONJUGAL CONDITION.

Age groups	Males				Females			
	Single	Married	Widowed	Total	Single	Married	Widowed	Total
0-4	153,430	.	.	153,430	147,360	.	.	147,360
5-9	146,991	.	.	146,991	140,677	.	.	140,677
10-14	148,319	.	.	148,319	140,482	.	.	140,482
15-19	120,138	208	1	120,347	112,226	1,257	2	113,485
20-24	74,398	6,004	18	80,420	60,678	16,876	33	77,587
25-29	48,547	23,700	42	72,289	32,968	39,960	160	73,088
30-34	37,052	38,047	142	75,241	22,960	54,068	518	77,546
35-39	31,743	49,468	415	81,626	20,023	63,803	1,341	85,167
40-44	28,514	55,520	761	84,795	18,788	63,815	2,895	85,498
45-49	27,193	60,344	1,499	89,036	18,885	61,314	5,390	85,589
50-54	23,468	55,976	2,244	81,688	18,241	49,110	8,083	75,434
55-59	19,383	45,991	3,245	68,619	17,016	39,183	11,305	67,504
60-64	18,067	41,206	5,162	64,435	16,550	32,625	17,450	66,625
65-69	14,034	30,817	6,290	51,141	13,093	20,925	18,329	52,347
70-74	12,465	23,304	8,341	44,110	12,155	14,381	22,144	48,680
75-79	8,041	13,823	7,830	29,694	8,091	7,092	18,333	33,516
80-84	3,890	6,743	6,041	16,674	4,514	2,887	12,965	20,366
85 and over	1,497	2,452	3,745	7,694	2,435	932	7,474	10,841
Total	917,170	453,603	45,776	1,416,549	807,142	468,228	126,422	1,401,792

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS OF POPULATION, 1961.

Area	Persons	Males	Females
Carlow	33,342	17,360	15,982
Dublin County Borough	537,448	249,055	288,393
Dun Laoghaire Borough	47,792	20,980	26,812
Dublin County (remainder)	133,092	64,969	68,123
Kildare	64,420	34,068	30,352
Kilkenny	61,668	32,252	29,416
Laois	45,069	23,989	21,080
Longford	30,643	16,133	14,510
Louth	67,378	33,627	33,751
Meath	65,122	33,826	31,296
Offaly	51,533	27,188	24,345
Westmeath	52,861	27,183	25,678
Wexford	83,308	42,128	41,180
Wicklow	58,473	29,150	29,323
Clare	73,702	38,904	34,798
Cork County Borough	77,980	36,500	41,480
Cork County	252,463	128,208	124,255
Kerry	116,458	60,838	55,620
Limerick County Borough	50,786	24,134	26,652
Limerick County	82,553	43,039	39,514
Tipperary, N.R.	53,696	28,088	25,608
Tipperary, S.R.	70,126	36,053	34,073
Waterford County Borough	28,216	13,163	15,053
Waterford County	43,223	22,365	20,858
Galway	149,887	78,993	70,894
Leitrim	33,470	18,031	15,439
Mayo	123,330	63,844	59,486
Roscommon	59,217	31,477	27,740
Sligo	53,561	27,638	25,923
Cavan	55,594	30,277	26,317
Donegal	113,842	58,501	55,341
Monaghan	47,088	24,588	22,500
Total	2,818,341	1,416,549	1,401,792

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1965.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,229	959	493	466	34,243	18,603	15,640	25,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062
1962	15,627	61,782	31,650	30,132	60,671	1,111	534	577	33,838	18,355	15,483	27,944
1963	15,556	63,246	32,486	30,760	62,089	1,157	587	570	33,795	18,199	15,596	29,451
1964	16,128	64,072	32,759	31,313	62,780	1,292	641	651	32,630	17,630	15,000	31,442
1965	16,946	63,525	32,438	31,087	62,122	1,403	708	695	33,022	17,965	15,057	30,503

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1965.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864 - 1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871 - 1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881 - 1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891 - 1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901 - 1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911 - 1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921 - 1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931 - 1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941 - 1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951 - 1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.36	1.69	1,048	11.89	33.10	9.33
1958	5.28	20.86	20.52	0.34	1.64	1,051	12.00	35.44	8.85
1959	5.42	21.15	20.81	0.34	1.59	1,040	12.03	32.02	9.12
1960	5.46	21.46	21.12	0.34	1.59	1,052	11.54	29.26	9.92
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89
1962	5.52	21.84	21.45	0.39	1.80	1,050	11.96	29.13	9.88
1963	5.46	22.20	21.79	0.41	1.83	1,056	11.86	26.59	10.34
1964	5.64	22.39	21.94	0.45	2.02	1,046	11.40	26.72	10.99
1965	5.90	22.11	21.62	0.49	2.21	1,043	11.49	25.25	10.62

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951-1965 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951-60 AND THE RATES FOR EACH OF THE YEARS 1961 TO 1965 PER 1,000 OF THE POPULATION

Year	MARRIAGES										BIRTHS										DEATHS				
	Catholic					All others					Total					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	270	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,842	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,785	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,068	7,705	33,910
1957	2,572	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
1958	2,587	3,465	5,460	2,971	14,483	105	183	199	91	578	2,692	3,048	5,659	3,062	15,061	14,722	15,966	14,836	13,986	59,510	10,284	8,970	7,099	7,895	34,248
1959	2,412	3,762	5,385	3,189	14,748	121	143	266	142	672	2,533	3,905	5,651	3,331	16,420	14,687	16,342	15,275	13,884	60,188	10,021	9,554	6,667	7,401	34,243
1960	2,317	3,333	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	60,735	9,458	7,958	6,921	8,323	32,660
Average for ten years 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
1961	2,200	3,076	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,855	7,634	34,768
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,322	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,602	3,296	14,888	116	160	253	139	668	2,705	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,476	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
Equivalent annual rate per 1,000 corresponding population																									
Average for ten years 1951-1960	4.2	5.2	7.3	4.8	5.5	3.0	5.0	6.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.6	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.8	5.6	8.5	4.8	5.5	1.9	4.6	5.4	3.5	3.8	3.2	5.5	8.3	4.8	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.8	10.3	12.3
1962	4.1	4.8	8.9	4.6	5.6	8.1	5.1	7.1	2.7	4.5	4.0	4.8	8.3	4.4	5.5	21.7	23.4	22.3	20.1	21.8	16.3	12.1	9.9	10.7	12.6
1963	4.0	4.8	8.4	4.9	5.5	3.2	4.4	7.0	3.9	4.6	3.9	4.8	8.4	4.8	5.5	21.8	23.8	23.1	20.5	22.2	16.1	11.9	10.1	10.6	11.9
1964	3.5	5.9	8.6	4.7	5.7	2.3	4.2	7.4	2.9	4.2	3.5	5.8	8.5	4.7	5.6	21.4	24.4	23.3	21.0	22.4	13.0	12.5	9.8	10.5	11.4
1965	5.0	4.9	9.1	5.0	6.0	2.5	3.6	7.3	3.5	4.2	4.9	4.8	9.0	4.9	5.9	22.1	23.8	22.5	20.1	22.1	13.7	11.0	10.2	11.1	11.5

Table 7. - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1965, WITH
RATES PER 100,000 POPULATION

Note.- The classification of cause of death in this table is based on the Abbreviated
List, 1955.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	22,022	1,349.2	15,851	1,058.6
001-008	Tuberculosis of respiratory system ..	302	10.5	68	4.6
010-019	Tuberculosis, other forms	32	1.1	6	0.4
020-029	Syphilis and its sequelae	5	0.2	16	1.1
040	Typhoid fever	.	.	.	.
045-048	Dysentery, all forms	1	0.0	.	.
050-051	Scarlet fever and streptococcal sore throat ..	1	0.0	.	.
055	Diphtheria	1	0.0	.	.
056	Whooping cough	4	0.1	2	0.1
057	Meningococcal infections	4	0.1	5	0.3
080	Acute poliomyelitis	.	.	.	.
085	Measles	8	0.3	4	0.3
100-108	Typhus and other rickettsial diseases ..	.	.	.	.
110-117	Malaria	2	0.1	.	.
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	68	2.4	33	2.3
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-205 (except 201 and 204)	(a) Cancer	4,766	165.9	2,417	164.5
201, 204	(b) Hodgkin's disease and leukaemia ..	213	7.4	94	6.4
210-239	Benign and unspecified neoplasms ..	112	3.9	39	2.7
260	Diabetes mellitus	248	8.6	107	7.3
290-293	Anaemias	155	5.4	48	3.3
330-334	Vascular lesions affecting central nervous system	4,339	151.0	2,276	154.9
340	Non-meningococcal meningitis	37	1.3	23	1.6
400-402	Rheumatic fever	9	0.3	4	0.3
410-416	Chronic rheumatic heart disease ..	313	10.9	186	12.7

*Exclusive of the Six Counties

TABLE 7.- (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1965,
WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease	8,911	310.2	4,659	317.2
430-434	Other diseases of heart	1,413	49.2	582	39.6
440-443	Hypertensive heart disease	573	19.9	273	18.6
444-447	Other hypertensive disease	343	12.0	90	6.1
480-483	Influenza	134	4.7	29	2.0
490-493	Pneumonia	1,393	48.5	751	51.1
500-502	Bronchitis	1,451	50.5	756	51.5
540-541	Ulcer of stomach and duodenum	218	7.6	104	7.1
550-553	Appendicitis	30	1.0	12	0.8
560, 561, 570	Intestinal obstruction and hernia	158	5.5	98	6.7
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of newborn	164	5.7	55	3.7
581	Cirrhosis of liver	89	3.1	50	3.4
590-594	Nephritis and nephrosis	337	11.7	110	7.5
610	Hyperplasia of prostate	156	5.4	55	3.7
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	18	0.6	11	0.6
750-759	Congenital malformations	484	16.8	250	17.0
760-762	Birth injuries, post-natal asphyxia and atelectasis	353	12.3	246	16.7
763-768	Infections of newborn	118	4.1	26	1.8
769-776	Other diseases peculiar to early infancy and immaturity unqualified	393	13.6	192	13.1
780-795	Senility without mention of psychosis, ill-defined and unknown causes	1,787	62.2	79	5.4
	All other diseases	2,792	97.2	1,202	81.8
E810-E835	Motor vehicle accidents	306	10.7	205	14.0
E800-E802 E840-E962	All other accidents	723	25.1	316	21.5
E963, E970-E979	Suicide and self-inflicted injury	51	1.8	70	4.8
E964-E965, E980-E999	Homicide and operations of war	8	0.3	2	0.1

*Exclusive of the Six Counties

Table 8. - AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864-1960
AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1961 TO 1965, CLASSIFIED BY SEX AND AGE

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average -														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224/	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
1962	18,355	1,178	80	59	89	93	202	453	1,265	2,652	4,601	5,448	2,135	100
1963	18,199	1,101	72	56	86	86	182	444	1,207	2,749	4,677	5,434	2,009	96
1964	17,630	1,087	67	50	94	74	225	461	1,271	2,773	4,416	5,064	1,957	91
1965	17,965	1,036	72	45	93	104	176	464	1,175	2,751	4,753	5,065	2,123	101
Females														
Average -														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387/	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
1962	15,483	893	63	30	37	51	136	376	895	1,675	3,512	5,209	2,434	182
1963	15,596	811	46	38	35	53	145	416	845	1,676	3,548	5,234	2,571	178
1964	15,000	872	57	49	54	50	152	336	861	1,695	3,253	4,987	2,454	180
1965	15,057	797	55	27	41	44	123	317	853	1,580	3,468	5,081	2,463	208
Persons														
Average -														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611/	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,375	2,673	171	122	174	214	590	1,099	2,289	4,442	8,704	11,079	3,603	216
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266
1962	33,838	2,061	143	89	126	144	338	829	2,160	4,327	8,113	10,657	4,569	282
1963	33,795	1,912	118	94	121	139	327	860	2,052	4,425	8,225	10,668	4,580	274
1964	32,630	1,959	124	99	148	124	377	797	2,132	4,468	7,669	10,051	4,411	271
1965	33,022	1,833	134	72	134	148	299	781	2,028	4,331	8,221	10,146	4,586	309

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

/For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH OF THE YEARS 1961 TO 1965 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	26.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
1962	12.91	7.68	0.54	0.40	0.74	1.16	1.37	2.72	7.41	19.93	48.30	117.49	290.49
1963	12.71	7.17	0.48	0.39	0.70	0.94	1.23	2.76	7.11	20.28	48.97	118.02	265.65
1964	12.25	6.96	0.45	0.34	0.72	0.80	1.57	2.92	7.57	20.29	46.29	108.90	273.07
1965	12.44	6.56	0.52	0.30	0.69	1.07	1.22	2.97	7.11	19.78	49.30	107.08	296.53
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	36.19	100.91	245.83
1962	11.00	5.99	0.45	0.21	0.33	0.66	0.90	2.20	5.56	12.49	34.76	96.67	241.31
1963	11.01	5.48	0.32	0.28	0.30	0.60	0.97	2.50	5.17	12.45	34.96	95.83	228.00
1964	10.54	5.82	0.40	0.35	0.44	0.56	1.05	2.06	5.30	12.53	31.49	89.69	235.18
1965	10.54	5.27	0.38	0.19	0.33	0.47	0.86	1.96	5.22	11.66	33.28	90.57	240.63
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63
1962	11.96	6.85	0.50	0.31	0.54	0.91	1.13	2.46	6.51	16.19	41.33	106.30	261.72
1963	11.86	6.34	0.40	0.33	0.51	0.77	1.09	2.63	6.16	16.38	41.75	105.98	242.93
1964	11.40	6.40	0.43	0.35	0.58	0.69	1.31	2.48	6.45	16.43	38.60	98.44	250.37
1965	11.49	5.93	0.45	0.25	0.51	0.78	1.04	2.46	6.17	15.77	40.98	98.12	263.17

TABLE 10. - BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number
Total	63,525	.	.	63,525	1,403	.	.	1,403
Carlow	714	62	206	858	9	.	11	20
Dublin County Borough	20,619	7,757	167	13,029	438	178	78	338
Dun Laoghaire Borough	1,553	1,010	437	980	11	10	18	19
Dublin County (remainder)	717	169	4,916	5,464	179	161	69	87
Kildare	621	18	1,067	1,670	2	.	31	33
Kilkenny	964	37	244	1,171	8	1	22	29
Laois	765	10	226	981	2	.	21	23
Longford	469	79	226	616	5	.	16	21
Louth	2,920	1,277	49	1,692	22	6	20	36
Meath	330	4	1,230	1,555	9	.	33	42
Offaly	1,058	11	205	1,252	1	.	19	20
Westmeath	1,201	212	306	1,295	141	131	44	54
Wexford	1,644	27	334	1,951	28	1	36	63
Wicklow	495	18	904	1,381	7	.	37	44
Clare	1,178	6	277	1,449	14	.	21	35
Cork County Borough (a)	2,159	1,130	1,003	2,032	6	2	14	18
Cork County	5,779	1,361	1,128	5,546	195	122	30	103
Kerry	1,813	16	249	2,046	12	.	30	42
Limerick County Borough	3,433	2,140	17	1,310	38	28	1	11
Limerick County	119	1	1,732	1,850	5	.	58	63
Tipperary, N.R.	1,121	219	283	1,185	160	145	13	28
Tipperary, S.R.	1,563	105	93	1,551	16	2	25	39
Waterford County Borough	1,503	844	54	713	7	1	3	9
Waterford County	394	54	590	930	8	1	10	17
Galway	3,610	727	75	2,958	18	3	37	52
Leitrim	302	12	202	492	1	.	5	6
Mayo	1,517	13	455	1,959	2	.	17	19
Roscommon	538	31	316	823	4	.	10	14
Sligo	929	109	40	860	3	.	12	15
Cavan	808	67	261	1,002	7	.	15	22
Donegal	2,008	11	39	2,036	41	.	23	64
Monaghan	681	68	274	887	4	.	13	17

(a) Boundary as at 1st January 1965.

1965, AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of Infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
33,022	.	.	33,022	1,604	.	.	1,604	30,503	Total
340	27	56	369	26	2	9	33	489	Carlow
7,023	1,589	215	5,649	691	331	5	365	7,380	Dublin County Borough
587	167	178	598	18	8	20	30	382	Dun Laoghaire Borough
794	305	644	1,133	21	6	101	116	4,331	Dublin County (remainder)
561	13	157	705	11	.	39	50	965	Kildare
729	31	59	757	20	1	7	26	414	Kilkenny
459	19	57	497	13	.	17	30	484	Laois
378	17	58	419	8	1	11	18	197	Longford
765	66	39	738	53	21	5	37	954	Louth
657	25	134	766	6	.	28	34	790	Meath
520	7	61	574	28	2	12	38	678	Offaly
576	59	74	591	19	3	18	34	704	Westmeath
945	11	72	1,006	29	.	12	41	945	Wexford
521	20	218	719	7	.	38	45	662	Wicklow
985	11	70	1,044	43	.	13	56	405	Clare
970	304	352	1,018	24	9	32	47	1,014	Cork County Borough (a)
3,200	413	329	3,116	107	35	11	83	2,430	Cork County
1,387	8	77	1,456	34	.	14	48	590	Kerry
702	270	103	535	106	66	8	48	775	Limerick County Borough
903	134	248	1,017	22	13	41	50	833	Limerick County
589	24	76	641	28	7	17	38	544	Tipperary, N.R.
894	47	59	906	38	4	7	41	645	Tipperary, S.R.
501	156	45	390	30	19	5	16	323	Waterford County Borough
477	51	151	577	11	1	16	26	353	Waterford County
1,662	154	49	1,557	65	15	5	55	1,401	Galway
423	2	77	498	9	.	3	12	6	Leitrim
1,451	8	113	1,556	41	.	7	48	403	Mayo
776	22	83	837	9	.	13	22	14	Roscommon
716	39	33	710	20	1	7	26	150	Sligo
669	8	66	727	17	1	7	23	275	Cavan
1,323	13	38	1,348	40	1	8	47	688	Donagel
539	25	54	568	10	.	11	21	319	Monaghan

(a) Boundary as at 1st January 1965.

TABLE 11 - MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1965 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSE SEPARATELY.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Total	16,946	32,438	31,087	63,525	708	695	1,403	17,965	15,057	33,022	1,604	334	4,979
Carlow	164	421	437	858	12	8	20	201	168	369	33	3	56
Dublin Co. Borough	4,985	6,610	6,419	13,029	169	169	338	2,912	2,737	5,649	365	71	1,056
Dun Laoghaire Borough	428	484	496	980	10	9	19	266	332	598	30	9	77
Dublin Co. (remainder)	681	2,740	2,724	5,464	38	49	87	595	538	1,133	116	12	205
Kildare	390	837	833	1,670	20	13	33	393	312	705	50	6	110
Kilkenny	343	612	559	1,171	14	15	29	409	348	757	26	7	87
Laois	172	533	448	981	11	12	23	279	218	497	30	1	72
Longford	147	339	277	616	14	7	21	242	177	419	18	1	62
Louth	506	888	804	1,692	19	17	36	419	319	738	37	3	151
Meath	372	802	754	1,556	21	21	42	441	325	766	34	7	112
Offaly	285	655	597	1,252	10	10	20	330	244	574	38	10	74
Westmeath	294	661	634	1,295	34	20	54	328	263	591	34	6	78
Wexford	442	1,035	916	1,951	33	30	63	566	440	1,006	41	9	115
Wicklow	373	691	690	1,381	22	22	44	419	300	719	45	6	104
LEINSTER	9,582	17,308	16,588	33,896	427	402	829	7,800	6,721	14,521	897	151	2,359
Clare	305	728	721	1,449	10	25	35	584	460	1,044	56	10	139
Cork Co. Borough (a)	902	1,047	985	2,032	10	8	18	535	483	1,018	47	8	159
Cork County	1,071	2,866	2,680	5,546	49	54	103	1,711	1,405	3,116	83	29	504
Kerry	511	1,046	1,000	2,046	25	17	42	800	656	1,456	48	18	184
Limerick Co. Borough	513	675	635	1,310	10	1	11	264	271	535	48	9	75
Limerick County	320	959	891	1,850	28	35	63	584	433	1,017	50	20	160
Tipperary, N.R.	296	601	584	1,185	14	14	28	350	291	641	38	4	89
Tipperary, S.R.	326	771	780	1,551	24	15	39	472	434	906	41	7	129
Waterford Co. Borough	257	370	343	713	3	6	9	184	206	390	16	6	51
Waterford County	205	471	459	930	4	13	17	315	262	577	26	11	75
MUNSTER	4,706	9,534	9,078	18,612	177	186	365	5,799	4,901	10,700	453	122	1,565
Galway	685	1,496	1,462	2,958	26	26	52	897	660	1,557	55	12	224
Leitrim	102	248	244	492	3	3	6	293	205	498	12	4	58
Mayo	405	1,043	916	1,959	9	10	19	835	721	1,556	48	10	197
Roscommon	191	398	425	823	7	7	14	476	361	837	22	3	95
Sligo	231	430	430	860	5	10	15	391	319	710	26	5	114
CONNACHT	1,614	3,615	3,477	7,092	50	56	106	2,892	2,266	5,158	163	34	688
Cavan	243	503	499	1,002	10	12	22	413	314	727	23	7	97
Donegal	545	1,009	1,027	2,036	35	29	64	759	589	1,348	47	15	179
Monaghan	256	469	418	887	9	8	17	302	266	568	21	5	91
ULSTER (part of)	1,044	1,981	1,944	3,925	54	49	103	1,474	1,169	2,643	91	27	367

(a) Boundary as at 1st January 1965.

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1965.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegitimate % of total births	All causes	Tuber- culosis	Malignant neoplasms	
TOTAL	5.90	22.11	2.21	11.49	0.12	1.73	25.25
Carlow	4.90	25.61	2.33	11.02	0.09	1.67	38.46
Dublin County Borough	8.90	23.13	2.59	10.03	0.13	1.87	28.01
Dun Laoghaire Borough	8.40	19.23	1.94	11.73	0.18	1.51	30.61
Dublin County (remainder)	4.10	32.91	1.59	6.82	0.07	1.23	21.23
Kildare	5.89	25.23	1.98	10.65	0.09	1.66	29.94
Kilkenny	5.64	19.26	2.48	12.45	0.12	1.43	22.20
Laois	3.89	21.89	2.34	11.09	0.02	1.61	30.58
Longford	5.01	21.01	3.41	14.29	0.03	2.11	29.22
Louth	7.34	24.55	4.26	10.71	0.04	2.19	21.87
Meath	5.56	23.24	2.70	11.44	0.10	1.67	21.85
Offaly	5.51	24.19	1.60	11.09	0.19	1.43	30.35
Westmeath	5.55	24.46	4.17	11.16	0.11	1.47	26.25
Wexford	5.29	23.37	3.23	12.05	0.11	1.38	21.01
Wicklow	6.21	23.01	3.19	11.98	0.10	1.73	32.59
LEINSTER	6.85	24.23	2.45	10.38	0.11	1.69	26.46
Clare	4.14	19.66	2.42	14.17	0.14	1.89	38.65
Cork County Borough (a)	11.13	25.08	0.89	12.57	0.10	1.96	23.13
Cork County	4.16	21.55	1.86	12.11	0.11	1.96	14.97
Kerry	4.50	18.01	2.05	12.82	0.16	1.62	23.46
Limerick County Borough	9.34	23.84	0.84	9.74	0.16	1.36	36.64
Limerick County	3.91	22.63	3.41	12.44	0.24	1.96	27.03
Tipperary, N.R.	5.49	21.99	2.36	11.89	0.07	1.65	32.07
Tipperary, S.R.	4.70	22.38	2.51	13.07	0.10	1.86	26.43
Waterford County Borough	8.70	24.26	1.26	13.27	0.20	1.73	22.44
Waterford County	4.70	21.43	1.83	13.30	0.25	1.73	27.96
MUNSTER	5.48	21.68	1.96	12.47	0.14	1.82	24.34
Galway	4.60	19.88	1.76	10.46	0.08	1.51	18.59
Leitrim	3.27	15.79	1.22	15.98	0.13	1.86	24.39
Mayo	3.45	16.69	0.97	13.26	0.09	1.68	24.50
Roscommon	3.36	14.48	1.70	14.73	0.05	1.67	26.73
Sligo	4.47	16.65	1.74	13.74	0.10	2.21	30.23
CONNACHT	3.98	17.48	1.49	12.71	0.08	1.70	22.98
Cavan	4.46	18.40	2.20	13.35	0.13	1.78	22.95
Donegal	4.97	18.55	3.14	12.28	0.14	1.63	23.08
Monaghan	5.56	19.25	1.92	12.33	0.11	1.98	23.66
ULSTER (part of)	4.96	18.67	2.62	12.57	0.13	1.75	23.18

(a) Boundary as at 1st January 1965.

TABLE 13 - DEATHS REGISTERED IN 1965 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages ...	17,968	6,586	7,782	3,598	15,057	4,772	3,590	6,695
Under 15 years	1,120	1,120	.	.	879	879	.	.
15-19	93	93	.	.	41	40	1	.
20-24	104	100	4	.	44	35	9	.
25-29	69	54	15	.	57	31	25	1
30-34	107	69	38	.	66	27	39	.
35-39	163	91	72	.	114	45	67	2
40-44	301	130	167	4	203	62	134	7
45-49	401	160	232	9	349	105	229	15
50-54	774	266	491	17	504	147	304	53
55-59	1,125	361	712	52	613	180	320	113
60-64	1,626	522	980	124	967	286	463	218
65-69	2,121	650	1,190	281	1,356	356	532	468
70-74	2,632	879	1,321	432	2,112	636	570	906
75-79	2,642	809	1,144	689	2,476	664	452	1,360
80-84	2,423	754	828	841	2,605	672	292	1,641
85 and over	2,224	487	588	1,149	2,671	607	153	1,911

TABLE 14 - BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1965 CLASSIFIED BY SEX

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow ...	78	88	166	42	33	75
Athy ...	27	43	70	24	16	40
Naas ...	39	49	88	25	15	40
Longford ...	43	30	73	20	19	39
Ceanannus Mor ...	23	17	40	8	11	19
An Uaimh ...	46	44	90	26	26	52
Trim ...	19	14	33	6	5	11
Birr ...	30	46	76	18	11	29
Tullamore ...	56	58	114	33	32	65
Athlone ...	101	112	213	37	36	73
Enniscorthy ...	45	42	87	33	31	64
New Ross ...	32	35	67	21	28	49
Arklow ...	71	77	148	27	22	49
Wicklow ...	55	19	74	18	16	34
Ennis ...	73	84	157	35	42	77
Kilrush ...	21	28	49	20	21	41
Clonakilty ...	8	9	17	14	8	22
Cobh ...	63	68	131	38	27	65
Fermoy ...	20	25	45	25	23	48
Kinsale ...	7	8	15	8	16	24
Macroom ...	7	10	17	10	9	19
Mallow ...	45	48	93	25	21	46
Midleton ...	20	19	39	11	11	22
Skibbereen ...	13	12	25	7	17	24
Youghal ...	33	45	78	21	26	47
Killarney ...	51	42	93	32	24	56
Listowel ...	21	15	36	14	14	28
Nenagh ...	37	36	73	22	16	38
Templemore ...	27	18	45	7	8	15
Thurles ...	74	52	126	37	21	58
Carrick-on-Suir ...	40	44	84	8	18	26
Cashel ...	24	17	41	17	8	25
Tipperary ...	40	53	93	32	35	67
Dungarvan ...	35	29	64	26	30	56
Ballinasloe ...	24	17	41	11	11	22
Ballina ...	75	56	131	23	16	39
Castlebar ...	37	30	67	27	21	48
Westport ...	22	18	40	8	9	17
Cavan ...	39	35	74	16	14	30
Buncrana ...	25	22	47	15	10	25
Bundoran ...	26	22	48	17	13	30
Letterkenny ...	51	42	93	14	13	27
Carrickmacross ...	15	15	30	10	7	17
Castleblayney ...	16	13	29	11	8	19
Clones ...	29	14	43	11	17	28
Monaghan ...	46	39	85	18	15	33

TABLE 15 – BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1965, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malig- nant neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	32,438	31,087	63,525	708	695	1,403	17,965	15,057	33,022	334	4,979
Dublin County Borough	6,610	6,419	13,029	169	169	338	2,912	2,737	5,649	71	1,056
Cork County Borough (a)	1,047	985	2,032	10	8	18	535	483	1,018	8	159
Limerick County Borough	675	635	1,310	10	1	11	264	271	535	9	75
Waterford County Borough	370	343	713	3	6	9	184	206	390	6	51
Dun Laoghaire Borough	484	496	980	10	9	19	266	332	598	9	77
Municipal Boroughs:											
Galway	269	233	502	2	1	3	82	80	162	2	19
Drogheda	196	186	382	3	1	4	93	74	167		42
Sligo	128	111	239		2	2	71	67	138	2	24
Wexford	160	127	287	1	1	2	59	60	119	1	10
Clonmel	111	112	223	2	1	3	51	60	111	2	15
Kilkenny	122	113	235	1		1	52	55	107	1	11
Urban Districts:											
Dundalk	239	192	431	5	6	11	94	95	189	2	38
Bray	139	158	297		3	3	87	71	158	1	22
Tralee	117	97	214		1	1	60	59	119	1	16
Total above Principal Towns	10,667	10,207	20,874	216	209	425	4,810	4,650	9,460	115	1,615
Total other Urban Districts	1,729	1,659	3,388	13	10	23	928	850	1,778	17	270
All Boroughs and Urban Districts:											
Leinster	8,615	8,365	16,980	194	194	388	3,901	3,725	7,626	94	1,342
Munster	2,979	2,834	5,813	33	21	54	1,503	1,474	2,977	31	444
Connacht	555	465	1,020	2	3	5	222	204	426	6	64
Ulster (part of)	247	202	449		1	1	112	97	209	1	35
Total – Boroughs and Urban Districts	12,396	11,866	24,262	229	219	448	5,738	5,500	11,238	132	1,885
All Rural Districts:											
Leinster	8,693	8,223	16,916	233	208	441	3,899	2,996	6,895	57	1,017
Munster	6,555	6,244	12,799	144	167	311	4,296	3,427	7,723	91	1,121
Connacht	3,060	3,012	6,072	48	53	101	2,670	2,062	4,732	28	624
Ulster (part of)	1,734	1,742	3,476	54	48	102	1,362	1,072	2,434	26	332
Total – Rural Districts	20,042	19,221	39,263	479	476	955	12,227	9,557	21,784	202	3,094

(a) Boundary as at 1st January 1965.

TABLE 16 - BIRTH AND DEATH RATES IN 1965 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	22.11	2.21	11.49	0.12	1.73
Dublin County Borough	23.13	2.59	10.03	0.13	1.87
Cork County Borough (a)	25.08	0.89	12.57	0.10	1.96
Limerick County Borough	23.84	0.84	9.74	0.16	1.36
Waterford County Borough	24.26	1.26	13.27	0.20	1.73
Dun Laoghaire Borough	19.23	1.94	11.73	0.18	1.51
Municipal Boroughs:					
Galway	20.91	0.60	6.75	0.08	0.79
Drogheda	21.61	1.05	9.45	-	2.38
Sligo	18.01	0.84	10.40	0.15	1.81
Wexford	24.98	0.70	10.36	0.09	0.87
Clonmel	20.37	1.35	10.14	0.18	1.37
Kilkenny	23.32	0.43	10.62	0.10	1.09
Urban Districts:					
Dundalk	21.74	2.55	9.53	0.10	1.92
Bray	23.83	1.01	12.68	0.08	1.77
Tralee	19.26	0.47	10.71	0.09	1.44
Total above Principal Towns	22.93	2.04	10.39	0.13	1.77
All other Urban Districts	14.34	0.68	7.53	0.07	1.14
All Boroughs and Urban Districts:					
Leinster	22.72	2.29	10.20	0.13	1.80
Munster	18.72	0.93	9.59	0.10	1.43
Connacht	16.01	0.49	6.69	0.09	1.00
Ulster (part of)	17.99	0.22	8.38	0.04	1.40
Total - Boroughs and Urban Districts	21.16	1.85	9.80	0.12	1.64
All Rural Districts:					
Leinster	25.97	2.61	10.58	0.09	1.56
Munster	23.36	2.43	14.10	0.17	2.05
Connacht	17.75	1.66	13.83	0.08	1.82
Ulster (part of)	18.76	2.93	13.13	0.14	1.79
Total - Rural Districts	22.74	2.43	12.62	0.12	1.79

(a) Boundary as at 1st January 1965.

TABLE 17 - DEATHS, REGISTERED IN 1965 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	11,238	5,738	5,500	21,784	12,227	9,557	33,022	17,965	15,057
Under 1 year	671	396	275	933	526	407	1,604	922	682
1 year	39	20	19	59	29	30	98	49	49
2 years	28	9	19	28	13	15	56	22	34
3 "	22	14	8	25	12	13	47	26	21
4 "	9	5	4	19	12	7	28	17	11
1-4 "	98	48	50	131	66	65	229	114	115
5 "	19	10	9	17	8	9	36	18	18
6 "	17	11	6	19	8	11	36	19	17
7 "	8	4	4	12	9	3	20	13	7
8 "	6	5	1	16	10	6	22	15	7
9 "	7	7	-	13	7	6	20	14	6
5-9 "	57	37	20	77	42	35	134	79	55
10 "	5	3	2	10	5	5	15	8	7
11 "	5	3	2	10	9	1	15	12	3
12 "	7	2	5	10	6	4	17	8	9
13 "	4	2	2	6	3	3	10	5	5
14 "	6	5	1	9	7	2	15	12	3
10-14 "	27	15	12	45	30	15	72	45	27
15 "	7	4	3	19	11	8	26	15	11
16 "	12	7	5	16	12	4	28	19	9
17 "	10	7	3	13	9	4	23	16	7
18 "	6	4	2	18	12	6	24	16	8
19 "	7	6	1	26	21	5	33	27	6
15-19 "	42	28	14	92	65	27	134	93	41
20 "	8	6	2	15	10	5	23	16	7
21 "	13	12	1	21	14	7	34	26	8
22 "	13	8	5	18	15	3	31	23	8
23 "	16	9	7	14	11	3	30	20	10
24 "	11	7	4	19	12	7	30	19	11
20-24 "	61	42	19	87	62	25	148	104	44
25 "	11	8	3	11	8	3	22	16	6
26 "	11	5	6	10	7	3	21	12	9
27 "	13	6	7	15	9	6	28	15	13
28 "	8	3	5	18	10	8	26	13	13
29 "	14	5	9	15	8	7	29	13	16
25-29 "	57	27	30	69	42	27	126	69	57
30 "	10	6	4	22	18	4	32	24	8
31 "	9	5	4	18	11	7	27	16	11
32 "	20	13	7	25	13	12	45	26	19
33 "	15	9	6	22	12	10	37	21	16
34 "	14	7	7	18	13	5	32	20	12
30-34 "	68	40	28	105	67	38	173	107	66

TABLE 17 (contd.) - DEATHS REGISTERED IN 1965 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	17	14	3	24	10	14	41	24	17
36 "	17	9	8	25	15	10	42	24	18
37 "	21	11	10	28	16	12	49	27	22
38 "	22	12	10	54	38	16	76	50	26
39 "	25	15	10	44	23	21	69	38	31
35-39 "	102	61	41	175	102	73	277	163	114
40 "	32	21	11	46	28	18	78	49	29
41 "	38	22	16	46	29	17	84	51	33
42 "	38	19	19	60	34	26	98	53	45
43 "	53	33	20	57	31	26	110	64	46
44 "	52	31	21	82	53	29	134	84	50
40-44 "	213	126	87	291	175	116	504	301	203
45 "	60	28	32	88	51	37	148	79	69
46 "	43	19	24	81	40	41	124	59	65
47 "	58	30	28	102	60	42	160	90	70
48 "	62	29	33	92	53	39	154	82	72
49 "	75	40	35	89	51	38	164	91	73
45-49 "	298	146	152	452	255	197	750	401	349
50 "	89	49	40	156	91	65	245	140	105
51 "	64	36	28	109	67	42	173	103	70
52 "	85	41	44	172	111	61	257	152	105
53 "	91	55	36	181	117	64	272	172	100
54 "	130	83	47	201	124	77	331	207	124
50-54 "	459	264	195	819	510	309	1,278	774	504
55 "	123	84	39	199	130	69	322	214	108
56 "	138	75	63	193	123	70	331	198	133
57 "	127	83	44	192	121	71	319	204	115
58 "	166	113	53	236	146	90	402	259	143
59 "	168	100	68	196	150	46	364	250	114
55-59 "	722	455	267	1,016	670	346	1,738	1,125	613
60 "	192	107	85	337	205	132	529	312	227
61 "	172	113	59	234	146	88	406	259	147
62 "	215	148	67	282	180	102	497	328	169
63 "	250	153	97	296	185	111	546	338	208
64 "	229	150	79	386	239	147	615	389	226
60-64 "	1,058	671	387	1,535	955	580	2,593	1,626	967
65 "	320	199	121	517	321	196	837	520	317
66 "	233	144	89	330	206	124	563	350	213
67 "	221	126	95	339	202	137	560	328	232
68 "	273	168	105	491	296	195	764	464	300
69 "	274	161	113	479	298	181	753	459	294
65-69 "	1,321	798	523	2,156	1,323	833	3,477	2,121	1,356

TABLE 17 (contd.) - DEATHS REGISTERED IN 1965 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	335	160	175	662	387	275	997	547	450
71 "	219	118	101	491	306	185	710	424	286
72 "	360	186	174	660	363	297	1,020	549	471
73 "	327	175	152	636	357	279	963	532	431
74 "	333	161	172	721	419	302	1,054	580	474
70-74 "	1,574	800	774	3,170	1,832	1,338	4,744	2,632	2,112
75 "	390	186	204	773	424	349	1,163	610	553
76 "	340	149	191	684	378	306	1,024	527	497
77 "	290	143	147	663	365	298	953	508	445
78 "	351	146	205	715	378	337	1,066	524	542
79 "	273	123	150	639	350	289	912	473	439
75-79 "	1,644	747	897	3,474	1,895	1,579	5,118	2,642	2,476
80 "	376	149	227	866	467	399	1,242	616	626
81 "	250	89	161	556	282	274	806	371	435
82 "	305	133	172	731	367	364	1,036	500	536
83 "	243	87	156	635	333	302	878	420	458
84 "	307	118	189	759	398	361	1,066	516	550
80-84 "	1,481	576	905	3,547	1,847	1,700	5,028	2,423	2,605
85 "	250	91	159	628	349	279	878	440	438
86 "	208	82	126	605	298	307	813	380	433
87 "	186	69	117	493	255	238	679	324	355
88 "	150	48	102	419	203	216	569	251	318
89 "	113	49	64	330	155	175	443	204	239
85-89 "	907	339	568	2,475	1,260	1,215	3,382	1,599	1,783
90 "	115	40	75	320	148	172	435	188	247
91 "	75	27	48	178	92	86	253	119	134
92 "	53	20	33	168	74	94	221	94	127
93 "	34	10	24	123	55	68	157	65	92
94 "	26	7	19	112	51	61	138	58	80
90-94 "	303	104	199	901	420	481	1,204	524	680
95 "	24	5	19	85	40	45	109	45	64
96 "	17	6	11	65	21	44	82	27	55
97 "	13	1	12	32	12	20	45	13	32
98 "	7	1	6	32	9	23	39	10	29
99 "	6	3	3	14	-	14	20	3	17
95-99 "	67	16	51	228	82	146	295	98	197
100 "	4	-	4	3	-	3	7	-	7
101 "	1	1	-	-	-	-	1	1	-
102 "	2	1	1	1	-	1	3	1	2
103 "	-	-	-	1	-	1	1	-	1
104 "	1	-	1	1	1	-	2	1	1
100 years and over	8	2	6	6	1	5	14	3	11

TABLE 16 - DEATHS REGISTERED IN 1965 CLASSIFIED BY SEX AND AGE.

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	17,965	922	49	22	26	17	1,036	79	46	93	104	69
	Females	18,087	682	49	34	21	11	797	88	27	41	44	87
LEINSTER	Males	7,800	538	24	12	11	9	594	46	19	48	52	28
	Females	6,721	359	26	23	13	5	426	27	12	18	23	25
MUNSTER	Males	5,799	254	15	7	9	6	291	22	19	22	31	26
	Females	4,901	199	18	3	5	4	234	17	10	13	11	19
CONNACHT	Males	2,892	75	5	3	4	-	87	9	5	16	13	10
	Females	2,266	88	4	3	1	2	98	9	3	7	9	10
ULSTER (part of)	Males	1,474	55	5	-	2	2	64	2	2	7	8	5
	Females	1,169	36	1	-	2	-	39	2	2	3	1	3
LEINSTER Carlow	Males	201	20	1	-	-	-	21	-	2	-	3	-
	Females	168	13	1	1	1	-	16	1	-	-	-	1
Dublin County Borough	Males	2,912	227	10	6	7	1	251	18	6	21	19	10
	Females	2,737	138	7	14	5	1	165	14	3	10	9	9
Dun Laoghaire Borough	Males	266	14	1	-	-	1	16	1	-	-	2	-
	Females	332	16	4	-	-	-	20	1	-	-	-	1
Dublin County (remainder)	Males	595	67	3	4	1	1	76	6	3	10	7	2
	Females	535	49	2	2	-	-	53	1	3	-	2	1
Kildare	Males	393	27	-	-	-	-	27	2	1	-	6	1
	Females	312	23	1	1	2	-	27	2	1	1	2	1
Kilkenny	Males	409	13	-	-	-	2	20	4	-	1	1	-
	Females	348	8	1	-	-	-	9	-	1	1	2	-
Laois	Males	279	20	-	-	-	-	20	1	1	2	3	1
	Females	218	10	2	1	-	1	14	-	1	-	-	3
Longford	Males	242	12	1	1	-	-	14	1	-	1	-	1
	Females	177	6	-	-	1	-	7	1	-	-	1	-
Louth	Males	419	25	2	1	1	1	30	6	-	1	3	2
	Females	319	12	2	-	1	2	17	2	-	1	3	3
Meath	Males	441	18	-	-	-	1	19	1	1	3	1	3
	Females	325	16	1	1	2	-	20	-	1	-	-	2
Offaly	Males	330	17	-	-	-	-	17	1	1	2	1	2
	Females	244	21	-	-	1	-	22	1	1	-	2	-
Westmeath	Males	328	22	3	-	-	-	25	1	1	4	1	1
	Females	263	12	2	2	-	-	16	3	-	1	-	1
Wexford	Males	566	22	1	-	1	1	25	1	2	1	4	3
	Females	440	19	2	1	-	1	23	1	1	3	-	1
Wicklow	Males	419	29	2	-	1	1	33	3	1	2	1	2
	Females	300	16	1	-	-	-	17	-	-	1	2	2

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
107	169	901	401	774	1,125	1,626	2,121	2,632	2,642	2,423	2,224	Males
66	114	203	349	804	613	967	1,356	2,112	2,476	2,603	2,671	Females
52	83	163	200	346	550	804	983	1,081	1,107	903	741	Males LEINSTER
31	56	104	160	247	295	466	642	914	1,097	1,112	1,066	Females
32	46	88	118	255	357	485	680	889	874	803	761	Males MUNSTER
25	34	61	113	172	182	312	430	706	826	864	872	Females
12	23	36	55	127	145	205	305	470	421	459	494	Males CONNACHT
6	18	25	47	60	87	119	189	315	364	435	465	Females
11	11	14	28	46	73	132	153	192	240	258	228	Males ULSTER(part of)
4	6	13	29	25	49	70	95	177	189	194	268	Females
1	1	3	4	10	16	13	17	31	31	29	19	Males LEINSTER Carlow
-	1	1	5	3	8	9	14	24	27	29	29	Females
21	38	76	86	124	250	364	398	405	373	261	191	Males Dublin County Borough
14	27	40	74	93	126	206	270	371	458	449	399	Females
3	2	3	9	11	12	21	44	37	41	26	38	Males Dun Laoghaire Borough
3	-	9	8	15	10	18	24	45	48	50	80	Females
7	10	18	13	39	48	46	49	83	68	63	47	Males Dublin County (remainder)
2	8	14	13	19	29	34	43	75	78	84	79	Females
5	1	4	12	22	31	34	49	55	60	49	34	Males Kildare
1	3	4	9	12	16	18	32	43	40	62	38	Females
-	1	2	5	18	27	39	56	66	72	53	44	Males Kilkenny
1	3	10	4	16	24	22	33	50	67	59	46	Females
1	4	6	7	10	9	19	49	36	40	33	37	Males Laois
1	1	1	3	3	5	17	23	34	27	42	43	Females
2	1	1	12	11	9	22	25	29	39	43	31	Males Longford
-	-	2	5	9	5	10	20	19	31	33	34	Females
2	6	10	6	22	15	44	49	61	64	53	45	Males Louth
2	4	6	7	18	10	27	34	39	54	54	38	Females
2	6	9	13	14	26	40	56	63	66	60	58	Males Meath
1	1	3	4	13	14	25	35	34	65	53	54	Females
2	1	6	8	14	15	30	39	43	54	49	45	Males Offaly
-	-	3	6	8	8	17	15	37	35	33	56	Females
2	3	4	5	15	16	26	39	39	53	55	38	Males Westmeath
2	3	3	7	12	9	18	28	33	37	45	45	Females
3	7	9	8	22	44	62	55	71	89	86	74	Males Wexford
4	1	4	8	16	20	26	37	68	76	68	83	Females
1	2	12	12	14	32	44	58	62	57	43	40	Males Wicklow
-	4	4	7	10	11	19	34	42	54	51	42	Females

TABLE 18 (contd.) - DEATHS REGISTERED IN 1965 CLASSIFIED BY SEX AND AGE.

Area.		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER Clare	Males	584	31	-	2	1	1	35	2	3	3	-	3
	Females	460	25	3	1	-	-	29	1	-	1	1	3
Cork County Borough	Males	535	26	2	1	3	-	32	1	1	2	8	7
	Females	483	21	2	2	-	1	26	1	3	-	1	1
Cork County	Males	1,711	47	2	1	-	2	52	5	5	3	11	6
	Females	1,405	36	4	1	1	1	43	4	3	2	-	5
Kerry	Males	800	24	4	-	1	-	29	4	-	5	5	2
	Females	656	24	2	1	3	2	32	-	-	-	1	2
Limerick County Borough	Males	264	26	-	-	1	-	27	2	1	-	1	2
	Females	271	22	-	2	-	-	24	1	1	1	3	1
Limerick County	Males	584	33	-	2	-	-	35	4	3	3	2	2
	Females	433	17	1	-	1	-	19	3	1	4	1	-
Tipperary North Riding	Males	350	20	4	-	1	-	25	-	2	1	2	1
	Females	291	18	2	-	-	-	20	1	1	1	-	-
Tipperary, South Riding	Males	472	22	3	1	-	2	28	3	1	2	-	3
	Females	434	19	3	1	-	-	23	-	1	1	1	-
Waterford County Borough	Males	184	11	-	-	1	1	13	-	2	1	2	-
	Females	206	5	-	-	-	-	5	-	-	1	-	7
Waterford County	Males	315	14	-	-	1	-	15	1	1	2	-	-
	Females	262	12	1	-	-	-	13	6	-	2	3	-
CONNACHT Galway	Males	397	23	2	1	3	-	29	5	2	6	3	4
	Females	660	32	1	1	-	1	35	4	2	4	2	4
Leitrim	Males	293	3	-	-	-	-	8	-	1	1	-	-
	Females	205	4	-	1	-	-	5	1	-	-	1	-
Mayo	Males	835	26	2	1	-	-	29	2	2	4	7	3
	Females	721	22	2	1	1	-	26	3	-	2	4	3
Roscommon	Males	476	12	1	-	-	-	13	1	-	2	2	2
	Females	361	10	1	-	-	1	12	1	-	-	-	1
Sligo	Males	391	6	-	1	1	-	8	1	-	3	1	1
	Females	319	20	-	-	-	-	20	-	1	1	2	2
ULSTER (part of) Cavan	Males	413	11	3	-	2	-	16	-	-	4	2	1
	Females	314	12	-	-	1	-	13	-	-	-	-	-
Donegal	Males	759	28	2	-	-	2	32	1	1	2	5	3
	Females	589	19	1	-	1	-	21	-	1	2	-	3
Monaghan	Males	302	16	-	-	-	-	16	1	1	1	1	1
	Females	266	5	-	-	-	-	5	2	1	1	1	-

OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
4	5	5	9	18	28	50	64	75	92	81	107	Males	MUNSTER Clare
1	3	5	7	11	16	24	48	63	76	76	95	Females	
3	5	14	18	26	38	65	71	83	62	52	47	Males	Cork County Borough
2	3	7	13	12	23	37	43	79	75	88	69	Females	
14	14	23	44	84	106	147	193	279	279	227	219	Males	Cork County
5	5	15	33	52	42	89	136	206	248	249	268	Females	
1	3	9	12	39	54	51	85	135	128	131	107	Males	Kerry
3	4	5	15	30	28	41	53	82	115	126	119	Females	
2	3	6	4	9	20	29	41	34	35	28	20	Males	Limerick County Borough
-	1	5	11	15	9	18	18	41	47	45	30	Females	
3	5	9	8	21	32	53	64	81	86	80	93	Males	Limerick County
3	7	7	8	18	14	35	41	56	62	66	88	Females	
3	3	5	3	17	22	19	48	64	41	44	50	Males	Tipperary, North Riding
2	4	2	2	10	7	19	16	49	46	62	49	Females	
1	4	9	9	26	25	30	49	73	71	69	69	Males	Tipperary, South Riding
4	4	7	11	13	18	23	41	67	70	73	77	Females	
-	1	5	3	4	13	14	30	25	29	27	15	Males	Waterford County Borough
2	1	5	4	4	14	10	12	26	41	34	40	Females	
1	3	3	8	11	19	27	35	40	51	64	34	Males	Waterford County
3	2	3	9	7	11	16	22	37	46	45	37	Females	
3	8	13	15	32	46	71	103	138	124	131	164	Males	CONNACHT Galway
2	4	9	14	22	23	30	60	101	94	138	112	Females	
3	2	3	7	19	14	25	32	44	49	37	48	Males	Leitrim
-	3	2	2	4	8	11	26	26	42	37	37	Females	
4	5	9	13	30	35	53	84	133	120	149	153	Males	Mayo
2	5	9	12	19	33	41	54	92	113	137	166	Females	
1	5	5	10	19	23	32	40	84	88	75	74	Males	Roscommon
-	6	4	7	7	12	17	30	52	70	62	30	Females	
1	3	6	10	27	27	24	46	71	40	67	55	Males	Sligo
2	-	1	12	8	11	20	19	44	45	61	70	Females	
4	4	4	9	12	23	45	40	57	74	67	51	Males	ULSTER (part of) Cavan
1	3	3	8	7	13	20	30	54	42	52	68	Females	
4	5	4	12	22	37	61	70	93	126	133	148	Males	Donegal
1	2	6	15	14	22	32	39	84	100	98	149	Females	
3	2	6	7	12	13	26	43	42	40	58	29	Males	Monaghan
2	1	4	6	4	14	18	26	39	47	44	51	Females	

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed international List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
080	Acute poliomyelitis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
081	Late effects of acute poliomyelitis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
082	Acute infectious encephalitis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
083	Late effects of acute infectious encephalitis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.
085	Measles	M	3	.	1	.	.	.	1	1	1
		F	5	1	.	3	1	.	5	.	.
086	Rubella	M	1	.	.	1	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
088	Herpes zoster	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
089	Mumps	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
092	Infectious hepatitis	M	13	2	.	.	.	.	2	2	.
		F	5	1	.	.	.	.	1	.	.
096	Other diseases attributable to viruses	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
112	Falciparum malaria	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
116	Other and unspecified forms of malaria	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
131	Dermatophytosis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
134	Other fungus infections	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
138	Other infective and parasitic diseases	M	6	.	.	.	.	.	.	.	.
		F	3	1	.	.	.	.	1	.	.
140-239	II. Neoplasms	M	2,803	4	1	2	5	1	13	11	12
		F	2,287	2	3	4	1	3	13	9	4
140-205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,740	4	1	2	5	1	13	11	12
		F	2,239	1	2	4	1	2	10	8	4
140	Malignant neoplasm of lip	M	14	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
141	Malignant neoplasm of tongue	M	23	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
142	Malignant neoplasm of salivary gland	M	8	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
143	Malignant neoplasm of floor of mouth	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
144	Malignant neoplasm of other parts of mouth, and of mouth unspecified	M	13	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
145	Malignant neoplasm of oral mesopharynx	M	4	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
146	Malignant neoplasm of nasopharynx	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
147	Malignant neoplasm of hypopharynx	M	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	080
1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	081
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	082
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	083
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	085
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	086
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	088
.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	089
.	.	1	.	.	.	.	.	.	.	2	2	1	2	1	092
.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	096
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	112
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	116
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	131
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	134
.	.	.	1	.	.	.	.	1	2	.	1	1	.	.	138
.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	
17	8	11	21	23	67	74	190	256	363	461	492	405	255	124	140-239
10	7	14	19	41	76	144	183	189	260	296	358	294	225	145	
17	6	11	21	21	65	71	183	246	356	449	486	401	251	120	140-205
10	7	12	18	39	74	140	183	185	255	289	355	289	220	141	
1	.	.	.	.	1	.	.	1	1	4	4	1	1	2	140
.	.	.	.	.	2	1	.	.	1	3	7	4	4	1	141
.	.	.	.	.	.	.	.	.	1	.	1	3	.	1	
.	.	.	.	.	.	1	.	1	1	1	1	1	1	2	142
.	.	.	.	.	.	1	.	.	1	1	1	.	1	2	
.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	143
.	.	.	.	1	.	.	1	.	2	1	3	3	.	2	144
.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	
.	.	.	.	.	.	.	.	.	2	.	.	2	1	1	145
.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	146
.	.	.	.	.	1	.	.	1	1	.	.	.	1	1	147

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
148	Malignant neoplasm of pharynx, unspecified	M	15	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.
150	Malignant neoplasm of oesophagus	M	103	.	.	.	.	.	.	.	.
		F	71	.	.	.	.	.	.	.	.
151	Malignant neoplasm of stomach	M	466	.	.	.	.	.	.	.	.
		F	356	.	.	.	.	.	.	.	.
152	Malignant neoplasm of small intestine, including duodenum	M	9	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
153	Malignant neoplasm of large intestine, except rectum	M	271	.	.	.	.	.	.	.	.
		F	296	.	.	.	.	.	.	.	.
154	Malignant neoplasm of rectum	M	175	.	.	.	.	.	.	.	.
		F	67	.	.	.	.	.	.	.	.
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	59	.	.	.	.	.	.	.	.
		F	78	.	.	.	.	.	.	.	.
156	Malignant neoplasm of liver (secondary and unspecified)	M	9	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
157	Malignant neoplasm of pancreas	M	128	.	.	.	.	.	.	.	.
		F	120	.	.	.	.	.	.	.	.
158	Malignant neoplasm of peritoneum	M	7	.	.	.	.	.	.	.	1
		F	5	.	.	.	.	.	.	.	.
159	Malignant neoplasm of unspecified digestive organs	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	7	.	.	.	1	.	1	.	.
		F	5	.	.	.	.	.	.	.	.
161	Malignant neoplasm of larynx	M	43	.	.	.	.	.	.	.	.
		F	18	.	.	.	.	.	.	.	.
162	Malignant neoplasm of bronchus and trachea and of lung specified as primary	M	570	.	.	.	.	.	.	.	.
		F	146	.	.	.	.	.	.	.	.
162.0	Trachea	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
162.1	Bronchus and lung	M	566	.	.	.	.	.	.	.	.
		F	146	.	.	.	.	.	.	.	.
164	Malignant neoplasm of mediastinum	M	6	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
170	Malignant neoplasm of breast	M	1	.	.	.	.	.	.	.	.
		F	388	.	.	.	.	.	.	.	.
171	Malignant neoplasm of cervix uteri	F	46	.	.	.	.	.	.	.	.
172	Malignant neoplasm of corpus uteri	F	12	.	.	.	.	.	.	.	.
174	Malignant neoplasm of uterus, unspecified	F	80	.	.	.	.	.	.	.	.
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	82	.	.	.	.	.	.	.	.
176	Malignant neoplasm of other and unspecified female genital organs	F	17	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	245	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	7	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	.	.	.	2	.	3	2	1	4	3	2	148
.	.	.	1	.	1	2	7	3	1	3	1	1	1	1	
.	.	.	1	2	.	4	3	4	9	17	20	26	9	9	150
.	.	.	1	2	.	4	3	4	7	10	15	7	11	7	
.	.	2	3	1	7	16	35	44	66	76	81	74	42	19	151
.	.	1	.	4	4	12	18	27	35	39	76	54	54	32	
.	.	.	1	.	.	1	.	.	1	3	2	1	.	.	152
.	.	.	.	1	.	.	.	.	1	.	.	1	2	.	
.	.	1	4	2	7	8	11	22	15	41	56	53	36	15	153
.	2	.	2	3	5	6	20	15	29	39	59	45	44	27	
.	.	1	2	2	2	2	8	11	19	25	27	35	26	15	154
.	.	.	1	1	.	7	5	8	7	9	9	10	6	4	
.	.	.	.	.	2	3	3	8	8	10	11	4	5	5	155
.	.	.	1	.	.	1	1	10	11	17	14	12	8	3	
.	.	.	.	.	.	.	.	.	.	1	2	3	2	1	156
.	1	.	.	1	.	1	1	.	.	1	1	2	.	.	
1	.	.	.	3	6	1	16	11	18	21	22	16	10	3	157
.	.	.	.	.	1	6	7	10	10	21	20	22	20	3	
.	.	.	.	.	1	1	1	.	.	1	2	.	.	.	158
.	.	.	.	.	.	1	1	.	1	.	.	1	1	.	
.	.	.	.	1	.	.	1	.	.	.	.	1	1	.	159
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	2	2	.	1	.	.	1	.	160
.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	
.	.	.	.	.	.	2	1	2	6	9	12	7	4	.	161
.	.	.	.	.	1	2	6	.	2	2	.	4	1	.	
.	.	.	.	2	12	14	53	87	129	121	92	39	16	5	162
.	.	.	1	4	4	9	14	16	22	26	30	11	4	5	
.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	162.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	2	12	13	52	87	129	120	92	38	16	5	162.1
.	.	.	1	4	4	9	14	16	22	26	30	11	4	5	
1	.	.	.	.	.	.	1	.	1	2	.	.	.	1	164
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	1	6	13	29	40	43	40	54	46	37	1	21	21	170
.	.	.	.	2	3	10	5	3	4	7	3	4	4	1	171
.	.	.	.	.	.	.	2	1	4	3	1	.	1	.	172
.	.	.	.	1	3	9	11	8	6	4	16	10	6	6	174
.	.	1	1	3	3	10	9	8	6	11	12	11	3	4	175
.	.	.	.	.	.	.	3	1	2	5	4	1	1	.	176
.	.	.	.	.	.	1	1	8	12	34	66	65	40	18	177
.	1	.	.	1	1	.	1	1	.	.	.	2	.	.	178

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
179	Malignant neoplasm of other and unspecified male genital organs	M	6	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	35	.	1	.	1	.	2	.	.
		F	21	.	1	.	.	1	2	2	.
181	Malignant neoplasm of bladder and other urinary organs	M	63	.	.	.	.	.	.	.	.
		F	41	.	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M	18	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	42	.	.	.	.	.	.	.	.
		F	29	.	.	.	.	.	.	.	.
192	Malignant neoplasm of eye	M	2	.	.	.	.	.	.	1	.
		F	2	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	61	1	.	2	.	.	3	3	4
		F	34	.	.	2	.	.	2	1	.
194	Malignant neoplasm of thyroid gland	M	7	.	.	.	.	.	.	.	.
		F	19	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	2	.	.	.	.	.	.	1	.
		F	2	.	.	.	.	.	.	1	.
196	Malignant neoplasm of bone	M	37	.	.	.	.	.	.	.	2
		F	24	.	.	.	.	1	1	.	.
197	Malignant neoplasm of connective tissue	M	7	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	73	.	.	.	.	.	.	.	1
		F	82	.	.	.	.	.	.	.	.
200	Lymphosarcoma and reticulosarcoma	M	34	.	.	.	1	.	1	.	1
		F	24	1	.	.	.	.	1	.	.
201	Hodgkin's disease	M	35	.	.	.	.	.	.	1	.
		F	17	.	.	.	.	.	.	.	.
202	Other forms of lymphoma (reticulos)	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma)	M	23	.	.	.	.	.	.	.	.
		F	23	.	.	.	.	.	.	.	.
204	Leukaemia and alukaemia	M	100	3	.	.	2	1	6	5	4
		F	61	.	1	2	1	.	4	4	3
205	Mycosis fungoides	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
210	Benign neoplasm of buccal cavity and pharynx	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
212	Benign neoplasm of respiratory system	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
214	Uterine fibromyoma	F	1	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	3	.	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M	3	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	1	.	.
224	Benign neoplasm of endocrine glands	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

death															Detailed inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	1	1	1	1	1	1	.	.	179
.	.	.	.	.	.	3	5	2	4	7	9	2	1	.	180
.	.	.	.	.	.	1	2	2	1	3	4	2	2	.	180
.	.	.	.	.	1	2	1	5	9	16	9	13	6	3	181
.	.	.	.	.	.	.	.	1	5	5	10	9	6	3	181
.	.	2	1	.	3	1	4	3	1	1	3	1	1	.	190
.	.	.	.	.	1	1	2	.	1	.	3	.	1	.	190
.	.	.	.	.	1	1	1	.	2	5	4	4	15	9	191
.	.	.	.	.	.	.	.	.	2	4	4	4	6	9	191
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	192
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	192
1	2	2	4	2	6	4	10	5	7	4	3	.	1	.	193
1	.	.	2	.	1	4	3	10	5	3	.	2	.	.	193
.	.	.	.	1	1	2	6	2	1	1	.	1	1	2	194
.	.	.	.	.	1	.	.	1	1	1	3	1	1	.	194
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	195
3	1	.	.	1	.	1	2	3	2	5	5	5	7	2	196
1	1	.	.	1	.	1	.	1	2	5	3	6	1	1	196
.	.	.	.	.	1	.	2	1	.	2	.	.	.	1	197
1	.	.	.	.	.	.	1	.	1	.	.	.	.	1	197
.	1	2	.	1	4	6	1	5	10	11	14	12	13	4	199
.	.	1	.	.	.	.	5	3	14	9	11	14	10	3	199
1	.	.	1	.	3	1	2	3	6	1	7	6	1	.	200
1	.	.	.	.	2	.	2	5	7	3	.	2	1	.	200
2	1	1	4	1	3	2	2	5	3	3	6	1	.	.	201
1	.	5	.	.	1	.	2	2	2	.	3	1	.	.	201
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	202
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	202
.	.	.	.	.	.	1	2	1	5	7	4	2	1	.	203
.	.	.	.	.	1	1	5	2	5	3	4	2	.	.	203
8	1	2	.	2	5	6	9	8	10	9	11	11	3	.	204
4	2	1	2	1	8	2	1	4	2	7	8	6	.	2	204
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	205
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	205
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	210
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	210
.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	211
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	211
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	212
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	212
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	214
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	214
.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	216
.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	219
.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	223
.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	223
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	224
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	224

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
225	Benign neoplasm of bone and cartilage	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
227	Other benign neoplasm of muscular and connective tissue	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
229	Benign neoplasm of other and unspecified organs and tissues	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
230	Neoplasm of unspecified nature of digestive organs	M	9	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
231	Neoplasm of unspecified nature of respiratory organs	M	9	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
232	Neoplasm of unspecified nature of breast	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
234	Neoplasm of unspecified nature of ovary	F	3	.	.	.	.	.	.	.	.
236	Neoplasm of unspecified nature of other genito-urinary organs	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
237	Neoplasm of unspecified nature of brain and other parts of nervous system	M	23	.	.	.	.	.	.	.	.
		F	18	.	1	.	.	1	2	1	.
238	Neoplasm of unspecified nature of skin and musculoskeletal system	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
239	Neoplasm of unspecified nature of other and unspecified organs	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
240-289	III. Allergic endocrine system, metabolic and nutritional diseases	M	235	6	2	.	1	.	9	1	2
		F	295	6	.	2	1	.	9	4	.
240	Hay fever	M	1	.	.	.	1	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
241	Asthma	M	107	.	1	.	.	.	1	.	2
		F	79	.	.	1	.	.	1	3	.
245	Other allergic disorders	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
250	Simple goitre	M	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
251	Non-toxic nodular-goitre	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
252	Thyrotoxicosis with or without goitre	M	1	.	.	.	.	.	.	.	.
		F	19	.	.	.	.	.	.	.	.
253	Myxoedema and cretinism	M	3	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.
260	Diabetes mellitus	M	94	.	.	.	.	.	.	.	.
		F	154	.	.	.	1	.	.	.	.
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
271	Diseases of parathyroid gland	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
272	Diseases of pituitary gland	M	1	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	1	.	.	.	1	.	1	.	.	1	.	.	1	225
.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	227
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	229
.	.	.	.	1	.	.	.	2	2	1	1	1	1	2	230
.	.	.	.	.	.	1	.	2	1	1	1	2	1	.	231
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	232
.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	234
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	236
.	.	1	1	1	1	2	2	5	2	9	1	.	.	.	237
.	.	1	1	1	1	2	.	3	2	2	1	.	1	.	238
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	239
.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	239
3	2	2	3	6	11	7	12	27	19	36	33	31	20	11	240-289
2	4	5	2	8	8	10	15	15	33	38	50	50	29	13	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	240
3	1	1	2	4	5	3	7	15	10	16	15	10	7	5	241
1	3	1	1	5	5	7	9	5	7	8	10	5	7	1	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	245
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	250
.	.	.	1	.	.	.	.	1	.	.	2	.	1	.	251
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	252
.	.	.	.	.	1	.	2	2	4	2	4	2	2	.	253
.	.	.	.	.	.	.	1	.	1	1	4	2	.	.	260
1	1	2	1	1	2	3	3	6	7	19	17	16	12	5	270
.	.	.	.	.	.	.	.	.	14	23	29	41	18	12	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	271
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	272
.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
273	Diseases of thymus gland	M	3	3	.	.	.	.	3	.	.
		F	.	.	.	.	.	.	.	.	.
274	Diseases of adrenal glands	M	6	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
277	Polyglandular dysfunction and other diseases of endocrine glands	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
285	Osteomalacia	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
286	Other avitaminoses and nutritional deficiency states	M	8	1	.	.	.	.	1	.	.
		F	7	4	.	.	.	.	4	.	.
289	Other metabolic diseases	M	9	2	1	.	.	.	3	.	.
		F	5	1	1	.	.	.	2	.	.
290-299	IV. Diseases of the blood and blood-forming organs	M	66	1	.	1	.	.	2	.	.
		F	105	.	1	.	.	.	1	2	.
290	Pernicious and other hyperchromic anaemias	M	13	.	.	.	.	.	.	.	.
		F	25	.	.	.	.	.	.	.	.
291	Iron deficiency anaemias (hypochromic anaemias)	M	5	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
292	Other anaemias of specified type	M	14	1	.	.	.	.	1	.	.
		F	22	.	1	.	.	.	1	.	.
293	Anaemia of unspecified type	M	26	.	.	.	.	.	.	.	.
		F	47	.	.	.	.	.	.	.	.
294	Polycythaemia	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
296	Purpura and other haemorrhagic conditions	M	3	.	.	1	.	.	1	.	.
		F	3	.	.	.	.	.	.	1	.
297	Agranulocytosis	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
298	Diseases of spleen	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
299	Other diseases of blood and blood- forming organs	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
300-326	V. Mental, psychoneurotic, and personality disorders	M	33	5	1	3	.	2	11	1	.
		F	27	6	2	1	.	.	10	4	.
300	Schizophrenic disorders	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
304	Senile psychosis	M	5	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
305	Presenile psychosis	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
309	Other and unspecified psychoses	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
311	Hysterical reaction without mention of anxiety reaction	M	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
322	Alcoholism	M	7	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
325	Mental deficiency	M	16	5	1	3	.	2	11	1	.
		F	17	6	3	1	.	.	10	4	.

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
330-398	VI. Diseases of the nervous system and sense organs	M	2,211	8	2	.	3	3	16	8	4
		F	2,629	9	5	3	3	.	20	6	2
330	Subarachnoid haemorrhage	M	78	.	.	.	.	1	1	.	1
		F	103	.	.	.	.	.	.	.	1
331	Cerebral haemorrhage	M	728	.	.	.	.	.	.	.	.
		F	908	1	.	.	.	.	1	4	.
332	Cerebral embolism and thrombosis	M	932	.	.	.	.	.	.	.	.
		F	1,113	.	.	.	.	.	.	.	.
334	Other and ill-defined vascular lesions affecting central nervous system	M	210	.	.	.	.	.	.	1	.
		F	267	.	.	.	.	.	.	.	.
340	Meningitis, except meningococcal and tuberculous	M	19	8	1	.	1	.	10	2	.
		F	18	5	3	1	2	.	11	1	.
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	.	.	.	.	.	.	.	.	.
		F	1	1	.	.	.	.	1	.	.
342	Intracranial and intraspinal abscess	M	7	.	.	.	.	.	.	.	2
		F	2	.	.	.	.	.	.	.	.
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	2	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	1
344	Late effects of intracranial abscess or pyogenic infection	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
345	Multiple sclerosis	M	31	.	.	.	.	.	.	.	.
		F	29	.	.	.	.	.	.	.	.
350	Paralysis agitans	M	64	.	.	.	.	.	.	.	.
		F	59	.	.	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis	M	5	.	.	.	1	1	2	1	.
		F	6	1	1	1	.	.	3	.	.
352	Other cerebral paralysis	M	59	.	.	.	.	.	.	.	.
		F	73	.	.	.	.	.	.	.	.
353	Epilepsy	M	35	.	.	.	1	1	1	3	1
		F	17	.	1	1	1	.	3	1	.
355	Other diseases of the brain	M	11	.	.	.	1	.	1	1	.
		F	10	.	.	.	.	.	.	.	.
356	Motor neurone disease and muscular atrophy	M	16	.	.	.	.	.	1	.	.
		F	10	1	.	.	.	.	1	.	.
357	Other diseases of spinal cord	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
364	Polyn neuritis and polyradiculitis	M	6	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
368	Other diseases of peripheral nerves except autonomic	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
377	Inflammation of optic nerve retina	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis	M	3	.	1	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
392	Otitis media with mastoiditis	M	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
400-468	VII. Diseases of the circulatory system	M	7,148	.	.	1	.	.	1	1	1
		F	5,497	.	.	.	.	.	.	.	.
401	Rheumatic fever with heart involvement	M	5	.	.	1	.	.	1	1	.
		F	4	.	.	.	.	.	.	.	.
410	Diseases of mitral valve	M	94	.	.	.	.	.	.	.	.
		F	121	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
7 3	10 6	8 5	9 6	18 18	22 27	29 35	62 81	130 74	182 155	232 245	350 429	399 533	417 540	308 444	330-398
1 .	1 1	. 2	4 .	5 2	6 12	4 4	12 15	9 15	6 13	8 12	7 12	8 8	3 3	2 3	330
1 1	. 2	1 1	1 3	5 4	8 7	13 21	28 42	53 32	78 65	95 99	125 169	123 180	127 166	70 111	331
. .	. .	1 1	1 .	1 5	1 .	2 2	12 14	43 15	48 50	77 80	138 168	200 248	222 279	186 251	332
. .	1 1	1 .	. .	. .	1 .	2 .	2 1	5 3	18 10	19 26	40 41	33 59	45 68	42 58	334
. .	. .	. .	. .	. .	. 1	2 .	1 1	1 .	1 .	2 1	. 2	. 1	. .	. .	340
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	341
. .	2 .	. .	. .	2 .	. .	. .	. .	. .	. 1	1 1	. .	. .	. .	. .	342
. .	. .	. .	. .	1 1	1 1	. .	. .	2 .	. .	2 .	1 1	. .	. .	. .	343
. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	344
. .	1 .	3 .	1 .	2 6	2 3	2 4	2 3	2 4	7 2	3 2	3 1	3 1	2 1	. .	345
. .	. .	. .	. .	. .	. .	1 1	. 1	7 .	7 4	10 8	15 21	17 15	5 5	2 4	350
. 1	1 .	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	351
. .	. .	1 .	. .	. .	. .	. .	. .	1 .	7 6	8 9	17 11	10 18	10 15	5 13	352
4 .	4 1	. 1	3 1	2 .	3 2	. 2	2 1	5 2	3 2	2 .	. .	1 1	1 .	. .	353
1 .	. .	1 .	. .	1 .	. .	. .	1 .	. .	4 .	1 1	. 1	1 1	1 1	1 4	355
. .	. .	. .	. .	. .	. .	1 1	2 2	. .	3 1	4 2	3 1	1 1	2 1	. .	356
1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	357
. .	1 .	. .	. .	. .	. .	1 .	1 .	2 .	. .	1 .	. .	1 .	. .	. .	364
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	. .	368
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	377
. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	391
. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	392
6 3	5 9	11 12	21 14	42 17	100 36	162 81	317 124	451 198	667 319	889 534	1,163 836	1,200 1,071	1,092 1,119	1,019 1,123	400-468
. .	. .	. .	. .	1 .	. .	1 .	1 .	1 .	. .	. .	1 .	. .	1 .	. .	401
1 .	. 4	3 1	1 5	1 2	3 4	7 12	6 10	3 14	10 11	4 7	18 21	10 15	11 7	16 8	410

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	.	1	1	1	.	.	2	.	.	.	.	.	.	.	411
.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	412
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	413
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	414
.	1	.	2	1	1	3	1	1	.	.	.	1	.	1	415
.	1	.	1	1	.	1	1	.	.	.	.	.	.	1	416
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	420
1	2	1	2	1	5	4	5	3	4	3	2	1	1	1	420.0
.	.	2	.	.	1	.	4	7	4	5	5	2	1	1	420.1
1	2	4	9	28	59	117	237	346	468	563	629	532	335	220	420.2
.	2	3	7	8	13	36	59	111	196	289	370	377	296	225	421
.	.	.	.	.	.	.	6	10	3	22	25	32	31	23	422
.	.	.	.	1	.	.	1	2	4	4	19	24	27	41	430
1	2	4	9	28	59	115	231	336	465	537	602	499	303	196	431
.	2	3	1	7	13	36	58	109	190	285	349	351	268	184	433
.	.	.	.	.	.	2	.	.	.	4	2	1	1	1	434
.	.	.	.	.	.	.	.	.	2	.	2	2	1	.	441
.	1	1	2	.	4	3	6	13	13	17	27	20	18	12	442
.	.	.	.	2	1	7	3	3	7	11	17	26	21	17	443
1	.	1	1	.	5	10	15	21	59	116	217	322	396	466	444
.	.	.	.	1	3	5	12	15	34	78	158	302	370	514	445
.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	446
1	.	.	.	.	.	1	.	.	.	1	.	.	.	1	447
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	448
.	.	1	.	1	.	.	1	.	2	.	.	.	1	1	449
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	450
.	.	.	.	2	2	1	5	8	19	33	56	67	68	44	451
.	.	1	1	.	2	1	8	12	12	29	66	78	96	61	452
1	.	.	.	1	1	5	8	18	25	45	63	67	72	70	453
.	.	.	2	1	5	5	5	9	17	34	53	61	82	73	454
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	455
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	456
.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	457
.	.	.	.	1	2	3	5	11	18	33	60	47	51	28	458
.	.	.	.	.	.	2	2	10	13	35	52	72	78	44	459
.	.	.	.	.	1	.	5	6	14	17	23	24	15	16	460
1	.	.	.	.	.	4	2	8	3	16	21	19	37	22	461
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	462
.	.	.	.	3	5	5	7	8	6	4	2	1	2	.	463
.	.	.	1	.	.	1	5	3	.	1	2	2	1	2	464
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	465
.	.	.	2	1	.	.	3	.	2	1	1	1	1	2	466
.	.	1	.	.	.	.	1	.	2	2	2	2	2	3	467
.	.	.	.	.	3	.	2	.	9	22	43	83	105	126	468
.	.	.	.	.	.	.	4	1	7	11	44	95	103	138	469
.	.	.	.	.	3	2	2	2	11	10	5	6	5	3	470
.	.	.	.	.	1	.	.	1	1	2	2	3	3	3	471
.	1	1	.	.	3	2	2	1	.	1	.	.	1	.	472
.	.	.	.	.	1	.	1	.	1	.	2	.	.	.	473

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
453	Peripheral vascular disease	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
454	Arterial embolism and thrombosis	M	8	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
455	Gangrene of unspecified cause	M	17	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.
456	Other diseases of arteries	M	7	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
460	Varicose veins of lower extremities	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
462	Varicose veins of other specified sites	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
463	Phlebitis and thrombophlebitis of lower extremities	M	5	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
464	Phlebitis and thrombophlebitis of other sites	M	1	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
465	Pulmonary embolism and infarction	M	32	.	.	.	.	.	.	.	.
		F	37	.	.	.	.	.	.	.	.
466	Other venous embolism and thrombosis	M	15	.	.	.	.	.	.	.	.
		F	31	.	.	.	.	.	.	.	.
467	Other diseases of circulatory system	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
470-527	VIII. Diseases of the respiratory system	M	1,973	88	9	2	2	.	101	4	5
		F	1,397	63	15	7	2	.	87	5	7
470	Acute nasopharyngitis (common cold)	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
474	Acute laryngitis and tracheitis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
475	Acute upper respiratory infection of multiple or unspecified sites	M	2	.	.	.	.	.	.	.	.
		F	1	1	.	.	.	.	1	.	.
480	Influenza with pneumonia	M	21	.	.	.	.	.	.	.	.
		F	20	.	.	.	.	.	.	.	.
481	Influenza with other respiratory manifestations and influenza unqualified	M	51	1	1	.	.	.	2	.	.
		F	40	.	1	.	.	.	1	.	1
482	Influenza with digestive mani- festations but without respiratory symptoms	M	2	.	1	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
490	Lobar pneumonia	M	75	5	.	.	.	.	5	.	2
		F	57	1	.	1	.	.	2	1	.
491	Bronchopneumonia	M	445	51	3	1	2	.	57	3	2
		F	387	31	7	1	.	.	39	.	5
492	Primary atypical pneumonia	M	29	12	2	.	.	.	14	1	.
		F	27	8	.	2	.	.	10	1	.
493	Pneumonia, other and unspecified	M	199	17	1	1	.	.	19	.	1
		F	174	15	7	1	1	.	24	2	1
500	Acute bronchitis	M	28	1	.	.	.	.	1	.	.
		F	44	2	.	.	.	.	2	1	.
501	Bronchitis unqualified	M	172	1	.	.	.	.	1	.	.
		F	140	.	.	.	.	.	.	.	.
502	Chronic bronchitis	M	749	.	.	.	.	.	.	.	.
		F	318	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	453
.	.	.	1	.	1	.	1	1	.	1	1	2	1	2	454
.	.	.	.	.	.	.	.	.	.	1	1	6	4	6	455
.	.	.	.	.	.	1	1	1	.	3	1	2	5	4	456
.	.	.	.	.	1	1	1	.	.	.	.	1	1	.	460
.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	462
.	.	.	.	.	1	.	.	.	1	1	1	1	2	.	463
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	464
.	.	.	.	.	.	.	.	1	2	.	1	.	1	.	465
.	1	.	2	.	.	1	2	4	3	7	7	5	1	4	465
.	.	.	1	1	3	1	3	2	1	3	2	3	1	2	466
.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	467
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	467
8 4	3 2	5 2	9 4	10 4	22 13	41 30	71 32	112 58	213 77	281 113	311 221	298 229	260 254	219 255	470-527
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	470
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	474
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	475
1	.	.	.	1	.	.	2	2	4	3	1	1	3	3	480
1	.	1	2	.	2	1	1	1	2	5	6	10	9	10	481
.	.	.	.	.	.	.	.	.	.	.	.	.	14	7	482
.	1	.	.	1	3	3	3	5	4	8	12	13	9	6	490
1 2	.	4	4 1	1	7 2	8 4	12 9	12 8	26 21	47 29	61 61	68 60	75 74	58 71	491
1	.	.	.	1	1	1	1	1	1	2	2	2	2	2	492
3	2	1	1	2	4	2	6	8	16	22	32	20	29	34	493
.	.	.	.	.	.	2	1	1	2	3	6	2	5	6	500
.	1	.	1	1	1	2	5	10	14	16	27	38	28	28	501
.	.	.	1	4	4	12	27	56	116	156	123	114	81	55	502
.	.	.	1	1	4	11	6	23	30	31	66	54	52	39	502

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
518	Empyema	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
519	Pleurisy	M	5	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
520	Spontaneous pneumothorax	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
521	Abscess of lung	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
522	Pulmonary congestion and hypostasis	M	60	.	.	.	.	.	.	.	.
		F	97	2	.	1	.	.	3	.	.
523	Pneumoconiosis due to silica and silicates (occupational)	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
525	Other chronic interstitial pneumonia	M	19	1	.	.	.	.	1	.	.
		F	17	1	.	.	.	.	1	.	.
526	Bronchiectasis	M	42	.	.	.	.	.	.	.	.
		F	30	.	.	.	.	.	.	.	.
527	Other diseases of lung and pleural cavity	M	63	.	1	.	.	.	1	.	.
		F	38	1	.	1	1	.	3	.	.
530-587	IX. Diseases of the digestive system	M	469	47	8	1	4	1	61	5	.
		F	357	27	2	2	2	.	33	2	2
536	Stomatitis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
539	Diseases of oesophagus	M	4	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
540	Ulcer of stomach	M	100	.	.	.	.	.	.	.	.
		F	47	.	.	.	.	.	.	.	.
541	Ulcer of duodenum	M	56	1	.	.	.	.	1	.	.
		F	15	.	.	.	.	.	.	.	.
542	Gastrojejunal ulcer	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
543	Gastritis and duodenitis	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
544	Disorders of function of stomach	M	1	.	1	.	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	.
545	Other diseases of stomach and duodenum	M	4	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
550	Acute appendicitis	M	12	.	1	.	.	.	1	1	.
		F	14	.	.	.	.	.	.	1	1
551	Appendicitis, unqualified	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
560	Hernia of abdominal cavity without mention of obstruction	M	18	7	.	.	.	.	7	.	.
		F	7	.	.	.	.	.	.	.	.
561	Hernia of abdominal cavity with obstruction	M	16	.	.	.	.	.	.	.	.
		F	20	.	.	.	.	.	.	.	.
570	Intestinal obstruction, without mention of hernia	M	53	.	.	.	1	1	2	2	.
		F	44	.	.	.	.	.	.	.	1
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	58	38	6	1	2	.	47	1	.
		F	46	26	2	2	1	.	31	.	.
572	Chronic enteritis and ulcerative colitis	M	24	.	.	.	.	.	.	.	.
		F	32	.	.	.	.	.	.	.	.

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
576	Peritonitis	M	2	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
577	Peritoneal adhesion	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum	M	18	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.
580	Acute and subacute yellow atrophy of liver	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
581	Cirrhosis of liver	M	59	.	.	.	.	.	.	.	.
		F	30	.	.	.	.	.	.	.	.
582	Suppurative hepatitis and liver abscess	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
583	Other diseases of liver	M	9	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
584	Cholelithiasis	M	4	.	.	.	.	.	.	.	.
		F	16	.	.	.	.	.	.	.	.
585	Cholecystitis and cholangitis, without mention of calculi	M	4	.	.	.	.	.	.	.	.
		F	24	.	.	.	.	.	.	.	.
586	Other diseases of gallbladder and biliary ducts	M	4	.	.	.	.	.	.	.	.
		F	13	.	.	.	.	.	.	.	.
587	Diseases of pancreas	M	14	1	.	.	1	.	2	1	.
		F	14	1	.	.	1	.	2	1	.
590-637	X. Diseases of the genito-urinary system	M	441	6	1	.	.	1	8	1	1
		F	239	.	2	.	.	.	2	.	2
590	Acute nephritis	M	6	2	.	.	.	.	2	.	.
		F	4	.	.	.	.	.	.	.	.
591	Nephritis with oedema, including nephrosis	M	11	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
592	Chronic nephritis	M	95	.	.	.	.	.	.	.	1
		F	83	.	.	.	.	.	.	.	.
593	Nephritis not specified as acute or chronic	M	80	.	.	.	.	.	.	.	.
		F	55	.	1	.	.	.	1	.	1
600	Infections of kidney	M	64	4	.	.	.	.	4	1	.
		F	69	.	1	.	.	.	1	.	1
601	Hydronephrosis	M	2	.	.	.	.	1	1	.	.
		F	3	.	.	.	.	.	.	.	.
602	Calculi of kidney and ureter	M	4	.	1	.	.	.	1	.	.
		F	2	.	.	.	.	.	.	.	.
603	Other diseases of kidney and ureter	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
605	Cystitis	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
606	Other diseases of bladder	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
609	Other diseases of urethra	M	5	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
610	Hyperplasia of prostate	M	156	.	.	.	.	.	.	.	.
611	Prostatitis	M	5	.	.	.	.	.	.	.	.
612	Other diseases of prostate	M	4	.	.	.	.	.	.	.	.

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
617	Other diseases of male genital organs	M	2	.	.	.	.	.	.	.	.
620	Chronic cystic disease of breast	F	1	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F	2	.	.	.	.	.	.	.	.
630	Infective disease of uterus, vagina, and vulva	F	1	.	.	.	.	.	.	.	.
631	Uterovaginal prolapse	F	2	.	.	.	.	.	.	.	.
633	Other diseases of uterus	F	2	.	.	.	.	.	.	.	.
637	Other diseases of female genital organs	F	2	.	.	.	.	.	.	.	.
640-689	XI. Deliveries and complications of pregnancy, childbirth and the puerperium	F	18	.	.	.	.	.	.	.	.
640	Pyelitis and pyelonephritis of pregnancy	F	1	.	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F	3	.	.	.	.	.	.	.	.
648	Other complications arising from pregnancy	F	3	.	.	.	.	.	.	.	.
671	Delivery complicated by retained placenta	F	1	.	.	.	.	.	.	.	.
675	Delivery complicated by prolonged labour of other origin	F	1	.	.	.	.	.	.	.	.
677	Delivery with other trauma	F	3	.	.	.	.	.	.	.	.
678	Delivery with other complications of childbirth	F	2	.	.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium	F	3	.	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F	1	.	.	.	.	.	.	.	.
690-716	XII. Diseases of the skin and cellular tissue	M	17	.	.	.	.	.	.	.	.
		F	25	.	1	.	.	.	1	.	1
690	Boil and carbuncle	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
692	Other cellulitis and abscess, without mention of lymphangitis	M	3	.	1	.	.	.	.	.	.
		F	3	.	1	.	.	.	1	.	.
703	Other dermatitis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
705	Erythematous conditions	M	5	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
706	Psoriasis and similar disorders	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
710	Other hypertrophic and atrophic conditions of skin	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
715	Chronic ulcer of skin	M	6	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	617
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	620
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	626
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	630
.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	631
.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	633
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	637
1	4	2	4	4	3	.	.	.	.	.	.	.	.	.	640-689
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	640
.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	642
1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	648
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	671
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	675
.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	677
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	678
.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	681
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	684
.	.	.	.	1	1	1	3	.	2	2	3	.	2	3	690-716
.	.	.	.	1	.	.	.	.	2	2	1	7	4	3	690
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	690
.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	692
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	703
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	703
1	.	1	.	.	.	.	1	.	.	1	1	.	2	.	705
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	705
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	706
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	706
.	.	.	.	.	1	1	.	.	1	1	.	.	.	.	710
.	.	.	.	.	.	.	1	.	.	.	2	.	.	3	715
.	.	.	.	.	.	.	.	.	.	1	1	6	3	3	715

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
720-749	XIII. Diseases of the bones and organs of movement	M F	35 64	1 .	1 .	. .	. .	. .	2 .	. 1	1 .
722	Rheumatoid arthritis and allied conditions	M F	7 40	. .	. .	. .	. .	. .	. .	. .	. .
723	Osteo-arthritis (arthrosis) and allied conditions	M F	4 3	. .	. .	. .	. .	. .	. .	. .	. .
724	Other specified forms of arthritis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
725	Arthritis, unspecified	M F	1 7	. .	. .	. .	. .	. .	. .	. .	. .
727	Rheumatism, unspecified	M F	. 4	. .	. .	. .	. .	. .	. .	. .	. .
730	Osteomyelitis and periostitis	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
731	Osteitis deformans	M F	5 2	. .	. .	. .	. .	. .	. .	. .	. .
732	Osteochondrosis	M F	. 1	. .	. .	. .	. .	. .	. .	1 .	. .
733	Other diseases of bone	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
735	Displacement of intervertebral disc	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
738	Other diseases of joint	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
744	Other diseases of muscle, tendon and fascia	M F	10 3	1 .	1 .	. .	. .	. .	2 .	. .	1 .
745	Curvature of spine	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
750-759	XIV. Congenital malformations	M F	246 238	192 188	15 8	2 5	4 7	. 3	213 211	13 7	2 3
750	Monstrosity	M F	14 17	13 17	. .	. .	. .	. .	13 17	1 .	. .
751	Spina bifida and meningocele	M F	36 39	34 36	2 2	. .	1 .	. .	36 39	. .	. .
752	Congenital hydrocephalus	M F	30 38	26 34	3 2	. .	1 .	. .	29 37	1 1	. .
753	Other congenital malformations of nervous system and sense organs	M F	2 4	. 2	1 .	1 .	1 .	. .	2 3	. .	. .
754	Congenital malformations of circulatory system	M F	88 82	63 56	5 2	. 4	1 2	. .	69 64	10 5	1 2
755	Cleft palate and harelip	M F	3 1	2 1	1 .	. .	. .	. .	3 1	. .	. .
756	Congenital malformations of digestive system	M F	28 16	26 14	1 .	. .	1 .	. .	28 14	. 1	. .
757	Congenital malformations of genito-urinary system	M F	15 7	8 2	1 1	. .	1 .	. .	10 3	1 .	. .
758	Congenital malformations of bone and joint	M F	3 3	2 3	1 .	. .	. .	. .	3 3	. .	. .
759	Other and unspecified congenital malformations not elsewhere classified	M F	27 31	18 23	. 1	1 1	1 2	. 3	20 30	. .	1 1

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
3	.	.	.	2	.	1	.	2	2	4	6	6	3	3	720-749
.	.	.	.	.	.	.	3	3	5	8	7	16	11	10	
.	.	.	.	.	.	.	.	2	1	.	3	.	.	1	722
.	.	.	.	.	.	.	2	2	4	7	6	9	6	4	
.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	723
.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	724
.	.	.	.	.	.	.	.	.	.	1	.	2	2	3	725
.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	727
.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	730
.	.	.	.	.	.	.	.	.	1	1	1	2	2	.	731
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	732
.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	733
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	735
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	738
2	.	.	.	1	.	.	1	.	1	1	1	1	1	1	744
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	745
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	3	1	2	3	3	3	1	3	2	1	.	.	1	.	750-759
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	750
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	751
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	752
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	753
1	2	1	.	1	2	1	1	1	1	.	.	.	.	.	754
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	755
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	756
.	1	.	1	.	1	1	1	1	.	.	.	.	.	.	757
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	758
.	.	.	1	.	.	1	.	2	1	1	.	.	.	.	759

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760-776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	2	.	.	1	1	3	3	6	13	16	40	103	223	375	780-795
.	1	.	.	1	1	1	2	5	4	14	41	132	268	524	780
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	782
.	2	.	.	1	1	2	2	4	11	9	17	17	26	31	784
.	.	.	.	.	1	.	2	4	3	8	13	23	14	39	785
.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	786
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	788
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	790
.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	792
.	.	.	.	.	.	1	.	.	1	2	4	5	6	3	794
.	.	.	.	.	.	.	.	.	.	.	16	77	189	331	795
.	.	.	.	.	.	.	.	.	.	2	22	102	249	479	
.	.	.	.	.	.	1	1	2	1	3	2	2	1	7	
.	.	.	.	.	.	.	.	.	.	4	2	3	1	.	

[illegible]

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E851	Other water transport injury by submersion	M F	1 .	. .	. .	1 .	. .	. .	1 .	. .	. .
E855	Unspecified falls in water transport	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E871	Accidental poisoning by barbituric acid and derivatives	M F	3 6	. .	. .	. .	. .	. .	. .	. .	. .
E872	Accidental poisoning by aspirin and salicylates	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E874	Accidental poisoning by other analgesic and soporific drugs	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E876	Accidental poisoning by strychnine	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E878	Accidental poisoning by other and unspecified drugs	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E880	Accidental poisoning by alcohol	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E881	Accidental poisoning by petroleum products	M F	2 .	. .	1 .	. .	. .	. .	1 .	. .	. .
E882	Accidental poisoning by industrial solvents	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
E883	Accidental poisoning by corrosive aromatics, acids and caustic alkalis	M F	. 1	. .	. .	1 .	. .	. .	1 .	. .	. .
E888	Accidental poisoning by other and unspecified solid and liquid substances	M F	1 1	. .	. .	. .	. .	. .	. .	1 .	. .
E890	Accidental poisoning by utility (illuminating) gas	M F	8 7	. .	. .	. .	. .	. .	. .	. .	. .
E892	Accidental poisoning by other carbon monoxide	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
E900	Fall on stairs	M F	13 3	. .	. .	. .	. .	. .	. .	1 .	. .
E901	Fall from ladders	M F	8 .	. .	. .	. .	. .	. .	. .	. .	. .
E902	Other falls from one level to another	M F	26 5	1 .	. .	. .	. .	. .	1 .	1 .	2 .
E903	Fall on same level	M F	9 8	. .	1 .	. .	. .	. .	1 .	. .	. .
E904	Unspecified falls	M F	74 183	. .	. .	1 .	. .	. .	1 .	1 .	. .
E910	Blow from falling or projected object or missile	M F	7 .	. .	. .	. .	. .	. .	. .	1 .	. .
E912	Accident caused by machinery	M F	17 .	. .	. .	. .	. .	1 .	1 .	. .	1 .
E913	Accident caused by cutting and piercing instruments	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
E914	Accident caused by electric current	M F	5 1	. .	. .	. .	. .	. .	. .	. .	. .
E916	Accident caused by fire and explosion of combustible material	M F	32 30	. 1	. 2	2 2	. .	. 1	2 6	1 .	. .
E917	Accident caused by hot substance, corrosive liquid and steam	M F	. 2	. .	1 .	. .	. .	. .	. .	. .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E851
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E855
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E871
.	2	.	1	.	2	1	2	1	.	.	.	.	.	.	E872
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E874
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	E876
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E878
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E880
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E881
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E882
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E883
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E888
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E890
1	.	1	1	.	.	1	1	2	1	.	.	.	1	.	E892
.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	E900
.	.	.	2	.	1	.	3	1	.	.	2	2	1	2	E901
.	1	.	.	2	.	.	.	1	2	1	1	.	.	.	E902
1	1	.	3	1	2	2	2	1	3	2	2	1	2	1	E903
.	.	1	1	.	.	.	.	.	1	2	1	1	1	1	E904
.	.	.	.	1	.	2	2	2	2	3	9	11	19	24	E910
1	.	.	2	.	.	.	1	1	.	.	.	.	.	1	E912
1	3	1	.	3	3	.	1	.	1	2	.	.	.	.	E913
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E914
1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	E916
.	.	.	.	.	.	.	4	1	4	6	3	5	1	4	E917
.	.	.	.	.	.	.	.	2	.	4	3	4	7	3	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	

TABLE 19 (contd.) - DEATHS IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E919	Accident caused by firearm	M F	6 .	. .	. .	. .	. .	. .	. .	. .	. .
E921	Inhalation and ingestion of food causing obstruction or suffocation	M F	22 21	13 15	. 1	. .	1 .	. .	14 16	. .	. .
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M F	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .
E923	Foreign body entering other orifice	M F	1 1	1 .	. .	. 1	. .	. .	1 1	. .	. .
E924	Accidental mechanical suffocation in bed and cradle	M F	10 6	10 5	. 1	. .	. .	. .	10 6	. .	. .
E925	Accidental mechanical suffocation in other and unspecified circumstances	M F	4 .	1 .	2 .	. .	. .	. .	3 .	. .	. .
E926	Lack of care of infants under 1 year of age	M F	7 2	7 2	. .	. .	. .	. .	7 2	. .	. .
E928	Other accidents caused by animals	M F	2 .	. .	. .	. .	. .	. .	. .	. .	1 .
E929	Accidental drowning and submersion	M F	93 25	. .	. 2	1 1	2 .	2 .	5 3	9 1	4 .
E932	Excessive cold	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
E933	Hunger, thirst, and exposure	M F	1 3	. .	. .	. .	. .	. .	. .	. .	. .
E934	Cataclysm	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E936	Other and unspecified accidents	M F	13 4	. .	. .	. .	. .	. .	. .	. .	1 .
E954	Therapeutic misadventure in anaesthesia	M F	. 1	. .	. .	. .	. .	. .	. .	1 .	. .
E962	Late effect of other accidental injury	M F	3 .	. .	. .	. .	. .	. .	. .	2 .	. .
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M F	5 .	. .	. .	. .	. .	. .	. .	. .	. .
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M F	5 2	. .	. .	. .	. .	. .	. .	. .	. .
E972	Suicide and self-inflicted poisoning by gases in domestic use	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
E973	Suicide and self-inflicted poisoning by other gases	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
E974	Suicide and self-inflicted injury by hanging and strangulation	M F	22 3	. .	. .	. .	. .	. .	. .	. .	. .
E975	Suicide and self-inflicted injury by submersion (drowning)	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
E976	Suicide and self-inflicted injury by firearms and explosives	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
E978	Suicide and self-inflicted injury by jumping from high place	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
E982	Assault by cutting and piercing instruments	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
E983	Assault by other means	M F	3 3	. 1	. .	. .	. .	. .	1 1	. .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	.	.	.	1	1	1	2	.	.	.	.	E919
.	.	1	.	1	1	3	2	1	.	2	1	.	.	.	E921
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E922
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E923
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E924
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E925
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E926
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E928
11	11	5	4	5	2	5	7	3	4	10	2	3	2	1	E929
1	1	1	1	3	.	1	4	3	2	4	.	.	.	.	E932
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	E933
.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	E934
2	2	1	1	1	.	1	3	.	1	2	.	.	1	1	E936
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E954
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E962
.	.	1	1	1	.	.	1	.	1	.	.	.	.	.	E970
.	1	.	1	1	.	1	.	.	1	1	.	1	.	.	E971
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E972
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E973
.	1	1	.	2	2	2	4	4	.	5	.	1	.	.	E974
.	.	.	.	.	1	.	.	2	1	1	.	1	.	.	E975
.	.	.	.	.	1	.	.	2	.	1	.	.	.	.	E976
.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	E977
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E978
.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	E982
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E983

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	17,965 15,057	536 552
001-008	B 1	Tuberculosis of respiratory system	M F	206 96	2 1
010-019	B 2	Tuberculosis, other forms	M F	20 12	. .
020-029	B 3	Syphilis and its sequelae	M F	5 .	. .
040	B 4	Typhoid fever	M F	. .	. .
045-048	B 6	Dysentery, all forms	M F	. 1	. .
050	B 7a	Scarlet fever	M F	. .	. .
051	B 7b	Streptococcal sore throat	M F	. 1	. .
055	B 8	Diphtheria	M F	1 .	. .
056	B 9	Whooping cough	M F	4 .	. .
057	B 10	Meningococcal infections	M F	3 1	. .
080	B 12	Acute poliomyelitis	M F	. .	. .
085	B 14	Measles	M F	3 5	. .
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 110-138	B 17	Other infective and parasitic diseases	M F	46 24	. .
151	B 18a	Malignant neoplasms:- of stomach	M F	466 356	2 2
150, 152-159	B 18b	of other digestive organs and peritoneum	M F	764 652	2 .
160-165	B 18c	of respiratory system	M F	626 170	. .
170	B 18d	of breast	M F	1 388	. .
171-181	B 18e	of genito-urinary system	M F	356 299	2 .
200-205	B 18f	of lymphatic and haematopoietic tissues	M F	193 127	. 1
140-148, 190-199	B 18g	other	M F	334 247	1 .
210-239	B 19	Benign and unspecified neoplasms	M F	63 48	2 .
260	B 20	Diabetes mellitus	M F	94 154	. 1
290-293	B 21	Anaemias	M F	58 97	2 .
330-334	B 22	Vascular lesions affecting central nervous system	M F	1,948 2,391	25 26
340	B 23	Non-meningococcal meningitis	M F	19 18	. .
400-402	B 24	Rheumatic fever	M F	5 4	. .
410-416	B 25	Chronic rheumatic heart disease	M F	150 163	. 1
421	B 26a	Chronic endocarditis	M F	137 116	. 2
420	B 26b	Coronary and arteriosclerotic heart disease	M F	3,550 1,986	85 35

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed List Numbers	Abbreviated List Number	Cause of death		Total	Uncertified
422	B 26c	Other myocardial degeneration	M	1,630	30
			F	1,492	29
430-434	B 27	Other diseases of heart	M	690	30
			F	723	28
440-443	B 28	Hypertension with heart disease	M	264	1
			F	309	.
444-447	B 29	Hypertension without mention of heart	M	176	1
			F	167	5
450-468	B 46a	Other diseases of circulatory system	M	546	6
			F	537	1
480-483	B 30	Influenza	M	74	1
			F	60	3
490-493	B 31	Pneumonia	M	748	7
			F	645	2
500-502	B 32	Bronchitis	M	949	8
			F	502	5
526	B 46b	Bronchiectasis	M	42	.
			F	30	1
470-475, 510-525, 527	B 46c	Other diseases of respiratory system	M	160	.
			F	160	1
540, 541	B 33	Ulcer of stomach and duodenum	M	156	2
			F	62	.
550-553	B 34	Appendicitis	M	13	.
			F	17	.
560, 561, 570	B 35	Intestinal obstruction and hernia	M	87	1
			F	71	1
543, 571, 572	B 36	Gastritis and enteritis (except of newborn)	M	83	.
			F	81	.
764, 571.0	B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	67	.
			F	36	.
581	B 37	Cirrhosis of liver	M	59	.
			F	30	.
530-539, 542, 544, 545, 573-578, 580, 582-587	B 46d	Other diseases of digestive system	M	71	.
			F	96	.
590-594	B 38	Nephritis and nephrosis	M	192	4
			F	145	3
610	B 39	Hyperplasia of prostate	M	156	1
640-689	B 40	Deliveries and complications of pregnancy and childbirth	F	18	.
750-759	B 41	Congenital malformations	M	246	.
			F	238	2
760-762	B 42	Birth injuries, asphyxia and atelectasis	M	198	.
			F	155	.
763-768	B 43	Infections of the newborn	M	71	.
			F	47	.
769-776	B 44	Other diseases of early infancy	M	244	.
			F	149	1
794	B 45a	Senility without psychosis	M	614	254
			F	854	359
780-793, 795	B 45b	Ill-defined and unknown causes	M	177	60
			F	142	29
240-245, 250-254, 270-277, 280-289, 294-326, 341-345, 350-357, 360-398, 600-609, 611-637, 690-716, 720-727, 730-738, 740-749	B 46e	All other diseases	M	571	7
			F	579	12
External Causes					
E810-E835	B 47	Motor vehicle accidents	M	239	.
			F	67	.
E800-E802, E840-E962	B 48	All other accidents	M	408	.
			F	315	1
E963, E970-E979	B 49	Suicide and self-inflicted injury	M	44	.
			F	7	.
E964, E965, E980-E999	B 50	Homicide and operations of war	M	5	.
			F	3	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	7,800 6,721	99 80	5,799 4,901	152 169	2,892 2,266	232 248	1,474 1,169	59 78
B 1	Tuberculosis of respiratory system	M F	97 44	• •	75 35	2 •	17 11	• 1	17 6	• •
B 2	Tuberculosis, other forms	M F	8 2	• •	7 5	• •	2 4	• •	3 1	• •
B 3	Syphilis and its sequelae	M F	4 •	• •	1 •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	1 •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	1 •	• •	• •	• •
B 8	Diphtheria	M F	1 •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	2 •	• •	2 •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	3 •	• •	• •	• •	1 •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	• 4	• •	2 1	• •	1 •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	16 9	• •	18 9	• •	6 5	• •	6 1	• •
B 18a	Malignant neoplasms:- of stomach	M F	208 168	1 •	135 94	• •	79 62	1 •	44 32	• 2
B 18b	of other digestive organs and peritoneum	M F	319 298	1 •	262 226	• •	118 86	1 •	65 42	• •
B 18c	of respiratory system	M F	389 84	• •	155 48	• •	47 22	• •	35 16	• •
B 18d	of breast	M F	• 189	• •	• 131	• •	• 44	• •	1 24	• •
B 18e	of genito-urinary system	M F	163 160	1 •	105 91	• •	57 34	1 •	31 14	• •
B 18f	of lymphatic and haematopoietic tissues	M F	80 63	• •	76 44	• 1	21 15	• •	16 5	• •
B 18g	other	M F	146 92	• •	109 89	1 •	54 49	• •	25 17	• •
B 19	Benign and unspecified neoplasms	M F	32 26	• •	24 11	1 •	6 7	1 •	1 4	• •
B 20	Diabetes mellitus	M F	50 75	• •	19 40	• •	15 28	• 1	10 11	• •
B 21	Anaemias	M F	21 31	• •	18 39	• •	16 16	2 1	3 11	• •
B 22	Vascular lesions affecting central nervous system	M F	765 1,101	3 4	634 749	5 9	350 333	13 9	199 208	4 4
B 23	Non-meningococcal meningitis	M F	13 11	• •	3 3	• •	2 2	• •	1 2	• •
B 24	Rheumatic fever	M F	3 1	• •	• 3	• •	1 •	• •	1 •	• •
B 25	Chronic rheumatic heart disease	M F	66 86	• •	43 48	• 1	28 22	• •	13 7	• •
B 26a	Chronic endocarditis	M F	54 52	• •	51 40	• 1	20 15	• •	12 9	• 1
B 26b	Coronary and arteriosclerotic heart disease	M F	1,629 935	29 8	1,121 641	29 14	524 244	12 5	276 166	15 8

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M F	543 597	7 4	583 516	7 4	362 266	13 11	142 113	3 10
B 27	Other diseases of heart	M F	265 315	10 6	236 255	12 10	115 97	7 10	74 56	1 2
B 28	Hypertension with heart disease	M F	106 159	• •	85 89	• •	50 39	1 •	23 22	• •
B 29	Hypertension without mention of heart	M F	85 73	• •	37 42	• 1	38 34	1 2	16 18	• 2
B 46a	Other diseases of circulatory system	M F	209 245	1 •	216 196	2 1	84 62	3 •	37 34	• •
B 30	Influenza	M F	20 22	• •	31 21	1 1	13 11	• 1	10 6	• 1
B 31	Pneumonia	M F	330 298	3 •	246 210	• •	100 80	2 1	72 57	2 1
B 32	Bronchitis	M F	526 315	2 1	274 115	1 1	107 51	4 3	42 21	1 •
B 46b	Bronchiectasis	M F	19 10	• •	9 12	• •	8 6	• •	6 2	• 1
B 46c	Other diseases of respiratory system	M F	94 83	• •	36 44	• •	22 25	• 1	8 8	• •
B 33	Ulcer of stomach and duodenum	M F	63 24	1 •	51 25	• •	26 10	1 •	16 3	• •
B 34	Appendicitis	M F	5 5	• •	4 4	• •	3 4	• •	1 4	• •
B 35	Intestinal obstruction and hernia	M F	40 31	• •	35 28	• 1	10 9	1 •	2 3	• •
B 36	Gastritis and enteritis (except of newborn)	M F	43 42	• •	31 23	• •	6 11	• •	3 5	• •
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	47 22	• •	18 11	• •	2 2	• •	• 1	• •
B 37	Cirrhosis of liver	M F	33 7	• •	14 13	• •	7 6	• •	5 4	• •
B 46d	Other diseases of digestive system	M F	36 45	• •	20 23	• •	12 21	• •	3 7	• •
B 38	Nephritis and nephrosis	M F	77 63	• •	49 52	3 •	48 19	1 1	18 11	• 2
B 39	Hyperplasia of prostate	M	38	•	68	•	34	1	16	•
B 40	Deliveries and complications of pregnancy and childbirth	F	7	•	7	•	4	•	•	•
B 41	Congenital malformations	M F	140 128	• •	69 67	• 2	18 28	• •	19 15	• •
B 42	Birth injuries, asphyxia and atelectasis	M F	101 75	• •	64 50	• •	15 21	• •	18 9	• •
B 43	Infections of the newborn	M F	50 33	• •	17 12	• •	3 1	• •	1 1	• •
B 44	Other diseases of early infancy	M F	134 77	• 1	73 47	• •	24 17	• •	13 8	• •
B 45a	Senility without psychosis	M F	133 145	19 27	235 341	73 110	180 272	140 187	66 96	22 35
B 45b	Ill-defined and unknown causes	M F	68 53	20 8	42 38	14 7	48 38	22 11	19 13	4 3
B 46e	All other diseases	M F	260 241	1 1	176 194	1 5	93 86	4 4	42 58	1 2
External Causes										
B 47	Motor vehicle accidents	M F	125 41	• •	74 17	• •	29 5	• •	11 4	• •
B 48	All other accidents	M F	170 150	• •	144 109	• •	67 42	• •	27 14	• 1
B 49	Suicide and self-inflicted injury	M F	15 4	• •	19 2	• •	5 •	• •	5 1	• •
B 50	Homicide and operations of war	M F	3 2	• •	1 1	• •	1 •	• •	• •	• •

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	201 168	2 .	2,912 2,797	3 2	266 332	1 .	898 898	2 1
B 1	Tuberculosis of respiratory system	M F	3 .	. .	52 16	. .	5 2	. .	8 3	. .
B 2	Tuberculosis, other forms	M F	. .	. .	2 1	. .	2 .	. .	1 .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	3 .	. .	. .	. .	1 .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	2 .	. .
B 10	Meningococcal infections	M F	. .	. .	1 .	. .	. .	. .	1 .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. 1	. .	. 1	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	. 1	. .	7 1	. .	1 .	. .	1 .	. .
B 18a	Malignant neoplasms:- of stomach	M F	3 2	. .	65 77	. .	4 5	. .	13 10	. .
B 18b	of other digestive organs and peritoneum	M F	14 7	. .	123 148	. .	11 8	. .	30 27	. .
B 18c	of respiratory system	M F	8 1	. .	230 33	. .	14 6	. .	38 7	. .
B 18d	of breast	M F	. 3	. .	. 75	. .	. 6	. .	. 29	. .
B 18e	of genito-urinary system	M F	7 2	. .	61 79	. .	4 9	. .	13 12	. .
B 18f	of lymphatic and haematopoietic tissues	M F	1 1	. .	30 37	. .	1 2	. .	6 8	. .
B 18g	other	M F	4 3	. .	64 34	. .	4 3	. .	10 7	. .
B 19	Benign and unspecified neoplasms	M F	. 1	. .	17 8	. .	. 3	. .	3 2	. .
B 20	Diabetes mellitus	M F	2 5	. .	17 34	. .	1 3	. .	4 3	. .
B 21	Anaemias	M F	. .	. .	7 12	. .	2 2	. .	1 1	. .
B 22	Vascular lesions affecting central nervous system	M F	28 32	. .	231 433	. 1	28 58	. .	51 87	. .
B 23	Non-meningococcal meningitis	M F	1 .	. .	10 3	. .	. 3	. .	. 2	. .
B 24	Rheumatic fever	M F	. .	. .	1 1	. .	. .	. .	1 .	. .
B 25	Chronic rheumatic heart disease	M F	6 5	. .	16 39	. .	4 6	. .	5 3	. .
B 26a	Chronic endocarditis	M F	. .	. .	16 15	. .	3 3	. .	1 7	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	30 21	. .	631 418	2 .	71 61	. .	130 71	1 .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	16	.	88	.	11	.	24	.
		F	12	.	154	.	24	.	36	.
B 27	Other diseases of heart	M	14	1	87	.	8	.	10	1
		F	18	.	127	1	9	.	27	.
B 28	Hypertension with heart disease	M	.	.	39	.	2	.	7	.
		F	4	.	57	.	6	.	16	.
B 29	Hypertension without mention of heart	M	.	.	42	.	2	.	4	.
		F	1	.	30	.	2	.	4	.
B 46a	Other diseases of circulatory system	M	2	.	71	.	6	.	7	.
		F	6	.	86	.	23	.	5	.
B 30	Influenza	M	.	.	6	.	.	.	.	.
		F	.	.	9	.	1	.	1	.
B 31	Pneumonia	M	9	.	161	.	14	.	26	.
		F	3	.	175	.	12	.	23	.
B 32	Bronchitis	M	5	.	250	.	24	1	50	.
		F	5	.	156	.	9	.	31	.
B 46b	Bronchiectasis	M	.	.	4	.	.	.	.	.
		F	.	.	4	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	5	.	50	.	1	.	8	.
		F	.	.	50	.	4	.	8	.
B 33	Ulcer of stomach and duodenum	M	.	.	29	.	1	.	3	.
		F	1	.	13	.	2	.	.	.
B 34	Appendicitis	M	.	.	1	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	14	.	2	.	3	.
		F	.	.	9	.	2	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	.	.	15	.	3	.	6	.
		F	1	.	21	.	3	.	3	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	25	.	3	.	3	.
		F	.	.	10	.	1	.	3	.
B 37	Cirrhosis of liver	M	.	.	21	.	.	.	4	.
		F	.	.	3	.	1	.	.	.
B 46d	Other diseases of digestive system	M	1	.	14	.	1	.	5	.
		F	.	.	24	.	4	.	2	.
B 38	Nephritis and nephrosis	M	2	.	27	.	5	.	3	.
		F	1	.	22	.	5	.	3	.
B 39	Hyperplasia of prostate	M	4	.	5	.	2	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	3	.	.	.	.	.
B 41	Congenital malformations	M	6	.	55	.	2	.	17	.
		F	2	.	52	.	4	.	18	.
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	39	.	3	.	15	.
		F	5	.	23	.	2	.	9	.
B 43	Infections of the newborn	M	1	.	25	.	.	.	7	.
		F	3	.	12	.	1	.	10	.
B 44	Other diseases of early infancy	M	5	.	57	.	3	.	13	.
		F	3	.	32	.	5	.	7	.
B 45a	Senility without psychosis	M	5	1	9	.	3	.	2	.
		F	5	.	14	.	1	.	8	1
B 45b	Ill-defined and unknown causes	M	3	.	13	1	.	.	1	.
		F	2	.	12	.	3	.	5	.
B 46e	All other diseases	M	7	.	89	.	9	.	23	.
		F	7	.	100	.	15	.	17	.
	External Causes									
B 47	Motor vehicle accidents	M	4	.	41	.	1	.	22	.
		F	1	.	15	.	2	.	8	.
B 48	All other accidents	M	1	.	73	.	8	.	17	.
		F	3	.	67	.	9	.	15	.
B 49	Suicide and self-inflicted injury	M	.	.	2	.	1	.	1	.
		F	.	.	2	.	1	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death	Kildare County		Kilkenny County		Laois County		Longford County	
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	F	M	F	M	F	M	F
		393	13	409	5	279	6	242	18
		312	3	348	4	218	9	177	9
B 1	Tuberculosis of respiratory system	M 5	F 1	M 4	F 3	M 1	F 1	M 1	F 1
B 2	Tuberculosis, other forms	M .	F .	M .	F .	M .	F .	M .	F .
B 3	Syphilis and its sequelae	M .	F .	M .	F .	M .	F .	M .	F .
B 4	Typhoid fever	M .	F .	M .	F .	M .	F .	M .	F .
B 6	Dysentery, all forms	M .	F .	M .	F .	M .	F .	M .	F .
B 7a	Scarlet fever	M .	F .	M .	F .	M .	F .	M .	F .
B 7b	Streptococcal sore throat	M .	F .	M .	F .	M .	F .	M .	F .
B 8	Diphtheria	M .	F .	M .	F .	M .	F .	M .	F .
B 9	Whooping cough	M .	F .	M .	F .	M .	F .	M .	F .
B 10	Meningococcal infections	M .	F .	M .	F .	M 1	F .	M .	F .
B 12	Acute poliomyelitis	M .	F .	M .	F .	M .	F .	M .	F .
B 14	Measles	M .	F .	M .	F .	M 1	F .	M .	F .
B 17	Other infective and parasitic diseases	M 1	F 1	M 1	F 3	M 1	F .	M 1	F .
B 18a	Malignant neoplasms:- of stomach	M 9	F 4	M 9	F 8	M 9	F 4	M 12	F 4
B 18b	of other digestive organs and peritoneum	M 15	F 14	M 9	F 12	M 11	F 9	M 5	F 12
B 18c	of respiratory system	M 14	F 4	M 16	F 5	M 5	F 6	M 3	F 1
B 18d	of breast	M .	F 15	M .	F 7	M .	F 2	M .	F 5
B 18e	of genito-urinary system	M 8	F 5	M 4	F 6	M 10	F 6	M 6	F 2
B 18f	of lymphatic and haematopoietic tissues	M 5	F 4	M 5	F .	M 4	F .	M 4	F .
B 18g	other	M 7	F 6	M 2	F 4	M 3	F 3	M 6	F 2
B 19	Benign and unspecified neoplasms	M 3	F .	M 2	F 3	M 1	F .	M .	F .
B 20	Diabetes mellitus	M 3	F 1	M 2	F 4	M 1	F 1	M 3	F 3
B 21	Anaemias	M .	F 2	M .	F 1	M .	F .	M .	F 1
B 22	Vascular lesions affecting central nervous system	M 38	F 53	M 42	F 51	M 18	F 26	M 29	F 36
B 23	Non-meningococcal meningitis	M .	F .	M .	F 1	M 1	F .	M .	F .
B 24	Rheumatic fever	M .	F .	M .	F .	M .	F .	M .	F .
B 25	Chronic rheumatic heart disease	M 9	F 8	M 5	F 4	M 5	F 2	M .	F 1
B 26a	Chronic endocarditis	M 3	F 2	M 2	F 2	M 6	F 5	M 1	F 2
B 26b	Coronary and arteriosclerotic heart disease	M 66	F 21	M 86	F 60	M 68	F 26	M 38	F 19

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	30	.	53	1	24	.	49	1
		F	24	.	45	1	27	.	27	1
B 27	Other diseases of heart	M	25	2	14	.	12	1	1	.
		F	29	.	17	1	3	.	1	.
B 28	Hypertension with heart disease	M	8	.	7	.	6	.	15	.
		F	10	.	4	.	8	.	17	.
B 29	Hypertension without mention of heart	M	3	.	3	.	1	.	2	.
		F	4	.	2	.	3	.	2	.
B 46a	Other diseases of circulatory system	M	6	.	15	.	12	.	5	.
		F	8	.	9	.	18	.	2	.
B 30	Influenza	M	1	.	1	.	.	.	.	.
		F	2	.	1	.	1	.	.	.
B 31	Pneumonia	M	12	.	14	.	4	.	7	2
		F	10	.	7	.	6	.	.	.
B 32	Bronchitis	M	27	.	18	1	12	.	6	.
		F	24	.	6	.	15	.	2	.
B 46b	Bronchiectasis	M	3	.	3	.	.	.	2	.
		F	.	.	.	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	4	.	4	.	3	.	.	.
		F	4	.	3	.	4	.	.	.
B 33	Ulcer of stomach and duodenum	M	3	.	.	.	2	.	6	1
		F	.	.	3	.	.	.	1	.
B 34	Appendicitis	M	.	.	3	.	2	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	3	.	.	.	1	.	.	.
		F	1	.	4	.	3	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	1	.	2	.	.	.
		F	3	.	.	.	2	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	2	.	2	.	2	.	.	.
		F	2	.	.	.	1	.	.	.
B 37	Cirrhosis of liver	M	1	.	.	.	.	.	1	.
		F	2	.	.	.	1	.	.	.
B 46d	Other diseases of digestive system	M	3	.	1	.	2	.	1	.
		F	1	.	3	.	.	.	.	.
B 38	Nephritis and nephrosis	M	3	.	3	.	1	.	1	.
		F	2	.	5	.	4	.	3	.
B 39	Hyperplasia of prostate	M	1	.	3	.	2	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	1	.	.	.
B 41	Congenital malformations	M	5	.	6	.	5	.	8	.
		F	9	.	1	.	2	.	3	.
B 42	Birth injuries, asphyxia and atelectasis	M	7	.	2	.	4	.	.	.
		F	6	.	3	.	6	.	.	.
B 43	Infections of the newborn	M	6	.	2	.	3	.	1	.
		F	3	.	2	.	.	.	1	.
B 44	Other diseases of early infancy	M	6	.	5	.	4	.	3	.
		F	3	.	3	.	.	.	1	1
B 45a	Senility without psychosis	M	7	.	34	2	5	.	7	4
		F	4	1	36	.	8	5	7	5
B 45b	Ill-defined and unknown causes	M	6	3	6	.	3	1	6	4
		F	2	2	7	1	5	.	1	1
B 46e	All other diseases	M	18	.	11	.	13	.	4	.
		F	10	.	6	1	5	.	9	.
External Causes										
B 47	Motor vehicle accidents	M	13	.	3	.	2	.	4	.
		F	4	.	.	.	1	.	.	.
B 48	All other accidents	M	4	.	9	.	8	.	2	.
		F	5	.	3	.	2	.	9	.
B 49	Suicide and self-inflicted injury	M	1	.	2	.	1	.	1	.
		F	1	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total		419	2	441	14	390	20	328	8
		M	319	.	325	9	244	10	263	10
		F								
B 1	Tuberculosis of respiratory system	M	2	.	3	.	5	.	2	.
		F	1	.	3	.	4	.	3	.
B 2	Tuberculosis, other forms	M	.	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	1	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	1	.	1	.	1	.
		F	.	.	.	.	.	.	.	.
B 18a	Malignant neoplasms:- of stomach	M	20	.	13	.	11	.	13	.
		F	15	.	7	.	7	.	8	.
B 18b	of other digestive organs and peritoneum	M	22	.	20	.	10	1	13	.
		F	13	.	11	.	8	.	5	.
B 18c	of respiratory system	M	15	.	13	.	5	.	6	.
		F	2	.	5	.	1	.	3	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	18	.	12	.	3	.	2	.
B 18e	of genito-urinary system	M	14	.	9	.	7	.	8	.
		F	9	.	5	.	5	.	6	.
B 18f	of lymphatic and haematopoietic tissues	M	5	.	4	.	4	.	2	.
		F	3	.	2	.	2	.	2	.
B 18g	other	M	9	.	3	.	8	.	7	.
		F	6	.	8	.	3	.	3	.
B 19	Benign and unspecified neoplasms	M	1	.	1	.	2	.	2	.
		F	2	.	2	.	2	.	2	.
B 20	Diabetes mellitus	M	7	.	4	.	3	.	.	.
		F	3	.	2	.	3	.	2	.
B 21	Anaemias	M	3	.	2	.	1	.	1	.
		F	4	.	2	.	.	.	3	.
B 22	Vascular lesions affecting central nervous system	M	48	.	66	1	37	.	35	.
		F	44	.	64	1	47	.	41	1
B 23	Non-meningococcal meningitis	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	5	.	1	.	2	.	2	.
		F	4	.	2	.	1	.	1	.
B 26a	Chronic endocarditis	M	10	.	1	.	3	.	4	.
		F	4	.	2	.	4	.	4	.
B 26b	Coronary and arteriosclerotic heart disease	M	66	2	91	1	54	6	69	2
		F	36	.	35	1	29	1	31	2

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M F	40 46		50 34	3 .	23 17	1 .	33 47	
B 27	Other diseases of heart	M F	13 10		13 16	1 .	21 15	2 1	22 20	2 3
B 28	Hypertension with heart disease	M F	6 5		4 9	.. .	2 6	.. .	3 6	.. .
B 29	Hypertension without mention of heart	M F	4 1		8 3	.. .	4 1	.. .	3 3	.. .
B 46a	Other diseases of circulatory system	M F	7 11		8 12	.. .	8 8	.. .	2 6	.. .
B 30	Influenza	M F	.. .	.. .	1 1	.. .	2 .	.. .	2 .	.. .
B 31	Pneumonia	M F	14 13		12 6	.. .	11 10	1 .	19 10	.. .
B 32	Bronchitis	M F	18 8		33 20	.. .	18 8	.. .	11 7	.. 1
B 46b	Bronchiectasis	M F	.. 1	.. .	4 3	.. .	.. .	.. .	2 .	.. .
B 46c	Other diseases of respiratory system	M F	2 2	.. .	4 .	.. .	3 3	.. .	1 1	.. .
B 33	Ulcer of stomach and duodenum	M F	.. .	.. .	3 1	.. .	4 1	.. .	2 1	.. .
B 34	Appendicitis	M F	.. .	.. .	.. .	.. .	1 .	.. .	1 .	.. .
B 35	Intestinal obstruction and hernia	M F	.. 1	.. .	2 2	.. .	4 .	.. .	.. 2	.. .
B 36	Gastritis and enteritis (except of newborn)	M F	1 2	.. .	1 1	.. .	3 .	.. .	4 1	.. .
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	1 .	.. .	1 1	.. .	2 .	.. .	3 1	.. .
B 37	Cirrhosis of liver	M F	3 .	.. .	1 .	.. .	.. .	.. .	.. .	.. .
B 46d	Other diseases of digestive system	M F	.. 3	.. .	.. .	.. .	3 .	.. .	1 2	.. .
B 38	Nephritis and nephrosis	M F	5 2	.. .	1 2	.. .	10 6	.. .	5 2	.. .
B 39	Hyperplasia of prostate	M	5	..	..	..	3	..	1	..
B 40	Deliveries and complications of pregnancy and childbirth	F	..	..	..	..	1	..	..	..
B 41	Congenital malformations	M F	9 6	.. .	4 4	.. .	5 4	.. .	4 5	.. .
B 42	Birth injuries, asphyxia and atelectasis	M F	9 5	.. .	6 4	.. .	1 7	.. .	4 2	.. .
B 43	Infections of the newborn	M F	.. .	.. .	1 .	.. .	2 .	.. .	1 .	.. .
B 44	Other diseases of early infancy	M F	7 2	.. .	4 5	.. .	3 4	.. .	8 3	.. .
B 45a	Senility without psychosis	M F	18 14	.. .	11 16	5 6	15 15	4 6	3 3	2 2
B 45b	Ill-defined and unknown causes	M F	.. 2	.. .	6 2	3 1	11 3	5 2	11 4	2 1
B 46e	All other diseases	M F	17 9	.. .	13 13	.. .	9 5	.. .	11 17	.. .
External Causes										
B 47	Motor vehicle accidents	M F	5 4	.. .	7 2	.. .	4 .	.. .	5 1	.. .
B 48	All other accidents	M F	7 7	.. .	10 6	.. .	7 6	.. .	5 3	.. .
B 49	Suicide and self-inflicted injury	M F	.. .	.. .	.. .	.. .	2 .	.. .	1 .	.. .
B 50	Homicide and operations of war	M F	1 1	.. .	1 .	.. .	.. .	.. .	.. .	.. .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	566 440	5 3	419 300	..	535 483	..	1,711 1,405	23 32
B 1	Tuberculosis of respiratory system	M F	4 4		4 2		7 1		17 9	
B 2	Tuberculosis, other forms	M F	1 .						3 .	
B 3	Syphilis and its sequelae	M F	.. .						.. .	
B 4	Typhoid fever	M F	.. .						.. .	
B 6	Dysentery, all forms	M F	.. .						.. .	
B 7a	Scarlet fever	M F	.. .						.. .	
B 7b	Streptococcal sore throat	M F	.. .						.. .	
B 8	Diphtheria	M F	.. .						.. .	
B 9	Whooping cough	M F	.. .						.. .	
B 10	Meningococcal infections	M F	.. .						.. .	
B 12	Acute poliomyelitis	M F	.. .						.. .	
B 14	Measles	M F	.. .						.. .	
B 17	Other infective and parasitic diseases	M F	1 .		1 .		1 .		3 1	
B 18a	Malignant neoplasms:- of stomach	M F	13 10		14 7		11 6		42 30	
B 18b	of other digestive organs and peritoneum	M F	19 11		17 13		32 29		91 81	
B 18c	of respiratory system	M F	14 6		13 4		24 8		53 15	
B 18d	of breast	M F	8 .		4 .		12 .		40 .	
B 18e	of genito-urinary system	M F	6 5		6 9		8 5		33 37	
B 18f	of lymphatic and haematopoietic tissues	M F	4 2		5 .		3 4		16 7	
B 18g	other	M F	10 7		9 3		10 7		31 28	
B 19	Benign and unspecified neoplasms	M F	2 .		1 .		2 .		5 2	
B 20	Diabetes mellitus	M F	1 5		2 6		1 3		8 5	
B 21	Anaemias	M F	2 3		1 .		1 3		4 6	
B 22	Vascular lesions affecting central nervous system	M F	72 73		42 56		50 70		189 230	4 3
B 23	Non-meningococcal meningitis	M F	.. 1		.. .		1 .		.. .	
B 24	Rheumatic fever	M F	.. .						.. .	
B 25	Chronic rheumatic heart disease	M F	3 3		3 7		7 4		13 10	
B 26a	Chronic endocarditis	M F	2 1		2 1		4 2		17 9	
B 26b	Coronary and arteriosclerotic heart disease	M F	141 74		88 33		125 77		345 198	7 3

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	49	1	53	.	29	.	168	.
		F	52	2	52	.	46	.	143	1
B 27	Other diseases of heart	M	12	.	13	.	13	.	63	.
		F	11	.	12	.	25	.	80	2
B 28	Hypertension with heart disease	M	2	.	5	.	3	.	17	.
		F	6	.	5	.	9	.	12	.
B 29	Hypertension without mention of heart	M	3	.	6	.	4	.	13	.
		F	10	.	7	.	4	.	14	1
B 46a	Other diseases of circulatory system	M	46	1	14	.	13	.	66	.
		F	41	.	10	.	27	.	56	.
B 30	Influenza	M	5	.	2	.	.	.	5	.
		F	5	.	1	.	2	.	4	.
B 31	Pneumonia	M	17	.	10	.	26	.	97	.
		F	17	.	6	.	15	.	56	.
B 32	Bronchitis	M	27	.	27	.	49	.	74	1
		F	15	.	9	.	21	.	26	.
B 46b	Bronchiectasis	M	.	.	1	.	2	.	3	.
		F	.	.	1	.	.	.	2	.
B 46c	Other diseases of respiratory system	M	3	.	6	.	4	.	11	.
		F	2	.	2	.	1	.	18	.
B 33	Ulcer of stomach and duodenum	M	5	.	5	.	6	.	19	.
		F	1	.	.	.	3	.	6	.
B 34	Appendicitis	M	.	.	1	.	2	.	2	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	4	.	5	.	2	.	12	.
		F	4	.	1	.	1	.	5	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	3	.	4	.	9	.
		F	2	.	2	.	1	.	5	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	3	.	3	.	4	.
		F	1	.	2	.	.	.	1	.
B 37	Cirrhosis of liver	M	1	.	1	.	1	.	6	.
		F	.	.	.	.	1	.	2	.
B 46d	Other diseases of digestive system	M	5	.	2	.	1	.	4	.
		F	1	.	2	.	1	.	12	.
B 38	Nephritis and nephrosis	M	7	.	4	.	7	.	16	.
		F	5	.	1	.	5	.	18	.
B 39	Hyperplasia of prostate	M	7	.	1	.	8	.	22	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	.	.	2	.
B 41	Congenital malformations	M	6	.	8	.	7	.	10	.
		F	10	.	8	.	6	.	15	1
B 42	Birth injuries, asphyxia and atelectasis	M	4	.	5	.	10	.	12	.
		F	2	.	1	.	8	.	13	.
B 43	Infections of the newborn	M	1	.	1	.	1	.	2	.
		F	.	.	.	.	2	.	1	.
B 44	Other diseases of early infancy	M	9	.	7	.	4	.	14	.
		F	4	.	5	.	4	.	8	.
B 45a	Senility without psychosis	M	7	1	7	.	9	.	52	8
		F	8	1	6	.	26	.	97	19
B 45b	Ill-defined and unknown causes	M	1	1	1	.	.	.	12	3
		F	.	.	5	.	4	.	9	1
B 46e	All other diseases	M	25	1	11	.	18	.	56	.
		F	16	.	12	.	25	.	50	1
	External Causes									
B 47	Motor vehicle accidents	M	8	.	6	.	9	.	23	.
		F	1	.	2	.	3	.	2	.
B 48	All other accidents	M	11	.	8	.	17	.	47	.
		F	13	.	2	.	9	.	39	.
B 49	Suicide and self-inflicted injury	M	2	.	1	.	2	.	8	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	584 460	34 34	800 656	54 62	264 271	9 2	584 431	12 19
B 1	Tuberculosis of respiratory system	M F	7 2	• •	12 6	1 •	5 4	• •	10 8	• •
B 2	Tuberculosis, other forms	M F	1 •	• •	• •	• •	• •	• •	1 1	• •
B 3	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	1 •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	• •	• •	• •	• •	1 •	• •	• •	• •
B 10	Meningococcal infections	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	• •	• •	1 1	• •	• •	• •	1 •	• •
B 17	Other infective and parasitic diseases	M F	• 2	• •	3 •	• •	2 1	• •	4 1	• •
B 18a	Malignant neoplasms: of stomach	M F	12 6	• •	19 5	• •	2 7	• •	19 6	• •
B 18b	of other digestive organs and peritoneum	M F	27 21	• •	34 18	• •	7 14	• •	22 22	• •
B 18c	of respiratory system	M F	8 3	• •	12 4	• •	12 3	• •	11 7	• •
B 18d	of breast	M F	• 10	• •	• 22	• •	• 6	• •	• 11	• •
B 18e	of genito-urinary system	M F	11 4	• •	16 16	• •	3 1	• •	11 9	• •
B 18f	of lymphatic and haematopoietic tissues	M F	8 9	• 1	13 4	• •	2 8	• •	6 3	• •
B 18g	other	M F	10 10	1 •	13 8	• •	3 7	• •	21 12	• •
B 19	Benign and unspecified neoplasms	M F	1 1	• •	6 4	1 •	3 2	• •	4 1	• •
B 20	Diabetes mellitus	M F	1 4	• •	1 10	• •	2 1	• •	2 6	• •
B 21	Anaemias	M F	3 5	• •	5 6	• •	1 6	• •	2 2	• •
B 22	Vascular lesions affecting central nervous system	M F	47 50	1 2	89 106	• 2	20 39	• •	73 68	• 1
B 23	Non-meningococcal meningitis	M F	• 1	• •	• •	• •	• •	• •	• •	• •
B 24	Rheumatic fever	M F	• •	• •	• •	• •	1 •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	7 5	• •	3 7	• 1	• 5	• •	4 2	• •
B 26a	Chronic endocarditis	M F	9 8	• 1	9 4	• •	3 1	• •	4 10	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	98 46	4 2	150 67	10 5	58 30	2 1	103 68	• •

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	107	1	96	3	15	.	48	1
		F	75	.	75	2	12	.	37	1
B 27	Other diseases of heart	M	33	5	42	4	14	.	19	.
		F	22	1	47	6	13	.	17	.
B 28	Hypertension with heart disease	M	5	.	18	.	7	.	7	.
		F	6	.	13	.	7	.	9	.
B 29	Hypertension without mention of heart	M	.	.	2	.	4	.	8	.
		F	3	.	4	.	5	.	4	.
B 46a	Other diseases of circulatory system	M	24	.	29	1	21	.	19	.
		F	16	.	22	.	27	.	12	.
B 30	Influenza	M	4	.	12	1	.	.	8	.
		F	5	.	3	.	.	.	4	1
B 31	Pneumonia	M	28	.	21	.	3	.	16	.
		F	21	.	26	.	16	.	9	.
B 32	Bronchitis	M	17	.	14	.	13	.	30	.
		F	10	1	8	.	9	.	9	.
B 46b	Bronchiectasis	M	1	.	1	.	.	.	1	.
		F	2	.	.	.	2	.	1	.
B 46c	Other diseases of respiratory system	M	.	.	6	.	3	.	4	.
		F	3	.	6	.	3	.	3	.
B 33	Ulcer of stomach and duodenum	M	3	.	4	.	4	.	8	.
		F	3	.	2	.	3	.	3	.
B 34	Appendicitis	M	.	.	3	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	6	.	5	.	2	.	4	.
		F	6	1	7	.	.	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	4	.	2	.	5	.
		F	.	.	7	.	2	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	1	.	1	.	4	.
		F	.	.	1	.	3	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	.	.	3	.
		F	1	.	2	.	1	.	3	.
B 46d	Other diseases of digestive system	M	1	.	4	.	1	.	4	.
		F	1	.	4	.	.	.	1	.
B 38	Nephritis and nephrosis	M	8	1	9	2	1	.	4	.
		F	4	.	2	.	.	.	5	.
B 39	Hyperplasia of prostate	M	4	.	15	.	1	.	3	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	.	.	1	.	1	.
B 41	Congenital malformations	M	6	.	11	.	7	.	10	.
		F	9	.	9	.	9	.	6	.
B 42	Birth injuries, asphyxia and atelectasis	M	5	.	4	.	12	.	9	.
		F	2	.	2	.	6	.	8	.
B 43	Infections of the newborn	M	1	.	1	.	1	.	1	.
		F	.	.	1	.	1	.	1	.
B 44	Other diseases of early infancy	M	13	.	7	.	5	.	9	.
		F	11	.	7	.	2	.	1	.
B 45a	Senility without psychosis	M	29	20	38	23	3	.	33	11
		F	37	21	63	42	3	1	31	10
B 45b	Ill-defined and unknown causes	M	3	.	12	8	1	1	4	.
		F	5	2	8	3	1	.	.	.
B 46e	All other diseases	M	17	1	20	.	8	.	16	.
		F	17	2	28	1	2	.	17	.
External Causes										
B 47	Motor vehicle accidents	M	4	.	10	.	5	.	5	.
		F	1	.	.	.	5	.	3	.
B 48	All other accidents	M	12	.	23	.	6	.	7	.
		F	12	.	22	.	4	.	8	.
B 49	Suicide and self-inflicted injury	M	.	.	1	.	1	.	1	.
		F	1	.	.	.	1	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	350 291	10 14	472 434	10 9	184 206	.	315 262	6 3
B 1	Tuberculosis of respiratory system	M F	1 1	.	5 2	1 .	4 1	.	7 2	.
B 2	Tuberculosis, other forms	M F	.	.	.	.	1 .	.	1 .	.
B 3	Syphilis and its sequelae	M F	1 .	.	.	.	.	.	.	.
B 4	Typhoid fever	M F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M F	.	.	.	.	1 .	.	.	.
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M F	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M F	.	.	.	.	.	.	.	.
B 14	Measles	M F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	1 .	.	2 1	.	1 1	.	2 1	.
B 18a	Malignant neoplasms:- of stomach	M F	4 8	.	13 18	.	6 2	.	7 6	.
B 18b	of other digestive organs and peritoneum	M F	18 7	.	18 17	.	3 8	.	10 9	.
B 18c	of respiratory system	M F	13 3	.	11 2	.	4 1	.	7 2	.
B 18d	of breast	M F	6 .	.	11 .	.	4 .	.	9 .	.
B 18e	of genito-urinary system	M F	5 3	.	9 6	.	3 6	.	6 4	.
B 18f	of lymphatic and haematopoietic tissues	M F	10 2	.	10 3	.	3 4	.	5 .	.
B 18g	other	M F	3 7	.	10 1	.	3 4	.	5 5	.
B 19	Benign and unspecified neoplasms	M F	1 .	.	.	.	1 1	.	1 .	.
B 20	Diabetes mellitus	M F	2 .	.	3 3	.	1 .	.	1 5	.
B 21	Anaemias	M F	1 1	.	1 4	.	3 .	.	3 .	.
B 22	Vascular lesions affecting central nervous system	M F	38 32	1	70 74	.	29 36	.	29 44	.
B 23	Non-meningococcal meningitis	M F	1 .	.	2 .	.	1 .	.	.	.
B 24	Rheumatic fever	M F	.	.	2 .	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M F	1 2	.	1 5	.	1 3	.	6 5	.
B 26a	Chronic endocarditis	M F	1 .	.	3 4	.	1 .	.	1 1	.
B 26b	Coronary and arteriosclerotic heart disease	M F	58 23	3 1	89 68	1	32 29	.	63 35	3 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	37	1	55	1	6	..	22	..
		F	36	..	50	..	18	..	24	..
B 27	Other diseases of heart	M	21	..	18	1	6	..	7	2
		F	20	..	13	1	8	..	10	..
B 28	Hypertension with heart disease	M	5	..	20	..	2	..	1	..
		F	5	..	26	..	..	..	2	..
B 29	Hypertension without mention of heart	M	3	..	..	..	2	..	1	..
		F	5	..	1	..	..	..	2	..
B 46a	Other diseases of circulatory system	M	8	..	8	1	8	..	20	..
		F	3	..	12	1	8	..	13	..
B 30	Influenza	M	1	..	1	..	..	..	1	..
		F	1	..	1	..	..	..	..	..
B 31	Pneumonia	M	11	..	13	..	18	..	13	..
		F	12	..	19	..	26	..	10	..
B 32	Bronchitis	M	19	..	20	..	17	..	21	..
		F	9	..	9	..	9	..	5	..
B 46b	Bronchiectasis	M	..	..	1	..	..	..	1	..
		F	2	..	2	..	1	..	..	..
B 46c	Other diseases of respiratory system	M	1	..	2	..	1	..	4	..
		F	3	..	3	..	..	..	4	..
B 33	Ulcer of stomach and duodenum	M	2	..	1	..	1	..	3	..
		F	1	..	3	..	1	..	..	..
B 34	Appendicitis	M	..	..	..	..	..	..	..	..
		F	..	..	..	..	..	..	..	..
B 35	Intestinal obstruction and hernia	M	..	..	1	..	2	..	1	..
		F	1	..	1	..	3	..	2	..
B 36	Gastritis and enteritis (except of newborn)	M	1	..	1	..	1	..	2	..
		F	1	..	3	..	1	..	2	..
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	2	..	2	..	..	..	1	..
		F	2	..	1	..	..	..	3	..
B 37	Cirrhosis of liver	M	1	..	..	..	1	..	..	..
		F	..	..	2	..	..	..	1	..
B 46d	Other diseases of digestive system	M	..	..	2	..	2	..	1	..
		F	..	..	2	..	..	..	2	..
B 38	Nephritis and nephrosis	M	1	..	2	..	..	..	1	..
		F	4	..	5	..	2	..	7	..
B 39	Hyperplasia of prostate	M	3	..	8	..	..	..	4	..
B 40	Deliveries and complications of pregnancies and childbirth	F	2	..	..	..	..	..	1	..
B 41	Congenital malformations	M	4	..	7	..	3	..	4	..
		F	4	..	5	..	..	..	4	1
B 42	Birth injuries, asphyxia and atelectasis	M	3	..	5	..	1	..	3	..
		F	5	..	5	..	..	..	1	..
B 43	Infections of the newborn	M	3	..	4	..	1	..	2	..
		F	4	..	..	..	..	..	2	..
B 44	Other diseases of early infancy	M	5	..	6	..	5	..	5	..
		F	1	..	6	..	4	..	3	..
B 45a	Senility without psychosis	M	35	6	16	5	..	..	20	..
		F	53	10	15	6	2	..	14	1
B 45b	Ill-defined and unknown causes	M	3	..	4	1	1	..	2	1
		F	3	1	4	..	3	..	1	..
B 46e	All other diseases	M	9	..	13	..	7	..	12	..
		F	10	1	20	..	11	..	14	..
	External Causes									
B 47	Motor vehicle accidents	M	5	..	4	..	3	..	6	..
		F	..	..	1	..	1	..	1	..
B 48	All other accidents	M	10	..	12	..	4	..	6	..
		F	6	..	3	..	2	..	4	..
B 49	Suicide and self-inflicted injury	M	2	..	3	..	..	..	1	..
		F	..	..	..	..	..	..	..	..
B 50	Homicide and operations of war	M	..	..	..	..	..	..	1	..
		F	1	..	..	..	..	..	..	..

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M F	897 660	54 53	293 205	43 27	836 721	75 98
B 1	Tuberculosis of respiratory system	M F	7 3		2 1		5 5	.. 1	1 1	
B 2	Tuberculosis, other forms	M F	2 ..		1 ..				1 ..	
B 3	Syphilis and its sequelae	M F								
B 4	Typhoid fever	M F								
B 6	Dysentery, all forms	M F								
B 7a	Scarlet fever	M F								
B 7b	Streptococcal sore throat	M F					1 ..			
B 8	Diphtheria	M F								
B 9	Whooping cough	M F								
B 10	Meningococcal infections	M F	1 ..							
B 12	Acute poliomyelitis	M F								
B 14	Measles	M F	1 ..							
B 17	Other infective and parasitic diseases	M F	2 3				2 1		1 ..	
B 18a	Malignant neoplasms:- of stomach	M F	21 22	1 ..	8 2		21 20		12 9	
B 18b	of other digestive organs and peritoneum	M F	46 19	1 ..	12 9		28 30		14 10	
B 18c	of respiratory system	M F	11 7		2 2		20 7		4 1	
B 18d	of breast	M F	12 ..		6 ..		11 ..		7 ..	
B 18e	of genito-urinary system	M F	19 12		4 3		17 9		13 4	1 ..
B 18f	of lymphatic and haematopoietic tissues	M F	7 7		2 2		7 2		2 3	
B 18g	other	M F	24 17		3 3		11 14		8 8	
B 19	Benign and unspecified neoplasms	M F	2 2		1 ..		2 3	1 ..		
B 20	Diabetes mellitus	M F	4 8		4 ..		7 8		3 6	.. 1
B 21	Anaemias	M F	5 6		1 2	1 ..	4 3		5 3	.. 1
B 22	Vascular lesions affecting central nervous system	M F	103 99	3 5	40 29	3 ..	96 102	3 4	62 53	3 ..
B 23	Non-meningococcal meningitis	M F	2 ..							
B 24	Rheumatic fever	M F	1 ..							
B 25	Chronic rheumatic heart disease	M F	10 8		2 ..		4 2		4 6	
B 26a	Chronic endocarditis	M F	7 3		2 3		6 3		1 1	
B 26b	Coronary and arteriosclerotic heart disease	M F	180 81	3 1	68 24	3 ..	123 74	2 2	78 38	3 ..

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	89	5	32	1	121	2	88	4
		F	70	3	37	2	82	1	63	5
B 27	Other diseases of heart	M	24	.	3	.	52	3	22	4
		F	21	1	7	2	39	4	18	3
B 28	Hypertension with heart disease	M	21	.	4	.	12	.	5	1
		F	17	.	4	.	11	.	2	.
B 29	Hypertension without mention of heart	M	13	.	1	.	9	1	7	.
		F	15	.	3	1	3	.	4	1
B 46a	Other diseases of circulatory system	M	22	.	10	.	18	2	21	.
		F	15	.	8	.	22	.	7	.
B 30	Influenza	M	4	.	2	.	3	.	1	.
		F	7	1	1	.	2	.	.	.
B 31	Pneumonia	M	33	.	10	1	31	1	12	.
		F	30	.	5	.	22	1	14	.
B 32	Bronchitis	M	40	.	14	.	15	3	16	.
		F	15	.	3	.	16	3	7	.
B 46b	Bronchiectasis	M	2	.	1	.	3	.	.	.
		F	2	.	1	.	1	.	2	.
B 46c	Other diseases of respiratory system	M	12	.	.	.	6	.	1	.
		F	9	.	1	.	4	1	5	.
B 33	Ulcer of stomach and duodenum	M	10	.	5	.	5	1	6	.
		F	1	.	.	.	5	.	2	.
B 34	Appendicitis	M	.	.	.	.	3	.	.	.
		F	1	.	.	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	1	.	.	.	6	1	3	.
		F	1	.	.	.	5	.	3	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	.	.	2	.	.	.
		F	3	.	1	.	3	.	3	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	.	.	1	.	1	.
		F	1	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	2	.	1	.	4	.	.	.
		F	3	.	1	.	2	.	.	.
B 46d	Other diseases of digestive system	M	4	.	1	.	3	.	3	.
		F	8	.	.	.	7	.	6	.
B 38	Nephritis and nephrosis	M	14	.	3	.	13	1	13	.
		F	7	.	1	.	5	1	4	.
B 39	Hyperplasia of prostate	M	10	1	2	.	14	.	3	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	1	.	1	.
B 41	Congenital malformations	M	9	.	1	.	4	.	2	.
		F	12	.	.	.	4	.	4	.
B 42	Birth injuries, asphyxia and atelectasis	M	8	.	1	.	4	.	1	.
		F	4	.	1	.	5	.	2	.
B 43	Infections of the newborn	M	.	.	.	.	2	.	1	.
		F	.	.	.	.	1	.	.	.
B 44	Other diseases of early infancy	M	7	.	5	.	7	.	2	.
		F	4	.	3	.	6	.	2	.
B 45a	Senility without psychosis	M	41	33	23	21	72	50	24	21
		F	54	37	23	21	118	74	40	32
B 45b	Ill-defined and unknown causes	M	11	6	12	11	12	3	6	2
		F	8	3	1	1	10	5	4	2
B 46e	All other diseases	M	28	1	11	2	27	1	16	.
		F	28	2	11	.	33	1	7	1
	External Causes									
B 47	Motor vehicle accidents	M	15	.	.	.	9	.	1	.
		F	3	.	.	.	1	.	1	.
B 48	All other accidents	M	21	.	4	.	24	.	11	.
		F	10	.	1	.	17	.	9	.
B 49	Suicide and self-inflicted injury	M	1	.	.	.	1	.	2	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death	Sligo County		Cavan County		Donegal County		Monaghan County		
		Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	
		Total	M F	391 319	20 25	413 314	8 12	759 589	45 60	302 266
B 1	Tuberculosis of respiratory system	M F	2 1		4 3		10 2		3 1	
B 2	Tuberculosis, other forms	M F	2 ..			2 1		1 ..		
B 3	Syphilis and its sequelae	M F								
B 4	Typhoid fever	M F								
B 6	Dysentery, all forms	M F								
B 7a	Scarlet fever	M F								
B 7b	Streptococcal sore throat	M F								
B 8	Diphtheria	M F								
B 9	Whooping cough	M F								
B 10	Meningococcal infections	M F								
B 12	Acute poliomyelitis	M F								
B 14	Measles	M F								
B 17	Other infective and parasitic diseases	M F	1 1		1 ..	5 ..		1 ..		
B 18a	Malignant neoplasms:- of stomach	M F	17 9		15 6		22 15	7 2	11 ..	
B 18b	of other digestive organs and peritoneum	M F	18 18		15 6		32 27	18 9		
B 18c	of respiratory system	M F	10 5		10 2		17 6	8 8		
B 18d	of breast	M F	8 ..		8 ..		1 10	6 ..		
B 18e	of genito-urinary system	M F	4 6		8 4		15 7	8 3		
B 18f	of lymphatic and haematopoietic tissues	M F	3 1		4 2		7 2	5 1		
B 18g	other	M F	8 7		10 7		13 5	2 5		
B 19	Benign and unspecified neoplasms	M F	1 2		1 ..		1 ..	1 2		
B 20	Diabetes mellitus	M F	1 2		2 5		5 4	3 2		
B 21	Anaemias	M F	1 2		2 ..		1 5	2 4		
B 22	Vascular lesions affecting central nervous system	M F	49 50	1 ..	73 71		87 87	4 4	39 50	
B 23	Non-meningococcal meningitis	M F	2 ..				1 2			
B 24	Rheumatic fever	M F						1 ..		
B 25	Chronic rheumatic heart disease	M F	8 6		4 2		4 3	5 2		
B 26a	Chronic endocarditis	M F	4 5		5 1		5 5	2 3		
B 26b	Coronary and arteriosclerotic heart disease	M F	75 27	1 2	76 41	3 ..	145 78	12 8	55 47	

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1965, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	32	1	51	.	61	3	30	.
		F	14	.	37	.	49	10	27	.
B 27	Other diseases of heart	M	14	.	18	.	37	1	19	.
		F	12	.	7	.	34	2	15	.
B 28	Hypertension with heart disease	M	8	.	4	.	17	.	2	.
		F	5	.	12	.	6	.	4	.
B 29	Hypertension without mention of heart	M	8	.	3	.	11	.	2	.
		F	9	.	7	.	10	1	1	1
B 46a	Other diseases of circulatory system	M	13	1	6	.	23	.	8	.
		F	10	.	13	.	18	.	3	.
B 30	Influenza	M	3	.	4	.	4	.	2	.
		F	1	.	.	.	4	1	2	.
B 31	Pneumonia	M	14	.	11	1	44	1	17	.
		F	9	.	4	.	39	1	14	.
B 32	Bronchitis	M	22	1	16	.	18	1	8	.
		F	10	.	6	.	12	.	3	.
B 46b	Bronchiectasis	M	2	.	1	.	3	.	2	.
		F	.	.	2	1	.	.	.	.
B 46c	Other diseases of respiratory system	M	3	.	1	.	5	.	2	.
		F	6	.	2	.	4	.	2	.
B 33	Ulcer of stomach and duodenum	M	.	.	7	.	6	.	3	.
		F	2	.	.	.	3	.	.	.
B 34	Appendicitis	M	.	.	.	.	.	.	1	.
		F	2	.	.	.	4	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	.	.	1	.	1	.
		F	.	.	2	.	.	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	1	.	1	.	1	.
		F	1	.	.	.	4	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	.	.	2	.	3	.	.	.
		F	.	.	1	.	2	.	1	.
B 46d	Other diseases of digestive system	M	1	.	2	.	1	.	.	.
		F	.	.	1	.	4	.	2	.
B 38	Nephritis and nephrosis	M	5	.	5	.	9	.	4	.
		F	2	.	5	.	5	2	1	.
B 39	Hyperplasia of prostate	M	5	.	4	.	10	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	.	.	.	.
B 41	Congenital malformations	M	2	.	4	.	9	.	6	.
		F	8	.	8	.	3	.	4	.
B 42	Birth injuries, asphyxia and atelectasis	M	1	.	3	.	10	.	5	.
		F	9	.	1	.	8	.	.	.
B 43	Infections of the newborn	M	.	.	1	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	3	.	3	.	6	.	4	.
		F	2	.	3	.	4	.	1	.
B 45a	Senility without psychosis	M	20	15	15	4	49	18	2	.
		F	37	23	21	9	59	24	16	2
B 45b	Ill-defined and unknown causes	M	7	.	.	.	19	4	.	.
		F	15	.	3	2	7	1	3	.
B 46e	All other diseases	M	11	.	10	.	24	1	8	.
		F	7	.	13	.	37	2	8	.
	External Causes									
B 47	Motor vehicle accidents	M	4	.	2	.	6	.	3	.
		F	.	.	1	.	3	.	.	.
B 48	All other accidents	M	7	.	9	.	8	.	10	.
		F	5	.	2	.	10	1	2	.
B 49	Suicide and self-inflicted injury	M	1	.	4	.	1	.	.	.
		F	.	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 21 - DEATHS REGISTERED IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
	All Causes	M F	2,912 2,737	227 138	24 27	24 17	40 19	31 23	114 67	210 167	614 332	803 641	825 1,306
B 1	Tuberculosis of respiratory system	M F	52 16	.	.	.	.	1	9 1	4 3	16 4	16 7	6 1
B 2	Tuberculosis, other forms	M F	2 1	.	.	.	.	1	.	1	.	1	.
B 3	Syphilis and its sequelae	M F	3	.	.	.	.	.	1	.	.	1	1
B 4	Typhoid fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	.	.	.	.	.	.	.	.	.	.	.
B 8	Diphtheria	M F	1	.	1	.	.	.	.	.	.	.	.
B 9	Whooping cough	M F	.	.	.	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M F	1	.	1	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M F	.	.	.	.	.	.	.	.	.	.	.
B 14	Measles	M F	1	.	1	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	7 1	2	.	1	1	.	.	1 1	.	.	2
B 18a	Malignant neoplasms: of stomach	M F	65 77	.	.	.	.	.	3 3	4 8	20 14	23 26	15 26
B 18b	of other digestive organs and peritoneum	M F	123 148	.	.	.	.	3	6 6	7 20	23 26	46 37	41 56
B 18c	of respiratory system	M F	230 33	.	1	.	.	.	3 3	27 2	85 7	88 13	26 8
B 18d	of breast	M F	75	.	.	.	.	3	9	20	15	13	15
B 18e	of genito-urinary system	M F	61 79	.	1 1	.	.	.	1 3	8 16	24 15	27 20	27 24
B 18f	of lymphatic and haematopoietic tissues	M F	30 37	1	1	2 3	3 4	2 1	2 4	2	7 13	7 10	4 1
B 18g	other	M F	64 34	.	1	3	1 1	1 1	5	7 5	13 8	17 12	17 6
B 19	Benign and unspecified neoplasms	M F	17 8	.	1	1	1	1	2	1	4 1	4 1	5 3
B 20	Diabetes mellitus	M F	17 34	.	.	.	.	.	1 1	1 1	3 2	8 9	4 21
B 21	Anaemias	M F	7 12	1	.	.	.	.	1 1	.	2 3	2 4	1 4
B 22	Vascular lesions affecting central nervous system	M F	231 433	.	1	1 1	3	3	4 7	15 19	50 44	68 99	89 260
B 23	Non-meningococcal meningitis	M F	10 3	4 1	1 1	1	.	.	.	.	2	2	1
B 24	Rheumatic fever	M F	1 1	.	.	.	.	.	.	1 1	.	.	.
B 25	Chronic rheumatic heart disease	M F	16 39	.	.	.	1 2	3 3	2	4 8	2 12	3 10	1 4
B 26a	Chronic endocarditis	M F	16 15	.	.	.	.	1	.	1 2	2	5 2	7 11
B 26b	Coronary and arterio-sclerotic heart disease	M F	631 418	.	.	.	.	5	33 6	75 19	178 67	175 121	165 205

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M F	88 154	. .	. .	. .	1 .	1 .	2 .	. 3	7 3	17 23	60 125
B 27	Other diseases of heart	M F	87 127	. .	. .	. .	1 1	1 1	1 2	2 10	8 35	30 77	46 77
B 28	Hypertension with heart disease	M F	39 57	. .	. .	. .	. .	. .	2 .	1 .	11 5	13 14	12 38
B 29	Hypertension without mention of heart	M F	42 30	. .	. .	. .	1 1	2 .	5 2	7 1	10 5	17 21	17 21
B 46a	Other diseases of circulatory system	M F	71 86	. .	. .	. .	. .	5 .	4 4	8 3	20 14	34 65	34 65
B 30	Influenza	M F	6 9	1 .	. .	1 1	1 1	. .	. 1	1 .	. 2	3 4	3 4
B 31	Pneumonia	M F	161 175	20 11	1 6	2 2	2 1	1 .	3 4	6 8	13 8	46 31	70 109
B 32	Bronchitis	M F	250 156	1 1	. .	1 1	. .	1 1	2 4	14 7	73 19	85 42	75 81
B 46b	Bronchiectasis	M F	4 4	. .	. .	. .	. .	. .	. .	. .	. .	2 3	2 1
B 46c	Other diseases of respiratory system	M F	50 50	. .	1 1	. .	1 .	. .	1 .	2 .	10 7	19 16	17 25
B 33	Ulcer of stomach and duodenum	M F	29 13	. .	. .	. .	1 .	. .	1 .	1 1	6 3	13 2	8 7
B 34	Appendicitis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
B 35	Intestinal obstruction and hernia	M F	14 9	1 .	1 .	1 .	1 .	. .	1 .	. .	4 1	2 2	3 6
B 36	Gastritis and enteritis (except of newborn)	M F	15 21	12 7	1 1	. .	. .	. .	1 .	1 .	. .	5 .	1 7
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M F	25 10	25 10	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 37	Cirrhosis of liver	M F	21 3	. .	. .	. .	. .	. .	2 .	3 1	4 1	10 1	2 .
B 46d	Other diseases of digestive system	M F	14 24	. .	. .	. .	. .	. .	2 .	1 2	3 7	4 6	4 9
B 38	Nephritis and nephrosis	M F	27 22	1 .	. .	. .	1 .	1 .	3 1	2 1	5 4	3 9	11 7
B 39	Hyperplasia of prostate	M	5	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	3 .
B 40	Deliveries and complications of pregnancy and childbirth	F	3	. .	. .	. .	1 .	2 .	. .	. .	. .	. .	. .
B 41	Congenital malformations	M F	55 52	46 39	5 4	2 3	2 .	1 .	. 1	. .	2 .	1 .	. 1
B 42	Birth injuries, asphyxia and atelectasis	M F	39 23	39 23	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 43	Infections of the newborn	M F	25 12	25 12	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 44	Other diseases of early infancy	M F	57 32	57 32	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 45a	Senility without psychosis	M F	9 14	. .	. .	. .	. .	. .	. .	. .	. .	1 2	8 12
B 45b	Ill-defined and unknown	M F	13 12	. .	1 .	. .	. .	. .	1 .	. .	2 2	4 4	6 5
B 46e	All other diseases	M F	89 100	6 4	2 2	3 1	3 3	3 3	5 7	6 7	24 17	23 23	14 33

TABLE 21 (contd.) - DEATHS REGISTERED IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M F	2,826 2,763	169 137	24 23	28 18	30 14	36 36	73 61	200 180	312 322	795 656	969 1,320
B 1	Tuberculosis of respiratory system	M F	37 16	. .	. .	. .	. .	2 2	6 6	8 6	10 3	9 2	4 1
B 2	Tuberculosis, other forms	M F	5 3	. .	1 .	1 .	. .	1 .	. .	. .	2 1	1 .	1 .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	7 8	2 1	. .	1 .	. .	. .	1 1	. .	3 2	1 .	2 2
B 18a	Malignant neoplasms:- of stomach	M F	73 51	. .	. .	. .	. .	1 1	. 1	7 5	23 10	20 15	22 19
B 18b	of other digestive organs and peritoneum	M F	127 119	. .	. .	1 .	1 1	1 1	6 2	12 12	30 20	45 30	32 53
B 18c	of respiratory system	M F	112 45	. .	. .	. .	. .	. .	2 2	15 9	38 9	42 21	15 4
B 18d	of breast	M F	61 .	. .	. .	. .	. .	1 .	12 .	16 .	12 .	12 .	8 .
B 18e	of genito-urinary system	M F	42 55	. .	. .	. .	. .	2 .	2 .	18 .	8 9	14 14	20 10
B 18f	of lymphatic and haematopoietic tissues	M F	29 27	1 .	2 1	1 3	2 1	. 2	1 3	5 3	5 6	6 6	6 2
B 18g	other	M F	41 47	. .	. .	2 1	1 1	1 .	3 .	5 8	10 8	9 13	10 16
B 19	Benign and unspecified neoplasms	M F	13 14	. .	. 1	. .	. .	. 2	. 1	2 1	6 5	5 2	. 2
B 20	Diabetes mellitus	M F	16 17	. .	. .	. .	. .	1 .	. .	. 1	3 2	9 8	3 6
B 21	Anaemias	M F	13 28	. .	. .	1 .	. .	1 1	1 3	. 4	. 2	7 5	4 12
B 22	Vascular lesions affecting central nervous system	M F	279 439	. .	. .	1 1	1 1	. 2	4 6	12 21	44 45	80 110	137 253
B 23	Non-meningococcal meningitis	M F	3 5	2 1	. 2	. 1	. .	. .	. .	1 1	. .	. .	. .
B 24	Rheumatic fever	M F	1 2	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	1 .
B 25	Chronic rheumatic heart disease	M F	20 34	. .	. .	. .	1 2	4 4	. 3	8 6	. 4	3 9	4 6
B 26a	Chronic endocarditis	M F	18 15	. .	. .	1 .	. .	1 .	2 1	. 1	3 1	7 5	5 6
B 26b	Coronary and arterio-sclerotic heart disease	M F	637 392	. .	. .	. .	. .	1 .	17 2	62 15	168 71	227 134	163 169

TABLE 21 (contd.) - DEATHS REGISTERED IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

REMAINING URBAN DISTRICTS													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M	182	.	.	.	.	.	1	.	13	53	115
		F	259	.	.	.	.	.	1	3	9	35	211
B 27	Other diseases of heart	M	93	.	.	.	.	.	1	4	14	23	51
		F	109	.	.	.	.	1	3	4	14	29	58
B 28	Hypertension with heart disease	M	41	.	.	.	.	.	1	3	3	17	17
		F	57	.	.	.	.	.	1	.	2	19	35
B 29	Hypertension without mention of heart	M	26	.	.	.	1	.	2	2	8	6	8
		F	28	.	.	.	1	.	.	3	3	9	12
B 46a	Other diseases of circulatory system	M	96	.	.	.	1	.	1	2	8	20	65
		F	139	.	.	.	1	.	2	6	7	34	89
B 30	Influenza	M	7	.	1	.	.	.	.	1	.	1	4
		F	7	.	1	.	.	.	.	.	1	1	4
B 31	Pneumonia	M	124	12	3	1	.	3	5	6	17	28	49
		F	127	10	2	2	.	2	1	5	7	34	64
B 32	Bronchitis	M	187	.	.	.	1	.	3	11	33	79	60
		F	90	1	.	.	.	.	1	2	18	27	41
B 46b	Bronchiectasis	M	9	.	.	.	.	.	.	1	4	2	2
		F	9	.	.	.	.	.	.	.	2	3	4
B 46c	Other diseases of respiratory system	M	24	.	.	.	.	.	1	3	3	9	8
		F	19	2	.	.	.	.	.	1	1	7	8
B 33	Ulcer of stomach and duodenum	M	27	.	.	.	.	1	1	2	9	6	8
		F	9	.	.	.	.	.	.	.	2	1	6
B 34	Appendicitis	M	3	.	.	1	.	.	.	.	1	.	1
		F	4	.	.	1	.	.	.	.	.	.	3
B 35	Intestinal obstruction and hernia	M	13	1	.	.	.	1	.	4	1	2	4
		F	14	.	.	.	.	.	.	.	2	5	7
B 36	Gastritis and enteritis (except of newborn)	M	17	11	2	.	.	.	.	2	.	1	1
		F	14	4	1	.	.	.	1	.	1	3	4
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	15	13	2	.	.	.	.	.	.	.	.
		F	6	6	.	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	6	.	.	.	.	.	.	1	5	.	.
		F	8	.	.	.	.	.	.	2	3	2	1
B 46d	Other diseases of digestive system	M	16	.	2	.	.	.	.	5	2	4	3
		F	11	.	.	.	.	.	.	2	4	2	3
B 38	Nephritis and nephrosis	M	28	.	1	1	2	3	2	2	6	4	8
		F	33	.	1	.	1	3	1	3	2	9	13
B 39	Hyperplasia of prostate	M	26	.	.	.	.	.	.	.	1	8	17
B 40	Deliveries and complications of pregnancy and childbirth	F	2	.	.	.	1	.	1	.	.	.	.
B 41	Congenital malformations	M	45	32	4	3	.	1	1	1	3	.	.
		F	47	38	5	1	1	.	.	2	.	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	43	43	.	.	.	.	.	.	.	.	.
		F	28	28	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	7	7	.	.	.	.	.	.	.	.	.
		F	11	11	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	51	51	.	.	.	.	.	.	.	.	.
		F	34	34	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	62	.	.	.	.	.	.	.	.	.	62
		F	97	.	.	.	.	.	.	.	.	2	95
B 45b	Ill-defined and unknown causes	M	23	2	.	.	.	.	.	1	2	6	12
		F	38	.	.	.	.	.	.	.	2	4	32
B 46e	All other diseases	M	87	.	2	2	6	2	4	3	18	28	22
		F	120	3	2	1	2	4	6	14	21	35	32
External Causes													
B 47	Motor vehicle accidents	M	38	.	2	3	9	7	2	3	2	7	3
		F	17	.	2	1	1	3	1	2	1	4	2
B 48	All other accidents	M	64	4	5	9	5	8	2	6	6	7	12
		F	48	4	4	.	.	2	1	4	5	4	24
B 49	Suicide and self-inflicted injury	M	6	.	.	.	1	1	4	.	.	.	.
		F	4	.	.	.	.	.	.	.	4	.	.
B 50	Homicide and operations of war	M	1	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1965, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

RURAL DISTRICTS													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M F	12,227 9,557	526 407	66 65	72 50	127 52	109 65	277 189	765 506	1,625 926	3,155 2,171	5,505 5,126
B 1	Tuberculosis of respiratory system	M F	117 64	• •	• 1	• •	• 1	2 5	7 15	20 9	32 12	42 11	14 10
B 2	Tuberculosis, other forms	M F	13 8	• •	• •	2 •	• •	1 1	5 1	2 1	5 2	• 1	• •
B 3	Syphilis and its sequelae	M F	2 •	1 •	• •	• •	• •	• •	• •	• •	• •	1 •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• 1	• •	• •	• •	• •	1 •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	3 •	2 •	• •	• •	1 •	• •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	2 •	1 •	1 •	• •	• •	• •	• •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	3 4	• 1	1 3	2 •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	32 15	4 2	3 •	1 1	• •	2 •	2 •	1 •	6 4	6 2	7 6
B 18a	Malignant neoplasms:- of stomach	M F	328 228	• •	• •	• •	• •	4 •	5 4	40 17	67 38	114 74	98 95
B 18b	of other digestive organs and peritoneum	M F	514 385	• •	• •	• •	1 2	8 1	15 7	45 33	72 67	170 148	203 127
B 18c	of respiratory system	M F	284 92	• •	• •	• •	1 •	• 1	9 4	31 21	104 26	107 25	32 15
B 18d	of breast	M F	1 252	• •	• •	• •	• •	• 3	• 21	• 47	• 67	• 58	1 56
B 18e	of genito-urinary system	M F	253 165	• •	1 1	• 2	1 •	• •	2 10	13 30	27 28	105 54	104 40
B 18f	of lymphatic and haematopoietic tissues	M F	134 63	1 1	2 2	8 1	8 3	6 5	11 6	18 11	30 10	35 13	15 11
B 18g	other	M F	229 166	1 •	2 2	6 2	5 4	8 5	12 11	16 22	32 32	63 30	84 58
B 19	Benign and unspecified neoplasms	M F	33 26	• 1	• •	• •	1 •	• •	2 3	7 3	7 3	9 7	7 9
B 20	Diabetes mellitus	M F	61 103	• •	• 1	1 1	1 1	• 2	2 2	5 3	7 14	19 35	26 44
B 21	Anaemias	M F	38 57	• •	• 1	• •	1 2	• •	1 1	3 2	5 7	15 19	13 25
B 22	Vascular lesions affecting central nervous system	M F	1,438 1,519	• 1	• •	• 3	3 1	6 5	19 17	48 59	166 114	361 398	835 921
B 23	Non-meningococcal meningitis	M F	6 10	2 3	1 3	1 •	• •	• •	• 1	2 •	• •	• 3	• •
B 24	Rheumatic fever	M F	3 1	• •	1 •	• •	• •	• •	• 1	• •	1 •	1 •	• •
B 25	Chronic rheumatic heart disease	M F	114 90	• •	• •	• •	3 2	4 4	11 6	18 14	21 20	21 19	36 25
B 26a	Chronic endocarditis	M F	103 86	• •	• •	• •	1 •	1 •	2 2	8 7	21 9	32 21	38 47
B 26b	Coronary and arterio-sclerotic heart disease	M F	2,282 1,176	• •	• •	• •	3 2	8 3	37 13	217 61	468 169	790 404	759 524

TABLE 21 (contd.) - DEATHS REGISTERED IN 1963, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M	1,360	.	.	.	.	1	2	25	60	263	1,009
		F	1,079	.	.	.	.	3	3	11	37	178	850
B 27	Other diseases of heart	M	510	.	.	1	1	.	6	14	51	145	292
		F	487	.	.	.	.	3	4	14	28	119	319
B 28	Hypertension with heart disease	M	184	.	.	.	.	.	.	4	15	65	100
		F	195	.	.	.	.	.	.	4	16	54	121
B 29	Hypertension without mention of heart	M	108	.	.	.	.	1	6	13	19	32	37
		F	109	.	.	.	.	1	.	9	12	30	57
B 46a	Other diseases of circulatory system	M	379	.	.	.	.	1	6	6	22	74	270
		F	312	.	.	.	1	4	4	6	13	47	237
B 30	Influenza	M	61	.	1	.	1	2	3	2	8	14	30
		F	44	.	.	.	.	.	1	.	4	9	30
B 31	Pneumonia	M	463	53	6	6	4	5	13	24	43	112	197
		F	343	34	12	6	3	1	2	18	30	75	162
B 32	Bronchitis	M	512	.	.	.	.	2	5	23	93	167	222
		F	256	1	.	.	.	.	2	14	32	67	140
B 46b	Bronchiectasis	M	29	.	.	.	1	1	.	8	4	6	9
		F	17	.	.	.	2	.	1	3	1	4	6
B 46c	Other diseases of respiratory system	M	86	1	.	.	.	.	.	11	23	22	29
		F	91	3	2	.	.	1	1	7	5	13	59
B 33	Ulcer of stomach and duodenum	M	100	1	.	.	1	.	4	8	25	26	35
		F	40	.	.	.	.	.	.	3	10	14	13
B 34	Appendicitis	M	9	.	1	.	.	.	1	1	3	2	1
		F	13	.	.	1	.	.	1	1	2	4	4
B 35	Intestinal obstruction and hernia	M	60	5	1	1	.	1	2	2	7	20	21
		F	48	.	.	1	.	.	.	2	7	16	22
B 36	Gastritis and enteritis (except of newborn)	M	51	15	6	1	.	.	1	2	4	8	14
		F	46	15	3	.	1	1	.	3	5	7	11
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	27	23	4	.	.	.	.	.	.	.	.
		F	20	18	2	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	32	.	.	.	1	.	1	4	13	7	6
		F	19	.	.	.	.	.	3	4	4	4	4
B 46d	Other diseases of digestive system	M	41	1	.	1	.	1	2	3	7	15	11
		F	61	1	1	1	.	.	1	4	14	16	23
B 38	Nephritis and nephrosis	M	137	1	.	.	7	5	7	16	16	43	42
		F	90	.	.	1	4	2	4	10	17	21	31
B 39	Hyperplasia of prostate	M	125	.	.	.	.	.	.	1	4	21	99
B 40	Deliveries and complications of pregnancy and childbirth	F	13	.	.	.	4	5	4	.	.	.	.
B 41	Congenital malformations	M	146	114	12	10	1	1	3	3	2	.	.
		F	139	111	14	6	1	1	4	1	1	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	116	116	.	.	.	.	.	.	.	.	.
		F	104	104	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	39	39	.	.	.	.	.	.	.	.	.
		F	24	24	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	136	136	.	.	.	.	.	.	.	.	.
		F	83	83	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	543	.	.	.	.	.	.	.	.	16	527
		F	743	.	.	.	.	.	.	.	.	20	723
B 45b	Ill-defined and unknown causes	M	141	2	.	.	2	.	2	5	15	29	86
		F	92	2	.	.	1	.	1	3	5	23	57
B 46e	All other diseases	M	395	10	14	8	15	8	26	29	57	105	123
		F	359	8	9	11	9	7	23	30	46	92	124
External Causes													
B 47	Motor vehicle accidents	M	160	.	6	9	29	11	21	28	24	19	13
		F	35	.	4	8	5	2	2	5	5	3	1
B 48	All other accidents	M	271	20	7	16	32	17	18	30	31	45	55
		F	200	11	6	3	2	1	3	13	10	32	119
B 49	Suicide and self-inflicted injury	M	36	.	.	.	1	3	5	9	8	7	3
		F	1	.	.	.	.	.	.	1	.	.	.
B 50	Homicide and operations of war	M	4	.	.	.	1	.	1	.	.	1	2
		F	3	1	.	.	.	.	.	.	.	1	.

TABLE 22 - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PLACE OF OCCURRENCE.

Area		Total deaths	Place of occurrence			
			General and Special Hos- pitals and Nursing Homes	Mental Hospitals	Local Authority Institutions	Domiciliary
Total	M	17,963	2,143	397	6,033	8,190
	F	15,057	2,652	536	4,774	7,095
LEINSTER	M	7,800	2,072	276	2,178	3,274
	F	6,721	1,664	267	1,846	2,944
MUNSTER	M	5,799	771	168	2,226	2,634
	F	4,901	719	149	1,768	2,265
CONNACHT	M	2,892	206	117	1,118	1,451
	F	2,266	206	93	783	1,184
ULSTER (part of)	M	1,474	96	36	511	831
	F	1,169	63	27	377	702
LEINSTER						
Carlow	M	201	26	8	69	98
	F	168	18	7	71	72
Dublin County Borough	M	2,912	1,188	102	554	1,068
	F	2,737	933	115	585	1,104
Dun Laoghaire Borough	M	266	94	11	34	127
	F	332	156	15	38	123
Dublin County (remainder)	M	595	210	20	101	264
	F	538	191	29	95	223
Kildare	M	393	74	15	129	175
	F	312	52	5	100	155
Kilkenny	M	409	26	18	181	184
	F	348	34	16	154	144
Laois	M	279	31	13	108	127
	F	218	15	2	89	112
Longford	M	242	24	7	111	100
	F	177	23	5	77	72
Louth	M	419	103	17	161	138
	F	319	60	8	110	141
Meath	M	441	79	8	122	232
	F	325	49	16	100	160
Offaly	M	330	18	8	140	164
	F	244	16	5	94	129
Westmeath	M	328	39	16	155	118
	F	263	21	10	130	102
Wexford	M	566	59	22	194	291
	F	440	40	16	120	264
Wicklow	M	419	101	11	119	188
	F	300	56	18	83	143
MUNSTER						
Clare	M	584	52	20	243	269
	F	460	49	12	205	194
Cork County Borough	M	535	168	16	135	216
	F	483	150	11	114	208
Cork County	M	1,711	254	43	619	795
	F	1,405	240	29	449	687
Kerry	M	800	71	19	330	380
	F	656	63	31	230	332
Limerick County Borough	M	264	52	6	118	88
	F	271	54	11	132	74
Limerick County	M	584	45	12	260	267
	F	433	22	13	184	214
Tipperary, North Riding	M	350	22	11	138	179
	F	291	23	6	127	135
Tipperary, South Riding	M	472	48	16	197	211
	F	434	71	15	171	177
Waterford County Borough	M	184	25	8	54	97
	F	206	23	8	51	124
Waterford County	M	315	34	17	132	132
	F	262	24	13	105	120
CONNACHT						
Galway	M	897	105	57	323	412
	F	660	105	32	215	308
Leitrim	M	293	19	16	97	161
	F	205	16	5	70	114
Mayo	M	835	39	17	348	431
	F	721	46	31	257	387
Roscommon	M	476	21	15	191	249
	F	361	22	19	125	195
Sligo	M	391	22	12	159	198
	F	319	17	6	116	180
ULSTER (part of)						
Cavan	M	413	18	10	180	205
	F	314	18	9	125	162
Donegal	M	759	45	22	198	494
	F	589	24	12	143	410
Monaghan	M	302	33	4	133	132
	F	266	21	6	109	130

TABLE 24 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis of respiratory system	M	206	.	.	.	.	3	22	32	58	67	24
	F	96	.	1	.	1	7	18	18	19	20	12
Tuberculosis, other forms	M	20	.	1	1	1	.	5	3	7	2	.
	F	12	.	.	2	.	3	1	1	3	1	1
Other infective and parasitic diseases	M	62	13	7	4	2	2	3	2	9	8	12
	F	32	4	5	2	.	1	1	1	6	3	9
Malignant neoplasms	M	2,740	4	9	23	23	32	86	254	602	935	772
	F	2,239	1	9	12	17	30	113	323	440	644	650
Vascular lesions affecting central nervous system	M	1,948	.	1	2	4	9	27	75	260	509	1,061
	F	2,391	1	.	5	5	7	30	99	203	607	1,434
Diseases of the heart	M	6,157	.	.	1	11	29	117	438	1,016	1,794	2,751
	F	4,480	.	.	1	9	20	45	170	454	1,144	2,637
Other diseases of the circulatory system	M	991	.	1	1	.	3	25	41	102	258	560
	F	1,017	.	.	.	3	6	8	35	63	226	676
Diseases of the respiratory system	M	1,973	88	13	9	11	14	32	112	325	592	777
	F	1,397	63	24	12	6	6	17	62	135	334	738
Senility	M	614	.	.	.	.	.	.	.	.	17	597
	F	854	.	.	.	.	.	.	.	.	24	830
Other diseases	M	2,558	783	56	37	46	30	82	129	289	477	629
	F	2,147	589	53	32	33	33	75	113	224	403	592
Accidents and other external causes	M	696	34	26	46	99	54	65	89	83	94	106
	F	392	24	23	16	11	10	9	31	33	62	173
All causes	M	17,965	922	114	124	197	176	464	1,175	2,751	4,753	7,289
	F	15,057	682	115	82	85	123	317	853	1,580	3,468	7,752
LEINSTER												
Tuberculosis of respiratory system	M	97	.	.	.	.	2	14	9	35	26	11
	F	44	.	.	.	.	2	8	9	10	12	3
Tuberculosis, other forms	M	8	.	.	1	.	.	2	2	1	2	.
	F	2	.	.	.	.	2	.	.	.	.	.
Other infective and parasitic diseases	M	26	5	3	1	2	1	2	1	4	3	4
	F	13	2	3	.	.	.	1	1	2	2	2
Malignant neoplasms	M	1,305	2	3	12	8	13	50	127	304	440	346
	F	1,054	1	6	5	7	14	60	157	223	287	294
Vascular lesions affecting central nervous system	M	765	.	1	1	.	5	15	32	133	208	370
	F	1,101	.	.	2	3	5	15	50	87	272	667
Diseases of the heart	M	2,557	.	.	.	6	18	71	212	467	741	1,042
	F	1,985	.	.	.	4	7	20	89	223	502	1,140
Other diseases of the circulatory system	M	403	.	1	.	.	1	12	22	50	113	204
	F	478	.	.	.	2	3	2	17	31	116	307
Diseases of the respiratory system	M	989	58	5	5	6	3	14	55	178	300	365
	F	728	28	14	10	3	4	14	26	69	171	389
Senility	M	133	.	.	.	.	.	.	.	.	2	131
	F	145	.	.	.	.	.	.	.	.	6	139
Other diseases	M	1,204	456	29	20	19	18	36	45	146	201	234
	F	974	315	31	11	14	15	35	43	98	158	254
Accidents and other external causes	M	313	17	14	25	59	19	30	41	36	28	44
	F	197	13	13	11	8	4	5	15	18	30	80
All causes	M	7,800	538	56	65	100	80	246	546	1,354	2,064	2,751
	F	6,721	359	67	39	41	56	160	407	761	1,556	3,275

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis of respiratory system	M	75	.	.	.	.	1	6	18	18	26	6
	F	35	.	1	.	1	4	6	5	7	7	4
Tuberculosis, other forms	M	7	.	1	.	.	.	3	.	3	.	.
	F	5	.	.	2	.	1	1	.	1	.	.
Other infective and parasitic diseases	M	23	6	3	2	.	1	1	1	3	2	4
	F	11	1	1	.	.	.	.	.	3	1	5
Malignant neoplasms	M	842	1	3	9	7	9	19	78	178	295	243
	F	723	.	2	7	6	11	29	114	127	209	218
Vascular lesions affecting central nervous system	M	634	.	.	1	2	3	7	25	67	158	371
	F	749	.	.	1	1	1	11	30	65	196	444
Diseases of the heart	M	2,034	.	.	.	3	8	36	135	335	618	899
	F	1,500	.	.	.	2	8	15	53	154	389	879
Other diseases of the circulatory system	M	338	.	.	.	.	1	6	6	30	79	216
	F	330	.	.	.	1	3	5	7	18	67	229
Diseases of the respiratory system	M	596	16	5	1	2	4	11	34	102	186	235
	F	402	19	7	2	.	1	3	21	44	93	212
Senility	M	235	.	.	.	.	.	.	.	.	7	228
	F	341	.	.	.	.	.	.	.	.	6	335
Other diseases	M	777	221	17	14	14	8	21	43	82	152	205
	F	676	175	16	11	10	11	22	45	65	144	177
Accidents and other external causes	M	238	10	8	14	25	23	24	33	24	46	31
	F	129	4	8	4	3	4	3	10	10	24	59
All causes	M	5,799	254	37	41	53	58	134	373	842	1,569	2,438
	F	4,901	199	35	27	24	44	95	285	494	1,136	2,562
CONNACHT												
Tuberculosis of respiratory system	M	17	.	.	.	.	.	1	3	2	10	1
	F	11	.	.	.	.	1	1	4	1	.	4
Tuberculosis, other forms	M	2	.	.	.	.	.	.	1	1	.	.
	F	4	.	.	.	.	.	.	1	1	1	1
Other infective and parasitic diseases	M	7	1	1	1	.	.	.	.	.	2	2
	F	7	1	1	1	.	1	.	.	1	.	2
Malignant neoplasms	M	376	.	1	1	3	4	12	32	69	140	114
	F	312	.	1	.	3	3	16	33	59	98	99
Vascular lesions affecting central nervous system	M	350	.	.	.	2	1	3	15	40	97	192
	F	333	1	.	2	1	1	1	11	33	82	201
Diseases of the heart	M	1,049	.	.	.	2	3	6	65	147	290	536
	F	644	.	.	.	2	3	7	18	49	162	403
Other diseases of the circulatory system	M	173	.	.	.	.	1	6	7	10	45	104
	F	135	.	.	.	.	.	1	9	8	30	87
Diseases of the respiratory system	M	250	10	2	3	3	3	6	14	25	76	108
	F	173	12	3	.	2	1	.	9	14	52	80
Senility	M	180	.	.	.	.	.	.	.	.	8	172
	F	272	.	.	.	.	.	.	.	.	11	261
Other diseases	M	386	58	6	3	10	3	16	35	41	92	122
	F	328	67	3	8	8	5	16	17	38	64	102
Accidents and other external causes	M	102	6	2	6	9	7	9	10	15	15	23
	F	47	7	2	1	.	1	1	5	2	4	24
All causes	M	2,692	75	12	14	29	22	59	182	350	775	1,374
	F	2,266	88	10	12	16	16	43	107	206	504	1,264

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis of respiratory system	M	17	.	.	.	.	.	1	2	3	5	6
	F	6	.	.	.	.	.	3	.	1	1	1
Tuberculosis, other forms	M	3	.	.	.	1	.	.	.	2	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	6	1	.	.	.	.	.	.	2	1	2
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	217	1	2	1	5	6	5	17	51	60	69
	F	150	.	.	.	1	2	8	19	31	50	39
Vascular lesions affecting central nervous system	M	199	.	.	.	.	.	2	3	20	46	128
	F	208	.	.	.	.	.	3	8	18	57	122
Diseases of the heart	M	517	.	.	1	.	.	4	26	67	145	274
	F	351	.	.	1	1	2	3	10	28	91	215
Other diseases of the circulatory system	M	77	.	.	1	.	.	1	6	12	21	36
	F	74	.	.	.	.	.	.	2	6	13	53
Diseases of the respiratory system	M	138	4	1	.	.	4	1	9	20	30	69
	F	94	4	.	.	1	.	.	6	8	18	57
Senility	M	66	.	.	.	.	.	.	.	.	1	66
	F	96	.	.	.	.	.	.	.	.	.	95
Other diseases	M	191	48	4	.	3	1	9	6	20	32	68
	F	169	32	3	2	1	2	2	8	23	37	59
Accidents and other external causes	M	43	1	2	1	6	5	2	5	8	5	8
	F	19	.	.	.	.	1	.	1	3	4	10
All causes	M	1,474	55	9	4	15	16	25	74	205	345	726
	F	1,169	36	3	4	4	7	19	54	119	272	651
COUNTY CARLOW												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	3	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	1	.	.	.	.	.	.	1	.
Malignant neoplasms	M	37	.	.	.	.	.	.	5	8	13	11
	F	19	.	.	.	.	.	.	6	3	4	6
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	1	1	3	6	17
	F	32	.	.	.	.	.	.	.	3	6	23
Diseases of the heart	M	66	.	.	.	1	.	.	4	10	20	31
	F	56	.	.	.	.	.	.	.	9	13	34
Other diseases of the circulatory system	M	2	.	.	.	.	.	.	.	.	.	2
	F	11	.	.	.	.	.	.	.	.	6	5
Diseases of the respiratory system	M	19	4	1	.	.	.	.	2	3	6	3
	F	8	.	.	.	.	.	1	1	.	2	4
Senility	M	5	.	.	.	.	.	.	.	.	.	5
	F	5	.	.	.	.	.	.	.	.	1	4
Other diseases	M	36	16	.	2	.	.	2	1	2	3	10
	F	31	13	2	.	.	1	1	1	1	4	8
Accidents and other external causes	M	5	.	.	.	2	1	1	1	.	.	.
	F	4	.	.	1	.	.	.	.	1	1	1
All causes	M	201	20	1	2	3	1	4	14	29	48	79
	F	168	13	3	1	.	1	2	8	17	38	85

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	52	.	.	.	.	1	9	4	16	16	6
	F	16	.	.	.	.	.	1	3	4	7	1
Tuberculosis, other forms	M	2	.	.	.	.	.	.	1	.	1	.
	F	1	.	.	.	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	12	2	2	1	1	.	1	1	.	1	3
	F	2	.	1	.	.	.	.	1	.	.	.
Malignant neoplasms	M	573	1	2	5	4	3	20	47	156	205	130
	F	483	.	3	3	5	8	28	71	98	131	136
Vascular lesions affecting central nervous system	M	231	.	1	1	.	3	4	15	50	68	89
	F	433	.	.	1	3	.	7	19	44	99	260
Diseases of the heart	M	838	.	.	.	2	10	38	82	197	230	279
	F	753	.	.	.	3	4	7	34	92	191	422
Other diseases of the circulatory system	M	153	.	.	.	.	1	9	11	26	43	63
	F	174	.	.	.	.	1	.	7	9	33	124
Diseases of the respiratory system	M	471	22	2	2	4	1	2	22	97	152	167
	F	394	12	7	4	1	2	8	12	34	94	220
Senility	M	9	.	.	.	.	.	.	.	.	1	8
	F	14	.	.	.	.	.	.	.	.	2	12
Other diseases	M	455	192	11	7	7	5	19	14	60	78	62
	F	383	118	9	5	5	5	14	14	43	66	104
Accidents and other external causes	M	116	10	6	8	22	7	12	13	12	8	18
	F	84	8	7	4	2	2	2	6	8	18	27
All causes	M	2,912	227	24	24	40	31	114	210	614	803	825
	F	2,737	138	27	17	19	23	67	167	332	641	1,306
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	1	1	1	1
	F	2	.	.	.	.	1	1	.	.	.	.
Tuberculosis, other forms	M	2	.	.	1	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Malignant neoplasms	M	38	.	.	.	.	1	1	3	5	12	16
	F	39	.	.	.	.	1	2	9	10	7	10
Vascular lesions affecting central nervous system	M	28	.	.	.	.	.	.	1	6	9	12
	F	58	.	.	.	.	.	1	2	2	9	44
Diseases of the heart	M	97	.	.	.	.	.	1	13	13	29	41
	F	103	.	.	.	.	1	1	5	8	28	60
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	1	2	2	5
	F	31	.	.	.	.	.	.	3	.	6	22
Diseases of the respiratory system	M	39	2	.	.	1	.	.	.	5	16	15
	F	27	3	.	.	.	1	.	.	.	8	15
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	1	.	.	.	.	.	.	.	.	.	1
Other diseases	M	34	11	1	.	.	1	1	1	1	9	9
	F	58	13	4	1	.	.	2	2	6	10	20
Accidents and other external causes	M	10	1	1	.	1	1	1	.	.	2	3
	F	12	.	.	.	.	.	1	2	2	1	6
All causes	M	266	14	2	1	2	3	5	20	33	81	105
	F	332	16	4	1	.	4	9	23	28	69	178

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis of respiratory system	M	8	.	.	.	.	.	.	1	3	2	2
	F	3	.	.	.	.	.	1	1	.	.	1
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	5	1	1	.	1	1	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	105	.	.	.	.	2	4	15	24	34	26
	F	100	1	1	1	.	.	10	11	22	34	20
Vascular lesions affecting central nervous system	M	51	.	.	.	.	.	3	3	10	8	27
	F	87	.	.	.	.	1	3	4	1	25	53
Diseases of the heart	M	170	.	.	.	1	.	7	19	33	47	63
	F	144	.	.	.	1	1	2	5	18	30	87
Other diseases of the circulatory system	M	19	.	1	.	.	.	.	1	2	8	7
	F	25	.	.	.	.	.	1	.	2	8	14
Diseases of the respiratory system	M	84	10	1	2	.	1	4	5	9	21	31
	F	63	1	1	.	.	.	.	6	11	8	36
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	8	.	.	.	.	.	.	.	.	1	7
Other diseases	M	110	53	4	2	2	3	5	3	10	11	17
	F	85	46	2	1	.	.	5	2	6	9	14
Accidents and other external causes	M	40	3	2	5	13	2	5	5	2	.	3
	F	23	1	.	2	1	1	.	3	3	3	9
All causes	M	595	67	9	9	17	9	28	52	94	132	178
	F	538	49	4	4	2	3	22	32	63	118	241
COUNTY KILDARE												
Tuberculosis of respiratory system	M	5	.	.	.	.	1	1	.	2	1	.
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	.	1
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	58	.	.	.	.	1	2	5	10	18	22
	F	52	.	.	.	.	2	3	9	11	18	9
Vascular lesions affecting central nervous system	M	38	.	.	.	.	1	1	1	7	12	16
	F	53	.	.	1	.	.	.	2	4	11	35
Diseases of the heart	M	133	.	.	.	.	3	1	12	22	46	49
	F	84	.	.	.	.	.	1	5	7	23	48
Other diseases of the circulatory system	M	17	.	.	.	.	.	.	2	2	4	9
	F	22	.	.	.	1	.	.	1	2	7	11
Diseases of the respiratory system	M	47	1	.	1	.	.	.	4	7	10	24
	F	40	1	.	.	.	.	1	.	6	7	25
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	4	.	.	.	.	.	.	.	.	1	3
Other diseases	M	69	26	.	.	1	.	.	6	13	12	11
	F	45	21	3	.	1	.	1	2	2	8	7
Accidents and other external causes	M	18	.	.	2	5	.	.	4	2	1	4
	F	10	.	1	2	1	.	1	2	1	.	2
All causes	M	393	27	.	3	6	6	5	34	65	104	143
	F	312	23	4	3	3	2	7	21	34	75	140

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	.	1	2	1
	F	3	.	.	.	.	.	1	.	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	3	.	.	.	.	.	.	.	2	.	1
Malignant neoplasms	M	45	.	.	1	.	.	.	8	9	20	7
	F	42	.	.	.	.	.	5	8	7	13	9
Vascular lesions affecting central nervous system	M	42	.	.	.	.	.	.	.	10	9	23
	F	51	.	.	.	.	.	1	5	6	14	25
Diseases of the heart	M	160	.	.	.	.	.	2	8	32	55	63
	F	128	.	.	.	.	.	1	6	18	34	69
Other diseases of the circulatory system	M	25	.	.	.	.	.	.	1	2	8	14
	F	15	.	.	.	.	.	.	1	1	8	5
Diseases of the respiratory system	M	40	2	.	.	.	.	1	1	7	10	19
	F	17	.	.	1	2	1	.	.	4	3	6
Senility	M	34	.	.	.	.	.	.	.	.	1	33
	F	36	.	.	.	.	.	.	.	.	.	36
Other diseases	M	44	16	.	1	1	.	.	2	2	13	9
	F	50	8	1	.	1	.	5	.	7	10	18
Accidents and other external causes	M	14	.	2	2	1	.	.	3	2	4	.
	F	3	.	.	.	.	.	.	.	.	.	3
All causes	M	409	18	2	4	2	.	3	23	66	122	169
	F	348	8	1	1	3	1	13	20	46	83	172
COUNTY LAOIS												
Tuberculosis of respiratory system	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	.	.	.	.	.	.	1	.
	F	1	.	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	42	.	.	1	.	.	3	3	4	16	15
	F	30	.	.	.	.	.	.	2	9	8	11
Vascular lesions affecting central nervous system	M	18	.	.	.	.	.	.	.	2	6	10
	F	26	.	.	.	.	.	.	.	4	13	9
Diseases of the heart	M	115	.	.	.	1	.	5	9	10	38	52
	F	63	.	.	.	.	.	1	3	6	18	35
Other diseases of the circulatory system	M	19	.	.	.	.	1	.	.	.	6	13
	F	29	.	.	.	.	.	.	.	2	4	22
Diseases of the respiratory system	M	19	1	.	.	.	.	.	1	5	8	4
	F	26	.	1	1	.	.	.	.	.	8	16
Senility	M	5	.	.	.	.	.	.	.	.	.	5
	F	8	.	.	.	.	.	.	.	.	.	8
Other diseases	M	48	18	.	1	1	.	2	3	6	8	9
	F	30	9	1	.	.	3	.	1	1	6	9
Accidents and other external causes	M	11	.	.	.	3	2	.	1	1	2	2
	F	4	1	1	.	.	.	.	.	.	.	2
All causes	M	279	20	.	2	5	2	10	17	28	85	110
	F	218	10	4	1	.	4	2	6	22	57	112

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death									
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
COUNTY LONGFORD											
Tuberculosis of respiratory system	M	0	0	0	0	0	0	0	0	0	0
	F	1	0	0	0	0	0	0	1	0	0
Tuberculosis, other forms	M	0	0	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0	0	0
Other infective and parasitic diseases	M	1	1	0	0	0	0	0	0	0	1
	F	1	0	0	0	0	0	0	0	0	1
Malignant neoplasms	M	36	0	0	0	0	2	1	4	5	8
	F	26	0	0	0	0	0	0	3	7	8
Vascular lesions affecting central nervous system	M	29	0	0	0	0	0	1	2	3	10
	F	36	0	0	0	0	0	0	2	0	10
Diseases of the heart	M	89	0	0	0	0	0	8	13	20	48
	F	50	0	0	0	0	1	4	4	11	30
Other diseases of the circulatory system	M	22	0	0	0	0	0	0	1	9	12
	F	21	0	0	0	0	0	0	2	3	16
Diseases of the respiratory system	M	15	1	0	0	0	1	0	3	3	4
	F	2	0	0	0	0	0	1	0	1	0
Senility	M	7	0	0	0	0	0	0	0	0	7
	F	7	0	0	0	0	0	0	0	0	7
Other diseases	M	36	10	2	1	0	0	0	4	5	2
	F	24	5	1	0	1	0	1	3	2	5
Accidents and other external causes	M	7	0	0	0	1	0	0	2	1	1
	F	9	1	0	1	0	0	0	0	1	0
All causes	M	242	12	2	1	1	3	2	23	31	54
	F	177	6	1	1	1	0	2	14	15	39
COUNTY LOUTH											
Tuberculosis of respiratory system	M	2	0	0	0	0	0	1	0	1	0
	F	1	0	0	0	0	1	0	0	0	0
Tuberculosis, other forms	M	0	0	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0	0	0
Other infective and parasitic diseases	M	0	0	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms	M	85	0	0	1	0	1	6	12	18	24
	F	66	0	0	1	1	1	4	8	16	19
Vascular lesions affecting central nervous system	M	48	0	0	0	0	0	1	1	9	23
	F	44	0	0	0	0	1	1	5	6	9
Diseases of the heart	M	134	0	0	0	0	1	4	10	14	44
	F	100	0	0	0	0	0	1	4	6	31
Other diseases of the circulatory system	M	17	0	0	0	0	0	0	1	4	5
	F	17	0	0	0	0	0	0	0	3	4
Diseases of the respiratory system	M	34	1	1	0	1	0	3	2	3	7
	F	24	1	0	0	0	0	1	1	2	7
Senility	M	18	0	0	0	0	0	0	0	0	18
	F	14	0	0	0	0	0	0	0	0	13
Other diseases	M	68	23	3	2	3	2	0	7	15	13
	F	41	11	2	0	0	2	3	5	4	5
Accidents and other external causes	M	13	1	1	3	0	0	2	2	3	1
	F	12	0	3	1	3	0	0	2	0	0
All causes	M	419	25	5	6	4	4	16	28	59	110
	F	319	12	5	2	4	5	10	25	37	73

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	1	1	1	.	.
	F	3	.	.	.	.	.	1	1	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	62	.	.	1	2	1	3	3	8	20	24
	F	50	.	1	.	.	.	3	8	12	10	16
Vascular lesions affecting central nervous system	M	66	.	.	.	.	.	2	2	3	17	42
	F	64	.	.	.	.	2	.	1	3	14	44
Diseases of the heart	M	156	.	.	.	.	1	3	13	28	52	59
	F	89	.	.	.	.	1	.	2	12	24	50
Other diseases of the circulatory system	M	21	.	.	.	.	.	1	1	3	3	13
	F	24	.	.	.	.	.	.	2	2	7	13
Diseases of the respiratory system	M	54	.	.	.	.	.	1	2	14	17	20
	F	30	1	.	1	.	.	.	2	6	7	13
Senility	M	11	.	.	.	.	.	.	.	.	.	11
	F	16	.	.	.	.	.	.	.	.	.	16
Other diseases	M	48	16	1	1	.	1	1	3	8	7	10
	F	41	15	2	.	.	.	.	1	3	4	16
Accidents and other external causes	M	18	2	.	.	2	2	1	2	1	3	5
	F	8	.	1	.	.	.	.	.	.	3	4
All causes	M	441	18	1	2	4	5	15	27	66	119	184
	F	325	16	4	1	.	3	4	17	39	69	172
COUNTY OFFALY												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	.	3	1	1
	F	4	.	.	.	.	.	.	.	2	.	1
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	45	1	.	.	.	.	2	4	10	18	10
	F	29	.	.	.	.	.	2	2	6	8	11
Vascular lesions affecting central nervous system	M	37	.	.	.	.	.	.	2	2	7	26
	F	47	.	.	.	.	.	.	2	1	15	29
Diseases of the heart	M	103	.	.	.	.	.	1	5	16	32	49
	F	66	.	.	.	.	.	.	6	10	15	35
Other diseases of the circulatory system	M	14	.	.	.	.	.	.	2	1	1	10
	F	15	.	.	.	.	.	.	1	.	3	11
Diseases of the respiratory system	M	34	4	.	.	.	.	1	3	3	11	12
	F	21	3	1	1	.	.	.	.	1	5	10
Senility	M	15	.	.	.	.	.	.	.	.	.	15
	F	15	.	.	.	.	.	.	.	.	.	15
Other diseases	M	62	12	.	1	2	2	2	4	6	12	24
	F	40	17	.	.	.	.	.	3	3	4	10
Accidents and other external causes	M	13	.	.	2	3	2	.	2	3	2	1
	F	6	.	.	.	.	.	.	.	2	.	2
All causes	M	330	17	.	2	3	4	7	22	45	82	148
	F	244	21	1	2	2	.	3	14	25	52	124

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	.	1	.
	F	3	.	.	.	.	.	1	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	49	.	.	1	2	.	1	8	6	17	14
	F	29	.	.	.	1	.	2	7	5	7	7
Vascular lesions effecting central nervous system	M	35	.	.	.	.	.	.	1	4	8	22
	F	41	.	.	.	.	.	.	5	4	13	19
Diseases of the heart	M	130	.	.	.	1	1	3	9	16	29	71
	F	103	.	.	.	.	.	2	3	8	20	70
Other diseases of the circulatory system	M	8	.	.	.	.	.	1	.	1	3	3
	F	15	.	.	.	.	1	.	.	3	3	8
Diseases of the respiratory system	M	35	3	.	.	.	.	.	.	4	12	16
	F	18	3	2	2	.	.	.	.	.	5	6
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	3	.	.	.	.	.	.	.	.	.	3
Other diseases	M	54	19	2	.	.	1	1	.	7	7	17
	F	46	8	2	1	.	.	1	3	7	12	12
Accidents and other external causes	M	11	.	1	1	2	1	1	1	3	1	.
	F	4	1	.	.	.	1	.	.	.	.	2
All causes	M	328	22	3	2	5	3	7	20	42	78	146
	F	263	12	4	3	1	3	6	19	27	61	127
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	.	3	1	.
	F	4	.	.	.	.	.	.	2	.	2	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	66	.	.	1	.	1	4	5	24	17	14
	F	49	.	1	.	.	2	1	7	12	13	13
Vascular lesions affecting central nervous system	M	72	.	.	.	.	1	2	2	13	19	35
	F	73	.	.	.	.	.	1	2	6	16	48
Diseases of the heart	M	207	.	.	.	.	2	3	10	31	51	110
	F	141	.	.	.	.	.	1	6	14	37	83
Other diseases of the circulatory system	M	51	.	.	.	.	.	.	2	3	10	36
	F	57	.	.	.	.	.	.	1	3	17	36
Diseases of the respiratory system	M	52	3	.	.	.	.	2	4	14	10	19
	F	39	2	2	.	.	.	2	2	4	12	15
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	8	.	.	.	.	.	.	.	.	.	8
Other diseases	M	83	19	3	1	4	2	2	3	12	14	23
	F	55	16	1	2	2	3	.	4	6	7	14
Accidents and other external causes	M	22	.	.	1	1	.	3	3	5	4	5
	F	14	1	.	.	1	.	.	.	1	1	10
All causes	M	566	22	3	3	5	6	16	30	106	126	249
	F	440	19	4	2	3	5	5	24	46	105	227

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	1	1	1	1	.
	F	2	.	.	.	.	.	.	.	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	64	.	1	1	.	1	3	5	17	19	17
	F	40	.	.	.	.	.	.	6	5	10	19
Vascular lesions affecting central nervous system	M	42	.	.	.	.	.	1	1	11	14	15
	F	56	.	.	.	.	1	1	1	3	18	32
Diseases of the heart	M	159	.	.	.	.	.	3	10	32	48	66
	F	105	.	.	.	.	.	2	6	11	27	59
Other diseases of the circulatory system	M	25	.	.	.	.	.	1	.	3	11	10
	F	22	.	.	.	1	.	1	1	2	7	10
Diseases of the respiratory system	M	46	4	.	.	.	.	.	6	4	16	16
	F	19	1	.	.	.	.	1	1	1	4	11
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	57	25	2	2	.	1	1	1	7	10	8
	F	45	15	1	.	2	1	2	2	7	8	7
Accidents and other external causes	M	15	.	1	1	3	1	4	2	1	1	1
	F	4	.	.	.	.	.	1	.	.	.	3
All causes	M	419	29	4	4	3	3	14	26	76	120	140
	F	300	16	1	.	3	2	8	17	30	76	147
COUNTY CLARE												
Tuberculosis of respiratory system	M	7	.	.	.	.	1	1	3	1	1	.
	F	2	.	.	.	.	1	.	.	.	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	1	.	1
Malignant neoplasms	M	76	.	.	3	1	.	.	7	15	21	29
	F	63	.	.	.	2	2	5	5	9	17	23
Vascular lesions affecting central nervous system	M	47	.	.	.	1	1	1	2	9	13	20
	F	50	.	.	.	.	.	1	3	4	15	27
Diseases of the heart	M	254	.	.	.	.	.	6	10	31	70	137
	F	156	.	.	.	.	1	1	7	10	47	90
Other diseases of the circulatory system	M	29	.	.	.	.	.	.	.	2	5	22
	F	25	.	.	.	.	.	.	.	1	3	21
Diseases of the respiratory system	M	50	3	1	.	.	2	.	3	6	15	20
	F	41	2	2	.	.	.	.	.	7	9	21
Senility	M	29	.	.	.	.	.	.	.	.	.	29
	F	37	.	.	.	.	.	.	.	.	1	36
Other diseases	M	75	26	3	1	1	1	2	1	9	10	21
	F	70	22	2	1	.	.	1	3	5	14	22
Accidents and other external causes	M	16	2	.	1	.	2	.	1	4	4	2
	F	14	1	.	.	.	.	.	.	3	4	6
All causes	M	584	31	4	5	3	7	10	27	78	139	280
	F	460	25	4	1	2	4	8	18	40	111	247

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	7	.	.	.	.	.	1	2	2	1	1
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	88	.	.	1	1	1	3	10	22	28	22
	F	71	.	1	1	.	.	4	8	14	25	18
Vascular lesions affecting central nervous system	M	50	.	.	1	1	.	2	5	5	13	23
	F	70	.	.	1	.	.	3	3	9	23	31
Diseases of the heart	M	178	.	.	.	.	3	3	14	40	63	55
	F	154	.	.	.	.	1	2	5	19	40	87
Other diseases of the circulatory system	M	20	.	.	.	.	.	1	.	5	4	10
	F	40	.	.	.	.	.	.	2	.	12	26
Diseases of the respiratory system	M	81	1	1	.	.	.	2	7	16	31	23
	F	39	2	.	1	.	.	.	1	8	9	18
Senility	M	9	.	.	.	.	.	.	.	.	.	9
	F	26	.	.	.	.	.	.	.	.	.	26
Other diseases	M	74	23	4	.	3	1	4	4	12	10	13
	F	69	19	3	.	1	1	1	4	9	10	21
Accidents and other external causes	M	28	2	1	1	5	5	3	2	1	4	5
	F	12	.	1	1	.	1	.	1	1	3	4
All causes	M	535	26	6	2	10	10	19	44	103	154	161
	F	483	21	5	4	1	3	10	25	60	122	232
COUNTY CORK												
Tuberculosis of respiratory system	M	17	.	.	.	.	.	.	5	5	6	1
	F	9	.	.	.	1	.	3	.	1	1	3
Tuberculosis, other forms	M	3	.	.	.	.	.	1	.	2	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	.	1	.	1	.	1	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	266	.	1	.	1	3	4	22	59	97	79
	F	238	.	.	1	.	4	7	41	40	69	76
Vascular lesions affecting central nervous system	M	189	.	.	.	.	.	1	7	16	49	116
	F	230	.	.	.	.	.	1	5	16	60	148
Diseases of the heart	M	606	.	.	.	2	2	10	50	101	174	267
	F	440	.	.	.	.	2	2	11	50	112	263
Other diseases of the circulatory system	M	96	.	.	.	.	.	3	3	8	21	61
	F	82	.	.	.	.	.	.	2	3	15	62
Diseases of the respiratory system	M	190	5	.	.	.	2	3	15	29	56	80
	F	106	2	2	.	.	.	1	7	10	27	57
Senility	M	52	.	.	.	.	.	.	.	.	.	52
	F	97	.	.	.	.	.	.	.	.	1	96
Other diseases	M	211	40	2	3	2	4	4	13	22	57	64
	F	161	33	2	6	1	4	5	13	10	49	38
Accidents and other external causes	M	78	2	2	6	9	8	11	12	11	12	5
	F	41	1	3	.	.	.	1	6	1	8	21
All causes	M	1,711	47	5	10	14	20	37	128	253	472	725
	F	1,405	36	7	7	2	10	20	85	131	342	765

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis of respiratory system	M	12	.	.	.	.	.	1	3	3	4	1
	F	6	.	.	.	.	.	1	1	2	2	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	5	1	1	.	.	.	.	.	1	2	.
	F	1	.	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	107	1	.	1	.	.	5	7	17	47	29
	F	77	.	1	.	.	2	2	13	16	21	22
Vascular lesions affecting central nervous system	M	89	.	.	.	.	1	1	4	11	15	57
	F	106	.	.	.	.	1	1	2	12	32	58
Diseases of the heart	M	300	.	.	.	.	.	2	18	43	94	143
	F	200	.	.	.	.	1	2	11	19	40	127
Other diseases of the circulatory system	M	49	.	.	.	.	1	.	1	3	11	33
	F	39	.	.	.	.	.	.	2	4	9	24
Diseases of the respiratory system	M	54	.	2	.	.	.	.	4	9	15	24
	F	43	4	1	.	.	.	.	2	1	9	26
Senility	M	38	.	.	.	.	.	.	.	.	4	34
	F	63	.	.	.	.	.	.	.	.	1	62
Other diseases	M	112	22	2	2	1	1	1	9	13	24	37
	F	99	20	3	.	1	1	3	13	13	18	27
Accidents and other external causes	M	34	.	.	1	9	.	2	5	5	4	8
	F	22	.	2	.	.	.	.	1	2	3	14
All causes	M	800	24	5	4	10	3	12	51	105	220	366
	F	656	24	8	.	1	5	9	45	69	135	360
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	.	2	2	.
	F	4	.	.	.	.	.	1	1	1	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	.	.	1	.	1
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	29	.	.	.	.	1	1	3	13	8	3
	F	46	.	.	2	1	.	1	13	7	13	9
Vascular lesions affecting central nervous system	M	20	.	.	.	.	.	1	1	4	5	9
	F	39	.	.	.	.	.	.	5	2	7	25
Diseases of the heart	M	90	.	.	.	.	.	4	4	15	29	38
	F	61	.	.	.	1	.	1	1	8	19	31
Other diseases of the circulatory system	M	32	.	.	.	.	.	1	1	3	7	20
	F	40	.	.	.	.	.	1	.	2	7	30
Diseases of the respiratory system	M	19	1	1	.	.	.	.	.	5	10	2
	F	30	1	.	.	.	.	.	3	5	7	14
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	3	.	.	.	.	.	.	.	.	.	3
Other diseases	M	51	24	.	1	.	1	.	3	5	11	6
	F	37	20	.	.	2	.	1	3	.	4	7
Accidents and other external causes	M	12	.	.	2	1	2	1	1	1	3	1
	F	10	.	2	.	.	1	1	.	2	2	2
All causes	M	264	26	1	3	1	4	9	13	49	75	83
	F	271	22	2	2	4	1	6	26	27	59	122

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	10	.	.	.	.	.	.	1	2	6	1
	F	8	.	.	.	.	2	1	2	1	2	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	5	.	1	1	.	.	1	.	.	.	2
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	90	.	1	1	.	2	1	10	14	27	34
	F	70	.	.	.	1	1	3	11	14	23	17
Vascular lesions affecting central nervous system	M	73	.	.	.	.	1	.	3	7	15	47
	F	68	.	.	.	.	.	2	3	8	13	42
Diseases of the heart	M	178	.	.	.	.	1	3	8	33	49	84
	F	134	.	.	.	.	.	2	6	14	35	77
Other diseases of the circulatory system	M	34	.	.	.	.	.	.	1	7	8	18
	F	25	.	.	.	.	.	.	.	2	6	17
Diseases of the respiratory system	M	58	1	.	.	1	.	2	3	15	18	18
	F	26	1	.	.	.	.	.	1	2	6	16
Senility	M	33	.	.	.	.	.	.	.	.	1	32
	F	31	.	.	.	.	.	.	.	.	.	31
Other diseases	M	89	30	.	5	4	.	6	1	6	17	20
	F	58	15	2	2	2	.	4	3	6	11	13
Accidents and other external causes	M	13	2	.	.	2	1	.	2	1	4	3
	F	11	1	.	2	2	.	1	.	1	1	3
All causes	M	584	33	2	7	5	5	14	29	85	145	259
	F	433	17	2	4	5	3	14	26	49	97	216
TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	1	.	.	.	.	.	.	.	.	1	.
	F	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	1	.	.	.	.	1	.	.
	F	2	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	1	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	53	.	.	1	1	.	3	6	11	20	11
	F	36	.	.	.	1	.	2	3	6	7	16
Vascular lesions affecting central nervous system	M	38	.	.	.	.	.	.	1	.	14	23
	F	32	.	.	.	.	.	1	4	3	10	14
Diseases of the heart	M	118	.	.	.	.	1	4	8	19	44	42
	F	81	.	.	.	.	.	.	.	7	30	44
Other diseases of the circulatory system	M	16	.	.	.	.	.	.	.	1	6	9
	F	13	.	.	.	.	2	.	1	1	5	4
Diseases of the respiratory system	M	32	3	.	.	1	.	.	1	6	11	10
	F	27	1	.	.	.	.	.	3	5	3	15
Senility	M	35	.	.	.	.	.	.	.	.	1	34
	F	53	.	.	.	.	.	.	.	.	2	51
Other diseases	M	38	16	2	.	1	.	.	4	4	6	5
	F	39	16	1	.	.	.	3	1	3	5	10
Accidents and other external causes	M	17	.	2	1	.	3	1	.	.	9	1
	F	7	1	.	.	.	.	.	.	.	3	3
All causes	M	350	20	5	2	3	4	8	20	41	112	135
	F	291	18	2	2	1	2	6	12	26	65	157

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	1	.	2	1
	F	2	.	.	.	.	1	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	2	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Malignant neoplasms	M	71	.	.	2	1	1	2	10	14	23	18
	F	58	.	.	.	.	.	1	10	7	21	19
Vascular lesions affecting central nervous system	M	70	.	.	.	.	.	.	1	9	17	43
	F	74	.	.	.	.	.	2	1	6	20	45
Diseases of the heart	M	166	.	.	.	.	1	2	12	24	47	80
	F	140	.	.	.	1	2	4	5	9	36	83
Other diseases of the circulatory system	M	28	.	.	.	.	.	.	.	.	7	21
	F	41	.	.	.	.	.	2	.	3	5	31
Diseases of the respiratory system	M	37	.	.	1	.	.	3	.	6	16	11
	F	34	2	2	1	.	.	2	3	4	11	9
Senility	M	16	.	.	.	.	.	.	.	.	.	16
	F	15	.	.	.	.	.	.	.	.	.	15
Other diseases	M	58	18	3	1	1	.	3	6	2	8	16
	F	65	17	2	.	1	1	.	4	11	14	15
Accidents and other external causes	M	19	2	3	.	.	2	2	5	.	2	3
	F	4	.	.	.	.	.	.	1	.	.	3
All causes	M	472	22	6	4	2	4	13	35	55	122	209
	F	434	19	4	1	2	4	11	24	41	108	220
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	1	1	.	2	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	1	.	1	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	1	.	1
Malignant neoplasms	M	22	.	1	.	1	.	.	.	6	10	5
	F	29	.	.	.	1	2	2	3	5	4	12
Vascular lesions affecting central nervous system	M	29	.	.	.	.	.	.	1	4	7	17
	F	36	.	.	.	.	.	.	2	2	5	27
Diseases of the heart	M	45	.	.	.	1	1	1	4	9	18	12
	F	59	.	.	.	.	1	1	1	10	14	32
Other diseases of the circulatory system	M	12	.	.	.	.	.	1	.	.	5	6
	F	8	.	.	.	.	.	2	.	.	1	5
Diseases of the respiratory system	M	36	.	.	.	.	.	1	.	2	7	26
	F	36	1	.	.	.	1	.	1	1	9	23
Senility	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	.	.	2
Other diseases	M	27	10	.	.	1	.	1	1	5	4	5
	F	30	4	.	.	.	2	1	1	5	5	12
Accidents and other external causes	M	7	.	.	2	1	.	1	.	1	2	.
	F	3	.	.	.	.	2	.	.	.	.	1
All causes	M	184	11	2	2	3	.	6	7	27	55	71
	F	206	5	.	.	1	9	6	8	24	38	115

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	7	.	.	.	.	.	.	2	3	1	1
	F	2	.	.	.	.	.	.	.	1	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	.	.	1	.	1
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	40	.	.	.	2	1	.	3	7	14	13
	F	35	.	.	2	.	.	2	7	9	9	6
Vascular lesions affecting central nervous system	M	29	.	.	.	.	.	1	.	2	10	16
	F	44	.	.	.	1	.	.	2	3	11	27
Diseases of the heart	M	99	.	.	.	.	.	1	7	20	30	41
	F	75	.	.	.	.	.	.	6	8	16	45
Other diseases of the circulatory system	M	22	.	.	.	.	.	.	.	1	5	16
	F	17	.	.	.	1	1	.	.	2	4	9
Diseases of the respiratory system	M	39	2	.	.	.	.	.	1	8	7	21
	F	20	3	.	.	.	.	.	.	1	3	13
Senility	M	20	.	.	.	.	.	.	.	.	1	19
	F	14	.	.	.	.	.	.	.	.	1	13
Other diseases	M	42	12	1	1	.	.	.	1	4	5	18
	F	48	9	1	2	2	2	3	.	3	14	12
Accidents and other external causes	M	14	.	.	1	.	.	3	5	.	2	3
	F	5	.	.	1	1	.	.	1	.	.	2
All causes	M	315	14	1	2	2	1	6	19	46	75	149
	F	262	12	1	6	5	3	5	16	27	59	128
COUNTY GALWAY												
Tuberculosis of respiratory system	M	7	.	.	.	.	.	.	2	.	4	1
	F	3	.	.	.	.	.	.	2	.	.	1
Tuberculosis, other forms	M	2	.	.	.	.	.	.	1	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	1	.	.	.	.	.	1	.
	F	4	1	1	1	.	.	.	.	.	.	1
Malignant neoplasms	M	128	.	1	1	2	1	5	9	22	49	38
	F	96	.	.	.	1	2	8	10	15	34	26
Vascular lesions affecting central nervous system	M	103	.	.	.	.	1	.	1	13	23	65
	F	99	1	.	.	.	.	.	3	10	29	56
Diseases of the heart	M	310	.	.	.	1	2	.	16	46	84	161
	F	183	.	.	.	2	2	1	5	9	39	125
Other diseases of the circulatory system	M	57	.	.	.	.	.	3	3	6	12	33
	F	47	.	.	.	.	.	.	7	4	15	21
Diseases of the respiratory system	M	91	2	1	1	.	.	3	1	9	30	44
	F	63	8	.	.	1	.	.	2	3	19	30
Senility	M	41	.	.	.	.	.	.	.	.	2	39
	F	54	.	.	.	.	.	.	.	.	1	53
Other diseases	M	118	19	3	2	3	1	6	10	12	31	31
	F	98	19	1	4	2	1	4	6	11	21	29
Accidents and other external causes	M	37	1	1	2	3	2	4	4	8	5	7
	F	13	3	1	1	.	1	.	1	1	3	2
All causes	M	897	23	6	7	9	7	21	47	117	241	419
	F	660	32	3	6	6	6	13	36	53	161	344

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	1	1	.
	F	1	.	.	.	.	.	.	.	.	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	31	.	.	.	.	.	1	4	7	11	8
	F	27	.	.	.	.	.	1	4	4	11	7
Vascular lesions affecting central nervous system	M	40	.	.	.	1	.	1	2	6	15	15
	F	29	.	.	.	.	.	.	.	3	5	21
Diseases of the heart	M	107	.	.	.	.	1	.	14	15	28	49
	F	71	.	.	.	.	.	.	.	6	24	41
Other diseases of the circulatory system	M	15	.	.	.	.	1	.	.	.	4	10
	F	15	.	.	.	.	.	.	.	1	1	13
Diseases of the respiratory system	M	27	.	.	1	.	.	1	1	5	7	12
	F	11	.	.	.	.	.	.	1	.	3	7
Senility	M	23	.	.	.	.	.	.	.	.	.	23
	F	23	.	.	.	.	.	.	.	.	1	22
Other diseases	M	44	8	.	1	.	1	2	5	2	10	16
	F	26	4	.	1	1	.	4	1	5	6	4
Accidents and other external causes	M	4	.	1	.	.	.	.	.	3	.	1
	F	1	.	1	.	.	.	.	.	.	.	.
All causes	M	293	8	.	1	1	3	5	26	39	76	134
	F	205	4	1	1	1	.	5	6	19	52	116
COUNTY MAYO												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	.	1	3	.
	F	5	.	.	.	.	1	.	1	1	.	2
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	1	.	.	.	.	.	.	1	.
	F	2	.	.	.	.	1	.	.	.	.	1
Malignant neoplasms	M	104	.	.	.	1	2	2	11	20	37	31
	F	93	.	1	.	1	.	4	13	20	25	29
Vascular lesions affecting central nervous system	M	96	.	.	.	1	.	1	4	9	20	61
	F	102	.	.	1	1	.	1	1	14	23	61
Diseases of the heart	M	306	.	.	.	.	.	5	12	33	90	166
	F	200	.	.	.	.	.	3	8	17	50	122
Other diseases of the circulatory system	M	39	.	.	.	.	.	.	1	2	11	25
	F	36	.	.	.	.	.	1	.	2	6	27
Diseases of the respiratory system	M	58	6	1	1	1	2	.	5	6	15	21
	F	45	2	2	.	1	1	.	2	7	11	19
Senility	M	72	.	.	.	.	.	.	.	.	4	68
	F	118	.	.	.	.	.	.	.	.	5	113
Other diseases	M	119	17	1	1	5	1	2	7	14	30	41
	F	102	17	1	2	3	2	5	5	12	25	30
Accidents and other external causes	M	34	3	.	2	3	2	3	3	3	6	9
	F	18	3	.	.	.	.	.	1	1	1	12
All causes	M	835	26	3	4	11	7	14	43	88	217	422
	F	721	22	4	3	6	5	14	31	74	146	416

TABLE 24 (cont'd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	1	.	.	.	.	.	.	1	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	53	.	.	.	.	.	3	1	9	19	21
	F	42	.	.	.	.	.	3	.	9	16	15
Vascular lesions affecting central nervous system	M	62	.	.	1	.	1	.	5	4	21	32
	F	53	.	.	.	.	.	3	3	2	10	36
Diseases of the heart	M	193	.	.	.	.	.	1	10	25	45	112
	F	126	.	.	.	.	.	3	3	10	30	80
Other diseases of the circulatory system	M	33	.	.	.	.	.	1	1	2	12	17
	F	13	.	.	.	.	.	.	.	1	5	7
Diseases of the respiratory system	M	30	2	.	.	.	1	1	4	2	11	9
	F	28	1	1	.	.	.	.	4	1	9	12
Senility	M	24	.	.	.	.	.	.	.	.	1	23
	F	40	.	.	.	.	.	.	.	.	3	37
Other diseases	M	64	8	1	.	2	.	3	6	12	14	18
	F	47	8	1	.	.	.	2	1	7	9	19
Accidents and other external causes	M	15	2	.	1	2	2	1	1	1	1	4
	F	10	1	.	.	.	.	1	2	.	.	6
All causes	M	476	12	1	1	4	3	10	29	55	124	237
	F	361	10	2	1	.	1	10	14	29	82	212
COUNTY SLIGO												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	.	2	.
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	1	.	.
	F	2	.	.	.	.	.	.	.	.	.	1
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	.	1
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	60	.	.	.	1	1	1	7	11	24	16
	F	54	.	.	.	1	1	.	6	12	12	22
Vascular lesions affecting central nervous system	M	49	.	.	.	.	.	1	3	8	18	19
	F	50	.	.	.	.	.	.	4	4	15	27
Diseases of the heart	M	133	.	.	.	1	.	.	13	28	43	48
	F	64	.	.	.	.	1	.	2	7	19	35
Other diseases of the circulatory system	M	29	.	.	.	.	.	2	2	.	6	19
	F	24	.	.	.	.	.	.	2	.	3	19
Diseases of the respiratory system	M	44	.	.	.	2	.	1	3	3	13	22
	F	26	1	.	.	.	.	.	.	3	10	12
Senility	M	20	.	.	.	.	.	.	.	.	1	19
	F	37	.	.	.	.	.	.	.	.	1	36
Other diseases	M	41	6	1	.	.	.	3	7	1	7	16
	F	55	19	.	1	2	2	1	4	3	3	20
Accidents and other external causes	M	12	.	1	1	1	1	1	2	.	3	2
	F	5	.	.	.	.	.	.	1	.	.	4
All causes	M	391	6	2	1	4	2	9	37	51	117	162
	F	319	20	.	1	3	4	1	20	31	63	176

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	1	1	1	1
	F	3	.	.	.	.	.	2	.	.	.	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	62	1	1	.	3	2	1	4	16	15	19
	F	35	.	.	.	.	.	2	4	9	13	7
Vascular lesions affecting central nervous system	M	73	.	.	.	.	.	.	2	8	19	44
	F	71	.	.	.	.	.	1	2	10	16	42
Diseases of the heart	M	154	.	.	.	.	.	1	6	22	40	85
	F	88	.	.	.	.	1	1	1	6	26	53
Other diseases of the circulatory system	M	13	.	.	.	.	.	.	2	2	1	8
	F	32	.	.	.	.	.	.	1	3	8	20
Diseases of the respiratory system	M	33	1	1	.	.	1	.	2	8	8	12
	F	14	.	.	.	.	.	.	2	.	4	8
Senility	M	15	.	.	.	.	.	.	.	.	.	15
	F	21	.	.	.	.	.	.	.	.	1	20
Other diseases	M	43	8	2	.	1	1	4	2	8	9	8
	F	46	12	1	.	.	.	.	4	5	15	9
Accidents and other external causes	M	15	1	1	.	2	1	2	2	3	3	.
	F	4	.	.	.	.	.	.	1	.	1	2
All causes	M	413	11	5	.	6	5	8	21	68	97	192
	F	314	12	1	.	.	1	6	15	33	84	162
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	10	.	.	.	.	.	1	.	2	3	4
	F	2	.	.	.	.	.	1	.	1	.	.
Tuberculosis, other forms	M	2	.	.	.	1	.	.	.	1	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	5	1	.	.	.	.	.	.	2	.	2
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	107	.	1	1	1	2	1	8	28	28	37
	F	72	.	.	.	.	1	2	13	12	23	21
Vascular lesions affecting central nervous system	M	87	.	.	.	.	.	.	1	8	16	62
	F	87	.	.	.	.	.	1	4	6	24	52
Diseases of the heart	M	252	.	.	1	.	.	3	12	28	66	142
	F	169	.	.	.	1	.	2	4	12	41	109
Other diseases of the circulatory system	M	51	.	.	.	.	.	.	3	8	18	22
	F	34	.	.	.	.	.	.	1	3	5	25
Diseases of the respiratory system	M	74	2	.	.	.	3	.	5	8	16	40
	F	59	4	.	.	.	.	.	4	4	11	36
Senility	M	49	.	.	.	.	.	.	.	.	.	49
	F	59	.	.	.	.	.	.	.	.	.	59
Other diseases	M	107	25	2	.	2	.	4	3	9	16	46
	F	93	15	2	1	1	2	2	3	12	18	37
Accidents and other external causes	M	15	.	1	.	3	2	.	2	4	.	3
	F	13	.	.	.	.	1	.	.	3	1	8
All causes	M	759	28	4	2	7	7	9	34	98	163	407
	F	589	19	2	1	2	4	8	29	54	123	347

TABLE 24 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1965
CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	.	1	1
	F	1	.	.	.	.	.	.	.	.	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	48	.	.	.	1	2	3	5	7	17	13
	F	43	.	.	.	1	1	4	2	10	14	11
Vascular lesions affecting central nervous system	M	39	.	.	.	.	.	2	.	4	11	22
	F	50	.	.	.	.	.	1	2	2	17	28
Diseases of the heart	M	111	.	.	.	.	.	.	8	17	39	47
	F	94	.	.	1	.	1	.	5	10	24	53
Other diseases of the circulatory system	M	13	.	.	1	.	.	1	1	2	2	6
	F	8	.	.	.	.	.	.	.	.	.	8
Diseases of the respiratory system	M	31	1	.	.	.	.	1	2	4	6	17
	F	21	.	.	.	1	.	.	.	4	3	13
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	16	.	.	.	.	.	.	.	.	.	16
Other diseases	M	41	15	.	.	.	.	1	1	3	7	14
	F	30	5	.	1	.	.	.	1	6	4	13
Accidents and other external causes	M	13	.	.	1	1	2	.	1	1	2	5
	F	2	.	.	.	.	.	.	.	.	2	.
All causes	M	302	16	.	2	2	4	8	19	39	85	127
	F	266	5	.	3	2	2	5	10	32	65	142

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR
IN 1965, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS
AND RURAL DISTRICTS

Inter- national List	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Municipal Boroughs and Principal Towns*		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	634	298	155	86	46	17	24	8	41	19	368	158
		F	488	224	101	53	34	14	18	5	34	16	271	136
010	Tuberculosis of meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis, other	M	-	-	-	-	-	-	-	-	-	-	-	-
011-019	forms	F	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	M	1	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	-	3	-	-	-	1	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-
030-055	Other infective and	M	-	9	-	2	-	1	-	1	-	-	-	5
057-138	parasitic diseases	F	-	4	-	-	-	1	-	-	-	-	-	3
340	Meningitis except meningococcal and tuberculous	M	1	7	1	3	-	1	-	-	-	1	-	2
		F	-	5	-	2	-	-	-	-	-	-	-	3
330-334	Other diseases of the	M	-	-	-	-	-	-	-	-	-	-	-	-
341-398	nervous system and sense organs	F	-	4	-	2	-	-	-	-	-	-	-	2
480-483	Influenza	M	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia	M	-	85	-	22	-	2	-	1	-	7	-	53
		F	-	55	-	13	-	4	-	2	-	2	-	34
500-502	Bronchitis	M	-	1	-	1	-	-	-	-	-	-	-	-
		F	1	2	-	2	-	-	-	-	-	-	1	-
470-475	Other diseases of the	M	-	1	-	-	-	-	-	-	-	-	-	1
510-527	respiratory system	F	-	5	-	-	-	-	-	1	-	1	-	3
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	23	38	13	15	-	3	-	1	2	4	8	15
		F	8	26	3	8	1	2	-	1	1	-	3	15
530-570	Other diseases of the	M	7	2	1	-	-	-	-	-	1	-	5	2
572-587	digestive system	F	1	-	-	-	-	-	-	-	-	-	1	-
750-759	Congenital	M	115	77	23	25	8	5	4	2	8	3	72	42
	malformations	F	120	68	28	13	8	6	6	-	8	8	70	41
760-761	Birth injuries	M	70	1	14	-	3	-	1	-	3	-	49	-
		F	50	3	9	-	2	-	2	-	3	-	34	3
762	Post-natal asphyxia of atelectasis	M	119	8	26	2	19	1	8	-	4	1	62	4
		F	94	8	15	1	11	-	5	-	2	-	61	6
763	Pneumonia of newborn	M	41	-	10	-	1	-	-	-	2	-	28	-
		F	37	-	9	-	2	-	1	-	5	-	20	-
765-768	Other infections of newborn	M	4	3	1	1	1	1	-	-	-	-	2	1
		F	1	1	-	1	-	-	-	-	-	-	1	-
	Other and ill-defined diseases of early infancy:-													
769.0-	Without mention	M	55	8	13	1	5	-	4	-	3	2	30	5
773.0	of immaturity	F	28	8	11	1	2	-	-	-	5	-	10	7
769.5-	With mention	M	54	-	16	-	2	-	1	-	3	-	32	-
773.5	of immaturity	F	21	1	6	-	1	-	-	-	3	-	11	1
774	Immaturity with mention of any other subsidiary condition	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	124	3	29	1	7	-	6	1	14	-	68	1
		F	90	1	19	-	7	-	4	-	7	-	53	1
780.2	Convulsions	M	3	1	-	-	-	-	-	-	1	1	2	-
		F	1	1	-	-	-	-	-	-	-	-	1	1
	Other causes	M	17	40	8	12	-	2	-	2	-	-	9	24
		F	6	32	1	10	-	1	-	1	-	5	5	16

* Towns as in Table 15.

TABLE 26 - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1965

Detailed International List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M F	922 682	51 42	233 158	284 200	88 58	56 33	36 27	20 19	14 10	13 6
010	Tuberculosis of meninges and central nervous system	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
001-008 011-019	Tuberculosis, other forms	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
020-029	Syphilis and its sequelae	M F	1 •	• •	• •	• •	• •	• •	• •	• •	1 •	• •
056	Whooping cough	M F	3 •	• •	• •	• •	• •	• •	• •	• •	• •	• •
030-055 057-138	Other infective and parasitic diseases	M F	9 4	• •	• •	• •	• •	• •	• •	• •	• •	• •
340	Meningitis, except meningococcal and tuberculous	M F	8 5	• •	• •	• •	• •	• •	• •	• •	• •	• •
330-334 341-398	Other diseases of the nervous system and sense organs	M F	• 4	• •	• •	• •	• •	• •	• •	• •	• •	• •
480-483	Influenza	M F	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •
490-493	Pneumonia	M F	85 55	• •	• •	• •	• •	• •	• •	• •	• •	• •
500-502	Bronchitis	M F	1 3	• •	• •	• •	• •	• •	• •	• •	• •	• •
470-475 510-527	Other diseases of the respiratory system	M F	1 5	• •	• •	• •	• •	• •	• •	• •	• •	• •
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	61 34	1 •	• •	1 •	• •	• •	• •	• •	• •	• •
530-570 572-587	Other diseases of the digestive system	M F	9 1	2 •	• •	2 •	1 •	2 •	1 •	• 1	• •	• •
750	Congenital malformations:- Monstrosity	M F	13 17	6 5	6 10	12 15	• 1	• •	• •	1 •	• 1	• •
751	Spina bifida and meningocele	M F	34 36	1 1	5 6	6 7	• 2	• 1	1 2	1 1	1 •	• 1
752	Congenital hydrocephalus	M F	26 34	• 6	7 3	7 9	2 2	1 1	• •	• 1	1 •	1 •
753	Other congenital malformations of nervous system and sense organs	M F	• 2	• •	• •	• •	• •	• •	• •	• •	• •	• •
754	Congenital malformations of circulatory system	M F	63 56	2 •	4 5	6 5	6 3	4 3	4 4	2 2	1 1	3 2
755	Cleft palate and hairlip	M F	2 1	• •	• •	• •	1 •	• •	1 •	• •	• •	• •
756	Congenital malformations of digestive system	M F	26 14	• •	1 •	1 •	• •	1 1	1 •	• 2	• 1	2 •
757	Congenital malformations of genito-urinary system	M F	8 2	• •	• •	• •	• •	• •	• •	• •	• •	• •
758	Congenital malformations of bone and joint	M F	2 3	• 1	• •	• 1	1 •	1 1	• •	1 •	• •	• •
759	Other and unspecified congenital malformations	M F	18 23	• 2	9 6	9 8	1 1	1 1	• •	1 •	• •	• •
760.0	Intracranial and spinal injury at birth:- Without mention of immaturity	M F	37 29	2 1	15 5	17 6	6 3	6 3	2 6	1 3	1 2	1 •
760.5	With immaturity	M F	19 11	• •	4 4	4 4	2 2	4 1	2 1	3 1	1 1	1 •
761.0	Other birth injury:- Without mention of immaturity	M F	12 9	6 3	3 3	9 6	3 2	• •	• •	• •	• •	• •
761.5	With immaturity	M F	3 4	1 •	2 2	3 3	• •	• •	• •	• •	• •	• •
762.0	Post-natal asphyxia and asphyxia:- Without mention of immaturity	M F	65 57	11 11	23 21	34 32	13 7	2 3	4 3	2 3	• •	• •

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

				Total under 4 weeks	Months											Detailed Inter- national List Nos.
Total under 7 days	7-13	14-20	21-27		4 weeks and under 2 months	2	3	4	5	6	7	8	9	10	11	
511 353	43 35	47 42	33 28	634 458	80 57	57 41	51 35	25 31	13 12	12 5	14 11	13 7	9 8	6 9	8 8	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	010
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	001-008
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	011-019
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	056
.	.	.	.	.	1	1	3	.	1	1	.	.	.	1	1	030-055
.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	057-138
.	1	.	.	1	.	2	1	.	1	.	.	.	2	.	1	340
.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	1	
.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.	330-334
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	341-398
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	480-483
.	.	.	.	.	17	13	18	10	2	5	7	7	2	1	3	490-493
.	.	.	.	.	8	8	10	9	5	3	4	2	2	3	1	
.	.	.	1	1	.	.	.	1	1	.	.	.	1	.	.	500-502
.	.	.	.	.	1	1	1	1	.	.	.	.	2	.	.	470-475
1	7	7	8	23	13	10	3	4	1	.	1	1	1	1	3	510-527
.	1	6	1	8	12	4	2	4	2	.	.	1	1	.	.	571,764
6	.	1	.	7	.	1	.	.	.	.	1	.	.	.	.	530-570
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	572-587
13	.	.	.	13	.	.	.	.	.	.	.	.	.	.	.	750
17	.	.	.	17	.	.	.	.	.	.	.	.	.	.	.	
8	7	1	4	20	6	3	2	1	1	1	.	.	.	.	.	751
14	2	4	6	26	2	5	1	.	.	.	1	1	.	.	.	
12	2	2	1	17	1	2	2	1	.	.	1	.	2	1	.	752
13	2	2	1	18	4	7	3	.	.	.	.	1	.	1	.	
.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	753
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	4	6	2	38	5	6	5	.	1	1	1	2	1	3	.	754
20	1	6	5	32	6	5	2	4	.	.	3	1	2	.	1	
1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	755
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
5	2	2	.	9	10	1	4	2	.	.	.	.	.	.	.	756
4	1	1	1	7	2	3	2	.	.	.	.	.	.	.	.	
.	1	1	.	2	1	2	.	1	.	.	.	2	.	.	.	757
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	758
3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	
12	.	1	.	13	1	1	1	.	1	.	1	.	.	.	.	759
10	2	2	.	14	2	.	2	1	2	.	.	1	.	.	1	
34	2	.	.	36	.	.	1	.	.	.	.	.	.	.	.	760.0
23	3	1	.	27	1	.	.	.	.	.	.	.	.	.	.	
17	.	2	.	19	.	.	.	.	.	.	.	.	.	.	.	760.5
10	1	.	.	11	.	.	.	.	.	.	.	.	.	.	.	
12	.	.	.	12	1	.	.	.	.	.	.	.	.	.	.	761.0
8	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	761.5
4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	
55	1	2	.	58	2	3	.	1	.	.	.	.	1	.	.	762.0
48	1	.	.	50	4	.	.	1	.	1	.	.	.	.	.	

TABLE 26 (contd.) - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1965

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
762.5	With immaturity	M F	62 45	2 1	38 28	40 29	9 7	8 3	1 2	2 .	. .	. .
763.0	Pneumonia of newborn:- Without mention of immaturity	M F	36 28	. .	1 2	1 2	1 1	2 .	1 1	. .	1 .	2 .
763.5	With immaturity	M F	5 9	. .	1 .	1 .	1 .	2 2	1 1	. .	1 .	1 .
765.0	Ophthalmia neonatorum:- Without mention of immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
765.5	With immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
766.0	Permphigus neonatorum:- Without mention of immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
766.5	With immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
767.0	Umbilical sepsis:- Without mention of immaturity	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
767.5	With immaturity	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
768.0	Other sepsis of newborn:- Without mention of immaturity	M F	5 1	. .	. .	. .	. .	1 .	. .	. .	. .	. .
768.5	With immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
769.0- 769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy:- Without mention of immaturity	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
769.5- 769.9	With immaturity	M F	6 2	. .	. .	. .	2 .	1 .	3 .	1 .	. .	. .
770.0- 770.2	Haemolytic disease of newborn (erythroblastosis):- Without mention of immaturity	M F	18 16	2 3	11 4	13 7	. 3	1 1	1 1	. 2	1 .	. .
770.5	With immaturity	M F	5 4	. 1	2 2	2 3	. .	2 .	. .	1 .	. .	. .
771.0	Haemorrhagic disease of newborn:- Without mention of immaturity	M F	15 7	. .	3 4	3 4	1 2	4 .	1 1	1 .	1 .	. .
771.5	With immaturity	M F	5 2	. .	1 1	1 1	1 .	. .	. .	. .	1 .	1 .
773.0	Ill-defined diseases of early infancy:- Without mention of immaturity	M F	30 12	1 .	9 .	10 .	6 1	4 2	2 .	2 1	. .	. .
773.5	With immaturity	M F	38 14	1 .	17 8	18 8	13 3	2 .	1 .	1 .	1 .	. .
776	Immaturity unqualified	M F	127 91	9 5	68 43	77 48	16 15	10 10	10 5	2 1	2 2	1 2
780.2	Convulsions	M F	4 2	. .	. .	. .	1 .	. .	. .	. .	. .	. .
	Other causes	M F	57 38	4 2	3 .	7 2	2 1	. .	. .	1 .	1 .	1 1

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Total under 7 days	7-13	14-20	21-27	Total under 4 weeks	Months											Detailed inter- national List Nos.
					4 weeks and under 2 months	2	3	4	5	6	7	8	9	10	11	
60 41	1 1	2	.	61 44	1 1	.	.	.	.	.	.	.	.	.	.	762.5
8 4	6 7	9 9	13 8	36 28	.	.	.	.	.	.	.	.	.	.	.	763.0
4 3	1 2	1	3	5 9	.	.	.	.	.	.	.	.	.	.	.	763.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.5
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	767.0
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	767.5
1 .	1 .	2 1	.	4 1	.	.	.	.	1	.	.	.	.	.	.	768.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.5
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	769.0- 769.4
6 1	.	1	.	6 2	.	.	.	.	.	.	.	.	.	.	.	769.5- 769.9
16 14	.	1	.	17 14	1 1	.	.	.	1	.	.	.	.	.	.	770.0- 770.2
5 3	1	.	.	5 4	.	.	.	.	.	.	.	.	.	.	.	770.5- 770.7
11 7	.	2	.	13 7	1	.	1	.	.	.	.	.	.	.	.	771.0
3 2	.	1	1	5 2	.	.	.	.	.	.	.	.	.	.	.	771.5
24 4	1 3	.	.	25 7	3 2	2	2	.	1	.	.	.	.	.	.	773.0
36 11	.	1	1	38 13	.	.	.	.	.	.	.	.	.	.	.	773.5
118 83	3 4	3 3	.	124 90	3	.	.	.	.	1	.	.	.	.	.	776
1 .	1 .	2 .	.	3 1	.	1	.	1	.	.	.	.	.	.	.	780.2
11 4	3 1	1	3	17 6	11 5	9 4	7 9	4 8	3	4	2 2	.	.	3	1	

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS IN 1965
CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M F	28 13	7 4	3 8	6 1	16 10	6 2	3 -	3 1
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis except meningo- coccal and tuberculous	M F	. .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	8 1	. .	. .	. .	. 1	3 1	3 .	2 .
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	4 1	. .	. .	1 .	1 .	3 1	. .	. .
530-570 572-587	Other diseases of the digestive system	M F	1 .	1 .	. .	. .	1 .	. .	. .	. .
750-759	Congenital malformations	M F	. 3	. 1	. .	. 1	. 2	. .	. .	. 1
760,761	Birth injuries	M F	. 1	. .	. 1	. .	. 1	. .	. .	. .
762	Post-natal asphyxia and atelectasis	M F	2 3	1 2	1 1	. .	2 3	. .	. .	. .
763	Pneumonia of newborn	M F	2 .	. .	. .	3 .	3 .	. .	. .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-									
769.0- 773.0	Without mention of immaturity	M F	1 .	. .	. .	1 .	1 .	. .	. .	. .
769.5- 773.5	With mention of immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	4 3	1 1	2 2	1 .	4 3	. .	. .	. .
780.2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	5 1	4 .	. 1	. .	4 1	. .	. .	1 .

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1965, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All causes									
		M	634	288	354	184	188	66	83	22	39	16
		F	458	224	250	109	134	65	52	36	22	14
010	Tuberculosis of meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis, other forms	M	-	-	-	-	-	-	-	-	-	-
011-019		F	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	M	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	-	3	-	1	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
030-055	Other infective and parasitic diseases	M	-	9	-	4	-	3	-	1	-	1
057-138		F	-	4	-	2	-	1	-	1	-	-
340	Meningitis except meningococcal and tuberculous	M	1	7	1	5	-	1	-	-	-	1
		F	-	5	-	5	-	-	-	-	-	-
330-334	Other diseases of the nervous system and sense organs	M	-	-	-	2	-	1	-	1	-	-
341-398		F	-	4	-	-	-	-	-	-	-	-
480-483	Influenza	M	-	1	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia	M	-	85	-	56	-	16	-	9	-	4
		F	-	55	-	25	-	18	-	9	-	3
500-502	Bronchitis	M	-	1	-	1	-	-	-	-	-	-
		F	1	2	-	2	-	-	-	-	1	-
470-475	Other diseases of the respiratory system	M	-	1	-	-	-	-	-	1	-	-
510-527		F	-	5	-	1	-	1	-	3	-	-
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	23	38	17	26	5	11	1	1	-	1
		F	8	26	4	16	4	7	-	2	-	-
530-570	Other diseases of the digestive system	M	7	2	5	-	2	1	-	1	-	-
572-587		F	1	-	-	-	1	-	-	-	-	-
750-759	Congenital malformations	M	115	77	68	51	31	16	9	2	7	8
		F	120	68	71	29	30	22	14	9	5	8
760,761	Birth injuries	M	70	1	32	1	19	-	8	-	11	-
		F	50	3	26	1	14	2	5	-	5	-
762	Postnatal asphyxia and atelectasis	M	119	8	61	7	44	1	7	-	7	-
		F	94	8	44	4	32	2	14	2	4	-
763	Pneumonia of newborn	M	41	-	30	-	8	-	2	-	1	-
		F	37	-	28	-	7	-	1	-	1	-
765-768	Other infections of newborn	M	4	3	2	1	2	2	-	-	-	-
		F	1	1	-	1	1	-	-	-	-	-
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	55	8	34	3	16	2	2	2	3	1
		F	28	8	19	3	6	3	3	1	-	1
769.5-773.5	With mention of immaturity	M	54	-	26	-	16	-	10	-	2	-
		F	21	1	12	-	5	1	3	-	1	-
774	Immaturity with mention of any other subsidiary condition	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	124	3	68	3	39	-	10	-	7	-
		F	90	1	43	-	32	-	10	-	5	1
780.2	Convulsions	M	3	1	1	-	1	1	1	-	-	-
		F	1	1	-	-	-	1	1	-	-	-
	Other causes	M	17	40	9	24	4	10	3	5	1	1
		F	6	32	3	18	2	6	1	8	-	-

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1965 CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		CARLOW COUNTY		DUBLIN CO. BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN CO. (remainder of)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	14	6	147	80	8	6	42	25	20	7
		F	11	2	91	47	10	6	39	10	18	5
010	Tuberculosis of meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis, other forms	M	-	-	-	-	-	-	-	-	-	-
011-019		F	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
030-055	Other infective and parasitic diseases	M	-	-	-	2	-	-	-	-	-	-
057-138		F	-	-	-	-	-	-	-	-	-	1
340	Meningitis except meningococcal and tuberculous	M	-	1	1	3	-	-	-	-	-	-
		F	-	-	-	1	-	1	-	1	-	-
330-334	Other diseases of the nervous system and sense organs	M	-	-	-	-	-	-	-	-	-	-
341-398		F	-	-	-	1	-	1	-	-	-	-
480-483	Influenza	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia	M	-	4	-	20	-	2	-	10	-	1
		F	-	-	-	11	-	2	-	1	-	1
500-502	Bronchitis	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	1	-	1	-	-	-	-
470-475	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-	-	-
510-527		F	-	-	-	-	-	-	-	-	-	-
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	-	-	13	12	-	3	-	2	1	1
		F	-	-	3	7	-	1	1	1	-	2
530-570	Other diseases of the digestive system	M	1	-	1	-	-	-	-	-	-	-
572-587		F	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	M	4	1	21	25	2	-	9	6	3	1
		F	-	2	26	13	2	-	15	2	6	1
760,761	Birth injuries	M	1	-	12	-	2	-	7	-	3	-
		F	1	-	9	-	-	-	3	1	3	-
762	Postnatal asphyxia and atelectasis	M	1	-	25	2	1	-	7	1	2	2
		F	4	-	13	1	2	-	4	1	3	-
763	Pneumonia of newborn	M	-	-	10	-	-	-	7	-	5	-
		F	3	-	8	-	1	-	9	-	3	-
765-768	Other infections of newborn	M	1	-	1	1	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	1	-	13	1	-	-	4	-	3	-
		F	2	-	9	1	2	-	2	-	1	-
769.5-773.5	With mention of immaturity	M	1	-	15	-	1	-	-	-	-	-
		F	-	-	4	-	2	-	-	-	2	-
774	Immaturity with mention of any other subsidiary condition	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	3	-	28	-	1	1	8	1	3	-
		F	1	-	18	-	1	-	5	-	-	-
780.2	Convulsions	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	7	12	1	-	-	4	-	2
		F	-	-	1	10	-	-	-	3	-	-

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1965, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All causes									
		M	13	8	14	6	9	4	19	6	12	6
		F	8	-	7	2	2	3	9	3	12	4
010	Tuberculosis of meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis, other forms	M	-	-	-	-	-	-	-	-	-	-
011-019		F	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
030-055	Other infective and parasitic diseases	M	-	-	-	1	-	1	-	-	-	-
057-138		F	-	-	-	-	-	-	-	-	-	-
340	Meningitis except meningococcal and tuberculous	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
330-334	Other diseases of the nervous system and sense organs	M	-	-	-	-	-	-	-	-	-	-
341-398		F	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia	M	-	2	-	1	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	1	-	1
500-502	Bronchitis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-475	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-	-	-
510-527		F	-	-	-	-	-	-	-	-	-	-
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	1	1	2	-	-	-	1	-	-	1
		F	-	-	-	1	-	-	-	-	-	1
530-570	Other diseases of the digestive system	M	-	-	-	-	-	-	-	-	1	-
572-587		F	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	M	4	2	3	2	4	2	3	3	3	1
		F	-	-	1	1	2	-	3	1	3	1
760,761	Birth injuries	M	2	-	1	-	-	-	1	-	-	1
		F	-	-	1	-	-	-	2	-	1	-
762	Postnatal asphyxia and atelectasis	M	-	-	3	-	-	-	8	-	4	1
		F	3	-	4	1	-	-	2	1	3	-
763	Pneumonia of newborn	M	1	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	1	-
765-768	Other infections of newborn	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	-	-	1	-	2	-	3	-	1	-
		F	-	-	-	-	-	1	-	-	1	1
769.5-773.5	With mention of immaturity	M	-	-	1	-	-	-	1	-	2	-
		F	-	-	-	-	-	-	-	-	2	-
774	Immaturity with mention of any other subsidiary condition	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	5	-	2	-	1	-	3	-	1	-
		F	3	-	-	-	-	-	2	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	-	1	-	-	-	1	-	2
		F	-	-	1	-	-	2	-	-	-	-

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1965, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	9 13	8 8	16 8	6 4	16 10	6 9	16 11	13 5	22 20	9 5
010	Tuberculosis of meninges and central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
001-008 011-019	Tuberculosis, other forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
020-029	Syphilis and its sequelae	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
056	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
030-055 057-138	Other infective and parasitic diseases	M F	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
340	Meningitis except mening- ococcal and tuberculous	M F	- -	- 1	- -	- -	- 1	- -	- -	- -	- -	- -
330-334 341-398	Other diseases of the nervous system and sense organs	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-483	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
490-493	Pneumonia	M F	- -	4 2	- -	3 3	- 2	- -	- 4	- 1	- -	3 1
500-502	Bronchitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-475 510-527	Other diseases of the respiratory system	M F	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- 1
571,764	Gastro-enteritis, colitis and diarrhoeas of newborn	M F	- -	2 -	- -	1 -	- 1	- -	- 2	2 -	- -	- -
530-570 572-587	Other diseases of the digestive system	M F	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -
750-759	Congenital malformations	M F	2 2	1 2	2 2	2 1	3 4	2 3	5 5	3 2	3 7	2 1
760,761	Birth injuries	M F	1 4	- -	- 1	- -	- 1	- -	2 -	- -	1 2	- -
762	Postnatal asphyxia and atelectasis	M F	- 3	- -	4 1	- -	4 1	- -	2 1	1 -	4 -	- -
763	Pneumonia of newborn	M F	2 -	- -	1 -	- -	1 -	- -	1 -	- -	- -	- -
765-768	Other infections of newborn	M F	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	- 1	- -	3 -	- -	3 -	- -	- 1	2 -	1 1	1 1
769.5- 773.5	With mention of immaturity	M F	1 -	- -	1 -	- -	3 1	- -	- 1	- -	2 -	- -
774	Immaturity with mention of any other subsidiary condition	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
776	Immaturity unqualified	M F	2 3	- -	4 3	- -	2 3	1 -	5 3	- -	9 9	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	1 1	1 1	- -	- 2	- -	- 1	- -	1 1	3 1

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1965, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		CORK CO. BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK CO. BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	18	8	24	13	18	6	21	8	23	10
		F	16	8	24	12	11	13	14	8	13	8
010	Tuberculosis of meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis, other forms	M	-	-	-	-	-	-	-	-	-	-
011-019		F	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	-	-	-	-	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
030-055	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-
057-138		F	-	-	-	-	-	-	-	1	-	-
340	Meningitis except meningococcal and tuberculous	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
330-334	Other diseases of the nervous system and sense organs	M	-	-	-	-	-	-	-	-	-	-
341-398		F	-	-	-	1	-	-	-	-	-	-
480-483	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia	M	-	1	-	5	-	-	-	1	-	1
		F	-	2	-	2	-	4	-	1	-	1
500-502	Bronchitis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-475	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-	-	-
510-527		F	-	-	-	-	-	-	-	-	-	-
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	-	2	1	2	-	1	-	1	-	4
		F	-	-	-	1	-	1	1	2	-	-
530-570	Other diseases of the digestive system	M	-	-	1	1	1	-	-	-	-	-
572-587		F	-	-	1	-	-	-	-	-	-	-
750-759	Congenital malformations	M	4	1	5	2	6	2	3	2	4	3
		F	3	2	3	5	2	6	5	4	3	2
760,761	Birth injuries	M	1	-	7	-	3	-	2	-	3	-
		F	2	-	3	1	1	-	-	-	2	1
762	Postnatal asphyxia and atelectasis	M	8	1	5	-	1	-	10	-	6	-
		F	5	1	9	-	-	1	6	-	5	-
763	Pneumonia of newborn	M	1	-	-	-	1	-	-	-	1	-
		F	2	-	1	-	1	-	-	-	-	-
765-768	Other infections of newborn	M	-	-	-	1	-	-	1	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	-	-	1	-	2	1	5	-	5	-
		F	1	-	2	1	1	-	-	-	-	-
769.5-773.5	With mention of immaturity	M	-	-	6	-	3	-	-	-	3	-
		F	1	-	1	-	1	-	-	-	-	-
774	Immaturity with mention of any other subsidiary condition	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
776	Immaturity unqualified	M	4	-	7	-	1	-	-	-	1	-
		F	2	-	4	-	5	-	2	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	1	2	-	1	-	-	1	2
		F	-	-	-	1	-	1	-	-	-	-

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1965, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD CO. BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	16 13	4 5	19 14	4 5	7 4	4 1	11 5	2 7	18 14	5 18	7 4	1 -
010	Tuberculosis of meninges and central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
001-008 011-019	Tuberculosis, other forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
020-029	Syphilis and its sequelae	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
056	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
030-055 057-138	Other infective and parasitic diseases	M F	- -	- -	- -	2 -	- -	1 -	- -	- -	- -	1 1	- -	- -
340	Meningitis except meningococcal and tuberculous	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
330-334 341-398	Other diseases of the nervous system and sense organs	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
480-483	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
490-493	Pneumonia	M F	- -	3 1	- -	2 -	- -	1 -	- -	2 3	- -	1 6	- -	- -
500-502	Bronchitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-475 510-527	Other diseases of respiratory system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 2	- -	- -
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	2 2	- -	1 -	1 1	- -	- -	1 1	- 2	- -	1 1	- -	- -
530-570 572-587	Other diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
750-759	Congenital malformations	M F	3 3	- -	1 4	1 1	1 -	2 -	1 -	1 1	3 6	- 4	1 -	- -
760,761	Birth injuries	M F	- 2	- -	1 1	- -	- -	- -	1 1	- -	2 1	- -	1 -	- -
762	Postnatal asphyxia and atelectasis	M F	3 3	- -	4 4	- -	1 -	- -	2 -	- -	6 3	- -	1 -	- -
763	Pneumonia of newborn	M F	1 2	- -	3 -	- -	- -	- -	1 1	- -	- -	- -	- -	- -
765-768	Other infections of newborn	M F	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
769.0- 773.0	Other and ill-defined diseases of early infancy:- Without mention of immaturity	M F	2 -	- -	- -	- -	1 -	- -	- -	1 -	1 -	- -	- -	- -
769.5- 773.5	With mention of immaturity	M F	- -	- -	1 -	1 -	2 -	- -	1 -	- -	2 -	- -	4 2	- -
774	Immaturity with mention of any other subsidiary condition	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
776	Immaturity unqualified	M F	3 1	- -	6 4	- -	3 3	- -	5 1	- -	5 3	- -	1 1	- -
780.2	Convulsions	M F	1 -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	- 3	2 -	- -	- -	- -	- -	- -	- -	3 -	- -	- -

TABLE 29 - DEATHS REGISTERED IN 1965 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	8,357	4,461	4,325	3,598	3,961	3,358	4,322	3,640	17,965	13,057
Carlow	70	51	54	37	32	37	45	43	201	168
Dublin Co. Borough ..	807	789	717	637	642	570	746	741	2,912	2,737
Dun Laoghaire Boro'	70	84	60	79	64	72	72	97	266	332
Dublin Co. (remainder)	172	147	138	146	124	115	161	130	595	538
Kildare	108	88	91	77	71	73	123	74	393	312
Kilkenny	123	92	97	75	99	85	90	96	409	348
Laois	86	70	72	56	60	46	61	46	279	218
Longford	66	56	54	37	55	38	67	46	242	177
Louth	114	92	115	76	99	81	91	70	419	319
Meath	133	92	111	81	106	70	91	82	441	325
Offaly	100	77	54	43	92	67	84	57	330	244
Westmeath	100	85	71	57	82	60	75	61	328	263
Wexford	185	131	131	98	117	95	133	116	566	440
Wicklow	133	80	90	79	87	76	109	65	419	300
Leinster	2,267	1,934	1,855	1,572	1,730	1,483	1,948	1,724	7,800	6,721
Clare	186	129	130	124	121	96	147	111	584	460
Cork Co. Borough ..	156	147	132	104	117	111	130	121	535	483
Cork County	528	452	430	340	329	306	424	307	1,711	1,405
Kerry	246	201	188	150	185	155	181	150	800	656
Limerick Co. Borough	88	77	59	62	57	67	60	65	264	271
Limerick County ..	186	108	139	129	132	95	127	101	584	433
Tipperary, N.R. ..	105	88	90	68	76	70	79	65	350	291
Tipperary, S.R. ..	149	135	113	112	117	101	93	86	472	434
Waterford County Borough ..	36	58	45	47	49	42	54	59	184	206
Waterford County ..	110	88	75	65	68	60	62	49	315	262
Munster	1,790	1,483	1,401	1,201	1,251	1,103	1,357	1,114	5,799	4,901
Galway	246	183	227	149	221	156	203	172	897	660
Leitrim	80	71	74	48	72	43	67	43	293	205
Mayo	269	222	200	189	190	157	186	153	835	721
Roscommon	145	114	125	87	106	68	100	92	476	361
Sligo	113	101	86	58	78	72	114	88	391	319
Connacht	853	691	712	521	637	496	670	548	2,892	2,266
Cavan	117	92	94	78	96	77	106	67	413	314
Donegal	240	182	190	145	162	152	167	110	759	589
Monaghan	90	79	73	65	65	45	74	77	302	266
Ulster (part of) ..	447	353	357	288	323	274	347	254	1,478	1,169

TABLE 30 - BIRTHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1965 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGH.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	8,123	7,730	8,689	8,393	8,276	7,868	7,350	7,096	32,438	31,087
Carlow	114	119	106	114	104	98	97	106	421	437
Dublin Co. Borough	1,705	1,651	1,786	1,734	1,607	1,614	1,512	1,420	6,610	6,419
Dun Laoghaire Boro'	117	124	113	137	134	107	120	128	484	496
Dublin Co. (remainder)	659	661	774	767	671	690	636	606	2,740	2,724
Kildare	212	207	216	233	243	225	166	168	837	833
Kilkenny	141	130	148	139	180	148	143	142	612	559
Laois	136	99	127	115	141	135	129	99	533	448
Longford	76	66	104	72	84	72	75	67	339	277
Louth	178	189	300	241	222	205	188	169	888	804
Meath	191	168	219	224	196	186	196	176	802	754
Offaly	166	142	179	152	175	147	135	156	655	597
Westmeath	175	163	147	170	179	157	160	144	661	634
Wexford	332	263	237	219	279	254	187	180	1,035	916
Wicklow	176	206	199	177	158	160	158	147	691	690
Leinster	4,378	4,188	4,655	4,494	4,373	4,198	3,902	3,708	17,308	16,588
Clare	177	166	189	188	189	211	173	156	728	721
Cork Co. Borough	252	231	259	231	243	236	293	287	1,047	985
Cork County	698	646	829	769	739	688	600	577	2,866	2,680
Kerry	285	257	249	261	265	226	247	256	1,046	1,000
Limerick Co. Borough	168	163	172	162	153	153	182	157	675	635
Limerick County	256	212	253	263	254	226	196	190	959	891
Tipperary, N.R.	152	137	145	161	159	135	145	151	601	584
Tipperary, S.R.	185	191	221	204	200	191	165	194	771	780
Waterford County Borough	106	89	84	72	91	109	89	73	370	343
Waterford County	124	121	115	123	121	127	111	88	471	459
Munster	2,403	2,213	2,516	2,434	2,414	2,302	2,201	2,129	9,534	9,078
Galway	371	376	406	368	418	389	301	329	1,496	1,462
Leitrim	58	63	64	70	65	59	61	52	248	244
Mayo	260	235	297	256	261	221	225	204	1,043	916
Roscommon	100	96	100	111	96	105	102	113	398	425
Sligo	99	98	96	118	129	108	106	106	430	430
Connacht	888	868	963	923	969	882	795	804	3,615	3,477
Cavan	123	108	150	146	122	144	108	101	503	499
Donnegal	227	248	278	268	266	252	238	259	1,009	1,027
Monaghan	104	105	127	128	132	90	106	95	469	418
Ulster (part of)	454	461	555	542	520	486	452	455	1,981	1,944

TABLE 31 - BIRTHS, REGISTERED IN 1965 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary
Total	57,002	6,523	.	.	.	.	57,002	6,523
Carlow	627	87	61	1	203	3	769	89
Dublin Co. Borough	18,900	1,719	7,739	18	164	3	11,325	1,704
Dun Laoghaire Boro'	1,467	86	1,008	2	434	3	893	87
Dublin Co.(remainder)	194	523	169	.	4,909	7	4,934	530
Kildare	380	241	17	1	1,065	2	1,428	242
Kilkenny	835	129	37	.	244	.	1,042	129
Laois	651	114	8	2	225	1	868	113
Longford	397	72	79	.	224	2	542	74
Louth	2,844	76	1,277	.	49	.	1,616	76
Meath	256	74	4	.	1,230	.	1,482	74
Offaly	842	216	9	2	204	1	1,037	215
Westmeath	1,076	125	211	1	305	1	1,170	125
Wexford	1,351	293	26	1	334	.	1,659	292
Wicklow	233	262	16	2	901	3	1,118	263
Clare	1,064	114	6	.	277	.	1,335	114
Cork Co. Borough	2,015	144	1,130	.	998	5	1,883	149
Cork County ..	5,572	207	1,354	7	1,127	1	5,345	201
Kerry	1,712	101	15	1	247	2	1,944	102
Limerick Co. Borough	3,311	122	2,139	1	17	.	1,189	121
Limerick County ..	.	119	.	1	1,731	1	1,731	119
Tipperary, N.R. ..	1,052	69	218	1	280	3	1,114	71
Tipperary, S.R. ..	1,455	108	105	.	91	2	1,441	110
Waterford Co. .. Borough	1,329	174	843	1	54	.	540	173
Waterford County	243	151	53	1	590	.	780	150
Galway	3,402	208	725	2	74	1	2,751	207
Leitrim	266	36	12	.	202	.	456	36
Mayo	1,262	255	12	1	451	4	1,701	258
Roscommon	495	43	31	.	315	1	779	44
Sligo	853	76	108	1	38	2	783	77
Cavan	704	104	65	2	260	1	899	103
Donegal	1,568	440	11	.	39	.	1,596	440
Monaghan	646	35	68	.	274	.	852	35

* Including registered private maternity homes.

TABLE 32 - BIRTHS REGISTERED IN 1965 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	63,525	32,438	31,087	1,403	708	695
15 and under	34	18	16	23	10	13
16	78	43	35	45	25	20
17	276	142	134	104	54	50
18	482	240	242	124	70	54
19	851	412	439	143	70	73
Under 20	1,721	855	866	439	229	210
20	1,275	634	641	161	85	76
21	1,715	860	855	131	57	74
22	2,350	1,211	1,139	95	51	44
23	2,669	1,355	1,314	89	44	45
24	2,954	1,586	1,368	62	30	32
20-24	10,963	5,646	5,317	538	267	271
25	3,433	1,694	1,739	73	42	31
26	3,445	1,788	1,657	40	14	26
27	3,497	1,750	1,747	35	19	16
28	3,569	1,858	1,711	40	27	13
29	3,483	1,760	1,723	30	14	16
25-29	17,427	8,850	8,577	218	116	102
30	3,412	1,754	1,658	32	15	17
31	3,222	1,640	1,582	23	9	14
32	3,435	1,743	1,692	20	12	8
33	3,108	1,589	1,519	12	3	9
34	2,912	1,495	1,417	14	7	7
30-34	16,089	8,221	7,868	101	46	55
35	2,840	1,509	1,331	12	8	4
36	2,500	1,274	1,226	11	5	6
37	2,332	1,185	1,147	7	4	3
38	2,253	1,136	1,117	14	5	9
39	1,949	971	978	14	8	6
35-39	11,874	6,075	5,799	58	30	28
40	1,641	854	787	3	1	2
41	1,178	598	580	3	2	1
42	930	466	464	2	1	1
43	652	345	307	4	3	1
44	367	187	180	1	.	1
40-44	4,768	2,450	2,318	13	7	6
45	216	120	96	2	.	2
46	76	36	40	.	.	.
47	42	20	22	.	.	.
48	11	8	3	.	.	.
49	2	.	2	.	.	.
45-49	347	184	163	2	.	2
50-54	.	.	.	.	.	.
Age not stated	336	157	179	34	13	21

TABLE 33 - BIRTHS REGISTERED IN 1965, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW												
Under 20 years	32	14	18	5	3	2	391	198	193	85	46	39
20-24 years	158	72	86	9	5	4	2,827	1,435	1,392	138	69	69
25-29 years	205	108	97	3	2	1	3,810	1,914	1,896	59	29	30
30-34 years	218	115	103	2	1	1	3,084	1,582	1,502	30	10	20
35-39 years	166	79	87	1	1	.	2,114	1,077	1,037	15	9	6
40-44 years	73	30	43	.	.	.	745	375	370	5	3	2
45 years and over	3	1	2	.	.	.	46	24	22	.	.	.
Age not stated	3	2	1	.	.	.	12	5	7	6	3	3
All ages	858	421	437	20	12	8	13,029	6,610	6,419	338	169	169
DUN LAOGHAIRE BOROUGH												
Under 20 years	26	15	11	4	3	1	85	40	45	27	10	17
20-24 years	206	105	101	11	4	7	976	516	460	34	15	19
25-29 years	308	150	158	3	2	1	1,780	898	882	14	6	8
30-34 years	239	111	128	1	1	.	1,447	691	756	8	4	4
35-39 years	151	75	76	.	.	.	867	447	420	2	1	1
40-44 years	47	26	21	.	.	.	283	136	147	.	.	.
45 years and over	2	1	1	.	.	.	18	7	11	.	.	.
Age not stated	1	1	.	.	.	.	8	5	3	2	2	.
All ages	980	484	496	19	10	9	5,464	2,740	2,724	87	38	49
DUBLIN COUNTY (remainder)												
Under 20 years	62	33	29	12	7	5	38	19	19	6	2	4
20-24 years	337	162	175	12	5	7	218	113	105	14	7	7
25-29 years	471	228	243	4	4	.	304	162	142	6	4	2
30-34 years	366	183	183	4	4	.	269	135	134	1	.	1
35-39 years	282	144	138	.	.	.	225	120	105	1	.	1
40-44 years	133	77	56	.	.	.	110	58	52	1	1	.
45 years and over	13	7	6	1	.	1	5	5	.	.	.	.
Age not stated	6	3	3	.	.	.	2	.	2	.	.	.
All ages	1,670	837	833	33	20	13	1,171	612	559	29	14	15
KILDARE												
Under 20 years	38	22	16	11	7	4	19	14	5	6	3	3
20-24 years	153	85	68	6	2	4	71	41	30	10	7	3
25-29 years	259	133	126	3	.	3	146	80	66	3	2	1
30-34 years	255	151	104	1	.	1	168	84	84	.	.	.
35-39 years	177	81	96	1	1	.	139	79	60	.	.	.
40-44 years	86	51	35	.	.	.	63	34	29	1	1	.
45 years and over	3	1	2	.	.	.	5	4	1	.	.	.
Age not stated	10	9	1	1	1	.	5	3	2	1	1	.
All ages	981	539	448	24	11	12	616	339	277	21	14	7
KILKENNY												
Under 20 years	38	22	16	11	7	4	19	14	5	6	3	3
20-24 years	153	85	68	6	2	4	71	41	30	10	7	3
25-29 years	259	133	126	3	.	3	146	80	66	3	2	1
30-34 years	255	151	104	1	.	1	168	84	84	.	.	.
35-39 years	177	81	96	1	1	.	139	79	60	.	.	.
40-44 years	86	51	35	.	.	.	63	34	29	1	1	.
45 years and over	3	1	2	.	.	.	5	4	1	.	.	.
Age not stated	10	9	1	1	1	.	5	3	2	1	1	.
All ages	981	539	448	24	11	12	616	339	277	21	14	7
LACIS												
Under 20 years	38	22	16	11	7	4	19	14	5	6	3	3
20-24 years	153	85	68	6	2	4	71	41	30	10	7	3
25-29 years	259	133	126	3	.	3	146	80	66	3	2	1
30-34 years	255	151	104	1	.	1	168	84	84	.	.	.
35-39 years	177	81	96	1	1	.	139	79	60	.	.	.
40-44 years	86	51	35	.	.	.	63	34	29	1	1	.
45 years and over	3	1	2	.	.	.	5	4	1	.	.	.
Age not stated	10	9	1	1	1	.	5	3	2	1	1	.
All ages	981	539	448	24	11	12	616	339	277	21	14	7
LONGFORD												
Under 20 years	38	22	16	11	7	4	19	14	5	6	3	3
20-24 years	153	85	68	6	2	4	71	41	30	10	7	3
25-29 years	259	133	126	3	.	3	146	80	66	3	2	1
30-34 years	255	151	104	1	.	1	168	84	84	.	.	.
35-39 years	177	81	96	1	1	.	139	79	60	.	.	.
40-44 years	86	51	35	.	.	.	63	34	29	1	1	.
45 years and over	3	1	2	.	.	.	5	4	1	.	.	.
Age not stated	10	9	1	1	1	.	5	3	2	1	1	.
All ages	981	539	448	24	11	12	616	339	277	21	14	7

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1965, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births, including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years	49	26	23	5	4	1	52	24	28	13	4	9
20-24 years	319	170	149	16	8	8	268	155	113	15	8	7
25-29 years	470	239	231	6	3	3	411	222	189	8	6	2
30-34 years	399	219	180	4	1	3	385	189	196	3	1	2
35-39 years	303	157	146	3	3	.	276	134	142	3	2	1
40-44 years	135	67	68	1	.	1	144	65	79	.	.	.
45 years and over	13	7	6	.	.	.	9	5	4	.	.	.
Age not stated	4	3	1	1	.	1	11	8	3	.	.	.
All ages	1,692	888	804	36	19	17	1,556	802	754	42	21	21
OFFALY							WESTMEATH					
Under 20 years	34	13	21	7	4	3	60	28	32	20	12	8
20-24 years	209	112	97	10	5	5	204	113	91	21	16	5
25-29 years	325	168	157	1	.	1	311	158	153	7	5	2
30-34 years	313	166	147	.	.	.	339	177	162	2	.	2
35-39 years	241	131	110	1	1	.	272	133	139	1	1	.
40-44 years	112	55	57	1	.	1	91	45	46	1	.	1
45 years and over	8	7	1	.	.	.	10	4	6	1	.	1
Age not stated	10	3	7	.	.	.	8	3	5	1	.	1
All ages	1,252	655	597	20	10	10	1,295	661	634	54	34	20
WEXFORD							WICKLOW					
Under 20 years	93	49	44	20	9	11	68	30	38	20	12	8
20-24 years	345	186	159	27	13	14	280	141	139	11	5	6
25-29 years	503	263	240	6	5	1	379	193	186	7	4	3
30-34 years	478	253	225	7	5	2	323	162	161	4	1	3
35-39 years	363	185	178	2	.	2	234	118	116	2	.	2
40-44 years	152	90	62	1	1	.	89	44	45	.	.	.
45 years and over	7	3	4	.	.	.	4	1	3	.	.	.
Age not stated	10	6	4	.	.	.	4	2	2	.	.	.
All ages	1,951	1,035	916	63	33	30	1,581	691	690	44	22	22
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years	41	20	21	7	5	2	105	54	51	37	20	17
20-24 years	418	210	208	5	2	3	772	397	375	37	15	22
25-29 years	651	328	323	3	2	1	1,500	755	745	13	7	6
30-34 years	479	261	218	.	.	.	1,544	815	729	8	4	4
35-39 years	309	164	145	3	1	2	1,126	584	542	1	.	1
40-44 years	117	57	60	.	.	.	425	225	200	.	.	.
45 years and over	9	2	7	.	.	.	33	21	12	.	.	.
Age not stated	8	5	3	.	.	.	41	15	26	7	3	4
All ages	2,032	1,047	985	18	10	8	5,546	2,866	2,680	103	49	54

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1965, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE												
Under 20 years	41	22	19	9	4	5	53	25	28	13	10	3
20-24 years	235	120	115	12	3	9	256	134	122	19	11	8
25-29 years	390	204	186	8	3	5	500	257	243	4	2	2
30-34 years	336	160	176	2	.	2	542	282	260	1	1	.
35-39 years	305	154	151	1	.	1	441	216	225	3	1	2
40-44 years	124	60	64	1	.	1	188	100	88	.	.	.
45 years and over	8	4	4	.	.	.	8	5	3	.	.	.
Age not stated	10	4	6	2	.	2	58	27	31	2	.	2
All ages	1,449	728	721	35	10	23	2,046	1,046	1,000	42	25	17
KERRY												
Under 20 years	44	20	24	3	3	.	55	28	27	22	11	11
20-24 years	275	132	143	1	1	.	261	140	121	21	7	14
25-29 years	402	203	199	3	3	.	485	236	249	10	4	6
30-34 years	308	174	134	2	2	.	472	247	225	5	3	2
35-39 years	197	104	93	1	1	.	387	207	180	3	1	2
40-44 years	78	39	39	.	.	.	165	91	74	1	1	.
45 years and over	4	3	1	.	.	.	12	4	8	.	.	.
Age not stated	2	.	2	1	.	1	13	6	7	1	1	.
All ages	1,310	675	635	11	10	1	1,850	959	891	63	28	35
LIMERICK COUNTY BOROUGH												
LIMERICK COUNTY												
Under 20 years	31	14	17	13	7	6	40	20	20	12	6	6
20-24 years	175	82	93	9	4	5	258	140	118	18	13	5
25-29 years	295	153	142	2	.	2	387	194	193	6	4	2
30-34 years	324	155	169	3	2	1	388	179	209	1	.	1
35-39 years	242	124	118	.	.	.	336	156	180	1	1	.
40-44 years	105	66	39	.	.	.	131	77	54	.	.	.
45 years and over	8	5	3	.	.	.	3	2	1	.	.	.
Age not stated	5	2	3	1	1	.	8	3	5	1	.	1
All ages	1,185	601	584	28	14	14	1,551	771	780	39	24	15
TIPPERARY, NORTH RIDING												
TIPPERARY, SOUTH RIDING												
Under 20 years	22	11	11	4	1	3	22	10	12	4	.	4
20-24 years	163	87	76	4	1	3	166	87	79	8	3	5
25-29 years	214	101	113	.	.	.	230	115	115	2	.	2
30-34 years	172	93	79	.	.	.	228	115	113	2	1	1
35-39 years	106	59	47	1	1	.	173	89	84	1	.	1
40-44 years	33	17	16	.	.	.	94	45	49	.	.	.
45 years and over	3	2	1	.	.	.	6	3	3	.	.	.
Age not stated	.	.	.	.	.	.	11	7	4	.	.	.
All ages	713	370	343	9	3	6	930	471	459	17	4	13
WATERFORD COUNTY BOROUGH												
WATERFORD COUNTY												
Under 20 years	22	11	11	4	1	3	22	10	12	4	.	4
20-24 years	163	87	76	4	1	3	166	87	79	8	3	5
25-29 years	214	101	113	.	.	.	230	115	115	2	.	2
30-34 years	172	93	79	.	.	.	228	115	113	2	1	1
35-39 years	106	59	47	1	1	.	173	89	84	1	.	1
40-44 years	33	17	16	.	.	.	94	45	49	.	.	.
45 years and over	3	2	1	.	.	.	6	3	3	.	.	.
Age not stated	.	.	.	.	.	.	11	7	4	.	.	.
All ages	713	370	343	9	3	6	930	471	459	17	4	13

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1965, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
GALWAY							LEITRIM					
Under 20 years	60	30	30	14	7	7	6	2	4	3	1	2
20-24 years	395	193	202	20	12	8	43	25	18	2	1	1
25-29 years	708	367	341	10	5	5	116	59	57	1	1	.
30-34 years	794	403	391	2	1	1	129	62	67	.	.	.
35-39 years	663	338	325	4	1	3	137	69	68	.	.	.
40-44 years	288	141	147	.	.	.	50	25	25	.	.	.
45 years and over	30	17	13	.	.	.	8	4	4	.	.	.
Age not stated	20	7	13	2	.	2	3	2	1	.	.	.
All ages	2,988	1,496	1,462	52	26	26	492	248	244	6	3	3
MAYO							ROSCOMMON					
Under 20 years	27	17	10	7	3	4	13	4	9	2	.	2
20-24 years	240	128	112	5	3	2	90	41	49	10	7	3
25-29 years	457	231	226	6	3	3	192	97	95	1	.	1
30-34 years	562	296	266	.	.	.	237	116	121	.	.	.
35-39 years	451	260	191	.	.	.	194	97	97	.	.	.
40-44 years	174	91	83	.	.	.	88	40	48	.	.	.
45 years and over	18	10	8	.	.	.	6	2	4	.	.	.
Age not stated	30	10	20	1	.	1	3	1	2	1	.	1
All ages	1,959	1,043	916	19	9	10	823	398	425	14	7	7
SLIGO							CAVAN					
Under 20 years	18	5	13	7	2	5	21	8	13	12	5	7
20-24 years	119	56	63	4	1	3	113	56	57	10	5	5
25-29 years	212	109	103	1	.	1	243	137	106	.	.	.
30-34 years	235	117	118	.	.	.	294	142	152	.	.	.
35-39 years	202	105	97	2	1	1	202	102	100	.	.	.
40-44 years	62	31	31	.	.	.	106	48	58	.	.	.
45 years and over	8	5	3	.	.	.	14	6	8	.	.	.
Age not stated	4	2	2	1	1	.	9	4	5	.	.	.
All ages	860	430	430	15	5	10	1,002	505	499	22	10	12
DONEGAL							MONAGHAN					
Under 20 years	56	31	25	23	14	9	19	9	10	6	4	2
20-24 years	284	143	141	15	8	7	129	69	60	4	1	3
25-29 years	543	273	270	13	7	6	220	115	105	5	3	2
30-34 years	522	258	264	7	3	4	240	128	112	1	1	.
35-39 years	397	183	214	4	3	1	197	105	92	1	.	1
40-44 years	206	108	98	.	.	.	71	36	35	.	.	.
45 years and over	11	4	7	.	.	.	11	7	4	.	.	.
Age not stated	17	9	8	2	.	2	.	.	.	.	.	.
All ages	2,036	1,009	1,027	64	35	29	887	469	418	17	9	8

TABLE 34 - TOTAL BIRTHS REGISTERED IN 1965 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	63,525	14,902	12,183	10,196	7,972	5,694	3,924	2,775	1,927	1,249	864
15 and under	34	34	.	.	.	.	.	.	.	.	.
16	78	67	11	.	.	.	.	.	.	.	.
17	276	250	25	.	.	.	.	.	.	.	.
18	482	395	72	13	.	.	.	.	.	.	.
19	851	592	217	32	10	.	.	.	.	.	.
Under 20	1,721	1,338	325	45	10	.	.	.	.	.	.
20	1,275	834	323	97	16	4	.	.	.	.	.
21	1,715	1,041	426	205	36	6	.	.	.	.	.
22	2,350	1,290	648	279	100	28	5	.	.	.	.
23	2,669	1,253	809	394	148	50	12	1	2	.	.
24	2,951	1,250	897	472	208	86	28	10	1	.	.
20-24	10,963	5,668	3,103	1,447	508	174	45	11	3	.	.
25	3,433	1,251	1,065	594	321	118	63	15	5	.	1
26	3,445	1,013	1,035	722	359	171	83	37	13	7	3
27	3,497	949	998	720	430	217	97	44	31	7	2
28	3,569	776	888	840	504	272	148	78	39	16	4
29	3,483	628	746	813	588	346	170	98	49	29	6
25-29	17,427	4,617	4,732	3,689	2,202	1,124	561	272	137	59	16
30	3,412	576	669	746	594	342	217	132	65	30	22
31	3,222	457	621	658	552	353	237	161	98	45	17
32	3,435	453	502	631	667	449	311	161	118	68	32
33	3,108	326	440	569	584	403	274	180	143	81	49
34	2,912	298	346	474	513	395	310	228	134	72	68
30-34	16,089	2,110	2,578	3,078	2,910	1,942	1,349	862	558	296	188
35	2,840	238	326	446	478	428	300	231	138	97	75
36	2,500	162	279	363	372	366	264	217	164	125	66
37	2,332	198	229	272	349	387	259	199	137	100	71
38	2,253	152	158	266	326	329	270	212	166	105	80
39	1,949	113	153	184	265	275	243	210	145	108	96
35-39	11,874	863	1,145	1,531	1,790	1,785	1,336	1,069	750	535	388
40	1,641	76	98	130	209	245	206	170	129	98	70
41	1,178	57	82	95	113	150	145	132	118	75	67
42	930	36	41	61	107	118	117	103	92	64	55
43	652	21	33	52	61	73	74	82	61	56	36
44	367	22	23	23	22	36	37	38	36	28	27
40-44	4,768	212	277	361	512	622	579	525	436	321	255
45	216	16	2	16	15	23	25	21	24	20	6
46	76	2	2	5	7	8	8	10	9	6	6
47	42	1	.	2	4	5	6	2	5	6	3
48	11	.	1	1	2	1	1	1	1	2	.
49 and over	2	.	.	.	.	.	1	.	.	1	.
45 and over	347	19	5	24	28	37	41	34	39	35	15
Age not stated	336	75	18	21	12	10	13	2	4	3	2

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
622	384	276	148	90	49	34	10	5	2	2	.	1	216	All Ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	15 and under
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	.	1	17
.	.	.	.	.	.	.	.	.	.	.	.	.	2	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	19
.	.	.	.	.	.	.	.	.	.	.	.	.	3	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	.	1	20
.	.	.	.	.	.	.	.	.	.	.	.	.	1	21
.	.	.	.	.	.	.	.	.	.	.	.	.	.	22
.	.	.	.	.	.	.	.	.	.	.	.	.	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	2	24 X
.	.	.	.	.	.	.	.	.	.	.	.	.	4	20-24
.	.	.	.	.	.	.	.	.	.	.	.	.	.	25
.	.	.	.	.	.	.	.	.	.	.	.	.	2	26
1	.	.	.	.	.	.	.	.	.	.	.	.	1	27
2	1	.	.	.	.	.	.	.	.	.	.	.	1	28
8	.	.	.	.	.	.	.	.	.	.	.	.	2	29
11	1	.	.	.	.	.	.	.	.	.	.	.	6	25-29
12	4	2	.	.	.	.	.	.	.	.	.	.	1	30
11	5	2	.	1	.	.	.	.	.	.	.	.	4	31
26	11	2	2	.	.	.	.	.	.	.	.	.	2	32
30	10	8	1	2	.	1	.	.	.	.	.	.	7	33
35	14	18	4	1	.	1	.	.	.	.	.	.	1	34
114	44	32	7	4	.	2	.	.	.	.	.	.	15	30-34
39	23	9	4	3	1	1	.	.	.	.	.	.	3	35
45	38	25	4	6	1	1	.	.	.	.	.	.	2	36
49	35	21	9	7	2	2	2	1	.	.	.	.	3	37
77	47	25	22	7	8	2	.	.	.	.	.	.	1	38
55	41	23	16	9	6	2	1	1	.	.	.	.	3	39
265	184	103	55	32	18	8	3	2	.	.	.	.	12	35-39
72	41	38	27	10	10	9	1	.	.	.	.	1	1	40
43	26	27	15	16	4	7	3	1	.	.	.	.	2	41
46	32	26	15	5	3	2	2	1	2	1	.	.	1	42
33	21	19	14	8	7	.	1	.	.	.	.	.	.	43
20	15	20	5	6	5	2	.	1	.	1	.	.	.	44
214	135	130	76	45	29	20	7	3	2	2	.	1	4	40-44
10	11	8	7	7	2	3	.	.	.	.	.	.	.	45
4	4	.	3	1	.	1	.	.	.	.	.	.	.	46
2	2	3	.	.	.	.	.	.	.	.	.	.	.	47 X
.	1	.	.	.	.	.	.	.	.	.	.	.	.	48
.	.	.	.	.	.	.	.	.	.	.	.	.	.	49 and over
16	18	11	10	9	2	4	.	.	.	.	.	.	.	45 and over
2	2	.	.	.	.	.	.	.	.	.	.	.	172	Age not stated

TABLE 35 - LEGITIMATE BIRTHS REGISTERED IN 1965, CLASSIFIED

Age of mother at maternity	Legitimate births: the year of											
	Total	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955
All ages	62,122	1,816	8,939	6,053	8,916	8,172	4,852	4,197	3,693	3,201	2,871	2,553
15	11	4	4	1	1	1	.	.	.	.	.	.
16	33	11	13	5	4	.	.	.	.	.	.	.
17	172	65	85	18	2	1	.	.	.	.	.	.
18	358	97	184	49	21	4	1	.	.	.	.	.
19	708	139	338	149	56	15	6	.	1	.	.	.
Under 20	1,282	316	624	222	84	21	7	.	1	.	.	.
20	1,114	156	506	272	110	51	14	5	.	.	.	.
21	1,584	172	696	353	221	94	37	6	3	.	.	.
22	2,253	158	929	477	339	200	102	28	16	4	.	.
23	2,579	122	909	543	453	278	167	78	19	6	1	.
24	2,892	113	851	549	500	406	252	118	54	27	7	6
20-24	10,422	721	2,891	2,194	1,623	1,029	572	235	92	37	8	6
25	3,360	105	782	620	579	500	359	215	106	53	21	4
26	3,405	81	660	499	583	488	416	289	200	90	52	27
27	3,462	68	591	418	523	480	447	351	234	165	104	41
28	3,529	41	479	378	398	438	463	432	338	213	150	93
29	3,453	35	357	286	391	417	460	388	349	263	201	122
25-29	17,209	330	2,869	2,201	2,474	2,323	2,145	1,675	1,227	784	528	287
30	3,380	35	303	293	302	350	377	372	354	258	247	172
31	3,199	20	263	234	269	274	300	352	296	276	247	248
32	3,415	18	248	194	237	229	293	329	329	300	281	283
33	3,098	12	174	151	204	201	236	268	256	271	296	218
34	2,899	16	155	130	128	174	189	188	238	262	256	241
30-34	16,991	101	1,143	1,002	1,140	1,228	1,395	1,509	1,473	1,367	1,327	1,162
35	2,828	12	101	99	142	146	165	207	222	229	222	246
36	2,489	8	65	90	117	125	136	136	183	176	157	186
37	2,325	8	86	69	90	78	109	112	145	162	175	184
38	2,239	9	63	46	78	75	106	115	85	140	132	147
39	1,935	3	30	51	54	52	64	68	102	98	128	105
35-39	11,816	40	346	268	481	476	580	638	737	805	814	868
40	1,633	2	28	29	38	31	50	56	66	83	76	89
41	1,175	1	18	19	43	23	32	32	36	47	44	60
42	928	.	9	11	11	14	26	20	26	33	31	40
43	648	1	4	6	10	11	14	18	17	22	25	20
44	366	.	4	3	2	6	13	7	7	15	10	11
40-44	4,755	4	63	68	104	85	135	133	152	200	186	220
45	214	.	1	3	4	3	8	2	5	5	4	5
46	76	.	.	.	1	1	1	2	.	1	1	1
47	42	.	.	.	.	.	1	.	1	1	.	1
48	11	.	.	.	.	.	.	.	.	.	.	1
49 and over	2	.	.	.	.	.	.	.	.	.	.	.
45 and over	346	.	1	3	8	4	10	4	6	7	5	8
Age not stated	302	3	3	8	5	6	8	3	5	1	3	2

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

marriage being												Age of mother at maternity
1954	1953	1952	1951	1950	1949	1948	1947	1946	1941 to 1945	1940 and earlier	Not stated	
2,231	1,967	1,689	1,290	1,298	981	785	692	616	1,260	192	322	All ages
.	.	.	.	.	.	.	.	.	.	.	.	15
.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	1	17
.	.	.	.	.	.	.	.	.	.	.	2	18
.	.	.	.	.	.	.	.	.	.	.	4	19
.	.	.	.	.	.	.	.	.	.	.	7	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	20
.	.	.	.	.	.	.	.	.	.	.	2	21
.	.	.	.	.	.	.	.	.	.	.	.	22
.	.	.	.	.	.	.	.	.	.	.	3	23
3	.	.	.	.	.	.	.	.	.	.	6	24
3	.	.	.	.	.	.	.	.	.	.	11	20-24
5	3	1	.	.	.	.	.	.	.	.	7	25
5	7	3	.	.	.	.	.	.	.	.	5	26
23	6	4	1	1	.	.	.	.	.	.	8	27
57	30	7	2	4	.	.	.	.	.	.	6	28
98	39	21	14	7	1	.	.	.	.	.	4	29
188	88	36	17	12	1	.	.	.	.	.	27	28-29
142	89	48	18	8	3	3	.	.	.	.	6	30
154	110	87	38	18	5	3	2	1	.	.	2	31
215	151	134	74	56	25	9	6	1	.	.	3	32
218	177	153	100	84	42	19	9	3	3	.	3	33
199	178	166	124	120	60	46	16	6	4	.	3	34
928	708	688	354	286	138	80	33	11	7	.	17	30-34
222	177	152	138	139	75	59	38	18	13	.	6	35
180	163	160	146	153	104	87	58	32	25	.	2	36
165	174	127	112	145	113	92	67	59	52	.	1	37
149	141	163	126	133	110	107	95	100	111	2	6	38
127	148	134	102	106	136	88	99	85	152	1	2	39
843	803	736	624	676	638	433	387	294	383	3	17	36-39
99	100	111	92	110	101	80	79	86	217	13	2	40
72	68	78	75	74	81	56	62	58	183	11	2	41
41	49	57	58	62	64	55	65	70	168	18	.	42
33	36	31	35	31	31	46	43	47	141	25	1	43
11	10	25	15	18	14	17	29	27	93	27	2	44
256	263	302	275	295	291	254	278	288	302	94	7	30-44
6	5	15	9	20	9	12	18	12	50	17	1	45
1	1	7	6	3	4	2	4	5	27	8	.	46
2	1	2	4	3	1	1	1	4	14	5	.	47
.	1	.	.	.	.	1	.	1	2	5	.	48
.	.	.	.	.	.	1	1	.	.	.	.	49 and over
9	8	28	19	26	14	17	24	22	93	38	1	45 and over
4	3	3	1	.	2	1	.	1	5	.	235	Age not stated

TABLE 36 - LEGITIMATE FIRST BIRTHS REGISTERED IN 1965 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

[illegible]

TABLE 37 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	16,946	16,329	617	429	83	33	9	7	56
Carlow	164	158	6	6	.	.	.	.	.
Dublin County Borough ...	4,985	4,800	185	89	17	18	9	3	49
Dun Laoghaire Borough ...	428	417	11	9	.	1	.	.	1
Dublin County (remainder)	681	639	42	40	2	.	.	.	.
Kildare	390	382	8	7	1	.	.	.	.
Kilkenny	343	334	9	9	.	.	.	.	.
Laois	172	166	6	5	.	.	.	.	1
Longford	147	141	6	6	.	.	.	.	.
Louth	506	502	4	2	2	.	.	.	.
Meath	372	365	7	7	.	.	.	.	.
Offaly	285	268	17	17	.	.	.	.	.
Westmeath	294	292	2	1	.	.	.	.	1
Wexford	442	428	14	14	.	.	.	.	.
Wicklow	373	331	42	37	1	4	.	.	.
Leinster	9,682	9,223	369	249	23	23	9	3	62
Clare	305	303	2	2	.	.	.	.	.
Cork County Borough ...	902	888	14	6	2	2	.	1	3
Cork County	1,071	1,028	43	39	1	2	.	.	1
Kerry	511	504	7	7	.	.	.	.	.
Limerick County Borough	513	510	3	3	.	.	.	.	.
Limerick County ...	320	317	3	3	.	.	.	.	.
Tipperary, N.R. ...	296	286	10	8	.	2	.	.	.
Tipperary, S.R. ...	326	322	4	4	.	.	.	.	.
Waterford County Borough	257	256	1	1	.	.	.	.	.
Waterford County ...	205	200	5	5	.	.	.	.	.
Munster	4,706	4,614	92	78	3	6	.	1	4
Galway	685	682	3	3	.	.	.	.	.
Leitrim	102	92	10	9	.	1	.	.	.
Mayo	405	394	11	11	.	.	.	.	.
Roscommon	191	189	2	2	.	.	.	.	.
Sligo	231	213	18	17	.	1	.	.	.
Connacht	1,614	1,670	44	42	.	2	.	.	.
Cavan	243	213	30	24	6	.	.	.	.
Donegal	545	478	67	26	37	2	.	2	.
Monaghan	256	231	25	10	14	.	.	1	.
Ulster (part of) ...	1,044	922	122	60	57	2	.	3	.

COUNTY AND COUNTY BOROUGH DURING 1965

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	Sept.	Dec.	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
3,524	3,377	6,441	3,504	16,580	100	184	82	Total
31	24	68	41	162	1	1	.	Carlow
1,087	1,049	1,769	1,080	4,835	25	93	32	Dublin County Borough
85	104	157	82	418	4	4	2	Dun Laoghaire Borough
160	120	231	170	668	4	5	4	Dublin Co. (remainder)
75	80	161	74	383	.	5	2	Kildare
58	74	145	66	333	5	2	3	Kilkenny
31	32	67	42	170	2	.	.	Leois
22	43	56	26	143	2	1	1	Longford
86	98	229	93	499	3	3	1	Louth
59	89	160	64	367	.	2	3	Meath
47	61	120	57	279	3	2	1	Offaly
50	65	121	58	292	1	1	.	Westmeath
84	69	186	103	432	.	7	3	Wexford
71	79	153	70	367	3	.	3	Wicklow
1,946	1,987	3,623	2,026	9,348	53	126	55	Leinster
61	66	125	53	301	4	.	.	Clare
225	135	348	194	885	3	7	7	Cork County Borough
272	204	383	212	1,051	6	10	4	Cork County
158	90	176	87	503	3	3	2	Kerry
121	107	199	86	500	5	6	2	Limerick Co. Borough
75	63	109	73	314	.	5	1	Limerick County
58	65	124	49	288	2	4	2	Tipperary, N.R.
80	58	124	64	319	6	1	.	Tipperary, S.R.
56	45	103	53	254	.	2	1	Waterford Co. Borough
24	42	81	58	202	1	.	2	Waterford County
1,130	875	1,772	929	4,617	30	38	21	Munster
131	168	237	149	672	6	4	3	Galway
14	25	42	21	100	1	.	1	Leitrim
86	84	148	87	396	3	5	1	Mayo
41	35	87	28	190	.	1	.	Roscommon
38	48	91	54	231	.	.	.	Sligo
310	360	605	339	1,589	10	10	5	Connacht
32	58	94	59	237	2	4	.	Cavan
80	123	239	103	538	1	5	1	Donegal
26	74	108	48	251	4	1	.	Monaghan
138	255	441	210	1,026	7	10	1	Ulster (part of)

TABLE 39 - MARRIAGES REGISTERED IN 1965 CLASSIFIED BY ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	3	19	83	288	499	660	1,263	1,674	1,789	1,581	1,378	1,213	1,042	836	709	607	489	373	327	260	229	199
16	.	.	4	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
17	1	2	10	5	10	8	5	3	3	2	1	.	.	.	.	.	.	.	.	.	.	.
18	.	5	12	30	39	22	12	7	5	5	2	.	.	.	.	.	.	.	.	.	.	.
19	.	5	15	30	47	61	29	26	17	9	8	3	2	1	2	.	.	.	.	.	.	.
20	1	1	9	38	68	99	94	81	42	23	17	8	11	3	3	.	.	.	.	.	.	.
21	.	2	9	34	61	129	181	178	116	70	30	22	15	8	5	1	.	1	2	.	.	.
22	.	1	7	27	66	128	173	244	190	111	76	47	26	16	12	5	5	2	2	1	.	.
23	1	.	3	21	39	95	169	223	235	186	110	77	33	24	19	7	3	4	2	.	1	.
24	.	.	1	18	40	71	124	210	222	172	171	87	63	37	27	16	5	7	1	6	2	2
25	.	.	1	9	29	50	124	163	208	210	164	148	110	69	40	22	15	9	12	7	1	2
26	.	1	1	12	12	50	90	138	162	169	160	168	116	76	62	26	14	19	11	1	4	1
27	.	1	1	3	15	26	57	97	110	135	115	116	110	76	62	35	33	15	15	3	4	4
28	.	.	.	4	14	23	42	55	106	120	103	106	102	96	57	41	33	22	13	12	4	4
29	.	.	.	7	12	17	37	50	67	75	67	99	88	72	70	54	34	30	20	14	6	3
30	.	1	2	5	8	10	22	49	82	70	69	64	73	61	57	45	32	23	13	13	15	8
31	.	.	1	1	4	13	18	35	42	50	45	54	61	60	34	42	41	19	18	15	12	7
32	.	.	.	3	4	15	7	26	33	47	42	39	44	45	41	35	40	20	26	23	14	11
33	.	.	1	1	5	4	11	17	15	20	28	35	25	37	39	26	34	28	10	12	16	15
34	.	.	.	1	2	5	13	15	22	20	21	30	26	37	30	16	23	21	20	13	13	12
35	.	.	.	1	2	5	9	10	23	24	26	25	27	22	28	21	30	22	25	16	17	10
36	.	.	.	1	2	1	6	8	15	12	19	18	25	17	20	20	20	14	24	18	8	10
37	.	.	1	.	4	5	7	2	13	12	16	16	19	12	16	12	14	13	20	17	16	13
38	.	.	2	.	.	1	4	10	6	9	10	12	16	16	14	10	10	11	12	13	13	12
39	.	.	1	.	.	4	3	2	3	4	6	8	7	9	9	9	13	13	16	7	12	7
40	.	.	.	.	3	1	.	4	4	3	5	6	6	8	19	15	19	16	5	10	12	11
41	.	.	.	.	2	2	2	1	2	2	4	4	9	6	8	8	16	15	9	7	5	8
42	.	.	.	1	.	1	3	3	4	5	5	6	5	5	9	8	12	11	10	9	8	11
43	.	.	.	.	1	1	2	4	3	2	4	3	7	4	8	4	10	5	5	3	9	10
44	.	.	.	1	.	1	2	.	3	5	.	1	3	6	3	7	5	11	5	3	5	8
45	.	.	.	.	.	.	.	1	2	3	2	.	2	5	1	5	.	6	2	7	4	3
46	.	.	.	.	.	1	2	.	2	.	1	2	2	1	2	3	3	3	10	9	7	4
47	.	.	.	.	.	1	1	1	1	1	4	.	4	4	3	2	1	2	7	4	4	3
48	.	.	.	.	.	.	.	1	1	1	3	.	2	1	5	1	4	2	4	4	2	3
49	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3	4	2	3	1	3	4	2
50-54	.	.	.	.	3	1	3	4	.	2	1	6	2	1	.	3	2	3	5	7	5	11
55-59	.	.	.	.	.	1	.	4	.	.	.	.	.	.	.	.	1	1	2	2	4	5
60-64	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	2	1
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	.	1	.	7	3	1	.	2	.	3	.	3	1	2	2	2	.	.	.	.

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																				Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	Not stated	All ages	
167	160	116	119	102	81	87	76	40	39	38	30	34	21	84	43	20	12	4	139	16,946	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	140	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	258	19
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	500	20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	869	21
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1,152	22
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1,259	23
1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1,291	24
.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	6	1,400	25
3	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1,305	26
4	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	1,050	27
3	1	3	1	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	5	973	28
.	1	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	850	29
2	3	2	2	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	756	30
6	3	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	591	31
7	2	2	3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	5	540	32
8	4	3	4	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	5	409	33
9	6	6	4	.	2	2	2	.	1	1	.	.	.	.	.	.	.	.	1	379	34
11	5	4	2	4	3	1	2	.	.	.	.	.	1	1	.	.	.	.	2	381	35
10	8	2	2	7	3	2	1	1	1	3	1	3	.	1	.	.	.	.	1	304	36
7	7	5	9	7	3	3	.	1	1	1	1	.	1	1	.	.	.	.	.	274	37
4	8	7	4	5	1	1	2	2	1	.	1	.	.	2	1	.	.	.	.	220	38
12	7	10	7	3	1	4	3	2	.	.	.	2	.	.	.	.	.	.	.	184	39
10	7	8	7	4	4	8	4	3	2	1	.	2	.	1	.	.	.	.	3	211	40
14	12	4	6	9	1	6	5	1	2	2	.	1	.	1	.	.	.	.	2	176	41
6	12	6	6	8	6	4	6	2	1	2	.	.	1	1	.	.	.	.	1	178	42
12	6	6	7	4	9	6	2	2	1	1	.	4	.	2	1	.	.	.	.	148	43
4	4	7	4	7	7	4	8	1	3	.	.	2	.	1	2	.	.	.	.	118	44
6	4	5	7	6	7	7	5	2	3	1	4	1	1	5	1	.	.	.	1	109	45
1	10	3	5	7	2	7	3	.	3	3	1	2	.	2	.	.	.	.	.	101	46
3	8	5	5	4	4	3	2	2	3	2	2	1	1	4	1	.	.	.	.	93	47
2	7	4	2	2	4	4	2	4	.	4	3	2	2	.	.	.	.	.	.	76	48
4	5	3	6	1	2	3	3	2	2	1	.	1	1	3	1	.	.	.	.	63	49
12	10	11	14	8	11	7	11	8	5	6	7	9	3	18	8	.	.	.	2	209	50-54
2	6	3	3	2	6	5	7	2	7	4	5	2	2	19	6	2	.	.	3	103	55-59
1	2	2	.	3	.	4	3	4	2	3	3	2	7	10	8	5	4	1	.	70	60-64
.	.	.	.	1	1	1	.	.	.	2	1	.	.	5	7	6	3	.	1	29	65-69
.	.	.	.	.	.	1	1	.	.	1	.	.	1	3	6	4	4	1	.	22	70-74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	1	2	.	9	75 and over
.	1	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	54	85	Not stated

TABLE 39 - MARRIAGES REGISTERED IN 1965 CLASSIFIED BY
FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	3	19	81	258	493	859	1,262	1,669	1,787	1,878	1,373	1,208	1,032	832	701	602	477	363	316	249	218	182
16	.	.	4	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
17	1	2	10	5	10	8	5	3	3	2	1	.	.	.	.	.	.	.	.	.	.	.
18	.	5	12	30	39	22	12	7	5	5	2	.	.	.	.	.	.	.	.	.	.	.
19	.	5	15	30	47	61	29	26	17	9	8	3	2	1	2	.	.	.	.	.	.	.
20	1	1	9	38	68	99	94	81	42	23	17	8	11	3	3	.	.	.	.	.	.	.
21	.	2	9	34	61	129	181	178	116	70	30	22	15	8	5	1	.	1	.	.	2	.
22	.	1	7	27	66	128	178	244	190	111	76	47	26	16	12	5	5	2	1	1	.	.
23	1	.	5	21	39	95	169	223	235	186	110	77	32	24	19	7	3	4	2	.	1	.
24	.	.	1	18	40	71	124	210	222	172	171	87	63	37	27	16	5	7	1	6	2	2
25	.	.	1	9	29	50	124	162	208	210	164	148	109	69	40	22	15	8	11	5	1	2
26	.	1	1	12	12	50	90	138	162	169	160	168	116	76	62	26	14	19	11	1	4	1
27	.	1	1	3	15	26	57	97	110	135	115	116	110	76	62	36	34	15	15	3	3	4
28	.	.	.	4	14	23	41	55	106	120	103	106	102	96	57	41	33	22	12	12	4	4
29	.	.	.	7	12	17	37	50	67	75	86	99	88	72	70	54	34	29	20	14	6	3
30	.	1	1	5	8	10	22	49	82	70	89	64	72	61	57	45	32	23	13	12	15	8
31	.	.	1	1	4	13	18	35	42	50	45	54	60	60	32	42	41	19	17	14	12	7
32	.	.	.	5	4	15	7	26	33	47	42	39	43	45	40	35	40	20	26	23	14	10
33	.	.	1	1	5	4	11	17	15	20	28	35	25	37	39	26	33	28	10	12	16	15
34	.	.	.	1	2	5	13	15	22	20	21	30	26	37	30	16	28	21	19	13	13	12
35	.	.	.	1	2	5	9	10	22	24	28	24	27	21	28	21	30	21	25	15	16	9
36	.	.	.	1	2	1	6	8	15	12	19	18	25	17	19	20	20	14	24	17	7	10
37	.	.	1	.	4	5	7	2	13	11	16	16	18	11	16	11	13	13	19	17	14	12
38	.	.	2	.	.	1	4	10	6	9	10	10	16	16	14	10	10	11	11	13	12	12
39	.	.	.	.	.	4	3	2	3	4	6	7	7	9	9	9	13	13	14	7	11	6
40	.	.	.	.	3	1	.	4	3	3	2	6	6	8	18	15	19	16	5	10	12	11
41	.	.	.	.	2	2	2	1	2	2	4	4	8	4	8	7	16	14	9	7	5	6
42	.	.	.	1	.	1	3	3	4	5	5	6	5	5	9	7	11	11	10	9	8	11
43	.	.	.	.	1	1	2	4	3	2	3	3	7	4	8	4	10	5	5	3	3	16
44	.	.	.	1	.	1	2	.	3	5	.	1	3	6	2	6	5	10	5	3	4	3
45	.	.	.	.	.	.	.	1	2	1	2	.	2	5	1	4	.	6	2	6	4	3
46	.	.	.	.	.	1	2	.	2	.	1	2	2	1	1	3	3	3	9	9	7	4
47	.	.	.	.	.	1	1	.	1	1	4	.	3	3	3	2	1	1	7	4	4	3
48	.	.	.	.	.	.	.	1	1	1	3	.	2	1	5	1	3	2	4	3	2	3
49	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	4	2	2	1	1	4	3
50-54	.	.	.	.	3	1	3	3	.	2	1	5	.	.	.	3	2	1	5	7	3	3
55-59	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	2	2	.
60-64	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
65-69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	.	1	.	7	3	1	.	2	.	3	.	3	1	2	2	2	.	.	.	.

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	Not stated	All ages	
163	143	106	111	94	70	76	68	28	28	31	16	26	10	35	11	2	3	4	139	16,579	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	140	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	258	19
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	500	20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	869	21
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1,151	22
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1,258	23
1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1,291	24
1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	6	1,396	25
3	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1,304	26
4	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	1,048	27
3	1	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	969	28
.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	847	29
2	3	2	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	752	30
6	3	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	585	31
7	2	2	3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	5	537	32
8	3	3	4	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	5	407	33
9	6	5	3	.	2	2	2	.	1	1	.	.	.	.	.	.	.	.	1	376	34
11	5	4	2	4	3	1	2	.	.	.	.	.	.	1	.	.	.	.	2	373	35
10	8	2	2	6	2	2	1	.	1	2	1	3	.	1	.	.	.	.	1	297	36
7	7	5	8	6	3	3	.	1	.	1	.	.	1	.	.	.	.	.	.	261	37
4	7	7	4	5	1	1	2	2	1	.	1	.	.	2	1	.	.	.	.	215	38
12	7	8	6	3	1	4	3	2	.	.	.	1	.	.	.	.	.	.	.	174	39
9	7	8	7	4	4	8	4	3	2	1	.	2	.	.	.	.	.	.	3	204	40
13	12	4	6	9	1	5	4	1	2	2	.	.	.	1	.	.	.	.	2	167	41
6	12	6	6	8	6	3	6	1	1	2	.	.	1	.	.	.	.	.	1	173	42
11	6	6	6	4	9	5	1	1	1	1	.	4	.	1	.	1	.	.	.	140	43
4	4	7	4	7	6	4	7	1	2	.	.	1	.	1	1	.	.	.	.	109	44
6	4	5	7	5	6	6	4	2	3	1	3	.	1	4	1	.	.	.	1	98	45
1	9	3	4	6	1	6	2	.	2	3	1	2	.	.	.	.	.	.	.	90	46
3	7	3	5	4	3	3	1	2	3	2	.	1	1	1	1	.	1	.	.	80	47
2	7	4	2	2	4	3	2	3	.	3	3	1	1	.	.	.	.	.	.	68	48
4	5	3	6	1	2	2	2	2	2	1	.	.	1	.	.	1	.	.	.	53	49
11	9	9	13	6	9	8	6	5	2	7	4	7	1	9	5	.	.	.	1	161	50-54
2	6	2	2	2	3	3	4	1	4	4	3	2	1	11	1	.	.	.	2	61	55-59
.	.	1	.	2	.	2	3	1	1	.	.	2	2	3	1	.	.	.	.	19	60-64
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4	65-69
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	70-74
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	81	Not stated

TABLE 40 - MARRIAGES REGISTERED IN 1965 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age of groom
Catholic	450	4,902	5,376	2,570	1,323	802	427	202	94	112	71	16,329	29.3
Church of Ireland ..	5	114	141	68	32	18	13	6	7	12	13	429	30.7
Presbyterian	2	22	29	17	5	5	1	.	1	1	.	83	29.5
Other Religions ..	.	20	19	5	1	1	.	.	1	2	.	49	28.5
Civil marriage ..	2	13	13	15	2	5	1	1	.	3	1	56	31.8
Total	459	5,071	5,578	2,675	1,363	831	442	209	103	130	85	16,946	29.4

TABLE 41 - MARRIAGES REGISTERED IN 1965 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age of bride
Catholic	1,665	7,345	4,168	1,631	725	369	157	77	38	29	125	16,329	26.0
Church of Ireland	34	207	105	29	11	10	4	4	5	6	14	429	26.5
Presbyterian	7	49	16	5	3	2	.	1	.	.	.	83	25.0
Other Religions ..	4	31	8	1	2	1	1	1	.	.	.	49	25.3
Civil marriage ..	6	23	12	6	4	3	.	1	.	1	.	56	27.5
Total	1,716	7,655	4,309	1,672	745	385	162	84	43	36	139	16,946	26.0

TABLE 42 - MARRIAGES REGISTERED IN 1965 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	16	238	646	706	498	343	188	90	40	31	29	2,825	34.9
Other agricultural occupations and fishermen	22	117	124	73	45	41	17	12	4	5	3	463	30.9
Higher professional ..	2	127	338	136	60	28	8	6	4	3	6	718	29.7
Lower professional ..	5	174	334	122	45	15	12	6	1	2	2	718	28.7
Employers and managers (including shopkeepers)	1	73	122	58	32	21	10	3	1	7	4	332	30.9
Salaried employees ..	3	123	236	116	34	15	13	4	2	8	1	555	29.7
Intermediate non-manual workers	60	863	1,062	443	177	82	58	24	14	24	11	2,818	28.7
Other non-manual workers	65	607	561	212	117	51	30	13	9	9	4	1,678	28.0
Skilled manual workers	123	1,582	1,404	502	214	120	39	29	13	20	13	4,059	27.5
Other manual workers	134	1,116	712	286	131	108	63	21	15	8	9	2,603	27.5
Not stated	28	51	39	21	10	7	4	1	.	13	3	177	29.4
Total	459	5,071	5,578	2,675	1,363	831	442	209	103	130	85	16,946	29.4

TABLE 43 - MARRIAGES REGISTERED IN 1965 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	32	202	222	136	84	37	11	4	5	3	13	749	29.3
Other agricultural occupations and fishermen	1	4	6	2	1	.	.	.	.	.	.	14	26.8
Higher professional	1	16	17	5	6	3	1	.	.	.	1	50	28.7
Lower professional	29	639	762	279	80	34	28	3	2	1	14	1,871	27.5
Employers and managers (including shopkeepers)	2	22	15	6	3	3	1	1	.	.	.	53	27.9
Salaried employees	.	10	16	2	1	4	1	1	.	.	.	35	29.6
Intermediate non-manual workers	301	2,340	1,323	418	163	74	28	14	4	1	27	4,693	25.6
Other non-manual workers ..	316	958	478	197	81	44	24	13	3	1	12	2,127	25.3
Skilled manual workers ..	81	392	173	53	15	8	5	3	.	1	4	735	24.7
Other manual workers	509	1,700	489	125	58	30	6	2	3	.	20	2,942	23.5
Not stated	444	1,372	808	449	253	148	57	43	26	29	48	3,677	27.4
Total ..	1,716	7,655	4,309	1,672	745	385	162	84	43	36	139	16,946	26.0

TABLE 44 - MARRIAGES REGISTERED IN 1965 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of bride

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,825	650	4	1	358	7	.	459	258	37	93	958
Other agricultural occupations and fishermen	463	14	1	.	26	.	.	79	134	10	55	144
Higher professional	718	.	.	40	207	5	1	284	53	10	10	108
Lower professional	718	7	.	.	285	5	6	246	45	15	31	78
Employers and managers (including shopkeepers)	332	3	.	1	58	5	2	161	36	4	13	49
Salaried employees	555	.	1	3	99	1	5	259	55	15	19	98
Intermediate non-manual workers	2,818	16	1	3	392	10	8	1,218	328	93	291	458
Other non-manual workers ..	1,678	15	1	.	82	1	3	421	290	103	449	313
Skilled manual workers ..	4,059	22	4	1	293	17	9	1,197	477	332	981	726
Other manual workers	2,603	21	2	.	61	2	1	357	438	115	995	611
Not stated	177	1	.	1	10	.	.	12	13	1	5	134
Total ..	16,946	749	14	50	1,871	53	35	4,693	2,127	735	2,942	3,677

TABLE 43 — MARRIAGES REGISTERED IN 1965 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom	Age of groom											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Total	459	5,071	5,578	2,675	1,363	831	442	209	103	130	85	16,946	29.3
Carlow	5	36	61	30	9	10	7	3	•	•	•	161	29.8
Dublin County Borough	143	1,704	1,461	504	201	99	47	18	20	39	12	4,248	27.4
Dun Laoghaire Borough	8	132	85	39	18	11	5	4	3	4	3	312	28.2
Dublin County (remainder)	18	250	295	114	41	18	15	7	2	4	2	766	28.1
Kildare	3	143	132	56	29	15	12	3	2	5	•	400	29.0
Kilkenny	9	89	101	49	36	20	12	7	2	3	•	328	30.4
Laois	3	48	66	34	34	16	7	6	1	2	1	218	31.5
Longford	3	28	45	24	14	11	8	2	•	4	2	141	31.9
Louth	26	188	139	71	32	15	16	5	1	2	1	496	29.0
Meath	9	113	101	55	38	17	15	5	•	1	4	358	29.5
Offaly	7	69	84	42	31	14	4	1	4	2	1	259	29.9
Westmeath	8	74	71	35	24	21	9	5	1	1	2	251	30.1
Wexford	23	100	165	60	37	19	12	12	4	5	•	437	29.9
Wicklow	19	120	108	52	33	17	6	2	2	2	1	362	28.5
Leinster	284	3,094	2,914	1,165	577	303	175	80	42	74	29	8,737	28.3
Clare	4	57	87	65	34	27	13	5	3	1	1	297	31.7
Cork County Borough	20	254	257	81	36	26	9	6	3	6	1	699	28.0
Cork County	12	244	387	219	134	73	41	18	11	12	7	1,158	31.2
Kerry	9	81	159	100	55	44	12	14	7	2	11	494	31.8
Limerick County Borough	15	132	108	49	18	15	6	2	•	•	•	345	27.5
Limerick County	5	75	102	104	48	38	12	7	3	3	2	399	31.9
Tipperary, N.R.	6	58	74	72	28	23	15	6	2	2	•	286	31.7
Tipperary, S.R.	10	75	105	55	24	28	7	7	2	1	1	315	30.3
Waterford County Borough	3	73	69	27	11	5	6	1	•	2	1	198	28.2
Waterford County	3	62	54	46	23	12	5	4	2	4	•	215	30.8
Munster	87	1,111	1,402	818	411	291	126	70	33	33	24	4,406	30.4
Galway	12	103	204	117	71	50	27	15	7	5	5	616	31.9
Leitrim	•	13	30	17	17	13	5	3	1	2	2	103	34.0
Mayo	5	70	118	95	45	22	10	5	4	1	9	384	31.1
Roscommon	1	21	44	45	28	23	12	6	1	•	2	183	33.9
Sligo	4	34	64	49	22	15	14	•	•	1	2	205	31.4
Connacht	22	241	460	323	183	123	68	29	13	9	20	1,491	32.0
Cavan	3	25	64	41	38	13	16	5	3	1	•	209	33.2
Donegal	9	100	126	81	41	27	15	6	3	2	4	414	30.5
Monaghan	4	36	67	46	25	13	10	6	3	2	•	212	32.1
Ulster (part of)	16	161	257	168	104	53	41	17	9	5	4	835	31.6
Ireland*	409	4,607	5,033	2,474	1,275	770	410	196	97	121	77	15,469	29.4
Six Counties	16	64	77	38	13	12	13	3	•	5	1	242	29.7
England and Wales	16	337	396	132	59	38	17	8	4	3	6	1,016	28.2
Scotland	•	14	15	8	3	2	•	2	1	•	1	46	29.9
Elsewhere	2	39	55	23	11	9	2	•	1	1	•	143	29.2
Not stated	16	10	2	•	2	•	•	•	•	•	•	30	21.2

TABLE 46:- MARRIAGES REGISTERED IN 1965 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	1,716	7,655	4,309	1,672	745	385	162	84	43	36	139	16,946	26.0
Carlow	32	84	43	13	9	6	.	.	.	.	1	188	24.9
Dublin County Borough	472	2,351	1,116	343	126	86	38	22	10	11	24	4,599	25.3
Dun Laoghaire Borough	34	182	90	23	11	6	5	1	3	2	3	360	25.7
Dublin County (remainder)	58	340	181	48	14	10	4	4	1	.	6	666	25.2
Kildare	57	187	98	34	12	8	1	1	.	1	1	400	25.0
Kilkenny	47	134	79	35	16	12	5	.	3	.	3	334	26.2
Laois	24	82	50	29	11	5	1	.	.	1	1	204	26.2
Longford	16	44	44	20	9	6	.	1	1	.	1	142	27.2
Louth	76	239	120	32	20	8	3	1	1	.	2	502	24.8
Meath	54	170	77	32	15	8	3	1	2	1	10	373	25.4
Offaly	36	139	57	22	13	3	4	.	.	1	.	275	25.1
Westmeath	40	104	71	23	13	1	5	2	1	1	.	261	25.8
Wexford	64	190	122	42	21	8	3	2	.	2	3	457	25.6
Wicklow	57	179	70	27	17	14	2	4	1	1	3	375	25.5
Leinster	1,067	4,425	2,218	723	307	181	74	39	23	21	58	9,136	25.4
Clare	28	104	73	41	20	8	5	1	.	.	.	280	27.0
Cork County Borough	51	407	197	61	20	11	6	3	.	4	1	761	25.5
Cork County	78	423	360	166	62	38	13	2	4	.	13	1,159	27.1
Kerry	40	169	119	75	47	13	6	2	2	1	15	489	27.6
Limerick County Borough	41	186	90	21	9	7	2	3	.	.	1	360	24.9
Limerick County	41	138	129	50	21	8	4	1	2	2	5	401	26.8
Tipperary, N.R.	28	123	73	42	12	10	5	.	.	1	.	294	26.5
Tipperary, S.R.	42	134	83	40	16	6	4	.	.	.	1	326	25.8
Waterford County Borough	28	111	40	18	3	4	1	3	1	.	.	209	25.0
Waterford County	24	93	53	13	11	10	5	2	1	.	.	212	26.6
Munster	401	1,888	1,217	527	221	115	51	17	10	8	36	4,491	26.4
Galway	34	237	181	93	43	22	10	7	2	1	8	638	27.8
Leitrim	2	45	24	16	4	6	1	3	1	.	8	110	28.4
Mayo	24	150	102	55	29	8	4	1	2	1	7	383	27.2
Roscommon	8	52	64	33	18	3	5	2	.	.	2	187	28.6
Sligo	15	84	57	26	15	11	.	3	.	.	3	214	27.3
Connacht	83	568	428	223	109	50	20	16	5	2	28	1,532	27.7
Cavan	9	71	51	32	30	11	2	1	.	.	1	208	28.7
Donegal	53	218	96	57	23	6	4	5	1	.	7	470	25.8
Monaghan	18	95	64	33	17	3	3	3	1	1	.	238	27.2
Ulster (part of)	80	384	211	122	70	20	9	9	2	1	8	916	26.8
Ireland*	1,631	7,265	4,074	1,595	707	366	154	81	40	32	130	16,075	26.0
Six Counties	21	37	20	9	6	5	4	2	1	3	1	109	28.0
England and Wales	39	310	178	57	26	12	3	1	2	.	6	634	25.8
Scotland	2	7	8	3	1	.	1	.	.	.	.	22	27.0
Elsewhere	3	20	23	6	4	1	.	.	.	1	.	58	27.3
Not stated	20	16	6	2	1	1	.	.	.	.	2	48	22.2

* Exclusive of the Six Counties

TABLE 47 - MARRIAGES REGISTERED IN 1965 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin Co. Borough	Dun Laoghaire Borough	Dublin Co. (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork Co. Borough	Cork County
Total	16,946	188	4,599	360	666	400	334	204	142	502	373	275	261	457	375	913	280	761	1,159
Carlow	161	123	10	.	.	4	8	7	.	.	.	1	.	2	3	158	1	.	.
Dublin County Borough	4,248	5	3,603	77	223	15	11	8	3	20	31	11	11	12	38	408	7	8	21
Dun Laoghaire Borough	312	2	71	175	37	2	.	1	.	1	3	1	.	.	7	300	.	2	1
Dublin County (remainder)	766	5	340	41	273	11	1	4	.	8	17	2	2	3	26	733	1	3	5
Kildare	400	8	29	2	10	291	1	4	2	.	7	15	3	2	13	387	.	.	2
Kilkenny	328	10	12	1	2	3	248	3	.	1	1	.	.	9	3	293	1	.	2
Laois	218	6	12	1	2	10	9	137	3	.	.	15	.	5	2	202	.	.	.
Longford	141	.	9	1	.	2	2	.	102	.	.	.	6	.	.	122	.	.	1
Louth	496	.	21	2	7	2	1	.	.	407	25	1	1	.	1	468	.	3	.
Meath	358	3	37	.	14	7	.	2	2	16	238	2	5	2	2	330	1	.	1
Offaly	259	1	12	.	2	6	1	14	2	2	1	181	14	.	.	236	.	.	1
Westmeath	251	1	12	1	2	2	.	2	2	.	12	18	180	2	.	234	2	1	.
Wexford	437	3	15	3	4	.	8	.	.	.	2	.	.	359	14	408	1	.	3
Wicklow	362	6	40	11	27	13	.	1	.	1	1	1	1	9	235	346	1	2	2
Leinster	8,737	173	4,223	315	603	368	290	183	116	456	338	248	223	405	344	826	15	19	39
Clare	297	.	10	.	4	.	.	2	.	1	.	1	.	1	.	19	226	1	.
Cork County Borough	699	.	16	.	2	2	.	.	.	.	1	.	1	.	.	22	.	565	91
Cork County	1,158	1	14	1	2	1	4	.	.	2	1	.	1	4	4	35	2	137	918
Kerry	494	1	11	.	2	3	1	1	.	.	.	.	.	1	1	21	1	3	20
Limerick County Borough	345	.	11	2	.	1	1	3	.	.	1	.	.	1	.	20	8	2	2
Limerick	399	.	4	.	2	1	.	1	.	.	.	1	2	3	.	14	7	2	20
Tipperary, N.R.	286	3	12	1	2	1	4	4	.	.	.	12	2	1	1	43	7	.	5
Tipperary, S.R.	315	.	4	1	3	2	8	4	.	.	.	1	.	2	1	26	.	.	8
Waterford County Borough	198	2	6	1	.	1	4	.	.	.	1	.	.	4	.	19	.	.	.
Waterford County	215	2	3	2	1	2	11	.	.	.	.	.	.	4	.	25	.	1	11
Munster	4,406	9	91	8	18	14	33	15	.	3	4	15	6	21	7	244	251	711	1,075
Galway	616	.	16	3	2	1	2	.	.	1	1	3	10	1	2	42	8	1	2
Leitrim	103	.	5	1	.	.	.	.	6	.	.	.	.	1	1	14	.	.	.
Mayo	384	.	12	.	.	.	1	.	1	.	1	1	.	.	3	19	1	.	4
Roscommon	183	.	3	.	.	1	.	.	2	.	1	1	6	1	.	15	.	1	3
Sligo	205	.	6	.	.	.	.	.	2	.	.	.	1	.	.	9	1	1	.
Connacht	1,491	.	42	4	2	2	3	.	11	1	3	5	17	3	6	99	10	3	9
Cavan	209	1	5	1	1	1	.	.	7	.	10	.	2	1	1	30	.	1	1
Donegal	414	.	11	1	1	1	.	.	1	.	1	.	.	1	2	19	.	.	1
Monaghan	212	.	10	.	.	.	.	.	.	6	1	1	1	1	.	20	.	.	1
Ulster (part of)	835	1	26	2	2	2	.	.	8	6	12	1	3	3	3	69	.	1	3
Ireland*	15,469	183	4,382	329	625	386	326	198	135	466	357	269	249	432	360	869	276	734	1,126
Six Counties	242	.	26	3	7	3	.	1	2	18	3	.	1	1	2	67	1	5	5
England and Wales	1,016	4	157	19	23	7	6	4	5	14	11	5	11	22	6	294	3	17	23
Scotland	46	.	9	2	4	1	1	.	.	.	.	.	.	1	.	18	.	.	1
Elsewhere	143	.	25	7	7	3	1	1	.	4	2	1	.	1	7	59	.	5	3
Not states	30	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

*Exclusive of the Six Counties

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick Co. Borough	Limerick County	Tipperary N.R.	Tipperary S.R.	Waterford Co. Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
489	360	401	294	326	209	212	4491	698	110	383	187	214	1532	208	470	238	916	16,078	109	694	22	58	49
.	.	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	161	.	.	.	.	.
9	9	6	9	7	6	7	89	25	4	5	6	2	42	10	9	2	21	4,220	6	13	1	4	4
.	1	.	.	.	.	1	5	3	.	.	.	.	3	.	.	1	1	309	1	2	.	.	.
4	1	2	2	.	.	1	19	3	.	1	1	.	5	1	2	2	5	762	1	1	.	1	1
.	.	1	2	3	.	1	9	1	.	.	.	2	3	.	.	1	1	400	.	.	.	.	.
1	1	.	4	10	7	6	32	.	.	.	.	.	.	.	2	.	2	327	.	1	.	.	.
.	.	.	4	3	.	2	9	1	.	1	.	2	4	.	1	.	1	216	.	2	.	.	.
.	1	.	.	.	.	.	2	1	4	.	7	1	13	3	.	1	4	141	.	.	.	.	.
1	.	1	1	.	.	.	6	1	1	1	.	1	4	3	2	9	14	492	4	.	.	.	.
1	.	1	1	.	.	.	5	2	.	1	.	1	4	14	1	3	18	357	.	1	.	.	.
.	.	1	11	.	.	1	14	5	.	.	1	.	6	1	.	1	2	258	.	1	.	.	.
.	1	.	1	1	.	.	6	5	.	.	2	.	7	2	.	.	2	249	.	1	.	.	1
2	.	2	2	4	2	5	21	2	.	.	1	.	3	.	.	1	1	433	1	3	.	.	.
.	.	.	.	1	.	1	7	2	1	.	.	.	3	1	.	.	1	357	.	4	.	.	1
18	14	14	37	29	17	25	227	81	10	9	18	9	97	35	17	21	73	8,682	13	29	1	8	7
1	14	14	6	2	.	.	264	9	.	2	.	1	12	.	1	.	1	296	.	1	.	.	.
1	6	1	2	1	1	.	668	2	.	2	1	1	6	.	.	.	.	696	.	2	.	1	.
14	2	18	4	5	2	6	1108	2	.	2	.	.	4	.	2	2	4	1,151	.	5	.	.	2
424	3	8	3	2	1	.	465	1	.	1	1	.	3	.	.	.	.	489	.	2	.	.	3
5	273	25	1	2	.	1	319	2	.	1	.	1	4	.	1	.	1	344	1	.	.	.	.
7	33	280	9	20	.	3	381	.	.	1	.	.	1	.	1	.	1	397	.	1	.	.	1
.	3	5	205	11	.	2	238	3	.	.	.	.	3	.	.	.	.	284	1	1	.	.	.
2	4	12	13	242	2	4	287	1	.	.	.	.	1	.	.	.	.	314	.	1	.	.	.
.	.	.	1	.	165	11	177	.	1	.	.	.	1	.	.	.	.	197	.	.	.	.	1
1	1	2	1	2	14	153	186	.	.	.	.	1	1	.	1	.	1	213	.	2	.	.	.
455	339	365	245	287	185	180	4093	20	1	9	2	4	36	.	6	2	8	4,381	2	15	.	1	7
3	1	8	3	1	1	.	28	509	2	17	10	.	538	2	2	3	7	615	.	1	.	.	.
1	.	1	.	.	.	.	2	1	64	2	5	9	81	4	1	1	6	103	.	.	.	.	.
1	1	1	.	.	.	.	8	15	1	321	3	10	350	1	2	1	4	381	.	3	.	.	.
.	.	.	.	1	.	1	6	10	3	5	130	9	157	1	1	.	2	180	.	2	.	.	1
.	.	.	.	1	.	.	3	5	7	8	6	158	184	.	6	.	6	202	1	.	.	.	2
5	2	10	3	3	1	1	47	540	77	353	154	186	1910	8	12	5	25	1,481	1	6	.	.	3
.	1	.	1	.	.	1	5	3	4	.	2	2	11	142	1	11	154	200	5	2	1	1	.
.	.	.	1	1	.	.	3	2	4	.	.	1	7	1	369	4	374	403	7	3	.	1	.
.	.	.	.	.	.	.	1	.	1	1	.	.	2	14	1	168	183	206	6	.	.	.	.
.	1	.	2	1	.	1	9	8	9	1	2	3	20	157	371	183	711	809	18	5	1	2	.
478	356	389	287	320	209	207	4376	616	97	372	176	202	1463	200	406	211	817	15,353	34	58	2	8	17
.	.	.	2	.	.	.	13	4	7	1	2	4	18	4	44	22	70	168	71	3	.	.	.
8	3	8	3	6	4	4	79	13	5	7	7	5	37	3	16	2	21	431	3	575	3	.	4
.	.	.	1	.	.	.	2	1	1	.	.	2	4	.	4	.	4	28	.	.	17	.	1
3	1	2	1	.	2	1	18	4	.	3	2	1	10	1	.	2	3	90	1	1	.	50	1
.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.	1	1	5	.	.	.	.	25

*Exclusive of the Six Counties

TABLE 48 - MARRIAGES REGISTERED IN 1965 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	13	56	85	38	12	11	11	3	1	6	1	237	30.0
England and Wales	46	591	502	157	66	39	22	6	3	4	6	1,442	27.1
Scotland	1	16	13	7	3	2	.	2	1	.	1	46	29.4
Europe (remainder)	2	26	20	7	4	1	1	.	.	.	.	61	26.8
U.S.A.	.	41	60	18	14	9	3	.	.	2	.	147	29.5
Canada	.	15	11	3	3	1	.	.	.	.	.	33	*
Australia and New Zealand	2	5	2	2	.	1	.	.	1	.	.	13	*
Elsewhere	.	8	9	4	2	1	.	.	.	1	.	25	*
Total	64	758	702	236	104	65	37	11	6	13	8	2,004	27.7

TABLE 49 - MARRIAGES REGISTERED IN 1965, IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	26	94	63	24	8	8	5	4	.	4	1	237	28.4
England and Wales	155	734	349	114	39	24	10	3	1	.	13	1,442	25.0
Scotland	6	18	12	5	2	1	2	.	.	.	.	46	26.4
Europe (remainder)	9	32	9	9	2	.	.	.	.	.	.	61	24.5
U.S.A.	5	64	52	11	9	4	.	.	1	1	.	147	26.8
Canada	6	15	9	3	.	.	.	.	.	.	.	33	*
Australia and New Zealand	.	10	1	1	.	1	.	.	.	.	.	13	*
Elsewhere	1	14	7	2	.	.	.	1	.	.	.	25	*
Total	208	981	502	169	60	38	17	8	2	5	14	2,004	25.4

TABLE 50 - MARRIAGES REGISTERED IN 1965, IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	237	29	7	29	15	7	8	43	14	62	22	1
England and Wales	1,442	22	11	125	79	29	46	220	134	487	282	7
Scotland	46	3	2	6	.	.	4	8	2	11	10	.
Europe (remainder)	61	.	.	10	5	4	4	28	.	7	3	.
U.S.A.	147	3	1	30	20	8	1	30	15	28	10	1
Canada	33	.	.	7	4	2	1	6	2	10	1	.
Australia and New Zealand	13	1	1	2	.	.	3	1	1	2	2	.
Elsewhere	25	1	.	6	10	1	1	5	.	1	.	.
Total	2,004	59	22	215	133	51	68	341	168	608	330	9

* Average ages not calculated as numbers were too small.

TABLE 51 - MARRIAGES REGISTERED IN 1965 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	High professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	237	1	.	2	60	.	2	64	23	9	27	49
England and Wales	1,442	5	1	10	242	9	3	421	172	55	314	210
Scotland	46	1	.	.	10	1	.	10	8	.	8	8
Europe (remainder)	61	.	.	1	13	.	.	25	6	.	6	10
U.S.A.	147	.	.	2	36	.	1	53	19	.	10	26
Canada	33	.	.	.	7	.	1	8	1	1	6	9
Australia and New Zealand	13	.	.	.	5	.	.	2	3	.	1	2
Elsewhere	25	.	.	1	11	.	.	8	2	1	.	2
Total	2,004	7	1	16	384	10	7	591	234	66	372	316

TABLE 52 - MARRIAGES REGISTERED IN 1965 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Total marriages	Form of ceremony							
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religions	Civil marriages
Six Counties	237	176	32	22	4	.	.	1	2
England and Wales	1,442	1,358	61	15	2	1	.	.	5
Scotland	46	41	4	.	.	.	.	.	1
Europe (remainder)	61	57	2	.	1	.	.	.	1
U.S.A.	147	139	4	2	1	.	.	.	1
Canada	33	31	2	.	.	.	.	.	.
Australia and New Zealand	13	10	1	1	1	.	.	.	.
Elsewhere	25	20	3	1	.	.	.	.	1
Total	2,004	1,832	109	41	9	1	.	1	11

TABLE 53 - MARRIAGES REGISTERED IN 1965 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	237	5	9	.	1	12	209	1
England and Wales	1,442	211	131	99	44	35	922	.
Scotland	46	2	1	1	.	2	40	.
Europe (remainder)	61	6	7	6	1	3	38	.
U.S.A.	147	25	12	14	9	4	83	.
Canada	33	14	3	2	.	1	13	.
Australia and New Zealand	13	3	1	1	.	.	8	.
Elsewhere	25	11	1	5	.	.	8	.
Total	2,004	277	165	128	55	57	1,321	1

TABLE 54 - MARRIAGES REGISTERED IN 1965 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	237	29	37	12	17	63	79	.
England and Wales	1,442	356	244	165	52	59	560	6
Scotland	46	12	5	2	4	6	17	.
Europe (remainder)	61	23	13	10	4	3	8	.
U.S.A.	147	41	25	26	10	2	42	1
Canada	33	11	11	3	2	1	5	.
Australia and New Zealand	13	7	2	2	.	.	2	.
Elsewhere	25	13	.	5	3	1	3	.
Total	2,004	492	337	225	92	135	716	7

TABLE 55 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1965

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGH												
Cork	.	.	4	4	.	39	.	1	17	.	.	.
Dublin	.	.	2	968	3	58	.	31	342	43	62	.
Limerick	.	.	.	15	.	13	.	2	8	.	2	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES												
Carlow												
Urban	.	.	.	1	.	.	.	.	.	.	.	.
Rural	.	.	.	3	.	.	.	.	40	.	.	.
Cavan												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	1	.	7	.	1	9	2	3	.
Clare												
Urban	.	.	.	13	.	.	.	1	.	.	13	.
Rural	.	.	.	4	.	.	.	1	3	.	3	.
Cork												
Urban	.	.	.	.	.	4	.	.	1	.	.	.
Rural	.	1	3	12	.	25	.	3	20	1	.	.
Donegal												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	9	.	3	.	2	12	.	.	.
Dublin												
Urban	1	.	.	73	.	.	.	2	23	16	2	.
Rural	.	.	1	152	2	11	.	6	94	13	5	.
Galway												
Urban	.	1	.	68	.	1	.	.	5	.	.	.
Rural	1	1	1	95	.	65	.	1	29	1	1	.
Kerry												
Urban	.	.	.	.	.	.	.	2	.	.	4	.
Rural	1	.	1	8	.	.	.	10	17	.	31	.
Kildare												
Urban	.	.	.	6	.	.	.	.	3	.	.	.
Rural	.	2	.	23	.	1	.	1	80	.	.	.
Kilkenny												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	3	.	.	.	.	12	.	2	.
Leois												
Rural	.	3	1	20	1	.	.	.	5	.	.	.
Lettim												
Rural	.	.	.	.	.	.	.	.	.	.	.	.
Limerick												
Rural	.	1	.	5	.	3	.	.	10	.	2	.
Longford												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	1	.	.	.	1	.	.	.	.
Louth												
Urban	.	.	.	8	.	9	.	.	1	1	.	.
Rural	.	2	.	1	.	10	.	.	25	.	.	.

TABLE 55 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1965

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
Mayo												
Urban	.	.	2	3	.	2	.	.	4	.	.	.
Rural	1	.	3	21	.	6	.	.	39	.	1	.
Meath												
Urban	.	.	.	28	.	.	.	.	13	.	.	.
Rural	.	2	.	37	.	1	.	.	56	4	.	.
Monaghan												
Urban	.	.	.	1	.	3	.	.	2	.	.	.
Rural	.	.	.	13	.	.	.	.	19	.	.	.
Offaly												
Urban	.	.	.	8	.	.	.	.	10	.	.	.
Rural	.	.	1	24	.	.	.	1	2	.	1	.
Roscommon												
Rural	.	.	.	3	.	.	.	1	30	.	.	.
Sligo												
Urban	.	.	.	5	.	.	.	.	.	.	.	.
Rural	.	.	.	5	.	1	.	.	1	.	2	.
Tipperary N.R.												
Urban	1	.	.	.	.	.	.	.	1	.	.	.
Rural	.	.	.	.	.	2	.	.	.	.	.	.
Tipperary S.R.												
Urban	.	.	.	2	.	.	.	1	6	.	.	.
Rural	.	.	1	1	.	.	.	.	4	.	.	.
Waterford												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	1	3	.	.	.	.	2	.	.	.
Westmeath												
Urban	.	.	.	.	.	.	.	.	3	.	.	.
Rural	.	1	.	3	.	31	.	2	200	1	.	.
Wexford												
Urban	.	.	.	31	.	1	.	1	10	.	7	.
Rural	.	.	.	28	.	.	.	3	8	.	10	.
Wicklow												
Urban	.	.	.	6	.	.	.	.	97	1	.	.
Rural	.	.	.	14	.	1	.	.	33	.	.	.
ALL COUNTY BOROUGHES	1	1	6	987	3	110	.	34	367	43	64	.
ALL URBAN DISTRICTS	2	1	2	253	.	20	.	7	179	18	26	.
ALL RURAL DISTRICTS	3	14	13	489	3	167	.	33	751	23	61	.
TOTAL	6	16	21	1,729	6	297	.	74	1,297	84	151	.

TABLE 55 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1965

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHS													
Cork	106	.	1	.	5	2	4	.	.	.	.	1	2c, 1d
Dublin	2,480	.	2	4	297	115	247	2	.	1	.	176	3c, 29d
Limerick	190	.	.	.	2	18	10	2	.	1	.	25	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES													
Carlow													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	60	.	.	.	.	.	2	.	.	.	.	.	.
Cavan													
Urban	23	.	.	.	1	.	1	.	.	.	.	.	.
Rural	222	.	.	.	8	.	69	.	.	.	.	3	1d
Clare													
Urban	26	.	.	.	.	.	3	.	.	.	.	14	.
Rural	16	.	.	.	.	.	8	.	.	.	.	24	.
Cork													
Urban	14	.	.	.	1	.	.	.	.	.	.	1	.
Rural	441	.	.	.	10	.	24	.	.	.	3	30	1c, 2d
Donegal													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	43	.	.	.	.	.	39	.	.	2	2	2	.
Dublin													
Urban	323	.	.	.	38	1	21	.	.	.	.	33	1c
Rural	1,022	.	.	1	273	.	89	2	.	.	.	64	1b, 1c, 7d
Galway													
Urban	20	.	.	1	1	.	2	.	.	1	.	3	2c
Rural	202	.	.	.	1	.	26	.	.	3	.	4	.
Kerry													
Urban	37	.	.	.	.	.	4	.	.	.	.	4	.
Rural	81	.	.	.	.	.	3	2	.	.	.	27	.
Kildare													
Urban	2	.	.	.	1	.	1	.	.	.	.	5	.
Rural	80	.	.	.	3	.	3	1	.	.	.	8	1d
Kilkenny													
Urban	47	.	.	.	.	6	6	.	.	.	.	.	.
Rural	54	.	.	.	2	.	8	.	.	.	.	4	.
Laois													
Rural	148	.	.	.	1	.	3	.	.	.	.	1	.
Leitrim													
Rural	.	.	.	.	.	.	2	.	.	.	.	.	.
Limerick													
Rural	184	1	.	.	.	.	2	.	.	.	.	17	.
Longford													
Urban	1	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	.	.	.	1	.	.	.	.	.	.
Louth													
Urban	2	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	.	.	.	.	.	.	.	.	3	.	.	.

(a) Pomphigus neonatorum
(c) Salmonella infection(b) Ophthalmia neonatorum
(d) Acute Lymphocytic meningitis

TABLE 55 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1965

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	3	.	.	.	.	.	.	.	.	.	.	.	.
Rural	26	2	.	.	.	.	11	.	.	.	.	3	2c
Meath													
Urban	128	.	.	.	1	.	1	.	.	.	.	1	.
Rural	120	.	.	.	2	.	13	.	.	.	.	5	.
Monaghan													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	10	.	.	.	.	.	5	2	.	.	.	2	.
Offaly													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	2	.	.	.	.	.	.	.	.	.	.	.	.
Roscommon													
Rural	284	.	.	.	.	.	1	.	.	.	.	.	1a, 2c
Sligo													
Urban	55	.	.	.	2	.	15	.	.	.	.	1	.
Rural	55	.	.	.	.	.	3	.	.	.	.	2	.
Tipperary N.R.													
Urban	12	.	.	.	2	.	.	.	.	.	.	.	1d
Rural	88	1	.	.	2	.	4	.	.	.	1	18	.
Tipperary, S.R.													
Urban	10	.	.	.	.	.	.	.	.	.	.	15	.
Rural	45	2	.	.	.	.	1	.	.	.	.	1	.
Waterford													
Urban	45	.	.	.	.	.	.	.	.	.	.	.	.
Rural	234	.	.	.	2	.	1	.	.	.	1	17	.
Westmeath													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	351	.	5	.	.	.	21	.	.	.	.	15	1b
Wexford													
Urban	51	.	.	.	3	.	1	.	.	.	.	16	.
Rural	42	5	1	.	.	.	19	.	.	.	.	22	.
Wicklow													
Urban	96	.	.	.	6	2	24	.	.	.	.	2	.
Rural	56	.	.	.	5	.	6	.	.	.	.	7	.
ALL COUNTY BOROUGHs	2,776	.	3	4	304	135	261	4	.	2	1	202	5c, 30d
ALL URBAN DISTRICTS	895	.	.	1	56	9	79	.	.	1	.	95	3c, 1d
ALL RURAL DISTRICTS	3,867	11	6	1	309	.	364	7	.	10	7	276	1a, 2b, 6c, 11d
TOTAL	7,538	11	9	6	669	144	704	11	.	13	8	573	1a, 2b, 14c 42d

(a) Pemphigus neonatorum

(b) Ophthalmia neonatorum

(c) Salmonella infection

(d) Acute Lymphocytic Meningitis