

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLÁINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1966

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: Seven Shillings

(P. 1. 1. 1.)

May, 1968.



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1966

COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: Seven Shillings

(Pri. 88).

May, 1968.

CONTENTS

PART I – TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xv
Age at maternity, parity, duration of marriage	xv
Multiple births	xvii
DEATHS	
Number and rate	xviii
Comparison between counties	xviii
Causes of death	xxi
Tuberculosis	xxiv
Cancer	xxvi
Diseases of the circulatory system	xxx
Respiratory diseases	xxxii
Pregnancy, childbirth and the puerperium	xxxii
Infant and late foetal mortality	xxxiii
Accidents, poisoning and violence	xxxix
Uncertified deaths	xli
Inquests and post-mortems	xli
DIAGRAM 1 – Birth, marriage and death rates (per 1,000 population) 1940 to 1966 ...	viii
" 2 – Standardised death rates (per 1,000 population) from all causes, 1966 ...	xix
" 3 – Death rates (per 1,000 population) from tuberculosis and cancer, 1940–1966 ...	xxv
" 4 – Death rates from lung cancer (per 100,000 population), 1956–1966 ...	xxv
" 5 – Infant and neo-natal mortality (per 1,000 live births), 1940–1966 ...	xxxv

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1 - Estimated population in thousands at the middle of each year 1851 to 1966.	2
Population by age and conjugal condition	State	Table 2 - Population at the 1966 Census according to age and conjugal condition.	3
Population	Counties	Table 3 - Population by sex in each county and county borough according to the Census of Population, 1966.	4
Marriages, births, deaths, 1864-1966	State	Table 4 - Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1966.	5
Marriage, births, death rates, 1864-1966	State	Table 5 - Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1966.	6
Marriages, births, deaths, 1951-1966	State	Table 6 - Marriages, births and deaths registered during each of the years 1951-1966 with the average annual rates for the ten years 1951-1960 and the rates for each of the years 1961 to 1966 per 1,000 of the population.	7
Deaths, by principal causes, 1966 with rates	State and Six Counties	Table 7 - Deaths from principal causes in Ireland and the Six Counties, 1966 with rates per 100,000 population.	8
Deaths by age, 1864-1966	State	Table 8 - Average annual number of deaths of males and females, classified by age, registered during the years 1864-1960 and the numbers for each year from 1961 to 1966	10
Death rates by age, 1864-1966	State	Table 9 - Average annual death rates of males and females, classified by age, per 1,000 corresponding population 1864-1960 and rates for each year from 1961 to 1966.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1966	Counties	Table 10 - Births and deaths registered in each county and county borough in 1966 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1966	Counties	Table 11 - Marriages registered in and births and deaths assigned to each county and county borough during 1966 showing illegitimate births and deaths from tuberculosis and malignant neoplasms.	14
Marriage, birth and death rates, 1966	Counties	Table 12 - Marriage, birth, death, infant mortality, tuberculosis and cancer death rates in 1966 with the proportions of illegitimate births for each county and county borough.	15
Deaths, by conjugal condition, 1966	State	Table 13 - Deaths registered in 1966 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1966	Urban Districts	Table 14 - Births and deaths assigned to each urban district in 1966 classified by sex.	16
Births and deaths, 1966	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 - Births and deaths classified by sex, registered in 1966 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1966	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 - Birth and death rates in 1966 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1966	Agg. Urban and Agg. Rural	Table 17 - Deaths registered in 1966 at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1966	Counties	Table 18 - Deaths registered in 1966 classified by sex and age of residents in each county and county borough.	22

CONTENTS — PART II — TABLES

Contents	Area	Title	Page
Deaths by cause and age, 1966	State	Table 19 — Deaths in 1966 classified by cause (International detailed list, 7th Revision 1955) and by sex and age.	26
Deaths by cause and uncertified deaths, 1966	Counties	Table 20 — Deaths of residents of each county and county borough in 1966 classified by cause, and showing the number of uncertified deaths.	60
Deaths by cause, sex and age, 1966	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 — Deaths registered in 1966 classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
Deaths in hospitals, 1966	Counties	Table 22 — Deaths of residents of each province, county and county borough registered in 1966 classified by place of occurrence.	86
Deaths not medically certified, by age, 1966	Counties	Table 23 — Deaths of residents of each county and county borough registered in 1966 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1966	Counties	Table 24 — Deaths in 1966 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1966	Principal Towns, U.D.'s and R.D.'s	Table 25 — Infant mortality — Deaths, at ages under 4 weeks, 4 weeks and under one year in 1966 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1966	State	Table 26 — Infant mortality — Total deaths under one year of age in 1966 classified by sex, age and cause (International detailed list).	108
Infant mortality, 1966 (illegitimate infants)	State	Table 27 — Infant mortality — Deaths of illegitimate infants in 1966 classified by sex, age and cause.	112
Infant mortality, 1966	Counties	Table 28 — Infant mortality — Deaths, at ages under 4 weeks and 4 weeks and under one year in 1966 classified by sex and cause, assigned to each county and county borough.	113
Late foetal deaths, 1966	State	Table 29 — Late foetal deaths notified in 1966 classified by cause and age of mother at maternity.	120
Late foetal deaths, 1966	State	Table 30 — Late foetal deaths notified in 1966 classified by cause and period of gestation.	122
Late foetal deaths, 1966	State	Table 31 — Late foetal deaths notified in 1966 classified by cause and number of previous children.	122
Late foetal deaths, 1966	State	Table 32 — Late foetal deaths notified in 1966 classified by sex and period of gestation.	123
Late foetal deaths, 1966	State	Table 33 — Late foetal deaths notified in 1966 classified by age of mother and number of previous children.	123
Deaths, by quarter of registration, 1966	Counties	Table 34 — Deaths registered in 1966 in respect of resident population of each county and county borough, showing the numbers registered each quarter.	124
Births, by quarter of registration, 1966	Counties	Table 35 — Births registered in 1966 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	125
Births, hospital and domiciliary, 1966	Counties	Table 36 — Births registered in 1966 in each county and county borough, showing place of occurrence and areas of normal residence.	126
Births, by age of mother, 1966	State	Table 37 — Births registered in 1966 classified by sex and age of mother at maternity and showing the number of illegitimate births.	127
Births, by age of mother, by county, 1966	Counties	Table 38 — Births registered in 1966 classified by age of mother at maternity and county of normal residence.	128

CONTENTS -- PART II -- TABLES

Contents	Area	Title	Page
Births, by age of mother and previous children, 1966	State	Table 39 -- Total births registered in 1966 classified by age of mother at maternity and number of previous liveborn children.	132
Legitimate births by age at maternity and year of marriage, 1966	State	Table 40 -- Legitimate births registered in 1966 classified by age of mother at maternity and year of marriage.	134
Legitimate first births, by age of maternity and year of marriage, 1966	State	Table 41 -- Legitimate first births registered in 1966, classified by age of mother at maternity and year of marriage.	136
Marriages, 1966	Counties	Table 42 -- Marriages registered in each county and county borough during 1966.	138
All marriages by ages of groom and bride, 1966	State	Table 43 -- Marriages registered in 1966, classified by age of groom and age of bride in single years -- All marriages.	140
First marriages by ages of groom and bride, 1966	State	Table 44 -- Marriages in 1966, classified by age of groom and age of bride in single years -- First marriages only.	142
Marriages by form of ceremony and age of groom, 1966	State	Table 45 -- Marriages in 1966 classified according to form of ceremony and age of groom.	144
Marriages by form of ceremony and age of bride, 1966	State	Table 46 -- Marriages in 1966, classified according to form of ceremony and age of bride.	144
Marriages by social group and age of groom, 1966	State	Table 47 -- Marriages in 1966, classified by social group and age of groom.	144
Marriages by social group and age of bride, 1966	State	Table 48 -- Marriages in 1966, classified by social group and age of bride.	145
Marriages by social group of groom and bride, 1966	State	Table 49 -- Marriages in 1966, classified by social group of groom and bride.	145
Marriages by age and area of residence of groom, 1966	Counties	Table 50 -- Marriages in 1966, classified by age and area of residence of groom before marriage.	146
Marriages by age and area of residence of bride, 1966	Counties	Table 51 -- Marriages in 1966, classified by age and area of residence of bride before marriage.	147
Marriages by areas of residence of groom and bride, 1966	Counties	Table 52 -- Marriages in 1966, classified by area of residence of groom and area of residence of bride before marriage.	148
Marriages with intended future residence abroad by age of groom, 1966	State	Table 53 -- Marriages in 1966, in which the future permanent residence was stated to be outside the country, classified by age of groom.	150
Marriages with intended future residence abroad by age of bride, 1966	State	Table 54 -- Marriages in 1966, in which the future permanent residence was stated to be outside the country, classified by age of bride.	150
Marriages with intended future residence abroad by social group of groom, 1966	State	Table 55 -- Marriages in 1966, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	150
Marriages with intended future residence abroad by social group of bride, 1966	State	Table 56 -- Marriages in 1966, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	151
Marriages with intended future residence abroad by form of ceremony, 1966	State	Table 57 -- Marriages in 1966, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	151
Marriages with intended future residence abroad by area of residence of groom before marriage, 1966	State	Table 58 -- Marriages in 1966, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	152
Marriages with intended future residence abroad by area of residence of bride before marriage, 1966	State	Table 59 -- Marriages in 1966 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	152
Notifications of infectious diseases, 1966	State	Table 60 -- Summary of cases of infectious diseases notified to the Department of Health during the year 1966.	153

REPORT ON VITAL STATISTICS FOR THE YEAR 1966

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1966 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1966 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages. — There were 16,849 marriages registered during the year 1966 compared with 16,946 in 1965. The marriage rate per 1,000 population was 5.84 compared with 5.89 in 1965.

Births. — The number of births registered during 1966 was 62,215 and the birth rate was 21.57 per 1,000 population, compared with 22.09 per 1,000 population in 1965. The number of illegitimate births registered in 1966 was 1,436 or 2.31 per cent of all births.

Deaths. — The number of deaths registered during 1966 was 35,113 and the death rate was 12.18 per 1,000 population. In 1965 deaths registered numbered 33,022 and the rate was 11.48.

Of the deaths registered in 1966 33.86 per cent were stated to be due to heart diseases, 14.73 per cent to malignant neoplasms, 12.35 per cent to vascular lesions affecting the central nervous system and 0.97 per cent to tuberculosis (all forms).

The number of deaths in 1966 from tuberculosis of all forms was 341 and the rate was 0.12 per 1,000 population, the same as that for 1965.

There were 4,979 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1966 was 1.73 per 1,000 population, compared with 1.66 in 1965.

During 1966 the deaths of 1,552 infants under one year were registered, equivalent to a rate of 24.95 per 1,000 live births. In the previous year 1,604 deaths, equivalent to a rate of 25.25 per 1,000 live births, were registered.

The total number of deaths from accidents and other external causes in 1966 was 1,169, of which road vehicle accidents accounted for 371.


Marriage, birth and death rates per 1,000 population for the years 1940 to 1966 are illustrated in Diagram 1.

Issue of Authority for Registration. — Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd-Chlaraitheoir. The number of births registered on the authority of An tArd-Chlaraitheoir in 1966 was 831 and the number of deaths registered was 165. Throughout the tables in this Report these births and deaths have been excluded.

Population. — The population according to the Census taken on 17 April 1966 was 2,884,002.

Diagram 1

BIRTH, MARRIAGE AND DEATH RATES, (PER 1000 POPULATION) 1940-1966



MARRIAGES

An alteration in the form of the marriage register was made in 1957 with a view to increasing the amount of statistical information available and bringing Irish statistics of marriages into conformity with international recommendations made by the United Nations Organisation. The column of the register headed "Age" was replaced by a column headed "Date of birth" with the result that, whereas up to 1956 the only entries made were "full age" or "minor", the exact age of persons married is now available. In addition a question is asked on "Intended future permanent residence", enabling an examination to be made of the numbers taking up residence in the different parts of the country or going abroad. The classifications of marriages prepared are shown in TABLES 42 to 59.

The number of marriages registered in 1966 was 16,849, a decrease of 97 on the previous year; the rate was 5.8 per 1,000 population. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1957 to 1966 with those in the Six Counties, England and Wales and Scotland.

TABLE 1

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1957-1966.

Year	Ireland*	Six Counties	England and Wales	Scotland
1957	5.1	6.7	7.7	8.3
1958	5.3	6.6	7.5	8.0
1959	5.4	6.8	7.5	7.8
1960	5.5	7.0	7.5	7.7
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1

* Exclusive of the Six Counties.

From this table it will be seen that over the period under review, the marriage rate in this country has been consistently lower than the rates in the other areas.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained from the 1966 marriage registrations made possible an examination of the trends in age at marriage over the intervening period, as may be seen from the following table.

TABLE 11

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1963 TO 1966.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1963	1964	1965	1966	1945-46	1963	1964	1965	1966
	Per cent									
Under 20 years	1.0	2.5	2.6	2.7	2.8	6.6	9.8	9.7	10.2	10.5
20 to 24 "	14.3	26.8	28.6	30.1	32.2	29.5	42.3	43.7	45.6	47.4
25 to 29 "	25.7	31.9	32.2	33.1	32.4	31.1	26.3	26.1	25.6	24.5
30 to 34 "	24.2	17.3	16.9	15.9	15.8	19.9	11.4	10.9	10.0	9.3
35 to 44 "	25.8	15.2	14.2	13.0	12.1	11.1	7.8	7.3	6.7	6.6
45 years and over	9.0	6.3	5.5	5.2	4.7	1.9	2.4	2.3	1.9	1.7
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	30.1	29.8	29.4	29.0	28.0	26.5	26.3	26.0	25.7

Whereas, in 1945-46, 59 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 32.6 in 1966 the average age of men at marriage declining from 33.1 years in 1945-46 to 29.0 years in 1966. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over, compared with 17.6 per cent in 1966 while the average age at marriage declined from 28.0 years in 1945-46 to 25.7 in 1966. In TABLE 43 the marriages registered in 1966 are shown cross-classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1966 were 28.6 and 25.4 respectively.

A comparison of marriage rates per 1,000 single population in each age group in Ireland in 1966 and in England and Wales in 1965 is made in Table 111. The figures for Ireland were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE 111
MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IRELAND*, 1966 AND ENGLAND AND WALES, 1965.

Age groups	Bachelors		Spinsters	
	Ireland* 1966	England and Wales, 1965	Ireland* 1966	England and Wales, 1965
15-19 years	3.5	15.5	14.2	61.4
20-24 "	63.7	161.5	116.8	259.5
25-29 "	123.5	185.3	145.3	153.7
30-34 "	87.0	84.7	86.9	70.8
35-39 "	47.7	45.5	42.0	39.1
40-44 "	26.8	24.8	19.6	22.0
45-49 "	13.0	16.6	6.1	13.7
50-54 "	7.7	10.4	2.5	8.2
55 and over	1.3	4.2	0.3	2.2
Total, 15 years and over	35.0	69.4	43.4	61.5

* Exclusive of the Six Counties.

For each sex and age group the marriage rates in Ireland were considerably below those in England and Wales. In the 15-19 age group the marriage rate in England and Wales was over four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rates for males and females were over twice the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1966 amounted to 16,164 (equal to 96 per cent of the total) and other marriages numbered 685, of which 444 were according to the rites and ceremonies of the Church of Ireland, 117 in Presbyterian Churches, 33 in Methodist Churches, 8 according to Jewish Rites, 4 registered buildings belonging to other religious denominations and 79 by civil contract in Registrars' Offices.

The rate for Catholic marriages in 1966 was 5.90 per 1,000 of the Catholic population a decrease of 0.08 on the corresponding rate for 1965. The rate for all other marriages combined was 4.79 per 1,000 of the population other than Catholic, an increase of 0.49 on the 1965 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1957 TO 1966 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	In Registrars' Offices	Total			Catholic marriages	All other marriages	Total marriages
1957	509	97	27	19	5	52	709	13,948	14,657	5.13	4.64	5.08
1958	389	91	32	17	4	45	578	14,483	15,061	5.38	3.85	5.28
1959	444	97	35	16	4	76	672	14,748	15,420	5.50	4.52	5.42
1960	371	115	34	18	4	57	599	14,866	15,465	5.56	4.13	5.46
1961	375	92	29	17	5	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	28	14	3	47	650	14,977	15,627	5.58	4.50	5.52
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of groom was 28.9 years, compared with 30.0 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 25.7 years and, for other marriages, 26.1 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation, although status (i.e., whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1966 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In both cases the average marriage age in 1966 was higher in the social group "Farmers, relatives assisting and farm managers" than in any of the other groups with the single exception of "employers and managers", in the case of which the average age was highest in the female groups whilst the lowest average age was in the manual workers groups. In the case of females the difficulty arises that, since many are not gainfully occupied immediately before marriage, information as to occupation is not given, with the result that in many instances the social group cannot be assigned. Thus it will be seen from TABLE 48 that the number of cases in which the social group of the bride was not stated amounted to almost 19 per cent of the total number of marriages registered in 1966.

TABLE 49 shows marriages registered in 1966 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 50 per cent were in the "Intermediate and other non-manual workers" groups, 26 per cent were other manual workers and 14 per cent were skilled manual workers, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. In the case of marriages where the grooms were in the social group "Farmers, relatives assisting and farm managers", however, the percentage distribution of brides by social group is not very meaningful in view of the very high number in the "not stated" category; it is probable that the great majority of these were also in the "Farmers and relatives assisting" group. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 19 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Although the marriage registers in use prior to 1957 contained particulars of residence of bride and groom before marriage the difficulties of analysis by clerical methods prevented the summarisation of this information, hence only figures for marriages registered in each area were compiled. Following the alteration in the form of the marriage register in 1957 punched-card summarisation methods were introduced, with the result that four districts may now be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1966 in the same form as in earlier Reports in this series. A comparison between the area of residence of the bride before the ceremony and the area of which the marriage took place is made for 1966 in Table V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in three of the four county boroughs the average age of grooms was not over 28 years, whereas in the counties Clare, Leitrim, Roscommon and Cavan the average age was 31.8, 32.6, 33.4 and 31.8 respectively. The average age of brides was not over 26 years in the four county boroughs. The lowest average ages were in Limerick County Borough 24.2, Waterford County Borough 24.3 and county Kildare 24.6, and the highest were in counties Clare and Roscommon (27.6).

In TABLES 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,133 of the men married in the State

in 1966 were returned as residing in England, Wales or Scotland, 249 in the Six Counties and 143 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 690, the number from the Six Counties was 117 and the number from other countries was 60. In 774 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1966.

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	149	122	27	81.9
Dublin County Borough	4,912	4,239	673	86.3
Dun Laoghaire	380	292	88	76.8
Dublin County (remainder)	668	437	231	65.4
Kildare	384	332	52	86.5
Kilkenny	275	215	60	78.2
Laois	219	175	44	79.9
Longford	119	96	23	80.7
Louth	468	425	43	90.8
Meath	402	315	87	78.4
Offaly	248	209	39	84.3
Westmeath	319	223	96	69.9
Wexford	490	435	55	88.8
Wicklow	372	315	57	84.7
Clare	322	275	47	85.4
Cork County Borough	959	732	227	76.3
Cork County	1,072	959	113	89.5
Kerry	541	455	86	84.1
Limerick County Borough	468	284	184	60.7
Limerick County	291	227	64	78.0
Tipperary, N.R.	304	261	43	85.9
Tipperary, S.R.	339	257	82	75.8
Waterford County Borough	280	223	57	79.6
Waterford County	194	146	48	75.3
Galway	730	594	136	81.4
Leitrim	106	92	14	86.8
Mayo	380	309	71	81.3
Roscommon	208	146	62	70.2
Sligo	217	180	37	82.9
Cavan	231	188	43	81.4
Donegal	568	448	120	78.9
Monaghan	234	201	33	85.9
TOTAL	16,849	13,807	3,042	81.9

*Includes cases in which residence was not stated or was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION OF EACH COUNTY AND COUNTY BOROUGH CALCULATED USING (a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA, IN 1966.

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	4.4	5.1	Clare	4.4	4.2
Dublin County Borough	8.6	7.6	Cork County Borough	7.9	5.8
Dun Laoghaire Borough	7.3	6.4	Cork County	4.9	5.3
Dublin County (remainder)	3.8	3.9	Kerry	4.8	4.4
Kildare	5.8	6.1	Limerick County Borough	8.4	5.5
Kilkenny	4.5	4.7	Limerick County	3.6	4.5
Laois	4.9	4.7	Tipperary, N.R.	5.6	5.5
Longford	4.1	4.1	Tipperary, S.R.	4.9	4.3
Louth	6.7	6.5	Waterford County Borough	9.4	7.2
Meath	6.0	5.5	Waterford County	4.5	4.5
Offaly	4.8	4.6			
Westmeath	6.0	5.8	MUNSTER	5.6	5.0
Wexford	5.9	5.2			
Wicklow	6.2	5.4	Galway	4.9	4.4
			Leitrim	3.5	3.9
LEINSTER	6.6	6.1	Mayo	3.3	3.0
			Roscommon	3.7	3.5
Cavan	4.3	3.9	Sligo	4.2	3.7
Donegal	5.2	3.8			
Monaghan	5.1	4.1	CONNACHT	4.1	3.7
ULSTER (part of)	5.0	3.9	TOTAL	5.8	5.8

It will be observed that rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 294 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a very high proportion of cases, the intended future residence was outside the State. Out of the total of 16,849 marriages registered in 1966 there were 2,272 or 13 per cent where the intended future residence was outside the State. These cases are examined in some detail in TABLES 53 to 59. In the case of 1,615 marriages the future residence was in England and Wales, 262 in the Six Counties, 64 in Scotland, 58 in other parts of Europe, 145 in the United States of America, 50 in Canada, 11 in Australia and New Zealand and 67 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were appreciably below those for all marriages in the State. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VII contains the results obtained.

TABLE VII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1965 AND 1966.

Social group of groom	Percentage with intended future residence outside the State	
	1965	1966
	Per cent	
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	5	6
Higher professionals	30	29
Lower professionals	19	24
Employers and managers (including shopkeepers)	15	14
Salaried employees	12	14
Intermediate non-manual workers	12	13
Other non-manual workers	10	13
Skilled manual workers	15	16
Other manual workers	13	14
TOTAL, ALL GROUPS COMBINED	12	13

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. By comparison with TABLE 42, it will be seen that the proportions that these represent of all marriages in the State are as shown in the following table:—

TABLE VIII

PERCENTAGE OF MARRIAGES OF EACH DENOMINATION IN THE CASE OF WHICH THE FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1965 AND 1966.

Form of ceremony	Percentage with intended future residence outside the State	
	1965	1966
	Per cent	
Catholic	11	13
Church of Ireland	25	26
Presbyterian	49	38
Methodist	27*	39*
Jewish	11*	25*
Civil marriage	20*	19*
TOTAL	12	13

*Percentage based on small numbers.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1965 AND 1966 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1965	1966
	Per cent	
Dublin County Borough and Dun Laoghaire	6	8
Remainder of Leinster	4	4
Manster	3	3
Connacht	4	6
Ulster (part of)	7	8
Outside the State	91	93

BIRTHS

Under a system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1966 are presented in TABLES 35 to 41.

The number of births registered during the year 1966 was 62,215, 32,173 males and 30,042 females. The corresponding figures for 1965 were 63,525, 32,438 and 31,087 respectively. The birth rate in 1966 was 21.6 per 1,000 population compared with 22.1 in 1965.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1957-1966.

Year	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1957	61.2	21.2	21.5	16.1	19.1
1958	59.5	20.9	21.6	16.4	19.4
1959	60.2	21.1	21.9	16.4	19.2
1960	60.7	21.5	22.5	17.1	19.6
1961	59.8	21.2	22.4	17.5	19.5
1962	61.8	21.8	22.7	17.9	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6

* Exclusive of the Six Counties.

The 1966 rates showed decreases in all areas.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1966 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 496 or 0.8 per cent of the total, and the number where the parity was not stated was 296 or 0.5 per cent of the total. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI

BIRTHS REGISTERED IN 1966 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	1,690	1,316	297	63	11	2	-	-	-	1
20-24 years	11,513	5,872	3,302	1,547	551	170	67	-	-	4
25-29 "	17,139	4,572	4,738	3,559	2,057	1,145	1,053	8	-	7
30-34 "	15,390	1,917	2,492	3,071	2,738	1,982	3,008	170	2	10
35-39 "	11,145	771	1,030	1,421	1,696	1,646	3,909	632	32	8
40-44 "	4,490	188	237	348	507	580	2,026	534	59	11
45 years and over	352	11	17	16	29	32	178	58	9	2
Not stated	496	142	23	21	17	10	26	4	-	253
TOTAL	62,215	14,789	12,136	10,046	7,606	5,567	10,267	1,406	102	296

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1965 to 1966 in the distribution of births according to age of mother at maternity, as may be seen from Table XII in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1966 AND 1965, AND IN ENGLAND AND WALES AND SCOTLAND IN 1965.

Age at maternity	Ireland*		England and Wales	Scotland
	1965	1966	1965	1965
	Per cent			
Under 20 years	2.7	2.7	8.0	7.4
20-24 years	17.3	18.7	32.9	31.3
25-29 "	27.6	27.8	31.6	31.4
30-34 "	25.5	24.9	17.0	18.1
35-39 "	18.8	18.0	8.2	9.2
40-44 "	7.6	7.3	2.2	2.4
45 years and over	0.5	0.6	0.1	0.2
TOTAL	100.—	100.—	100.—	100.—
Average age at maternity	30.7	30.6	27.2	27.4

* Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XIV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced as may be seen from Table XIII.

TABLE XIII

PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1965 AND 1966, AND IN ENGLAND AND WALES AND SCOTLAND IN 1965.

Age at maternity	Ireland*		England and Wales	Scotland
	1965	1966	1965	1965
	Per cent			
Under 20 years	6.7	6.8	17.4	17.8
20-24 years	38.1	40.0	47.3	47.4
25-29 "	32.6	32.6	24.7	23.5
30-34 "	15.0	13.7	7.5	7.7
35-39 "	6.0	5.5	2.6	3.0
40-44 "	1.5	1.3	0.5	0.6
45 years and over	0.1	0.1	0.0	0.0
TOTAL	100.—	100.—	100.—	100.—
Average age at maternity	26.5	26.6	24.1	24.1

* Exclusive of the Six Counties.

Fertility rates in Ireland in 1966 and in England and Wales in 1965 are compared in Table XIII.

TABLE XIII

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND*, 1966 AND ENGLAND AND WALES, 1965.

Age of mother at maternity	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1966	England and Wales 1965	Ireland* 1966	England and Wales 1965	Ireland* 1966	England and Wales 1965
15-19 years	13.5	44.8	639.2	481.3	3.5	11.4
20-24 "	128.1	176.2	484.5	280.7	8.5	32.4
25-29 "	232.5	178.1	369.6	201.5	8.7	52.9
30-34 "	213.0	101.5	280.9	108.8	6.2	44.3
35-39 "	144.4	48.4	186.0	51.2	2.9	26.0
40-44 "	54.9	12.5	70.7	13.3	0.9	7.5
45-49 "	4.3	0.9	5.8	1.0	0.1	0.5
Total, 15-49 years	102.5	78.9	195.8	105.1	4.8	19.8

* Exclusive of the Six Counties.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 33 per cent above that in England and Wales, in the 20-24 year group 73 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed or divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The percentage distribution of births according to the number of previous children in 1965 and 1966 is shown in Table XIV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1965.

TABLE XIV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1966 AND 1965 AND IN ENGLAND AND WALES AND SCOTLAND IN 1965.

Number of previous children	Ireland*		England and Wales (1965)	Scotland (1965)
	1966	1965		
	Per cent			
0	23.9	23.5	36.5	33.8
1	19.6	19.2	31.2	28.8
2	16.2	16.1	16.7	17.8
3	12.3	12.6	7.9	9.5
4	9.0	9.0	3.7	4.8
5 to 9	16.6	17.0	3.8	5.1
10 to 14	2.3	2.4	0.2	0.2
15 and over	0.2	0.2	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

* Exclusive of the Six Counties.

The difference between the years 1966 and 1965 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1965 19.6 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 4.0 in England and Wales and 5.3 in Scotland.

MULTIPLE BIRTHS

The number of infants born alive in multiple births registered in 1966 was 1,743, consisting of 858 pairs of twins and 9 sets of triplets.

DEATHS

The number of deaths registered during the year 1966 was 35,113 of which 19,148 were those of males and 15,965 those of females, equivalent to a rate of 12.18 deaths per 1,000 total population, compared with 11.48 in the previous year.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1960 and the death rates for each year 1961 to 1966.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages. The age group 65-74 has shown a considerable decline also.

Table XV compares the death rates in the years 1957-1966 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country is somewhat higher than in England and Wales and the Six Counties and of about the same order as the Scottish rate.

TABLE XV

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1954-1966.

Year	Numbers of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1957	34.3	11.9	10.9	11.5	11.9
1958	34.2	12.0	10.8	11.7	12.1
1959	34.2	12.0	10.9	11.6	12.2
1960	32.7	11.5	10.8	11.5	11.9
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3

* Exclusive of the Six Counties.

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the country.

In certain areas the standardised death rates differ appreciably from the crude rates. The standardised rates in 1966 were lowest in the counties of Mayo and Leitrim and highest in the County Borough of Waterford and County of Longford.

Diagram 2

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1966




TABLE XVI

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1966.

Area	Deaths per 1,000 population	
	Crude	Standardised
TOTAL	12.18	12.18
Carlow	11.46	11.55
Dublin County Borough	10.23	12.60
Dun Laoghaire Borough	12.21	11.74
Dublin County (Remainder)	7.13	11.23
Kildare	10.10	12.65
Kilkenny	13.78	13.08
Laois	12.31	11.68
Longford	16.87	14.73
Louth	11.42	12.80
Meath	13.03	13.59
Offaly	11.21	11.79
Westmeath	11.74	11.09
Wexford	13.67	13.00
Wicklow	12.00	12.54
LEINSTER	10.86	12.47
Clare	13.64	11.08
Cork County Borough	11.88	13.70
Cork County	13.79	12.35
Kerry	14.57	12.47
Limerick County Borough	9.28	11.93
Limerick County	13.64	12.82
Tipperary, N.R.	13.73	13.01
Tipperary, S.R.	13.59	13.22
Waterford County Borough	14.48	16.22
Waterford County	14.45	12.70
MUNSTER	13.34	12.67
Galway	11.93	10.70
Leitrim	14.92	10.55
Mayo	13.37	10.08
Roscommon	14.07	10.65
Sligo	14.79	11.86
CONNACHT	13.24	10.65
Cavan	15.60	13.09
Donegal	14.48	11.78
Monaghan	12.20	10.91
ULSTER (part of)	14.27	11.93

CAUSES OF DEATH

The tables in this Report showing cause of death are based on the Seventh Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1955, prepared by the World Health Organisation. The Seventh Revision was used for the first time in classifying deaths by causes in the 1958 Report. The Reports for the years 1950 to 1957 were based on the Sixth Revision.

TABLE XVII

AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES IN EACH PERIOD 1950-52, 1955-57, 1960-62 AND 1964-66 FROM SOME OF THE PRINCIPAL CAUSES.

I.L. Nos.	Causes	1950-52	1955-57	1960-62	1964-66
		Average Annual Number			
001-019	Tuberculosis, all forms	2,040	758	438	358
Rem. to 138	Other infective and parasitic diseases	349	187	143	109
140-205	Cancer	4,194	4,695	4,787	5,038
330-334	Vascular lesions affecting central nervous system	2,907	3,738	3,960	4,202
410-434	Diseases of the heart	10,519	10,580	10,884	10,740
400-468 Rem.	Other diseases of the circulatory system	1,620	2,172	1,958	2,017
480-483	Influenza	987	502	554	468
470-475,490-527	Other diseases of the respiratory system	2,667	2,407	2,788	3,330
794	Senility	4,436	2,680	2,010	1,462
	Other diseases	7,769	6,287	5,233	4,754
E800-E999	Accidents and other external causes	921	988	998	1,110
	ALL CAUSES	38,409	34,994	33,753	33,588
		Average annual rates per 100,000 population			
001-019	Tuberculosis, all forms	68.9	26.2	15.5	12.4
Rem. to 138	Other infective and parasitic diseases	11.8	6.5	5.1	3.8
140-205	Cancer	141.6	162.0	169.3	174.7
330-334	Vascular lesions affecting central nervous system	98.2	129.0	140.1	145.7
410-434	Diseases of the heart	355.3	365.0	385.1	372.4
400-468 Rem.	Other diseases of the circulatory system	54.7	74.9	69.3	69.9
480-483	Influenza	33.3	17.3	19.6	16.2
470-475,490-527	Other diseases of the respiratory system	90.1	83.0	98.6	115.4
794	Senility	149.8	92.5	71.1	50.7
	Other diseases	262.6	216.9	185.1	164.8
E800-E999	Accidents and other external causes	31.1	34.1	35.3	38.5
	ALL CAUSES	1,297.4	1,207.4	1,194.1	1,164.5

In Table XVII it will be noted that in the comparison of rates for the years 1964-1966 with those for 1950-1952 that for tuberculosis is almost one-sixth of that for earlier period, other infective diseases rate is only one-third, influenza rate is only one-half and senility one-third. Cancer rate shows an increase of 23 per cent, vascular lesions rate an increase of 48 per cent, circulatory diseases, including heart-diseases rate, an increase of 8 per cent, respiratory diseases, excluding influenza rate, an increase of 28 per cent and for external causes including accidents the rate is 24 per cent higher.

TABLE

AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All Causes	1,321.4	1,112.6	632.3	498.0	40.3	33.2	82.4	43.9	118.9	83.6
001-019	Tuberculosis, all forms	17.0	6.6	1.9	1.3	-	-	0.4	1.4	5.4	2.7
020-138	Other infective and parasitic diseases	3.5	2.6	9.3	5.8	2.3	0.7	0.9	1.4	2.7	2.0
001-138	Total infective and parasitic diseases	20.5	9.2	11.2	7.1	2.3	0.7	1.3	2.8	8.1	4.7
	Malignant neoplasms of:										
150	oesophagus	6.6	6.6	-	-	-	-	-	-	-	-
151	stomach	32.0	26.1	-	-	-	-	0.4	-	1.3	0.7
152, 153	intestines	18.2	22.7	-	-	-	0.3	-	0.5	-	2.7
154	rectum	10.7	6.3	-	-	-	-	-	0.5	0.7	-
157	pancreas	10.3	7.9	-	-	-	-	-	-	0.7	-
155, 156, 158, 159	other and unspecified digestive organs	5.1	6.0	0.6	0.7	0.3	-	-	-	-	-
150-159	digestive organs and peritoneum	82.9	75.6	0.6	0.7	0.3	0.3	0.4	1.0	2.7	3.4
162, 163	bronchus, trachea and lung	43.5	10.2	-	-	-	-	-	-	0.7	-
170	breast	0.1	25.8	-	-	-	-	-	-	-	0.7
177	prostate	19.1	-	-	-	-	-	-	-	-	-
171-176, 178-181	other genito-urinary organs	8.5	22.7	3.1	1.9	0.7	0.3	0.9	-	1.3	-
140-8, 160, 161, 164-5, 190-9	other and unspecified sites	28.7	20.5	2.5	1.3	2.3	2.1	4.0	3.2	5.4	4.1
200-205	lymphatic and haematopoietic tissues	11.9	8.9	5.0	3.9	3.1	1.8	2.6	3.6	3.4	5.4
140-205	Total malignant neoplasms	194.7	163.7	11.2	7.8	6.4	4.5	7.9	7.8	13.4	13.6
260	Diabetes mellitus	8.3	11.5	0.6	-	-	0.7	-	0.5	1.3	2.0
240-259, 261-289	Other allergic, endocrine system, metabolic and nutritional diseases	10.5	10.9	7.4	3.2	1.0	1.8	1.3	1.8	1.3	5.4
330	Subarachnoid haemorrhage	5.9	9.2	-	0.7	0.3	-	2.1	1.8	2.0	2.7
331	Cerebral haemorrhage	50.1	67.6	1.2	1.9	0.3	-	1.3	0.5	0.7	-
332	Cerebral embolism and thrombosis	63.3	71.1	-	-	-	0.3	-	0.5	-	-
333, 334	Other and ill-defined vascular lesions affecting central nervous system	15.7	18.0	-	-	-	0.3	-	0.5	0.7	-
330-334	Vascular lesions affecting central nervous system	135.0	165.9	1.2	2.6	0.6	0.6	3.4	3.3	3.4	2.7
340-398	Other diseases of the nervous system and sense organs	17.1	16.9	13.0	4.5	0.7	2.1	4.0	2.3	4.0	4.1
410-416	Chronic rheumatic heart disease	9.0	11.4	-	-	-	-	1.3	0.9	2.0	4.8
420	Arteriosclerotic heart disease including coronary disease	258.2	152.5	-	-	-	-	0.9	0.5	9.4	4.1
421	Chronic endocarditis not specified as rheumatic	9.6	7.7	-	-	0.3	0.3	0.9	-	2.0	-
422	Other myocardial degeneration	113.0	110.7	-	-	-	-	0.9	-	-	0.7
420-422	Arteriosclerotic and degenerative heart disease	380.8	270.9	-	-	0.3	0.3	2.7	0.5	11.4	4.8
430-434	Other diseases of heart	53.5	56.2	1.2	-	0.7	-	1.7	0.9	2.7	1.4
440-443	Hypertensive heart disease	18.8	23.5	-	-	-	-	-	-	-	-
410-443	Heart diseases including hypertensive	462.1	362.0	1.2	-	1.0	0.3	5.7	2.3	16.1	11.0
450	General arteriosclerosis	27.0	29.3	-	-	-	-	-	-	-	-
400-402, 444-447, 451-468	Other diseases of the circulatory system	23.2	21.0	-	-	0.7	-	0.4	-	4.0	2.7
480-483	Influenza	33.0	33.2	5.6	6.5	-	0.7	0.4	0.5	0.7	0.7
490-493	Pneumonia (excluding pneumonia of newborn)	53.6	55.3	59.5	65.3	1.4	3.5	4.0	4.1	2.7	4.8
500-502	Bronchitis	78.2	36.2	1.9	3.9	1.0	-	0.4	0.5	0.7	2.0
470-475, 510-527	Other diseases of the respiratory system	18.6	13.0	3.1	1.9	-	1.4	0.9	1.4	0.7	1.4
540, 541	Ulcer of stomach and duodenum	11.8	4.8	1.2	0.7	-	-	-	-	0.7	-
560, 561, 570	Intestinal obstruction and hernia	4.8	5.9	3.7	0.7	-	-	-	-	-	-
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	8.0	7.0	40.3	26.5	0.7	0.3	0.9	1.4	-	-
530-587(rem.)	Other diseases of digestive system	9.9	8.1	3.7	2.5	-	0.3	0.9	0.5	4.0	0.7
590-594	Nephritis and nephrosis	13.9	10.0	-	0.7	0.3	0.3	4.0	5.6	3.4	4.8
600-637	Other diseases of the genito-urinary system	18.2	6.3	2.5	1.3	0.3	0.7	-	0.9	-	-
640-689	Deliveries and complications of pregnancy and childbirth	-	1.3	-	-	-	-	-	0.9	-	5.4
750-759	Congenital malformations	18.5	16.7	142.6	136.5	4.1	3.8	4.0	0.9	1.3	2.7
760-776	Certain diseases of early infancy	30.7	21.0	275.9	194.7	-	-	-	-	-	-
794	Senility without mention of psychosis	44.9	47.8	-	-	-	-	-	-	-	-
210-795(rem.)	All other diseases	26.9	26.6	12.4	7.1	1.7	3.1	4.0	0.9	4.7	2.7
E800-E962	Accidents	47.8	27.5	34.1	23.9	18.1	8.4	36.3	4.1	43.6	10.8
E963-E999	Other external causes	4.2	1.5	-	0.6	-	-	2.6	1.4	4.7	1.4

Death rates per 100,000 corresponding population												I.D.L. Nos.
35-44		45-54		55-64		65-74		75-84		85 and over		
M	F	M	F	M	F	M	F	M	F	M	F	
270.0	199.1	754.9	532.6	2,031.3	1,289.5	5,274.0	3,510.0	12,520.2	9,746.0	30,239.7	24,326.1	
15.3	5.6	20.3	12.8	51.0	15.0	74.0	21.5	74.0	20.4	12.4	16.4	001-019
2.5	1.2	3.0	2.4	2.9	6.0	7.2	1.9	4.5	7.4	-	-	020-138
17.8	6.8	23.3	15.2	53.9	21.0	81.2	23.4	78.5	27.8	12.4	16.4	001-138
2.5	0.6	2.4	6.1	10.2	21.0	40.1	25.2	67.3	39.0	61.8	65.6	150
5.1	4.4	23.8	14.7	65.5	42.7	178.9	130.8	291.7	215.5	234.8	237.6	151
2.5	6.3	17.9	14.1	34.9	37.5	96.6	98.1	175.0	195.1	111.2	221.2	152, 153
3.2	1.9	8.9	4.9	13.8	12.7	69.9	32.7	85.3	40.9	111.2	41.0	154
-	1.9	8.9	3.7	21.1	14.2	56.5	37.4	85.3	66.9	135.9	81.9	157
1.9	1.2	5.4	6.1	14.5	13.5	21.6	31.8	35.9	37.2	37.1	8.2	155, 156,
15.2	16.3	67.3	49.6	160.0	141.6	463.6	356.0	740.5	594.6	692.0	655.5	158, 159
14.1	1.2	54.8	14.7	149.1	33.0	235.4	45.8	172.8	37.2	61.8	57.4	150-159
-	21.9	-	53.2	-	59.9	1.0	86.9	-	113.4	-	114.7	162, 163
-	-	3.0	-	19.6	-	96.6	-	278.2	-	333.7	-	170
3.8	12.5	6.5	36.7	17.5	62.9	40.1	92.5	53.9	89.2	98.9	90.1	177
10.2	9.4	23.8	20.8	49.5	42.7	116.2	79.4	249.0	104.1	506.7	213.0	171-176,
5.7	7.5	18.5	7.3	26.9	24.7	44.2	32.7	47.1	14.9	37.1	8.2	178-181
49.0	68.8	173.9	182.3	422.6	364.8	997.1	693.3	1,541.5	953.4	1,730.2	1,138.9	140-8, 160,
-	1.2	5.4	1.2	14.5	20.2	40.1	66.3	83.0	83.6	148.3	98.3	161, 165-5,
7.0	10.7	13.1	11.6	24.7	24.7	50.4	38.3	29.1	37.2	37.1	32.8	190-9
5.7	11.9	8.9	20.2	17.5	18.0	16.4	23.4	24.7	35.3	12.4	24.6	200-205
3.8	5.6	23.8	30.6	90.1	100.4	233.3	263.5	552.0	691.2	951.6	983.2	140-205
1.3	3.1	6.5	4.9	48.0	50.2	270.3	227.0	917.7	865.9	2,051.4	1,876.3	260
-	1.2	3.0	3.1	14.5	10.5	68.9	57.9	199.7	223.0	568.5	434.3	240-259,
10.8	21.8	42.2	58.8	170.1	179.1	588.9	571.8	1,694.1	1,815.4	3,583.9	3,318.4	261-289
5.1	11.3	12.5	14.7	28.4	24.0	67.8	52.3	127.9	118.9	234.8	196.6	330
6.4	8.7	13.7	22.0	15.3	21.7	29.8	28.0	76.3	66.9	98.9	73.7	331
55.3	14.4	212.0	58.7	577.7	234.5	1,319.8	681.1	2,095.7	1,397.3	3,349.0	2,195.8	332
3.8	1.2	8.9	5.5	13.1	10.5	48.3	28.0	74.0	72.5	173.0	122.9	333, 334
1.9	1.9	10.7	8.6	51.6	34.5	333.0	235.5	1,662.6	1,217.1	5,907.0	5,055.3	330-334
61.0	17.5	231.6	72.8	642.4	279.							

Of the deaths registered in 1966, 65 per cent were due to four main causes, i.e. heart diseases, malignant neoplasms, vascular lesions affecting the central nervous system and respiratory diseases. Diseases of the heart were responsible for the highest rates, 462.1 per 100,000 population for males and 362.0 per 100,000 females. Most of these deaths occurred at ages over 55 and were mainly caused by arteriosclerotic and degenerative heart disease. Malignant neoplasms were the next major cause, the rates for which were 194.7 and 163.7 for males and females respectively per 100,000 population. The rates for vascular lesions affecting the central nervous system were 135.0 and 165.9 respectively for males and females per 100,000 population; as in the case of heart diseases these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 accidents were the greatest single cause.

TUBERCULOSIS

Some of the principal causes of deaths are considered in greater detail in the following sections.

TABLE XIX

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1957-1966.

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1957	583	0.20	113	0.04	1.92	1.35
1958	502	0.18	79	0.03	1.80	1.93
1959	451	0.16	66	0.02	1.70	1.54
1960	416	0.15	52	0.02	1.81	1.00
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75

In 1966 there were 341 deaths from tuberculosis, of which 308 were caused by the respiratory form and 33 by other forms of the disease. There has been a fall of 51 per cent in the number of deaths, both from tuberculosis of the respiratory system and other forms in the period 1957 to 1966.

The trend in the death rate from tuberculosis (all forms) since 1940 is shown in Diagram 3.

In Table XX tuberculosis death rates are examined, by age groups, for certain periods.

TABLE XX

AVERAGE ANNUAL DEATH RATES IN EACH PERIOD 1950-52, 1955-57, 1960-62 AND 1964-66 FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES, PER 1,000 CORRESPONDING POPULATION.

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages
1950-52	0.24	0.52	0.96	1.10	1.00	0.90	0.70	0.69
1955-57	0.07	0.06	0.16	0.29	0.34	0.41	0.51	0.26
1960-62	0.02	0.01	0.04	0.10	0.20	0.25	0.40	0.16
1964-66	0.01	0.01	0.01	0.06	0.13	0.19	0.39	0.12

Between the periods 1950-52 and 1955-57 the death rates from tuberculosis in the younger age groups showed a marked decline, and in the most recent years the rates for these groups were only a fraction of their former level. Thus, between 1950-52 and 1964-66 the death rate in the age group under 15 years fell from 0.24 to 0.01 per 1,000 corresponding population and at ages 15 to 24 more striking declines occurred. In the older age groups the reduction in the death rate was less marked, the 1966 rate for the age group 55 years and over being 0.39 per 1,000 corresponding population compared with 0.70 in the period 1950-52.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1940-1966




Diagram 4

DEATH RATES FROM LUNG CANCER (Nos. 162-163) PER 100,000 POPULATION




TABLE XXI

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1957-1966.

Year	Ireland*	Six Counties	England and Wales	Scotland
1957	0.24	0.13	0.11	0.14
1958	0.20	0.11	0.10	0.13
1959	0.18	0.10	0.08	0.11
1960	0.17	0.08	0.07	0.10
1961	0.15	0.07	0.07	0.09
1962	0.15	0.07	0.07	0.08
1963	0.15	0.08	0.06	0.10
1964	0.14	0.06	0.05	0.07
1965	0.12	0.05	0.05	0.07
1966	0.12	0.04	0.05	0.06

* Exclusive of the Six Counties.

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. A feature of this table, however, is the extent to which Ireland has shared in the general improvement.

The mortality from tuberculosis in the counties and county boroughs in 1966 is compared in TABLE 12 of this Report. The highest death rates from all forms per 1,000 population were in Waterford County Borough (0.40) and Counties Louth and Wexford (0.23). The lowest rates were in the counties of Carlow, (0.03), Dublin County (remainder) and Tipperary N.R. (0.05).

CANCER

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while in the years 1950 to 1957, deaths were classified according to the Sixth Revision. The 1958 and subsequent Reports are based on the Seventh Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia) should also be shown.

In 1966 there were 5,173 deaths from cancer (Nos. 140 to 205). Of this number, 44 deaths were caused by Hodgkin's disease and 150 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1957 to 1966.

TABLE XXII

DEATHS FROM CANCER (Nos. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1957 TO 1966.

Year	Age group (years)							Total
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	
	Males							
1957	8	15	47	178	440	853	1,283	177
1958	8	11	54	159	394	857	1,300	173
1959	7	23	56	154	431	875	1,396	182
1960	8	20	47	171	435	842	1,290	178
1961	9	20	50	162	437	865	1,374	183
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
	Females							
1957	7	18	73	207	378	619	960	157
1958	5	16	73	190	363	629	977	155
1959	6	24	66	182	345	614	972	153
1960	7	13	60	189	375	664	908	158
1961	6	26	63	178	343	600	893	151
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164

In the years under review the death rates from cancer were higher among males than among females in the age groups under 25 years and 55 years and upwards but between the ages 25 and 54 years the females rates were generally greater than those for males. In 1966 the male death rate for all ages was 19 per cent above that for females. The trend in the death rates from cancer since 1940 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII

DEATHS FROM CANCER (Nos. 140-205) PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1957 TO 1966.

Year	Ireland*	Six Counties	England and Wales	Scotland
1957	1.67	1.70	2.09	2.10
1958	1.64	1.67	2.12	2.11
1959	1.68	1.67	2.14	2.14
1960	1.68	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.61	2.18	2.21
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29
1966	1.79	1.71	2.25	2.31

* Exclusive of the Six Counties.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1966 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140-205) IN EACH COUNTY AND COUNTY BOROUGH IN 1966.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.58	1.63	Clare	1.58	1.30
Dublin County Borough	1.84	2.23	Cork County Borough	1.94	2.21
Dun Laoghaire Borough	1.97	1.89	Cork County	2.06	1.84
Dublin County (remainder)	1.20	1.90	Kerry	1.89	1.62
Kildare	1.46	1.79	Limerick County Borough	1.56	1.98
Kilkenny	1.64	1.56	Limerick County	1.96	1.84
Laois	1.95	1.88	Tipperary, N.R.	1.04	1.53
Longford	2.28	1.98	Tipperary, S.R.	2.03	1.97
Louth	1.63	1.84	Waterford County Borough	1.91	2.16
Meath	1.81	1.90	Waterford County	2.01	1.78
Offaly	1.41	1.49			
Westmeath	1.57	1.50	MUNSTER	1.90	1.80
Wexford	1.52	1.45			
Wicklow	2.02	2.11			
LEINSTER	1.70	1.94	Galway	1.66	1.51
			Leitrim	2.13	1.55
Cavan	1.74	1.47	Mayo	1.79	1.43
Donegal	1.99	1.65	Roscommon	1.69	1.28
Monaghan	1.79	1.61	Sligo	2.69	2.19
			CONNACHT	1.87	1.54
ULSTER (part of)	1.88	1.60	TOTAL	1.79	1.79

TABLE XXV

MORTALITY IN 1966 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

1955 Inter- national List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
140-148	Malignant neoplasms of: Buccal cavity and pharynx	-	1	1	4	13	28	41	88	-	-	1	2	6	16	11	36
150-159	Digestive organs and peritoneum	3	4	24	113	220	451	386	1,201	4	5	26	81	189	381	400	1,086
160-165	Respiratory system	-	2	23	96	217	250	108	696	-	-	2	27	54	59	33	175
170-181	Breast and genito-urinary organs	9	2	6	16	51	134	183	401	4	1	55	147	164	192	134	697
190-199	Other and unspecified sites	20	6	14	32	43	64	85	264	15	6	14	29	41	59	65	229
200-205	Lymphatic and haematopoietic tissues	23	5	9	31	37	43	24	172	19	8	12	12	33	35	9	128
	TOTAL	55	20	77	292	581	970	827	2,822	42	20	110	298	487	742	652	2,351
		Rates per 100,000 corresponding population															
140-148	Malignant neoplasms of: Buccal cavity and pharynx	-	0.7	0.6	2.4	9.5	28.7	77.8	6.1	-	-	0.6	1.2	4.5	14.9	16.7	2.9
150-159	Digestive organs and peritoneum	0.4	2.7	15.2	67.3	160.0	463.6	733.0	82.9	0.6	3.4	16.3	49.6	141.6	356.0	605.8	75.6
160-165	Respiratory system	-	1.3	14.6	57.2	157.9	257.0	205.1	48.0	-	-	1.3	16.5	40.5	55.1	50.0	12.2
170-181	Breast and genito-urinary organs	1.3	1.3	3.8	9.5	37.1	137.7	347.5	27.7	0.6	0.7	34.4	89.9	122.8	179.4	203.0	48.6
190-199	Other and unspecified sites	2.9	4.0	9.1	19.0	31.2	65.9	161.4	18.1	2.3	4.1	8.7	17.8	30.7	55.2	98.4	15.9
200-205	Lymphatic and haematopoietic tissues	3.4	3.4	5.7	18.5	26.9	44.2	45.6	11.9	2.9	5.4	7.5	7.3	24.7	32.7	13.6	8.9
	TOTAL	8.0	13.4	49.0	173.9	422.6	997.1	1,570.4	194.7	6.4	13.6	68.8	182.3	364.8	693.3	987.5	163.7

The crude death rate from cancer in 1966 varied from 2.69 per 1,000 population in County Sligo to 1.04 in Tipperary, N.R. In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.23 per 1,000 population in Dublin Co. Borough to 1.30 in County Clare. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e. over 12 per cent) in the county of Leitrim, and low (0.2 per cent) in the County Boroughs and 0.3 per cent in the counties of Dublin, Wicklow and Wexford. Thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1966, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate being almost 10 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was nearly four times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163) in each year 1957 to 1966, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1957 TO 1966 FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG, (Nos. 162-163) CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1957	1	16	70	159	144	390	3	4	20	45	61	133
1958	2	17	65	143	156	383	1	8	14	31	48	102
1959	3	22	71	166	167	429	1	5	18	25	49	98
1960	4	15	72	200	169	460	1	2	19	40	45	107
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	-	4	25	30	62	121
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
Death rates per 100,000 corresponding population												
1957	0.1	8.7	40.8	114.6	98.1	26.8	0.4	2.2	12.4	32.9	37.4	9.3
1958	0.3	10.0	38.4	104.1	104.5	26.6	0.1	4.5	8.6	23.0	29.9	7.2
1959	0.4	13.0	41.9	120.9	111.8	29.9	0.1	2.8	11.1	18.5	30.5	6.9
1960	0.5	9.0	42.2	150.3	113.2	32.4	0.1	1.2	11.8	29.8	27.1	7.6
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	34.9	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.1	-	2.4	15.3	22.3	36.9	8.5
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1957 the death rate in the case of males was 26.8 compared with 9.3 in the case of females and by 1966 the disparity was even greater, the corresponding rates for that year being 43.5 and 10.2 respectively.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung (Nos. 162 and 163) in Ireland and neighbouring countries during the years 1961 to 1966.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG (Nos. 162 and 163) IN EACH YEAR 1961 TO 1966.

Area	1961	1962	1963	1964	1965	1966
Number of deaths						
Ireland*	604	639	610	647	716	777
Six Counties	365	360	414	396	414	447
Scotland	2,478	2,604	2,772	2,892	2,961	2,972
England and Wales	22,810	23,779	24,434	25,371	26,399	27,025
Rates per 100,000 population						
Ireland*	21	23	21	23	25	27
Six Counties	26	25	29	27	28	30
Scotland	47	50	53	56	57	58
England and Wales	49	51	52	54	55	56

* Exclusive of the Six Counties.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales and Scotland were more than double the Irish rates. The trend in each area is illustrated in Diagram 4.

DISEASES OF THE CIRCULATORY SYSTEM

There were 13,340 deaths ascribed to diseases of the circulatory system (Nos. 400–468) registered in 1966 of which 7,423 were deaths of males and 5,917 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (3,742 males compared with 2,188 females): in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced. In interpreting Table XXIX it should be borne in mind that a number of deaths (mainly of elderly persons), stated to be due to heart diseases, are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXVIII.

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1966 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Rheumatic fever	5	—	—	3	—	—
Chronic rheumatic heart disease	131	1	0.8	163	—	—
Chronic endocarditis	139	1	0.7	110	1	0.9
Coronary and arteriosclerotic heart disease	3,742	62	1.7	2,188	30	1.4
Other myocardial degeneration	1,637	33	2.0	1,588	33	2.1
Other diseases of heart	775	22	3.7	807	28	3.5
Hypertension with heart disease	272	3	1.1	338	2	0.6
Hypertension without mention of heart	165	1	0.6	168	1	0.6
Other diseases of circulatory system	557	2	0.4	552	6	1.1
TOTAL	7,423	132	1.8	5,917	101	1.7

A possible source of error is the large number of uncertified deaths ascribed simply to "senility". Thus out of a total of 1,336 deaths (650 male, 686 female), stated to be due to senility, 480 (252 males, 228 females) were not medically certified. Of these uncertified deaths it may be presumed that a substantial proportion were caused by heart diseases.

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1966, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION.

1955 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
400-402	Rheumatic fever	1	2	2	-	-	-	-	5	-	-	1	1	-	-	1	3
410-416	Chronic rheumatic heart disease	3	3	10	23	21	29	42	131	2	7	14	36	29	30	45	163
421	Chronic endocarditis	3	3	6	15	18	47	47	139	1	-	2	9	14	30	54	110
420	Coronary and arteriosclerotic heart disease	2	14	87	356	794	1,284	1,205	3,742	1	6	23	96	313	729	1,020	2,188
422	Other myocardial degeneration	2	-	3	18	71	324	1,219	1,637	-	1	3	14	46	252	1,272	1,588
430-434	Other diseases of heart	8	4	8	25	82	224	424	775	2	2	3	29	52	203	516	807
440-443	Hypertensive heart disease	-	-	1	9	36	82	144	272	-	-	3	4	30	93	208	338
444-447	Other hypertensive disease	1	4	3	25	36	42	54	165	-	-	2	17	16	37	96	168
450-468	Other diseases of circulatory system	1	-	8	23	49	115	361	557	-	4	6	10	29	106	397	552
400-468	TOTAL DISEASES OF CIRCULATORY SYSTEM	21	30	128	494	1,107	2,147	3,496	7,423	6	20	57	216	529	1,480	3,609	5,917
		Rates per 100,000 corresponding population															
400-402	Rheumatic fever	0.1	1.3	1.3	-	-	-	-	0.4	-	-	0.6	0.6	-	-	1.5	0.2
410-416	Chronic rheumatic heart disease	0.4	2.0	6.4	13.7	15.3	29.8	79.8	9.0	0.3	4.8	8.7	22.0	21.7	28.0	68.2	11.4
421	Chronic endocarditis	0.4	2.0	3.8	8.9	13.1	48.3	89.2	9.6	0.2	-	1.2	5.5	10.5	28.0	81.8	7.7
420	Coronary and arteriosclerotic heart disease	0.3	9.4	55.3	212.0	577.7	1,319.8	2,288.3	258.2	0.2	4.1	14.4	58.7	234.5	681.1	1,544.9	152.5
422	Other myocardial degeneration	0.3	-	1.9	10.7	51.6	333.0	2,314.9	113.0	-	0.7	1.9	8.6	34.5	235.5	1,926.6	110.7
430-434	Other diseases of heart	1.2	2.7	5.1	14.9	59.7	230.2	805.2	53.5	0.3	1.4	1.9	17.7	39.0	189.7	781.5	56.2
440-443	Hypertensive heart disease	-	-	0.6	5.4	26.2	84.3	273.5	18.8	-	-	1.9	2.4	22.5	86.9	315.0	23.5
444-447	Other hypertensive disease	0.1	2.7	1.9	14.9	26.2	43.2	102.5	11.4	-	-	1.3	10.4	12.0	34.6	145.4	11.7
450-468	Other diseases of circulatory system	0.1	-	5.1	13.7	35.6	118.3	685.5	38.4	-	2.7	3.7	6.1	21.7	99.0	601.3	38.4
400-468	TOTAL DISEASES OF CIRCULATORY SYSTEM	3.0	20.1	81.4	294.2	805.4	2,206.9	6,638.9	512.3	0.9	13.7	35.6	132.0	396.4	1,382.8	5,466.2	412.3

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 470–527 in the International List) in 1966 numbered 4,633. These included 954 deaths caused by influenza, 1,571 by pneumonia, 1,652 by bronchitis and 456 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1966 was 18, the same as in 1965. The death rate was 0.29 per thousand live births. Table XXX shows the maternal deaths in 1966 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year

TABLE XXX
MATERNAL DEATHS IN 1966 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						
		15–19	20–24	25–29	30–34	35–39	40–44	45 years and over
Toxaemias of pregnancy	5	–	1	2	–	1	1	–
Placenta praevia	1	–	–	–	1	–	–	–
Pregnancy with malposition of foetus in uterus	1	–	–	–	1	–	–	–
Other complications arising from pregnancy	2	–	–	–	–	1	1	–
Abortion without mention of sepsis or toxæmia	1	–	1	–	–	–	–	–
Delivery complicated by placenta praevia or antepartum haemorrhage	1	–	–	–	–	1	–	–
Delivery complicated by other postpartum haemorrhage	1	–	–	1	–	–	–	–
Delivery complicated by disproportion or malposition of foetus	1	–	–	–	–	1	–	–
Delivery with other trauma	1	–	–	–	–	–	1	–
Delivery with other complications of childbirth	1	–	–	–	1	–	–	–
Puerperal pulmonary embolism	3	–	–	–	2	–	1	–
TOTAL	18	–	2	3	5	4	4	–

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1966

Malignant neoplasm of colon	1	–	1	–	–	–	–	–
Leukaemia	2	–	–	1	1	–	–	–
Mitral stenosis	1	–	–	–	–	1	–	–
Coronary thrombosis	2	–	–	–	2	–	–	–
TOTAL	6	–	1	1	3	1	–	–

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1957 to 1966.

TABLE XXXI
MATERNAL DEATHS PER 100,000 BIRTHS IN IRELAND AND NEIGHBOURING COUNTRIES, 1957–1966.

Year	Number of deaths	Deaths per 100,000 live births			
		Ireland*	Six Counties	England and Wales	Scotland
1957	81	132	110	48	47
1958	61	103	56	44	54
1959	39	65	55	39	36
1960	35	58	44	39	34
1961	27	45	52	34	37
1962	27	44	30	36	40
1963	22	35	41	28	40
1964	30	47	15	25	23
1965	18	28	32	25	38
1966	18	29	18	26	25

Maternal deaths in this country in 1966 numbered 18 the same as the 1965 figure but the mortality rate rose from 28 to 29 per 100,000 live births. The 1966 rate for England and Wales rose from 25 to 26.

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:—

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks, and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Peri-natal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Peri-natal mortality rate: Peri-natal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. A copy of the form used is given in the Appendix to this volume. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated. It appears from Table XXXII that the degree of notification is now reasonably uniform (apart from random variations to be expected on account of small numbers concerned). These figures together with infant and neo-natal deaths and corresponding rates, are given for individual counties in Table XXXII. The number of early neo-natal deaths may also be got from Table XXXII by subtracting the number of late foetal deaths from the number of peri-natal deaths.

TABLE XXXII
INFANT AND LATE FOETAL MORTALITY, 1966

Area	Infant mortality		Neo-natal mortality		Late Foetal mortality		Peri-natal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,552	25.0	1,016	16.3	996	15.8	1,807	28.6
Carlow	24	28.8	19	22.8	13	15.4	29	34.2
Dublin Co. Borough and County	494	25.8	313	16.3	325	16.7	575	29.5
Kildare	47	28.6	24	14.6	25	15.0	41	24.6
Kilkenny	39	32.6	28	23.4	26	21.3	49	40.1
Laois	15	16.8	11	12.3	15	16.5	22	24.2
Longford	22	36.2	17	28.0	13	20.9	26	41.9
Louth	47	27.8	39	23.1	30	17.4	65	37.8
Meath	43	28.5	28	18.6	18	11.8	41	26.9
Offaly	32	26.6	20	16.7	24	19.6	41	33.5
Westmeath	23	17.4	16	12.1	28	20.8	43	31.9
Wexford	39	19.8	24	12.2	19	9.6	30	15.1
Wicklow	28	21.5	20	15.4	14	10.7	27	20.6
LEINSTER	853	25.6	559	16.8	550	16.2	989	29.2
Clare	36	24.8	27	18.6	32	21.6	57	38.5
Cork Co. Borough and County	169	23.1	106	14.5	80	10.8	179	24.2
Kerry	46	23.4	28	14.2	47	23.3	70	34.7
Limerick Co. Borough and County	63	20.3	44	14.2	42	13.4	77	24.5
Tipperary North Riding	31	27.2	19	16.7	23	19.8	36	31.0
Tipperary South Riding	48	32.1	34	22.8	32	21.0	53	34.7
Waterford Co. Borough and County	44	27.2	32	19.8	14	8.6	40	24.5
MUNSTER	437	24.2	290	16.0	270	14.7	512	27.9
Galway	69	23.8	40	13.8	41	14.0	76	25.9
Leitrim	6	13.6	5	11.3	11	24.3	15	33.1
Mayo	33	17.7	16	8.6	25	13.2	41	21.7
Roscommon	29	34.7	19	22.7	16	18.8	27	31.7
Sligo	19	20.5	14	15.1	17	18.0	27	28.5
CONNACHT	156	22.4	94	13.5	110	15.6	186	26.3
Cavan	26	26.1	20	20.1	15	14.8	30	29.6
Donegal	59	30.2	42	21.5	38	19.1	69	34.7
Monaghan	21	23.7	11	12.4	13	14.5	21	23.4
ULSTER (part of)	106	27.6	73	19.0	66	16.9	120	30.8

In 1966 all rates in Table XXXII were generally higher in Ulster (part of) than in the remainder of the country. The highest individual rates for infant mortality were in Counties Longford, Roscommon, and Kilkenny; Kilkenny and Longford also had high rates for peri-natal and late foetal mortality. Leitrim, Laois and Westmeath had the lowest rates for infant mortality, whereas Wexford and Waterford, were lowest for late foetal mortality.

INFANT MORTALITY

During the year 1966 the deaths of 1,552 infants under one year of age were registered, compared with 1,604 in the previous year and 1,712 in 1964. The 1966 rate was 24.9 per 1,000 live births registered, compared with 25.2 in 1965 and 26.7 in 1964.

Table XXXIII shows the mortality rates at different ages under one year for the years 1941 to 1966.

TABLE XXXIII
INFANT MORTALITY BY AGE, 1941-1966.

Year	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.9

Infant mortality has shown a considerable reduction over the period, the greatest reduction is in the ages over 4 weeks. No significant changes are shown at ages under 24 hours.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1940-1966




TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1966.

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23

*Exclusive of the Six Counties.

The infant mortality rate in this country remained the same as in 1965 i.e. 25 per 1,000 live births and, for the first time was lower than that in the Six Counties; the rate for England and Wales continued to be the lowest in the table. Over the period reviewed the decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

DEATHS OF INFANTS UNDER ONE YEAR REGISTERED IN 1966 CLASSIFIED BY CAUSE AND AGE.

International List Numbers	Cause	Age				
		Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
340	Meningitis, except meningococcal and tuberculosis	-	1	5	10	16
056, 470-475 480-483 490-493 500-502 510-527, 763	Whooping cough, influenza, pneumonia, bronchitis, and other respiratory diseases	8	19	42	175	244
530-587, 764	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn)	1	3	23	100	127
750-759	Congenital malformations	103	78	80	147	408
760, 761	Birth injuries	44	44	10	5	103
762	Asphyxia and atelectasis	106	92	7	7	212
770	Haemolytic disease (erythroblastosis)	41	18	1	2	62
771	Haemorrhagic disease	7	10	-	-	17
774, 776	Immaturity	105	60	16	2	183
773.0	Ill-defined diseases of early infancy:- Without mention of immaturity	15	6	2	7	30
773.5	With mention of immaturity	15	14	2	1	32
780.2	Convulsions	-	1	1	4	6
	Other causes	12	8	16	76	112
	TOTAL	457	354	205	536	1,552

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. At ages under

one week 20 per cent of all deaths were ascribed to immaturity, while as may be seen from TABLE 26, immaturity was also a contributory factor to many deaths ascribed to other underlying causes. Asphyxia and atelectasis accounted for 24 per cent of deaths under one week, congenital malformations 22 per cent and birth injuries 11 per cent. At ages over 4 weeks respiratory diseases, congenital malformations, and diseases of the digestive system were the main causes of death. Details of the 112 deaths included as other causes will be found in Table 19 where it will be noted that 44 of them were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:—

Year	Late Foetal Deaths
1957	1,391
1958	1,264
1959	1,267
1960	1,361
1961	1,264
1962	1,241
1963	1,169
1964	1,126
1965	1,072
1966	996

The causes of late foetal deaths notified in 1966, classified according to the Detailed International List, are given in Table 29. The results are summarised in Table XXXVII.

TABLE XXXVI
LATE FOETAL DEATHS AND RATES PER 1,000 TOTAL BIRTHS BY CAUSE, 1966.

International List Numbers (Y 30—Y 39)	Cause	Number of Late Foetal Deaths	Rate per 1,000 total Births
30	Chronic disease in mother	26	0.41
31	Acute disease in mother	8	0.13
32	Diseases and conditions of pregnancy and childbirth	135	2.14
34	Difficulties in labour	56	0.89
35	Other causes in mother	3	0.05
36	Placental and cord conditions	290	4.59
37	Birth injury	5	0.08
38	Congenital malformation of foetus	164	2.59
39.0—4	Diseases of foetus	182	2.88
39.5—6	Ill-defined or unknown causes	127	2.01
	ALL CAUSES	996	15.77

More late foetal deaths resulted from placental and cord injuries (y36) than from any other group, being 29 per cent of the total deaths. Diseases of foetus and congenital malformation of foetus were the next in order of magnitude, being responsible for 18 per cent and 16 per cent of the total late foetal deaths respectively. Over one-eighth of the total deaths were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII the percentage of late foetal deaths which occurred in hospitals in 1966 was 89.3 per cent compared with 87.6 per cent in 1965. From the same table it may be observed that 57.3 per cent of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII

LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1966 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED.

Period of Gestation	Place of Confinement			
	Hospital	Maternity Home	Domiciliary	Total
28 – 36 weeks	396	14	16	426
37 weeks and over	493	48	29	570
TOTAL	889	62	45	996

The peri-natal and late foetal mortality rates in Ireland and neighbouring countries in 1965 and 1966 compare as follows:—

TABLE XXXVIII

PERI-NATAL AND LATE FOETAL MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES IN 1965 AND 1966.

Country	Late foetal mortality rate				Peri-natal mortality rate			
	Ireland	Six Counties	England and Wales	Scotland	Ireland	Six Counties	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3

As can be seen from Table XXXVIII, there has been a noticeable drop in the late foetal mortality rate in all areas between 1965 and 1966.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Nos. E800-999) registered in 1966 was 1,169, of which 753 were those of males and 416 those of females. The corresponding figures for 1965 were 1,088, 696 and 392 respectively. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 15 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was almost entirely due to the higher number of deaths from accidents. Table XXXIX shows the number of deaths from accidents, poisoning and violence in 1966 and previous years.

There were 402 deaths resulting from accidents in the home recorded in 1966, compared with 389 in 1965. This increase is due partly to more precise information becoming available regarding the location of the accident. As will be seen from Table XL 239 deaths in 1966 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids etc., accounted for 68 deaths, of which 8 were of children under 5 years of age and 45 of persons aged 55 years and over. Nineteen deaths of children under one year old were due to obstruction and suffocation by food and 14 to suffocations in bed. There were 23 deaths from accidental poisoning, 14 of which were of persons aged 45 years and over.

TABLE XXXIX
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1957 TO 1966.

Cause of death	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
Railway accidents	6	4	11	6	2	6	6	4	4	4
Road vehicle accidents	229	273	285	287	315	310	322	312	327	371
Accidental poisoning	18	15	10	27	24	35	20	25	39	27
Accidents caused by fire, explosion and burns	72	77	59	72	69	74	77	79	64	73
Accidental drowning	107	127	109	143	103	110	112	124	118	138
Accidental falls	257	240	249	259	266	274	316	309	329	336
Other accidents and external causes	135	127	146	133	130	125	153	161	156	151
Suicide	73	77	72	84	89	52	70	58	51	69
TOTAL	897	940	941	1,011	998	986	1,076	1,072	1,088	1,169

Particulars of deaths registered in 1966 due to accidents in the home are given in Table XL.

TABLE XL

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1966, CLASSIFIED BY CAUSE AND AGE GROUP.

Inter- national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
E870- E888	Poisoning by solid and liquid substances	M	3	-	-	-	-	1	1	1	-	-	-
		F	8	-	2	-	-	2	-	-	1	1	2
E890- E895	Poisoning by gases	M	6	-	-	-	-	1	2	-	1	2	-
		F	6	-	-	-	-	-	-	2	-	1	3
E900- E904	Accidental falls	M	76	-	1	1	-	-	2	3	7	10	52
		F	163	1	-	-	-	2	1	2	5	30	122
E910	Blow from falling object	M	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	-
E912	Accident caused by machinery	M	2	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	M	28	-	3	2	-	2	1	1	3	5	11
		F	38	-	4	3	-	-	2	3	2	8	16
E917	Accident caused by hot substance, corrosive liquid and steam	M	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	M	3	-	1	-	1	-	-	1	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	20	13	2	-	-	2	-	-	3	-	-
		F	11	6	2	-	-	-	1	1	1	-	-
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	2	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E924	Suffocation in bed and cradle	M	11	11	-	-	-	-	-	-	-	-	-
		F	4	3	1	-	-	-	-	-	-	-	-
E925	Accidental mechan- ical suffocation in other and unspec- ified circumstances	M	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-
E926	Lack of care of infants	M	1	1	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals	M	1	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	1	-	1	-
E929	Drowning and submersion	M	4	-	-	1	1	-	1	-	-	1	-
		F	2	-	1	-	-	1	-	-	-	-	-
E932- E936	Other and unspecified accidents	M	2	-	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	M	161	26	9	4	2	7	8	7	15	20	63
		F	241	12	12	3	1	5	5	9	10	41	143

UNCERTIFIED DEATHS

The number of cases in 1966 in which the cause of death was not certified by a medical practitioner was 926 which represents 2.6 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1966 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1966 in the counties of Leitrim (12.5 per cent), Mayo (8.4 per cent), and Kerry (7.7 per cent).

Table XLI compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XLI

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1957 TO 1966.

Province	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
Leinster	2.6	2.0	1.8	1.6	1.5	1.4	1.4	1.2	1.1	1.0
Munster	7.2	6.5	6.0	5.5	4.7	4.4	4.2	3.3	3.0	2.5
Connacht	16.9	16.3	15.8	14.8	12.5	12.5	11.0	8.9	9.3	6.9
Ulster (part of)	10.8	11.0	10.3	8.1	7.9	7.9	6.4	5.3	4.8	3.7
TOTAL	7.1	6.6	6.1	5.6	4.9	4.7	4.2	3.4	3.3	2.6

TABLE XLII

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1966.

Province	All ages	Under 1 year	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	1.0	0.4	-	-	-	0.8	0.8	0.5	0.7	1.6
Munster	2.5	0.7	-	2.4	-	0.4	0.9	0.8	1.9	3.9
Connacht	6.9	-	-	-	-	-	0.7	1.1	3.0	11.4
Ulster (part of)	3.7	-	-	-	-	3.1	1.8	0.6	3.0	5.5
TOTAL	2.6	0.4	-	0.7	-	0.8	0.9	0.7	1.6	4.4
Actual number of deaths uncertified	926	6	-	2	-	6	19	30	141	722

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while 0.9 per cent of deaths of persons under the age of 35 years were uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUESTS AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1966 was 1,932 compared with 1,827 in 1965 and 1,757 in 1964.

PART II—TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR*, 1851 TO 1966.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1890	3,482	1,733	1,749	1929	2,937	1,496	1,441
1852	4,927	2,413	2,514	1891	3,449	1,718	1,731	1930	2,927	1,493	1,434
1853	4,807	2,358	2,449	1892	3,408	1,697	1,711	1931	2,933	1,497	1,436
1854	4,704	2,311	2,393	1893	3,382	1,684	1,698	1932	2,949	1,505	1,444
1855	4,638	2,281	2,357	1894	3,362	1,675	1,687	1933	2,962	1,512	1,450
1856	4,594	2,261	2,333	1895	3,333	1,662	1,671	1934	2,971	1,518	1,453
1857	4,540	2,234	2,306	1896	3,314	1,653	1,661	1935	2,971	1,520	1,451
1858	4,506	2,217	2,289	1897	3,298	1,646	1,652	1936	2,967	1,520	1,447
1859	4,471	2,199	2,272	1898	3,283	1,640	1,643	1937	2,948	1,510	1,438
1860	4,428	2,179	2,249	1899	3,265	1,631	1,634	1938	2,937	1,505	1,432
1861	4,393	2,164	2,229	1900	3,234	1,616	1,618	1939	2,934	1,503	1,431
1862	4,377	2,158	2,219	1901	3,213	1,607	1,606	1940	2,958	1,515	1,443
1863	4,328	2,134	2,194	1902	3,200	1,603	1,597	1941	2,993	1,533	1,460
1864	4,263	2,103	2,160	1903	3,185	1,599	1,586	1942	2,963	1,499	1,464
1865	4,223	2,084	2,139	1904	3,175	1,597	1,578	1943	2,946	1,490	1,456
1866	4,163	2,051	2,112	1905	3,165	1,594	1,571	1944	2,944	1,487	1,457
1867	4,130	2,033	2,097	1906	3,160	1,593	1,567	1945	2,952	1,490	1,462
1868	4,109	2,022	2,087	1907	3,151	1,589	1,562	1946	2,957	1,496	1,461
1869	4,090	2,012	2,078	1908	3,145	1,588	1,557	1947	2,974	1,505	1,469
1870	4,062	1,996	2,066	1909	3,142	1,589	1,553	1948	2,985	1,512	1,473
1871	4,042	1,986	2,056	1910	3,139	1,588	1,551	1949	2,981	1,513	1,468
1872	4,023	1,975	2,048	1911	3,132	1,586	1,546	1950	2,969	1,510	1,459
1873	3,989	1,955	2,034	1912	3,120	1,581	1,539	1951	2,961	1,507	1,454
1874	3,966	1,944	2,022	1913	3,103	1,572	1,531	1952	2,953	1,501	1,452
1875	3,951	1,940	2,011	1914	3,092	1,568	1,524	1953	2,949	1,498	1,451
1876	3,949	1,942	2,007	1915	3,068	1,546	1,522	1954	2,941	1,493	1,448
1877	3,956	1,947	2,009	1916	3,068	1,549	1,519	1955	2,921	1,479	1,442
1878	3,952	1,948	2,004	1917	3,065	1,551	1,514	1956	2,898	1,463	1,435
1879	3,939	1,944	1,995	1918	3,066	1,553	1,513	1957	2,885	1,456	1,429
1880	3,891	1,920	1,971	1919	3,102	1,598	1,504	1958	2,853	1,439	1,414
1881	3,847	1,901	1,946	1920	3,103	1,598	1,505	1959	2,846	1,435	1,411
1882	3,808	1,882	1,926	1921	3,096	1,599	1,497	1960	2,832	1,427	1,405
1883	3,745	1,853	1,892	1922	3,022	1,529	1,493	1961	2,818	1,417	1,402
1884	3,703	1,834	1,869	1923	3,014	1,526	1,488	1962	2,830	1,423	1,407
1885	3,671	1,820	1,851	1924	3,005	1,521	1,484	1963	2,850	1,433	1,417
1886	3,642	1,808	1,834	1925	2,985	1,512	1,473	1964	2,864	1,440	1,424
1887	3,600	1,788	1,812	1926	2,971	1,507	1,464	1965	2,876	1,446	1,430
1888	3,554	1,766	1,788	1927	2,957	1,502	1,455	1966	2,884	1,449	1,435
1889	3,516	1,748	1,768	1928	2,944	1,498	1,446				

* For 1951 and subsequent years the figures relate to the month of April.

TABLE 2 - CLASSIFICATION OF THE POPULATION ENUMERATED AT THE 1966 CENSUS ACCORDING TO AGE AND CONJUGAL CONDITION.

Age groups	Males				Females			
	Single	Married	Widowed	Total	Single	Married	Widowed	Total
0-4	161,312	-	-	161,312	154,619	-	-	154,619
5-9	152,445	-	-	152,445	146,545	-	-	146,545
10-14	145,649	-	-	145,649	139,826	-	-	139,826
15-19	132,894	428	5	133,327	124,011	2,004	14	126,029
20-24	84,879	9,834	13	94,726	67,720	22,777	66	90,563
25-29	43,885	31,083	40	75,008	28,054	46,065	190	74,309
30-34	30,185	43,495	114	73,794	17,578	54,805	448	72,831
35-39	27,145	49,045	268	76,458	16,532	60,083	1,199	77,814
40-44	25,378	55,005	583	80,966	16,087	63,806	2,503	82,396
45-49	24,988	57,473	1,182	83,643	16,944	60,846	5,084	82,874
50-54	23,956	58,208	2,145	84,309	17,010	55,315	8,323	80,648
55-59	20,890	51,925	3,000	75,815	16,937	42,575	11,737	71,249
60-64	17,168	40,354	4,109	61,631	15,620	31,425	15,164	62,209
65-69	15,254	33,769	6,023	55,046	14,829	23,713	20,638	59,180
70-74	11,473	23,495	7,275	42,243	12,312	14,335	21,209	47,856
75-79	7,607	14,103	7,034	28,744	8,439	7,002	18,616	34,057
80-84	4,078	6,505	5,241	15,824	4,653	2,830	12,277	19,760
85 and over	1,781	2,678	3,633	8,092	2,712	1,073	8,420	12,205
Total	930,967	477,400	40,665	1,449,032	820,428	488,654	125,888	1,434,970

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS
OF POPULATION, 1966.

Area	Persons	Males	Females
Carlow	33,593	17,320	16,273
Dublin County Borough	568,772	267,070	301,702
Dun Laoghaire Borough	51,772	23,159	28,613
Dublin County (remainder)	174,503	85,463	89,040
Kildare	66,404	34,829	31,575
Kilkenny	60,463	31,390	29,073
Laois	44,595	23,622	20,973
Longford	28,989	15,245	13,744
Louth	69,519	34,664	34,855
Meath	67,323	34,877	32,446
Offaly	51,717	27,007	24,710
Westmeath	52,900	27,101	25,799
Wexford	83,437	42,270	41,167
Wicklow	60,428	30,231	30,197
Clare	73,597	38,667	34,930
Cork County Borough	122,146	58,122	64,024
Cork County	217,557	111,888	105,669
Kerry	112,785	58,674	54,111
Limerick County Borough	55,912	26,747	29,165
Limerick County	81,445	42,388	39,057
Tipperary, N.R.	53,843	28,064	25,779
Tipperary, S.R.	68,969	35,352	33,617
Waterford County Borough	29,842	14,140	15,702
Waterford County	43,238	22,326	20,912
Galway	148,340	77,696	70,644
Leitrim	30,572	16,444	14,128
Mayo	115,547	59,829	55,718
Roscommon	56,228	29,782	26,446
Sligo	51,263	26,346	24,917
Cavan	54,022	28,803	25,219
Donegal	108,549	55,606	52,943
Monaghan	45,732	23,910	21,822
Total	2,884,002	1,449,032	1,434,970

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1966.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,229	959	493	466	34,243	18,603	15,640	25,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062
1962	15,627	61,782	31,650	30,132	60,671	1,111	534	577	33,838	18,355	15,483	27,944
1963	15,556	63,240	32,486	30,760	62,089	1,157	587	570	33,795	18,199	15,596	29,451
1964	16,128	64,072	32,759	31,313	62,780	1,292	641	651	32,630	17,630	15,000	31,442
1965	16,946	63,525	32,438	31,087	62,122	1,403	708	695	33,022	17,965	15,057	30,503
1966	16,849	62,215	32,173	30,042	60,779	1,436	757	679	35,713	19,148	15,965	27,102

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1966.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864 - 1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871 - 1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881 - 1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891 - 1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901 - 1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911 - 1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921 - 1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931 - 1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941 - 1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951 - 1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.36	1.69	1,048	11.89	33.10	9.33
1958	5.28	20.86	20.52	0.34	1.64	1,051	12.00	35.44	8.85
1959	5.42	21.15	20.81	0.34	1.59	1,040	12.03	32.02	9.12
1960	5.46	21.46	21.12	0.34	1.59	1,052	11.54	29.26	9.92
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89
1962	5.52	21.83	21.44	0.39	1.80	1,050	11.96	29.13	9.87
1963	5.46	22.19	21.79	0.41	1.83	1,056	11.86	26.59	10.33
1964	5.63	22.37	21.92	0.45	2.02	1,046	11.39	26.72	10.98
1965	5.89	22.09	21.60	0.49	2.21	1,043	11.48	25.25	10.61
1966	5.84	21.57	21.07	0.50	2.31	1,071	12.18	24.95	9.40

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951-1966 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951-60 AND THE RATES FOR EACH OF THE YEARS 1961 TO 1966 PER 1,000 OF THE POPULATION.

Year	Marriages															Births					Deaths				
	Catholic					All others					Total					Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total										
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,068	7,705	33,910
1957	2,572	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
1958	2,587	3,465	5,460	2,971	14,483	105	183	199	91	578	2,692	3,648	5,659	3,062	15,061	14,722	15,966	14,836	13,986	59,510	10,284	8,970	7,099	7,895	34,248
1959	2,412	3,762	5,385	3,189	14,748	121	143	266	142	672	2,533	3,905	5,651	3,331	15,420	14,687	16,342	15,275	13,884	60,188	10,621	9,554	6,667	7,401	34,243
1960	2,817	3,333	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	60,735	9,458	7,958	6,921	8,323	32,660
Average 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
Equivalent annual rate per 1,000 corresponding population																									
Average 1951-1960	4.2	5.2	7.8	4.8	5.5	3.0	5.0	6.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.6	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.3	5.5	8.5	4.8	5.5	1.9	4.6	5.4	3.5	3.8	3.2	5.5	8.3	4.8	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.8	10.8	12.3
1962	4.1	4.8	8.9	4.5	5.6	3.1	5.1	7.1	2.7	4.5	4.0	4.8	8.8	4.4	5.5	21.7	23.4	22.3	20.1	21.8	15.3	12.1	9.9	10.7	12.0
1963	4.0	4.8	8.4	4.9	5.5	3.2	4.4	7.0	3.9	4.6	3.9	4.8	8.4	4.8	5.5	21.8	23.8	23.1	20.5	22.2	15.1	11.9	10.1	10.6	11.9
1964	3.5	5.9	8.6	4.8	5.7	2.4	4.3	7.6	3.0	4.3	3.5	5.8	8.5	4.7	5.6	21.4	24.4	23.3	21.0	22.4	13.0	12.5	9.8	10.5	11.4
1965	5.0	4.9	9.0	4.9	6.0	2.5	3.6	7.5	3.5	4.3	4.9	4.8	9.0	4.9	5.9	22.1	23.8	22.5	20.1	22.1	13.7	11.0	10.2	11.1	11.5
1966	4.8	4.7	9.0	5.0	5.9	3.3	4.7	7.4	3.7	4.8	4.8	4.7	8.9	5.0	5.8	21.1	23.0	22.4	19.8	21.6	15.4	12.7	9.6	11.1	12.2

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1966, WITH RATES
PER 100,000 POPULATION.

Note - The classification of cause of death in this table is based on the Abbreviated List, 1955.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	35,113	1,217.5	16,441	1,112.4
001-008	Tuberculosis of respiratory system ...	308	10.7	52	3.5
010-019	Tuberculosis, other forms	33	1.1	5	0.3
020-029	Syphilis and its sequelae	2	0.1	13	0.9
040	Typhoid fever	.	.	.	.
045-048	Dysentery, all forms	1	0.0	.	.
050-051	Scarlet fever and streptococcal sore throat	1	0.0	.	.
055	Diphtheria	.	.	.	.
056	Whooping cough	2	0.1	4	0.3
057	Meningococcal infections	6	0.2	7	0.5
080	Acute poliomyelitis	.	.	.	.
085	Measles	11	0.4	1	0.1
100-108	Typhus and other rickettsial diseases ...	.	.	.	.
110-117	Malaria	.	.	.	.
030-039, 041, 042 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	64	2.2	32	2.2
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-205 (except 201 and 204) 201, 204	(a) Cancer	4,979	172.6	2,422	163.9
	(b) Hodgkin's disease and leukaemia ...	194	6.7	98	6.6
210-239	Benign and unspecified neoplasms	91	3.2	31	2.1
260	Diabetes mellitus	285	9.9	121	8.2
290-293	Anaemias	137	4.8	65	4.4
330-334	Vascular lesions affecting central nervous system	4,338	150.4	2,129	144.0
340	Non-meningococcal meningitis	33	1.1	16	1.1
400-402	Rheumatic fever	8	0.3	11	0.7
410-416	Chronic rheumatic heart disease	294	10.2	184	12.4

*Exclusive of the Six Counties.

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1966, WITH RATES PER 100,000 POPULATION.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease	9,404	326.0	4,672	316.1
430-434	Other diseases of heart	1,582	54.8	678	45.9
440-443	Hypertensive heart disease	610	21.2	255	17.3
444-447	Other hypertensive disease	333	11.5	95	6.4
480-483	Influenza	954	33.1	340	23.0
490-493	Pneumonia	1,571	54.5	980	66.3
500-502	Bronchitis	1,652	57.3	973	65.8
540-541	Ulcer of stomach and duodenum	240	8.3	122	8.3
550-553	Appendicitis	23	0.8	7	0.5
560, 561, 570	Intestinal obstruction and hernia	153	5.3	96	6.5
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of newborn	217	7.5	73	4.9
581	Cirrhosis of liver	58	2.0	38	2.6
590-594	Nephritis and nephrosis	346	12.0	95	6.4
610	Hyperplasia of prostate	169	5.9	57	3.9
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	18	0.6	6	0.4
750-759	Congenital malformations	507	17.6	255	17.3
760-762	Birth injuries, post-natal asphyxia and atelectasis	315	10.9	181	12.2
763-768	Infections of newborn	99	3.4	32	2.2
769-776	Other diseases peculiar to early infancy and immaturity unqualified	332	11.5	205	13.9
780-795	Senility without mention of psychosis, ill-defined and unknown causes	1,669	57.9	99	6.7
	All other diseases	2,905	100.8	1,336	90.4
E810-E835	Motor vehicle accidents	353	12.2	254	17.2
E800-E802 E840-E962	All other accidents	734	25.5	310	21.0
E963, E970-E979	Suicide and self-inflicted injury	69	2.4	82	5.5
E964-E965, E980-E999	Homicide and operations of war	13	0.5	9	0.6

*Exclusive of the Six Counties.

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864-1960 AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1961 TO 1966, CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average -														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224/	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
1962	18,355	1,178	80	59	89	93	202	453	1,265	2,652	4,601	5,448	2,135	100
1963	18,199	1,101	72	56	86	86	182	444	1,207	2,749	4,677	5,434	2,009	96
1964	17,630	1,087	67	50	94	74	225	461	1,271	2,773	4,416	5,064	1,957	91
1965	17,965	1,036	79	45	93	104	176	464	1,175	2,751	4,753	5,065	2,123	101
1966	19,148	1,020	62	58	97	91	177	425	1,268	2,792	5,131	5,580	2,330	117
Females														
Average -														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387/	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
1962	15,483	883	63	30	37	51	136	376	895	1,675	3,512	5,209	2,434	182
1963	15,596	811	46	38	35	53	145	416	845	1,676	3,548	5,234	2,571	178
1964	15,000	872	57	49	54	50	152	336	861	1,695	3,253	4,987	2,454	180
1965	15,057	797	55	27	41	44	123	317	853	1,580	3,468	5,081	2,463	208
1966	15,965	770	57	38	55	40	123	319	871	1,721	3,757	5,245	2,730	239
Persons														
Average -														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611/	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,210	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266
1962	33,838	2,061	143	89	126	144	338	829	2,160	4,327	8,113	10,657	4,569	282
1963	33,795	1,912	118	94	121	139	327	860	2,052	4,425	8,225	10,668	4,580	274
1964	32,630	1,959	124	99	148	124	377	797	2,132	4,468	7,669	10,051	4,411	271
1965	33,022	1,833	134	72	134	148	299	781	2,028	4,331	8,221	10,146	4,586	309
1966	35,113	1,790	119	96	152	131	300	744	2,139	4,513	8,888	10,825	5,060	356

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 females. These numbers are included in the totals.

/For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH OF THE YEARS 1961 TO 1966 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE.

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
1962	12.91	7.68	0.54	0.40	0.74	1.16	1.37	2.72	7.41	19.93	48.30	117.49	290.49
1963	12.71	7.17	0.48	0.39	0.70	0.94	1.23	2.76	7.11	20.28	48.97	118.02	265.65
1964	12.25	6.96	0.45	0.34	0.72	0.80	1.57	2.92	7.57	20.29	46.29	108.90	273.07
1965	12.44	6.56	0.52	0.30	0.69	1.07	1.22	2.97	7.11	19.78	49.30	107.08	296.53
1966	13.21	6.32	0.41	0.40	0.73	0.96	1.19	2.70	7.55	20.31	52.74	125.20	302.40
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	36.19	100.91	245.83
1962	11.00	5.99	0.45	0.21	0.33	0.66	0.90	2.20	5.56	12.49	34.76	96.67	241.31
1963	11.01	5.48	0.32	0.28	0.30	0.60	0.97	2.50	5.17	12.45	34.96	95.83	228.00
1964	10.54	5.82	0.40	0.35	0.44	0.56	1.05	2.06	5.30	12.53	31.49	89.69	235.18
1965	10.54	5.27	0.38	0.19	0.33	0.47	0.86	1.96	5.22	11.66	33.28	90.57	240.63
1966	11.13	4.98	0.39	0.27	0.44	0.44	0.84	1.99	5.33	12.90	35.10	97.46	243.26
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63
1962	11.96	6.85	0.50	0.31	0.54	0.91	1.13	2.46	6.51	16.19	41.33	106.30	261.72
1963	11.86	6.34	0.40	0.33	0.51	0.77	1.09	2.63	6.16	16.38	41.75	105.98	242.93
1964	11.39	6.40	0.43	0.35	0.58	0.69	1.31	2.48	6.45	16.43	38.60	98.44	250.37
1965	11.49	5.93	0.45	0.25	0.51	0.78	1.04	2.46	6.17	15.77	40.98	98.12	263.17
1966	12.18	5.67	0.40	0.34	0.59	0.71	1.01	2.34	6.45	16.66	43.50	110.03	266.84

TABLE 10. - BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN
CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number
Total	62,215	.	.	62,215	1,436	.	.	1,436
Carlow	697	58	195	834	11	.	7	18
Dublin County Borough	20,577	7,964	143	12,756	467	216	76	327
Dun Laoghaire Borough	1,397	849	511	1,059	7	3	24	28
Dublin County (remainder)	652	178	4,874	5,348	203	173	83	113
Kildare	556	11	1,096	1,641	7	.	35	42
Kilkenny	940	28	285	1,197	7	.	20	27
Laois	701	16	208	893	2	.	11	13
Longford	450	74	232	608	2	.	14	16
Louth	3,016	1,381	56	1,691	22	6	14	30
Meath	269	3	1,242	1,508	3	.	60	63
Offaly	1,015	36	222	1,201	3	.	25	28
Westmeath	1,234	210	296	1,320	148	131	30	47
Wexford	1,608	21	379	1,966	25	.	37	62
Wicklow	415	12	897	1,300	3	.	44	47
Clare	1,128	10	332	1,450	8	.	21	29
Cork County Borough	6,091	3,106	4	2,989	198	170	3	31
Cork County	1,584	30	2,782	4,336	19	1	72	90
Kerry	1,755	22	235	1,968	9	.	24	33
Limerick County Borough	3,437	1,975	14	1,476	28	21	6	13
Limerick County	95	2	1,529	1,622	6	.	66	72
Tipperary, N.R.	1,053	203	289	1,139	160	148	15	27
Tipperary, S.R.	1,525	126	95	1,494	14	.	17	31
Waterford County Borough	1,673	942	11	742	15	10	8	13
Waterford County	246	2	633	877	.	.	31	31
Galway	3,614	805	85	2,894	20	4	37	53
Leitrim	271	11	182	442	2	.	10	12
Mayo	1,439	19	444	1,864	6	1	15	20
Roscommon	508	30	358	836	4	.	13	17
Sligo	984	102	47	929	10	3	13	20
Cavan	739	40	298	997	1	.	23	24
Donegal	1,921	12	43	1,952	24	.	19	43
Monaghan	625	72	333	886	2	.	14	16

1966, AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
35,113	.	.	35,113	1,552	.	.	1,552	27,102	Total
344	27	68	385	16	1	9	24	449	Carlow
7,248	1,698	267	5,817	664	328	5	341	6,939	Dublin County Borough
628	175	179	632	20	11	22	31	427	Dun Laoghaire Borough
899	336	682	1,245	17	3	108	122	4,103	Dublin County (remainder)
520	5	156	671	11	.	36	47	970	Kildare
783	23	73	833	29	1	11	39	364	Kilkenny
501	16	64	549	7	.	8	15	344	Laois
432	10	67	489	8	.	14	22	119	Longford
818	80	56	794	64	25	8	47	897	Louth
739	17	155	877	10	1	34	43	631	Meath
511	11	80	580	24	.	8	32	621	Offaly
622	61	60	621	11	.	12	23	699	Westmeath
1,059	12	94	1,141	17	1	23	39	825	Wexford
534	23	214	725	4	.	24	28	575	Wicklow
949	16	71	1,004	27	.	9	36	446	Clare
2,078	697	70	1,451	135	62	4	77	1,538	Cork County Borough
2,431	101	670	3,000	40	5	57	92	1,336	Cork County
1,583	12	72	1,643	36	.	10	46	325	Kerry
684	254	89	519	59	42	9	26	957	Limerick County Borough
989	129	251	1,111	25	18	30	37	511	Limerick County
674	32	97	739	24	10	17	31	400	Tipperary, N.R.
935	59	61	937	42	3	9	48	557	Tipperary, S.R.
648	232	16	432	48	26	5	27	310	Waterford County Borough
423	11	213	625	1	.	16	17	252	Waterford County
1,897	177	50	1,770	73	10	6	69	1,124	Galway
409	3	50	456	3	.	3	6	- 14	Leitrim
1,430	9	124	1,545	28	.	5	33	319	Mayo
724	19	86	791	18	.	11	29	45	Roscommon
755	20	23	758	17	2	4	19	171	Sligo
783	7	67	843	16	.	10	26	154	Cavan
1,547	10	35	1,572	49	.	10	59	380	Donegal
536	31	53	558	9	1	13	21	328	Monaghan

TABLE 11 - MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1966 SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuber- culosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
TOTAL	16,849	32,173	30,042	62,215	757	679	1,436	19,148	15,965	35,113	1,552	341	5,173
Carlow	149	447	387	834	10	8	18	203	182	385	24	1	53
Dublin Co. Borough	4,912	6,673	6,083	12,756	179	148	327	2,985	2,832	5,817	341	84	1,044
Dun Laoghaire Borough	380	545	514	1,059	13	15	28	290	342	632	31	7	102
Dublin Co. (remainder)	668	2,779	2,569	5,348	50	63	113	675	570	1,245	122	9	210
Kildare	384	842	799	1,641	24	18	42	411	260	671	47	4	97
Kilkenny	275	606	591	1,197	12	15	27	457	376	833	39	6	99
Laois	219	477	416	893	8	5	13	310	239	549	15	6	87
Longford	119	286	322	608	9	7	16	302	187	489	22	5	66
Louth	468	867	824	1,691	19	11	30	442	352	794	47	16	113
Meath	402	803	705	1,508	30	33	63	470	407	877	43	5	122
Offaly	248	598	603	1,201	15	13	28	317	263	580	32	5	73
Westmeath	319	707	613	1,320	25	22	47	360	261	621	23	3	83
Wexford	490	1,003	963	1,966	32	30	62	615	526	1,141	39	19	127
Wicklow	372	681	619	1,300	26	21	47	399	326	725	28	4	122
LEINSTER	9,405	17,314	16,008	33,322	452	409	861	8,236	7,123	15,359	853	174	2,398
Clare	322	730	720	1,450	15	14	29	593	411	1,004	36	7	116
Cork Co. Borough	959	1,605	1,384	2,989	18	13	31	700	751	1,451	77	24	237
Cork County	1,072	2,207	2,129	4,336	43	47	90	1,640	1,360	3,000	92	19	448
Kerry	541	1,004	964	1,968	12	21	33	913	730	1,643	46	13	213
Limerick Co. Borough	468	784	692	1,476	8	5	13	253	266	519	26	4	87
Limerick County	291	824	798	1,622	46	26	72	619	492	1,111	37	10	160
Tipperary, N.R.	304	580	559	1,139	13	14	27	430	309	739	31	4	87
Tipperary, S.R.	339	768	726	1,494	20	11	31	541	396	937	48	8	140
Waterford Co. Borough	280	354	388	742	8	5	13	207	225	432	27	12	57
Waterford County	194	474	403	877	17	14	31	343	282	625	17	6	87
MUNSTER	4,770	9,330	8,763	18,093	200	170	370	6,239	5,222	11,461	437	107	1,632
Galway	730	1,564	1,330	2,894	23	30	53	1,001	769	1,770	69	19	246
Leitrim	106	238	204	442	7	5	12	269	187	456	6	2	65
Mayo	380	924	940	1,864	8	12	20	837	708	1,545	33	12	207
Roscommon	208	447	389	836	9	8	17	457	334	791	29	5	95
Sligo	217	449	480	929	11	9	20	435	323	758	19	4	138
CONNACHT	1,641	3,622	3,343	6,965	58	64	122	2,999	2,321	5,320	156	42	751
Cavan	231	509	488	997	12	12	24	494	349	843	26	5	94
Donegal	568	963	989	1,952	27	16	43	880	692	1,572	59	10	216
Monaghan	234	435	451	886	8	8	16	300	258	558	21	3	82
ULSTER (part of)	1,033	1,907	1,928	3,835	47	36	83	1,674	1,299	2,973	106	18	392

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1966.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegit- imate % of total births	All causes	Tuber- culosis	Malignant neoplasms	
TOTAL	5.84	21.57	2.31	12.18	0.12	1.79	24.95
Carlow	4.43	24.83	2.16	11.46	0.03	1.58	28.78
Dublin County Borough	8.64	22.43	2.56	10.23	0.15	1.84	26.73
Dun Laoghaire Borough	7.34	20.46	2.64	12.21	0.14	1.97	29.27
Dublin County (remainder)	3.83	30.65	2.11	7.13	0.05	1.20	22.81
Kildare	5.78	24.71	2.56	10.10	0.06	1.46	28.64
Kilkenny	4.55	19.80	2.26	13.78	0.10	1.64	32.58
Laois	4.91	20.02	1.34	12.31	0.13	1.95	16.80
Longford	4.11	20.97	2.63	16.87	0.17	2.28	36.18
Louth	6.73	24.32	1.77	11.42	0.23	1.63	27.79
Meath	5.97	22.40	4.18	13.03	0.07	1.81	28.51
Offaly	4.80	23.22	2.33	11.21	0.10	1.41	26.64
Westmeath	6.03	24.95	3.56	11.74	0.06	1.57	17.42
Wexford	5.87	23.56	3.15	13.67	0.23	1.52	19.84
Wicklow	6.16	21.51	3.62	12.00	0.07	2.02	21.54
LEINSTER	6.65	23.56	2.58	10.86	0.12	1.70	25.60
Clare	4.38	19.70	2.00	13.64	0.10	1.58	24.83
Cork County Borough	7.85	24.47	1.04	11.88	0.20	1.94	25.76
Cork County	4.93	19.93	2.08	13.79	0.09	2.06	21.22
Kerry	4.80	17.45	1.68	14.57	0.12	1.89	23.37
Limerick County Borough	8.37	26.40	0.88	9.28	0.07	1.56	17.62
Limerick County	3.57	19.92	4.44	13.64	0.12	1.96	22.81
Tipperary, N.R.	5.65	21.15	2.37	13.73	0.05	1.04	27.22
Tipperary, S.R.	4.92	21.66	2.07	13.59	0.12	2.03	32.13
Waterford County Borough	9.38	24.86	1.75	14.48	0.40	1.91	36.39
Waterford County	4.49	20.28	3.53	14.45	0.14	2.01	19.38
MUNSTER	5.55	21.05	2.04	13.34	0.12	1.90	24.15
Galway	4.92	19.51	1.83	11.93	0.13	1.66	23.84
Leitrim	3.47	14.46	2.71	14.92	0.07	2.13	13.57
Mayo	3.29	16.13	1.07	13.37	0.10	1.79	17.70
Roscommon	3.70	14.87	2.03	14.07	0.09	1.69	34.69
Sligo	4.23	18.12	2.15	14.79	0.08	2.69	20.45
CONNAUGHT	4.08	17.33	1.75	13.24	0.10	1.87	22.40
Cavan	4.28	18.46	2.41	15.60	0.09	1.74	26.08
Donegal	5.23	17.98	2.20	14.48	0.09	1.99	30.23
Monaghan	5.12	19.37	1.81	12.20	0.07	1.79	23.70
ULSTER (part of)	4.96	18.41	2.16	14.27	0.09	1.88	27.64

TABLE 13 - DEATHS REGISTERED IN 1966 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages ...	19,148	6,844	8,327	3,977	15,965	4,991	3,749	7,225
Under 15 years	1,140	1,140	.	.	865	865	.	.
15-19	97	97	.	.	55	55	.	.
20-24	91	82	9	.	40	33	7	.
25-29	89	69	20	.	51	29	22	.
30-34	88	57	31	.	72	30	41	1
35-39	169	82	87	.	112	40	71	1
40-44	256	116	137	3	207	55	143	9
45-49	434	195	233	6	297	98	190	9
50-54	834	297	500	37	574	159	347	68
55-59	1,132	347	723	62	697	198	363	136
60-64	1,660	536	989	135	1,024	325	450	249
65-69	2,345	696	1,349	300	1,508	453	548	507
70-74	2,786	913	1,363	510	2,249	649	597	1,003
75-79	3,023	929	1,290	804	2,537	631	480	1,426
80-84	2,557	735	891	931	2,708	715	310	1,683
85 and over	2,447	553	705	1,189	2,969	656	180	2,133

TABLE 14 - BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1966 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow ...	89	67	156	41	47	88
Athy ...	28	31	59	19	17	36
Naas ...	41	26	67	24	16	40
Longford ...	40	35	75	27	25	52
Ceanannus Mor ...	39	11	50	11	13	24
An Uaimh ...	44	49	93	34	26	60
Trim ...	14	11	25	8	12	20
Birr ...	33	35	68	14	18	32
Tullamore ...	69	68	137	20	31	51
Athlone ...	123	109	232	35	38	73
Enniscorthy ...	53	63	116	46	50	96
New Ross ...	42	33	75	26	26	52
Arklow ...	76	69	145	34	16	50
Wicklow ...	30	37	67	19	25	44
Ennis ...	97	78	175	43	20	63
Kilrush ...	26	14	40	21	16	37
Clonakilty ...	28	29	57	17	9	26
Cobh ...	90	76	166	35	36	71
Fermoy ...	43	50	93	26	28	54
Kinsale ...	17	9	26	18	22	40
Macroom ...	12	23	35	12	15	27
Mallow ...	54	79	133	22	25	47
Midleton ...	34	19	53	16	17	33
Skibbereen ...	13	23	36	16	10	26
Youghal ...	60	48	108	20	35	55
Killarney ...	53	35	88	27	23	50
Listowel ...	20	23	43	13	16	29
Nenagh ...	35	43	78	32	24	56
Templemore ...	22	13	35	7	7	14
Thurles ...	68	61	129	24	26	50
Carrick-on-Suir ...	36	30	66	29	14	43
Cashel ...	20	17	37	13	14	27
Tipperary ...	52	49	101	29	32	61
Dungarvan ...	43	26	69	22	29	51
Ballinasloe ...	22	26	48	12	13	25
Ballina ...	56	62	118	19	21	40
Castlebar ...	31	45	76	38	17	55
Westport ...	30	25	55	14	18	32
Cavan ...	33	34	67	21	15	36
Buncrana ...	28	22	50	10	14	24
Bundoran ...	27	26	53	17	19	36
Letterkenny ...	35	40	75	22	7	29
Carrickmacross ...	20	21	41	8	9	17
Castleblayney ...	24	21	45	4	12	16
Clones ...	14	29	43	9	12	21
Monaghan ...	39	49	88	15	11	26

TABLE 15 – BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1966, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	32,173	30,042	62,215	757	679	1,436	19,148	15,965	35,113	341	5,173
Dublin County Borough	6,673	6,083	12,756	179	148	327	2,985	2,832	5,817	84	1,044
Cork County Borough	1,605	1,384	2,989	18	13	31	700	751	1,451	24	237
Limerick County Borough	784	692	1,476	8	5	13	253	266	519	4	87
Waterford County Borough	354	388	742	8	5	13	207	225	432	12	57
Dun Laoghaire Borough	545	514	1,059	13	15	28	290	342	632	7	102
Municipal Boroughs:											
Galway	236	211	447	5	2	7	93	86	179	.	34
Drogheda	242	227	469	3	.	3	94	87	181	6	36
Sligo	135	137	272	1	2	3	80	81	161	2	30
Wexford	158	156	314	1	2	3	63	68	131	.	15
Clonmel	120	146	266	.	1	1	68	45	113	1	19
Kilkenny	138	123	261	1	3	4	61	68	129	3	16
Urban Districts:											
Dundalk	220	185	405	7	3	10	107	92	199	4	26
Bray	151	133	284	1	2	3	66	73	139	1	36
Tralee	110	117	227	1	1	2	66	61	127	1	21
Total above Principal Towns	11,471	10,496	21,967	246	202	448	5,133	5,077	10,210	149	1,760
Total other Urban Districts	1,903	1,789	3,692	16	13	29	989	946	1,935	21	300
All Boroughs and Urban Districts:											
Leinster	8,848	8,065	16,913	212	178	390	4,024	3,922	7,946	115	1,385
Munster	3,796	3,472	7,268	41	32	73	1,736	1,766	3,502	51	553
Connacht	510	506	1,016	6	4	10	256	236	492	2	90
Ulster (part of)	220	242	462	3	1	4	106	99	205	2	32
Total – Boroughs and Urban Districts	13,374	12,285	25,659	262	215	477	6,122	6,023	12,145	170	2,060
All Rural Districts:											
Leinster	8,466	7,943	16,409	240	231	471	4,212	3,201	7,413	59	1,013
Munster	5,534	5,291	10,825	159	138	297	4,503	3,456	7,959	56	1,079
Connacht	3,112	2,837	5,949	52	60	112	2,743	2,085	4,828	40	661
Ulster (part of)	1,687	1,686	3,373	44	35	79	1,568	1,200	2,768	16	360
Total – Rural Districts	18,799	17,757	36,556	495	464	959	13,026	9,942	22,968	171	3,113

TABLE 16 – BIRTH AND DEATH RATES IN 1966 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	21.57	2.31	12.18	0.12	1.79
Dublin County Borough	22.43	2.56	10.23	0.15	1.84
Cork County Borough	24.47	1.04	11.88	0.20	1.94
Limerick County Borough	26.40	0.88	9.28	0.07	1.56
Waterford County Borough	24.86	1.75	14.48	0.40	1.91
Dun Laoghaire Borough	20.46	2.64	12.21	0.14	1.97
Municipal Boroughs:					
Galway	18.17	1.57	7.28	.	1.38
Drogheda	26.19	0.64	10.11	0.34	2.01
Sligo	20.26	1.10	11.99	0.15	2.23
Wexford	27.20	0.96	11.35	.	1.30
Clonmel	24.11	0.38	10.24	0.09	1.72
Kilkenny	25.96	1.53	12.83	0.30	1.59
Urban Districts:					
Dundalk	20.25	2.47	9.95	0.20	1.30
Bray	22.36	1.06	10.95	0.08	2.83
Tralee	20.24	0.88	11.33	0.09	1.87
Total above Principal Towns	22.86	2.04	10.63	0.16	1.83
All other Urban Districts	19.48	0.79	10.21	0.11	1.58
All Boroughs and Urban Districts:					
Leinster	22.25	2.31	10.46	0.15	1.82
Munster	23.47	1.00	11.31	0.16	1.79
Connacht	17.37	0.98	8.41	0.03	1.54
Ulster (part of)	20.82	0.87	9.24	0.09	1.44
Total – Boroughs and Urban Districts	22.30	1.86	10.56	0.15	1.79
All Rural Districts:					
Leinster	25.07	2.87	11.33	0.09	1.55
Munster	19.70	2.74	14.48	0.10	1.96
Connacht	17.32	1.88	14.06	0.12	1.92
Ulster (part of)	18.12	2.34	14.87	0.09	1.93
Total – Rural Districts	21.09	2.62	13.25	0.10	1.80

TABLE 17 - DEATHS REGISTERED IN 1966 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	12,145	6,122	6,023	22,968	13,026	9,942	35,113	19,148	15,965
Under 1 year	680	394	286	872	500	372	1,552	894	658
1 year	43	19	24	50	32	18	93	51	42
2 years	30	16	14	50	25	25	80	41	39
3 "	13	6	7	21	9	12	34	15	19
4 "	12	6	6	19	13	6	31	19	12
1-4 "	98	47	51	140	79	61	238	126	112
5 "	14	6	8	19	10	9	33	16	17
6 "	8	2	6	15	8	7	23	10	13
7 "	7	7	.	12	6	6	19	13	6
8 "	7	3	4	10	5	5	17	8	9
9 "	7	6	1	20	9	11	27	15	12
5-9 "	43	24	19	76	38	38	119	62	57
10 "	4	4	.	14	9	5	18	13	5
11 "	8	5	3	13	5	8	21	10	11
12 "	6	1	5	14	9	5	20	10	10
13 "	9	6	3	11	10	1	20	16	4
14 "	6	5	1	11	4	7	17	9	8
10-14 "	33	21	12	63	37	26	96	58	38
15 "	9	8	1	13	10	3	22	18	4
16 "	8	4	4	18	15	3	26	19	7
17 "	16	9	7	18	9	9	34	18	16
18 "	14	7	7	18	12	6	32	19	13
19 "	18	11	7	20	12	8	38	23	15
15-19 "	65	39	26	87	58	29	152	97	55
20 "	11	9	2	23	17	6	34	26	8
21 "	11	5	6	14	11	3	25	16	9
22 "	9	4	5	24	20	4	33	24	9
23 "	6	4	2	14	9	5	20	13	7
24 "	7	3	4	12	9	3	19	12	7
20-24 "	44	25	19	87	66	21	131	91	40
25 "	14	6	8	11	7	4	25	13	12
26 "	13	10	3	13	10	3	26	20	6
27 "	14	6	8	19	12	7	33	18	15
28 "	7	4	3	19	15	4	26	19	7
29 "	15	10	5	15	9	6	30	19	11
25-29 "	63	36	27	77	53	24	140	89	51
30 "	10	4	6	23	13	10	33	17	16
31 "	8	5	3	18	11	7	26	16	10
32 "	12	8	4	21	12	9	33	20	13
33 "	14	8	6	18	7	11	32	15	17
34 "	11	7	4	25	13	12	36	20	16
30-34 "	55	32	23	105	56	49	160	88	72

TABLE 17 (contd.) - DEATHS REGISTERED IN 1966 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	18	8	10	29	23	6	47	31	16
36 "	18	7	11	33	13	20	51	20	31
37 "	16	12	4	29	16	13	45	28	17
38 "	21	14	7	35	24	11	56	38	18
39 "	34	21	13	48	31	17	82	52	30
35-39 "	107	62	45	174	107	67	281	169	112
40 "	27	14	13	54	32	22	81	46	35
41 "	18	9	9	47	27	20	65	36	29
42 "	45	21	24	60	30	30	105	51	54
43 "	36	19	17	56	34	22	92	53	39
44 "	48	28	20	72	42	30	120	70	50
40-44 "	174	91	83	289	165	124	463	256	207
45 "	62	33	29	110	73	37	172	106	66
46 "	51	32	19	82	46	36	133	78	55
47 "	45	23	22	78	43	35	123	66	57
48 "	62	32	30	80	52	28	142	84	58
49 "	63	42	21	98	58	40	161	100	61
45-49 "	283	162	121	448	272	176	731	434	297
50 "	99	53	46	194	123	71	293	176	117
51 "	74	43	31	114	70	44	188	113	75
52 "	144	74	70	197	110	87	341	184	157
53 "	121	66	55	144	78	66	265	144	121
54 "	140	90	50	181	127	54	321	217	104
50-54 "	578	326	252	830	508	322	1,408	834	574
55 "	125	85	40	209	133	76	334	218	116
56 "	155	86	69	209	129	80	364	215	149
57 "	139	89	50	200	122	78	339	211	128
58 "	171	98	73	241	148	93	412	246	166
59 "	171	98	73	209	144	65	380	242	138
55-59 "	761	456	305	1,068	676	392	1,829	1,132	697
60 "	220	139	81	343	214	129	563	353	210
61 "	164	98	66	233	153	80	397	251	146
62 "	233	144	89	328	186	142	561	330	231
63 "	225	151	74	319	198	121	544	349	195
64 "	228	137	91	391	240	151	619	377	242
60-64 "	1,070	669	401	1,614	991	623	2,684	1,660	1,024
65 "	319	189	130	496	322	174	815	511	304
66 "	275	164	111	461	285	176	736	449	287
67 "	250	144	106	377	240	137	627	384	243
68 "	319	184	135	531	311	220	850	495	355
69 "	312	182	130	513	324	189	825	506	319
65-69 "	1,475	863	612	2,378	1,482	896	3,853	2,345	1,508

TABLE 17 (contd.) - DEATHS REGISTERED IN 1966 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	379	196	183	646	361	285	1,025	557	468
71 "	287	159	128	476	285	191	763	444	319
72 "	369	181	188	727	431	296	1,096	612	484
73 "	372	177	195	711	434	277	1,083	611	472
74 "	372	170	202	696	392	304	1,068	562	506
70-74 "	1,779	883	896	3,256	1,903	1,353	5,035	2,786	2,249
75 "	388	175	213	812	477	335	1,200	652	548
76 "	408	200	208	796	468	328	1,204	668	536
77 "	336	162	174	707	410	297	1,043	572	471
78 "	371	177	194	758	427	331	1,129	604	525
79 "	311	143	168	673	384	289	984	527	457
75-79 "	1,814	857	957	3,746	2,166	1,580	5,560	3,023	2,537
80 "	386	160	226	874	457	417	1,260	617	643
81 "	264	125	139	606	324	282	870	449	421
82 "	281	93	188	753	400	353	1,034	493	541
83 "	313	128	185	700	358	342	1,013	486	527
84 "	319	116	203	769	396	373	1,088	512	576
80-84 "	1,563	622	941	3,702	1,935	1,767	5,265	2,557	2,708
85 "	253	92	161	702	368	334	955	460	495
86 "	254	93	161	651	327	324	905	420	485
87 "	196	70	126	515	273	242	711	343	368
88 "	174	53	121	469	234	235	643	287	356
89 "	117	44	73	379	189	190	496	233	263
85-89 "	994	352	642	2,716	1,391	1,325	3,710	1,743	1,967
90 "	128	56	72	333	159	174	461	215	246
91 "	97	35	62	212	99	113	309	134	175
92 "	57	19	38	193	90	103	250	109	141
93 "	53	18	35	119	47	72	172	65	107
94 "	34	7	27	124	57	67	158	64	94
90-94 "	369	135	234	981	452	529	1,350	587	763
95 "	25	8	17	93	34	59	118	42	76
96 "	28	10	18	66	24	42	94	34	60
97 "	18	3	15	42	17	25	60	20	40
98 "	10	2	8	28	8	20	38	10	28
99 "	8	2	6	17	4	13	25	6	19
95-99 "	89	25	64	246	87	159	335	112	223
100 "	3	.	3	9	4	5	12	4	8
101 "	.	.	.	1	.	1	1	.	1
102 "	1	.	1	1	.	1	2	.	2
103 "	1	.	1	2	.	2	3	.	3
104 "	1	.	1	.	.	.	1	.	1
106 "	1	1	.	.	.	.	1	1	.
108 "	1	.	1	.	.	.	1	.	1
100 years and over	8	1	7	13	4	9	21	5	16

TABLE 18. - DEATHS REGISTERED IN 1966 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	19,148	894	51	41	15	19	1,020	62	58	97	91	89
	Females	15,965	638	42	39	19	12	770	57	38	55	40	51
LEINSTER	Males	8,236	487	24	18	10	8	547	31	31	51	44	60
	Females	7,123	366	23	21	13	5	428	27	15	22	23	26
MUNSTER	Males	6,239	258	14	14	4	9	299	18	14	26	23	17
	Females	5,222	179	13	13	4	4	213	17	12	25	11	17
CONNACHT	Males	2,999	83	7	7	1	1	99	10	6	14	18	8
	Females	2,321	73	4	5	1	3	86	7	8	5	3	4
ULSTER (part of)	Males	1,674	66	6	2	.	1	75	3	7	6	6	4
	Females	1,299	40	2	.	1	.	43	6	3	3	3	4
LEINSTER Carlow	Males	203	15	1	1	.	1	18	1	.	1	3	2
	Females	182	9	1	2	.	.	12	3	.	1	.	.
Dublin County Borough	Males	2,985	198	12	9	4	3	226	14	11	20	12	21
	Females	2,832	143	12	6	3	3	167	9	6	12	11	16
Dun Laoghaire Borough	Males	290	19	.	.	.	.	19	1	.	1	2	.
	Females	342	12	1	.	.	.	13	.	1	.	1	2
Dublin County (remainder)	Males	675	68	2	.	3	2	75	.	2	5	8	7
	Females	570	54	3	.	3	.	60	1	3	1	4	1
Kildare	Males	411	34	1	1	.	.	36	2	4	3	3	6
	Females	260	13	.	1	1	.	15	.	.	1	.	.
Kilkenny	Males	457	24	1	3	.	.	28	.	1	2	3	4
	Females	376	15	2	1	.	.	18	1	1	1	.	.
Laois	Males	310	8	.	.	.	.	8	.	.	.	.	1
	Females	239	7	1	.	1	.	9	1	.	.	2	.
Longford	Males	302	11	1	1	.	.	13	.	1	1	.	1
	Females	187	11	.	.	.	.	11	.	.	.	2	.
Louth	Males	442	25	1	.	1	2	29	3	3	8	6	5
	Females	352	22	.	3	2	1	28	1	1	1	.	.
Meath	Males	470	19	2	.	.	.	21	1	2	3	2	3
	Females	407	24	.	1	.	1	26	1	.	1	1	.
Offaly	Males	317	14	1	.	.	.	15	4	2	.	1	2
	Females	263	18	.	1	1	.	20	2	.	.	.	2
Westmeath	Males	360	18	1	1	.	.	20	2	.	3	.	2
	Females	261	5	1	1	1	.	8	5	2	2	1	1
Wexford	Males	615	19	1	1	1	.	22	3	2	1	2	4
	Females	526	20	1	4	1	.	26	3	.	1	1	3
Wicklow	Males	399	15	.	1	1	.	17	.	3	3	2	2
	Females	326	13	1	1	.	.	15	.	1	1	.	1

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
88	169	256	434	834	1,132	1,660	2,348	2,786	3,023	2,557	2,447	Males
72	112	207	297	574	697	1,024	1,508	2,249	2,537	2,708	2,969	Females
45	90	122	190	402	550	814	1,109	1,122	1,193	974	861	Males LEINSTER
32	47	95	151	271	336	472	690	1,021	1,139	1,117	1,211	Females
29	47	76	135	249	348	514	737	992	1,027	869	819	Males MUNSTER
23	44	71	93	177	223	337	492	750	836	938	943	Females
11	14	37	66	111	146	204	313	452	520	458	512	Males CONNACHT
11	10	26	35	90	92	122	211	296	355	423	537	Females
3	18	21	43	72	88	128	186	220	283	256	255	Males ULSTER (part of)
6	11	15	18	36	46	93	115	182	207	230	278	Females
												LEINSTER
2	2	1	2	6	12	13	29	29	35	28	19	Males Carlow
1	1	3	3	4	9	12	16	27	31	35	24	Females
16	36	42	83	183	227	379	420	440	369	269	217	Males Dublin County Borough
11	18	34	69	120	144	189	292	439	450	409	436	Females
1	4	4	5	11	22	26	49	36	44	28	37	Males Dun Laoghaire Borough
1	.	5	5	15	16	17	39	36	59	61	71	Females
7	12	12	19	28	42	69	81	91	89	64	64	Males Dublin County (remainder)
4	9	10	11	24	22	38	62	69	77	91	83	Females
4	4	7	8	25	27	45	52	51	52	44	38	Males Kildare
3	.	1	7	12	15	18	21	36	33	41	57	Females
2	3	3	11	16	24	31	69	48	73	84	55	Males Kilkenny
1	3	12	8	16	11	22	32	56	70	54	70	Females
1	3	8	6	5	23	27	39	31	55	53	50	Males Laois
1	1	1	5	10	12	13	19	36	37	40	52	Females
.	3	6	3	14	14	12	36	44	56	51	47	Males Longford
2	.	1	2	4	9	10	11	34	36	27	38	Females
5	2	9	9	20	37	33	68	50	60	55	40	Males Louth
3	3	3	3	9	21	20	33	58	58	54	56	Females
1	2	3	10	21	31	44	59	65	81	60	61	Males Meath
2	3	6	8	9	13	27	34	59	61	79	77	Females
1	4	3	4	14	17	27	27	48	63	44	41	Males Offaly
.	1	9	2	4	14	17	33	29	30	50	50	Females
1	5	5	7	16	15	20	30	58	56	52	68	Males Westmeath
1	3	1	7	6	10	11	23	35	48	38	59	Females
3	5	14	14	25	36	56	95	81	96	78	78	Males Wexford
1	3	3	14	20	27	50	45	73	92	84	80	Females
1	5	5	9	18	23	32	55	50	64	64	46	Males Wicklow
1	2	6	7	18	13	28	30	34	57	54	58	Females

TABLE 18 (contd.) - DEATHS REGISTERED IN 1966 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	593	26	1	2	1	.	30	1	.	1	4	1
	Females	411	10	1	1	.	1	13	2	1	3	.	2
Cork County Borough	Males	700	46	.	3	.	1	50	.	.	3	1	3
	Females	751	31	3	4	2	1	41	1	1	5	2	.
Cork County	Males	1,640	56	2	5	1	3	67	4	5	4	6	2
	Females	1,360	36	3	1	.	.	40	8	2	4	4	6
Kerry	Males	913	28	2	2	.	1	33	4	1	2	3	3
	Females	730	18	1	2	.	.	21	2	1	4	1	5
Limerick County Borough	Males	253	18	1	2	.	1	22	2	2	3	2	2
	Females	266	8	2	.	.	1	11	2	1	.	2	2
Limerick County	Males	619	20	4	.	.	3	27	.	3	4	.	2
	Females	492	17	1	1	1	.	20	1	5	4	.	.
Tipperary, North Riding	Males	430	16	1	.	.	.	17	1	1	.	.	1
	Females	309	15	.	1	.	1	17	1	.	1	.	1
Tipperary, South Riding	Males	541	28	1	.	2	.	31	5	1	1	3	1
	Females	396	20	2	2	.	.	24	.	.	2	.	1
Waterford County Borough	Males	207	10	1	.	.	.	11	1	1	5	1	.
	Females	225	17	.	.	.	.	17	.	.	1	1	.
Waterford County	Males	343	10	1	.	.	.	11	.	.	3	3	2
	Females	282	7	.	1	1	.	9	.	1	1	1	.
CONNACHT													
Galway	Males	1,001	32	3	2	1	.	38	4	3	6	5	5
	Females	769	37	1	2	1	2	43	4	2	3	2	1
Leitrim	Males	269	3	.	.	.	1	4	.	.	1	1	.
	Females	187	3	.	.	.	.	3	.	1	1	.	.
Mayo	Males	837	18	2	2	.	.	22	2	3	4	8	1
	Females	708	15	2	2	.	1	20	2	1	.	.	3
Roscommon	Males	457	20	1	1	.	.	22	1	.	2	4	.
	Females	334	9	.	1	.	.	10	1	1	.	1	.
Sligo	Males	435	10	1	2	.	.	13	3	.	1	.	2
	Females	323	9	1	.	.	.	10	.	3	1	.	.
ULSTER (part of)													
Cavan	Males	494	14	.	1	.	.	15	1	2	6	2	.
	Females	349	12	1	.	.	.	13	3	.	.	2	1
Donegal	Males	880	40	6	.	.	1	47	1	2	.	3	3
	Females	692	19	1	.	1	.	21	1	3	1	1	3
Monaghan	Males	300	12	.	1	.	.	13	1	3	.	1	1
	Females	258	9	.	.	.	.	9	2	.	2	.	.

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
												MUNSTER
1	6	10	10	17	18	50	83	90	90	74	107	Males Clare
2	.	3	7	14	17	20	34	57	58	82	96	Females
3	7	7	20	36	63	66	83	107	121	72	58	Males Cork County Borough
4	6	12	7	36	46	52	89	99	121	114	115	Females
10	14	9	42	55	95	140	194	259	249	252	233	Males Cork County
4	8	18	20	42	44	90	129	207	232	243	259	Females
4	3	11	15	42	44	72	97	165	150	139	125	Males Kerry
3	5	5	21	24	25	51	74	100	114	134	140	Females
3	.	9	6	9	25	26	35	33	33	24	17	Males Limerick County Borough
1	3	4	5	9	12	13	17	41	51	48	44	Females
3	4	12	16	26	33	49	68	93	114	89	76	Males Limerick County
5	2	7	9	11	27	35	49	64	69	91	93	Females
.	3	4	6	22	25	26	53	63	88	55	65	Males Tipperary, North Riding
.	6	9	9	12	11	18	27	47	43	51	56	Females
1	5	9	6	19	25	41	74	93	89	74	63	Males Tipperary, South Riding
3	6	4	8	12	18	34	33	53	67	66	65	Females
.	1	4	6	6	9	17	21	34	35	33	22	Males Waterford County Borough
.	4	2	6	5	9	12	19	39	42	39	29	Females
4	4	1	8	17	11	27	29	55	58	57	53	Males Waterford County
1	4	7	1	12	14	12	21	43	39	70	46	Females
												CONNACHT
4	4	16	31	45	49	73	108	148	158	147	157	Males Galway
5	4	7	23	28	38	42	67	90	100	134	176	Females
3	1	1	3	11	13	23	21	43	52	45	47	Males Leitrim
2	2	2	.	6	6	5	15	32	37	28	47	Females
1	3	10	18	24	43	55	76	126	145	137	159	Males Mayo
2	3	6	8	40	29	40	70	85	96	134	169	Females
.	6	6	4	17	21	31	45	65	84	71	78	Males Roscommon
1	.	6	2	10	9	13	40	48	65	57	70	Females
3	.	4	10	14	20	22	63	70	81	58	71	Males Sligo
1	1	5	2	6	10	22	19	41	57	70	75	Females
												ULSTER (part of)
2	3	3	12	25	26	40	59	70	94	70	64	Males Cavan
1	4	4	7	11	12	27	27	48	58	58	73	Females
.	10	17	19	34	43	64	93	112	136	143	153	Males Donegal
5	4	7	8	20	22	48	71	82	105	123	167	Females
1	5	1	12	13	19	24	34	38	53	43	38	Males Monaghan
.	3	4	3	5	12	18	17	52	44	49	38	Females

TABLE 19 - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
	Total deaths - All causes	M F	19,148 15,965	894 658	51 42	41 39	15 19	19 12	1,020 770	62 57	58 38
001-138	I. Infective and parasitic disease	M F	296 132	10 4	1 4	5 3	1 .	1 .	18 11	2 2	5 .
001-019	Tuberculosis - all forms	M F	246 95	1 1	. .	2 1	. .	. .	3 2	. .	. .
001	Respiratory tuberculosis with mention of occupational disease of lung	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
002	Pulmonary tuberculosis	M F	221 80	1 .	. .	. .	. .	. .	1 .	. .	. .
007	Other respiratory tuberculosis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
008	Tuberculosis, unspecified site	M F	2 3	. .	. .	. .	. .	. .	. .	. .	. .
010	Tuberculosis of meninges and central nervous system	M F	5 5	. 1	. .	1 1	. .	. .	1 2	. .	. .
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M F	4 1	. .	. .	1 .	. .	. .	1 .	. .	. .
012	Tuberculosis of bones and joints, active and unspecified	M F	4 4	. .	. .	. .	. .	. .	. .	. .	. .
014	Tuberculosis of skin and subcutaneous cellular tissue	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
016	Tuberculosis of genito-urinary system	M F	3 2	. .	. .	. .	. .	. .	. .	. .	. .
018	Tuberculosis of other organs	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
022	Aneurysm of aorta	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
023	Other cardiovascular syphilis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
044	Brucellosis (undulant fever)	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
045	Bacillary dysentery	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
049	Food poisoning	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
051	Streptococcal sore throat	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
053	Septicaemia and pyaemia	M F	7 8	1 2	. 1	. .	. .	. .	1 3	. .	1 .
056	Whooping cough	M F	2 .	1 .	. .	1 .	. .	. .	2 .	. .	. .
057	Meningococcal infections	M F	3 3	1 .	. .	1 .	. .	. .	2 .	1 .	. .
072	Leptospirosis	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
081	Late effects of acute poliomyelitis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
082	Acute infectious encephalitis	M F	5 4	. .	. .	1 .	. .	1 .	2 .	. .	. .
085	Measles	M F	7 4	4 .	1 2	. 1	1 .	. .	6 3	1 1	. .

[illegible]

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
087	Chickenpox	M	.	.	.	.	.	.	.	.	.
		F	1	1	.	.	.	.	1	.	.
088	Herpes zoster	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
092	Infectious hepatitis	M	12	.	.	.	.	.	.	1	4
		F	4	.	.	.	.	.	.	.	.
096	Other diseases attributable to viruses	M	2	2	.	.	.	.	2	.	.
		F	2	.	.	1	.	.	1	.	.
130	Infestation with worms of other mixed and unspecified type	M	.	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	1	.	.
132	Actinomycosis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
138	Other infective and parasitic diseases	M	2	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.
140-239	II. Neoplasms	M	2,873	4	5	3	7	4	23	14	6
		F	2,391	2	2	3	2	6	15	5	8
140-205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,822	2	4	3	5	4	18	13	6
		F	2,351	1	2	2	1	6	12	5	8
140	Malignant neoplasm of lip	M	24	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
141	Malignant neoplasm of tongue	M	19	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
142	Malignant neoplasm of salivary gland	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
143	Malignant neoplasm of floor of mouth	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified	M	9	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
145	Malignant neoplasm of oral mesopharynx	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
146	Malignant neoplasm of nasopharynx	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
147	Malignant neoplasm of hypopharynx	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
148	Malignant neoplasm of pharynx, unspecified	M	19	.	.	.	.	.	.	.	.
		F	13	.	.	.	.	.	.	.	.
150	Malignant neoplasm of oesophagus	M	96	.	.	.	.	.	.	.	.
		F	95	.	.	.	.	.	.	.	.
151	Malignant neoplasm of stomach	M	464	.	.	.	.	.	.	.	.
		F	374	.	.	.	.	.	.	.	.
152	Malignant neoplasm of small intestine, including duodenum	M	7	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
153	Malignant neoplasm of large intestine, except rectum	M	256	.	.	.	.	.	.	.	.
		F	322	.	.	.	.	.	.	.	.
154	Malignant neoplasm of rectum	M	155	.	.	.	.	.	.	.	.
		F	91	.	.	.	.	.	.	.	.
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	57	1	.	.	.	.	1	.	.
		F	74	.	.	1	.	.	1	.	.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	087
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	088
2	.	2	.	.	.	.	1	1	1	1	1	1	1	.	092
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	096
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	132
.	1	.	.	.	.	2	2	.	1	1	.	.	1	.	138
12	7	9	14	33	48	107	192	239	356	469	507	411	283	143	140-239
9	8	7	14	34	77	99	205	213	281	345	411	304	215	141	
11	7	7	13	31	46	104	188	231	350	465	505	408	279	140	140-205
9	8	6	14	34	76	99	199	211	276	338	404	301	212	139	
.	.	.	.	.	.	.	.	1	.	4	4	5	6	4	140
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
.	.	.	.	1	.	.	2	.	1	3	4	2	3	3	141
.	.	.	.	.	.	.	.	2	.	1	2	3	.	1	
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	142
.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	143
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	1	1	4	2	.	144
.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	
.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	145
.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	146
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	147
.	.	.	.	.	1	.	.	.	1	1	1	.	.	.	
.	.	.	.	.	.	.	1	2	2	3	4	2	3	2	148
.	.	.	.	.	.	.	2	2	.	2	6	.	1	.	
.	.	.	.	2	2	1	3	1	13	14	25	17	13	5	150
.	.	.	.	.	1	3	7	11	17	15	12	15	6	8	
.	1	.	2	2	6	17	23	41	49	83	91	74	56	19	151
.	.	.	1	3	4	6	18	21	36	54	86	69	47	29	
.	.	.	1	.	.	1	2	.	1	.	2	1	.	.	152
.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
.	1	.	3	2	2	9	18	18	29	43	49	41	36	9	153
.	.	.	.	5	5	6	17	14	35	38	67	53	52	26	
.	.	1	.	2	3	5	10	8	11	38	30	21	17	9	154
.	1	.	.	1	2	3	5	5	12	13	22	12	10	5	
.	.	.	.	2	1	1	6	8	9	3	10	7	6	3	155
.	.	.	.	2	.	2	4	7	8	13	17	14	5	1	

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	2	1	1	2	4	2	1	.	156
.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	
.	.	.	1	.	.	7	8	11	18	30	25	28	10	11	157
.	.	.	.	1	2	2	4	9	10	19	21	14	22	10	
.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	158
.	.	.	.	.	.	1	1	.	1	.	3	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	
.	.	.	.	.	1	.	1	1	1	1	1	2	1	1	160
.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	
.	.	.	1	.	.	1	2	.	8	9	4	9	10	2	161
.	.	.	.	.	.	1	2	2	3	3	3	3	.	1	
.	.	.	1	8	14	29	63	88	117	116	113	54	23	5	162
.	.	.	.	.	2	6	18	20	24	32	17	15	5	7	
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	162.0
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	1	8	13	29	63	88	117	115	112	53	22	5	162.1
.	.	.	.	.	2	6	18	19	24	31	17	15	5	7	
.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	162.2
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	164
.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	
.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	165
.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
.	.	.	1	8	27	31	56	40	40	49	1	42	19	14	170
.	.	.	.	3	1	8	12	7	8	5	3	6	5	2	171
.	.	.	.	.	2	1	1	7	4	7	5	3	1	1	172
.	.	.	.	.	4	3	1	7	6	10	14	4	4	2	174
.	.	.	.	3	3	9	16	11	19	11	19	9	4	2	175
.	.	.	.	.	1	1	2	1	1	1	4	2	3	1	176
.	.	.	.	.	.	2	3	9	18	34	60	75	49	27	177
.	2	1	.	.	1	1	1	.	.	1	.	.	.	.	178
.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	179
.	.	1	.	2	1	2	3	1	6	6	3	2	2	.	180
.	.	.	.	.	1	.	4	1	4	5	2	.	.	2	
.	.	.	.	1	.	1	3	1	15	9	19	9	11	8	181
.	.	.	.	1	1	.	2	5	3	7	6	6	1	1	
.	.	.	1	.	.	1	2	2	1	2	1	1	.	2	190
.	.	.	2	1	2	2	2	.	1	1	1	.	.	.	
.	.	.	.	.	.	1	.	.	2	2	7	8	8	6	191
.	.	.	.	.	.	.	.	2	2	4	2	8	5	6	
.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	192
.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
3 2	2 1	. 1	3 2	3 1	8 5	5 2	6 4	8 5	4 5	8 1	4 1	4 1	1 2	. .	193
. .	. .	. .	. .	. .	. 1	. 1	. 1	. 1	1 2	1 2	1 4	. .	. 1	. .	194
1 .	. .	. .	. .	. .	. .	1 .	2 2	. .	. .	. .	. .	1 .	1 .	. .	195
. 1	1 1	1 .	. .	1 1	. .	1 .	2 1	4 3	5 2	6 4	5 3	2 2	5 5	1 2	196
. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 .	. 1	. .	. .	2 1	197
. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. 1	. .	. 1	. .	198
1 1	1 1	1 1	. .	1 .	1 3	4 4	7 9	5 8	8 8	14 16	10 16	18 10	10 9	15 11	199
2 1	. 1	. .	1 .	. .	1 1	3 .	2 2	3 4	4 3	8 5	2 3	5 .	. .	1 .	200
1 3	. 1	1 2	1 3	1 2	. 1	2 1	3 1	1 1	6 .	3 1	3 1	2 .	1 .	. .	201
. .	. .	. .	. .	. .	1 .	. 2	1 .	. .	. .	. 1	1 1	1 1	. .	. .	202
. .	. .	. .	. .	. .	. .	1 1	2 2	3 4	3 7	2 4	5 3	1 1	. .	. .	203
3 1	. 1	1 2	1 1	3 2	3 6	7 .	10 3	7 5	10 9	9 7	10 9	8 4	3 2	2 1	204
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	211
. .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	. .	. .	. .	. .	. .	212
. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	1 .	216
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	219
1 .	. .	. 1	. .	. .	1 .	. .	1 .	. .	1 2	1 .	1 .	. .	. .	. .	223
. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	224
. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	227
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	228
. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	2 .	. 1	. 1	1 3	2 .	230
. .	. .	. .	. .	. .	. .	1 .	1 1	1 .	2 1	. 2	2 1	1 .	1 .	. .	231
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	234
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 1	1 .	1 .	236
. .	. .	1 .	1 .	2 .	. 1	1 .	3 3	5 .	2 1	1 2	. 2	1 .	. .	. .	237
. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	238

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	239
1	2	1	3	5	6	16	15	25	29	52	36	28	22	15	240-289
1	4	4	7	9	10	9	12	26	34	53	59	41	24	16	
1	1	.	1	4	4	10	3	10	13	21	20	7	5	3	241
1	2	2	4	7	8	6	7	9	9	14	9	4	3	4	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	245
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	250
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	251
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	252
.	.	.	1	.	.	1	2	5	2	4	2	4	1	.	253
.	.	1	.	.	.	.	.	.	1	1	1	2	1	.	254
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	260
.	1	1	2	1	1	1	8	8	12	25	14	20	17	12	270
.	.	.	2	.	.	1	1	11	16	28	43	28	17	12	
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	271
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	272
.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	273
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	274
.	1	1	.	.	1	3	1	1	1	1	.	1	.	.	277
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	281
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	285
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	286
.	.	.	.	1	.	.	1	1	1	2	1	2	1	.	287
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	288
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	289
.	1	.	.	.	1	2	1	3	1	3	1	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
1	.	1	1	1	.	2	2	3	5	6	7	17	8	6	290-299
.	1	.	1	.	.	1	5	6	6	6	12	21	13	16	
.	.	.	.	.	.	1	.	.	1	1	2	7	3	2	290
.	.	.	.	.	.	.	.	.	.	.	1	12	4	3	

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
291	Iron deficiency anaemias (hypochromic anaemias)	M F	2 5	. .	. .	. .	. .	. .	. .	. .	. .
292	Other anaemias of specified type	M F	10 11	. 1	. .	. .	. .	. .	. 1	. .	. 2
293	Anaemia of unspecified type	M F	27 45	. .	. .	. .	. .	. .	. .	. .	. 1
294	Polycythaemia	M F	1 4	. .	. .	. .	. .	. .	. .	. .	. .
296	Purpura and other haemorrhagic conditions	M F	1 4	. .	. .	. .	. .	. .	. .	1 .	. .
297	Agranulocytosis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
298	Diseases of spleen	M F	2 4	. .	. .	. .	. .	. .	. .	. .	1 .
300-326	V. Mental, psychoneurotic, and personality disorders	M F	26 25	5 .	4 2	. 1	. 1	. .	9 4	. 3	1 1
300	Schizophrenic disorders (dementia praecox)	M F	2 1	. .	. .	. .	. .	. .	. .	. .	. .
301	Manic-depressive reaction	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
304	Senile psychosis	M F	3 7	. .	. .	. .	. .	. .	. .	. .	. .
305	Pre senile psychosis	M F	1 2	. .	. .	. .	. .	. .	. .	. .	. .
311	Hysterical reaction without mention of anxiety reaction	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
322	Alcoholism	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
325	Mental deficiency	M F	16 12	5 .	4 2	. 1	. 1	. .	9 4	. 3	1 1
330-396	VI. Diseases of the nervous system and sense organs	M F	2,205 2,623	16 6	3 2	3 2	. 1	1 .	23 11	2 4	2 4
330	Subarachnoid haemorrhage	M F	85 132	. .	. 1	. .	. .	. .	. 1	1 .	. .
331	Cerebral haemorrhage	M F	727 971	2 2	. .	. 1	. .	. .	2 3	. .	. .
332	Cerebral embolism and thrombosis	M F	917 1,020	. .	. .	. .	. .	. .	. .	. .	. .
334	Other and ill-defined vascular lesions affecting central nervous system	M F	228 258	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis, except meningococcal and tuberculous	M F	24 9	14 2	. .	2 .	. .	. .	16 2	1 1	. .
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M F	. 2	. 1	. .	. .	. .	. .	. 1	. .	. .
342	Intracranial and intraspinal abscess	M F	4 .	. .	. .	. .	. .	. .	. .	. .	. .
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M F	3 8	. 1	. .	. .	. 1	. .	. 2	. .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	291
.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	292
.	.	1	.	.	.	1	1	1	1	3	.	1	1	.	293
.	.	.	.	.	.	.	.	2	2	4	.	.	.	.	294
1	.	.	1	1	.	.	1	2	2	.	3	8	4	4	295
.	.	.	1	.	.	.	5	2	2	.	9	7	7	11	296
.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	297
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	298
.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	299
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	300
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	301
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	302
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	303
.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	304
.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	305
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	306
.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	307
.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	308
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	309
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	310
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	311
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	312
3	1	1	.	.	.	.	1	.	.	.	.	.	.	.	313
.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	314
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	315
9	8	5	6	11	14	33	59	116	157	273	366	450	362	309	330-398
9	3	4	6	20	33	37	83	110	161	261	407	526	515	429	331
2	3	3	.	5	4	8	7	15	9	5	11	9	2	1	332
3	1	1	3	4	15	12	21	13	11	14	11	13	6	3	333
1	2	.	1	2	4	10	30	59	65	108	119	137	109	77	334
1	.	.	.	1	8	11	39	55	79	124	158	202	170	120	335
.	.	.	.	1	1	4	7	17	49	102	161	224	185	166	336
1	.	.	.	4	1	2	6	27	40	88	155	213	253	229	337
.	.	1	.	.	.	.	5	9	11	27	40	39	50	46	338
1	.	.	.	1	1	1	4	4	10	16	46	60	60	53	339
.	1	.	.	.	.	1	2	2	.	1	.	.	.	.	340
1	.	.	.	1	.	.	.	.	1	.	1	1	.	.	341
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	342
1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	343
.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	344
.	.	.	.	1	1	.	1	.	1	2	.	.	.	.	345

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
344	Late effects of intracranial abscess or pyogenic infection	M F	. 2	. .	. 1	. .	. .	. .	. 1	. .	. .
345	Multiple sclerosis	M F	30 39	. .	. .	. .	. .	. .	. .	. .	. .
350	Paralysis agitans	M F	55 54	. .	. .	. .	. .	. .	. .	. .	1 .
351	Cerebral spastic infantile paralysis	M F	3 4	. .	1 .	1 .	. .	. .	2 .	. 2	. .
352	Other cerebral paralysis	M F	77 84	. .	. .	. .	. .	. .	. .	. .	. .
353	Epilepsy	M F	22 13	. .	2 .	. .	. .	. .	2 .	. .	. .
355	Other diseases of the brain	M F	10 13	. .	. .	. .	. .	1 .	1 .	. 1	. .
356	Motor neurone disease and muscular atrophy	M F	15 7	. .	. .	. .	. .	. .	. .	. .	. .
357	Other diseases of spinal cord	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .
366	Other and unspecified forms of neuralgia and neuritis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
368	Other diseases of peripheral nerves except autonomic	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
387	Glaucoma	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
391	Otitis media without mention of mastoiditis	M F	2 1	. .	. .	1 .	. .	. .	1 .	. .	. .
392	Otitis media with mastoiditis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	1 .
393	Mastoiditis without mention of otitis media	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
400-468	VII. Diseases of the circulatory system	M F	7,423 5,917	. .	. .	1 .	. .	1 .	2 .	2 .	3 .
401	Rheumatic fever with heart involvement	M F	5 3	. .	. .	. .	. .	. .	. .	1 .	. .
410	Diseases of mitral valve	M F	90 111	. .	. .	. .	. .	. .	. .	. .	. .
411	Diseases of aortic valve, specified as rheumatic	M F	5 3	. .	. .	. .	. .	. .	. .	. .	. .
412	Diseases of tricuspid valve	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
413	Diseases of pulmonary valve specified as rheumatic	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
414	Other endocarditis specified as rheumatic	M F	4 8	. .	. .	. .	. .	. .	. .	. .	. .
415	Other myocarditis specified as rheumatic	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
416	Other heart disease specified as rheumatic	M F	31 39	. .	. .	. .	. .	. .	. .	. .	. .
420	Arteriosclerotic heart disease, including coronary disease	M F	3,742 2,188	. .	. .	. .	. .	. .	. .	. .	. .

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	344
.	.	.	1	.	2	3	5	3	8	4	2	1	1	.	345
.	1	.	2	6	5	4	7	3	5	4	2	.	.	.	
.	.	.	.	.	.	.	1	.	5	7	17	17	4	3	350
.	.	.	.	.	1	.	1	4	7	7	18	10	5	1	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	351
.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	1	3	.	1	3	15	13	20	10	14	352
.	.	.	.	.	1	.	1	3	2	5	11	19	20	19	
5	.	1	4	.	2	3	.	1	.	1	2	.	.	1	353
1	1	2	1	1	.	3	.	.	1	1	2	.	.	.	
.	.	.	.	.	.	1	.	2	1	1	1	2	.	1	355
.	.	.	.	.	.	.	.	1	2	.	1	4	1	3	
.	.	.	.	1	.	2	1	5	3	2	.	.	1	.	356
.	.	.	.	.	.	.	2	.	2	.	.	2	.	1	
1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	357
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	366
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	368
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	387
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	391
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	392
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	393
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	8	10	20	48	80	158	336	447	660	988	1,159	1,305	1,101	1,090	400-468
3	3	6	14	25	32	78	138	204	325	563	917	1,065	1,191	1,353	
.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	401
.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	
1	2	.	2	4	2	2	7	7	6	12	9	20	9	7	410
1	.	2	1	3	6	7	12	9	9	10	12	12	20	7	
.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	411
.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	412
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	413
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	414
.	.	.	.	1	1	1	2	.	1	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	415
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	1	.	1	3	3	7	2	5	4	1	3	.	1	416
.	1	.	3	1	2	6	8	5	3	2	3	2	1	2	
.	2	3	11	26	61	119	237	320	474	656	628	561	373	271	420
.	1	2	4	12	11	33	63	119	194	316	413	401	351	268	

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
420.0	Arteriosclerotic heart disease so described	M	119	.	.	.	.	.	.	.	.
		F	132	.	.	.	.	.	.	.	.
420.1	Heart disease specified as involving coronary arteries	M	3,607	.	.	.	.	.	.	.	.
		F	2,051	.	.	.	.	.	.	.	.
420.2	Angina pectoris without mention of coronary disease	M	16	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic	M	139	.	.	.	.	.	.	1	.
		F	110	.	.	.	.	.	.	.	.
422	Other myocardial degeneration	M	1,637	.	.	.	.	.	.	.	.
		F	1,588	.	.	.	.	.	.	.	.
430	Acute and subacute endocarditis	M	15	.	.	.	.	1	1	.	2
		F	8	.	.	.	.	.	.	.	.
431	Acute myocarditis not specified as rheumatic	M	6	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
433	Functional disease of heart	M	304	.	.	.	.	.	.	.	.
		F	385	.	.	.	.	.	.	.	.
434	Other and unspecified diseases of heart	M	450	.	.	1	.	.	1	.	.
		F	414	.	.	.	.	.	.	.	.
441	Essential malignant hypertensive heart disease	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	2	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
443	Other and unspecified hypertensive heart disease	M	267	.	.	.	.	.	.	.	.
		F	334	.	.	.	.	.	.	.	.
444	Essential benign hypertension	M	99	.	.	.	.	.	.	.	.
		F	137	.	.	.	.	.	.	.	.
445	Essential malignant hypertension	M	44	.	.	.	.	.	.	.	.
		F	21	.	.	.	.	.	.	.	.
446	Hypertension with arteriolar nephrosclerosis	M	22	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.
450	General arteriosclerosis	M	391	.	.	.	.	.	.	.	.
		F	421	.	.	.	.	.	.	.	.
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	M	40	.	.	.	.	.	.	.	1
		F	23	.	.	.	.	.	.	.	.
452	Other aneurysm, except of heart and aorta	M	16	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
453	Peripheral vascular disease	M	5	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
454	Arterial embolism and thrombosis	M	7	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
455	Gangrene of unspecified cause	M	13	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.
456	Other diseases of arteries	M	8	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
460	Varicose veins of lower extremities	M	2	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
462	Varicose veins of other specified sites	M	7	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
463	Phlebitis and thrombophlebitis of lower extremities	M	5	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.
464	Phlebitis and thrombophlebitis of other sites	M	7	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	2	1	.	3	13	16	33	25	26	420.0
.	.	.	1	.	.	.	.	1	4	10	20	26	33	37	
.	2	3	10	26	61	117	235	315	469	642	609	527	346	245	420.1
.	1	2	3	12	11	33	63	117	190	304	392	375	317	231	
.	.	.	1	.	.	.	1	5	2	1	3	1	2	.	420.2
.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	
.	2	.	3	3	3	3	12	10	8	20	27	24	9	14	421
1	.	.	.	1	1	3	6	7	7	10	20	20	19	15	
1	1	.	.	1	2	3	15	25	46	114	210	347	394	478	422
.	.	.	1	2	1	5	9	12	34	79	173	268	387	617	
2	.	1	.	2	1	.	1	2	1	1	.	1	.	.	430
.	.	.	.	.	.	2	2	.	.	1	1	1	1	.	
.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	431
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	1	.	2	8	8	17	25	66	66	60	52	433
.	.	.	.	.	.	1	7	10	12	28	58	96	89	81	
1	1	2	1	1	4	4	9	25	26	49	81	88	85	72	434
.	.	1	1	2	.	7	10	17	13	40	75	68	82	98	
.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	441
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	442
.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	
.	.	.	.	.	3	3	5	8	26	34	48	54	46	43	443
.	.	.	.	.	3	2	2	8	20	34	58	75	79	53	
.	.	.	.	3	.	5	3	7	11	16	13	18	9	14	444
.	.	.	.	1	1	3	5	2	7	8	23	30	34	24	
.	.	2	1	.	.	2	15	11	6	2	2	1	.	2	445
.	.	.	.	.	1	6	3	4	3	3	1	.	.	.	
1	.	.	1	.	.	.	.	1	.	6	3	3	4	3	446
.	.	.	.	.	.	.	.	.	.	1	1	2	3	3	
.	.	.	.	.	.	1	1	3	10	19	47	92	98	120	450
.	.	.	.	.	.	.	1	1	7	12	52	66	110	172	
.	.	.	.	1	1	.	2	2	8	6	6	10	2	1	451
.	.	.	.	.	.	.	1	.	4	3	5	3	4	3	
.	.	.	.	.	.	1	1	1	2	5	4	.	1	1	452
.	.	.	.	.	.	.	2	.	.	1	2	2	1	1	
.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	453
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
.	.	.	.	.	.	1	.	1	.	.	1	.	1	3	454
.	.	.	.	.	.	.	.	.	.	1	2	4	3	3	455
.	.	.	.	.	.	.	.	1	.	.	4	2	2	5	
.	.	.	.	1	1	.	2	1	1	1	1	.	.	1	456
.	.	.	.	.	1	.	.	2	.	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	460
.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	
.	.	.	.	.	.	1	.	.	.	1	1	3	1	.	462
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	1	1	1	1	1	.	.	1	.	463
.	.	.	.	.	.	.	1	2	1	1	.	2	.	.	464
.	.	.	1	.	1	.	.	.	.	2	2	3	.	.	

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
465	Pulmonary embolism and infarction	M F	28 20	. .	. .	. .	. .	. .	. .	. .	. .
466	Other venous embolism and thrombosis	M F	23 33	. .	. .	. .	. .	. .	. .	. .	. .
467	Other diseases of circulatory system	M F	3 .	. .	. .	. .	. .	. .	. .	. .	. .
468	Certain diseases of lymph nodes and lymph channels	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
470-527	VIII. Diseases of the respiratory system	M F	2,658 1,975	89 86	14 16	7 10	2 6	1 2	113 120	4 13	3 3
474	Acute laryngitis and tracheitis	M F	. 1	. .	. .	. .	. .	. .	. .	. 1	. .
475	Acute upper respiratory infection of multiple or unspecified sites	M F	3 3	1 .	. .	. .	. .	. .	1 .	. 1	. .
480	Influenza with pneumonia	M F	188 191	4 8	. .	. .	. .	. .	4 8	. 2	. .
481	Influenza with other respiratory manifestations and influenza unqualified	M F	288 285	3 2	. .	1 .	. .	. .	4 2	. .	. .
482	Influenza with digestive mani- festations but without respiratory symptoms	M F	2 .	. .	. .	1 .	. .	. .	1 .	. .	. .
490	Lobar pneumonia	M F	74 69	2 .	1 2	. 1	. 1	1 .	4 4	1 .	. 1
491	Bronchopneumonia	M F	474 497	47 46	9 10	5 5	2 1	. 1	63 63	2 5	1 .
492	Primary atypical pneumonia	M F	32 32	13 11	2 2	. 1	. 1	. .	15 15	. .	. .
493	Pneumonia, other and unspecified	M F	197 196	13 15	1 1	. 1	. 2	. .	14 19	. 3	. 1
500	Acute bronchitis	M F	35 36	2 1	1 .	. .	. .	. .	3 1	1 .	. .
501	Bronchitis unqualified	M F	188 131	. 1	. 1	. 2	. .	. .	. 4	. .	. .
502	Chronic bronchitis	M F	910 352	. .	. .	. .	. 1	. .	. 1	. .	. 2
510	Hypertrophy of tonsils and adenoids	M F	. 1	. .	. .	. .	. .	. .	. .	. 1	. .
513	Chronic sinusitis	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
517	Other diseases of upper respiratory tract	M F	3 .	2 .	. .	. .	. .	. .	2 .	. .	. .
518	Empyema	M F	6 .	. .	. .	. .	. .	. .	. .	. .	. .
519	Pleurisy	M F	6 3	. .	. .	. .	. .	. .	. .	. .	. .
520	Spontaneous pneumothorax	M F	. 2	. .	. .	. .	. .	. .	. .	. .	. .
521	Abscess of lung	M F	7 1	. .	. .	. .	. .	. 1	. 1	. .	. .

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	2	1	2	2	3	3	7	3	2	2	1	465
.	.	.	.	1	.	2	2	3	3	1	2	6	2	2	466
.	.	.	2	1	.	1	1	4	4	4	4	2	3	1	467
.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	468
.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
10 12	3 2	4 8	3 5	10 4	27 19	31 24	95 63	151 65	266 111	336 153	417 248	449 318	385 383	351 424	470-527
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	474
.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	475
.	1	1	.	1	1	5	3	8	6	18	36	42	31	31	480
.	.	.	.	.	1	2	9	5	7	8	22	45	43	39	
1	.	1	.	3	2	2	11	8	16	22	49	62	57	55	481
.	.	.	.	.	.	2	9	4	13	19	42	52	61	76	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	482
.	.	1	.	.	1	1	2	1	13	8	11	13	12	6	490
.	.	.	.	.	2	2	2	5	7	4	10	5	16	11	
5 2	1	2	3 2	2 1	5 3	6 3	9 9	19 8	18 24	38 33	63 56	71 75	91 99	78 111	493
2	.	.	1	.	.	1	2	1	1	4	2	4	3	1	492
3 4	1	1	1	1	3 2	1 2	13 2	9 7	16 8	21 15	23 26	20 29	37 33	35 43	493
.	.	1	.	1	1	1	1	1	2	1	6	5	5	7	500
.	.	1	.	.	1	.	.	.	2	1	5	1	11	13	
1	1	1	.	1	3	2	2	16	14	27	27	28	33	34	501
.	.	1	.	.	2	1	6	2	7	11	14	21	23	38	
.	.	1	1	2	7	10	42	73	151	160	151	155	87	69	502
.	.	.	.	.	.	7	13	23	31	46	48	71	59	52	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	510
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	513
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	517
.	.	.	.	.	1	1	.	1	.	.	1	2	.	.	518
.	.	.	.	1	.	.	1	.	1	2	1	.	1	2	519
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	520
.	.	.	.	.	1	.	.	2	.	.	3	1	.	.	521

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	1	.	1	.	1	.	3	1	1	8	11	17	19	522
.	.	.	.	.	.	.	.	1	2	3	10	9	21	25	
1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	523
.	1	.	.	.	.	1	5	1	8	2	6	8	2	3	525
.	.	.	.	.	2	1	2	2	2	1	1	2	.	2	
1	.	.	.	.	1	.	2	3	4	11	9	7	2	.	526
1	.	2	.	.	2	2	4	1	4	6	5	2	3	3	
.	.	.	.	.	2	.	3	5	14	20	20	19	6	13	527
.	.	.	.	.	3	1	5	5	3	4	8	3	9	7	
1	3	4	3	7	9	20	28	37	42	68	65	65	48	18	530-587
2	2	.	1	2	8	9	11	26	28	40	55	55	44	38	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	536
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	537
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	538
.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	539
.	.	1	.	3	1	5	4	7	13	18	20	16	19	4	
.	.	.	.	.	.	1	3	5	7	7	9	6	8	7	540
.	.	.	.	1	2	1	7	3	9	9	8	12	4	2	541
.	.	.	.	.	1	1	1	.	2	3	3	1	2	1	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	542
.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	543
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	544
.	.	.	.	.	.	.	.	1	.	3	1	2	.	.	545
.	2	.	.	.	.	.	2	1	.	1	5	2	2	2	550
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	551
.	.	.	.	.	1	.	.	2	.	1	1	1	1	2	560
.	.	.	.	.	.	.	1	3	1	1	2	4	1	1	561
.	.	.	.	1	1	1	1	3	5	7	5	14	2	2	570
.	.	.	.	1	1	1	1	3	4	8	10	11	8	7	
1	.	.	.	.	1	1	2	.	1	2	.	7	3	.	571
1	1	.	.	2	1	1	2	5	2	5	5	2	7	2	572
.	2	.	.	.	1	3	1	3	2	3	6	4	6	3	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	573
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	575

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
576	Peritonitis	M	4	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
577	Peritoneal adhesion	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum	M	25	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.
580	Acute and subacute yellow atrophy of liver	M	4	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
581	Cirrhosis of liver	M	36	.	.	.	.	.	.	.	.
		F	22	.	.	.	.	.	.	.	.
583	Other diseases of liver	M	4	.	.	.	.	.	.	.	.
		F	6	1	.	.	.	.	1	.	.
584	Cholelithiasis	M	2	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.
585	Cholecystitis and cholangitis, without mention of calculi	M	9	.	.	.	.	.	.	.	.
		F	18	.	.	.	.	.	.	.	.
586	Other diseases of gallbladder and biliary ducts	M	7	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.
587	Diseases of pancreas	M	18	.	1	1	.	1	3	.	.
		F	10	1	.	.	.	.	1	.	.
590-637	X. Diseases of the genito-urinary system	M	466	4	.	.	.	.	4	.	2
		F	234	2	1	.	.	.	3	.	3
590	Acute nephritis	M	3	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.
591	Nephritis with oedema, including nephrosis	M	10	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
592	Chronic nephritis	M	97	.	.	.	.	.	.	.	1
		F	76	.	.	.	.	.	.	.	.
593	Nephritis not specified as acute or chronic	M	91	.	.	.	.	.	.	.	.
		F	58	1	.	.	.	.	1	.	1
594	Other renal sclerosis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
600	Infections of kidney	M	57	4	.	.	.	.	4	.	.
		F	68	1	1	.	.	.	2	.	2
601	Hydronephrosis	M	6	.	.	.	.	.	.	.	1
		F	1	.	.	.	.	.	.	.	.
602	Calculi of kidney and ureter	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
603	Other diseases of kidney and ureter	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
604	Calculi of other parts of urinary system	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
605	Cystitis	M	4	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
606	Other diseases of bladder	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
608	Stricture of urethra	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
609	Other diseases of urethra	M	5	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	.	.	.	.	.	1	.	1	.	1	1	.	.	1	576
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	577
.	.	.	2	.	.	3	1	2	3	4	5	3	2	.	578
.	.	.	.	.	.	1	.	4	.	3	2	1	2	1	579
.	1	.	.	.	1	1	1	.	.	.	1	.	.	.	580
.	.	.	.	.	1	3	6	7	5	5	4	3	2	.	581
.	.	.	.	.	2	.	3	3	3	7	1	3	.	.	582
.	.	.	.	1	.	1	.	.	.	2	.	1	1	.	583
.	.	.	.	1	.	1	.	.	1	.	.	.	2	.	584
.	.	.	.	.	.	.	1	1	1	2	1	1	2	1	585
.	.	.	1	.	1	.	.	1	1	1	1	1	1	2	586
.	.	.	.	.	.	.	.	1	1	4	1	4	2	.	587
.	.	2	1	.	1	2	1	.	2	1	3	.	2	.	588
.	.	.	.	.	.	1	.	1	.	1	3	2	1	.	589
4 9	5 5	3 3	2 4	2 1	8 9	7 10	16 17	21 11	38 22	37 29	62 34	99 29	78 24	78 21	590-637
1	1	.	1	.	.	1	.	1	.	1	1	.	1	.	590
1 1	.	.	.	.	1	.	1	1	1	3 1	.	.	1	1	591
2 6	2 2	1 1	1 3	1 1	4 2	3 1	5 1	5 5	18 9	7 9	17 12	17 12	8 8	6 4	592
1	2 2	1 2	1	1	3 3	2 2	7 3	5	9 6	8 6	8 7	14 6	13 10	16 9	593
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	594
1	1	.	.	.	3	1	2	5	4	5	10	10	7	9	600
1	1	.	.	.	3	4	10	3	5	11	10	7	2	7	601
.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	602
.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	603
.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	604
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	605
.	.	.	.	.	.	.	.	1	.	1	1	1	.	2	606
.	.	.	.	.	.	.	.	1	.	.	1	2	.	1	607
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	608
.	.	.	.	.	.	.	.	.	.	4	.	2	1	1	609

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
610	Hyperplasia of prostate	M	169	.	.	.	.	.	.	.	.
611	Prostatitis	M	6	.	.	.	.	.	.	.	.
612	Other diseases of prostate	M	6	.	.	.	.	.	.	.	.
613	Hydrocele	M	1	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F	1	.	.	.	.	.	.	.	.
631	Uterovaginal prolapse	F	1	.	.	.	.	.	.	.	.
633	Other diseases of uterus	F	4	.	.	.	.	.	.	.	.
637	Other diseases of female genital organs	F	1	.	.	.	.	.	.	.	.
640-689	XI. Deliveries and complications of pregnancy, childbirth and the puerperium	F	18	.	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F	5	.	.	.	.	.	.	.	.
643	Placenta praevia	F	1	.	.	.	.	.	.	.	.
647	Pregnancy with malposition of foetus in uterus	F	1	.	.	.	.	.	.	.	.
648	Other complications arising from pregnancy	F	2	.	.	.	.	.	.	.	.
650	Abortion without mention of sepsis or toxæmia	F	1	.	.	.	.	.	.	.	.
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	1	.	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	F	1	.	.	.	.	.	.	.	.
674	Delivery complicated by disproportion or malposition of foetus	F	1	.	.	.	.	.	.	.	.
677	Delivery with other trauma	F	1	.	.	.	.	.	.	.	.
678	Delivery with other complications of childbirth	F	1	.	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F	3	.	.	.	.	.	.	.	.
690-716	XII. Diseases of the skin and cellular tissue	M F	22 21	.	.	.	.	.	.	.	.
692	Other cellulitis and abscess, without mention of lymphangitis	M F	5 1	.	.	.	.	.	.	.	.
698	Other local infections of skin and subcutaneous tissue	M F	2 .	.	.	.	.	.	.	.	.
703	Other dermatitis	M F	1 .	.	.	.	.	.	.	.	.
704	Pemphigus	M F	1 1	.	.	.	.	.	.	.	.
705	Erythematous conditions	M F	3 2	.	.	.	.	.	.	.	.
708	Pruritus and related conditions	M F	1 1	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	1	1	4	9	21	49	45	39	610
.	.	.	.	.	.	.	.	.	1	.	1	1	.	3	611
.	.	.	.	.	.	.	.	.	.	.	.	2	3	1	612
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	613
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	626
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	631
.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	633
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	637
.	2	3	5	4	4	.	.	.	.	.	.	.	.	.	640-689
.	1	2	.	1	1	.	.	.	.	.	.	.	.	.	642
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	643
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	647
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	648
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	650
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	670
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	672
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	674
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	677
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	678
.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	684
.	.	.	1	.	.	.	.	2	3	7	2	2	2	2	690-716
.	.	.	.	.	.	.	.	.	2	1	3	4	3	6	.
.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	692
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	698
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	703
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	704
.	.	.	1	.	1	.	.	.	1	1	.	.	.	.	705
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	708
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
710	Other hypertrophic and atrophic conditions of skin	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
715	Chronic ulcer of skin	M F	9 15	. .	. .	. .	. .	. .	. .	. .	. .
720-749	XIII. Diseases of the bones and organs of movement	M F	50 51	1 .	. .	. .	. .	. .	1 .	. 1	1 .
720	Acute arthritis due to pyogenic organisms	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .
722	Rheumatoid arthritis and allied conditions	M F	17 27	. .	. .	. .	. .	. .	. .	. .	1 .
723	Osteo-arthritis (arthrosis) and allied conditions	M F	6 8	. .	. .	. .	. .	. .	. .	. .	. .
724	Other specified forms of arthritis	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .
725	Arthritis, unspecified	M F	7 6	. .	. .	. .	. .	. .	. .	. .	. .
727	Rheumatism, unspecified	M F	5 .	. .	. .	. .	. .	. .	. .	. .	. .
730	Osteomyelitis and periostitis	M F	2 .	. .	. .	. .	. .	. .	. .	. .	. .
731	Osteitis deformans	M F	1 1	. .	. .	. .	. .	. .	. .	. .	. .
733	Other diseases of bone	M F	. 6	. .	. .	. .	. .	. .	. .	. .	. .
744	Other diseases of muscle, tendon and fascia	M F	11 2	1 .	. .	. .	. .	. .	1 .	. 1	. .
750-759	XIV. Congenital malformations	M F	268 239	214 194	10 8	3 8	2 1	1 .	230 211	8 9	4 2
750	Monstrosity	M F	16 32	16 32	. .	. .	. .	. .	16 32	. .	. .
751	Spina bifida and meningocele	M F	28 49	28 47	. 2	. .	. .	. .	28 49	. .	. .
752	Congenital hydrocephalus	M F	23 26	22 24	. 1	. 1	. .	. .	22 26	. .	1 .
753	Other congenital malformations of nervous system and sense organs	M F	10 8	5 6	2 1	1 .	. .	. .	8 7	1 .	. .
754	Congenital malformations of circulatory system	M F	100 65	73 44	5 3	1 2	2 1	1 .	82 50	2 7	3 1
755	Cleft palate and harelip	M F	3 1	2 1	. .	1 .	. .	. .	3 1	. .	. .
756	Congenital malformations of digestive system	M F	36 19	34 18	. .	. 1	. .	. .	34 19	2 .	. .
757	Congenital malformations of genito-urinary system	M F	22 16	10 9	2 1	. .	. .	. .	12 10	1 .	. .
758	Congenital malformations of bone and joint	M F	8 3	6 2	. .	. .	. .	. .	6 2	. .	. .
759	Other and unspecified congenital malformations not elsewhere classified	M F	22 20	18 11	1 .	. 4	. .	. .	19 15	2 2	. 1

[illegible]

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
760-776	XV. Certain diseases of early Infancy	M	445	445	.	.	.	.	445	.	.
		F	301	301	.	.	.	.	301	.	.
760	Intracranial and spinal injury at birth	M	42	42	.	.	.	.	42	.	.
		F	31	31	.	.	.	.	31	.	.
761	Other birth injury	M	17	17	.	.	.	.	17	.	.
		F	13	13	.	.	.	.	13	.	.
762	Postnatal asphyxia and atelectasis	M	133	133	.	.	.	.	133	.	.
		F	79	79	.	.	.	.	79	.	.
763	Pneumonia of newborn	M	40	40	.	.	.	.	40	.	.
		F	28	28	.	.	.	.	28	.	.
764	Diarrhoea of newborn	M	11	11	.	.	.	.	11	.	.
		F	12	12	.	.	.	.	12	.	.
768	Other sepsis of newborn	M	3	3	.	.	.	.	3	.	.
		F	5	5	.	.	.	.	5	.	.
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	3	3	.	.	.	.	3	.	.
		F	1	1	.	.	.	.	1	.	.
770	Haemolytic disease of newborn (erythroblastosis)	M	34	34	.	.	.	.	34	.	.
		F	28	28	.	.	.	.	28	.	.
771	Haemorrhagic disease of newborn	M	6	6	.	.	.	.	6	.	.
		F	11	11	.	.	.	.	11	.	.
772	Nutritional maladjustment	M	2	2	.	.	.	.	2	.	.
		F	2	2	.	.	.	.	2	.	.
773	Ill-defined diseases peculiar to early infancy	M	45	45	.	.	.	.	45	.	.
		F	17	17	.	.	.	.	17	.	.
776	Immaturity, unqualified	M	109	109	.	.	.	.	109	.	.
		F	74	74	.	.	.	.	74	.	.
780-795	XVI. Symptoms, senility, and ill- defined conditions	M	831	4	.	1	.	.	5	.	.
		F	838	2	.	.	.	.	2	.	.
780	Certain symptoms referable to nervous system and special senses	M	4	4	.	.	.	.	4	.	.
		F	2	2	.	.	.	.	2	.	.
782	Symptoms referable to cardiovascular and lymphatic system	M	128	.	.	.	.	.	.	.	.
		F	111	.	.	.	.	.	.	.	.
783	Symptoms referable to respiratory system	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
784	Symptoms referable to upper gastro- intestinal tract	M	4	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
786	Symptoms referable to genito- urinary system	M	4	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
788	Other general symptoms	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
789	Abnormal urinary constituents of unspecified cause	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
790	Nervousness and debility	M	1	.	.	1	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	.
792	Uraemia	M	22	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760-776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	780-795
.	.	.	.	1	2	1	11 6	4 4	5 9	19 11	51 36	119 106	227 214	388 448	780
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	782
.	.	.	.	.	1	.	9 5	4 2	3 6	11 6	22 14	34 24	20 18	24 36	783
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	784
.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	785
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	786
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	788
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	789
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	790
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	792
.	.	.	.	.	.	.	.	2	1	3 1	3 1	4 2	5 6	6 4	

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
794	Senility without mention of psychosis	M	650	.	.	.	.	.	.	.	.
		F	686	.	.	.	.	.	.	.	.
795	Ill-defined and unknown causes of morbidity and mortality	M	12	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	.
E800- E999	XVII. Accidents, poisonings and violence	M	753	29	5	10	2	9	55	26	28
		F	416	16	4	8	7	3	38	15	9
E800	Railway accident involving rail-road employee	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E802	Railway accident involving other and unspecified person	M	2	.	.	.	1	.	1	.	.
		F	1	.	.	.	1	.	1	.	.
E810	Motor vehicle traffic accident involving collision with railway train	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E812	Motor vehicle traffic accident to pedestrian	M	125	.	.	3	.	6	9	12	4
		F	42	.	.	1	2	1	4	6	1
E813	Motor vehicle traffic accident to pedal cyclist	M	24	.	.	.	.	.	.	1	4
		F	6	.	.	.	.	.	.	.	4
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with non-motor vehicle or object	M	9	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	M	16	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	46	.	.	.	.	.	.	3	.
		F	16	.	.	.	.	.	.	.	.
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M	16	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	M	7	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E822	Motor vehicle traffic accident involving overturning in roadway	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E823	Motor vehicle traffic accident involving running off roadway	M	9	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E824	Other non-collision motor vehicle traffic accident	M	12	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E825	Motor vehicle traffic accident of unspecified nature	M	7	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E835	Motor vehicle non-traffic accident of other and unspecified nature	M	3	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M	12	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	3 2	21 20	75 76	197 184	354 404	794
.	.	.	.	.	1	1	1	.	2	1 1	2 .	2 1	1 3	4 2	795
42 5	47 7	42 12	30 6	40 7	42 8	41 13	48 17	47 12	50 21	43 24	63 44	43 49	28 64	38 65	E800-E999
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E800
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E802
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E810
5 1	4 1	3 .	2 1	9 1	6 1	9 5	7 2	11 2	3 3	11 2	17 6	6 .	3 3	4 3	E812
1 .	.	1 .	.	1 .	2 .	3 .	2 .	1 .	2 2	1 .	4 .	.	1 .	.	E813
1 .	5 .	2 1	.	.	.	.	.	.	.	1 .	.	.	.	.	E814
3 .	6 1	. 1	.	.	.	1 .	2 .	3 .	1 .	.	.	.	.	.	E815
4 .	9 1	3 2	8 .	3 1	5 .	3 2	2 2	2 2	2 1	. 2	. 1	. 1	1 1	1 .	E816
.	.	1 .	.	.	.	1 .	.	.	.	.	.	.	1 .	.	E817
.	.	.	.	.	.	.	.	1 .	.	.	1 .	.	.	.	E818
1 .	3 1	2 .	1 .	1 .	1 .	.	4 .	1 .	.	.	1 .	1 .	.	.	E819
1 .	2 .	.	1 .	.	.	1 .	1 .	.	1 .	.	.	.	.	.	E821
.	.	1 .	.	.	.	.	.	1 .	.	.	.	.	.	.	E822
.	1 .	.	2 .	1 .	1 .	.	1 .	.	1 .	.	.	2 1	.	.	E823
1 .	1 .	3 .	.	2 .	.	.	2 .	1 .	1 .	1 .	.	.	.	.	E824
1 .	.	2 .	.	1 .	.	.	.	.	1 .	1 .	.	1 .	.	.	E825
.	.	.	1 .	1 .	1 .	.	.	.	.	.	.	.	.	.	E835
.	.	1 .	1 .	1 .	1 .	1 .	2 .	.	2 .	1 .	3 .	1 .	.	.	E843

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E845	Other non-motor road vehicle accidents	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E871	Accidental poisoning by barbituric acid and derivatives	M	2	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
E874	Accidental poisoning by other analgesic and soporific drugs	M	1	.	.	.	.	.	.	.	.
		F	2	.	1	.	.	.	1	.	.
E878	Accidental poisoning by other and unspecified drugs	M	1	.	1	.	.	.	1	.	.
		F	1	.	.	.	1	.	1	.	.
E881	Accidental poisoning by petroleum products	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E890	Accidental poisoning by utility (illuminating) gas	M	6	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
E892	Accidental poisoning by other carbon monoxide gas	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E895	Accidental poisoning by unspecified gases and vapours	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E900	Fall on stairs	M	8	.	.	.	.	.	.	1	.
		F	6	.	.	.	.	.	.	.	.
E901	Fall from ladders	M	2	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
E902	Other falls from one level to another	M	35	.	.	.	1	.	1	.	1
		F	8	1	.	.	.	.	1	3	1
E903	Fall on same level	M	19	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
E904	Unspecified falls	M	76	.	.	.	.	.	.	.	.
		F	172	.	.	.	.	.	.	1	.
E910	Blow from falling or projected object or missile	M	7	.	.	.	.	.	.	.	.
		F	3	.	.	.	1	.	1	.	.
E912	Accident caused by machinery	M	22	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	.	.
E913	Accident caused by cutting and piercing instruments	M	3	.	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.
E914	Accident caused by electric current	M	6	.	.	.	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	.
E916	Accident caused by fire and explosion of combustible material	M	31	.	.	2	.	1	3	.	2
		F	39	.	.	1	1	2	4	2	1
E917	Accident caused by hot substance, corrosive liquid and steam	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	1	.	.	1	.	.
E919	Accident caused by firearm	M	8	.	.	1	.	.	1	.	.
		F	1	.	.	.	.	.	.	.	.
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	23	13	1	.	.	1	15	.	.
		F	11	6	2	.	.	.	8	.	.
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	2	.	.	1	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
E924	Accidental mechanical suffocation in bed and cradle	M	11	11	.	.	.	.	11	.	.
		F	4	3	.	1	.	.	4	.	.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	6	3	.	.	.	.	3	.	.
		F	1	.	.	.	.	.	.	.	.
E926	Lack of care of infants under 1 year of age	M	2	2	.	.	.	.	2	.	.
		F	5	5	.	.	.	.	5	.	.
E928	Other accidents caused by animals	M	2	.	.	.	.	.	.	.	1
		F	3	.	.	.	.	.	.	.	.
E929	Accidental drowning and submersion	M	101	.	2	2	.	1	5	8	12
		F	37	.	1	4	1	.	6	2	2
E932	Excessive cold	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E933	Hunger, thirst, and exposure	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E936	Other and unspecified accidents	M	7	.	1	.	.	.	1	.	1
		F	1	.	.	.	.	.	.	.	.
E951	Therapeutic misadventure in infusion or transfusion	M	1	.	.	1	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
E955	Other and unspecified therapeutic misadventure	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E962	Late effect of other accidental injury	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E965	Late effects of injuries due to war operations	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M	3	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M	2	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
E972	Suicide and self-inflicted poisoning by gases in domestic use	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E973	Suicide and self-inflicted poisoning by other gases	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E974	Suicide and self-inflicted injury by hanging and strangulation	M	23	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
E975	Suicide and self-inflicted injury by submersion (drowning)	M	7	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
E976	Suicide and self-inflicted injury by firearms and explosives	M	8	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M	6	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E979	Suicide and self-inflicted injury by other and unspecified means	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E981	Assult by firearm and explosive	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E982	Assult by cutting and piercing instruments	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E983	Assult by other means	M	3	.	.	.	.	.	.	.	.
		F	4	1	.	.	.	.	1	.	.

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE.

death															Detailed Inter-national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	E925
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E926
.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	E928
8 1	8 1	1 3	2 3	3 1	9 3	3 2	7 3	8 1	8 1	6 3	8 3	2 1	1 1	2 .	E929
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	E932
.	.	.	.	2	.	.	.	.	1	. 1	.	.	.	.	E933
.	.	.	1	1	.	2	.	.	1	1	.	.	.	.	E936
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E951
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E955
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E962
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E965
.	1	.	1	.	.	.	1	1	1	.	.	.	.	.	E970
1	.	.	.	.	.	.	.	.	3	.	2	.	.	.	E971
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	E972
.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	E973
.	.	2	1	1	1	1	2	.	4	5	4	1	.	1	E974
.	1	1 2	.	.	1	1	1	.	.	1	2	.	.	.	E975
1	.	.	.	.	.	2	1	.	2	.	1	.	1	.	E976
.	.	.	.	.	1	1	1	.	1	1	.	.	1	.	E977
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E979
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E981
2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	E982
1 1	.	.	.	.	.	1 2	.	.	1	.	.	.	.	.	E983

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	19,148 15,965	500 426
001-008	B 1	Tuberculosis of respiratory system	M F	225 83	2 .
010-019	B 2	Tuberculosis, other forms	M F	21 12	. .
020-029	B 3	Syphilis and its sequelae	M F	2 .	. .
040	B 4	Typhoid fever	M F	. .	. .
045-048	B 6	Dysentery, all forms	M F	1 .	. .
050	B 7a	Scarlet fever	M F	. .	. .
051	B 7b	Streptococcal sore throat	M F	. 1	. .
055	B 8	Diphtheria	M F	. .	. .
056	B 9	Whooping cough	M F	2 .	. .
057	B 10	Meningococcal infections	M F	3 3	. .
080	B 12	Acute poliomyelitis	M F	. .	. .
085	B 14	Measles	M F	7 4	. .
110-117	B 16	Malaria	M F	. .	. .
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	B 17	Other infective and parasitic diseases	M F	35 29	. .
151	B 18a	Malignant neoplasms:- of stomach	M F	464 374	1 .
150, 152-159	B 18b	of other digestive organs and peritoneum	M F	737 712	2 3
160-165	B 18c	of respiratory system	M F	696 175	. .
170	B 18d	of breast	M F	1 371	. 1
171-181	B 18e	of genito-urinary system	M F	400 326	1 1
200-205	B 18f	of lymphatic and haematopoietic tissues	M F	172 128	. .
140-148, 190-199	B 18g	other	M F	352 265	5 3
210-239	B 19	Benign and unspecified neoplasms	M F	51 40	. .
260	B 20	Diabetes mellitus	M F	120 165	. 3
290-293	B 21	Anaemias	M F	56 81	. .
330-334	B 22	Vascular lesions affecting central nervous system	M F	1,957 2,381	16 15
340	B 23	Non-meningococcal meningitis	M F	24 9	. .
400-402	B 24	Rheumatic fever	M F	5 3	. .
410-416	B 25	Chronic rheumatic heart disease	M F	131 163	1 .
421	B 26a	Chronic endocarditis	M F	139 110	1 1
420	B 26b	Coronary and arteriosclerotic heart disease	M F	3,742 2,188	62 30

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed List Numbers	Abbreviated List Number	Cause of death	Total	Uncertified
422	B 26c	Other myocardial degeneration M F	1,637 1,588	33 33
430-434	B 27	Other diseases of heart M F	775 807	29 28
440-443	B 28	Hypertension with heart disease M F	272 338	3 2
444-447	B 29	Hypertension without mention of heart M F	165 168	1 1
450-468	B 46a	Other diseases of circulatory system M F	557 552	2 6
480-483	B 30	Influenza M F	478 476	14 21
490-493	B 31	Pneumonia M F	777 794	7 1
500-502	B 32	Bronchitis M F	1,133 519	5 1
526	B 46b	Bronchiectasis M F	40 36	..
470-475, 510-525, 527	B 46c	Other diseases of respiratory system M F	230 150	2 .
540, 541	B 33	Ulcer of stomach and duodenum M F	171 69	..
550-553	B 34	Appendicitis M F	19 4	..
560, 561, 570	B 35	Intestinal obstruction and hernia M F	69 84	1 1
543, 571, 572	B 36	Gastritis and enteritis (except of newborn) M F	116 101	.. 1
764, 571.0	B 36, 43, parts of	Gastro-enteritis (under 2 years) M F	73 50	.. 1
581	B 37	Cirrhosis of liver M F	36 22	..
530-539, 542, 544, 545, 573-578, 580, 582-587	B 46d	Other diseases of digestive system M F	88 90	.. 1
590-594	B 38	Nephritis and nephrosis M F	202 144	2 .
610	B 39	Hyperplasia of prostate M	169	..
640-689	B 40	Deliveries and complications of pregnancy and childbirth F	18	..
750-759	B 41	Congenital malformations M F	268 239	.. 2
760-762	B 42	Birth injuries, asphyxia and atelectasis M F	192 123	..
763-768	B 43	Infections of the newborn M F	54 45	..
769-776	B 44	Other diseases of early infancy M F	199 133	..
794	B 45a	Senility without psychosis M F	650 686	252 228
780-793, 795	B 45b	Ill-defined and unknown causes M F	181 152	48 36
240-245, 250-254, 270-277, 280-289, 294-326, 341-345, 350-357, 360-398, 600-609, 611-637, 690-716, 720-727, 730-738, 740-749	B 46c	All other diseases M F	574 588	9 7
External Causes				
E810-E835	B 47	Motor vehicle accidents M F	282 71	..
E800-E802, E840-E862	B 48	All other accidents M F	410 324	1 .
E963, E970-E979	B 49	Suicide and self-inflicted injury M F	52 17	..
E964, E965, E980-E999	B 50	Homicide and operations of war M F	9 4	..

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death	Leinster		Munster		Connacht		Ulster (part of)		
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
B 26c	Other myocardial degeneration	M	524	7	631	2	318	12	164	12
		F	589	7	592	6	261	11	146	9
B 27	Other diseases of heart	M	290	9	286	15	123	4	76	1
		F	322	4	313	16	108	6	64	2
B 28	Hypertension with heart disease	M	105	1	98	1	45	1	24	.
		F	172	.	101	.	46	2	19	.
B 29	Hypertension without mention of heart	M	84	.	40	.	31	1	10	.
		F	87	.	36	.	31	.	14	1
B 46a	Other diseases of circulatory system	M	242	2	193	.	71	.	51	.
		F	239	2	202	.	66	1	45	3
B 30	Influenza	M	167	3	172	3	84	6	55	2
		F	195	1	149	6	72	10	60	4
B 31	Pneumonia	M	347	1	231	.	111	2	88	4
		F	376	.	257	.	86	1	75	.
B 32	Bronchitis	M	627	1	347	2	107	1	52	1
		F	263	.	179	1	54	.	23	.
B 46b	Bronchiectasis	M	18	.	16	.	5	.	1	.
		F	17	.	9	.	9	.	1	.
B 46c	Other diseases of respiratory system	M	112	.	63	2	45	.	10	.
		F	62	.	48	.	33	.	7	.
B 33	Ulcer of stomach and duodenum	M	69	.	69	.	20	.	13	.
		F	24	.	22	.	12	.	11	.
B 34	Appendicitis	M	10	.	3	.	4	.	2	.
		F	3	.	.	.	.	.	1	.
B 35	Intestinal obstruction and hernia	M	31	.	24	1	9	.	5	.
		F	33	.	27	.	17	1	7	.
B 36	Gastritis and enteritis (except of newborn)	M	61	.	38	.	13	.	4	.
		F	49	1	29	.	19	.	4	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	44	.	21	.	7	.	1	.
		F	23	1	15	.	10	.	2	.
B 37	Cirrhosis of liver	M	19	.	9	.	7	.	1	.
		F	12	.	5	.	3	.	2	.
B 46d	Other diseases of digestive system	M	39	.	27	.	18	.	4	.
		F	38	1	27	.	20	.	5	.
B 38	Nephritis and nephrosis	M	92	1	57	1	38	.	15	.
		F	62	.	43	.	17	.	22	.
B 39	Hyperplasia of prostate	M	52	.	71	.	29	.	17	.
B 40	Deliveries and complications of pregnancy and childbirth	F	8	.	5	.	4	.	1	.
B 41	Congenital malformations	M	144	.	88	.	16	.	20	.
		F	132	1	70	1	28	.	9	.
B 42	Birth injuries, asphyxia and atelectasis	M	105	.	62	.	14	.	11	.
		F	69	.	34	.	9	.	11	.
B 43	Infections of the newborn	M	32	.	11	.	8	.	3	.
		F	27	.	11	.	3	.	4	.
B 44	Other diseases of early infancy	M	110	.	61	.	14	.	14	.
		F	70	.	37	.	18	.	8	.
B 45a	Senility without psychosis	M	154	31	252	75	181	132	63	14
		F	174	23	275	72	173	116	64	17
B 45b	Ill defined and unknown causes	M	65	10	45	18	42	15	29	5
		F	74	15	30	8	30	10	18	3
B 46e	All other diseases	M	239	2	192	2	91	3	52	2
		F	253	.	193	4	84	1	58	2
B 47	Motor vehicle accidents	M	151	.	85	.	30	.	16	.
		F	39	.	20	.	7	.	5	.
B 48	All other accidents	M	187	.	129	.	52	1	42	.
		F	136	.	120	.	46	.	22	.
B 49	Suicide and self-inflicted injury	M	19	.	18	.	6	.	9	.
		F	6	.	3	.	4	.	4	.
B 50	Homicide and operations of war	M	5	.	2	.	1	.	1	.
		F	2	.	2	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	203 182	3 2	2,985 2,832	7 6	290 342	. .	675 570	1 2
B 1	Tuberculosis of respiratory system	M F	. 1	. .	59 20	. .	5 1	. .	9 .	. .
B 2	Tuberculosis, other forms	M F	. .	. .	3 2	. .	. 1	. .	. .	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. 1	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	1 .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. 1	. .	3 2	. .	1 .	. .	1 .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 1	. .	6 5	. .	. 1	. .	3 1	. .
B 18a	Malignant neoplasms:- of stomach	M F	3 3	. .	64 70	. .	8 6	. .	16 11	. .
B 18b	of other digestive organs and peritoneum	M F	9 9	. .	118 136	. .	6 15	. .	30 31	. .
B 18c	of respiratory system	M F	6 .	. .	225 44	. .	18 5	. .	35 12	. .
B 18d	of breast	M F	. 2	. .	. 79	. .	. 12	. .	. 7	. .
B 18e	of genito-urinary system	M F	8 2	. .	61 73	. .	5 10	. .	20 13	. .
B 18f	of lymphatic and haematopoietic tissues	M F	4 1	. .	38 26	. .	1 4	. .	4 7	. .
B 18g	other	M F	3 3	. .	57 53	. .	4 8	. .	17 7	. .
B 19	Benign and unspecified neoplasms	M F	. .	. .	12 10	. .	1 2	. .	3 4	. .
B 20	Diabetes mellitus	M F	1 6	. .	12 27	. .	1 3	. .	7 6	. .
B 21	Anaemias	M F	. 2	. .	5 13	. .	. 3	. .	2 2	. .
B 22	Vascular lesions affecting central nervous system	M F	18 34	. .	243 412	. .	20 59	. .	54 88	. .
B 23	Non-meningococcal meningitis	M F	. .	. .	4 1	. .	1 .	. .	. 1	. .
B 24	Rheumatic fever	M F	. .	. .	2 .	. .	. .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	8 7	. .	14 35	. .	1 3	. .	3 7	. .
B 26a	Chronic endocarditis	M F	1 .	. .	6 14	. .	5 1	. .	3 8	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	29 27	. .	665 500	4 2	71 52	. .	158 90	. .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	5	.	82	.	12	.	24	.
		F	5	.	131	.	22	.	33	.
B 27	Other diseases of heart	M	25	1	94	.	17	.	15	.
		F	19	.	139	1	18	.	21	.
B 28	Hypertension with heart disease	M	3	.	30	.	5	.	4	.
		F	6	.	69	.	8	.	11	.
B 29	Hypertension without mention of heart	M	1	.	27	.	4	.	5	.
		F	.	.	39	.	9	.	11	.
B 46a	Other diseases of circulatory system	M	5	.	56	.	6	.	13	.
		F	6	.	61	.	14	.	16	.
B 30	Influenza	M	12	.	28	.	2	.	8	.
		F	5	.	64	.	6	.	13	1
B 31	Pneumonia	M	3	.	172	.	15	.	32	.
		F	8	.	210	.	12	.	33	.
B 32	Bronchitis	M	9	.	289	.	17	.	51	.
		F	1	.	120	.	13	.	24	.
B 46b	Bronchiectasis	M	.	.	5	.	2	.	1	.
		F	.	.	11	.	.	.	2	.
B 46c	Other diseases of respiratory system	M	4	.	55	.	3	.	12	.
		F	1	.	29	.	6	.	3	.
B 33	Ulcer of stomach and duodenum	M	2	.	34	.	3	.	6	.
		F	.	.	13	.	.	.	3	.
B 34	Appendicitis	M	2	.	3	.	.	.	.	.
		F	.	.	1	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	17	.	1	.	2	.
		F	2	.	14	.	2	.	2	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	20	.	7	.	9	.
		F	.	.	23	.	5	.	2	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	14	.	4	.	6	.
		F	1	.	8	.	.	.	1	.
B 37	Cirrhosis of liver	M	.	.	7	.	1	.	1	.
		F	1	.	3	.	2	.	2	.
B 46d	Other diseases of digestive system	M	.	.	14	.	2	.	4	.
		F	3	1	24	.	.	.	2	.
B 38	Nephritis and nephrosis	M	2	.	38	.	2	.	8	.
		F	1	.	24	.	1	.	2	.
B 39	Hyperplasia of prostate	M	.	.	11	.	1	.	.	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	3	.	.	.	1	.
B 41	Congenital malformations	M	5	.	51	.	5	.	24	.
		F	1	.	52	1	6	.	24	.
B 42	Birth injuries, asphyxia and atelectasis	M	3	.	45	.	4	.	15	.
		F	3	.	22	.	3	.	10	.
B 43	Infections of the newborn	M	.	.	17	.	.	.	2	.
		F	2	.	13	.	1	.	2	.
B 44	Other diseases of early infancy	M	8	.	44	.	4	.	13	.
		F	2	.	25	.	2	.	9	.
B 45a	Senility without psychosis	M	5	2	7	.	1	.	4	.
		F	3	1	23	.	3	.	6	.
B 45b	Ill-defined and unknown causes	M	.	.	23	3	2	.	3	.
		F	1	.	16	2	5	.	5	.
B 46c	All other diseases	M	6	.	91	.	10	.	19	.
		F	6	.	107	.	9	.	19	.
External Causes										
B 47	Motor vehicle accidents	M	2	.	49	.	8	.	14	.
		F	.	.	18	.	2	.	4	.
B 48	All other accidents	M	7	.	76	.	6	.	18	.
		F	7	.	49	.	7	.	14	.
B 49	Suicide and self-inflicted injury	M	.	.	1	.	2	.	3	.
		F	.	.	4	.	.	.	1	.
B 50	Homicide and operations of war	M	.	.	1	.	.	.	.	.
		F	.	.	2	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	411 260	6 4	457 376	6 7	310 239	11 3	302 187	19 7
B 1	Tuberculosis of respiratory system	M F	2 2	• •	4 2	• •	6 •	• •	3 1	• •
B 2	Tuberculosis, other forms	M F	• •	• •	• •	• •	• •	• •	1 •	• •
B 3	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	• 1	• •	• •	• •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 16	Malaria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	3 •	• •	1 1	• •	1 •	• •	1 •	• •
B 18a	Malignant neoplasms:- of stomach	M F	9 9	• •	8 6	• •	6 4	• •	15 5	• •
B 18b	of other digestive organs and peritoneum	M F	12 11	• •	16 17	• •	15 14	• •	14 8	• •
B 18c	of respiratory system	M F	21 4	• •	12 2	• •	8 3	• •	5 4	• •
B 18d	of breast	M F	• 3	• •	• 9	• •	• 8	• •	• 1	• •
B 18e	of genito-urinary system	M F	6 4	• •	10 8	• •	6 8	• •	2 3	• •
B 18f	of lymphatic and haematopoietic tissues	M F	9 2	• •	1 2	• •	4 •	• •	3 •	• •
B 18g	other	M F	6 1	• •	6 2	• •	9 2	• •	3 1	• •
B 19	Benign and unspecified neoplasms	M F	4 1	• •	• 1	• •	• 1	• •	2 •	• •
B 20	Diabetes mellitus	M F	4 4	• •	3 2	• •	2 1	• •	2 •	• •
B 21	Anaemias	M F	• •	• •	• •	• •	• 1	• •	1 1	• •
B 22	Vascular lesions affecting central nervous system	M F	42 30	• 1	37 41	• •	37 37	1 •	35 27	1 •
B 23	Non-meningococcal meningitis	M F	1 •	• •	1 •	• •	1 •	• •	• •	• •
B 24	Rheumatic fever	M F	• •	• •	1 •	• •	• •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	8 5	• •	4 5	• •	3 1	• •	• •	• •
B 26a	Chronic endocarditis	M F	1 4	• •	2 5	• •	6 4	• •	6 1	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	76 27	2 •	82 54	2 1	73 36	3 •	27 10	1 •

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 26c	Other myocardial degeneration	M	22	1	49	1	19	.	45	2
		F	31	.	36	2	25	1	29	1
B 27	Other diseases of heart	M	26	2	14	.	5	.	12	.
		F	21	.	13	.	10	.	2	.
B 28	Hypertension with heart disease	M	7	.	.	.	2	1	31	.
		F	8	.	4	.	2	.	29	.
B 29	Hypertension without mention of heart	M	1	.	5	.	7	.	1	.
		F	2	.	2	.	3	.	2	.
B 46a	Other diseases of circulatory system	M	9	.	26	.	15	1	10	1
		F	9	.	20	.	13	.	6	.
B 30	Influenza	M	8	.	7	.	10	.	13	2
		F	7	.	13	.	9	.	10	.
B 31	Pneumonia	M	21	.	17	.	11	.	6	.
		F	18	.	18	.	11	.	2	.
B 32	Bronchitis	M	31	.	19	1	14	.	7	.
		F	14	.	6	.	7	.	2	.
B 46b	Bronchiectasis	M	.	.	.	.	1	.	2	.
		F	.	.	1	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	1	.	5	.	6	.	.	.
		F	1	.	4	.	1	.	.	.
B 33	Ulcer of stomach and duodenum	M	3	.	5	.	1	.	2	.
		F	.	.	1	.	.	.	2	.
B 34	Appendicitis	M	.	.	1	.	1	.	.	.
		F	.	.	.	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	1	.	.	.	1	.	1	.
		F	1	.	.	.	.	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	5	.	5	.	1	.	1	.
		F	2	.	4	.	.	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	7	.	3	.	1	.	1	.
		F	2	.	3	.	.	.	.	.
B 37	Cirrhosis of liver	M	1	.	1	.	.	.	.	.
		F	1	.	1	.	.	.	.	.
B 46d	Other diseases of digestive system	M	2	.	4	.	1	.	1	.
		F	.	.	2	.	1	.	.	.
B 38	Nephritis and nephrosis	M	6	.	6	.	1	.	2	.
		F	3	.	3	.	1	.	3	.
B 39	Hyperplasia of prostate	M	2	.	4	.	2	.	2	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	1	.	.	.	.	.
B 41	Congenital malformations	M	5	.	5	.	3	.	4	.
		F	4	.	5	.	.	.	1	.
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	6	.	1	.	3	.
		F	1	.	1	.	6	.	3	.
B 43	Infections of the newborn	M	4	.	1	.	1	.	2	.
		F	2	.	1	.	.	.	1	.
B 44	Other diseases of early infancy	M	6	.	8	.	1	.	1	.
		F	1	.	5	.	.	.	2	.
B 45a	Senility without psychosis	M	9	.	49	2	14	4	12	11
		F	6	1	46	1	9	2	6	4
B 45b	Ill-defined and unknown causes	M	4	.	5	.	3	.	2	1
		F	4	2	12	3	2	.	3	2
B 46e	All other diseases	M	9	.	12	.	10	1	7	.
		F	12	.	13	.	6	.	6	.
External Causes										
B 47	Motor vehicle accidents	M	15	.	4	.	2	.	7	.
		F	.	.	1	.	2	.	3	.
B 48	All other accidents	M	6	.	10	.	4	.	6	.
		F	4	.	5	.	5	.	8	.
B 49	Suicide and self-inflicted injury	M	1	.	1	.	1	.	1	.
		F	.	.	.	.	.	.	1	.
B 50	Homicide and operations of war	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	442 352	3 1	470 407	12 3	317 263	10 14	360 261	13 13
B 1	Tuberculosis of respiratory system	M F	9 5	. .	3 2	. .	1 4	. .	2 .	. .
B 2	Tuberculosis, other forms	M F	2 .	. .	. .	. .	. .	. .	1 .	. .
B 3	Syphilis and its sequelae	M F	1 .	. .	. .	. .	. .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 .	. .	1 1	. .	3 .	. .	. .	. .
B 18a	Malignant neoplasms:- of stomach	M F	9 19	. .	11 5	. .	3 7	. .	11 10	. .
B 18b	of other digestive organs and peritoneum	M F	8 12	. .	16 19	. .	11 11	. .	13 10	. .
B 18c	of respiratory system	M F	11 3	. .	9 3	. .	6 2	. .	7 4	. .
B 18d	of breast	M F	11 .	. .	11 .	. .	7 .	1 .	5 .	. .
B 18e	of genito-urinary system	M F	13 5	. .	16 9	. .	6 5	. .	10 1	. .
B 18f	of lymphatic and haematopoietic tissues	M F	7 1	. .	5 2	. .	3 4	. .	2 .	. .
B 18g	other	M F	8 6	. .	8 8	. .	5 3	. .	6 4	. .
B 19	Benign and unspecified neoplasms	M F	1 1	. .	1 .	. .	1 .	. .	1 1	. .
B 20	Diabetes mellitus	M F	. 6	. .	5 4	. .	3 5	. .	2 1	. .
B 21	Anaemias	M F	1 1	. .	4 3	. .	. 1	. .	1 1	. .
B 22	Vascular lesions affecting central nervous system	M F	49 58	. .	52 70	. .	38 39	. .	35 32	. .
B 23	Non-meningococcal meningitis	M F	1 .	. .	. .	. .	1 .	. .	. .	. .
B 24	Rheumatic fever	M F	. 1	. .	. .	. .	1 .	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	2 3	. .	2 2	. .	4 3	. .	1 1	. .
B 26a	Chronic endocarditis	M F	9 5	. .	2 5	. .	3 3	. .	4 .	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	77 40	1 1	90 49	3 .	51 26	2 2	63 27	3 .

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	615 526	1 2	399 326	1 1	700 751	. .	1,640 1,360	15 29
B 1	Tuberculosis of respiratory system	M F	10 5	. .	3 1	. .	14 5	. .	13 4	. .
B 2	Tuberculosis, other forms	M F	3 1	. .	. .	. .	4 1	. .	2	. .
B 3	Syphilis and its sequelae	M F	. .	. .	. .	. .	1 .	. .	. .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	. .	. .	. .	. .	2 .	. .	1 1	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	1 1	. .	2 .	. .	1 2	. .	3 1	. .
B 18a	Malignant neoplasms:- of stomach	M F	12 11	. .	15 5	. .	12 18	. .	29 40	. .
B 18b	of other digestive organs and peritoneum	M F	23 15	. .	11 18	. .	38 41	. .	77 60	. .
B 18c	of respiratory system	M F	12 6	. .	22 7	. .	33 10	. .	52 13	. .
B 18d	of breast	M F	5 .	. .	6 .	. .	15 .	. .	37 .	. .
B 18e	of genito-urinary system	M F	14 6	. .	9 7	. .	13 17	. .	42 28	. .
B 18f	of lymphatic and haematopoietic tissues	M F	6 1	. .	4 2	. .	6 13	. .	12 7	. .
B 18g	other	M F	8 8	. .	5 11	. .	7 14	. .	27 24	. .
B 19	Benign and unspecified neoplasms	M F	2 .	. .	1 .	. .	4 5	. .	2 3	. .
B 20	Diabetes mellitus	M F	2 5	. .	7 10	. .	3 4	. .	12 10	. 1
B 21	Anaemias	M F	3 .	. .	2 2	. .	1 2	. .	2 7	. .
B 22	Vascular lesions affecting central nervous system	M F	76 90	. .	63 55	. .	49 107	. .	182 213	. .
B 23	Non-meningococcal meningitis	M F	. 2	. .	. .	. .	2 1	. .	2 1	. .
B 24	Rheumatic fever	M F	. .	. .	. .	. .	. .	. .	1 .	. .
B 25	Chronic rheumatic heart disease	M F	5 7	. .	2 2	. .	5 14	. .	7 10	. .
B 26a	Chronic endocarditis	M F	4 2	. .	. 2	. .	4 6	. .	10 3	. .
B 26b	Coronary and arteriosclerotic heart disease	M F	135 98	. .	63 44	. 1	154 106	. .	328 165	3 4

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 26c	Other myocardial degeneration	M	49	1	56	1	52	.	141	.
		F	43	1	41	.	78	.	161	3
B 27	Other diseases of heart	M	16	.	10	.	19	.	75	2
		F	19	1	11	.	36	.	67	1
B 28	Hypertension with heart disease	M	2	.	5	.	7	.	17	.
		F	5	.	6	.	11	.	24	.
B 29	Hypertension without mention of heart	M	10	.	9	.	3	.	18	.
		F	8	.	3	.	5	.	5	.
B 46a	Other diseases of circulatory system	M	60	.	5	.	30	.	62	.
		F	45	.	11	.	24	.	63	.
B 30	Influenza	M	16	.	6	.	6	.	40	.
		F	21	.	9	.	10	.	36	2
B 31	Pneumonia	M	9	.	10	.	36	.	57	.
		F	13	.	11	.	42	.	60	.
B 32	Bronchitis	M	39	.	31	.	62	.	84	1
		F	22	.	10	.	33	.	41	.
B 46b	Bronchiectasis	M	2	.	.	.	.	.	6	.
		F	.	.	1	.	.	.	4	.
B 46c	Other diseases of respiratory system	M	10	.	2	.	11	.	15	1
		F	6	.	2	.	9	.	15	.
B 33	Ulcer of stomach and duodenum	M	3	.	.	.	9	.	28	.
		F	1	.	.	.	2	.	8	.
B 34	Appendicitis	M	.	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	1	.	3	.	10	.
		F	1	.	3	.	2	.	7	.
B 36	Gastritis and enteritis (except of newborn)	M	1	.	2	.	6	.	6	.
		F	4	.	3	.	3	.	5	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	2	.	4	.	3	.
		F	1	.	3	.	3	.	1	.
B 37	Cirrhosis of liver	M	3	.	.	.	3	.	2	.
		F	.	.	1	.	.	.	1	.
B 46d	Other diseases of digestive system	M	1	.	4	.	4	.	10	.
		F	2	.	.	.	4	.	6	.
B 38	Nephritis and nephrosis	M	4	.	4	.	6	.	17	.
		F	5	.	2	.	5	.	12	.
B 39	Hyperplasia of prostate	M	13	.	2	.	9	.	24	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	2	.	1	.
B 41	Congenital malformations	M	7	.	4	.	13	.	20	.
		F	8	.	8	.	11	.	19	.
B 42	Birth injuries, asphyxia and atelectasis	M	5	.	5	.	12	.	15	.
		F	2	.	2	.	4	.	7	.
B 43	Infections of the newborn	M	.	.	2	.	1	.	2	.
		F	.	.	1	.	3	.	1	.
B 44	Other diseases of early infancy	M	3	.	3	.	10	.	8	.
		F	4	.	.	.	9	.	6	.
B 45a	Senility without psychosis	M	2	.	4	.	10	.	56	6
		F	10	.	3	.	19	.	75	15
B 45b	Ill-defined and unknown causes	M	5	.	1	.	3	.	13	2
		F	.	.	9	.	5	.	4	2
B 46e	All other diseases	M	16	.	9	.	12	.	51	.
		F	25	.	12	.	34	.	64	1
	External Causes									
B 47	Motor vehicle accidents	M	8	.	5	.	8	.	18	.
		F	1	.	1	.	2	.	6	.
B 48	All other accidents	M	11	.	9	.	9	.	37	.
		F	13	.	1	.	16	.	33	.
B 49	Suicide and self-inflicted injury	M	5	.	1	.	2	.	6	.
		F	.	.	.	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	2	.	1	.	.	.
		F	.	.	.	.	1	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	593 411	25 23	913 730	71 56	253 266	1 .	619 492	10 9
B 1	Tuberculosis of respiratory system	M F	3 2	.	9 3	.	3 1	.	5 3	.
B 2	Tuberculosis, other forms	M F	1 1	.	1 .	.	.	.	2 .	.
B 3	Syphilis and its sequelae	M F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M F	.	.	1 .	.	.	.	.	.
B 10	Meningococcal infections	M F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M F	.	.	.	.	.	.	.	.
B 14	Measles	M F	.	.	.	.	.	.	.	.
B 16	Malaria	M F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	.	.	2 3	.	1 .	.	1 .	.
B 18a	Malignant neoplasms:- of stomach	M F	14 10	.	21 11	.	7 1	.	11 6	.
B 18b	of other digestive organs and peritoneum	M F	24 6	1 1	34 36	1	8 24	.	28 24	.
B 18c	of respiratory system	M F	13 2	.	25 1	.	19 2	.	19 7	.
B 18d	of breast	M F	5 .	.	15 .	.	2 .	.	1 16	.
B 18e	of genito-urinary system	M F	13 9	1 .	18 13	.	3 6	.	17 8	.
B 18f	of lymphatic and haematopoietic tissues	M F	6 4	.	6 6	.	1 2	.	4 3	.
B 18g	other	M F	7 3	1 .	13 14	.	4 8	.	11 5	.
B 19	Benign and unspecified neoplasms	M F	1 1	.	1 3	.	4 1	.	3 2	.
B 20	Diabetes mellitus	M F	8 6	.	9 8	.	2 .	.	6 8	1
B 21	Anaemias	M F	2 2	.	5 6	.	1 .	.	2 3	.
B 22	Vascular lesions affecting central nervous system	M F	38 41	1 2	75 91	2 3	17 45	.	78 72	.
B 23	Non-meningococcal meningitis	M F	.	.	.	.	1 .	.	.	.
B 24	Rheumatic fever	M F	.	.	1 .	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M F	2 4	.	9 6	.	3 3	.	4 5	.
B 26a	Chronic endocarditis	M F	10 7	1 .	10 3	.	1 3	.	7 1	.
B 26b	Coronary and arteriosclerotic heart disease	M F	95 45	2 .	159 86	9 3	54 24	1 .	121 66	2

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 26c	Other myocardial degeneration	M	115	.	112	.	6	.	68	.
		F	71	.	98	2	20	.	52	1
B 27	Other diseases of heart	M	23	2	51	5	12	.	29	.
		F	29	4	61	6	21	.	32	.
B 28	Hypertension with heart disease	M	2	.	12	.	6	.	9	.
		F	12	.	12	.	5	.	5	.
B 29	Hypertension without mention of heart	M	1	.	4	.	2	.	4	.
		F	3	.	10	.	2	.	6	.
B 46a	Other diseases of circulatory system	M	15	.	42	.	4	.	8	.
		F	21	.	29	.	10	.	20	.
B 30	Influenza	M	16	1	31	2	7	.	9	.
		F	15	1	18	3	10	.	12	.
B 31	Pneumonia	M	14	.	24	.	5	.	24	.
		F	18	.	26	.	16	.	19	.
B 32	Bronchitis	M	36	.	14	.	27	.	36	1
		F	22	1	11	.	14	.	16	.
B 46b	Bronchiectasis	M	.	.	.	.	3	.	1	.
		F	2	.	2	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	5	.	13	1	4	.	3	.
		F	3	.	5	.	3	.	2	.
B 33	Ulcer of stomach and duodenum	M	3	.	8	.	1	.	4	.
		F	2	.	4	.	1	.	.	.
B 34	Appendicitis	M	.	.	2	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	4	.	.	.	3	.
		F	4	.	7	.	.	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	4	.	9	.	3	.	.	.
		F	2	.	2	.	6	.	2	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	2	.	1	.	2	.	.	.
		F	2	.	.	.	3	.	.	.
B 37	Cirrhosis of liver	M	.	.	.	.	.	.	2	.
		F	1	.	1	.	1	.	1	.
B 46d	Other diseases of digestive system	M	4	.	4	.	.	.	1	.
		F	2	.	5	.	1	.	4	.
B 38	Nephritis and nephrosis	M	8	1	7	.	.	.	6	.
		F	4	.	8	.	2	.	5	.
B 39	Hyperplasia of prostate	M	4	.	17	.	1	.	5	.
B 40	Deliveries and complications of pregnancy and childbirth	F	1	.	.	.	.	.	1	.
B 41	Congenital malformations	M	5	.	13	.	8	.	13	.
		F	6	.	9	1	3	.	7	.
B 42	Birth injuries, asphyxia and atelectasis	M	6	.	8	.	6	.	3	.
		F	1	.	4	.	3	.	5	.
B 43	Infections of the newborn	M	1	.	.	.	.	.	1	.
		F	1	.	.	.	1	.	.	.
B 44	Other diseases of early infancy	M	12	.	7	.	3	.	4	.
		F	1	.	5	.	.	.	3	.
B 45a	Senility without psychosis	M	31	15	53	41	3	.	20	7
		F	22	10	49	33	6	.	28	5
B 45b	Ill-defined and unknown causes	M	8	2	12	9	1	.	1	.
		F	2	1	8	3	.	.	2	.
B 46e	All other diseases	M	19	.	37	2	8	.	23	.
		F	6	.	22	1	10	.	16	2
External Causes										
B 47	Motor vehicle accidents	M	3	.	12	.	7	.	13	.
		F	1	.	2	.	1	.	6	.
B 48	All other accidents	M	16	.	18	.	10	.	11	.
		F	10	.	25	.	4	.	13	.
B 49	Suicide and self-inflicted injury	M	3	.	2	.	1	.	1	.
		F	1	.	.	.	.	.	1	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	1	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	430 309	11 12	541 396	10 4	207 225	• •	343 282	7 8
B 1	Tuberculosis of respiratory system	M F	3 1	• •	6 2	1 •	9 3	• •	4 2	• •
B 2	Tuberculosis, other forms	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 3	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	1 •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	1 •	• •	• •	• •	• •	• •	• •	• •
B 16	Malaria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	• •	• •	1 2	• •	• •	• •	• •	• •
B 18a	Malignant neoplasms:- of stomach	M F	6 3	1 •	22 5	• •	6 7	• •	6 5	• •
B 18b	of other digestive organs and peritoneum	M F	9 10	• 1	23 22	• •	10 8	• •	22 9	• •
B 18c	of respiratory system	M F	13 3	• •	13 7	• •	9 3	• •	8 2	• •
B 18d	of breast	M F	• 9	• •	• 10	• •	• 5	• •	• 8	• •
B 18e	of genito-urinary system	M F	9 4	• •	5 9	• •	4 1	• •	4 6	• •
B 18f	of lymphatic and haematopoietic tissues	M F	6 2	• •	4 2	• •	1 1	• •	4 4	• •
B 18g	other	M F	7 6	• 1	11 7	• •	2 •	• •	5 4	• •
B 19	Benign and unspecified neoplasms	M F	2 •	• •	• •	• •	1 1	• •	1 2	• •
B 20	Diabetes mellitus	M F	5 1	• •	4 2	• •	• 2	• •	• 3	• •
B 21	Anaemias	M F	1 2	• •	3 1	• •	• 1	• •	• 2	• •
B 22	Vascular lesions affecting central nervous system	M F	34 42	• 2	63 65	• 1	21 37	• •	38 52	• •
B 23	Non-meningococcal meningitis	M F	• •	• •	1 •	• •	1 •	• •	• •	• •
B 24	Rheumatic fever	M F	• •	• •	1 •	• •	• •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	• 3	• •	2 3	• •	3 1	• •	5 1	• •
B 26a	Chronic endocarditis	M F	2 2	• •	• 4	• •	• •	• •	1 •	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	65 26	• •	117 72	3 1	32 33	• •	47 31	1 2

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 26c	Other myocardial degeneration	M	46	1	56	.	10	.	25	1
		F	38	.	42	.	15	.	17	.
B 27	Other diseases of heart	M	30	.	18	2	6	.	23	4
		F	24	.	13	1	9	.	21	4
B 28	Hypertension with heart disease	M	10	1	31	.	.	.	4	.
		F	6	.	19	.	5	.	2	.
B 29	Hypertension without mention of heart	M	1	.	4	.	2	.	1	.
		F	3	.	1	.	.	.	1	.
B 46a	Other diseases of circulatory system	M	11	.	11	.	1	.	9	.
		F	7	.	10	.	5	.	13	.
B 30	Influenza	M	17	.	4	.	22	.	20	.
		F	17	.	10	.	7	.	14	.
B 31	Pneumonia	M	12	.	22	.	13	.	24	.
		F	18	.	17	.	28	.	13	.
B 32	Bronchitis	M	20	.	29	.	22	.	17	.
		F	10	.	7	.	14	.	11	.
B 46b	Bronchiectasis	M	1	.	1	.	3	.	1	.
		F	.	.	.	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	5	.	5	.	.	.	2	.
		F	4	.	5	.	.	.	2	.
B 33	Ulcer of stomach and duodenum	M	4	.	6	.	2	.	4	.
		F	2	.	1	.	.	.	2	.
B 34	Appendicitis	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	2	.	1	.	.	.	2	1
		F	1	.	2	.	1	.	.	.
B 36	Gastritis and enteritis (except of newborn)	M	2	.	3	.	.	.	5	.
		F	1	.	4	.	2	.	2	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	6	.	.	.	2	.
		F	1	.	2	.	2	.	1	.
B 37	Cirrhosis of liver	M	1	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	.	.	1	.	2	.	1	.
		F	.	.	.	.	.	.	5	.
B 38	Nephritis and nephrosis	M	.	.	6	.	1	.	6	.
		F	1	.	.	.	4	.	2	.
B 39	Hyperplasia of prostate	M	3	.	3	.	.	.	5	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	.	.	.	.	.	.
B 41	Congenital malformations	M	3	.	6	.	2	.	5	.
		F	4	.	5	.	6	.	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	3	.	3	.	4	.	2	.
		F	5	.	4	.	.	.	1	.
B 43	Infections of the newborn	M	2	.	4	.	.	.	.	.
		F	1	.	2	.	2	.	.	.
B 44	Other diseases of early infancy	M	4	.	9	.	3	.	1	.
		F	1	.	4	.	4	.	4	.
B 45a	Senility without psychosis	M	58	4	5	2	1	.	15	.
		F	39	6	19	1	2	.	16	2
B 45b	Ill-defined and unknown causes	M	3	3	3	2	1	.	.	.
		F	4	2	2	.	2	.	.	.
B 46e	All other diseases	M	17	.	15	.	2	.	8	.
		F	6	.	9	.	10	.	16	.
	External Causes									
B 47	Motor vehicle accidents	M	4	.	9	.	4	.	7	.
		F	1	.	.	.	.	.	1	.
B 48	All other accidents	M	8	.	9	.	5	.	6	.
		F	2	.	5	.	5	.	7	.
B 49	Suicide and self-inflicted injury	M	.	.	.	.	1	.	2	.
		F	.	.	1	.	.	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	1,001 769	62 60	269 187	25 32	837 708	78 52	457 334	24 12
B 1	Tuberculosis of respiratory system	M F	13 3	• •	2 •	• •	9 2	• •	3 2	• •
B 2	Tuberculosis, other forms	M F	1 2	• •	• •	• •	1 •	• •	• •	• •
B 3	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 4	Typhoid fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 6	Dysentery, all forms	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7a	Scarlet fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 7b	Streptococcal sore throat	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 8	Diphtheria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 9	Whooping cough	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 10	Meningococcal infections	M F	• 1	• •	• •	• •	• •	• •	• •	• •
B 12	Acute poliomyelitis	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 14	Measles	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 16	Malaria	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 17	Other infective and parasitic diseases	M F	2 2	• •	• •	• •	• •	• •	• •	• •
X B 18a	Malignant neoplasms:- of stomach	M F	25 19	• •	14 2	• •	20 17	• •	9 6	• •
B 18b	of other digestive organs and peritoneum	M F	33 20	• •	10 6	• •	21 33	1 •	14 9	• •
B 18c	of respiratory system	M F	17 7	• •	5 2	• •	20 5	• •	4 1	• •
B 18d	of breast	M F	21 21	• •	3 3	• •	14 •	• •	8 •	• •
B 18e	of genito-urinary system	M F	23 17	1 •	6 5	• •	9 12	• •	12 9	• •
B 18f	of lymphatic and haematopoietic tissues	M F	13 7	• •	3 1	• •	5 9	• •	4 2	• •
B 18g	other	M F	32 12	1 •	5 3	• •	26 16	4 1	13 4	• •
B 19	Benign and unspecified neoplasms	M F	2 •	• •	• •	• •	1 •	• •	• •	• •
B 20	Diabetes mellitus	M F	4 11	• •	2 1	• •	5 7	• 1	3 3	• •
B 21	Anaemias	M F	10 3	• •	3 1	• •	5 2	• •	2 •	• •
B 22	Vascular lesions affecting central nervous system	M F	103 97	3 •	27 16	• •	111 127	2 1	53 60	• 1
B 23	Non-meningococcal meningitis	M F	4 1	• •	• •	• •	1 1	• •	1 •	• •
B 24	Rheumatic fever	M F	• •	• •	• •	• •	• •	• •	• •	• •
B 25	Chronic rheumatic heart disease	M F	7 8	1 •	• 3	• •	7 3	• •	3 5	• •
B 26a	Chronic endocarditis	M F	10 1	• •	3 4	• •	8 2	• •	2 4	• •
B 26b	Coronary and arteriosclerotic heart disease	M F	200 104	4 1	62 35	1 2	143 82	3 •	82 47	2 •

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 26c	Other myocardial degeneration	M	92	5	30	1	94	4	72	1
		F	76	4	27	1	86	4	55	2
B 27	Other diseases of heart	M	35	.	7	.	42	3	24	1
		F	41	2	4	.	34	3	18	1
B 28	Hypertension with heart disease	M	12	1	4	.	16	.	7	.
		F	17	1	1	.	13	.	5	1
B 29	Hypertension without mention of heart	M	13	.	2	.	7	.	2	.
		F	11	.	2	.	4	.	2	.
B 46a	Other diseases of circulatory system	M	19	.	7	.	20	.	15	.
		F	22	1	5	.	19	.	7	.
B 30	Influenza	M	26	6	2	.	23	.	8	.
		F	27	7	2	.	24	2	10	.
B 31	Pneumonia	M	47	1	10	.	27	1	10	.
		F	44	.	9	1	17	.	8	.
B 32	Bronchitis	M	44	1	8	.	12	.	20	.
		F	20	.	4	.	10	.	9	.
B 46b	Bronchiectasis	M	4	.	.	.	1	.	.	.
		F	5	.	.	.	2	.	1	.
B 46c	Other diseases of respiratory system	M	19	.	3	.	12	.	7	.
		F	18	.	2	.	5	.	3	.
B 33	Ulcer of stomach and duodenum	M	4	.	1	.	10	.	4	.
		F	3	.	.	.	6	.	2	.
B 34	Appendicitis	M	.	.	2	.	.	.	2	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	5	.	.	.	1	.	2	.
		F	4	.	.	.	8	1	4	.
B 36	Gastritis and enteritis (except of newborn)	M	5	.	.	.	4	.	1	.
		F	7	.	1	.	5	.	1	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	3	.	.	.	2	.	1	.
		F	5	.	1	.	4	.	.	.
B 37	Cirrhosis of liver	M	3	.	2	.	1	.	1	.
		F	.	.	1	.	1	.	1	.
B 46d	Other diseases of digestive system	M	8	.	.	.	4	.	3	.
		F	9	.	2	.	4	.	3	.
B 38	Nephritis and nephrosis	M	15	.	4	.	10	.	4	.
		F	5	.	.	.	9	.	.	.
B 39	Hyperplasia of prostate	M	7	.	3	.	10	.	7	.
B 40	Deliveries and complications of pregnancy and childbirth	F	2	.	1	.	.	.	1	.
B 41	Congenital malformations	M	7	.	.	.	4	.	5	.
		F	11	.	3	.	3	.	5	.
B 42	Birth injuries, asphyxia and atelectasis	M	8	.	2	.	1	.	1	.
		F	5	.	.	.	1	.	1	.
B 43	Infections of the newborn	M	2	.	.	.	.	.	3	.
		F	1	.	.	.	2	.	.	.
B 44	Other diseases of early infancy	M	4	.	1	.	4	.	3	.
		F	7	.	1	.	5	.	3	.
B 45a	Senility without psychosis	M	48	33	20	18	73	54	21	18
		F	43	40	30	28	66	32	8	6
B 45b	Ill-defined and unknown causes	M	5	4	4	4	14	5	12	2
		F	6	3	.	.	11	7	4	.
B 46e	All other diseases	M	32	2	7	.	33	1	9	.
		F	25	.	7	.	26	.	14	1
External Causes										
B 47	Motor vehicle accidents	M	16	.	1	.	3	.	7	.
		F	3	.	.	.	1	.	1	.
B 48	All other accidents	M	20	.	5	1	17	.	4	.
		F	20	.	3	.	12	.	6	.
B 49	Suicide and self-inflicted injury	M	2	.	1	.	2	.	.	.
		F	1	.	.	.	2	.	.	.
B 50	Homicide and operations of war	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M	435	11	494	9	880	46	300	3
		F	323	11	349	4	692	43	258	6
B 1	Tuberculosis of respiratory system	M	3	.	4	.	5	.	3	1
		F	.	.	1	.	3	.	.	.
B 2	Tuberculosis, other forms	M	1	.	.	.	2	.	.	.
		F	.	.	.	.	.	.	.	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.
B 16	Malaria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	2	.	.	.	2	.	.	.
		F	.	.	2	.	1	.	.	.
B 18a	Malignant neoplasms:- of stomach	M	15	.	17	.	31	.	9	.
		F	17	.	11	.	16	.	9	.
B 18b	of other digestive organs and peritoneum	M	21	.	8	.	39	.	16	.
		F	22	.	14	.	29	.	13	.
B 18c	of respiratory system	M	16	.	11	.	16	.	6	.
		F	6	.	1	.	4	.	.	.
B 18d	of breast	M	11	.	8	.	14	.	4	.
		F	.	.	.	.	.	.	.	.
B 18e	of genito-urinary system	M	8	.	6	.	17	.	5	.
		F	2	.	4	.	20	.	.	.
B 18f	of lymphatic and haematopoietic tissues	M	2	.	1	.	5	.	2	.
		F	1	.	.	.	5	.	3	.
B 18g	other	M	12	.	9	.	9	.	7	.
		F	5	.	4	.	11	.	8	.
B 19	Benign and unspecified neoplasms	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 20	Diabetes mellitus	M	.	.	4	.	1	.	1	.
		F	2	.	5	.	7	.	3	.
B 21	Anaemias	M	1	.	1	.	2	.	2	.
		F	3	.	3	.	6	.	1	.
B 22	Vascular lesions affecting central nervous system	M	64	.	74	.	84	4	47	.
		F	48	.	67	.	73	2	56	1
B 23	Non-meningococcal meningitis	M	1	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 24	Rheumatic fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	5	.	4	.	8	.	.	.
		F	5	.	3	.	3	.	2	.
B 26a	Chronic endocarditis	M	5	.	3	.	9	.	.	.
		F	2	.	1	.	11	1	2	.
B 26b	Coronary and arteriosclerotic heart disease	M	74	.	109	1	179	11	61	.
		F	25	.	45	2	79	6	37	.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1966, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 26c	Other myocardial degeneration	M	30	1	73	1	64	10	27	1
		F	17	.	60	.	69	9	17	.
B 27	Other diseases of heart	M	15	.	19	1	40	.	17	.
		F	11	.	10	.	39	1	15	1
B 28	Hypertension with heart disease	M	6	.	6	.	11	.	7	.
		F	10	.	4	.	11	.	4	.
B 29	Hypertension without mention of heart	M	7	1	5	.	3	.	2	.
		F	12	.	4	.	8	1	2	.
B 46a	Other diseases of circulatory system	M	10	.	9	.	30	.	12	.
		F	13	.	11	.	23	2	11	1
B 30	Influenza	M	25	.	13	.	34	2	8	.
		F	9	1	13	1	36	3	11	.
B 31	Pneumonia	M	17	.	15	.	59	3	14	1
		F	8	.	12	.	49	.	14	.
B 32	Bronchitis	M	23	.	15	.	33	1	4	.
		F	11	.	10	.	12	.	1	.
B 46b	Bronchiectasis	M	.	.	.	.	1	.	.	.
		F	1	.	.	.	1	.	.	.
B 46c	Other diseases of respiratory system	M	4	.	1	.	3	.	6	.
		F	5	.	1	.	1	.	5	.
B 33	Ulcer of stomach and duodenum	M	1	.	3	.	7	.	3	.
		F	1	.	3	.	6	.	2	.
B 34	Appendicitis	M	.	.	2	.	.	.	.	.
		F	.	.	.	.	1	.	.	.
B 35	Intestinal obstruction and hernia	M	1	.	.	.	4	.	1	.
		F	1	.	3	.	3	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	.	.	3	.	1	.
		F	5	.	.	.	2	.	2	.
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	1	.	.	.	1	.	1	.
		F	.	.	.	.	1	.	1	.
B 37	Cirrhosis of liver	M	.	.	1	.	.	.	.	.
		F	.	.	1	.	1	.	.	.
B 46d	Other diseases of digestive system	M	3	.	.	.	2	.	2	.
		F	2	.	1	.	4	.	.	.
B 38	Nephritis and nephrosis	M	5	.	8	.	6	.	1	.
		F	3	.	2	.	15	.	5	.
B 39	Hyperplasia of prostate	M	2	.	3	.	13	.	1	.
B 40	Deliveries and complications of pregnancy and childbirth	F	.	.	.	.	.	.	1	.
B 41	Congenital malformations	M	.	.	5	.	12	.	3	.
		F	6	.	4	.	4	.	1	.
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	3	.	7	.	1	.
		F	2	.	4	.	4	.	3	.
B 43	Infections of the newborn	M	3	.	1	.	1	.	1	.
		F	.	.	2	.	2	.	.	.
B 44	Other diseases of early infancy	M	2	.	4	.	8	.	2	.
		F	2	.	1	.	4	.	3	.
B 45a	Senility without psychosis	M	19	9	19	4	41	10	3	.
		F	26	10	15	.	48	16	1	1
B 45b	Ill-defined and unknown causes	M	7	.	7	2	22	3	.	.
		F	9	.	1	1	15	1	2	1
B 46e	All other diseases	M	10	.	11	.	32	2	9	.
		F	12	.	10	.	36	1	12	1
	External Causes									
B 47	Motor vehicle accidents	M	3	.	8	.	7	.	1	.
		F	2	.	.	.	3	.	2	.
B 48	All other accidents	M	6	.	9	.	19	.	14	.
		F	5	.	7	.	10	.	5	.
B 49	Suicide and self-inflicted injury	M	1	.	2	.	7	.	.	.
		F	1	.	1	.	3	.	.	.
B 50	Homicide and operations of war	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 21 - DEATHS REGISTERED IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M F	2,985 2,832	198 143	28 24	25 15	32 23	37 27	78 52	266 189	606 333	860 731	855 1,295
B 1	Tuberculosis of respiratory system	M F	59 20	.	.	.	.	1 1	5	10 5	21 4	15 8	7 2
B 2	Tuberculosis, other forms	M F	3 2	.	1	.	.	.	.	1 1	1	.	.
B 3	Syphilis and its sequelae	M F	.	.	.	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M F	.	.	.	.	.	1	.	.	.	.	.
B 8	Diphtheria	M F	.	.	.	.	.	.	.	.	.	.	.
B 9	Whooping cough	M F	1 .	1 .	.	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M F	.	.	.	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M F	.	.	.	.	.	.	.	.	.	.	.
B 14	Measles	M F	3 2	2 .	1 2	.	.	.	.	.	.	.	.
B 16	Malaria	M F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M F	6 5	.	1	1	.	1	1	.	.	1 1	1
B 18a	Malignant neoplasms:- of stomach	M F	64 70	.	.	.	.	.	2 1	8 1	18 9	25 30	11 28
B 18b	of other digestive organs and peritoneum	M F	118 136	.	.	.	.	1	1 2	12 15	28 16	41 51	35 51
B 18c	of respiratory system	M F	225 44	.	.	.	.	.	12 1	22 5	76 16	77 15	38 7
B 18d	of breast	M F	.	.	.	.	.	.	4	.	.	.	.
B 18e	of genito-urinary system	M F	61 73	.	1 3	.	.	.	1 5	5 14	11 16	22 20	21 15
B 18f	of lymphatic and haematopoietic tissues	M F	38 26	.	2 1	3 2	1 2	1 2	1 2	7 2	12 4	5 9	6 2
B 18g	other	M F	57 53	.	1	2	.	1	3 3	11 10	11 9	13 17	15 10
B 19	Benign and unspecified neoplasms	M F	12 10	2 1	.	.	.	.	.	1 3	4 1	2 1	3 3
B 20	Diabetes mellitus	M F	12 27	.	.	.	.	.	.	1	2 4	3 12	7 10
B 21	Anaemias	M F	5 13	.	.	1	.	.	.	2 1	1 2	2 2	.
B 22	Vascular lesions affecting central nervous system	M F	243 412	.	.	1 1	2 1	1 1	5 9	16 25	39 54	79 110	100 211
B 23	Non-meningococcal meningitis	M F	4 1	3	.	.	.	.	.	.	1	.	1
B 24	Rheumatic fever	M F	2	.	.	1	.	.	1	.	.	.	.
B 25	Chronic rheumatic heart disease	M F	14 35	.	.	.	1 1	.	2 3	2 10	2 8	2 5	5 7
B 26a	Chronic endocarditis	M F	6 14	.	.	.	1	.	.	.	1 1	3 2	1 9
B 26b	Coronary and arteriosclerotic heart disease	M F	665 500	.	.	.	.	3 2	13 4	85 24	168 62	228 165	168 243

TABLE 21 (contd.) - DEATHS REGISTERED IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M	82	.	.	.	1	.	1	2	4	22	52
		F	131	.	.	.	.	.	.	1	2	17	111
B 27	Other diseases of heart	M	94	.	.	.	1	.	1	5	12	28	47
		F	139	.	.	.	1	.	1	3	9	35	90
B 28	Hypertension with heart disease	M	30	.	.	.	.	.	1	2	5	10	12
		F	69	.	.	.	.	.	1	.	7	21	40
B 29	Hypertension without mention of heart	M	27	.	.	.	.	1	1	5	3	9	8
		F	39	.	.	.	.	.	1	4	4	9	21
B 46a	Other diseases of circulatory system	M	56	.	.	.	.	.	1	5	7	17	26
		F	61	.	.	.	.	.	.	2	5	15	39
B 30	Influenza	M	28	1	1	.	.	1	1	1	7	12	4
		F	64	.	.	1	.	.	.	3	2	21	37
B 31	Pneumonia	M	172	22	5	2	2	2	1	7	19	38	74
		F	210	19	8	2	4	3	.	1	15	39	119
B 32	Bronchitis	M	289	1	.	.	.	.	1	21	89	92	85
		F	120	1	.	.	.	2	1	11	13	29	63
B 46b	Bronchiectasis	M	5	.	.	.	.	.	1	.	1	2	1
		F	11	.	.	.	.	1	1	.	1	4	4
B 46c	Other diseases of respiratory system	M	55	.	.	.	.	1	1	2	10	16	25
		F	29	2	.	1	.	.	2	1	1	7	15
B 33	Ulcer of stomach and duodenum	M	35	.	1	.	.	.	1	3	5	14	11
		F	13	.	1	.	.	.	.	.	2	7	3
B 34	Appendicitis	M	2	.	.	.	.	.	.	.	.	1	1
		F	1	.	.	1	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	17	1	.	.	.	.	1	1	5	1	8
		F	14	.	.	.	.	.	1	.	4	5	4
B 36	Gastritis and enteritis (except of newborn)	M	20	12	2	.	.	.	1	2	2	1	.
		F	23	7	1	1	3	.	.	2	2	1	6
B 36 43, parts of	Gastro-enteritis (under 2 years)	M	14	14	.	.	.	.	.	.	.	.	.
		F	8	8	.	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	7	.	.	.	.	.	.	1	1	4	1
		F	3	.	.	.	.	.	.	1	.	1	1
B 46d	Other diseases of digestive system	M	14	.	1	.	.	2	1	2	1	6	2
		F	24	.	.	.	.	.	2	1	7	6	7
B 38	Nephritis and nephrosis	M	38	.	.	1	4	1	3	3	4	9	13
		F	24	1	.	.	2	1	.	1	2	6	11
B 39	Hyperplasia of prostate	M	11	.	.	.	.	.	.	.	.	4	7
B 40	Deliveries and complications of pregnancy and childbirth	F	3	.	.	.	1	1	1	.	.	.	.
B 41	Congenital malformations	M	51	39	4	2	2	1	.	2	1	.	.
		F	52	48	3	.	.	1	.	.	.	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	45	45	.	.	.	.	.	.	.	.	.
		F	22	22	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	17	17	.	.	.	.	.	.	.	.	.
		F	13	13	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	44	44	.	.	.	.	.	.	.	.	.
		F	25	25	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	7	.	.	.	.	.	.	.	.	.	7
		F	23	.	.	.	.	.	.	.	.	.	23
B 45b	Ill-defined and unknown causes	M	23	.	.	.	.	.	.	2	2	7	12
		F	16	.	.	.	.	.	.	.	3	3	10
B 46e	All other diseases	M	91	3	2	1	1	5	3	4	17	32	23
		F	107	1	1	.	.	3	4	14	23	26	35
External Causes													
B 47	Motor vehicle accidents	M	49	.	2	4	9	4	6	6	8	8	2
		F	18	.	1	2	2	3	.	3	2	3	2
B 48	All other accidents	M	76	5	4	7	7	8	5	8	7	9	16
		F	49	.	2	1	1	2	1	2	2	9	29
B 49	Suicide and self-inflicted injury	M	1	.	.	.	.	1	.	.	.	.	.
		F	4	.	.	.	1	.	.	.	1	2	.
B 50	Homicide and operations of war	M	1	.	.	.	.	1	.	.	.	.	.
		F	2	1	.	.	.	.	.	1	.	.	.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M F	3,137 3,191	196 143	19 27	20 16	32 22	31 23	75 76	222 184	519 373	886 777	1,137 1,550
B 1	Tuberculosis of respiratory system	M F	52 23	1 .	. .	. .	. .	. 1	1 4	6 2	16 4	22 8	6 4
B 2	Tuberculosis, other forms	M F	6 5	. 1	. .	. .	. 2	. .	1 1	2 .	1 .	. .	. 1
B 3	Syphilis and its sequelae	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
B 4	Typhoid fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 6	Dysentery, all forms	M F	1 .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
B 7a	Scarlet fever	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 7b	Streptococcal sore throat	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 8	Diphtheria	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 9	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 10	Meningococcal infections	M F	2 .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .
B 12	Acute poliomyelitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 14	Measles	M F	2 .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 16	Malaria	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
B 17	Other infective and parasitic diseases	M F	2 6	. 1	. 2	. .	. .	. .	. .	2 1	. .	. .	. 2
B 18a	Malignant neoplasms:- of stomach	M F	67 78	. .	. .	. .	. .	. .	. 2	7 8	8 12	22 25	30 31
B 18b	of other digestive organs and peritoneum	M F	130 173	. .	. .	. .	1 .	2 .	3 6	13 17	26 39	48 55	40 53
B 18c	of respiratory system	M F	159 40	. .	. .	. .	. .	2 .	1 .	21 12	55 9	57 13	23 6
B 18d	of breast	M F	. 79	. .	. .	. .	. .	. .	. 9	. 12	. 16	. 24	. 18
B 18e	of genito-urinary system	M F	59 60	. .	1 .	. .	. .	. .	. 3	2 13	9 15	17 22	30 7
B 18f	of lymphatic and haematopoietic tissues	M F	28 32	. .	3 1	1 2	1 2	2 1	2 4	1 2	6 8	9 8	3 4
B 18g	other	M F	50 61	. .	. 1	1 1	1 .	1 2	2 3	7 7	9 12	15 18	14 17
B 19	Benign and unspecified neoplasms	M F	13 13	. .	1 1	. .	1 .	3 .	1 .	2 3	2 1	1 4	2 4
B 20	Diabetes mellitus	M F	16 26	. .	. .	1 .	. .	. .	. .	3 1	3 1	8 9	2 14
B 21	Anaemias	M F	5 15	. 1	. .	. .	. .	. 1	. .	. .	. 2	1 3	4 8
B 22	Vascular lesions affecting central nervous system	M F	289 507	. .	. 1	. 1	. 2	2 2	1 13	12 22	48 54	88 123	138 289
B 23	Non-meningococcal meningitis	M F	8 1	5 .	1 .	. .	. .	. .	. .	1 .	1 .	1 .	. .
B 24	Rheumatic fever	M F	. 1	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .
B 25	Chronic rheumatic heart disease	M F	18 36	. .	. .	. .	. .	1 1	3 3	3 10	6 5	2 8	3 9
B 26a	Chronic endocarditis	M F	23 21	. .	. .	. .	1 .	2 .	1 1	1 2	3 1	9 9	6 8
B 26b	Coronary and arteriosclerotic heart disease	M F	644 432	. .	. .	. .	. .	2 .	19 5	68 18	141 78	232 155	182 176

TABLE 21 (contd.) - DEATHS REGISTERED IN 1966 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

REMAINING URBAN DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 26c	Other myocardial degeneration	M	200	.	.	.	.	.	.	2	15	39	144
		F	286	.	.	.	.	.	1	3	10	53	219
B 27	Other diseases of heart	M	124	.	.	.	1	1	1	5	11	43	62
		F	152	.	.	.	1	1	.	5	12	36	97
B 28	Hypertension with heart	M	40	.	.	.	.	.	.	3	7	15	15
		F	63	.	.	.	.	.	.	1	3	19	40
B 29	Hypertension without mention of heart	M	23	.	.	.	.	1	.	3	7	4	8
		F	25	.	.	.	.	.	.	.	1	7	17
B 46a	Other diseases of circulatory system	M	87	.	.	1	.	.	1	3	13	25	44
		F	106	.	.	.	.	1	1	2	6	19	77
B 30	Influenza	M	85	1	.	.	1	.	2	4	5	16	56
		F	72	1	.	.	.	1	.	8	3	14	45
B 31	Pneumonia	M	114	14	2	.	2	1	4	5	7	30	49
		F	166	14	5	1	2	.	2	5	14	28	95
B 32	Bronchitis	M	246	.	.	1	.	.	5	12	55	89	84
		F	115	.	1	.	.	.	1	5	17	33	58
B 46b	Bronchiectasis	M	17	2	.	.	1	.	.	.	4	6	4
		F	5	.	.	.	.	.	.	2	1	1	1
B 46c	Other diseases of respiratory system	M	41	.	.	.	.	.	1	2	10	13	15
		F	40	.	.	.	.	.	2	5	5	10	18
B 33	Ulcer of stomach and duodenum	M	33	1	.	.	.	.	2	3	11	9	7
		F	9	.	.	.	.	.	.	.	.	6	3
B 34	Appendicitis	M	1	.	.	.	1	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	1	.	.
B 35	Intestinal obstruction and hernia	M	11	2	.	.	.	.	.	.	1	5	3
		F	11	.	.	.	.	.	.	.	1	4	6
B 36	Gastritis and enteritis (except of newborn)	M	30	16	1	1	.	.	1	1	3	4	3
		F	28	11	2	.	.	.	1	.	1	4	9
B 36, 43, parts of	Gastro-enteritis (under 2 years)	M	20	20	.	.	.	.	.	.	.	.	.
		F	17	17	.	.	.	.	.	.	.	.	.
B 37	Cirrhosis of liver	M	7	.	.	.	.	.	.	3	3	1	.
		F	4	.	.	.	.	.	.	.	1	2	1
B 46d	Other diseases of digestive system	M	14	.	1	.	.	1	.	3	1	2	6
		F	11	.	.	.	.	.	.	1	1	2	7
B 38	Nephritis and nephrosis	M	25	.	.	.	.	1	2	3	3	5	11
		F	24	.	.	.	3	2	3	1	6	5	4
B 39	Hyperplasia of prostate	M	29	.	.	.	.	.	.	1	3	4	21
B 40	Deliveries and complications of pregnancy and childbirth	F	6	.	.	.	.	3	3	.	.	.	.
B 41	Congenital malformations	M	56	46	3	4	2	.	.	.	1	.	.
		F	58	46	5	4	.	.	.	.	3	.	.
B 42	Birth injuries, asphyxia and atelectasis	M	51	51	.	.	.	.	.	.	.	.	.
		F	22	22	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	6	6	.	.	.	.	.	.	.	.	.
		F	10	10	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	47	47	.	.	.	.	.	.	.	.	.
		F	30	30	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	73	.	.	.	.	.	.	.	.	1	72
		F	110	.	.	.	.	.	.	.	.	4	106
B 45b	Ill-defined and unknown causes	M	22	1	.	.	.	.	1	.	.	4	16
		F	27	.	.	.	.	.	.	2	1	3	21
B 46e	All other diseases	M	75	.	1	2	3	.	6	5	14	25	19
		F	120	2	3	2	5	2	7	8	22	29	40
External Causes													
B 47	Motor vehicle accidents	M	43	.	3	4	9	2	5	6	4	7	3
		F	14	.	2	1	1	1	1	2	2	1	3
B 48	All other accidents	M	51	1	1	5	5	7	6	5	5	5	11
		F	65	4	3	3	1	2	.	3	5	12	32
B 49	Suicide and self-inflicted injury	M	7	.	.	.	.	.	2	2	2	1	.
		F	1	.	.	.	1	.	.	.	.	.	.
B 50	Homicide and operations of war	M	4	.	.	.	3	.	.	.	.	.	1
		F	1	.	.	.	1	.	.	.	.	.	.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All causes	M	13,026	500	79	75	124	109	272	780	1,667	3,385	6,035
		F	9,942	372	61	64	50	73	191	498	1,015	2,249	5,369
B 1	Tuberculosis of	M	114	.	.	.	1	4	11	14	31	33	20
		F	40	.	.	.	1	2	4	11	11	6	5
B 2	Tuberculosis, other forms	M	12	.	1	.	.	1	6	1	.	2	1
		F	5	.	1	.	.	.	.	2	1	.	1
B 3	Syphilis and its sequelae	M	1	.	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	1	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	1	1	.	.	.	.	.	.	.	.	.
		F	3	.	.	1	.	1	.	.	1	.	.
B 12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 14	Measles	M	2	.	1	1	.	.	.	.	.	.	.
		F	2	.	1	1	.	.	.	.	.	.	.
B 16	Malaria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	27	3	1	5	2	3	2	3	4	3	1
		F	18	1	1	.	1	1	1	3	7	1	2
B 18a	Malignant neoplasms:- of stomach	M	333	.	.	.	1	2	6	25	64	127	108
		F	226	.	.	.	.	.	4	15	36	85	86
B 18b	of other digestive organs and peritoneum	M	489	1	.	1	.	1	12	48	76	188	162
		F	403	.	1	1	.	2	11	25	77	135	151
B 18c	of respiratory system	M	312	.	.	.	.	.	10	53	86	116	47
		F	91	.	.	.	.	.	1	10	29	31	20
B 18d	of breast	M	1	.	.	.	.	.	.	.	.	1	.
		F	213	.	.	.	.	1	22	55	44	53	38
B 18e	of genitourinary system	M	280	.	3	2	2	2	5	9	31	94	132
		F	193	.	.	1	.	.	12	33	53	57	37
B 18f	of lymphatic and haematopoietic tissues	M	106	1	2	5	4	2	6	23	19	29	15
		F	70	.	4	1	4	5	6	8	21	18	3
B 18g	other	M	245	.	3	4	8	5	10	18	36	64	97
		F	151	.	.	3	6	4	9	14	26	40	49
B 19	Benign and unspecified neoplasms	M	26	.	2	1	.	.	3	4	8	3	5
		F	17	.	1	.	.	.	1	.	5	9	1
B 20	Diabetes mellitus	M	92	.	1	.	.	2	.	6	15	28	40
		F	112	.	.	1	1	3	2	.	22	50	33
B 21	Anaemias	M	46	.	.	.	1	2	1	2	6	8	26
		F	53	.	.	2	.	.	.	4	4	11	32
B 22	Vascular lesions affecting central nervous system	M	1,425	2	.	1	6	2	11	43	147	406	807
		F	1,462	2	1	.	4	1	13	49	131	379	882
B 23	Non-meningococcal meningitis	M	12	6	1	1	1	.	.	2	.	1	.
		F	7	2	.	2	1	.	1	.	1	.	.
B 24	Rheumatic fever	M	3	.	.	.	.	2	1	.	.	.	.
		F	2	.	.	.	.	.	1	.	.	.	.
B 25	Chronic rheumatic heart disease	M	99	.	.	.	2	2	5	18	13	25	34
		F	92	.	.	.	1	5	8	16	16	17	29
B 26a	Chronic endocarditis	M	110	.	.	1	.	1	5	14	14	35	40
		F	75	.	.	.	1	.	.	6	12	19	37
B 26b	Coronary and arteriosclerotic heart disease	M	2,433	.	.	.	2	9	55	203	485	824	855
		F	1,256	.	.	.	1	4	14	54	173	409	601

TABLE 21 (contd.) - DEATHS REGISTERED IN 1966, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Ab- brev- iated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B 26c	Other myocardial degeneration	M	1,355	.	.	.	1	.	2	14	52	263	1,023
		F	1,171	.	.	.	.	1	2	10	34	182	942
B 27	Other diseases of heart	M	557	.	2	2	2	3	6	15	59	153	315
		F	516	.	.	.	.	1	2	21	31	132	329
B 28	Hypertension with heart disease	M	202	.	.	.	.	.	.	4	24	57	117
		F	206	.	.	.	.	.	2	3	20	53	128
B 29	Hypertension without mention of heart	M	115	.	.	.	1	2	2	17	26	29	38
		F	104	.	.	.	.	.	1	13	11	21	58
B 46a	Other diseases of circulatory system	M	414	.	.	.	.	.	6	15	29	73	291
		F	385	.	.	.	.	3	5	6	18	72	281
B 30	Influenza	M	365	5	1	.	.	.	1	16	26	98	218
		F	340	9	.	1	1	.	4	11	24	56	234
B 31	Pneumonia	M	491	39	14	2	5	1	7	21	52	102	248
		F	418	39	16	7	3	4	6	16	33	80	214
B 32	Bronchitis	M	598	1	1	2	1	1	9	25	113	191	254
		F	284	1	3	.	1	1	1	11	35	63	168
B 46b	Bronchiectasis	M	20	.	.	.	.	.	.	2	2	12	4
		F	20	.	.	1	1	1	1	4	3	6	3
B 46c	Other diseases of respiratory system	M	132	3	.	.	1	.	3	8	17	36	64
		F	81	.	1	2	2	.	2	4	9	10	51
B 33	Ulcer of stomach and duodenum	M	104	.	1	.	.	1	4	11	16	32	39
		F	47	.	.	.	.	.	1	6	12	9	19
B 34	Appendicitis	M	15	.	1	.	1	.	.	2	1	5	5
		F	2	.	1	.	.	.	.	.	.	1	.
B 35	Intestinal obstruction and hernia	M	41	2	1	.	.	.	2	1	7	11	17
		F	59	1	.	.	.	.	1	3	7	18	29
B 36	Gastritis and enteritis (except of newborn)	M	66	31	3	1	2	.	2	3	3	8	13
		F	50	18	2	.	.	.	.	2	4	7	17
B 36, 43,	Gastro-enteritis (under 2 years)	M	39	36	3	.	.	.	.	.	.	.	.
		F	25	23	2	.	.	.	.	.	.	.	.
parts of													
B 37	Cirrhosis of liver	M	22	.	.	.	.	.	1	5	8	4	4
		F	15	.	.	.	.	.	2	2	5	5	1
B 46d	Other diseases of digestive system	M	60	.	3	.	.	3	.	7	11	25	11
		F	55	2	.	.	1	1	2	2	6	17	24
B 38	Nephritis and nephrosis	M	139	.	.	.	5	3	4	13	32	30	52
		F	96	.	.	1	7	4	3	6	14	25	36
B 39	Hyperplasia of prostate	M	129	.	.	.	.	.	.	.	2	22	105
B 40	Deliveries and complications of pregnancy and childbirth	F	9	.	.	.	1	4	4	.	.	.	.
B 41	Congenital malformations	M	161	129	9	6	5	1	3	5	3	.	.
		F	129	100	9	7	2	3	1	1	4	1	1
B 42	Birth injuries, asphyxia and atelectasis	M	96	96	.	.	.	.	.	.	.	.	.
		F	79	79	.	.	.	.	.	.	.	.	.
B 43	Infections of the newborn	M	31	31	.	.	.	.	.	.	.	.	.
		F	22	22	.	.	.	.	.	.	.	.	.
B 44	Other diseases of early infancy	M	108	108	.	.	.	.	.	.	.	.	.
		F	78	78	.	.	.	.	.	.	.	.	.
B 45a	Senility without psychosis	M	570	.	.	.	.	.	.	.	.	23	547
		F	554	.	.	.	.	.	.	.	1	18	535
B 45b	Ill-defined and unknown causes	M	136	3	1	.	.	.	1	9	7	35	80
		F	108	2	.	.	.	.	1	5	8	19	73
B 46e	All other diseases	M	408	15	10	6	14	5	12	39	71	112	124
		F	361	5	5	15	6	11	27	48	45	93	106
	External Causes												
B 47	Motor vehicle accidents	M	190	.	4	17	31	27	25	27	21	23	15
		F	39	.	1	9	2	1	2	6	6	7	5
B 48	All other accidents	M	283	23	12	17	22	17	30	26	41	38	57
		F	210	11	13	8	2	7	10	10	10	32	107
B 49	Suicide and self-inflicted injury	M	44	.	.	.	2	5	2	8	8	15	4
		F	12	.	.	.	.	2	1	2	5	2	.
B 50	Homicide and operations of war	M	4	.	.	.	1	.	1	1	1	.	.
		F	1	.	.	.	.	.	.	1	.	.	.

TABLE 22 - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1966
CLASSIFIED BY PLACE OF OCCURRENCE.

Area		Total deaths	Place of occurrence			
			General and Special Hospitals and Nursing Homes	Mental Hospitals	Local Authority Institutions	Domiciliary
Total	M F	19,148 15,965	2,928 2,587	589 558	6,948 5,407	8,683 7,413
LEINSTER	M F	8,236 7,123	1,948 1,670	274 293	2,564 2,080	3,450 3,080
MUNSTER	M F	6,239 5,222	747 697	162 155	2,597 2,029	2,733 2,341
CONNACHT	M F	2,999 2,321	157 162	103 77	1,204 876	1,535 1,206
ULSTER (part of)	M F	1,674 1,299	76 58	50 33	583 422	965 786
LEINSTER						
Carlow	M F	203 182	32 26	3 9	77 64	91 83
Dublin County Borough	M F	2,985 2,832	1,094 944	98 124	727 684	1,066 1,080
Dun Laoghaire Borough	M F	290 342	94 122	10 18	54 62	132 140
Dublin County (remainder)	M F	675 570	217 175	17 20	140 106	301 269
Kildare	M F	411 260	85 32	14 8	142 93	170 127
Kilkenny	M F	457 376	39 43	19 14	198 171	201 148
Laois	M F	310 239	20 16	12 14	133 93	145 116
Longford	M F	302 187	22 16	14 3	129 89	137 79
Louth	M F	442 352	85 75	20 17	166 120	171 140
Meath	M F	470 407	86 79	14 12	151 123	219 193
Offaly	M F	317 263	18 19	7 6	158 109	134 129
Westmeath	M F	360 261	30 16	15 11	172 121	143 113
Wexford	M F	615 526	54 46	20 16	193 166	348 298
Wicklow	M F	399 326	72 61	11 21	124 79	192 165
MUNSTER						
Clare	M F	593 411	38 37	17 18	293 186	245 170
Cork County Borough	M F	700 751	197 224	19 22	207 180	277 325
Cork County	M F	1,640 1,360	208 169	27 28	637 487	768 676
Kerry	M F	913 730	78 60	14 21	401 320	420 329
Limerick County Borough	M F	253 266	50 38	5 8	114 134	84 86
Limerick County	M F	619 492	44 34	21 16	270 236	284 206
Tipperary, North Riding	M F	430 309	25 21	10 8	207 138	188 142
Tipperary, South Riding	M F	541 396	51 41	18 9	254 174	218 172
Waterford County Borough	M F	207 225	30 35	10 11	50 62	117 117
Waterford County	M F	343 282	26 38	21 14	164 112	132 118
CONNACHT						
Galway	M F	1,001 769	97 90	45 31	422 308	437 340
Leitrim	M F	269 187	11 10	5 2	103 63	150 112
Mayo	M F	837 708	18 22	14 25	319 254	486 407
Roscommon	M F	457 334	23 23	24 11	181 130	229 170
Sligo	M F	435 323	8 17	15 8	179 121	233 177
ULSTER (part of)						
Cavan	M F	494 349	13 15	12 7	209 155	260 172
Donegal	M F	880 692	32 24	28 22	241 174	579 472
Monaghan	M F	300 258	31 19	10 4	133 93	126 142

TABLE 23 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1966 WHICH WERE NOT MEDICALLY CERTIFIED, CLASSIFIED BY AGE.

Area	Age at death											Percentage of deaths uncertified
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Total	926	6	.	.	2	.	6	19	30	241	722	2.6
LEINSTER	157	3	.	.	.	.	3	8	11	27	105	1.0
MUNSTER	291	3	.	.	2	.	1	6	11	55	213	2.5
CONNACHT	367	.	.	.	.	.	.	2	6	38	321	6.9
ULSTER (part of)	111	.	.	.	.	.	2	3	2	21	83	3.7
Carlow	5	.	.	.	.	.	.	.	.	2	3	1.3
Dublin County Borough	13	1	.	.	.	.	.	1	3	3	5	0.2
Dun Laoghaire Borough	.	.	.	.	.	.	.	.	.	.	.	.
Dublin County (remainder)	3	.	.	.	.	.	.	1	.	1	1	0.2
Kildare	9	.	.	.	.	.	.	.	2	2	5	1.3
Kilkenny	13	.	.	.	.	.	1	.	.	3	9	1.6
Laois	14	.	.	.	.	.	.	.	1	2	11	2.6
Longford	26	.	.	.	.	.	.	.	2	3	21	5.3
Louth	4	.	.	.	.	.	1	1	1	.	1	0.5
Meath	15	.	.	.	.	.	.	.	.	5	10	1.7
Offaly	24	2	.	.	.	.	.	2	.	4	16	4.1
Westmeath	26	.	.	.	.	.	.	3	2	1	20	4.2
Wexford	3	.	.	.	.	.	.	.	.	1	2	0.3
Wicklow	2	.	.	.	.	.	1	.	.	.	1	0.3
Clare	48	.	.	.	.	.	.	.	.	7	41	4.8
Cork County Borough	.	.	.	.	.	.	.	.	.	.	.	.
Cork County	44	1	.	.	1	.	.	1	2	4	35	1.5
Kerry	127	2	.	.	1	.	.	4	4	25	91	7.7
Limerick County Borough	1	.	.	.	.	.	1	.	.	.	.	0.2
Limerick County	19	.	.	.	.	.	.	.	3	2	14	1.7
Tipperary, North Riding	23	.	.	.	.	.	.	.	1	9	13	3.1
Tipperary, South Riding	14	.	.	.	.	.	.	1	1	3	9	1.5
Waterford County Borough	.	.	.	.	.	.	.	.	.	.	.	.
Waterford County	15	.	.	.	.	.	.	.	.	5	10	2.4
Galway	122	.	.	.	.	.	.	1	2	18	101	6.9
Leitrim	57	.	.	.	.	.	.	.	2	5	50	12.5
Mayo	130	.	.	.	.	.	.	.	2	14	114	8.4
Roscommon	36	.	.	.	.	.	.	1	.	1	34	4.6
Sligo	22	.	.	.	.	.	.	.	.	.	22	2.9
Cavan	13	.	.	.	.	.	.	1	.	3	9	1.5
Donegal	89	.	.	.	.	.	2	1	2	15	69	5.7
Monaghan	9	.	.	.	.	.	.	1	.	3	5	1.6

TABLE 24 - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis of respiratory system	M	225	1	.	.	1	5	17	30	68	70	33
	F	83	.	.	.	1	4	8	18	19	22	11
Tuberculosis, other forms	M	21	.	2	.	.	3	7	4	2	2	1
	F	12	1	1	.	2	.	1	3	1	1	2
Other infective and parasitic diseases	M	50	9	6	7	2	4	4	5	4	7	2
	F	37	3	6	2	3	3	2	4	8	2	4
Malignant neoplasms	M	2,822	2	16	19	18	20	77	292	581	970	827
	F	2,351	1	11	13	17	20	110	298	487	742	652
Vascular lesions affecting central nervous system	M	1,957	2	.	2	8	5	17	71	234	573	1,045
	F	2,381	2	2	2	7	4	35	96	239	612	1,382
Diseases of the heart	M	6,696	.	2	3	13	24	115	446	1,022	1,990	3,081
	F	5,194	.	.	.	6	16	48	188	484	1,337	3,115
Other diseases of the circulatory system	M	727	.	.	2	1	6	13	48	85	157	415
	F	723	.	.	.	.	4	9	28	45	143	494
Diseases of the respiratory system	M	2,658	89	24	7	13	7	37	126	417	753	1,185
	F	1,975	86	34	16	14	13	23	87	176	401	1,125
Senility	M	650	.	.	.	.	.	.	.	.	24	626
	F	686	.	.	.	.	.	.	.	.	22	664
Other diseases	M	2,589	762	50	26	43	31	56	157	282	479	703
	F	2,107	549	36	38	33	41	68	119	229	407	587
Accidents and other external causes	M	753	29	26	54	89	72	82	89	97	106	109
	F	416	16	22	24	12	18	15	30	33	68	178
All Causes	M	19,148	894	126	120	188	177	425	1,268	2,792	5,131	8,027
	F	15,965	658	112	95	95	123	319	871	1,721	3,757	8,214
LEINSTER												
Tuberculosis of respiratory system	M	114	.	.	.	.	2	9	14	38	37	14
	F	46	.	.	.	.	2	1	10	12	17	4
Tuberculosis, other forms	M	9	.	2	.	.	1	2	3	1	.	.
	F	5	.	.	.	.	.	1	2	.	1	1
Other infective and parasitic diseases	M	28	6	3	6	1	2	2	2	1	3	2
	F	20	3	3	1	3	2	1	1	2	2	2
Malignant neoplasms	M	1,307	2	9	10	5	11	43	139	305	438	345
	F	1,091	1	8	5	7	9	49	139	218	354	301
Vascular lesions affecting central nervous system	M	799	.	.	1	4	4	10	38	120	244	378
	F	1,072	.	2	2	1	1	16	51	122	276	601
Diseases of the heart	M	2,690	.	.	2	10	14	57	197	470	812	1,128
	F	2,298	.	.	.	3	5	23	96	221	604	1,346
Other diseases of the circulatory system	M	329	.	.	1	.	3	7	20	39	79	180
	F	328	.	.	.	.	1	2	13	26	61	225
Diseases of the respiratory system	M	1,271	46	10	4	7	6	13	64	224	368	529
	F	913	50	18	9	7	7	12	43	78	198	491
Senility	M	154	.	.	.	.	.	.	.	.	4	150
	F	174	.	.	.	.	.	.	.	.	2	172
Other diseases	M	1,173	419	22	14	24	16	28	74	124	198	254
	F	993	306	18	16	16	21	30	52	118	165	251
Accidents and other external causes	M	362	14	14	24	44	46	41	41	42	48	48
	F	183	6	13	9	8	10	7	15	11	31	73
All causes	M	8,236	487	60	62	95	105	212	592	1,364	2,231	3,028
	F	7,123	366	62	42	45	58	142	422	808	1,711	3,467

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis of respiratory system	M	69	1	.	.	1	1	2	10	21	25	8
	F	26	.	.	.	.	2	7	6	3	4	4
Tuberculosis, other forms	M	7	.	.	.	.	1	2	1	1	1	1
	F	5	1	.	.	2	.	.	.	1	.	1
Other infective and parasitic diseases	M	15	1	3	1	1	.	2	2	1	4	.
	F	11	.	3	.	.	.	1	2	4	.	1
Malignant neoplasms	M	884	.	6	5	4	7	18	88	167	303	286
	F	748	.	2	4	8	7	37	104	159	235	192
Vascular lesions affecting central nervous system	M	595	.	.	.	1	1	3	18	67	168	337
	F	765	2	.	.	6	2	14	26	79	196	440
Diseases of the heart	M	2,272	.	1	1	2	7	29	131	337	726	1,038
	F	1,739	.	.	.	1	8	19	58	163	448	1,042
Other diseases of the circulatory system	M	235	.	.	1	.	3	5	14	26	49	137
	F	239	.	.	.	.	2	7	7	10	55	158
Diseases of the respiratory system	M	829	18	6	1	4	.	15	36	124	243	382
	F	642	24	8	4	5	2	7	25	66	137	364
Senility	M	252	.	.	.	.	.	.	.	.	5	247
	F	275	.	.	.	.	.	.	.	.	4	271
Other diseases	M	847	231	17	7	9	9	18	55	91	166	244
	F	627	148	13	11	11	11	18	33	64	137	181
Accidents and other external causes	M	234	7	8	16	27	17	29	29	27	39	35
	F	145	4	8	10	3	6	5	7	13	26	63
All causes	M	6,239	258	41	32	49	46	123	384	862	1,729	2,715
	F	5,222	179	34	29	36	40	115	268	562	1,242	2,717
CONNACHT												
Tuberculosis of respiratory system	M	30	.	.	.	.	2	4	5	5	5	9
	F	7	.	.	.	1	.	.	1	2	1	2
Tuberculosis, other forms	M	3	.	.	.	.	1	1	.	.	1	.
	F	2	.	1	.	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	4	.	.	.	.	1	.	1	2	.	.
	F	3	.	.	1	.	1	.	.	1	.	.
Malignant neoplasms	M	417	.	1	3	7	.	12	35	72	152	135
	F	334	.	1	3	1	2	15	39	66	101	106
Vascular lesions affecting central nervous system	M	358	.	.	1	3	.	3	8	33	98	212
	F	348	.	.	.	.	1	2	14	24	81	226
Diseases of the heart	M	1,097	.	.	.	1	2	16	74	120	285	599
	F	745	.	.	.	1	1	5	25	59	183	471
Other diseases of the circulatory system	M	102	.	.	.	1	.	.	10	15	22	54
	F	97	.	.	.	.	.	.	7	5	17	68
Diseases of the respiratory system	M	352	17	6	1	.	.	6	17	37	101	167
	F	254	6	6	1	2	4	2	14	21	39	159
Senility	M	181	.	.	.	.	.	.	.	.	10	171
	F	173	.	.	.	.	.	.	.	.	14	159
Other diseases	M	366	63	6	4	7	6	4	19	48	78	131
	F	301	62	4	7	3	6	11	21	29	62	96
Accidents and other external causes	M	89	3	3	7	13	7	5	8	18	13	12
	F	57	5	1	3	.	.	1	5	5	9	28
All causes	M	2,999	83	16	16	32	19	51	177	350	765	1,490
	F	2,321	73	13	15	8	15	36	127	212	507	1,315

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis of respiratory system	M	12	.	.	.	.	.	2	1	4	3	2
	F	4	.	.	.	.	.	.	1	2	.	1
Tuberculosis, other forms	M	2	.	.	.	.	.	2	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	2	.	.	.	1	.	.	1	.	1
	F	3	.	.	.	.	.	.	1	1	.	1
Malignant neoplasms	M	214	.	.	1	2	2	4	30	37	77	61
	F	178	.	.	1	1	2	9	16	44	52	53
Vascular lesions affecting central nervous system	M	205	2	.	.	.	.	1	7	14	63	118
	F	196	.	.	.	.	.	3	5	14	59	115
Diseases of the heart	M	637	.	1	.	.	1	13	44	95	167	316
	F	412	.	.	.	1	2	1	9	41	102	256
Other diseases of the circulatory system	M	61	.	.	.	.	.	1	4	5	7	44
	F	59	.	.	.	.	1	.	1	4	10	43
Diseases of the respiratory system	M	206	8	2	1	2	1	3	9	32	41	107
	F	166	6	2	2	.	.	2	5	11	27	111
Senility	M	63	.	.	.	.	.	.	.	.	5	58
	F	64	.	.	.	.	.	.	.	.	2	62
Other diseases	M	203	49	5	1	3	.	6	9	19	37	74
	F	186	33	1	4	3	3	9	13	18	43	59
Accidents and other external causes	M	68	5	1	7	5	2	7	11	10	6	14
	F	31	1	.	2	1	2	2	3	4	2	14
All causes	M	1,674	66	9	10	12	7	39	115	216	406	794
	F	1,299	40	3	9	6	10	26	54	139	297	715
COUNTY CARLOW												
Tuberculosis of respiratory system	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	1	.	.	.
	F	2	.	1	.	.	.	.	.	1	.	.
Malignant neoplasms	M	33	.	.	1	.	1	.	1	5	15	10
	F	20	.	.	.	.	.	.	1	7	8	4
Vascular lesions affecting central nervous system	M	18	.	.	.	.	.	.	.	5	6	7
	F	34	.	.	.	.	.	.	.	3	9	22
Diseases of the heart	M	71	.	.	.	1	2	.	3	7	25	33
	F	64	.	.	.	.	.	2	1	4	18	39
Other diseases of the circulatory system	M	6	.	.	.	.	.	.	1	.	1	4
	F	6	.	.	.	.	.	.	.	1	.	5
Diseases of the respiratory system	M	28	.	1	.	.	.	.	1	4	5	17
	F	15	1	1	1	1	.	.	1	2	2	6
Senility	M	5	.	.	.	.	.	.	.	.	1	4
	F	3	.	.	.	.	.	.	.	.	.	3
Other diseases	M	32	15	1	.	1	.	1	1	3	4	6
	F	30	8	1	.	.	.	2	2	3	5	9
Accidents and other external causes	M	9	.	1	.	2	1	2	.	1	1	1
	F	7	.	.	2	.	1	.	1	.	1	2
All causes	M	203	15	3	1	4	4	3	8	25	58	82
	F	182	9	3	3	1	1	4	7	21	43	90

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	59	.	.	.	.	1	5	10	21	15	7
	F	20	.	.	.	.	1	.	5	4	8	2
Tuberculosis, other forms	M	3	.	1	.	.	.	.	1	1	.	.
	F	2	.	.	.	.	.	.	1	.	1	.
Other infective and parasitic diseases	M	10	3	2	1	.	1	1	.	.	1	1
	F	8	1	2	.	2	1	1	.	.	1	.
Malignant neoplasms	M	563	.	4	5	1	3	20	65	156	183	126
	F	481	1	4	4	4	3	18	67	90	158	132
Vascular lesions affecting central nervous system	M	243	.	.	1	2	1	5	16	39	79	100
	F	412	.	.	1	1	1	9	25	54	110	211
Diseases of the heart	M	891	.	.	.	4	3	18	96	192	293	285
	F	888	.	.	.	2	3	10	39	89	245	500
Other diseases of the circulatory system	M	85	.	.	1	.	1	3	10	10	26	34
	F	100	.	.	.	.	.	1	6	9	24	60
Diseases of the respiratory system	M	549	24	6	2	2	4	5	31	126	160	189
	F	434	22	8	4	4	6	4	16	32	100	238
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	23	.	.	.	.	.	.	.	.	.	23
Other diseases	M	448	166	9	4	7	9	10	23	46	86	88
	F	391	118	7	3	6	7	8	24	50	70	98
Accidents and other external causes	M	127	5	6	11	16	14	11	14	15	17	18
	F	73	1	3	3	4	5	1	6	5	14	31
All causes	M	2,985	198	28	25	32	37	78	266	606	860	855
	F	2,832	143	24	15	23	27	52	189	333	731	1,295
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	.	.	2	2	1
	F	1	.	.	.	.	.	.	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	1
	F	1	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	42	.	.	.	.	1	.	4	11	14	12
	F	60	.	.	.	.	.	3	9	9	17	22
Vascular lesions affecting central nervous system	M	20	.	.	.	.	.	.	.	3	7	10
	F	59	.	.	.	.	.	1	3	3	10	42
Diseases of the heart	M	111	.	.	.	.	.	1	5	21	37	47
	F	104	.	.	.	.	1	.	3	7	27	66
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	1	.	1	8
	F	23	.	.	.	.	.	.	.	2	3	18
Diseases of the respiratory system	M	39	2	.	.	.	.	1	2	.	13	21
	F	37	.	.	.	.	.	.	3	5	9	20
Senility	M	1	.	.	.	.	.	.	.	.	.	1
	F	3	.	.	.	.	.	.	.	.	.	3
Other diseases	M	45	16	.	1	2	.	2	2	8	7	7
	F	44	11	.	1	.	1	1	1	5	7	17
Accidents and other external causes	M	16	.	.	.	1	.	4	2	3	4	2
	F	9	1	1	.	1	1	.	1	2	1	1
All causes	M	290	19	.	1	3	1	8	16	48	85	109
	F	342	12	1	1	1	3	5	20	33	75	191

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis of respiratory system	M	9	.	.	.	.	.	2	.	2	4	1
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	.	1	1	1	.	1	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	122	1	2	1	1	2	3	13	28	43	28
	F	88	.	.	.	2	2	8	9	20	25	22
Vascular lesions affecting central nervous system	M	54	.	.	.	.	1	.	2	7	20	24
	F	88	.	.	.	.	.	.	5	11	26	46
Diseases of the heart	M	207	.	.	.	1	3	9	19	44	50	81
	F	170	.	.	.	.	.	2	7	17	50	94
Other diseases of the circulatory system	M	18	.	.	.	.	.	1	.	4	6	7
	F	27	.	.	.	.	.	.	3	1	5	18
Diseases of the respiratory system	M	104	5	1	.	2	.	2	2	12	30	50
	F	75	9	3	1	.	.	2	4	5	11	40
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	118	61	.	.	3	1	2	6	11	16	18
	F	96	45	2	1	2	2	4	5	5	12	18
Accidents and other external causes	M	35	1	3	.	5	7	4	5	3	3	4
	F	19	.	1	2	1	1	3	2	.	2	7
All causes	M	675	68	7	2	13	14	24	47	111	172	217
	F	570	54	6	4	5	5	19	35	60	131	251
COUNTY KILDARE												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	.	1	1
	F	2	.	.	.	.	.	.	1	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	1	.	1	.	.	.
	F	1	.	.	.	.	1	.	.	.	.	.
Malignant neoplasms	M	63	1	.	1	1	.	4	8	18	22	8
	F	34	.	.	.	.	1	.	4	8	8	13
Vascular lesions affecting central nervous system	M	42	.	.	.	.	.	1	4	6	11	20
	F	30	.	1	.	.	.	.	4	3	7	15
Diseases of the heart	M	140	.	.	.	1	3	3	10	31	40	52
	F	96	.	.	.	.	1	.	6	10	24	55
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	.	1	3	6
	F	11	.	.	.	.	.	.	.	1	3	7
Diseases of the respiratory system	M	61	8	1	.	.	.	1	2	5	15	29
	F	40	3	.	.	.	.	.	3	3	8	23
Senility	M	9	.	.	.	.	.	.	.	.	2	7
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	59	23	1	2	2	3	1	5	8	6	8
	F	36	9	.	.	.	.	1	1	7	7	11
Accidents and other external causes	M	22	1	.	3	2	3	1	3	3	3	3
	F	4	1	1	.	1	.	.	.	.	.	1
All causes	M	411	34	2	6	6	10	11	33	72	103	134
	F	260	13	2	.	1	3	1	19	33	57	131

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	.	2	2	.	.
	F	2	.	.	.	.	.	.	.	.	1	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	.	.	1
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	53	.	.	.	1	2	.	4	10	16	20
	F	46	.	1	.	.	.	7	8	8	14	8
Vascular lesions affecting central nervous system	M	37	.	.	.	.	.	.	1	6	12	18
	F	41	.	.	.	.	.	.	2	2	15	22
Diseases of the heart	M	151	.	.	.	2	.	3	10	19	48	69
	F	117	.	.	.	1	.	2	7	12	28	67
Other diseases of the circulatory system	M	31	.	.	.	.	1	1	.	4	8	17
	F	23	.	.	.	.	.	1	.	.	8	14
Diseases of the respiratory system	M	48	1	.	1	.	.	.	4	4	20	18
	F	42	2	.	1	.	.	1	2	4	11	21
Senility	M	49	.	.	.	.	.	.	.	.	.	49
	F	46	.	.	.	.	.	.	.	.	1	45
Other diseases	M	67	21	3	.	1	1	.	4	8	11	18
	F	52	12	2	1	.	1	4	4	7	8	13
Accidents and other external causes	M	16	2	1	.	1	2	2	2	2	2	2
	F	6	1	.	.	.	.	.	.	.	2	3
All causes	M	457	24	4	1	5	6	6	27	55	117	212
	F	376	15	3	2	1	1	15	24	33	88	194
COUNTY LAOIS												
Tuberculosis of respiratory system	M	6	.	.	.	.	1	.	1	1	3	.
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	1	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	44	.	.	.	1	.	2	3	9	12	18
	F	43	.	.	.	1	1	.	8	12	15	6
Vascular lesions affecting central nervous system	M	37	.	.	.	.	.	3	1	6	13	14
	F	37	.	.	.	.	.	1	1	3	6	26
Diseases of the heart	M	108	.	.	.	.	.	2	1	21	26	58
	F	78	.	.	.	.	.	.	3	6	21	48
Other diseases of the circulatory system	M	22	.	.	.	.	.	.	1	1	3	17
	F	16	.	.	.	.	.	.	.	1	2	13
Diseases of the respiratory system	M	42	.	.	.	.	.	2	1	6	8	25
	F	28	1	1	.	.	.	.	3	1	7	15
Senility	M	14	.	.	.	.	.	.	.	.	.	14
	F	9	.	.	.	.	.	.	.	.	.	9
Other diseases	M	30	8	.	.	.	.	.	2	5	4	11
	F	20	6	1	.	.	.	1	.	2	3	7
Accidents and other external causes	M	7	.	.	.	.	1	2	1	1	1	1
	F	7	.	.	1	.	.	.	.	.	1	5
All causes	M	310	8	.	.	.	2	11	11	50	70	158
	F	239	7	2	1	2	1	2	15	25	55	129

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	.	2	1
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	42	.	.	.	.	.	3	4	4	17	14
	F	24	.	.	.	.	.	.	.	6	11	7
Vascular lesions affecting central nervous system	M	35	.	.	.	.	.	.	3	3	9	20
	F	27	.	.	.	.	.	.	.	5	5	17
Diseases of the heart	M	123	.	.	.	1	.	2	6	10	32	72
	F	71	.	.	.	.	.	.	2	6	17	46
Other diseases of the circulatory system	M	11	.	.	.	.	.	.	2	.	.	9
	F	8	.	.	.	.	1	.	.	.	.	7
Diseases of the respiratory system	M	28	.	1	.	.	.	1	.	3	8	15
	F	14	2	.	.	.	.	.	.	.	6	6
Senility	M	12	.	.	.	.	.	.	.	.	.	12
	F	6	.	.	.	.	.	.	.	.	1	5
Other diseases	M	32	10	1	1	.	.	1	1	3	9	6
	F	24	8	.	.	1	1	.	2	1	3	8
Accidents and other external causes	M	14	.	.	.	.	1	1	1	3	3	5
	F	12	1	.	.	1	.	1	2	.	2	5
All causes	M	302	11	2	1	1	1	9	17	26	80	154
	F	187	11	.	.	2	2	1	6	19	45	101
COUNTY LOUTH												
Tuberculosis of respiratory system	M	9	.	.	.	.	.	.	1	4	3	1
	F	5	.	.	.	.	.	.	.	1	3	1
Tuberculosis, other forms	M	2	.	.	.	.	1	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	1	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	56	.	1	.	1	.	2	5	9	23	15
	F	57	.	2	.	.	1	.	3	10	20	21
Vascular lesions affecting central nervous system	M	49	.	.	.	.	.	.	4	10	12	23
	F	58	.	.	.	.	.	1	3	7	13	34
Diseases of the heart	M	146	.	.	1	.	1	4	8	27	44	61
	F	101	.	.	.	.	.	2	2	11	30	56
Other diseases of the circulatory system	M	7	.	.	.	.	.	.	1	2	.	4
	F	11	.	.	.	.	.	.	1	1	3	6
Diseases of the respiratory system	M	70	2	.	.	1	2	.	4	12	23	26
	F	31	1	2	.	.	.	2	1	2	9	14
Senility	M	15	.	.	.	.	.	.	.	.	.	15
	F	19	.	.	.	.	.	.	.	.	.	19
Other diseases	M	69	23	2	3	7	1	3	5	4	11	10
	F	56	21	.	2	1	2	.	1	7	8	14
Accidents and other external causes	M	17	.	1	1	5	5	2	.	2	1	.
	F	14	.	2	.	.	.	1	1	2	5	3
All causes	M	442	25	4	6	14	10	11	29	70	118	155
	F	352	22	6	2	1	3	6	12	41	91	168

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	1	1	1
	F	2	.	.	.	.	1	.	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	65	.	1	1	.	1	2	7	13	16	24
	F	57	.	1	.	.	.	3	8	9	21	15
Vascular lesions affecting central nervous system	M	52	.	.	.	.	.	.	2	9	13	28
	F	70	.	.	.	.	.	2	1	6	21	40
Diseases of the heart	M	159	.	.	.	.	.	1	7	28	54	69
	F	145	.	.	.	.	.	2	2	13	34	94
Other diseases of the circulatory system	M	13	.	.	.	.	.	.	1	1	5	6
	F	12	.	.	.	.	.	.	.	1	3	8
Diseases of the respiratory system	M	84	1	.	1	1	.	.	3	13	22	43
	F	40	2	.	.	.	.	1	.	3	8	26
Senility	M	11	.	.	.	.	.	.	.	.	1	10
	F	11	.	.	.	.	.	.	.	.	.	11
Other diseases	M	57	15	.	.	1	1	2	6	8	8	16
	F	58	21	1	1	2	1	1	4	6	4	17
Accidents and other external causes	M	25	3	1	.	3	2	.	5	2	4	5
	F	11	.	.	.	.	.	.	1	2	2	6
All causes	M	470	19	2	3	5	4	5	31	75	124	202
	F	407	24	2	1	2	2	9	17	40	93	217
COUNTY OFFALY												
Tuberculosis of respiratory system	M	1	.	.	.	.	.	.	.	1	.	.
	F	4	.	.	.	.	.	1	1	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	.	1	.	.	.	.	1	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	34	.	.	1	.	1	2	1	6	9	14
	F	39	.	.	.	.	1	3	1	12	13	9
Vascular lesions affecting central nervous system	M	38	.	.	.	.	.	.	.	5	9	24
	F	39	.	.	.	.	.	1	.	5	9	24
Diseases of the heart	M	90	.	.	.	.	.	3	10	11	27	39
	F	70	.	.	.	.	.	1	3	9	28	29
Other diseases of the circulatory system	M	21	.	.	.	.	1	1	1	4	4	10
	F	16	.	.	.	.	.	.	.	.	1	15
Diseases of the respiratory system	M	53	1	.	.	.	.	.	2	8	11	31
	F	38	4	1	.	.	.	1	.	3	5	24
Senility	M	18	.	.	.	.	.	.	.	.	.	18
	F	18	.	.	.	.	.	.	.	.	.	18
Other diseases	M	48	13	1	1	.	.	1	4	6	11	11
	F	37	14	1	2	.	1	3	1	1	5	9
Accidents and other external causes	M	11	.	.	3	1	1	.	.	2	3	1
	F	2	.	.	.	.	.	.	.	.	.	2
All causes	M	317	14	1	6	1	3	7	18	44	75	148
	F	263	18	2	2	.	2	10	6	31	62	130

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	1	1	.	.
	F	2	.	.	.	.	.	.	1	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	1	.	.	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	49	.	.	1	.	.	1	5	8	16	19
	F	34	.	.	1	.	.	2	4	4	11	12
Vascular lesions affecting central nervous system	M	35	.	.	1	.	.	.	2	3	11	21
	F	32	.	.	1	.	.	.	2	3	9	17
Diseases of the heart	M	146	.	.	.	.	.	2	7	13	37	87
	F	114	.	.	.	.	.	3	9	9	24	78
Other diseases of the circulatory system	M	11	.	.	.	.	.	1	1	3	1	5
	F	8	.	.	.	.	.	.	.	.	.	8
Diseases of the respiratory system	M	40	1	.	.	1	.	.	4	3	12	20
	F	24	.	2	1	1	.	1	1	2	6	11
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	11	.	.	.	.	.	.	.	.	.	11
Other diseases	M	54	16	1	.	.	.	1	5	2	10	19
	F	31	5	.	3	2	1	1	2	2	8	7
Accidents and other external causes	M	22	1	1	2	3	3	5	1	3	1	2
	F	3	.	1	1	.	.	.	.	.	.	1
All causes	M	360	18	2	2	3	3	10	23	35	88	176
	F	261	5	3	7	3	2	4	13	21	58	145
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	10	.	.	.	.	.	2	.	3	4	1
	F	5	.	.	.	.	.	.	.	3	2	.
Tuberculosis, other forms	M	3	.	1	.	.	.	1	1	.	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	75	.	1	.	.	.	.	12	17	28	17
	F	52	.	.	.	.	.	1	9	11	17	14
Vascular lesions affecting central nervous system	M	76	.	.	.	1	1	1	3	11	20	39
	F	90	.	1	.	.	.	1	1	12	26	49
Diseases of the heart	M	211	.	.	1	.	2	6	11	28	73	90
	F	174	.	.	.	.	.	1	10	20	38	105
Other diseases of the circulatory system	M	70	.	.	.	.	.	.	.	9	13	48
	F	53	.	.	.	.	.	.	3	4	8	38
Diseases of the respiratory system	M	76	1	.	.	1	.	1	2	18	25	28
	F	62	2	.	2	.	.	.	5	15	12	26
Senility	M	2	.	.	.	.	.	.	.	.	.	2
	F	10	.	.	.	.	.	.	.	.	.	10
Other diseases	M	67	17	1	1	.	.	4	7	5	9	23
	F	64	16	2	1	2	3	2	4	12	14	8
Accidents and other external causes	M	24	1	.	2	1	4	4	3	1	4	4
	F	14	1	3	.	.	1	1	1	.	1	6
All causes	M	615	19	3	5	3	7	19	39	92	176	252
	F	526	20	6	3	2	4	6	34	77	118	256

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	1	2	.
	F	1	.	.	.	.	.	.	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	.	1	1
Malignant neoplasms	M	66	.	.	.	.	.	4	7	11	24	20
	F	56	.	.	.	.	.	4	8	12	16	16
Vascular lesions affecting central nervous system	M	63	.	.	.	1	1	.	2	7	22	30
	F	55	.	.	.	.	.	.	4	5	10	36
Diseases of the heart	M	136	.	.	.	.	.	3	4	18	26	85
	F	106	.	.	.	.	.	1	8	8	20	69
Other diseases of the circulatory system	M	14	.	.	.	.	.	.	1	.	8	5
	F	14	.	.	.	.	.	.	.	5	1	8
Diseases of the respiratory system	M	49	.	.	.	.	.	.	6	10	16	17
	F	33	1	.	.	1	.	1	4	1	4	21
Senility	M	4	.	.	.	.	.	.	.	.	.	4
	F	3	.	.	.	.	.	.	.	.	.	3
Other diseases	M	47	15	2	1	.	.	.	3	7	6	13
	F	54	12	1	1	.	1	2	1	10	11	15
Accidents and other external causes	M	17	.	.	2	4	2	3	4	1	1	.
	F	2	.	1	.	.	1	.	.	.	.	.
All causes	M	399	15	2	3	5	3	10	27	55	105	174
	F	326	13	2	1	1	2	8	25	41	64	169
COUNTY CLARE												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	1	.	2	.	.
	F	2	.	.	.	.	.	.	.	1	.	1
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	1	.
	F	1	.	.	.	.	.	.	.	.	.	1
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	77	.	.	.	.	.	4	7	11	31	24
	F	39	.	.	1	.	.	1	6	11	9	11
Vascular lesions affecting central nervous system	M	38	.	.	.	1	.	.	1	2	15	19
	F	41	.	.	.	2	.	.	2	3	11	23
Diseases of the heart	M	247	.	.	.	1	.	2	12	26	80	126
	F	168	.	.	.	.	.	1	7	13	40	107
Other diseases of the circulatory system	M	16	.	.	.	.	.	.	.	1	4	11
	F	24	.	.	.	.	.	.	.	1	1	22
Diseases of the respiratory system	M	71	.	.	.	.	.	1	4	15	21	30
	F	60	1	1	.	1	2	.	3	6	14	32
Senility	M	31	.	.	.	.	.	.	.	.	1	30
	F	22	.	.	.	.	.	.	.	.	.	22
Other diseases	M	87	25	3	.	.	.	5	1	8	17	28
	F	42	9	1	2	.	1	.	.	3	14	12
Accidents and other external causes	M	22	1	1	1	3	2	3	2	3	3	3
	F	12	.	1	.	.	1	1	1	1	2	5
All causes	M	593	26	4	1	5	2	16	27	68	173	271
	F	411	10	3	3	3	4	3	19	39	91	236

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	14	.	.	.	.	.	.	1	6	5	2
	F	5	.	.	.	.	.	2	1	.	.	2
Tuberculosis, other forms	M	4	.	.	.	.	1	1	1	1	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	.	1	.	.	.	.	1	.	2	.
	F	2	.	2	.	.	.	.	.	.	.	.
Malignant neoplasms	M	109	.	1	.	1	1	2	17	24	32	31
	F	128	.	1	1	1	1	8	13	36	44	23
Vascular lesions affecting central nervous system	M	49	.	.	.	.	.	1	1	8	13	26
	F	107	.	.	.	2	.	1	5	10	28	61
Diseases of the heart	M	241	.	.	.	.	1	3	22	53	73	89
	F	251	.	.	.	.	.	1	10	33	57	150
Other diseases of the circulatory system	M	33	.	.	.	.	1	.	.	7	10	15
	F	29	.	.	.	.	1	.	1	1	9	17
Diseases of the respiratory system	M	115	3	.	.	1	.	2	4	19	38	48
	F	94	4	2	.	1	.	1	5	9	23	49
Senility	M	10	.	.	.	.	.	.	.	.	.	10
	F	19	.	.	.	.	.	.	.	.	2	17
Other diseases	M	101	42	.	.	1	2	.	7	8	15	26
	F	96	26	4	.	1	2	5	7	8	21	22
Accidents and other external causes	M	20	1	2	.	1	.	5	2	3	2	4
	F	19	.	1	1	2	.	.	1	1	4	9
All causes	M	700	46	4	.	4	6	14	56	129	190	251
	F	751	31	10	2	7	4	18	43	98	188	350
COUNTY CORK												
Tuberculosis of respiratory system	M	13	1	.	.	.	.	.	4	5	2	1
	F	4	.	.	.	.	.	2	1	.	.	1
Tuberculosis, other forms	M	.	.	.	.	2	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	4	1	1	.	.	.	.	1	.	1	.
	F	2	.	.	.	.	.	.	.	2	.	.
Malignant neoplasms	M	239	.	2	1	.	3	5	18	53	79	78
	F	209	.	.	.	2	.	5	31	38	77	56
Vascular lesions affecting central nervous system	M	182	.	.	.	.	.	.	2	18	46	116
	F	213	.	.	.	.	.	4	7	21	53	128
Diseases of the heart	M	578	.	1	.	.	1	7	35	81	196	257
	F	430	.	.	.	.	2	4	9	34	120	261
Other diseases of the circulatory system	M	81	.	.	.	.	1	4	4	7	15	50
	F	68	.	.	.	.	1	2	3	2	12	48
Diseases of the respiratory system	M	202	4	2	1	1	.	.	6	30	61	97
	F	156	5	.	2	2	.	1	3	17	29	97
Senility	M	56	.	.	.	.	.	.	.	.	1	55
	F	75	.	.	.	.	.	.	.	.	.	75
Other diseases	M	224	48	4	5	3	.	2	18	33	41	70
	F	162	30	3	3	1	4	7	8	17	39	50
Accidents and other external causes	M	61	2	1	2	6	7	5	9	8	11	10
	F	39	1	1	5	1	3	1	.	3	6	18
All causes	M	1,640	56	11	9	10	12	23	97	235	453	734
	F	1,360	36	4	10	8	10	26	62	134	336	734

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis of respiratory system	M	9	.	.	.	1	.	.	.	2	5	1
	F	3	.	.	.	.	.	.	1	1	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Other infective and parasitic diseases	M	3	.	1	.	.	.	.	.	1	1	.
	F	3	.	1	.	.	.	1	1	.	.	.
Malignant neoplasms	M	117	.	1	2	.	3	1	13	21	47	29
	F	96	.	.	.	.	2	1	18	17	31	27
Vascular lesions affecting central nervous system	M	75	.	.	.	.	.	1	2	5	23	44
	F	91	.	.	.	.	.	.	3	11	20	57
Diseases of the heart	M	353	.	.	.	.	.	4	21	54	114	160
	F	266	.	.	.	1	3	2	9	22	70	159
Other diseases of the circulatory system	M	46	.	.	.	.	.	.	1	2	12	31
	F	40	.	.	.	.	.	2	2	2	13	21
Diseases of the respiratory system	M	82	4	.	.	.	.	2	3	14	18	41
	F	62	3	.	1	1	.	2	2	4	13	36
Senility	M	53	.	.	.	.	.	.	.	.	1	52
	F	49	.	.	.	.	.	.	.	.	2	47
Other diseases	M	143	23	3	2	1	3	2	13	12	35	49
	F	92	14	2	1	3	2	2	6	14	21	27
Accidents and other external causes	M	32	1	.	1	3	1	4	4	5	6	7
	F	27	1	.	1	.	1	.	3	4	3	14
All causes	M	913	28	5	5	5	7	14	57	116	262	414
	F	730	18	3	3	5	8	10	45	76	174	388
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	2	1	.
	F	1	.	.	.	.	.	.	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	.	.	1
Malignant neoplasms	M	42	.	.	.	.	.	.	6	13	12	11
	F	45	.	1	1	1	2	1	5	7	15	12
Vascular lesions affecting central nervous system	M	17	.	.	.	.	1	.	.	3	5	8
	F	45	.	.	.	.	.	2	3	5	7	28
Diseases of the heart	M	82	.	.	.	.	2	6	3	16	29	26
	F	76	.	.	.	.	.	1	4	9	21	41
Other diseases of the circulatory system	M	6	.	.	.	.	.	.	2	2	1	1
	F	12	.	.	.	.	.	1	.	.	2	9
Diseases of the respiratory system	M	46	.	.	.	1	.	3	.	8	14	20
	F	43	1	1	.	.	.	1	2	2	7	29
Senility	M	3	.	.	.	.	.	.	.	.	.	3
	F	6	.	.	.	.	.	.	.	.	.	6
Other diseases	M	36	18	2	.	1	1	.	1	5	4	4
	F	32	7	1	2	1	1	.	.	2	5	13
Accidents and other external causes	M	18	.	2	4	3	1	.	3	2	2	1
	F	5	.	.	.	.	.	1	.	.	.	4
All causes	M	253	18	4	4	5	5	9	15	51	66	74
	F	266	8	3	3	2	3	7	14	25	58	143

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	.	.	3	.	2
	F	3	.	.	.	.	1	1	1	.	.	.
Tuberculosis, other forms	M	2	.	.	.	.	.	1	.	.	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	1	.	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	91	.	1	.	.	.	3	15	14	27	31
	F	69	.	.	1	2	1	5	7	18	20	15
Vascular lesions affecting central nervous system	M	78	.	.	.	.	.	.	1	10	23	44
	F	72	.	.	.	.	.	.	.	8	23	41
Diseases of the heart	M	238	.	.	1	1	1	4	13	31	70	117
	F	161	.	.	.	.	3	1	2	17	33	105
Other diseases of the circulatory system	M	12	.	.	.	.	.	1	1	3	1	6
	F	26	.	.	.	.	.	.	.	3	8	15
Diseases of the respiratory system	M	73	1	1	.	.	.	3	3	10	23	32
	F	49	1	.	.	.	.	.	3	6	11	28
Senility	M	20	.	.	.	.	.	.	.	.	2	18
	F	28	.	.	.	.	.	.	.	.	.	28
Other diseases	M	74	18	3	.	1	2	1	6	10	10	23
	F	62	15	1	2	2	.	1	5	6	14	16
Accidents and other external causes	M	25	1	2	2	1	2	3	3	1	5	5
	F	21	1	2	3	.	.	1	2	3	4	5
All causes	M	619	20	7	3	4	5	16	42	82	161	279
	F	492	17	3	6	4	5	9	20	62	113	253
COUNTY TIPPERARY, N.R.												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	1	1	1	.
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	1	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	50	.	.	.	.	.	1	3	12	12	22
	F	37	.	.	.	1	.	6	4	6	10	10
Vascular lesions affecting central nervous system	M	34	.	.	.	.	.	.	6	3	12	13
	F	42	.	.	.	.	.	1	3	6	13	19
Diseases of the heart	M	153	.	.	.	.	.	.	7	23	53	70
	F	99	.	.	.	.	.	5	8	8	30	48
Other diseases of the circulatory system	M	12	.	.	.	.	.	.	2	1	.	9
	F	10	.	.	.	.	.	.	.	.	5	5
Diseases of the respiratory system	M	55	2	.	.	.	.	2	3	3	19	26
	F	49	4	1	1	.	.	2	4	5	10	22
Senility	M	58	.	.	.	.	.	.	.	.	.	58
	F	39	.	.	.	.	.	.	.	.	.	39
Other diseases	M	52	14	1	.	.	.	3	3	5	18	8
	F	29	11	.	.	.	.	1	2	3	5	7
Accidents and other external causes	M	12	.	.	1	.	1	1	3	3	1	2
	F	3	.	1	.	.	1	.	.	.	1	.
All causes	M	430	16	1	2	.	1	7	28	51	116	208
	F	309	15	2	1	1	1	15	21	29	74	150

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	6	.	.	.	.	.	1	1	.	4	.
	F	2	.	.	.	.	1	.	.	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	.	2	.	.	.	.
	F	2	.	.	.	.	.	.	1	1	.	.
Malignant neoplasms	M	78	.	1	2	1	.	1	2	11	25	35
	F	62	.	.	.	.	1	4	12	13	13	19
Vascular lesions affecting central nervous system	M	63	.	.	.	.	.	1	1	13	18	30
	F	65	2	.	.	1	2	1	1	7	16	35
Diseases of the heart	M	224	.	.	.	.	1	3	12	24	75	109
	F	153	.	.	.	.	.	3	4	19	33	94
Other diseases of the circulatory system	M	16	.	.	.	.	1	.	3	2	4	6
	F	11	.	.	.	.	.	1	.	1	3	6
Diseases of the respiratory system	M	61	4	1	.	.	.	.	4	8	20	24
	F	39	2	3	.	.	.	.	1	6	12	15
Senility	M	5	.	.	.	.	.	.	.	.	.	5
	F	19	.	.	.	.	.	.	.	.	.	19
Other diseases	M	68	23	1	.	.	.	3	2	7	16	16
	F	37	16	1	.	1	.	1	1	4	6	7
Accidents and other external causes	M	18	1	.	4	3	.	3	.	1	5	1
	F	6	.	.	.	.	.	.	.	1	2	3
All causes	M	541	28	3	6	4	2	14	25	66	167	226
	F	396	20	4	.	2	4	10	20	52	86	198
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	9	.	.	.	.	.	.	1	.	7	1
	F	3	.	.	.	.	.	1	1	.	1	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	32	.	.	.	.	.	.	3	3	13	13
	F	25	.	.	.	1	.	3	3	4	6	8
Vascular lesions affecting central nervous system	M	21	.	.	.	.	.	.	2	2	5	12
	F	37	.	.	.	.	.	1	1	3	13	19
Diseases of the heart	M	51	.	.	.	.	.	.	3	10	11	27
	F	63	.	.	.	.	.	1	2	3	21	36
Other diseases of the circulatory system	M	3	.	.	1	.	.	.	.	1	.	1
	F	5	.	.	.	.	.	.	1	.	1	3
Diseases of the respiratory system	M	60	.	1	.	1	.	1	1	9	16	31
	F	50	2	.	.	.	.	.	1	7	10	30
Senility	M	1	.	.	.	.	.	.	.	.	.	1
	F	2	.	.	.	.	.	.	.	.	.	2
Other diseases	M	19	10	.	.	1	.	1	1	1	2	3
	F	35	14	.	.	1	.	.	2	4	4	10
Accidents and other external causes	M	11	.	.	1	4	.	3	1	.	1	1
	F	5	1	.	.	.	.	.	.	.	2	2
All causes	M	207	10	1	2	6	.	5	12	26	55	90
	F	225	17	.	.	2	.	6	11	21	58	110

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	4	.	.	.	.	1	.	2	.	.	1
	F	2	.	.	.	.	.	1	1	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	49	.	.	.	2	.	1	4	5	25	12
	F	38	.	.	.	.	.	3	5	9	10	11
Vascular lesions affecting central nervous system	M	38	.	.	.	.	.	.	2	3	8	25
	F	52	.	.	.	1	.	4	1	5	12	29
Diseases of the heart	M	105	.	.	.	.	1	.	3	19	25	57
	F	72	.	.	.	.	.	.	3	5	23	41
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	1	.	2	7
	F	14	.	.	.	.	.	1	.	.	1	12
Diseases of the respiratory system	M	64	.	1	.	.	.	1	8	8	13	33
	F	40	1	.	.	.	.	.	1	4	8	26
Senility	M	15	.	.	.	.	.	.	.	.	.	15
	F	16	.	.	.	.	.	.	.	.	.	16
Other diseases	M	43	10	.	.	1	1	1	3	2	8	17
	F	40	6	.	1	1	1	1	2	3	8	17
Accidents and other external causes	M	15	.	.	.	3	3	2	2	1	3	1
	F	8	.	2	.	.	.	1	.	.	2	3
All causes	M	343	10	1	.	6	6	5	25	38	84	168
	F	282	7	2	1	2	1	11	13	26	64	155
COUNTY GALWAY												
Tuberculosis of respiratory system	M	13	.	.	.	.	1	2	3	3	2	2
	F	3	.	.	.	1	.	.	.	1	.	1
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	1	.
	F	2	.	1	.	.	.	.	1	.	.	.
Other infective and parasitic diseases	M	2	.	.	1	.	1	.	1	1	.	.
	F	3	.	.	1	.	1	.	.	1	.	.
Malignant neoplasms	M	143	.	1	1	2	.	4	12	24	57	42
	F	103	.	.	.	1	1	6	16	27	24	28
Vascular lesions affecting central nervous system	M	103	.	.	.	.	.	1	1	12	28	61
	F	97	.	.	.	.	.	1	3	9	22	62
Diseases of the heart	M	356	.	.	.	.	1	5	36	39	81	194
	F	247	.	.	.	1	1	.	12	16	69	148
Other diseases of the circulatory system	M	32	.	.	.	.	.	.	6	9	9	8
	F	33	.	.	.	.	.	.	4	2	7	20
Diseases of the respiratory system	M	140	6	1	.	.	.	3	8	13	40	69
	F	114	5	3	1	1	2	1	5	12	13	71
Senility	M	48	.	.	.	.	.	.	.	.	2	46
	F	43	.	.	.	.	.	.	.	.	2	41
Other diseases	M	125	26	2	1	3	3	1	8	13	32	36
	F	100	29	2	4	1	1	3	9	7	15	29
Accidents and other external causes	M	38	.	2	5	6	4	4	1	8	4	4
	F	24	3	.	.	.	.	.	3	3	5	10
All causes	M	1,001	32	6	7	11	9	20	76	122	256	462
	F	769	37	6	6	5	6	11	53	78	157	410

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	2	.	.	.	.	.	.	.	.	.	2
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	43	.	.	.	.	.	1	4	13	13	12
	F	22	.	.	1	.	.	.	1	4	11	5
Vascular lesions affecting central nervous system	M	27	.	.	.	.	.	.	.	1	9	17
	F	16	.	.	.	.	.	.	.	1	6	9
Diseases of the heart	M	106	.	.	.	.	1	.	6	12	31	56
	F	74	.	.	.	.	.	2	1	5	20	46
Other diseases of the circulatory system	M	9	.	.	.	.	.	.	.	4	1	4
	F	7	.	.	.	.	.	.	1	.	2	4
Diseases of the respiratory system	M	23	.	1	.	.	.	1	1	1	2	17
	F	17	.	.	.	.	.	.	1	1	2	13
Senility	M	20	.	.	.	.	.	.	.	.	3	17
	F	30	.	.	.	.	.	.	.	.	2	28
Other diseases	M	31	3	.	.	1	1	.	1	4	4	17
	F	18	3	.	.	1	2	2	2	.	3	5
Accidents and other external causes	M	8	.	.	.	1	1	.	2	1	1	2
	F	3	.	.	.	.	.	.	.	.	1	2
All causes	M	269	3	1	.	2	3	2	14	36	64	144
	F	187	3	.	1	1	2	4	6	11	47	112
COUNTY MAYO												
Tuberculosis of respiratory system	M	9	.	.	.	.	.	2	2	.	1	4
	F	2	.	.	.	.	.	.	1	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	1	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	101	.	.	1	3	.	1	9	19	30	38
	F	106	.	1	1	.	1	3	18	20	34	28
Vascular lesions affecting central nervous system	M	111	.	.	1	3	.	.	5	6	33	63
	F	127	.	.	.	.	.	1	8	11	24	83
Diseases of the heart	M	310	.	.	.	1	.	7	13	35	87	167
	F	220	.	.	.	.	.	2	10	14	43	151
Other diseases of the circulatory system	M	27	.	.	.	1	.	.	1	1	6	18
	F	23	.	.	.	.	.	.	.	2	4	17
Diseases of the respiratory system	M	75	4	1	.	.	.	.	6	8	21	35
	F	58	1	2	.	.	2	1	3	6	15	28
Senility	M	73	.	.	.	.	.	.	.	.	4	69
	F	66	.	.	.	.	.	.	.	.	9	57
Other diseases	M	108	12	2	2	2	1	2	4	23	16	44
	F	91	14	1	1	.	2	1	7	13	24	28
Accidents and other external causes	M	22	2	1	1	2	1	.	2	6	4	3
	F	15	.	1	1	.	.	1	1	2	2	7
All causes	M	837	18	4	5	12	2	13	42	98	202	441
	F	708	15	5	3	.	5	9	48	69	155	399

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	1	2	.
	F	2	.	.	.	.	.	.	.	.	1	1
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	56	.	.	.	1	.	3	6	5	21	20
	F	39	.	.	.	.	.	3	2	4	15	15
Vascular lesions affecting central nervous system	M	53	.	.	.	.	.	2	.	7	10	34
	F	60	.	.	.	.	.	.	3	1	18	38
Diseases of the heart	M	190	.	.	.	.	.	4	11	23	40	112
	F	134	.	.	.	.	.	.	.	13	35	86
Other diseases of the circulatory system	M	17	.	.	.	.	.	.	1	.	4	12
	F	9	.	.	.	.	.	.	1	1	3	4
Diseases of the respiratory system	M	45	6	1	1	.	.	1	.	8	14	14
	F	31	.	1	.	.	.	.	4	.	5	21
Senility	M	21	.	.	.	.	.	.	.	.	.	21
	F	8	.	.	.	.	.	.	.	.	.	8
Other diseases	M	61	14	1	.	1	.	1	3	6	16	19
	F	44	9	.	.	1	1	3	2	3	11	14
Accidents and other external causes	M	11	.	.	.	4	.	1	.	2	3	1
	F	7	.	.	2	.	.	.	.	.	.	5
All causes	M	457	20	2	1	6	.	12	21	52	110	233
	F	334	9	1	2	1	1	6	12	22	88	192
COUNTY SLIGO												
Tuberculosis of respiratory system	M	3	.	.	.	.	1	.	.	1	.	1
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	1	.	.	.	.	1	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	.	.	.	.	1	.	.	1	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	74	.	.	1	1	.	3	4	11	31	23
	F	64	.	.	1	.	.	3	2	11	17	30
Vascular lesions affecting central nervous system	M	64	.	.	.	.	.	.	2	7	18	37
	F	48	.	.	.	.	1	.	.	2	11	34
Diseases of the heart	M	135	.	.	.	.	.	.	8	11	46	70
	F	70	.	.	.	.	.	1	2	11	16	40
Other diseases of the circulatory system	M	17	.	.	.	.	.	.	2	1	2	12
	F	25	.	.	.	.	.	.	1	.	1	23
Diseases of the respiratory system	M	69	1	2	.	.	.	1	2	7	24	32
	F	34	.	.	.	1	.	.	1	2	4	26
Senility	M	19	.	.	.	.	.	.	.	.	1	18
	F	26	.	.	.	.	.	.	.	.	1	25
Other diseases	M	41	8	1	1	.	1	.	3	2	10	15
	F	48	7	1	2	.	.	2	1	6	9	20
Accidents and other external causes	M	10	1	.	1	.	1	.	3	1	1	2
	F	8	2	.	.	.	.	.	1	.	1	4
All causes	M	435	10	3	3	1	5	4	24	42	133	210
	F	323	9	1	3	1	1	6	8	32	60	202

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis of respiratory system	M	4	.	.	.	.	.	1	.	2	.	1
	F	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	.	.	.	.	.	.	1	.	.	1
Malignant neoplasms	M	52	.	.	.	1	.	1	8	11	22	9
	F	42	.	.	.	.	.	2	6	12	10	12
Vascular lesions affecting central nervous system	M	74	.	.	.	.	.	1	4	3	23	43
	F	67	.	.	.	.	.	2	2	5	24	34
Diseases of the heart	M	214	.	.	.	.	1	2	14	29	55	113
	F	123	.	.	.	.	.	1	2	11	27	82
Other diseases of the circulatory system	M	14	.	.	.	.	.	.	2	.	3	9
	F	15	.	.	.	.	1	.	1	1	3	9
Diseases of the respiratory system	M	44	1	.	.	2	.	.	2	10	12	17
	F	36	2	.	1	.	.	1	1	5	3	23
Senility	M	19	.	.	.	.	.	.	.	.	1	18
	F	15	.	.	.	.	.	.	.	.	.	15
Other diseases	M	53	13	.	.	2	.	.	3	5	12	18
	F	40	9	1	2	2	.	2	4	3	7	10
Accidents and other external causes	M	20	.	1	3	3	1	1	4	6	1	.
	F	8	1	.	.	.	1	.	1	1	1	3
All causes	M	494	14	1	3	8	2	6	37	66	129	228
	F	349	12	1	3	2	2	8	18	39	75	189
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	5	.	.	.	.	.	1	1	1	2	.
	F	3	.	.	.	.	.	.	1	1	.	1
Tuberculosis, other forms	M	2	.	.	.	.	.	2	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	.	.	1	.	.	.	.	.
	F	1	.	.	.	.	.	.	.	1	.	.
Malignant neoplasms	M	117	.	.	1	.	.	3	14	21	41	37
	F	99	.	.	1	.	2	4	8	22	34	28
Vascular lesions affecting central nervous system	M	84	2	.	.	.	.	.	2	8	26	46
	F	73	.	.	.	.	.	.	1	5	22	45
Diseases of the heart	M	311	.	1	.	.	.	9	20	47	85	149
	F	212	.	.	.	1	2	.	5	22	49	133
Other diseases of the circulatory system	M	33	.	.	.	.	.	1	.	1	2	29
	F	31	.	.	.	.	.	.	.	3	3	25
Diseases of the respiratory system	M	130	5	1	.	.	1	3	6	15	25	74
	F	99	2	2	1	.	.	1	3	4	14	72
Senility	M	41	.	.	.	.	.	.	.	.	3	38
	F	48	.	.	.	.	.	.	.	.	2	46
Other diseases	M	122	29	5	.	1	.	3	5	11	16	52
	F	110	17	.	1	.	3	5	8	10	28	38
Accidents and other external causes	M	33	3	.	2	2	1	5	5	3	5	7
	F	16	.	.	1	1	1	1	2	2	1	7
All causes	M	880	40	7	3	3	3	27	53	107	205	432
	F	692	19	2	4	2	8	11	28	70	153	395

TABLE 24 (contd.) - DEATHS IN 1966 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	3	.	.	.	.	.	.	.	1	1	1
	F	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	45	.	.	.	1	2	.	8	5	14	15
	F	37	.	.	.	1	.	3	2	10	8	13
Vascular lesions affecting central nervous system	M	47	.	.	.	.	.	.	1	3	14	29
	F	56	.	.	.	.	.	1	2	4	13	36
Diseases of the heart	M	112	.	.	.	.	.	2	10	19	27	54
	F	77	.	.	.	.	.	.	2	8	26	41
Other diseases of the circulatory system	M	14	.	.	.	.	.	.	2	4	2	6
	F	13	.	.	.	.	.	.	.	.	4	9
Diseases of the respiratory system	M	32	2	1	1	.	.	.	1	7	4	16
	F	31	2	.	.	.	.	.	1	2	10	16
Senility	M	3	.	.	.	.	.	.	.	.	1	2
	F	1	.	.	.	.	.	.	.	.	.	1
Other diseases	M	28	7	.	1	.	.	3	1	3	9	4
	F	36	7	.	1	1	.	2	1	5	8	11
Accidents and other external causes	M	15	2	.	2	.	.	1	2	1	.	7
	F	7	.	.	1	.	.	1	.	1	.	4
All causes	M	300	12	1	4	1	2	6	25	43	72	134
	F	258	9	.	2	2	.	7	8	30	69	131

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter-national List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	582 434	312 224	136 101	80 55	53 37	21 19	34 21	13 12	40 28	17 13	319 247	181 125
010	Tuberculosis of meninges and central nervous system	M F	. .	. 1	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. 2	8 1	. .	3 1	. .	. .	. .	. .	. 1	1 .	1 .	4 .
340	Meningitis except meningococcal and tuberculous	M F	5 1	9 1	1 .	2 .	2 .	2 .	. .	1 .	. .	. .	2 1	4 1
330-334 341-398	Other diseases of the nervous system	M F	. 1	2 3	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	2 2
480-483	Influenza	M F	1 .	6 10	. .	1 .	. .	. .	. .	. 1	1 .	. .	. .	5 9
490-493	Pneumonia	M F	. .	75 72	. .	24 19	. .	3 7	. .	5 2	. .	4 5	. .	39 39
500-502	Bronchitis	M F	. .	2 2	. .	1 1	. .	. .	. .	. .	. .	. .	. .	1 1
470-475 510-527	Other diseases of the respiratory system	M F	. .	5 2	. .	. 2	. .	. .	. .	2 .	. .	. .	. .	3 .
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	11 12	59 36	. .	16 7	. 4	6 3	3 .	2 4	. 1	4 4	8 7	31 18
530-570 572,587	Other diseases of the digestive system	M F	3 1	3 2	. .	1 .	1 .	. .	1 .	. .	. .	1 .	1 1	1 2
750-759	Congenital malformations	M F	133 128	81 66	26 36	17 17	12 10	8 7	6 11	1 4	10 6	5 3	79 65	50 35
760-761	Birth injuries	M F	58 40	1 4	14 8	. 1	6 2	. .	4 2	. .	2 2	. 1	32 26	1 2
762	Post-natal asphyxia and atelectasis	M F	127 78	6 1	33 15	2 1	15 5	1 .	10 3	. .	9 4	. .	60 51	3 .
763	Pneumonia of newborn	M F	40 28	. .	16 11	. .	1 2	. .	. .	. .	1 2	. .	22 13	. .
765-768	Other infections of newborn	M F	3 4	. 1	1 3	. .	. .	. .	1 .	. .	. .	. .	1 1	. 1
	Other and ill-defined diseases of early infancy:													
769.0- 773.0	Without mention of immaturity	M F	48 35	8 3	15 7	4 1	6 4	. .	2 .	1 .	1 2	. .	24 22	3 2
769.5- 773.5	With mention of immaturity	M F	33 21	1 .	8 6	. .	2 2	. .	. 1	. .	4 2	. .	19 10	1 .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	108 73	1 1	21 13	. .	8 7	. .	7 3	. .	12 7	. .	60 43	1 1
780.2	Convulsions	M F	1 1	3 1	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	2 1
	Other causes	M F	11 9	40 17	1 2	8 5	1 1	1 1	1 .	1 .	1 .	. .	10 4	30 11

TABLE 26 - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1966

Detailed International List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M F	894 658	44 47	210 156	254 203	87 47	61 38	37 20	19 14	8 5	7 11
010	Tuberculosis of meninges and central nervous system	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008, 011-019	Tuberculosis, other forms	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055, 057-138	Other infective and parasitic diseases	M F	8 3	. .	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis, except meningococcal and tuberculous	M F	14 2	. .	. .	. .	. .	. .	. .	1 .	. .	. .
330-334, 341-398	Other diseases of the nervous system and sense organs	M F	2 4	. .	. .	. .	. 1	. .	. .	. .	. .	. .
480-483	Influenza	M F	7 10	. .	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	75 72	. .	. .	. .	. .	. .	. .	. .	. .	. .
500-502	Bronchitis	M F	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475, 510-527	Other diseases of the respiratory system	M F	5 2	. .	. .	. .	. .	. .	. .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	70 48	. .	. .	. .	. .	. .	. .	. .	. .	. .
530-570, 572-587	Other diseases of the digestive system	M F	6 3	. .	1 .	1 .	. .	1 .	1 .	. .	. .	. .
750	Congenital malformations:- Monstrosity	M F	16 32	3 10	9 18	12 28	2 2	1 .	. .	1 1	. .	. 1
751	Spina bifida and meningocele	M F	28 47	2 1	2 4	4 5	. 4	2 1	2 1	2 1	. .	. 1
752	Congenital hydrocephalus	M F	22 24	2 4	2 2	4 6	1 3	. 1	1 .	. .	. .	. .
753	Other congenital malformations of nervous system and sense organs	M F	5 6	1 2	. 1	1 3	1 .	. .	. .	1 .	. .	. .
754	Congenital malformations of circulatory system	M F	73 44	2 .	7 5	9 5	5 3	3 2	4 1	2 1	3 1	. 1
755	Cleft palate and hairlip	M F	2 1	. .	. .	. .	. .	2 .	. .	. .	. .	. .
756	Congenital malformations of digestive system	M F	34 18	2 .	2 2	4 2	2 .	1 .	4 3	1 .	. 1	. .
757	Congenital malformations of genito-urinary system	M F	10 9	. .	. 3	. 3	. .	. .	. .	. .	. .	. .
758	Congenital malformations of bone and joint	M F	6 2	. .	4 .	4 .	. .	. .	. .	. .	. .	. .
759	Other and unspecified congenital malformations	M F	18 11	1 .	7 5	8 5	1 .	3 1	1 .	1 .	. .	. .
760.0	Intracranial and spinal injury at birth:- Without mention of immaturity	M F	33 20	3 1	9 3	12 4	6 .	4 6	4 2	. 1	2 .	1 .
760.5	With immaturity	M F	9 11	. 1	4 6	4 7	1 2	2 2	. .	1 .	. .	. .
761.0	Other birth injury:- Without mention of immaturity	M F	7 9	1 4	2 4	3 8	1 .	1 1	. .	. .	. .	. .
761.5	With immaturity	M F	10 4	2 1	1 2	3 3	1 .	3 .	1 1	. .	. .	. 1

[illegible]

TABLE 26 (contd.) - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1966

Detailed Inter- national List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
762.0	Post-natal asphyxia and atelectasis:- Without mention of immaturity	M	63	4	31	35	11	7	4	1	.	.
		F	35	10	13	23	3	2	.	2	1	1
762.5	With immaturity	M	70	3	29	32	19	9	3	2	.	2
		F	44	2	14	16	9	11	1	2	1	1
763.0	Pneumonia of newborn:- Without mention of immaturity	M	34	2	3	5	2	1	2	1	1	1
		F	24	.	3	3	1	1	.	3	.	2
763.5	With immaturity	M	6	.	.	.	.	1	1	.	.	1
		F	4	.	.	.	.	1	.	.	.	.
765.0	Ophthalmia neonatorum:- Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
765.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766.0	Pemphigus neonatorum:- Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
766.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
767.0	Umbilical sepsis:- Without mention of immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
767.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
768.0	Other sepsis of newborn:- Without mention of immaturity	M	2	.	.	.	.	.	.	.	1	.
		F	3	.	.	.	1	.	.	.	.	1
768.5	With immaturity	M	1	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.	.
769.0- 769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy:- Without mention of immaturity	M	1	.	1	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
769.5- 769.9	With immaturity	M	2	.	1	1	1	.	.	.	.	.
		F	1	.	.	.	1	.	.	.	.	.
770.0- 770.2	Haemolytic disease of newborn (erythroblastosis):- Without mention of immaturity	M	31	3	20	23	1	3	1	1	.	.
		F	24	4	12	16	1	1	4	.	.	1
770.5	With immaturity	M	3	.	1	1	.	1	.	1	.	.
		F	4	.	1	1	2	.	1	.	.	.
771.0	Haemorrhagic disease of newborn:- Without mention of immaturity	M	1	.	1	1	.	.	.	.	.	.
		F	3	.	.	.	.	1	2	.	.	.
771.5	With immaturity	M	5	1	1	2	2	.	1	.	.	.
		F	8	.	4	4	2	.	1	1	.	.
772.0	Nutritional maladjustment:- Without mention of immaturity	M	2	.	.	.	.	.	.	1	.	.
		F	2	.	.	.	.	.	.	.	.	.
772.5	With immaturity	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
773.0	Ill-defined diseases of early infancy:- Without mention of immaturity	M	21	2	7	9	4	1	1	.	.	.
		F	9	.	6	6	.	.	.	.	.	.
773.5	With immaturity	M	24	.	12	12	6	4	.	.	.	.
		F	8	1	2	3	2	1	1	.	.	.
776	Immaturity unqualified	M	109	7	52	59	20	11	5	2	1	.
		F	74	4	42	46	11	5	1	1	1	2
780.2	Convulsions	M	4	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	1	.	.
	Other causes	M	51	3	1	4	.	.	1	.	.	.
		F	26	2	4	6	.	.	.	.	.	.

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Days				Total under 4 weeks	Months												Detailed Inter- national List Nos.
Total under 7 days	7-13	14-20	21-27		4 weeks and under 2 months	2	3	4	5	6	7	8	9	10	11		
58 32	.	1	1	58 34	1 1	3 .	.	.	.	.	.	.	.	.	.	1 .	762.0
67 41	2 1	2	.	69 44	1 .	.	.	.	.	.	.	.	.	.	.	.	762.5
13 10	8 6	6 4	7 4	34 24	.	.	.	.	.	.	.	.	.	.	.	.	763.0
3 1	1 1	1 2	1 .	6 4	.	.	.	.	.	.	.	.	.	.	.	.	763.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.5
1 2	.	.	1	2 3	.	.	.	.	.	.	.	.	.	.	.	.	768.0
.	1	.	.	1 1	.	.	.	.	.	.	.	.	.	.	.	.	768.5
1 .	.	.	.	1 .	.	.	.	.	.	.	.	.	.	.	.	.	769.0- 769.4
2 1	.	.	.	2 1	.	.	.	.	.	.	.	.	.	.	.	.	769.5- 769.9
29 23	.	1	.	29 24	2 .	.	.	.	.	.	.	.	.	.	.	.	770.0- 770.2
3 4	.	.	.	3 4	.	.	.	.	.	.	.	.	.	.	.	.	770.5- 770.7
1 3	.	.	.	1 3	.	.	.	.	.	.	.	.	.	.	.	.	771.0
5 8	.	.	.	5 8	.	.	.	.	.	.	.	.	.	.	.	.	771.5
1 .	.	.	1	1 1	.	1 .	.	1	.	.	.	.	.	.	.	.	772.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772.5
15 6	.	1	.	16 7	2 .	2 1	1	.	.	.	.	1	.	.	.	.	773.0
22 7	1	1	.	23 8	1 .	.	.	.	.	.	.	.	.	.	.	.	773.5
98 67	5 2	3 4	2 .	108 73	.	1 .	.	.	.	.	.	.	.	.	.	1 .	776
1	1	.	.	1 1	.	1 1	1	1	.	.	.	.	.	.	.	.	780.2
5 6	2 .	1 .	3 3	11 9	7 3	4 3	11 2	10 1	1 .	1 1	2 2	2 2	1 2	2 .	2 1	.	

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS IN 1966 CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M F	34 18	16 6	7 4	2 1	25 11	5 5	2 1	2 1
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis except meningo- coccal and tuberculous	M F	. .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. 1	. .	. .	. .	. .	1 .	. .	. .
480-483	Influenza	M F	1 .	. .	. .	. .	. .	. .	. .	1 .
490-493	Pneumonia	M F	1 3	. .	. .	. .	. .	3 .	1 .	. .
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	4 .	. .	. .	. .	. .	3 .	1 .	. .
530-570 572-587	Other diseases of the digestive system	M F	. 1	. .	. 1	. .	. 1	. .	. .	. .
750-759	Congenital malformations	M F	7 3	1 1	2 .	1 1	4 2	2 1	. .	1 .
760,761	Birth injuries	M F	4 1	3 1	. .	1 .	4 1	. .	. .	. .
762	Post-natal asphyxia and atelectasis	M F	10 3	8 2	2 1	. .	10 3	. .	. .	. .
763	Pneumonia of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-									
769.0- 773.0	Without mention of immaturity	M F	1 2	1 .	. 1	. .	1 1	. .	. 1	. .
769.5- 773.5	With mention of immaturity	M F	. .	. .	. .	. .	. .	. .	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	5 2	2 1	3 1	. .	5 2	. .	. .	. .
780.2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	1 2	1 1	. .	. .	1 1	. .	. .	. 1

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	582	312	318	169	175	83	45	38	44	22
		F	434	224	241	125	115	64	49	24	29	11
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	1	.	.	.	.
001-008	Tuberculosis, other forms	M	.	1	.	.	.	1	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	1	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic diseases	M	.	8	.	5	.	1	.	.	.	2
057-138		F	2	1	2	1	.	.	.	.	.	.
340	Meningitis except mening- ococcal and tuberculous	M	5	9	2	2	3	3	.	4	.	.
		F	1	1	1	1	.	.	.	.	.	.
330-334	Other diseases of the nervous system and sense organs	M	.	2	.	.	.	.	.	.	.	2
341-398		F	1	3	.	1	.	2	.	.	1	.
480-483	Influenza	M	1	6	1	2	.	1	.	3	.	.
		F	.	10	.	4	.	3	.	3	.	.
490-493	Pneumonia	M	.	75	.	42	.	15	.	11	.	7
		F	.	72	.	43	.	20	.	3	.	6
500-502	Bronchitis	M	.	2	.	1	.	1	.	.	.	.
		F	.	2	.	1	.	1	.	.	.	.
470-475	Other diseases of the respiratory system	M	.	5	.	.	.	1	.	3	.	1
510-527		F	.	2	.	2	.	.	.	.	.	.
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	11	59	5	37	4	17	2	4	.	1
		F	12	36	5	17	6	8	1	9	.	2
530-570	Other diseases of the digestive system	M	3	3	1	1	1	2	.	.	1	.
572-587		F	1	2	1	.	.	1	.	1	.	.
750-759	Congenital malformations	M	133	81	76	43	40	26	6	6	11	6
		F	128	66	74	38	33	23	17	3	4	2
760,761	Birth injuries	M	58	1	28	.	22	1	2	.	6	.
		F	40	4	21	4	10	.	3	.	6	.
762	Postnatal asphyxia and atelectasis	M	127	6	72	5	38	1	12	.	5	.
		F	78	1	43	1	24	.	6	.	5	.
763	Pneumonia of newborn	M	40	.	25	.	7	.	5	.	3	.
		F	28	.	17	.	5	.	2	.	4	.
765-768	Other infections of newborn	M	3	.	2	.	.	.	1	.	.	.
		F	4	1	4	1	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M	48	8	28	5	13	3	6	.	1	.
		F	35	3	14	2	11	1	8	.	2	.
769.5- 773.5	With mention of immaturity	M	33	1	19	1	10	.	3	.	1	.
		F	21	.	12	.	7	.	1	.	1	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	108	1	56	1	35	.	5	.	12	.
		F	73	1	41	1	18	.	9	.	5	.
780.2	Convulsions	M	1	3	.	.	.	1	.	2	1	.
		F	1	1	1	.	.	.	.	1	.	.
	Other causes	M	11	40	3	23	2	9	3	5	3	3
		F	9	17	5	8	1	4	2	4	1	1

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	12 7	3 2	124 91	73 53	12 10	7 2	44 32	24 22	17 7	17 6
010	Tuberculosis of meninges and central nervous system	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
001-008 011-019	Tuberculosis, other forms	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
020-029	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
056	Whooping cough	M F	• •	• •	• •	1 •	• •	• •	• •	• •	• •	• •
030-055 057-138	Other infective and parasitic diseases	M F	• •	• •	• •	2 1	• •	1 •	• •	• •	• •	1 •
340	Meningitis except mening- ococcal and tuberculous	M F	• •	• •	1 •	2 •	• •	• •	• •	• •	• •	• •
330-334 341-398	Other diseases of the nervous system and sense organs	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
480-483	Influenza	M F	• •	• •	• •	1 •	• •	• •	• •	• •	1 •	• •
490-493	Pneumonia	M F	• •	1 •	• •	22 19	• •	2 •	• •	5 9	• •	7 3
500-502	Bronchitis	M F	• •	• •	• •	1 1	• •	• •	• •	• •	• •	• •
470-475 510-527	Other diseases of the respiratory system	M F	• •	• •	• •	• 2	• •	• •	• •	• •	• •	• •
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	• 1	• •	• •	12 7	• •	4 •	• •	6 1	2 1	5 1
530-570 572-587	Other diseases of the digestive system	M F	• •	• •	• •	1 •	• •	• •	• •	• •	• •	• •
750-759	Congenital malformations	M F	2 •	2 •	22 33	17 15	4 3	• 2	14 12	10 9	3 2	2 2
760,761	Birth injuries	M F	2 2	• •	14 7	• 1	• 1	• •	4 1	• •	1 1	• •
762	Postnatal asphyxia and atelectasis	M F	• 1	1 •	29 13	2 1	4 2	• •	11 9	• •	1 •	• •
763	Pneumonia of newborn	M F	• 1	• •	16 11	• •	• •	• •	2 •	• •	1 1	• •
765-768	Other infections of newborn	M F	• •	• •	1 2	• •	• 1	• •	• 1	• 1	• •	• •
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	• 1	• •	14 7	4 1	1 •	• •	2 2	• •	• 1	• •
769.5 773.5	With mention of immaturity	M F	1 •	• •	6 6	• •	2 •	• •	3 3	• •	1 •	• •
774	Immaturity with mention of any other subsidiary condition	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
776	Immaturity unqualified	M F	7 1	• •	20 11	• •	1 2	• •	8 4	• •	5 •	• •
780.2	Convulsions	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
	Other causes	M F	• •	• •	1 •	8 5	• 1	• •	• •	3 2	1 •	2 •

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	18 10	7 4	6 5	2 2	9 8	2 3	22 17	3 5	9 19	10 5
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .
340	Meningitis except mening- ococcal and tuberculous	M F	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	1 .
490-493	Pneumonia	M F	. .	1 2	. .	1 .	. .	1 .	. .	2 .	. .	1 1
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	1 1	2 2	1 .	1 .	. .	1 .	. .	. .	1 .	1 .
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
750-759	Congenital malformations	M F	2 3	1 .	2 .	1 .	3 .	. 1	8 7	1 3	2 3	4 2
760,761	Birth injuries	M F	2 1	. .	. 1	1 .	. 2	. .	2 3	. .	. .	. .
762	Postnatal asphyxia and atelectasis	M F	4 .	. .	1 4	. .	3 1	. .	4 2	. .	5 7	. .
763	Pneumonia of newborn	M F	. .	. .	. .	. .	2 1	. .	1 .	. .	1 .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	2 .	. .	1 .	. .	. .	. .	1 1	. .	1 1	. 1
769.5- 773.5	With mention of immaturity	M F	1 .	. .	. .	. .	1 .	. .	2 2	. .	1 .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	5 5	. .	. .	. .	. 2	. .	3 2	. .	. 4	. .
780.2	Convulsions	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .
	Other causes	M F	1 .	3 .	. .	. .	. 1	. .	. .	. .	. .	4 .

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		OFFALY COUNTY		WEST- MEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	10 10	4 8	12 4	6 1	12 12	7 8	11 9	4 4	21 6	5 4
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .
340	Meningitis except mening- ococcal and tuberculous	M F	. .	. .	. .	. .	1 1	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	. 1	. .	1 .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	. .	1 3	. .	. .	. 2	1 .	. .	1 .	. .	. 1
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	1 1	1 1	. .	1 1	. .	1 1	. .	2 3	. 1	2 1
530-570 572-587	Other diseases of the digestive system	M F	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
750-759	Congenital malformations	M F	2 1	2 1	4 .	1 .	6 4	1 3	2 6	1 .	3 3	1 2
760,761	Birth injuries	M F	1 2	. 2	. .	. .	1 .	. .	1 .	. .	3 .	1 .
762	Postnatal asphyxia and atelectasis	M F	2 .	. .	1 .	1 .	3 2	1 .	4 2	. .	2 1	. .
763	Pneumonia of newborn	M F	. 1	. .	. .	. .	. .	. .	2 1	. .	1 .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Other and ill-defined diseases of early infancy:-												
769.0- 773.0	Without mention of immaturity	M F	2 .	. .	4 1	. .	. .	. .	. .	1 .	3 .	. .
769.5- 773.5	With mention of immaturity	M F	1 .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	1 4	. .	2 3	1 .	2 3	. 1	2 .	. .	9 1	. .
780.2	Convulsions	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
	Other causes	M F	. .	. .	. .	1 .	. 1	2 .	. .	. .	. .	1 .

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	31	15	33	23	17	11	12	6	15	5
		F	22	9	20	16	11	7	4	4	13	4
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.
001-008	Tuberculosis, other forms	M	.	.	.	1	.	.	.	.	.	.
011-019		F	.	.	.	.	.	.	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
030-055	Other infective and	M	.	.	.	1	.	.	.	.	.	.
057-138	parasitic diseases	F	.	.	.	.	.	.	.	.	.	.
340	Meningitis except mening- ococcal and tuberculous	M	.	2	1	1	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
330-334	Other diseases of the	M	.	.	.	.	.	.	.	.	.	.
341-398	nervous system and sense organs	F	.	.	.	.	.	.	.	.	.	.
480-483	Influenza	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	3	.	4	.	3	.	1	.	1
		F	.	4	.	5	.	1	.	1	.	1
500-502	Bronchitis	M	.	.	.	.	.	1	.	.	.	1
		F	.	.	.	.	.	1	.	.	.	.
470-475	Other diseases of the	M	.	.	.	.	.	1	.	.	.	.
510-527	respiratory system	F	.	.	.	.	.	.	.	.	.	.
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	.	4	.	3	.	1	.	2	.	.
		F	3	.	.	1	.	.	1	1	.	.
530-570	Other diseases of the	M	1	.	.	1	.	.	.	.	.	.
572-587	digestive system	F	.	.	.	1	.	.	.	.	.	.
750-759	Congenital malformations	M	7	5	6	8	4	2	3	3	6	3
		F	6	3	7	7	2	3	.	2	5	2
760,761	Birth injuries	M	1	.	4	.	4	.	3	.	2	.
		F	2	.	2	.	1	.	.	.	.	.
762	Postnatal asphyxia and atelectasis	M	11	.	11	.	4	.	2	1	3	.
		F	2	.	5	.	3	.	3	.	3	.
763	Pneumonia of newborn	M	1	.	2	.	.	.	.	.	1	.
		F	.	.	1	.	.	.	.	.	.	.
765-768	Other infections of newborn	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-											
769.0-	Without mention of	M	4	.	1	.	.	2	1	.	2	.
773.0	immaturity	F	3	.	3	1	.	.	.	.	3	.
769.5-	With mention of	M	1	.	.	.	2	.	1	.	1	.
773.5	immaturity	F	2	.	.	.	3	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	5	.	7	.	3	.	1	.	1	.
		F	4	.	2	.	2	.	.	.	.	.
780.2	Convulsions	M	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other causes	M	.	1	1	3	.	2	.	.	1	1
		F	.	1	.	1	.	1	.	.	.	1

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Nos.	Cause of death		TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	10 9	6 6	20 14	8 6	10 11	6 6	6 5	4 2	18 22	14 15	3 2	1 1
010	Tuberculosis of meninges and central nervous system	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
001-008 011-019	Tuberculosis, other forms	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
020-029	Syphilis and its sequelae	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
056	Whooping cough	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
030-055 057-138	Other infective and parasitic diseases	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
340	Meningitis except mening- ococcal and tuberculous	M F	• •	• •	• •	• •	1 •	• •	• •	• •	• 4	• •	• •	• •
330-334 341-398	Other diseases of the nervous system and sense organs	M F	• •	• •	• •	2 •	• •	• •	• •	• •	• •	• •	• •	• •
480-483	Influenza	M F	• •	1 2	• •	• •	• •	• •	• •	• •	• •	1 3	• •	• •
490-493	Pneumonia	M F	• •	1 2	• •	4 2	• 2	• •	• 1	• •	• 4 2	• •	• •	• •
500-502	Bronchitis	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
470-475 510-527	Other diseases of the respiratory system	M F	• •	• •	• •	• •	• •	• •	• •	• •	• 1	• •	• •	• •
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	• •	1 1	4 1	2 1	• 2	• •	2 1	1 •	2 5	• •	• 1	• •
530-570 572-587	Other diseases of the digestive system	M F	• •	1 •	• •	• •	• •	• •	• •	• •	• 1	• •	• •	• •
750-759	Congenital malformations	M F	2 2	1 1	4 4	1 1	2 4	• 2	3 •	2 •	3 8	2 1	• 1	• •
760,761	Birth injuries	M F	2 •	• •	1 2	• •	2 •	• •	2 1	• •	3 •	• •	1 •	• •
762	Postnatal asphyxia and atelectasis	M F	1 5	• •	2 2	• •	2 •	• •	• •	• •	8 2	• •	1 •	• •
763	Pneumonia of newborn	M F	2 1	• •	1 •	• •	2 •	• •	• •	• 1	1 •	• •	• •	• •
765-768	Other infections of newborn	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
	Other and ill-defined diseases of early infancy:													
769.0- 773.0	Without mention of immaturity	M F	• •	1 •	1 1	• •	1 1	• •	• •	• •	2 2	• •	1 1	• •
769.5- 773.5	With mention of immaturity	M F	1 •	• •	3 •	• •	• •	• 1 2	• •	• •	1 •	• •	• •	• •
774	Immaturity with mention of any other subsidiary condition	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
776	Immaturity unqualified	M F	2 1	• •	5 3	• •	2 3	• •	• 2	• •	1 5	• •	• •	• •
780.2	Convulsions	M F	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
	Other causes	M F	• •	• •	• •	1 •	1 •	• •	• •	• •	1 1	3 •	• •	• •

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1966, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	7 9	11 6	10 9	10 .	7 7	3 2	11 9	3 3	28 14	12 5	5 6	7 3
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-008 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .
340	Meningitis except meningococcal and tuberculous	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	1 .	2 .	. .	. .
480-483	Influenza	M F	. .	. .	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	. .	4 1	. .	3 .	. .	. .	. .	1 2	. .	4 2	. .	2 2
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	1 .	. .	. .
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	. 1	1 3	1 .	. .	. .	1 .	. .	. .	. .	1 1	. .	. 1
530-570 572-587	Other diseases of the digestive system	M F	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .
750-759	Congenital malformations	M F	1 1	3 1	2 5	1 .	. 2	. 1	3 1	2 1	7 3	2 1	1 .	2 .
760,761	Birth injuries	M F	. .	. .	1 .	. .	. .	. .	2 3	. .	3 2	. .	1 1	. .
762	Postnatal asphyxia and atelectasis	M F	1 1	. .	. 1	. .	2 2	. .	1 1	. .	4 2	. .	. 2	. .
763	Pneumonia of newborn	M F	. 1	. .	2 .	. .	2 .	. .	1 2	. .	1 2	. .	1 .	. .
765-768	Other infections of newborn	M F	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-													
769.0- 773.0	Without mention of immaturity	M F	1 2	. .	1 2	. .	1 1	. .	. .	. .	1 2	. .	. .	. .
769.5- 773.5	With mention of immaturity	M F	. 1	. .	1 .	. .	1 .	. .	. .	. .	1 .	. .	1 .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	3 2	. .	1 1	. .	. 1	. .	4 1	. .	6 2	. .	2 2	. .
780.2	Convulsions	M F	. .	1 1	. .	1 .	. .	. .	. .	. .	1 .	. .	. .	. .
	Other causes	M F	1 .	2 .	1 .	2 .	. 1	1 1	. 1	. .	3 .	1 1	. .	2 .

TABLE 29 - LATE FOETAL DEATHS NOTIFIED IN 1966 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

Inter-National List Nos. (Y30-Y39)	Cause of death	Age at maternity								Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated	
30	Chronic disease in mother									
30.2	Diabetes mellitus	-	2	2	3	1	-	-	-	8
30.3	Chronic disease of circulatory system	-	-	1	3	8	3	-	-	15
30.4	Chronic disease of genito-urinary system	-	-	-	1	-	1	-	-	2
30.5	Other chronic disease	-	-	1	-	-	-	-	-	1
31	Acute disease in mother									
31.1	Influenza	-	1	1	1	2	-	1	-	6
31.2	Pneumonia	-	-	1	-	-	-	-	-	1
31.4	Other acute disease or condition	-	-	-	-	-	1	-	-	1
32	Diseases and conditions of pregnancy and childbirth									
32.2	Haemorrhage without mention of placental condition	-	5	6	15	12	5	-	-	43
32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	2	-	-	-	2	-	-	-	4
32.4	Other toxaeimias of pregnancy	1	10	16	16	27	16	2	-	88
34	Difficulties in labour									
34.0	Difficult labour with abnormality of bones of pelvis	-	1	1	-	-	-	-	-	2
34.1	Difficult labour with disproportion with no mention of abnormality of pelvis	-	-	1	-	1	-	-	-	2
34.2	Difficult labour with malposition of foetus	-	2	5	8	5	4	1	-	25
34.3	Difficult labour with abnormality of forces of labour	-	-	-	2	1	-	-	-	3
34.4	Difficult labour with operative delivery	-	2	-	1	-	1	-	-	4
34.6	Difficult labour without mention of underlying condition	1	4	7	5	2	1	-	-	20
35	Other causes in mother									
35.0	Fall	-	-	-	1	-	1	-	-	2
35.2	Overexertion	-	-	-	1	-	-	-	-	1

TABLE 29 (contd.) - LATE FOETAL DEATHS NOTIFIED IN 1966 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY.

Inter-National List Nos. (Y30-Y39)	Cause of death	Age at maternity								Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated	
36	Placental and cord conditions									
36.0	Cord condition without mention of placental abnormality	1	11	20	18	27	15	1	-	93
36.1	Placenta praevia	-	-	1	5	2	1	-	-	9
36.2	Premature separation of normally implanted placenta	-	15	14	29	33	17	2	-	110
36.3	Placenta praevia with cord abnormality	-	1	-	-	-	1	-	-	2
36.4	Premature separation of normally implanted placenta with cord abnormality	-	-	-	-	-	1	-	-	1
36.5	Placental infarct	2	6	4	8	9	7	1	-	37
36.6	Other abnormality of placenta and cord	1	7	5	8	11	6	-	-	38
37	Birth injury									
37.3	Birth injury with malposition of foetus	-	1	-	-	-	-	-	-	1
37.8	Birth injury due to other or unspecified cause	-	-	1	2	-	1	-	-	4
38	Congenital malformation of foetus									
38.0	Anencephalus	7	12	23	16	9	8	-	1	76
38.1	Hydrocephalus	-	8	12	9	13	8	-	-	50
38.2	Spina bifida	-	2	-	3	3	1	-	-	9
38.3	Other malformation of the central nervous system	1	-	-	-	2	1	-	-	4
38.4	Malformation of the cardiovascular system	-	-	-	1	1	1	-	-	3
38.5	Malformation of other specified system or part	-	-	2	-	3	-	-	-	5
38.6	Monster	-	-	-	-	-	1	-	-	1
38.7	Other and unspecified malformations	2	5	2	2	4	1	-	-	16
39	Diseases of foetus and ill-defined causes									
39.1	Infection other than syphilis	-	-	1	1	-	-	-	-	2
39.2	Erythroblastosis	-	8	16	31	19	14	-	-	88
39.4	Maceration, cause not specified	-	12	12	29	23	14	1	1	92
39.5	Other ill-defined cause	1	9	9	13	7	12	-	1	52
39.6	Cause unspecified	2	8	10	21	18	13	3	-	75
	Total	21	132	174	253	245	156	12	3	996
	Foetal Deaths per 1,000 Total Births	12	11	10	16	22	34	33	6	16

TABLE 30 - LATE FOETAL DEATHS NOTIFIED IN 1966 CLASSIFIED BY CAUSE AND PERIOD OF GESTATION.

Inter-National List Nos (Y30-Y39)	Cause of death	Period of gestation		
		28 - 36 weeks	37 weeks and over	Total
30	Chronic disease in mother	19	7	26
31	Acute disease in mother	3	5	8
32	Diseases and conditions of pregnancy and childbirth	74	61	135
34	Difficulties in labour	3	53	56
35	Other causes in mother	3	-	3
36	Placental and cord conditions	98	192	290
37	Birth Injury	-	5	5
38	Congenital malformation of foetus	68	96	164
39.0 to .4	Diseases of foetus	101	81	182
39.5 to .6	Ill-defined or unknown causes	57	70	127
	Total	426	570	996

TABLE 31 - LATE FOETAL DEATHS NOTIFIED IN 1966 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN.

Inter-National List Nos (Y30-Y39)	Cause of death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
30	Chronic disease in mother	8	7	5	6	26
31	Acute disease in mother	2	1	3	2	8
32	Diseases and conditions of pregnancy and childbirth	39	24	37	35	135
34	Difficulties in labour	18	11	10	17	56
35	Other causes in mother	-	-	1	2	3
36	Placental and cord conditions	44	56	103	87	290
37	Birth injury	1	3	1	-	5
38	Congenital malformation of foetus	52	50	35	27	164
39.0 to .4	Diseases of foetus	18	48	69	47	182
39.5 to .6	Ill-defined or unknown causes	33	30	42	22	127
	Total	215	230	306	245	996

TABLE 32 - LATE FOETAL DEATHS NOTIFIED IN 1966 CLASSIFIED BY SEX AND PERIOD OF GESTATION.

Sex	Period of gestation		
	28 - 36 weeks	37 weeks and over	Total
Males	207	278	485
Females	219	292	511
Total	426	570	996

TABLE 33 - LATE FOETAL DEATHS NOTIFIED IN 1966 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							
	Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	Total
0	18	79	51	41	20	6	-	215
1	3	28	40	32	13	7	-	123
2	-	14	32	30	24	7	-	107
3	-	4	19	36	29	19	1	108
4	-	5	12	33	37	22	1	110
5	-	1	5	35	25	21	1	88
6	-	1	6	23	24	20	2	76
7	-	-	4	9	21	14	1	49
8	-	-	2	5	17	7	-	31
9	-	-	1	3	9	9	3	25
10	-	-	-	5	10	10	-	25
11	-	-	1	-	8	7	-	16
12	-	-	-	-	6	4	-	10
13	-	-	1	-	4	-	-	5
14	-	-	-	1	-	1	1	3
15	-	-	-	-	1	-	2	3
16	-	-	-	-	-	1	-	1
17	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	1	-	1
Total	21	132	174	253	248	156	12	996

TABLE 34 - DEATHS REGISTERED IN 1966 OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH
SHOWING THE NUMBERS REGISTERED EACH QUARTER

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	6,006	5,064	4,943	4,190	3,813	3,084	4,386	3,627	19,148	15,965
Carlow	62	61	62	53	27	34	52	34	203	182
Dublin Co. Borough	952	907	661	688	604	561	768	676	2,985	2,832
Dun Laoghaire Boro'	99	124	64	84	45	60	82	74	290	342
Dublin Co. (remainder)	202	174	147	129	155	122	171	145	675	570
Kildare	130	85	117	70	82	42	82	63	411	260
Kilkenny	132	116	112	97	94	68	119	95	457	376
Laois	102	67	75	71	65	53	68	48	310	239
Longford	107	60	68	48	62	36	65	43	302	187
Louth	149	138	101	91	92	57	100	66	442	352
Meath	166	126	115	104	72	73	117	104	470	407
Offaly	101	94	79	64	54	51	83	54	317	263
Westmeath	112	80	83	91	90	42	75	48	360	261
Wexford	185	175	165	133	121	109	144	109	615	526
Wicklow	128	97	82	89	95	52	94	88	399	326
Leinster	2,627	2,304	1,931	1,812	1,658	1,360	2,020	1,647	8,236	7,123
Clare	154	120	188	127	112	56	139	108	593	411
Cork Co. Borough ..	226	222	173	191	148	150	153	188	700	751
Cork County	469	410	473	360	336	279	362	311	1,640	1,360
Kerry	279	221	233	197	201	144	200	168	913	730
Limerick Co. Borough	86	99	63	63	44	46	60	58	253	266
Limerick County ..	189	162	182	120	133	101	115	109	619	492
Tipperary, N.R. ..	138	100	117	88	80	59	95	62	430	309
Tipperary, S.R. ..	166	107	156	111	96	82	123	96	541	396
Waterford County Borough	80	62	55	65	30	32	42	66	207	225
Waterford County ..	101	80	108	80	64	58	70	64	343	282
Munster	1,888	1,583	1,748	1,402	1,244	1,007	1,359	1,230	6,239	5,222
Galway	275	219	296	204	209	160	221	186	1,001	769
Leitrim	82	54	66	61	56	32	65	40	269	187
Mayo	264	227	260	204	142	148	171	129	837	708
Roscommon	145	101	122	100	90	63	100	70	457	334
Sligo	149	112	109	90	86	60	91	61	435	323
Connacht	915	713	853	659	583	463	648	486	2,999	2,321
Cavan	159	126	129	97	104	63	102	63	494	349
Donegal	316	262	210	153	170	140	184	137	880	692
Monaghan	101	76	72	67	54	51	73	64	300	258
Ulster (part of) ..	576	464	411	317	328	254	359	264	1,674	1,299

TABLE 35 - BIRTHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1966 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHs.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	7,863	7,327	8,586	8,004	8,345	7,798	7,379	6,913	32,173	30,042
Carlow	96	100	125	114	126	88	100	85	447	387
Dublin Co. Borough	1,693	1,567	1,817	1,569	1,669	1,538	1,494	1,409	6,673	6,083
Dun Laoghaire Boro'	120	90	132	151	142	140	151	133	545	514
Dublin Co. (remainder)	662	649	733	637	708	685	676	598	2,779	2,569
Kildare	194	184	213	219	231	224	204	172	842	799
Kilkenny	152	136	162	148	148	158	144	149	606	591
Laois	102	109	127	116	124	107	124	84	477	416
Longford	75	87	73	90	69	77	69	68	286	322
Louth	218	237	227	202	222	196	200	189	867	824
Meath	187	166	224	172	213	198	179	169	803	705
Offaly	135	136	146	167	178	144	139	156	598	603
Westmeath	186	157	194	191	185	130	142	135	707	613
Wexford	212	208	246	210	308	316	237	229	1,003	963
Wicklow	175	139	166	176	171	155	169	149	681	619
Leinster	4,207	3,965	4,585	4,162	4,494	4,156	4,028	3,725	17,314	16,008
Clare	185	184	194	193	178	174	173	169	730	720
Cork Co. Borough ..	400	334	408	387	432	345	365	318	1,605	1,384
Cork County	531	509	581	616	573	539	522	465	2,207	2,129
Kerry	269	248	267	248	253	254	215	214	1,004	964
Limerick Co. Borough	200	175	240	184	178	195	166	138	784	692
Limerick County ..	218	192	240	219	215	212	151	175	824	798
Tipperary, N.R. ..	146	137	142	150	145	164	147	108	580	559
Tipperary, S.R. ..	204	184	199	179	201	179	164	184	768	726
Waterford County Borough ..	86	92	83	103	88	96	97	97	354	388
Waterford County ..	95	88	120	110	139	109	120	96	474	403
Munster	2,334	2,143	2,474	2,389	2,402	2,267	2,120	1,964	9,330	8,763
Galway	391	319	412	343	430	350	331	318	1,564	1,330
Leitrim	46	37	86	53	49	55	57	59	238	204
Mayo	227	206	280	306	237	236	180	192	924	940
Roscommon	113	104	111	113	118	90	105	82	447	389
Sligo	94	122	152	137	101	127	102	94	449	480
Connacht	874	788	1,041	952	935	858	775	745	3,622	3,343
Cavan	124	109	128	118	146	143	111	118	509	488
Donegal	221	224	243	258	264	250	235	257	963	989
Monaghan	106	98	115	125	104	124	110	104	435	451
Ulster (part of) ..	451	431	486	501	514	517	456	479	1,907	1,928

TABLE 36 - BIRTHS, REGISTERED IN 1966, IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary
Total	56,911	5,304	.	.	.	.	56,911	5,304
Carlow	625	72	58	.	194	1	761	73
Dublin Co. Borough	19,160	1,417	7,959	5	138	5	11,339	1,417
Dun Laoghaire Boro ^o	1,327	70	848	1	510	1	989	70
Dublin Co. (remainder)	207	445	174	4	4,868	6	4,901	447
Kildare	341	215	9	2	1,094	2	1,426	215
Kilkenny	802	138	26	2	285	.	1,061	136
Laois	612	89	16	.	207	1	803	90
Longford	401	49	74	.	232	.	559	49
Louth	2,975	41	1,381	.	55	1	1,649	42
Meath	202	67	2	1	1,242	.	1,442	66
Offaly	850	165	33	3	220	2	1,037	164
Westmeath	1,113	121	210	.	295	1	1,198	122
Wexford	1,319	289	20	1	377	2	1,676	290
Wicklow	191	224	12	.	896	1	1,075	225
Clare	1,059	69	10	.	332	.	1,381	69
Cork Co. Borough ..	5,939	152	3,105	1	4	.	2,838	151
Cork County	1,459	125	29	1	2,781	1	4,211	125
Kerry	1,669	86	22	.	235	.	1,882	86
Limerick Co. Borough	3,318	119	1,975	.	14	.	1,357	119
Limerick County ..	1	94	1	1	1,529	.	1,529	93
Tipperary, N.R. ..	997	56	199	4	287	2	1,085	54
Tipperary, S.R. ..	1,444	81	126	.	93	2	1,411	83
Waterford Co. Borough	1,525	148	942	.	11	.	594	148
Waterford County ..	101	145	.	2	632	1	733	144
Galway	3,474	140	805	.	83	2	2,752	142
Leitrim	255	16	11	.	182	.	426	16
Mayo	1,276	163	18	1	444	.	1,702	162
Roscommon	472	36	30	.	358	.	800	36
Sligo	926	58	102	.	47	.	871	58
Cavan	641	98	39	1	298	.	900	97
Donegal	1,638	283	12	.	43	.	1,669	283
Monaghan	592	33	71	1	333	.	854	32

* Including registered private maternity homes.

TABLE 37 - BIRTHS REGISTERED IN 1966 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	62,215	32,173	30,042	1,436	757	679
15 and under	30	19	11	23	15	8
16	79	42	37	44	26	18
17	223	115	108	78	37	41
18	474	260	214	131	80	51
19	884	467	417	143	74	69
Under 20	1,690	903	787	419	232	187
20	1,306	668	638	165	81	84
21	1,894	971	923	131	73	58
22	2,425	1,241	1,184	122	57	65
23	2,921	1,495	1,426	79	41	38
24	2,967	1,538	1,429	63	26	37
20-24	11,513	5,913	5,600	560	278	282
25	3,174	1,653	1,521	64	35	29
26	3,605	1,883	1,722	64	39	25
27	3,536	1,827	1,709	38	22	16
28	3,328	1,727	1,601	35	15	20
29	3,496	1,791	1,705	40	21	19
25-29	17,139	8,881	8,258	241	132	109
30	3,302	1,663	1,639	32	10	22
31	3,218	1,679	1,539	21	13	8
32	3,017	1,493	1,524	19	9	10
33	3,081	1,609	1,472	16	11	5
34	2,772	1,422	1,350	21	15	6
30-34	15,390	7,866	7,524	109	58	51
35	2,564	1,355	1,209	16	9	7
36	2,431	1,258	1,173	16	10	6
37	2,264	1,139	1,125	7	1	6
38	1,987	1,051	936	4	2	2
39	1,899	1,020	879	8	4	4
35-39	11,145	5,823	5,322	51	26	25
40	1,473	775	698	7	2	5
41	1,179	602	577	3	1	2
42	879	459	420	2	.	2
43	611	316	295	3	2	1
44	348	164	184	1	1	.
40-44	4,490	2,316	2,174	16	6	10
45	187	98	89	3	.	3
46	99	47	52	.	.	.
47	43	27	16	.	.	.
48	17	9	8	.	.	.
49	4	2	2	.	.	.
45-49	350	183	167	3	.	3
50-54	2	1	1	.	.	.
Age not stated	496	287	209	37	25	12

TABLE 38 - BIRTHS REGISTERED IN 1966, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW												
Under 20 years	34	19	15	7	3	4	397	218	179	71	38	33
20-24 years	158	96	62	7	7	.	2,867	1,517	1,350	137	70	67
25-29 years	217	119	98	2	.	2	3,728	1,916	1,812	68	41	27
30-34 years	193	99	94	.	.	.	2,958	1,546	1,412	28	15	13
35-39 years	157	80	77	.	.	.	1,995	1,056	939	13	8	5
40-44 years	62	26	36	1	.	1	744	386	358	2	1	1
45 years and over	7	5	2	.	.	.	53	24	29	.	.	.
Age not stated	6	3	3	1	.	1	14	10	4	8	6	2
All ages	834	447	387	18	10	8	12,756	6,673	6,083	327	179	148
DUN LAOGHAIRE BOROUGH												
Under 20 years	36	17	19	12	5	7	95	46	49	25	12	13
20-24 years	212	103	109	12	6	6	1,025	479	546	51	21	30
25-29 years	336	176	160	3	2	1	1,792	949	843	21	12	9
30-34 years	251	132	119	.	.	.	1,343	736	607	6	3	3
35-39 years	159	79	80	.	.	.	811	420	391	5	1	4
40-44 years	59	35	24	.	.	.	257	136	121	1	.	1
45 years and over	2	2	.	.	.	.	15	9	6	1	.	1
Age not stated	4	1	3	1	.	1	10	4	6	3	1	2
All ages	1,059	545	514	28	13	15	5,348	2,779	2,569	113	50	63
DUBLIN COUNTY (remainder)												
Under 20 years	67	36	31	16	9	7	41	27	14	10	6	4
20-24 years	386	203	183	18	10	8	218	110	108	10	2	8
25-29 years	471	235	236	4	3	1	293	153	140	2	2	.
30-34 years	364	177	187	1	.	1	318	148	170	3	1	2
35-39 years	227	117	110	.	.	.	230	121	109	1	1	.
40-44 years	103	60	43	1	.	1	80	40	40	1	.	1
45 years and over	9	3	6	.	.	.	11	4	7	.	.	.
Age not stated	14	11	3	2	2	.	6	3	3	.	.	.
All ages	1,641	842	799	42	24	18	1,197	606	591	27	12	15
KILDARE												
Under 20 years	26	14	12	5	5	.	19	12	7	7	4	3
20-24 years	161	86	75	3	1	2	73	33	40	3	2	1
25-29 years	201	113	88	2	1	1	136	68	68	3	2	1
30-34 years	233	111	122	1	.	1	171	79	92	.	.	.
35-39 years	178	101	77	1	1	.	145	63	82	1	.	1
40-44 years	82	47	35	.	.	.	53	26	27	.	.	.
45 years and over	2	1	1	.	.	.	7	3	4	1	.	1
Age not stated	10	4	6	1	.	1	4	2	2	1	1	.
All ages	893	477	416	13	8	5	608	286	322	16	9	7
KILKENNY												
Under 20 years	26	14	12	5	5	.	19	12	7	7	4	3
20-24 years	161	86	75	3	1	2	73	33	40	3	2	1
25-29 years	201	113	88	2	1	1	136	68	68	3	2	1
30-34 years	233	111	122	1	.	1	171	79	92	.	.	.
35-39 years	178	101	77	1	1	.	145	63	82	1	.	1
40-44 years	82	47	35	.	.	.	53	26	27	.	.	.
45 years and over	2	1	1	.	.	.	7	3	4	1	.	1
Age not stated	10	4	6	1	.	1	4	2	2	1	1	.
All ages	893	477	416	13	8	5	608	286	322	16	9	7
LAOIS												
Under 20 years	26	14	12	5	5	.	19	12	7	7	4	3
20-24 years	161	86	75	3	1	2	73	33	40	3	2	1
25-29 years	201	113	88	2	1	1	136	68	68	3	2	1
30-34 years	233	111	122	1	.	1	171	79	92	.	.	.
35-39 years	178	101	77	1	1	.	145	63	82	1	.	1
40-44 years	82	47	35	.	.	.	53	26	27	.	.	.
45 years and over	2	1	1	.	.	.	7	3	4	1	.	1
Age not stated	10	4	6	1	.	1	4	2	2	1	1	.
All ages	893	477	416	13	8	5	608	286	322	16	9	7
LONGFORD												
Under 20 years	26	14	12	5	5	.	19	12	7	7	4	3
20-24 years	161	86	75	3	1	2	73	33	40	3	2	1
25-29 years	201	113	88	2	1	1	136	68	68	3	2	1
30-34 years	233	111	122	1	.	1	171	79	92	.	.	.
35-39 years	178	101	77	1	1	.	145	63	82	1	.	1
40-44 years	82	47	35	.	.	.	53	26	27	.	.	.
45 years and over	2	1	1	.	.	.	7	3	4	1	.	1
Age not stated	10	4	6	1	.	1	4	2	2	1	1	.
All ages	893	477	416	13	8	5	608	286	322	16	9	7

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1966, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	LOUTH						MEATH					
Under 20 years	52	34	18	13	9	4	54	26	28	17	8	9
20-24 years	379	190	189	7	4	3	308	181	127	25	11	14
25-29 years	490	264	226	6	3	3	370	197	173	8	2	6
30-34 years	376	190	186	3	2	1	362	198	164	10	8	2
35-39 years	248	120	128	.	.	.	281	137	144	1	.	1
40-44 years	133	63	70	.	.	.	112	55	57	1	.	1
45 years and over	11	4	7	.	.	.	11	4	7	.	.	.
Age not stated	2	2	.	1	1	.	10	5	5	1	1	.
All ages	1,691	867	824	30	19	11	1,508	803	705	63	30	33
	OFFALY						WESTMEATH					
Under 20 years	26	13	13	6	4	2	53	26	27	19	9	10
20-24 years	232	117	115	15	8	7	221	120	101	22	14	8
25-29 years	316	167	149	3	1	2	340	183	157	1	.	1
30-34 years	305	136	169	2	2	.	311	156	155	3	1	2
35-39 years	210	111	99	2	.	2	264	150	114	.	.	.
40-44 years	73	31	42	.	.	.	112	63	49	.	.	.
45 years and over	12	8	4	.	.	.	6	4	2	.	.	.
Age not stated	27	15	12	.	.	.	13	5	8	2	1	1
All ages	1,201	598	603	28	15	13	1,320	707	613	47	25	22
	WEXFORD						WICKLOW					
Under 20 years	77	35	42	20	9	11	50	24	26	17	10	7
20-24 years	376	189	187	24	11	13	289	144	145	15	9	6
25-29 years	527	280	247	9	6	3	356	193	163	7	3	4
30-34 years	491	232	259	5	4	1	263	137	126	3	2	1
35-39 years	328	177	151	3	2	1	226	114	112	4	1	3
40-44 years	141	72	69	.	.	.	97	57	40	.	.	.
45 years and over	6	5	1	.	.	.	8	5	3	.	.	.
Age not stated	20	13	7	1	.	1	11	7	4	1	1	.
All ages	1,966	1,003	963	62	32	30	1,300	681	619	47	26	21
	CORK COUNTY BOROUGH						CORK COUNTY					
Under 20 years	59	40	19	3	3	.	101	56	45	29	15	14
20-24 years	607	326	281	15	.	8	685	345	340	30	14	16
25-29 years	926	478	448	6	3	3	1,105	562	543	14	6	8
30-34 years	720	395	325	3	2	1	1,116	542	574	7	3	4
35-39 years	472	266	206	1	.	1	853	443	410	5	2	3
40-44 years	171	74	97	.	.	.	368	192	176	2	1	1
45 years and over	17	11	6	.	.	.	32	20	12	.	.	.
Age not stated	17	15	2	3	3	.	76	47	29	3	2	1
All ages	2,989	1,605	1,384	31	18	13	2,336	1,207	1,129	90	43	47

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1966, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	CLARE						KERRY					
Under 20 years	22	12	10	8	7	1	36	13	23	10	.	10
20-24 years	220	102	118	12	6	6	268	132	136	14	8	6
25-29 years	351	168	183	7	1	6	484	233	251	7	2	5
30-34 years	412	212	200	1	.	1	484	254	230	.	.	.
35-39 years	285	146	139	.	.	.	432	229	203	2	2	.
40-44 years	145	80	63	.	.	.	159	81	78	.	.	.
45 years and over	12	7	5	.	.	.	6	3	3	.	.	.
Age not stated	5	3	2	1	1	.	99	59	40	.	.	.
All ages	1,450	730	720	29	15	14	1,968	1,004	964	33	12	21
	LIMERICK COUNTY BOROUGH						LIMERICK COUNTY					
Under 20 years	51	22	29	3	2	1	48	27	21	21	14	7
20-24 years	322	162	160	7	5	2	252	139	113	29	19	10
25-29 years	416	226	190	2	1	1	399	185	214	8	6	2
30-34 years	367	199	168	.	.	.	421	202	219	7	3	4
35-39 years	238	133	105	.	.	.	326	184	142	4	2	2
40-44 years	77	40	37	1	.	1	154	76	78	2	1	1
45 years and over	5	2	3	.	.	.	14	6	8	.	.	.
Age not stated	.	.	.	.	.	.	8	5	3	1	1	.
All ages	1,476	784	692	13	8	5	1,622	824	798	72	46	26
	TIPPERARY, NORTH RIDING						TIPPERARY, SOUTH RIDING					
Under 20 years	30	18	12	10	5	5	50	30	20	3	2	1
20-24 years	181	95	86	8	5	3	234	123	111	11	6	5
25-29 years	294	152	142	7	2	5	398	208	190	9	8	1
30-34 years	298	153	145	.	.	.	368	188	180	7	3	4
35-39 years	233	116	117	2	1	1	293	145	148	.	.	.
40-44 years	98	45	53	.	.	.	135	69	66	.	.	.
45 years and over	3	1	2	.	.	.	10	1	9	.	.	.
Age not stated	2	.	2	.	.	.	6	4	2	1	1	.
All ages	1,139	580	559	27	13	14	1,494	768	726	31	20	11
	WATERFORD COUNTY BOROUGH						WATERFORD COUNTY					
Under 20 years	16	10	6	6	6	.	31	18	13	11	6	5
20-24 years	184	90	94	5	2	3	168	82	86	8	3	5
25-29 years	238	115	123	2	.	2	225	137	88	5	3	2
30-34 years	157	71	86	.	.	.	219	125	94	3	2	1
35-39 years	109	53	56	.	.	.	150	74	76	3	3	.
40-44 years	37	14	23	.	.	.	69	35	34	1	.	1
45 years and over	1	1	.	.	.	.	5	1	4	.	.	.
Age not stated	.	.	.	.	.	.	10	2	8	.	.	.
All ages	742	354	388	13	8	5	877	474	403	31	17	14

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1966, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	GALWAY						LEITRIM					
Under 20 years	53	23	30	21	6	15	6	4	2	3	3	.
20-24 years	379	189	190	16	7	9	51	27	24	7	3	4
25-29 years	743	408	335	8	5	3	109	60	49	1	1	.
30-34 years	801	439	362	5	2	3	118	59	59	1	.	1
35-39 years	585	315	270	1	1	.	113	65	48	.	.	.
40-44 years	293	165	128	2	2	.	35	17	18	.	.	.
45 years and over	23	15	8	.	.	.	5	2	3	.	.	.
Age not stated	17	10	7	.	.	.	5	4	1	.	.	.
All ages	2,894	1,564	1,330	53	23	30	442	238	204	12	7	5
	MAYO						ROSCOMMON					
Under 20 years	20	13	7	7	6	1	16	9	7	6	3	3
20-24 years	249	120	129	11	2	9	82	47	35	4	2	2
25-29 years	472	239	233	2	.	2	201	107	94	2	1	1
30-34 years	511	247	264	.	.	.	246	129	117	2	1	1
35-39 years	410	202	208	.	.	.	200	104	96	1	.	1
40-44 years	170	85	85	.	.	.	74	41	33	.	.	.
45 years and over	19	13	6	.	.	.	7	3	4	.	.	.
Age not stated	13	5	8	.	.	.	10	7	3	2	2	.
All ages	1,864	924	940	20	8	12	836	447	389	17	9	8
	SLIGO						CAVAN					
Under 20 years	20	10	10	6	3	3	16	10	6	6	4	2
20-24 years	147	67	80	7	4	3	120	64	56	8	3	5
25-29 years	235	115	120	6	4	2	229	114	115	5	3	2
30-34 years	239	111	128	1	.	1	273	134	139	3	1	2
35-39 years	199	99	100	.	.	.	224	111	113	.	.	.
40-44 years	77	41	36	.	.	.	100	56	44	1	1	.
45 years and over	7	4	3	.	.	.	8	6	2	.	.	.
Age not stated	5	2	3	.	.	.	27	14	13	1	.	1
All ages	929	449	480	20	11	9	997	509	488	24	12	12
	DONEGAL						MONAGHAN					
Under 20 years	66	31	35	16	13	3	22	10	12	5	3	2
20-24 years	308	161	147	13	4	9	151	74	77	6	2	4
25-29 years	528	256	272	7	5	2	213	105	108	4	3	1
30-34 years	472	222	250	3	3	.	229	107	122	1	.	1
35-39 years	382	197	185	1	1	.	182	95	87	.	.	.
40-44 years	150	72	78	.	.	.	72	36	36	.	.	.
45 years and over	13	6	7	1	.	1	5	1	4	.	.	.
Age not stated	33	18	15	2	1	1	12	7	5	.	.	.
All ages	1,952	963	989	43	27	16	886	435	451	16	8	8

TABLE 39 - TOTAL BIRTHS REGISTERED IN 1966 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	62,215	14,789	12,136	10,046	7,606	5,567	3,838	2,601	1,777	1,208	843
15 and under	30	30	.	.	.	.	.	.	.	.	.
16	79	76	3	.	.	.	.	.	.	.	.
17	223	199	22	2	.	.	.	.	.	.	.
18	474	379	81	11	2	1	.	.	.	.	.
19	884	632	191	50	9	1	.	.	.	.	.
Under 20	1,690	1,316	297	63	11	2	.	.	.	.	.
20	1,306	812	338	121	29	6	.	.	.	.	.
21	1,894	1,109	508	216	41	16	4	.	.	.	.
22	2,425	1,332	661	297	97	25	8	1	1	.	.
23	2,921	1,438	847	407	166	48	9	4	1	1	.
24	2,967	1,181	948	506	218	75	28	7	2	.	1
20-24	11,513	5,872	3,302	1,547	551	170	49	12	4	1	1
25	3,174	1,171	996	547	259	124	46	17	8	3	1
26	3,605	1,102	1,100	687	369	203	80	42	15	6	.
27	3,536	937	999	757	426	219	102	57	23	10	4
28	3,328	697	873	767	464	265	145	61	30	14	6
29	3,496	665	770	801	539	334	184	94	54	39	12
25-29	17,139	4,572	4,738	3,559	2,057	1,145	557	271	130	72	23
30	3,302	520	672	740	549	338	217	127	75	30	20
31	3,218	463	570	702	561	384	223	141	73	57	25
32	3,017	346	495	613	574	387	234	155	92	54	33
33	3,081	325	419	554	556	443	284	204	125	78	48
34	2,772	263	336	462	498	430	274	162	122	101	54
30-34	15,390	1,917	2,492	3,071	2,738	1,982	1,232	789	487	320	100
35	2,564	227	306	397	437	377	283	193	117	78	58
36	2,431	177	224	333	387	384	286	213	136	115	64
37	2,264	157	204	290	351	312	292	196	141	96	74
38	1,987	107	140	206	287	309	257	205	159	93	81
39	1,899	103	156	195	234	264	255	198	136	102	81
35-39	11,145	771	1,030	1,421	1,696	1,646	1,373	1,005	689	484	358
40	1,473	69	73	141	191	202	173	153	139	89	80
41	1,179	58	69	93	142	150	147	113	109	76	66
42	879	31	46	64	79	113	129	94	81	63	56
43	611	23	37	33	58	70	73	85	61	51	27
44	348	7	12	17	37	45	47	35	35	24	20
40-44	4,490	188	237	348	507	580	569	480	425	303	249
45	187	4	10	10	20	19	23	20	26	11	8
46	99	4	3	5	7	7	17	10	8	9	11
47	43	3	3	1	1	3	4	4	4	7	5
48	17	.	.	.	.	3	3	2	1	.	3
49 and over	6	.	1	.	1	.	.	1	.	.	1
45 and over	352	11	17	16	29	32	47	37	39	27	28
Age not stated	496	142	23	21	17	10	11	7	3	1	4

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
542	393	252	144	75	45	26	24	6	1	.	.	.	296	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	15 and under
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	18
.	.	.	.	.	.	.	.	.	.	.	.	.	1	19
.	.	.	.	.	.	.	.	.	.	.	.	.	1	Under 20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	20
.	.	.	.	.	.	.	.	.	.	.	.	.	.	21
.	.	.	.	.	.	.	.	.	.	.	.	.	3	22
.	.	.	.	.	.	.	.	.	.	.	.	.	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	1	24
.	.	.	.	.	.	.	.	.	.	.	.	.	4	20-24
.	.	.	.	.	.	.	.	.	.	.	.	.	2	25
1	.	.	.	.	.	.	.	.	.	.	.	.	.	26
1	.	.	.	.	.	.	.	.	.	.	.	.	1	27
3	.	.	.	.	.	.	.	.	.	.	.	.	3	28
2	1	.	.	.	.	.	.	.	.	.	.	.	1	29
7	1	.	.	.	.	.	.	.	.	.	.	.	7	25-29
9	2	1	.	.	.	.	.	.	.	.	.	.	2	30
12	6	1	.	.	.	.	.	.	.	.	.	.	.	31
17	9	3	.	.	2	.	.	.	.	.	.	.	3	32
20	17	5	1	.	.	.	.	.	.	.	.	.	2	33
31	18	12	5	1	.	.	.	.	.	.	.	.	3	34
89	52	22	6	1	2	.	.	.	.	.	.	.	10	30-34
42	27	10	7	1	2	1	1	.	.	.	.	.	.	35
51	18	24	9	4	3	.	2	.	.	.	.	.	1	36
57	45	27	14	2	2	2	.	.	.	.	.	.	2	37
38	40	29	16	10	4	2	2	.	.	.	.	.	2	38
61	42	26	24	8	7	2	1	1	.	.	.	.	3	39
249	172	116	70	25	18	7	6	1	.	.	.	.	8	35-39
51	45	28	10	11	5	4	4	2	1	.	.	.	2	40
41	37	25	20	10	9	7	3	1	.	.	.	.	3	41
45	30	17	11	11	2	.	2	1	.	.	.	.	4	42
21	26	15	12	8	4	5	2	.	.	.	.	.	.	43
22	16	12	5	5	3	1	3	.	.	.	.	.	2	44
180	154	97	58	45	23	17	14	4	1	.	.	.	11	40-44
8	5	11	4	3	1	.	2	1	.	.	.	.	1	45
3	5	4	1	1	1	2	1	.	.	.	.	.	.	46
2	3	1	1	.	.	.	.	.	.	.	.	.	1	47
2	1	.	1	.	.	.	1	.	.	.	.	.	.	48
2	.	.	.	.	.	.	.	.	.	.	.	.	.	49 and over
17	14	16	7	4	2	2	4	1	.	.	.	.	2	45 and over
.	.	1	3	.	.	.	.	.	.	.	.	.	253	Age not stated

TABLE 40 - LEGITIMATE BIRTHS REGISTERED IN 1966, CLASSIFIED

Age of mother at maternity	Legitimate births: the year of											
	Total	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
All ages	60,779	1,522	9,079	6,000	5,706	5,153	4,363	4,110	3,645	3,233	2,751	2,534
15	7	5	1	1	.	.	.	.	.	.	.	.
16	35	11	21	2	1	.	.	.	.	.	.	.
17	145	48	76	13	5	2	.	.	.	.	.	.
18	343	95	170	61	10	4	.	.	.	.	.	.
19	741	162	345	153	55	22	2	1	.	.	.	.
Under 20	1,271	321	613	230	71	28	2	1	.	.	.	.
20	1,141	152	526	246	144	52	15	2	1	.	.	.
21	1,763	183	788	367	242	120	40	15	1	3	.	.
22	2,303	185	929	509	339	208	79	41	6	3	2	.
23	2,842	150	1,026	580	467	313	167	98	27	8	2	1
24	2,904	108	843	542	525	394	233	163	64	21	6	.
20-24	10,953	778	4,112	2,244	1,717	1,087	534	319	99	35	10	1
25	3,110	98	786	520	526	445	317	206	119	59	22	6
26	3,541	68	729	521	526	502	439	333	195	118	69	25
27	3,498	60	597	462	499	443	430	384	262	172	94	48
28	3,293	29	430	358	403	461	376	391	303	223	126	91
29	3,456	33	387	338	368	383	380	384	364	303	195	136
25-29	16,898	288	2,929	2,199	2,322	2,234	1,942	1,698	1,243	875	506	306
30	3,270	20	295	223	314	376	315	362	352	262	255	195
31	3,197	21	262	221	245	261	299	355	332	337	253	205
32	2,998	16	181	187	215	226	254	278	310	270	263	223
33	3,065	13	147	182	184	207	201	237	247	312	261	287
34	2,751	15	134	99	153	158	184	200	247	212	239	249
30-34	15,281	85	1,019	912	1,111	1,228	1,253	1,432	1,488	1,393	1,271	1,159
35	2,548	12	113	102	110	139	150	145	178	211	207	216
36	2,415	12	70	69	90	111	123	120	166	161	188	179
37	2,257	3	67	70	84	103	105	113	133	134	134	172
38	1,983	4	39	61	50	57	69	80	90	131	142	151
39	1,891	6	47	48	57	71	67	72	77	87	111	119
35-39	11,094	37	336	350	391	481	514	530	644	724	782	837
40	1,466	2	25	19	36	37	34	42	67	75	61	92
41	1,176	5	22	17	22	13	29	34	41	50	51	67
42	877	1	8	10	14	17	21	22	28	28	23	34
43	608	2	10	3	7	13	11	10	17	22	24	26
44	347	.	1	3	4	3	8	6	5	14	13	7
40-44	4,474	10	66	52	83	83	103	114	158	189	172	226
45	184	.	.	.	1	1	5	6	5	4	4	2
46	99	1	.	.	2	1	2	3	1	4	1	.
47	43	1	.	.	1	1	.	.	1	1	1	.
48	17	.	.	.	.	.	.	.	.	.	.	.
49 and over	6	.	.	.	.	.	.	.	.	.	1	.
45 and over	349	2	.	.	4	3	7	9	7	9	7	2
Age not stated	459	1	4	13	7	9	8	7	6	8	3	3

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

marriage being												Age of mother at maternity
1955	1954	1953	1952	1951	1950	1949	1948	1947	1942 to 1946	1941 and earlier	Not stated	
2,151	1,908	1,516	1,382	1,079	995	738	603	517	1,228	117	449	All ages
.	.	.	.	.	.	.	.	.	.	.	.	15
.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	1	17
.	.	.	.	.	.	.	.	.	.	.	3	18
.	.	.	.	.	.	.	.	.	.	.	1	19
.	.	.	.	.	.	.	.	.	.	.	5	Under 20
.	.	.	.	.	.	.	.	.	.	.	3	20
.	.	.	.	.	.	.	.	.	.	.	4	21
.	.	.	.	.	.	.	.	.	.	.	2	22
1	.	.	.	.	.	.	.	.	.	.	2	23
2	.	.	.	.	.	.	.	.	.	.	3	24
3	.	.	.	.	.	.	.	.	.	.	14	20-24
4	.	.	.	.	.	.	.	.	.	.	2	25
7	3	3	1	.	.	.	.	.	.	.	2	26
27	10	4	1	1	.	.	.	.	.	.	4	27
51	28	17	3	1	.	.	.	.	.	.	2	28
82	54	23	15	4	3	.	.	.	.	.	4	29
171	95	47	20	6	3	.	.	.	.	.	14	25-29
126	87	44	26	5	6	1	1	.	.	.	5	30
159	119	54	40	20	7	4	.	.	.	.	3	31
188	150	106	70	36	14	3	2	.	.	.	6	32
228	197	131	111	57	38	10	8	4	.	.	3	33
211	196	129	115	85	63	37	11	5	5	.	4	34
912	749	464	362	203	128	55	22	9	5	.	21	30-34
199	177	159	113	101	85	64	32	23	11	.	1	35
195	190	148	183	127	122	59	50	25	23	.	4	36
166	156	158	157	127	120	78	64	50	59	.	4	37
132	129	141	130	114	111	79	93	76	102	.	2	38
120	145	119	119	106	124	97	81	72	142	1	3	39
812	797	725	702	575	562	377	320	246	337	1	14	35-39
87	92	94	108	88	89	88	73	69	182	4	2	40
55	68	74	70	81	79	66	68	62	191	10	1	41
45	49	51	48	56	51	79	54	55	166	15	2	42
35	24	25	35	37	35	38	34	35	143	20	2	43
17	16	20	17	16	22	12	16	25	96	24	2	44
239	249	264	278	278	276	283	245	246	778	73	9	40-44
5	8	9	13	10	14	13	8	7	48	21	.	45
1	5	5	2	5	7	7	3	4	37	8	.	46
2	2	1	2	.	3	2	2	4	10	9	.	47
1	.	.	1	.	.	.	3	.	9	3	.	48
.	.	.	1	.	1	.	.	.	1	2	.	49 and over
9	15	15	19	15	25	22	16	15	105	43	.	45 and over
5	3	1	1	2	1	1	.	1	3	.	372	Age not stated

TABLE 41 - LEGITIMATE FIRST BIRTHS REGISTERED IN 1966 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

Age of mother at maternity	Total	Legitimate first births: the year of marriage being													
		1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	1952-1956	1947-1951	1946 and earlier	Not stated
All ages	13,499	1,448	8,383	1,923	629	317	192	139	95	65	49	127	17	.	115
15	7	5	1	1	.	.	.	.	.	.	.	.	.	.	.
16	32	11	20	1	.	.	.	.	.	.	.	.	.	.	.
17	124	48	70	5	.	.	.	.	.	.	.	.	.	.	1
18	251	94	145	10	.	.	.	.	.	.	.	.	.	.	2
19	492	160	296	30	4	1	.	.	.	.	.	.	.	.	1
20	658	146	457	46	7	2	.	.	.	.	.	.	.	.	.
21	986	178	710	78	12	3	3	.	.	1	.	.	.	.	1
22	1,220	179	853	152	25	8	.	1	.	.	.	.	.	.	2
23	1,372	146	963	204	44	9	2	3	.	.	.	.	.	.	1
24	1,124	98	796	150	55	16	5	2	.	.	.	.	.	.	2
25	1,115	91	734	179	66	23	14	6	.	2	.	.	.	.	.
26	1,045	64	689	174	51	37	13	10	3	1	.	2	.	.	1
27	907	53	562	144	55	42	23	10	8	3	3	3	.	.	1
28	670	29	397	133	42	22	12	21	5	6	1	2	.	.	.
29	632	30	370	110	43	28	20	13	8	3	5	2	.	.	.
Under 20	906	318	532	47	4	1	.	.	.	.	.	.	.	.	4
20-24	5,360	747	3,779	630	143	38	10	6	.	1	.	.	.	.	6
25-29	4,369	267	2,752	740	257	152	82	60	24	15	9	9	.	.	2
30-34	1,832	74	954	335	140	78	59	55	46	28	22	36	1	.	4
35-39	737	32	303	140	62	38	32	14	19	15	14	57	9	.	2
40-44	177	8	59	29	20	9	6	2	5	5	4	24	6	.	.
45 and over	9	2	.	.	2	.	2	2	1	.	.	.	.	.	.
Age not stated	109	.	4	2	1	1	1	.	.	1	.	1	1	.	97

TABLE 42 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	16,849	16,164	685	444	117	33	8	4	79
Carlow	149	142	7	7	.	.	.	.	.
Dublin County Borough	4,912	4,696	216	88	26	20	8	1	73
Dun Laoghaire Borough	380	347	33	28	5	.	.	.	.
Dublin County(remainder)	668	640	28	26	2	.	.	.	.
Kildare	384	372	12	12	.	.	.	.	.
Kilkenny	275	269	6	6	.	.	.	.	.
Laois	219	205	14	13	1	.	.	.	.
Longford	119	119	.	.	.	.	.	.	.
Louth	468	459	9	8	.	1	.	.	.
Meath	402	397	5	5	.	.	.	.	.
Offaly	248	239	9	8	.	1	.	.	.
Westmeath	319	313	6	4	.	1	.	.	1
Wexford	490	467	23	23	.	.	.	.	.
Wicklow	372	333	39	35	1	2	.	.	1
Leinster	9,405	8,998	407	263	35	25	8	1	75
Clare	322	321	1	.	.	.	.	.	1
Cork County Borough ..	959	949	10	8	1	.	.	.	1
Cork County	1,072	1,021	51	46	.	5	.	.	.
Kerry	541	537	4	4	.	.	.	.	.
Limerick County Borough	468	464	4	2	1	.	.	.	1
Limerick County ...	291	287	4	4	.	.	.	.	.
Tipperary, N.R. ...	304	297	7	6	.	.	.	.	1
Tipperary, S.R. ...	339	336	3	3	.	.	.	.	.
Waterford County Borough	280	278	2	.	1	.	.	1	.
Waterford County ...	194	190	4	4	.	.	.	.	.
Munster	4,770	4,660	90	77	3	5	.	1	4
Galway	730	729	1	1	.	.	.	.	.
Leitrim	106	100	6	6	.	.	.	.	.
Mayo	380	379	1	1	.	.	.	.	.
Roscommon	208	208	.	.	.	.	.	.	.
Sligo	217	198	19	18	1	.	.	.	.
Connacht	1,641	1,614	27	26	1	.	.	.	.
Cavan	231	211	20	15	3	.	.	2	.
Donegal	568	458	110	49	58	3	.	.	.
Monaghan	234	203	31	14	17	.	.	.	.
Ulster (part of) ...	1,033	872	161	78	78	3	.	2	.

COUNTY AND COUNTY BOROUGH DURING 1966.

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
3,438	3,399	6,423	3,589	16,580	69	150	50	Total
16	43	59	31	148	.	1	.	Carlow
1,170	867	1,863	1,012	4,803	29	62	18	Dublin County Borough
61	102	137	80	369	1	9	1	Dun Laoghaire Borough
119	184	202	163	652	3	10	3	Dublin County(remainder)
75	69	154	86	378	2	2	2	Kildare
43	67	108	57	274	1	.	.	Kilkenny
31	49	100	39	219	.	.	.	Laois
22	26	47	24	118	1	.	.	Longford
73	74	244	77	461	3	4	.	Louth
56	84	185	77	394	2	4	2	Meath
51	40	116	41	245	1	1	1	Offaly
58	75	124	62	317	1	1	.	Westmeath
89	112	206	83	481	3	5	1	Wexford
62	75	150	85	364	5	3	.	Wicklow
1,926	1,867	3,695	1,917	9,223	52	102	28	Leinster
69	78	84	91	320	.	1	1	Clare
222	146	390	201	947	2	10	.	Cork County Borough
212	269	351	240	1,058	4	6	4	Cork County
125	104	182	130	541	.	.	.	Kerry
150	57	133	128	465	1	2	.	Limerick County Borough
54	71	112	54	283	1	3	4	Limerick County
55	63	90	96	300	.	3	1	Tipperary, N.R.
85	49	148	57	334	.	5	.	Tipperary, S.R.
69	45	102	64	276	.	4	.	Waterford County Borough
28	45	87	34	192	.	1	1	Waterford County
1,069	927	1,679	1,095	4,716	8	35	11	Munster
122	169	287	152	717	1	8	4	Galway
22	15	45	24	105	.	.	1	Leitrim
74	85	133	88	375	3	1	1	Mayo
27	56	80	45	207	1	.	.	Roscommon
48	52	71	46	214	1	.	2	Sligo
293	377	616	355	1,618	6	9	8	Connacht
28	58	107	38	229	1	1	.	Cavan
98	121	223	126	561	1	3	3	Donegal
24	49	103	58	233	1	.	.	Monaghan
150	228	433	222	1,023	3	4	3	Ulster (part of)

TABLE 43 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY
ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	6	16	73	231	509	930	1,316	1,634	1,853	1,639	1,478	1,151	973	812	634	529	423	349	317	244	225	188
16	.	1	5	3	.	2	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.
17	.	.	5	13	12	6	6	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.
18	1	2	7	22	28	28	9	2	3	5	3	1	.	1	.	.	.	.	.	1	.	.
19	1	3	11	30	70	64	49	28	15	10	5	3	.	.	.	.	.	.	.	.	.	.
20	.	3	11	35	61	103	129	79	57	24	13	8	3	2	2	1	2	.	1	.	.	.
21	1	3	10	35	69	147	168	171	97	66	48	17	10	16	3	2	4	.	1	1	.	.
22	.	1	6	25	74	142	200	230	207	120	72	41	25	14	6	4	8	1	.	1	1	.
23	.	3	9	19	51	104	186	214	253	223	129	90	54	25	16	13	1	3	2	2	1	1
24	1	.	2	14	31	90	140	215	271	219	184	83	69	23	23	15	15	5	3	3	.	.
25	.	.	1	8	23	51	104	145	215	206	188	135	76	54	30	26	10	11	5	2	4	2
26	1	.	3	6	49	39	68	140	159	169	158	125	121	87	51	31	21	16	8	5	3	.
27	1	.	1	3	14	31	49	93	127	156	148	123	103	90	68	37	19	13	11	11	4	3
28	.	.	.	5	8	34	47	76	101	116	112	111	87	88	49	59	27	18	21	8	6	2
29	.	.	.	2	14	13	31	49	75	69	90	79	78	66	69	48	30	21	17	6	12	1
30	.	.	.	.	4	17	33	43	70	54	65	51	78	67	60	50	33	28	18	12	12	6
31	.	.	.	1	8	12	18	31	41	41	59	64	54	53	43	42	40	24	15	21	11	6
32	.	.	.	2	5	6	18	27	37	33	44	40	33	48	31	31	34	22	29	15	9	8
33	.	.	1	.	3	8	17	16	31	28	34	39	38	35	33	31	28	23	19	14	15	10
34	.	.	.	.	1	6	5	13	23	27	29	28	21	24	30	20	25	27	14	21	15	14
35	.	.	.	3	.	6	8	12	19	13	24	20	26	24	22	17	10	17	19	20	19	13
36	.	.	.	1	1	2	6	7	10	12	19	16	19	21	26	26	21	15	16	14	18	8
37	.	.	.	1	2	4	4	10	4	7	8	14	17	14	14	11	22	17	14	8	10	17
38	.	.	.	1	1	2	1	8	8	6	8	15	16	18	13	14	15	13	18	7	15	7
39	.	.	1	.	.	2	3	2	4	11	.	9	11	8	10	11	12	15	11	13	8	15
40	.	.	.	.	.	1	2	1	5	7	11	6	6	10	7	7	13	13	15	11	10	13
41	.	.	.	.	1	.	2	6	6	2	3	9	5	7	5	5	4	8	16	9	6	9
42	.	.	.	.	3	.	.	3	1	2	2	3	4	3	8	6	4	8	14	8	3	11
43	.	.	.	.	.	.	1	.	1	2	2	5	2	2	3	6	3	9	4	4	7	7
44	.	.	.	2	1	.	6	1	.	1	4	2	.	2	1	1	2	6	3	6	11	9
45	.	.	.	.	1	.	.	.	1	1	1	.	6	2	2	4	2	4	6	3	3	7
46	.	.	.	.	.	2	1	.	1	1	1	3	2	1	1	2	4	1	3	4	2	5
47	.	.	.	.	1	1	.	2	1	.	2	1	.	1	2	.	2	2	2	3	9	2
48	.	.	.	.	.	.	1	.	1	1	.	1	1	2	2	2	1	1	3	3	2	5
49	.	.	.	.	.	2	.	.	2	2	1	1	1	3	1	3	2	1	2	1	2	.
50-54	.	.	.	.	1	1	1	5	3	3	6	4	3	1	2	2	5	5	3	6	5	4
55-59	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	2	1	3	1	1	3
60-64	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	1	.	.	.
65-69	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75 and over	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	.	.	2	4	1	.	3	.	3	4	.	.	.	1	1	1	.	.	.	.

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																				Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	Not stated	All ages	
169	142	132	99	93	98	66	62	49	33	33	23	23	22	71	47	15	13	6	123	16,849	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	116	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	289	19
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	535	20
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	873	21
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,182	22
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	7	1,407	23
2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,412	24
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1,301	25
3	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1,240	26
1	2	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	6	1,117	27
4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	987	28
5	1	1	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	2	784	29
4	2	3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	719	30
5	4	5	.	.	2	2	.	.	.	1	.	1	.	.	.	.	.	.	3	607	31
7	1	.	1	1	1	.	1	1	.	1	.	.	.	.	.	.	.	.	1	487	32
6	5	7	5	4	.	1	2	.	1	.	.	.	.	1	.	.	.	.	.	455	33
10	3	10	5	3	2	.	1	.	.	.	.	.	.	1	1	.	.	.	1	380	34
8	9	9	3	3	3	.	.	.	.	.	.	.	1	.	.	.	.	.	2	330	35
12	11	5	4	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	294	36
11	9	4	2	3	1	.	1	.	3	.	.	2	.	1	.	.	.	.	2	237	37
10	9	7	6	7	5	3	2	2	.	2	.	.	.	1	.	.	.	.	1	241	38
14	9	12	8	4	11	3	2	3	2	.	.	.	1	1	.	1	.	.	2	220	39
10	11	9	10	6	3	2	2	3	2	1	.	.	1	.	.	.	.	.	2	200	40
10	8	7	9	3	9	5	6	2	1	.	2	3	.	1	.	.	.	.	1	170	41
9	2	7	5	4	8	1	3	1	2	1	.	2	.	2	1	.	.	.	2	133	42
7	4	4	2	4	3	2	4	.	.	1	.	1	2	1	.	.	.	.	.	93	43
5	6	8	4	2	5	8	3	.	2	3	.	.	.	3	.	.	.	.	1	108	44
4	8	2	5	1	3	4	5	2	.	1	2	1	.	3	.	.	.	.	.	84	45
5	4	7	4	2	5	6	1	1	.	2	2	2	1	1	1	.	.	.	.	78	46
3	3	3	6	5	3	4	3	2	2	2	1	1	2	2	.	.	.	.	.	73	47
2	7	1	3	3	5	1	2	2	2	2	.	.	1	2	2	.	.	.	.	61	48
1	1	3	5	5	4	3	.	1	2	2	1	2	.	4	1	.	.	.	.	59	49
8	12	10	9	18	12	11	10	14	6	8	8	5	10	14	9	.	.	.	3	227	50-54
1	6	3	.	3	3	5	8	10	6	2	2	2	2	16	7	3	4	.	.	97	55-59
1	.	3	.	3	2	3	3	1	2	4	3	.	1	9	13	4	3	1	.	60	60-64
.	1	.	.	.	1	1	.	1	.	.	1	.	.	4	9	5	2	2	.	30	65-69
1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	1	1	4	2	.	13	70-74
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.	6	75 and over
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60	81	Not stated

TABLE 44 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	6	16	73	231	508	990	1,314	1,532	1,851	1,636	1,475	1,148	966	806	631	526	415	346	309	242	216	183
16	.	1	5	3	.	2	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.
17	.	.	5	13	12	6	6	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.
18	1	2	7	22	28	28	9	2	3	5	3	1	.	1	.	.	.	.	1	.	.	.
19	1	3	11	30	70	64	49	28	15	10	5	3	.	.	.	.	.	.	.	.	.	.
20	.	3	11	35	61	103	129	79	57	24	13	8	3	2	2	1	2	.	1	.	.	.
21	1	3	10	35	69	147	168	171	97	66	48	17	10	16	3	2	3	.	1	1	.	.
22	.	1	6	25	74	142	200	230	207	120	72	41	25	13	6	4	8	1	.	1	.	.
23	.	3	9	19	51	104	186	214	253	223	129	90	54	25	16	13	1	2	2	2	1	1
24	1	.	2	14	31	90	140	215	271	219	183	83	69	23	23	15	15	5	2	3	.	.
25	.	.	1	8	23	51	104	145	215	205	188	135	76	54	30	26	9	11	5	2	4	2
26	1	.	3	6	19	39	68	140	159	169	158	125	121	86	51	31	21	16	8	5	3	.
27	1	.	1	3	14	31	49	93	127	156	148	123	103	90	68	37	19	13	11	11	4	3
28	.	.	.	5	8	34	47	75	101	116	112	110	87	88	49	59	27	18	21	8	6	2
29	.	.	.	2	14	13	31	49	75	69	90	79	77	65	69	48	29	21	17	6	12	1
30	.	.	.	.	4	17	33	43	70	54	65	51	77	67	60	50	32	28	17	12	12	6
31	.	.	.	1	8	12	18	31	41	41	59	64	54	53	43	42	40	24	15	21	11	6
32	.	.	.	2	5	6	18	27	36	33	44	40	33	48	31	30	34	22	29	15	9	8
33	.	.	1	.	3	8	17	16	31	28	34	39	37	34	33	31	28	23	18	14	14	10
34	.	.	.	.	1	6	5	12	23	26	28	28	21	23	30	20	25	27	14	20	15	14
35	.	.	.	3	.	6	8	12	19	13	23	20	26	24	22	17	10	17	19	20	19	12
36	.	.	.	1	1	2	6	7	10	12	19	16	19	21	26	26	21	15	16	14	17	8
37	.	.	.	1	2	4	4	10	4	7	8	14	17	14	14	11	22	17	14	7	9	17
38	.	.	.	1	1	2	1	8	7	6	8	15	16	18	13	14	15	13	17	7	15	6
39	.	.	1	.	.	2	3	2	4	11	.	8	11	8	10	11	10	14	11	13	7	16
40	.	.	.	.	.	1	2	1	5	7	11	6	6	10	7	7	12	13	15	11	10	13
41	.	.	.	.	1	.	1	6	6	2	3	9	5	7	5	5	4	8	16	9	6	9
42	.	.	.	.	3	.	.	3	1	2	2	3	4	3	7	6	4	7	13	8	3	11
43	.	.	.	.	.	.	1	.	1	2	2	5	2	2	2	6	3	9	3	4	6	6
44	.	.	.	2	1	.	6	1	.	1	4	2	.	2	1	1	2	6	3	6	10	9
45	.	.	.	.	1	.	.	.	1	1	1	.	5	2	2	4	2	4	6	3	3	6
46	.	.	.	.	.	2	1	.	1	1	1	2	2	1	1	2	4	1	3	4	2	5
47	.	.	.	.	1	1	.	2	1	.	2	1	.	1	2	.	2	2	2	3	8	2
48	.	.	.	.	.	.	.	.	1	1	.	1	1	1	2	2	1	1	3	3	2	5
49	.	.	.	.	.	2	.	.	2	2	1	1	.	3	1	3	2	1	2	1	2	.
50-54	.	.	.	.	.	1	1	5	3	2	6	4	2	1	2	.	4	5	2	6	5	3
55-59	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	2	1	2	1	1	1
60-64	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.
65-69	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
70-74	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not stated	.	.	.	.	2	4	1	.	3	.	3	4	.	.	.	1	1	1	.	.	.	.

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																				Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	Not stated	All ages	
160	133	125	94	85	87	56	48	40	29	28	13	17	16	42	13	5	5	1	123	16,580	All ages
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	116	18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	289	19
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	535	20
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	872	21
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,180	22
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	7	1,406	23
2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1,410	24
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1,299	25
3	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1,239	26
1	2	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	6	1,117	27
4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	985	28
5	1	1	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	2	780	29
4	2	2	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	715	30
5	4	5	.	.	2	2	.	.	.	1	.	.	.	.	.	.	.	.	3	606	31
7	1	.	1	1	1	.	1	1	.	1	.	.	.	.	.	.	.	.	1	485	32
6	5	6	5	4	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	449	33
8	3	10	5	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	371	34
8	9	9	3	2	3	.	.	.	.	.	.	.	1	.	.	.	.	.	2	327	35
12	10	4	4	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	291	36
9	8	4	2	3	1	.	1	.	3	.	.	1	.	1	.	.	.	.	2	231	37
10	7	7	6	7	5	3	2	2	.	2	.	.	.	1	.	.	.	.	1	236	38
14	9	11	7	3	10	3	2	3	2	.	.	.	1	.	.	.	.	.	2	209	39
10	11	9	9	6	3	2	1	3	2	1	.	.	1	.	.	.	.	.	2	197	40
9	8	7	9	3	8	4	5	2	1	.	2	3	.	.	.	.	.	.	1	164	41
9	2	7	5	4	8	1	3	1	2	1	.	2	.	2	.	.	.	.	2	129	42
7	4	4	2	4	3	.	4	.	.	1	.	1	2	.	.	.	.	.	.	86	43
5	6	8	4	2	5	8	1	.	2	3	.	.	.	2	.	.	.	.	1	104	44
3	7	2	5	1	3	3	4	2	.	1	1	1	.	3	.	.	.	.	.	77	45
5	4	7	4	2	4	6	1	1	.	1	2	1	1	.	1	.	.	.	.	73	46
3	3	3	6	4	3	4	3	2	1	2	.	1	1	2	.	.	.	.	.	68	47
2	7	1	1	3	4	1	1	2	2	2	.	.	1	2	2	.	.	.	.	55	48
1	1	3	5	3	4	3	.	1	2	1	.	1	.	4	.	.	.	.	.	52	49
7	11	10	9	17	9	8	8	11	6	7	5	4	5	11	2	.	.	.	3	185	50-54
1	4	2	.	2	1	4	6	6	4	1	1	1	2	7	3	3	2	.	.	62	55-59
.	.	1	.	2	2	2	.	.	1	3	1	.	1	6	3	.	1	.	.	26	60-64
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	6	65-69
.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	5	70-74
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	80	Not stated

TABLE 45 - MARRIAGES REGISTERED IN 1966 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	463	5,218	5,192	2,530	1,272	687	331	216	93	96	66	16,164	28.9
Church of Ireland ..	2	126	157	67	32	13	14	9	.	9	15	444	29.9
Presbyterian	2	27	44	29	5	.	7	1	2	.	.	117	29.8
Other Religions ..	.	12	20	6	6	.	1	.	.	.	.	45	28.6
Civil marriages ..	1	26	16	16	7	4	2	1	2	4	.	79	31.7
Total	468	5,409	5,429	2,648	1,322	704	355	227	97	109	81	16,849	29.0

TABLE 46 - MARRIAGES REGISTERED IN 1966 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	1,711	7,588	3,918	1,513	706	356	123	68	43	29	109	16,164	25.7
Church of Ireland ..	36	221	108	25	18	9	5	2	4	2	14	444	25.9
Presbyterian	9	57	31	14	.	3	3	.	.	.	.	117	25.8
Other Religions ..	2	20	20	1	2	.	.	.	.	.	.	45	25.4
Civil marriages ..	7	34	22	5	4	.	3	1	.	3	.	79	27.7
Total	1,765	7,920	4,099	1,558	730	368	134	71	47	34	123	16,849	25.7

TABLE 47 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	12	234	594	739	491	306	155	84	26	16	36	2,693	34.4
Other agricultural occupations and fishermen ..	29	126	113	64	36	22	14	12	5	4	.	425	29.8
Higher professional ..	1	135	368	160	67	24	11	6	2	8	1	783	29.9
Lower professional ..	8	213	317	130	45	13	10	6	5	5	2	754	28.6
Employers and managers (including shopkeepers)	2	117	168	91	29	11	5	7	5	2	2	439	29.3
Salaried employees ..	3	152	240	91	39	13	6	6	6	7	2	565	29.2
Intermediate non-manual workers	57	900	1,028	417	177	8	39	26	9	19	9	2,761	28.4
Other non-manual workers	59	680	539	203	101	59	29	15	5	10	4	1,704	27.7
Skilled manual workers ..	127	1,794	1,420	522	205	103	48	36	16	14	13	4,298	27.2
Other manual workers ..	153	1,007	626	221	129	72	37	25	13	10	9	2,302	27.1
Not stated	17	51	16	10	3	1	1	4	5	14	3	125	31.0
Total	468	5,409	5,429	2,648	1,322	704	355	227	97	109	81	16,849	29.0

TABLE 48 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	15	122	152	75	51	28	11	2	2	.	9	467	29.4
Other agricultural occupations and fishermen ..	4	2	2	2	2	.	.	.	.	.	.	12	25.8
Higher professional ..	2	21	18	8	2	5	.	1	.	.	.	57	28.1
Lower professional ..	34	769	753	271	86	38	13	4	4	3	13	1,988	27.1
Employers and managers (including shopkeepers)	1	26	22	10	7	6	2	1	1	.	1	77	29.7
Salaried employees ..	5	14	13	5	5	.	.	.	.	.	.	42	26.4
Intermediate non-manual workers	332	2,490	1,336	427	181	68	25	12	5	2	22	4,900	25.5
Other non-manual workers	338	1,137	469	202	89	61	17	16	8	2	14	2,353	25.3
Skilled manual workers	125	608	187	67	26	8	2	2	3	2	4	1,034	24.3
Other manual workers ..	505	1,550	447	97	46	17	8	3	.	.	13	2,686	23.2
Not stated	404	1,181	700	394	235	137	56	30	24	25	47	3,233	27.4
Total	1,765	7,920	4,099	1,558	730	368	194	71	47	34	123	16,849	25.7

TABLE 49 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,693	375	5	2	397	9	4	505	303	30	93	970
Other agricultural occupations and fishermen ..	425	8	2	.	25	1	.	60	138	10	69	112
Higher professional ..	783	2	.	30	243	3	3	299	82	20	8	93
Lower professional ..	754	5	.	9	307	5	3	244	66	18	18	79
Employers and managers (including shopkeepers)	439	3	.	2	74	10	3	170	66	13	14	84
Salaried employees ..	565	4	.	1	95	7	6	271	69	12	23	77
Intermediate non-manual workers	2,761	16	1	8	398	14	7	1,237	339	112	262	367
Other non-manual workers	1,704	7	2	1	94	7	6	461	337	147	369	273
Skilled manual workers .	4,298	37	1	3	287	18	10	1,314	532	503	957	636
Other manual workers ..	2,302	8	1	1	65	3	.	330	414	168	862	450
Not stated	125	2	.	.	3	.	.	9	7	1	11	92
Total	16,849	467	12	57	1,988	77	42	4,900	2,353	1,034	2,686	3,233

TABLE 50 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	468	5,409	5,429	2,648	1,322	704	355	227	97	109	81	16,849	29.0
Carlow	5	45	58	27	18	5	4	3	3	1	1	170	29.8
Dublin County Borough	162	1,778	1,439	482	224	106	40	29	18	28	11	4,317	27.2
Dun Laoghaire Borough	11	122	110	42	16	7	4	8	1	7	3	331	28.4
Dublin County (remainder)	12	234	253	84	39	18	13	7	9	3	1	673	28.4
Kildare	17	154	122	66	21	8	6	4	3	.	1	402	27.6
Kilkenny	4	75	86	50	31	17	10	4	2	4	1	284	30.7
Laois	5	55	55	51	14	15	9	5	.	2	.	211	30.7
Longford	1	23	28	32	10	10	1	5	.	1	8	119	31.7
Louth	12	169	161	54	21	15	9	5	1	3	.	450	27.9
Meath	10	117	117	47	34	18	12	7	2	3	1	368	29.5
Offaly	8	60	84	35	23	12	8	3	1	3	2	239	29.9
Westmeath	11	87	84	68	29	16	3	6	2	.	.	306	29.4
Wexford	11	148	132	69	30	23	4	7	5	5	.	434	29.2
Wicklow	13	130	94	37	22	12	8	2	3	3	.	324	28.1
Leinster	282	3,197	2,823	1,144	532	282	131	95	50	63	29	8,628	28.1
Clare	2	43	91	68	41	30	16	10	2	.	3	306	31.8
Cork County Borough	13	269	260	95	37	15	8	7	4	2	.	710	27.7
Cork County	11	301	322	229	131	66	40	27	8	7	3	1,145	30.8
Kerry	8	98	159	106	76	20	12	5	3	.	5	492	30.5
Limerick County Borough	19	134	98	30	15	4	3	.	1	2	1	307	26.4
Limerick County	8	82	105	67	44	28	12	5	5	3	5	364	31.2
Tipperary, N.R.	3	64	87	60	27	28	15	6	3	1	1	295	31.6
Tipperary, S.R.	11	82	90	42	33	12	13	5	3	5	2	298	30.3
Waterford County Borough	9	76	75	39	7	7	.	.	.	1	1	215	27.2
Waterford County	10	46	61	37	24	7	4	4	1	.	.	194	29.6
Munster	94	1,195	1,348	773	435	217	123	69	30	21	21	4,326	29.9
Galway	14	110	188	171	78	49	11	11	8	5	6	651	31.5
Leitrim	1	16	32	33	13	12	8	1	1	.	2	119	32.6
Mayo	4	61	109	78	52	27	10	4	2	1	1	349	31.4
Roscommon	1	24	51	48	30	20	13	7	.	.	4	198	33.4
Sligo	5	34	69	33	19	9	7	5	1	2	4	188	31.0
Connacht	25	245	449	363	192	117	49	28	12	8	17	1,505	31.8
Cavan	2	44	59	41	31	14	11	7	1	.	1	211	31.8
Donegal	10	126	125	69	41	16	7	10	1	5	4	414	29.6
Monaghan	5	40	61	41	17	13	7	2	.	1	2	189	30.4
Ulster (part of)	17	210	245	151	89	43	25	19	2	6	7	814	30.4
Ireland*	418	4,847	4,865	2,431	1,248	659	328	211	94	98	74	15,273	29.1
Six Counties	13	77	86	38	14	6	8	3	.	3	1	249	28.5
England and Wales	18	389	422	138	47	23	18	11	2	7	5	1,080	27.8
Scotland	.	21	14	7	4	5	1	.	.	1	.	53	29.4
Elsewhere	4	47	39	32	8	11	.	1	1	.	.	143	28.8
Not stated	15	28	3	2	1	.	.	1	.	.	1	51	22.6

*Exclusive of Six Counties.

TABLE 51 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Area of residence of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	1,765	7,920	4,099	1,558	730	368	134	71	47	34	123	16,849	25.7
Carlow	26	69	36	19	7	3	.	1	.	1	2	164	25.4
Dublin County Borough	498	2,388	1,047	326	165	66	24	17	17	11	15	4,574	25.1
Dun Laoghaire Borough	36	205	73	21	12	9	5	4	1	1	1	368	25.4
Dublin County (remainder)	62	324	164	48	30	15	5	2	2	.	3	655	25.6
Kildare	73	181	73	32	8	8	3	1	2	1	2	384	24.6
Kilkenny	30	102	59	34	13	11	5	.	.	.	2	256	26.5
Laois	20	88	48	30	11	9	.	.	.	.	2	208	26.3
Longford	9	49	24	20	7	4	.	1	.	1	9	124	27.1
Louth	54	249	108	35	14	9	5	1	2	2	.	479	25.2
Meath	46	190	85	26	11	12	5	2	2	.	4	383	25.4
Offaly	36	124	45	18	13	6	4	.	1	.	.	247	25.2
Westmeath	39	114	76	26	13	3	4	.	.	.	3	278	25.4
Wexford	74	228	107	37	26	4	5	2	.	1	4	488	25.0
Wicklow	54	185	65	26	14	11	4	.	.	3	.	362	25.2
Leinster	1,057	4,496	2,010	698	344	170	69	31	27	21	47	8,970	25.3
Clare	18	118	84	36	25	16	7	.	.	.	6	310	27.6
Cork County Borough	60	390	196	70	28	16	7	5	3	1	1	777	25.8
Cork County	104	479	331	140	63	37	8	10	3	1	8	1,184	26.6
Kerry	41	187	142	66	41	8	4	5	.	.	8	502	26.9
Limerick County Borough	54	171	69	23	8	3	2	1	.	.	2	333	24.2
Limerick County	27	127	100	38	17	8	4	2	4	.	8	335	27.0
Tipperary, N.R.	23	129	84	47	20	10	4	.	.	2	.	319	27.1
Tipperary, S.R.	51	130	66	28	16	2	2	3	.	.	.	298	25.1
Waterford County Borough	29	131	64	17	1	2	2	.	.	.	.	246	24.3
Waterford County	23	81	49	29	9	4	1	1	.	1	.	198	26.2
Munster	430	1,943	1,185	494	228	106	41	27	10	5	33	4,502	26.2
Galway	40	251	200	96	39	22	2	3	4	2	9	668	27.3
Leitrim	6	46	32	14	6	2	3	.	1	.	4	114	27.1
Mayo	21	138	113	62	18	9	1	3	1	.	5	371	27.1
Roscommon	12	64	59	27	20	4	2	1	.	.	.	189	27.6
Sligo	10	81	54	19	10	10	2	1	.	2	7	196	27.4
Connacht	89	580	458	218	93	47	10	8	6	4	25	1,538	27.3
Cavan	16	87	66	31	16	9	3	.	.	.	1	229	27.1
Donegal	62	221	117	29	18	14	4	1	1	2	5	474	25.4
Monaghan	21	98	48	25	15	5	2	.	.	.	3	217	26.1
Ulster (part of)	99	406	231	85	49	28	9	1	1	2	9	920	26.0
Ireland*	1,675	7,425	3,884	1,495	714	351	129	67	44	32	114	15,930	25.7
Six Counties	21	54	22	10	3	1	2	2	1	.	1	117	25.2
England and Wales	39	380	166	44	10	15	2	2	1	2	4	665	25.1
Scotland	1	15	5	1	2	1	.	.	.	.	.	25	25.7
Elsewhere	1	30	18	8	1	.	.	.	1	.	1	60	26.1
Not stated	28	16	4	.	.	.	1	.	.	.	3	52	20.6

* Exclusive of the Six Counties.

TABLE 52 - MARRIAGES REGISTERED IN 1966 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	16,849	164	4,574	368	655	384	256	208	124	479	383	247	278	488	362	8,970	310	777	1,184
Carlow	170	108	10	1	1	9	12	6	.	1	1	2	.	10	3	164	.	1	2
Dublin	4,317	5	3,661	84	235	20	7	9	4	9	24	8	18	15	39	4,138	6	15	18
Dun Laoghaire Borough	331	.	69	185	33	4	.	.	2	.	5	.	2	3	13	316	.	1	2
Dublin County (remainder)	673	.	266	34	264	12	1	2	1	9	13	2	2	5	23	634	1	.	.
Kildare	402	12	39	3	8	276	1	8	2	2	6	10	3	3	12	385	.	1	2
Kilkenny	284	7	11	.	3	5	183	8	1	.	.	.	.	8	.	226	1	3	2
Laois	211	6	10	1	1	17	6	142	.	.	1	10	1	1	2	198	.	1	.
Longford	119	1	2	3	1	1	1	.	81	.	1	1	6	.	.	98	1	.	1
Louth	450	.	20	.	9	.	1	.	.	378	18	1	.	.	.	427	.	.	.
Meath	368	1	35	4	11	7	.	1	.	20	257	.	5	1	3	345	1	.	1
Offaly	239	.	8	.	2	3	1	10	3	.	4	162	5	1	1	200	1	1	2
Westmeath	306	.	14	.	5	6	.	1	14	1	11	15	205	.	.	272	.	1	2
Wexford	434	6	7	.	4	1	5	2	.	1	1	.	.	378	10	415	.	2	4
Wicklow	324	4	38	12	18	6	1	.	.	1	2	1	.	12	215	310	.	.	1
Leinster	8,628	150	4,190	327	595	367	219	189	108	422	344	212	247	437	321	8,128	11	26	37
Clare	306	.	9	2	.	1	.	.	2	.	.	1	4	.	.	19	242	1	2
Cork County Borough	710	1	10	3	2	.	.	.	.	2	1	.	.	1	1	21	.	567	103
Cork County	1,145	.	14	.	4	.	.	1	.	.	.	.	5	1	25	3	134	929	
Kerry	492	.	4	.	.	.	.	.	.	1	.	1	.	1	2	9	1	3	19
Limerick County Borough	307	1	10	1	.	1	.	.	.	1	.	.	.	.	1	15	13	3	.
Limerick	364	.	5	.	1	1	2	.	.	.	.	1	.	1	1	12	9	4	22
Tipperary, N.R.	295	3	14	.	1	1	3	3	.	.	1	10	1	3	1	41	5	1	3
Tipperary, S.R.	298	1	13	1	.	.	9	.	.	.	1	2	.	2	1	30	1	4	4
Waterford County Borough	215	.	4	2	.	.	5	.	.	.	.	.	1	5	.	17	1	3	1
Waterford County	194	.	3	.	1	1	8	1	.	.	1	.	.	6	.	21	.	.	15
Munster	4,326	6	86	9	9	5	27	5	2	4	4	15	6	24	8	210	275	720	1,098
Galway	651	.	20	.	2	.	1	2	1	4	2	6	5	1	2	46	11	2	2
Leitrim	119	.	2	.	.	.	.	1	1	.	1	.	.	.	.	5	.	.	1
Mayo	349	.	14	.	.	.	.	.	2	1	1	.	1	.	1	20	3	.	2
Roscommon	198	.	3	1	2	.	.	.	3	.	.	2	9	.	.	20	.	1	1
Sligo	188	.	8	1	.	.	.	.	.	1	.	2	.	.	1	13	1	.	1
Connacht	1,505	.	47	2	4	.	1	3	7	6	4	10	15	1	4	104	15	3	7
Cavan	211	.	12	1	1	.	.	1	3	4	12	.	2	.	2	38	.	.	.
Donegal	414	.	7	1	3	1	.	.	.	1	1	.	1	1	1	17	1	2	1
Monaghan	189	.	8	2	.	.	.	.	1	7	2	.	.	1	1	22	1	1	2
Ulster (part of)	814	.	27	4	4	1	.	1	4	12	15	.	3	2	4	77	2	3	3
Ireland*	15,273	156	4,350	342	612	373	247	198	121	444	367	237	271	464	337	8,519	303	752	1,145
Six Counties	249	.	34	2	8	1	.	.	.	27	3	1	.	1	3	80	1	2	1
England and Wales	1,080	6	140	18	26	9	8	9	2	8	11	8	6	19	18	288	6	14	33
Scotland	53	.	14	.	5	.	.	.	1	.	.	.	.	2	3	25	.	2	1
Elsewhere	143	1	35	6	4	1	1	1	.	.	2	1	.	2	1	55	.	7	3
Not stated	51	1	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick Co Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford Co. Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
502	333	335	319	298	246	198	4,502	668	114	371	189	196	1,538	229	474	217	920	15,930	117	665	25	60	52
.	.	.	1	.	.	1	5	.	.	.	.	1	1	.	.	.	.	170	.	.	.	.	.
11	5	7	12	8	7	4	93	18	1	3	4	1	27	10	10	6	26	4,284	7	20	2	2	2
.	1	.	4	2	.	.	10	2	.	.	.	.	2	.	.	2	2	330	.	.	1	.	.
1	2	2	3	1	2	1	13	6	1	5	.	2	14	4	3	2	9	670	2	1	.	.	.
.	1	2	.	3	.	1	10	1	.	2	1	1	5	1	.	1	2	402	.	.	.	.	.
2	1	.	7	6	14	11	47	3	.	2	.	.	5	2	3	.	5	283	1	.	.	.	.
1	.	.	8	1	.	1	12	.	.	.	.	.	.	1	.	.	1	211	.	.	.	.	.
1	.	1	1	.	.	.	5	1	3	6	2	1	13	3	.	.	3	119	.	.	.	.	.
.	.	.	.	1	.	.	1	.	1	2	.	.	3	1	.	13	14	445	3	1	1	.	.
1	.	1	1	.	.	.	5	.	.	.	1	1	2	12	.	1	13	365	.	2	.	.	1
2	2	.	16	1	.	.	25	8	.	1	3	.	12	.	1	.	1	238	.	1	.	.	.
.	.	.	2	2	.	.	7	9	1	.	6	3	19	4	2	1	7	305	1	.	.	.	.
.	.	.	1	.	2	7	16	.	1	.	.	.	1	1	.	.	1	433	.	1	.	.	.
.	.	1	1	1	.	1	5	1	1	3	1	.	6	1	.	.	1	322	.	2	.	.	.
19	12	14	57	26	25	27	254	49	9	24	18	10	110	40	19	26	85	6,577	14	28	4	2	3
2	15	8	3	.	.	.	273	5	1	5	1	1	13	.	.	.	.	305	.	.	.	1	.
5	1	1	.	2	2	4	685	2	.	.	1	.	3	.	.	.	.	709	.	1	.	.	.
10	1	9	4	8	3	7	1,108	2	.	.	1	1	4	2	.	.	2	1,139	.	3	.	3	.
431	3	15	.	1	1	1	475	3	.	2	1	.	6	.	.	.	.	490	.	2	.	.	.
.	249	17	4	.	.	.	286	5	.	.	.	.	5	.	1	.	1	307	.	.	.	.	.
17	37	237	9	9	.	1	345	3	.	1	.	.	4	.	.	1	1	362	1	1	.	.	.
.	2	5	220	10	1	.	247	3	.	2	.	1	6	.	.	.	.	294	.	1	.	.	.
.	2	9	12	219	2	11	264	1	1	1	.	.	3	.	.	1	1	298	.	.	.	.	.
1	.	1	.	1	177	11	196	.	.	.	1	1	2	.	.	.	.	215	.	.	.	.	.
1	.	1	.	8	20	124	169	2	.	.	.	.	2	.	.	.	.	192	.	2	.	.	.
467	310	303	252	258	206	159	4,048	26	2	11	5	4	48	2	1	2	5	4,311	1	10	.	4	.
.	4	5	3	3	.	1	31	530	2	14	15	4	565	.	5	.	5	647	.	4	.	.	.
.	.	1	.	.	.	.	2	.	79	4	6	6	95	8	5	2	15	117	1	1	.	.	.
1	.	.	.	1	.	.	7	20	.	284	5	5	314	2	1	1	4	345	.	4	.	.	.
1	.	.	.	1	.	.	4	20	9	8	127	4	168	3	1	1	5	197	.	1	.	.	.
1	.	1	.	.	.	.	4	1	5	6	5	148	165	1	4	.	5	187	.	1	.	.	.
3	4	7	3	5	.	1	48	571	95	316	158	167	1,307	14	16	4	34	1,493	1	11	.	.	.
.	.	.	.	.	1	.	1	1	4	1	2	.	8	150	2	8	160	207	2	1	.	.	1
.	1	.	.	.	.	1	6	3	1	2	1	4	11	3	367	.	370	404	10	.	.	.	.
.	1	.	.	.	.	.	5	1	.	2	.	.	3	6	1	148	155	185	2	2	.	.	.
.	2	.	.	.	1	1	12	5	5	5	3	4	22	159	370	156	685	796	14	3	.	.	1
489	328	324	312	289	232	188	4,362	651	111	356	184	185	1,487	215	406	188	809	15,177	30	52	4	6	4
2	.	.	.	1	1	.	8	.	1	6	2	4	13	7	46	13	66	167	81	1	.	.	.
9	2	8	6	6	12	10	106	11	1	7	3	7	29	7	18	14	39	462	4	609	1	2	2
.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	2	1	3	32	.	1	20	.	.
2	3	3	1	1	1	.	21	6	1	2	.	.	9	.	2	1	3	88	2	1	.	52	.
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	4	.	1	.	.	46

TABLE 53 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED
TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	14	84	86	40	15	8	8	3	.	3	1	262	28.5
England and Wales	59	674	566	180	60	32	18	10	4	6	6	1,615	26.9
Scotland	1	24	17	10	4	5	1	.	.	2	.	64	29.5
Europe (remainder)	4	24	17	8	3	1	.	1	.	.	.	58	26.6
U.S.A.	1	34	56	30	11	10	.	.	.	2	1	145	29.6
Canada	.	19	21	7	1	2	.	.	.	.	.	50	27.1
Australia and New Zealand	.	7	3	1	.	.	.	.	.	.	.	11	24.8
Elsewhere	2	24	23	10	5	2	.	.	.	1	.	67	27.9
Total	81	890	789	286	99	60	27	14	4	14	8	2,272	27.3

TABLE 54 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED
TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	34	110	77	21	8	5	2	2	1	.	2	262	25.5
England and Wales	180	878	373	100	32	21	11	4	2	4	10	1,615	24.7
Scotland	4	27	14	7	5	3	1	1	1	1	.	64	28.8
Europe (remainder)	7	29	15	4	2	.	.	.	.	.	1	58	24.4
U.S.A.	4	75	44	16	4	1	.	.	.	.	1	145	25.5
Canada	5	30	11	2	2	.	.	.	.	.	.	50	24.1
Australia and New Zealand	2	6	2	1	.	.	.	.	.	.	.	11	23.4
Elsewhere	2	38	18	7	2	.	.	.	.	.	.	67	25.2
Total	238	1,193	554	158	55	30	14	7	4	5	14	2,272	24.9

TABLE 55 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED
TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	262	24	7	36	27	4	5	47	22	61	28	1
England and Wales	1,615	29	15	118	87	48	56	264	165	541	278	14
Scotland	64	.	1	10	4	1	2	9	8	17	11	1
Europe (remainder)	58	.	2	10	11	.	6	16	5	7	1	.
U.S.A.	145	3	.	25	21	7	6	29	9	38	7	.
Canada	50	2	1	7	10	1	3	2	4	16	4	.
Australia and New Zealand	11	1	.	2	.	.	1	1	1	5	.	.
Elsewhere	67	2	.	20	20	1	2	4	1	16	1	.
Total	2,272	61	26	228	180	62	81	372	215	701	330	16

TABLE 56 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	262	.	.	2	64	1	.	56	41	18	43	37
England and Wales	1,615	4	2	10	304	7	1	473	223	108	267	216
Scotland	64	.	.	.	9	.	.	20	14	6	10	5
Europe (remainder)	58	.	.	1	10	.	.	17	12	1	7	10
U.S.A.	145	.	.	3	35	.	1	53	26	3	4	20
Canada	50	1	.	.	14	.	.	17	2	3	6	7
Australia and New Zealand	11	.	.	.	6	.	.	2	1	.	.	2
Elsewhere	67	.	.	.	22	.	1	25	8	3	2	6
Total	2,272	5	2	16	464	8	3	663	327	142	339	303

TABLE 57 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Total marriages	Form of ceremony							
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religions	Civil marriages
Six Counties	262	203	26	25	4	.	.	.	4
England and Wales	1,615	1,508	77	14	7	1	.	.	8
Scotland	64	59	3	1	.	1	.	.	.
Europe (remainder)	58	54	1	.	.	.	.	3	.
U.S.A.	145	139	1	2	.	.	.	.	3
Canada	50	46	3	1	.	.	.	.	.
Australia and New Zealand	11	11	.	.	.	.	.	.	.
Elsewhere	67	55	5	2	2	.	.	3	.
Total	2,272	2,075	116	45	13	2	.	6	15

TABLE 58 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	262	17	12	.	1	24	208	.
England and Wales	1,615	259	129	117	63	31	1,011	5
Scotland	64	7	1	1	.	7	48	.
Europe (remainder)	58	23	3	6	.	.	26	.
U.S.A.	145	28	5	17	16	3	76	.
Canada	50	26	7	3	1	.	13	.
Australia and New Zealand	11	2	2	1	1	.	5	.
Elsewhere	67	31	5	5	2	.	24	.
Total	2,272	393	164	180	84	65	1,411	5

TABLE 59 - MARRIAGES REGISTERED IN 1966 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	262	45	38	7	11	69	92	.
England and Wales	1,615	425	215	210	91	67	602	5
Scotland	64	23	4	5	.	10	22	.
Europe (remainder)	58	31	7	12	.	1	7	.
U.S.A.	145	44	7	27	20	5	42	.
Canada	50	29	8	4	2	3	4	.
Australia and New Zealand	11	4	1	2	1	.	3	.
Elsewhere	67	42	8	9	3	1	4	.
Total	2,272	643	288	276	128	156	776	5

TABLE 60 -SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1966.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGHS												
Cork	.	.	1	118	.	32	1	.	16	1	.	1
Dublin	.	2	3	1,040	2	116	.	19	327	37	65	.
Limerick	.	.	.	.	.	5	.	.	48	.	5	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES												
Carlow												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	2	.	.	.	.	2	.	.	.
Cavan												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	1	.	3	.	1	.	1	4	.	2	.
Clare												
Urban	.	.	.	11	.	.	.	2	2	.	27	.
Rural	.	.	.	7	1	.	.	1	4	.	18	.
Cork												
Urban	.	.	.	2	.	3	.	.	11	.	.	.
Rural	.	2	.	56	.	15	.	2	17	.	1	.
Donegal												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	7	.	3	.	3	2	1	.	.
Dublin												
Urban	.	.	2	96	.	6	.	2	20	11	3	.
Rural	.	1	1	171	.	16	.	3	49	17	9	.
Galway												
Urban	.	1	.	88	.	4	.	.	8	.	.	.
Rural	.	1	2	75	.	45	.	1	26	2	.	.
Kerry												
Urban	.	.	1	2	.	.	.	1	1	.	6	.
Rural	.	.	3	.	.	.	.	5	13	.	53	.
Kildare												
Urban	.	.	.	7	.	.	.	.	1	.	1	.
Rural	.	1	.	38	.	1	.	.	15	3	92	.
Kilkenny												
Urban	.	.	.	1	.	.	.	.	.	.	.	.
Rural	.	.	.	5	.	.	.	.	4	.	.	.
Laois												
Rural	.	2	.	59	.	1	.	1	5	1	.	.
Leitrim												
Rural	.	.	.	3	.	1	.	.	.	.	.	.
Limerick												
Rural	.	.	.	2	.	.	.	.	3	1	.	.
Longford												
Urban	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	.	.	.	.	.	2	.	.	.
Louth												
Urban	.	1	1	24	.	6	.	.	4	.	.	.
Rural	.	1	.	11	.	8	.	.	6	.	.	.

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1966

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenza pneumonia	Malaria
Mayo												
Urban	.	.	.	3	.	.	.	.	.	.	.	.
Rural	.	.	.	23	.	.	.	3	28	1	18	.
Meath												
Urban	.	.	.	34	.	.	.	.	15	.	.	.
Rural	.	1	.	39	.	4	.	.	31	2	.	.
Monaghan												
Urban	.	.	.	5	.	1	.	.	1	.	1	.
Rural	.	.	.	9	.	.	.	.	9	.	1	.
Offaly												
Urban	.	.	.	13	.	.	.	.	2	.	.	.
Rural	.	1	.	29	.	3	.	.	9	.	1	.
Roscommon												
Rural	1	.	.	3	.	.	.	.	2	.	4	.
Sligo												
Urban	.	.	.	9	.	.	.	.	4	.	.	.
Rural	.	.	.	.	.	1	.	.	2	.	.	.
Tipperary N.R.												
Urban	.	.	.	.	.	.	.	.	1	.	.	.
Rural	.	2	.	.	.	1	.	.	4	.	8	.
Tipperary S.R.												
Urban S.R.	.	.	2	35	.	6	.	.	1	.	.	.
Rural	.	.	.	3	.	1	.	.	1	.	42	.
Waterford												
Urban	.	.	.	.	.	.	.	.	1	.	.	.
Rural	.	1	.	36	.	.	.	.	3	.	.	.
Westmeath												
Urban	.	.	.	.	.	.	.	.	2	.	.	.
Rural	.	.	.	9	.	.	.	1	29	.	.	.
Wexford												
Urban	.	.	1	36	.	10	.	.	4	.	4	.
Rural	.	.	.	17	.	2	.	1	3	.	17	.
Wicklow												
Urban	.	.	.	28	.	.	.	.	34	.	.	.
Rural	.	.	.	8	.	.	.	.	19	1	.	.
ALL COUNTY BOROUGHES	.	2	4	1,158	2	153	1	19	391	38	70	1
ALL URBAN DISTRICTS	.	2	7	394	.	36	.	5	112	11	42	.
ALL RURAL DISTRICTS	1	14	6	615	1	103	.	22	292	29	266	.
TOTAL	1	18	17	2,167	3	292	1	46	795	78	378	1

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1966

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weill's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHs:													
Cork	127	.	1	.	43	27	13	2	.	.	.	10	2d,
Dublin	2,056	.	1	1	674	186	163	4	.	4	.	261	23c, 13d,
Limerick	72	1	.	.	3	6	22	.	.	.	.	13	2c,
Waterford	3	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES:													
Carlow	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	26	.	.	.	.	.	.	.	.	1	.	.	.
Cavan	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	181	.	.	.	.	.	10	.	.	.	.	.	.
Clare	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	2	.	.	.	.	.	.	.	.	.	.	3	.
Rural	.	.	.	.	.	.	.	2	.	.	.	9	.
Cork	.	.	.	.	.	.	.	.	.	.	.	.	1c,
Urban	.	.	.	.	.	.	.	.	.	.	.	.	9c, 3d,
Rural	41	.	1	.	4	.	20	.	.	.	1	12	.
Donegal	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	56	.	.	.	.	.	5	.	.	.	.	7	.
Dublin	.	.	.	.	.	.	.	.	.	.	.	.	2c, 1d,
Urban	435	.	.	.	73	2	20	.	.	1	.	27	6c, 7d,
Rural	760	.	.	.	108	.	75	.	.	.	.	25	.
Galway	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	98	.	.	.	.	1	2	.	.	.	.	5	.
Rural	594	.	.	.	3	.	8	.	.	.	.	19	1c,
Kerry	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	2	.	.	.	21	.	3	.	.	.	.	.	.
Rural	44	1	.	.	3	.	3	.	.	.	2	33	.
Kildare	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	25	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	.	3	.	3	.	.	.	.	.	.
Kilkenny	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	4	.	.	.	.	.	1	.	.	.	.	.	.
Rural	193	.	.	.	.	.	14	.	.	.	.	23	.
Laois	.	.	.	.	.	.	.	.	.	.	.	.	1d,
Rural	91	.	.	.	.	.	.	.	.	.	.	.	.
Leitrim	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.	2c,
Rural	11	.	.	.	.	.	8	.	.	.	.	.	.
Longford	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	4	.	.	.	.	.	.	.	.	.	.	.	.
Louth	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	2	.	.	.	.	.	.	.	.	.	.	.	.
Rural	1	.	.	.	.	.	.	.	.	.	.	.	.

(c) Salmonella infection.

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1966

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weill's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	3	.	.	.	.	.	.	.	.	.	.	1	.
Rural	132	2	.	.	.	.	6	.	.	.	.	12	.
Meath													
Urban	77	.	.	.	.	4	16	.	.	.	.	.	.
Rural	72	.	.	.	1	.	4	.	.	.	.	6	.
Monaghan													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	8	.	.	.	.	.	.	.	.	.	1	.	.
Offaly													
Urban	49	.	.	.	.	.	1	.	.	.	.	.	.
Rural	103	.	.	.	.	.	2	.	.	.	.	2	.
Roscommon													
Rural	91	.	.	1	.	.	1	.	.	.	.	11	.
Sligo													
Urban	90	.	.	.	26	.	6	.	.	.	.	.	.
Rural	6	.	.	.	3	.	5	.	.	.	.	1	.
Tipperary N.R.													
Urban	34	.	.	.	2	.	.	.	.	.	.	.	.
Rural	52	.	.	.	1	.	.	.	.	.	.	.	1c,
Tipperary S.R.													
Urban	10	.	.	.	.	.	1	.	.	.	.	12	.
Rural	85	.	.	.	.	.	.	.	.	.	.	2	.
Waterford													
Urban	33	.	.	.	.	.	1	.	.	.	.	.	.
Rural	47	.	.	.	.	.	.	.	.	.	.	1	1c,
Westmeath													
Urban	1	.	.	.	.	1	.	.	.	.	.	.	.
Rural	240	.	.	.	2	.	5	.	.	.	.	31	7c,
Wexford													
Urban	11	.	.	.	.	.	5	1	.	.	.	.	.
Rural	35	.	.	.	3	.	6	3	.	.	.	1	1d,
Wicklow													
Urban	101	.	.	.	30	1	9	.	.	.	.	1	.
Rural	215	.	.	.	2	.	6	3	.	.	.	1	.
ALL COUNTY BOROUGHES	2,258	1	2	1	720	219	198	6	.	4	.	284	25c, 15d,
ALL URBAN DISTRICTS	977	.	.	.	152	9	65	1	.	1	.	49	3c, 1d,
ALL RURAL DISTRICTS	3,089	3	1	1	133	.	181	8	.	2	4	196	27c, 12d,
TOTAL	6,324	4	3	2	1,005	228	444	15	.	7	4	529	55c, 28d,

(c) Salmonella Infection. (d) Acute Lymphocytic Meningitis. (e) Typhus (Brill's Disease)

NOTIFICATION OF LATE FOETAL DEATH.

Part I

NOTES.—1. "Foetal death" for the purposes of notification means the death, prior to the complete expulsion or extraction from the mother, of a product of conception whose period of gestation is not less than twenty-eight completed weeks, the death being indicated by the fact that after such expulsion or extraction, the foetus does not breathe or show any other evidence of life.

2. The medical practitioner or, if there is none, the midwife who attends at the confinement is obliged to complete this form and send it to the chief medical officer of the health authority, in whose functional area the confinement took place, within thirty-six hours. If, instead, a medical student or student midwife only attends at the confinement, the obligation rests on him or her.

3. On receipt of this form duly completed the Chief Medical Officer should enter the reference numbers, forward Part II to the Director, Central Statistics Office, (Vital Statistics Branch), Saint Stephen's Green House, Earlsfort Terrace, Dublin 2.

Name and surname of mother.....

Normal dwelling place of mother.....

Place of confinement.....

Date of confinement.....

For office use
Reference no.

Signature of informant.....

Qualification of informant.....

Date of signature.....

Reference no.

Part II

County or county borough in which mother normally resides.....

County or county borough in which confinement took place.....

Date of confinement.....day of..... 19.....

Place of confinement: Hospital ☐ Maternity home ☐ Domiciliary ☐

Sex of foetus: Male ☐ Female ☐

Estimated period of gestation: Over 28 weeks and under 37 weeks ☐

37 completed weeks and over ☐

Insert
'X' in
appropriate
box in
each
case

Putative cause of death.....

(by reference to
description on reverse).....

Date of birth of mother.....day of..... 19.....

Year of present marriage of mother 19.....

Number of previous children of mother by her present husband

or any previous husband (a) still living.....

(b) born alive but now dead.....

Number of previous foetal deaths (as defined

in Note 1 above) as respects the mother.....

Stamp of Chief Medical Officer