

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1968

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: Eight Shillings

(Prl. 1253)

or 40p

January, 1971.



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1968

COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: Eight Shillings

(Pri. 1253)

or 40p

January, 1971.

CONTENTS

PART I - TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xv
Age at maternity, parity, duration of marriage	xv
Multiple births	xviii
DEATHS	
Number and rate	xix
Comparison between counties	xxi
Causes of death	xxii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
DIAGRAM 1 - Birth, marriage and death rates (per 1,000 population) 1941 to 1968 ...	viii
" 2 - Standardised death rates (per 1,000 population) from all causes, 1968 ...	xx
" 3 - Death rates (per 1,000 population) from tuberculosis and cancer, 1942-1968 ...	xxvii
" 4 - Death rates from lung cancer (per 100,000 population), 1958-1968 ...	xxvii
" 5 - Infant and neo-natal mortality (per 1,000 live births), 1942-1968 ...	xxxvii

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1 - Estimated population in thousands at the middle of each year 1851 to 1968.	2
Population by age	State	Table 2 - Estimated population by age 1968	3
Population	Counties	Table 3 - Population by sex in each county and county borough according to the Census of Population, 1966.	4
Marriages, births, deaths, 1864-1968	State	Table 4 - Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1968.	5
Marriage, births, death rates, 1864-1968	State	Table 5 - Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1968.	6
Marriages, births, deaths, 1951-1968	State	Table 6 - Marriages, births and deaths registered during each of the years 1951-1968 with the average annual rates for the ten years 1951-1960 and the rates for each of the years 1961 to 1968 per 1,000 of the population.	7
Deaths, by principal causes, 1968 with rates	State and Six Counties	Table 7 - Deaths from principal causes in Ireland and the Six Counties, 1968 with rates per 100,000 population.	8
Deaths by age, 1864-1968	State	Table 8 - Average annual number of deaths of males and females, classified by age, registered during the years 1864-1960 and the numbers for each year from 1961 to 1968.	10
Death rates by age, 1864-1968	State	Table 9 - Average annual death rates of males and females, classified by age, per 1,000 corresponding population 1864-1960 and rates for each year from 1961 to 1968.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1968	Counties	Table 10 - Births and deaths registered in each county and county borough in 1968 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1968	Counties	Table 11 - Marriages registered in and births and deaths assigned to each county and county borough during 1968 showing illegitimate births and deaths from tuberculosis and malignant neoplasms.	14
Marriage, birth and death rates, 1968	Counties	Table 12 - Marriage, birth, death, infant mortality, tuberculosis and cancer death rates in 1968 with the proportions of illegitimate births for each county and county borough.	15
Deaths, by conjugal condition, 1968	State	Table 13 - Deaths registered in 1968 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1968	Urban Districts	Table 14 - Births and deaths assigned to each urban district in 1968 classified by sex.	16
Births and deaths, 1968	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 - Births and deaths classified by sex, registered in 1968 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1968	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 - Birth and death rates in 1968 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1968	Agg. Urban and Agg. Rural	Table 17 - Deaths registered in 1968 at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1968	Counties	Table 18 - Deaths registered in 1968 classified by sex and age of residents in each county and county borough.	22

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Deaths by cause and age, 1968	State	Table 19 - Deaths in 1968' classified by cause (International detailed list, 8th Revision 1965) and by sex and age.	26
Deaths by cause and uncertified deaths, 1968	Counties	Table 20 - Deaths of residents of each county and county borough in 1968 classified by cause, and showing the number of uncertified deaths.	64
Deaths by cause, sex and age, 1968	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 - Deaths registered in 1968 classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	84
Deaths in hospitals, 1968	Counties	Table 22 - Deaths of residents of each province, county and county borough registered in 1968 classified by place of occurrence.	90
Deaths not medically certified, by age, 1968	Counties	Table 23 - Deaths of residents of each county and county borough registered in 1968 which were not medically certified, classified by age.	91
Deaths by age, sex and principal causes, 1968	Counties	Table 24 - Deaths in 1968 classified by principal groups of causes, sex and age, of residents in each county and county borough.	92
Infant mortality, 1968	Principal Towns, U.D.'s and R.D.'s	Table 25 - Infant mortality - Deaths, at ages under 4 weeks, 4 weeks and under one year in 1968 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	111
Infant mortality, 1968	State	Table 26 - Infant mortality - Total deaths under one year of age in 1968 classified by sex, age and cause (International detailed list).	112
Infant mortality, 1968 (illegitimate infants)	State	Table 27 - Infant mortality - Deaths of illegitimate infants in 1968 classified by sex, age and cause.	116
Infant mortality, 1968	Counties	Table 28 - Infant mortality - Deaths, at ages under 4 weeks and 4 weeks and under one year in 1968 classified by sex and cause, assigned to each county and county borough.	117
Late foetal deaths, 1968	State	Table 29 - Late foetal deaths notified in 1968 classified by cause and age of mother at maternity.	124
Late foetal deaths, 1968	State	Table 30 - Late foetal deaths notified in 1968 classified by cause and period of gestation.	126
Late foetal deaths, 1968	State	Table 31 - Late foetal deaths notified in 1968 classified by cause and number of previous children.	127
Late foetal deaths, 1968	State	Table 32 - Late foetal deaths notified in 1968 classified by sex and period of gestation.	128
Late foetal deaths, 1968	State	Table 33 - Late foetal deaths notified in 1968 classified by age of mother and number of previous children.	128
Deaths, by quarter of registration, 1968	Counties	Table 34 - Deaths registered in 1968 in respect of resident population of each county and county borough, showing the numbers registered each quarter.	129
Births, by quarter of registration, 1968	Counties	Table 35 - Births registered in 1968 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	130
Births, hospital and domiciliary, 1968	Counties	Table 35 - Births registered in 1968 in each county and county borough, showing place of occurrence and areas of normal residence.	131
Births, by age of mother, 1968	State	Table 37 - Births registered in 1968 classified by sex and age of mother at maternity and showing the number of illegitimate births.	132
Births, by age of mother, by county, 1968	Counties	Table 38 - Births registered in 1968 classified by age of mother at maternity and county of normal residence.	133

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Births, by age of mother and previous children, 1968	State	Table 39 - Total births registered in 1968 classified by age of mother at maternity and number of previous liveborn children.	138
Legitimate births by age at maternity and year of marriage, 1968	State	Table 40 - Legitimate births registered in 1968 classified by age of mother at maternity and year of marriage.	140
Legitimate first births, by age of maternity and year of marriage, 1968	State	Table 41 - Legitimate first births registered in 1968, classified by age of mother at maternity and year of marriage.	142
Marriages, 1968	Counties	Table 42 - Marriages registered in each county and county borough during 1968.	144
All marriages by ages of groom and bride, 1968	State	Table 43 - Marriages registered in 1968, classified by age of groom and age of bride in single years - All marriages.	146
First marriages by ages of groom and bride, 1968	State	Table 44 - Marriages in 1968, classified by age of groom and age of bride in single years - First marriages only.	148
Marriages by form of ceremony and age of groom, 1968	State	Table 45 - Marriages in 1968 classified according to form of ceremony and age of groom.	150
Marriages by form of ceremony and age of bride, 1968	State	Table 46 - Marriages in 1968, classified according to form of ceremony and age of bride.	150
Marriages by social group and age of groom, 1968	State	Table 47 - Marriages in 1968, classified by social group and age of groom.	150
Marriages by social group and age of bride, 1968	State	Table 48 - Marriages in 1968, classified by social group and age of bride.	151
Marriages by social group of groom and bride, 1968	State	Table 49 - Marriages in 1968, classified by social group of groom and bride.	151
Marriages by age and area of residence of groom, 1968	Counties	Table 50 - Marriages in 1968, classified by age and area of residence of groom before marriage.	152
Marriages by age and area of residence of bride, 1968	Counties	Table 51 - Marriages in 1968, classified by age and area of residence of bride before marriage.	153
Marriages by areas of residence of groom and bride, 1968	Counties	Table 52 - Marriages in 1968, classified by area of residence of groom and area of residence of bride before marriage.	154
Marriages with intended future residence abroad by age of groom, 1968	State	Table 53 - Marriages in 1968, in which the future permanent residence was stated to be outside the country, classified by age of groom.	156
Marriages with intended future residence abroad by age of bride, 1968	State	Table 54 - Marriages in 1968, in which the future permanent residence was stated to be outside the country, classified by age of bride.	156
Marriages with intended future residence abroad by social group of groom, 1968	State	Table 55 - Marriages in 1968, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	156
Marriages with intended future residence abroad by social group of bride, 1968	State	Table 56 - Marriages in 1968, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	157
Marriages with intended future residence abroad by form of ceremony, 1968	State	Table 57 - Marriages in 1968, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	157
Marriages with intended future residence abroad by area of residence of groom before marriage, 1968	State	Table 58 - Marriages in 1968, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	158
Marriages with intended future residence abroad by area of residence of bride before marriage, 1968	State	Table 59 - Marriages in 1968 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	158
Notifications of infectious diseases, 1968	State	Table 60 - Summary of cases of infectious diseases notified to the Department of Health during the year 1968.	159
Deaths by cause (1965 and 1955 Lists)	State	Table 61 - Deaths in 1968 classified by sex and by cause (8th Revision, 1965, International Detailed List) and further classified by cause (7th Revision, 1955, International Detailed List).	163
Deaths by cause (1955 and 1965 Lists)	State	Table 62 - Deaths in 1968 classified by sex and by cause (7th Revision 1955, International Detailed List) and further classified by cause (8th Revision, 1965, International Detailed List).	167
Deaths by cause 1958 to 1967	State	Table 63 - Deaths by cause and sex at all ages 1958-1967	172

REPORT ON VITAL STATISTICS FOR THE YEAR 1968

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1968 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. In 1968 however the number of deaths includes non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages. — There were 18,993 marriages registered during the year 1968 compared with 17,788 in 1967. The marriage rate per 1,000 population was 6.53 compared with 6.14 in 1967.

Births. — The number of births registered during 1968 was 61,004 and the birth rate was 20.96 per 1,000 population, compared with 21.15 per 1,000 population in 1967. The number of illegitimate births registered in 1968 was 1,558 or 2.55 per cent of all births.

Deaths. — The number of deaths registered during 1968 was 33,157 and the death rate was 11.39 per 1,000 population. In 1967 deaths registered numbered 31,400 and the rate was 10.83.

Of the deaths registered in 1968, 32.82 per cent were stated to be due to ischaemic and other forms of heart disease, 15.96 per cent to malignant neoplasms, 13.40 per cent to cerebrovascular disease and 0.88 per cent to tuberculosis (all forms).

The number of deaths in 1968 from tuberculosis of all forms was 293 and the rate was 0.10 per 1,000 population, 0.01 above that for 1967.

There were 5,066 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1968 was 1.74 per 1,000 population, compared with 1.69 in 1967.

During 1968 the deaths of 1,280 infants under one year were registered, equivalent to a rate of 20.98 per 1,000 live births. In the previous year 1,498 deaths, equivalent to a rate of 24.43 per 1,000 live births, were registered.

The total number of deaths from accidents and other external causes in 1968 was 1,338 of which road vehicle accidents accounted for 430.


Marriage, birth and death rates per 1,000 population for the years 1940 to 1968 are illustrated in Diagram 1.

Issue of Authority for Registration. — Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of births registered on the authority of An tArd Chlaraitheoir in 1968 was 730 and the number of deaths registered was 211. Throughout the tables in this Report these births and deaths have been excluded.

Population. — The estimated population in April 1968 was 2,910,000.

DIAGRAM 1

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1941-1968



MARRIAGES

The number of marriages registered in 1968 was 18,993, an increase of 1,205 on the previous year; the rate was 6.5 per 1,000 population, being the highest rate ever recorded. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1941 to 1968 with those in the Six Counties, England and Wales and Scotland.

TABLE I
NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1968.

Year	Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4

*Exclusive of the Six Counties

†Average annual number of marriages per 1,000 population for decennial periods from 1941-1960

From this table it will be seen that over the period under review, while the marriage rate in this country has been consistently lower than the rates in the other areas, the difference has been decreasing due to the rate in this country rising faster than in the other areas.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarized in the following table.

TABLE II
PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND
AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1965 TO 1968.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1965	1966	1967	1968	1945-46	1965	1966	1967	1968
	Per cent									
Under 20 years	1.0	2.7	2.8	3.0	2.8	6.6	10.2	10.5	10.1	10.0
20 to 24 "	14.3	30.1	32.2	33.4	35.7	29.5	45.6	47.4	48.0	49.7
25 to 29 "	25.7	33.1	32.4	32.7	33.0	31.1	25.6	24.5	24.7	24.8
30 to 34 "	24.2	15.9	15.8	14.6	13.9	19.9	10.0	9.3	9.0	8.4
35 to 44 "	25.8	13.0	12.1	11.3	10.2	11.1	6.7	6.6	6.1	5.2
45 years and over	9.0	5.2	4.7	5.0	4.4	1.9	1.9	1.7	2.1	1.9
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	29.4	29.0	28.8	28.4	28.0	26.0	25.7	25.8	25.5

Whereas, in 1945-46, 59 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 28.5 in 1968, the average age of men at marriage declining from 33.1 years in 1945-46 to 28.4 years in 1968. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 15.5 per cent in 1968 while the average age at marriage declined from 28.0 years in 1945-46 to 25.5 in 1968. In TABLE 43 the marriages registered in 1968 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1968 were 28.0 and 25.1 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1968 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IRELAND* AND ENGLAND AND WALES 1968.

Age groups	Bachelors		Spinsters	
	Ireland* 1968	England and Wales 1968	Ireland* 1968	England and Wales 1968
15-19 years	4.0	18.8	15.2	67.1
20-24 "	79.5	170.8	138.5	260.9
25-29 "	142.1	176.2	166.1	152.6
30-34 "	86.7	86.1	88.6	68.9
35-39 "	45.8	41.3	37.4	37.2
40-44 "	25.3	24.7	17.0	20.7
45-49 "	12.7	15.0	7.3	14.6
50-54 "	6.5	10.2	2.1	8.8
55 and over	1.2	4.0	0.3	2.1
Total, 15 years and over	39.4	76.6	48.9	88.2

*Exclusive of the Six Counties

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15-19 age groups the marriage rate in England and Wales was over four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males and females respectively was approximately double the Irish rate. There was very little difference between the rates in the age groups between 30-49 for males and between 25-44 for females. In the age-groups above 50 the rates for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1968 amounted to 18,260 (equal to 96 per cent of the total) and other marriages numbered 733, of which 465 were according to the rites and ceremonies of the Church of Ireland, 120 in Presbyterian Churches, 31 in Methodist Churches, 8 according to Jewish Rites, 13 in registered buildings belonging to other religious denominations and 96 by civil contract in Registrars' Offices.

The rate for Catholic marriages in 1968 was 6.60 per 1,000 of the Catholic population an increase of 0.38 on the corresponding rate for 1967. The rate for all other marriages combined was 5.15 per 1,000 of the population other than Catholic, an increase of 0.48 on the 1967 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1968 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	54	900	15,685	15,420	5.50	4.52	5.42
1951-60†	507	112	37	18	5	65	744	14,998	15,465	5.56	4.13	5.46
1961	375	92	29	17	5	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	28	14	3	47	650	14,977	15,627	5.58	4.50	5.52
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53

† Average annual number of marriages and rates for decennial periods 1941-1960

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of the groom was 28.4 years compared with 29.5 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 25.5 years and for other marriages, 26.0 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation although status (i.e., whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1968 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In the case of grooms the average marriage age in 1968 was higher in the social group "Farmers, relatives assisting and farm managers" than in any other group; while in the case of brides the average marriage age in 1968 was highest in the social group "Employers and managers". The lowest average age was in the "Manual workers" group for both grooms and brides. In the case of females the difficulty arises that, since many are not gainfully occupied immediately before marriage, information as to occupation is not given, with the result that in many instances the social group cannot be assigned. Thus it will be seen from TABLE 48 that the number of cases in which the social group of the bride was not stated amounted to 17 per cent of the total number of marriages registered in 1968.

TABLE 49 shows marriages registered in 1968 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 55 per cent were in the "Intermediate and other non manual workers" groups, 26 per cent were other manual workers and 9 per cent were skilled manual workers, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. In the case of marriages where the grooms were in the social group "Farmers, relatives assisting and farm managers", however, the percentage distribution of brides by social group is not very meaningful in view of the very high number in the "not stated" category; it is probable that the great majority of these were also in the "Farmers and relatives assisting" group. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 23 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1968. A comparison between the area of residence of the bride before the ceremony and the area of which the marriage took place is made in Table V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 28 years, whereas in the counties Longford, Roscommon, Leitrim and Cavan the average age was 31.7, 31.7, 31.3 and 31.1 respectively. The average age of brides was not over 26 years in the four county boroughs. The lowest average ages were in counties Kildare 24.7 and Louth 24.5, and the highest were in Roscommon 27.3, Sligo 26.9 and Longford 26.9.

In TABLE 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,168 of the men married in the State in 1968 were returned as residing in England, Wales or Scotland, 293 in the Six Counties and 178 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 723, the number from the Six Counties was 149 and the number from other countries was 80. In 834 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1968

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	213	173	40	81.2
Dublin County Borough	5,467	4,629	838	84.7
Dun Laoghaire	434	323	111	74.4
Dublin County (remainder)	870	572	298	65.7
Kildare	441	375	66	85.0
Kilkenny	352	278	74	79.0
Laois	252	214	38	84.9
Longford	164	133	31	81.1
Louth	504	450	54	89.3
Meath	413	345	68	83.5
Offaly	230	190	40	82.6
Westmeath	384	280	104	72.9
Wexford	513	473	40	92.2
Wicklow	461	407	54	88.3
Clare	363	277	86	76.3
Cork County Borough	1,043	856	187	82.1
Cork County	1,124	1,002	122	89.1
Kerry	573	477	96	83.2
Limerick County Borough	563	342	221	60.7
Limerick County	378	312	66	82.5
Tipperary, N.R.	295	240	55	81.4
Tipperary, S.R.	394	309	85	78.4
Waterford County Borough	282	221	61	78.4
Waterford County	229	180	49	78.6
Galway	825	660	165	80.0
Leitrim	87	71	16	81.6
Mayo	491	398	93	81.1
Roscommon	246	191	55	77.6
Sligo	226	175	51	77.4
Cavan	252	197	55	78.2
Donegal	653	507	146	77.6
Monaghan	271	234	37	86.3
TOTAL	18,993	15,491	3,502	81.6

*Includes 58 cases in which residence was not stated and 952 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM
THAT AREA, IN 1968.

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	6.3	6.7	Clare	4.9	4.7
Dublin County Borough	9.4	8.1	Cork County Borough	8.2	6.6
Dun Laoghaire Borough	8.1	6.4	Cork County	5.2	5.6
Dublin County (remainder)	4.5	4.9	Kerry	5.2	4.6
Kildare	6.6	6.7	Limerick County Borough	9.7	6.1
Kilkenny	5.9	5.3	Limerick County	4.7	5.1
Laois	5.7	5.5	Tipperary, N.R.	5.5	6.1
Longford	5.8	4.6	Tipperary, S.R.	5.8	5.6
Louth	7.1	7.3	Waterford County Borough	9.3	7.2
Meath	6.1	6.3	Waterford County	5.3	5.3
Offaly	4.4	4.6			
Westmeath	7.3	6.5	MUNSTER	6.1	5.6
Wexford	6.1	6.2			
Wicklow	7.5	7.4	Galway	5.6	5.0
LEINSTER	7.4	6.8	Leitrim	3.0	3.5
			Mayo	4.4	4.1
Cavan	4.8	4.2	Roscommon	4.5	4.2
Donegal	6.1	4.5	Sligo	4.3	3.2
Monaghan	6.0	4.9	CONNACHT	4.8	4.3
ULSTER (part of)	5.7	4.5	TOTAL	6.5	5.9

It will be observed that rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 391 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a high proportion of cases, the intended future residence was outside the State. As may be seen from Table VII the proportion of marriages with intended future residence outside the State has remained fairly stable at around 13 per cent over the past ten years.

TABLE VII
PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1959-1968

Year (1)	Total Marriages (2)	Marriages with intended future residence abroad (3)	Col. (3) as percentage of col. (2) (4)
1959	15,420	2,173	14
1960	15,465	2,395	15
1961	15,329	2,266	15
1962	15,627	2,037	13
1963	15,556	1,949	13
1964	16,128	1,995	12
1965	16,946	2,004	12
1966	16,849	2,272	13
1967	17,788	2,242	13
1968	18,993	2,293	12

In the case of 1,554 marriages the future residence was in England and Wales, 284 in the Six Counties, 62 in Scotland, 58 in other parts of Europe, 160 in the United States of America, 101 in Canada, 26 in Australia and New Zealand and 48 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were somewhat below those for all marriages in the State. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VIII contains the results obtained.

TABLE VIII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS
OUTSIDE THE STATE IN 1967 AND 1968

Social group of groom	Percentage with intended future residence outside the State	
	1967	1968
	Per cent	
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	5	4
Higher professionals	27	27
Lower professionals	20	22
Employers and managers	17	14
Salaried employees	11	14
Intermediate non-manual workers	13	12
Other non-manual workers	12	11
Skilled manual workers	16	15
Other manual workers	13	10
TOTAL, ALL GROUPS COMBINED	13	12

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. With the aid of this Table it may be calculated that in 1968 in the case of Catholic marriages the percentage with intended future residence outside the State was 12 per cent, the same as in 1967; the corresponding figures for all other marriages being 25 per cent in 1968 and 27 per cent in 1967.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1967 AND 1968 IN THE CASE OF WHICH THE INTENDED FUTURE
RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM
BEFORE MARRIAGE.

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1967	1968
	Per cent	
Dublin County Borough and Dun Laoghaire	8	7
Remainder of Leinster	3	3
Munster	3	3
Connacht	4	4
Ulster (part of)	9	7
Outside the State	92	92

BIRTHS

The number of births registered during the year 1968 was 61,004, comprised of 31,469 males and 29,535 females. The corresponding figures for 1967 were 61,307, 31,642 and 29,665 respectively. The birth rate in 1968 was 21.0 per 1,000 population, compared with 21.1 in 1967, and was the lowest recorded since 1958 when the rate was 20.9.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1968.

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1961	59.8	21.2	22.4	17.5	19.5
1962	61.8	21.8	22.7	17.9	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6
1967	61.3	21.1	22.4	17.2	18.6
1968	61.0	21.0	22.1	16.9	18.3

*Exclusive of the Six Counties

†Average annual number of births and birth rates for decennial periods from 1941-1960

In all areas, crude birth rates continued the decline which commenced in 1965.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1968 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 351 or 0.6 per cent of the total, and the number where the parity was not stated was 53 or 0.1 per cent of the total; this is an improvement on 1967 when the corresponding percentages were 0.8 per cent and 0.4 per cent respectively. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI

BIRTHS REGISTERED IN 1968 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	1,785	1,412	299	60	14	-	-	-	-	-
20-24 years	12,868	6,887	3,596	1,488	630	200	64	-	-	3
25-29 "	17,323	4,702	4,844	3,702	2,096	1,031	928	18	1	1
30-34 "	14,393	1,788	2,456	2,918	2,651	1,778	2,656	143	3	-
35-39 "	10,108	733	932	1,333	1,605	1,520	3,415	545	25	-
40-44 "	3,844	156	232	307	459	466	1,676	482	66	-
45 years and over	332	17	13	15	18	30	161	68	10	-
Not stated	351	253	11	11	6	7	10	4	-	49
TOTAL	61,004	15,948	12,383	9,834	7,479	5,032	8,910	1,260	105	53

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Between 1967 and 1968 there was a shift towards the younger ages in the distribution of births according to age of mother at maternity. As may be calculated from Table XII, in 1968 mothers aged under 30 years at maternity accounted for 52.7 per cent of the births compared with 50.2 per cent in 1967, corresponding figures for England and Wales and Scotland for 1968 being 75.5 per cent and 73.8 per cent respectively, illustrating the striking difference between the countries.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1967 AND 1968 AND IN ENGLAND AND WALES AND SCOTLAND IN 1968.

Age at maternity	Ireland*		England and Wales 1968	Scotland 1968
	1967	1968		
	Per cent			
Under 20 years	3.0	2.9	10.0	9.6
20-24 years	19.8	21.2	36.1	34.6
25-29 "	27.4	28.6	29.4	29.6
30-34 "	24.8	23.7	15.3	16.2
35-39 "	17.4	16.7	7.1	7.9
40-44 "	7.0	6.3	1.9	2.0
45 years and over	0.6	0.6	0.1	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	30.4	30.1	26.0	26.7

*Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced as may be seen from Table XIII.

TABLE XIII

PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY
IN IRELAND* IN 1967 AND 1968 AND IN ENGLAND AND WALES AND SCOTLAND IN 1968.

Age at maternity	Ireland*		England and Wales 1968	Scotland 1968
	1967	1968		
	Per cent			
Under 20 years	7.0	6.6	17.3	18.3
20-24 years	41.8	43.7	50.7	49.9
25-29 "	31.1	31.8	23.0	22.1
30-34 "	13.0	11.9	6.5	6.8
35-39 "	5.5	4.9	2.0	2.3
40-44 "	1.5	1.0	0.4	0.5
45 years and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	26.2	25.9	23.3	23.8

*Exclusive of the Six Counties.

Fertility rates in Ireland and in England and Wales in 1968 are compared in Table XIV.

TABLE XIV

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES, 1968.

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1968	England and Wales 1968	Ireland* 1968	England and Wales 1968	Ireland* 1968	England and Wales 1968
15-19 Years	14.1	48.8	649.7	462.9	3.9	14.1
20-24 "	142.1	160.9	534.4	258.6	10.3	30.9
25-29 "	233.1	160.4	371.8	181.0	6.9	49.7
30-34 "	197.6	87.9	260.8	93.8	5.5	41.3
35-39 "	129.9	40.2	167.5	42.0	2.7	25.7
40-44 "	46.7	10.5	60.0	10.9	0.9	7.4
45-49 "	4.0	0.7	5.4	0.7	0.3	0.5
Total, 15-49 years	99.9	74.1	190.4	96.7	5.2	21.1

*Exclusive of the Six Counties

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 40 per cent above that in England and Wales, in the 20-24 year group 107 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 1,558, being 18 more than in 1967. This was equivalent to an annual rate of 5.2 per 1,000 unmarried females and was 2.6 per cent of total births, being the highest percentage recorded since 1950. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1968 and 1967 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1968.

TABLE XV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1967 AND 1968 AND IN ENGLAND AND WALES AND SCOTLAND IN 1968.

Number of previous children	Ireland*		England and Wales (1968)	Scotland (1968)
	1967	1968		
	Per cent			
0	24.3	26.2	38.2	36.0
1	20.2	20.3	32.5	29.8
2	16.3	16.1	15.9	17.0
3	12.4	12.3	7.0	8.6
4	8.8	8.2	3.2	4.2
5 to 9	15.7	14.6	3.1	4.2
10 to 14	2.1	2.1	0.1	0.1
15 and over	0.2	0.2	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

*Exclusive of the Six Counties

The difference between the years 1968 and 1967 in respect of the percentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1968, 16.9 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 3.2 in England and Wales and 4.3 in Scotland.

MULTIPLE BIRTHS

The number of maternities in 1968 which resulted in multiple live births was 830 consisting of 821 sets of twins and 9 of triplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 14. Table XVI summarizes the number of multiple births and the "twinning rate" for the years 1959-1968.

TABLE XVI

NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1959-1968

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1959	60,188	59,268	892	14	-	15.1
1960	60,735	59,817	896	11	-	15.0
1961	59,825	58,902	911	6	-	15.5
1962	61,782	60,826	926	12	2	15.2
1963	63,246	62,264	960	11	-	15.4
1964	64,072	63,177	873	11	-	13.8
1965	63,525	62,648	850	12	1	13.6
1966	62,215	61,339	858	9	-	14.0
1967	61,307	60,457	836	7	-	13.8
1968	61,004	60,165	821	9	-	13.6

DEATHS

The number of deaths registered during the year 1968 was 33,157 of which 18,031 were those of males and 15,126 those of females, equivalent to a rate of 11.39 deaths per 1,000 total population, compared with 10.83 in the previous year, and 12.18 in 1966.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1960 and the death rates for each year 1961 to 1968.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941-1968 with those in the Six Counties, England and Wales and Scotland. The death rate in this country in 1968 was somewhat higher than in the Six Counties and lower than that for England and Wales and Scotland. However, over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

TABLE XVII

DEATH RATES PER 1,000 POPULATION IN IRELAND*AND NEIGHBOURING COUNTRIES, 1941-1968

Period	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	41.5	14.0	12.6	12.3	13.2
1951-1960†	35.4	12.2	11.0	11.6	12.0
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3
1967	31.4	10.8	9.8	11.2	11.5
1968	33.2	11.4	10.6	11.9	12.2

*Exclusive of the Six Counties

† Average annual number of deaths and death rates for decennial periods from 1941-1960

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 6.41 and a standardised rate of 11.26, reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 15.19 to 10.36, because of the comparatively old age structure in that county. The standardised rates in 1968 were lowest in the counties of Mayo and Westmeath and highest in the County Borough of Waterford.

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1968




TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1968.

Area	Deaths per 1,000 population	
	Crude	Standardised
TOTAL	11.39	11.39
Carlow	11.30	11.44
Dublin County Borough	9.59	12.03
Dublin Laoghaire Borough	11.74	11.65
Dublin County (Remainder)	6.41	11.26
Kildare	9.66	12.26
Kilkenny	12.75	11.99
Laois	11.68	11.05
Longford	14.77	13.54
Louth	9.89	11.25
Meath	10.33	10.95
Offaly	10.80	11.93
Westmeath	10.88	10.28
Wexford	12.14	11.59
Wicklow	11.31	11.94
LEINSTER	9.94	11.67
Clare	13.20	10.78
Cork County Borough	10.78	12.93
Cork County	12.88	12.26
Kerry	14.31	12.05
Limerick County Borough	9.86	13.35
Limerick County	13.43	12.51
Tipperary, N.R.	12.64	11.99
Tipperary, S.R.	12.46	12.02
Waterford County Borough	12.14	14.23
Waterford County	12.28	10.79
MUNSTER	12.53	11.95
Galway	11.95	10.64
Leitrim	15.19	10.36
Mayo	13.25	9.60
Roscommon	14.53	10.76
Sligo	13.95	10.96
CONNACHT	13.18	10.37
Cavan	14.71	12.09
Donegal	13.17	10.50
Monaghan	12.79	11.29
ULSTER (part of)	13.49	11.07

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eighth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The year 1968 is the first in respect of which deaths were classified by the Eighth Revision, but to facilitate linkage with previous years, all deaths in 1968 were, in addition, classified by the Seventh Revision of the International Statistical Classification. A cross-classification of the deaths registered in 1968 by the Seventh and Eighth Revisions is contained in Tables 61 and 62. The Seventh Revision was used from 1958 to 1967 and the deaths from each cause for these years are given in Table 63.

The major differences between the two Revisions are as follows:-

1. Unspecified diarrhoeal diseases were collected in one category under intestinal infectious diseases in the section "Infective and other Parasitic Diseases". Previously these were to be found in two Sections, namely "Diseases of the Digestive System" and "Certain Diseases of Early Infancy".
2. In the section on diseases of the circulatory system some very fundamental changes took place. The issues involved were the identification of hypertension and the amount of information the categories should convey on multiple cardiovascular classifications. This was done by taking hypertension as the primary axis of classification, except in the case of ischaemic heart disease and cerebrovascular disease where it can now be identified at the fourth digit of the Detailed International List. These changes affected this section considerably and made comparisons with earlier years very difficult.
3. Allergic disorders were transferred from the section on "Allergic, Endocrine System, Metabolic and Nutritional Diseases" to the section on "Diseases of the Respiratory System", and the former section was renamed "Endocrine, Nutritional and Metabolic Diseases".
4. The section entitled "Certain Causes of Perinatal Morbidity and Mortality" was unique in that it was required to take account of conditions in two persons — the mother and the child. What was to be decided was the relative weight to be given to the two. In the classification system adopted, causes in the mother were classified in three digit categories and effects in the child in four digit sub-categories. Late foetal deaths were included in this section for the first time; in the Seventh Revision, they had a separate classification. This was done so that all deaths in the perinatal period could be coded on the same classification.
5. The only other section with major amendments was the one dealing with accidents. Amongst the recommendations adopted here were (a) that the classification be informative at the three digit level and (b) that the place of accident be kept separate from the main classification, whereas in the Seventh Revision the place of accident was included as the fourth digit.

TABLE XIX

AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES IN EACH PERIOD 1950-52, 1955-57, 1960-62, 1965-67 AND 1968 FROM SOME OF THE PRINCIPAL CAUSES.

I.L. Nos. 8th Revision	Cause of death	1950-52	1955-57	1960-62	1965-67	1968
		Average Annual Number				
010-019	Tuberculosis, all forms	2,040	758	438	309	293
Rem. 000-136	Other infective and parasitic diseases	581	335	234	228	221
140-209	Cancer	4,352	4,722	4,810	5,117	5,291
393-398, 410-429	Diseases of heart	10,519	10,580	10,884	10,690	10,885
Rem. 390-458	Other diseases of circulatory system	4,527	5,910	5,918	6,275	6,486
470-474	Influenza	987	554	554	397	315
Rem. 460-519	Other diseases of respiratory system	2,754	2,469	2,880	3,357	3,810
794	Senility	4,436	2,680	2,010	1,251	701
	Other diseases	7,293	5,997	5,028	4,404	3,817
800-999	Accidents and other external causes	921	988	998	1,151	1,338
	ALL CAUSES	38,410	34,993	33,754	33,179	33,157
		Average annual rates per 100,000 population				
010-019	Tuberculosis, all forms	68.9	26.1	15.5	10.7	10.1
Rem. 000-136	Other infective and parasitic diseases	19.6	11.5	8.3	7.9	7.6
140-209	Cancer	147.0	162.8	170.1	177.3	181.8
393-398, 410-429	Diseases of the heart	355.3	364.7	385.0	370.4	374.1
Rem. 390-458	Other diseases of circulatory system	152.9	203.7	209.3	217.4	222.9
470-474	Influenza	33.3	19.1	19.6	13.8	10.8
Rem. 460-519	Other diseases of respiratory system	93.0	85.1	101.9	116.3	130.9
794	Senility	149.8	92.4	71.1	43.3	24.1
	Other diseases	246.3	206.7	177.9	152.6	131.2
800-999	Accidents and other external causes	31.1	34.1	35.3	39.9	46.0
	ALL CAUSES	1,297.2	1,206.2	1,194.0	1,149.7	1,139.4

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the periods 1950-52 and 1968 has been the big drop in deaths from tuberculosis. The rate for 1968 was less than one-sixth of the rate in 1950-52. In the case of other infective and parasitic diseases the rate dropped to almost one-third of the 1950-52 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, over twice as many people dying from heart disease as from the next biggest cause of death, i.e. cancer, the rate for which showed an increase of 24 per cent.

TABLE

AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of Death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All Causes	1,234.1	1,044.2	512.2	433.2	44.5	28.1	106.0	43.4	131.1	71.6
008, 009	Enteritis and other diarrhoeal diseases	4.0	4.2	33.2	33.4	-	0.7	0.4	0.4	-	-
010-019	Tuberculosis	13.8	6.3	-	0.7	-	0.7	1.7	-	1.9	2.0
000-136 (rem.)	All other infective and parasitic diseases	3.9	3.1	6.9	7.9	2.3	0.3	0.9	0.4	0.6	0.7
	Malignant neoplasms of										
150	oesophagus	6.4	6.9	-	-	-	-	-	-	-	-
151	stomach	28.6	24.6	-	-	-	0.7	-	-	-	2.0
153	large intestine	18.8	21.7	-	-	-	-	-	-	1.3	2.0
154	rectum	10.0	6.9	0.6	-	-	-	0.4	-	1.9	0.7
157	pancreas	11.2	7.5	-	-	-	-	-	-	-	-
161	larynx	2.7	1.1	-	-	-	-	-	-	-	0.7
162	trachea bronchus and lung	49.3	12.9	-	-	-	-	0.4	-	3.2	2.0
174	breast	0.1	28.6	-	-	-	-	-	-	-	5.9
180	cervix uteri	-	4.6	-	-	-	-	-	-	-	-
181, 182	other uterus	-	6.0	-	-	-	-	-	-	-	0.7
183	ovary, fallopian tube and broad ligament	-	7.7	-	-	-	-	-	0.9	-	2.0
185	prostate	17.6	-	-	-	-	-	-	-	-	-
188, 189	bladder and other urinary organs	6.9	3.9	0.6	2.6	-	-	-	-	-	-
204-207	leukaemia, aleukaemia	7.5	4.2	2.5	3.3	3.3	3.1	2.6	1.4	4.5	-
140-209 (rem.)	all other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	34.8	32.8	4.4	2.0	4.0	2.1	6.9	1.4	4.5	7.2
210-239	Benign neoplasm and neoplasms of unspecified nature	3.8	3.4	0.6	-	-	0.3	0.4	0.4	-	2.0
250	Diabetes mellitus	8.3	11.2	-	-	0.3	0.3	1.7	0.9	0.6	-
280-285	Anaemias	3.4	4.8	1.3	0.7	0.3	-	0.4	0.4	-	-
320	Meningitis	2.1	1.1	11.3	5.2	0.3	0.7	1.3	-	0.6	-
393-398	Chronic rheumatic heart disease	12.8	15.5	-	-	-	-	0.4	0.4	1.9	3.3
400-404	Hypertensive disease	23.4	26.2	-	-	-	-	-	0.4	1.3	0.7
410-414	Ischaemic heart disease	305.0	193.7	-	-	-	-	0.9	-	8.4	2.6
420-429	Other forms of heart disease	103.9	116.9	-	-	0.3	-	1.7	0.4	3.2	2.0
430-438	Cerebrovascular disease	138.7	166.9	1.3	-	2.0	0.3	1.3	2.3	6.5	2.0
440	Arteriosclerosis	28.9	28.4	-	-	-	-	-	-	-	-
470-474	Influenza	9.0	12.6	1.9	-	-	1.4	-	0.4	-	-
480-486	Pneumonia	52.1	45.1	69.5	50.4	3.0	3.1	6.1	3.2	4.5	2.6
490-493	Bronchitis, emphysema and asthma	88.8	45.8	-	1.3	0.7	-	0.4	3.2	1.9	3.3
531-533	Peptic ulcer	11.1	4.6	0.6	-	-	-	-	-	1.3	-
550-553, 560	Intestinal obstruction and hernia	3.4	3.9	8.1	2.0	0.3	-	-	-	0.6	-
571	Cirrhosis of liver	3.6	2.7	-	-	-	-	0.9	0.4	0.6	0.7
580-584	Nephritis and nephrosis	11.4	7.1	1.3	1.3	-	0.7	2.6	1.4	3.2	0.7
600	Hyperplasia of prostate	11.0	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	-	1.5	-	-	-	-	-	0.9	-	5.3
740-759	Congenital anomalies	13.6	14.1	98.9	119.1	4.6	1.4	4.8	2.3	2.6	0.7
764-768, 772, 776, 760-763, 769-771, 773-775, 777-779	Birth injury, difficult labour and other anoxic and hypoxic conditions	10.0	7.1	91.4	67.4	-	-	-	-	-	-
	Other causes of perinatal mortality	10.7	8.6	97.7	81.8	-	-	-	-	-	-
794	Senility without mention of psychosis	21.6	26.6	-	-	-	-	-	-	-	-
780-796 (rem.)	Other symptoms and illdefined conditions	5.0	4.3	0.6	0.7	-	-	-	0.4	-	-
240-738 (rem.)	All other diseases	78.0	76.1	33.8	26.2	8.2	5.8	8.7	6.8	13.6	8.5
E810-E823	Motor vehicle accidents	22.4	5.9	7.5	4.6	7.2	4.5	29.9	7.7	31.0	3.9
E800-E807, E825-E949	All other accidents	28.3	23.7	37.6	22.3	6.9	2.1	22.9	2.7	20.7	5.3
E950-E959	Suicide and self-inflicted injuries	3.8	1.0	-	-	-	-	2.2	1.4	5.2	1.3
E960-E999	All other external causes	4.6	2.1	0.6	0.7	0.7	-	6.1	2.7	5.2	1.3

Death rates per 100,000 corresponding population												I.D.L. Nos.
35-44		45-54		55-64		65-74		75-84		85 and over		
M	F	M	F	M	F	M	F	M	F	M	F	
271.4	197.0	712.2	533.7	2,036.9	1,212.6	4,990.8	3,260.8	11,088.7	8,755.4	29,415.6	24,714.3	
-	-	-	-	-	-	1.0	1.8	4.4	3.6	13.0	25.2	008, 009
11.6	5.1	23.1	13.6	37.6	16.1	65.2	13.8	46.6	27.0	13.0	25.2	010-019
1.9	3.9	1.8	3.1	7.1	1.5	13.3	6.5	11.1	7.2	26.0	50.4	000-136 (rem.)
0.6	1.9	4.9	6.8	16.3	16.8	32.6	26.7	53.2	54.0	77.9	33.6	150
7.1	5.8	26.1	17.9	71.6	33.6	161.1	100.5	190.7	215.8	246.8	327.7	151
4.5	3.2	8.5	16.7	31.2	37.3	98.9	84.8	177.4	201.4	402.6	210.1	153
1.9	1.9	6.1	6.8	19.1	7.3	52.0	33.2	95.3	57.6	90.9	58.8	154
3.9	1.3	7.9	3.7	24.8	13.9	65.2	35.9	75.4	59.4	155.8	84.0	157
-	-	0.6	2.5	4.3	0.7	15.3	6.5	31.0	5.4	51.9	-	161
5.2	4.5	52.2	12.4	177.2	46.7	283.4	49.8	199.6	55.8	39.0	67.2	162
-	23.7	-	51.3	-	79.6	1.0	83.9	2.2	120.5	-	151.3	174
-	5.1	-	6.2	-	15.3	-	20.3	-	9.0	-	8.4	180
-	2.6	-	6.8	-	18.3	-	21.2	-	37.8	-	16.8	181, 182
-	6.4	-	17.3	-	23.4	-	18.4	-	28.8	-	8.4	183
-	-	1.8	-	9.9	-	89.7	-	261.6	-	441.6	-	185
1.3	1.9	3.6	5.6	11.3	6.6	44.9	14.7	48.8	21.6	129.9	25.2	188, 189
5.8	1.3	6.7	3.7	14.9	6.6	28.5	16.6	26.6	14.4	13.0	8.4	204-207
16.1	18.0	40.7	33.4	74.4	69.4	145.8	128.1	204.0	192.4	441.6	243.7	140-209 (rem.)
4.5	1.3	9.7	4.9	9.2	5.1	9.2	14.7	15.5	18.0	26.0	8.4	210-239
2.6	0.6	7.9	5.6	14.2	18.3	38.7	49.8	75.4	89.9	77.9	168.1	250
-	-	1.2	1.2	5.0	8.8	17.3	20.3	33.3	45.0	51.9	50.4	280-285
1.9	-	0.6	1.2	0.7	2.2	3.1	0.9	-	-	-	-	320
11.0	10.3	21.3	26.6	29.1	26.3	39.8	38.7	82.0	109.7	181.8	176.5	393-398
7.1	1.9	10.3	11.1	39.7	22.6	97.9	97.7	259.4	255.4	558.4	647.1	400-404
52.2	11.6	221.0	69.9	651.3	231.6	1,407.7	759.4	2,765.0	1,809.4	5,831.2	4,403.4	410-414
7.7	4.5	21.3	15.5	77.3	55.5	354.7	255.3	1,397.0	1,259.0	4,857.1	5,075.6	420-429
20.6	14.8	36.4	60.0	156.6	163.6	606.5	584.3	1,705.1	1,726.6	4,259.7	3,958.0	430-438
-	-	-	1.2	12.0	5.1	62.2	50.7	401.3	332.7	2,116.9	1,370.0	440
1.3	1.3	1.8	0.6	13.5	10.2	25.5	36.9	113.1	109.7	376.6	504.2	470-474
3.2	6.4	15.8	14.2	57.4	30.7	173.3	118.9	476.7	377.7	1,597.4	1,201.7	480-486
9.0	8.3	46.8	23.5	190.6	67.9	474.0	167.7	776.1	363.3	1,506.5	1,016.8	

Of the deaths registered in 1968, 75 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 421.7 per 100,000 population for males and 326.1 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 194.0 and 169.5 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 138.7 and 166.9 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

TABLE XXI

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941-1968.

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941-1950*	2,739	0.92	779	0.26	1.05	1.07
1951-1960*	787	0.27	190	0.06	1.62	1.28
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00

*Average annual number of deaths and death rates for decennial periods from 1941-1960

In 1968 there were 293 deaths from tuberculosis, of which 265 were caused by the respiratory form and 28 by other forms of the disease. Between the period 1941-1950 and the year 1968 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level.

The mortality from tuberculosis in the counties and county boroughs in 1968 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Waterford County Borough (0.30) and Co. Longford (0.18). The lowest rates were in Counties Offaly and Wicklow (0.02), Kildare and Leitrim (0.03).

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1942 TO 1968





Diagram 4

DEATH RATES FROM LUNG CANCER (Nos. 162-163) PER 100,000 POPULATION



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045-055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140-205 (Nos. 140-209 in Eighth Revision) of the International Statistical classification which now included Hodgkins disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figures less Hodgkins disease and leukaemia should also be shown.

In 1968 there were 5,291 deaths from cancer (Nos. 140 to 209). Of this number, 55 deaths were caused by Hodgkins disease and 170 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1959 to 1968.

TABLE XXII

DEATHS FROM CANCER (Nos. 140-209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1959 TO 1968.

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
Males								
1959	7	23	56	154	431	875	1,396	182
1960	8	20	47	171	435	842	1,290	178
1961	9	20	50	162	437	865	1,374	183
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
1967	9	19	43	166	466	912	1,469	189
1968	8	16	46	159	455	1,018	1,472	194
Females								
1959	6	24	66	182	345	614	972	153
1960	7	13	60	189	375	664	908	158
1961	6	26	63	178	343	600	893	151
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164
1967	5	21	67	201	376	647	956	162
1968	6	23	78	191	375	641	1,104	170

In the years under review the death rates from cancer were higher among males than among females in the age groups under 25 years and 55 years and upwards but between the ages 25 and 54 years the female rates were generally greater than those for males. In 1968 the male death rate for all ages was 14 per cent above that for females. The trend in the death rates from cancer since 1941 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII
DEATHS FROM CANCER (Nos. 140-209) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1959 TO 1968.

Year	Ireland*	Six Counties	England and Wales	Scotland
1959	1.68	1.67	2.14	2.14
1960	1.68	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.61	2.18	2.21
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29
1966	1.79	1.71	2.25	2.31
1967	1.76	1.65	2.30	2.34
1968	1.82	1.84	2.32	2.40

*Exclusive of the Six Counties.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1968 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV
DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140-209) IN EACH COUNTY AND COUNTY BOROUGH IN 1968.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.78	1.82	Clare	1.77	1.45
Dublin County Borough	1.86	2.29	Cork County Borough	1.94	2.33
Dun Laoghaire Borough	2.17	2.14	Cork County	1.89	1.68
Dublin County (remainder)	1.18	2.02	Kerry	1.91	1.61
Kildare	1.53	1.92	Limerick County Borough	1.73	2.32
Kilkenny	1.92	1.80	Limerick County	1.93	1.79
Laois	2.04	1.94	Tipperary, N.R.	1.75	1.65
Longford	2.40	2.09	Tipperary, S.R.	2.02	1.94
Louth	1.77	2.02	Waterford County Borough	2.11	2.43
Meath	1.44	1.52	Waterford County	2.10	1.87
Offaly	1.74	1.84			
Westmeath	1.57	1.52	MUNSTER	1.90	1.81
Wexford	1.88	1.79			
Wicklow	1.93	2.02	Galway	1.64	1.48
LEINSTER	1.75	2.03	Leitrim	1.81	1.27
			Mayo	1.88	1.45
Cavan	1.66	1.37	Roscommon	2.15	1.59
Donegal	2.06	1.67	Sligo	2.10	1.67
Monaghan	1.86	1.63	CONNACHT	1.85	1.50
ULSTER (part of)	1.91	1.59	TOTAL	1.82	1.82

TABLE XXV

MORTALITY IN 1968 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed Inter- national List Nos.	Site	Males							Females								
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
Malignant neoplasms of:																	
140-149	Buccal cavity and pharynx	1	-	1	6	17	30	33	88	-	2	2	1	12	8	13	38
150-159	Digestive organs and peritoneum	4	5	29	98	246	424	356	1,162	2	8	24	98	163	347	443	1,085
160-163	Respiratory system	1	5	9	87	258	296	113	769	-	4	8	26	66	66	45	215
170-174	Bone, connective tissue, skin and breast	6	1	8	10	11	22	38	96	3	10	42	89	121	116	125	506
180-189	Genito-urinary organs	3	1	4	12	34	137	188	379	6	4	26	59	90	92	71	348
190-199	Other and unspecified sites	14	3	4	21	31	30	30	133	8	2	11	20	37	31	28	137
200-209	Lymphatic and haematopoietic tissues	30	9	17	28	45	60	19	208	18	5	8	16	25	35	20	127
Total		59	24	72	262	642	999	777	2,835	37	35	121	309	514	695	745	2,456
		Rates per 100,000 corresponding population															
Malignant neoplasms of:																	
140-149	Buccal cavity and pharynx	0.1	-	0.6	3.6	12.0	30.6	62.5	6.0	-	1.3	1.3	0.6	8.8	7.4	19.3	2.6
150-159	Digestive organs and peritoneum	0.6	3.2	18.7	59.5	174.3	432.2	674.2	79.5	0.3	5.3	15.4	60.6	119.1	319.8	656.3	74.9
160-163	Respiratory system	0.1	3.2	5.8	52.8	182.8	301.7	214.0	52.6	-	2.6	5.1	16.1	48.2	60.8	66.7	14.8
170-174	Bone, connective tissue, skin and breast	0.9	0.6	5.2	6.1	7.8	22.4	72.0	6.6	0.5	6.6	27.0	55.0	88.4	106.9	185.2	34.9
180-189	Genito-urinary organs	0.4	0.6	2.6	7.3	24.1	139.7	356.1	25.9	0.9	2.6	16.7	36.5	65.7	84.8	105.2	24.0
190-199	Other and unspecified sites	2.0	1.9	2.6	12.8	22.0	30.6	56.8	9.1	1.2	1.3	7.1	12.4	27.0	28.6	41.5	9.5
200-209	Lymphatic and haematopoietic tissues	4.3	5.8	11.0	17.0	31.9	61.2	36.0	14.2	2.7	3.3	5.1	9.9	18.3	32.3	29.6	8.8
Total		8.5	15.5	46.4	159.1	455.0	1,018.3	1,471.6	194.0	5.6	23.0	77.7	191.1	375.5	640.6	1,103.7	169.5

XXX

The crude death rate from cancer in 1968 varied from 2.40 per 1,000 population in Longford to 1.18 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.43 per 1,000 population in Waterford County Borough to 1.27 in Co. Leitrim. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1968, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate being 6 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was nearly four times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1959 to 1968, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1959 TO 1968 FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1959	3	22	71	166	167	429	1	5	18	25	49	98
1960	4	15	72	200	169	460	1	2	19	40	45	107
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	-	4	25	30	62	121
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
1967	1	16	79	221	325	642	1	5	33	54	72	165
1968	6	8	86	250	371	721	3	7	20	64	83	187
Death rates per 100,000 corresponding population												
1959	0.4	13.0	41.9	120.9	111.8	29.9	0.1	2.8	11.1	18.5	30.5	6.9
1960	0.5	9.0	42.2	150.3	113.2	32.4	0.1	1.2	11.8	29.8	27.1	7.6
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	34.9	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.1	-	2.4	15.3	22.3	36.9	8.5
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2
1967	0.1	10.3	47.6	158.2	216.0	44.1	0.1	3.2	20.2	40.0	41.4	11.4
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	47.2	12.9

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1959 the death rate in the case of males was 29.9 compared with 6.9 in the case of females and by 1968 the disparity was even greater, the corresponding rates for that year being 49.3 and 12.9 respectively. In 1959 females accounted for 18.6 per cent of the deaths, by 1968 their percentage share had risen to 20.6.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1963 to 1968.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1963 TO 1968.

Area	1963	1964	1965	1966	1967	1968
	Number of deaths					
Ireland*	610	647	716	777	807	908
Six Counties	414	396	414	447	474	525
Scotland	2,772	2,892	2,961	2,972	3,150	3,209
England and Wales	24,434	25,371	26,399	27,025	28,250	28,836
	Rates per 100,000 population					
Ireland*	21	23	25	27	28	31
Six Counties	29	27	28	30	32	35
Scotland	53	56	57	58	61	62
England and Wales	52	54	55	56	58	59

*Exclusive of the Six Counties.

The most significant feature of this table is that the rate in Ireland increased by almost 50 per cent between 1963 and 1968, the next largest increase being in Scotland where the rate increased by 17 per cent.

DISEASES OF THE CIRCULATORY SYSTEM

There were 17,371 deaths ascribed to diseases of the circulatory system (Nos. 390-458) registered in 1968 of which 9,229 were deaths of males and 8,142 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (4,456 males compared with 2,806 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1968 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Un-certified	Per cent	Total	Un-certified	Per cent
Active rheumatic fever	2	-	-	1	-	-
Chronic rheumatic heart disease	187	-	-	225	-	-
Hypertensive disease	342	-	-	379	3	0.8
Ischaemic heart disease	4,456	57	1.3	2,806	26	0.9
Other forms of heart disease	1,518	33	2.2	1,693	34	2.0
Cerebrovascular disease	2,026	6	0.3	2,418	9	0.4
Disease of arteries, arterioles and capillaries	622	4	0.6	533	6	1.1
Disease of veins and lymphatics and other diseases of the circulatory system	76	-	-	87	-	-
TOTAL	9,229	100	1.1	8,142	78	1.0

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1968, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

Detailed 1965 Inter- national List Nos.		Cause of death	Males							Females								
			0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
			Number of deaths															
390-392	Active rheumatic fever		1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	1
393-398	Chronic rheumatic heart disease		1	3	17	35	41	39	51	187	1	5	16	43	36	42	82	225
400-404	Hypertensive disease		-	2	11	17	56	96	160	342	1	1	3	18	31	106	219	379
410-414	Ischaemic heart disease		2	13	81	364	919	1,381	1,696	4,456	-	4	18	113	317	824	1,530	2,806
420-429	Other forms of heart disease		5	5	12	35	109	348	1,004	1,518	1	3	7	25	76	277	1,304	1,693
430-438	Cerebrovascular disease		11	10	32	60	221	595	1,097	2,026	6	3	23	97	224	634	1,431	2,418
440-448	Diseases of arteries, arterioles and capillaries		1	-	2	14	55	118	432	622	-	1	1	6	24	77	424	533
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system		1	2	3	3	17	24	26	76	1	1	4	6	12	35	28	87
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM		22	35	159	528	1,418	2,601	4,466	9,229	10	19	72	308	720	1,995	5,018	8,142
			Rates per 100,000 corresponding population															
390-392	Active rheumatic fever		0.1	-	0.6	-	-	-	-	0.1	-	0.7	-	-	-	-	-	0.1
393-398	Chronic rheumatic heart disease		0.1	1.9	11.0	21.3	29.1	39.8	96.6	12.8	0.2	3.3	10.3	26.6	26.3	38.7	121.5	15.5
400-404	Hypertensive disease		-	1.3	7.1	10.3	39.7	97.9	303.0	23.4	0.2	0.7	1.9	11.1	22.6	97.7	324.4	26.2
410-414	Ischaemic heart disease		0.3	8.4	52.2	221.0	651.3	1,407.7	3,212.1	305.0	-	2.6	11.6	69.9	231.6	759.4	226.7	193.7
420-429	Other forms of heart disease		0.7	3.2	7.7	21.3	77.3	354.7	1,901.5	103.9	0.2	2.0	4.5	15.5	55.5	255.3	1,931.9	116.9
430-438	Cerebrovascular disease		1.6	6.5	20.6	36.4	156.6	606.5	2,077.7	138.7	0.9	2.0	14.8	60.0	163.6	584.3	2,120.0	166.9
440-448	Diseases of arteries, arterioles and capillaries		0.1	-	1.3	8.5	39.0	120.3	818.2	42.6	-	0.7	0.6	3.7	17.5	71.0	628.1	36.8
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system		0.1	1.3	1.9	1.8	12.0	24.5	49.2	5.2	0.2	0.7	2.6	3.7	8.8	32.3	41.5	6.0
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM		3.2	22.6	102.5	320.6	1,005.0	2,651.4	8,458.3	631.6	1.5	12.5	46.2	190.5	525.9	1,838.7	7,434.1	562.1

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460-519 in the International List) in 1968 numbered 4,125. These included 315 deaths caused by influenza, 1,415 by pneumonia, 1,693 by bronchitis and 702 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1968 was 22 compared with 14 in 1967. The death rate was 0.37 per thousand maternities. Table XXX shows the maternal deaths in 1968 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1968 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and over
Infections of genital tract during pregnancy	1	-	-	-	-	1	-	-
Ectopic pregnancy	1	-	1	-	-	-	-	-
Haemorrhage of pregnancy	1	-	-	1	-	-	-	-
Renal disease arising during pregnancy and the puerperium	2	-	-	-	-	2	-	-
Pre-eclampsia, eclampsia and toxæmia, unspecified	2	-	-	-	1	-	1	-
Delivery complicated by placenta prævia or antepartum haemorrhage	1	-	-	-	-	-	1	-
Delivery complicated by other postpartum haemorrhage	1	-	-	-	-	1	-	-
Delivery with rupture of uterus	2	-	-	1	-	-	1	-
Delivery with other obstetrical trauma	1	-	-	-	-	-	1	-
Sepsis of childbirth and the puerperium	2	-	-	-	1	1	-	-
Puerperal pulmonary embolism	6	-	1	1	1	1	2	-
Cerebral haemorrhage in the puerperium	2	-	-	1	1	-	-	-
TOTAL	22	-	2	4	4	6	6	-

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1968

Malignant neoplasm of breast	1	-	-	-	1	-	-	-
Mitral stenosis	1	-	-	-	1	-	-	-
Suicide and self-inflicted injury by jumping from high place	1	-	1	-	-	-	-	-
TOTAL	3	-	1	-	2	-	-	-

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1959 to 1968.

TABLE XXXI

MATERNAL DEATHS PER 100,000 LIVE BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1959-1968

Year	Number of deaths	Deaths per 100,000 live births			
		Ireland*	Six Counties	England and Wales	Scotland
1959	39	65	55	39	36
1960	35	58	44	39	34
1961	27	45	52	34	37
1962	27	44	30	36	40
1963	22	35	41	28	40
1964	30	47	15	25	23
1965	18	28	32	25	38
1966	18	29	18	26	25
1967	14	23	24	20	23
1968	22	36	27	24	15

*Exclusive of the Six Counties.

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:-

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. A copy of the form used is given in the Appendix to this volume. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

In 1968, in the case of a number of late foetal deaths which occurred in Dublin Co. Borough and where the usual residence of the mother was outside the County Borough complete information was not made available to the Central Statistics Office. It is believed that the majority of these cases related to counties bordering on Dublin. However, as far as can be ascertained all late foetal deaths to mothers usually resident in Dublin were notified.

TABLE XXXII

INFANT AND LATE FOETAL MORTALITY,* 1968

Area	Infant mortality		Neo-natal mortality		Late foetal mortality		Perinatal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,280	21.0	850	13.9	934	15.1	1,645	26.6
Carlow	17	22.5	12	15.9	15	19.5	27	35.0
Dublin Co. Borough and County	389	20.6	236	12.5	320	16.7	521	27.2
Kildare	36	21.9	25	15.2	20	12.0	39	23.4
Kilkenny	33	28.1	25	21.3	27	22.4	42	34.9
Laois	19	20.4	13	13.9	16	16.9	27	28.5
Longford	12	22.9	10	19.0	13	24.2	22	40.9
Louth	41	23.3	30	17.1	18	10.1	44	24.8
Meath	20	13.4	12	8.0	15	9.9	22	14.6
Offaly	27	23.4	21	18.2	18	15.4	33	28.2
Westmeath	19	15.7	12	9.9	28	22.6	39	31.5
Wexford	37	19.5	26	13.7	23	12.0	44	22.9
Wicklow	32	23.7	16	11.9	27	19.6	41	29.8
LEINSTER	682	20.8	438	13.4	540	16.2	901	27.1
Clare	41	29.3	32	22.9	25	17.6	54	37.9
Cork Co. Borough and County	143	19.9	96	13.4	68	9.4	151	20.9
Kerry	44	22.1	38	19.1	35	17.3	66	32.6
Limerick Co. Borough and County	59	20.4	31	10.7	38	13.0	61	20.9
Tipperary North Riding	35	31.2	23	20.5	26	22.7	37	32.3
Tipperary South Riding	21	14.8	14	9.9	27	18.7	39	27.0
Waterford Co. Borough and County	33	21.1	23	14.7	26	16.4	45	28.3
MUNSTER	376	21.4	257	14.6	245	13.8	453	25.5
Galway	68	23.6	49	17.0	49	16.8	88	30.1
Leitrim	8	18.7	4	9.4	6	13.9	9	20.8
Mayo	31	16.8	20	10.8	19	10.2	38	20.4
Roscommon	19	22.5	10	11.8	8	9.4	18	21.1
Sligo	16	18.8	11	12.9	15	17.3	26	30.0
CONNACHT	142	20.7	94	13.7	97	14.0	179	25.8
Cavan	18	18.8	14	14.6	10	10.3	24	24.7
Donegal	46	22.9	36	17.9	32	15.6	68	33.3
Monaghan	16	18.0	11	12.4	10	11.1	20	22.3
ULSTER (part of)	80	20.7	61	15.8	52	13.3	112	28.6

* For definition - see page xxxv

It will be seen from Table XXXII above that the highest individual rates for infant mortality were in Tipperary (N.R.), Clare and Kilkenny and the lowest in Meath and Tipperary (S.R.). The rates for perinatal mortality were highest in Longford and Clare and lowest in Meath, whilst those for late foetal mortality were highest in Longford and lowest in Cork Co. Borough and County and Co. Roscommon.

INFANT MORTALITY

During the year 1968, the deaths of 1,280 infants under one year were registered; a decrease of 218 on 1967, the 1968 figure is the lowest ever recorded. The 1968 rate of 21.0 per 1,000 live births registered is also the lowest ever recorded; the rate in 1967 was 24.4.

TABLE XXXIII

INFANT MORTALITY BY AGE, 1941-1968

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.0
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0

Infant mortality has shown a considerable decrease in the period covered by the Table, the greatest reductions being in ages between 14 days and under 4 weeks, where the 1968 rates were about one-seventh of those at the start of the period, and in ages over 4 weeks, where the 1968 rate was less than one-fifth of that in the period 1941-50. No significant changes were shown at ages 1-6 days until 1963, since then, apart from an increase in 1964, there has been a downward trend. No significant changes were shown at ages under 24 hours until this year when there was a drop of about 10 per cent in the rate, whether this fall is due to an actual improvement or to random fluctuations remains to be seen. There was an even bigger fall in 1962 but in 1963 the rate almost reached its former level.

DIAGRAM 5

INFANT AND NEO-NATAL MORTALITY (PER 1000 LIVE BIRTHS) 1942 - 1968




TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1968

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21

*Exclusive of the Six Counties.

The infant mortality rate per 1,000 live births in this country decreased in 1968 to 21 compared with 24 in 1967. The decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1968 CLASSIFIED BY CAUSE AND AGE

International List Numbers	Cause	Late foetal deaths	Age				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	-	19	79	98
Rem. 000-136	Other infective and parasitic diseases	-	-	1	3	15	19
320	Meningitis	-	-	3	5	11	19
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	7	18	29	130	184
520-577	Diseases of the digestive system	-	7	1	4	6	18
740-759	Congenital anomalies	159	88	81	41	99	309
764-768, 772	Birth injuries	-	23	40	7	1	71
774, 775	Haemolytic disease of newborn	55	24	13	2	-	39
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	42	97	69	7	5	178
777	Immaturity, unqualified	32	102	55	10	1	168
778	Other conditions of foetus or newborn (including haemorrhagic disease)	9	6	10	3	1	20
	Other causes	637	46	20	9	82	157
	TOTAL	934	400	311	139	430	1,280

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 22 per cent were ascribed

to immaturity, anoxic and hypoxic conditions not elsewhere specified (including asphyxia and atelectasis) accounted for 23 per cent, congenital anomalies 24 per cent and birth injuries 9 per cent. At ages over 4 weeks respiratory diseases, congenital anomalies, and enteritis and other diarrhoeal diseases were the main causes of death. Details of the 157 deaths included as other causes will be found in Table 19 where it will be noted that 64 of them were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:-

Year	Late Foetal Deaths
1957	1,391
1958	1,264
1959	1,267
1960	1,361
1961	1,264
1962	1,241
1963	1,169
1964	1,126
1965	1,072
1966	996
1967	1,000
1968	934

The causes of late foetal deaths notified in 1968 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI.

XXXVI

LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1968

International List Numbers	Cause	Number of Late foetal Deaths	Rate per 1,000 total Births
740	Anencephalus	99	1.60
741	Spina bifida	10	0.16
742	Congenital hydrocephalus	26	0.42
743	Other congenital anomalies of nervous system	3	0.05
746	Congenital anomalies of heart	1	0.02
748	Congenital anomalies of respiratory system	1	0.02
749	Cleft palate and cleft lip	2	0.03
758	Other and unspecified congenital anomalies	3	0.05
759	Congenital syndromes affecting multiple systems	14	0.23
760	Chronic circulatory and genito-urinary diseases in mother	12	0.19
761	Other maternal conditions unrelated to pregnancy	17	0.27
762	Toxaemia of pregnancy	77	1.24
763	Maternal ante- and intrapartum infection	2	0.03
766	Difficult labour with malposition of foetus	31	0.50
767	Difficult labour with abnormality of forces of labour	5	0.08
768	Difficult labour with other and unspecified complications	7	0.11
769	Other complications of pregnancy and childbirth	34	0.55
770	Conditions of placenta	212	3.42
771	Conditions of umbilical cord	61	0.98
772	Birth injury without mention of cause	4	0.06
774	Haemolytic disease of newborn with kernicterus	10	0.16
775	Haemolytic disease of newborn without mention of kernicterus	45	0.73
776	Anoxic and hypoxic conditions not elsewhere classified	42	0.68
777	Immaturity, unqualified	32	0.52
778	Other conditions of foetus or newborn	9	0.15
779	Foetal death of unknown cause	175	2.83
	ALL CAUSES	934	15.08

*For definition - see page xxxv

More late foetal deaths resulted from placental and cord injuries than from any other group, being 29 per cent of the total deaths. Congenital anomalies of foetus was next at 17 per cent and toxæmia of pregnancy at 8 per cent. Over 19 per cent of the total deaths were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII 841 late foetal deaths in 1968 occurred in hospitals; this is equivalent to 90 per cent of the total number of late foetal deaths, the same as that for 1967. From the same table it may be observed that over half of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII

LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1968 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28 - 36 weeks	402	15	20	437
37 weeks and over	439	43	15	497
TOTAL	841	58	35	934

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1965 to 1968 compare as follows:-

TABLE XXXVIII

PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES 1965-1968

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland	Six Counties	England and Wales	Scotland	Ireland†	Six Counties	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3
1967	16.0	17.0	14.4	15.8	28.5	31.0	25.4	27.5
1968	15.1	16.3	14.4	14.8	26.6	29.4	24.7	25.9

*For definition see page xxxv.

†Exclusive of the Six Counties.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) registered in 1968 was 1,338 of which 864 were males and 474 females. The corresponding figures for 1967 were 1,197, 758 and 439 respectively. As can be seen from Table XXXIX the increase of 141 over 1967 was caused by increases in the number of deaths from Road Vehicle accidents, Accidental falls and in the category Other accidents and external causes. The biggest part of the increase in the latter category can be attributed to the category E841, Accident to powered aircraft, other and unspecified, which had 62 deaths in 1968 compared with 5 in 1967; the majority of these deaths were caused by the crash of a passenger aircraft. In the Eighth Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 87 deaths in 1968. In the Seventh Revision, 61 of these deaths would have been in the category Accidental drowning and 18 in the category Accidental poisoning, so for comparison with former years, they have been grouped with these categories in Table XXXIX.

TABLE XXXIX

DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1959 TO 1968

International List Numbers 8th Revision	Cause of death	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
E800-E807	Railway accidents	11	6	2	6	6	4	4	4	7	2
E810-E827	Road vehicle accidents	285	287	315	310	322	312	327	371	398	430
E850-E877	Accidental poisoning	{ 10	{ 27	{ 24	{ 35	{ 20	{ 25	{ 39	{ 27	{ 18	23
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted	{	{	{	{	{	{	{	{	{	18
E890-E899; E924	Accidents caused by fire, explosion and burns	59	72	69	74	77	79	64	73	84	56
E910	Accidental drowning	{ 109	{ 143	{ 103	{ 110	{ 112	{ 124	{ 118	{ 138	{ 146	90
E984	Drowning undetermined whether accidentally or purposely inflicted	{	{	{	{	{	{	{	{	{	61
E880-E887	Accidental falls	249	259	266	274	316	309	329	336	304	352
Rem. E800-E999	Other accidents and external causes	146	133	130	125	153	161	156	151	168	235
E950-E959	Suicide and self-inflicted injury	72	84	89	52	70	58	51	69	72	71
	TOTAL	941	1,011	998	986	1,076	1,072	1,088	1,169	1,197	1,338

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. At ages over 75 years, while the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI, the vast majority of these falls occurred in the home.

TABLE XL

DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1968, CLASSIFIED BY AGE AND SEX

International List Number (8th Revision)	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E800-E807	Railway accidents	M	1	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-
E810-E827	Road vehicle accidents	M	342	1	11	23	71	48	28	38	45	47	30
		F	88	2	5	13	17	6	7	7	11	10	10
E850-E877	Accidental poisoning	M	13	-	3	2	1	1	1	2	-	1	2
		F	10	-	1	-	-	2	4	1	1	1	-
E880-E887	Accidental falls	M	130	1	1	-	7	3	9	3	11	21	74
		F	222	-	-	1	-	2	2	1	10	32	174
E890-E899; E924	Accidents caused by fire, explosion and burns	M	23	-	4	-	1	1	1	2	2	2	10
		F	33	1	3	3	1	-	1	5	5	7	7
E910	Accidental drowning	M	79	-	8	10	24	7	4	7	10	8	1
		F	11	-	1	2	1	1	1	3	1	1	-
E950-E959	Suicide and self-inflicted injury	M	56	-	-	-	5	8	12	10	12	7	2
		F	15	-	-	-	3	2	2	4	3	1	-
E980-E989	Injury undetermined whither accidentally or purposely inflicted	M	60	-	-	1	14	7	10	7	9	9	3
		F	27	-	-	-	5	1	3	4	6	4	4
Rem. E800- E999	Other accidents and external causes	M	160	35	9	9	18	21	22	22	11	11	2
		F	67	24	5	-	5	4	3	13	3	6	4
	TOTAL	M	864	37	36	45	141	96	87	92	100	106	124
		F	474	27	15	19	32	18	23	39	40	62	199

TABLE XLI

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1968, CLASSIFIED BY CAUSE AND AGE GROUP

Inter- national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M	6	-	3	1	1	1	-	-	-	-	-
		F	12	-	1	-	1	2	5	1	1	1	-
E870-E877	Accidental poisoning by gases and vapours	M	4	-	-	1	-	-	-	-	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	-
E880-E887	Accidental falls	M	92	1	-	-	1	1	1	-	7	16	65
		F	202	-	-	1	3	2	2	1	7	26	160
E890-E899	Accident caused by fires and flames	M	20	-	3	-	1	1	-	1	2	2	10
		F	31	1	3	2	-	-	1	5	5	7	7
E904	Exposure and neglect	M	3	2	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	1	1	-
E910	Accidental drowning and submersion	M	3	-	2	-	-	-	1	-	-	-	-
		F	3	-	1	-	-	-	-	1	1	-	-
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	17	13	2	-	-	1	-	1	-	-	-
		F	16	11	1	-	-	2	-	1	-	-	1
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
E913	Accidental mechanical suffocation	M	13	12	1	-	-	-	-	-	-	-	-
		F	9	8	1	-	-	-	-	-	-	-	-
E917	Accidentally struck against or by objects	M	5	-	2	-	1	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-
E920	Accident caused by cutting or piercing instruments	M	1	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E921	Accident caused by explosion of pressure vessel	M	1	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E922	Accident caused by firearm missiles	M	2	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	1	-	-	-
E924	Accident caused by hot substance, corrosive liquid and steam	M	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E925	Accident caused by electric current	M	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-
	Other and unspecified accidents	M	3	-	-	1	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	M	172	28	14	3	7	5	3	3	10	20	79
		F	278	21	7	3	4	6	8	8	15	35	168

There were 450 deaths resulting from accidents in the home recorded in 1968, compared with 401 in 1967. As will be seen from Table XLI 294 deaths in 1968 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids etc., accounted for 52 deaths, of which 8 were of children under 5 years of age and 33 of persons aged 55 years and over. Twenty-four deaths of children under one year old were due to obstruction and suffocation by food and 20 to accidental mechanical suffocation. There were 22 deaths from accidental poisoning, 14 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1968 in which the cause of death was not certified by a medical practitioner was 619 which represents 1.9 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1968 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and south-west regions of the country, being highest, in the year 1968 in the counties of Leitrim (8.7 per cent), Mayo (7.0 per cent) and Kerry (5.3 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place, the percentage for 1968 being only one-seventh of the average for the period 1941-50.

TABLE XLII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1941 TO 1968

Province	1941-50	1951-60	1961	1962	1963	1964	1965	1966	1967	1968
Leinster	5.6	3.1	1.5	1.4	1.4	1.2	1.1	1.0	0.8	0.7
Munster	12.1	8.1	4.7	4.4	4.2	3.3	3.0	2.5	2.3	1.6
Connacht	28.1	20.0	12.5	12.5	11.0	8.9	9.3	6.9	6.0	4.9
Ulster (part of)	22.0	13.8	7.9	7.9	6.4	5.3	4.8	3.7	3.5	3.2
TOTAL	13.0	8.5	4.9	4.7	4.2	3.4	3.3	2.6	2.3	1.9

TABLE XLIII

PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1968

Province	All ages	Under 1 year	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	0.7	0.1	-	1.1	-	0.6	0.5	0.6	0.5	1.1
Munster	1.6	0.8	-	-	-	-	0.3	0.9	0.6	2.8
Connacht	4.9	-	-	-	-	-	-	0.3	1.9	8.2
Ulster (part of)	3.2	-	6.7 *	-	-	1.9	-	2.2	1.4	4.9
TOTAL	1.9	0.3	0.5	0.6	-	0.4	0.3	0.8	0.8	3.3
Actual number of deaths uncertified	619	4	1	2	-	3	7	35	70	497

*This high percentage is due to 1 uncertified death out of a total of 15 deaths in this age group.

The proportion of deaths uncertified was highest in the age group 75 years and over; this age group accounted for over four-fifths of the uncertified deaths. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUESTS AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1968 was 2,336 compared with 1,986 in 1967 and 1,932 in 1966.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR 1851 TO 1968.

(For 1951 and subsequent years the figures relate to the month of April)

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1892	3,408	1,697	1,711	1933	2,962	1,512	1,450
1852	4,927	2,413	2,514	1893	3,382	1,684	1,698	1934	2,971	1,518	1,453
1853	4,807	2,358	2,449	1894	3,362	1,675	1,687	1935	2,971	1,520	1,451
1854	4,704	2,311	2,393	1895	3,333	1,662	1,671	1936	2,967	1,520	1,447
1855	4,638	2,281	2,357	1896	3,314	1,653	1,661	1937	2,948	1,510	1,438
1856	4,594	2,261	2,333	1897	3,298	1,646	1,652	1938	2,937	1,505	1,432
1857	4,540	2,234	2,306	1898	3,283	1,640	1,643	1939	2,934	1,503	1,431
1858	4,506	2,217	2,289	1899	3,265	1,631	1,634	1940	2,958	1,515	1,443
1859	4,471	2,199	2,272	1900	3,234	1,616	1,618	1941	2,993	1,533	1,460
1860	4,428	2,179	2,249	1901	3,213	1,607	1,606	1942	2,963	1,499	1,464
1861	4,393	2,164	2,229	1902	3,200	1,603	1,597	1943	2,946	1,490	1,456
1862	4,377	2,158	2,219	1903	3,185	1,599	1,586	1944	2,944	1,487	1,457
1863	4,328	2,134	2,194	1904	3,175	1,597	1,578	1945	2,952	1,490	1,462
1864	4,263	2,103	2,160	1905	3,165	1,594	1,571	1946	2,957	1,496	1,461
1865	4,223	2,084	2,139	1906	3,160	1,593	1,567	1947	2,974	1,505	1,469
1866	4,163	2,051	2,112	1907	3,151	1,589	1,562	1948	2,985	1,512	1,473
1867	4,130	2,033	2,097	1908	3,145	1,588	1,557	1949	2,981	1,513	1,468
1868	4,109	2,022	2,087	1909	3,142	1,589	1,553	1950	2,969	1,510	1,459
1869	4,090	2,012	2,078	1910	3,139	1,588	1,551	1951	2,961	1,507	1,454
1870	4,062	1,996	2,066	1911	3,132	1,586	1,546	1952	2,953	1,501	1,452
1871	4,042	1,986	2,056	1912	3,120	1,581	1,539	1953	2,949	1,498	1,451
1872	4,023	1,975	2,048	1913	3,103	1,572	1,531	1954	2,941	1,493	1,448
1873	3,989	1,955	2,034	1914	3,092	1,568	1,524	1955	2,921	1,479	1,442
1874	3,966	1,944	2,022	1915	3,068	1,546	1,522	1956	2,898	1,463	1,435
1875	3,951	1,940	2,011	1916	3,068	1,549	1,519	1957	2,885	1,456	1,429
1876	3,949	1,942	2,007	1917	3,065	1,551	1,514	1958	2,853	1,439	1,414
1877	3,956	1,947	2,009	1918	3,066	1,553	1,513	1959	2,846	1,435	1,411
1878	3,952	1,948	2,004	1919	3,102	1,598	1,504	1960	2,832	1,427	1,405
1879	3,939	1,944	1,995	1920	3,103	1,598	1,505	1961	2,818	1,417	1,402
1880	3,891	1,920	1,971	1921	3,096	1,599	1,497	1962	2,830	1,423	1,407
1881	3,847	1,901	1,946	1922	3,022	1,529	1,493	1963	2,850	1,433	1,417
1882	3,808	1,882	1,926	1923	3,014	1,526	1,488	1964	2,864	1,440	1,424
1883	3,745	1,853	1,892	1924	3,005	1,521	1,484	1965	2,876	1,446	1,430
1884	3,703	1,834	1,869	1925	2,985	1,512	1,473	1966	2,884	1,449	1,435
1885	3,671	1,820	1,851	1926	2,971	1,507	1,464	1967	2,899	1,456	1,443
1886	3,642	1,808	1,834	1927	2,957	1,502	1,455	1968	2,910	1,461	1,449
1887	3,600	1,788	1,812	1928	2,944	1,498	1,446				
1888	3,554	1,766	1,788	1929	2,937	1,496	1,441				
1889	3,516	1,748	1,768	1930	2,927	1,493	1,434				
1890	3,482	1,733	1,749	1931	2,933	1,497	1,436				
1891	3,449	1,718	1,731	1932	2,949	1,505	1,444				

TABLE 2 - ESTIMATED POPULATION BY AGE 1968

Age Group	Total	Males	Females
Under 1	64,200	32,900	31,300
1- 4	248,300	126,800	121,500
5- 9	305,500	155,800	149,700
10-14	290,100	147,900	142,200
15-19	257,200	131,700	125,500
20-24	195,100	99,400	95,700
25-29	158,700	79,900	78,800
30-34	148,400	74,900	73,500
35-39	151,900	76,000	75,900
40-44	159,000	79,100	79,900
45-49	163,800	82,100	81,700
50-54	162,600	82,600	80,000
55-59	149,900	76,800	73,100
60-64	128,100	64,300	63,800
65-69	112,800	54,500	58,300
70-74	93,800	43,600	50,200
75-79	64,500	29,200	35,300
80-84	36,200	15,900	20,300
85 +	19,600	7,700	11,900
All Ages	2,909,700	1,461,100	1,448,600

4

**TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS
OF POPULATION, 1966.**

Area	Persons	Males	Females
Carlow	33,593	17,320	16,273
Dublin County Borough	568,772	267,070	301,702
Dun Laoghaire Borough	51,772	23,159	28,613
Dublin County (remainder)	174,503	85,463	89,040
Kildare	66,404	34,829	31,575
Kilkenny	60,463	31,390	29,073
Laois	44,595	23,622	20,973
Longford	28,989	15,245	13,744
Louth	69,519	34,664	34,855
Meath	67,323	34,877	32,446
Offaly	51,717	27,007	24,710
Westmeath	52,900	27,101	25,799
Wexford	83,437	42,270	41,167
Wicklow	60,428	30,231	30,197
Clare	73,597	38,667	34,930
Cork County Borough	122,146	58,122	64,024
Cork County	217,557	111,888	105,669
Kerry	112,785	58,674	54,111
Limerick County Borough	55,912	26,747	29,165
Limerick County	81,445	42,388	39,057
Tipperary, N.R.	53,843	28,064	25,779
Tipperary S.R.	68,969	35,352	33,617
Waterford County Borough	29,842	14,140	15,702
Waterford County	43,238	22,326	20,912
Galway	148,340	77,696	70,644
Leitrim	30,572	16,444	14,128
Mayo	115,547	59,829	55,718
Roscommon	56,228	29,782	26,446
Sligo	51,263	26,346	24,917
Cavan	54,022	28,803	25,219
Donegal	108,549	55,606	52,943
Monaghan	45,732	23,910	21,822
Total	2,884,002	1,449,032	1,434,970

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1968.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,229	959	493	466	34,243	18,603	15,640	25,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062
1962	15,627	61,782	31,650	30,132	60,671	1,111	534	577	33,838	18,355	15,483	27,944
1963	15,556	63,246	32,486	30,760	62,089	1,157	587	570	33,795	18,199	15,596	29,451
1964	16,128	64,072	32,759	31,313	62,780	1,292	641	651	32,630	17,630	15,000	31,442
1965	16,946	63,525	32,438	31,087	62,122	1,403	708	695	33,022	17,965	15,057	30,503
1966	16,849	62,215	32,173	30,042	60,779	1,436	757	679	35,113	19,148	15,965	27,102
1967	17,788	61,307	31,642	29,665	59,767	1,540	779	761	31,400	17,035	14,365	29,907
1968	18,993	61,004	31,469	29,535	59,446	1,558	782	776	33,157	18,031	15,126	27,847

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1968.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864 - 1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871 - 1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881 - 1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891 - 1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901 - 1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911 - 1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921 - 1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931 - 1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941 - 1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951 - 1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.36	1.69	1,048	11.89	33.10	9.33
1958	5.28	20.86	20.52	0.34	1.64	1,051	12.00	35.44	8.85
1959	5.42	21.15	20.81	0.34	1.59	1,040	12.03	32.02	9.12
1960	5.46	21.46	21.12	0.34	1.59	1,052	11.54	29.26	9.92
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89
1962	5.52	21.83	21.44	0.39	1.80	1,050	11.96	29.13	9.87
1963	5.46	22.19	21.79	0.41	1.83	1,056	11.86	26.59	10.33
1964	5.63	22.37	21.92	0.45	2.02	1,046	11.39	26.72	10.98
1965	5.89	22.09	21.60	0.49	2.21	1,043	11.48	25.25	10.61
1966	5.84	21.57	21.07	0.50	2.31	1,071	12.18	24.95	9.40
1967	6.14	21.15	20.62	0.53	2.51	1,067	10.83	24.43	10.32
1968	6.53	20.96	20.43	0.54	2.55	1,065	11.39	20.98	9.57

TABLE 6 — MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951 — 1968 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951 — 1960 AND THE RATES FOR EACH OF THE YEARS 1961 TO 1968 PER 1,000 OF THE POPULATION

Year	Marriages															Births					Deaths				
	Catholic					All others					Total														
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,068	7,705	33,910
1957	2,572	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
1958	2,587	3,465	5,460	2,971	14,483	105	183	199	91	578	2,692	3,648	5,659	3,062	15,061	14,722	15,966	14,836	13,986	59,510	10,284	8,970	7,099	7,895	34,248
1959	2,412	3,762	5,385	3,189	14,748	121	143	266	142	672	2,533	3,905	5,651	3,331	15,420	14,687	16,342	15,275	13,884	60,188	10,621	9,554	6,667	7,401	34,243
1960	2,817	3,333	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	60,735	9,458	7,958	6,921	8,323	32,660
Average 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
1967	3,114	3,884	6,260	3,839	17,097	141	171	280	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400
1968	3,725	3,747	6,769	4,019	18,260	151	161	286	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157
Equivalent annual rate per 1,000 corresponding population																									
Average 1951-1960	4.2	5.2	7.8	4.8	5.5	3.0	5.0	6.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.6	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.3	5.5	8.5	4.8	5.5	1.9	4.6	5.4	3.5	3.8	3.2	5.5	8.3	4.8	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.8	10.8	12.3
1962	4.1	4.8	8.9	4.5	5.6	3.1	5.1	7.1	2.7	4.5	4.0	4.8	8.8	4.4	5.5	21.7	23.4	22.3	20.1	21.8	15.3	12.1	9.9	10.7	12.0
1963	4.0	4.8	8.4	4.9	5.5	3.2	4.4	7.0	3.9	4.6	3.9	4.8	8.4	4.8	5.5	21.8	23.8	23.1	20.5	22.2	15.1	11.9	10.1	10.6	11.9
1964	3.5	5.9	8.6	4.8	5.7	2.4	4.3	7.6	3.0	4.3	3.5	5.8	8.5	4.7	5.6	21.4	24.4	23.3	21.0	22.4	13.0	12.5	9.8	10.5	11.4
1965	5.0	4.9	9.0	4.9	6.0	2.5	3.6	7.5	3.5	4.3	4.9	4.8	9.0	4.9	5.9	22.1	23.8	22.5	20.1	22.1	13.7	11.0	10.2	11.1	11.5
1966	4.8	4.7	9.0	5.0	5.9	3.3	4.7	7.4	3.7	4.8	4.8	4.7	8.9	5.0	5.8	21.1	23.0	22.4	19.8	21.6	15.4	12.7	9.6	11.1	12.2
1967	4.6	5.7	9.2	5.6	6.3	3.3	4.0	6.5	2.3	4.0	4.5	5.6	9.0	5.4	6.1	20.7	23.0	21.2	19.6	21.1	11.9	10.8	9.8	10.8	10.8
1968	5.4	5.4	9.8	5.8	6.6	4.2	4.5	8.0	3.8	5.2	5.3	5.4	9.7	5.7	6.5	21.3	22.0	21.0	19.5	21.0	14.2	11.4	9.6	10.4	11.4

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1968, WITH RATES
PER 100,000 POPULATION.

Note - The classification of cause of death in this table is based on the Abbreviated List, 1965.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	33,157	1,139.4	15,933	1,060.8
001	Typhoid fever	2	0.1	-	-
004,006	Bacillary dysentery and amoebiasis	-	-	2	0.1
008,009	Enteritis and other diarrhoeal diseases	119	4.1	35	2.3
010-012	Tuberculosis of respiratory system	265	9.1	44	2.9
013-019	Other tuberculosis, including late effects	28	1.0	14	0.9
032	Diphtheria	-	-	-	-
033	Whooping cough	4	0.1	4	0.3
034	Streptococcal sore throat and scarlet fever	-	-	-	-
036	Meningococcal infection	3	0.1	6	0.4
038	Septicaemia	25	0.9	14	0.9
040-043	Acute poliomyelitis	-	-	2	0.1
055	Measles	10	0.3	3	0.2
070	Infectious hepatitis	18	0.6	9	0.6
084	Malaria	1	0.0	-	-
090-097	Syphilis and its sequelae	1	0.0	9	0.6
000,002,003,005,007, 020-031, 035, 037-039 044-054, 056-079 084-089, 098-136	All other infective and parasitic diseases	38	1.3	29	1.9
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-209 (except 201 and 204-207)	(a) Cancer	5,066	174.1	2,672	177.9
201,204-207	(b) Hodgkin's disease and leukaemia	225	7.7	93	6.2
210-239	Benign neoplasms and neoplasms of unspecified nature	105	3.6	28	1.9
250	Diabetes mellitus	283	9.7	132	8.8
260-269	Avitaminoses and other nutritional deficiency	22	0.8	10	0.7
280-285	Anaemias	118	4.1	59	3.9
320	Meningitis	47	1.6	17	1.1
390-392	Active Rheumatic fever	3	0.1	-	-
393-398	Chronic rheumatic heart disease	412	14.2	216	14.4
400-404	Hypertensive disease	721	24.8	300	20.0
410-414	Ischaemic heart disease	7,262	249.6	4,229	281.6
420-429	Other forms of heart disease	3,211	110.3	1,077	71.7

*Exclusive of the Six Counties

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1968, WITH RATES PER 100,000 POPULATION.

Detailed List No.	Cause of death	Ireland [†]		Six Counties	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease ...	4,444	152.7	2,324	154.7
470-474	Influenza ...	315	10.8	77	5.1
480-486	Pneumonia ...	1,415	48.6	687	45.7
490-493	Bronchitis, emphysema and asthma ...	1,960	67.3	849	56.5
531-533	Peptic ulcer ...	228	7.8	112	7.5
540-543	Appendicitis ...	20	0.7	10	0.7
550-553,560	Intestinal obstruction and hernia ...	106	3.6	55	3.7
571	Cirrhosis of liver ...	91	3.1	33	2.2
580-584	Nephritis and nephrosis ...	269	9.2	69	4.6
600	Hyperplasia of prostate ...	160	5.5	44	2.9
640-645	Abortion ...	-	-	2	0.1
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium ...	22	0.8	7	0.5
740-759	Congenital anomalies ...	402	13.8	251	16.7
764-768, 772,776	Birth injury, difficult labour and other anoxia and hypoxic conditions ...	249	8.6	177	11.8
760-763, 769-771 773-775, 777-779	Other causes of peri-natal mortality/ ...	281	9.7	175	11.7
780-796	Senility without mention of psychosis, ill-defined and unknown causes ...	837	28.8	58	3.9
	All other diseases ...	3,031	104.2	1,360	90.6
E810-E823	Motor vehicle accidents ...	412	14.2	219	14.6
E800-E807 E825-E949	All other accidents ...	758	26.1	301	20.0
E950-E959	Suicide and self-inflicted injuries ...	71	2.4	99	6.6
E960-E999	All other external causes ...	97	3.3	20	1.3

*Exclusive of the Six Counties.

†Late foetal deaths not included

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864-1960 AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1961 TO 1968, CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
1962	18,355	1,178	80	59	89	93	202	453	1,265	2,652	4,601	5,448	2,135	100
1963	18,199	1,101	72	56	86	86	182	444	1,207	2,749	4,677	5,434	2,009	96
1964	17,630	1,087	67	50	94	74	225	461	1,271	2,773	4,416	5,064	1,957	91
1965	17,965	1,036	79	45	93	104	176	464	1,175	2,751	4,753	5,065	2,123	101
1966	19,148	1,020	62	58	97	91	177	425	1,268	2,792	5,131	5,580	2,330	117
1967	17,035	981	71	64	91	109	184	352	1,177	2,652	4,692	4,651	1,905	106
1968	18,031	818	91	44	108	137	203	421	1,173	2,874	4,896	5,001	2,143	122
Females														
Average-														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
1962	15,483	883	63	30	37	51	136	376	895	1,675	3,512	5,209	2,434	182
1963	15,596	811	46	38	35	53	145	416	845	1,676	3,548	5,234	2,571	178
1964	15,000	872	57	49	54	50	152	336	861	1,695	3,253	4,987	2,454	180
1965	15,057	797	55	27	41	44	123	317	853	1,580	3,468	5,081	2,463	208
1966	15,965	770	57	38	55	40	123	319	871	1,721	3,757	5,245	2,730	239
1967	14,365	719	47	37	37	42	122	284	838	1,609	3,421	4,531	2,489	189
1968	15,126	662	39	43	48	48	109	307	863	1,660	3,538	4,868	2,708	233
Persons														
Average-														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266
1962	33,838	2,061	143	89	126	144	338	829	2,160	4,327	8,113	10,657	4,569	282
1963	33,795	1,912	118	94	121	139	327	869	2,052	4,425	8,225	10,668	4,580	274
1964	32,630	1,959	124	99	148	124	377	797	2,132	4,468	7,669	10,051	4,411	271
1965	33,022	1,833	134	72	134	148	299	781	2,028	4,331	8,221	10,146	4,586	309
1966	35,113	1,790	119	96	152	131	300	744	2,139	4,513	8,888	10,825	5,060	356
1967	31,400	1,700	118	101	128	151	306	636	2,015	4,261	8,113	9,182	4,394	295
1968	33,157	1,480	130	87	156	185	312	728	2,036	4,534	8,434	9,869	4,851	335

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH OF THE YEARS 1961 to 1968 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE.

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
1962	12.91	7.68	0.54	0.40	0.74	1.16	1.37	2.72	7.41	19.93	48.30	117.49	290.49
1963	12.71	7.17	0.48	0.39	0.70	0.94	1.23	2.76	7.11	20.28	48.97	118.02	265.65
1964	12.25	6.96	0.45	0.34	0.72	0.80	1.57	2.92	7.57	20.29	46.29	108.90	273.07
1965	12.44	6.56	0.52	0.30	0.69	1.07	1.22	2.97	7.11	19.78	49.30	107.08	296.53
1966	13.21	6.32	0.41	0.40	0.73	0.96	1.19	2.70	7.55	20.31	52.74	125.20	302.40
1967	11.70	6.07	0.46	0.44	0.69	1.09	1.22	2.27	7.08	18.99	48.25	104.21	233.62
1968	12.34	5.04	0.59	0.30	0.82	1.38	1.31	2.72	7.14	20.42	50.04	111.03	294.61

Females

1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	36.19	100.91	245.83
1962	11.00	5.99	0.45	0.21	0.33	0.66	0.90	2.20	5.56	12.49	34.76	96.67	241.31
1963	11.01	5.48	0.32	0.28	0.30	0.60	0.97	2.50	5.17	12.45	34.96	95.83	228.00
1964	10.54	5.82	0.40	0.35	0.44	0.56	1.05	2.06	5.30	12.53	31.49	89.69	235.18
1965	10.54	5.27	0.38	0.19	0.33	0.47	0.86	1.96	5.22	11.66	33.28	90.57	240.63
1966	11.13	4.98	0.39	0.27	0.44	0.44	0.84	1.99	5.33	12.90	35.10	97.46	243.26
1967	9.96	4.65	0.32	0.26	0.29	0.44	0.82	1.80	5.13	11.91	31.92	84.02	208.60
1968	10.44	4.26	0.26	0.30	0.38	0.50	0.72	1.97	5.35	12.15	32.67	87.70	246.62

Persons

1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63
1962	11.96	6.85	0.50	0.31	0.54	0.91	1.13	2.46	6.51	16.19	41.33	106.30	261.72
1963	11.86	6.34	0.40	0.33	0.51	0.77	1.09	2.63	6.16	16.38	41.75	105.98	242.93
1964	11.39	6.40	0.43	0.35	0.58	0.69	1.31	2.48	6.45	16.43	38.60	98.44	250.37
1965	11.49	5.93	0.45	0.25	0.51	0.78	1.04	2.46	6.17	15.77	40.98	98.12	263.17
1966	12.18	5.67	0.40	0.34	0.59	0.71	1.01	2.34	6.45	16.66	43.50	110.03	266.84
1967	10.83	5.38	0.39	0.35	0.49	0.77	1.02	2.03	6.12	15.51	39.69	93.16	218.64
1968	11.39	4.66	0.43	0.30	0.61	0.95	1.02	2.35	6.25	16.35	40.92	98.15	264.42

TABLE 10 — BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN
CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number
Total	61,004	-	-	61,004	1,558	-	-	1,558
Carlow	651	75	180	756	7	1	13	19
Dublin County Borough	20,918	8,495	135	12,558	600	244	73	429
Dun Laoghaire Borough	1,290	805	727	1,212	5	4	22	23
Dublin County (remainder)	547	240	4,774	5,081	161	141	81	101
Kildare	405	13	1,253	1,645	10	-	35	45
Kilkenny	870	33	339	1,176	5	-	33	38
Laois	729	16	220	933	5	1	11	15
Longford	350	83	258	525	4	-	14	18
Louth	3,284	1,570	43	1,757	21	11	9	19
Meath	219	6	1,283	1,496	5	-	42	47
Offaly	920	42	275	1,153	6	1	27	32
Westmeath	1,065	221	368	1,212	143	132	33	44
Wexford	1,560	28	364	1,896	29	1	41	69
Wicklow	316	8	1,041	1,349	7	-	39	46
Clare	1,031	10	378	1,399	6	1	12	17
Cork County Borough	6,323	3,339	20	3,004	239	193	9	55
Cork County	1,258	52	2,960	4,166	10	3	86	93
Kerry	1,679	22	333	1,990	16	1	32	47
Limerick County Borough	3,468	2,093	21	1,396	42	22	10	30
Limerick County	53	-	1,438	1,491	2	-	56	58
Tipperary, N.R.	959	182	344	1,121	135	122	18	31
Tipperary, S.R.	1,418	131	130	1,417	14	3	18	29
Waterford County Borough	1,616	882	9	743	9	4	6	11
Waterford County	197	2	625	820	4	1	23	26
Galway	3,652	846	70	2,876	18	4	39	53
Leltrim	194	8	241	427	1	-	6	7
Mayo	1,529	41	359	1,847	6	1	20	25
Roscommon	475	31	402	846	2	-	13	15
Sligo	881	98	68	851	6	1	12	17
Cavan	630	29	359	960	6	-	19	25
Donegal	1,983	28	58	2,013	31	-	20	51
Monaghan	534	62	416	888	3	-	20	23

1968 AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of Infants (under one year)				Natural Increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
33,157	-	-	33,157	1,280	-	-	1,280	27,847	Total
347	26	59	380	14	-	3	17	376	Carlow
7,023	1,710	244	5,557	506	232	-	274	7,001	Dublin County Borough
643	216	200	627	17	9	15	23	585	Dun Laoghaire Borough
819	302	719	1,236	15	-	77	92	3,845	Dublin County (remainder)
508	13	155	650	8	-	28	36	995	Kildare
718	32	78	764	22	1	12	33	412	Kilkenny
481	23	58	516	8	-	11	19	417	Laos
354	7	71	418	4	-	8	12	107	Longford
733	76	40	697	55	18	4	41	1,060	Louth
599	24	130	705	2	1	19	20	791	Meath
513	17	63	559	18	-	9	27	594	Offaly
565	60	70	575	10	2	11	19	637	Westmeath
970	44	89	1,015	20	3	20	37	881	Wexford
474	24	242	692	11	-	21	32	657	Wicklow
907	13	76	970	33	1	9	41	429	Clare
2,009	710	72	1,371	129	72	2	59	1,633	Cork County Borough
2,154	72	706	2,788	18	2	68	84	1,378	Cork County
1,516	12	84	1,588	32	1	13	44	402	Kerry
702	245	117	574	55	37	6	24	822	Limerick County Borough
1,033	166	220	1,087	28	12	19	35	404	Limerick County
612	16	84	680	23	1	13	35	441	Tipperary, N.R.
842	64	74	852	15	2	8	21	565	Tipperary, S.R.
559	203	13	369	30	14	3	19	374	Waterford County Borough
350	8	189	531	5	-	9	14	289	Waterford County
1,944	229	45	1,760	93	27	2	68	1,116	Galway
393	3	56	446	4	-	4	8	-19	Leitrim
1,364	10	132	1,486	13	-	18	31	361	Mayo
700	17	116	799	11	-	8	19	47	Roscommon
696	26	33	703	16	1	1	16	148	Sligo
718	9	71	780	13	1	6	18	180	Cavan
1,366	11	48	1,403	44	2	4	46	610	Donegal
545	31	65	579	8	-	8	16	309	Monaghan

TABLE 11 - MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1968 SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuber- culosis	Malignant neo- plasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
1968 TOTAL	18,993	31,469	29,535	61,004	782	776	1,558	18,031	15,126	33,157	1,280	293	5,291
Carlow	213	409	347	756	9	10	19	219	161	380	17	4	60
Dublin Co. Borough	5,467	6,515	6,043	12,558	227	202	429	2,782	2,775	5,557	274	76	1,078
Dun Laoghaire Borough	434	618	594	1,212	16	7	23	310	317	627	23	9	116
Dublin Co. (remainder)	870	2,651	2,430	5,081	47	54	101	626	610	1,236	92	10	228
Kildare	441	842	803	1,645	28	17	45	385	265	650	36	2	103
Kilkenny	352	595	581	1,176	21	17	38	431	333	764	33	3	115
Laois	252	493	440	933	8	7	15	307	209	516	19	4	90
Longford	164	278	247	525	8	10	18	212	206	418	12	5	68
Louth	504	889	868	1,757	10	9	19	387	310	697	41	3	125
Meath	413	780	716	1,496	18	29	47	385	320	705	20	11	98
Offaly	230	602	551	1,153	16	16	32	315	244	559	27	1	90
Westmeath	384	613	599	1,212	21	23	44	338	237	575	19	3	83
Wexford	513	999	897	1,896	29	40	69	566	449	1,015	37	7	157
Wicklow	461	712	637	1,349	21	25	46	375	317	692	32	1	118
LEINSTER	10,698	16,996	15,753	32,749	479	466	945	7,638	6,753	14,391	682	139	2,529
Clare	363	680	719	1,399	10	7	17	580	390	970	41	12	130
Cork Co. Borough	1,043	1,557	1,447	3,004	29	26	55	656	715	1,371	59	11	247
Cork County	1,124	2,124	2,042	4,166	50	43	93	1,596	1,192	2,788	84	17	408
Kerry	573	1,030	960	1,990	21	26	47	899	689	1,588	44	19	212
Limerick Co. Borough	563	742	654	1,396	16	14	30	294	280	574	24	4	101
Limerick County	378	768	723	1,491	31	27	58	609	478	1,087	35	14	156
Tipperary, N.R.	295	594	527	1,121	14	17	31	363	317	680	35	6	94
Tipperary, S.R.	394	700	717	1,417	13	16	29	474	378	852	21	8	138
Waterford Co. Borough	282	391	352	743	6	5	11	184	185	369	19	9	64
Waterford County	229	423	397	820	14	12	26	316	215	531	14	6	91
MUNSTER	5,244	9,009	8,538	17,547	204	193	397	5,971	4,839	10,810	376	106	1,641
Galway	825	1,435	1,441	2,876	26	27	53	987	773	1,760	68	13	242
Leitrim	87	230	197	427	1	6	7	237	209	446	8	1	53
Mayo	491	938	909	1,847	14	11	25	792	694	1,486	31	6	211
Roscommon	246	447	399	846	7	8	15	468	331	799	19	3	118
Sligo	226	476	375	851	8	9	17	382	321	703	16	3	106
CONNACHT	1,875	3,526	3,321	6,847	56	61	117	2,866	2,328	5,194	142	26	730
Cavan	252	493	467	960	11	14	25	458	322	780	18	7	88
Donegal	653	989	1,024	2,013	22	29	51	770	633	1,403	46	8	219
Monaghan	271	456	432	888	10	13	23	328	251	579	16	7	84
ULSTER (part of)	1,176	1,938	1,923	3,861	43	56	99	1,556	1,206	2,762	80	22	391

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1968.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegit- imate% of total births	All causes	Tuber- culosis	Malignant neoplasms	
TOTAL	6.53	20.96	2.55	11.39	0.10	1.82	20.98
Carlow	6.33	22.48	2.51	11.30	0.12	1.78	22.49
Dublin County Borough	9.43	21.67	3.42	9.59	0.13	1.86	21.82
Dun Laoghaire Borough	8.13	22.69	1.90	11.74	0.17	2.17	18.98
Dublin County (remainder)	4.51	26.37	1.99	6.41	0.05	1.18	18.11
Kildare	6.55	24.45	2.74	9.66	0.03	1.53	21.88
Kilkenny	5.87	19.62	3.23	12.75	0.05	1.92	28.06
Laois	5.70	21.12	1.61	11.68	0.09	2.04	20.36
Longford	5.79	18.55	3.43	14.77	0.18	2.40	22.86
Louth	7.15	24.92	1.08	9.89	0.04	1.77	23.34
Meath	6.05	21.92	3.14	10.33	0.16	1.44	13.37
Offaly	4.44	22.28	2.78	10.80	0.02	1.74	23.42
Westmeath	7.27	22.94	3.63	10.88	0.06	1.57	15.68
Wexford	6.14	22.68	3.64	12.14	0.08	1.88	19.51
Wicklow	7.53	22.04	3.41	11.31	0.02	1.93	23.72
LEINSTER	7.39	22.63	2.89	9.94	0.10	1.75	20.83
Clare	4.94	19.04	1.22	13.20	0.16	1.77	29.31
Cork County Borough	8.20	23.63	1.83	10.78	0.09	1.94	19.64
Cork County	5.19	19.25	2.23	12.88	0.08	1.89	20.16
Kerry	5.16	17.94	2.36	14.31	0.17	1.91	22.11
Limerick County Borough	9.67	23.97	2.15	9.86	0.07	1.73	17.19
Limerick County	4.67	18.42	3.89	13.43	0.17	1.93	23.47
Tipperary, N.R.	5.48	20.83	2.77	12.64	0.11	1.75	31.22
Tipperary, S.R.	5.76	20.72	2.05	12.46	0.12	2.02	14.82
Waterford County Borough	9.28	24.44	1.48	12.14	0.30	2.11	25.57
Waterford County	5.30	18.96	3.17	12.28	0.14	2.10	17.07
MUNSTER	6.08	20.33	2.26	12.53	0.12	1.90	21.43
Galway	5.60	19.52	1.84	11.95	0.09	1.64	23.64
Leitrim	2.96	14.55	1.64	15.19	0.03	1.81	18.74
Mayo	4.38	16.47	1.35	13.25	0.05	1.88	16.78
Roscommon	4.47	15.39	1.77	14.53	0.05	2.15	22.46
Sligo	4.49	16.89	2.00	13.95	0.06	2.10	18.80
CONNACHT	4.76	17.37	1.71	13.18	0.07	1.85	20.74
Cavan	4.75	18.11	2.60	14.71	0.13	1.66	18.75
Donegal	6.13	18.90	2.53	13.17	0.08	2.06	22.85
Monaghan	5.99	19.62	2.59	12.79	0.15	1.86	18.02
ULSTER (part of)	5.74	18.86	2.56	13.49	0.11	1.91	20.72

TABLE 13 - DEATHS REGISTERED IN 1968 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	18,031	6,262	8,193	3,576	15,126	4,562	3,595	6,969
Under 15 years	953	953	-	-	744	744	-	-
15-19	108	108	-	-	48	47	1	-
20-24	137	120	17	-	48	43	5	-
25-29	100	70	30	-	41	16	24	1
30-34	103	59	44	-	68	14	54	-
35-39	141	71	70	-	95	27	65	3
40-44	280	112	166	2	212	64	140	8
45-49	462	173	283	6	374	115	240	19
50-54	711	268	415	28	489	142	295	52
55-59	1,146	349	737	60	658	182	360	116
60-64	1,728	525	1,058	145	1,002	302	482	218
65-69	2,207	660	1,265	282	1,396	374	533	489
70-74	2,689	810	1,373	506	2,142	614	556	972
75-79	2,695	821	1,206	668	2,382	662	419	1,301
80-84	2,306	633	854	819	2,486	587	279	1,620
85 and over	2,265	530	675	1,060	2,941	629	142	2,170

TABLE 14 BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1968 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,036	1,965	4,001	1,009	920	1,929
Carlow	110	95	205	56	35	91
Athy	49	40	89	24	11	35
Naas	42	50	92	22	19	41
Longford	44	40	84	17	31	48
Ceanannus Mor	36	32	68	13	6	19
An Uaimh	56	57	113	18	29	47
Trim	23	17	40	7	7	14
Birr	41	27	68	20	23	43
Tullamore	88	77	165	31	28	59
Athlone	109	109	218	40	30	70
Enniscorthy	66	52	118	39	25	64
New Ross	42	74	116	19	19	38
Arklow	90	65	155	28	27	55
Wicklow	51	46	97	18	17	35
Ennis	84	105	189	40	38	78
Kilrush	19	23	42	17	17	34
Clonakilty	20	19	39	20	13	33
Cobh	74	71	145	29	38	67
Fermoy	31	37	68	27	22	49
Kinsale	15	12	27	21	13	34
Macroom	18	18	36	14	13	27
Mallow	66	53	119	24	25	49
Midleton	23	27	50	13	11	24
Skibbereen	27	17	44	12	9	21
Youghal	57	73	130	32	25	57
Killarney	57	49	106	26	41	67
Listowel	31	16	47	19	17	36
Nenagh	48	39	87	17	24	41
Templemore	17	22	39	16	16	32
Thurles	71	52	123	35	34	69
Carrick-on-Suir	52	49	101	24	16	40
Cashel	16	28	44	18	13	31
Tipperary	46	44	90	32	31	63
Dungarvan	44	50	94	28	27	55
Ballinasloe	19	20	39	18	16	34
Ballina	77	65	142	31	18	49
Castlebar	32	47	79	14	19	33
Westport	29	25	54	11	15	26
Cavan	31	39	70	21	12	33
Buncrana	24	21	45	13	9	22
Bundoran	8	19	27	7	12	19
Letterkenny	41	37	78	15	10	25
Carrickmacross	24	17	41	9	12	21
Castleblayney	18	15	33	15	11	26
Clones	21	21	42	18	12	30
Monaghan	49	54	103	21	24	45

TABLE 15 - BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1968, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	31,469	29,535	61,004	782	776	1,558	18,031	15,126	33,157	293	5,291
Dublin County Borough	6,515	6,043	12,558	227	202	429	2,782	2,775	5,557	76	1,078
Cork County Borough	1,557	1,447	3,004	29	26	55	656	715	1,371	11	247
Limerick County Borough	742	654	1,396	16	14	30	294	280	574	4	101
Waterford County Borough	391	352	743	6	5	11	184	185	369	9	64
Dun Laoghaire Borough	618	594	1,212	16	7	23	310	317	627	9	116
Municipal Boroughs:											
Galway	284	298	582	3	2	5	110	118	228	1	27
Drogheda	270	251	521	2	2	4	86	77	163	1	32
Sligo	159	124	283	3	2	5	78	68	146	-	30
Wexford	125	151	276	3	5	8	65	55	120	-	22
Clonmel	131	163	294	-	4	4	56	47	103	2	20
Kilkenny	118	140	258	3	4	7	66	67	133	-	29
Urban Districts:											
Dundalk	233	228	461	2	3	5	104	89	193	2	44
Bray	158	150	308	4	4	8	75	73	148	1	28
Tralee	126	127	253	-	2	2	73	71	144	-	16
Total above Principal Towns	11,427	10,722	22,149	314	282	596	4,939	4,937	9,876	116	1,854
Total other Urban Districts	2,036	1,965	4,001	33	30	63	1,009	920	1,929	23	292
All Boroughs and Urban Districts:											
Leinster	8,884	8,338	17,222	272	240	512	3,840	3,760	7,600	97	1,444
Munster	3,763	3,547	7,310	63	60	123	1,727	1,741	3,468	36	580
Connacht	600	579	1,179	8	5	13	262	254	516	2	87
Ulster (part of)	216	223	439	4	7	11	119	102	221	4	35
Total - Boroughs and Urban Districts	13,463	12,687	26,150	347	312	659	5,948	5,857	11,805	139	2,146
All Rural Districts:											
Leinster	8,112	7,415	15,527	207	226	433	3,798	2,993	6,791	42	1,085
Munster	5,246	4,991	10,237	141	133	274	4,244	3,098	7,342	70	1,061
Connacht	2,926	2,742	5,668	48	56	104	2,604	2,074	4,678	24	643
Ulster (part of)	1,722	1,700	3,422	39	49	88	1,437	1,104	2,541	18	356
Total - Rural Districts	18,006	16,848	34,854	435	464	899	12,083	9,269	21,352	154	3,145

TABLE 16 – BIRTH AND DEATH RATES IN 1968 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	20.96	2.55	11.39	0.10	1.82
Dublin County Borough	21.67	3.42	9.59	0.13	1.86
Cork County Borough	23.63	1.83	10.78	0.09	1.94
Limerick County Borough	23.97	2.15	9.86	0.07	1.73
Waterford County Borough	24.44	1.48	12.14	0.30	2.11
Dun Laoghaire Borough	22.69	1.90	11.74	0.17	2.17
Municipal Boroughs:					
Galway	23.66	0.86	9.27	0.04	1.10
Drogheda	29.09	0.77	9.10	0.06	1.79
Sligo	21.08	1.77	10.88	-	2.23
Wexford	23.91	2.90	10.40	-	1.91
Clonmel	26.65	1.36	9.34	0.18	1.81
Kilkenny	25.67	2.71	13.23	-	2.88
Urban Districts:					
Dundalk	23.05	1.08	9.65	0.10	2.20
Bray	24.25	2.60	11.65	0.08	2.20
Tralee	22.56	0.79	12.84	-	1.43
Total above Principal Towns	23.05	2.69	10.28	0.12	1.93
All other Urban Districts	21.11	1.57	10.18	0.12	1.54
All Boroughs and Urban Districts:					
Leinster	22.66	2.97	10.00	0.13	1.90
Munster	23.60	1.68	11.20	0.12	1.87
Connacht	20.16	1.10	8.82	0.03	1.49
Ulster (part of)	19.78	2.51	9.96	0.18	1.58
Total – Boroughs and Urban Districts	22.73	2.52	10.26	0.12	1.87
All Rural Districts:					
Leinster	23.73	2.79	10.38	0.06	1.66
Munster	18.63	2.68	13.36	0.13	1.93
Connacht	16.50	1.83	13.62	0.07	1.87
Ulster (part of)	18.39	2.57	13.65	0.10	1.91
Total – Rural Districts	20.11	2.58	12.32	0.09	1.81

TABLE 17 - DEATHS REGISTERED IN 1968 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	11,805	5,948	5,857	21,352	12,083	9,269	33,157	18,031	15,126
Under 1 year	573	295	278	707	405	302	1,280	700	580
1 year	33	18	15	48	26	22	81	44	37
2 years	21	16	5	38	24	14	59	40	19
3 "	14	7	7	18	10	8	32	17	15
4 "	18	11	7	10	6	4	28	17	11
1-4 "	86	52	34	114	66	48	200	118	82
5 "	9	6	3	20	13	7	29	19	10
6 "	10	7	3	15	11	4	25	18	7
7 "	10	7	3	12	10	2	22	17	5
8 "	16	12	4	15	10	5	31	22	9
9 "	10	8	2	13	7	6	23	15	8
5-9 "	55	40	15	75	51	24	130	91	39
10 "	10	4	6	11	7	4	21	11	10
11 "	10	4	6	13	4	9	23	8	15
12 "	5	3	2	14	8	6	19	11	8
13 "	4	2	2	7	4	3	11	6	5
14 "	2	2	-	11	6	5	13	8	5
10-14 "	31	15	16	56	29	27	87	44	43
15 "	8	6	2	27	16	11	35	22	13
16 "	15	10	5	14	11	3	29	21	8
17 "	9	7	2	19	14	5	28	21	7
18 "	11	8	3	23	17	6	34	25	9
19 "	12	6	6	18	13	5	30	19	11
15-19 "	55	37	18	101	71	30	156	108	48
20 "	18	15	3	31	25	6	49	40	9
21 "	17	9	8	20	18	2	37	27	10
22 "	17	12	5	19	13	6	36	25	11
23 "	16	12	4	18	12	6	34	24	10
24 "	11	9	2	18	12	6	29	21	8
20-24 "	79	57	22	106	80	26	185	137	48
25 "	11	8	3	18	13	5	29	21	8
26 "	9	7	2	14	12	2	23	19	4
27 "	10	5	5	19	15	4	29	20	9
28 "	13	9	4	20	13	7	33	22	11
29 "	11	6	5	16	12	4	27	18	9
25-29 "	54	35	19	87	65	22	141	100	41
30 "	8	4	4	18	11	7	26	15	11
31 "	6	4	2	20	16	4	26	20	6
32 "	15	9	6	14	7	7	29	16	13
33 "	13	6	7	26	18	8	39	24	15
34 "	20	8	12	31	20	11	51	28	23
30-34 "	62	31	31	109	72	37	171	103	68

TABLE 17 (contd.) - DEATHS REGISTERED IN 1968 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	13	10	3	26	18	8	39	28	11
36 "	18	8	10	26	12	14	44	20	24
37 "	14	7	7	26	20	6	40	27	13
38 "	26	21	5	35	15	20	61	36	25
39 "	26	11	15	26	19	7	52	30	22
35-39 "	97	57	40	139	84	55	236	141	95
40 "	35	16	19	44	22	22	79	38	41
41 "	32	23	9	38	24	14	70	47	23
42 "	44	24	20	71	41	30	115	65	50
43 "	52	26	26	56	33	23	108	59	49
44 "	55	27	28	65	44	21	120	71	49
40-44 "	218	116	102	274	164	110	492	280	212
45 "	62	32	30	68	34	34	130	66	64
46 "	63	35	28	85	46	39	148	81	67
47 "	79	44	35	86	44	42	165	88	77
48 "	90	55	35	108	63	45	198	118	80
49 "	76	41	35	119	68	51	195	109	86
45-49 "	370	207	163	466	255	211	836	462	374
50 "	78	43	35	138	89	49	216	132	84
51 "	76	43	33	121	64	57	197	107	90
52 "	95	54	41	136	78	58	231	132	99
53 "	101	54	47	148	102	46	249	156	93
54 "	136	77	59	171	107	64	307	184	123
50-54 "	486	271	215	714	440	274	1,200	711	489
55 "	106	70	36	160	110	50	266	180	86
56 "	155	89	66	208	132	76	363	221	142
57 "	151	94	57	223	151	72	374	245	129
58 "	182	109	73	247	151	96	429	260	169
59 "	158	99	59	214	141	73	372	240	132
55-59 "	752	461	291	1,052	685	367	1,804	1,146	658
60 "	236	141	95	367	240	127	603	381	222
61 "	163	101	62	258	163	95	421	264	157
62 "	246	149	97	341	208	133	587	357	230
63 "	227	145	82	293	176	117	520	321	199
64 "	221	140	81	378	265	113	599	405	194
60-64 "	1,093	676	417	1,637	1,052	585	2,730	1,728	1,002
65 "	259	160	99	426	281	145	685	441	244
66 "	230	132	98	328	209	119	558	341	217
67 "	307	201	106	405	240	165	712	441	271
68 "	353	201	152	557	345	212	910	546	364
69 "	277	163	114	461	275	186	738	438	300
65-69 "	1,426	857	569	2,177	1,350	827	3,603	2,207	1,396

TABLE 17 (contd.) – DEATHS REGISTERED IN 1968 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	381	192	189	604	350	254	985	542	443
71 "	287	159	128	440	261	179	727	420	307
72 "	340	158	182	677	389	288	1,017	547	470
73 "	344	178	166	657	396	261	1,001	574	427
74 "	391	198	193	710	408	302	1,101	606	495
70-74 "	1,743	885	858	3,088	1,804	1,284	4,831	2,689	2,142
75 "	368	180	188	723	397	326	1,091	577	514
76 "	346	160	186	714	415	299	1,060	575	485
77 "	336	156	180	640	375	265	976	531	445
78 "	343	157	186	714	393	321	1,057	550	507
79 "	275	115	160	618	347	271	893	462	431
75-79 "	1,668	768	900	3,409	1,927	1,482	5,077	2,695	2,382
80 "	372	149	223	811	420	391	1,183	569	614
81 "	269	104	165	579	306	273	848	410	438
82 "	267	114	153	694	373	321	961	487	474
83 "	245	95	150	607	307	300	852	402	450
84 "	296	111	185	652	327	325	948	438	510
80-84 "	1,449	573	876	3,343	1,733	1,610	4,792	2,306	2,486
85 "	287	108	179	567	322	245	854	430	424
86 "	218	81	137	557	290	267	775	371	404
87 "	212	80	132	503	226	277	715	306	409
88 "	172	50	122	453	213	240	625	263	362
89 "	122	51	71	323	160	163	445	211	234
85-89 "	1,011	370	641	2,403	1,211	1,192	3,414	1,581	1,833
90 "	122	44	78	346	143	203	468	187	281
91 "	94	29	65	240	107	133	334	136	198
92 "	76	22	54	180	86	94	256	108	148
93 "	56	13	43	165	61	104	221	74	147
94 "	39	8	31	119	49	70	158	57	101
90-94 "	387	116	271	1,050	446	604	1,437	562	875
95 "	31	12	19	82	34	48	113	46	67
96 "	31	6	25	64	23	41	95	29	66
97 "	20	4	16	38	14	24	58	18	40
98 "	12	4	8	39	13	26	51	17	34
99 "	8	1	7	10	3	7	18	4	14
95-99 "	102	27	75	233	87	146	335	114	221
100 "	3	2	1	5	3	2	8	5	3
101 "	4	-	4	3	1	2	7	1	6
102 "	1	-	1	2	1	1	3	1	2
104 "	-	-	-	1	1	-	1	1	-
106 "	-	-	-	1	-	1	1	-	1
100 years and over	8	2	6	12	6	6	20	8	12

TABLE 18 - DEATHS REGISTERED IN 1968 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,031	700	44	40	17	17	818	91	44	108	137	100
	Females	15,126	580	37	19	15	11	662	39	43	48	48	41
LEINSTER	Males	7,638	368	26	21	8	9	432	47	22	61	61	54
	Females	6,753	314	22	12	10	6	364	17	20	27	27	27
MUNSTER	Males	5,971	210	13	15	8	7	253	29	12	27	48	31
	Females	4,839	166	11	6	5	4	192	15	11	11	15	8
CONNACHT	Males	2,866	80	5	4	1	-	90	10	6	12	15	11
	Females	2,328	62	2	1	-	1	66	6	7	4	4	6
ULSTER (part of)	Males	1,556	42	-	-	-	1	43	5	4	8	13	4
	Females	1,206	38	2	-	-	-	40	1	5	6	2	-
LEINSTER													
Carlow	Males	219	11	1	2	1	-	15	-	-	1	1	-
	Females	161	6	1	-	-	-	7	-	2	-	2	-
Dublin County Borough	Males	2,782	143	9	7	2	7	168	17	2	20	20	18
	Females	2,775	131	8	3	5	5	152	5	8	15	15	11
Dun Laoghaire Borough	Males	310	11	-	1	2	-	14	4	1	-	6	2
	Females	317	12	2	-	1	-	15	-	-	-	1	-
Dublin County (remainder)	Males	626	54	7	3	-	-	64	6	1	7	5	6
	Females	610	38	4	4	1	-	47	4	-	2	2	3
Kildare	Males	385	17	1	1	-	-	19	2	1	4	5	4
	Females	265	19	-	1	-	-	20	1	1	2	-	1
Kilkenny	Males	431	14	1	-	-	-	15	-	2	5	4	3
	Females	333	19	-	-	-	-	19	-	1	-	-	1
Laois	Males	307	11	-	-	-	-	11	2	-	2	3	1
	Females	209	8	1	-	-	-	9	-	1	2	-	1
Longford	Males	212	10	-	1	-	-	11	4	1	1	3	2
	Females	206	2	1	-	-	-	3	-	-	1	-	4
Louth	Males	387	28	1	-	1	-	30	2	5	4	4	2
	Females	310	13	1	1	1	-	16	2	-	-	-	1
Meath	Males	385	7	-	1	1	-	9	2	2	6	4	6
	Females	320	13	-	1	-	-	14	1	-	1	1	-
Offaly	Males	315	18	-	1	-	-	19	-	-	3	2	-
	Females	244	9	2	1	-	-	12	-	1	1	1	-
Westmeath	Males	338	7	3	-	-	-	10	3	1	1	1	3
	Females	237	12	1	-	2	-	15	1	2	1	2	1
Wexford	Males	566	19	3	3	1	-	26	4	2	1	2	4
	Females	449	18	1	1	-	-	20	2	1	2	2	4
Wicklow	Males	375	18	-	1	-	2	21	1	4	6	1	3
	Females	317	14	-	-	-	1	15	1	3	-	1	-

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
103 68	141 95	280 212	462 374	711 489	1,146 658	1,728 1,002	2,207 1,396	2,689 2,142	2,695 2,382	2,306 2,486	2,265 2,941	Males Females	
42 44	60 47	139 115	246 191	325 237	572 327	765 476	1,015 608	1,111 931	1,063 1,070	831 1,074	792 1,151	Males Females	LEINSTER
40 16	49 26	81 60	138 108	224 156	339 205	581 325	719 481	963 709	852 769	812 775	773 957	Males Females	MUNSTER
14 3	19 17	38 23	46 44	95 62	155 69	225 137	305 204	407 343	514 364	437 415	467 554	Males Females	CONNACHT
7 5	13 5	22 14	32 31	67 34	80 57	157 64	168 103	208 159	266 179	226 222	233 279	Males Females	ULSTER (part of)
													LEINSTER
2 1	1 1	3 7	6 7	7 3	17 6	19 10	23 12	37 18	29 25	30 30	28 30	Males Females	Carlow
16 14	29 19	62 62	109 76	131 106	248 154	350 204	418 256	388 402	351 420	233 400	202 456	Males Females	Dublin County Borough
- 2	3 3	5 2	10 7	12 13	19 14	30 23	48 24	42 40	42 49	34 58	38 66	Males Females	Dun Laoghaire Borough
6 7	4 8	15 9	23 21	36 27	40 21	42 48	83 64	73 62	79 93	79 96	57 96	Males Females	Dublin County (remainder)
2 3	3 2	3 4	10 9	22 9	27 13	49 23	60 29	44 31	60 41	28 31	42 45	Males Females	Kildare
3 1	3 -	3 1	18 8	14 8	31 14	30 23	47 28	68 47	68 65	57 58	60 59	Males Females	Kilkenny
1 1	- -	7 2	6 2	15 12	18 8	34 12	36 17	59 36	37 34	38 33	37 39	Males Females	Laois
1 -	1 1	1 1	5 5	9 6	15 7	16 6	21 17	37 34	32 47	27 35	25 39	Males Females	Longford
1 6	4 2	7 8	8 8	11 9	28 11	32 25	42 27	58 35	56 51	49 59	44 50	Males Females	Louth
2 4	3 -	4 3	9 8	14 7	34 17	31 25	58 26	57 47	44 57	47 50	53 59	Males Females	Meath
2 1	1 -	1 4	13 5	7 9	17 18	27 11	36 22	57 32	48 40	38 45	44 42	Males Females	Offaly
2 1	2 3	7 3	2 8	10 5	16 11	21 17	43 11	52 27	64 36	64 40	36 53	Males Females	Westmeath
3 2	2 7	15 4	14 17	19 16	38 20	47 22	62 38	88 76	92 63	73 81	74 72	Males Females	Wexford
1 1	4 1	6 5	13 10	18 7	24 13	37 27	38 37	51 44	61 49	34 58	52 45	Males Females	Wicklow

TABLE 18 (contd.) - DEATHS REGISTERED IN 1968 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	580	22	-	-	1	2	25	3	-	2	2	5
	Females	390	19	2	1	-	-	22	-	1	1	2	1
Cork County Borough	Males	656	26	3	2	-	1	32	4	3	3	11	5
	Females	715	33	3	2	-	1	39	2	1	-	-	4
Cork County	Males	1,596	47	1	5	3	2	58	6	4	11	12	8
	Females	1,192	37	2	2	1	2	44	3	5	4	4	-
Kerry	Males	899	25	1	2	1	1	30	5	-	3	6	2
	Females	689	19	3	-	1	-	23	3	1	1	5	-
Limerick County Borough	Males	294	11	2	1	-	-	14	4	1	2	2	1
	Females	280	13	-	-	-	-	13	3	-	-	1	-
Limerick County	Males	609	22	2	-	-	-	24	1	2	1	4	3
	Females	478	13	1	-	2	1	17	2	1	-	-	1
Tipperary, North Riding	Males	363	26	-	2	1	-	29	3	1	2	-	1
	Females	317	9	-	-	-	-	9	1	-	3	-	1
Tipperary, South Riding	Males	474	14	1	1	2	1	19	2	-	2	1	3
	Females	378	7	-	-	1	-	8	1	-	-	2	1
Waterford County Borough	Males	184	12	-	-	-	-	12	-	-	-	5	2
	Females	185	7	-	-	-	-	7	-	1	1	-	-
Waterford County	Males	316	5	3	2	-	-	10	1	1	1	5	1
	Females	215	9	-	1	-	-	10	-	1	1	1	-
CONNACHT													
Galway	Males	987	35	2	2	-	-	39	6	2	4	8	6
	Females	773	33	1	1	-	-	35	4	1	2	-	2
Leitrim	Males	237	6	-	-	-	-	6	-	1	2	1	-
	Females	209	2	-	-	-	-	2	1	-	-	-	1
Mayo	Males	792	19	-	1	-	-	20	2	1	3	2	3
	Females	694	12	1	-	-	1	14	1	5	2	2	1
Roscommon	Males	468	10	2	1	1	-	14	2	2	1	3	2
	Females	331	9	-	-	-	-	9	-	1	-	2	1
Sligo	Males	382	10	1	-	-	-	11	-	-	2	1	-
	Females	321	6	-	-	-	-	6	-	-	-	-	1
ULSTER (part of)													
Cavan	Males	458	11	-	-	-	-	11	-	1	4	5	1
	Females	322	7	1	-	-	-	8	-	2	5	-	-
Donegal	Males	770	21	-	-	-	1	22	2	2	4	5	1
	Females	633	25	-	-	-	-	25	-	3	-	2	-
Monaghan	Males	328	10	-	-	-	-	10	3	1	-	3	2
	Females	251	6	1	-	-	-	7	1	-	1	-	-

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
MUNSTER													
3	3	8	14	23	21	39	56	101	99	88	88	Males	Clare
1	3	4	8	12	19	29	31	42	67	65	82	Females	
7	5	9	18	35	40	81	104	91	69	76	63	Males	Cork County Borough
2	5	19	25	25	22	51	68	116	116	98	122	Females	
12	20	18	35	50	92	140	197	257	240	231	205	Males	Cork County
4	3	13	19	42	60	80	117	166	181	220	227	Females	
5	9	9	13	36	52	92	109	142	131	127	128	Males	Kerry
2	3	2	14	21	27	40	74	104	117	102	150	Females	
2	1	9	6	15	19	32	41	55	37	26	27	Males	Limerick County Borough
2	1	6	12	10	9	21	34	39	35	40	54	Females	
3	5	6	14	13	41	60	58	110	89	78	97	Males	Limerick County
-	1	2	7	12	22	40	53	63	73	82	102	Females	
2	1	8	7	15	14	30	34	54	59	54	49	Males	Tipperary, North Riding
-	2	7	6	12	15	18	24	58	54	39	68	Females	
6	1	9	16	17	28	57	57	74	65	65	52	Males	Tipperary, South Riding
1	4	5	10	12	15	32	39	49	66	60	73	Females	
-	2	2	7	5	14	18	22	30	24	25	16	Males	Waterford County Borough
3	2	-	3	4	12	9	21	32	27	33	30	Females	
-	2	3	8	15	18	32	41	49	39	42	48	Males	Waterford County
1	2	2	4	6	4	5	20	40	33	36	49	Females	
CONNACHT													
5	10	16	21	39	56	77	112	139	150	149	148	Males	Galway
2	6	8	13	28	24	54	80	105	121	125	163	Females	
-	2	2	3	8	11	26	21	32	40	43	39	Males	Leitrim
-	1	2	5	4	9	12	17	38	28	42	47	Females	
4	3	7	14	35	36	55	77	107	143	120	160	Males	Mayo
1	5	7	9	18	15	38	54	94	115	128	185	Females	
3	1	8	3	5	36	35	53	56	100	71	73	Males	Roscommon
-	2	3	10	7	10	17	23	60	47	63	76	Females	
2	3	5	5	8	16	32	42	73	81	54	47	Males	Sligo
-	3	3	7	5	11	16	30	46	53	57	83	Females	
ULSTER (part of)													
2	3	6	7	27	20	43	48	60	82	62	76	Males	Cavan
1	-	5	9	9	15	16	24	49	45	63	71	Females	
5	7	11	15	25	41	82	79	105	131	114	119	Males	Donegal
4	5	5	20	15	28	32	52	78	97	108	159	Females	
-	3	5	10	15	19	32	41	43	53	50	38	Males	Monaghan
-	-	4	2	10	14	16	27	32	37	51	49	Females	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
108 48	137 48	100 41	103 68	141 95	280 212	462 374	711 489	1,146 658	1,728 1,002	2,207 1,396	2,689 2,142	2,695 2,382	2,306 2,486	2,265 2,941	000-136
2 1	5 1	- 1	4 3	8 5	13 9	17 13	24 14	32 12	31 12	40 15	38 9	16 14	12 7	4 12	001
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	008
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	009
1	1	-	-	-	-	-	-	-	-	1	1	-	2	1	010-019
1	3	-	3	8	10	16	22	28	25	35	29	13	8	1	011
-	-	1	2	2	6	9	13	11	11	9	6	11	4	3	013
1	3	-	3	7	9	15	20	27	25	31	26	12	8	1	014
-	-	1	1	1	6	9	12	10	9	8	5	10	3	2	015
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	016
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	017
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	018
-	-	-	-	1	1	-	-	-	1	1	1	1	-	1	019
-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	023
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	033
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	035
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	036
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	037
-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	038
-	-	-	-	1	-	1	-	-	1	2	2	2	-	2	039
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	053
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	054
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	055
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	056
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	065
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	066

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
070	Infectious hepatitis	M	9	1	-	-	-	-	1	-	-
		F	9	-	-	-	-	-	-	-	-
072	Mumps	M	1	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-
079	Other viral diseases	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
084	Malaria	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
093	Cardiovascular syphilis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
112	Moniliasis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
135	Sarcoidosis	M	4	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
140-239	II. Neoplasms	M	2,891	2	2	4	3	3	14	17	5
		F	2,505	1	1	6	2	2	12	5	13
140-209	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,835	2	2	4	2	3	13	17	5
		F	2,456	1	1	6	2	2	12	5	12
140	Malignant neoplasm of lip	M	15	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
141	Malignant neoplasm of tongue	M	21	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
142	Malignant neoplasm of salivary gland	M	7	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
143	Malignant neoplasm of gum	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
144	Malignant neoplasm of floor of mouth	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
145	Malignant neoplasm of other and unspecified parts of mouth	M	10	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
146	Malignant neoplasm of oropharynx	M	5	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
147	Malignant neoplasm of nasopharynx	M	4	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
148	Malignant neoplasm of hypopharynx	M	2	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
149	Malignant neoplasm of pharynx, unspecified	M	20	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
150	Malignant neoplasm of oesophagus	M	94	-	-	-	-	-	-	-	-
		F	100	-	-	-	-	-	-	-	-
151	Malignant neoplasm of stomach	M	418	-	-	-	-	-	-	-	-
		F	357	-	-	-	-	-	-	-	2
152	Malignant neoplasm of small intestine, including duodenum	M	3	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
153	Malignant neoplasm of large intestine, except rectum	M	275	-	-	-	-	-	-	-	-
		F	315	-	-	-	-	-	-	-	-
154	Malignant neoplasm of rectum and rectosigmoid junction	M	146	-	1	-	-	-	1	-	-
		F	100	-	-	-	-	-	-	-	-
155	Malignant neoplasm of liver and intrahepatic bile ducts, specified as primary	M	40	-	1	-	-	-	1	-	-
		F	37	-	-	-	-	-	-	-	-
156	Malignant neoplasm of gallbladder and bile ducts	M	11	-	-	-	-	-	-	-	-
		F	41	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	1	-	1	-	-	-	1	1	1	1	1	1	070
-	-	-	-	1	1	2	-	-	-	1	1	1	-	2	072
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	079
-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	084
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	093
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	112
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	135
-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	140-239
-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	140-209
13 5	12 4	12 8	12 30	27 42	52 81	110 133	168 184	281 225	374 296	491 333	517 378	377 352	246 255	163 149	140-239
13 4	11 4	12 8	12 27	26 41	46 80	101 128	161 181	276 225	366 289	488 324	511 371	372 346	244 251	161 148	140-209
-	-	-	-	-	-	1	1	1	1	-	2	3	2	4	140
-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	141
-	-	-	-	-	-	1	1	3	2	3	4	1	3	3	142
-	-	-	-	-	1	-	-	-	2	-	1	1	-	2	143
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	144
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	145
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	146
-	-	-	1	-	-	-	-	-	-	-	4	-	-	2	147
-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	148
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	149
-	-	-	-	-	-	1	-	2	1	6	2	-	6	2	150
-	-	-	-	1	2	3	7	10	16	13	19	9	15	6	151
-	-	-	-	3	8	17	26	42	59	72	86	61	25	19	152
-	-	1	2	3	6	11	18	15	31	48	61	72	48	39	153
-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	154
-	-	-	-	-	1	1	-	1	1	3	-	-	1	1	155
-	-	-	2	2	5	9	5	16	28	49	48	44	36	31	156
-	-	-	3	1	4	12	15	21	30	38	54	60	52	25	157
1	-	3	-	1	2	6	4	16	11	27	24	32	11	7	158
-	-	-	1	2	1	4	7	4	6	16	20	19	13	7	159
-	-	-	-	1	-	1	7	4	6	5	6	6	1	2	160
-	-	-	1	-	-	1	2	-	2	8	9	7	4	3	161
-	-	-	-	-	-	-	-	-	2	2	4	2	-	1	162
-	-	-	-	1	-	1	6	5	3	3	11	10	1	-	163

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under	5-9	10-14
157	Malignant neoplasm of pancreas	M	164	-	-	-	-	-	-	-	-
		F	109	-	-	-	-	-	-	-	-
158	Malignant neoplasm of peritoneum and retroperitoneal tissue	M	6	-	-	-	-	-	-	1	-
		F	8	-	-	-	-	-	-	-	-
159	Malignant neoplasm of unspecified digestive organs	M	5	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	5	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
161	Malignant neoplasm of larynx	M	40	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
162	Malignant neoplasm of trachea, bronchus and lung	M	721	-	-	-	-	-	-	-	-
		F	187	-	-	-	-	-	-	-	-
162.0	Trachea	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
162.1	Bronchus and lung	M	721	-	-	-	-	-	-	-	-
		F	186	-	-	-	-	-	-	-	-
163	Malignant neoplasm of other and unspecified respiratory organs	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
170	Malignant neoplasm of bone	M	35	-	-	-	-	-	-	-	2
		F	29	-	-	-	-	-	-	-	1
171	Malignant neoplasm of connective and other soft tissue	M	5	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-
172	Malignant melanoma of skin	M	6	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
173	Other malignant neoplasm of skin	M	48	-	-	-	-	-	-	-	-
		F	41	-	-	-	-	-	-	-	-
174	Malignant neoplasm of breast	M	2	-	-	-	-	-	-	-	-
		F	414	-	-	-	-	-	-	-	-
180	Malignant neoplasm of cervix uteri	F	67	-	-	-	-	-	-	-	-
181	Chorionepithelioma	F	1	-	-	-	-	-	-	-	-
182.0	Malignant neoplasm of corpus uteri	F	53	-	-	-	-	-	-	-	-
182.9	Malignant neoplasm of uterus, unspecified	F	33	-	-	-	-	-	-	-	-
183	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	112	-	-	-	-	-	-	-	-
184	Malignant neoplasm of other and unspecified female genital organs	F	26	-	-	-	-	-	-	-	-
185	Malignant neoplasm of prostate	M	257	-	-	-	-	-	-	-	-
186	Malignant neoplasm of testis	M	14	-	-	-	-	-	-	-	-
187	Malignant neoplasm of other and unspecified male genital organs	M	7	-	-	-	-	-	-	-	-
188	Malignant neoplasm of bladder	M	68	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-
189	Malignant neoplasm of other and unspecified urinary organs	M	33	-	-	1	-	-	1	-	-
		F	28	-	1	-	2	1	4	-	-
190	Malignant neoplasm of eye	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
191	Malignant neoplasm of brain	M	39	-	-	2	-	-	2	2	-
		F	32	-	-	2	-	-	2	-	3
192	Malignant neoplasm of other parts of nervous system	M	17	-	-	1	-	-	1	2	-
		F	15	-	-	-	-	-	-	-	1

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	2	4	5	8	16	19	35	29	24	10	12	157
-	-	-	-	-	2	4	2	8	11	16	23	21	12	10	
-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	158
-	-	-	-	-	-	3	-	-	-	3	1	1	-	-	
-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	159
-	-	-	-	-	-	-	-	1	1	1	3	2	1	-	
-	-	-	-	-	1	-	-	1	-	2	-	-	-	1	160
-	-	-	-	-	-	1	-	-	1	3	1	1	-	1	
-	-	-	-	-	-	1	-	2	4	5	10	10	4	4	161
-	-	1	-	-	-	1	3	-	1	3	4	2	1	-	
-	1	2	3	1	7	29	57	113	137	148	130	61	29	3	162
-	-	1	2	2	5	9	11	25	39	35	19	22	9	8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162.0
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	1	2	3	1	7	29	57	113	137	148	130	61	29	3	162.1
-	-	1	2	2	5	9	11	24	39	35	19	22	9	8	
-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	163
-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	
4	-	-	-	2	4	1	3	1	1	3	8	4	1	1	170
-	-	-	-	-	1	1	1	6	4	1	5	4	4	1	
1	-	-	-	1	-	-	1	-	2	-	1	-	-	-	171
-	-	-	-	-	-	-	-	-	1	1	4	1	-	-	
-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	172
-	-	-	1	2	1	-	2	-	-	2	1	2	2	-	
-	-	1	-	-	-	3	1	2	3	4	3	10	13	8	173
-	-	-	-	1	-	-	2	1	-	4	7	8	10	8	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	174
-	-	-	9	15	22	33	50	56	53	44	47	34	33	18	
-	-	-	-	3	5	8	2	10	11	14	8	2	3	1	180
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	181
-	-	-	-	-	2	-	5	8	8	10	8	6	4	2	182.0
-	-	1	-	-	2	3	2	5	4	2	3	5	6	-	182.9
1	1	2	1	1	9	12	16	15	17	12	8	9	7	1	183
-	-	-	-	-	1	-	1	1	2	5	6	5	1	4	184
-	-	-	-	-	-	-	3	4	10	31	57	61	57	34	185
-	2	1	-	2	-	2	1	1	1	1	1	1	1	-	186
-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	187
-	-	-	-	-	-	3	2	6	4	15	12	11	6	9	188
-	-	-	-	-	-	1	3	2	2	1	6	4	6	3	
-	-	-	-	1	1	1	-	4	2	10	7	3	2	1	189
-	-	-	-	-	3	3	2	2	3	5	4	1	1	-	
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	190
3	2	-	-	-	2	4	7	4	8	3	1	1	-	-	191
-	-	-	-	1	3	4	4	7	3	3	2	-	-	-	
-	1	-	3	-	1	1	1	3	1	1	1	1	-	-	192
1	-	-	-	1	3	2	3	2	-	-	2	-	-	-	

[illegible]

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
230	Neoplasm of unspecified nature of digestive organs	M F	9 7	- -	- -	- -	- -	- -	- -	- -	- -
231	Neoplasm of unspecified nature of respiratory organs	M F	6 6	- -	- -	- -	1 -	- -	1 -	- -	- -
232	Neoplasm of unspecified nature of skin and musculoskeletal system	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
235	Neoplasm of unspecified nature of ovary	F	1	-	-	-	-	-	-	-	-
237	Neoplasm of unspecified nature of other genito-urinary organs	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
238	Neoplasm of unspecified nature of eye, brain and other parts of nervous system	M F	20 12	- -	- -	- -	- -	- -	- -	- -	- -
239	Neoplasm of unspecified nature of other and unspecified organs	M F	2 3	- -	- -	- -	- -	- -	- -	- -	- -
240-279	III. Endocrine, nutritional and metabolic diseases	M F	174 238	12 6	1 2	1 -	1 1	1 1	16 10	1 4	2 -
240	Simple goitre	M F	2 -	- -	- -	- -	- -	- -	- -	- -	- -
241	Non-toxic nodular goitre	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
242	Thyrotoxicosis with or without goitre	M F	4 19	- -	- -	- -	- -	- -	- -	- -	- -
243	Cretinism of congenital origin	M F	- 2	- -	- 1	- -	- 1	- -	- 2	- -	- -
244	Myxoedema	M F	2 16	- -	- -	- -	- -	- -	- -	- -	- -
246	Other diseases of thyroid gland	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
250	Diabetes mellitus	M F	121 162	- -	- -	- -	- -	- -	- -	- 1	1 -
252	Diseases of parathyroid gland	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -
253	Diseases of pituitary gland	M F	3 1	- -	- -	- -	- -	- -	- -	- -	- -
254	Diseases of thymus gland	M F	1 1	1 1	- -	- -	- -	- -	1 1	- -	- -
255	Diseases of adrenal glands	M F	5 9	- -	- 1	- -	- -	- -	- 1	- -	1 -
258	Polyglandular dysfunction and other diseases of endocrine glands	M F	1 2	- -	- -	- -	- -	- -	- -	1 -	- -
265	Vitamin D deficiency	M F	1 -	1 -	- -	- -	- -	- -	1 -	- -	- -
266	Other vitamin deficiency states	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
269	Other nutritional deficiency	M F	11 9	- -	- -	- -	- -	1 -	1 -	- -	- -
270	Congenital disorders of amino-acid metabolism	M F	- 1	- 1	- -	- -	- -	- -	- 1	- -	- -
272	Congenital disorders of lipid metabolism	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
273	Other and unspecified congenital disorders of metabolism	M F	17 8	10 4	1 -	1 -	1 -	- 1	13 5	- 3	- -

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	2	-	1	3	1	2	230
-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	231
-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	232
-	-	-	-	-	-	-	1	-	1	2	-	2	-	-	233
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	234
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	235
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	236
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	237
-	1	-	-	-	5	5	4	3	1	-	1	-	-	-	238
-	-	-	1	-	1	3	1	-	-	1	4	1	-	-	239
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	240
-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	241
2	3	-	2	1	7	5	11	14	13	24	29	25	13	6	240-279
-	2	1	-	1	2	8	7	16	24	36	43	40	21	23	240
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	241
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242
-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	243
-	-	-	-	-	-	-	2	5	1	5	2	3	1	-	244
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	245
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	247
-	-	-	-	-	-	-	-	-	3	5	3	1	2	2	248
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	249
1	3	-	1	1	3	5	8	10	10	17	21	23	11	6	250
-	2	-	-	-	1	5	4	10	15	21	33	33	17	20	251
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	252
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	253
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	254
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	255
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	256
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	257
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	258
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	259
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	261
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	262
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	263
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	264
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	267
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	269
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	271
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	273
1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	274

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
275	Plasma protein abnormalities	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
276	Amyloidosis	M F	1 3	- -	- -	- -	- -	- -	- -	- -	- -
279	Other and unspecified metabolic diseases	M F	2 -	- -	- -	- -	- -	- -	- -	- -	- -
280-289	IV. Diseases of blood and blood-forming organs	M F	60 74	- 1	2 -	1 1	- -	- -	3 2	- -	1 -
280	Iron deficiency anaemias	M F	3 8	- -	- -	- -	- -	- -	- -	- -	- -
281	Other deficiency anaemias	M F	11 18	- -	- -	- -	- -	- -	- -	- -	- -
282	Hereditary haemolytic anaemias	M F	1 1	- -	- -	- -	- -	- -	- -	- -	1 -
283	Acquired haemolytic anaemias	M F	- 2	- -	- -	1 -	- -	- -	1 -	- -	- -
284	Aplastic anaemia	M F	11 8	- -	1 -	1 -	- -	- -	2 -	- -	- -
285	Other and unspecified anaemias	M F	23 32	- -	- -	- -	- -	- -	- -	- -	- -
286	Coagulation defects	M F	4 -	- -	1 -	- -	- -	- -	1 -	- -	- -
287	Purpura and other haemorrhagic conditions	M F	6 4	- 1	- -	- -	- -	- -	- 1	- -	- -
288	Agranulocytosis	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
290-315	V. Mental disorders	M F	15 30	- 1	- -	- -	- -	1 -	1 1	- -	- -
290	Senile and pre-senile dementia	M F	2 14	- -	- -	- -	- -	- -	- -	- -	- -
293	Psychosis associated with other cerebral condition	M F	3 3	- -	- -	- -	- -	- -	- -	- -	- -
295	Schizophrenia	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
296	Affective psychoses	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
299	Unspecified psychosis	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- -
303	Alcoholism	M F	4 3	- -	- -	- -	- -	- -	- -	- -	- -
306	Special symptoms not elsewhere classified	M F	1 3	- -	- -	- -	- -	- -	- -	- -	- -
313	Severe mental retardation	M F	- 1	- 1	- -	- -	- -	- -	- 1	- -	- -
315	Unspecified mental retardation	M F	3 2	- -	- -	- -	- -	1 -	1 -	- -	- 1
320-389	VI. Diseases of the nervous system and sense organs	M F	273 211	19 7	3 4	3 -	1 -	1 1	27 13	3 2	8 2
320	Meningitis	M F	31 16	15 4	1 3	2 -	- -	- 1	18 8	- 1	1 1
322	Intracranial and intraspinal abscess	M F	3 2	- -	- -	- -	- -	- -	- -	- -	- -

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	275
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	276
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	279
3	1	-	-	-	-	1	2	2	7	6	12	11	6	4	280-289
1	-	-	-	-	1	1	1	5	8	8	15	12	14	6	
-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	280
-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	
-	-	-	-	-	-	1	-	1	1	1	5	3	1	-	281
-	-	-	-	-	-	-	-	-	1	3	4	4	3	1	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	283
1	-	-	-	-	-	-	1	1	2	2	1	-	1	-	284
1	-	-	-	-	-	-	-	-	2	2	2	-	-	1	
-	-	-	-	-	-	-	1	-	2	3	4	5	4	4	285
-	-	-	-	-	-	-	1	2	4	2	7	6	7	3	
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	286
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	2	-	-	2	-	-	287
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	288
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
1	-	-	2	-	-	2	1	1	-	2	-	1	2	2	290-315
2	-	-	-	-	-	-	-	4	3	1	4	4	2	8	
-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	290
-	-	-	-	-	-	-	-	-	-	-	4	2	2	5	
-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	293
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	295
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	296
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	299
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	303
-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	306
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	313
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	315
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	3	6	4	5	10	10	9	15	25	36	28	39	23	17	320-389
2	4	-	2	2	5	9	15	12	23	26	33	19	23	19	
1	2	-	1	-	3	-	1	1	-	2	1	-	-	-	320
-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	322

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
323	Encephalitis, myelitis, and encephalomyelitis	M F	6 4	- 1	- -	1 -	1 -	- -	2 1	- -	1 -
330	Hereditary neuromuscular disorders	M F	3 2	1 -	- -	- -	- -	- -	1 -	- -	- 1
332	Hereditary ataxia	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
340	Multiple sclerosis	M F	36 37	- -	- -	- -	- -	- -	- -	- -	- -
342	Paralysis agitans	M F	66 52	- -	- -	- -	- -	- -	- -	- -	- -
343	Cerebral spastic infantile paralysis	M F	13 5	2 2	- 1	- -	- 1	1 -	3 4	1 -	4 -
344	Other cerebral paralysis	M F	56 55	- -	- -	- -	- -	- -	- -	- -	- -
345	Epilepsy	M F	24 16	- -	1 -	- -	- -	- -	1 -	2 1	1 -
347	Other diseases of brain	M F	7 5	- -	1 -	- -	- -	- -	1 -	- -	- -
348	Motor neurone disease	M F	19 11	- -	- -	- -	- -	- -	- -	- -	- -
349	Other diseases of spinal cord	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -
354	Polyneuritis and polyradiculitis	M F	2 2	- -	- -	- -	- -	- -	- -	- -	- -
355	Other and unspecified forms of neuralgia and neuritis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
368	Inflammation of lacrimal glands and ducts	M F	1 -	1 -	- -	- -	- -	- -	1 -	- -	- -
374	Cataract	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
381	Otitis media without mention of mastoiditis	M F	2 1	- -	- -	- -	- -	- -	- -	- -	- -
387	Other diseases of ear and mastoid process	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -
390-458	VII. Diseases of the circulatory system	M F	9,229 8,142	2 -	- -	1 -	1 -	- -	4 -	3 2	4 -
391	Rheumatic fever with heart involvement	M F	2 1	- -	- -	- -	1 -	- -	1 -	- -	- -
393	Diseases of pericardium	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
394	Diseases of mitral valve	M F	84 124	- -	- -	- -	- -	- -	- -	- -	- -
395	Diseases of aortic valve	M F	50 28	- -	- -	- -	- -	- -	- -	- -	- -
396	Diseases of mitral and aortic valves	M F	6 15	- -	- -	- -	- -	- -	- -	- -	- -
397	Diseases of other endocardial structures	M F	11 12	- -	- -	- -	- -	- -	- -	- -	- -
398	Other heart diseases, specified as rheumatic	M F	36 45	- -	- -	- -	- -	- -	- -	- -	- -
400	Malignant hypertension	M F	48 22	- -	- -	- -	- -	- -	- -	- -	- -

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	323
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	330
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	332
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	340
-	1	1	-	4	3	4	3	5	8	2	1	2	1	1	342
-	2	-	2	1	3	6	7	3	6	2	4	1	-	-	343
-	-	-	-	-	2	1	-	-	4	15	14	18	7	5	344
-	-	-	-	-	-	-	1	2	2	10	15	8	9	5	345
2	-	-	-	-	-	-	1	-	-	-	1	-	-	1	347
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	348
-	-	-	-	-	-	-	1	1	5	10	5	16	9	9	349
-	-	-	-	-	2	-	1	2	6	8	10	6	10	10	354
1	-	4	1	1	2	3	1	3	-	1	2	1	-	-	355
1	1	-	-	1	-	1	2	2	2	1	1	1	2	-	368
-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	374
-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	381
-	-	-	-	-	-	-	1	2	4	5	2	1	3	1	387
-	-	-	-	-	-	-	1	-	3	1	2	2	1	1	390-458
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	391
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	393
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	394
-	-	-	-	1	3	8	9	7	9	9	9	14	7	8	395
1	-	1	3	-	6	7	13	13	6	9	14	24	13	14	396
1	-	1	1	2	3	2	6	3	7	7	6	5	3	3	397
-	-	-	-	-	-	1	1	1	2	4	3	10	3	3	398
-	-	-	-	-	1	-	-	1	-	1	-	1	1	1	400
-	-	-	-	1	2	2	2	1	1	1	1	2	1	1	
-	-	-	-	-	3	1	2	2	-	1	-	1	-	1	
-	-	-	-	-	-	2	1	2	-	1	1	1	2	2	
-	-	-	1	1	3	6	1	8	4	3	3	2	3	1	
-	-	1	-	2	5	1	12	7	3	4	4	4	1	1	
-	-	-	1	1	8	7	2	7	11	4	2	2	1	1	
-	-	-	1	-	1	3	2	1	3	4	4	1	2	-	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of Death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
401	Essential benign hypertension	M	76	-	-	-	-	-	-	-	-
		F	78	-	-	-	-	-	-	-	-
402	Hypertensive heart disease	M	197	-	-	-	-	-	-	-	-
		F	259	-	-	-	-	-	-	-	-
403	Hypertensive renal disease	M	17	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-
404	Hypertensive heart and renal disease	M	4	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
410-414	Ischaemic heart disease	M	4,456	-	-	-	-	-	-	-	-
		F	2,806	-	-	-	-	-	-	-	-
410.0	Acute myocardial infarction:- With hypertensive disease	M	334	-	-	-	-	-	-	-	-
		F	282	-	-	-	-	-	-	-	-
410.9	Without mention of hypertensive disease	M	3,091	-	-	-	-	-	-	-	-
		F	1,564	-	-	-	-	-	-	-	-
411.0	Other acute and sub-acute forms of ischaemic heart disease:- With hypertensive disease	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
411.9	Without mention of hypertensive disease	M	38	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
412.0	Chronic ischaemic heart disease:- With hypertensive disease	M	47	-	-	-	-	-	-	-	-
		F	54	-	-	-	-	-	-	-	-
412.9	Without mention of hypertensive disease	M	928	-	-	-	-	-	-	-	-
		F	877	-	-	-	-	-	-	-	-
413.0	Angina pectoris:- With hypertensive disease	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
413.9	Without mention of hypertensive disease	M	13	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
420	Acute pericarditis, non-rheumatic	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
421	Acute and subacute endocarditis	M	12	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
422	Acute myocarditis	M	15	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
423	Chronic disease of pericardium, non-rheumatic	M	7	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
424	Chronic disease of endocardium	M	62	-	-	-	-	-	-	-	-
		F	101	-	-	-	-	-	-	-	-
425	Cardiomyopathy	M	4	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-
426	Pulmonary heart disease	M	19	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
427	Symptomatic heart disease	M	478	-	-	-	-	-	-	-	-
		F	518	-	-	-	-	-	-	-	-
428	Other myocardial insufficiency	M	886	-	-	-	-	-	-	-	-
		F	1,008	-	-	-	-	-	-	-	-
429	Ill-defined heart disease	M	34	-	-	-	-	-	-	-	-
		F	41	-	-	-	-	-	-	-	-
430	Subarachnoid haemorrhage	M	93	-	-	-	-	-	-	1	1
		F	142	-	-	-	-	-	-	1	-
431	Cerebral haemorrhage	M	635	1	-	-	-	-	1	2	2
		F	782	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	2	1	2	9	12	16	11	9	14	401
-	1	-	-	-	-	2	1	3	2	3	14	17	13	22	
-	-	-	-	-	2	1	2	9	16	22	29	45	44	27	402
-	-	-	-	-	-	7	3	8	10	26	52	49	53	51	
-	-	-	-	-	-	-	1	1	1	1	8	1	3	1	403
-	-	-	-	1	1	-	-	2	1	-	2	4	2	4	
-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	404
-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	
-	2	5	8	22	59	123	241	380	539	642	739	694	553	449	410-414
-	-	3	1	2	16	50	63	114	203	312	512	502	504	524	
-	-	-	1	1	3	7	26	28	51	60	69	56	25	7	410.0
-	-	1	-	-	2	4	11	8	39	44	61	49	32	31	
-	2	5	7	20	49	113	194	321	424	479	538	430	297	212	410.9
-	-	2	1	2	14	45	43	87	142	217	322	273	236	180	
-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	411.0
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	1	-	5	2	5	7	11	6	411.9
-	-	-	-	-	-	-	2	1	-	2	2	6	4	5	
-	-	-	-	-	-	-	2	1	10	8	9	10	4	3	412.0
-	-	-	-	-	-	-	-	2	-	5	11	17	10	9	
-	-	-	-	1	6	3	18	28	47	90	115	188	212	220	412.9
-	-	-	-	-	-	1	6	16	22	44	114	156	222	296	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	413.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	1	2	2	2	3	1	413.9
-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	420
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	2	1	3	-	1	2	1	1	-	-	-	421
-	-	1	-	-	-	-	-	-	-	1	-	-	4	-	
-	-	-	-	-	1	-	-	-	-	3	4	3	3	1	422
-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	
1	-	-	-	-	-	-	1	1	-	2	1	1	-	-	423
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	2	-	2	5	9	8	8	6	13	9	424
-	-	-	1	-	1	2	2	1	6	9	13	24	26	16	
-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	425
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
-	-	-	-	-	1	-	-	-	8	3	-	3	1	3	426
-	-	-	-	1	1	-	2	-	-	4	-	-	3	-	
-	-	-	-	2	3	4	9	9	29	60	83	79	109	91	427
-	-	-	-	-	1	7	4	6	29	36	65	106	117	147	
-	2	1	2	-	-	3	8	8	32	50	113	178	223	266	428
1	-	-	1	-	3	5	2	7	21	37	100	164	241	426	
1	-	-	-	-	-	1	3	2	3	4	5	5	6	4	429
-	-	-	-	-	-	-	-	2	4	3	7	8	5	12	
1	1	2	2	5	8	9	8	5	12	12	10	12	2	2	430
2	1	-	2	4	5	12	21	16	17	13	22	15	7	4	
-	-	2	3	3	9	12	13	41	52	80	124	135	84	72	431
2	-	1	-	2	7	13	30	37	57	85	147	145	133	123	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
432	Occlusion of pre-cerebral arteries	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
433	Cerebral thrombosis	M	853	-	-	1	-	-	1	-	-
		F	966	-	-	-	-	-	-	-	-
434	Cerebral embolism	M	39	-	-	-	-	-	-	-	-
		F	36	-	-	-	-	-	-	-	-
436	Acute but ill-defined cerebrovascular disease	M	210	-	-	-	-	-	-	-	-
		F	262	-	-	-	-	-	-	-	-
437	Generalised ischaemic cerebrovascular disease	M	123	-	-	-	-	-	-	-	-
		F	137	-	-	-	-	-	-	-	-
438	Other and ill-defined cerebrovascular disease	M	72	-	-	-	-	-	-	-	-
		F	91	-	-	-	-	-	-	-	-
440	Arteriosclerosis	M	422	-	-	-	-	-	-	-	-
		F	412	-	-	-	-	-	-	-	-
441	Aortic aneurysm (non-syphilitic)	M	78	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-
442	Other aneurysm	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
443	Other peripheral vascular disease	M	8	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
444	Arterial embolism and thrombosis	M	38	-	-	-	-	-	-	-	-
		F	30	-	-	-	-	-	-	-	-
445	Gangrene	M	68	-	-	-	-	-	-	-	-
		F	52	-	-	-	-	-	-	-	-
446	Polyarteritis nodosa and allied conditions	M	5	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
447	Other diseases of arteries and arterioles	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
448	Diseases of capillaries	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
450	Pulmonary embolism and infarction	M	24	-	-	-	-	-	-	-	-
		F	36	-	-	-	-	-	-	-	-
451	Phlebitis and thrombophlebitis	M	9	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-
453	Other venous embolism and thrombosis	M	33	1	-	-	-	-	1	-	-
		F	33	-	-	-	-	-	-	-	-
454	Varicose veins of lower extremities	M	5	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
456	Varicose veins of other sites	M	4	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
458	Other diseases of circulatory system	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-
460-519	VIII. Diseases of the respiratory system	M	2,410	105	15	2	1	2	131	2	2
		F	1,715	79	2	2	2	2	96	2	2
460	Acute nasopharyngitis (common cold)	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
463	Acute tonsillitis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1
464	Acute laryngitis and tracheitis	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
465	Acute upper respiratory infection of multiple or unspecified sites	M	30	3	-	-	-	-	3	1	-
		F	31	2	2	1	-	-	5	1	1

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	432
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
-	1	1	-	-	2	5	5	28	38	75	161	183	170	183	433
-	-	-	-	-	1	4	2	10	36	82	154	187	251	239	
-	-	-	-	-	-	-	-	1	2	4	5	9	13	5	434
-	-	-	-	-	-	1	-	2	4	2	4	6	10	7	
-	-	-	-	2	3	1	4	7	26	33	39	41	28	26	436
-	-	-	-	-	3	3	8	13	23	30	44	50	57	31	
-	-	-	-	-	-	-	1	1	4	12	14	35	27	29	437
-	-	-	-	-	-	-	2	-	2	12	12	28	30	51	
-	-	-	-	-	-	1	1	4	-	10	16	20	10	10	438
-	-	-	-	-	1	-	-	-	7	13	13	16	25	16	
-	-	-	-	-	-	-	-	5	12	17	44	75	106	163	440
-	-	-	-	-	-	2	-	1	6	9	46	65	120	163	
-	-	-	-	1	-	3	4	6	18	12	12	11	7	4	441
-	-	-	-	-	1	-	-	3	5	3	1	5	4	2	
-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	442
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	1	2	2	-	2	1	-	443
-	-	1	-	-	-	-	-	-	1	-	2	2	2	-	
-	1	-	-	-	-	-	4	-	4	4	8	8	6	3	444
-	-	-	-	-	-	2	1	2	2	2	1	7	4	9	
-	-	-	-	-	-	-	-	1	5	8	9	9	20	16	445
-	-	-	-	-	-	-	1	-	3	3	7	4	13	21	
-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	446
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	447
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	1	1	-	1	-	3	2	4	5	3	3	1	450
-	-	-	1	1	1	-	2	2	3	3	10	6	4	3	
-	-	-	-	-	-	-	1	2	1	-	3	-	1	1	451
-	-	-	-	-	-	1	-	1	-	2	3	3	-	2	
-	-	-	-	1	1	-	1	2	4	5	6	6	5	1	453
-	-	-	-	-	1	1	2	2	4	7	8	5	2	1	
-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	454
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	456
-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	458
12	7	6	7	7	20	44	78	136	261	321	389	378	294	305	460-519
9	9	2	9	7	22	26	48	74	94	189	233	256	278	380	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	460
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	463
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	464
-	-	1	-	-	-	-	1	-	1	1	3	5	6	8	465
-	-	-	-	-	-	1	-	-	-	3	2	-	9	9	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
466	Acute bronchitis and bronchiolitis	M	69	5	1	1	1	-	8	-	1
		F	63	4	-	-	-	-	4	-	-
470	Influenza unqualified	M	57	-	1	-	-	-	1	-	-
		F	78	-	-	-	-	-	-	1	-
471	Influenza with pneumonia	M	57	2	-	-	-	-	2	-	-
		F	76	-	-	-	-	-	-	1	2
472	Influenza with other respiratory manifestations	M	16	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-
473	Influenza with digestive manifestations	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
474	Influenza with nervous manifestations	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
480	Viral pneumonia	M	37	13	1	1	-	2	17	2	-
		F	29	12	2	-	-	-	14	-	-
481	Pneumococcal pneumonia	M	88	2	-	1	-	-	3	-	-
		F	59	3	1	1	-	-	5	-	-
482	Other bacterial pneumonia	M	7	2	-	-	-	-	2	-	1
		F	5	2	-	-	-	-	2	-	-
484	Acute interstitial pneumonia	M	19	9	-	-	-	-	9	1	-
		F	4	1	-	-	-	-	1	-	-
485	Bronchopneumonia, unspecified	M	419	44	10	4	-	-	58	2	3
		F	388	30	3	1	1	1	36	-	3
486	Pneumonia, unspecified	M	191	19	2	1	-	-	22	-	-
		F	169	17	-	-	1	1	19	4	2
490	Bronchitis, unqualified	M	140	-	-	-	-	-	-	-	-
		F	102	1	-	-	-	1	2	-	-
491	Chronic bronchitis	M	980	-	-	-	-	-	-	1	-
		F	471	-	-	-	-	-	-	-	-
492	Emphysema	M	86	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
493	Asthma	M	91	-	-	-	-	-	-	1	-
		F	64	-	-	-	-	-	-	-	-
510	Empyema	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
511	Pleurisy	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
512	Spontaneous pneumothorax	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
513	Abscess of lung	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
514	Pulmonary congestion and hypostasis	M	39	-	-	-	-	-	-	-	1
		F	52	-	-	-	-	-	-	-	-
515	Pneumoconiosis due to silica and silicates	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
516	Other pneumoconioses and related diseases	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
517	Other chronic interstitial pneumonia	M	30	1	-	-	-	-	1	-	-
		F	17	-	-	-	-	-	-	-	-
518	Bronchiectasis	M	33	-	-	-	-	-	-	-	-
		F	32	-	-	-	-	-	-	1	-
519	Other diseases of respiratory system	M	8	4	-	-	-	-	4	-	-
		F	11	7	-	-	1	-	8	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	1	-	1	1	1	3	6	9	7	9	5	17	466
-	-	-	-	1	-	-	-	1	-	7	7	7	11	25	
-	-	-	-	-	-	1	1	5	4	2	6	8	12	17	470
-	-	-	-	-	1	-	-	1	7	4	9	8	15	32	
-	-	-	-	1	-	-	1	4	4	9	5	11	14	6	471
1	-	-	-	-	1	-	1	-	2	5	13	12	14	24	
-	-	-	-	-	1	-	-	-	2	-	2	2	3	6	472
-	-	-	-	-	-	-	-	1	2	3	6	7	4	4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	473
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	474
-	-	1	-	-	-	-	1	1	3	4	4	-	2	2	480
-	-	-	-	-	1	-	-	1	4	1	2	1	5	-	
2	1	1	2	-	1	3	2	2	6	8	15	15	10	17	481
-	-	-	-	1	-	-	2	1	5	5	12	13	8	7	
-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	482
-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	1	1	1	2	2	1	1	484
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
5	2	-	2	1	1	1	9	13	27	34	56	68	57	80	485
2	2	1	1	1	4	3	6	11	7	23	51	69	66	102	
4	-	-	1	1	-	5	4	6	20	21	25	32	27	23	486
1	1	-	2	2	1	4	6	3	9	15	20	20	28	32	
-	-	-	1	-	-	6	3	3	12	15	28	20	22	25	490
3	1	-	1	-	4	1	-	5	4	6	15	14	23	23	
-	1	-	-	-	5	14	33	61	136	174	184	174	112	85	491
-	-	-	2	-	6	8	17	31	36	66	70	77	66	92	
-	-	-	-	-	3	3	4	7	15	21	18	8	3	4	492
-	-	-	-	-	1	1	3	2	-	4	3	4	5	3	
-	-	2	-	1	5	4	10	15	15	14	11	6	5	2	493
1	2	1	1	1	1	3	5	6	9	8	10	8	5	3	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	510
-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	
-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	511
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	512
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	513
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	4	10	11	11	514
-	-	-	-	-	1	-	-	2	2	1	6	9	11	20	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	515
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	516
-	-	-	-	1	1	3	4	5	3	3	7	1	1	-	517
-	-	-	-	-	-	2	3	2	2	2	-	3	3	-	
1	2	1	-	1	-	1	2	4	2	3	9	5	1	1	518
-	1	-	2	1	1	3	1	5	4	4	3	3	1	2	
-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	519
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
520-577	IX.Diseases of the digestive system	M	383	12	-	4	1	1	16	5	3
		F	290	6	-	1	-	-	7	2	1
527	Diseases of the salivary glands	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
528	Diseases of the oral soft tissues, excluding gingiva and tongue	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
530	Diseases of oesophagus	M	6	-	-	-	-	-	-	1	-
		F	4	-	-	-	-	-	-	-	-
531	Ulcer of stomach	M	49	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
532	Ulcer of duodenum	M	66	-	-	1	-	-	1	-	-
		F	21	-	-	-	-	-	-	-	-
533	Peptic ulcer, site unspecified	M	47	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-
535	Gastritis and duodenitis	M	1	-	-	-	-	-	-	1	-
		F	4	-	-	-	-	-	-	-	-
536	Disorders of function of stomach	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
537	Other diseases of stomach and duodenum	M	5	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
540	Acute appendicitis	M	8	-	-	1	1	-	2	2	1
		F	7	1	-	-	-	-	1	1	-
541	Appendicitis, unqualified	M	3	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-
543	Other diseases of appendix	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
550	Inguinal hernia without mention of obstruction	M	3	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
551	Other hernia of abdominal cavity without mention of obstruction	M	10	7	-	-	-	-	7	-	-
		F	15	3	-	-	-	-	3	-	-
552	Inguinal hernia with obstruction	M	4	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
553	Other hernia of abdominal cavity with obstruction	M	13	-	-	-	-	-	-	1	-
		F	17	-	-	-	-	-	-	-	-
560	Intestinal obstruction without mention of hernia	M	19	3	-	1	-	-	4	-	-
		F	24	-	-	-	-	-	-	-	-
561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	M	2	-	-	-	-	-	-	-	1
		F	4	-	-	1	-	-	1	-	-
562	Diverticula of intestine	M	14	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-
563	Chronic enteritis and ulcerative colitis	M	9	-	-	1	-	1	2	-	-
		F	11	-	-	-	-	-	-	-	-
567	Peritonitis	M	3	-	-	-	-	-	-	-	-
		F	5	2	-	-	-	-	2	-	1
568	Peritoneal adhesions	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
569	Other diseases of intestines and peritoneum	M	14	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
570	Acute and subacute necrosis of liver	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-
571	Cirrhosis of liver	M	52	-	-	-	-	-	-	-	-
		F	39	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
3	1	1	6	2	11	16	19	36	42	48	59	42	43	28	520-577
3	2	4	-	3	4	13	8	22	31	20	48	58	30	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	527
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	528
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	530
-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	
-	-	-	-	1	-	1	3	6	5	6	11	7	6	3	531
-	-	-	-	-	1	-	1	2	3	1	5	2	3	8	
-	-	-	-	-	2	4	4	6	11	7	12	6	8	5	532
-	-	-	-	-	1	-	-	1	1	2	6	5	5	-	
-	-	-	2	-	-	-	2	4	2	7	9	4	10	7	533
-	-	-	-	-	-	2	1	1	1	-	3	8	2	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	535
-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	536
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	537
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	540
1	-	-	-	-	-	-	-	-	1	2	-	-	-	1	
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	541
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	543
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	550
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	551
-	-	-	-	-	-	-	1	1	-	-	2	3	2	3	
-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	552
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	2	1	1	2	2	-	4	553
-	-	-	-	-	-	-	-	-	1	1	5	5	2	3	
-	-	-	-	-	1	-	-	-	2	5	2	1	4	-	560
-	-	-	-	-	1	1	1	5	1	2	1	6	4	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	561
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	
-	-	-	-	-	1	1	-	1	1	4	4	2	-	-	562
-	-	-	-	-	-	2	-	3	2	1	6	10	1	2	
1	1	1	-	-	-	2	-	-	-	-	-	1	1	-	563
-	1	-	-	1	-	2	-	-	1	1	3	-	1	1	
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	564
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	568
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	3	1	1	1	2	3	1	569
-	-	-	-	-	-	-	-	1	1	-	-	5	-	1	
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	570
2	-	-	1	-	3	5	4	5	6	8	9	6	3	-	571
-	1	1	-	-	-	5	1	4	8	7	8	1	2	1	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
572	Suppurative hepatitis and liver abscess	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
573	Other diseases of liver	M	7	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
574	Cholelithiasis	M	4	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
575	Cholecystitis and cholangitis, without mention of calculus	M	8	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
576	Other diseases of gallbladder and biliary ducts	M	7	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
577	Diseases of pancreas	M	21	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
580-629	X. Diseases of the genito-urinary system	M	473	2	2	-	-	-	5	-	-
		F	257	3	1	-	-	-	4	10	20
580	Acute nephritis	M	11	-	1	-	-	-	1	-	-
		F	10	1	-	-	-	-	1	-	-
581	Nephrotic syndrome	M	10	-	1	-	-	-	1	-	-
		F	6	-	-	-	-	-	-	-	-
582	Chronic nephritis	M	116	-	-	-	-	-	-	-	-
		F	68	-	-	-	-	-	-	-	-
583	Nephritis, unqualified	M	28	-	-	-	-	-	-	-	-
		F	17	1	-	-	-	-	1	-	1
584	Renal sclerosis, unqualified	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
590	Infections of kidney	M	65	2	-	-	1	-	3	-	-
		F	92	1	1	-	-	-	2	2	1
591	Hydronephrosis	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
592	Calculus of kidney and ureter	M	8	-	-	-	-	-	-	1	-
		F	6	-	-	-	-	-	-	-	-
593	Other diseases of kidney and ureter	M	49	-	-	-	-	-	-	-	-
		F	38	-	-	-	-	-	-	-	-
594	Calculus of other parts of urinary system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
595	Cystitis	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
596	Other diseases of bladder	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
598	Stricture of urethra	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
599	Other diseases of urinary tract	M	6	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	M	160	-	-	-	-	-	-	-	-
601	Prostatitis	M	8	-	-	-	-	-	-	-	-
602	Other diseases of prostate	M	2	-	-	-	-	-	-	-	-
604	Orchitis and epididymitis	M	1	-	-	-	-	-	-	-	-
614	Salpingitis and oophoritis, unqualified	F	1	-	-	-	-	-	-	-	-
623	Uterovaginal prolapse	F	1	-	-	-	-	-	-	-	-
626	Disorders of menstruation	F	1	-	-	-	-	-	-	-	-

[illegible]

[illegible]

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	2	4	4	6	6	.	.	.	.	.	.	.	.	.	630-678
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	630
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	631
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	632
.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	636
.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	637
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	651
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	653
.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	659
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	660
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	670
.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	673
.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	674
.	.	.	.	.	.	.	.	.	2	.	2	3	3	3	680-709
.	1	.	1	.	1	.	.	1	2	.	2	2	2	2	682
.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	693
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	694
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	695
.	1	.	1	.	.	.	.	.	1	.	.	1	.	.	701
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	707
.	.	.	.	.	1	.	1	.	.	.	1	1	2	10	708
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	710-738
.	.	.	.	.	1	2	2	1	6	10	7	6	2	4	710
.	.	.	.	.	.	2	2	3	5	11	13	16	6	6	712
.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	713
.	.	.	.	.	1	2	1	1	3	7	4	3	1	1	714
.	.	.	.	.	.	1	2	3	3	8	7	6	2	3	
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
715	Arthritis, unspecified	M	1	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
716	Polymyositis and dermatomyositis	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
718	Rheumatism, unspecified	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
720	Osteomyelitis and periostitis	M	2	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
721	Osteitis deformans	M	3	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
722	Osteochondrosis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
723	Other diseases of bone	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
727	Ankylosis of joint	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
733	Other diseases of muscle, tendon and fascia	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
734	Diffuse diseases of connective tissue	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
740-759	XIV. Congenital anomalies	M	198	144	9	2	1	2	158	12	2
		F	204	168	9	1	4	3	182	2	2
740	Anencephalus	M	16	16	-	-	-	-	16	-	-
		F	24	24	-	-	-	-	24	-	-
741	Spina bifida	M	26	23	2	-	-	-	25	1	-
		F	27	23	2	1	-	-	26	-	-
742	Congenital hydrocephalus	M	16	9	3	-	-	1	13	2	1
		F	15	9	2	-	1	2	14	-	-
743	Other congenital anomalies of nervous system	M	7	5	-	-	-	-	5	1	-
		F	1	1	-	-	-	-	1	-	-
745	Congenital anomalies of ear, face and neck	M	1	1	-	-	-	-	1	-	-
		F	1	1	-	-	-	-	1	-	-
746	Congenital anomalies of heart	M	59	38	3	2	1	-	44	3	1
		F	64	51	2	-	1	-	54	2	2
747	Other congenital anomalies of circulatory system	M	7	3	-	-	-	-	3	-	-
		F	8	7	1	-	-	-	8	-	-
748	Congenital anomalies of respiratory system	M	2	1	-	-	-	1	2	-	-
		F	5	3	-	-	-	1	4	-	-
749	Cleft palate and cleft lip	M	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	2	-	-
750	Other congenital anomalies of upper alimentary tract	M	5	5	-	-	-	-	5	-	-
		F	3	3	-	-	-	-	3	-	-
751	Other congenital anomalies of digestive system	M	17	13	1	-	-	-	14	3	-
		F	15	14	-	-	1	-	15	-	-
752	Congenital anomalies of genital organs	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
753	Congenital anomalies of urinary system	M	15	7	-	-	-	-	7	1	-
		F	10	4	-	-	-	-	4	-	-
755	Other congenital anomalies of limbs	M	1	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
756	Other congenital anomalies of musculoskeletal system	M	2	1	-	-	-	-	1	-	-
		F	7	6	-	-	-	-	6	-	-

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	715
.	.	.	.	.	.	.	.	.	.	.	1	5	.	3	716
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	718
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	720
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	721
.	.	.	.	.	.	.	.	.	.	.	2	1	1	2	722
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	723
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	727
.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	733
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	734
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	740-750
6	5	4	.	1	1	1	4	2	2	.	.	.	.	.	740
2	3	1	.	.	3	2	3	1	1	1	.	.	1	.	741
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	742
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	743
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	745
3	3	3	.	.	.	.	1	.	1	.	.	.	.	.	746
1	2	.	.	.	1	1	.	1	.	.	.	.	.	.	747
2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	748
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	749
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	750
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	751
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	752
.	1	.	.	.	1	1	2	1	1	.	.	.	.	.	753
.	1	.	.	.	.	1	3	.	.	.	.	.	1	.	755
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	756
.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
758	Other and unspecified congenital anomalies	M	6	6	-	-	-	-	6	-	-
		F	5	5	-	-	-	-	5	-	-
759	Congenital syndromes affecting multiple systems	M	18	16	-	-	-	-	16	1	-
		F	14	10	2	-	1	-	13	-	-
760-779	XV. Certain causes of perinatal morbidity and mortality	M	302	302	-	-	-	-	302	-	-
		F	228	228	-	-	-	-	228	-	-
760	Chronic circulatory and genito-urinary diseases in mother	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
761	Other maternal conditions unrelated to pregnancy	M	2	2	-	-	-	-	2	-	-
		F	3	3	-	-	-	-	3	-	-
762	Toxaemia of pregnancy	M	1	1	-	-	-	-	1	-	-
		F	2	2	-	-	-	-	2	-	-
763	Maternal ante- and intrapartum infection	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	2	-	-
767	Difficult labour with abnormality of forces of labour	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	9	9	-	-	-	-	9	-	-
		F	10	10	-	-	-	-	10	-	-
770	Conditions of placenta	M	11	11	-	-	-	-	11	-	-
		F	6	6	-	-	-	-	6	-	-
771	Conditions of umbilical cord	M	6	6	-	-	-	-	6	-	-
		F	2	2	-	-	-	-	2	-	-
772	Birth injury without mention of cause	M	31	31	-	-	-	-	31	-	-
		F	36	36	-	-	-	-	36	-	-
774	Haemolytic disease of newborn with kernicterus	M	3	3	-	-	-	-	3	-	-
		F	5	5	-	-	-	-	5	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	15	15	-	-	-	-	15	-	-
		F	16	16	-	-	-	-	16	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	113	113	-	-	-	-	113	-	-
		F	65	65	-	-	-	-	65	-	-
777	Immaturity, unqualified	M	94	94	-	-	-	-	94	-	-
		F	74	74	-	-	-	-	74	-	-
778	Other conditions of foetus or newborn	M	15	15	-	-	-	-	15	-	-
		F	5	5	-	-	-	-	5	-	-
780-786	XVI. Symptoms and ill-defined conditions	M	388	1	-	-	-	-	1	-	-
		F	449	-	-	-	-	-	-	-	-
780	Certain symptoms referable to nervous system and special senses	M	1	1	-	-	-	-	1	-	-
		F	1	-	-	-	1	-	1	-	-
782	Symptoms referable to cardiovascular and lymphatic system	M	56	-	-	-	-	-	-	-	-
		F	50	-	-	-	-	-	-	-	-
783	Symptoms referable to respiratory system	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
784	Symptoms referable to upper gastro-intestinal tract	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79 ¹	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	757
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	758
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	759
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760-778
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	775
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	777
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	778
.	.	.	.	.	.	.	2	4	4	10	21	60	83	202	780-786
.	.	.	.	.	.	.	1	2	1	7	12	53	101	269	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	780
.	.	.	.	.	.	.	1	3	3	4	9	15	10	11	782
.	.	.	.	.	.	.	1	2	1	4	6	9	8	19	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	783
.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	784

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
786	Symptoms referable to genito-urinary system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
792	Uraemia	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	M	315	-	-	-	-	-	-	-	-
		F	386	-	-	-	-	-	-	-	-
795	Sudden death (cause unknown)	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
796	Other ill-defined and unknown causes of morbidity and mortality	M	6	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
E800-E999	XVII. Accidents, poisoning and violence	M	864	37	7	16	7	6	73	34	11
		F	474	27	7	5	2	1	42	9	10
E805	Railway accident involving hit by rolling stock	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E810	Motor vehicles traffic accident involving collision with train	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1
E812	Motor vehicle traffic accident involving collision with another motor vehicle	M	85	-	-	-	-	-	-	-	-
		F	24	1	-	-	-	-	1	-	1
E813	Motor vehicle traffic accident involving collision with other vehicle	M	44	-	-	-	-	-	-	4	-
		F	8	-	-	-	-	-	-	1	1
E814	Motor vehicle traffic accident involving collision with pedestrian	M	116	1	-	4	2	3	10	11	1
		F	39	1	3	1	-	1	6	6	2
E815	Other motor vehicle traffic accident involving collision	M	8	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E816	Non-collision motor vehicle traffic accident due to loss of control	M	42	-	-	1	-	-	1	2	1
		F	8	-	-	-	-	-	-	-	-
E817	Non-collision motor vehicle traffic accident while boarding or alighting	M	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
E818	Other non-collision motor vehicle traffic accident	M	21	-	-	-	-	-	-	1	1
		F	3	-	-	-	-	-	-	-	1
E819	Motor vehicle traffic accident of unspecified nature	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E821	Motor vehicle non-traffic accident involving collision with stationary object	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E823	Motor vehicle non-traffic accident of other and unspecified nature	M	4	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E826	Pedal cycle accident	M	14	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-
E827	Other non-motor road vehicle accident	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E830	Accident to watercraft causing submersion	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E832	Other accidental submersion or drowning in water transport	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E836	Machinery accident in water transport	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E841	Accident to powered aircraft, other and unspecified	M	39	1	-	-	-	-	1	-	-
		F	23	-	-	1	-	-	1	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	785
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	786
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	792
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	794
-	-	-	-	-	-	-	-	-	-	2	10	43	71	189	795
-	-	-	-	-	-	-	-	-	-	1	5	42	90	248	796
-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	799
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	800
1	-	-	-	1	-	1	-	-	-	2	-	1	2	1	E800-
49	92	56	40	40	47	44	46	47	53	64	42	45	42	37	E800-
14	18	12	6	13	10	25	14	15	23	21	41	48	68	83	E800-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E805
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E810
-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	E812
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E813
4	16	17	7	7	5	5	3	5	4	7	1	4	-	-	E814
6	3	4	-	3	1	-	-	1	-	-	2	-	2	-	E815
5	2	1	2	-	-	2	2	3	7	5	5	3	2	1	E816
-	3	-	-	-	-	1	-	1	-	-	-	1	-	-	E817
8	9	3	3	7	3	6	7	6	7	13	7	7	5	3	E818
1	1	1	-	-	-	1	1	4	3	3	3	5	2	-	E819
-	4	-	1	1	-	-	-	-	1	1	-	-	-	-	E820
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E821
5	9	3	3	1	1	2	4	3	4	1	1	1	-	-	E822
2	1	-	1	2	1	1	-	-	-	-	-	-	-	-	E823
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E824
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E825
2	2	4	3	-	2	1	2	2	-	-	-	1	-	-	E826
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	E827
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E828
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E829
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E830
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E831
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E832
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E833
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	E834
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E835
-	6	1	5	4	7	5	1	-	2	5	2	-	-	-	E836
2	2	1	-	3	-	6	2	1	1	-	3	1	-	-	E841

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E851	Accidental poisoning by hormones and synthetic substitutes	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E852	Accidental poisoning by primarily systemic and haematologic agents	M	1	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E854	Accidental poisoning by other sedatives and hypnotics	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E855	Accidental poisoning by autonomic nervous system and psychotherapeutic drugs	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E856	Accidental poisoning by other central nervous system depressants and stimulants	M	1	-	-	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E860	Accidental poisoning by alcohol	M	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
E865	Accidental poisoning by pesticides fertilizers or plant foods	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E867	Accidental poisoning by corrosives and caustics not elsewhere classified	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	1	-	-
E869	Accidental poisoning by other and unspecified solid and liquid substances	M	2	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E870	Accidental poisoning by gas distributed by pipe-line	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels	M	4	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by unspecified gases and vapours	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E880	Fall on or from stairs or steps	M	8	-	-	-	1	-	1	-	-
		F	11	-	-	-	-	-	-	-	1
E881	Fall on or from ladders or scaffolding	M	11	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E882	Fall from or out of building or other structure	M	5	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E883	Fall into hole or other opening in surface	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E884	Other fall from one level to another	M	10	1	-	-	-	-	1	-	-
		F	8	-	-	-	-	-	-	-	-
E885	Fall on same level from slipping, tripping or stumbling	M	6	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
E886	Fall on same level from collision pushing or shoving by or with other person	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E887	Other and unspecified fall	M	86	-	-	-	-	-	-	-	-
		F	195	-	-	-	-	-	-	-	-
E890	Accident caused by conflagration in private dwelling	M	6	-	1	-	1	-	2	-	-
		F	7	-	1	-	-	-	1	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E851
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E852
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E854
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	E855
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E855
-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	E856
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E856
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E860
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E865
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E865
-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	E867
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E867
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E869
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	E869
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E870
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E870
-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	E874
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E874
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E877
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E877
-	-	-	-	-	1	-	-	2	-	1	-	1	1	1	E880
-	-	-	-	1	-	-	1	2	3	1	-	1	1	-	E880
-	-	-	-	1	1	-	1	2	2	1	1	2	-	-	E881
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E881
1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	E882
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	E882
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	E883
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E883
1	-	-	1	-	-	-	1	1	-	3	-	1	1	-	E884
-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	E884
-	-	-	-	2	1	-	-	1	-	-	1	-	1	-	E885
-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	E885
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	E886
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E886
1	3	-	1	-	2	-	1	-	3	2	10	14	24	25	E887
-	-	-	-	-	1	-	-	-	3	10	17	38	54	72	E887
-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	E890
-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	E890

TABLE 19 (contd.) - DEATHS IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E893	Accident caused by ignition of clothing	M	2	-	-	-	-	-	-	-	-
		F	10	1	-	1	-	-	2	1	-
E894	Accident caused by ignition of highly inflammable material	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1
E895	Accident caused by controlled fire in private dwelling	M	5	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	1	-	-
E897	Accident caused by controlled fire not in building or structure	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E898	Accident caused by other specified fires or flames	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E899	Accident caused by unspecified fire	M	4	-	1	-	-	-	1	-	-
		F	5	-	-	-	-	-	-	1	-
E904	Hunger, thirst, exposure and neglect	M	13	7	-	-	-	-	7	-	-
		F	7	3	-	-	-	-	3	-	-
E910	Accidental drowning and submersion	M	79	-	1	5	-	2	8	5	5
		F	11	-	1	-	-	-	1	-	2
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	19	14	1	1	-	-	16	-	-
		F	17	11	1	-	-	-	12	-	-
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	1	-	-	-	-	-	-	1	-
		F	1	1	-	-	-	-	1	-	-
E913	Accidental mechanical suffocation	M	14	12	1	-	-	-	13	-	-
		F	9	8	1	-	-	-	9	-	-
E916	Struck accidentally by falling object	M	10	-	-	1	1	1	3	1	-
		F	1	-	-	-	-	-	-	-	-
E917	Striking against or struck accidentally by objects	M	3	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E918	Caught accidentally in or between objects	M	4	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
E920	Accident caused by cutting or piercing instruments	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E921	Accident caused by explosion of pressure vessel	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E922	Accident caused by firearm missiles	M	9	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance corrosive liquid and steam	M	1	-	1	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
E925	Accident caused by electric current	M	7	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E928	Machinery accident not elsewhere classifiable	M	23	-	-	-	1	-	1	3	-
		F	2	-	-	2	-	-	2	-	-
E929	Other and unspecified accidents	M	3	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
E930	Complications and misadventures in operative therapeutic procedures	M	1	-	-	1	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
E931	Complications and misadventures in other and unspecified therapeutic procedures	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-

[illegible]

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E940
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	-	-	1	1	-	-	4	1	-	-	-	-	E950
-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-
-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	E951
-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	E952
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	1	2	4	1	3	3	1	-	1	-	-	-	E953
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	1	1	2	-	-	1	-	-	-	1	2	-	-	E954
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	2	-	3	-	-	-	-	E955
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	E956
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E957
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	E958
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	E960
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E963
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E964
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E966
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E968
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	E980
-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	E981
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	E982
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	-	-	-	1	-	1	-	-	-	E983
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	6	1	3	1	5	3	2	2	4	6	2	-	2	-	E984
1	2	-	-	2	-	2	1	-	6	1	1	1	2	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E985
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E987
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	18,031 15,126	320 299
008-009	B 4	Enteritis and other diarrhoeal diseases	M F	58 61	- -
010-012	B 5	Tuberculosis of respiratory system	M F	188 77	3 -
013-019	B 6	Other tuberculosis, including late effects	M F	14 14	- -
032	B 8	Diphtheria	M F	- -	- -
033	B 9	Whooping cough	M F	2 2	- -
034	B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -
036	B 11	Meningococcal infection	M F	1 2	- -
038	B 18a	Septicaemia	M F	14 11	- -
040-043	B 12	Acute poliomyelitis	M F	- -	- -
055	B 14	Measles	M F	4 6	- 1
070	B 18b	Infectious hepatitis	M F	9 9	- -
009.2	B 18c	Gastro-enteritis (under 2 years)	M F	53 48	- -
000-007, 020-031, 035, 037,039,044-054, 056-068 071-136	B 18	All other infective and parasitic diseases	M F	27 15	- -
151	B 19a	Malignant neoplasms:- of stomach	M F	418 357	- 1
150, 152-159	B 19b	of other digestive organs and peritoneum	M F	744 728	- -
162	B 19c	of trachea, bronchus and lung	M F	721 187	- -
174	B 19d	of breast	M F	2 414	- 1
180-189	B 19c	of genito-urinary organs	M F	379 348	1 -
200-209	B 19f	of lymphatic and haematopoietic tissue	M F	208 127	- -
140-149, 160, 161, 163-173,190-199	B 19g	other	M F	363 295	2 -
210-239	B 20	Benign neoplasms and neoplasms of unspecified nature	M F	56 49	- -
250	B 21	Diabetes mellitus	M F	121 162	- 1
260-269	B 22	Avitaminoses and other nutritional deficiency	M F	12 10	- -
280-285	B 23	Anaemias	M F	49 69	1 -
320	B 24	Meningitis	M F	31 16	- -
390-392	B 25	Active rheumatic fever	M F	2 1	- -
393-398	B 26	Chronic rheumatic heart disease	M F	187 225	- -
400-404	B 27	Hypertensive disease	M F	342 379	- 3
410-414	B 28	Ischaemic heart disease	M F	4,456 2,806	57 26
420-429	B 29	Other forms of heart disease	M F	1,518 1,693	33 34

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of death		Total	Uncertified
430-438	B 30	Cerebrovascular disease	M	2,026	6
			F	2,418	9
440-458	B 46a	Other diseases of circulatory system	M	698	4
			F	620	6
470-474	B 31	Influenza	M	132	4
			F	183	6
480-486	B 32	Pneumonia	M	761	6
			F	654	-
490-493	B 33	Bronchitis, emphysema and asthma	M	1,297	4
			F	663	1
518	B 46b	Bronchiectasis	M	33	-
			F	32	-
460-466, 500-517, 519	B 46c	Other diseases of respiratory system	M	187	-
			F	183	-
531-533	B 34	Peptic ulcer	M	162	-
			F	66	-
540-543	B 35	Appendicitis	M	12	-
			F	8	-
550-553, 560	B 36	Intestinal obstruction and hernia	M	49	-
			F	57	-
571	B 37	Cirrhosis of liver	M	52	-
			F	39	-
520-530, 534-537, 561-570, 572-577	B 46d	Other diseases of digestive system	M	108	1
			F	120	-
580-584	B 38	Nephritis and nephrosis	M	166	1
			F	103	1
600	B 39	Hyperplasia of prostate	M	160	-
640-645	B 40	Abortion	F	-	-
630-639, 650-678	B 41	Other complications of pregnancy, childbirth and the puerperium	F	22	-
740-759	B 42	Congenital anomalies	M	198	-
			F	204	-
764-768, 772, 776	B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	146	-
			F	103	-
760-763, 769-771, 773-775, 777-779	B 44	Other causes of perinatal mortality*	M	156	-
			F	125	-
794	B 45a	Senility without mention of psychosis	M	315	166
			F	386	181
780-793 795-796	B 45b	Ill-defined conditions	M	73	27
			F	63	24
240-246, 251-258, 270-279, 286-289, 290-315, 321-389, 590-599, 601-629, 680-738	B 46e	All other diseases	M	510	4
			F	540	3
External Causes					
F 810-F 823	B 47	Motor vehicle accidents	M	327	-
			F	85	-
F 800-F 807, F 825-F 949	B 48	All other accidents	M	414	-
			F	344	1
F 950-F 959	B 49	Suicide and self-inflicted injuries	M	56	-
			F	15	-
F 960-F 999	B 50	All other external causes	M	67	-
			F	30	-

*Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total		Total		Total		Total	
		M	7,638	65	5,971	92	2,866	119	1,556	44
		F	6,753	41	4,839	81	2,328	133	1,206	44
B 4	Enteritis and other diarrhoeal diseases	M	35	-	18	-	5	-	-	-
		F	39	-	15	-	6	-	1	-
B 5	Tuberculosis of respiratory system	M	90	1	67	2	16	-	15	-
		F	36	-	29	-	6	-	6	-
B 6	Other tuberculosis, including late effects	M	5	-	6	-	2	-	1	-
		F	8	-	4	-	2	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-
B 18a	Septicaemia	M	7	-	2	-	1	-	4	-
		F	5	-	2	-	4	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	2	-	-	-	1	-	1	-
		F	4	1	-	-	2	-	-	-
B 18b	Infectious hepatitis	M	3	-	2	-	4	-	-	-
		F	3	-	2	-	2	-	2	-
B 18c	Gastro-enteritis (under 2 years)	M	33	-	16	-	4	-	-	-
		F	36	-	9	-	2	-	1	-
B 18	All other infective and parasitic diseases	M	9	-	7	-	4	-	7	-
		F	3	-	7	-	3	-	2	-
B 19a	Malignant neoplasms:- of stomach	M	173	-	124	-	68	-	53	-
		F	158	-	113	-	51	1	35	-
B 19b	of other digestive organs and peritoneum	M	306	-	260	-	125	-	53	-
		F	346	-	234	-	105	-	43	-
B 19c	of trachea, bronchus and lung	M	434	-	185	-	55	-	47	-
		F	114	-	57	-	11	-	5	-
B 19d	of breast	M	1	-	1	-	-	-	-	-
		F	210	-	120	1	51	-	33	-
B 19e	of genito-urinary organs	M	165	-	114	-	71	-	29	1
		F	174	-	108	-	41	-	25	-
B 19f	of lymphatic and haematopoietic tissue	M	98	-	73	-	26	-	11	-
		F	57	-	37	-	25	-	8	-
B 19g	Other	M	156	-	118	-	61	1	28	1
		F	137	-	97	-	40	-	21	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	33	-	21	-	1	-	1	-
		F	25	-	17	-	5	-	2	-
B 21	Diabetes mellitus	M	57	-	38	-	20	-	6	-
		F	85	-	37	1	27	-	13	-
B 22	Avitaminoses and other nutritional deficiency	M	2	-	5	-	4	-	1	-
		F	2	-	3	-	5	-	-	-
B 23	Anaemias	M	20	1	15	-	9	-	5	-
		F	41	-	21	-	5	-	2	-
B 24	Meningitis	M	13	-	13	-	4	-	1	-
		F	8	-	7	-	-	-	1	-
B 25	Active rheumatic fever	M	-	-	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	86	-	62	-	26	-	13	-
		F	123	-	71	-	22	-	9	-
B 27	Hypertensive disease	M	143	-	105	-	66	-	28	-
		F	179	-	100	-	73	1	27	2
B 28	Ischaemic heart disease	M	1,867	19	1,444	21	719	6	426	11
		F	1,266	3	858	7	456	7	226	9
B 29	Other forms of heart disease	M	447	10	647	9	292	10	132	4
		F	580	7	675	9	293	10	145	7

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	802	3	663	-	344	3	217	-
		F	1,084	2	742	2	379	3	213	3
B 46a	Other diseases of circulatory system	M	291	-	247	2	101	2	59	-
		F	286	1	197	4	82	1	55	-
B 31	Influenza	M	47	2	39	2	28	-	18	-
		F	60	1	46	-	54	3	23	2
B 32	Pneumonia	M	332	-	225	3	119	1	85	2
		F	314	-	202	-	77	-	61	-
B 33	Bronchitis, emphysema and asthma	M	635	1	438	-	163	2	61	1
		F	358	1	213	-	64	-	28	-
B 46b	Bronchiectasis	M	15	-	12	-	4	-	2	-
		F	12	-	10	-	6	-	4	-
B 46c	Other diseases of respiratory system	M	88	-	49	-	39	-	11	-
		F	93	-	56	-	22	-	12	-
B 34	Peptic ulcer	M	58	-	66	-	23	-	15	-
		F	29	-	17	-	9	-	11	-
B 35	Appendicitis	M	3	-	4	-	4	-	1	-
		F	3	-	3	-	1	-	1	-
B 36	Intestinal obstruction and hernia	M	23	-	15	-	8	-	2	-
		F	23	-	20	-	12	-	2	-
B 37	Cirrhosis of liver	M	33	-	9	-	9	-	1	-
		F	18	-	16	-	4	-	1	-
B 46d	Other diseases of digestive system	M	48	1	32	-	21	-	7	-
		F	54	-	35	-	22	-	9	-
B 38	Nephritis and nephrosis	M	69	-	49	-	23	1	25	-
		F	40	-	32	-	14	1	17	-
B 39	Hyperplasia of prostate	M	42	-	67	-	34	-	17	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	11	-	7	-	3	-	1	-
B 42	Congenital anomalies	M	103	-	58	-	28	-	10	-
		F	107	-	59	-	22	-	16	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	83	-	37	-	16	-	10	-
		F	49	-	31	-	15	-	8	-
B 44	Other causes of perinatal mortality *	M	67	-	53	-	22	-	14	-
		F	69	-	36	-	8	-	12	-
B 45a	Senility without mention of psychosis	M	65	17	109	48	106	80	35	21
		F	83	18	137	50	127	96	39	17
B 45	Ill-defined conditions	M	29	10	15	4	26	12	3	1
		F	20	5	12	6	25	10	6	3
B 46e	All other diseases	M	229	-	172	1	71	1	38	2
		F	221	1	176	1	92	-	51	1
External Causes										
B 47	Motor vehicle accidents	M	166	-	105	-	36	-	20	-
		F	38	-	29	-	9	-	9	-
B 48	All other accidents	M	190	-	148	-	42	-	34	-
		F	149	1	132	-	42	-	21	-
B 49	Suicide and self-inflicted injuries	M	32	-	12	-	6	-	6	-
		F	6	-	6	-	3	-	-	-
B 50	All other external causes	M	34	-	19	-	11	-	3	-
		F	19	-	10	-	1	-	-	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total							
		M	219	-	2,782	4	310	-	626	-
		F	161	-	2,775	3	317	-	610	-
B 4	Enteritis and other diarrhoeal diseases	M	2	-	15	-	-	-	9	-
		F	1	-	20	-	1	-	3	-
B 5	Tuberculosis of respiratory system	M	2	-	49	-	8	-	5	-
		F	2	-	17	-	1	-	3	-
B 6	Other tuberculosis, including late effects	M	-	-	3	-	-	-	1	-
		F	-	-	7	-	-	-	1	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 18a	Septicaemia	M	-	-	4	-	-	-	-	-
		F	-	-	2	-	1	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 18b	Infectious hepatitis	M	-	-	1	-	1	-	-	-
		F	-	-	2	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	1	-	15	-	-	-	8	-
		F	1	-	19	-	1	-	3	-
B 18	All other infective and parasitic diseases	M	1	-	3	-	-	-	-	-
		F	-	-	2	-	-	-	1	-
B 19a	Malignant neoplasms:- of stomach	M	2	-	63	-	3	-	21	-
		F	8	-	72	-	5	-	7	-
B 19b	of other digestive organs and peritoneum	M	9	-	121	-	11	-	29	-
		F	7	-	155	-	20	-	27	-
B 19c	of trachea, bronchus and lung	M	9	-	221	-	16	-	36	-
		F	1	-	57	-	12	-	8	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	6	-	90	-	8	-	28	-
B 19e	of genito-urinary organs	M	5	-	58	-	10	-	13	-
		F	5	-	74	-	9	-	17	-
B 19f	of lymphatic and haematopoietic tissue	M	2	-	40	-	3	-	6	-
		F	1	-	19	-	2	-	8	-
B 19g	Other	M	2	-	49	-	11	-	11	-
		F	3	-	59	-	6	-	17	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	1	-	15	-	-	-	2	-
		F	-	-	15	-	1	-	5	-
B 21	Diabetes mellitus	M	4	-	21	-	4	-	4	-
		F	2	-	29	-	4	-	10	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 23	Anaemias	M	1	-	5	-	-	-	1	-
		F	1	-	14	-	1	-	4	-
B 24	Meningitis	M	-	-	6	-	-	-	1	-
		F	-	-	4	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	4	-	34	-	2	-	9	-
		F	7	-	67	-	3	-	11	-
B 27	Hypertensive disease	M	5	-	46	-	6	-	8	-
		F	7	-	70	-	9	-	14	-
B 28	Ischaemic heart disease	M	55	-	706	2	76	-	155	-
		F	28	-	551	1	85	-	121	-
B 29	Other forms of heart disease	M	17	-	118	1	11	-	28	-
		F	11	-	189	1	25	-	40	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	30	-	252	-	43	-	61	-
		F	30	-	401	-	45	-	109	-
B 46a	Other diseases of circulatory system	M	9	-	79	-	7	-	16	-
		F	1	-	109	-	13	-	16	-
B 31	Influenza	M	2	-	6	-	1	-	4	-
		F	4	-	23	1	-	-	5	-
B 32	Pneumonia	M	8	-	138	-	12	-	36	-
		F	11	-	149	-	17	-	26	-
B 33	Bronchitis, emphysema and asthma	M	16	-	256	-	34	-	44	-
		F	7	-	162	-	9	-	23	-
B 46b	Bronchiectasis	M	-	-	8	-	1	-	2	-
		F	1	-	4	-	-	-	2	-
B 46c	Other diseases of respiratory system	M	1	-	29	-	2	-	2	-
		F	1	-	40	-	5	-	13	-
B 34	Peptic ulcer	M	-	-	29	-	1	-	1	-
		F	1	-	14	-	2	-	2	-
B 35	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	1	-	6	-	-	-	3	-
		F	1	-	12	-	1	-	4	-
B 37	Cirrhosis of liver	M	1	-	23	-	-	-	1	-
		F	-	-	12	-	-	-	-	-
B 46d	Other diseases of digestive system	M	1	-	17	-	2	-	7	-
		F	2	-	23	-	3	-	5	-
B 38	Nephritis and nephrosis	M	4	-	22	-	4	-	4	-
		F	-	-	12	-	2	-	2	-
B 39	Hyperplasia of prostate	M	3	-	9	-	3	-	2	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	6	-	-	-	1	-
B 42	Congenital anomalies	M	2	-	43	-	2	-	16	-
		F	-	-	38	-	5	-	20	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	31	-	7	-	12	-
		F	-	-	20	-	3	-	7	-
B 44	Other causes of perinatal mortality *	M	4	-	20	-	1	-	8	-
		F	4	-	28	-	-	-	5	-
B 45a	Senility without mention of psychosis	M	-	-	5	1	-	-	6	1
		F	-	-	9	-	1	-	5	-
B 45b	Ill-defined conditions	M	2	-	2	-	-	-	-	-
		F	-	-	5	-	-	-	4	-
B 46e	All other diseases	M	2	-	85	-	9	-	18	-
		F	6	-	98	-	9	-	15	-
External Causes										
B 47	Motor vehicle accidents	M	2	-	50	-	9	-	20	-
		F	-	-	18	-	2	-	5	-
B 48	All other accidents	M	3	-	60	-	6	-	18	-
		F	2	-	61	-	7	-	12	-
B 49	Suicide and self-inflicted injuries	M	3	-	12	-	3	-	-	-
		F	-	-	5	-	-	-	-	-
B 50	All other external causes	M	1	-	19	-	1	-	4	-
		F	-	-	9	-	-	-	2	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total	M F	385 265	7 1	431 333	- 2	307 209	7 5
B 4	Enteritis and other diarrhoeal diseases	M	3	-	1	-	1	-	-	-
		F	3	-	4	-	1	-	-	-
B 5	Tuberculosis of respiratory system	M	1	-	2	-	4	1	2	-
		F	-	-	1	-	-	-	3	-
B 6	Other tuberculosis, including late effects	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	-	-	2	-	-	-
		F	-	-	-	-	1	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	1	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	3	-	1	-	1	-	-	-
		F	2	-	4	-	1	-	-	-
B 18	All other infective and parasitic diseases	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	14	-	10	-	6	-	8	-
		F	3	-	7	-	8	-	4	-
B 19b	of other digestive organs and peritoneum	M	13	-	16	-	16	-	11	-
		F	6	-	21	-	11	-	10	-
B 19c	of trachea,bronchus and lung	M	20	-	18	-	7	-	6	-
		F	1	-	7	-	2	-	1	-
B 19d	of breast	M	1	-	-	-	-	-	-	-
		F	14	-	8	-	1	-	4	-
B 19e	of genito-urinary organs	M	8	-	4	-	12	-	9	-
		F	6	-	5	-	9	-	2	-
B 19f	of lymphatic and haematopoietic tissue	M	6	-	2	-	5	-	3	-
		F	3	-	-	-	2	-	1	-
B 19g	Other	M	7	-	12	-	8	-	5	-
		F	1	-	5	-	3	-	4	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	2	-	2	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 21	Diabetes mellitus	M	1	-	3	-	1	-	1	-
		F	3	-	6	-	3	-	2	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B 23	Anaemias	M	-	-	4	-	2	-	-	-
		F	1	-	3	-	2	-	-	-
B 24	Meningitis	M	1	-	-	-	-	-	1	-
		F	-	-	2	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	7	-	-	-	5	-	6	-
		F	8	-	2	-	5	-	3	-
B 27	Hypertensive disease	M	11	-	9	-	6	-	5	-
		F	11	-	7	-	4	-	4	-
B 28	Ischaemic heart disease	M	59	2	104	-	86	2	38	-
		F	22	-	50	-	52	1	29	-
B 29	Other forms of heart disease	M	37	-	33	-	17	1	22	-
		F	25	-	33	-	18	-	32	2

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	42	-	36	-	33	-	28	1
		F	38	-	64	-	32	-	50	-
B 46a	Other diseases of circulatory system	M	11	-	34	-	12	-	7	-
		F	7	-	34	-	9	-	11	-
B 31	Influenza	M	4	-	9	-	2	-	2	-
		F	3	-	5	-	2	-	1	-
B 32	Pneumonia	M	15	-	12	-	16	-	3	-
		F	21	-	12	-	10	-	8	-
B 33	Bronchitis, emphysema and asthma	M	23	-	44	-	18	1	14	-
		F	24	-	9	-	11	1	10	-
B 46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	22	-	3	-	4	-	1	-
		F	14	-	4	-	2	-	1	-
B 34	Peptic ulcer	M	1	-	1	-	2	-	-	-
		F	1	-	3	-	-	-	-	-
B 35	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	1	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
B 37	Cirrhosis of liver	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 46d	Other diseases of digestive system	M	2	-	3	-	1	-	1	-
		F	4	-	3	-	-	-	-	-
B 38	Nephritis and nephrosis	M	6	-	3	-	4	-	1	-
		F	4	-	1	-	-	-	2	-
B 39	Hyperplasia of prostate	M	1	-	5	-	-	-	3	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	3	-	2	-	4	-	4	-
		F	8	-	2	-	3	-	4	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	3	-	4	-	3	-
		F	4	-	3	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	3	-	5	-	1	-	3	-
		F	2	-	4	-	2	-	-	-
B 45a	Senility without mention of psychosis	M	3	-	6	-	5	2	5	3
		F	6	-	10	1	6	2	8	6
B 45b	Ill-defined conditions	M	6	5	1	-	1	-	2	1
		F	1	1	2	1	-	-	3	2
B 46e	All other diseases	M	16	-	16	-	9	-	5	-
		F	9	-	8	-	5	-	4	1
External Causes										
B 47	Motor vehicle accidents	M	16	-	13	-	4	-	5	-
		F	2	-	-	-	-	-	-	-
B 48	All other accidents	M	8	-	7	-	6	-	5	-
		F	6	-	6	-	3	-	4	-
B 49	Suicide and self-inflicted injuries	M	3	-	4	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	1	-	1	-	-	-	1	-
		F	1	-	1	-	-	-	-	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	387 310	1 -	385 320	10 3	315 244	10 6	338 237	10 7
B 4	Enteritis and other diarrhoeal diseases	M F	- 1	- -	- 2	- -	1 2	- -	2 -	- -
B 5	Tuberculosis of respiratory system	M F	1 2	- -	8 3	- -	1 -	- -	1 2	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	1 -	- -	- 1	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- 1	- -	- 2	- -	1 1	- -	2 -	- -
B 18	All other infective and parasitic diseases	M F	1 -	- -	1 -	- -	- -	- -	- -	- -
B 19a	Malignant neoplasms:- of stomach	M F	14 5	- -	6 3	- -	9 9	- -	5 10	- -
B 19b	of other digestive organs and peritoneum	M F	9 14	- -	16 12	- -	8 13	- -	10 13	- -
B 19c	of trachea, bronchus and lung	M F	26 5	- -	17 2	- -	9 3	- -	10 4	- -
B 19d	of breast	M F	- 14	- -	- 7	- -	- 6	- -	- 4	- -
B 19e	of genito-urinary organs	M F	7 9	- -	3 8	- -	10 8	- -	5 3	- -
B 19f	of lymphatic and haematopoietic tissue	M F	2 5	- -	3 3	- -	4 -	- -	8 5	- -
B 19g	Other	M F	9 6	- -	9 9	- -	5 6	- -	4 2	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	4 1	- -	3 1	- -	- -	- -	1 -	- -
B 21	Diabetes mellitus	M F	4 2	- -	2 4	- -	1 2	- -	- 3	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 23	Anaemias	M F	2 2	- -	2 3	- -	1 -	- -	2 3	1 -
B 24	Meningitis	M F	- 1	- -	1 1	- -	2 -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	1 4	- -	3 4	- -	2 1	- -	2 1	- -
B 27	Hypertensive disease	M F	1 11	- -	14 13	- -	6 6	- -	10 5	- -
B 28	Ischaemic heart disease	M F	101 46	1 -	102 57	2 -	65 30	3 -	88 39	5 1
B 29	Other forms of heart disease	M F	16 40	- -	28 36	1 -	20 31	1 3	45 42	1 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	48	-	48	-	48	2	35	-
		F	54	-	53	1	52	-	33	1
B 46a	Other diseases of circulatory system	M	12	-	7	-	10	-	10	-
		F	8	-	7	-	12	-	8	1
B 31	Influenza	M	2	-	6	1	2	1	1	-
		F	3	-	1	-	3	-	1	-
B 32	Pneumonia	M	20	-	13	-	17	-	12	-
		F	13	-	15	-	8	-	8	-
B 33	Bronchitis, emphysema and asthma	M	27	-	31	-	23	-	25	-
		F	19	-	19	-	9	-	15	-
B 46b	Bronchiectasis	M	1	-	-	-	1	-	-	-
		F	-	-	1	-	1	-	-	-
B 46c	Other diseases of respiratory system	M	2	-	4	-	6	-	2	-
		F	1	-	3	-	2	-	-	-
B 34	Peptic ulcer	M	4	-	5	-	2	-	5	-
		F	2	-	1	-	-	-	-	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	-	-	2	-
		F	-	-	1	-	1	-	1	-
B 37	Cirrhosis of liver	M	2	-	-	-	1	-	-	-
		F	-	-	3	-	1	-	2	-
B 46d	Other diseases of digestive system	M	-	-	1	-	4	-	4	1
		F	2	-	2	-	2	-	1	-
B 38	Nephritis and nephrosis	M	4	-	3	-	7	-	1	-
		F	1	-	5	-	2	-	1	-
B 39	Hyperplasia of prostate	M	8	-	1	-	3	-	1	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	2	-	1	-
B 42	Congenital anomalies	M	7	-	3	-	6	-	3	-
		F	5	-	4	-	2	-	4	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	-	-	1	-	2	-
		F	3	-	1	-	2	-	2	-
B 44	Other causes of perinatal mortality *	M	6	-	3	-	5	-	2	-
		F	4	-	1	-	4	-	4	-
B 45a	Senility without mention of psychosis	M	4	-	10	5	5	2	2	1
		F	6	-	12	2	9	2	3	2
B 45b	Ill-defined conditions	M	2	-	2	1	3	1	3	1
		F	-	-	1	-	2	1	-	-
B 46e	All other diseases	M	10	-	10	-	14	-	12	-
		F	10	-	15	-	7	-	10	-
External Causes										
B 47	Motor vehicle accidents	M	7	-	13	-	3	-	11	-
		F	4	-	-	-	1	-	1	-
B 48	All other accidents	M	12	-	5	-	7	-	10	-
		F	5	-	2	-	4	-	6	-
B 49	Suicide and self-inflicted injuries	M	2	-	-	-	1	-	2	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	1	-	1	-	1	-	-	-
		F	2	-	1	-	-	-	-	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total	M F	566 449	9 2	375 317	1 1	656 715	2 1
B 4	Enteritis and other diarrhoeal diseases	M F	- 1	- -	1 -	- -	1 2	- -	3 4	- -
B 5	Tuberculosis of respiratory system	M F	5 2	- -	1 -	- -	6 4	- -	9 6	1 -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	- 1	- -	1 1	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- 1	- -	- -	- -	- -	- -	- 1	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- 1	- -	1 -	- -	1 1	- -	2 2	- -
B 18	All other infective and parasitic diseases	M F	2 -	- -	- -	- -	- -	- -	1 4	- -
B 19a	Malignant neoplasms:- of stomach	M F	9 10	- -	3 7	- -	7 21	- -	30 24	- -
B 19b	of other digestive organs and peritoneum	M F	24 23	- -	13 14	- -	34 47	- -	84 57	- -
B 19c	of trachea, bronchus and lung	M F	19 5	- -	20 6	- -	36 11	- -	43 14	- -
B 19d	of breast	M F	- 12	- -	- 8	- -	- 21	- -	- 27	- -
B 19e	of genito-urinary organs	M F	7 11	- -	14 8	- -	10 19	- -	26 24	- -
B 19f	of lymphatic and haematopoietic tissue	M F	10 4	- -	4 4	- -	8 9	- -	23 8	- -
B 19g	Other	M F	15 8	- -	9 8	- -	6 18	- -	36 12	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 -	- -	- 2	- -	2 1	- -	9 5	- -
B 21	Diabetes mellitus	M F	7 8	- -	4 7	- -	4 1	- -	6 9	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 -	- -	2 -	- -	1 3	- -
B 23	Anaemias	M F	- 4	- -	- 3	- -	1 3	- -	3 8	- -
B 24	Meningitis	M F	1 -	- -	- -	- -	1 -	- -	5 3	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	8 3	- -	3 4	- -	5 23	- -	15 14	- -
B 27	Hypertensive disease	M F	6 11	- -	10 7	- -	11 9	- -	32 30	- -
B 28	Ischaemic heart disease	M F	147 96	2 -	85 60	- -	173 141	1 -	396 207	4 -
B 29	Other forms of heart disease	M F	30 34	4 -	25 24	1 -	41 76	- -	155 167	2 3

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	48	-	50	-	58	-	159	-
		F	71	-	52	-	91	-	215	-
B 46a	Other diseases of circulatory system	M	62	-	15	-	36	-	82	-
		F	38	-	13	-	44	-	53	1
B 31	Influenza	M	4	-	2	-	2	-	9	-
		F	7	-	2	-	1	-	12	-
B 32	Pneumonia	M	12	-	18	-	21	-	57	-
		F	5	-	11	-	25	-	57	-
B 33	Bronchitis, emphysema and asthma	M	55	-	25	-	71	-	117	-
		F	22	-	19	-	24	-	41	-
B 46b	Bronchiectasis	M	1	-	1	-	-	-	1	-
		F	1	-	-	-	1	-	4	-
B 46c	Other diseases of respiratory system	M	4	-	6	-	5	-	24	-
		F	3	-	4	-	11	-	17	-
B 34	Peptic ulcer	M	3	-	4	-	11	-	22	-
		F	1	-	2	-	2	-	3	-
B 35	Appendicitis	M	1	-	-	-	-	-	1	-
		F	-	-	1	-	1	-	1	-
B 36	Intestinal obstruction and hernia	M	2	-	3	-	5	-	2	-
		F	1	-	-	-	3	-	6	-
B 37	Cirrhosis of liver	M	1	-	2	-	1	-	5	-
		F	-	-	-	-	3	-	1	-
B 46d	Other diseases of digestive system	M	3	-	2	-	3	-	5	-
		F	4	-	3	-	2	-	5	-
B 38	Nephritis and nephrosis	M	3	-	3	-	3	-	16	-
		F	6	-	2	-	5	-	8	-
B 39	Hyperplasia of prostate	M	3	-	-	-	5	-	18	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	1	-	-	-
B 42	Congenital anomalies	M	6	-	2	-	5	-	17	-
		F	6	-	6	-	10	-	18	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	4	-	4	-	10	-
		F	2	-	2	-	8	-	12	-
B 44	Other causes of perinatal mortality *	M	4	-	2	-	7	-	6	-
		F	7	-	4	-	8	-	5	-
B 45a	Senility without mention of psychosis	M	7	2	7	-	4	-	21	5
		F	3	2	5	1	14	-	19	3
B 45b	Ill-defined conditions	M	1	1	4	-	1	1	5	-
		F	-	-	2	-	1	1	2	2
B 46e	All other diseases	M	12	-	11	-	16	-	59	-
		F	11	-	14	-	23	-	34	-
External Causes										
B 47	Motor vehicle accidents	M	4	-	9	-	17	-	23	-
		F	4	-	1	-	3	-	11	-
B 48	All other accidents	M	34	-	9	-	27	-	52	-
		F	23	-	8	-	25	-	37	-
B 49	Suicide and self-inflicted injuries	M	-	-	1	-	2	-	3	-
		F	-	-	1	-	1	-	-	-
B 50	All other external causes	M	1	-	2	-	4	-	4	-
		F	-	-	3	-	1	-	3	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	580 390	10 13	899 689	43 41	294 280	- -	609 478	10 9
B 4	Enteritis and other diarrhoeal diseases	M F	3 1	- -	2 2	- -	- 1	- -	2 2	- -
B 5	Tuberculosis of respiratory system	M F	7 3	1 -	18 1	- -	3 1	- -	6 6	- -
B 6	Other tuberculosis, including late effects	M F	2 -	- -	- -	- -	- -	- -	1 1	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- 1	- -	- -	- -
B 18a	Septicaemia	M F	1 -	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	1 -	- -	- 1	- -	1 1	- -
B 18c	Gastro-enteritis (under 2 years)	M F	3 -	- -	2 1	- -	- 1	- -	2 1	- -
B 18	All other infective and parasitic diseases	M F	- 1	- -	- 1	- -	2 -	- -	1 1	- -
B 19a	Malignant neoplasms:- of stomach	M F	18 5	- -	19 14	- -	2 6	- -	11 10	- -
B 19b	of other digestive organs and peritoneum	M F	21 21	- -	33 20	- -	14 18	- -	24 21	- -
B 19c	of trachea, bronchus and lung	M F	8 4	- -	21 8	- -	8 4	- -	16 7	- -
B 19d	of breast	M F	- 5	- 1	- 16	- -	- 12	- -	1 10	- -
B 19e	of genito-urinary organs	M F	12 9	- -	22 14	- -	7 6	- -	11 6	- -
B 19f	of lymphatic and haematopoietic tissue	M F	9 5	- -	6 7	- -	7 2	- -	7 2	- -
B 19g	Other	M F	7 6	- -	17 15	- -	4 11	- -	17 13	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	1 1	- -	2 3	- -	- 2	- -	2 3	- -
B 21	Diabetes mellitus	M F	7 10	- 1	9 7	- -	2 2	- -	2 1	- -
B 22	Avitaminoses and other nutritional deficiency	M F	1 -	- -	- -	- -	1 -	- -	- -	- -
B 23	Anaemias	M F	2 1	- -	4 2	- -	1 2	- -	1 3	- -
B 24	Meningitis	M F	1 -	- -	1 1	- -	1 -	- -	1 2	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	10 5	- -	8 6	- -	3 4	- -	4 5	- -
B 27	Hypertensive disease	M F	4 8	- -	14 15	- -	10 6	- -	13 11	- -
B 28	Ischaemic heart disease	M F	100 43	2 -	191 101	6 4	89 52	- -	148 87	2 -
B 29	Other forms of heart disease	M F	129 81	- 2	128 122	4 2	16 34	- -	55 66	1 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	49	-	103	-	31	-	93	-
		F	40	1	100	-	33	-	78	-
B 46a	Other diseases of circulatory system	M	20	-	43	2	4	-	24	-
		F	21	2	26	1	7	-	16	-
B 31	Influenza	M	1	-	16	1	-	-	-	-
		F	6	-	18	-	-	-	3	-
B 32	Pneumonia	M	24	-	19	2	15	-	26	-
		F	16	-	21	-	14	-	16	-
B 33	Bronchitis, emphysema and asthma	M	39	-	39	-	35	-	40	-
		F	11	-	22	-	22	-	20	-
B 46b	Bronchiectasis	M	5	-	-	-	2	-	-	-
		F	1	-	1	-	1	-	-	-
B 46c	Other diseases of respiratory system	M	3	-	6	-	4	-	4	-
		F	4	-	6	-	2	-	9	-
B 34	Peptic ulcer	M	3	-	4	-	4	-	9	-
		F	-	-	2	-	2	-	-	-
B 35	Appendicitis	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	-	-	4	-	1	-	2	-
		F	-	-	2	-	2	-	4	-
B 37	Cirrhosis of liver	M	1	-	-	-	-	-	-	-
		F	2	-	4	-	1	-	-	-
B 46d	Other diseases of digestive system	M	2	-	6	-	1	-	5	-
		F	4	-	5	-	1	-	5	-
B 38	Nephritis and nephrosis	M	6	-	9	-	-	-	4	-
		F	4	-	4	-	2	-	4	-
B 39	Hyperplasia of prostate	M	5	-	25	-	2	-	3	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	3	-	2	-	-	-	-	-
B 42	Congenital anomalies	M	5	-	10	-	2	-	6	-
		F	8	-	5	-	5	-	4	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	1	-	7	-	4	-	3	-
		F	1	-	3	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	10	-	8	-	1	-	5	-
		F	7	-	9	-	1	-	-	-
B 45a	Senility without mention of psychosis	M	10	6	37	26	-	-	16	7
		F	11	5	49	32	3	-	16	8
B 45b	Ill-defined conditions	M	3	1	3	2	-	-	3	-
		F	1	-	3	2	-	-	3	-
B 46e	All other diseases	M	19	-	25	-	7	-	17	-
		F	23	1	22	-	14	-	28	-
External Causes										
B 47	Motor vehicle accidents	M	13	-	11	-	4	-	13	-
		F	3	-	4	-	1	-	1	-
B 48	All other accidents	M	13	-	23	-	6	-	8	-
		F	13	-	25	-	2	-	12	-
B 49	Suicide and self-inflicted injuries	M	2	-	2	-	-	-	1	-
		F	-	-	1	-	1	-	-	-
B 50	All other external causes	M	3	-	1	-	1	-	2	-
		F	2	-	-	-	1	-	-	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total							
		M	363	4	474	9	184	-	316	2
		F	317	5	378	1	185	-	215	2
B 4	Enteritis and other diarrhoeal diseases	M	5	-	-	-	1	-	1	-
		F	1	-	2	-	-	-	-	-
B 5	Tuberculosis of respiratory system	M	5	-	5	-	7	-	1	-
		F	1	-	1	-	1	-	5	-
B 6	Other tuberculosis, including late effects	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	5	-	-	-	-	-	1	-
		F	1	-	2	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	1	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	6	-	17	-	3	-	11	-
		F	9	-	13	-	6	-	5	-
B 19b	of other digestive organs and peritoneum	M	14	-	18	-	4	-	14	-
		F	16	-	15	-	6	-	13	-
B 19c	of trachea, bronchus and lung	M	11	-	23	-	8	-	11	-
		F	1	-	4	-	2	-	2	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	8	-	10	-	7	-	4	-
B 19e	of genito-urinary organs	M	11	-	5	-	4	-	6	-
		F	9	-	7	-	7	-	7	-
B 19f	of lymphatic and haematopoietic tissue	M	3	-	2	-	3	-	5	-
		F	2	-	1	-	-	-	1	-
B 19g	Other	M	1	-	15	-	7	-	8	-
		F	3	-	8	-	7	-	4	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	3	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	1	-
B 21	Diabetes mellitus	M	4	-	1	-	1	-	2	-
		F	3	-	2	-	2	-	-	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 23	Anaemias	M	2	-	-	-	1	-	-	-
		F	-	-	-	-	2	-	-	-
B 24	Meningitis	M	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	9	-	3	-	-	-	5	-
		F	2	-	5	-	4	-	3	-
B 27	Hypertensive disease	M	7	-	11	-	1	-	2	-
		F	9	-	8	-	2	-	2	-
B 28	Ischaemic heart disease	M	69	-	156	5	47	-	75	1
		F	48	2	118	-	29	-	32	1
B 29	Other forms of heart disease	M	64	1	21	1	9	-	29	-
		F	67	-	32	-	11	-	19	1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	41	-	64	-	22	-	43	-
		F	55	-	66	1	31	-	33	-
B 46a	Other diseases of circulatory system	M	8	-	11	-	9	-	10	-
		F	8	-	8	-	4	-	10	-
B 31	Influenza	M	6	-	3	1	1	-	1	-
		F	2	-	1	-	2	-	1	-
B 32	Pneumonia	M	12	-	15	1	17	-	19	-
		F	11	-	10	-	20	-	12	-
B 33	Bronchitis, emphysema and asthma	M	23	-	37	-	11	-	26	-
		F	18	-	24	-	12	-	19	-
B 46b	Bronchiectasis	M	-	-	3	-	-	-	1	-
		F	-	-	-	-	1	-	1	-
B 46c	Other diseases of respiratory system	M	-	-	1	-	-	-	2	-
		F	2	-	2	-	1	-	2	-
B 34	Peptic ulcer	M	5	-	4	-	1	-	3	-
		F	-	-	2	-	4	-	2	-
B 35	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	-
B 37	Cirrhosis of liver	M	-	-	1	-	1	-	-	-
		F	3	-	1	-	1	-	-	-
B 46d	Other diseases of digestive system	M	6	-	2	-	-	-	2	-
		F	6	-	6	-	-	-	1	-
B 38	Nephritis and nephrosis	M	-	-	6	-	4	-	1	-
		F	-	-	4	-	1	-	-	-
B 39	Hyperplasia of prostate	M	2	-	3	-	1	-	3	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	-	-	-	-
B 42	Congenital anomalies	M	7	-	5	-	1	-	-	-
		F	2	-	1	-	3	-	3	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	2	-	1	-	1	-
		F	2	-	1	-	1	-	3	-
B 44	Other causes of perinatal mortality *	M	3	-	6	-	7	-	-	-
		F	2	-	1	-	2	-	1	-
B 45a	Senility without mention of psychosis	M	7	2	4	1	-	-	10	1
		F	5	2	5	-	6	-	9	-
B 45b	Ill-defined conditions	M	-	-	-	-	-	-	-	-
		F	1	1	1	-	-	-	-	-
B 46e	All other diseases	M	6	1	5	-	2	-	16	-
		F	10	-	8	-	5	-	9	-
External Causes										
B 47	Motor vehicle accidents	M	3	-	9	-	7	-	5	-
		F	1	-	3	-	1	-	1	-
B 48	All other accidents	M	11	-	5	-	1	-	2	-
		F	6	-	4	-	2	-	6	-
B 49	Suicide and self-inflicted injuries	M	2	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-
B 50	All other external causes	M	-	-	2	-	2	-	-	-
		F	-	-	1	-	-	-	2	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	987 773	35 32	237 209	20 19	792 694	40 64	468 331	15 13
B 4	Enteritis and other diarrhoeal diseases	M F	3 2	- -	1 1	- -	- -	- -	1 1	- -
B 5	Tuberculosis of respiratory system	M F	6 4	- -	- 1	- -	5 -	- -	2 1	- -
B 6	Other tuberculosis, including late effects	M F	1 2	- -	- -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- 2	- -	- -	- -	1 -	- -	- 1	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- 1	- -	1 1	- -
B 18b	Infectious hepatitis	M F	- -	- -	1 -	- -	1 2	- -	1 -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	2 2	- -	1 -	- -	- -	- -	1 -	- -
B 18	All other infective and parasitic diseases	M F	2 -	- -	- 1	- -	2 1	- -	- -	- -
B 19a	Malignant neoplasms:- of stomach	M F	13 21	- -	6 2	- 1	14 15	- -	20 9	- -
B 19b	of other digestive organs and peritoneum	M F	44 31	- -	8 8	- -	37 35	- -	18 11	- -
B 19c	of trachea, bronchus and lung	M F	21 4	- -	4 2	- -	15 2	- -	4 1	- -
B 19d	of breast	M F	- 16	- -	- 2	- -	- 15	- -	- 8	- -
B 19e	of genito-urinary organs	M F	29 18	- -	5 5	- -	12 13	- -	16 3	- -
B 19f	of lymphatic and haematopoietic tissue	M F	7 8	- -	- 1	- -	13 8	- -	3 3	- -
B 19g	Other	M F	22 8	- -	6 4	- -	16 16	- -	11 11	1 -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- 3	- -	- -	- -	- 2	- -	1 -	- -
B 21	Diabetes mellitus	M F	3 4	- -	1 4	- -	8 10	- -	4 6	- -
B 22	Avitaminoses and other nutritional deficiency	M F	1 1	- -	- -	- -	2 3	- -	1 1	- -
B 23	Anaemias	M F	4 1	- -	1 1	- -	2 1	- -	1 1	- -
B 24	Meningitis	M F	3 -	- -	- -	- -	1 -	- -	- -	- -
B 25	Active rheumatic fever	M F	1 -	- -	- -	- -	- -	- -	1 -	- -
B 26	Chronic rheumatic heart disease	M F	11 10	- -	- 3	- -	7 1	- -	4 4	- -
B 27	Hypertensive disease	M F	21 25	- -	7 4	- -	18 13	- 1	3 6	- -
B 28	Ischaemic heart disease	M F	271 182	3 1	75 34	- 1	192 121	2 1	102 70	1 4
B 29	Other forms of heart disease	M F	65 67	2 3	28 41	3 3	101 98	3 4	77 59	2 -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	114	1	30	-	112	2	41	-
		F	109	-	33	-	116	2	50	1
B 46a	Other diseases of circulatory system	M	39	-	3	-	29	1	15	1
		F	22	-	5	-	32	-	10	1
B 31	Influenza	M	13	-	1	-	5	-	2	-
		F	23	1	5	-	11	2	8	-
B 32	Pneumonia	M	47	-	13	1	19	-	19	-
		F	31	-	7	-	19	-	13	-
B 33	Bronchitis, emphysema and asthma	M	47	1	9	-	37	1	39	-
		F	19	-	10	-	13	-	12	-
B 46b	Bronchiectasis	M	-	-	-	-	2	-	1	-
		F	2	-	-	-	3	-	1	-
B 46c	Other diseases of respiratory system	M	19	-	2	-	14	-	2	-
		F	13	-	1	-	3	-	3	-
B 34	Peptic ulcer	M	8	-	1	-	8	-	2	-
		F	2	-	2	-	2	-	-	-
B 35	Appendicitis	M	1	-	1	-	-	-	2	-
		F	-	-	1	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	-	-	3	-	2	-
		F	6	-	-	-	2	-	3	-
B 37	Cirrhosis of liver	M	2	-	-	-	3	-	3	-
		F	2	-	-	-	1	-	-	-
B 46d	Other diseases of digestive system	M	8	-	1	-	4	-	5	-
		F	11	-	3	-	2	-	2	-
B 38	Nephritis and nephrosis	M	7	1	1	-	8	-	4	-
		F	6	1	3	-	3	-	-	-
B 39	Hyperplasia of prostate	M	17	-	-	-	9	-	5	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	2	-	-	-	-	-	1	-
B 42	Congenital anomalies	M	15	-	1	-	6	-	3	-
		F	11	-	1	-	5	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	8	-	1	-	2	-	1	-
		F	10	-	-	-	3	-	1	-
B 44	Other causes of perinatal mortality *	M	8	-	1	-	6	-	4	-
		F	5	-	-	-	-	-	2	-
B 45a	Senility without mention of psychosis	M	29	21	16	16	31	27	12	9
		F	34	22	13	13	59	50	7	6
B 45b	Ill-defined conditions	M	7	5	-	-	5	4	9	1
		F	10	4	2	1	5	4	4	1
B 46e	All other diseases	M	26	1	7	-	22	-	10	-
		F	33	-	7	-	33	-	11	-
	External Causes									
B 47	Motor vehicle accidents	M	16	-	1	-	6	-	8	-
		F	2	-	-	-	5	-	1	-
B 48	All other accidents	M	18	-	3	-	11	-	4	-
		F	9	-	2	-	18	-	3	-
B 49	Suicide and self-inflicted injuries	M	3	-	1	-	2	-	-	-
		F	2	-	-	-	1	-	-	-
B 50	All other external causes	M	5	-	1	-	-	-	4	-
		F	-	-	-	-	1	-	-	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	382 321	9 5	458 322	13 9	770 633	28 35	328 251	3 -
B 4	Enteritis and other diarrhoeal diseases	M F	- 2	- -	- -	- -	- 1	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	3 -	- -	5 2	- -	5 2	- -	5 2	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- 1	- -	- -	- -	- -	- -	4 -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 18b	Infectious hepatitis	M F	1 -	- -	- 1	- -	- 1	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- -	- -	- -	- -	- 1	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	- 1	- -	1 -	- -	4 1	- -	2 1	- -
B 19a	Malignant neoplasms:- of stomach	M F	15 4	- -	15 12	- -	32 19	- -	6 4	- -
B 19b	of other digestive organs and peritoneum	M F	18 20	- -	11 6	- -	27 29	- -	15 8	- -
B 19c	of trachea, bronchus and lung	M F	11 2	- -	11 1	- -	21 3	- -	15 1	- -
B 19d	of breast	M F	- 10	- -	- 4	- -	- 24	- -	- 5	- -
B 19e	of genito-urinary organs	M F	9 2	- -	6 7	- -	16 9	1 -	7 9	- -
B 19f	of lymphatic and haematopoietic tissue	M F	3 5	- -	3 5	- -	6 2	- -	2 1	- -
B 19g	Other	M F	6 1	- -	5 2	- -	16 15	1 -	7 4	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- -	- -	1 -	- -	- 2	- -	- -	- -
B 21	Diabetes mellitus	M F	4 3	- -	1 2	- -	5 6	- -	- 5	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 23	Anaemias	M F	1 1	- -	1 -	- -	2 2	- -	2 -	- -
B 24	Meningitis	M F	- -	- -	- 1	- -	1 -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	4 4	- -	4 3	- -	9 3	- -	- 3	- -
B 27	Hypertensive disease	M F	17 25	- -	5 8	- 1	16 15	- 1	7 4	- -
B 28	Ischaemic heart disease	M F	79 49	- -	147 74	1 1	200 100	10 8	79 52	- -
B 29	Other forms of heart disease	M F	21 28	- -	31 34	- 1	69 80	2 6	32 31	2 -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1968, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	47	-	89	-	78	-	50	-
		F	71	-	77	-	99	3	37	-
B 46a	Other diseases of circulatory system	M	15	-	10	-	36	-	13	-
		F	13	-	9	-	37	-	9	-
B 31	Influenza	M	7	-	7	-	7	-	4	-
		F	7	-	5	-	14	2	4	-
B 32	Pneumonia	M	21	-	14	-	45	2	26	-
		F	7	-	5	-	35	-	21	-
B 33	Bronchitis, emphysema and asthma	M	31	-	23	-	28	1	10	-
		F	10	-	13	-	7	-	8	-
B 46b	Bronchiectasis	M	1	-	-	-	2	-	-	-
		F	-	-	-	-	3	-	1	-
B 46c	Other diseases of respiratory system	M	2	-	4	-	4	-	3	-
		F	2	-	1	-	5	-	6	-
B 34	Peptic ulcer	M	4	-	4	-	9	-	2	-
		F	3	-	2	-	7	-	2	-
B 35	Appendicitis	M	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	1	-	-	-
		F	1	-	1	-	1	-	-	-
B 37	Cirrhosis of liver	M	1	-	-	-	-	-	1	-
		F	1	-	-	-	1	-	-	-
B 46d	Other diseases of digestive system	M	3	-	2	-	5	-	-	-
		F	4	-	1	-	6	-	2	-
B 38	Nephritis and nephrosis	M	3	-	7	-	15	-	3	-
		F	2	-	8	-	7	-	2	-
B 39	Hyperplasia of prostate	M	3	-	5	-	8	-	4	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	1	-
B 42	Congenital anomalies	M	3	-	4	-	6	-	-	-
		F	3	-	3	-	10	-	3	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	2	-	5	-	3	-
		F	1	-	-	-	5	-	3	-
B 44	Other causes of perinatal mortality *	M	3	-	3	-	8	-	3	-
		F	1	-	2	-	9	-	1	-
B 45a	Senility without mention of psychosis	M	18	7	17	12	18	9	-	-
		F	14	5	15	6	22	11	2	-
B 45b	Ill-defined conditions	M	5	2	1	-	1	-	1	1
		F	4	-	1	-	5	3	-	-
B 46e	All other diseases	M	6	-	3	-	29	2	6	-
		F	8	-	12	-	28	1	11	-
External Causes										
B 47	Motor vehicle accidents	M	5	-	6	-	10	-	4	-
		F	1	-	2	-	5	-	2	-
B 48	All other accidents	M	6	-	5	-	19	-	10	-
		F	10	-	2	-	13	-	6	-
B 49	Suicide and self-inflicted injuries	M	-	-	3	-	2	-	1	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	1	-	1	-	1	-	1	-
		F	-	-	-	-	-	-	-	-

* Late foetal deaths not included.

TABLE 21 - DEATHS REGISTERED IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death											75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74		
	All Causes	M	2,782	143	25	19	40	34	91	240	598	806	786	
		F	2,775	131	21	13	30	25	81	182	358	658	1,276	
B 4	Enteritis and other diarrhoeal diseases	M	15	15	-	-	-	-	-	-	-	-	-	
		F	20	17	2	-	1	-	-	-	-	-	-	
B 5	Tuberculosis of respiratory system	M	49	-	-	-	-	-	7	6	17	13	6	
		F	17	-	-	-	-	-	3	2	4	2	6	
B 6	Other tuberculosis, including late effects	M	3	-	-	-	-	-	-	-	1	1	1	
		F	7	-	-	-	-	-	-	-	2	2	2	
b 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 11	Meningococcal infection	M	1	-	-	-	-	-	-	-	-	-	-	
		F	1	-	1	-	-	-	-	-	-	-	-	
B 18a	Septicaemia	M	4	2	-	-	-	-	-	-	-	-	-	
		F	2	1	-	-	-	-	-	-	-	-	-	
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 14	Measles	M	1	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 18b	Infectious hepatitis	M	1	-	-	-	-	-	-	-	1	-	-	
		F	2	-	-	-	-	-	1	-	-	1	-	
B 18c	Gastro-enteritis (under 2 years)	M	15	15	-	-	-	-	-	-	-	-	-	
		F	19	19	-	-	-	-	-	-	-	-	-	
B 18	All other infective and parasitic diseases	M	3	-	-	-	-	-	-	-	-	3	-	
		F	2	-	-	-	-	-	-	-	-	1	-	
B 19a	Malignant neoplasms:- of stomach	M	63	-	-	-	-	-	3	9	19	20	12	
		F	72	-	-	-	-	-	3	6	12	22	29	
B 19b	of other digestive organs and peritoneum	M	121	-	-	-	-	2	2	17	26	43	31	
		F	155	-	-	-	-	-	6	15	27	45	62	
B 19c	of trachea, bronchus and lung	M	221	-	-	-	-	1	3	20	82	85	30	
		F	57	-	-	-	-	-	4	7	20	13	13	
B 19d	of breast	M	-	-	-	-	-	-	-	-	-	-	-	
		F	90	-	-	-	-	5	10	19	22	15	19	
B 19e	of genito-urinary organs	M	58	-	1	-	1	-	-	4	4	24	24	
		F	74	-	1	-	-	2	6	12	20	18	15	
B 19f	of lymphatic and haematopoietic tissue	M	40	-	-	4	3	2	3	5	9	11	2	
		F	19	-	-	2	1	-	-	3	4	4	5	
B 19g	Other	M	49	-	-	-	-	1	3	5	9	22	9	
		F	59	-	-	1	-	3	5	9	16	14	11	
B 20	Benign neoplasms and neoplasms of unspecified nature	M	15	-	-	-	1	-	-	4	4	3	3	
		F	15	-	-	-	-	-	-	2	5	6	2	
B 21	Diabetes mellitus	M	21	-	-	-	-	-	2	4	4	4	7	
		F	29	-	-	-	-	-	-	-	7	12	10	
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 23	Anaemias	M	5	-	1	-	-	-	-	-	1	2	1	
		F	14	-	1	-	-	-	-	-	3	4	6	
B 24	Meningitis	M	6	4	1	-	-	-	-	-	-	1	-	
		F	4	1	2	-	-	-	-	1	-	-	-	
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B 26	Chronic rheumatic heart disease	M	34	-	-	-	-	-	5	11	11	2	5	
		F	67	-	-	-	-	4	6	14	13	5	25	
B 27	Hypertensive disease	M	46	-	-	-	-	-	3	1	10	12	20	
		F	70	-	-	-	-	-	1	6	6	12	45	
B 28	Ischaemic heart disease	M	706	-	-	-	-	5	15	77	189	244	176	
		F	551	-	-	-	-	1	8	28	65	177	272	
B 29	Other forms of heart disease	M	118	-	-	-	-	-	5	4	15	25	68	
		F	189	-	-	-	-	-	1	3	6	36	141	

TABLE 21 (contd.) - DEATHS REGISTERED IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	252	-	-	-	-	-	9	10	46	71	116
		F	401	-	-	-	2	-	7	15	46	100	231
B 46a	Other diseases of circulatory system	M	79	-	-	-	1	-	2	3	10	21	42
		F	109	-	-	1	-	1	3	4	4	26	70
B 31	Influenza	M	6	-	-	-	-	-	1	-	2	-	3
		F	23	-	-	-	-	-	-	-	2	4	17
B 32	Pneumonia	M	138	22	6	1	4	2	1	6	14	31	51
		F	149	21	1	3	5	-	2	2	14	26	75
B 33	Bronchitis, emphysema and asthma	M	256	-	-	-	-	-	3	11	61	91	90
		F	162	-	1	-	5	-	1	6	22	40	87
B 46b	Bronchiectasis	M	8	-	-	-	-	1	-	-	2	1	4
		F	4	-	-	-	-	-	-	1	3	-	-
B 46c	Other diseases of respiratory system	M	29	5	-	-	-	-	1	2	7	7	7
		F	40	8	-	-	-	-	-	-	3	8	21
B 34	Peptic ulcer	M	29	-	1	-	-	-	-	4	8	10	6
		F	14	-	-	-	-	-	2	1	1	5	5
B 35	Appendicitis	M	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	6	1	-	1	-	-	1	-	-	1	2
		F	12	1	-	-	-	-	1	2	2	1	5
B 37	Cirrhosis of liver	M	23	-	-	-	1	-	3	5	8	5	1
		F	12	-	-	-	-	1	-	1	4	5	1
B 46d	Other diseases of digestive system	M	17	-	1	-	-	-	-	3	5	3	5
		F	23	-	-	-	1	-	1	-	2	4	15
B 38	Nephritis and nephrosis	M	22	-	1	-	1	1	1	2	7	5	4
		F	12	-	-	-	-	-	-	2	-	4	6
B 39	Hyperplasia of prostate	M	9	-	-	-	-	-	-	-	-	2	7
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	6	-	-	-	-	3	3	-	-	-	-
B 42	Congenital anomalies	M	43	33	3	1	2	-	2	1	1	-	-
		F	38	26	5	1	1	-	-	4	-	-	1
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	31	31	-	-	-	-	-	-	-	-	-
		F	20	20	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	20	20	-	-	-	-	-	-	-	-	-
		F	28	28	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	5	-	-	-	-	-	-	-	-	1	4
		F	9	-	-	-	-	-	-	-	-	-	9
B 45b	Ill-defined conditions	M	2	-	-	-	-	-	-	-	-	-	2
		F	5	-	-	-	-	-	-	1	-	-	4
B 46e	All other diseases	M	85	3	2	1	3	2	1	7	10	28	28
		F	98	2	2	2	2	1	3	9	14	31	32
External Causes													
B 47	Motor vehicle accidents	M	50	1	4	7	8	4	4	6	6	5	5
		F	18	-	3	2	5	-	-	1	3	2	2
B 48	All other accidents	M	60	5	3	3	8	3	6	5	6	9	12
		F	61	6	2	1	1	2	2	5	3	9	30
B 49	Suicide and self-inflicted injuries	M	12	-	-	-	2	4	2	3	1	-	-
		F	5	-	-	-	2	1	-	1	1	-	-
B 50	All other external causes	M	19	-	-	-	5	4	3	4	2	-	1
		F	9	-	-	-	3	-	-	-	2	3	1

* Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
			All Causes										
		M	3,166	152	27	36	54	32	82	238	539	936	1,070
		F	3,082	147	13	18	10	25	61	196	350	769	1,493
B 4	Enteritis and other diarrhoeal diseases	M	12	11	-	-	-	-	-	-	-	-	1
		F	14	13	-	-	-	-	-	-	-	-	1
B 5	Tuberculosis of respiratory system	M	42	-	-	-	-	1	1	6	10	20	4
		F	16	-	-	-	-	-	1	9	2	2	2
B 6	Other tuberculosis, including late effects	M	2	-	-	1	-	1	-	1	-	2	-
		F	3	-	-	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	11	11	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	6	1	-	1	1	-	-	1	2	-	-
		F	1	-	-	-	-	1	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	39	-	-	-	-	-	2	4	11	15	7
		F	68	-	-	1	-	1	1	4	11	20	30
B 19b	of other digestive organs and peritoneum	M	123	-	1	-	-	-	3	10	26	46	37
		F	186	-	-	-	-	1	1	23	23	60	78
B 19c	of trachea, bronchus and lung	M	162	-	-	-	-	2	3	19	51	65	22
		F	54	-	-	-	-	2	1	6	19	16	10
B 19d	of breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	102	-	-	-	-	1	10	17	29	24	21
B 19e	of genito-urinary organs	M	61	-	-	-	-	-	1	2	4	28	26
		F	76	-	2	-	-	-	6	15	17	25	11
B 19f	of lymphatic and haematopoietic tissue	M	36	1	1	3	3	2	2	4	7	8	5
		F	29	-	1	4	-	1	3	5	5	7	3
B 19g	Other	M	59	-	-	3	3	-	3	6	10	16	18
		F	73	-	1	1	1	1	3	8	14	22	22
B 20	Benign neoplasms and neoplasms of unspecified nature	M	8	-	-	1	-	-	2	3	2	-	-
		F	6	-	-	-	-	-	-	1	-	4	1
B 21	Diabetes mellitus	M	27	-	-	1	2	-	-	3	4	9	7
		F	24	-	-	-	1	-	-	-	5	6	10
B 22	Avitaminoses and other nutritional deficiency	M	4	1	-	-	-	-	1	-	1	-	1
		F	1	-	-	-	-	-	-	-	-	-	1
B 23	Anaemias	M	6	-	-	-	-	-	-	-	2	2	2
		F	12	-	-	-	-	-	-	-	-	6	6
B 24	Meningitis	M	6	5	-	-	-	-	-	-	-	1	-
		F	3	1	-	1	-	-	-	-	1	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	21	-	-	-	-	-	5	1	7	4	4
		F	48	-	-	-	-	1	2	6	10	11	18
B 27	Hypertensive disease	M	50	-	-	-	-	1	2	4	13	19	11
		F	60	-	-	-	-	-	1	4	7	20	28
B 28	Ischaemic heart disease	M	838	-	-	-	-	2	17	92	186	270	271
		F	605	-	-	-	-	2	1	31	70	195	306
B 29	Other forms of heart disease	M	210	-	-	1	2	1	2	3	15	48	138
		F	301	-	-	-	-	1	1	4	10	55	230

TABLE 21 (contd.) - DEATHS REGISTERED IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	341	-	-	4	1	1	8	16	46	119	146
		F	453	-	-	1	-	1	3	19	44	121	264
B 46a	Other diseases of circulatory system	M	119	-	-	-	-	-	1	5	16	23	74
		F	132	-	-	-	-	-	1	1	5	24	101
B 31	Influenza	M	20	1	-	-	-	-	-	-	5	2	12
		F	19	-	-	1	-	-	1	-	1	4	12
B 32	Pneumonia	M	127	19	5	3	2	-	1	3	9	34	51
		F	150	15	3	1	-	-	1	4	8	25	93
B 33	Bronchitis, emphysema and asthma	M	305	-	-	1	1	-	-	21	67	118	97
		F	132	1	-	-	-	1	5	8	24	43	50
B 46b	Bronchiectasis	M	9	-	-	-	1	-	-	1	3	2	2
		F	5	-	-	-	-	-	-	1	2	2	-
B 46c	Other diseases of respiratory system	M	26	1	2	-	-	-	3	2	5	3	10
		F	42	1	3	2	-	-	-	1	2	9	24
B 34	Peptic ulcer	M	33	-	-	-	-	-	-	5	5	12	11
		F	15	-	-	-	-	-	-	3	3	4	5
B 35	Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	11	4	1	-	-	1	-	-	3	1	1
		F	6	-	-	-	-	-	-	-	1	1	4
B 37	Cirrhosis of liver	M	9	-	-	-	-	1	-	1	1	4	2
		F	10	-	-	-	-	-	-	-	4	4	2
B 46d	Other diseases of digestive system	M	14	-	1	1	-	-	1	1	3	4	3
		F	28	-	-	-	-	1	3	1	6	4	13
B 38	Nephritis and nephrosis	M	23	-	-	-	-	-	3	1	3	9	7
		F	19	-	-	-	-	-	1	4	3	7	4
B 39	Hyperplasia of prostate	M	23	-	-	-	-	-	-	-	1	5	17
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	5	-	-	-	2	1	2	-	-	-	-
B 42	Congenital anomalies	M	31	24	2	3	1	-	-	1	-	-	-
		F	47	42	2	-	-	1	-	-	1	1	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	31	31	-	-	-	-	-	-	-	-	-
		F	28	28	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	41	41	-	-	-	-	-	-	-	-	-
		F	31	31	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	30	-	-	-	-	-	-	-	-	-	30
		F	62	-	-	-	-	-	-	-	-	-	62
B 45b	Ill-defined conditions	M	5	-	-	-	-	-	-	-	-	3	2
		F	6	-	1	-	-	-	-	-	-	1	4
B 46e	All other diseases	M	88	3	5	5	4	2	1	8	6	21	33
		F	104	3	-	2	1	1	8	13	12	30	34
External Causes													
B 47	Motor vehicle accidents	M	63	-	3	5	11	12	7	5	5	11	4
		F	13	-	-	2	3	1	2	1	-	2	2
B 48	All other accidents	M	80	9	6	3	18	3	7	8	5	8	13
		F	77	8	-	-	-	3	1	5	10	13	37
B 49	Suicide and self-inflicted injuries	M	11	-	-	-	1	1	3	1	4	1	-
		F	3	-	-	-	1	1	1	-	-	-	-
B 50	All other external causes	M	13	-	-	1	3	1	2	1	1	3	1
		F	6	1	-	-	1	1	-	1	1	-	1

* Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
			All Causes										
		M	12,083	405	66	80	151	137	248	695	1,737	3,154	5,410
		F	9,269	302	48	51	56	59	165	485	952	2,111	5,040
B 4	Enteritis and other diarrhoeal diseases	M	31	26	1	-	1	-	-	-	-	1	2
		F	27	16	3	2	-	-	-	-	-	2	4
B 5	Tuberculosis of respiratory system	M	97	-	-	-	4	2	8	23	25	24	11
		F	44	-	-	-	-	2	3	10	13	9	7
B 6	Other tuberculosis, including late effects	M	9	-	-	-	-	-	2	3	-	4	-
		F	4	-	1	1	-	-	-	-	1	-	1
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	10	2	-	2	-	-	-	-	1	4	1
		F	6	1	-	1	-	-	1	2	-	-	1
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	3	1	1	1	-	-	-	-	-	-	-
		F	5	3	1	-	1	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	7	1	-	-	-	1	-	-	-	2	3
		F	6	-	-	-	-	-	1	2	-	1	2
B 18c	Gastro-enteritis (under 2 years)	M	27	27	-	-	-	-	-	-	-	-	-
		F	17	17	-	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	18	-	-	2	1	-	2	1	6	4	2
		F	12	-	-	-	-	-	2	1	2	4	3
B 19a	Malignant neoplasms:- of stomach	M	316	-	-	-	-	-	6	30	71	123	86
		F	217	-	-	1	-	2	5	19	23	57	100
B 19b	of other digestive organs and peritoneum	M	500	-	2	-	1	3	13	28	93	177	183
		F	387	-	-	-	-	4	8	31	67	133	144
B 19c	of trachea, bronchus and lung	M	338	-	-	-	1	2	2	47	117	128	41
		F	76	-	-	-	-	1	2	7	25	25	16
B 19d	of breast	M	2	-	-	-	-	-	-	-	-	1	1
		F	222	-	-	-	-	3	17	47	58	52	45
B 19e	of genito-urinary organs	M	260	-	-	-	1	1	3	6	26	85	138
		F	198	-	1	-	2	2	14	32	53	49	45
B 19f	of lymphatic and haematopoietic tissue	M	132	1	2	7	4	5	12	19	29	41	12
		F	79	1	3	3	3	4	5	8	16	24	12
B 19g	Other	M	255	-	4	4	7	3	8	27	48	61	93
		F	163	-	2	4	1	2	11	16	33	40	54
B 20	Benign neoplasms and neoplasms of unspecified nature	M	33	-	-	-	-	-	5	9	7	6	6
		F	28	-	-	1	1	3	2	5	2	6	8
B 21	Diabetes mellitus	M	73	-	-	-	2	-	2	6	12	25	26
		F	109	-	-	-	1	-	-	9	13	36	50
B 22	Avitaminoses and other nutritional deficiency	M	8	-	1	-	-	-	1	-	1	3	2
		F	9	-	-	-	-	-	1	1	1	4	2
B 23	Anaemias	M	38	-	1	1	1	-	-	2	4	13	16
		F	43	-	-	-	1	-	-	2	9	12	19
B 24	Meningitis	M	19	6	2	1	3	1	3	1	1	1	-
		F	9	2	2	1	-	-	-	1	2	1	-
B 25	Active rheumatic fever	M	2	-	1	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	132	-	-	-	1	3	7	23	23	33	42
		F	110	-	-	-	1	-	8	23	13	26	39
B 27	Hypertensive disease	M	246	-	-	-	-	1	6	12	33	65	129
		F	249	-	-	-	1	1	1	8	18	74	146
B 28	Ischaemic heart disease	M	2,912	-	-	-	2	6	49	195	544	867	1,249
		F	1,650	-	-	-	-	1	9	54	182	452	952
B 29	Other forms of heart disease	M	1,190	-	-	-	2	3	5	28	79	275	798
		F	1,203	-	-	-	-	1	5	18	60	186	933

TABLE 21 (contd.) - DEATHS REGISTERED IN 1968, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	34-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	1,433	1	1	2	2	9	15	34	129	405	835
		F	1,564	-	-	-	3	2	13	63	134	413	936
B 46a	Other diseases of circulatory system	M	500	1	-	-	-	2	2	9	46	98	342
		F	379	-	-	-	-	1	1	7	27	62	281
B 31	Influenza	M	106	1	1	-	-	-	1	3	12	23	65
		F	141	-	-	3	1	-	1	1	11	32	92
B 32	Pneumonia	M	496	48	11	5	8	5	3	17	58	105	236
		F	355	29	8	5	2	4	7	17	20	78	185
B 33	Bronchitis, emphysema and asthma	M	736	-	-	1	-	3	11	45	141	256	279
		F	369	-	-	-	2	4	7	24	47	99	186
B 46b	Bronchiectasis	M	16	-	-	-	2	-	1	2	1	9	1
		F	23	-	-	1	1	2	2	2	4	5	6
B 46c	Other diseases of respiratory system	M	132	8	1	3	1	2	1	9	10	28	69
		F	101	4	1	1	1	-	2	7	5	17	63
B 34	Peptic ulcer	M	100	-	-	-	-	2	3	5	21	30	39
		F	37	-	-	-	-	-	-	-	5	8	24
B 35	Appendicitis	M	11	-	2	4	-	-	-	-	3	2	-
		F	6	1	-	1	1	-	-	-	2	-	1
B 36	Intestinal obstruction and hernia	M	31	6	-	-	-	-	-	1	3	9	12
		F	39	2	-	-	-	-	-	1	5	9	22
B 37	Cirrhosis of liver	M	20	-	-	-	1	-	-	3	2	8	6
		F	17	-	-	-	1	-	-	5	4	6	1
B 46d	Other diseases of digestive system	M	77	-	-	2	2	2	5	7	16	18	25
		F	69	2	-	2	2	2	-	7	14	15	24
B 38	Nephritis and nephrosis	M	121	-	1	-	5	4	2	12	25	23	49
		F	72	2	-	2	3	1	4	5	8	22	25
B 39	Hyperplasia of prostate	M	128	-	-	-	-	-	-	2	8	23	95
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	11	-	-	-	-	4	7	-	-	-	-
B 42	Congenital anomalies	M	125	88	9	10	8	4	-	3	3	-	-
		F	119	97	10	3	4	-	3	1	1	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	84	84	-	-	-	-	-	-	-	-	-
		F	55	55	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	95	95	-	-	-	-	-	-	-	-	-
		F	66	66	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	280	-	-	-	-	-	-	-	-	11	269
		F	315	-	-	-	-	-	-	-	-	6	309
B 45b	Ill-defined conditions	M	66	1	-	-	-	-	1	2	8	16	38
		F	52	-	-	-	1	-	-	1	3	12	35
B 46e	All other diseases	M	337	12	4	9	6	9	15	22	61	78	121
		F	338	7	5	5	6	3	6	23	51	91	141
External Causes													
B 47	Motor vehicle accidents	M	214	-	4	10	50	32	17	25	32	25	19
		F	54	2	2	9	9	5	5	4	8	4	6
B 48	All other accidents	M	274	21	16	15	27	26	22	25	24	32	66
		F	206	10	8	5	5	3	8	15	7	27	118
B 49	Suicide and self-inflicted injuries	M	33	-	-	-	2	3	7	6	7	6	2
		F	7	-	-	-	-	-	1	3	2	1	-
B 50	All other external causes	M	35	1	-	1	6	3	7	3	7	6	1
		F	15	-	-	-	2	1	3	3	3	1	2

* Late foetal deaths not included.

TABLE 22 - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH
REGISTERED IN 1968 CLASSIFIED BY PLACE OF OCCURRENCE.

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	18,031	15,126	2,998	2,721	563	536	6,809	5,266	7,661	6,603
LEINSTER	7,638	6,753	1,951	1,805	216	244	2,465	1,945	3,006	2,759
MUNSTER	5,971	4,839	784	675	168	148	2,533	2,014	2,486	2,002
CONNACHT	2,866	2,328	179	169	129	106	1,214	904	1,344	1,149
ULSTER (part of)	1,556	1,206	84	72	50	38	597	403	825	693
LEINSTER										
Carlow	219	161	42	24	12	5	73	46	92	86
Dublin County Borough	2,782	2,775	1,065	1,013	58	92	720	649	939	1,021
Dun Laoghaire Borough	310	317	122	123	19	11	56	58	113	125
Dublin County (remainder)	626	610	214	208	14	20	135	124	263	258
Kildare	385	265	66	44	10	10	162	120	147	91
Kilkenny	431	333	53	34	20	17	195	150	163	132
Laois	307	209	22	13	9	13	139	80	137	103
Longford	212	206	30	21	12	8	84	102	86	75
Louth	387	310	83	62	16	14	136	102	152	132
Meath	385	320	54	52	9	11	139	107	183	150
Offaly	315	244	24	18	3	7	153	110	135	109
Westmeath	338	237	29	22	8	14	179	102	122	99
Wexford	566	449	60	70	22	15	191	123	293	241
Wicklow	375	317	87	101	4	7	103	72	181	137
MUNSTER										
Clare	580	390	39	50	25	14	269	170	247	156
Cork County Borough	656	715	192	200	11	13	168	199	285	303
Cork County	1,596	1,192	222	157	39	30	649	509	686	496
Kerry	899	689	63	80	28	26	420	300	388	283
Limerick County Borough	294	280	62	42	11	8	137	150	84	80
Limerick County	609	478	45	34	14	8	297	231	253	205
Tipperary, North Riding	363	317	19	16	5	10	196	167	143	124
Tipperary, South Riding	474	378	80	43	12	26	206	145	176	164
Waterford County Borough	184	185	31	35	10	6	51	46	92	98
Waterford County	316	215	31	18	13	7	140	97	132	93
CONNACHT										
Galway	987	773	94	83	65	46	435	337	393	307
Leitrim	237	209	13	12	6	5	81	69	137	123
Mayo	792	694	28	31	25	20	353	266	386	377
Roscommon	468	331	30	18	21	27	203	114	214	172
Sligo	382	321	14	25	12	8	142	118	214	170
ULSTER (part of)										
Cavan	458	322	16	17	14	8	210	134	218	163
Donegal	770	633	41	32	27	24	230	179	472	398
Monaghan	328	251	27	23	9	6	157	90	135	132

TABLE 24 - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis, all forms	M	202	-	-	-	4	3	18	38	53	64	22
	F	91	-	1	2	-	3	8	22	22	15	18
Other infective and parasitic diseases	M	115	61	3	7	3	1	3	3	10	14	10
	F	106	56	7	3	2	1	6	5	2	9	15
Malignant neoplasms	M	2,835	2	11	22	24	24	72	262	642	999	777
	F	2,456	1	11	17	8	35	121	309	514	695	745
Ischaemic and other forms of heart disease	M	6,161	-	-	1	7	21	110	434	1,069	1,768	2,751
	F	4,724	-	-	-	2	12	41	181	429	1,143	2,916
Hypertensive disease	M	342	-	-	-	-	2	11	17	56	96	160
	F	379	-	-	-	1	1	3	18	31	106	219
Cerebrovascular disease	M	2,026	1	1	6	3	10	32	60	221	595	1,097
	F	2,418	-	-	1	5	3	23	97	224	634	1,431
Other diseases of the circulatory system	M	700	1	1	-	1	2	6	17	72	142	458
	F	621	-	-	1	-	3	5	12	36	112	452
Diseases of the respiratory system	M	2,410	105	26	14	19	13	27	122	397	710	977
	F	1,715	79	17	17	17	11	29	74	168	392	911
Senility	M	315	-	-	-	-	-	-	-	-	12	303
	F	386	-	-	-	-	-	-	-	-	6	380
Other diseases	M	2,061	493	40	40	43	31	55	128	254	390	587
	F	1,756	417	31	22	29	22	48	106	194	364	523
Accidents and other external causes	M	864	37	36	45	141	96	87	92	100	106	124
	F	474	27	15	19	32	18	23	39	40	62	199
All causes	M	18,031	700	118	135	245	203	421	1,173	2,874	4,896	7,266
	F	15,126	580	82	82	96	109	307	863	1,660	3,538	7,809
LEINSTER												
Tuberculosis, all forms	M	95	-	-	-	-	-	9	14	30	28	14
	F	44	-	-	-	-	1	6	10	6	8	13
Other infective and parasitic diseases	M	58	35	3	3	1	-	1	1	4	8	2
	F	57	37	7	-	1	-	3	1	-	3	5
Malignant neoplasms	M	1,333	1	7	14	13	18	30	144	326	465	315
	F	1,196	-	5	10	4	24	70	160	277	302	344
Ischaemic and other forms of heart disease	M	2,400	-	-	-	1	9	53	205	478	716	938
	F	1,969	-	-	-	1	9	24	90	197	485	1,163
Hypertensive disease	M	143	-	-	-	-	-	5	8	26	43	61
	F	179	-	-	-	1	-	1	12	14	44	107
Cerebrovascular disease	M	802	-	-	6	2	3	14	25	97	241	414
	F	1,084	-	-	1	4	2	14	49	102	286	626
Other diseases of the circulatory system	M	291	1	-	-	1	-	2	7	30	65	185
	F	287	-	-	1	-	2	3	9	15	53	204
Diseases of the respiratory system	M	1,117	61	14	8	11	7	14	53	203	342	404
	F	837	55	9	10	12	8	12	29	79	176	447
Senility	M	65	-	-	-	-	-	-	-	-	3	62
	F	83	-	-	-	-	-	-	-	-	-	83
Other diseases	M	912	251	22	16	22	10	26	63	100	169	233
	F	805	208	20	9	12	10	20	50	93	156	227
Accidents and other external causes	M	422	19	18	22	71	49	45	51	43	46	58
	F	212	14	9	6	19	15	9	18	20	26	76
All causes	M	7,638	368	64	69	122	96	199	571	1,337	2,126	2,686
	F	6,753	314	50	37	54	71	162	428	803	1,539	3,295

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 years	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis, all forms	M	73	-	-	-	3	2	5	14	18	26	5
	F	33	-	1	1	-	1	1	11	11	4	3
Other infective and parasitic diseases	M	30	18	-	1	-	-	-	1	2	4	4
	F	27	13	-	3	-	1	1	-	2	1	6
Malignant neoplasms	M	875	1	4	4	4	3	26	77	179	319	258
	F	766	1	6	3	3	6	29	84	149	236	249
Ischaemic and other forms of heart disease	M	2,153	-	-	1	3	8	30	140	358	629	984
	F	1,604	-	-	-	1	3	11	60	144	403	982
Hypertensive disease	M	105	-	-	-	-	1	2	7	20	31	44
	F	100	-	-	-	-	1	1	4	9	35	50
Cerebrovascular disease	M	663	-	1	-	1	5	12	19	67	218	340
	F	742	-	-	-	1	1	4	34	74	195	433
Other diseases of the circulatory system	M	247	-	-	-	-	1	2	7	30	52	155
	F	197	-	-	-	-	1	1	2	10	36	147
Diseases of the respiratory system	M	763	32	8	5	6	2	6	35	130	227	312
	F	527	14	6	6	2	1	13	29	59	138	259
Senility	M	109	-	-	-	-	-	-	-	-	3	106
	F	137	-	-	-	-	-	-	-	-	1	136
Other diseases	M	669	146	15	13	11	14	16	40	85	139	190
	F	529	128	8	6	10	6	17	31	57	116	150
Accidents and other external causes	M	284	13	15	17	47	35	31	22	31	34	39
	F	177	10	5	7	9	3	8	9	15	25	86
All causes	M	5,971	210	43	41	75	71	130	362	920	1,682	2,437
	F	4,839	166	26	26	26	24	86	264	530	1,190	2,501
CONNACHT												
Tuberculosis, all forms	M	18	-	-	-	1	-	2	7	3	4	1
	F	8	-	-	1	-	1	-	-	3	2	1
Other infective and parasitic diseases	M	15	5	-	1	1	1	1	-	2	1	3
	F	17	5	-	-	1	-	1	2	-	4	4
Malignant neoplasms	M	406	-	-	3	5	2	11	21	84	144	136
	F	324	-	-	2	-	2	13	42	57	103	105
Ischaemic and other forms of heart disease	M	1,037	-	-	-	1	2	16	46	137	275	560
	F	771	-	-	-	-	-	5	17	50	175	524
Hypertensive disease	M	66	-	-	-	-	1	2	1	6	13	43
	F	73	-	-	-	-	-	1	2	6	18	46
Cerebrovascular disease	M	344	1	-	-	-	1	4	10	38	77	213
	F	379	-	-	-	-	-	4	9	31	108	227
Other diseases of the circulatory system	M	103	-	1	-	-	-	2	2	8	16	74
	F	82	-	-	-	-	-	-	1	6	16	59
Diseases of the respiratory system	M	353	9	4	1	2	3	3	24	41	100	166
	F	223	8	2	1	2	1	3	9	21	49	127
Senility	M	106	-	-	-	-	-	-	-	-	6	100
	F	127	-	-	-	-	-	-	-	-	3	124
Other diseases	M	323	62	3	8	7	6	8	18	44	55	112
	F	269	47	1	5	3	5	8	16	29	61	94
Accidents and other external causes	M	95	3	2	3	10	9	8	12	17	21	10
	F	55	2	1	4	2	-	5	8	3	8	22
All causes	M	2,866	80	10	16	27	25	57	141	380	712	1,418
	F	2,328	62	4	13	8	9	40	106	206	547	1,333

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis, all forms	M	16	-	-	-	-	1	2	3	2	6	2
	F	6	-	-	-	-	-	1	1	2	1	1
Other infective and parasitic diseases	M	12	3	-	2	1	-	1	1	2	1	1
	F	5	1	-	-	-	-	1	2	-	1	-
Malignant neoplasms	M	221	-	-	1	2	1	5	20	53	71	68
	F	170	-	-	2	1	3	9	23	31	54	47
Ischaemic and other forms of heart disease	M	571	-	-	-	2	2	11	43	96	148	269
	F	380	-	-	-	-	-	1	14	38	80	247
Hypertensive disease	M	28	-	-	-	-	-	2	1	4	9	12
	F	27	-	-	-	-	-	-	-	2	9	16
Cerebrovascular disease	M	217	-	-	-	-	1	2	6	19	59	130
	F	213	-	-	-	-	-	1	5	17	45	145
Other diseases of the circulatory system	M	59	-	-	-	-	1	-	1	4	9	44
	F	55	-	-	-	-	-	1	-	5	7	42
Diseases of the respiratory system	M	177	3	-	-	-	1	4	10	23	41	95
	F	128	2	-	-	1	1	1	7	9	29	78
Senility	M	35	-	-	-	-	-	-	-	-	-	35
	F	39	-	-	-	-	-	-	-	-	2	37
Other diseases	M	157	34	-	3	3	1	5	7	25	27	52
	F	153	34	2	2	4	1	3	9	15	31	52
Accidents and other external causes	M	63	2	1	3	13	3	3	7	9	5	17
	F	30	1	-	2	2	-	1	4	2	3	15
All causes	M	1,556	42	1	9	21	11	35	99	237	376	725
	F	1,206	38	2	6	8	5	19	65	121	262	680
COUNTY CARLOW												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	-	1
	F	2	-	-	-	-	-	1	1	-	-	-
Other infective and parasitic diseases	M	3	1	-	-	1	-	-	-	-	1	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	29	-	-	-	-	-	-	5	7	9	8
	F	31	-	-	2	-	1	3	4	4	9	8
Ischaemic and other forms of heart disease	M	76	-	-	-	-	1	-	3	11	24	37
	F	46	-	-	-	-	-	3	1	5	8	29
Hypertensive disease	M	5	-	-	-	-	-	-	-	-	3	2
	F	7	-	-	-	-	-	-	1	2	-	4
Cerebrovascular disease	M	30	-	-	-	1	-	-	-	1	11	17
	F	30	-	-	-	-	-	-	1	1	6	22
Other diseases of the circulatory system	M	9	-	-	-	-	-	-	-	4	-	5
	F	1	-	-	-	-	-	-	-	-	-	1
Diseases of the respiratory system	M	27	2	1	-	-	-	1	2	9	4	8
	F	24	1	1	-	-	-	1	1	2	4	14
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	29	8	1	-	-	1	1	-	3	6	9
	F	17	4	-	-	2	-	-	1	2	3	5
Accidents and other external causes	M	9	-	2	-	-	-	2	3	-	2	-
	F	2	-	-	-	-	-	-	-	-	-	2
All causes	M	219	11	4	-	2	2	4	13	36	60	87
	F	161	6	1	2	2	1	8	10	16	30	85

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	52	-	-	-	-	-	7	6	18	14	7
	F	24	-	-	-	-	-	4	2	6	4	8
Other infective and parasitic diseases	M	25	18	-	1	-	-	-	1	1	3	1
	F	27	18	3	-	1	-	2	-	-	2	1
Malignant neoplasms	M	552	-	2	4	4	6	14	60	149	205	108
	F	526	-	1	3	1	10	34	71	121	131	154
Ischaemic and other forms of heart disease	M	858	-	-	-	-	6	25	92	215	271	249
	F	807	-	-	-	1	6	15	45	84	218	438
Hypertensive disease	M	46	-	-	-	-	-	3	1	10	12	20
	F	70	-	-	-	-	-	1	6	6	12	45
Cerebrovascular disease	M	252	-	-	-	-	-	9	10	46	71	116
	F	401	-	-	-	2	-	7	15	46	100	231
Other diseases of the circulatory system	M	79	-	-	-	1	-	2	3	10	21	42
	F	109	-	-	1	-	1	3	4	4	26	70
Diseases of the respiratory system	M	437	27	6	1	4	3	6	19	86	130	155
	F	378	29	2	3	10	-	3	9	44	78	200
Senility	M	5	-	-	-	-	-	-	-	-	1	4
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	335	92	10	3	8	4	10	30	48	64	66
	F	331	78	10	3	4	5	10	23	38	73	87
Accidents and other external causes	M	141	6	7	10	23	15	15	18	15	14	18
	F	93	6	5	3	11	3	2	7	9	14	33
All causes	M	2,782	143	25	19	40	34	91	240	598	806	786
	F	2,775	131	21	13	30	25	81	182	358	658	1,276
DUN LAOGHAIRE BOROUGH												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	-	2	5	1
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	1	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	54	-	1	1	1	-	2	7	16	15	11
	F	62	-	-	-	-	1	4	9	12	15	21
Ischaemic and other forms of heart disease	M	89	-	-	-	-	-	1	8	9	27	44
	F	113	-	-	-	-	-	-	5	12	22	74
Hypertensive disease	M	6	-	-	-	-	-	-	1	3	2	-
	F	9	-	-	-	-	-	-	-	-	4	5
Cerebrovascular disease	M	43	-	-	2	-	-	-	1	1	19	20
	F	45	-	-	-	-	-	-	3	5	11	26
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	1	1	5
	F	13	-	-	-	-	-	-	-	1	2	10
Diseases of the respiratory system	M	50	1	-	2	-	-	-	-	13	17	17
	F	31	2	3	-	-	-	-	1	3	1	21
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	33	10	-	-	1	-	1	1	2	3	15
	F	31	8	-	-	-	-	1	1	3	8	10
Accidents and other external causes	M	19	-	2	-	4	2	3	4	2	1	1
	F	9	1	-	-	1	1	-	1	1	-	4
All causes	M	310	11	3	5	6	2	8	22	49	90	114
	F	317	12	3	-	1	2	5	20	37	64	173

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 years	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	3	-	2	1
	F	4	-	-	-	-	-	-	2	-	-	2
Other infective and parasitic diseases	M	10	7	2	-	-	-	-	-	-	-	1
	F	5	3	1	-	-	-	1	-	-	-	-
Malignant neoplasms	M	116	-	1	-	3	5	3	12	25	36	31
	F	112	-	2	1	1	5	8	19	23	29	24
Ischaemic and other forms of heart disease	M	192	-	-	-	-	-	5	26	37	59	65
	F	172	-	-	-	-	-	2	8	18	47	97
Hypertensive disease	M	8	-	-	-	-	-	-	-	-	4	4
	F	14	-	-	-	-	-	-	-	-	4	10
Cerebrovascular disease	M	61	-	-	-	-	-	2	3	6	19	31
	F	109	-	-	-	-	-	2	8	11	19	69
Other diseases of the circulatory system	M	16	-	-	-	-	-	-	-	3	4	9
	F	16	-	-	-	-	-	-	2	2	1	11
Diseases of the respiratory system	M	88	7	2	-	1	1	2	3	8	20	44
	F	69	3	-	1	-	1	2	4	7	11	40
Senility	M	6	-	-	-	-	-	-	-	-	2	4
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	81	36	3	3	1	-	4	6	2	8	18
	F	85	29	4	1	1	3	-	5	6	13	23
Accidents and other external causes	M	42	4	2	4	7	6	3	6	1	2	7
	F	19	3	2	1	2	1	2	-	2	2	4
All causes	M	626	54	10	7	12	12	19	59	82	156	215
	F	610	38	9	4	4	10	17	48	69	126	285
COUNTY KILDARE												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	3	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	69	-	-	1	2	1	-	8	17	19	21
	F	34	-	-	-	-	-	4	5	8	10	7
Ischaemic and other forms of heart disease	M	103	-	-	-	-	-	3	9	29	23	39
	F	55	-	-	-	-	1	-	5	9	11	29
Hypertensive disease	M	11	-	-	-	-	-	-	1	4	2	4
	F	11	-	-	-	-	-	-	-	-	3	8
Cerebrovascular disease	M	42	-	-	1	-	-	1	1	6	12	21
	F	38	-	-	-	-	-	-	-	4	13	21
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	1	-	5	5
	F	7	-	-	-	-	-	-	1	2	-	4
Diseases of the respiratory system	M	64	2	1	-	-	-	-	3	8	26	24
	F	63	3	-	-	-	2	1	5	4	15	33
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	49	11	-	1	-	-	1	5	8	13	10
	F	38	12	1	1	1	1	1	2	6	8	5
Accidents and other external causes	M	28	1	1	-	7	5	1	3	4	3	3
	F	9	1	-	1	1	-	-	-	3	-	2
All causes	M	385	17	2	3	9	6	6	32	76	104	130
	F	265	19	1	2	2	4	6	18	36	60	117

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 years	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	1	-	-	-	-	-	-	1	-	-	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	62	-	-	-	-	1	-	9	11	21	20
	F	53	-	-	-	-	-	-	7	10	16	20
Ischaemic and other forms of heart disease	M	137	-	-	-	-	-	1	5	23	38	70
	F	85	-	-	-	-	-	-	1	9	21	54
Hypertensive disease	M	9	-	-	-	-	-	-	1	3	3	2
	F	7	-	-	-	-	-	-	2	1	-	4
Cerebrovascular disease	M	36	-	-	1	-	1	-	1	3	11	19
	F	64	-	-	-	-	-	-	2	4	19	39
Other diseases of the circulatory system	M	34	-	-	-	-	-	-	2	-	5	27
	F	34	-	-	-	-	-	-	-	1	3	30
Diseases of the respiratory system	M	68	2	1	-	1	-	2	6	11	23	22
	F	30	4	-	1	-	1	1	-	4	7	12
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	51	11	-	1	4	-	-	4	5	9	17
	F	38	9	-	-	-	-	-	3	8	8	10
Accidents and other external causes	M	25	-	-	-	4	4	3	4	4	4	2
	F	7	2	-	-	-	1	-	-	-	1	3
All causes	M	431	14	-	2	9	6	6	32	61	105	185
	F	333	19	-	1	-	2	1	16	37	75	182
COUNTY LAOIS												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	1	1	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	5	1	-	-	-	-	-	-	2	2	-
	F	4	2	1	-	-	-	-	1	-	-	-
Malignant neoplasms	M	54	-	-	1	-	-	1	6	12	21	13
	F	36	-	-	-	-	-	-	5	9	11	11
Ischaemic and other forms of heart disease	M	108	-	-	-	-	-	2	5	20	32	49
	F	75	-	-	-	-	-	-	4	6	19	46
Hypertensive disease	M	6	-	-	-	-	-	-	1	-	3	2
	F	4	-	-	-	-	-	-	-	-	1	3
Cerebrovascular disease	M	33	-	-	-	-	-	1	2	2	13	15
	F	32	-	-	-	-	2	1	2	2	10	15
Other diseases of the circulatory system	M	12	1	-	-	-	-	-	-	1	3	7
	F	9	-	-	-	-	-	-	1	-	1	7
Diseases of the respiratory system	M	40	-	-	-	1	2	1	2	8	14	12
	F	25	1	-	-	1	-	1	1	2	7	12
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	29	8	-	1	-	-	2	3	3	5	7
	F	15	5	-	1	1	-	-	-	1	4	3
Accidents and other external causes	M	11	1	-	-	4	-	-	1	3	1	1
	F	3	-	-	-	-	-	-	-	-	-	3
All causes	M	307	11	-	2	5	2	7	21	52	95	112
	F	209	8	1	1	2	2	2	14	20	53	106

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 years	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	3	-	-	-	-	-	-	-	-	1	2
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	42	-	1	1	-	-	1	3	9	12	15
	F	26	-	-	-	1	1	1	4	5	8	6
Ischaemic and other forms of heart disease	M	66	-	-	-	-	1	1	6	6	17	35
	F	64	-	-	-	-	1	-	3	3	11	46
Hypertensive disease	M	5	-	-	-	-	-	-	-	-	4	1
	F	4	-	-	-	-	-	-	1	-	-	3
Cerebrovascular disease	M	28	-	-	-	-	-	-	-	6	9	13
	F	50	-	-	-	-	-	-	1	2	18	29
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	-	1	6
	F	11	-	-	-	-	-	-	-	-	2	9
Diseases of the respiratory system	M	20	1	-	-	-	-	-	2	6	7	4
	F	21	-	-	-	-	1	-	1	-	7	12
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	8	-	-	-	-	-	-	-	-	-	8
Other diseases	M	26	9	-	2	1	1	-	2	-	6	5
	F	15	2	1	-	-	-	1	1	3	4	3
Accidents and other external causes	M	11	-	-	2	3	1	-	1	3	1	-
	F	4	-	-	-	-	1	-	-	-	-	3
All causes	M	212	10	1	5	4	3	2	14	31	58	84
	F	206	2	1	-	1	4	2	11	13	51	121
COUNTY LOUTH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	2	-	-	-
Other infective and parasitic diseases	M	2	-	1	1	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	67	1	-	1	-	-	2	4	10	29	20
	F	58	-	1	-	-	4	4	5	12	13	19
Ischaemic and other forms of heart disease	M	118	-	-	-	-	-	3	11	22	35	47
	F	90	-	-	-	-	-	2	2	9	14	63
Hypertensive disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	11	-	-	-	-	-	-	1	-	5	5
Cerebrovascular disease	M	48	-	-	2	-	-	-	-	6	10	30
	F	54	-	-	-	-	-	-	2	8	18	26
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	-	2	4	6
	F	8	-	-	-	-	-	-	-	2	-	6
Diseases of the respiratory system	M	52	4	-	1	3	-	1	1	6	13	23
	F	36	2	-	1	-	1	1	3	-	6	22
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	60	21	1	2	2	-	3	-	11	8	12
	F	33	11	1	-	-	-	1	1	5	4	10
Accidents and other external causes	M	22	2	-	-	3	3	2	3	3	1	5
	F	11	-	-	1	-	2	2	1	-	2	3
All causes	M	387	28	2	7	8	3	11	19	60	100	149
	F	310	13	3	2	-	7	10	17	36	62	160

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 years	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	1	5	-	2
	F	3	-	-	-	-	1	-	-	-	1	1
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	5	3	-	-	-	-	-	-	-	-	2
Malignant neoplasms	M	54	-	1	1	-	2	3	9	10	19	9
	F	44	-	-	-	-	-	1	6	13	10	14
Ischaemic and other forms of heart disease	M	133	-	-	-	-	-	2	5	22	53	51
	F	97	-	-	-	-	-	1	2	12	23	59
Hypertensive disease	M	14	-	-	-	-	-	1	1	3	4	5
	F	13	-	-	-	-	-	-	1	2	3	7
Cerebrovascular disease	M	48	-	-	-	1	-	-	-	7	14	26
	F	53	-	-	-	1	-	1	3	3	17	28
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	1	3	3
	F	7	-	-	-	-	-	-	-	-	3	4
Diseases of the respiratory system	M	54	3	-	2	-	-	-	2	11	12	24
	F	39	3	1	1	-	2	-	1	3	7	21
Senility	M	10	-	-	-	-	-	-	-	-	-	10
	F	12	-	-	-	-	-	-	-	-	-	12
Other diseases	M	37	4	1	-	3	2	1	4	4	7	11
	F	44	7	-	-	1	1	-	1	9	8	17
Accidents and other external causes	M	19	-	-	1	6	4	-	1	2	2	3
	F	3	-	-	-	-	-	-	1	-	1	1
All causes	M	385	7	2	4	10	8	7	23	65	115	144
	F	320	13	1	1	2	4	3	15	42	73	166
COUNTY OFFALY												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	-	1	-
	F	2	1	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	45	-	-	-	-	2	-	3	12	15	13
	F	45	-	-	-	1	-	2	7	12	10	13
Ischaemic and other forms of heart disease	M	87	-	-	-	1	-	-	8	15	28	35
	F	62	-	-	-	-	-	-	2	7	15	38
Hypertensive disease	M	6	-	-	-	-	-	-	1	-	-	5
	F	6	-	-	-	-	-	-	-	1	3	2
Cerebrovascular disease	M	48	-	-	-	-	-	-	1	4	11	32
	F	52	-	-	-	-	-	-	3	2	16	31
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	-	1	9
	F	13	-	-	-	-	1	-	-	1	1	10
Diseases of the respiratory system	M	49	3	-	-	1	-	-	2	9	20	14
	F	23	-	-	1	1	-	-	-	2	6	13
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	50	13	1	-	1	-	-	4	3	13	15
	F	27	8	2	-	-	-	2	2	4	2	7
Accidents and other external causes	M	12	1	-	-	2	-	2	-	1	4	2
	F	5	-	1	-	-	-	-	-	-	-	4
All causes	M	315	18	1	-	5	2	2	20	44	93	130
	F	244	9	3	1	2	1	4	14	29	54	127

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis, all forms	M	1	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	42	-	-	1	-	-	1	4	10	18	8
	F	41	-	-	1	-	-	3	2	12	9	14
Ischaemic and other forms of heart disease	M	135	-	-	-	-	-	1	8	16	35	75
	F	82	-	-	-	-	-	1	4	5	14	58
Hypertensive disease	M	10	-	-	-	-	-	1	-	2	3	4
	F	5	-	-	-	-	-	-	-	1	2	2
Cerebrovascular disease	M	35	-	-	-	-	2	-	-	3	11	19
	F	33	-	-	1	1	-	-	1	3	7	20
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	-	3	7
	F	8	-	-	-	-	-	-	-	1	1	6
Diseases of the respiratory system	M	40	-	1	1	-	-	-	-	4	13	21
	F	24	2	2	1	-	-	1	1	4	1	12
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	38	5	2	-	-	-	1	-	1	10	19
	F	32	10	1	-	1	-	1	3	2	2	12
Accidents and other external causes	M	23	-	-	2	2	3	4	-	1	2	9
	F	7	-	-	-	1	2	-	-	-	2	2
All causes	M	338	7	3	4	2	5	9	2	37	95	164
	F	237	12	3	3	3	2	6	3	28	38	129
COUNTY WEXFORD												
Tuberculosis, all forms	M	5	-	-	-	-	-	1	1	1	2	-
	F	2	-	-	-	-	-	1	-	-	1	-
Other infective and parasitic diseases	M	2	-	-	1	-	-	-	-	1	-	-
	F	2	1	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	84	-	1	3	-	-	2	6	21	29	22
	F	73	-	-	2	-	1	4	10	19	16	21
Ischaemic and other forms of heart disease	M	185	-	-	-	-	-	3	11	30	47	94
	F	133	-	-	-	-	1	-	6	8	38	80
Hypertensive disease	M	6	-	-	-	-	-	-	-	-	3	3
	F	11	-	-	-	1	-	-	-	1	3	6
Cerebrovascular disease	M	48	-	-	-	-	-	1	1	3	18	25
	F	71	-	-	-	-	-	2	4	4	20	41
Other diseases of the circulatory system	M	62	-	-	-	-	-	-	1	4	7	50
	F	38	-	-	-	-	-	-	1	1	6	30
Diseases of the respiratory system	M	76	2	1	-	-	1	-	7	16	27	22
	F	38	3	-	-	-	-	-	1	3	17	14
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	52	15	2	1	-	2	2	1	6	11	12
	F	51	14	-	1	1	-	2	4	4	11	14
Accidents and other external causes	M	39	2	3	1	3	4	8	5	3	6	4
	F	27	-	1	-	2	4	2	7	2	2	7
All causes	M	566	19	7	6	3	7	17	33	85	150	239
	F	449	18	2	3	4	6	11	33	42	114	216

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	63	-	-	-	3	1	1	8	17	17	16
	F	55	-	1	1	-	1	2	6	17	15	12
Ischaemic and other forms of heart disease	M	113	-	-	-	-	1	6	8	23	27	48
	F	88	-	-	-	-	-	-	2	10	24	52
Hypertensive disease	M	10	-	-	-	-	-	-	1	1	-	8
	F	7	-	-	-	-	-	-	-	-	4	3
Cerebrovascular disease	M	50	-	-	-	-	-	-	5	3	12	30
	F	52	-	-	-	-	-	1	4	7	12	28
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	4	7	4
	F	13	-	-	-	-	-	-	-	-	7	6
Diseases of the respiratory system	M	52	7	1	1	-	-	1	4	8	16	14
	F	36	2	-	1	-	-	1	1	1	9	21
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	42	8	1	2	1	-	-	3	4	6	17
	F	48	11	-	2	-	-	1	3	2	8	21
Accidents and other external causes	M	21	2	1	2	3	2	2	2	1	3	3
	F	13	1	-	-	1	-	1	1	3	2	4
All causes	M	375	18	3	5	7	4	10	31	61	89	147
	F	317	14	1	4	1	1	6	17	40	81	152
COUNTY CLARE												
Tuberculosis, all forms	M	9	-	-	-	-	-	-	1	3	5	-
	F	3	-	-	-	-	-	-	1	2	-	-
Other infective and parasitic diseases	M	4	3	-	-	-	-	-	-	-	-	1
	F	2	1	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	75	-	-	-	-	-	2	6	10	30	27
	F	55	-	1	-	1	1	1	5	16	12	18
Ischaemic and other forms of heart disease	M	239	-	-	-	-	1	3	17	19	57	142
	F	129	-	-	-	-	-	-	4	15	24	86
Hypertensive disease	M	4	-	-	-	-	-	-	1	-	-	3
	F	8	-	-	-	-	-	-	1	-	2	5
Cerebrovascular disease	M	49	-	-	-	-	1	-	2	4	18	24
	F	40	-	-	-	-	-	-	2	3	11	24
Other diseases of the circulatory system	M	20	-	-	-	-	-	-	1	1	3	15
	F	21	-	-	-	-	-	-	-	2	4	15
Diseases of the respiratory system	M	72	1	-	1	-	-	3	4	11	23	29
	F	38	1	1	-	-	-	2	2	4	9	19
Senility	M	10	-	-	-	-	-	-	-	-	-	10
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	67	17	2	-	-	-	2	3	9	16	18
	F	65	15	1	-	1	1	4	4	4	11	24
Accidents and other external causes	M	31	1	1	2	4	6	1	2	3	5	6
	F	18	2	-	1	1	-	-	1	1	-	12
All causes	M	580	22	3	3	4	8	11	37	60	157	275
	F	390	19	3	1	3	2	7	20	48	73	214

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	6	-	-	-	-	1	-	2	1	2	-
	F	5	-	-	-	-	1	1	3	-	-	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	101	-	-	1	-	1	1	9	23	37	29
	F	146	-	2	2	-	1	6	17	27	49	42
Ischaemic and other forms of heart disease	M	219	-	-	1	-	1	5	25	50	65	72
	F	240	-	-	-	-	2	2	12	18	73	133
Hypertensive disease	M	11	-	-	-	-	1	-	1	3	4	2
	F	9	-	-	-	-	-	-	-	2	2	5
Cerebrovascular disease	M	58	-	-	-	-	1	1	3	11	19	23
	F	91	-	-	-	-	-	1	7	9	25	49
Other diseases of the circulatory system	M	36	-	-	-	-	-	1	-	5	8	22
	F	44	-	-	-	-	-	-	-	2	6	36
Diseases of the respiratory system	M	99	6	1	-	1	-	1	5	14	35	36
	F	62	3	3	1	-	-	4	2	5	14	30
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	14	-	-	-	-	-	-	-	-	-	14
Other diseases	M	71	17	3	3	2	1	2	3	8	20	12
	F	72	25	1	-	-	1	7	5	7	9	17
Accidents and other external causes	M	50	2	2	2	11	6	3	5	6	5	8
	F	30	4	-	-	-	1	3	4	3	6	9
All causes	M	656	26	6	7	14	12	14	53	121	195	208
	F	715	33	6	3	-	6	24	50	73	184	336
COUNTY CORK												
Tuberculosis, all forms	M	10	-	-	-	2	-	-	5	1	2	-
	F	7	-	-	-	-	-	-	2	3	1	1
Other infective and parasitic diseases	M	4	2	-	-	-	-	-	-	-	2	-
	F	9	2	-	3	-	-	1	-	1	-	2
Malignant neoplasms	M	242	-	2	-	1	-	8	20	53	86	72
	F	166	-	1	-	-	2	4	21	38	47	53
Ischaemic and other forms of heart disease	M	566	-	-	-	-	1	10	28	92	165	270
	F	388	-	-	-	1	-	3	9	35	93	247
Hypertensive disease	M	32	-	-	-	-	-	1	3	5	8	15
	F	30	-	-	-	-	-	-	1	-	12	17
Cerebrovascular disease	M	159	-	-	-	-	1	2	6	9	59	82
	F	215	-	-	-	-	-	1	9	25	52	128
Other diseases of the circulatory system	M	82	-	-	-	-	1	-	-	10	14	57
	F	53	-	-	-	-	1	-	2	2	8	40
Diseases of the respiratory system	M	208	6	1	1	3	-	-	8	30	65	94
	F	131	1	1	-	1	-	3	9	17	32	67
Senility	M	21	-	-	-	-	-	-	-	-	2	19
	F	19	-	-	-	-	-	-	-	-	-	19
Other diseases	M	190	35	1	3	4	8	5	10	24	39	61
	F	123	33	3	2	2	1	3	7	14	27	31
Accidents and other external causes	M	82	4	7	6	13	9	12	5	8	12	6
	F	51	1	2	3	4	-	1	1	5	11	23
All causes	M	1,596	47	11	10	23	20	38	85	232	454	676
	F	1,192	37	7	8	8	4	16	61	140	283	628

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	18	-	-	-	1	1	1	2	6	4	3
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	-	-	1
	F	3	2	-	-	-	1	-	-	-	-	-
Malignant neoplasms	M	118	-	-	1	-	1	4	11	26	45	30
	F	94	1	1	1	1	-	3	8	23	26	30
Ischaemic and other forms of heart disease	M	327	-	-	-	2	-	3	17	56	99	150
	F	229	-	-	-	-	-	1	9	12	67	140
Hypertensive disease	M	14	-	-	-	-	-	1	-	2	4	7
	F	15	-	-	-	-	1	-	-	3	6	5
Cerebrovascular disease	M	103	-	-	-	-	1	3	1	11	33	54
	F	100	-	-	-	1	-	-	8	9	32	50
Other diseases of the circulatory system	M	43	-	-	-	-	-	1	2	5	10	25
	F	26	-	-	-	-	-	-	-	3	4	19
Diseases of the respiratory system	M	80	3	1	-	-	-	-	5	15	25	31
	F	68	-	1	2	-	-	-	5	9	17	34
Senility	M	37	-	-	-	-	-	-	-	-	-	37
	F	49	-	-	-	-	-	-	-	-	-	49
Other diseases	M	119	19	4	3	2	1	1	4	19	27	39
	F	74	16	2	-	4	-	-	4	6	22	20
Accidents and other external causes	M	37	1	-	1	4	3	4	7	4	4	9
	F	30	-	-	1	-	-	1	1	1	4	22
All causes	M	899	25	5	5	9	7	18	49	144	251	386
	F	689	19	4	4	6	2	5	35	67	178	369
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	-	3	-
	F	1	-	-	-	-	-	-	1	-	-	-
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	1	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	42	-	-	1	2	-	3	3	9	13	11
	F	59	-	-	-	-	1	2	8	7	24	17
Ischaemic and other forms of heart disease	M	108	-	-	-	-	2	4	7	23	38	34
	F	90	-	-	-	-	-	1	6	13	23	47
Hypertensive disease	M	10	-	-	-	-	-	-	1	2	4	3
	F	6	-	-	-	-	-	1	1	-	1	3
Cerebrovascular disease	M	31	-	-	-	-	-	1	1	4	15	10
	F	33	-	-	-	-	-	1	-	3	7	22
Other diseases of the circulatory system	M	4	-	-	-	-	-	-	-	-	1	3
	F	7	-	-	-	-	-	-	-	-	-	7
Diseases of the respiratory system	M	56	1	2	1	-	-	-	4	11	14	23
	F	39	2	-	-	-	-	1	3	7	7	19
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	27	9	1	-	-	1	-	4	1	7	4
	F	34	9	-	2	-	1	1	3	-	11	7
Accidents and other external causes	M	11	-	-	3	2	-	2	-	1	1	2
	F	5	-	-	1	1	-	-	-	-	-	3
All causes	M	294	11	3	5	4	3	10	21	51	96	90
	F	280	13	-	3	1	2	7	22	30	73	129

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis, all forms	M	7	-	-	-	-	-	2	1	1	2	1
	F	7	-	1	-	-	-	-	1	4	1	-
Other infective and parasitic diseases	M	5	3	-	-	-	-	-	-	1	1	-
	F	4	1	-	-	-	-	-	-	-	1	2
Malignant neoplasms	M	87	1	1	-	-	1	3	4	23	30	24
	F	69	-	1	-	-	-	1	6	12	24	25
Ischaemic and other forms of heart disease	M	207	-	-	-	-	1	1	12	33	64	96
	F	158	-	-	-	-	-	1	4	20	37	96
Hypertensive disease	M	13	-	-	-	-	-	-	-	2	4	7
	F	11	-	-	-	-	-	-	1	3	3	4
Cerebrovascular disease	M	93	-	-	-	-	-	-	3	11	30	49
	F	78	-	-	-	-	-	-	2	8	20	48
Other diseases of the circulatory system	M	24	-	-	-	-	-	-	1	2	6	15
	F	16	-	-	-	-	-	-	-	1	3	12
Diseases of the respiratory system	M	70	2	1	-	-	-	1	1	17	16	32
	F	48	4	-	2	-	-	-	-	5	17	20
Senility	M	16	-	-	-	-	-	-	-	-	1	15
	F	16	-	-	-	-	-	-	-	-	-	16
Other diseases	M	63	16	-	-	1	1	2	4	7	11	21
	F	58	8	-	-	-	1	-	4	8	9	28
Accidents and other external causes	M	24	-	-	3	4	3	2	1	4	3	4
	F	13	-	2	1	-	-	1	1	1	1	6
All causes	M	609	22	2	3	5	6	11	27	101	168	264
	F	478	13	4	3	-	1	3	19	62	116	257
TIPPERARY, N.R.												
Tuberculosis, all forms	M	5	-	-	-	-	-	-	2	2	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	6	5	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	46	-	-	1	-	-	1	3	4	17	20
	F	48	-	-	-	-	-	5	7	4	16	16
Ischaemic and other forms of heart disease	M	142	-	-	-	1	1	-	8	18	41	73
	F	117	-	-	-	-	1	1	6	9	25	75
Hypertensive disease	M	7	-	-	-	-	-	-	-	2	3	2
	F	9	-	-	-	-	-	-	-	1	4	4
Cerebrovascular disease	M	41	-	-	-	-	-	1	-	4	9	27
	F	55	-	-	-	-	-	-	3	10	12	30
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	3	1	4
	F	8	-	-	-	-	-	-	-	-	5	3
Diseases of the respiratory system	M	41	6	-	-	-	-	1	1	5	8	20
	F	33	-	-	-	-	-	1	1	3	12	16
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	5	-	-	-	-	-	-	-	-	1	4
Other diseases	M	44	12	1	2	-	-	2	7	6	8	6
	F	32	7	-	1	2	-	1	1	5	5	10
Accidents and other external causes	M	16	3	2	-	1	2	4	1	-	1	2
	F	8	1	-	-	1	-	1	-	1	1	3
All causes	M	363	26	3	4	2	3	9	22	44	88	162
	F	317	9	-	1	3	1	9	18	33	82	161

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY, S.R.												
Tuberculosis, all forms	M	7	-	-	-	-	-	2	-	3	2	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	3	-	-	-	-	-	-	-	1	1	1
	F	3	3	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	80	-	-	-	-	-	2	9	17	30	22
	F	58	-	-	-	-	-	4	7	7	14	26
Ischaemic and other forms of heart disease	M	180	-	-	-	-	1	-	15	31	51	82
	F	155	-	-	-	-	-	2	7	17	33	96
Hypertensive disease	M	11	-	-	-	-	-	-	1	3	3	4
	F	8	-	-	-	-	-	-	-	-	4	4
Cerebrovascular disease	M	64	-	-	-	-	-	2	2	7	19	34
	F	66	-	-	-	-	-	1	1	6	16	42
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	1	2	5	3
	F	8	-	-	-	-	-	-	-	-	2	6
Diseases of the respiratory system	M	59	3	1	1	-	2	-	2	14	18	18
	F	37	-	-	1	1	-	1	4	4	10	16
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	39	11	2	1	1	2	2	2	4	1	13
	F	28	3	1	-	-	1	1	2	10	8	2
Accidents and other external causes	M	16	-	2	-	2	4	2	1	3	1	1
	F	9	1	-	-	1	1	-	1	2	1	2
All causes	M	474	14	5	2	3	9	10	33	85	131	182
	F	378	7	1	1	2	2	9	22	47	88	199
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	7	-	-	-	-	-	-	1	1	5	-
	F	2	-	-	1	-	-	-	1	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	29	-	-	-	-	-	-	2	7	10	10
	F	35	-	-	-	-	-	1	2	10	13	9
Ischaemic and other forms of heart disease	M	56	-	-	-	-	-	2	4	11	19	20
	F	44	-	-	-	-	-	-	2	3	13	26
Hypertensive disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Cerebrovascular disease	M	22	-	-	-	1	-	1	-	3	5	12
	F	31	-	-	-	-	1	-	1	1	10	18
Other diseases of the circulatory system	M	9	-	-	-	-	-	-	2	2	1	4
	F	4	-	-	-	-	-	1	-	-	1	2
Diseases of the respiratory system	M	29	2	-	-	1	-	-	1	5	6	14
	F	36	1	-	-	-	1	-	1	3	9	21
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	20	9	-	-	-	-	-	2	2	3	4
	F	21	6	-	-	-	-	-	-	3	7	5
Accidents and other external causes	M	10	1	-	-	3	2	1	-	1	2	-
	F	4	-	-	-	1	1	-	-	1	-	1
All causes	M	184	12	-	-	5	2	4	12	32	52	65
	F	185	7	-	1	1	3	2	7	21	53	90

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	5	-	-	-	-	-	-	2	-	1	2
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	55	-	1	-	1	-	2	10	7	21	13
	F	36	-	-	-	1	1	2	3	5	11	13
Ischaemic and other forms of heart disease	M	109	-	-	-	-	-	2	7	25	30	45
	F	54	-	-	-	-	-	-	1	2	15	36
Hypertensive disease	M	2	-	-	-	-	-	-	-	1	-	1
	F	2	-	-	-	-	-	-	-	-	1	1
Cerebrovascular disease	M	43	-	1	-	-	1	1	1	3	11	25
	F	33	-	-	-	-	-	-	1	-	10	22
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	-	3	7
	F	10	-	-	-	-	-	-	-	-	3	7
Diseases of the respiratory system	M	49	2	1	1	1	-	-	4	8	17	15
	F	35	2	-	-	-	-	1	2	2	11	17
Senility	M	10	-	-	-	-	-	-	-	-	-	10
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	29	1	1	1	1	-	-	1	5	7	12
	F	22	6	-	1	1	-	-	1	-	7	6
Accidents and other external causes	M	7	1	1	-	3	-	-	-	1	-	1
	F	9	1	1	-	-	-	1	-	-	1	5
All causes	M	316	5	5	2	6	1	5	23	50	90	129
	F	215	9	1	1	2	1	4	10	9	60	118
COUNTY GALWAY												
Tuberculosis, all forms	M	7	-	-	-	1	-	1	2	-	2	1
	F	6	-	-	1	-	-	-	-	3	1	1
Other infective and parasitic diseases	M	5	2	-	-	1	-	-	-	1	-	1
	F	4	3	-	-	-	-	1	-	-	-	-
Malignant neoplasms	M	136	-	-	-	2	1	6	10	33	45	39
	F	106	-	-	1	-	1	4	16	18	33	33
Ischaemic and other forms of heart disease	M	347	-	-	-	1	-	6	19	53	103	165
	F	259	-	-	-	-	-	1	7	20	66	165
Hypertensive disease	M	21	-	-	-	-	1	-	-	-	4	16
	F	25	-	-	-	-	-	1	2	4	9	9
Cerebrovascular disease	M	114	-	-	-	-	-	3	5	16	23	67
	F	109	-	-	-	-	-	3	3	10	27	66
Other diseases of the circulatory system	M	40	-	-	-	-	-	2	-	3	8	27
	F	22	-	-	-	-	-	-	-	2	4	16
Diseases of the respiratory system	M	126	5	1	1	1	2	-	11	10	36	59
	F	88	2	2	-	-	1	1	3	7	24	48
Senility	M	29	-	-	-	-	-	-	-	-	5	24
	F	34	-	-	-	-	-	-	-	-	1	33
Other diseases	M	120	27	2	5	4	2	4	6	11	17	42
	F	107	28	-	2	1	2	2	7	12	18	35
Accidents and other external causes	M	42	1	1	2	2	5	4	7	6	8	6
	F	13	-	-	1	1	-	1	3	2	2	3
All causes	M	987	35	4	8	12	11	26	60	133	251	447
	F	773	33	2	5	2	4	14	41	78	185	409

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	2	-
Malignant neoplasms	M	29	-	-	-	1	-	1	2	7	8	10
	F	24	-	-	-	-	-	-	4	4	12	4
Ischaemic and other forms of heart disease	M	103	-	-	-	-	-	2	4	14	30	53
	F	78	-	-	-	-	-	-	1	7	16	54
Hypertensive disease	M	7	-	-	-	-	-	1	-	1	1	4
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular disease	M	30	-	-	-	-	-	-	2	2	9	17
	F	33	-	-	-	-	-	-	1	3	8	21
Other diseases of the circulatory system	M	3	-	-	-	-	-	-	1	-	-	2
	F	5	-	-	-	-	-	-	-	-	3	2
Diseases of the respiratory system	M	25	1	-	-	-	-	-	-	6	2	16
	F	23	1	-	1	-	-	1	2	1	4	13
Senility	M	16	-	-	-	-	-	-	-	-	1	15
	F	13	-	-	-	-	-	-	-	-	2	11
Other diseases	M	16	3	-	1	-	-	-	1	5	2	4
	F	24	1	-	-	-	-	2	1	6	7	7
Accidents and other external causes	M	6	1	-	-	2	-	-	1	2	-	-
	F	2	-	-	-	-	-	-	-	-	1	1
All causes	M	237	6	-	1	3	-	4	11	37	53	122
	F	209	2	-	1	-	1	3	9	21	55	117
COUNTY MAYO												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	4	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	-	-	-	-	-	1	-	1	1	1
	F	4	-	-	-	1	-	-	1	-	2	-
Malignant neoplasms	M	107	-	-	2	1	1	3	6	21	38	35
	F	104	-	-	1	-	1	6	10	17	30	39
Ischaemic and other forms of heart disease	M	300	-	-	-	-	2	3	17	31	69	178
	F	220	-	-	-	-	-	2	5	13	42	158
Hypertensive disease	M	18	-	-	-	-	-	1	1	2	3	11
	F	13	-	-	-	-	-	-	-	1	2	10
Cerebrovascular disease	M	112	1	-	-	-	-	-	2	10	26	73
	F	116	-	-	-	-	-	-	2	8	30	76
Other diseases of the circulatory system	M	29	-	-	-	-	-	-	-	2	3	24
	F	32	-	-	-	-	-	-	1	3	6	22
Diseases of the respiratory system	M	77	3	1	-	1	1	-	9	7	20	35
	F	49	2	-	-	-	-	-	3	5	12	27
Senility	M	31	-	-	-	-	-	-	-	-	-	31
	F	59	-	-	-	-	-	-	-	-	-	59
Other diseases	M	89	14	-	-	1	3	1	8	12	16	34
	F	72	9	1	2	2	1	1	3	5	22	26
Accidents and other external causes	M	19	1	-	1	2	-	1	2	5	6	1
	F	25	1	1	3	1	-	3	2	1	2	11
All causes	M	792	19	1	3	5	7	10	49	91	184	423
	F	694	12	2	6	4	2	12	27	53	148	428

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	2	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	3	2	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	1
Malignant neoplasms	M	72	-	-	1	1	-	1	1	11	23	34
	F	46	-	-	-	-	-	2	8	7	15	14
Ischaemic and other forms of heart disease	M	183	-	-	-	-	-	3	1	25	41	113
	F	133	-	-	-	-	-	1	2	5	29	96
Hypertensive disease	M	3	-	-	-	-	-	-	-	2	1	-
	F	6	-	-	-	-	-	-	-	1	2	3
Cerebrovascular disease	M	41	-	-	-	-	1	1	1	4	9	25
	F	50	-	-	-	-	-	1	1	5	20	23
Other diseases of the circulatory system	M	16	-	1	-	-	-	-	-	1	1	13
	F	10	-	-	-	-	-	-	-	1	-	9
Diseases of the respiratory system	M	63	-	1	-	-	-	1	2	13	20	26
	F	37	2	-	-	2	-	-	-	7	6	20
Senility	M	12	-	-	-	-	-	-	-	-	-	12
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	57	8	1	2	1	1	2	3	10	10	19
	F	34	5	-	1	-	1	1	3	1	10	12
Accidents and other external causes	M	16	-	1	-	2	3	1	-	3	4	2
	F	4	1	-	-	-	-	-	2	-	-	1
All causes	M	468	10	4	4	4	5	9	8	71	109	244
	F	331	9	-	1	2	1	5	17	27	83	186
COUNTY SLIGO												
Tuberculosis, all forms	M	3	-	-	-	-	-	1	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	3
Malignant neoplasms	M	62	-	-	-	-	-	-	2	12	30	18
	F	44	-	-	-	-	-	1	4	11	13	15
Ischaemic and other forms of heart disease	M	104	-	-	-	-	-	2	5	14	32	51
	F	81	-	-	-	-	-	1	2	5	22	51
Hypertensive disease	M	17	-	-	-	-	-	-	-	1	4	12
	F	25	-	-	-	-	-	-	-	-	5	20
Cerebrovascular disease	M	47	-	-	-	-	-	-	-	6	10	31
	F	71	-	-	-	-	-	-	2	5	23	41
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	1	2	4	8
	F	13	-	-	-	-	-	-	-	-	3	10
Diseases of the respiratory system	M	62	-	1	-	-	-	2	2	5	22	30
	F	26	1	-	-	-	-	1	1	1	3	19
Senility	M	18	-	-	-	-	-	-	-	-	-	18
	F	14	-	-	-	-	-	-	-	-	-	14
Other diseases	M	41	10	-	-	1	-	1	-	6	10	13
	F	32	4	-	-	-	1	2	2	5	4	14
Accidents and other external causes	M	12	-	-	-	2	1	2	2	1	3	1
	F	11	-	-	-	-	-	1	1	-	3	6
All causes	M	382	10	1	-	3	2	8	13	48	115	182
	F	321	6	-	-	-	1	6	12	27	76	193

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis, all forms	M	5	-	-	-	-	1	-	1	-	2	1
	F	2	-	-	-	-	-	1	1	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms	M	51	-	-	-	-	-	1	8	8	19	15
	F	37	-	-	1	-	1	3	8	4	13	7
Ischaemic and other forms of heart disease	M	182	-	-	-	2	1	2	15	35	38	89
	F	111	-	-	-	-	-	-	2	17	24	68
Hypertensive disease	M	5	-	-	-	-	-	-	-	-	2	3
	F	8	-	-	-	-	-	-	-	-	3	5
Cerebrovascular disease	M	89	-	-	-	-	1	2	3	5	24	54
	F	77	-	-	-	-	-	-	3	6	19	49
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	1	1	1	7
	F	9	-	-	-	-	-	1	-	1	1	6
Diseases of the respiratory system	M	48	1	-	-	-	-	2	2	6	13	24
	F	24	1	-	-	1	-	-	-	2	4	16
Senility	M	17	-	-	-	-	-	-	-	-	-	17
	F	15	-	-	-	-	-	-	-	-	-	15
Other diseases	M	35	10	-	1	1	-	1	2	8	6	6
	F	34	5	1	-	4	-	-	2	1	9	12
Accidents and other external causes	M	15	-	-	-	6	-	1	2	-	2	4
	F	4	1	-	1	-	-	-	1	-	-	1
All causes	M	458	11	-	1	9	3	9	34	63	108	220
	F	322	7	1	2	5	1	5	18	31	73	179
COUNTY DONEGAL												
Tuberculosis, all forms	M	6	-	-	-	-	-	1	1	1	3	-
	F	2	-	-	-	-	-	-	-	1	-	1
Other infective and parasitic diseases	M	5	1	-	-	-	-	-	1	2	-	1
	F	3	1	-	-	-	-	1	1	-	-	-
Malignant neoplasms	M	118	-	-	-	2	1	1	10	32	33	39
	F	101	-	-	1	-	2	3	11	18	34	32
Ischaemic and other forms of heart disease	M	278	-	-	-	-	1	8	14	44	75	136
	F	183	-	-	-	-	-	1	11	12	30	129
Hypertensive disease	M	16	-	-	-	-	-	1	-	2	5	8
	F	15	-	-	-	-	-	-	-	2	5	8
Cerebrovascular disease	M	78	-	-	-	-	-	-	2	9	23	44
	F	99	-	-	-	-	-	1	2	9	20	67
Other diseases of the circulatory system	M	36	-	-	-	-	1	-	-	1	3	31
	F	37	-	-	-	-	-	-	-	4	4	29
Diseases of the respiratory system	M	86	-	-	-	-	1	1	5	13	23	43
	F	64	1	-	-	-	1	1	4	3	18	36
Senility	M	18	-	-	-	-	-	-	-	-	-	18
	F	22	-	-	-	-	-	-	-	-	2	20
Other diseases	M	97	18	-	2	2	-	4	3	15	17	36
	F	89	23	-	2	-	1	2	6	9	15	31
Accidents and other external causes	M	32	2	1	2	5	2	2	4	4	2	8
	F	18	-	-	-	2	-	1	-	2	2	11
All causes	M	770	21	1	4	9	6	18	40	123	184	364
	F	633	25	-	3	2	4	10	35	60	130	364

TABLE 24 (contd.) - DEATHS IN 1968 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	5	-	-	-	-	-	1	1	1	1	1
	F	2	-	-	-	-	-	-	-	1	1	-
Other infective and parasitic diseases	M	6	2	-	2	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	52	-	-	1	-	-	3	2	13	19	14
	F	32	-	-	-	1	-	3	4	9	7	8
Ischaemic and other forms of heart disease	M	111	-	-	-	-	-	1	14	17	35	44
	F	86	-	-	-	-	-	-	1	9	26	50
Hypertensive disease	M	7	-	-	-	-	-	1	1	2	2	1
	F	4	-	-	-	-	-	-	-	-	1	3
Cerebrovascular disease	M	50	-	-	-	-	-	-	1	5	12	32
	F	37	-	-	-	-	-	-	-	2	6	29
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	-	2	5	6
	F	9	-	-	-	-	-	-	-	-	2	7
Diseases of the respiratory system	M	43	2	-	-	-	-	1	3	4	5	28
	F	40	-	-	-	-	-	-	3	4	7	26
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	25	6	-	-	-	1	-	2	2	4	10
	F	30	6	1	-	-	-	1	1	5	7	9
Accidents and other external causes	M	16	-	-	1	2	1	-	1	5	1	5
	F	8	-	-	1	-	-	-	3	-	1	3
All causes	M	328	10	-	4	3	2	8	25	51	84	141
	F	251	6	1	1	1	-	4	12	30	59	137

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter-national List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F	M	F
	All Causes		472	228	93	61	37	12	33	7	37	15	272	133
			378	202	84	59	30	23	24	10	35	13	205	97
008, 009	Enteritis and other diarrhoeal disease	M	12	40	2	13	-	1	1	-	7	2	2	24
		F	7	39	2	16	-	2	1	3	2	4	2	14
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	2	-	-	-	-	-	-	-	-	-	2
000-007	Other infective and parasitic diseases	M	2	6	1	2	1	-	-	-	-	-	-	4
020-032, 034-136		F	2	6	-	1	-	1	2	-	-	-	-	4
320	Meningitis	M	6	9	-	4	1	-	-	2	1	1	4	2
		F	2	2	-	1	-	-	-	-	1	1	2	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	1
470-474	Influenza	M	1	1	-	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	29	60	4	19	5	4	2	2	2	3	16	32
		F	22	43	7	15	1	5	3	2	2	1	9	20
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	1	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	14	-	5	-	-	-	-	-	1	-	8
		F	2	11	1	8	-	-	-	-	-	-	1	3
520-577	Diseases of the digestive system	M	7	5	-	1	2	2	1	-	-	-	4	2
		F	5	1	1	-	-	-	-	-	-	-	4	1
740	Anencephalus	M	16	-	3	-	2	-	2	-	4	-	5	-
		F	24	-	1	-	3	-	-	-	1	-	19	-
741	Spina bifida	M	15	8	6	3	-	-	-	1	1	-	8	4
		F	17	6	5	2	-	-	1	2	1	-	10	2
742	Congenital hydrocephalus	M	4	5	1	-	-	-	-	-	-	1	3	4
		F	5	4	1	1	1	-	-	-	1	1	2	2
746	Congenital anomalies of heart	M	27	11	5	5	1	-	2	-	2	-	17	6
		F	21	30	4	6	-	5	1	3	2	2	14	14
743-745, 747-759	Other congenital anomalies	M	42	16	10	2	1	1	1	-	1	1	29	12
		F	39	19	10	1	4	5	2	-	2	-	21	13
764-768, 772	Birth injury and difficult labour	M	32	1	9	-	3	-	1	-	1	-	18	1
		F	38	-	7	-	2	-	2	-	2	-	25	-
770, 771	Conditions of placenta and cord	M	17	-	2	-	1	-	-	-	-	-	14	-
		F	8	-	1	-	1	-	1	-	-	-	5	-
774, 775	Haemolytic disease of newborn	M	18	-	3	-	-	-	-	-	4	-	11	-
		F	21	-	8	-	1	-	3	-	1	-	8	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	109	4	29	-	6	-	7	-	5	1	62	3
		F	64	1	16	-	7	-	4	-	8	-	29	1
777	Immaturity, unqualified	M	94	-	13	-	13	-	10	-	5	-	53	-
		F	73	1	16	-	7	-	1	-	8	-	41	1
760-763, 769-773, 778, 779	Other causes of perinatal mortality *	M	26	1	3	-	1	-	4	-	2	-	16	1
		F	21	1	2	1	2	-	3	-	3	-	11	-
780.2	Convulsions	M	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	15	45	2	7	-	4	2	2	2	4	9	28
		F	7	34	2	7	1	5	-	-	2	3	2	19

* Late foetal deaths not included.

TABLE 26 (contd.) - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1968

Detailed International List No.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
755	Other congenital anomalies of limbs	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculo-skeletal system	M	1	-	-	-	-	-	-	-	-	1
		F	6	-	5	5	1	-	-	-	-	-
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
758	Other and unspecified congenital anomalies	M	6	-	3	3	-	1	-	-	-	-
		F	5	-	2	2	1	-	1	-	-	-
759	Congenital syndromes affecting multiple systems	M	16	-	7	7	-	1	2	-	1	-
		F	10	-	4	4	1	1	-	-	-	-
Diseases of the mother during pregnancy:-												
760	Chronic circulatory and genito-urinary disease in mother	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-
761	Other maternal conditions unrelated to pregnancy	M	2	1	1	2	-	-	-	-	-	-
		F	3	1	-	1	-	-	-	-	1	-
762	Toxaemia of pregnancy	M	1	1	-	1	-	-	-	-	-	-
		F	2	-	1	1	1	-	-	-	-	-
763	Maternal ante- and intrapartum infection	M	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	1	-	-	-	-	-	-
Birth Injury from:-												
764	Difficult labour with abnormality of bones, etc.	M	1	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
765	Difficult labour with disproportion	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	1	-	-	-	-	-	-
767	Difficult labour with abnormality of forces of labour	M	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	9	-	7	7	-	1	-	-	-	-
		F	10	1	4	5	1	1	1	1	-	-
770	Conditions of placenta	M	11	3	6	9	-	2	-	-	-	-
		F	6	-	4	4	1	-	-	-	-	-
771	Conditions of umbilical cord	M	6	1	2	3	3	-	-	-	-	-
		F	2	-	2	2	-	-	-	-	-	-
772	Birth injury without mention of cause	M	31	1	7	8	5	9	1	2	-	-
		F	36	2	12	14	7	6	3	-	3	-
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774	Haemolytic disease of newborn with kernicterus	M	3	-	1	1	1	-	-	-	-	-
		F	5	2	2	4	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	15	-	9	9	-	1	1	1	-	-
		F	16	1	9	10	1	5	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	113	8	52	60	11	19	12	2	-	-
		F	65	3	34	37	8	11	1	2	-	2
777	Immaturity unqualified	M	94	12	44	56	13	10	4	4	-	-
		F	74	4	42	46	14	5	1	-	2	-
778	Other conditions of foetus or newborn	M	15	1	4	5	4	2	1	-	-	-
		F	5	-	1	1	2	-	-	1	-	-
780.2	Convulsions	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	60	2	3	5	3	1	-	-	-	-
		F	41	2	3	5	-	-	1	-	-	-

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months											Detailed Inter- national List No.
	7 - 13	14 - 20	21 - 27			2	3	4	5	6	7	8	9	10	11		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	756
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	757
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	758
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	759
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
4	1	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	761
4	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	762
11	1	-	-	12	1	1	-	-	-	1	-	1	-	-	-	-	763
7	-	-	-	7	-	2	-	-	1	-	-	-	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	766
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	767
2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	768
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	769
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	772
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780
8	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	780.2
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	781
11	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	782
5	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	783
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	784
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	785
27	2	1	-	30	-	-	1	-	-	-	-	-	-	-	-	-	786
33	3	-	-	36	-	-	-	-	-	-	-	-	-	-	-	-	787
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	789
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	790
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	791
13	2	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	792
16	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	793
105	1	-	3	109	1	2	-	-	-	-	-	1	-	-	-	-	794
61	3	-	-	64	1	-	-	-	-	-	-	-	-	-	-	-	795
88	2	2	2	94	-	-	-	-	-	-	-	-	-	-	-	-	796
69	2	1	1	73	1	-	-	-	-	-	-	-	-	-	-	-	797
12	1	1	-	14	-	1	-	-	-	-	-	-	-	-	-	-	798
4	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	799
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	800
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	801
9	3	2	1	15	5	9	7	6	6	3	3	2	-	1	3	-	802
6	-	1	-	7	2	4	6	1	5	6	4	1	1	3	1	-	803

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS IN 1968
CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M F	30 24	5 6	8 6	5 1	18 13	7 4	4 6	1 1
008, 009	Enteritis and other diarrhoeal disease	M F	8 5	- -	- -	- 1	- 1	6 3	2 1	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- 1	- -	- -	- -	- -	- -	- 1	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	4 5	- -	- 1	1 -	1 1	1 -	1 3	1 1
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	- -	- -	- -	- -	- -	- -	- -
520-577	Diseases of the digestive system	M F	- 1	- -	- -	- -	- -	- 1	- -	- -
740	Anencephalus	M F	- 2	- 2	- -	- -	- 2	- -	- -	- -
741	Spina bifida	M F	- -	- -	- -	- -	- -	- -	- -	- -
742	Congenital hydrocephalus	M F	- 1	- -	- -	- -	- -	- -	- 1	- -
746	Congenital anomalies of heart	M F	2 -	- -	1 -	1 -	2 -	- -	- -	- -
743-745, 747-759	Other congenital anomalies	M F	2 1	- -	1 1	- -	1 1	- -	1 -	- -
764-765, 772	Birth injury and difficult labour	M F	3 2	- 1	3 1	- -	3 2	- -	- -	- -
770, 771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	- -	- -
774, 775	Haemolytic disease of newborn	M F	- -	- -	- -	- -	- -	- -	- -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	3 3	2 1	- 2	1 -	3 3	- -	- -	- -
777	Immaturity, unqualified	M F	2 1	- -	1 1	1 -	2 1	- -	- -	- -
760-763, 769, 773, 778, 779	Other causes of perinatal mortality *	M F	- -	- -	- -	- -	- -	- -	- -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	6 2	3 2	2 -	1 -	6 2	- -	- -	- -

* Late foetal deaths not included.

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	472	228	236	132	146	64	59	21	31	11
		F	378	202	202	112	111	55	35	27	30	8
008, 009	Enteritis and other diarrhoeal disease	M	12	40	6	26	6	10	-	4	-	-
		F	7	39	5	26	2	9	-	3	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
003	Whooping cough	M	-	1	-	-	-	1	-	-	-	-
		F	-	2	-	2	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	2	6	1	2	1	-	-	1	-	3
		F	2	6	1	3	-	2	1	1	-	-
320	Meningitis	M	6	9	2	4	4	3	-	2	-	-
		F	2	2	1	1	1	1	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	1	-	-	-	-
470-474	Influenza	M	1	1	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	29	60	13	38	14	14	1	6	1	2
		F	22	43	15	28	5	9	2	6	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	1	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	14	-	9	-	3	-	2	-	-
		F	2	11	1	10	-	-	-	-	1	1
520-577	Diseases of the digestive system	M	7	5	5	2	2	2	-	1	-	-
		F	5	1	1	1	2	-	2	-	-	-
740	Anencephalus	M	16	-	9	-	7	-	-	-	-	-
		F	24	-	10	-	10	-	-	-	4	-
741	Spina bifida	M	15	8	8	7	1	1	5	-	1	-
		F	17	6	9	6	7	-	1	-	-	-
742	Congenital hydrocephalus	M	4	5	2	2	-	2	1	-	1	1
		F	5	4	4	2	1	1	-	-	-	1
746	Congenital anomalies of heart	M	27	11	16	8	7	1	4	-	-	2
		F	21	30	15	15	3	8	1	5	2	2
743-745, 747-759	Other congenital anomalies	M	42	16	19	9	12	6	8	1	3	-
		F	39	19	21	2	11	9	5	5	2	3
764-768, 772	Birth injury and difficult labour	M	32	1	17	-	7	-	3	1	5	-
		F	38	-	20	-	8	-	5	-	5	-
770, 771	Conditions of placenta and cord	M	17	-	3	-	8	-	4	-	2	-
		F	8	-	2	-	3	-	2	-	1	-
774, 775	Haemolytic disease of newborn	M	18	-	8	-	1	-	7	-	2	-
		F	21	-	12	-	4	-	3	-	2	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	109	4	64	2	28	2	12	-	5	-
		F	64	1	28	1	23	-	10	-	3	-
777	Immaturity, unqualified	M	94	-	39	-	38	-	8	-	9	-
		F	73	1	44	-	22	1	1	-	6	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	26	1	16	1	6	-	3	-	1	-
		F	21	1	10	1	6	-	2	-	3	-
780.2	Convulsions	M	-	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	15	45	8	21	3	19	3	3	1	2
		F	7	34	3	13	3	14	-	7	1	-

*Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	8	3	84	59	9	2	32	22	11	6
		F	4	2	75	56	9	3	27	11	14	5
008,009	Enteritis and other diarrhoeal disease	M	-	1	2	13	-	-	-	7	1	2
		F	-	1	1	16	1	-	-	3	-	2
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
003	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	1	2	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	1
320	Meningitis	M	-	-	-	4	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	2	4	18	-	1	2	5	1	-
		F	-	1	6	15	1	-	-	2	2	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	5	-	-	-	-	-	-
		F	-	-	1	7	-	1	-	1	-	1
520-577	Diseases of the digestive system	M	-	-	-	1	-	-	2	1	-	-
		F	-	-	1	-	-	-	-	1	-	-
740	Anencephalus	M	-	-	3	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	4	-	2	-
741	Spina bifida	M	1	-	6	2	-	1	-	-	-	-
		F	-	-	4	2	1	-	1	-	-	-
742	Congenital hydrocephalus	M	-	-	1	-	-	-	-	1	-	-
		F	-	-	1	1	-	-	2	-	-	-
746	Congenital anomalies of heart	M	-	-	5	5	-	-	4	3	2	-
		F	-	-	3	5	1	1	3	2	2	-
743-745, 747-759	Other congenital anomalies	M	-	-	9	2	1	-	2	2	-	1
		F	-	-	8	1	2	-	4	-	2	-
764-768, 772	Birth injury and difficult labour	M	1	-	8	-	1	-	4	-	-	-
		F	-	-	5	-	2	-	4	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	1	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	3	-	-	-	2	-	1	-
		F	-	-	8	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	-	23	-	6	-	8	-	3	1
		F	-	-	15	-	1	-	3	-	3	-
777	Immaturity, unqualified	M	4	-	13	-	-	-	2	-	1	-
		F	4	-	16	-	-	-	4	-	2	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	3	-	-	-	4	-	1	-
		F	-	-	2	1	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	2	7	-	-	1	3	1	1
		F	-	-	2	6	-	1	1	2	-	1

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	12	2	9	2	8	2	21	7	6	1
		F	13	6	4	4	2	-	9	4	6	7
008, 009	Enteritis and other diarrhoeal disease	M	1	-	1	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	2
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	1
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	1	1	-	-	-	1	1	3	2	1
		F	2	2	-	1	-	-	1	1	1	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	1	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	1	-	2	-	-	-
		F	-	-	1	-	-	-	-	-	1	-
741	Spina bifida	M	-	1	-	-	-	-	1	2	-	-
		F	-	-	-	1	1	-	1	1	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	-	-	-	-	-	-	1	-
		F	-	1	1	-	-	-	-	2	1	2
743-745, 747-759	Other congenital anomalies	M	-	-	3	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
764-768, 772	Birth injury and difficult labour	M	1	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	3	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	-	4	-	3	-	5	-	-	-
		F	2	-	-	-	-	-	-	-	1	-
777	Immaturity, unqualified	M	5	-	-	-	2	-	3	-	-	-
		F	4	-	2	-	-	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	1	1	-	3	-	2	-
		F	-	-	-	-	-	-	3	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	1	1	-	-	2	2	-	-
		F	-	2	-	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS and 4 WEEKS AND UNDER ONE YEAR
IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	13	5	5	2	12	7	6	12	16	6
		F	8	1	7	5	14	4	10	4	16	3
008, 009	Enteritis and other diarrhoeal disease	M	1	-	-	2	-	-	-	1	1	2
		F	-	1	-	-	-	-	-	-	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
320	Meningitis	M	1	-	-	-	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	1	1	-	-	-	1	1	4	-	-
		F	-	-	1	1	-	2	1	1	-	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	-	-	1	-	2	-	1
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	2	-	-	-	-	-	-	-	2	-
		F	-	-	1	-	-	-	-	-	3	-
741	Spina bifida	M	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	1	-	-	-	1	2	-
742	Congenital hydrocephalus	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	-	-	2	-	-	-	1	-
		F	1	-	-	-	1	1	2	1	-	-
743-745, 747-759	Other congenital anomalies	M	1	1	1	-	1	1	-	1	-	-
		F	-	-	-	1	3	-	1	-	2	-
764-768, 772	Birth injury and difficult labour	M	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	2	-	1	-	-	-
770, 771	Conditions of placenta and cord	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	1	-	-	-	-	-	-	-
		F	-	-	1	-	1	-	1	-	1	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	1	-	3	-	3	1	1	-
		F	1	-	1	1	-	-	1	-	1	-
777	Immaturity, unqualified	M	4	-	1	-	3	-	1	-	9	-
		F	4	-	3	-	5	-	-	-	4	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	1	-	1	-	1	-
		F	-	-	-	-	1	-	3	-	2	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	-	-	1	3	-	3	1	2
		F	-	-	-	-	-	-	-	1	1	1

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	19	7	31	16	22	3	8	3	11	11
		F	20	13	26	11	16	3	6	7	6	7
008, 009	Enteritis and other diarrhoeal disease	M	-	1	-	2	1	1	-	-	-	2
		F	-	1	-	2	1	1	-	1	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	1	-	-
320	Meningitis	M	-	-	3	1	-	-	1	-	-	1
		F	-	-	-	1	-	-	-	-	1	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	4	2	2	3	2	-	-	1	-	2
		F	-	3	1	-	-	-	1	1	2	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	2	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-
740	Anencephalus	M	2	-	2	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	1	-
741	Spina bifida	M	-	-	1	1	-	-	-	-	-	-
		F	-	-	2	-	2	-	-	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	-	2	-	-	1	-	-	1	-
		F	-	3	-	2	1	1	-	2	1	-
743-745, 747-759	Other congenital anomalies	M	-	-	5	1	3	-	1	1	2	1
		F	1	2	5	3	-	-	3	1	-	1
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	4	-	2	-	-	-
		F	1	-	2	-	2	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	3	-	2	-	-	-	2	-
		F	-	-	-	-	2	-	1	-	-	-
774- 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	4	-	9	1	3	-	2	-	3	-
		F	7	-	10	-	1	-	-	-	-	-
777	Immaturity, unqualified	M	7	-	2	-	6	-	1	-	1	-
		F	5	-	4	-	4	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	1	-	-	-	-	-	2	-
		F	2	-	-	-	2	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	1	6	1	-	-	1	-	3
		F	-	4	-	3	-	1	1	1	-	2

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death	TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
		M	F	M	F	M	F	M	F	M	F	M	F
	All causes	16	7	10	2	11	3	10	2	2	3	26	9
008, 009	Enteritis and other diarrhoeal disease	4	1	-	-	-	-	-	1	-	2	-	1
		1	-	-	2	-	-	-	-	-	2	-	-
010-019	Tuberculosis, all forms	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
003	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	-	-	-	1	-	-	-	-	1	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	-	-	-	-	-	-	-	-	-	2	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	1	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	3	2	1	2	1	1	1	1	1	3	-	1
		-	-	-	-	-	1	1	1	2	-	-	1
490-493	Bronchitis, emphysema and asthma	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	-	-	-	-	-	-	-	-	-	1	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	-	-	-	-	-	-	-	-	-	-	-	-
		1	-	-	-	-	-	-	-	1	-	-	-
740	Anencephalus	1	-	-	-	-	-	-	-	-	-	-	-
		1	-	-	-	-	-	1	-	-	-	-	-
741	Spina bifida	-	-	-	-	-	-	-	-	2	-	1	-
		-	-	1	-	-	-	-	-	1	-	-	-
742	Congenital hydrocephalus	-	-	-	1	-	-	-	-	1	-	-	-
		-	1	-	-	1	-	-	-	-	-	-	-
746	Congenital anomalies of heart	-	-	2	-	1	-	-	-	2	-	-	-
		-	-	-	-	-	-	1	-	-	3	-	-
743-745, 747-759	Other congenital anomalies	1	3	-	-	-	-	-	-	3	-	-	-
		-	-	-	-	-	2	-	-	3	4	-	-
764-768, 772	Birth injury and difficult labour	-	-	-	-	1	-	-	-	-	-	1	-
		2	-	-	-	1	-	-	-	1	-	-	-
770, 771	Conditions of placenta and cord	-	-	-	-	1	-	-	-	2	-	-	-
		-	-	-	-	-	-	-	-	2	-	-	-
774, 775	Haemolytic disease of newborn	-	-	1	-	-	-	-	-	2	-	-	-
		-	-	-	-	-	-	-	-	2	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	3	1	2	-	-	-	1	-	8	-	-	-
		-	-	1	-	-	-	3	-	9	-	-	-
777	Immaturity, unqualified	2	-	5	-	5	-	-	-	2	-	1	-
		1	1	1	-	2	-	1	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	1	-	-	-	1	-	-	-	2	-	-	-
		-	-	-	-	-	-	-	-	1	-	-	-
780.2	Convulsions	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	-	3	-	-	-	1	-	1	1	1	1	-
		1	-	-	1	-	-	-	1	-	1	-	1

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1968, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	14	5	7	3	8	2	8	3	17	4	6	4
		F	6	6	3	6	3	3	6	1	19	6	5	1
008, 009	Enteritis and other diarrhoeal diseases	M	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	1	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	1	-	-	-	-	-	1	-	2
		F	-	-	-	1	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	2	-	-	-	-	1	-	-	-	-	2
		F	-	2	-	2	-	1	-	-	-	-	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	1	-	-
520-577	Diseases of the digestive system	M	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	3	-	-	-
741	Spina bifida	M	2	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1
746	Congenital anomalies of heart	M	1	-	-	-	1	-	-	2	-	-	-	-
		F	-	1	-	1	1	-	-	-	2	2	-	-
743-745, 747-759	Other congenital anomalies	M	2	-	2	-	1	1	2	-	1	-	-	-
		F	2	-	-	-	-	1	1	1	-	2	1	-
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	2	1	1	-	2	-	2	-
		F	2	-	1	-	1	-	-	-	4	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	2	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-
774, 775	Haemolytic disease of newborn	M	4	-	1	-	-	-	-	-	1	-	1	-
		F	-	-	1	-	-	-	-	-	1	-	1	-
776	Anoxic and hypoxic conditions	M	2	-	1	-	1	-	1	-	3	-	1	-
		F	1	-	-	-	-	-	-	-	1	-	2	-
777	Immaturity, unqualified	M	1	-	1	-	3	-	2	-	5	-	2	-
		F	-	-	-	-	1	-	2	-	4	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	1	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-	3	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	2	-	-	-	-	-	-	1	2	-	-
		F	-	3	-	2	-	-	1	-	-	-	-	-

*Late foetal deaths not included.

TABLE 29 - LATE FOETAL DEATHS NOTIFIED IN 1968 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY

Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
740	Anencephalus								
	Anencephalus	3	36	20	20	12	7	1	99
	Spina Bifida								
741.0	With hydrocephalus	-	-	2	2	-	1	1	6
741.9	Without mention of hydrocephalus	-	1	3	-	-	-	-	4
742	Congenital hydrocephalus								
	Hydrocephalus	1	2	5	7	8	2	1	26
743	Other congenital anomalies of nervous system	1	1	1	-	-	-	-	3
	Congenital anomalies of heart								
746.3	Ventricular septal defect	-	-	1	-	-	-	-	1
	Congenital anomalies of respiratory system								
748.6	Other anomalies of lung	-	-	-	-	1	-	-	1
	Cleft palate and cleft lip								
749.1	Cleft lip	-	-	-	-	1	-	-	1
749.2	Cleft palate with cleft lip	-	-	-	-	1	-	-	1
	Other and unspecified congenital anomalies								
758.9	Unspecified congenital anomaly	1	-	-	1	-	1	-	3
	Congenital syndromes affecting multiple systems								
759.2	Other forms of monster	-	-	-	1	-	1	-	2
759.3	Down's disease	-	-	1	-	1	-	-	2
759.9	Multiple congenital anomalies, unspecified	2	-	2	1	3	2	-	10
	Chronic circulatory and genito-urinary disease in mother								
760.2	Chronic hypertension	-	1	3	2	1	2	1	10
760.3	Other chronic diseases of circulatory system	-	-	-	-	1	1	-	2
	Other maternal conditions unrelated to pregnancy								
761.1	Diabetes mellitus	-	1	2	3	1	1	-	8
761.2	Influenza	-	-	-	2	-	-	-	2
761.5	Injury	-	-	-	1	2	1	-	4
761.9	Other maternal causes	-	-	-	1	1	1	-	3
	Toxaemia of pregnancy								
762.0	Renal disease arising during pregnancy	-	-	1	-	-	-	-	1
762.1	Pre-eclampsia of pregnancy	3	5	8	3	11	3	1	34
762.2	Eclampsia of pregnancy	-	-	1	-	1	-	-	2
762.3	Toxaemia unspecified	-	5	5	5	4	4	-	23
762.9	Other toxaemia of pregnancy	1	2	4	2	2	5	1	17
	Maternal ante- and intrapartum infection								
763.0	Pyelitis and pycelonephritis of pregnancy	-	-	-	-	1	-	-	1
763.9	Other	-	-	1	-	-	-	-	1
	Difficult labour with malposition of foetus								
766.1	With birth injury to spinal cord	-	-	-	-	1	-	-	1
766.3	With other and unspecified birth injury	-	1	1	-	-	1	-	3
766.4	With asphyxia, anoxia or hypoxia	-	-	2	1	5	2	-	10
766.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	2	2	6	2	5	-	17

TABLE 29 (contd.) - LATE FOETAL DEATHS NOTIFIED IN 1968 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY

Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
	Difficult labour with abnormality of forces of labour								
767.4	With asphyxia, anoxia or hypoxia	-	-	1	1	-	-	-	2
767.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	1	2	-	-	-	3
	Difficult labour with other and unspecified complications								
768.0	With birth injury to brain	-	-	1	-	-	-	-	1
768.4	With asphyxia, anoxia or hypoxia	-	-	-	-	1	-	-	1
768.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	1	2	1	-	1	-	5
	Other complications of pregnancy and childbirth								
769.1	Premature rupture of membranes	-	-	-	-	1	1	-	2
769.2	Hydramnios	1	2	2	-	2	-	-	7
769.4	Multiple pregnancy	-	-	-	-	1	-	-	1
769.9	Other	-	7	4	8	4	1	-	24
	Conditions of placenta								
770.0	Placenta praevia	-	2	-	1	3	1	-	7
770.1	Premature separation of placenta	6	19	29	39	28	21	2	144
770.2	Placental infarction	2	1	5	5	13	4	-	30
770.8	Other	-	-	-	1	-	-	-	1
770.9	Unspecified	-	2	10	8	8	2	-	30
	Conditions of umbilical cord								
771.0	Compression of cord	-	2	1	2	-	-	-	5
771.1	Prolapse of cord without mention of compression	1	2	3	7	3	7	-	23
771.9	Other	-	3	7	7	9	7	-	33
	Birth injury without mention of cause								
772.0	To brain	-	1	-	1	1	1	-	4
	Haemolytic disease of newborn with kernicterus								
774.0	With Rh incompatibility	-	1	2	1	3	1	-	8
774.9	Without mention of cause	-	-	1	-	1	-	-	2
	Haemolytic disease of newborn without mention of kernicterus								
775.0	With Rh incompatibility	-	4	5	7	8	3	-	27
775.1	With ABO incompatibility	-	-	1	-	-	-	-	1
775.9	Without mention of cause	1	1	3	4	7	1	-	17
	Anoxic and hypoxic conditions not elsewhere classified								
776.0	Aspiration of content of birth canal	-	-	1	-	-	-	-	1
776.4	Intra-uterine anoxia	3	2	8	7	7	1	-	28
776.9	Asphyxia of newborn unspecified	-	-	5	4	3	1	-	13
777	Immaturity, unqualified Prematurity	3	7	8	5	4	5	-	32
	Other conditions of foetus or newborn								
778.1	Post-maturity	2	1	-	1	1	1	-	6
778.9	Other	-	-	2	1	-	-	-	3
	Foetal death of unknown cause								
779.0	Maceration	4	14	14	24	24	15	1	96
779.9	Other	4	19	17	14	19	5	1	79
	Total	39	148	198	209	211	119	10	934

TABLE 30 - LATE FOETAL DEATHS NOTIFIED IN 1968 CLASSIFIED BY CAUSE AND PERIOD OF GESTATION

Inter- national List Nos. 740-779	Cause of death	Period of gestation		
		28 - 36 weeks	37 weeks and over	Total
740	Anencephalus	64	35	99
741	Spina bifida	4	6	10
742	Congenital hydrocephalus	9	17	26
743	Other congenital anomalies of nervous system	1	2	3
746	Congenital anomalies of heart	-	1	1
748	Congenital anomalies of respiratory system	-	1	1
749	Cleft palate and cleft lip	2	-	2
758	Other and unspecified congenital anomalies	2	1	3
759	Congenital syndromes affecting multiple systems	10	4	14
760	Chronic circulatory and genito-urinary diseases in mother	8	4	12
761	Other maternal conditions unrelated to pregnancy	10	7	17
762	Toxaemia of pregnancy	41	36	77
763	Maternal ante- and intrapartum infection	-	2	2
766	Difficult labour with malposition of foetus	7	24	31
767	Difficult labour with abnormality of forces of labour	-	5	5
768	Difficult labour with other and unspecified complications	3	4	7
769	Other complications of pregnancy and childbirth	23	11	34
770	Conditions of placenta	101	111	212
771	Conditions of umbilical cord	9	52	61
772	Birth injury without mention of cause	1	3	4
774	Haemolytic disease of newborn with kernicterus	6	4	10
775	Haemolytic disease of newborn without mention of kernicterus	33	12	45
776	Anoxic and hypoxic conditions not elsewhere classified	11	31	42
777	Immaturity, unqualified	25	7	32
778	Other conditions of foetus or newborn	-	9	9
779	Foetal death of unknown cause	67	108	175
	Total	437	497	934

TABLE 31 - LATE FOETAL DEATHS NOTIFIED IN 1968 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN.

Inter- national List Nos. 740-779	Cause of death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
740	Anencephalus	39	29	17	14	99
741	Spina bifida	4	3	2	1	10
742	Congenital hydrocephalus	9	9	7	1	26
743	Other congenital anomalies of nervous system	2	1	-	-	3
746	Congenital anomalies of heart	1	-	-	-	1
748	Congenital anomalies of respiratory system	-	1	-	-	1
749	Cleft palate and cleft lip	-	2	-	-	2
758	Other and unspecified congenital anomalies	1	1	1	-	3
759	Congenital syndromes affecting multiple systems	3	2	5	4	14
760	Chronic circulatory and genito-urinary diseases in mother	5	1	2	4	12
761	Other maternal conditions unrelated to pregnancy	1	5	6	5	17
762	Toxaemia of pregnancy	37	14	15	11	77
763	Maternal ante- and intrapartum infection	-	1	-	1	2
766	Difficult labour with malposition of foetus	3	9	7	12	31
767	Difficult labour with abnormality of forces of labour	1	2	1	1	5
768	Difficult labour with other and unspecified complications	3	1	2	1	7
769	Other complications of pregnancy and childbirth	5	12	8	9	34
770	Conditions of placenta	47	50	60	55	212
771	Conditions of umbilical cord	13	13	25	10	61
772	Birth injury without mention of cause	1	1	1	1	4
774	Haemolytic disease of newborn with kernicterus	-	5	3	2	10
775	Haemolytic disease of newborn without mention of kernicterus	2	12	20	11	45
776	Anoxic and hypoxic conditions not elsewhere classified	17	11	7	7	42
777	Immaturity, unqualified	17	5	5	5	32
778	Other conditions of foetus or newborn	3	3	3	-	9
779	Foetal death of unknown cause	52	52	33	38	175
Total		266	245	230	193	934

TABLE 32 - LATE FOETAL DEATHS NOTIFIED IN 1968 CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28 - 36 weeks	37 weeks and over	Total
Males	231	258	489
Females	206	239	445
Total	437	497	934

TABLE 33 - LATE FOETAL DEATHS NOTIFIED IN 1968 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							
	Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	Total
0	32	88	71	46	23	6	1	267
1	5	29	51	23	9	4	-	121
2	1	20	27	40	29	8	-	125
3	1	6	23	31	19	12	-	92
4	-	3	17	23	27	14	-	84
5	-	1	3	16	18	16	-	54
6	-	1	5	11	22	8	-	47
7	-	-	1	7	17	12	4	41
8	-	-	-	6	14	7	-	27
9	-	-	-	3	13	11	1	28
10	-	-	-	2	8	7	1	18
11	-	-	-	1	3	5	2	11
12	-	-	-	-	3	4	1	8
13	-	-	-	-	3	2	-	5
14	-	-	-	-	1	2	-	3
15 and over	-	-	-	-	2	1	-	3
Total	39	148	198	209	211	119	10	934

TABLE 34 - DEATHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1968 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHs

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,553	4,809	4,493	3,812	3,844	3,115	4,141	3,390	18,031	15,126
Carlow	71	53	51	45	46	40	51	23	219	161
Dublin Co. Borough	848	921	667	657	600	565	667	632	2,782	2,775
Dun Laoghaire Borough	99	84	66	75	66	72	79	86	310	317
Dublin Co. (remainder)	190	198	140	138	146	120	150	154	626	610
Kildare	125	86	109	61	68	52	83	66	385	265
Kilkenny	131	105	101	97	75	62	124	69	431	333
Laois	104	59	65	53	78	40	60	57	307	209
Longford	63	64	65	57	35	39	49	46	212	206
Louth	110	96	86	77	99	70	92	67	387	310
Meath	117	103	84	81	82	69	102	67	385	320
Offaly	99	91	87	58	66	54	63	41	315	244
Westmeath	106	76	87	66	61	40	84	55	338	237
Wexford	168	123	116	122	155	91	127	113	566	449
Wicklow	120	87	95	74	70	73	90	83	375	317
Leinster	2,351	2,146	1,819	1,661	1,647	1,387	1,821	1,559	7,638	6,753
Clare	207	125	132	86	126	89	115	90	580	390
Cork Co. Borough	191	239	178	170	126	150	161	156	656	715
Cork County	453	369	439	322	367	255	337	246	1,596	1,192
Kerry	266	212	234	178	197	146	202	153	899	689
Limerick Co. Borough	93	88	84	65	60	59	57	68	294	280
Limerick County	181	131	170	132	124	112	134	103	609	478
Tipperary, N.R.	122	112	89	71	66	59	86	75	363	317
Tipperary, S.R.	128	100	115	108	115	71	116	99	474	378
Waterford Co. Borough	56	67	53	36	35	47	40	35	184	185
Waterford County	107	77	72	55	58	40	79	43	316	215
Munster	1,804	1,520	1,566	1,223	1,274	1,028	1,327	1,068	5,971	4,839
Galway	313	240	225	213	242	167	207	153	987	773
Leitrim	82	74	70	58	40	30	45	47	237	209
Mayo	273	238	186	168	160	130	173	158	792	694
Roscommon	169	99	109	86	104	81	86	65	468	331
Sligo	123	102	96	94	78	56	85	69	382	321
Connacht	960	753	686	619	624	464	596	492	2,866	2,328
Cavan	138	112	110	87	86	60	124	63	458	322
Donegal	213	214	219	155	149	118	189	146	770	633
Monaghan	87	64	93	67	64	58	84	62	328	251
Ulster (part of)	438	390	422	309	299	236	397	271	1,556	1,206

TABLE 35 - BIRTHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1968 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGH.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	7,939	7,569	8,281	7,749	7,864	7,437	7,385	6,780	31,469	29,535
Carlow	99	95	95	93	117	88	98	71	409	347
Dublin Co. Borough	1,673	1,557	1,719	1,550	1,599	1,511	1,524	1,425	6,515	6,043
Dun Laoghaire Borough	139	133	153	161	168	155	158	145	618	594
Dublin Co. (remainder)	703	622	650	643	665	621	633	544	2,651	2,430
Kildare	211	218	245	204	193	200	193	181	842	803
Kilkenny	140	150	161	141	154	149	140	141	595	581
Laois	108	114	127	122	138	110	120	94	493	440
Longford	71	58	56	71	87	61	64	57	278	247
Louth	212	209	240	206	235	270	202	183	889	868
Meath	185	171	210	153	216	202	169	190	780	716
Offaly	137	134	180	153	164	146	121	118	602	551
Westmeath	128	152	165	170	167	142	153	135	613	599
Wexford	218	219	237	226	291	243	253	209	999	897
Wicklow	178	161	189	180	194	161	151	135	712	637
Leinster	4,202	3,993	4,427	4,073	4,388	4,059	3,979	3,628	16,996	15,753
Clare	169	197	192	176	161	188	158	158	680	719
Cork Co. Borough	397	417	448	404	367	321	345	305	1,557	1,447
Cork County	536	519	573	547	496	446	519	530	2,124	2,042
Kerry	238	222	289	271	245	246	258	221	1,030	960
Limerick Co. Borough	187	189	215	151	172	173	168	141	742	654
Limerick County	223	183	196	194	180	181	169	165	768	723
Tipperary, N.R.	153	104	142	156	147	133	152	134	594	527
Tipperary, S.R.	187	175	173	192	170	182	170	168	700	717
Waterford Co. Borough	107	80	87	96	105	89	92	87	391	352
Waterford County	117	111	95	93	101	98	110	95	423	397
Munster	2,314	2,197	2,410	2,280	2,144	2,057	2,141	2,004	9,009	8,538
Galway	385	385	354	338	375	403	321	315	1,435	1,441
Leitrim	62	73	59	48	64	42	45	34	230	197
Mayo	217	209	276	311	198	194	247	195	938	909
Roscommon	106	110	125	104	106	98	110	87	447	399
Sligo	138	91	130	114	107	84	101	86	476	375
Connacht	908	868	944	915	850	821	824	717	3,526	3,321
Cavan	153	138	120	118	100	114	120	97	493	467
Donegal	246	256	284	268	250	273	209	227	989	1,024
Monaghan	116	117	96	95	132	113	112	107	456	432
Ulster (part of)	515	511	500	481	482	500	441	431	1,938	1,923

TABLE 36 - BIRTHS, REGISTERED IN 1968, IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	57,958	3,046	-	-	-	-	57,958	3,046
Carlow	631	20	75	-	180	-	736	20
Dublin Co. Borough	20,063	855	8,486	9	130	5	11,707	851
Dun Laoghaire Borough	1,240	50	803	2	726	1	1,163	49
Dublin Co. (remainder)	336	211	238	2	4,766	8	4,864	217
Kildare	303	102	12	1	1,251	2	1,542	103
Kilkenny	793	77	31	2	338	1	1,100	76
Laois	656	73	15	1	216	4	857	76
Longford	325	25	83	-	257	1	499	26
Louth	3,252	32	1,570	-	43	-	1,725	32
Meath	178	41	5	1	1,283	-	1,456	40
Offaly	850	70	40	2	275	-	1,085	68
Westmeath	997	68	220	1	367	1	1,144	68
Wexford	1,370	190	28	-	364	-	1,706	190
Wicklow	172	144	8	-	1,039	2	1,203	146
Clare	974	57	10	-	378	-	1,342	57
Cork Co. Borough	6,241	82	3,337	2	20	-	2,924	80
Cork County	1,208	50	52	-	2,958	2	4,114	52
Kerry	1,632	47	21	1	333	-	1,944	46
Limerick Co. Borough	3,420	48	2,093	-	21	-	1,348	48
Limerick County	2	51	-	-	1,438	-	1,440	51
Tipperary, N.R.	929	30	182	-	343	1	1,090	31
Tipperary, S.R.	1,378	40	130	1	130	-	1,378	39
Waterford Co. Borough	1,507	109	881	1	9	-	635	108
Waterford County	119	78	2	-	624	1	741	79
Galway	3,569	83	845	1	70	-	2,794	82
Leitrim	190	4	8	-	241	-	423	4
Mayo	1,455	74	41	-	359	-	1,773	74
Roscommon	458	17	30	1	400	2	828	18
Sligo	849	32	97	1	68	-	820	31
Cavan	544	86	27	2	359	-	876	84
Donegal	1,799	184	28	-	58	-	1,829	184
Monaghan	518	16	62	-	416	-	872	16

* Including registered private maternity homes.

TABLE 37 - BIRTHS REGISTERED IN 1968 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS.

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	61,004	31,469	29,535	1,558	782	776
15 and under	25	10	15	19	7	12
16	98	54	44	46	26	20
17	277	151	126	108	54	54
18	489	239	250	132	65	67
19	896	481	415	178	95	83
Under 20	1,785	935	850	483	247	236
20	1,502	774	728	193	84	109
21	2,162	1,095	1,067	176	89	87
22	2,651	1,359	1,292	143	69	74
23	3,158	1,629	1,529	89	41	48
24	3,395	1,791	1,604	96	53	43
20-24	12,868	6,648	6,220	697	336	361
25	3,632	1,895	1,737	55	28	27
26	3,523	1,766	1,757	44	24	20
27	3,303	1,637	1,666	22	10	12
28	3,426	1,809	1,617	43	22	21
29	3,439	1,803	1,636	30	13	17
25-29	17,323	8,910	8,413	194	97	97
30	3,209	1,688	1,521	29	18	11
31	2,989	1,505	1,484	24	14	10
32	2,906	1,518	1,388	22	11	11
33	2,754	1,451	1,303	14	8	6
34	2,535	1,322	1,213	11	6	5
30-34	14,393	7,484	6,909	100	57	43
35	2,459	1,289	1,170	11	5	6
36	2,253	1,145	1,108	13	7	6
37	1,992	1,034	958	10	5	5
38	1,789	915	874	10	6	4
39	1,615	822	793	3	3	-
35-39	10,108	5,205	4,903	47	26	21
40	1,255	613	642	3	-	3
41	1,000	515	485	4	1	3
42	768	410	358	4	3	1
43	520	265	255	3	2	1
44	301	153	148	3	1	2
40-44	3,844	1,956	1,888	17	7	10
45	186	100	86	4	1	3
46	92	39	53	2	1	1
47	39	19	20	-	-	-
48	13	9	4	-	-	-
49	2	1	1	-	-	-
45-49	332	168	164	6	2	4
50-55	-	-	-	-	-	-
Age not stated	351	163	188	14	10	4

TABLE 38 - BIRTHS REGISTERED IN 1968, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW							DUBLIN COUNTY BOROUGH					
Under 20 years	31	16	15	7	3	4	458	254	204	126	70	56
20-24 years	180	105	75	6	3	3	3,217	1,679	1,538	198	93	105
25-29 years	199	111	88	4	2	2	3,690	1,872	1,818	54	32	22
30-34 years	158	85	73	2	1	1	2,654	1,414	1,240	32	21	11
35-39 years	124	64	60	-	-	-	1,848	941	907	11	8	3
40-44 years	58	24	34	-	-	-	647	333	314	4	2	2
45 years and over	5	3	2	-	-	-	38	19	19	1	-	1
Age not stated	1	1	-	-	-	-	6	3	3	3	1	2
All ages	756	409	347	19	9	10	12,558	6,515	6,043	429	227	202
DUN LAOGHAIRE BOROUGH							DUBLIN COUNTY (remainder)					
Under 20 years	29	17	12	7	6	1	75	35	40	20	6	14
20-24 years	268	130	138	11	6	5	1,062	553	509	50	21	29
25-29 years	410	210	200	3	3	-	1,744	915	829	15	9	6
30-34 years	296	148	148	1	-	1	1,289	655	634	6	4	2
35-39 years	160	86	74	1	1	-	673	359	314	4	2	2
40-44 years	43	25	18	-	-	-	217	120	97	3	2	1
45 years and over	6	2	4	-	-	-	16	10	6	1	1	-
Age not stated	-	-	-	-	-	-	5	4	1	2	2	-
All ages	1,212	618	594	23	16	7	5,081	2,651	2,430	101	47	54
KILDARE							KILKENNY					
Under 20 years	65	40	25	19	15	4	36	21	15	10	6	4
20-24 years	409	215	194	20	11	9	243	133	110	21	13	8
25-29 years	484	256	228	3	1	2	312	149	163	2	1	1
30-34 years	344	168	176	2	1	1	295	153	142	4	1	3
35-39 years	242	113	129	1	-	1	203	104	99	1	-	1
40-44 years	86	41	45	-	-	-	82	33	49	-	-	-
45 years and over	7	5	2	-	-	-	5	2	3	-	-	-
Age not stated	8	4	4	-	-	-	-	-	-	-	-	-
All ages	1,645	842	803	45	28	17	1,176	595	581	38	21	17
LAOIS							LONGFORD					
Under 20 years	20	12	8	4	4	-	17	10	7	4	3	1
20-24 years	186	114	72	8	3	5	97	46	51	9	3	6
25-29 years	245	131	114	2	1	1	135	73	62	2	1	1
30-34 years	219	110	109	1	-	1	130	66	64	2	1	1
35-39 years	167	77	90	-	-	-	98	55	43	-	-	-
40-44 years	79	40	39	-	-	-	44	24	20	1	-	1
45 years and over	5	4	1	-	-	-	3	3	-	-	-	-
Age not stated	12	5	7	-	-	-	1	1	-	-	-	-
All ages	933	493	440	15	8	7	525	278	247	18	8	10

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1968, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years	55	24	31	4	2	2	45	18	27	15	4	11
20-24 years	422	210	212	10	7	3	326	159	167	18	7	11
25-29 years	510	258	252	2	-	2	401	206	195	7	2	5
30-34 years	398	189	209	2	-	2	349	183	166	4	2	2
35-39 years	257	139	118	1	1	-	261	147	114	2	2	-
40-44 years	103	62	41	-	-	-	102	60	42	1	1	-
45 years and over	10	7	3	-	-	-	9	6	3	-	-	-
Age not stated	2	-	2	-	-	-	3	1	2	-	-	-
All ages	1,757	889	868	19	10	9	1,496	780	716	47	18	29
OFFALY							WESTMEATH					
Under 20 years	30	9	21	8	1	7	52	27	25	20	11	9
20-24 years	257	135	122	16	9	7	254	109	145	17	8	9
25-29 years	318	163	155	5	3	2	298	161	137	3	-	3
30-34 years	273	159	114	1	1	-	280	146	134	-	-	-
35-39 years	173	92	81	1	1	-	235	122	113	4	2	2
40-44 years	82	37	45	-	-	-	84	43	41	-	-	-
45 years and over	9	3	6	-	-	-	8	4	4	-	-	-
Age not stated	11	4	7	1	1	-	1	1	-	-	-	-
All ages	1,153	602	551	32	16	16	1,212	613	599	44	21	23
WEXFORD							WICKLOW					
Under 20 years	72	38	34	20	10	10	60	34	26	20	12	8
20-24 years	441	225	216	29	13	16	341	181	160	19	6	13
25-29 years	495	253	242	9	3	6	415	225	190	2	1	1
30-34 years	441	251	190	4	2	2	273	136	137	2	2	-
35-39 years	301	163	138	2	-	2	166	82	84	2	-	2
40-44 years	136	62	74	3	-	3	76	45	31	-	-	-
45 years and over	8	5	3	2	1	1	11	6	5	1	-	1
Age not stated	2	2	-	-	-	-	7	3	4	-	-	-
All ages	1,896	999	897	69	29	40	1,349	712	637	46	21	25
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years	79	47	32	17	6	11	95	45	50	30	11	19
20-24 years	685	362	323	25	14	11	704	371	333	41	25	16
25-29 years	944	486	458	5	4	1	1,150	576	574	14	9	5
30-34 years	707	357	350	6	4	2	1,023	516	507	3	1	2
35-39 years	434	228	206	-	-	-	785	400	385	3	2	1
40-44 years	140	70	70	-	-	-	267	144	123	2	2	-
45 years and over	14	6	8	1	-	1	22	10	12	-	-	-
Age not stated	1	1	-	1	1	-	120	62	58	-	-	-
All ages	3,004	1,557	1,447	55	29	26	4,166	2,124	2,042	93	50	43

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1968, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE							KERRY					
Under 20 years	36	17	19	5	3	2	52	23	29	18	7	11
20-24 years	247	113	134	10	5	5	338	176	162	18	9	9
25-29 years	373	180	193	1	1	-	499	278	221	4	1	3
30-34 years	349	182	167	-	-	-	494	264	230	5	4	1
35-39 years	279	136	143	1	1	-	385	190	195	1	-	1
40-44 years	93	43	50	-	-	-	139	66	73	1	-	1
45 years and over	13	5	8	-	-	-	15	9	6	-	-	-
Age not stated	9	4	5	-	-	-	68	24	44	-	-	-
All ages	1,399	680	719	17	10	7	1,990	1,030	960	47	21	26
LIMERICK COUNTY BOROUGH							LIMERICK COUNTY					
Under 20 years	53	27	26	11	7	4	47	28	19	15	12	3
20-24 years	361	195	166	12	6	6	283	149	134	35	16	19
25-29 years	413	216	197	6	2	4	378	189	189	4	1	3
30-34 years	317	178	139	1	1	-	378	189	189	3	2	1
35-39 years	188	94	94	-	-	-	269	141	128	-	-	-
40-44 years	61	30	31	-	-	-	113	61	52	1	-	1
45 years and over	3	2	1	-	-	-	15	6	9	-	-	-
Age not stated	-	-	-	-	-	-	8	5	3	-	-	-
All ages	1,396	742	654	30	16	14	1,491	768	723	58	31	27
TIPPERARY, NORTH RIDING							TIPPERARY, SOUTH RIDING					
Under 20 years	28	15	13	10	2	8	55	24	31	10	4	6
20-24 years	230	117	113	14	8	6	281	134	147	11	5	6
25-29 years	282	138	144	5	3	2	361	172	189	3	1	2
30-34 years	268	150	118	1	1	-	340	176	164	3	1	2
35-39 years	210	119	91	-	-	-	253	130	123	1	1	-
40-44 years	87	42	45	1	-	1	114	58	56	-	-	-
45 years and over	5	4	1	-	-	-	11	4	7	-	-	-
Age not stated	11	9	2	-	-	-	2	2	-	1	1	-
All ages	1,121	594	527	31	14	17	1,417	700	717	29	13	16
WATERFORD COUNTY BOROUGH							WATERFORD COUNTY					
Under 20 years	28	11	17	3	1	2	25	12	13	6	2	4
20-24 years	216	118	98	6	4	2	182	89	93	12	6	6
25-29 years	207	107	100	1	1	-	218	111	107	3	2	1
30-34 years	173	98	75	1	-	1	182	101	81	1	1	-
35-39 years	86	47	39	-	-	-	143	78	65	3	2	1
40-45 years	28	7	21	-	-	-	58	25	33	-	-	-
45 years and over	5	3	2	-	-	-	8	4	4	-	-	-
Age not stated	-	-	-	-	-	-	4	3	1	1	1	-
Age ages	743	391	352	11	6	5	820	423	397	26	14	12

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1968, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
GALWAY							LEITRIM					
Under 20 years	61	32	29	22	13	9	8	4	4	3	1	2
20-24 years	421	205	216	21	10	11	58	34	24	2	-	2
25-29 years	792	415	377	3	2	1	105	56	49	2	-	2
30-34 years	762	357	405	6	1	5	118	63	55	-	-	-
35-39 years	558	281	277	-	-	-	87	47	40	-	-	-
40-44 years	245	127	118	-	-	-	47	25	22	-	-	-
45 years and over	23	12	11	-	-	-	4	1	3	-	-	-
Age not stated	14	6	8	1	-	1	-	-	-	-	-	-
All ages	2,876	1,435	1,441	53	26	27	427	230	197	7	-	6
MAYO							ROSCOMMON					
Under 20 years	32	14	18	8	5	3	19	13	6	7	4	3
20-24 years	247	129	118	9	4	5	111	54	57	6	2	4
25-29 years	483	257	226	5	3	2	211	108	103	1	-	1
30-34 years	471	234	237	-	-	-	226	115	111	-	-	-
35-39 years	407	204	203	-	-	-	197	113	84	1	1	-
40-44 years	171	86	85	-	-	-	78	43	35	-	-	-
45 years and over	16	7	9	-	-	-	2	1	1	-	-	-
Age not stated	20	7	13	3	2	1	2	-	2	-	-	-
All ages	1,847	938	909	25	14	11	846	447	399	15	7	8
SLIGO							CAVAN					
Under 20 years	19	12	7	6	2	4	20	12	8	7	5	2
20-24 years	126	70	56	8	4	4	141	68	73	9	2	7
25-29 years	219	123	96	2	1	1	220	114	106	6	2	4
30-34 years	243	143	100	-	-	-	264	142	122	1	1	-
35-39 years	167	89	78	-	-	-	212	104	108	2	1	1
40-44 years	71	38	33	-	-	-	75	40	35	-	-	-
45 years and over	4	-	4	-	-	-	6	4	2	-	-	-
Age not stated	2	1	1	1	1	-	22	9	13	-	-	-
All ages	851	476	375	17	8	9	960	493	467	25	11	14
DONEGAL							MONAGHAN					
Under 20 years	68	37	31	15	7	8	15	7	8	6	2	4
20-24 years	371	182	189	16	8	8	163	88	75	10	5	5
25-29 years	556	274	282	12	2	10	256	127	129	4	3	1
30-34 years	470	239	231	4	4	-	209	117	92	2	-	2
35-39 years	377	185	192	4	1	3	163	75	88	1	-	1
40-44 years	143	62	81	-	-	-	75	40	35	-	-	-
45 years and over	20	9	11	-	-	-	6	2	4	-	-	-
Age not stated	8	1	7	-	-	-	1	-	1	-	-	-
All ages	2,013	989	1,024	51	22	29	888	456	432	23	10	13

TABLE 39 - TOTAL BIRTHS REGISTERED IN 1968 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	61,004	15,948	12,383	9,834	7,479	5,032	3,398	2,216	1,556	1,031	709
15 and under	25	25	-	-	-	-	-	-	-	-	-
16	98	94	2	2	-	-	-	-	-	-	-
17	277	248	26	3	-	-	-	-	-	-	-
18	489	393	88	6	2	-	-	-	-	-	-
19	896	652	183	49	12	-	-	-	-	-	-
Under 20	1,785	1,412	299	60	14	-	-	-	-	-	-
20	1,502	1,003	356	106	30	6	1	-	-	-	-
21	2,162	1,328	567	198	53	13	2	-	1	-	-
22	2,651	1,507	689	296	116	35	5	-	-	-	-
23	3,158	1,544	953	391	182	70	16	-	2	-	-
24	3,395	1,505	1,031	497	249	76	24	10	2	1	-
20-24	12,868	6,887	3,596	1,488	630	200	48	10	5	1	-
25	3,632	1,309	1,122	647	310	149	66	18	7	3	1
26	3,523	1,096	1,099	714	356	148	73	21	5	6	3
27	3,303	865	954	731	391	187	93	58	14	3	5
28	3,426	784	890	768	477	239	148	60	34	16	8
29	3,439	648	779	842	562	308	137	81	37	22	9
25-29	17,323	4,702	4,844	3,702	2,096	1,031	517	238	97	50	26
30	3,209	494	690	779	545	324	163	105	56	24	18
31	2,989	413	561	614	549	346	232	118	87	40	16
32	2,906	343	486	570	545	369	259	142	84	50	27
33	2,754	290	395	529	548	359	261	146	94	53	37
34	2,535	248	324	426	464	380	266	148	123	68	39
30-34	14,393	1,788	2,456	2,918	2,651	1,778	1,181	659	444	235	137
35	2,459	222	252	388	447	374	224	191	131	86	61
36	2,253	159	240	294	387	348	284	182	129	87	45
37	1,992	143	186	237	294	320	239	168	135	91	62
38	1,789	112	140	222	252	267	207	165	131	85	77
39	1,615	97	114	192	225	211	208	145	117	95	70
35-39	10,108	733	932	1,333	1,605	1,520	1,162	851	643	444	315
40	1,255	63	87	128	155	183	148	118	100	77	53
41	1,000	36	60	91	118	118	118	121	102	63	48
42	768	25	44	45	112	88	82	94	55	64	41
43	520	19	27	21	47	54	59	51	54	39	38
44	301	13	14	22	27	23	40	41	20	28	22
40-44	3,844	156	232	307	459	466	447	425	331	271	202
45	186	10	4	10	10	15	22	14	19	22	14
46	92	3	3	3	4	10	13	11	11	5	11
47	39	4	5	2	3	4	2	2	3	1	3
48	13	-	1	-	-	1	4	1	2	-	-
49 and over	2	-	-	-	1	-	-	-	-	1	-
45 and over	332	17	13	15	18	30	41	28	35	29	28
Age not stated	351	253	11	11	6	7	2	5	1	1	1

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
527	314	205	142	72	47	30	18	7	3	-	-	-	53	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	3	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	3	20-24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	1	-	-	-	-	-	-	-	-	-	-	-	-	28
10	2	-	-	-	1	-	-	-	-	-	-	-	1	29
14	4	-	-	-	1	-	-	-	-	-	-	-	1	25-29
9	2	-	-	-	-	-	-	-	-	-	-	-	-	30
9	1	2	-	-	1	-	-	-	-	-	-	-	-	31
18	9	3	1	-	-	-	-	-	-	-	-	-	-	32
24	9	6	1	-	-	2	-	-	-	-	-	-	-	33
25	10	8	6	-	-	-	-	-	-	-	-	-	-	34
85	31	19	8	-	1	2	-	-	-	-	-	-	-	30-34
42	13	14	7	4	2	1	-	-	-	-	-	-	-	35
37	30	18	7	4	2	-	-	-	-	-	-	-	-	36
48	30	19	16	2	1	-	1	-	-	-	-	-	-	37
58	27	15	11	10	4	3	3	-	-	-	-	-	-	38
47	40	26	14	6	6	1	-	1	-	-	-	-	-	39
232	140	92	55	26	15	5	4	1	-	-	-	-	-	35-39
53	35	15	16	8	5	6	3	1	1	-	-	-	-	40
46	20	23	19	5	5	2	2	1	2	-	-	-	-	41
31	33	18	14	10	7	2	3	-	-	-	-	-	-	42
26	21	21	16	10	8	3	4	2	-	-	-	-	-	43
16	11	7	6	2	1	5	2	1	-	-	-	-	-	44
172	120	84	71	35	26	18	14	5	3	-	-	-	-	40-44
13	10	4	6	7	1	4	-	1	-	-	-	-	-	45
5	7	3	-	2	1	-	-	-	-	-	-	-	-	46
4	1	-	-	2	2	1	-	-	-	-	-	-	-	47
1	1	1	1	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	49 and over
23	19	8	7	11	4	5	-	1	-	-	-	-	-	45 and over
1	-	2	1	-	-	-	-	-	-	-	-	-	49	Age not stated

TABLE 40 - LEGITIMATE BIRTHS REGISTERED IN 1968, CLASSIFIED

Age of mother at maternity	Legitimate births: the year of											
	Total	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958
All ages	59,446	1,809	9,453	6,114	5,897	5,042	4,259	3,997	3,291	3,242	2,680	2,359
15	6	3	3	-	-	-	-	-	-	-	-	-
16	52	26	20	4	-	2	-	-	-	-	-	-
17	169	66	83	18	2	-	-	-	-	-	-	-
18	357	100	185	52	14	6	-	-	-	-	-	-
19	718	174	323	131	66	16	5	2	1	-	-	-
Under 20	1,302	369	614	205	82	24	5	2	1	-	-	-
20	1,309	217	623	271	124	53	12	6	3	-	-	-
21	1,986	252	889	427	243	100	48	20	3	3	-	-
22	2,508	192	1,040	504	409	193	111	41	7	7	1	-
23	3,069	181	1,036	706	484	313	197	93	43	12	1	2
24	3,299	123	1,032	640	570	425	264	141	61	33	7	-
20-24	12,171	965	4,620	2,548	1,830	1,084	632	301	117	55	9	2
25	3,577	106	884	589	645	511	317	261	137	90	27	8
26	3,479	78	686	537	577	476	393	344	194	118	45	13
27	3,281	64	533	401	492	485	386	340	246	193	79	41
28	3,383	48	474	335	432	424	405	372	334	250	158	79
29	3,409	42	343	282	362	388	421	401	328	330	215	135
25-29	17,129	338	2,920	2,144	2,508	2,284	1,922	1,718	1,239	981	524	276
30	3,180	27	260	241	303	345	324	329	307	321	241	197
31	2,965	22	214	181	237	260	270	314	280	324	267	209
32	2,884	12	188	168	200	193	233	251	245	290	299	261
33	2,740	15	143	128	162	177	187	224	237	272	266	243
34	2,524	18	125	93	132	154	156	182	176	216	240	244
30-34	14,293	94	930	811	1,034	1,129	1,170	1,300	1,245	1,423	1,313	1,154
35	2,448	14	93	94	95	136	122	170	162	171	192	224
36	2,240	6	75	61	91	96	99	129	138	164	179	178
37	1,982	7	57	63	68	85	93	111	120	119	127	134
38	1,779	1	44	53	60	62	66	79	69	96	98	126
39	1,612	4	35	54	44	48	45	63	83	79	90	105
35-39	10,061	32	304	325	358	427	425	552	572	629	686	767
40	1,252	5	27	31	29	31	43	49	44	51	45	64
41	996	1	12	15	23	36	18	28	30	53	37	36
42	764	3	7	14	9	15	24	25	20	23	36	29
43	517	1	8	9	12	5	7	9	9	9	13	14
44	298	-	4	3	3	4	7	8	4	10	12	6
40-44	3,827	10	58	72	76	91	99	119	107	146	143	149
45	182	1	3	4	3	-	1	1	3	5	1	2
46	90	-	1	-	2	-	-	-	2	-	1	2
47	39	-	-	-	1	-	3	2	1	1	3	4
48	13	-	-	-	-	-	-	-	-	1	-	-
49 and over	2	-	-	-	-	-	-	-	-	-	-	-
45 and over	326	1	4	4	6	-	4	3	6	7	5	8
Age not stated	337	-	3	5	3	3	2	2	4	1	-	3

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

marriage being												Age of mother at maternity
1957	1956	1955	1954	1953	1952	1951	1950	1949	1944 to 1948	1943 and earlier	Not stated	
1,930	1,715	1,428	1,206	982	879	658	638	385	1,038	127	317	All ages
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	3	22
-	-	-	-	-	-	-	-	-	-	-	1	23
2	-	-	-	-	-	-	-	-	-	-	1	24
2	-	-	-	-	-	-	-	-	-	-	6	20-24
1	1	-	-	-	-	-	-	-	-	-	-	25
11	4	-	1	1	-	-	-	-	-	-	1	26
13	3	4	1	-	-	-	-	-	-	-	-	27
44	17	6	3	1	-	-	-	-	-	-	1	28
88	34	20	11	6	1	1	-	-	-	-	1	29
157	59	30	16	8	1	1	-	-	-	-	3	25-29
119	80	45	24	12	4	-	-	-	-	-	1	30
144	106	59	47	15	10	5	1	-	-	-	-	31
164	158	88	69	35	19	6	4	1	-	-	-	32
184	167	134	79	50	44	18	8	1	1	-	-	33
208	158	126	106	74	69	23	18	6	-	-	-	34
819	669	452	325	186	146	52	31	8	1	-	1	30-34
186	194	159	124	107	83	59	48	9	6	-	-	35
168	171	170	133	114	85	79	57	25	22	-	-	36
144	156	139	118	121	102	75	55	45	43	-	-	37
126	127	131	123	99	91	87	90	60	90	1	-	38
107	92	111	120	94	107	75	79	49	123	5	-	39
731	740	710	618	535	468	375	329	188	284	6	-	35-39
84	85	80	73	92	66	62	74	46	165	5	1	40
55	61	53	66	66	62	57	70	50	160	6	1	41
38	38	43	43	42	55	44	49	39	153	13	2	42
18	32	33	36	24	37	28	39	20	126	27	1	43
14	16	16	14	12	22	16	17	14	71	25	-	44
209	232	225	232	236	242	207	249	169	675	76	5	40-44
8	11	5	7	10	12	10	17	13	40	25	-	45
2	2	4	3	5	7	11	4	5	27	12	-	46
2	-	-	2	-	2	1	7	1	3	6	-	47
-	-	1	2	1	1	-	-	-	5	2	-	48
-	-	-	-	-	-	-	-	1	1	-	-	49 and over
2	13	10	14	16	22	22	28	20	76	45	-	45 and over
-	2	1	1	1	-	1	1	-	2	-	302	Age not stated

TABLE 42 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	18,993	18,260	733	465	120	31	8	13	96
Carlow	213	203	10	9	-	-	-	-	1
Dublin County Borough	5,467	5,217	250	127	12	19	8	9	75
Dun Laoghaire Borough	434	402	32	26	5	1	-	-	-
Dublin County (remainder)	870	838	32	31	-	1	-	-	-
Kildare	441	427	14	12	-	-	-	2	-
Kilkenny	352	344	8	7	-	-	-	-	1
Laois	252	239	13	12	1	-	-	-	-
Longford	164	159	5	5	-	-	-	-	-
Louth	504	498	6	2	4	-	-	-	-
Meath	413	409	4	3	-	-	-	-	1
Offaly	230	220	10	9	-	1	-	-	-
Westmeath	384	380	4	4	-	-	-	-	-
Wexford	513	495	18	18	-	-	-	-	-
Wicklow	461	419	42	35	3	-	-	-	4
Leinster	10,698	10,250	448	300	25	22	8	11	82
Clare	363	361	2	1	-	-	-	-	1
Cork County Borough	1,043	1,015	28	17	2	-	-	1	8
Cork County	1,124	1,088	36	32	-	2	-	-	2
Kerry	573	569	4	4	-	-	-	-	-
Limerick County Borough	563	555	8	6	-	-	-	-	2
Limerick County	378	369	9	8	-	1	-	-	-
Tipperary, N.R.	295	288	7	7	-	-	-	-	-
Tipperary, S.R.	394	391	3	3	-	-	-	-	-
Waterford County Borough	282	281	1	1	-	-	-	-	-
Waterford County	229	227	2	2	-	-	-	-	-
Munster	5,244	5,144	100	81	2	3	-	1	13
Galway	825	821	4	4	-	-	-	-	-
Leitrim	87	80	7	5	2	-	-	-	-
Mayo	491	488	3	3	-	-	-	-	-
Roscommon	246	244	2	2	-	-	-	-	-
Sligo	226	212	14	13	1	-	-	-	-
Connacht	1,875	1,845	30	27	3	-	-	-	-
Cavan	252	223	29	20	6	2	-	-	-
Donegal	653	569	84	25	54	4	-	1	-
Monaghan	271	229	42	12	30	-	-	-	-
Ulster (part of)	1,176	1,021	155	57	90	6	-	-	-

COUNTY AND COUNTY BOROUGH DURING 1968

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
3,876	3,908	7,055	4,154	18,652	77	68	96	Total
30	39	100	44	209	1	3	-	Carlow
1,204	1,197	1,798	1,268	5,354	20	65	28	Dublin County Borough
75	111	179	69	421	1	6	6	Dun Laoghaire Borough
214	176	314	166	847	2	10	11	Dublin County (remainder)
88	72	153	128	436	1	2	2	Kildare
68	67	151	66	350	-	2	-	Kilkenny
35	65	115	37	246	4	1	1	Laois
26	27	66	45	161	-	1	2	Longford
113	114	213	64	498	3	1	2	Louth
65	83	181	84	408	1	2	2	Meath
29	51	100	50	226	1	2	1	Offaly
71	91	142	80	377	2	4	1	Westmeath
99	99	194	121	507	3	3	-	Wexford
116	99	152	94	455	1	3	2	Wicklow
2,233	2,291	3,858	2,316	10,495	40	105	58	Leinster
87	74	131	71	354	5	3	1	Clare
236	206	375	226	1,026	1	13	3	Cork County Borough
242	221	412	249	1,111	1	7	5	Cork County
95	119	210	149	566	3	3	1	Kerry
116	127	207	113	553	1	7	2	Limerick County Borough
98	55	137	88	368	2	3	5	Limerick County
60	51	107	77	290	1	3	1	Tipperary, N.R.
73	86	146	89	384	3	5	2	Tipperary, S.R.
69	36	119	58	277	-	3	2	Waterford County Borough
54	42	81	52	227	1	-	1	Waterford County
1,130	1,017	1,925	1,172	5,156	18	47	23	Munster
166	169	295	195	815	3	2	5	Galway
12	14	36	25	86	-	1	-	Leitrim
75	96	211	109	484	1	4	2	Mayo
32	56	102	56	243	1	2	-	Roscommon
36	44	97	49	222	3	-	1	Sligo
321	379	741	434	1,850	8	9	8	Connacht
44	47	113	48	245	4	1	2	Cavan
104	135	288	126	642	5	3	3	Donegal
44	39	130	58	264	2	3	2	Monaghan
192	221	531	232	1,151	11	7	7	Ulster (part of)

TABLE 43 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY
ALL

Age of groom	Age of																								
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35			
All ages	9	20	113	250	512	991	1,518	1,939	2,150	2,005	1,777	1,441	1,140	867	672	560	406	336	319	291	234	175			
16	-	2	4	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	-	7	10	5	2	8	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
18	1	3	15	24	37	24	15	8	4	2	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-
19	2	2	13	37	52	63	74	41	23	14	7	2	1	2	-	-	1	-	-	-	-	-	-	-	-
20	1	3	15	42	80	127	151	111	68	29	18	12	7	4	1	2	-	-	-	-	-	-	-	-	-
21	2	2	14	38	90	173	245	268	144	76	40	27	16	10	7	6	3	1	2	-	-	-	-	-	2
22	-	1	13	28	71	172	250	305	277	183	91	39	26	10	9	4	2	3	2	2	2	1	-	-	-
23	-	2	7	24	44	101	199	317	331	225	169	97	55	34	14	14	7	4	6	3	2	-	-	-	-
24	-	1	5	18	37	98	164	218	337	306	226	136	79	56	25	18	11	8	2	3	3	1	-	-	-
25	1	-	2	8	25	57	111	162	249	289	244	206	98	60	45	22	12	9	7	2	2	5	-	-	-
26	1	-	4	5	15	49	95	126	182	185	234	198	147	89	61	39	20	12	12	2	5	1	-	-	-
27	-	1	3	4	13	29	56	87	121	154	165	156	133	86	56	38	30	13	6	11	4	3	-	-	-
28	-	1	3	-	8	25	42	60	101	132	143	119	133	99	56	61	27	23	12	6	11	3	-	-	-
29	-	1	1	2	2	14	21	48	80	110	101	103	79	68	67	54	32	25	24	9	11	3	-	-	-
30	-	-	1	3	8	11	20	48	53	70	74	71	67	59	56	48	30	20	15	16	15	7	-	-	-
31	-	-	2	3	5	10	19	23	41	51	59	48	52	50	41	46	39	27	11	17	10	13	-	-	-
32	-	-	-	-	5	8	7	25	25	46	39	55	55	38	47	38	27	18	25	20	10	11	-	-	-
33	-	-	-	-	1	8	10	13	23	20	39	33	48	44	42	31	21	16	18	17	13	11	-	-	-
34	-	-	1	-	2	2	6	16	23	24	31	25	29	29	34	30	25	17	18	20	15	6	-	-	-
35	-	-	-	2	1	4	5	14	5	18	13	21	22	17	25	16	25	20	30	23	19	8	-	-	-
36	-	1	1	-	1	3	5	8	12	11	21	22	27	27	18	20	15	13	12	15	12	11	-	-	-
37	-	-	-	1	-	1	2	6	11	15	6	16	13	21	12	15	8	19	20	13	11	9	-	-	-
38	-	-	-	-	-	2	1	4	5	10	14	12	12	9	13	6	14	10	15	12	10	9	-	-	-
39	-	-	-	-	1	1	1	6	4	5	10	7	13	8	9	5	12	8	14	15	11	13	-	-	-
40	-	-	-	-	-	-	-	5	2	7	1	5	10	15	9	8	8	20	7	13	9	9	-	-	-
41	-	-	1	-	1	1	-	3	4	3	4	4	2	6	7	8	7	12	9	14	10	7	-	-	-
42	-	-	-	-	-	1	-	3	3	4	3	5	2	6	5	2	4	5	10	9	11	5	-	-	-
43	-	-	-	-	1	1	1	2	2	4	3	4	2	3	4	4	4	3	7	8	5	9	-	-	-
44	-	-	1	-	-	-	3	2	1	2	2	4	3	6	3	6	3	6	5	7	8	6	-	-	-
45	-	-	-	-	-	-	1	-	3	2	1	5	-	3	1	3	4	5	9	3	2	4	-	-	-
46	-	-	-	-	-	-	1	-	2	-	1	2	3	2	-	4	3	2	3	3	5	3	-	-	-
47	-	-	-	-	1	1	-	-	-	2	3	-	-	1	1	2	4	4	4	5	3	2	-	-	-
48	-	-	-	-	-	-	-	1	1	1	4	-	1	3	1	-	2	1	5	3	4	3	-	-	-
49	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	3	2	4	-	2	4	3	-	-	-
50-54	-	-	-	-	-	-	-	2	3	1	3	2	1	-	2	5	4	5	6	12	5	6	-	-	-
55-59	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	2	1	2	1	1	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	1	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	3	2	3	7	3	2	2	2	3	-	1	1	-	-	1	1	1	1	-	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
145	123	119	98	84	64	70	53	52	44	43	49	33	24	75	52	31	9	6	-	94	18,993	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	40	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	141	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	334	19
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	672	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1,168	21
2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1,496	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,658	23
1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	1,759	24
-	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6	1,627	25
-	-	1	1	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	2	1,490	26
3	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1,180	27
3	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,081	28
5	4	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	871	29
2	2	3	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	709	30
7	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	583	31
8	4	2	1	-	1	2	2	1	1	-	1	-	-	-	-	-	-	-	-	2	524	32
5	-	5	2	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	427	33
14	4	2	2	4	3	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	387	34
6	4	3	3	1	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-	2	312	35
8	7	7	2	2	4	-	2	1	1	-	2	1	1	-	-	-	-	-	-	3	296	36
7	5	6	5	5	2	2	4	-	-	1	2	-	-	-	-	-	-	-	-	2	240	37
10	9	8	8	3	2	2	2	2	1	2	-	1	1	-	-	-	-	-	-	-	209	38
7	11	6	10	7	3	3	2	1	3	2	3	1	1	-	1	-	-	-	-	-	204	39
9	7	7	5	5	6	5	2	3	4	2	1	-	-	-	-	-	-	-	-	1	185	40
8	1	8	5	1	5	4	-	2	-	-	1	2	-	-	-	-	-	-	-	-	140	41
8	7	6	3	8	-	5	2	4	-	-	1	-	-	1	-	-	-	1	-	-	124	42
4	8	2	4	6	2	-	2	2	4	1	2	1	-	1	-	-	-	-	-	1	107	43
6	1	5	4	4	10	1	-	5	2	-	-	1	2	-	1	-	-	-	-	-	110	44
6	3	1	3	6	1	3	2	4	3	2	1	1	-	1	2	-	-	-	-	-	85	45
3	7	7	6	1	3	1	4	1	1	2	2	2	2	2	2	-	-	-	-	1	81	46
4	4	3	4	2	5	4	3	1	1	2	3	4	1	2	-	1	-	-	-	2	79	47
2	7	1	7	2	-	2	1	1	2	4	5	-	1	2	-	-	-	-	-	-	67	48
1	1	6	3	1	2	3	2	3	-	1	2	-	-	-	1	-	-	-	-	-	50	49
5	12	12	8	9	5	17	11	6	9	8	10	5	4	24	6	1	-	-	-	-	209	50-54
1	5	6	4	3	1	5	7	6	6	8	4	6	9	20	15	5	-	-	-	-	122	55-59
-	-	1	1	2	5	4	3	5	3	3	4	4	2	15	9	8	2	1	-	-	79	60-64
-	1	-	-	-	-	-	-	1	-	1	1	1	-	1	8	7	4	1	-	1	28	65-69
-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	3	8	1	2	-	-	21	70-74
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	2	1	-	-	9	75 and over
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	43	77	Not stated

TABLE 44 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	9	20	113	250	511	990	1,517	1,938	2,145	2,001	1,775	1,435	1,136	865	669	556	403	331	311	286	226	165
16	-	2	4	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	-	7	10	5	2	8	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1
18	1	3	15	24	37	24	15	8	4	2	4	-	-	2	-	-	-	-	-	-	-	-
19	2	2	13	37	52	63	74	41	23	14	7	2	1	2	-	-	1	-	-	-	-	-
20	1	3	15	42	80	127	151	111	68	29	18	12	7	4	1	2	-	-	-	-	-	-
21	2	2	14	38	90	173	245	268	144	76	40	27	16	10	7	6	3	1	2	-	-	2
22	-	1	13	28	71	172	250	305	277	183	91	39	26	10	9	4	2	3	2	2	1	-
23	-	2	7	24	44	101	199	317	331	225	169	97	55	34	14	13	7	4	6	3	2	-
24	-	1	5	18	37	98	164	218	337	306	226	136	79	56	25	18	11	8	2	3	3	1
25	1	-	2	8	25	57	111	161	249	289	244	206	98	60	45	22	12	9	7	2	1	5
26	1	-	4	5	15	49	95	126	181	185	234	198	146	89	61	39	19	12	12	2	4	1
27	-	1	3	4	13	29	56	87	121	154	165	156	133	86	56	38	30	13	6	11	4	3
28	-	1	3	-	8	25	42	60	101	132	143	119	133	99	56	61	27	22	12	6	11	3
29	-	1	1	2	2	14	21	48	80	108	101	103	79	68	67	54	32	25	24	8	11	2
30	-	-	1	3	8	11	20	48	53	70	74	71	67	59	56	48	30	20	15	16	15	6
31	-	-	2	3	5	10	19	23	41	51	59	48	52	50	41	46	39	27	11	17	10	12
32	-	-	-	-	5	8	7	25	24	46	39	53	54	38	47	38	27	18	25	20	10	10
33	-	-	-	-	1	8	10	13	23	20	38	33	48	44	42	31	21	16	18	17	13	10
34	-	-	1	-	2	2	6	16	22	24	31	24	29	29	33	30	25	17	17	20	15	6
35	-	-	-	2	1	4	5	14	5	18	13	21	22	17	25	16	25	20	30	23	19	8
36	-	1	1	-	1	3	5	8	12	11	21	22	27	27	18	20	15	13	12	14	11	11
37	-	-	-	1	-	1	2	6	11	15	6	16	13	21	12	15	8	19	19	13	11	9
38	-	-	-	-	-	2	1	4	5	10	14	12	12	9	13	6	13	10	14	12	9	9
39	-	-	-	-	1	-	1	6	4	5	10	7	12	8	8	5	12	8	14	15	11	13
40	-	-	-	-	-	-	-	5	2	7	1	5	10	15	9	8	8	19	7	13	9	8
41	-	-	1	-	1	1	-	3	4	3	4	4	2	6	7	7	7	12	9	14	9	7
42	-	-	-	-	-	1	-	3	3	4	3	4	2	6	4	2	4	5	10	9	11	5
43	-	-	-	-	1	1	1	2	2	4	3	4	2	3	4	4	4	3	7	8	5	9
44	-	-	1	-	-	-	3	2	1	2	2	4	3	6	3	6	3	6	4	6	8	6
45	-	-	-	-	-	-	1	-	3	2	1	5	-	3	1	2	4	5	9	3	2	4
46	-	-	-	-	-	-	1	-	1	-	1	1	3	2	-	4	3	2	3	3	5	2
47	-	-	-	-	1	1	-	-	-	1	3	-	-	1	1	2	4	3	4	5	3	1
48	-	-	-	-	-	-	-	1	-	1	4	-	1	1	1	-	2	1	5	3	4	2
49	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	3	2	3	-	1	4	3
50-54	-	-	-	-	-	-	-	2	3	1	2	2	1	-	2	4	3	5	4	12	3	6
55-59	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	2	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	3	2	3	7	3	2	2	2	3	-	1	1	-	-	1	1	1	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
142	117	110	85	76	54	59	43	42	32	30	32	17	12	35	15	6	2	-	-	91	18,652	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	40	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	140	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	334	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	671	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,167	21
2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1,496	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,657	23
1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	1,759	24
-	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6	1,625	25
-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1,484	26
3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,179	27
3	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,080	28
4	4	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	866	29
2	2	3	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	708	30
7	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	582	31
8	4	2	1	-	1	2	2	1	1	-	1	-	-	-	-	-	-	-	-	2	519	32
5	-	5	2	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	425	33
14	4	2	2	4	3	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	383	34
6	4	3	3	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	310	35
7	7	7	2	1	4	-	2	1	-	-	2	1	-	-	-	-	-	-	-	3	290	36
7	5	6	5	4	2	2	4	-	-	1	2	-	-	-	-	-	-	-	-	2	238	37
10	9	7	8	3	2	2	2	2	1	2	-	1	1	-	-	-	-	-	-	-	205	38
7	11	6	10	7	3	3	2	1	3	2	2	1	1	-	-	-	-	-	-	-	199	39
9	7	7	5	5	6	4	2	3	3	2	1	-	-	-	-	-	-	-	-	1	181	40
8	1	8	5	-	3	4	-	2	-	-	1	-	-	-	-	-	-	-	-	-	133	41
8	7	6	2	7	-	5	2	4	-	-	1	-	-	-	-	-	-	-	-	-	118	42
4	8	2	3	6	2	-	2	2	3	1	2	1	-	-	-	-	-	-	-	1	104	43
6	1	5	4	4	10	1	-	5	2	-	-	1	1	-	-	-	-	-	-	-	106	44
6	3	1	1	6	1	3	2	3	3	1	-	-	-	1	2	-	-	-	-	-	78	45
2	6	6	6	1	3	1	3	1	-	2	2	2	1	2	2	-	-	-	-	1	72	46
4	4	1	2	2	4	4	3	1	1	2	3	2	1	2	-	-	-	-	-	2	68	47
2	6	1	7	2	-	2	1	-	2	3	4	-	-	1	-	-	-	-	-	-	57	48
1	1	4	3	1	2	3	2	3	-	-	1	-	-	-	1	-	-	-	-	-	43	49
5	10	11	5	6	3	14	8	6	5	6	6	5	2	10	3	-	-	-	-	-	155	50-54
1	4	5	2	3	-	3	3	4	4	3	1	-	5	11	4	2	-	-	-	-	61	55-59
-	-	-	-	1	1	1	1	1	1	2	1	2	-	3	2	2	1	-	-	-	24	60-64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	4	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	70-74
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	75 and over
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	41	75	Not stated

TABLE 45 - MARRIAGES REGISTERED IN 1968 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Catholic	520	6,527	5,981	2,530	1,204	643	349	201	115	120	70	18,260	28.4
Church of Ireland	2	144	175	63	35	13	10	3	4	10	6	465	29.4
Presbyterian	2	39	46	14	8	4	1	3	1	1	1	120	28.8
Other Religious denominations	-	17	18	6	5	2	-	-	1	3	-	52	30.6
Civil marriages	3	26	29	17	9	4	2	2	1	3	-	96	30.6
Total	527	6,753	6,249	2,630	1,261	666	362	209	122	137	77	18,993	28.4

TABLE 46 - MARRIAGES REGISTERED IN 1968 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Catholic	1,846	9,011	4,502	1,527	633	309	187	69	48	43	85	18,260	25.5
Church of Ireland	24	249	120	33	17	6	2	2	3	2	7	465	25.7
Presbyterian	18	60	24	8	3	4	1	1	-	-	1	120	24.9
Other Religious denominations	-	32	11	4	-	1	1	2	1	-	-	52	27.0
Civil marriages	7	37	23	14	7	3	2	1	-	1	1	96	27.8
Total	1,895	9,389	4,680	1,586	660	323	193	75	52	46	94	18,993	25.5

TABLE 47 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Farmers, relatives assisting and farm managers	9	303	714	605	446	292	158	81	31	21	31	2,691	33.9
Other agricultural occupations and fishermen	16	167	143	73	31	36	13	9	9	3	-	500	29.7
Higher professional	1	218	492	165	64	26	17	10	11	9	3	1,016	29.5
Lower professional	8	291	451	133	53	21	4	8	5	3	3	980	28.0
Employers and managers	6	93	193	65	40	10	10	5	7	8	5	442	30.2
Salaried employees	5	164	264	96	40	18	12	3	3	4	-	609	28.9
Intermediate non-manual workers	74	1,264	1,254	456	176	85	48	27	16	28	11	3,439	27.9
Other non-manual workers	67	764	513	205	82	45	20	19	11	3	3	1,732	27.1
Skilled manual workers	153	2,215	1,506	540	220	82	45	28	17	19	12	4,837	26.7
Other manual workers	165	1,222	694	278	103	46	34	18	11	18	7	2,596	26.5
Not stated	23	52	25	14	6	5	1	1	1	21	2	151	31.0
Total	527	6,753	6,249	2,630	1,261	666	362	209	122	137	77	18,993	28.4

TABLE 48 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	11	72	81	53	22	16	8	2	1	2	-	268	29.6
Other agricultural occupations and fishermen	2	3	1	-	2	-	-	-	-	-	-	8	25.6
Higher professional	-	36	36	7	2	-	1	-	-	-	-	82	26.2
Lower professional	43	975	906	284	102	47	19	7	3	2	15	2,403	26.9
Employers and managers	1	18	11	10	1	2	3	1	1	1	-	49	30.4
Salaried employees	1	13	10	8	-	2	1	-	-	-	-	35	27.9
Intermediate non-manual workers	431	3,287	1,713	435	177	70	40	11	6	3	17	6,190	25.2
Other non-manual workers	346	1,418	589	225	84	40	16	11	7	6	9	2,751	25.0
Skilled manual workers	100	467	139	35	22	6	10	-	1	-	4	784	24.1
Other manual workers	560	1,917	497	127	44	24	15	2	5	1	16	3,208	23.4
Not stated	400	1,183	697	402	204	116	80	41	28	31	33	3,215	27.6
Total	1,895	9,389	4,680	1,586	660	323	193	75	52	46	94	18,993	25.5

TABLE 49 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,691	206	5	-	417	2	1	593	318	23	106	1,020
Other agricultural occupations and fishermen	500	6	1	-	33	1	-	98	139	15	73	134
Higher professional	1,016	2	-	54	325	8	7	435	76	11	10	88
Lower professional	980	4	-	7	408	4	2	343	84	17	23	88
Employers and managers	442	2	-	6	88	8	3	197	62	11	10	55
Salaried employees	609	1	-	4	109	2	8	313	75	11	15	71
Intermediate non-manual workers	3,439	19	-	7	495	11	8	1,599	462	114	339	385
Other non-manual workers	1,732	4	-	1	95	3	1	551	325	82	446	224
Skilled manual workers	4,837	16	1	3	369	10	5	1,625	699	401	1,120	588
Other manual workers	2,596	6	1	-	60	-	-	427	498	99	1,055	450
Not stated	151	2	-	-	4	-	-	9	13	-	11	112
Total	18,993	268	8	82	2,403	49	35	6,190	2,751	784	3,208	3,215

TABLE 50 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	527	6,753	6,249	2,630	1,261	666	362	209	122	137	77	18,993	28.4
Carlow	7	64	81	29	21	12	7	1	2	1	-	225	29.3
Dublin County Borough	178	2,103	1,530	495	172	67	52	34	28	33	11	4,703	26.8
Dun Laoghaire Borough	11	140	110	42	17	5	4	4	3	6	-	342	27.9
Dublin County (remainder)	26	375	354	97	36	22	13	13	3	6	2	947	27.4
Kildare	7	188	124	59	31	16	13	6	3	-	2	449	28.2
Kilkenny	8	103	91	55	34	14	6	4	2	1	1	319	29.2
Laois	3	64	87	39	22	11	7	5	-	3	1	242	30.0
Longford	2	31	37	19	23	8	4	5	-	2	-	131	31.7
Louth	15	213	164	63	25	13	6	4	5	4	1	513	27.6
Meath	10	154	130	55	31	19	16	4	7	2	1	429	29.1
Offaly	7	78	71	36	17	15	7	5	2	1	-	239	29.5
Westmeath	16	105	114	52	29	12	11	3	2	1	1	346	28.8
Wexford	14	174	171	73	42	16	15	5	4	6	2	522	29.0
Wicklow	18	182	136	51	26	22	6	7	2	4	1	455	28.1
Leinster	322	3,974	3,200	1,165	526	252	167	100	63	70	23	9,862	27.7
Clare	4	90	116	66	32	20	3	3	3	2	4	343	29.7
Cork County Borough	27	363	293	81	35	14	8	8	3	6	-	838	27.0
Cork County	20	320	393	217	119	67	35	22	8	11	2	1,214	30.3
Kerry	7	126	175	113	53	20	7	4	4	4	2	515	29.8
Limerick County Borough	18	161	104	40	19	5	2	-	4	-	1	354	26.5
Limerick County	8	108	112	94	33	26	14	3	4	6	4	412	30.6
Tipperary, N.R.	5	92	102	55	28	18	11	7	2	5	2	327	30.4
Tipperary, S.R.	8	120	124	56	33	20	11	6	3	2	1	384	29.5
Waterford County Borough	15	95	82	17	5	1	2	1	1	-	-	219	25.8
Waterford County	8	72	84	36	15	8	2	3	1	1	-	230	28.3
Munster	120	1,547	1,585	775	372	199	95	57	33	37	16	4,836	29.0
Galway	7	173	246	135	73	55	20	15	5	5	8	742	30.8
Leitrim	-	16	34	24	15	5	4	-	-	1	3	102	31.3
Mayo	4	85	163	91	63	24	13	4	3	4	5	459	31.0
Roscommon	2	41	74	49	23	16	12	7	1	-	7	232	31.7
Sligo	2	43	52	32	15	7	3	2	3	2	2	163	30.3
Connacht	15	358	569	331	189	107	52	28	12	12	25	1,698	30.9
Cavan	4	49	72	37	24	14	10	3	2	3	2	220	31.1
Donegal	11	157	145	70	40	27	11	4	3	2	6	476	29.1
Monaghan	4	74	53	37	26	14	6	2	-	3	1	220	29.9
Ulster (part of)	19	280	270	144	90	55	27	9	5	8	9	916	29.8
Ireland*	476	6,159	5,624	2,415	1,177	613	341	194	113	127	73	17,312	28.5
Six Counties	11	93	100	39	21	15	5	3	1	3	2	293	28.8
England and Wales	22	418	437	136	49	30	9	9	6	4	1	1,121	27.5
Scotland	-	21	13	7	1	1	3	-	1	-	-	47	28.5
Elsewhere	-	45	72	31	12	7	4	3	1	3	-	178	30.0
Not stated	18	17	3	2	1	-	-	-	-	-	1	42	21.5

*Exclusive of the Six Counties.

TABLE 51 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	1,895	9,389	4,680	1,586	660	323	193	75	52	46	94	18,993	25.5
Carlow	26	100	54	25	10	6	1	3	-	-	-	225	25.9
Dublin County Borough	493	2,633	1,230	336	134	60	58	15	16	16	16	5,007	25.2
Dun Laoghaire Borough	47	215	86	21	10	4	2	3	2	2	3	395	24.9
Dublin County (remainder)	71	491	234	40	31	10	6	3	4	3	1	894	25.2
Kildare	57	228	89	35	11	3	5	2	1	-	1	432	24.7
Kilkenny	35	146	84	37	17	7	2	1	-	-	1	330	25.8
Laois	30	116	63	25	11	4	4	1	-	-	1	255	25.6
Longford	9	69	41	16	6	5	-	1	1	2	1	151	26.9
Louth	74	285	101	37	10	8	5	2	-	1	-	523	24.5
Meath	56	216	89	33	17	8	6	2	1	-	4	432	25.2
Offaly	22	130	53	22	7	6	2	3	-	-	3	248	25.5
Westmeath	43	155	75	29	12	5	3	3	-	1	2	328	25.4
Wexford	78	240	125	42	19	10	9	1	-	2	1	527	25.3
Wicklow	52	256	92	30	11	8	6	2	1	3	2	463	25.1
Leinster	1,093	5,280	2,416	728	306	144	109	42	26	30	36	10,210	25.1
Clare	22	142	101	45	14	6	4	1	-	2	4	341	26.6
Cork County Borough	71	523	212	62	24	19	9	1	2	1	-	924	25.1
Cork County	94	519	331	141	53	36	9	5	1	4	5	1,198	26.4
Kerry	39	237	154	57	24	7	3	1	4	-	2	528	26.1
Limerick County Borough	48	217	89	26	13	7	5	1	1	-	1	408	24.9
Limerick County	35	187	121	35	29	6	8	2	3	1	4	431	26.6
Tipperary, N.R.	33	141	75	40	14	7	3	2	1	-	-	316	26.1
Tipperary, S.R.	56	182	75	28	12	8	5	2	1	-	-	369	25.0
Waterford County Borough	34	142	51	10	2	-	-	2	2	-	1	244	23.8
Waterford County	27	122	60	15	6	4	1	1	-	-	1	237	24.8
Munster	459	2,412	1,269	459	191	100	47	18	15	8	18	4,996	25.7
Galway	55	312	226	90	34	19	8	3	1	-	7	755	26.5
Leitrim	5	42	29	15	6	1	-	1	-	-	1	100	26.6
Mayo	36	177	130	66	24	6	6	2	-	1	6	454	26.7
Roscommon	14	86	64	43	13	9	2	-	-	-	9	240	27.3
Sligo	16	86	49	20	9	9	3	-	2	1	2	197	26.9
Connacht	126	703	498	234	86	44	19	6	3	2	25	1,746	26.7
Cavan	25	96	56	29	10	6	4	1	3	-	3	233	26.6
Donegal	63	279	111	32	23	13	6	1	3	1	6	538	25.3
Monaghan	30	115	57	33	13	4	1	1	1	2	3	260	26.0
Ulster (part of)	118	490	224	94	46	23	11	3	7	3	12	1,031	25.8
Ireland*	1,796	8,885	4,407	1,515	629	311	186	69	51	43	91	17,983	25.5
Six Counties	21	60	36	15	9	4	2	1	-	1	-	149	26.3
England and Wales	42	387	194	41	16	6	4	4	-	1	2	697	25.1
Scotland	1	10	11	3	-	1	-	-	-	-	-	26	26.3
Elsewhere	3	30	28	9	5	1	1	1	1	1	-	80	28.0
Not stated	32	17	4	3	1	-	-	-	-	-	1	58	20.8

*Exclusive of the Six Counties.

TABLE 52 - MARRIAGES REGISTERED IN 1968 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	18,993	225	5,007	395	894	432	330	255	151	523	432	248	328	527	463	10,210	341	924	1,198
Carlow	225	146	12	-	1	11	12	8	-	-	-	1	-	12	10	213	-	1	-
Dublin Co. Borough	4,703	13	3,903	109	299	31	10	11	3	17	29	12	15	11	45	4,508	8	16	14
Dun Laoghaire Borough	342	2	79	174	48	3	-	1	-	-	2	-	-	1	13	323	1	2	1
Dublin County (remainder)	947	3	408	51	348	11	2	3	3	9	25	2	6	6	26	903	-	2	4
Kildare	449	12	48	3	17	298	2	10	-	3	10	13	3	3	9	431	1	-	2
Kilkenny	319	9	10	2	-	4	216	12	-	3	3	-	-	5	2	266	-	3	2
Laois	242	3	8	2	2	8	12	168	1	1	-	12	1	2	2	222	1	1	1
Longford	131	-	7	-	1	-	-	1	80	-	3	1	9	-	-	102	1	-	1
Louth	513	1	22	3	10	2	-	-	2	411	24	-	4	3	-	482	3	-	-
Meath	429	-	44	2	32	11	1	1	3	23	269	2	8	2	-	398	-	-	-
Offaly	239	1	4	1	3	9	1	13	-	-	2	151	11	-	2	198	2	3	2
Westmeath	346	-	11	2	4	4	-	2	14	-	11	17	234	2	-	301	3	3	2
Wexford	522	6	11	1	3	4	13	2	-	-	1	1	1	430	14	487	-	1	2
Wicklow	455	6	49	16	37	9	1	2	-	-	4	-	3	15	290	432	1	1	2
Leinster	9,862	202	4,616	366	805	405	270	234	106	467	383	212	295	492	413	9,266	21	33	33
Clare	343	-	14	-	2	-	1	1	-	-	1	1	1	1	-	22	255	1	8
Cork County Borough	838	2	13	1	3	1	2	-	-	1	-	-	1	1	-	25	1	673	111
Cork County	1,214	1	19	2	6	3	2	1	-	2	2	2	-	1	-	41	4	154	942
Kerry	515	-	10	1	3	1	1	1	3	1	1	1	1	1	2	27	1	6	14
Limerick County Borough	354	-	4	-	1	1	-	-	-	1	1	-	-	1	-	9	11	6	2
Limerick	412	-	7	1	1	-	1	-	-	-	2	-	-	-	2	14	10	3	13
Tipperary, N.R.	327	1	11	-	2	1	10	5	-	1	-	14	1	1	1	48	9	4	3
Tipperary, S.R.	384	4	8	-	-	4	19	1	-	-	-	-	-	2	2	40	2	2	10
Waterford County Borough	219	1	3	1	1	1	5	-	-	-	-	-	-	2	1	15	1	-	2
Waterford County	230	1	4	-	3	-	9	-	-	-	-	1	-	6	2	26	-	7	14
Munster	4,836	10	93	6	22	12	50	9	3	6	7	19	4	16	10	267	294	856	1,119
Galway	742	-	19	-	2	2	1	1	1	2	2	7	7	1	3	48	11	3	3
Leitrim	102	-	5	-	2	-	-	-	9	-	2	-	-	2	-	20	-	-	1
Mayo	459	1	19	-	1	1	1	-	3	-	1	1	4	-	-	32	3	-	-
Roscommon	232	-	8	-	3	-	-	1	8	-	-	-	6	-	-	26	2	-	1
Sligo	163	-	1	-	1	-	-	-	1	1	-	-	1	-	1	6	-	1	-
Connacht	1,698	1	52	-	9	3	2	2	22	3	5	8	18	3	4	132	16	4	5
Cavan	220	-	10	-	6	-	-	1	11	2	14	1	-	-	1	46	-	-	-
Donegal	476	-	5	1	-	1	-	-	1	-	1	2	1	1	2	15	-	-	6
Monaghan	220	-	7	-	2	1	-	-	-	10	6	-	2	1	1	30	-	-	2
Ulster (part of)	916	-	22	1	8	2	-	1	12	12	21	3	3	2	4	91	-	-	8
Ireland*	17,312	213	4,783	373	844	422	322	246	143	488	416	242	320	513	431	9,756	331	893	1,165
Six Counties	293	2	22	2	6	1	2	3	1	24	3	1	-	1	2	70	1	3	3
England and Wales	1,121	10	160	14	35	8	5	5	5	6	12	4	5	9	24	302	5	21	15
Scotland	47	-	6	3	-	-	-	-	-	1	1	-	-	1	2	14	1	-	1
Elsewhere	178	-	36	3	9	1	-	1	2	4	-	1	3	3	4	67	3	7	13
Not stated	42	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1

*Exclusive of the Six Counties

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick County Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford County Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
528	408	431	316	369	244	237	4,996	755	100	454	240	197	1,746	233	538	260	1,031	17,983	149	697	26	80	58
1	1	1	1	-	-	-	5	2	-	-	-	1	3	2	-	-	2	223	1	1	-	-	-
14	13	9	8	9	5	8	104	20	3	13	6	4	46	6	9	9	24	4,682	8	9	-	3	1
1	1	-	-	2	1	1	10	-	-	3	1	1	5	2	-	1	3	341	-	1	-	-	-
2	2	2	1	2	1	-	16	4	-	3	1	-	8	-	5	4	9	936	3	5	-	2	1
3	-	3	1	-	-	1	11	2	1	-	-	1	4	-	1	1	2	448	-	1	-	-	-
2	-	1	7	8	15	12	50	2	-	-	-	-	2	-	-	1	1	319	-	-	-	-	-
-	-	1	4	2	-	1	11	3	-	2	2	-	7	-	-	-	-	240	2	-	-	-	-
1	-	-	1	-	1	-	5	-	1	1	6	-	8	10	1	2	13	128	-	1	-	1	1
1	1	1	1	1	-	-	8	3	-	1	-	-	4	5	1	10	16	510	3	-	-	-	-
3	-	-	-	2	1	-	6	5	-	1	1	-	7	13	-	2	15	426	-	3	-	-	-
2	-	-	13	2	-	-	24	8	-	-	3	-	11	-	-	-	-	233	-	4	-	-	2
-	-	1	1	2	-	1	13	8	1	1	10	1	21	6	1	1	8	343	-	1	-	-	2
-	2	2	4	2	9	5	27	1	1	1	-	-	3	3	-	-	3	520	-	-	-	1	1
3	1	1	1	1	-	-	11	2	1	2	1	1	7	2	-	-	2	452	-	3	-	-	-
33	21	22	43	33	33	29	301	60	8	28	31	9	136	49	18	31	98	9,801	17	29	-	7	8
2	19	14	3	5	1	-	308	5	-	2	-	1	8	-	-	1	1	339	1	-	-	-	2
5	6	5	-	2	-	3	806	2	-	-	-	1	3	-	1	-	1	835	-	-	-	1	1
15	4	19	4	7	-	11	1,160	2	1	-	2	-	5	-	-	-	-	1,206	2	3	1	1	1
426	3	18	3	2	1	2	476	4	2	1	-	-	7	-	1	2	3	513	-	2	-	-	-
2	275	36	2	3	2	-	339	3	-	1	-	-	4	-	-	-	-	352	-	-	-	2	-
19	43	277	9	15	-	1	390	6	-	-	-	-	6	-	1	1	2	412	-	-	-	-	-
2	7	8	215	15	-	1	264	6	-	4	-	1	11	-	-	-	-	323	1	1	-	-	2
3	9	12	17	263	8	11	337	-	-	-	-	1	1	3	-	-	3	381	-	1	-	1	1
-	-	1	1	3	168	27	203	-	-	-	-	-	-	-	-	-	-	218	-	-	1	-	-
1	1	-	1	8	25	144	201	-	-	1	-	-	1	-	-	-	-	228	-	1	-	-	1
475	367	390	255	323	205	200	4,484	28	3	9	2	4	46	3	3	4	10	4,807	4	10	2	5	8
2	2	3	6	1	1	-	32	598	1	30	14	2	645	1	1	2	4	729	2	7	-	1	3
-	-	2	-	-	-	-	3	-	51	2	11	5	69	6	4	-	10	102	-	-	-	-	-
1	2	2	2	2	1	-	13	22	1	358	4	21	406	-	2	-	2	453	1	3	-	1	1
1	-	1	1	-	-	-	6	14	6	4	161	8	193	2	2	1	5	230	-	2	-	-	-
1	-	-	-	-	-	-	2	4	7	3	9	130	153	-	-	-	-	161	2	-	-	-	-
5	4	8	9	3	2	-	56	638	66	397	199	166	1,466	9	9	3	21	1,675	5	12	-	2	4
2	1	1	-	2	-	-	6	2	9	1	-	1	13	136	1	13	150	215	3	-	-	2	-
-	-	-	-	-	-	1	7	5	4	1	-	1	11	3	421	2	426	459	14	-	1	-	2
-	-	-	-	-	-	-	2	-	1	1	-	3	5	13	-	165	178	215	4	-	-	1	-
2	-	-	-	2	-	-	15	7	14	3	-	5	29	152	422	180	754	889	21	-	-	3	2
515	393	421	307	361	240	230	4,856	733	91	437	232	184	1,677	213	452	218	883	17,172	47	51	3	17	22
-	1	-	1	-	-	-	9	5	3	2	-	3	13	15	66	27	108	200	92	1	-	-	-
11	11	8	5	7	3	5	91	13	6	12	7	7	45	3	17	7	27	465	7	643	-	5	1
-	-	1	-	-	1	-	4	-	-	1	-	1	2	2	2	-	4	24	-	-	23	-	-
2	2	1	1	1	-	2	32	3	-	2	1	1	7	-	1	8	9	115	3	2	-	58	-
-	1	-	2	-	-	-	4	1	-	-	-	1	2	-	-	-	-	7	-	-	-	-	35

TABLE 53 - MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	8	87	93	45	23	13	5	2	2	3	3	284	29.1
England and Wales	51	660	563	158	60	32	9	10	5	4	2	1,554	26.7
Scotland	2	30	15	8	1	1	3	-	1	1	-	62	27.8
Europe (remainder)	-	19	23	11	2	2	-	1	-	-	-	58	28.1
U.S.A	-	45	61	30	9	4	5	2	3	1	-	160	29.7
Canada	-	47	46	5	2	1	-	-	-	-	-	101	25.8
Australia and New Zealand	-	16	4	3	1	1	1	-	-	-	-	26	26.7
Elsewhere	-	23	16	6	1	-	-	1	-	1	-	48	27.2
Total	61	927	821	266	99	54	23	16	11	10	5	2,293	27.2

TABLE 54 - MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	23	135	73	31	11	4	2	2	-	1	2	284	25.9
England and Wales	123	857	412	89	37	17	10	3	-	3	3	1,554	24.9
Scotland	6	30	14	6	1	1	2	-	1	1	-	62	26.7
Europe (remainder)	3	31	18	4	1	-	-	-	1	-	-	58	25.3
U.S.A.	1	59	65	20	9	2	1	1	1	1	-	160	27.7
Canada	6	64	27	3	1	-	-	-	-	-	-	101	24.0
Australia and New Zealand	2	19	3	1	1	-	-	-	-	-	-	26	23.7
Elsewhere	1	30	12	3	-	1	-	1	-	-	-	48	25.3
Total	165	1,225	624	157	61	25	15	7	3	6	5	2,293	25.1

TABLE 55 - MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	284	30	3	28	37	10	4	53	14	79	23	3
England and Wales	1,554	30	14	163	103	40	57	263	144	513	222	5
Scotland	62	-	-	9	9	-	3	5	4	16	15	1
Europe (remainder)	58	1	-	18	9	2	7	11	3	7	-	-
U.S.A.	160	-	1	22	28	6	9	37	10	40	5	2
Canada	101	1	-	24	19	1	3	15	3	33	1	1
Australia and New Zealand	26	1	-	3	1	-	-	4	3	11	3	-
Elsewhere	48	-	-	9	12	4	2	8	1	12	-	-
Total	2,293	63	18	276	218	63	85	396	182	711	269	12

TABLE 56 - MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	284	2	-	3	76	-	-	84	35	7	49	28
England and Wales	1,554	2	-	14	339	8	4	525	217	67	228	150
Scotland	62	-	-	-	19	-	-	12	7	5	10	9
Europe (remainder)	58	-	-	3	17	-	-	19	4	2	5	8
U.S.A.	160	-	-	-	42	1	1	59	26	3	9	19
Canada	101	-	-	2	24	-	-	43	12	2	10	8
Australia and New Zealand	26	-	-	-	3	-	-	13	4	1	4	1
Elsewhere	48	-	-	1	14	-	-	18	6	1	3	5
Total	2,293	4	-	23	534	9	5	773	311	88	318	228

TABLE 57 - MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY

Country of future permanent residence	Total marriages	Form of ceremony						
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Six Counties	284	231	22	23	5	-	1	2
England and Wales	1,554	1,456	70	13	3	2	-	10
Scotland	62	52	3	4	-	-	-	3
Europe (remainder)	58	53	4	-	-	-	-	1
U.S.A.	160	153	4	1	-	-	-	2
Canada	101	94	5	2	-	-	-	-
Australia and New Zealand	26	24	1	-	-	-	-	1
Elsewhere	48	44	2	-	-	-	-	2
Total	2,293	2,107	111	43	8	2	1	21

TABLE 58 – MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	284	7	8	2	3	15	249	-
England and Wales	1,554	213	121	103	51	41	1,025	-
Scotland	62	9	-	3	1	7	42	-
Europe (remainder)	58	3	3	4	1	-	47	-
U.S.A.	160	31	9	16	10	3	91	-
Canada	101	51	7	5	3	2	33	-
Australia and New Zealand	26	17	1	2	2	-	4	-
Elsewhere	48	21	7	7	2	-	11	-
Total	2,293	352	156	142	73	68	1,502	-

TABLE 59 – MARRIAGES REGISTERED IN 1968 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	284	33	40	13	11	95	92	-
England and Wales	1,554	402	193	182	86	69	620	2
Scotland	62	17	5	5	2	10	23	-
Europe (remainder)	58	21	8	13	3	3	10	-
U.S.A.	160	53	11	27	13	8	48	-
Canada	101	59	8	11	4	4	15	-
Australia and New Zealand	26	17	3	1	2	-	3	-
Elsewhere	48	23	7	8	2	5	3	-
Total	2,293	625	275	260	123	194	814	2

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1968.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	-	-	-	8	-	1	-	-	4	-	1	-
Rural	-	-	4	36	-	-	-	-	27	2	5	-
Meath												
Urban	-	-	-	100	-	-	-	-	10	1	-	-
Rural	-	2	-	80	-	-	-	-	25	3	-	-
Monaghan												
Urban	-	-	-	2	-	-	-	-	-	-	-	-
Rural	-	-	-	7	-	2	-	-	-	1	-	-
Offaly												
Urban	-	-	-	8	-	1	-	-	-	-	-	-
Rural	-	-	-	16	-	1	-	-	1	-	-	-
Roscommon												
Rural	-	-	-	-	-	-	-	-	7	-	1	-
Sligo												
Urban	-	-	-	21	-	1	-	-	4	-	-	-
Rural	-	-	-	4	-	-	-	2	2	1	-	1
Tipperary N.R.												
Urban	-	-	-	2	-	-	-	-	1	-	-	-
Rural	1	-	-	-	-	-	-	-	8	-	-	-
Tipperary S.R.												
Urban S.R.	-	-	-	7	-	-	-	-	1	-	-	-
Rural	-	3	-	11	-	2	-	-	17	-	-	-
Waterford												
Urban	-	-	-	1	-	1	-	-	6	-	-	-
Rural	-	-	-	5	-	-	-	-	2	-	-	-
Westmeath												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	2	-	3	-	1	-	2	47	-	-	-
Wexford												
Urban	-	-	-	32	-	-	-	-	6	-	11	-
Rural	-	2	-	29	-	2	-	1	8	-	21	-
Wicklow												
Urban	-	-	-	13	-	-	-	-	7	-	-	-
Rural	-	-	-	3	-	-	-	-	14	-	-	-
ALL COUNTY BOROUGHS	-	1	8	1,471	-	135	-	22	482	44	31	2
ALL URBAN DISTRICTS	1	-	2	527	-	37	-	1	111	12	23	-
ALL RURAL DISTRICTS	1	104	11	680	-	111	-	17	568	36	58	-
TOTAL	2	105	21	2,678	-	283	-	40	1,161	92	112	4

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1968.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Salmonella infection	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH:													
Cork	149	.	.	5	37	98	18	2	.	.	.	32	.
Dublin	3,050	.	.	72	161	375	176	5	.	.	.	214	3c, 7d.
Limerick	164	.	.	.	1	19	5	.	.	1	.	6	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES:													
Carlow	.	.	.	.	.	.	.	.	.	.	.	.	1a,
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	40	.	.	.	.	.	3	.	.	.	.	3	.
Cavan	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	1b,
Rural	137	.	.	.	17	.	4	1	.	.	.	33	.
Clare	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	7	.	.	.	.	6	1	.	.	.	.	16	.
Rural	7	.	.	.	.	.	.	.	.	.	.	8	.
Cork	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	28	.	.	1	8	7	4	.	.	.	.	3	.
Rural	208	.	.	5	83	.	46	.	.	.	.	41	.
Donegal	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	262	.	.	2	6	.	.	1	.	.	1	34	1a,
Dublin	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	372	.	.	3	78	12	11	.	.	.	.	71	1c,
Rural	717	.	.	8	79	.	52	1	.	.	.	46	.
Galway	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	119	.	1	1	2	19	1	.	.	.	2	.	.
Rural	173	.	.	.	4	.	8	.	.	.	.	22	.
Kerry	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	34	.	.	1	.	.	2	.	.	.	.	.	.
Rural	24	.	.	.	6	.	2	.	.	.	.	5	.
Kildare	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	11	.	.	.	3	.	1	.	.	.	.	1	.
Rural	108	.	.	1	3	.	13	.	.	.	.	4	.
Kilkenny	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	2	.	.	.	.	6	.	.	.	.	.	.	.
Rural	62	.	.	.	.	.	6	2	.	.	.	5	.
Laois	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	120	.	.	.	1	.	.	.	.	.	.	6	.
Leitrim	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	29	.	.	.	.	.	1	.	.	1	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	52	.	.	.	.	.	3	.	.	.	.	10	.
Longford	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	18	.	.	.	.	.	.	.	.	.	.	.	.
Louth	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	1	.	.	1	.	.	.	.	.	.	.	3	.
Rural	80	.	.	.	90	.	.	.	.	.	.	55	.

(a) Pemphigus Neonatorum.

(b) Ophthalmia Neonatorum.

(c) Puerperal Sepsis.

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1968.

County or County Borough	Measles	Paratyphoid B.	Peripneumonia	Salmonella infection	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	2	"	"	"	"	"	"	"	"	"	"	3	"
Rural	165	"	"	1	1	"	3	1	"	1	"	9	"
Meath													
Urban	182	"	"	"	1	12	14	"	"	"	"	3	"
Rural	400	"	"	"	11	"	11	"	"	"	"	17	1d,
Monaghan													
Urban	1	"	"	"	10	"	"	"	"	"	"	1	"
Rural	1	"	"	"	6	"	"	"	"	"	"	1	"
Offaly													
Urban	31	"	"	"	"	"	"	"	"	"	"	1	"
Rural	554	"	"	"	"	"	1	"	"	"	"	1	"
Roscommon													
Rural	121	"	"	"	2	"	2	1	"	1	"	12	"
Sligo													
Urban	119	"	"	"	55	3	15	"	"	"	"	28	"
Rural	100	"	1	"	43	"	1	2	"	"	"	12	"
Tipperary N.R.													
Urban	19	"	"	"	1	"	"	"	"	"	"	1	"
Rural	6	"	"	"	3	"	"	"	"	"	"	5	"
Tipperary S.R.													
Urban	1	"	"	"	"	"	1	"	"	"	"	"	"
Rural	"	"	"	1	"	"	6	"	"	"	"	"	"
Waterford													
Urban	6	"	"	"	7	"	1	"	"	"	"	"	"
Rural	46	"	"	"	"	"	"	"	"	"	"	14	"
Westmeath													
Urban	52	"	"	"	2	8	"	"	"	"	"	11	"
Rural	471	"	1	7	2	"	4	"	"	"	"	90	"
Wexford													
Urban	2	"	"	"	2	"	5	"	"	"	"	"	"
Rural	13	"	"	"	1	"	9	2	"	"	"	5	"
Wicklow													
Urban	108	"	"	"	2	9	7	"	"	"	"	18	"
Rural	182	"	"	"	2	"	10	"	"	"	"	5	"
ALL COUNTY BOROUGHS	3,363	"	"	77	199	492	199	7	"	1	"	252	3c, 7d.
ALL URBAN DISTRICTS	1,097	"	"	7	171	82	63	"	"	"	2	160	1a, 1c,
ALL RURAL DISTRICTS	4,096	"	2	25	360	"	185	11	"	3	"	443	1a, 1b, 1c
TOTAL	8,556	"	3	109	730	574	447	18	"	4	3	855	2a, 1b, 4c, 8d.

(a) Pemphigus Neonatorum.
(c) Peripneumonia.

(b) Ophthalmia Neonatorum.
(d) Acute Lymphocytic Meningitis.

TABLE 61 - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
8th Revision	7th Revision			8th Revision	7th Revision			8th Revision	7th Revision		
001	040	1	1	147	146	4	-	200	200	32	18
008	571	-	1	148	147	2	7	201	201	35	20
009	491	2	3	149	148	20	8	202	200	2	1
	493	1	2	150	150	94	100		202	1	2
	571	44	48	151	151	418	357	203	203	24	20
	763	3	-	152	152	3	9	204	204	35	18
	764	8	7	153	153	275	315	205	204	31	15
011	002	186	77	154	154	146	100	206	204	13	5
	008	2	-	155	155	40	37	207	204	30	23
013	010	1	5	156	155	11	41	208	294	2	3
014	011	2	-	157	157	164	109	209	292	3	2
015	012	4	5	158	158	6	8	210	210	2	-
016	016	5	1	159	159	5	9	212	212	2	1
017	015	1	-	160	160	5	8	215	227	1	1
	017	-	1	161	161	40	16	218	214	-	1
018	019	1	1	162	162	721	187	220	216	-	3
019	013	-	1	163	164	3	4	223	219	1	3
023	044	1	-	170	196	35	29	225	223	6	7
033	056	2	2	171	197	5	9		228	1	1
035	052	-	2	172	190	6	13	226	224	1	1
036	057	1	2	173	191	48	41	227	228	2	1
037	061	6	-	174	170	2	414	228	229	1	-
038	053	14	9	180	171	-	67	230	230	9	7
	768	-	2	181	173	-	1	231	231	6	6
039	063	2	-	182	172	-	53	232	238	1	1
053	088	-	1		173	-	1	235	234	-	1
054	096	-	1		174	-	32	237	236	1	-
055	085	4	6	183	175	-	112	238	237	20	12
056	086	1	-	184	176	-	26	239	239	2	3
065	082	2	2	185	177	257	-	240	250	2	-
066	083	2	-	186	178	14	-	241	251	-	1
070	092	9	9	187	179	7	-	242	252	4	19
072	089	1	2	188	181	68	28	243	253	-	2
079	096	4	-	189	180	33	26	244	253	2	16
084	115	1	-		181	-	2	246	254	1	-
093	022	1	-	190	192	2	2	250	260	121	162
112	134	1	-	191	193	39	32	252	271	-	2
135	138	1	-	192	193	17	15	253	272	3	1
140	140	15	3	193	194	8	24	254	273	1	1
141	141	21	6	194	195	1	3	255	274	5	9
142	142	7	3	195	199	29	26	258	277	1	2
143	143	-	1	196	198	2	2	265	283	1	-
	144	2	1	197	156	5	9	266	286	-	1
144	143	2	1		165	1	-	269	286	11	9
145	144	10	5	198	199	2	1	270	289	-	1
146	145	5	3	199	199	27	23	272	289	1	-

TABLE 61 (contd.) - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
8th Revision	7th Revision			8th Revision	7th Revision			8th Revision	7th Revision		
273	289	4	-	354	364	2	2	432	332	1	2
	756	13	8	355	366	1	-	433	332	853	966
275	286	1	-	368	378	1	-	434	332	39	36
	299	-	1	374	385	1	1	436	331	174	217
276	289	1	3	381	391	2	1		334	36	45
279	289	2	-	387	396	1	-	437	334	111	127
280	290	-	2	391	401	2	1		355	12	10
	291	3	4	393	416	-	1	438	334	72	91
	293	-	2	394	410	84	124	440	433	11	12
281	290	11	15	395	411	7	1		450	411	400
	292	-	1		421	43	27	441	451	78	24
	293	-	2	396	410	6	15	442	452	3	2
282	292	1	1	397	414	11	12	443	453	8	8
283	292	-	2	398	416	36	45	444	454	7	8
284	292	11	8	400	441	7	3		570	31	22
285	290	1	-		445	41	19	445	450	49	33
	293	22	32	401	444	76	78		455	19	19
286	295	3	-	402	443	197	259	446	456	5	3
	296	1	-	403	442	-	1	447	456	-	1
287	296	6	4		446	10	11	448	467	-	1
288	297	1	1		593	7	5	450	465	24	36
290	304	2	14	404	442	3	3	451	463	5	5
293	334	3	1		593	1	-		464	4	7
	353	-	1	410	420	3,425	1,846	453	466	33	33
	355	-	1	411	420	42	23	454	460	5	1
295	300	1	1	412	420	501	418	456	462	4	4
296	301	-	1		422	459	487	458	467	1	1
299	309	1	2		433	9	7	460	470	1	1
303	322	4	3		443	6	19	463	473	-	1
306	311	1	3	413	420	14	6	464	474	1	-
313	325	-	1	420	432	1	-	465	475	30	31
315	325	3	2	421	430	12	6	466	500	69	62
320	340	31	16	422	431	15	5		763	-	1
322	342	3	2	423	434	7	1	470	481	57	78
323	343	6	4	424	410	5	9	471	480	57	76
330	356	2	-		421	57	92	472	481	16	27
	744	1	2		434	4	2	473	482	-	2
332	357	1	-	425	434	19	11	474	483	2	-
340	345	36	37	426	434	194	232	480	492	37	29
342	350	66	52	427	433	284	286	481	490	87	59
343	351	13	5		434	863	986		763	1	-
344	352	56	55	428	422	23	22	482	491	6	5
345	353	24	16		433	34	41		763	1	-
347	355	7	5	429	434	93	142	484	492	14	3
348	356	18	11	430	330	635	782		763	5	1
	357	1	-	431	331						
349	357	-	2								

TABLE 61 (contd.) - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
8th Revision	7th Revision			8th Revision	7th Revision			8th Revision	7th Revision		
485	491	407	375	574	584	4	10	710	720	-	3
	763	12	13	575	585	8	16	712	722	24	35
486	493	183	163	576	586	7	5	713	723	2	5
	763	8	6	577	587	21	13	714	724	1	-
490	501	140	102	580	590	11	10	715	725	1	9
491	502	980	471	581	591	10	8	716	726	2	-
492	241	6	2	582	592	116	68	718	727	1	1
	527	80	24	583	593	28	17	720	730	2	-
493	241	91	64	584	594	1	-	721	731	3	6
510	518	1	3	590	600	65	92	722	732	-	1
511	519	4	-	591	601	2	2	723	733	2	3
512	520	1	1	592	602	8	6	727	737	1	-
513	521	-1	2	593	593	43	38	733	744	1	1
514	522	39	52		603	6	-	734	456	2	1
515	523	2	-	594	604	1	-		710	1	1
516	245	-	1	595	605	3	2	740	750	16	24
517	525	30	17	596	606	1	1	741	751	26	27
518	526	33	32	598	608	1	-	742	752	16	15
519	527	8	11	599	609	6	10	743	753	7	1
527	537	1	-	600	610	160	-	745	759	1	1
528	536	1	1	601	611	8	-	746	754	59	64
530	539	6	4	602	612	2	-	747	754	7	8
531	540	49	26	604	614	1	-	748	759	2	5
532	541	66	21	614	624	-	1	749	755	-	2
533	540	47	19	623	631	-	1	750	756	5	3
535	543	1	4	626	634	-	1	751	756	17	15
536	544	1	-	630	641	-	1	752	757	-	1
537	545	5	-	631	645	-	1	753	757	15	10
540	550	8	7	632	643	-	1	755	758	1	-
541	551	3	1	636	642	-	1		759	-	1
543	553	1	-		686	-	1	756	758	2	3
550	560	3	-		637	-	2		759	-	4
551	560	10	15	651	670	-	1	757	759	-	1
552	561	4	1	653	672	-	1	758	759	6	5
553	561	13	17	659	677	-	2	759	325	4	1
560	570	19	24	660	677	-	1		753	5	7
561	571	2	4	670	681	-	2		758	1	-
562	572	14	27	673	684	-	6		759	8	6
567	576	3	4	674	687	-	2	760	769	-	1
	768	-	1	682	692	2	2	761	769	2	3
568	577	1	-	693	704	1	1	762	769	1	2
569	578	14	9	694	704	1	-	763	769	-	1
570	580	2	4	695	705	2	4	764	760	1	-
571	581	52	39	701	710	1	-	766	760	-	1
572	582	1	1	707	715	4	16		761	-	1
573	583	7	6	708	242	-	1	767	761	1	-

TABLE 61 (contd.) - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
8th Revision	7th Revision			8th Revision	7th Revision			8th Revision	7th Revision		
769	761	3	4	E826	E842	1	-	E917	E910	1	-
	773	2	2		E843	13	2		E912	1	-
	776	4	4	E827	E845	1	1		E936	1	-
770	761	9	5	E830	E850	1	-	E918	E835	1	-
	769	2	1	E832	E851	1	-		E912	1	-
771	761	6	2	E836	E856	2	-		E936	2	-
772	760	30	33	E841	E861	39	23	E920	E913	1	-
	761	1	3	E851	E878	-	1	E921	E915	1	-
774	770	3	5	E852	E878	1	-	E922	E919	9	1
775	770	15	16	E854	E871	-	2	E924	E917	1	1
776	762	98	56	E855	E874	1	2	E925	E914	7	1
	773	15	9		E878	-	1	E928	E912	23	2
777	776	94	74	E856	E878	1	-	E929	E936	3	-
778	771	15	5	E860	E880	1	-	E930	E954	-	1
780	780	1	1	E865	E883	-	1		E955	1	-
782	782	56	50		E888	1	2	E931	E953	-	1
783	783	-	1	E867	E883	-	1	E940	E960	1	-
784	784	2	2	E869	E876	2	-	E950	E970	1	5
785	785	-	1	E870	E890	1	-		E971	9	-
786	786	1	-	E874	E890	4	-	E951	E972	3	3
792	792	1	1	E877	E895	1	-	E952	E973	3	-
794	794	315	386	E880	E900	8	11	E953	E974	19	1
795	795	6	1	E881	E901	10	-	E954	E975	8	2
796	795	6	6		E902	1	-	E955	E976	7	1
E805	E800	1	1	E882	E902	5	2	E956	E977	2	-
E810	E810	3	2	E883	E902	2	1	E957	E978	-	1
E812	E815	23	1	E884	E902	10	8	E958	E979	4	2
	E816	62	23	E885	E903	6	5	E960	E983	2	-
E813	E813	33	7	E886	E936	2	-	E963	E983	1	1
	E817	1	-	E887	E904	86	195	E964	E983	1	-
	E818	10	1	E890	E916	6	7	E966	E982	2	1
E814	E812	115	39	E893	E916	2	10	E968	E983	1	1
	E817	1	-	E894	E916	-	3	E980	E871	2	2
E815	E814	4	-	E895	E916	5	5		E874	1	1
	E818	-	1	E897	E916	1	-		E876	1	-
	E819	4	-	E898	E916	4	2		E878	1	1
E816	E821	6	2	E899	E916	4	5		E883	1	-
	E822	6	1	E904	E926	7	3		E888	-	1
	E823	30	5		E933	6	4	E981	E890	4	1
E817	E820	1	-	E910	E929	79	11	E982	E890	1	-
E818	E824	20	2	E911	E921	19	17		E893	1	-
	E835	1	1	E912	E922	1	1	E983	E925	1	-
E819	E825	1	-	E913	E924	12	9		E936	3	-
E821	E819	2	-		E925	2	-		E974	1	-
E823	E835	4	-	E916	E910	9	1	E984	E929	41	20
					E925	1	-	E985	E919	1	1
								E987	E902	1	-

TABLE 62 - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
7th Revision	8th Revision			7th Revision	8th Revision			7th Revision	8th Revision		
002	011	186	77	150	150	94	100	199	195	29	26
008	011	2	-	151	151	418	357		198	2	1
010	013	1	5	152	152	3	9		199	27	23
011	014	2	-	153	153	275	315	200	200	32	18
012	015	4	5	154	154	146	100		202	2	1
013	019	-	1	155	155	40	37	201	201	35	20
015	017	1	-		156	11	41	202	202	1	2
016	016	5	1	156	197	5	9	203	203	24	20
017	017	-	1	157	157	164	109	204	204	35	18
019	018	1	1	158	158	6	8		205	31	15
022	093	1	-	159	159	5	9		206	13	5
040	001	1	1	160	160	5	8		207	30	23
044	023	1	-	161	161	40	16	210	210	2	-
052	035	-	2	162	162	721	187	212	212	2	1
053	038	14	9	164	163	3	4	214	218	-	1
056	033	2	2	165	197	1	-	216	220	-	3
057	036	1	2	170	174	2	414	219	223	1	3
061	037	6	-	171	180	-	67	223	225	6	7
063	039	2	-	172	182	-	53	224	226	1	1
082	065	2	2	173	181	-	1	227	215	1	1
083	066	2	-		182	-	1	228	225	1	1
085	055	4	6	174	182	-	32		227	2	1
086	056	1	-	175	183	-	112	229	228	1	-
088	053	-	1	176	184	-	26	230	230	9	7
089	072	1	2	177	185	257	-	231	231	6	6
092	070	9	9	178	186	14	-	234	235	-	1
096	054	-	1	179	187	7	-	236	237	1	-
	079	4	-	180	189	33	26	237	238	20	12
115	084	1	-	181	188	68	28	238	232	1	1
134	112	1	-		189	-	2	239	239	2	3
138	135	4	6	190	172	6	13	241	492	6	2
140	140	15	3	191	173	48	41		493	91	64
141	141	21	6	192	190	2	2	242	708	-	1
142	142	7	3	193	191	39	32	245	516	-	1
143	143	-	1		192	17	15	250	240	2	-
	144	2	1	194	193	8	24	251	241	-	1
144	143	2	1	195	194	1	3	252	242	4	19
	145	10	5					253	243	-	2
145	146	5	3	196	170	35	29		244	2	16
146	147	4	-	197	171	5	9	254	246	1	-
147	148	2	7	198	196	2	2	260	250	121	162
148	149	20	8								

TABLE 62 (contd.) - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
7th Revision	8th Revision			7th Revision	8th Revision			7th Revision	8th Revision		
271	252	-	2	330	430	93	142	420	410	3,425	1,846
272	253	3	1	331	431	635	782	421	411	42	23
273	254	1	1		436	174	217		412	501	418
274	255	5	9	332	432	1	2		413	14	6
277	258	1	2		433	853	966	421	395	43	27
283	265	1	-		434	39	36		424	57	92
286	266	-	1	334	293	3	1	422	412	459	487
	269	11	9		436	36	45		428	863	986
	275	1	-		437	111	127	430	421	12	6
289	270	-	1		438	72	91	431	422	15	5
	272	1	-	340	320	31	16	432	420	1	-
	273	4	-	342	322	3	2	433	412	9	7
	276	1	3	343	323	6	4		427	194	232
	279	2	-	345	340	36	37		428	23	22
290	280	-	2	350	342	66	52		440	11	12
	281	11	15	351	343	13	5	434	423	7	1
	285	1	-	352	344	56	55		425	4	2
291	280	3	4	353	293	-	1		426	19	11
292	209	3	2		345	24	16		427	284	286
	281	-	1	355	293	-	1		429	34	41
	282	1	1		347	7	5	441	400	7	3
	283	-	2		437	12	10	442	403	-	1
	284	11	8	356	330	2	-		404	3	3
293	280	-	2		348	18	11	443	402	197	259
	281	-	2	357	332	1	-		412	6	19
	285	22	32		348	1	-	444	401	76	78
					349	-	2	445	400	41	19
294	208	2	3	364	354	2	2	446	403	10	11
295	286	3	-	366	355	1	-	450	440	411	400
296	286	1	-	378	368	1	-		445	49	33
	287	6	4	385	374	1	1	451	441	78	24
297	288	1	1	391	381	2	1	452	442	3	2
299	275	-	1	396	387	1	-	453	443	8	8
300	295	1	1	401	391	2	1	454	444	7	8
301	296	-	1	410	394	84	124	455	445	19	19
304	290	2	14		396	6	15	456	446	5	3
309	299	1	2		424	5	9		447	-	1
311	306	1	3	411	395	7	1		734	2	1
322	303	4	3	414	397	11	12	460	454	5	1
325	313	-	1	416	393	-	1	462	456	4	4
	315	3	2					463	451	5	5
	759	4	1		398	36	45				

TABLE 62 (contd.) - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females
7th Revision	8th Revision			7th Revision	8th Revision			7th Revision	8th Revision		
750	740	16	24	762	776	98	56	792	792	1	1
751	741	26	27	763	009	3	-	794	794	315	386
752	742	16	15		466	-	1	795	795	6	1
753	743	7	1		481	1	-		796	6	6
	759	5	7		482	1	-	E800	E805	1	1
754	746	59	64		484	5	1	E810	E810	3	2
	747	7	8		485	12	13	E812	E814	115	39
755	749	-	2		486	8	6	E813	E813	33	7
756	273	13	8	764	009	8	7	E814	E815	4	-
	750	5	3	768	038	-	2	E815	E812	23	1
	751	17	15		567	-	1	E816	E812	62	23
757	752	-	1	769	760	-	1	E817	E813	1	-
	753	15	10		761	2	3		E814	1	-
758	755	1	-		762	1	2	E818	E813	10	1
	756	2	3		763	-	1		E815	-	1
	759	1	-		770	2	1	E819	E815	4	-
759	745	1	1	770	774	3	5		E821	2	-
	748	2	5		775	15	16	E820	E817	1	-
	755	-	1		778	15	5	E821	E816	6	2
	756	-	4	771	778	15	5	E822	E816	6	1
	757	-	1	773	769	2	2	E823	E816	30	5
	758	6	5		776	15	9	E824	E818	20	2
	759	8	6	776	769	4	4	E825	E819	1	-
760	764	1	-		777	94	74	E835	E818	1	1
	766	-	1		780	1	1		E823	4	-
	772	30	33	780	780	1	1		E918	1	-
761	766	-	1	782	782	56	50		E826	1	-
	767	1	-	783	783	-	1	E842	E826	1	-
	769	3	4	784	784	2	2	E843	E826	13	2
	770	9	5		785	-	1	E845	E827	1	1
	771	6	2	785	785	-	1				
	772	1	3	786	786	1	-				

TABLE 62 (contd.) - DEATHS IN 1968 CLASSIFIED BY SEX AND BY CAUSE (7th REVISION, 1955 INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (8th REVISION, 1965 INTERNATIONAL DETAILED LIST)

International List No.		Males	Females	International List No.		Males	Females	International List No.		Males	Females	
7th Revision	8th Revision			7th Revision	8th Revision			7th Revision	8th Revision			
E850	E830	1	-	E902	E881	1	-	E926	E904	7	3	
E851	E832	1	-		E882	5	2	E929	E910	79	11	
E856	E836	2	-		E883	2	1		E984	41	20	
E861	E841	39	23		E884	10	8	E933	E904	6	4	
E871	E854	-	2		E987	1	-	E936	E886	2	-	
	E980	2	2	E903	E885	6	5		E917	1	-	
E874	E855	1	2	E904	E887	86	195		E918	2	-	
	E980	1	1	E910	E916	9	1		E929	3	-	
E876	E869	2	-		E917	1	-		E983	3	-	
	E980	1	-	E912	E917	1	-		E953	E931	-	1
E878	E851	-	1		E918	1	-	E954	E930	-	1	
	E852	1	-		E928	23	2	E955	E930	1	-	
	E855	-	1	E913	E920	1	-	E960	E940	1	-	
	E856	1	-	E914	E925	7	1	E970	E950	1	5	
	E980	1	1	E915	E921	1	-	E971	E950	9	-	
E880	E860	1	-	E916	E890	6	7	E972	E951	3	3	
E883	E865	-	1		E893	2	10	E973	E952	3	-	
	E867	-	1		E894	-	3	E974	E953	19	1	
	E980	1	-		E895	5	5		E983	1	-	
E888	E865	1	2		E897	1	-	E975	E954	8	2	
	E980	-	1		E898	4	2	E976	E955	7	1	
E890	E870	1	-	E917	E924	1	1	E977	E956	2	-	
	E874	4	-	E919	E922	9	1	E978	E957	-	1	
	E981	4	1		E985	1	1	E979	E958	4	2	
	E982	1	-	E921	E911	19	17	E982	E966	2	1	
				E922	E912	1	1	E983	E960	2	-	
E893	E982	1	-	E924	E913	12	9		E963	1	1	
E895	E877	1	-	E925	E913	2	-		E964	1	-	
E900	E880	8	11		E916	1	-		E968	1	1	
E901	E881	10	-		E983	1	-					

[illegible]

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
029	Syphilis, unqualified	M	1	-	1	1	-	3	1	1	-	-
		F	-	-	-	-	-	-	1	-	-	-
033	Gonococcal infection of eye	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
039	Other and unspecified venereal disease	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
040	Typhoid fever	M	1	-	-	-	-	1	-	-	-	-
		F	1	1	-	-	1	1	1	-	-	-
041	Paratyphoid fever	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
042	Other salmonella infections	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	1	-	1	-	-	-	-	-
044	Brucellosis (undulant fever)	M	1	1	1	-	2	-	-	-	1	2
		F	1	-	1	-	-	-	1	-	-	-
045	Bacillary dysentery	M	1	1	1	1	-	2	-	-	1	1
		F	-	1	-	1	1	-	1	-	-	-
047	Other protozoal dysentery	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery	M	-	1	-	-	1	-	-	-	-	2
		F	1	-	3	-	-	1	-	1	-	-
049	Food poisoning	M	-	-	-	-	-	-	-	-	1	-
		F	-	1	-	-	-	-	-	-	-	-
050	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
051	Streptococcal sore throat	M	2	2	1	-	3	1	3	-	-	1
		F	3	-	1	-	-	1	-	1	1	-
052	Erysipelas	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	1	-	-	-	-
053	Septicaemia and pyaemia	M	10	5	10	11	11	9	12	12	7	11
		F	11	4	6	3	10	11	8	7	8	12
054	Bacterial toxæmia	M	-	-	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	M	2	5	1	2	1	-	-	1	-	-
		F	4	4	1	1	-	2	5	-	-	1
056	Whooping cough	M	7	10	10	4	-	-	3	4	2	4
		F	4	10	5	8	-	2	4	-	-	3
057	Meningococcal infections	M	14	9	8	5	3	1	3	3	3	4
		F	5	7	5	2	2	4	2	1	3	1
061	Tetanus	M	4	8	8	2	8	5	3	1	-	5
		F	1	3	2	5	2	2	1	3	-	1
063	Gas gangrene	M	1	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	1	-	-	-	-	-
064	Other bacterial diseases	M	1	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	1	-	-	-	-	1
070	Vincent's infection	M	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
072	Leptospirosis	M	6	8	2	3	1	1	6	2	2	3
		F	2	2	-	-	-	-	1	-	-	1
080	Acute poliomyelitis	M	6	2	8	3	2	1	2	1	-	-
		F	3	-	9	4	2	-	1	-	-	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1959 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
081	Late effects of acute poliomyelitis	M	2	2	2	1	-	-	1	-	-	-
		F	1	1	2	1	1	1	1	1	1	-
082	Acute infectious encephalitis	M	2	3	2	2	-	3	6	-	5	4
		F	2	1	3	4	4	2	8	1	4	3
083	Late effects of acute infectious encephalitis	M	-	3	2	2	-	-	1	-	-	-
		F	1	-	-	-	-	2	-	1	-	1
085	Measles	M	4	8	1	15	6	6	5	3	7	3
		F	2	10	3	16	6	2	9	5	4	6
086	Rubella (German measles)	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	1	-	-	-	-	-	-	-
087	Chickenpox	M	-	-	-	-	-	-	1	-	-	1
		F	1	1	-	-	-	-	-	-	1	-
088	Herpes zoster	M	3	2	1	1	1	1	3	2	2	-
		F	1	2	2	3	2	1	1	2	1	2
089	Mumps	M	-	-	1	-	-	-	-	1	-	-
		F	-	-	1	1	1	-	2	-	-	-
092	Infectious hepatitis	M	7	10	11	7	3	7	14	13	12	11
		F	8	14	9	18	6	8	11	5	4	11
093	Glandular fever (infectious mononucleosis)	M	2	1	-	-	1	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses	M	3	1	3	1	4	2	5	2	2	1
		F	-	-	4	1	3	5	-	1	2	2
112	Falciparum malaria	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever	M	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria	M	2	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases	M	-	-	1	1	-	-	-	-	-	1
		F	-	-	1	2	-	1	1	-	-	-
130	Infestation with worms of other, mixed, and unspecified type	M	1	-	2	-	-	-	-	-	-	-
		F	-	-	1	1	-	-	-	-	1	-
131	Dermatophytosis	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
132	Actinomycosis	M	-	-	-	1	-	-	-	-	1	-
		F	-	-	-	-	1	-	-	-	-	-
134	Other fungus infections	M	4	1	2	2	3	1	-	1	-	1
		F	2	3	1	1	3	-	-	-	-	-
135	Scabies	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases	M	5	7	2	9	6	4	6	6	2	5
		F	4	8	7	4	4	3	6	3	7	3
140-239	II. Neoplasms	M	2,543	2,691	2,607	2,636	2,754	2,718	2,761	2,803	2,873	2,796
		F	2,249	2,219	2,279	2,164	2,261	2,342	2,334	2,287	2,391	2,391
140-205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,488	2,617	2,546	2,593	2,699	2,648	2,686	2,740	2,822	2,756
		F	2,194	2,160	2,215	2,111	2,198	2,290	2,276	2,239	2,351	2,340
140	Malignant neoplasm of lip	M	37	39	25	20	34	22	18	14	24	19
		F	4	7	1	4	6	10	1	4	2	1

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
141	Malignant neoplasm of tongue	M	25	34	32	29	26	37	20	23	19	22
		F	8	4	5	6	10	9	3	6	9	9
142	Malignant neoplasm of salivary gland	M	8	9	7	4	14	5	4	8	5	2
		F	2	5	4	3	6	2	3	6	1	1
143	Malignant neoplasm of floor of mouth	M	4	1	3	5	3	6	8	4	4	4
		F	2	3	-	-	-	-	-	1	-	-
144	Malignant neoplasm of other parts of mouth, and of mouth unspecified	M	17	19	12	14	14	15	15	13	9	11
		F	4	3	1	6	5	3	8	4	6	6
145	Malignant neoplasm of oral mesopharynx	M	8	6	11	3	3	7	4	4	4	6
		F	5	4	1	4	2	1	2	2	-	2
146	Malignant neoplasm of nasopharynx	M	3	2	5	1	1	-	2	4	2	3
		F	-	2	4	2	1	2	1	1	2	2
147	Malignant neoplasm of hypopharynx	M	2	3	3	1	6	5	4	-	2	7
		F	5	6	4	4	6	5	10	5	3	3
148	Malignant neoplasm of pharynx, unspecified	M	31	28	25	27	27	17	20	15	19	21
		F	17	13	8	11	7	14	17	11	13	6
150	Malignant neoplasm of oesophagus	M	90	85	97	112	121	86	119	103	96	85
		F	69	65	69	61	67	81	85	71	95	87
151	Malignant neoplasm of stomach	M	485	517	460	476	512	507	476	466	464	479
		F	379	397	389	333	355	380	356	356	374	342
152	Malignant neoplasm of small intestine, including duodenum	M	8	8	12	4	4	2	10	9	7	1
		F	5	6	2	7	3	3	4	5	4	3
153	Malignant neoplasm of large intestine, except rectum	M	229	237	248	238	227	244	218	271	256	235
		F	268	284	274	297	263	272	275	296	322	294
154	Malignant neoplasm of rectum	M	162	174	141	131	150	159	124	175	155	121
		F	107	78	103	72	88	90	85	67	91	98
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	19	25	24	30	36	53	66	59	57	66
		F	39	34	29	41	46	63	56	78	74	67
156	Malignant neoplasm of liver (secondary and unspecified)	M	68	61	40	36	33	29	14	9	13	12
		F	65	48	54	35	52	18	15	8	4	14
157	Malignant neoplasm of pancreas	M	98	134	108	120	122	132	133	128	149	164
		F	100	101	114	110	112	105	108	120	114	104
158	Malignant neoplasm of peritoneum	M	7	10	11	8	9	9	10	7	4	4
		F	6	9	11	6	5	6	8	5	6	5
159	Malignant neoplasm of unspecified digestive organs	M	4	2	4	2	-	4	8	3	-	1
		F	5	1	4	4	1	5	2	2	2	-
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	3	8	11	7	6	6	12	7	10	6
		F	9	10	4	4	5	6	6	5	5	1
161	Malignant neoplasm of larynx	M	49	46	53	52	35	32	44	43	46	45
		F	25	21	20	17	18	17	27	18	18	15
162	Malignant neoplasm of bronchus and trachea and of lung specified as primary	M	146	148	184	220	497	454	524	570	631	642
		F	37	32	45	53	142	114	123	146	146	165
162.0	Trachea	M	-	-	-	-	1	5	-	4	2	1
		F	-	-	-	-	1	-	3	-	1	-
162.1	Bronchus and lung *	M	146	148	184	220	496	448	524	566	626	640
		F	37	32	45	53	141	113	120	146	144	164
162.2	Pleura	M	-	-	-	-	-	-	-	-	3	1
		F	-	-	-	-	-	1	-	-	1	1

* includes trachea and pleura in 1958, 1959, 1960, 1961.

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
162.8	Multiple sites	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	M	237	281	276	275	-	35	-	-	-	-
		F	65	66	62	56	-	7	-	-	-	-
164	Malignant neoplasm of mediastinum	M	4	4	5	-	2	6	2	6	6	4
		F	1	2	2	4	3	2	-	1	4	4
165	Malignant neoplasm of thoracic organs (secondary)	M	-	-	-	1	-	1	2	-	3	-
		F	-	1	1	4	-	-	-	-	2	3
170	Malignant neoplasm of breast	M	4	1	2	4	3	2	2	1	1	2
		F	338	384	357	355	373	399	407	388	371	422
171	Malignant neoplasm of cervix uteri	F	48	24	43	36	41	52	53	46	60	74
172	Malignant neoplasm of corpus uteri	F	11	9	10	5	9	5	8	12	32	50
173	Malignant neoplasm of other parts of uterus including chorionepithelioma	F	-	1	-	2	1	-	1	-	-	2
174	Malignant neoplasm of uterus, unspecified	F	96	92	91	95	92	87	95	80	55	33
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	75	73	89	87	87	91	92	82	106	117
176	Malignant neoplasm of other and unspecified female genital organs	F	16	11	13	20	14	16	21	17	17	11
177	Malignant neoplasm of prostate	M	204	218	202	218	221	221	254	245	277	250
178	Malignant neoplasm of testis	M	5	4	8	7	9	11	13	7	8	4
179	Malignant neoplasm of other and unspecified male genital organs	M	8	4	2	8	5	7	4	6	3	8
180	Malignant neoplasm of kidney	M	26	35	20	30	30	26	39	35	35	43
		F	17	12	14	22	21	27	16	21	23	21
181	Malignant neoplasm of bladder and other urinary organs	M	63	60	64	68	75	75	64	63	77	66
		F	32	24	33	35	39	36	26	41	33	30
190	Malignant melanoma of skin	M	8	10	5	14	8	8	12	18	13	10
		F	10	15	5	9	9	14	9	11	13	18
191	Other malignant neoplasm of skin	M	38	57	48	56	52	41	39	42	34	35
		F	25	30	35	34	35	39	31	29	29	40
192	Malignant neoplasm of eye	M	5	1	3	2	4	4	6	2	4	5
		F	5	5	3	2	5	2	5	2	4	6
193	Malignant neoplasm of brain and other parts of nervous system	M	60	42	40	53	46	48	53	61	68	64
		F	28	31	42	29	37	34	33	34	38	34
194	Malignant neoplasm of thyroid gland	M	9	7	5	6	13	7	8	7	3	6
		F	29	16	16	16	21	14	25	19	13	20
195	Malignant neoplasm of other endocrine glands	M	1	1	1	-	1	2	2	2	7	1
		F	2	-	2	1	3	2	2	2	2	4
196	Malignant neoplasm of bone	M	53	43	43	49	46	32	41	37	34	36
		F	28	18	22	26	28	29	13	24	27	30
197	Malignant neoplasm of connective tissue	M	2	6	2	5	6	5	6	7	4	5
		F	2	3	3	4	1	4	1	4	3	3
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	13	11	7	9	5	10	2	-	-	-
		F	5	5	2	3	4	6	-	-	3	1
199	Malignant neoplasm of other and unspecified sites	M	107	110	138	91	110	112	90	73	97	78
		F	91	108	119	96	76	105	97	82	97	71

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
200	Lymphosarcoma and reticulosarcoma	M	18	21	14	18	31	24	33	34	34	40
		F	16	8	14	11	11	9	19	24	23	26
201	Hodgkin's disease	M	35	30	36	32	40	39	25	35	26	31
		F	23	21	15	18	18	20	25	17	18	13
202	Other forms of lymphoma (reticulosis)	M	1	2	2	2	6	2	2	-	4	1
		F	1	-	1	2	2	3	3	2	6	2
203	Multiple myeloma (plasmocytoma)	M	13	10	11	17	23	19	22	23	17	23
		F	17	11	15	11	17	21	21	23	22	20
204	Leukaemia and alukaemia	M	71	63	96	88	82	80	110	100	91	87
		F	52	57	59	48	50	59	77	61	59	60
205	Mycosis fungoides	M	-	-	-	-	1	-	2	1	-	1
		F	-	-	1	-	1	1	1	-	-	-
210	Benign neoplasm of buccal cavity and pharynx	M	-	1	-	-	1	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-
211	Benign neoplasm of other parts of digestive system	M	-	2	3	1	-	2	2	4	1	2
		F	-	1	1	-	-	2	-	1	-	3
212	Benign neoplasm of respiratory system	M	-	-	2	-	-	1	-	1	-	-
		F	-	-	-	-	1	1	-	-	3	-
214	Uterine fibromyoma	F	6	4	1	-	2	3	2	1	-	1
215	Other benign neoplasm of uterus	F	2	-	-	-	-	-	-	-	-	1
216	Benign neoplasm of ovary	F	4	6	7	4	4	3	4	3	3	3
219	Benign neoplasm of kidney and other urinary organs	M	4	2	1	1	4	6	3	3	1	2
		F	1	-	3	-	-	-	1	1	-	2
223	Benign neoplasm of brain and other parts of nervous system	M	7	8	7	5	5	3	5	3	4	4
		F	3	8	3	9	5	3	8	4	6	4
224	Benign neoplasm of endocrine glands	M	-	5	-	1	-	2	-	-	2	1
		F	3	-	2	2	2	-	1	1	-	1
225	Benign neoplasm of bone and cartilage	M	1	1	-	-	-	-	-	2	-	-
		F	-	-	1	1	1	-	1	3	-	-
226	Lipoma	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
227	Other benign neoplasm of muscular and connective tissue	M	2	-	-	-	-	-	-	2	1	2
		F	1	1	1	2	1	-	-	-	-	1
228	Haemangioma and lymphangioma	M	-	1	3	1	2	-	2	-	2	-
		F	2	3	1	3	-	-	1	-	-	-
229	Benign neoplasm of other and unspecified organs and tissues	M	-	-	-	-	-	1	1	-	-	-
		F	1	-	-	-	1	-	-	1	-	2
230	Neoplasm of unspecified nature of digestive organs	M	10	9	10	9	6	15	13	9	6	5
		F	8	11	10	10	9	8	9	6	6	15
231	Neoplasm of unspecified nature of respiratory organs	M	5	5	9	7	9	5	9	9	9	5
		F	-	2	6	2	5	6	6	1	5	1
232	Neoplasm of unspecified nature of breast	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	2	-	-
233	Neoplasm of unspecified nature of uterus	F	-	-	-	3	-	-	1	-	-	-
234	Neoplasm of unspecified nature of ovary	F	3	-	2	-	1	1	1	3	1	-
235	Neoplasm of unspecified nature of other female genital organs	F	-	-	-	-	-	-	1	-	-	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
283	Active rickets	M	-	1	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-
284	Late effects of rickets	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
285	Osteomalacia	M	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	1	-	-	1	-	1
286	Other avitaminoses and nutritional deficiency states	M	7	8	8	9	8	8	9	8	11	8
		F	7	8	10	7	10	13	9	7	5	6
287	Obesity, not specified as of endocrine origin	M	2	3	1	1	1	3	2	-	1	-
		F	10	4	1	-	2	1	2	-	1	2
288	Gout	M	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	1	-	-	-	-	-
289	Other metabolic diseases	M	4	10	12	10	12	10	13	9	14	13
		F	5	8	6	6	12	12	8	5	9	7
290-299	IV. Diseases of the blood and blood-forming organs	M	96	80	73	60	82	78	73	66	61	65
		F	115	136	111	79	102	99	91	105	93	71
290	Pernicious and other hyperchromic anaemias	M	31	26	19	18	17	15	16	13	17	12
		F	37	41	30	26	29	20	23	25	20	13
291	Iron deficiency anaemias (hypochromic anaemias)	M	5	2	1	1	1	2	2	5	2	3
		F	5	3	3	3	3	4	2	3	5	6
292	Other anaemias of specified type	M	10	10	12	6	10	11	12	14	10	14
		F	11	22	11	6	16	14	10	22	11	20
293	Anaemia of unspecified type	M	40	29	22	26	36	30	31	26	27	20
		F	50	52	50	30	37	43	37	47	45	26
294	Polycythaemia	M	-	2	-	-	3	2	1	3	1	2
		F	1	2	1	-	3	2	1	1	4	-
295	Haemophilia	M	1	1	-	2	-	1	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
296	Purpura and other haemorrhagic conditions	M	5	6	12	6	8	9	5	3	1	9
		F	7	6	9	5	10	9	11	3	4	4
297	Agranulocytosis	M	1	2	1	-	3	2	-	1	1	-
		F	1	2	1	2	1	-	1	1	-	-
298	Diseases of spleen	M	3	2	6	1	3	6	4	1	2	4
		F	1	8	6	6	2	3	5	2	4	1
299	Other diseases of blood and blood-forming organs	M	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	1	1	4	1	1	-	1
300-326	V. Mental, psychoneurotic, and personality disorders	M	37	29	34	42	39	48	31	33	26	20
		F	34	33	24	35	44	35	18	27	25	26
300	Schizophrenic disorders (dementia praecox)	M	-	2	-	1	1	-	-	1	2	-
		F	-	1	-	2	-	-	-	2	1	1
301	Manic-depressive reaction	M	3	4	-	2	2	1	-	-	1	-
		F	3	3	3	3	1	1	1	-	-	-
303	Paranoia and paranoid states	M	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
304	Senile psychosis	M	1	6	10	11	9	14	10	5	3	2
		F	7	8	4	7	24	9	1	4	7	4
305	Presenile psychosis	M	1	1	2	1	-	2	3	2	1	-
		F	-	-	-	1	-	1	1	-	2	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
307	Alcoholic psychosis	M	1	2	1	-	1	-	-	-	-	-
		F	-	-	-	1	1	-	-	-	-	1
309	Other and unspecified psychoses	M	3	2	-	3	4	3	1	2	-	-
		F	2	2	3	1	-	4	1	-	-	2
310	Anxiety reaction without mention of somatic symptoms	M	-	-	-	-	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
311	Hysterical reaction without mention of anxiety reaction	M	-	-	1	-	-	-	-	-	2	-
		F	3	2	1	3	2	1	2	4	2	1
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-
318	Psychoneurotic disorders, other, mixed, and unspecified types	M	5	1	-	1	2	-	-	-	-	1
		F	1	2	-	-	-	2	-	-	-	-
322	Alcoholism	M	4	-	3	4	5	7	3	7	1	3
		F	1	-	-	1	-	1	-	-	1	2
324	Primary childhood behaviour disorders	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
325	Mental deficiency	M	19	11	17	18	15	19	13	16	16	14
		F	15	15	12	16	16	16	12	17	12	15
330-398	VI. Diseases of the nervous system and sense organs	M	1,975	2,069	1,990	2,106	2,106	2,224	2,009	2,211	2,205	2,120
		F	2,338	2,287	2,392	2,518	2,449	2,554	2,419	2,629	2,623	2,508
330	Subarachnoid haemorrhage	M	51	70	86	82	95	93	83	78	85	89
		F	75	93	89	99	128	101	122	103	132	123
331	Cerebral haemorrhage	M	703	692	707	721	647	712	695	728	727	768
		F	938	878	936	908	909	895	876	908	971	965
332	Cerebral embolism and thrombosis	M	658	757	712	744	805	860	758	932	917	816
		F	755	759	775	884	887	1,008	915	1,113	1,020	958
333	Spasm of cerebral arteries	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
334	Other and ill-defined vascular lesions affecting central nervous system	M	246	238	222	263	263	271	213	210	228	204
		F	270	303	291	332	293	280	266	267	258	252
340	Meningitis, except meningococcal and tuberculous	M	24	18	20	24	22	17	18	19	24	17
		F	10	15	16	17	12	13	20	18	9	6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	-	1	-	-	3	-	1	-	-	1
		F	-	-	-	2	1	1	2	1	2	-
342	Intracranial and intraspinal abscess	M	5	7	5	4	3	6	2	7	4	6
		F	3	1	3	2	2	3	4	2	-	2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	9	5	9	10	5	4	6	2	3	7
		F	9	6	5	2	7	3	7	8	8	2
344	Late effects of intracranial abscess or pyogenic infection	M	5	6	1	1	2	2	-	1	-	2
		F	3	4	-	1	-	3	1	-	2	3
345	Multiple sclerosis	M	38	39	36	43	45	52	38	31	30	26
		F	44	38	41	46	39	32	41	29	39	30
350	Paralysis agitans	M	54	55	41	53	48	51	50	64	55	46
		F	49	47	49	57	42	51	46	59	54	39
351	Cerebral spastic infantile paralysis	M	7	7	7	3	5	8	3	5	3	5
		F	2	4	4	8	3	5	4	6	4	7
352	Other cerebral paralysis	M	100	98	81	101	91	83	69	59	77	57
		F	127	94	131	108	81	110	76	73	84	69

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
353	Epilepsy	M	33	34	26	24	30	30	33	35	22	37
		F	28	23	25	26	15	28	21	17	13	21
355	Other diseases of the brain	M	9	8	6	7	9	8	8	11	10	10
		F	8	4	9	6	10	9	3	10	13	14
356	Motor neurone disease and muscular atrophy	M	26	19	23	15	22	12	24	16	15	20
		F	6	11	11	5	13	10	7	10	7	8
357	Other diseases of spinal cord	M	2	4	3	4	5	7	2	3	2	3
		F	6	2	2	6	-	1	3	1	2	4
361	Trigeminal neuralgia	M	-	1	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
364	Polyneuritis and polyradiculitis	M	-	3	1	2	2	1	2	6	-	1
		F	1	-	2	5	1	1	1	1	-	-
365	Erythroedema polyneuritica	M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	M	1	2	-	-	1	2	-	-	-	-
		F	-	-	-	-	2	-	1	-	1	1
367	Other diseases of cranial nerves	M	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
368	Other diseases of peripheral nerves except autonomic	M	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	1	1	-
377	Inflammation of optic nerve and retina	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-
379	Other inflammatory diseases of eye	M	-	1	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
385	Cataract	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
386	Detachment of retina	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
387	Glaucoma	M	1	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	1
391	Otitis media without mention of mastoiditis	M	3	3	2	1	1	3	3	3	2	2
		F	1	2	3	2	3	-	-	-	1	2
392	Otitis media with mastoiditis	M	-	-	-	-	-	1	-	-	-	-
		F	-	1	-	-	-	-	-	1	1	-
393	Mastoiditis without mention of otitis media	M	-	-	1	-	-	1	-	-	1	1
		F	-	1	-	-	-	-	3	-	-	-
394	Other inflammatory diseases of ear	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1
395	Meniere's disease	M	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-
396	Other diseases of ear and mastoid process	M	-	-	-	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
400-468	VII. Diseases of the circulatory system	M	7,226	7,057	6,867	7,153	7,147	7,123	6,831	7,148	7,423	6,718
		F	5,764	5,726	5,641	5,906	5,811	5,771	5,455	5,497	5,917	5,340
400	Rheumatic fever without mention of heart involvement	M	-	-	-	3	-	-	-	-	-	-
		F	1	-	-	1	2	-	-	-	-	-
401	Rheumatic fever with heart involvement	M	16	3	5	2	3	4	1	5	5	1
		F	13	3	3	8	3	3	4	4	3	5
402	Chorea	M	-	-	-	-	-	-	-	-	-	1
		F	1	-	1	-	-	-	-	-	-	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965 ¹	1966	1967
410	Diseases of mitral valve	M	113	96	86	74	95	88	96	94	90	70
		F	141	144	126	140	121	135	131	121	111	112
411	Diseases of aortic valve, specified as rheumatic	M	9	5	3	8	7	10	1	7	5	4
		F	2	5	10	1	-	4	4	3	3	4
412	Diseases of tricuspid valve	M	-	-	-	1	-	-	-	2	-	1
		F	-	-	1	-	-	-	-	-	1	2
413	Diseases of pulmonary valve specified as rheumatic	M	-	-	1	-	-	-	-	1	1	1
		F	-	-	-	-	-	-	-	-	-	-
414	Other endocarditis specified as rheumatic	M	13	13	19	18	15	20	9	11	4	9
		F	10	5	16	12	6	16	7	6	8	4
415	Other myocarditis specified as rheumatic	M	10	7	8	9	6	4	2	1	-	1
		F	13	11	6	8	4	3	3	-	1	1
416	Other heart disease specified as rheumatic	M	27	29	27	31	22	21	20	34	31	26
		F	25	18	27	12	18	16	28	33	39	38
420	Arteriosclerotic heart disease, including coronary disease	M	2,449	2,504	2,645	2,802	2,937	3,199	3,294	3,550	3,742	3,590
		F	1,263	1,399	1,378	1,483	1,602	1,759	1,843	1,986	2,188	2,050
420.0	Arteriosclerotic heart disease so described	M	40	53	43	47	77	93	146	152	119	113
		F	39	45	26	31	59	79	111	123	132	116
420.1	Heart disease specified as involving coronary arteries	M	2,374	2,419	2,574	2,731	2,840	3,083	3,129	3,387	3,607	3,469
		F	1,197	1,331	1,340	1,438	1,529	1,666	1,722	1,856	2,051	1,932
420.2	Angina pectoris without mention of coronary disease	M	35	32	28	24	20	23	19	11	16	8
		F	27	23	12	14	14	14	10	7	5	2
421	Chronic endocarditis not specified as rheumatic	M	218	189	166	164	185	154	143	137	139	119
		F	179	182	177	174	152	147	127	116	110	116
422	Other myocardial degeneration	M	2,542	2,482	2,267	2,294	2,131	1,823	1,553	1,630	1,637	1,238
		F	2,486	2,297	2,253	2,304	2,134	1,804	1,576	1,492	1,588	1,411
430	Acute and subacute endocarditis	M	10	8	8	9	6	8	10	4	15	4
		F	5	5	8	6	6	5	10	4	8	8
431	Acute myocarditis not specified as rheumatic	M	11	15	7	17	5	11	4	5	6	10
		F	5	7	10	8	8	10	4	5	-	8
432	Acute pericarditis specified as non-rheumatic	M	-	-	-	-	1	1	1	-	-	-
		F	1	1	-	-	-	-	-	-	-	-
433	Functional disease of heart	M	403	352	350	399	411	374	349	305	304	297
		F	360	370	397	413	436	427	352	367	385	292
434	Other and unspecified diseases of heart	M	403	380	368	362	347	380	400	376	450	396
		F	286	306	269	315	299	375	336	347	414	341
440	Essential benign hypertensive heart disease	M	-	1	1	-	-	-	-	-	-	6
		F	-	-	-	-	3	1	-	-	-	12
441	Essential malignant hypertensive heart disease	M	1	1	5	1	3	7	2	-	3	7
		F	2	1	1	1	-	5	5	1	-	5
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	4	5	3	5	-	1	2	5	2	1
		F	8	4	3	4	5	3	-	-	4	2
443	Other and unspecified hypertensive heart disease	M	265	256	263	273	291	271	259	259	267	234
		F	359	335	363	375	366	371	312	308	334	249
444	Essential benign hypertension	M	156	168	115	132	136	138	122	121	99	89
		F	157	190	147	163	136	141	150	133	137	103
445	Essential malignant hypertension	M	48	30	28	49	42	51	47	43	44	46
		F	39	22	31	15	23	24	21	18	21	17
446	Hypertension with arteriolar nephrosclerosis	M	10	12	14	7	8	15	5	12	22	16
		F	11	6	14	10	9	3	7	16	10	12

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
447	Other hypertensive disease	M	4	4	1	2	-	1	-	-	-	-
		F	3	3	-	1	-	-	1	-	-	-
450	General arteriosclerosis	M	387	338	354	337	373	371	371	393	391	368
		F	299	289	294	337	353	375	377	403	421	402
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	M	14	26	30	28	36	35	28	49	40	47
		F	7	8	15	17	21	20	35	16	23	23
452	Other aneurysm, except of heart and aorta	M	9	4	3	4	2	9	5	8	16	12
		F	3	5	5	2	7	5	4	10	9	6
453	Peripheral vascular disease	M	9	5	3	5	6	4	3	4	5	13
		F	2	1	1	-	2	3	3	3	2	3
454	Arterial embolism and thrombosis	M	2	9	4	6	6	6	1	8	7	8
		F	4	9	8	5	1	3	6	8	4	4
455	Gangrene of unspecified cause	M	22	35	16	32	21	26	23	17	13	14
		F	17	25	17	11	19	13	17	12	14	9
456	Other diseases of arteries	M	7	3	7	5	6	11	9	7	8	4
		F	3	2	4	4	2	11	9	4	5	9
460	Varicose veins of lower extremities	M	4	4	3	5	1	3	1	2	2	3
		F	7	9	8	12	5	8	9	3	4	6
461	Haemorrhoids	M	1	1	-	-	-	-	1	-	-	2
		F	-	-	1	1	-	1	-	-	-	-
462	Varicose veins of other specified sites	M	1	2	1	1	5	3	2	1	7	3
		F	2	-	3	1	1	4	3	-	1	-
463	Phlebitis and thrombophlebitis of lower extremities	M	3	2	3	3	1	3	3	5	5	9
		F	3	4	1	2	4	6	3	4	7	3
464	Phlebitis and thrombophlebitis of other sites	M	8	8	1	8	8	3	3	1	7	2
		F	9	10	6	9	5	6	7	5	9	8
465	Pulmonary embolism and infarction	M	31	40	36	34	20	41	41	32	28	31
		F	22	29	18	35	35	33	34	37	20	31
466	Other venous embolism and thrombosis	M	13	15	11	17	5	20	17	15	23	34
		F	14	16	14	12	20	28	25	31	33	41
467	Other diseases of circulatory system	M	2	4	3	4	6	4	3	4	3	1
		F	1	2	4	3	2	3	1	1	-	3
468	Certain diseases of lymph nodes and lymph channels	M	1	1	2	2	-	3	-	-	2	-
		F	1	3	1	1	1	-	1	-	-	-
470-527	VIII. Diseases of the respiratory system	M	1,532	1,894	1,508	2,321	1,927	1,910	1,972	1,973	2,658	1,810
		F	1,182	1,420	1,089	1,732	1,448	1,298	1,420	1,397	1,975	1,249
470	Acute nasopharyngitis (common cold)	M	-	1	-	-	-	1	2	1	-	-
		F	-	1	-	-	1	-	-	1	-	1
472	Acute pharyngitis	M	-	-	-	-	1	-	-	-	-	-
		F	-	1	-	-	-	1	1	-	-	-
473	Acute tonsillitis	M	1	-	-	2	-	-	-	-	-	-
		F	-	3	1	-	2	1	2	-	-	1
474	Acute laryngitis and tracheitis	M	2	2	2	2	1	3	2	1	-	-
		F	4	1	1	-	2	-	-	-	1	-
475	Acute upper respiratory infection of multiple or unspecified sites	M	1	1	4	3	2	3	7	2	3	2
		F	1	3	-	-	1	2	2	1	3	4
480	Influenza with pneumonia	M	57	119	32	216	63	21	62	21	188	16
		F	53	96	34	240	48	32	67	20	191	21
481	Influenza with other respiratory manifestations and influenza unqualified	M	101	198	65	349	101	51	91	51	288	29
		F	98	192	54	342	103	47	92	40	285	33

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
482	Influenza with digestive manifestations, but without respiratory symptoms	M F	2 -	1 4	3 1	1 3	1 2	- 2	- 3	2 -	2 -	- 2
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	M F	- -	- 2	1 -	1 2	- -	1 3	- 1	- -	- -	1 -
490	Lobar pneumonia	M F	63 40	68 62	55 52	59 56	71 58	61 69	69 48	75 57	74 69	48 52
491	Bronchopneumonia	M F	311 278	428 379	326 322	377 371	392 426	425 399	404 375	445 387	474 497	371 375
492	Primary atypical pneumonia	M F	24 9	14 11	17 17	28 31	32 21	23 11	13 23	29 27	32 32	26 18
493	Pneumonia, other and unspecified	M F	139 148	123 117	131 109	158 124	178 159	180 139	179 164	199 174	197 196	170 132
500	Acute bronchitis	M F	41 52	48 41	41 32	42 36	39 33	40 28	42 57	28 44	35 36	46 34
501	Bronchitis unqualified	M F	166 119	174 138	133 107	196 139	169 136	177 140	147 100	172 140	188 131	152 94
502	Chronic bronchitis	M F	424 231	513 217	499 229	664 256	669 285	692 285	737 339	749 318	910 352	732 319
510	Hypertrophy of tonsils and adenoids	M F	- 1	1 -	1 -	- -	2 1	- -	- -	- -	- 1	- -
511	Peritonsillar abscess (quinsy)	M F	1 -	1 1	- 1	- -	- -	- -	- -	- -	- -	1 -
512	Chronic pharyngitis and nasopharyngitis	M F	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
513	Chronic sinusitis	M F	- -	- -	1 -	- -	3 -	1 1	- -	- -	- 1	- -
515	Nasal polyp	M F	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
516	Chronic laryngitis	M F	- -	- 1	- -	- -	- -	- -	1 -	- -	- -	- -
517	Other diseases of upper respiratory tract	M F	2 4	3 -	2 -	2 2	1 1	2 2	2 -	- -	3 -	- -
518	Empyema	M F	6 2	4 1	3 -	8 4	3 6	2 4	2 2	3 2	6 -	- 3
519	Pleurisy	M F	8 12	17 4	9 3	13 4	8 6	17 3	10 1	5 2	6 3	4 2
520	Spontaneous pneumothorax	M F	3 -	4 3	1 3	1 1	3 -	1 -	2 -	1 1	- 2	1 -
521	Abscess of lung	M F	3 4	5 1	8 2	6 2	6 3	6 3	4 1	4 1	7 1	2 3
522	Pulmonary congestion and hypostasis	M F	49 59	49 77	64 53	61 56	66 76	66 58	72 60	60 97	62 73	59 62
523	Pneumoconiosis due to silica and silicates (occupational)	M F	- -	1 -	1 -	- -	3 -	4 -	3 -	1 -	2 1	3 -
525	Other chronic interstitial pneumonia	M F	15 9	13 6	14 6	20 6	23 11	14 12	14 12	19 17	37 15	15 10
526	Bronchiectasis	M F	54 33	55 33	48 37	53 28	43 35	48 23	32 24	42 30	40 36	43 26
527	Other diseases of lung and pleural cavity	M F	59 25	51 24	47 25	59 29	46 32	71 33	75 46	63 38	104 49	89 57

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
530-587	IX. Diseases of the digestive system	M F	536 414	505 394	460 373	485 376	499 386	451 383	451 343	469 357	499 370	487 383
531	Abscesses of supporting structures of teeth	M F	- -	1 1	- -	1 -	- -	- -	- -	- -	- -	- -
532	Other inflammatory diseases of supporting structures of teeth	M F	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
533	Disorders of occlusion, eruption, and tooth development	M F	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -
536	Stomatitis	M F	- -	- 1	- -	- -	- -	1 -	- -	1 -	1 -	1 1
537	Diseases of salivary glands	M F	1 1	1 2	1 1	- 1	- 2	- 4	3 2	- -	- 2	- -
538	Other diseases of buccal cavity	M F	- -	1 1	- 1	1 1	- 2	- -	- 1	- -	- 1	1 -
539	Diseases of oesophagus	M F	3 5	2 2	- 1	4 1	3 2	1 5	1 5	4 1	4 2	5 3
540	Ulcer of stomach	M F	111 45	91 44	100 49	97 46	104 51	93 56	88 51	100 47	112 54	76 44
541	Ulcer of duodenum	M F	73 13	71 15	51 10	67 16	59 24	56 20	53 13	56 15	59 15	60 23
542	Gastrojejunal ulcer	M F	7 1	10 -	5 2	6 -	3 -	1 -	5 1	2 -	- 1	1 -
543	Gastritis and duodenitis	M F	7 13	8 11	10 8	7 5	4 -	3 11	4 2	1 3	3 5	3 2
544	Disorders of function of stomach	M F	2 1	3 3	2 2	1 -	1 -	2 1	- 1	1 1	1 -	2 1
545	Other diseases of stomach and duodenum	M F	9 3	10 1	10 5	11 6	6 4	8 4	5 2	4 5	7 2	6 5
550	Acute appendicitis	M F	23 17	27 7	23 12	15 9	18 14	21 12	7 8	12 14	19 3	8 7
551	Appendicitis, unqualified	M F	3 4	6 2	3 2	1 2	3 -	2 2	1 3	1 3	- 1	2 3
552	Other appendicitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
553	Other diseases of appendix	M F	- -	- 2	1 -	1 -	- -	2 -	- -	- -	- -	- -
560	Hernia of abdominal cavity without mention of obstruction	M F	9 5	12 9	10 6	6 13	12 6	13 10	8 6	18 7	13 10	11 8
561	Hernia of abdominal cavity with obstruction	M F	20 30	18 28	22 23	19 19	32 27	20 19	23 17	16 20	14 19	13 12
570	Intestinal obstruction, without mention of hernia	M F	53 42	54 47	48 55	53 43	54 53	44 56	47 42	53 44	42 55	52 54
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M F	68 59	49 43	40 37	53 55	50 30	45 27	30 35	58 46	77 62	81 62
572	Chronic enteritis and ulcerative colitis	M F	28 23	25 32	24 36	24 40	19 30	25 28	27 38	24 32	36 34	28 35
573	Functional disorders of intestines	M F	- -	1 1	- 1	1 -	- 2	- -	1 -	- -	- 1	- 2
575	Abscess of anal and rectal regions	M F	- -	- -	- -	- -	1 -	1 -	- -	- -	1 -	- -

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
609	Other diseases of urethra	M	6	1	5	3	2	6	4	5	5	9
		F	4	3	-	4	3	4	4	6	5	12
610	Hyperplasia of prostate	M	232	240	211	189	189	187	156	156	169	160
611	Prostatitis	M	11	12	7	9	7	9	6	5	6	4
612	Other diseases of prostate	M	3	-	4	4	9	-	7	4	6	4
613	Hydrocele	M	-	-	-	-	-	-	-	-	1	-
614	Orchitis and epididymitis	M	1	-	1	-	-	-	-	-	-	-
617	Other diseases of male genital organs	M	-	1	-	-	-	1	-	2	-	1
620	Chronic cystic disease of breast	F	-	-	-	-	-	-	-	1	-	-
621	Other diseases of breast	F	-	2	-	-	1	-	1	-	-	-
624	Salpingitis and oophoritis, unqualified	F	-	-	-	-	1	1	-	-	-	1
625	Other diseases of ovary and Fallopian tube	F	-	-	-	-	-	-	1	-	-	-
626	Diseases of parametrium and pelvic peritoneum (female)	F	1	4	5	2	4	1	-	2	1	2
630	Infective disease of uterus, vagina, and vulva	F	-	-	-	-	-	-	1	1	-	1
631	Uterovaginal prolapse	F	1	1	1	2	2	3	-	2	1	1
633	Other diseases of uterus	F	2	2	1	4	1	3	1	2	4	4
634	Disorders of menstruation	F	-	-	1	-	-	1	-	-	-	-
637	Other diseases of female genital organs	F	1	-	-	-	2	1	3	2	1	2
640-689	XI. Deliveries and complications of pregnancy, childbirth and the puerperium	F	61	39	35	27	27	22	30	18	18	14
640	Pyelitis and pyelonephritis of pregnancy	F	-	-	-	-	-	1	1	1	-	-
641	Other infections of genito-urinary tract during pregnancy	F	1	-	-	-	-	-	1	-	-	-
642	Toxaemias of pregnancy	F	16	10	8	8	11	6	6	3	5	1
643	Placenta praevia	F	-	-	-	-	-	-	-	-	1	-
644	Other haemorrhage of pregnancy	F	-	-	-	1	1	1	-	-	-	-
645	Ectopic pregnancy	F	-	-	1	-	-	2	1	-	-	-
647	Pregnancy with malposition of foetus in uterus	F	-	1	-	-	-	-	-	-	1	-
648	Other complications arising from pregnancy	F	3	2	-	2	3	1	3	3	2	2
650	Abortion without mention of sepsis or toxemia	F	2	-	-	-	-	1	1	-	1	-
651	Abortion with sepsis	F	1	-	-	-	-	-	-	-	-	1
660	Delivery without mention of complication	F	-	1	-	-	-	-	-	-	-	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	4	4	4	3	1	1	5	-	1	-
671	Delivery complicated by retained placenta	F	-	-	-	-	1	-	1	1	-	-
672	Delivery complicated by other postpartum haemorrhage	F	5	3	4	5	1	1	2	-	1	2
673	Delivery complicated by abnormality of bony pelvis	F	-	-	1	-	-	-	-	-	-	-
674	Delivery complicated by disproportion or malposition of foetus	F	-	1	-	-	-	1	-	-	1	-
675	Delivery complicated by prolonged labour of other origin	F	3	1	1	-	1	-	-	1	-	-
677	Delivery with other trauma	F	3	2	2	2	-	1	2	3	1	2
678	Delivery with other complications of childbirth	F	7	-	2	-	2	4	1	2	1	-
680	Puerperal urinary infection without other sepsis	F	-	1	-	-	-	-	-	-	-	-
681	Sepsis of childbirth and the puerperium	F	4	1	2	1	-	-	2	3	-	2
682	Puerperal phlebitis and thrombosis	F	6	1	-	-	-	-	1	-	-	2
684	Puerperal pulmonary embolism	F	5	10	9	3	5	1	1	1	3	2
685	Puerperal eclampsia	F	-	1	-	-	-	1	2	-	-	-
686	Other forms of puerperal toxæmia	F	-	-	-	1	-	-	-	-	-	-
687	Cerebral haemorrhage in the puerperium	F	1	-	1	1	1	-	-	-	-	-
690-716	XII. Diseases of the skin and cellular tissue	M	26	30	23	21	20	33	19	17	22	8
		F	29	23	26	26	18	38	30	25	21	22
690	Boil and carbuncle	M	1	1	-	1	1	-	1	1	-	-
		F	-	1	-	1	1	2	1	-	-	2
691	Cellulitis of finger and toe	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
692	Other cellulitis and abscess without mention of lymphangitis	M	4	4	6	4	4	6	4	3	5	-
		F	7	2	2	3	1	3	3	3	1	5
693	Other cellulitis and abscess with lymphangitis	M	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
694	Acute lymphadenitis	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
695	Impetigo	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
698	Other local infections of skin and subcutaneous tissue	M	2	-	1	-	1	1	1	-	2	-
		F	2	-	2	2	2	-	-	-	-	-
700	Seborrhoeic dermatitis	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
701	Eczema	M	2	4	-	1	-	-	2	-	-	-
		F	1	-	-	-	1	-	-	-	-	-
703	Other dermatitis	M	-	-	-	1	-	-	-	-	1	1
		F	-	-	-	-	-	1	-	1	-	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964 ¹	1965	1966	1967
704	Pemphigus	M	2	1	2	-	1	1	2	-	1	-
		F	3	1	2	2	-	2	3	-	1	2
705	Erythematous conditions	M	7	7	3	3	6	5	1	5	3	1
		F	2	4	5	4	2	6	3	3	2	4
706	Psoriasis and similar disorders	M	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	1	-	-
708	Pruritus and related conditions	M	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	1	-
710	Other hypertrophic and atrophic conditions of skin	M	-	1	-	2	1	4	1	2	-	3
		F	1	2	-	-	1	1	-	3	1	1
711	Other dermatoses	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
715	Chronic ulcer of skin	M	7	8	11	8	5	15	6	6	9	3
		F	11	13	15	13	10	23	20	14	15	8
716	Other diseases of skin	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
720-749	XIII. Diseases of the bones and organs of movement	M	121	112	79	82	93	85	60	35	50	32
		F	143	163	135	130	127	113	89	64	51	40
720	Acute arthritis due to pyogenic organisms	M	2	1	2	1	1	1	2	-	-	-
		F	3	1	-	3	1	1	-	-	1	-
722	Rheumatoid arthritis and allied conditions	M	40	44	33	28	35	29	22	7	17	14
		F	75	83	87	73	71	62	45	40	27	24
723	Osteo-arthritis (arthrosis) and allied conditions	M	15	16	4	7	8	12	7	4	6	2
		F	6	12	4	12	7	7	7	3	8	3
724	Other specified forms of arthritis	M	2	1	-	2	-	2	-	1	1	-
		F	-	-	1	-	-	1	1	-	-	-
725	Arthritis, unspecified	M	21	27	15	17	17	13	11	1	7	2
		F	20	38	20	22	22	23	11	7	6	2
726	Muscular rheumatism	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-	-	-
727	Rheumatism, unspecified	M	26	8	6	7	14	11	4	-	5	-
		F	20	9	9	5	7	2	6	4	-	-
730	Osteomyelitis and periostitis	M	7	4	3	4	2	6	2	2	2	-
		F	4	4	2	3	4	6	4	2	-	-
731	Osteitis deformans	M	-	1	5	3	2	-	1	5	1	3
		F	2	6	1	4	2	2	1	2	1	1
732	Osteochondrosis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-
733	Other diseases of bone	M	2	2	-	3	3	2	-	2	-	1
		F	6	3	3	2	3	1	3	2	6	3
735	Displacement of intervertebral disc	M	1	-	1	1	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint	M	-	-	1	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	1
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-
744	Other diseases of muscle, tendon, and fascia	M	4	6	8	7	6	7	8	10	11	10
		F	2	4	4	5	6	5	8	3	2	6

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
745	Curvature of spine	M	-	-	1	1	2	-	3	1	-	-
		F	3	1	4	-	1	-	1	-	-	-
748	Clubfoot	M	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-
749	Other deformities	M	-	1	-	1	1	1	-	-	-	-
		F	1	1	-	1	2	2	1	-	-	-
750-759	XIV. Congenital malformations	M	279	270	258	275	295	302	284	246	268	264
		F	241	237	253	262	295	274	284	238	239	231
750	Monstrosity	M	12	15	15	10	8	12	15	14	16	13
		F	39	31	23	33	30	32	29	17	32	30
751	Spina bifida and meningocele	M	49	32	30	36	39	43	40	36	28	29
		F	53	60	56	57	51	62	54	39	49	46
752	Congenital hydrocephalus	M	37	27	28	21	31	25	32	30	23	29
		F	30	23	38	24	30	27	33	38	26	20
753	Other congenital malformations of nervous system and sense organs	M	9	4	5	4	4	5	9	2	10	5
		F	4	8	3	6	4	10	9	4	8	4
754	Congenital malformations of circulatory system	M	98	119	107	104	119	115	102	88	100	104
		F	76	70	78	84	98	91	94	82	65	72
755	Cleft palate and harelip	M	1	2	1	2	-	-	2	3	3	-
		F	1	-	-	3	-	-	1	1	1	2
756	Congenital malformations of digestive system	M	36	26	30	43	37	38	27	28	36	28
		F	16	14	20	20	31	20	24	16	19	23
757	Congenital malformations of genito-urinary system	M	6	16	10	19	20	18	15	15	22	26
		F	4	3	3	12	12	11	9	7	16	16
758	Congenital malformations of bone and joint	M	4	4	1	2	1	2	3	3	8	4
		F	2	4	2	3	1	2	5	3	3	4
759	Other and unspecified congenital malformations not elsewhere classified	M	27	25	31	34	36	44	39	27	22	26
		F	16	24	30	20	38	19	26	31	20	14
760-776	XV. Certain diseases of early infancy	M	687	630	588	559	547	494	505	513	445	420
		F	444	404	365	396	344	303	364	351	301	287
760	Intracranial and spinal injury at birth	M	89	72	71	55	73	45	58	56	42	33
		F	42	49	45	38	41	24	36	40	31	36
761	Other birth injury	M	38	33	19	31	28	23	33	15	17	21
		F	29	19	19	14	16	9	18	13	13	13
762	Postnatal asphyxia and atelectasis	M	134	142	114	101	125	111	105	127	133	128
		F	73	81	77	80	77	61	79	102	79	83
763	Pneumonia of newborn	M	91	52	55	49	72	60	52	41	40	25
		F	53	39	34	34	32	29	23	37	28	28
764	Diarrhoea of newborn	M	10	13	13	14	8	7	12	23	11	17
		F	12	15	3	14	6	3	9	8	12	9
766	Pemphigus neonatorum	M	2	1	1	-	1	-	-	-	-	-
		F	3	1	2	-	-	1	-	-	-	-
767	Umbilical sepsis	M	-	-	1	-	-	1	2	2	-	1
		F	2	-	-	-	-	1	1	1	-	-
768	Other sepsis of newborn	M	13	13	7	12	5	3	4	5	3	4
		F	10	5	4	7	1	4	3	1	5	1
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	12	12	14	5	2	5	4	5	3	5
		F	6	6	7	2	2	4	4	3	1	6
770	Haemolytic disease of newborn (erythroblastosis)	M	30	23	39	35	25	24	31	23	34	22
		F	27	19	21	33	23	20	27	20	28	13
771	Haemorrhagic disease of newborn	M	9	8	8	10	12	9	10	20	6	10
		F	3	7	5	13	6	6	8	9	11	5

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
772	Nutritional maladjustment	M	3	6	3	1	1	3	2	-	2	-
		F	1	-	1	4	1	1	-	-	2	-
773	Ill-defined diseases peculiar to early infancy	M	82	61	77	69	54	81	45	69	45	36
		F	50	43	33	46	36	40	43	26	17	20
774	Immaturity with mention of any other subsidiary condition	M	3	6	8	5	5	2	4	-	-	-
		F	2	4	4	3	2	5	-	-	-	-
776	Immaturity, unqualified	M	171	188	158	172	136	120	143	127	109	118
		F	131	116	110	108	101	95	113	91	74	73
780-795	XVI. Symptoms, senility, and ill-defined conditions	M	1,528	1,369	1,209	1,229	1,127	1,018	893	791	831	574
		F	1,636	1,461	1,342	1,278	1,133	1,171	1,036	996	838	655
780	Certain symptoms referable to nervous system and special senses	M	14	6	11	5	4	5	2	5	4	3
		F	8	12	9	6	-	5	3	2	2	-
781	Other symptoms referable to nervous system and special senses	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
782	Symptoms referable to cardiovascular and lymphatic system	M	189	189	163	161	168	149	135	123	128	104
		F	165	124	123	145	112	136	94	107	111	96
783	Symptoms referable to respiratory system	M	4	1	-	1	2	2	-	-	2	-
		F	-	1	-	-	-	-	-	-	-	1
784	Symptoms referable to upper gastro-intestinal tract	M	2	6	6	4	3	7	7	5	4	5
		F	5	4	5	2	4	2	6	1	3	4
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	1	2	1	2	1	-	4	1	2	1
		F	2	2	2	1	1	1	2	3	1	2
786	Symptoms referable to genito-urinary system	M	4	4	5	1	4	4	2	2	4	2
		F	-	1	-	-	-	-	-	-	2	-
788	Other general symptoms	M	1	-	-	1	-	5	1	-	2	-
		F	-	-	-	-	-	4	-	1	3	1
789	Abnormal urinary constituents of unspecified cause	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	1	-
790	Nervousness and debility	M	2	4	2	-	-	1	-	-	1	-
		F	-	1	2	2	1	2	-	2	1	1
792	Uraemia	M	38	40	44	27	40	34	20	21	22	16
		F	18	28	18	13	13	21	15	16	17	11
794	Senility without mention of psychosis	M	1,232	1,084	945	1,000	869	801	692	614	650	429
		F	1,399	1,255	1,159	1,086	971	982	890	854	686	520
795	Ill-defined and unknown causes of morbidity and mortality	M	41	33	32	27	35	10	30	20	12	14
		F	38	33	24	22	31	18	26	10	11	19
E880-E999	XVII. Accidents, poisonings, and violence	M	613	636	660	649	639	675	666	696	753	758
		F	327	305	351	349	347	401	406	392	416	439
E800	Railway accident involving railroad employee	M	2	5	1	-	4	4	1	1	1	1
		F	-	-	-	-	-	-	-	-	-	-
E801	Railway accident involving passenger	M	-	1	-	-	-	1	-	-	-	1
		F	-	1	1	-	-	-	1	-	-	-
E802	Railway accident involving other and unspecified person	M	2	2	3	2	2	1	2	2	2	4
		F	-	2	1	-	-	-	-	1	1	1
E810	Motor vehicle traffic accident involving collision with railway train	M	-	-	-	-	1	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-
E812	Motor vehicle traffic accident to pedestrian	M	57	51	78	77	74	79	83	98	125	130
		F	29	34	34	32	44	32	28	41	42	50
E813	Motor vehicle traffic accident to pedal cyclist	M	21	33	27	31	21	37	26	22	24	26
		F	8	5	5	7	5	7	13	3	6	5
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with non-motor vehicle or object	M	4	7	2	7	5	6	1	7	9	6
		F	1	-	-	-	1	1	1	1	1	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	M F	25 1	20 2	16 -	23 2	24 -	23 -	14 -	19 1	16 2	15 1
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F	26 6	20 5	24 5	29 12	26 8	30 19	41 10	36 10	46 16	60 26
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	M F	1 -	1 -	- -	1 -	- -	1 -	2 2	1 2	3 2	- -
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	M F	1 1	1 -	2 -	2 -	2 -	- -	1 -	2 1	2 -	- -
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M F	2 1	5 -	4 3	6 1	8 -	4 -	4 -	13 3	16 1	15 1
E820	Motor vehicle traffic accident while boarding and alighting	M F	- -	- 2	- -	- -	1 -	- -	1 -	- -	- -	- -
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	M F	10 2	15 -	9 2	10 1	14 1	11 2	10 2	7 2	7 -	5 -
E822	Motor vehicle traffic accident involving overturning in roadway	M F	4 -	2 -	5 -	5 1	6 1	4 3	11 -	7 -	2 -	4 -
E823	Motor vehicle traffic accident involving running off roadway	M F	15 -	12 1	11 3	11 2	8 2	10 2	21 10	19 1	9 1	6 -
E824	Other non-collision motor vehicle traffic accident	M F	8 2	10 -	6 -	14 3	14 1	6 -	2 3	5 1	12 -	10 3
E825	Motor vehicle traffic accident of unspecified nature	M F	2 1	9 -	6 5	- -	2 1	5 2	- 1	- 1	7 -	4 1
E830	Motor vehicle non-traffic accident to pedestrian	M F	- -	- -	1 -	2 -	- -	1 -	1 -	1 -	- -	1 -
E832	Motor vehicle non-traffic accident to rider or passenger of motorcycle	M F	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -
E833	Other motor vehicle non-traffic accident involving two or more motor vehicles	M F	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
E835	Motor vehicle non-traffic accident of other and unspecified nature	M F	7 -	10 -	4 -	6 -	3 -	2 -	2 -	1 -	3 -	3 -
E840	Street car accident to pedestrian	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E841	Other street car accident, except collision with motor vehicle	M F	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
E842	Accident to pedestrian caused by pedal cycle	M F	3 1	4 1	2 -	- 2	3 3	2 1	3 -	- 1	- -	- -
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M F	18 1	25 2	16 3	14 4	20 3	19 2	10 3	11 -	12 2	14 5
E844	Accident to pedestrian caused by other non-motor road vehicle	M F	- 1	1 -	- -	1 -	1 -	2 -	- -	- -	- -	- -
E845	Other non-motor road vehicle accidents	M F	12 -	4 3	12 1	7 1	6 -	9 -	4 2	9 -	3 1	5 1
E850	Submersion of occupant of small boat	M F	4 -	3 -	4 -	6 1	- -	4 -	3 2	3 -	- -	- -
E851	Other water transport injury by submersion	M F	- -	- -	1 -	1 -	1 -	1 -	- -	1 -	- -	2 -
E853	Other falls from one level to another in water transport	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -
E855	Unspecified falls in water transport	M F	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E857	Other specified accidents in water transport	M	-	-	1	-	1	1	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-
E860	Accident to personnel in military aircraft	M	-	-	-	4	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E861	Injury to occupant by accident to commercial transport aircraft	M	1	1	1	-	-	-	2	-	-	5
		F	-	-	-	-	-	-	1	-	-	-
E863	Injury to occupant by accident to other specified aircraft	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives	M	-	-	-	-	-	1	3	3	2	3
		F	1	1	1	-	-	1	4	6	4	-
E872	Accidental poisoning by aspirin and salicylates	M	-	-	-	1	-	-	-	1	-	-
		F	-	1	-	-	1	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	M	-	1	-	-	-	-	-	2	1	1
		F	-	-	1	-	1	-	-	-	2	-
E875	Accidental poisoning by sulfonamides	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	M	-	-	2	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	M	-	-	-	1	-	-	1	1	1	-
		F	-	-	-	-	1	-	-	-	1	-
E880	Accidental poisoning by alcohol	M	-	-	-	-	-	-	-	1	-	2
		F	-	-	1	-	-	-	-	-	-	-
E881	Accidental poisoning by petroleum products	M	-	-	-	-	-	-	-	2	1	-
		F	1	-	-	1	-	-	-	-	-	-
E882	Accidental poisoning by industrial solvents	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	2	1	-	1	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis	M	2	-	1	1	1	-	-	-	1	-
		F	-	1	-	2	-	-	-	1	1	-
E885	Accidental poisoning by lead and its compounds	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E886	Accidental poisoning by arsenic and antimony, and their compounds	M	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	M	-	-	1	-	-	2	-	1	-	2
		F	-	-	-	-	1	-	-	1	-	-
E890	Accidental poisoning by utility (illuminating) gas	M	7	3	5	11	11	7	8	8	6	2
		F	2	1	8	5	15	7	8	7	5	6
E891	Accidental poisoning by motor vehicle exhaust gas	M	-	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E892	Accidental poisoning by other carbon monoxide gas	M	-	-	3	-	-	1	-	3	1	1
		F	-	-	3	-	-	-	-	-	-	-
E893	Accidental poisoning by cyanide gas	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapours	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapours	M	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-
E900	Fall on stairs	M	4	7	12	8	10	9	12	13	8	5
		F	6	4	5	4	6	1	2	3	6	9
E901	Fall from ladders	M	1	7	-	-	1	-	-	8	2	-
		F	-	-	-	1	-	-	-	-	2	-

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E902	Other falls from one level to another	M	19	27	27	38	26	23	31	26	35	32
		F	2	6	5	4	2	6	7	5	8	4
E903	Fall on same level	M	8	5	11	3	4	12	19	9	19	14
		F	4	3	5	3	3	29	13	8	8	2
E904	Unspecified falls	M	61	66	62	57	71	77	53	74	76	61
		F	135	124	132	148	151	159	172	183	172	177
E910	Blow from falling or projected object or missile	M	6	11	12	17	13	10	13	7	7	9
		F	-	3	-	6	-	3	-	-	3	1
E911	Accident caused by vehicle	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	M	4	8	5	7	14	8	14	17	22	24
		F	-	-	1	-	2	-	2	-	1	1
E913	Accident caused by cutting and piercing instruments	M	-	2	-	-	2	1	1	1	3	2
		F	1	-	-	-	-	-	1	1	-	1
E914	Accident caused by electric current	M	5	6	5	4	3	11	7	5	6	7
		F	1	-	1	-	-	-	1	1	-	3
E915	Accident caused by explosion of pressure vessel	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	M	19	14	16	17	26	23	26	32	31	35
		F	18	12	11	26	29	33	41	30	39	45
E917	Accident caused by hot substance, corrosive liquid and steam	M	16	14	20	12	12	5	4	-	1	3
		F	24	19	25	14	7	16	7	2	2	1
E919	Accident caused by firearm	M	4	11	8	9	8	15	7	6	8	10
		F	-	-	-	1	-	-	1	-	1	1
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	19	16	16	4	12	20	35	22	23	13
		F	8	9	7	12	8	8	8	21	11	13
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	1	1	1	-	-	-	1	1	2	1
		F	2	1	1	-	-	-	2	-	-	1
E923	Foreign body entering other orifice	M	-	2	-	1	-	-	1	1	-	-
		F	-	-	1	-	-	2	1	1	-	-
E924	Accidental mechanical suffocation in bed and cradle	M	9	5	11	8	9	6	6	10	11	10
		F	3	2	4	5	3	2	4	6	4	5
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	9	3	4	3	1	1	3	4	6	2
		F	6	1	-	-	-	-	2	-	1	-
E926	Lack of care of infants under 1 year of age	M	6	3	1	4	-	4	1	7	2	2
		F	3	4	5	1	2	5	2	2	5	5
E927	Accidents caused by bites and stings of venomous animals and insects	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1
E928	Other accidents caused by animals	M	5	3	4	6	9	6	4	2	2	4
		F	-	-	1	1	1	2	1	-	3	1
E929	Accidental drowning and submersion	M	99	90	107	79	84	86	101	93	101	107
		F	28	19	36	24	26	26	23	25	37	39
E932	Excessive cold	M	2	1	-	3	4	7	2	1	2	4
		F	-	2	1	1	-	3	-	1	-	-
E933	Hunger, thirst and exposure	M	1	3	4	7	2	2	2	1	3	1
		F	-	1	1	1	-	-	1	3	1	1
E934	Cataclysm	M	-	1	-	-	-	-	-	1	-	-
		F	-	3	-	-	-	-	-	-	-	-
E935	Lightning	M	1	3	-	-	1	4	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-
E936	Other and unspecified accidents	M	12	12	20	9	13	10	6	13	7	17
		F	3	5	2	-	1	3	5	4	1	3

TABLE 63 (contd.) - DEATHS BY CAUSE AND SEX AT ALL AGES, 1958 TO 1967.

Detailed International List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967
E941	Postvaccinal encephalitis	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E945	Complications of anaesthesia for non-therapeutic purpose	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-
E951	Therapeutic misadventure in infusion and transfusion	M	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	1	-	-	-	-
E952	Therapeutic misadventure in local applications	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
E953	Therapeutic misadventure in administration of drugs or biologicals	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	-
E954	Therapeutic misadventure in anaesthesia	M	-	2	-	-	-	1	-	-	-	-
		F	1	1	1	-	-	-	-	1	-	-
E955	Other and unspecified therapeutic misadventure	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-
E960	Late effect of motor vehicle accident	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	1	-	-	-	-	-	-	-
E961	Late effect of accidental poisoning	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E962	Late effect of other accidental injury	M	-	1	1	1	2	2	2	3	1	-
		F	-	1	1	-	1	-	-	-	-	-
E965	Late effects of injuries due to war operations	M	1	-	2	1	2	3	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M	1	-	-	4	-	1	4	5	3	5
		F	1	2	2	1	1	2	1	-	3	3
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M	1	2	3	3	3	4	4	5	2	1
		F	1	1	3	-	-	2	1	2	4	1
E972	Suicide and self-inflicted poisoning by gases in domestic use	M	5	4	3	2	2	2	3	-	1	1
		F	4	3	6	3	2	1	-	1	1	2
E973	Suicide and self-inflicted poisoning by other gases	M	1	2	4	1	-	4	-	1	1	1
		F	-	1	3	-	1	1	2	-	1	1
E974	Suicide and self-inflicted injury by hanging and strangulation	M	24	21	30	31	21	19	20	22	23	32
		F	4	2	1	4	3	4	-	3	2	4
E975	Suicide and self-inflicted injury by submersion (drowning)	M	11	14	9	15	4	11	9	4	7	5
		F	6	5	8	10	4	4	3	-	4	4
E976	Suicide and self-inflicted injury by firearms and explosives	M	6	5	5	5	8	6	4	4	8	5
		F	1	-	-	-	-	1	1	-	-	1
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M	10	4	2	5	3	5	3	3	6	4
		F	-	1	-	-	-	2	1	-	1	1
E978	Suicide and self-inflicted injury by jumping from high place	M	-	2	-	-	-	-	-	-	-	-
		F	-	2	1	-	-	-	1	1	-	-
E979	Suicide and self-inflicted injury by other and unspecified means	M	1	1	3	4	-	1	1	-	1	-
		F	-	-	1	1	-	-	-	-	1	1
E980	Non-accidental poisoning by another person	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	2
E981	Assault by firearm and explosive	M	1	1	1	-	2	-	1	-	1	1
		F	-	-	1	-	-	-	-	-	-	-
E982	Assault by cutting and piercing instruments	M	1	-	-	3	-	-	1	2	4	1
		F	-	1	-	-	1	-	1	-	-	-
E983	Assault by other means	M	2	4	1	1	5	2	6	3	3	3
		F	4	4	-	1	2	4	7	3	4	5

NOTIFICATION OF LATE FOETAL DEATH.

Part I

- NOTES.—1. "Foetal death" for the purposes of notification means the death, prior to the complete expulsion or extraction from the mother, of a product of conception whose period of gestation is not less than twenty-eight completed weeks, the death being indicated by the fact that after such expulsion or extraction, the foetus does not breathe or show any other evidence of life.
2. The medical practitioner or, if there is none, the midwife who attends at the confinement is obliged to complete this form and send it to the chief medical officer of the health authority, in whose functional area the confinement took place, within thirty-six hours. If, instead, a medical student or student midwife only attends at the confinement, the obligation rests on him or her.
3. On receipt of this form duly completed the Chief Medical Officer should enter the reference numbers, forward Part II to the Director, Central Statistics Office, (Vital Statistics Branch), St. Stephen's Green House, Earlsfort Terrace, Dublin 2, and retain Part I on file.

Name and surname of mother.....

Normal dwelling place of mother.....

Place of confinement.....

Date of confinement.....

For office use
Reference no.

Reference no.

Signature of informant.....
Qualification of informant.....
Date of signature.....

Part II

County or county borough in which mother normally resides.....

County or county borough in which confinement took place.....

Date of confinement.....day of..... 19.....

Place of confinement: Hospital ☐ Maternity home ☐ Domiciliary ☐

Sex of foetus: Male ☐ Female ☐

Estimated period of gestation: Over 23 weeks and under 37 weeks ☐
37 completed weeks and over ☐

Insert 'X' in appropriate box in each case

Putative cause of death.....
(by reference to description on reverse).....

Date of birth of mother.....day of..... 19.....

Year of present marriage of mother 19.....

Number of previous children of mother by her present husband
or any previous husband (a) still living.....
(b) born alive but now dead.....

Number of previous foetal deaths (as defined in Note 1 above) as respects the mother.....

Stamp of Chief Medical Officer