

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1969

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: 35p

(P.L. 2227)

February, 1972.



AN ROINN SLÁINTE

TUARASCÁIL

AR

STÁIDREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1969

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: 35p

CONTENTS

PART I - TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xvi
Age at maternity, parity, duration of marriage	xvi
Multiple births	xix
DEATHS	
Number and rate	xx
Comparison between counties	xxii
Causes of death	xxiii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
DIAGRAM 1 - Birth, marriage and death rates (per 1,000 population) 1941 to 1969 ...	viii
" 2 - Standardised death rates (per 1,000 population) from all causes, 1969 ...	xxi
" 3 - Death rates (per 1,000 population) from tuberculosis and cancer, 1942-1969 ...	xxvii
" 4 - Death rates from lung cancer (per 100,000 population), 1958-1969 ...	xxvii
" 5 - Infant and neo-natal mortality (per 1,000 live births), 1942-1969 ...	xxxvii

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1 - Estimated population in thousands at the middle of each year 1851 to 1969.	2
Population by age	State	Table 2 - Estimated population by age 1969.	3
Population	Counties	Table 3 - Population by sex in each county and county borough according to the Census of Population, 1966.	4
Marriages, births, deaths, 1864-1969	State	Table 4 - Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1969.	5
Marriage, births, death rates, 1864-1969	State	Table 5 - Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1969.	6
Marriages, births, deaths, 1951-1969	State	Table 6 - Marriages, births and deaths registered during each of the years 1951-1969 with the average annual rates for the ten years 1951-1960 and the rates for each of the years 1961 to 1969 per 1,000 of the population.	7
Deaths, by principal causes, 1969 with rates	State and Six Counties	Table 7 - Deaths from principal causes in Ireland and the Six Counties, 1969 with rates per 100,000 population.	8
Deaths by age, 1864-1969	State	Table 8 - Average annual number of deaths of males and females, classified by age, registered during the years 1864-1960 and the numbers for each year from 1961 to 1969.	10
Death rates by age, 1864-1969	State	Table 9 - Average annual death rates of males and females, classified by age, per 1,000 corresponding population 1864-1960 and rates for each year from 1961 to 1969.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1969	Counties	Table 10 - Births and deaths registered in each county and county borough in 1969 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1969	Counties	Table 11 - Marriages registered in and births and deaths assigned to each county and county borough during 1969 showing illegitimate births and deaths from tuberculosis and malignant neoplasms.	14
Marriage, birth and death rates, 1969	Counties	Table 12 - Marriage, birth, death, infant mortality, tuberculosis and cancer death rates in 1969 with the proportions of illegitimate births for each county and county borough.	15
Deaths, by conjugal condition, 1969	State	Table 13 - Deaths registered in 1969 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1969	Urban Districts	Table 14 - Births and deaths assigned to each urban district in 1969 classified by sex.	16
Births and deaths, 1969	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 - Births and deaths classified by sex, registered in 1969 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1969	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 - Birth and death rates in 1969 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1969	Agg. Urban and Agg. Rural	Table 17 - Deaths registered in 1969 at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1969	Counties	Table 18 - Deaths registered in 1969 classified by sex and age of residents in each county and county borough.	22

CONTENTS – PART II – TABLES

Contents	Area	Title	Page
Deaths by cause and age, 1969	State	Table 19 – Deaths in 1969 classified by cause (International detailed list, 8th Revision 1965) and by sex and age.	26
Deaths by cause and uncertified deaths, 1969	Counties	Table 20 – Deaths of residents of each county and county borough in 1969 classified by cause, and showing the number of uncertified deaths.	60
Deaths by cause, sex and age, 1969	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 – Deaths registered in 1969 classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
Deaths in hospitals, 1969	Counties	Table 22 – Deaths of residents of each province, county and county borough registered in 1969 classified by place of occurrence.	86
Deaths not medically certified, by age, 1969	Counties	Table 23 – Deaths of residents of each county and county borough registered in 1969 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1969	Counties	Table 24 – Deaths in 1969 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1969	Principal Towns, U.D.'s and R.D.'s	Table 25 – Infant mortality – Deaths, at ages under 4 weeks, 4 weeks and under one year in 1969 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1969	State	Table 26 – Infant mortality – Total deaths under one year of age in 1969 classified by sex, age and cause (International detailed list).	108
Infant mortality, 1969 (illegitimate infants)	State	Table 27 – Infant mortality – Deaths of illegitimate infants in 1969 classified by sex, age and cause.	112
Infant mortality, 1969	Counties	Table 28 – Infant mortality – Deaths, at ages under 4 weeks and 4 weeks and under one year in 1969 classified by sex and cause, assigned to each county and county borough.	113
Late foetal deaths, 1969	State	Table 29 – Late foetal deaths notified in 1969 classified by cause and age of mother at maternity.	120
Late foetal deaths, 1969	State	Table 30 – Late foetal deaths notified in 1969 classified by cause and period of gestation.	122
Late foetal deaths, 1969	State	Table 31 – Late foetal deaths notified in 1969 classified by cause and number of previous children.	123
Late foetal deaths, 1969	State	Table 32 – Late foetal deaths notified in 1969 classified by sex and period of gestation.	124
Late foetal deaths, 1969	State	Table 33 – Late foetal deaths notified in 1969 classified by age of mother and number of previous children.	124
Deaths, by quarter of registration, 1969	Counties	Table 34 – Deaths showing the numbers registered in each quarter in 1969 assigned to the counties and county boroughs	125
Births, by quarter of registration, 1969	Counties	Table 35 – Births showing the numbers registered in each quarter in 1969 assigned to the counties and county boroughs	126
Births, hospital and domiciliary, 1969	Counties	Table 36 – Births registered in 1969 in each county and county borough, showing place of occurrence and areas of normal residence.	127
Births, by age of mother, 1969	State	Table 37 – Births registered in 1969 classified by sex and age of mother at maternity and showing the number of illegitimate births.	128
Births, by age of mother, by county, 1969	Counties	Table 38 – Births registered in 1969 classified by age of mother at maternity and county of normal residence.	129

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Births, by age of mother and previous children, 1969	State	Table 39 - Total births registered in 1969 classified by age of mother at maternity and number of previous liveborn children.	134
Legitimate births by age at maternity and year of marriage, 1969	State	Table 40 - Legitimate births registered in 1969 classified by age of mother at maternity and year of marriage.	136
Legitimate first births, by age of maternity and year of marriage, 1969	State	Table 41 - Legitimate first births registered in 1969, classified by age of mother at maternity and year of marriage.	138
Marriages, 1969	Counties	Table 42 - Marriages registered in each county and county borough during 1969.	140
All marriages by ages of groom and bride, 1969	State	Table 43 - Marriages registered in 1969, classified by age of groom and age of bride in single years - All marriages.	142
First marriages by ages of groom and bride, 1969	State	Table 44 - Marriages in 1969, classified by age of groom and age of bride in single years - First marriages only.	144
Marriages by form of ceremony and age of groom, 1969	State	Table 45 - Marriages in 1969, classified according to form of ceremony and age of groom.	146
Marriages by form of ceremony and age of bride, 1969	State	Table 46 - Marriages in 1969, classified according to form of ceremony and age of bride.	146
Marriages by social group and age of groom, 1969	State	Table 47 - Marriages in 1969, classified by social group and age of groom.	146
Marriages by social group and age of bride, 1969	State	Table 48 - Marriages in 1969, classified by social group and age of bride.	147
Marriages by social group of groom and bride, 1969	State	Table 49 - Marriages in 1969, classified by social group of groom and bride.	147
Marriages by age and area of residence of groom, 1969	Counties	Table 50 - Marriages in 1969, classified by age and area of residence of groom before marriage.	148
Marriages by age and area of residence of bride, 1969	Counties	Table 51 - Marriages in 1969, classified by age and area of residence of bride before marriage.	149
Marriages by areas of residence of groom and bride, 1969	Counties	Table 52 - Marriages in 1969, classified by area of residence of groom and area of residence of bride before marriage.	150
Marriages with intended future residence abroad by age of groom, 1969	State	Table 53 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified by age of groom.	152
Marriages with intended future residence abroad by age of bride, 1969	State	Table 54 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified by age of bride.	152
Marriages with intended future residence abroad by social group of groom, 1969	State	Table 55 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	152
Marriages with intended future residence abroad by social group of bride, 1969	State	Table 56 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	153
Marriages with intended future residence abroad by form of ceremony, 1969	State	Table 57 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	153
Marriages with intended future residence abroad by area of residence of groom before marriage, 1969	State	Table 58 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	154
Marriages with intended future residence abroad by area of residence of bride before marriage, 1969	State	Table 59 - Marriages in 1969, in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	154
Notifications of infectious diseases, 1969	State	Table 60 - Summary of cases of infectious diseases notified to the Department of Health during the year 1969.	155

REPORT ON VITAL STATISTICS FOR THE YEAR 1969

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1969 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. From 1968 however the number of deaths includes non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages. — There were 20,304 marriages registered during the year 1969 compared with 18,993 in 1968. The marriage rate per 1,000 population was 6.95 compared with 6.53 in 1968.

Births. — The number of births registered during 1969 was 62,912 and the birth rate was 21.54 per 1,000 population, compared with 20.96 per 1,000 population in 1968. The number of illegitimate births registered in 1969 was 1,642 or 2.61 per cent of all births.

Deaths. — The number of deaths registered during 1969 was 33,734 and the death rate was 11.55 per 1,000 population. In 1968 deaths registered numbered 33,157 and the rate was 11.39.

Of the deaths registered in 1969, 30.53 per cent were stated to be due to ischaemic and other forms of heart disease, 16.40 per cent to malignant neoplasms, 14.05 per cent to cerebrovascular disease and 0.76 per cent to tuberculosis (all forms).

The number of deaths in 1969 from tuberculosis of all forms was 255 and the rate was 0.09 per 1,000 population, 0.01 below that for 1968.

There were 5,316 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1969 was 1.82 per 1,000 population, compared with 1.74 in 1968.

During 1969 the deaths of 1,293 infants under one year were registered, equivalent to a rate of 20.55 per 1,000 live births. In the previous year 1,280 deaths, equivalent to a rate of 20.98 per 1,000 live births, were registered.

The total number of deaths from accidents and other external causes in 1969 was 1,360 of which road vehicle accidents accounted for 466.


Marriage, birth and death rates per 1,000 population for the years 1941 to 1969 are illustrated in Diagram 1.

Issue of Authority for Registration. — Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of births registered on the authority of An tArd Chlaraitheoir in 1969 was 723 and the number of deaths registered was 160. Throughout the tables in this Report these births and deaths have been excluded.

Population. — The estimated population in April 1969 was 2,921,000.

Diagram 1

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1941-1969



MARRIAGES

The number of marriages registered in 1969 was 20,304, an increase of 1,311 on the previous year; the rate was 7.0 per 1,000 population, being the highest rate ever recorded. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1941 to 1969 with those in the Six Counties England and Wales and Scotland.

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1969.

Year	Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4
1969	7.0	7.7	8.1	8.3

* Exclusive of the Six Counties.

† Average annual number of marriages per 1,000 population for decennial periods from 1941-1960.

From this table it will be seen that over the period under review, while the marriage rate in this country has been consistently lower than the rates in the other areas, the difference has been decreasing due to the rate in this country rising faster than in the other areas.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

TABLE II

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1966 TO 1969

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1966	1967	1968	1969	1945-46	1966	1967	1968	1969
	Per cent									
Under 20 years	1.0	2.8	3.0	2.8	3.0	6.6	10.5	10.1	10.0	10.2
20 to 24 "	14.3	32.2	33.4	35.7	37.3	29.5	47.4	48.0	49.7	50.9
25 to 29 "	25.7	32.4	32.7	33.0	33.0	31.1	24.5	24.7	24.8	24.3
30 to 34 "	24.2	15.8	14.6	13.9	13.2	19.9	9.3	9.0	8.4	7.6
35 to 44 "	25.8	12.1	11.3	10.2	9.4	11.1	6.6	6.1	5.2	5.2
45 years and over	9.0	4.7	5.0	4.4	4.0	1.9	1.7	2.1	1.9	1.8
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	29.0	28.8	28.4	28.1	28.0	25.7	25.8	25.5	25.3

Whereas, in 1945-46, 59 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 26.6 in 1969, the average age of men at marriage declining from 33.1 years in 1945-46 to 28.1 years in 1969. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 14.6 per cent in 1969 while the average age at marriage declined from 28.0 years in 1945-46 to 25.3 in 1969. In TABLE 43 the marriages registered in 1969 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1969 were 27.7 and 25.1 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1969 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IRELAND* AND ENGLAND AND WALES 1969

Age groups	Bachelors		Spinsters	
	Ireland* 1969	England and Wales 1969†	Ireland* 1969	England and Wales 1969
15-19 years†	4.5	22.4	16.7	82.1
20-24 "	88.9	165.8	151.6	253.4
25-29 "	152.2	171.1	173.8	154.2
30-34 "	88.2	81.5	86.5	65.4
35-39 "	45.9	37.3	40.9	34.7
40-44 "	23.7	22.2	18.1	20.1
45-49 "	12.9	14.6	7.6	13.0
50-54 "	6.5	9.0	3.2	8.3
55 and over	1.4	3.8	0.3	2.1
Total, 15 years and over	42.3	80.3	52.5	94.0

* Exclusive of the Six Counties.

† 16-19 years for England and Wales.

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15-19 age groups the marriage rate in England and Wales was over four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was almost double the Irish rate and for females was more than one and a half times the Irish rate. There was very little difference between the rates in the age groups between 30-49 for males and between 25-44 for females. In the age-groups above 50 the rates for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1969 amounted to 19,441 (equal to 96 per cent of the total) and other marriages numbered 863, of which 567 were according to the rites and ceremonies of the Church of Ireland, 116 in Presbyterian Churches, 36 in Methodist Churches, 15 according to Jewish Rites, 5 in registered buildings belonging to other religious denominations and 124 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1969 was 6.99 per 1,000 of the Catholic population an increase of 0.39 on the corresponding rate for 1968. The rate for all other marriages combined was 6.09 per 1,000 of the population other than Catholic, an increase of 0.94 on the 1968 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1969 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	54	900	15,685	15,420	5.50	4.52	5.42
1951-60†	507	112	37	18	5	65	744	14,998	15,465	5.56	4.13	5.46
1961	375	92	29	17	3	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	28	14	3	47	650	14,977	15,627	5.58	4.50	5.52
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95

† Average annual number of marriages and rates for decennial periods 1941-1960.

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of the groom was 28.0 years compared with 29.2 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 25.3 years and for other marriages, 25.9 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation although status (i.e. whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1969 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In the case of grooms and brides the average marriage age in 1969 was higher in the social group "Farmers, relatives assisting and farm managers" than in any other group. The lowest average age was in the "Manual workers" group for both grooms and brides. In 1969 a change in classification resulted in a transfer of approximately 2,000 females, who gave their occupation as "housekeeping duties", to the social group "Other non-manual workers" from the "not stated" category. This resulted in the percentage of cases in which the social group of the bride was not stated being reduced from 17 per cent of total marriages registered in 1968 to 6 per cent in 1969.

TABLE 49 shows marriages registered in 1969 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 59 per cent were in the "Intermediate and other non-manual workers" group, 23 per cent were other manual workers and 10 per cent were skilled manual workers, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 21 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1969. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in Table V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 27 years, whereas in the counties Roscommon, Leitrim, Longford and Cavan the average age was 32.2, 30.9, 30.5 and 31.4 respectively. The average age of brides was not over 25 years in the four county boroughs. The lowest average ages were in counties Kildare 24.0, and Louth 24.7 and the highest were in Roscommon 26.9, Cavan 26.7 and Leitrim 26.7.

In TABLE 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,189 of the men married in the State in 1969 were returned as residing in England, Wales or Scotland, 332 in the Six Counties and 218 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 715, the number from the Six Counties was 164 and the number from other countries was 97. In 844 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V
COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1969

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	238	194	44	81.5
Dublin County Borough	5,637	4,818	819	85.5
Dun Laoghaire	442	292	150	66.1
Dublin County (remainder)	1,005	642	363	63.9
Kildare	483	431	52	89.2
Kilkenny	406	327	79	80.5
Laois	232	194	38	83.6
Longford	135	107	28	79.3
Louth	595	538	57	90.4
Meath	462	369	93	79.9
Offaly	294	249	45	84.7
Westmeath	376	281	95	74.7
Wexford	583	535	48	91.8
Wicklow	460	382	78	83.0
Clare	440	324	116	73.6
Cork County Borough	1,063	859	204	80.8
Cork County	1,259	1,135	124	90.2
Kerry	624	519	105	83.2
Limerick County Borough	623	431	192	69.2
Limerick County	398	319	79	80.2
Tipperary, N.R.	321	261	60	81.3
Tipperary, S.R.	413	316	97	76.5
Waterford County Borough	293	249	44	85.0
Waterford County	256	184	72	71.9
Galway	856	695	161	81.2
Leitrim	117	107	10	91.5
Mayo	530	416	114	78.5
Roscommon	250	176	74	70.4
Sligo	230	192	38	83.5
Cavan	307	246	61	80.1
Donegal	715	562	153	78.6
Monaghan	261	225	36	86.2
TOTAL	20,304	16,575	3,729	81.6

*Includes 51 cases in which residence was not stated and 976 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population

TABLE VI
MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM
THAT AREA, IN 1969

Area	Rate (a)	Rate (b)
Carlow	7.1	7.7
Dublin County Borough	9.6	8.8
Dun Laoghaire Borough	8.1	5.5
Dublin County (remainder)	5.0	5.1
Kildare	7.1	7.2
Kilkenny	6.8	6.0
Laois	5.3	5.0
Longford	4.8	4.4
Louth	8.4	7.9
Meath	6.7	6.3
Offaly	5.7	5.2
Westmeath	7.1	6.1
Wexford	7.0	6.6
Wicklow	7.5	7.4
LEINSTER	7.8	7.2
Clare	6.0	5.2
Cork County Borough	8.2	6.8
Cork County	5.8	6.1
Kerry	5.7	5.0
Limerick County Borough	10.5	7.7
Limerick County	5.0	5.7
Tipperary, N.R.	6.0	6.0
Tipperary, S.R.	6.1	5.7
Waterford County Borough	9.5	8.8
Waterford County	5.9	5.6
MUNSTER	6.6	6.1
Galway	5.8	5.1
Leitrim	4.1	4.8
Mayo	4.8	3.9
Roscommon	4.6	3.4
Sligo	4.6	4.1
CONNACHT	5.1	4.4
Cavan	5.9	4.8
Donegal	6.8	4.9
Monaghan	5.8	5.2
ULSTER (part of)	6.3	4.9
TOTAL	7.0	6.3

It will be observed that rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 371 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a high proportion of cases, the intended future residence was outside the State.

TABLE VII
PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1960-1969

Year	Total Marriages	Marriages with intended future residence abroad	Col. (3) as percentage of col. (2)
(1)	(2)	(3)	(4)
1960	15,465	2,395	15.5
1961	15,329	2,266	14.8
1962	15,627	2,037	13.0
1963	15,556	1,949	12.5
1964	16,128	1,995	12.4
1965	16,946	2,004	11.8
1966	16,849	2,272	13.5
1967	17,788	2,242	12.6
1968	18,993	2,293	12.1
1969	20,304	2,396	11.8

As may be seen from Table VII the proportion of marriages with intended future residence outside the State shows a decline over the years 1960 to 1965 with a big increase in 1966. Since 1966 there has been a continuous decline and it is now back at the 1965 level. In the case of 1,524 marriages the future residence was in England and Wales, 334 in the Six Counties, 57 in Scotland, 88 in other parts of Europe, 194 in the United States of America, 94 in Canada, 50 in Australia and New Zealand and 55 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were somewhat below those for all marriages in the State. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VIII contains the results obtained.

TABLE VIII

**PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS
OUTSIDE THE STATE IN 1968 AND 1969**

Social group of groom	Percentage with intended future residence outside the State	
	1968	1969
	Per cent	
Farmers, relatives assisting and farm managers	2	3
Other agricultural occupations and fishermen	4	4
Higher professionals	27	27
Lower professionals	22	19
Employers and managers	14	16
Salaried employees	14	13
Intermediate non-manual workers	12	12
Other non-manual workers	11	9
Skilled manual workers	15	14
Other manual workers	10	10
TOTAL, ALL GROUPS COMBINED	12	12

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. With the aid of this Table it may be calculated that in 1969 in the case of Catholic marriages the percentage with intended future residence outside the State was 11 per cent compared with 12 per cent in 1968; the corresponding figures for all other marriages being 29 per cent in 1969 and 25 per cent in 1968.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

**PERCENTAGE OF MARRIAGES IN 1968 AND 1969 IN THE CASE OF WHICH THE INTENDED FUTURE
RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM
BEFORE MARRIAGE**

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1968	1969
	Per cent	
Dublin County Borough and Dun Laoghaire	7	6
Remainder of Leinster	3	3
Munster	3	3
Connacht	4	5
Ulster (part of)	7	7
Outside the State	92	92

BIRTHS

The number of births registered during the year 1969 was 62,912, comprised of 32,143 males and 30,769 females. The corresponding figures for 1968 were 61,004, 31,469 and 29,535 respectively. The birth rate in 1969 was 21.5 per 1,000 population, compared with 21.0 in 1968. This was the first rise recorded since 1964.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1969

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1961	59.8	21.2	22.4	17.5	19.5
1962	61.8	21.8	22.7	17.9	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6
1967	61.3	21.1	22.4	17.2	18.6
1968	61.0	21.0	22.1	16.9	18.3
1969	62.9	21.5	21.4	16.3	17.4

*Exclusive of the Six Counties.

† Average annual number of births and birth rates for decennial periods from 1941-1960.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1969 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 456 or 0.7 per cent of the total, and the number where the parity was not stated was 110 or 0.2 per cent of the total. The corresponding percentages in 1968 were 0.6 per cent and 0.1 per cent respectively. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI

BIRTHS REGISTERED IN 1969 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	1,961	1,578	314	60	7	1	1	-	-	-
20-24 years	13,706	7,400	3,835	1,577	595	212	87	-	-	-
25-29 "	18,233	5,005	5,378	3,793	2,068	1,047	933	9	-	-
30-34 "	14,559	1,802	2,445	3,011	2,706	1,867	2,575	150	3	-
35-39 "	9,898	730	923	1,305	1,598	1,517	3,272	532	20	1
40-44 "	3,743	158	217	304	409	486	1,658	468	42	1
45 years and over	356	9	16	13	29	35	177	62	15	-
Not stated	456	334	6	2	-	3	2	1	-	108
TOTAL	62,912	17,016	13,134	10,065	7,412	5,168	8,705	1,222	80	110

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Continuing the trend observed between 1967 and 1968 there is in 1969 a shift towards the younger age groups in the distribution of births according to the age of mother at maternity. As may be calculated from Table XII, in 1969 mothers aged under 30 years at maternity accounted for 54.2 per cent of the births compared with 52.7 per cent in 1968, corresponding figures for England and Wales and Scotland for 1969 being 76.3 per cent and 74.6 per cent respectively, illustrating the striking difference between the countries.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1968 AND 1969 AND IN ENGLAND AND WALES AND SCOTLAND IN 1969

Age at maternity	Ireland*		England and Wales 1969	Scotland 1969
	1968	1969		
	Per cent			
Under 20 years	2.9	3.1	10.2	9.9
20-24 years	21.2	21.9	36.2	34.8
25-29 "	28.6	29.2	29.9	29.9
30-34 "	23.7	23.3	15.1	15.9
35-39 "	16.7	15.8	6.6	7.5
40-44 "	6.3	6.0	1.8	1.9
45 years and over	0.6	0.6	0.1	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	30.1	29.9	26.4	26.1

* Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced as may be seen from Table XIII.

TABLE XIII

PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY
IN IRELAND* IN 1968 AND 1969 AND IN ENGLAND AND WALES AND SCOTLAND IN 1969

Age at maternity	Ireland*		England and Wales 1969	Scotland 1969
	1968	1969		
	Per cent			
Under 20 years	6.6	7.2	17.5	19.1
20-24 years	43.7	43.9	50.1	49.1
25-29 "	31.8	31.9	23.8	22.7
30-34 "	11.9	11.4	6.2	6.4
35-39 "	4.9	4.6	2.0	2.1
40-44 "	1.0	1.0	0.4	0.5
45 years and over	0.1	0.1	0.0	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	25.9	25.8	23.8	23.7

* Exclusive of the Six Counties.

Fertility rates in Ireland and in England and Wales in 1969 are compared in Table XIV.

TABLE XIV

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES, 1969

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1969	England and Wales 1969	Ireland* 1969	England and Wales 1969	Ireland* 1969	England and Wales 1969
15-19 years	15.5	49.4	733.0	458.9	3.9	14.2
20-24 "	151.3	154.6	567.2	247.4	11.6	29.1
25-29 "	245.4	155.5	391.6	175.4	6.7	47.0
30-34 "	199.9	83.4	263.9	89.0	5.3	39.2
35-39 "	127.2	37.1	164.0	38.8	2.7	22.9
40-44 "	45.4	9.5	58.5	9.9	0.6	7.0
45-49 "	4.3	0.6	5.8	0.6	0.0	0.4
Total, 15-49 years	102.9	71.9	196.0	93.5	5.5	20.4

* Exclusive of the Six Counties.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 60 per cent above that in England and Wales, in the 20-24 year group 129 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 1,642 being 84 more than in 1968. This was equivalent to an annual rate of 5.5 per 1,000 unmarried females and was 2.6 per cent of total births. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1969 and 1968 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1969.

TABLE XV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1968 AND 1969 AND IN ENGLAND AND WALES AND SCOTLAND IN 1969

Number of previous children	Ireland*		England and Wales (1969)	Scotland (1969)
	1968	1969		
	Per cent			
0	26.2	27.1	38.7	36.9
1	20.3	20.9	32.8	29.9
2	16.1	16.0	15.8	16.9
3	12.3	11.8	6.8	8.3
4	8.2	8.2	3.0	4.0
5 to 9	14.6	13.9	2.8	3.9
10 to 14	2.1	1.9	0.1	0.1
15 and over	0.2	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

* Exclusive of the Six Counties.

The difference between the years 1969 and 1968 in respect of the percentage distribution according to number of previous children was slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1969, 15.9 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 2.9 in England and Wales and 4.0 in Scotland.

MULTIPLE BIRTHS

The number of maternities in 1969 which resulted in multiple live births was 864 consisting of 849 sets of twins and 15 of triplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 14. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1960–1969.

TABLE XVI

NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1960–1969

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1960	60,735	59,817	896	11	-	15.0
1961	59,825	58,902	911	6	-	15.5
1962	61,782	60,826	926	12	2	15.2
1963	63,246	62,264	960	11	-	15.4
1964	64,072	63,177	873	11	-	13.8
1965	63,525	62,648	850	12	1	13.6
1966	62,215	61,339	858	9	-	14.0
1967	61,307	60,457	836	7	-	13.8
1968	61,004	60,165	821	9	-	13.6
1969	62,912	62,033	849	15	-	13.7

DEATHS

The number of deaths registered during the year 1969 was 33,734 of which 18,340 were those of males and 15,394 those of females equivalent to a rate of 11.55 deaths per 1,000 total population, compared with 11.39 in the previous year, and 10.83 in 1967.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1960 and the death rates for each year 1961 to 1969.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941–1969 with those in the Six Counties, England and Wales and Scotland. The death rate in this country in 1969 was somewhat higher than in the Six Counties and lower than that for England and Wales and Scotland. However, over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

TABLE XVII

DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941–1969

Period	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1941–1950†	41.5	14.0	12.6	12.3	13.2
1951–1960†	35.4	12.2	11.0	11.6	12.0
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3
1967	31.4	10.8	9.8	11.2	11.5
1968	33.2	11.4	10.6	11.9	12.2
1969	33.7	11.6	10.8	11.9	12.3

* Exclusive of the Six Counties.

† Average annual number of deaths and death rates for decennial periods from 1941–1960.

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 6.51 and a standardised rate of 11.98, reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 14.90 to 10.13, because of the comparatively old age structure in that county. The standardised rates in 1969 were lowest in Leitrim and Waterford County and highest in the County Borough of Waterford.

Diagram 2

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1969




TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1969.

Area	Deaths per 1,000 population	
	Crude	Standardised
TOTAL	11.55	11.55
Carlow	11.12	11.26
Dublin County Borough	9.66	12.30
Dun.Laoghaire Borough	11.90	12.04
Dublin County (Remainder)	6.51	11.98
Kildare	9.65	12.44
Kilkenny	12.31	11.56
Laois	11.43	10.79
Longford	13.42	11.37
Louth	11.34	13.07
Meath	11.81	12.64
Offaly	10.92	11.49
Westmeath	11.30	10.78
Wexford	12.19	11.65
Wicklow	11.36	12.14
LEINSTER	10.08	12.02
Clare	14.28	11.64
Cork County Borough	10.46	12.82
Cork County	13.93	12.44
Kerry	13.19	11.09
Limerick County Borough	9.36	12.87
Limerick County	13.11	12.22
Tipperary, N.R.	13.25	12.63
Tipperary, S.R.	12.89	12.43
Waterford County Borough	12.00	13.96
Waterford County	11.52	10.22
MUNSTER	12.64	12.13
Galway	12.03	10.68
Leitrim	14.90	10.13
Mayo	14.66	10.50
Roscommon	14.10	10.34
Sligo	14.50	11.47
CONNACHT	13.59	10.63
Cavan	15.16	12.34
Donegal	13.30	10.49
Monaghan	12.74	11.24
ULSTER (part of)	13.65	11.13

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eighth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The Eighth Revision was used for the first time in classifying deaths by causes in the 1968 Report. The Reports from 1958 to 1967 were based on the the Seventh revision

TABLE XIX

AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES FROM SOME OF THE PRINCIPAL CAUSES
IN EACH PERIOD 1955-57, 1960-62, 1965-67, 1968 AND 1969.

I.L. Nos. 8th Revision	Cause of death	1955-57	1960-62	1965-67	1968	1969
		Average annual number			Number	
010-019	Tuberculosis, all forms	758	438	309	293	255
Rem. 000-136	Other infective and parasitic diseases	335	234	228	221	202
140-209	Cancer	4,722	4,810	5,117	5,291	5,534
393-398, 410-429	Diseases of heart	10,580	10,884	10,690	10,885	10,300
Rem. 390-458	Other diseases of circulatory system	5,910	5,918	6,275	6,486	7,020
470-474	Influenza	554	554	397	315	208
Rem. 460-519	Other diseases of respiratory system	2,469	2,880	3,357	3,810	4,344
794	Senility	2,680	2,010	1,251	701	667
	Other diseases	5,997	5,028	4,404	3,817	3,844
800-999	Accidents and other external causes	988	998	1,151	1,338	1,360
	ALL CAUSES	34,993	33,754	33,179	33,157	33,734
		Average annual rates per 100,000 population			Rates per 100,000 population	
010-019	Tuberculosis, all forms	26.1	15.5	10.7	10.1	8.7
Rem. 000-136	Other infective and parasitic diseases	11.5	8.3	7.9	7.6	6.9
140-209	Cancer	162.8	170.1	177.3	181.8	189.5
393-398, 410-429	Diseases of the heart	364.7	385.0	370.4	374.1	352.7
Rem. 390-458	Other diseases of circulatory system	203.7	209.3	217.4	222.9	240.4
470-474	Influenza	19.1	19.6	13.8	10.8	7.1
Rem. 460-519	Other diseases of respiratory system	85.1	101.9	116.3	130.9	148.7
794	Senility	92.4	71.1	43.3	24.1	22.8
	Other diseases	206.7	177.9	152.6	131.2	131.6
800-999	Accidents and other external causes	34.1	35.3	39.9	46.0	46.6
	ALL CAUSES	1,206.2	1,194.0	1,149.7	1,139.4	1,155.0

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the periods 1935-57 and 1969 has been the drop in deaths from tuberculosis. The rate for 1969 was one-third of the rate in 1955-57. In the case of other infective and parasitic diseases the rate dropped to almost one-half of the 1955-57 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, almost twice as many people dying from heart disease as from the next biggest cause of death, i.e. cancer, the rate for which showed an increase of 16 per cent.

TABLE

AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of Death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All Causes	1,250.9	1,058.4	520.2	448.9	37.9	29.2	90.3	48.3	112.8	89.2
008,009	Enteritis and other diarrhoeal diseases	4.2	3.4	31.5	23.0	0.3	-	0.4	-	-	-
010-019	Tuberculosis	12.4	5.0	1.3	0.7	0.3	-	1.3	-	1.3	0.6
000-136(rem.)	All other infective and parasitic diseases	2.9	3.3	7.6	11.2	1.0	1.0	0.9	1.3	-	1.3
	Malignant neoplasms of										
150	oesophagus	7.8	5.2	-	-	-	-	-	-	-	0.6
151	stomach	32.8	25.4	-	-	-	-	-	-	-	2.6
153	large intestine	18.9	23.2	-	-	-	-	-	-	0.6	2.6
154	rectum	11.0	5.8	-	-	-	-	-	-	0.6	-
157	pancreas	11.8	9.2	-	-	-	-	-	-	-	-
161	larynx	2.8	1.7	-	-	-	-	-	-	-	0.6
162	trachea, bronchus and lung	46.0	12.2	-	-	-	-	-	0.4	1.9	0.6
174	breast	0.3	33.7	-	-	-	-	-	-	-	3.9
180	cervix uteri	-	4.8	-	-	-	-	-	-	-	-
181,182	Other uterus	-	5.6	-	-	-	-	-	0.4	-	1.3
183	ovary, fallopian tube and broad ligament	-	7.5	-	-	-	-	-	0.4	-	1.3
185	prostate	18.3	-	-	-	-	-	-	-	-	-
188,189	bladder and other urinary organs	6.5	3.9	0.6	0.7	-	-	-	-	0.6	0.6
204-207	leukaemia, aleukaemia	7.2	4.8	5.0	4.6	1.3	2.4	1.3	1.8	1.3	2.6
140-209(rem.)	all other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	40.1	32.2	1.9	5.9	2.3	3.1	6.9	3.1	12.0	6.5
210-239	Benign neoplasm and neoplasms of unspecified nature	3.3	2.5	1.3	1.3	0.7	0.3	0.4	-	0.6	1.3
250	Diabetes mellitus	10.2	13.0	0.6	0.7	-	0.7	1.7	-	1.3	1.3
280-285	Anaemias	3.6	3.8	1.3	-	0.7	0.3	-	-	-	-
320	Meningitis	1.4	0.8	5.7	4.0	-	-	0.4	0.4	-	-
393-398	Chronic rheumatic heart disease	11.2	12.4	-	-	-	-	1.3	0.9	3.2	3.2
400-404	Hypertensive disease	24.7	30.6	-	-	-	0.7	0.4	-	-	-
410-414	Ischaemic heart disease	332.6	207.4	-	-	-	-	1.3	-	5.1	3.9
420-429	Other forms of heart disease	67.4	73.9	-	-	0.7	0.3	0.9	-	-	3.2
430-438	Cerebrovascular disease	143.6	181.2	0.6	-	1.0	0.3	2.2	3.1	6.3	5.8
440	Arteriosclerosis	31.3	33.9	-	-	-	-	-	-	-	-
470-474	Influenza	7.6	6.7	1.9	0.7	0.3	-	0.4	-	0.6	0.6
480-486	Pneumonia	65.1	62.6	63.0	53.4	2.3	3.1	4.7	6.7	5.1	7.1
490-493	Bronchitis, emphysema and asthma	94.7	47.4	3.1	3.2	0.3	1.0	1.3	0.4	2.5	1.9
531-533	Peptic ulcer	11.3	4.9	-	-	-	-	-	-	1.9	-
550-553,560	Intestinal obstruction and hernia	3.3	3.4	2.5	3.2	-	-	-	-	-	-
571	Cirrhosis of liver	4.3	2.8	-	0.7	-	0.7	0.4	0.4	-	0.6
580-584	Nephritis and nephrosis	9.1	8.5	-	0.7	0.7	-	3.4	1.3	0.6	1.3
600	Hyperplasia of prostate	9.4	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	-	1.2	-	-	-	-	-	1.3	-	5.8
740-759	Congenital anomalies	15.1	16.9	119.6	139.7	3.3	4.4	3.9	3.6	2.5	-
764-768, 772,776	Birth injury, difficult labour and other anoxic and hypoxic conditions	10.5	6.9	97.0	65.9	-	-	-	-	-	-
760-763, 769-771, 773-775, 777-779	Other causes of perinatal mortality	11.1	8.0	102.6	76.5	-	-	-	-	-	-
794	Senility without mention of psychosis	19.2	26.5	-	-	-	-	-	-	-	-
780-796(rem.)	Other symptoms and ill-defined conditions	3.7	3.4	0.6	-	-	-	-	-	-	1.3
240-738(rem.)	All other diseases	75.6	78.2	28.3	34.3	4.9	2.7	6.9	8.5	12.0	12.3
E810-E823	Motor vehicle accidents	22.5	8.0	9.4	0.7	10.8	4.8	25.8	10.3	24.1	5.8
E800-E807, E825-E949	All other accidents	29.1	23.1	34.0	17.8	6.9	3.4	18.1	2.7	20.9	1.9
E950-E959	Suicide and self-inflicted injuries	2.6	1.0	-	-	-	-	0.4	-	1.3	0.6
E960-E999	All other external causes	4.4	2.3	0.6	-	0.3	-	5.6	0.9	6.3	5.8

XX

PRINCIPAL CAUSES OF DEATH IN 1969

Death rates per 100,000 corresponding population												I.D.L. Nos.
35-44		45-54		55-64		65-74		75-84		85 and over		
M	F	M	F	M	F	M	F	M	F	M	F	
261.2	181.8	739.3	518.1	2,073.6	1,276.3	5,206.5	3,301.2	11,189.4	8,766.4	29,973.3	24,940.7	
-	-	-	0.6	-	1.4	3.1	5.5	11.0	7.1	26.7	8.5	008,009
7.2	6.5	17.2	11.2	31.6	12.3	63.1	12.8	59.5	17.7	13.3	16.9	010-019
3.3	0.7	4.3	1.9	2.8	4.3	4.1	8.2	11.0	3.5	13.3	16.9	000-136(rem.)
1.9	2.0	6.7	3.1	15.4	9.4	41.7	25.6	59.5	40.7	133.3	25.4	150
4.6	5.2	22.7	13.7	84.2	50.5	174.0	105.3	259.9	200.0	373.3	322.0	151
5.9	4.6	11.7	16.8	31.6	47.6	110.9	77.8	163.0	192.9	266.7	330.5	153
3.9	3.3	11.7	6.2	20.3	8.7	45.8	21.1	107.9	44.2	173.3	84.7	154
1.3	0.7	9.8	4.4	28.8	13.0	58.0	52.2	105.7	56.6	120.0	161.0	157
1.3	0.7	1.8	2.5	5.6	5.8	18.3	5.5	19.8	7.1	13.3	8.5	161
7.8	3.9	57.7	16.8	156.4	34.6	266.5	55.9	165.2	49.6	66.7	50.8	162
-	28.6	-	56.0	0.7	72.2	2.0	127.3	2.2	152.2	-	211.9	174
-	5.8	-	13.7	-	11.5	-	16.5	-	7.1	-	8.5	180
-	1.3	-	10.6	-	14.4	-	22.0	-	24.8	-	8.5	181,182
-	2.6	-	11.8	-	23.8	-	29.3	-	26.5	-	25.4	183
-	-	3.1	-	18.2	-	94.6	-	229.1	-	546.7	-	185
1.3	2.0	4.9	2.5	17.5	6.5	25.4	12.8	68.3	35.4	40.0	42.3	188,189
2.6	2.6	6.1	6.8	14.0	9.4	34.6	12.8	37.4	5.3	40.0	25.4	204-207
16.2	13.0	41.7	30.5	88.4	85.1	162.8	120.9	266.5	154.0	573.3	228.8	140-209(rem.)
1.9	1.3	3.7	2.5	7.0	5.1	16.3	5.5	15.4	14.2	13.3	42.4	210-239
3.9	1.3	6.7	5.0	16.1	13.7	53.9	60.4	81.5	120.4	173.3	178.0	250
0.6	1.3	0.6	1.2	3.5	3.6	18.3	7.3	37.4	46.0	93.3	93.2	280-285
0.6	0.7	1.2	0.6	2.1	-	3.1	0.9	2.2	3.5	-	-	320
5.2	7.8	11.0	14.9	23.1	26.7	50.9	38.5	72.7	70.8	186.7	152.5	393-398
4.6	2.6	11.0	8.7	41.4	19.5	112.9	120.0	266.5	341.6	600.0	627.1	400-404
61.7	10.4	234.4	69.1	701.3	279.9	1,633.8	791.2	2,916.3	1,867.3	6,106.7	4,889.8	410-414
5.9	5.2	10.4	6.8	29.5	35.4	145.5	98.9	1,059.5	870.8	3,893.3	3,398.3	420-429
18.8	16.3	57.1	62.9	178.1	177.5	629.7	643.8	1,660.8	1,789.4	4,493.3	4,516.9	430-438
0.6	-	0.6	1.9	5.6	2.9	85.5	60.4	453.7	389.4	2,120.0	1,694.9	440
-	2.0	4.9	1.2	7.7	6.5	30.5	19.2	81.5	54.9	253.3	245.8	470-474
7.2	5.8	18.4	14.9	61.7	41.1	229.9	177.7	685.0	525.7	2,160.0	1,805.1	480-486
10.4	5.8	39.9	21.8	205.5	64.9	486.3	156.6	834.8	423.0	1,920.0	1,135.6	490-493
0.6	0.7	8.6	4.4	19.6	8.7	57.0	13.7	103.5	38.9	226.7	118.6	531-533
0.6	0.7	1.2	-	5.6	5.8	13.2	9.2	41.9	30.1	13.3	76.3	550-553,560
3.3	0.7	8.0	5.6	11.2	5.8	18.3	7.3	17.6	10.6	26.7	33.9	571
6.5	2.6	7.4	5.6	16.1	18.8	36.6	30.2	57.3	47.8	200.0	152.5	580-584
-	-	0.6	-	5.6	-	33.6	-	125.6	-	520.0	-	600
-	3.9	-	-	-	-	-	-	-	-	-	-	{ 630-639, 650-678
1.9	0.7	1.2	2.5	-	5.1	3.1	0.9	2.2	-	-	-	740-759
-	-	-	-	-	-	-	-	-	-	-	-	{ 764-768, 772,776
-	-	-	-	-	-	-	-	-	-	-	-	{ 760-763, 769-771, 773-775, 777-779
-	-	-	-	-	-	-	-	-	-	-	-	794
0.6	-	0.6	1.2	4.2	3.6	20.3	11.0	46.3	26.5	53.3	110.2	780-796(rem.)
26.0	18.8	52.8	54.2	125.5	106.8	292.0	261.9	643.2	568.1	1,720.0	1,432.2	240-738(rem.)
15.6	2.6	30.7	8.7	32.3	13.0	35.6	12.8	61.7	28.3	13.3	33.9	E810-E823
17.5	2.6	19.6	7.5	40.0	13.7	63.1	44.9	130.0	226.5	520.0	661.0	E800-E807, E825-E949
5.9	1.3	5.5	4.4	5.6	2.2	7.1	0.9	2.2	-	13.3	-	E950-E959
3.9	3.3	3.7	3.1	9.8	5.8	13.2	3.7	2.2	1.8	-	-	E960-E999

Of the deaths registered in 1969, 74 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 411.2 per 100,000 population for males and 293.7 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 203.5 and 175.3 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 143.6 and 181.2 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

In 1969 there were 255 deaths from tuberculosis, of which 226 were caused by the respiratory form and 29 by other forms of the disease. Between the period 1941–1950 and the year 1969 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level.

The mortality from tuberculosis in the counties and county boroughs in 1969 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Tipperary, N.R. (0.19) and Co. Meath (0.15). The lowest rates were in Counties Kilkenny, Offaly, Wicklow, Cavan and County Limerick (0.02) while in Co. Roscommon no deaths from tuberculosis were recorded.

TABLE XXI

NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941–1969.

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941–1950*	2,739	0.92	779	0.26	1.05	1.07
1951–1960*	787	0.27	190	0.06	1.62	1.28
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00
1969	226	0.08	29	0.01	2.77	1.23

* Average annual number of deaths and death rates for decennial periods from 1941–1960.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1943 — 1969





Diagram 4

DEATH RATES FROM LUNG CANCER PER 100,000 POPULATION



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045–055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140–205 (Nos. 140–209 in Eighth Revision) of the International Statistical classification which now included Hodgkins disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figures less Hodgkins disease and leukaemia should also be shown.

In 1969 there were 5,534 deaths from cancer (Nos. 140 to 209). Of this number, 43 deaths were caused by Hodgkins disease and 175 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the year 1960 to 1969.

TABLE XXII

DEATHS FROM CANCER (Nos. 140–209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1960 TO 1969.

Year	Age group (years)							
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	Total
Males								
1960	8	20	47	171	435	842	1,290	178
1961	9	20	50	162	437	865	1,374	183
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
1967	9	19	43	166	466	912	1,469	189
1968	8	16	46	159	455	1,018	1,472	194
1969	6	17	47	178	481	1,035	1,607	204
Females								
1960	7	13	60	189	375	664	908	158
1961	6	26	63	178	343	600	893	151
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164
1967	5	21	67	201	376	647	956	162
1968	6	23	78	191	375	641	1,104	170
1969	7	23	76	196	392	685	1,089	175

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 25 years but between the ages 25 and 54 years the female rates were generally greater than those for males. In 1969 the male death rate for all ages was 16 per cent above that for females. The trend in the death rates from cancer since 1941 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII

DEATHS FROM CANCER (Nos. 140-209) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1960 TO 1969.

Year	Ireland*	Six Counties	England and Wales	Scotland
1960	1.68	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.61	2.18	2.21
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29
1966	1.79	1.71	2.25	2.31
1967	1.76	1.65	2.30	2.34
1968	1.82	1.84	2.32	2.40
1969	1.89	1.86	2.35	2.42

* Exclusive of the Six Counties.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1969 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140-209) IN EACH COUNTY AND COUNTY BOROUGH IN 1969.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.85	1.89	Clare	1.73	1.44
Dublin County Borough	1.87	2.61	Cork County Borough	1.81	2.20
Dun Laoghaire Borough	2.13	2.14	Cork County	2.27	2.02
Dublin County (remainder)	1.21	2.20	Kerry	1.79	1.49
Kildare	1.54	1.91	Limerick County Borough	1.91	2.59
Kilkenny	1.79	1.68	Limerick County	1.98	1.83
Laois	2.00	1.90	Tipperary, N.R.	1.75	1.66
Longford	2.00	1.69	Tipperary, S.R.	2.31	2.22
Louth	1.89	2.17	Waterford County Borough	2.18	2.52
Meath	1.80	1.95	Waterford County	1.94	1.72
Offaly	1.84	1.93			
Westmeath	1.51	1.48	MUNSTER	1.99	1.91
Wexford	2.04	1.95			
Wicklow	1.83	1.95	Galway	1.77	1.60
LEINSTER	1.77	2.09	Leitrim	2.16	1.49
Cavan	1.89	1.57	Mayo	2.21	1.66
Donegal	2.24	1.81	Roscommon	2.23	1.70
Monaghan	1.89	1.66	Sligo	2.35	1.87
			CONNACHT	2.06	1.66
ULSTER (part of)	2.07	1.72	TOTAL	1.89	1.89

TABLE XXV

MORTALITY IN 1969 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed Inter- national List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
	Malignant neoplasms of:																
140-149	Buccal cavity and pharynx	1	1	1	9	20	29	46	107	-	-	2	7	13	14	10	46
150-159	Digestive organs and peritoneum	1	2	29	114	275	445	421	1,287	1	11	24	80	206	339	438	1,099
160-163	Respiratory system	1	3	14	97	234	283	91	723	1	2	7	32	56	69	40	207
170-174	Bone, connective tissue, skin and breast	5	3	4	5	12	33	37	99	5	7	46	97	120	159	134	568
180-189	Genito-urinary organs	4	3	6	15	54	121	183	386	3	5	18	62	79	95	71	333
190-199	Other and unspecified sites	9	5	6	15	42	42	43	162	17	4	11	18	28	41	40	159
200-209	Lymphatic and haematopoietic tissues	21	10	12	35	49	64	29	220	20	7	9	18	42	31	11	138
	TOTAL	42	27	72	290	686	1,017	850	2,984	47	36	117	314	544	748	744	2,550
		Rates per 100,000 corresponding population															
	Malignant neoplasms of:																
140-149	Buccal cavity and pharynx	0.1	0.6	0.6	5.5	14.0	29.5	87.0	7.3	-	-	1.3	4.4	9.4	12.8	14.6	3.2
150-159	Digestive organs and peritoneum	0.1	1.3	18.8	69.9	192.8	452.7	795.8	87.8	0.1	7.1	15.6	49.8	148.6	310.4	641.3	75.6
160-163	Respiratory system	0.1	1.9	9.1	59.5	164.1	287.9	172.0	49.3	0.1	1.3	4.6	19.9	40.4	63.2	58.6	14.2
170-174	Bone, connective tissue, skin and breast	0.7	1.9	2.6	3.1	8.4	33.6	69.9	6.8	0.7	4.5	30.0	60.4	86.6	145.6	196.2	39.1
180-189	Genito-urinary organs	0.6	1.9	3.9	9.2	37.9	123.1	345.9	26.3	0.4	3.2	11.7	38.6	57.0	87.0	104.0	22.9
190-199	Other and unspecified sites	1.3	3.2	3.9	9.2	29.5	42.7	81.3	11.0	2.5	2.6	7.2	11.2	20.2	37.5	58.6	10.9
200-209	Lymphatic and haematopoietic tissues	3.0	6.3	7.8	21.5	34.4	65.1	54.8	15.0	3.0	4.5	5.9	11.2	30.3	28.4	16.1	9.5
	TOTAL	6.0	17.1	46.8	177.9	481.1	1,034.6	1,606.8	203.5	7.0	23.3	76.2	195.5	392.5	685.0	1,089.3	175.3

The crude death rate from cancer in 1969 varied from 2.35 per 1,000 population in Sligo to 1.21 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.61 per 1,000 population in Dublin County Borough to 1.44 in Co. Clare. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1969, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate being 16 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was nearly four times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1960 to 1969, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1960 TO 1969 FROM
CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1960	4	15	72	200	169	460	1	2	19	40	45	107
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	-	4	25	30	62	121
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
1967	1	16	79	221	325	642	1	5	33	54	72	165
1968	6	8	86	250	371	721	3	7	20	64	93	187
1969	3	12	94	223	342	674	2	6	27	48	95	178
Death rates per 100,000 corresponding population												
1960	0.5	9.0	42.2	150.3	113.2	32.4	0.1	1.2	11.8	29.8	27.1	7.6
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	34.9	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.1	-	2.4	15.3	22.3	36.9	8.5
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2
1967	0.1	10.3	47.6	158.2	216.0	44.1	0.1	3.2	20.2	40.0	41.4	11.4
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	52.8	12.9
1969	0.4	7.8	57.7	156.4	226.2	46.0	0.2	3.9	16.8	34.6	53.5	12.2

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1960 the death rate in the case of males was 32.4 compared with 7.6 in the case of females and by 1969 the disparity was even greater, the corresponding rates for that year being 46.0 and 12.2 respectively. In 1960 females accounted for 18.9 per cent of the deaths, by 1969 their percentage share had risen to 20.9.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1964 to 1969.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1964 TO 1969.

Area	1964	1965	1966	1967	1968	1969
	Number of deaths					
Ireland*	647	716	777	807	908	852
Six Counties	396	414	447	474	525	544
Scotland	2,892	2,961	2,972	3,150	3,209	3,273
England and Wales	25,371	26,399	27,025	28,250	28,836	29,763
	Rates per 100,000 population					
Ireland*	23	25	27	28	31	29
Six Counties	27	28	30	32	35	36
Scotland	56	57	58	61	62	63
England and Wales	54	55	56	58	59	61

*Exclusive of the Six Counties.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales were more than double the Irish rates.

DISEASES OF THE CIRCULATORY SYSTEM

There were 17,320 deaths ascribed to diseases of the circulatory system (Nos. 390–458) registered in 1969 of which 9,246 were deaths of males and 8,074 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (4,876 males compared with 3,017 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1969 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Uncertified	Per cent	Total	Uncertified	Per cent
Active rheumatic fever	2	-	-	1	-	-
Chronic rheumatic heart disease	164	-	-	180	-	-
Hypertensive disease	362	2	0.6	445	1	0.2
Ischaemic heart disease	4,876	42	0.9	3,017	27	0.9
Other forms of heart disease	988	31	3.1	1,075	20	1.9
Cerebrovascular disease	2,105	14	0.7	2,636	16	0.6
Disease of arteries, arterioles and capillaries	625	7	1.1	614	4	0.7
Disease of veins and lymphatics and other diseases of the circulatory system	124	-	-	106	-	-
TOTAL	9,246	96	1.0	8,074	68	0.8

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1969, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

Detailed 1965 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
390-392	Active rheumatic fever	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	1
393-398	Chronic rheumatic heart disease	3	5	8	18	33	50	47	164	2	5	12	24	37	42	58	180
400-404	Hypertensive disease	1	-	7	18	59	111	166	362	2	-	4	14	27	131	267	445
410-414	Ischaemic heart disease	3	8	95	382	1,000	1,606	1,782	4,876	-	6	16	111	388	864	1,632	3,017
420-429	Other forms of heart disease	4	-	9	17	42	143	773	988	1	5	8	11	49	108	893	1,075
430-438	Cerebrovascular disease	9	10	29	93	254	619	1,091	2,105	8	9	25	101	246	703	1,544	2,636
440-448	Diseases of arteries, arterioles and capillaries	1	1	1	8	35	141	438	625	1	2	3	12	15	98	483	614
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	1	-	4	13	24	42	40	124	2	1	4	12	16	34	37	106
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	22	24	154	549	1,447	2,712	4,338	9,246	16	29	72	285	778	1,980	4,914	8,074
		Rates per 100,000 corresponding population															
390-392	Active rheumatic fever	-	-	0.6	-	-	-	1.9	0.1	-	0.6	-	-	-	-	-	0.1
393-398	Chronic rheumatic heart disease	0.4	3.2	5.2	11.0	23.1	50.9	88.8	11.2	0.3	3.2	7.8	14.9	26.7	38.5	84.9	12.4
400-404	Hypertensive disease	0.1	-	4.5	11.0	41.4	112.9	313.8	24.7	0.3	-	2.6	8.7	19.5	120.0	390.9	30.6
410-414	Ischaemic heart disease	0.4	5.1	61.7	234.4	701.3	1,633.8	3,368.6	332.6	-	3.9	10.4	69.1	279.9	791.2	2,389.5	207.4
420-429	Other forms of heart disease	0.6	-	5.8	10.4	29.5	145.5	1,461.2	67.4	0.1	3.2	5.2	6.8	35.4	98.9	1,307.5	73.9
430-438	Cerebrovascular disease	1.3	6.3	18.8	57.1	178.1	629.7	2,062.4	143.6	1.2	5.8	16.3	62.9	177.5	643.8	2,260.6	181.2
440-448	Diseases of arteries, arterioles and capillaries	0.1	0.6	0.6	4.9	24.5	143.4	828.0	42.6	0.1	1.3	2.0	7.5	10.8	89.7	707.2	42.2
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	0.1	-	2.6	8.0	16.8	42.7	75.6	8.5	0.3	0.6	2.6	7.5	11.5	31.0	54.2	7.3
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	3.2	15.2	100.1	336.8	1,014.7	2,758.9	8,200.4	630.7	2.4	18.7	46.9	177.5	561.3	1,813.2	7,194.7	555.1

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460–519 in the International List) in 1969 numbered 4,552. These included 208 deaths caused by influenza, 1,864 by pneumonia, 1,822 by bronchitis and 658 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1969 was 20 compared with 22 in 1968. The death rate was 0.32 per thousand maternities. TABLE XXX shows the maternal deaths in 1969 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1969 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						
		15–19	20–24	25–29	30–34	35–39	40–44	45 years and over
Haemorrhage of pregnancy	1	-	-	-	1	-	-	-
Other complications of pregnancy	1	-	-	-	-	-	1	-
Pre-eclampsia, eclampsia and toxæmia unspecified	3	-	1	2	-	-	-	-
Other toxæmias of pregnancy and the puerperium	1	-	-	-	-	1	-	-
Spontaneous abortion	1	-	-	1	-	-	-	-
Abortion not specified as induced or spontaneous	1	-	-	-	1	-	-	-
Delivery complicated by placenta prævia or antepartum haemorrhage	1	-	-	-	-	1	-	-
Delivery complicated by other postpartum haemorrhage	1	-	-	1	-	-	-	-
Delivery complicated by foetopelvic disproportion	1	-	-	1	-	-	-	-
Delivery with other obstetrical trauma	1	-	-	-	-	1	-	-
Sepsis of childbirth and the puerperium	2	-	1	-	1	-	-	-
Puerperal pulmonary embolism	3	-	-	-	1	1	1	-
Cerebral haemorrhage in the puerperium	3	-	1	1	1	-	-	-
TOTAL	20	-	3	6	5	4	2	-

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1969

Infectious hepatitis	1	-	-	-	1	-	-	-
Mitral stenosis	1	-	-	1	-	-	-	-
Coronary thrombosis with hypertension	1	-	-	-	-	1	-	-
TOTAL	3	-	-	1	1	1	-	-

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1961 to 1969.

TABLE XXXI

MATERNAL DEATHS PER 100,000 TOTAL LIVE AND STILL BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1961–1969

Year	Number of deaths	Deaths per 100,000 live and still births			
		Ireland*	Six Counties	England and Wales	Scotland
1961	27	44	52	34	36
1962	27	43	30	36	39
1963	22	34	41	28	37
1964	30	46	17	25	23
1965	18	28	32	25	37
1966	18	28	18	26	24
1967	14	22	24	20	23
1968	22	36	27	24	15
1969	20	31	15	19	14

* Exclusive of the Six Counties.

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:-

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rates for infant mortality were in Carlow, Offaly and Donegal and the lowest in Laois and Mayo. The rates for perinatal mortality were highest in Tipperary, N.R. and Carlow and lowest in Mayo whilst those for late foetal mortality were highest in Tipperary, N.R. and lowest in Kilkenny and Cork Co. Borough.

TABLE XXXII

INFANT AND LATE FOETAL MORTALITY*, 1969

Area	Infant mortality		Neo-natal mortality		Late foetal mortality		Perinatal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,293	20.6	900	14.3	893	14.0	1,645	25.8
Carlow	26	32.1	21	26.0	14	17.0	32	38.9
Dublin Co. Borough and County	411	21.3	268	13.9	268	13.7	479	24.4
Kildare	33	18.9	20	11.5	27	15.3	43	24.3
Kilkenny	32	25.2	24	18.9	12	9.4	34	26.5
Laois	7	7.5	6	6.4	17	17.9	22	23.2
Longford	14	24.4	11	19.2	9	15.5	18	30.9
Louth	37	20.2	30	16.3	38	20.3	67	35.8
Meath	24	15.4	20	12.8	21	13.3	37	23.6
Offaly	34	29.4	23	19.9	20	17.0	41	34.8
Westmeath	21	17.5	11	9.2	18	14.8	26	21.4
Wexford	29	14.7	22	11.2	20	10.0	36	18.1
Wicklow	28	19.5	18	12.6	23	15.8	36	24.7
LEINSTER	696	20.6	474	14.0	487	14.2	871	25.4
Clare	35	23.7	26	17.6	18	12.0	42	28.1
Cork Co. Borough and County	153	20.8	120	16.3	73	9.8	178	23.9
Kerry	48	23.6	33	16.2	33	15.9	60	29.0
Limerick Co. Borough and County	70	21.9	47	14.7	33	10.2	74	22.9
Tipperary, N.R.	29	25.9	22	19.7	38	32.9	59	51.0
Tipperary, S.R.	27	18.3	18	12.2	25	16.6	42	27.9
Waterford Co. Borough and County	31	18.4	26	15.4	21	12.3	43	25.1
MUNSTER	393	21.4	292	15.9	241	13.0	498	26.8
Galway	49	16.5	34	11.4	38	12.6	64	21.2
Leitrim	9	23.3	6	15.5	5	12.8	10	25.6
Mayo	27	13.7	11	5.6	26	13.0	36	18.0
Roscommon	14	16.4	10	11.7	17	19.5	26	29.9
Sligo	20	24.3	15	18.2	14	16.7	28	33.4
CONNACHT	119	17.0	75	10.8	100	14.0	164	23.0
Cavan	14	15.1	9	9.7	15	15.9	22	23.3
Donegal	53	27.3	36	18.5	38	19.2	69	34.8
Monaghan	18	21.4	13	15.4	12	14.1	21	24.6
ULSTER (part of)	85	22.9	58	15.6	65	17.2	112	29.6

*For definition — see page xxxv.

INFANT MORTALITY

During the year 1969, the deaths of 1,293 infants under one year were registered: an increase of 13 on 1968. The 1969 rate of 20.6 per 1,000 live births registered is the lowest ever recorded: the rate in 1968 was 21.0

TABLE XXXIII

INFANT MORTALITY BY AGE, 1941-1969.

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.0
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0
1969	5.9	6.0	1.0	0.8	0.6	14.3	1.4	0.9	2.1	1.8	6.2	20.6

Infant mortality has shown a considerable decrease in the period covered by the Table, the greatest reductions being in ages between 14 days and under 4 weeks, where the 1968 rates were about one-seventh of those at the start of the period, and in ages over 4 weeks, where the 1968 rate was less than one-fifth of that in the period 1941-50. No significant changes were shown at ages 1-6 days until 1963, since then, apart from an increase in 1964 and again in 1969 there has been a downward trend. No significant changes were shown at ages under 24 hours until 1968 when there was a drop of about 10 per cent in the rate with a further drop of 11 per cent in 1969, whether this fall is due to an actual improvement or to random fluctuations remains to be seen. There was an even bigger fall in 1962 but in 1963 the rate almost reached its former level.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1943 - 1969




TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1969

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21
1969	21	24	18	21

* Exclusive of the Six Counties.

As can be seen from Table XXXIV the decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1969 CLASSIFIED BY CAUSE AND AGE

International List Numbers	Cause	Late foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	2	10	57	69
Rem. 000-136	Other infective and parasitic diseases	-	-	4	3	11	18
320	Meningitis	-	-	-	3	11	14
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	5	13	34	138	190
520-577	Diseases of the digestive system	-	1	4	2	4	11
740-759	Congenital anomalies	180	88	105	72	105	370
764-768, 772	Birth injuries	31	13	29	3	2	47
774, 775	Haemolytic disease of newborn	66	26	15	1	-	42
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	46	108	96	3	-	207
777	Immaturity, unqualified	19	98	82	4	-	184
778	Other conditions of foetus or newborn (including haemorrhagic disease)	14	2	16	-	-	18
	Other causes	537	31	14	13	65	123
	TOTAL	893	372	380	148	393	1,293

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 24 per cent were ascribed to immaturity, congenital anomalies accounted for 26 per cent, anoxic, and hypoxic conditions not

elsewhere specified (including atelectasis) 27 per cent and birth injuries 6 per cent. At ages over 4 weeks respiratory diseases, congenital anomalies, and enteritis and other diarrhoeal diseases were the main causes of death. Details of the 123 deaths included as other causes will be found in Table 19 where it will be noted that 42 of them were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:-

Year	Late Foetal Deaths
1957	1,391
1958	1,264
1959	1,267
1960	1,361
1961	1,264
1962	1,241
1963	1,169
1964	1,126
1965	1,072
1966	996
1967	1,000
1968	934
1969	893

The causes of late foetal deaths notified in 1969 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI.

TABLE XXXVI

LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1969.

International List Numbers	Cause	Number of Late foetal Deaths	Rate per 1,000 total Births
740	Anencephalus	112	1.76
741	Spina bifida	22	0.34
742	Congenital hydrocephalus	29	0.45
743	Other congenital anomalies of nervous system	2	0.03
746	Congenital anomalies of heart	2	0.03
749	Cleft palate and cleft lip	1	0.02
757	Congenital anomalies of skin, hair and nails	1	0.02
758	Other and unspecified congenital anomalies	2	0.03
759	Congenital syndromes affecting multiple systems	9	0.14
760	Chronic circulatory and genito-urinary diseases in mother	12	0.19
761	Other maternal conditions unrelated to pregnancy	14	0.22
762	Toxaemia of pregnancy	57	0.89
763	Maternal ante- and intrapartum infection	4	0.06
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	2	0.03
766	Difficult labour with malposition of foetus	17	0.27
767	Difficult labour with abnormality of forces of labour	1	0.02
768	Difficult labour with other and unspecified complications	7	0.11
769	Other complications of pregnancy and childbirth	22	0.34
770	Conditions of placenta	184	2.88
771	Conditions of umbilical cord	62	0.97
772	Birth injury without mention of cause	4	0.06
774	Haemolytic disease of newborn with kernicterus	4	0.06
775	Haemolytic disease of newborn without mention of kernicterus	62	0.97
776	Anoxic and hypoxic conditions not elsewhere classified	46	0.72
777	Immaturity, unqualified	19	0.30
778	Other conditions of foetus or newborn	14	0.22
779	Foetal death of unknown cause	182	2.85
	ALL CAUSES	893	14.00

* For definition — see page xxxv.

More late foetal deaths resulted from placental and cord injuries than from any other group, being 28 per cent of the total deaths. Congenital anomalies of foetus was next at 20 per cent and toxæmia of pregnancy at 6 per cent. Of the total deaths 20 per cent were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII 833 late foetal deaths in 1969 occurred in hospitals; this is equivalent to 93 per cent of the total number of late foetal deaths. From the same table it may be observed that over half of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII

LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1969 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28 – 36 weeks	399	10	10	419
37 weeks and over	434	27	13	474
TOTAL	833	37	23	893

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1965 to 1969 compare as follows:-

TABLE XXXVIII

PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES 1965–1969.

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland†	Six Counties	England and Wales	Scotland	Ireland†	Six Counties	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3
1967	16.0	17.0	14.4	15.8	28.5	31.0	25.4	27.5
1968	15.1	16.3	14.4	14.8	26.6	29.4	24.7	25.9
1969	14.0	15.3	13.2	14.0	25.8	28.8	23.4	25.0

*For definition see page xxxv.

† Exclusive of the Six Counties.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) registered in 1969 was 1,360 of which 859 were males and 501 females. The corresponding figures for 1968 were 1,338, 864 and 474 respectively. In the Eighth Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 91 deaths in 1969. In the Seventh Revision, 51 of these deaths would have been in the category Accidental drowning and 24 in the category Accidental poisoning, so for comparison with former years, they have been grouped with these categories in Table XXXIX.

TABLE XXXIX
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1960 TO 1969

International List Numbers 8th Revision	Cause of death	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969
E800-E807	Railway accidents	6	2	6	6	4	4	4	7	2	4
E810-E827	Road vehicle accidents	287	315	310	322	312	327	371	398	430	466
E850-E877	Accidental poisoning									23	20
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted	27	24	35	20	25	39	27	18	18	24
E890-E899; E924	Accidents caused by fire, explosion and burns	72	69	74	77	79	64	73	84	56	69
E910	Accidental drowning									90	74
E984	Drowning undetermined whether accidentally or purposely inflicted	143	103	110	112	124	118	138	146	61	51
E880-E887	Accidental falls	259	266	274	316	309	329	336	304	352	394
Rem, E800-E999	Other accidents and external causes	133	130	125	153	161	156	151	168	235	206
E950-E959	Suicide and self-inflicted injury	84	89	52	70	58	51	69	72	71	52
	TOTAL	1,011	998	986	1,076	1,072	1,088	1,169	1,197	1,338	1,360

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. All ages over 75 years, while the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI, the vast majority of these falls occurred in the home.

TABLE XL

DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1969, CLASSIFIED BY AGE AND SEX

International List Numbers (8th Revision)	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E800-E807	Railway accidents	M	4	-	-	1	1	-	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	
E810-E827	Road vehicle accidents	M	347	-	15	34	62	40	25	53	46	43	29
		F	119	-	1	14	24	9	4	14	18	15	20
E850-E877	Accidental poisoning	M	12	1	1	-	2	-	2	3	2	1	-
		F	8	-	-	-	1	1	-	-	1	3	2
E880-E887	Accidental falls	M	160	-	2	3	6	3	8	6	18	32	82
		F	234	-	3	-	-	1	1	-	13	37	179
E890-E899; E924	Accidents caused by fire, explosion and burns	M	31	1	7	2	-	2	1	2	4	4	8
		F	38	-	4	2	-	-	-	6	2	5	19
E910	Accidental drowning	M	54	-	7	7	4	11	3	4	11	4	3
		F	20	-	3	5	1	-	2	3	2	1	3
E950-E959	Suicide and self-inflicted injury	M	38	-	-	-	1	2	9	9	8	7	2
		F	14	-	-	-	-	1	2	7	3	1	-
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	59	-	-	1	9	10	6	6	14	12	1
		F	32	-	-	-	2	8	5	5	8	3	1
Rem. E800-E999	Other accidents and external causes	M	154	26	10	7	31	15	11	14	21	14	5
		F	36	14	3	3	3	2	1	3	1	3	3
	TOTAL	M	859	28	42	55	116	83	66	97	125	117	130
		F	501	14	14	24	31	22	15	38	48	68	227

TABLE XLI

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1969, CLASSIFIED BY CAUSE AND AGE GROUP.

Inter- national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M	4	-	1	-	-	-	-	2	1	-	-
		F	3	-	-	-	-	1	-	-	1	1	-
E870-E877	Accidental poisoning by gases and vapours	M	4	1	-	-	1	-	-	1	-	1	-
		F	5	-	-	-	1	-	-	-	-	2	2
E880-E887	Accidental falls	M	106	-	1	1	-	-	2	2	5	22	73
		F	207	-	1	1	-	1	1	-	11	32	160
E890-E899	Accident caused by fires and flames	M	26	-	6	2	-	-	1	2	4	3	8
		F	32	-	2	2	-	-	-	6	2	4	16
E904	Exposure and neglect	M	6	2	-	-	-	-	-	-	-	2	2
		F	1	1	-	-	-	-	-	-	-	-	-
E910	Accidental drowning and submersion	M	3	-	-	-	-	-	-	-	1	1	1
		F	3	-	1	-	-	-	-	-	1	-	1
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	18	12	3	-	-	-	-	1	1	1	-
		F	9	6	-	-	-	-	-	1	-	1	1
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
E913	Accidental mechanical suffocation	M	14	8	3	1	1	-	-	1	-	-	-
		F	5	3	2	-	-	-	-	-	-	-	-
E916	Struck accidentally by falling object	M	1	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1
E922	Accident caused by firearm missiles	M	3	-	-	-	2	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
E923	Accident caused by explosive material	M	1	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance, corrosive liquid and steam	M	3	1	1	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
E925	Accident caused by electric current	M	2	-	-	-	-	-	2	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-
	Other and unspecified accidents	M	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-
	TOTAL	M	192	24	16	4	4	2	6	9	12	31	84
		F	270	11	7	4	1	2	1	8	15	40	181

There were 462 deaths resulting from accidents in the home recorded in 1969, compared with 450 in 1968. As will be seen from Table XLI 313 deaths in 1969 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids etc., accounted for 62 deaths, of which 11 were of children under 5 years of age and 37 of persons aged 55 years and over. Eighteen deaths of children under one year old were due to obstruction and suffocation by food and 37 to accidental mechanical suffocation. There were 16 deaths from accidental poisoning, 12 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1969 in which the cause of death was not certified by a medical practitioner was 585 which represents 1.7 per cent of the total deaths registered. In TABLE 23 uncertified deaths registered in 1969 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and south-west regions of the country, being highest, in the year 1969 in the counties of Leitrim (6.8 per cent), Mayo (5.9 per cent) and Kerry (5.5 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place, the percentage for 1969 being almost one-eighth of the average for the period 1941–50.

TABLE XLII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1941 TO 1969

Province	1941–50	1951–60	1961	1962	1963	1964	1965	1966	1967	1968	1969
Leinster	5.6	3.1	1.5	1.4	1.4	1.2	1.1	1.0	0.8	0.7	0.7
Munster	12.1	8.1	4.7	4.4	4.2	3.3	3.0	2.5	2.3	1.6	1.6
Connacht	28.1	20.0	12.5	12.5	11.0	8.9	9.3	6.9	6.0	4.9	4.8
Ulster (part of)	22.0	13.8	7.9	7.9	6.4	5.3	4.8	3.7	3.5	3.2	2.1
TOTAL	13.0	8.5	4.9	4.7	4.2	3.4	3.3	2.6	2.3	1.9	1.7

TABLE XLIII

PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1969.

Province	All ages	Under 1 year	1–14	15–24	25–34	35–44	45–54	55–64	65–74	75 and over
Leinster	0.7	-	-	-	0.7	0.3	-	0.4	0.4	1.2
Munster	1.6	-	-	-	-	-	0.5	0.7	0.7	2.8
Connacht	4.8	0.8	2.0	-	-	-	0.4	0.6	1.9	8.0
Ulster (part of)	2.1	1.2	-	-	-	-	-	1.2	1.2	3.2
TOTAL	1.7	0.2	0.2	-	0.3	0.1	0.2	0.6	0.8	3.2
Actual number of deaths uncertified	585	2	1	-	1	1	4	27	69	480

The proportion of deaths uncertified was highest in the age group 75 years and over; this age group accounted for over four-fifths of the uncertified deaths. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUEST AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1969 was 2,454 compared with 2,336 in 1968 and 1,986 in 1967.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR 1851 TO 1969.

(For 1951 and subsequent years the figures relate to the month of April)

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1892	3,408	1,697	1,711	1933	2,962	1,512	1,450
1852	4,927	2,413	2,514	1893	3,382	1,684	1,698	1934	2,971	1,518	1,453
1853	4,807	2,358	2,449	1894	3,362	1,675	1,687	1935	2,971	1,520	1,451
1854	4,704	2,311	2,393	1895	3,333	1,662	1,671	1936	2,967	1,520	1,447
1855	4,638	2,281	2,357	1896	3,314	1,653	1,661	1937	2,948	1,510	1,438
1856	4,594	2,261	2,333	1897	3,298	1,646	1,652	1938	2,937	1,505	1,432
1857	4,540	2,234	2,306	1898	3,283	1,640	1,643	1939	2,934	1,503	1,431
1858	4,506	2,217	2,289	1899	3,265	1,631	1,634	1940	2,958	1,515	1,443
1859	4,471	2,199	2,272	1900	3,234	1,616	1,618	1941	2,993	1,533	1,460
1860	4,428	2,179	2,249	1901	3,213	1,607	1,606	1942	2,963	1,499	1,464
1861	4,393	2,164	2,229	1902	3,200	1,603	1,597	1943	2,946	1,490	1,456
1862	4,377	2,158	2,219	1903	3,185	1,599	1,586	1944	2,944	1,487	1,457
1863	4,328	2,134	2,194	1904	3,175	1,597	1,578	1945	2,952	1,490	1,462
1864	4,263	2,103	2,160	1905	3,165	1,594	1,571	1946	2,957	1,496	1,461
1865	4,223	2,084	2,139	1906	3,160	1,593	1,567	1947	2,974	1,505	1,469
1866	4,163	2,051	2,112	1907	3,151	1,589	1,562	1948	2,985	1,512	1,473
1867	4,130	2,033	2,097	1908	3,145	1,588	1,557	1949	2,981	1,513	1,468
1868	4,109	2,022	2,087	1909	3,142	1,589	1,553	1950	2,969	1,510	1,459
1869	4,090	2,012	2,078	1910	3,139	1,588	1,551	1951	2,961	1,507	1,454
1870	4,062	1,996	2,066	1911	3,132	1,586	1,546	1952	2,953	1,501	1,452
1871	4,042	1,986	2,056	1912	3,120	1,581	1,539	1953	2,949	1,498	1,451
1872	4,023	1,975	2,048	1913	3,103	1,572	1,531	1954	2,941	1,493	1,448
1873	3,989	1,955	2,034	1914	3,092	1,568	1,524	1955	2,921	1,479	1,442
1874	3,966	1,944	2,022	1915	3,068	1,546	1,522	1956	2,898	1,463	1,435
1875	3,951	1,940	2,011	1916	3,068	1,549	1,519	1957	2,885	1,456	1,429
1876	3,949	1,942	2,007	1917	3,065	1,551	1,514	1958	2,853	1,439	1,414
1877	3,956	1,947	2,009	1918	3,066	1,553	1,513	1959	2,846	1,435	1,411
1878	3,952	1,948	2,004	1919	3,102	1,598	1,504	1960	2,832	1,427	1,405
1879	3,939	1,944	1,995	1920	3,103	1,598	1,505	1961	2,818	1,417	1,402
1880	3,891	1,920	1,971	1921	3,096	1,599	1,497	1962	2,830	1,423	1,407
1881	3,847	1,901	1,946	1922	3,022	1,529	1,493	1963	2,850	1,433	1,417
1882	3,808	1,882	1,926	1923	3,014	1,526	1,488	1964	2,864	1,440	1,424
1883	3,745	1,853	1,892	1924	3,005	1,521	1,484	1965	2,876	1,446	1,430
1884	3,703	1,834	1,869	1925	2,985	1,512	1,473	1966	2,884	1,449	1,435
1885	3,671	1,820	1,851	1926	2,971	1,507	1,464	1967	2,899	1,456	1,443
1886	3,642	1,808	1,834	1927	2,957	1,502	1,455	1968	2,910	1,461	1,449
1887	3,600	1,788	1,812	1928	2,944	1,498	1,446	1969	2,921	1,466	1,455
1888	3,554	1,766	1,788	1929	2,937	1,496	1,441				
1889	3,516	1,748	1,768	1930	2,927	1,493	1,434				
1890	3,482	1,733	1,749	1931	2,933	1,497	1,436				
1891	3,449	1,718	1,731	1932	2,949	1,505	1,444				

TABLE 2 - ESTIMATED POPULATION BY AGE 1969

Age Group	Total	Males	Females
Under 1	62,800	32,300	30,500
1-4	247,700	126,500	121,200
5-9	308,600	157,400	151,200
10-14	292,200	148,900	143,300
15-19	256,000	130,900	125,100
20-24	199,900	101,600	98,300
25-29	163,300	82,300	81,000
30-34	149,200	75,500	73,700
35-39	150,700	75,800	74,900
40-44	156,700	78,100	78,600
45-49	162,300	81,300	81,000
50-54	161,300	81,700	79,600
55-59	151,100	77,100	74,000
60-64	130,100	65,500	64,600
65-69	112,000	54,100	57,900
70-74	95,500	44,200	51,300
75-79	65,300	29,500	35,800
80-84	36,600	15,900	20,700
85+	19,300	7,500	11,800
All Ages	2,920,600	1,466,100	1,454,500

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE
CENSUS OF POPULATION, 1966

Area	Persons	Males	Females
Carlow	33,593	17,320	16,273
Dublin County Borough	568,772	267,070	301,702
Dun Laoghaire Borough	51,772	23,159	28,613
Dublin County (remainder)	174,503	85,463	89,040
Kildare	66,404	34,829	31,575
Kilkenny	60,463	31,390	29,073
Laois	44,595	23,622	20,973
Longford	28,989	15,245	13,744
Louth	69,519	34,664	34,855
Meath	67,323	34,877	32,446
Offaly	51,717	27,007	24,710
Westmeath	52,900	27,101	25,799
Wexford	83,437	42,270	41,167
Wicklow	60,428	30,231	30,197
Clare	73,597	38,667	34,930
Cork County Borough	122,146	58,122	64,024
Cork County	217,557	111,888	105,669
Kerry	112,785	58,674	54,111
Limerick County Borough	55,912	26,747	29,165
Limerick County	81,445	42,388	39,057
Tipperary, N.R.	53,843	28,064	25,779
Tipperary, S.R.	68,969	35,352	33,617
Waterford County Borough	29,842	14,140	15,702
Waterford County	43,238	22,326	20,912
Galway	148,340	77,696	70,644
Leitrim	30,572	16,444	14,128
Mayo	115,547	59,829	55,718
Roscommon	56,228	29,782	26,446
Sligo	51,263	26,346	24,917
Cavan	54,022	28,803	25,219
Donegal	108,549	55,606	52,943
Monaghan	45,732	23,910	21,822
Total	2,884,002	1,449,032	1,434,970

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1969.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,229	959	493	466	34,243	18,603	15,640	25,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062
1962	15,627	61,782	31,650	30,132	60,671	1,111	534	577	33,838	18,355	15,483	27,944
1963	15,556	63,246	32,486	30,760	62,089	1,157	587	570	33,795	18,199	15,596	29,451
1964	16,128	64,072	32,759	31,313	62,780	1,292	641	651	32,630	17,630	15,000	31,442
1965	16,946	63,525	32,438	31,087	62,122	1,403	708	695	33,022	17,965	15,057	30,503
1966	16,849	62,215	32,173	30,042	60,779	1,436	757	679	35,113	19,148	15,965	27,102
1967	17,788	61,307	31,642	29,665	59,767	1,540	779	761	31,400	17,035	14,365	29,907
1968	18,993	61,004	31,469	29,535	59,446	1,558	782	776	33,157	18,031	15,126	27,847
1969	20,304	62,912	32,143	30,769	61,270	1,642	845	797	33,734	18,340	15,394	29,178

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1969.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864 - 1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871 - 1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881 - 1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891 - 1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901 - 1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911 - 1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921 - 1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931 - 1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941 - 1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951 - 1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.88	21.34	0.55	2.50	1,045	11.89	41.37	10.00
1953	5.39	21.21	20.76	0.45	2.14	1,063	11.73	39.37	9.48
1954	5.38	21.26	20.82	0.45	2.09	1,054	12.08	37.80	9.18
1955	5.63	21.10	20.68	0.42	2.00	1,045	12.59	36.74	8.51
1956	5.78	20.96	20.55	0.40	1.93	1,060	11.70	35.59	9.26
1957	5.08	21.23	20.87	0.38	1.69	1,048	11.89	33.10	9.33
1958	5.28	20.86	20.52	0.34	1.64	1,051	12.00	35.44	8.85
1959	5.42	21.15	20.81	0.34	1.59	1,040	12.03	32.02	9.12
1960	5.46	21.46	21.12	0.34	1.59	1,052	11.54	29.26	9.92
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89
1962	5.52	21.83	21.44	0.39	1.80	1,050	11.96	29.13	9.87
1963	5.46	22.19	21.79	0.41	1.83	1,056	11.86	26.59	10.33
1964	5.63	22.37	21.92	0.45	2.02	1,046	11.39	26.72	10.98
1965	5.89	22.09	21.60	0.49	2.21	1,043	11.48	25.25	10.61
1966	5.84	21.57	21.07	0.50	2.31	1,071	12.18	24.95	9.40
1967	6.14	21.15	20.62	0.53	2.51	1,067	10.83	24.43	10.32
1968	6.53	20.96	20.43	0.54	2.55	1,065	11.39	20.98	9.57
1969	6.95	21.54	20.98	0.56	2.61	1,045	11.55	20.55	9.99

TABLE 6 — MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951 — 1969 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951 — 1960 AND THE RATES FOR EACH OF THE YEARS 1961 TO 1969 PER 1,000 OF THE POPULATION

Year	Marriages															Births					Deaths				
	Catholic					All others					Total					Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total										
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.		
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,068	7,705	33,910
1957	2,572	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
1958	2,587	3,465	5,460	2,971	14,483	105	183	199	91	578	2,692	3,648	5,659	3,062	15,061	14,722	15,966	14,836	13,986	59,510	10,284	8,970	7,099	7,895	34,248
1959	2,412	3,762	5,385	3,189	14,748	121	143	266	142	672	2,533	3,905	5,651	3,331	15,420	14,687	16,342	15,275	13,884	60,188	10,621	9,554	6,667	7,401	34,243
1960	2,817	3,333	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	60,735	9,458	7,958	6,921	8,323	32,660
Average 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
1967	3,114	3,884	6,260	3,839	17,097	141	171	280	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400
1968	3,725	3,747	6,769	4,019	18,260	151	161	286	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157
1969	4,118	4,000	7,216	4,107	19,441	149	232	315	167	863	4,267	4,232	7,531	4,274	20,304	15,361	16,861	16,235	14,455	62,912	10,035	8,657	7,177	7,865	33,734
Equivalent annual rate per 1,000 corresponding population																									
Average 1951-1960	4.2	5.2	7.8	4.8	5.5	3.0	5.0	6.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.6	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.3	5.5	8.5	4.8	5.5	1.9	4.6	5.4	3.5	3.8	3.2	5.5	8.3	4.8	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.8	10.8	12.3
1962	4.1	4.8	8.9	4.5	5.6	3.1	5.1	7.1	2.7	4.5	4.0	4.8	8.8	4.4	5.5	21.7	23.4	22.3	20.1	21.8	15.3	12.1	9.9	10.7	12.0
1963	4.0	4.8	8.4	4.9	5.5	3.2	4.4	7.0	3.9	4.6	3.9	4.8	8.4	4.8	5.5	21.8	23.8	23.1	20.5	22.2	15.1	11.9	10.1	10.6	11.9
1964	3.5	5.9	8.6	4.8	5.7	2.4	4.3	7.6	3.0	4.3	3.5	5.8	8.5	4.7	5.6	21.4	24.4	23.3	21.0	22.4	13.0	12.5	9.8	10.5	11.4
1965	5.0	4.9	9.0	4.9	6.0	2.5	3.6	7.5	3.5	4.3	4.9	4.8	9.0	4.9	5.9	22.1	23.8	22.5	20.1	22.1	13.7	11.0	10.2	11.1	11.5
1966	4.8	4.7	9.0	5.0	5.9	3.3	4.7	7.4	3.7	4.8	4.8	4.7	8.9	5.0	5.8	21.1	23.0	22.4	19.8	21.6	15.4	12.7	9.6	11.1	12.2
1967	4.6	5.7	9.2	5.6	6.3	3.3	4.0	6.5	2.3	4.0	4.5	5.6	9.0	5.4	6.1	20.7	23.0	21.2	19.6	21.1	11.9	10.8	9.8	10.8	10.8
1968	5.4	5.4	9.8	5.8	6.6	4.2	4.5	8.0	3.8	5.2	5.3	5.4	9.7	5.7	6.5	21.3	22.0	21.0	19.5	21.0	14.2	11.4	9.6	10.4	11.4
1969	5.9	5.8	10.4	5.9	7.0	4.2	6.6	8.9	4.7	6.1	5.8	5.8	10.3	5.9	7.0	21.0	23.1	22.2	19.8	21.5	13.7	11.9	9.8	10.8	11.5

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1969, WITH RATES PER 100,000 POPULATION.

Note - The classification of cause of death in this table is based on the Abbreviated List, 1965.

Detailed International List Number	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	33,734	1,155.0	16,338	1,080.2
001	Typhoid fever	-	-	-	-
004, 006	Bacillary dysentery and amoebiasis	1	0.0	1	0.1
008, 009	Enteritis and other diarrhoeal diseases	111	3.8	64	4.2
010-012	Tuberculosis of respiratory system	226	7.7	51	3.4
013-019	Other tuberculosis, including late effects	29	1.0	20	1.3
032	Diphtheria	-	-	-	-
033	Whooping cough	-	-	4	0.3
034	Streptococcal sore throat and scarlet fever	1	0.0	-	-
036	Meningococcal infection	5	0.2	3	0.2
038	Septicaemia	12	0.4	-	-
040-043	Acute poliomyelitis	-	-	-	-
055	Measles	4	0.1	4	0.3
070	Infectious hepatitis	25	0.9	10	0.7
084	Malaria	1	0.0	-	-
090-097	Syphilis and its sequelae	1	0.0	6	0.4
000, 002, 003, 005, 007, 020-031, 035, 037-039 044-054, 056-079 084-089, 098-136	All other infective and parasitic diseases	41	1.4	46	3.0
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-209 (except 201 and 204-207)	(a) Cancer	5,316	182.0	2,694	178.1
201, 204-207	(b) Hodgkin's disease and leukaemia	218	7.5	123	8.1
210-239	Benign neoplasms of unspecified nature	86	2.9	36	2.4
250	Diabetes mellitus	339	11.6	164	10.8
260-269	Avitaminoses and other nutritional deficiency	21	0.7	7	0.5
280-285	Anaemias	108	3.6	63	4.2
320	Meningitis	32	1.1	13	0.9
390-392	Active rheumatic fever	3	0.1	2	0.1
393-398	Chronic rheumatic heart disease	344	11.8	250	16.5
400-404	Hypertensive disease	807	27.6	303	20.0
410-414	Ischaemic heart disease	7,893	270.3	4,420	292.2
420-429	Other forms of heart disease	2,063	70.6	1,057	69.9

*Exclusive of the Six Counties

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1969, WITH RATES
PER 100,000 POPULATION.

Detailed International List Number	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease	4,741	162.3	2,327	153.9
470-474	Influenza	208	7.1	89	5.9
480-486	Pneumonia	1,864	63.8	711	47.0
490-493	Bronchitis, emphysema and asthma	2,078	71.1	938	62.0
531-533	Peptic ulcer	237	8.1	100	6.6
540-543	Appendicitis	19	0.7	8	0.5
550-553, 560	Intestinal obstruction and hernia	98	3.4	51	3.4
571	Cirrhosis of liver	104	3.6	56	3.7
580-584	Nephritis and nephrosis	256	8.8	49	3.2
660	Hyperplasia of prostate	138	4.7	56	3.7
640-645	Abortion	2	0.1	1	0.1
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium	18	0.6	4	0.3
740-759	Congenital anomalies	468	16.0	246	16.3
764-768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions	254	8.7	165	10.9
760-763, 769-771 773-775, 777-779	Other causes of peri-natal mortality†	279	9.6	176	11.6
780-796	Senility without mention of psychosis, ill-defined and unknown causes	770	26.4	50	3.3
	All other diseases	3,153	108.0	1,323	87.5
E810-E823	Motor vehicle accidents	447	15.3	234	15.5
E800-E807 E825-E949	All other accidents	762	26.1	292	19.3
E950-E959	Suicide and self-inflicted injuries	52	1.8	92	6.1
E960-E999	All other external causes	99	3.4	29	1.9

*Exclusive of the Six Counties

†Late foetal deaths not included

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864-1960 AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1961 TO 1969, CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
1962	18,355	1,178	80	59	89	93	202	453	1,265	2,652	4,601	5,448	2,135	100
1963	18,199	1,101	72	56	86	86	182	444	1,207	2,749	4,677	5,434	2,009	96
1964	17,630	1,087	67	50	94	74	225	461	1,271	2,773	4,416	5,064	1,957	91
1965	17,965	1,036	79	45	93	104	176	464	1,175	2,751	4,753	5,065	2,123	101
1966	19,148	1,020	62	58	97	91	177	425	1,268	2,792	5,131	5,580	2,330	117
1967	17,035	981	71	64	91	109	184	352	1,177	2,652	4,692	4,651	1,905	106
1968	18,031	818	91	44	108	137	203	421	1,173	2,874	4,896	5,001	2,143	122
1969	18,340	826	62	54	103	107	178	402	1,205	2,957	5,118	5,080	2,127	121
Females														
Average-1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
1962	15,483	883	63	30	37	51	136	376	895	1,675	3,512	5,209	2,434	182
1963	15,596	811	46	38	35	53	145	416	845	1,676	3,548	5,234	2,571	178
1964	15,000	872	57	49	54	50	152	336	861	1,695	3,253	4,987	2,454	180
1965	15,057	797	55	27	41	44	123	317	853	1,580	3,468	5,081	2,463	208
1966	15,965	770	57	38	55	40	123	319	871	1,721	3,757	5,245	2,730	239
1967	14,365	719	47	37	37	42	122	284	838	1,609	3,421	4,531	2,489	189
1968	15,126	662	39	43	48	48	109	307	863	1,660	3,538	4,868	2,708	233
1969	15,394	681	49	37	62	46	138	279	832	1,769	3,605	4,953	2,708	235
Persons														
Average-1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266
1962	33,838	2,061	143	89	126	144	338	829	2,160	4,327	8,113	10,657	4,569	282
1963	33,795	1,912	118	94	121	139	327	869	2,052	4,425	8,225	10,668	4,580	274
1964	32,630	1,959	124	99	148	124	377	797	2,132	4,468	7,669	10,051	4,411	271
1965	33,022	1,833	134	72	134	148	299	781	2,028	4,331	8,221	10,146	4,586	309
1966	35,113	1,790	119	96	152	131	300	744	2,139	4,513	8,888	10,825	5,060	356
1967	31,400	1,700	118	101	128	151	306	636	2,015	4,261	8,113	9,182	4,394	295
1968	33,157	1,480	130	87	156	185	312	728	2,036	4,534	8,434	9,869	4,851	335
1969	33,734	1,507	111	91	165	153	316	681	2,037	4,726	8,723	10,033	4,835	356

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons, of whom 49 were males and 31 females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH OF THE YEARS 1961 to 1969 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE.

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
1962	12.91	7.68	0.54	0.40	0.74	1.16	1.37	2.72	7.41	19.93	48.30	117.49	290.49
1963	12.71	7.17	0.48	0.39	0.70	0.94	1.23	2.76	7.11	20.28	48.97	118.02	265.65
1964	12.25	6.96	0.45	0.34	0.72	0.80	1.57	2.92	7.57	20.29	46.29	108.90	273.07
1965	12.44	6.56	0.52	0.30	0.69	1.07	1.22	2.97	7.11	19.78	49.30	107.08	296.53
1966	13.21	6.32	0.41	0.40	0.73	0.96	1.19	2.70	7.55	20.31	52.74	125.20	302.40
1967	11.70	6.07	0.46	0.44	0.69	1.09	1.22	2.27	7.08	18.99	48.25	104.21	233.62
1968	12.34	5.04	0.59	0.30	0.82	1.38	1.31	2.72	7.14	20.42	50.04	111.03	294.61
1969	12.51	5.20	0.39	0.36	0.79	1.05	1.13	2.61	7.39	20.74	52.07	111.89	299.73
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	36.19	100.91	245.83
1962	11.00	5.99	0.45	0.21	0.33	0.66	0.90	2.20	5.56	12.49	34.76	96.67	241.31
1963	11.01	5.48	0.32	0.28	0.30	0.60	0.97	2.50	5.17	12.45	34.96	95.83	228.00
1964	10.54	5.82	0.40	0.35	0.44	0.56	1.05	2.06	5.30	12.53	31.49	89.69	235.18
1965	10.54	5.27	0.38	0.19	0.33	0.47	0.86	1.96	5.22	11.66	33.28	90.57	240.63
1966	11.13	4.98	0.39	0.27	0.44	0.44	0.84	1.99	5.33	12.90	35.10	97.46	243.26
1967	9.96	4.65	0.32	0.26	0.29	0.44	0.82	1.80	5.13	11.91	31.92	84.02	208.60
1968	10.44	4.26	0.26	0.30	0.38	0.50	0.72	1.97	5.35	12.15	32.67	87.70	246.62
1969	10.58	4.49	0.32	0.26	0.50	0.47	0.89	1.82	5.18	12.76	33.01	87.66	249.41
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63
1962	11.96	6.85	0.50	0.31	0.54	0.91	1.13	2.46	6.51	16.19	41.33	106.30	261.72
1963	11.86	6.34	0.40	0.33	0.51	0.77	1.09	2.63	6.16	16.38	41.75	105.98	242.93
1964	11.39	6.40	0.43	0.35	0.58	0.69	1.31	2.48	6.45	16.43	38.60	98.44	250.37
1965	11.49	5.93	0.45	0.25	0.51	0.78	1.04	2.46	6.17	15.77	40.98	98.12	263.17
1966	12.18	5.67	0.40	0.34	0.59	0.71	1.01	2.34	6.45	16.66	43.50	110.03	266.84
1967	10.83	5.38	0.39	0.35	0.49	0.77	1.02	2.03	6.12	15.51	39.69	93.16	218.64
1968	11.39	4.66	0.43	0.30	0.61	0.95	1.02	2.35	6.25	16.35	40.92	98.15	264.42
1969	11.55	4.85	0.36	0.31	0.64	0.77	1.01	2.22	6.29	16.81	42.04	98.46	268.96

TABLE 10 – BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN
CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number
Total	62,912	-	-	62,912	1,642	-	-	1,642
Carlow	677	114	246	809	7	2	17	22
Dublin County Borough	21,799	9,160	147	12,786	655	284	66	437
Dun Laoghaire Borough	1,255	760	911	1,406	7	4	34	37
Dublin County (remainder)	549	286	4,873	5,136	163	148	103	118
Kildare	377	11	1,376	1,742	7	1	35	41
Kilkenny	1,008	70	331	1,269	9	1	30	38
Laos	671	13	274	932	2	-	19	21
Longford	374	83	282	573	3	-	14	17
Louth	3,373	1,593	56	1,836	22	9	15	28
Meath	219	8	1,349	1,560	2	-	40	42
Offaly	937	51	272	1,158	4	-	24	28
Westmeath	1,014	217	401	1,198	121	114	30	37
Wexford	1,713	50	310	1,973	24	2	46	68
Wicklow	295	10	1,149	1,434	6	1	42	47
Clare	968	5	513	1,476	10	1	23	32
Cork County Borough	6,588	3,636	15	2,967	251	220	4	35
Cork County	1,170	30	3,264	4,404	11	-	107	118
Kerry	1,663	38	411	2,036	12	-	36	48
Limerick County Borough	4,035	2,446	19	1,608	50	24	10	36
Limerick County	60	-	1,531	1,591	1	-	47	48
Tipperary, N.R.	891	198	425	1,118	165	152	21	34
Tipperary, S.R.	1,486	147	140	1,479	12	2	23	33
Waterford County Borough	1,694	836	18	876	15	9	4	10
Waterford County	216	5	602	813	-	-	23	23
Galway	3,665	767	79	2,977	19	4	49	64
Leitrim	169	8	225	386	1	-	11	12
Mayo	1,741	42	278	1,977	8	-	25	33
Roscommon	476	46	424	854	1	1	9	9
Sligo	837	82	69	824	8	-	10	18
Cavan	570	16	374	928	4	-	21	25
Donegal	1,910	19	53	1,944	35	-	19	54
Monaghan	512	39	369	842	7	1	23	29

1969, AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
33,734	-	-	33,734	1,293	-	-	1,293	29,178	Total
328	25	70	373	14	-	12	26	436	Carlow
7,234	1,884	298	5,648	566	281	1	286	7,138	Dublin County Borough
651	192	188	647	15	8	15	22	759	Dun Laoghaire Borough
836	296	772	1,312	10	-	93	103	3,824	Dublin County (remainder)
508	8	153	653	6	-	27	33	1,089	Kildare
696	37	75	734	24	2	10	32	535	Kilkenny
473	19	49	503	4	-	3	7	429	Laois
316	6	65	375	4	-	10	14	198	Longford
843	86	49	806	53	21	5	37	1,030	Louth
681	18	149	812	2	-	22	24	748	Meath
504	8	69	565	26	-	8	34	593	Offaly
591	66	72	597	7	-	14	21	601	Westmeath
955	10	75	1,020	16	1	14	29	953	Wexford
526	25	199	700	5	-	23	28	734	Wicklow
976	14	86	1,048	19	-	16	35	428	Clare
2,027	723	50	1,354	138	73	1	66	1,613	Cork County Borough
2,362	69	710	3,003	20	2	69	87	1,401	Cork County
1,388	18	82	1,452	35	2	15	48	584	Kerry
695	276	136	555	73	52	13	34	1,053	Limerick County Borough
976	175	254	1,055	25	15	26	36	536	Limerick County
646	7	74	713	13	-	16	29	405	Tipperary, N.R.
849	35	62	876	21	1	7	27	603	Tipperary, S.R.
582	231	18	369	24	12	2	14	507	Waterford County Borough
300	13	211	498	-	-	17	17	315	Waterford County
1,916	204	54	1,766	59	13	3	49	1,211	Galway
364	4	67	427	6	-	3	9	- 41	Leitrim
1,515	20	123	1,618	21	-	6	27	359	Mayo
680	21	107	766	10	2	6	14	88	Roscommon
716	33	40	723	16	-	4	20	101	Sligo
719	12	86	793	8	-	6	14	135	Cavan
1,334	3	70	1,401	45	-	8	53	543	Donegal
547	28	53	572	8	-	10	18	270	Monaghan

TABLE 11 – MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1969 SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
TOTAL	20,304	32,143	30,769	62,912	845	797	1,642	18,340	15,394	33,734	1,293	255	5,534
Carlow	238	407	402	809	12	10	22	213	160	373	26	2	62
Dublin Co. Borough	5,637	6,522	6,264	12,786	209	228	437	2,869	2,779	5,648	286	77	1,095
Dun Laoghaire Borough	442	728	678	1,406	23	14	37	310	337	647	22	7	116
Dublin Co. (remainder)	1,005	2,614	2,522	5,136	57	61	118	684	628	1,312	103	13	243
Kildare	483	896	846	1,742	21	20	41	375	278	653	33	4	104
Kilkenny	406	640	629	1,269	22	16	38	424	310	734	32	1	107
Laois	232	477	455	932	15	6	21	276	227	503	7	4	88
Longford	135	282	291	573	8	9	17	204	171	375	14	3	56
Louth	595	921	915	1,836	12	16	28	434	372	806	37	6	134
Meath	462	795	765	1,560	21	21	42	449	363	812	24	10	124
Offaly	294	570	588	1,158	13	15	28	318	247	565	34	1	95
Westmeath	376	617	581	1,198	23	14	37	342	255	597	21	3	80
Wexford	583	1,014	959	1,973	40	28	68	547	473	1,020	29	6	171
Wicklow	460	746	688	1,434	24	23	47	391	309	700	28	1	113
LEINSTER	11,348	17,229	16,583	33,812	500	481	981	7,836	6,909	14,745	696	138	2,588
Clare	440	756	720	1,476	17	15	32	587	461	1,048	35	5	127
Cork Co. Borough	1,063	1,551	1,416	2,967	16	19	35	713	641	1,354	66	12	234
Cork County	1,259	2,221	2,183	4,404	64	54	118	1,623	1,380	3,003	87	14	490
Kerry	624	1,009	1,027	2,036	27	21	48	804	648	1,452	48	13	197
Limerick Co. Borough	623	841	767	1,608	22	14	36	295	260	555	34	2	113
Limerick County	398	815	776	1,591	26	22	48	591	464	1,055	36	2	159
Tipperary, N.R.	321	625	493	1,118	18	16	34	401	312	713	29	10	94
Tipperary, S.R.	413	739	740	1,479	15	18	33	483	393	876	27	9	157
Waterford Co. Borough	293	455	421	876	4	6	10	174	195	369	14	4	67
Waterford County	256	442	371	813	9	14	23	285	213	498	17	4	84
MUNSTER	5,690	9,454	8,914	18,368	218	199	417	5,956	4,967	10,923	393	75	1,722
Galway	856	1,483	1,494	2,977	36	28	64	1,028	738	1,766	49	14	260
Leitrim	117	201	185	386	7	5	12	236	191	427	9	2	62
Mayo	530	997	980	1,977	17	16	33	871	747	1,618	27	12	244
Roscommon	250	453	401	854	3	6	9	460	306	766	14	-	121
Sligo	230	418	406	824	6	12	18	392	331	723	20	5	117
CONNACHT	1,983	3,552	3,466	7,018	69	67	136	2,987	2,313	5,300	119	33	804
Cavan	307	475	453	928	13	12	25	452	341	793	14	1	99
Donegal	715	1,003	941	1,944	26	28	54	793	608	1,401	53	5	236
Monaghan	261	430	412	842	19	10	29	316	256	572	18	3	85
ULSTER (part of)	1,283	1,908	1,806	3,714	58	50	108	1,561	1,205	2,766	85	9	420

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1969

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegit- imate % of total births	All causes	Tuberculosis	Malignant neoplasms	
TOTAL	6.95	21.54	2.61	11.55	0.09	1.89	20.55
Carlow	7.09	24.11	2.72	11.12	0.06	1.85	32.14
Dublin County Borough	9.64	21.86	3.42	9.66	0.13	1.87	22.37
Dun Laoghaire Borough	8.13	25.85	2.63	11.90	0.13	2.13	15.65
Dublin County (remainder)	4.98	25.47	2.30	6.51	0.06	1.21	20.05
Kildare	7.14	25.74	2.35	9.65	0.06	1.54	18.94
Kilkenny	6.81	21.28	2.99	12.31	0.02	1.79	25.22
Laois	5.27	21.17	2.25	11.43	0.09	2.00	7.51
Longford	4.83	20.51	2.97	13.42	0.11	2.00	24.43
Louth	8.37	25.84	1.53	11.34	0.07	1.89	20.15
Meath	6.72	22.70	2.69	11.81	0.15	1.80	15.38
Offaly	5.68	22.38	2.42	10.92	0.02	1.84	29.36
Westmeath	7.12	22.68	3.09	11.30	0.06	1.51	17.53
Wexford	6.97	23.59	3.45	12.19	0.07	2.04	14.70
Wicklow	7.47	23.27	3.28	11.36	0.02	1.83	19.53
LEINSTER	7.75	23.10	2.90	10.08	0.09	1.77	20.58
Clare	6.00	20.12	2.17	14.28	0.07	1.73	23.71
Cork County Borough	8.21	22.92	1.18	10.46	0.09	1.81	22.24
Cork County	5.84	20.43	2.68	13.93	0.06	2.27	19.76
Kerry	5.67	18.49	2.36	13.19	0.12	1.79	23.58
Limerick County Borough	10.51	27.12	2.24	9.36	0.03	1.91	21.14
Limerick County	4.95	19.75	3.02	13.11	0.02	1.98	22.63
Tipperary, N.R.	5.96	20.77	3.04	13.25	0.19	1.75	25.94
Tipperary, S.R.	6.08	21.76	2.23	12.89	0.13	2.31	18.26
Waterford County Borough	9.53	28.48	1.14	12.00	0.13	2.18	15.98
Waterford County	5.92	18.81	2.83	11.52	0.09	1.94	20.91
MUNSTER	6.59	21.26	2.27	12.64	0.09	1.99	21.40
Galway	5.83	20.28	2.15	12.03	0.10	1.77	16.46
Leitrim	4.08	13.47	3.11	14.90	0.07	2.16	23.32
Mayo	4.80	17.91	1.67	14.66	0.11	2.21	13.66
Roscommon	4.60	15.71	1.05	14.10	-	2.23	16.39
Sligo	4.61	16.53	2.18	14.50	0.10	2.35	24.27
CONNACHT	5.09	17.99	1.94	13.59	0.08	2.06	16.96
Cavan	5.87	17.74	2.69	15.16	0.02	1.89	15.09
Donegal	6.79	18.45	2.78	13.30	0.05	2.24	27.26
Monaghan	5.81	18.76	3.44	12.74	0.07	1.89	21.38
ULSTER (part of)	6.33	18.33	2.91	13.65	0.04	2.07	22.89

TABLE 13 – DEATHS REGISTERED IN 1969 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	18,340	6,352	8,373	3,615	15,394	4,716	3,734	6,944
Under 15 years	942	942	-	-	767	766	1	-
15-19	103	103	-	-	62	61	1	-
20-24	107	98	9	-	46	39	7	-
25-29	85	53	32	-	59	27	32	-
30-34	93	44	49	-	79	34	44	1
35-39	155	71	83	1	106	31	73	2
40-44	247	120	122	5	173	41	127	5
45-49	453	150	290	13	309	80	208	21
50-54	752	254	475	23	523	149	314	60
55-59	1,234	394	780	60	718	177	406	135
60-64	1,723	514	1,072	137	1,051	281	505	265
65-69	2,302	712	1,326	264	1,452	418	542	492
70-74	2,816	868	1,456	492	2,153	641	570	942
75-79	2,731	835	1,180	716	2,429	671	446	1,312
80-84	2,349	665	884	800	2,524	621	277	1,626
85 and over	2,248	529	615	1,104	2,943	679	181	2,083

TABLE 14 – BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1969 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,144	2,120	4,264	914	884	1,798
Carlow	91	95	186	33	24	57
Athy	49	58	107	21	32	53
Naas	57	45	102	16	13	29
Longford	51	51	102	9	21	30
Ceanannus Mor	34	32	66	11	19	30
An Uaimh	76	72	148	35	23	58
Trim	14	17	31	14	8	22
Birr	46	51	97	11	14	25
Tullamore	74	73	147	32	27	59
Athlone	129	127	256	51	26	77
Enniscorthy	59	58	117	40	30	70
New Ross	52	57	109	29	26	55
Arklow	77	85	162	24	21	45
Wicklow	51	45	96	14	22	36
Ennis	80	86	166	33	35	68
Kilrush	21	27	48	17	20	37
Clonakilty	15	23	38	19	22	41
Cobh	70	90	160	41	24	65
Fermoy	33	43	76	32	22	54
Kinsale	14	8	22	7	8	15
Macroom	14	12	26	7	5	12
Mallow	63	62	125	22	23	45
Midleton	32	42	74	16	18	34
Skibbereen	30	14	44	16	11	27
Youghal	48	69	117	8	28	36
Killarney	68	75	143	26	33	59
Listowel	32	25	57	11	11	22
Nenagh	54	48	102	28	28	56
Templemore	27	16	43	9	7	16
Thurles	71	58	129	23	23	46
Carrick-on-Suir	58	63	121	33	27	60
Cashel	37	24	61	8	11	19
Tipperary	54	45	99	32	37	69
Dungarvan	52	48	100	15	20	35
Ballinasloe	19	30	49	9	7	16
Ballina	79	73	152	38	29	67
Castlebar	41	59	100	21	27	48
Westport	34	29	63	16	25	41
Cavan	39	28	67	15	17	32
Buncrana	30	20	50	11	7	18
Bundoran	8	7	15	5	6	11
Letterkenney	56	41	97	12	11	23
Carrickmacross	27	19	46	6	9	15
Castleblayney	17	19	36	7	5	12
Clones	19	20	39	7	6	13
Monaghan	42	31	73	24	16	40

TABLE 15 – BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1969, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	32,143	30,769	62,912	845	797	1,642	18,340	15,394	33,734	255	5,534
Dublin County Borough	6,522	6,264	12,786	209	228	437	2,869	2,779	5,648	77	1,095
Cork County Borough	1,551	1,416	2,967	16	19	35	713	641	1,354	12	234
Limerick County Borough	841	767	1,608	22	14	36	295	260	555	2	113
Waterford County Borough	455	421	876	4	6	10	174	195	369	4	67
Dun Laoghaire Borough	728	678	1,406	23	14	37	310	337	647	7	116
Municipal Boroughs:											
Galway	300	288	588	2	1	3	124	99	223	2	39
Drogheda	273	274	547	1	1	2	87	98	185	1	37
Sligo	127	129	256	2	4	6	82	68	150	3	25
Wexford	172	151	323	1	4	5	78	62	140	2	16
Clonmel	136	146	282	-	3	3	70	54	124	-	17
Kilkenny	173	121	294	5	2	7	71	66	137	-	25
Urban Districts:											
Dundalk	245	236	481	3	7	10	122	95	217	3	33
Bray	183	193	376	6	6	12	76	72	148	-	24
Tralee	133	127	260	-	-	-	71	68	139	-	21
Total above Principal Towns	11,839	11,211	23,050	294	309	603	5,142	4,894	10,036	113	1,862
Total other Urban Districts	2,144	2,120	4,264	30	25	55	914	884	1,798	16	309
All Boroughs and Urban Districts:											
Leinster	9,156	8,783	17,939	258	276	534	3,953	3,815	7,768	95	1,466
Munster	3,989	3,755	7,744	57	52	109	1,726	1,631	3,357	25	581
Connacht	600	608	1,208	4	5	9	290	255	545	7	101
Ulster (part of)	238	185	423	5	1	6	87	77	164	2	23
Total – Boroughs and Urban Districts	13,983	13,331	27,314	324	334	658	6,056	5,778	11,834	129	2,171
All Rural Districts:											
Leinster	8,073	7,800	15,873	242	205	447	3,883	3,094	6,977	43	1,122
Munster	5,465	5,159	10,624	161	147	308	4,230	3,336	7,566	50	1,141
Connacht	2,952	2,858	5,810	65	62	127	2,697	2,058	4,755	26	703
Ulster (part of)	1,670	1,621	3,291	53	49	102	1,474	1,128	2,602	7	397
Total – Rural Districts	18,160	17,438	35,598	521	463	984	12,284	9,616	21,900	126	3,363

TABLE 16 – BIRTH AND DEATH RATES IN 1969 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	21.54	2.61	11.55	0.09	1.89
Dublin County Borough	21.86	3.42	9.66	0.13	1.87
Cork County Borough	22.92	1.18	10.46	0.09	1.81
Limerick County Borough	27.12	2.24	9.36	0.03	1.91
Waterford County Borough	28.48	1.14	12.00	0.13	2.18
Dun Laoghaire Borough	25.85	2.63	11.90	0.13	2.13
Municipal Boroughs:					
Galway	23.91	0.51	9.07	0.08	1.59
Drogheda	30.55	0.37	10.33	0.06	2.07
Sligo	19.07	2.34	11.17	0.22	1.86
Wexford	27.98	1.55	12.13	0.17	1.39
Clonmel	25.56	1.06	11.24	-	1.54
Kilkenny	29.25	2.38	13.63	-	2.49
Urban Districts:					
Dundalk	24.05	2.08	10.85	0.15	1.65
Bray	29.61	3.19	11.65	-	1.89
Tralee	23.19	-	12.40	-	1.87
Total above Principal Towns	23.25	2.62	10.12	0.11	1.88
All other Urban Districts	22.50	1.29	9.49	0.08	1.63
All Boroughs and Urban Districts:					
Leinster	23.03	2.98	9.97	0.12	1.88
Munster	24.10	1.41	10.45	0.08	1.81
Connacht	20.65	0.75	9.32	0.12	1.73
Ulster (part of)	19.06	1.42	7.39	0.09	1.04
Total – Boroughs and Urban Districts	23.13	2.41	10.02	0.11	1.84
All Rural Districts:					
Leinster	24.25	2.82	10.66	0.07	1.71
Munster	19.33	2.90	13.77	0.09	2.08
Connacht	16.92	2.19	13.84	0.08	2.05
Ulster (part of)	17.68	3.10	13.98	0.04	2.13
Total – Rural Districts	20.53	2.76	12.63	0.07	1.94

TABLE 17 - DEATHS REGISTERED IN 1969 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	11,834	6,056	5,778	21,900	12,284	9,616	33,734	18,340	15,394
Under 1 year	589	338	251	704	371	333	1,293	709	584
1 year	37	21	16	57	32	25	94	53	41
2 years	22	12	10	25	16	9	47	28	19
3 "	26	10	16	19	10	9	45	20	25
4 "	13	7	6	15	9	6	28	16	12
1-4 "	98	50	48	116	67	49	214	117	97
5 "	12	7	5	13	8	5	25	15	10
6 "	12	7	5	15	11	4	27	18	9
7 "	8	5	3	11	7	4	19	12	7
8 "	8	5	3	19	7	12	27	12	15
9 "	5	3	2	8	2	6	13	5	8
5-9 "	45	27	18	66	35	31	111	62	49
10 "	10	7	3	8	4	4	18	11	7
11 "	4	1	3	11	8	3	15	9	6
12 "	6	4	2	13	10	3	19	14	5
13 "	2	2	-	9	3	6	11	5	6
14 "	6	3	3	22	12	10	28	15	13
10-14 "	28	17	11	63	37	26	91	54	37
15 "	7	2	5	16	13	3	23	15	8
16 "	12	8	4	20	15	5	32	23	9
17 "	9	6	3	24	13	11	33	19	14
18 "	5	3	2	27	19	8	32	22	10
19 "	15	10	5	30	14	16	45	24	21
15-19 "	48	29	19	117	74	43	165	103	62
20 "	19	16	3	23	17	6	42	33	9
21 "	6	5	1	13	8	5	19	13	6
22 "	13	10	3	15	12	3	28	22	6
23 "	20	9	11	23	19	4	43	28	15
24 "	11	5	6	10	6	4	21	11	10
20-24 "	69	45	24	84	62	22	153	107	46
25 "	14	8	6	15	11	4	29	19	10
26 "	9	7	2	20	12	8	29	19	10
27 "	14	6	8	18	13	5	32	19	13
28 "	10	4	6	14	9	5	24	13	11
29 "	11	5	6	19	10	9	30	15	15
25-29 "	58	30	28	86	55	31	144	85	59
30 "	11	5	6	24	16	8	35	21	14
31 "	9	6	3	13	9	4	22	15	7
32 "	12	5	7	19	10	9	31	15	16
33 "	12	8	4	27	14	13	39	22	17
34 "	12	5	7	33	15	18	45	20	25
30-34 "	56	29	27	116	64	52	172	93	79

TABLE 17 (contd.) - DEATHS REGISTERED IN 1969 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	14	9	5	34	16	18	48	25	23
36 "	18	11	7	27	20	7	45	31	14
37 "	22	11	11	23	14	9	45	25	20
38 "	21	14	7	31	22	9	52	36	16
39 "	27	18	9	44	20	24	71	38	33
35-39 "	102	63	39	159	92	67	261	155	106
40 "	22	12	10	51	34	17	73	46	27
41 "	23	10	13	30	20	10	53	30	23
42 "	39	21	18	47	28	19	86	49	37
43 "	43	24	19	52	25	27	95	49	46
44 "	53	33	20	60	40	20	113	73	40
40-44 "	180	100	80	240	147	93	420	247	173
45 "	64	37	27	70	40	30	134	77	57
46 "	51	35	16	77	48	29	128	83	45
47 "	62	33	29	80	46	34	142	79	63
48 "	67	43	24	113	66	47	180	109	71
49 "	71	39	32	107	66	41	178	105	73
45-49 "	315	187	128	447	266	181	762	453	309
50 "	105	52	53	143	86	57	248	138	110
51 "	75	41	34	105	59	46	180	100	80
52 "	119	63	56	130	82	48	249	145	104
53 "	102	65	37	162	107	55	264	172	92
54 "	131	75	56	203	122	81	334	197	137
50-54 "	532	296	236	743	456	287	1,275	752	523
55 "	132	82	50	183	104	79	315	186	129
56 "	141	90	51	245	165	80	386	255	131
57 "	149	102	47	193	126	67	342	228	114
58 "	155	86	69	288	193	95	443	279	164
59 "	199	113	86	267	173	94	466	286	180
55-59 "	776	473	303	1,176	761	415	1,952	1,234	718
60 "	211	127	84	344	203	141	555	330	225
61 "	175	98	77	244	163	81	419	261	158
62 "	245	156	89	344	216	128	589	372	217
63 "	224	139	85	331	215	116	555	354	201
64 "	267	159	108	389	247	142	656	406	250
60-64 "	1,122	679	443	1,652	1,044	608	2,774	1,723	1,051
65 "	316	192	124	451	274	177	767	466	301
66 "	229	143	86	340	207	133	569	350	219
67 "	278	167	111	380	236	144	658	403	255
68 "	300	183	117	516	335	181	816	518	298
69 "	352	207	145	592	358	234	944	565	379
65-69 "	1,475	892	583	2,279	1,410	869	3,754	2,302	1,452

TABLE 17 (contd.) - DEATHS REGISTERED IN 1969 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	369	205	164	626	366	260	995	571	424
71 "	294	165	129	466	277	189	760	442	318
72 "	386	202	184	684	391	293	1,070	593	477
73 "	359	182	177	680	406	274	1,039	588	451
74 "	379	207	172	726	415	311	1,105	622	483
70-74 "	1,787	961	826	3,182	1,855	1,327	4,969	2,816	2,153
75 "	339	162	177	774	449	325	1,113	611	502
76 "	349	170	179	762	429	333	1,111	599	512
77 "	274	136	138	684	360	324	958	496	462
78 "	330	144	186	713	403	310	1,043	547	496
79 "	322	143	179	613	335	278	935	478	457
75-79 "	1,614	755	859	3,546	1,976	1,570	5,160	2,731	2,429
80 "	370	144	226	840	451	389	1,210	595	615
81 "	278	109	169	571	296	275	849	405	444
82 "	284	103	181	634	348	286	918	451	467
83 "	258	96	162	635	327	308	893	423	470
84 "	290	120	170	713	355	358	1,003	475	528
80-84 "	1,480	572	908	3,393	1,777	1,616	4,873	2,349	2,524
85 "	262	99	163	631	295	336	893	394	499
86 "	241	89	152	597	290	307	838	379	459
87 "	163	57	106	494	253	241	657	310	347
88 "	174	54	120	405	205	200	579	259	320
89 "	160	56	104	335	162	173	495	218	277
85-89 "	1,000	355	645	2,462	1,205	1,257	3,462	1,560	1,902
90 "	111	44	67	322	147	175	433	191	242
91 "	69	23	46	195	86	109	264	109	155
92 "	89	29	60	199	82	117	288	111	177
93 "	45	13	32	170	64	106	215	77	138
94 "	51	21	30	122	58	64	173	79	94
90-94 "	365	130	235	1,008	437	571	1,373	567	806
95 "	28	6	22	73	29	44	101	35	66
96 "	30	9	21	73	31	42	103	40	63
97 "	11	5	6	46	12	34	57	17	40
98 "	9	3	6	37	12	25	46	15	31
99 "	12	4	8	18	4	14	30	8	22
95-99 "	90	27	63	247	88	159	337	115	222
100 "	3	-	3	3	1	2	6	1	5
101 "	1	-	1	5	1	4	6	1	5
102 "	-	-	-	2	-	2	2	-	2
103 "	-	-	-	1	-	1	1	-	1
104 "	-	-	-	1	1	-	1	1	-
105 "	-	-	-	1	1	-	1	1	-
108 "	-	-	-	1	1	-	1	1	-
110 "	1	1	-	-	-	-	1	1	-
100 years and over	5	1	4	14	5	9	19	6	13

TABLE 18 - DEATHS REGISTERED IN 1969 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,340	709	53	28	20	16	826	62	54	103	107	85
	Females	15,394	584	41	19	25	12	681	49	37	62	46	59
LEINSTER	Males	7,836	379	30	12	13	9	443	34	32	41	55	40
	Females	6,909	317	25	13	16	7	378	27	17	27	30	30
MUNSTER	Males	5,956	223	14	11	4	6	258	17	12	39	30	30
	Females	4,967	170	6	4	5	3	188	13	13	23	12	21
CONNACHT	Males	2,987	69	7	2	3	-	81	8	7	14	13	12
	Females	2,313	50	6	2	2	2	62	4	6	10	2	2
ULSTER (part of)	Males	1,561	38	2	3	-	1	44	3	3	9	9	3
	Females	1,205	47	4	-	2	-	53	5	1	2	2	6
LEINSTER													
Carlow	Males	213	14	-	1	-	1	16	-	-	-	1	1
	Females	160	12	1	-	-	-	13	-	-	-	2	-
Dublin County Borough	Males	2,869	156	10	4	4	4	178	13	9	15	25	17
	Females	2,779	130	8	7	9	5	159	7	7	12	15	12
Dun Laoghaire Borough	Males	310	14	1	1	2	-	18	1	2	-	3	1
	Females	337	8	1	-	-	-	9	1	-	-	2	-
Dublin County (remainder)	Males	684	55	4	-	2	2	63	5	3	4	5	2
	Females	628	48	2	-	1	1	52	5	4	4	-	9
Kildare	Males	375	18	-	-	-	1	19	3	1	4	3	2
	Females	278	15	2	-	-	-	17	3	-	-	1	-
Kilkenny	Males	424	23	-	1	1	-	25	2	3	4	1	1
	Females	310	9	-	-	-	-	9	1	-	1	2	2
Laois	Males	276	4	1	-	-	-	5	1	1	1	1	-
	Females	227	3	2	-	2	1	8	2	-	1	1	1
Longford	Males	204	5	1	-	-	-	6	1	2	1	-	1
	Females	171	9	1	-	-	-	10	1	-	1	-	-
Louth	Males	434	17	4	2	2	-	25	3	3	4	4	6
	Females	372	20	3	-	-	-	23	-	1	2	3	2
Meath	Males	449	14	2	1	-	-	17	2	3	2	4	2
	Females	363	10	2	1	-	-	13	1	1	1	2	-
Offaly	Males	318	15	-	-	1	-	16	-	-	1	-	1
	Females	247	19	-	1	-	-	20	1	1	-	1	2
Westmeath	Males	342	14	1	1	-	1	17	1	1	-	-	-
	Females	255	7	-	3	-	-	10	4	1	1	1	1
Wexford	Males	547	13	3	1	1	-	18	1	2	3	3	4
	Females	473	16	3	1	2	-	22	1	1	2	-	-
Wicklow	Males	391	17	3	-	-	-	20	1	2	2	5	2
	Females	309	11	-	-	2	-	13	-	1	2	-	1

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
93	155	247	453	752	1,234	1,723	2,302	2,816	2,731	2,349	2,248	Males	
79	106	173	309	523	718	1,051	1,452	2,153	2,429	2,524	2,943	Females	
43	74	124	228	361	570	825	1,041	1,194	1,063	905	763	Males	LEINSTER
39	51	82	153	256	345	523	674	940	1,032	1,086	1,219	Females	
34	45	73	143	235	392	539	784	923	908	739	755	Males	MUNSTER
26	30	58	103	151	229	322	463	759	796	803	957	Females	
8	23	37	47	101	183	219	295	471	495	480	493	Males	CONNACHT
11	13	23	36	66	101	138	207	298	393	416	525	Females	
8	13	13	35	55	89	140	182	228	265	225	237	Males	ULSTER (part of)
3	12	10	17	50	43	68	108	156	208	219	242	Females	
LEINSTER													
1	2	4	8	13	10	26	19	23	30	27	32	Males	Carlow
1	-	3	3	2	9	12	17	16	33	17	32	Females	
15	37	58	99	133	234	317	425	470	358	256	210	Males	Dublin County Borough
13	19	41	58	118	147	210	293	415	410	425	418	Females	
2	4	6	6	18	23	45	34	47	38	31	31	Males	Dun Laoghaire Borough
3	3	2	7	12	14	29	24	45	59	60	67	Females	
9	6	13	30	31	55	71	97	73	90	66	61	Males	Dublin County (remainder)
9	6	6	16	21	30	47	59	66	90	87	117	Females	
-	3	3	11	17	28	42	59	56	52	49	23	Males	Kildare
1	3	5	6	15	14	23	25	41	33	46	45	Females	
1	3	3	8	17	21	39	44	79	59	64	50	Males	Kilkenny
1	2	3	5	7	20	19	31	41	43	50	73	Females	
1	-	2	6	7	16	29	31	42	50	42	41	Males	Laois
2	4	4	6	9	14	12	25	30	36	37	35	Females	
-	3	-	5	9	15	13	25	37	30	31	25	Males	Longford
-	1	1	5	6	8	12	11	26	20	32	37	Females	
1	3	9	7	25	36	36	54	63	47	64	44	Males	Louth
1	2	6	5	14	18	27	32	50	55	63	68	Females	
2	3	7	9	25	29	43	66	58	69	54	54	Males	Meath
3	1	2	9	20	13	26	37	47	56	59	72	Females	
3	2	4	11	19	19	17	28	68	53	38	38	Males	Offaly
-	5	2	6	5	11	13	29	22	42	44	43	Females	
4	1	4	8	10	25	37	30	49	62	48	45	Males	Westmeath
4	3	-	7	6	7	17	22	38	47	39	47	Females	
3	3	8	9	22	32	70	81	68	66	85	69	Males	Wexford
1	1	2	7	11	27	48	40	76	67	72	95	Females	
1	4	3	11	15	27	40	48	61	59	50	40	Males	Wicklow
-	1	5	13	10	13	28	29	27	41	55	70	Females	

TABLE 18 (contd.) - DEATHS REGISTERED IN 1969 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	587	18	1	4	-	1	24	3	-	6	1	1
	Females	461	17	1	1	-	-	19	-	2	7	1	2
Cork County Borough	Males	713	43	3	2	1	2	51	2	-	3	5	4
	Females	641	23	3	2	1	-	29	4	-	1	2	3
Cork County	Males	1,623	50	7	2	1	1	61	6	2	13	10	11
	Females	1,380	37	-	-	1	1	39	4	2	7	1	3
Kerry	Males	804	25	2	-	-	1	28	2	2	4	1	3
	Females	648	23	1	-	2	2	28	-	3	2	-	2
Limerick County Borough	Males	295	16	-	-	-	-	16	1	1	3	2	-
	Females	260	18	-	-	-	-	18	2	2	-	1	2
Limerick County	Males	591	19	-	-	-	-	19	1	2	3	4	3
	Females	464	17	-	-	-	-	17	1	3	3	2	4
Tipperary, North Riding	Males	401	21	-	1	2	-	24	-	3	1	2	2
	Females	312	8	-	-	-	-	8	-	1	-	3	2
Tipperary, South Riding	Males	483	11	-	-	-	1	12	-	1	4	2	3
	Females	393	16	1	-	-	-	17	2	-	2	1	2
Waterford County Borough	Males	174	11	-	1	-	-	12	2	-	-	1	-
	Females	195	3	-	-	1	-	4	-	-	-	-	1
Waterford County	Males	285	9	1	1	-	-	11	-	1	2	2	3
	Females	213	8	-	1	-	-	9	-	-	1	1	-
CONNACHT													
Galway	Males	1,028	25	2	-	2	-	29	2	3	4	4	7
	Females	738	24	3	2	1	1	31	1	1	-	-	1
Leitrim	Males	236	6	-	-	-	-	6	-	-	2	-	-
	Females	191	3	1	-	1	-	5	-	-	2	1	-
Mayo	Males	871	15	1	2	-	-	18	3	-	6	4	2
	Females	747	12	1	-	-	-	13	1	4	2	1	1
Roscommon	Males	460	10	3	-	1	-	14	1	4	1	3	1
	Females	306	4	1	-	-	1	6	1	1	1	-	-
Sligo	Males	392	13	1	-	-	-	14	2	-	1	2	2
	Females	331	7	-	-	-	-	7	1	-	5	-	-
ULSTER (part of)													
Cavan	Males	452	7	-	-	-	-	7	-	2	4	1	1
	Females	341	7	1	-	-	-	8	-	-	2	1	2
Donegal	Males	793	23	1	2	-	1	27	1	-	2	5	2
	Females	608	30	1	-	-	-	31	5	-	-	-	1
Monaghan	Males	316	8	1	1	-	-	10	2	1	3	3	-
	Females	256	10	2	-	2	-	14	-	1	-	1	3

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
MUNSTER.													
3	2	4	12	22	32	39	60	98	97	79	104	Males	Clare
3	6	3	10	5	15	26	41	74	63	75	109	Females	
3	6	9	28	28	58	76	108	111	88	66	67	Males	Cork County Borough
3	3	8	11	26	35	42	62	102	107	98	105	Females	
11	13	20	39	66	99	134	207	251	275	208	197	Males	Cork County
5	7	19	29	37	68	87	110	217	241	224	280	Females	
6	7	8	17	32	42	65	102	132	120	109	124	Males	Kerry
6	2	3	14	27	25	43	60	108	102	109	114	Females	
1	2	2	4	11	24	43	50	38	38	34	25	Males	Limerick County Borough
-	2	9	6	15	14	19	23	39	33	41	34	Females	
4	2	5	11	23	41	55	87	91	97	68	75	Males	Limerick County
-	2	5	12	12	19	28	47	67	64	67	111	Females	
2	4	8	8	14	26	27	49	55	64	61	51	Males	Tipperary, North Riding
2	2	1	6	10	14	25	37	34	52	51	64	Females	
2	6	7	14	22	32	59	65	78	57	64	55	Males	Tipperary, South Riding
6	1	1	9	7	17	25	38	57	73	69	66	Females	
1	-	5	6	5	14	19	20	24	27	16	22	Males	Waterford County Borough
1	1	3	3	6	9	14	30	27	28	33	35	Females	
1	3	5	4	12	24	22	36	45	45	34	35	Males	Waterford County
-	4	6	3	6	13	13	15	34	33	36	39	Females	
CONNACHT													
4	11	15	17	32	68	81	108	158	154	153	178	Males	Galway
2	3	7	15	22	33	45	62	97	133	114	171	Females	
1	2	6	6	4	9	19	31	42	40	34	34	Males	Leitrim
1	1	-	3	8	17	11	22	31	23	35	31	Females	
1	3	6	12	29	54	66	69	131	152	164	151	Males	Mayo
4	6	8	8	18	24	41	68	88	127	154	179	Females	
-	3	6	7	20	27	25	45	80	78	78	67	Males	Roscommon
2	2	3	4	6	16	20	25	38	64	55	62	Females	
2	4	4	5	16	25	28	42	60	71	51	63	Males	Sligo
2	1	5	6	12	11	21	30	44	46	58	82	Females	
ULSTER (part of)													
2	7	5	15	20	29	51	47	64	71	68	58	Males	Cavan
1	4	6	6	19	13	14	36	46	52	69	62	Females	
4	4	8	13	26	42	60	97	106	140	118	138	Males	Donegal
2	6	3	7	22	18	36	54	72	110	104	137	Females	
2	2	-	7	9	18	29	38	58	54	39	41	Males	Monaghan
-	2	1	4	9	12	18	18	38	46	46	43	Females	

[illegible]

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
079	Other viral diseases	M	1	-	-	-	-	-	-	-	-
		F	4	-	2	-	-	-	2	-	-
084	Malaria	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
094	Syphilis of central nervous system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
100	Leptospirosis	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
113	Actinomycosis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
135	Sarcoidosis	M	4	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
140-239	II. Neoplasms	M	3,033	4	1	5	1	3	14	5	8
		F	2,587	1	2	4	9	3	19	9	8
140-209	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,984	2	1	5	1	3	12	4	7
		F	2,550	1	2	3	9	2	17	8	8
140	Malignant neoplasm of lip	M	11	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
141	Malignant neoplasm of tongue	M	23	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
142	Malignant neoplasm of salivary gland	M	9	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
143	Malignant neoplasm of gum	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
144	Malignant neoplasm of floor of mouth	M	8	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
145	Malignant neoplasm of other and unspecified parts of mouth	M	8	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
146	Malignant neoplasm of oropharynx	M	13	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
147	Malignant neoplasm of nasopharynx	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
148	Malignant neoplasm of hypopharynx	M	8	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
149	Malignant neoplasm of pharynx, unspecified	M	22	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-
150	Malignant neoplasm of oesophagus	M	114	-	-	-	-	-	-	-	-
		F	76	-	-	-	-	-	-	-	-
151	Malignant neoplasm of stomach	M	481	-	-	-	-	-	-	-	-
		F	370	-	-	-	-	-	-	-	-
152	Malignant neoplasm of small intestine, including duodenum	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
153	Malignant neoplasm of large intestine, except rectum	M	277	-	-	-	-	-	-	-	-
		F	337	-	-	-	-	-	-	-	-
154	Malignant neoplasm of rectum and rectosigmoid junction	M	162	-	-	-	-	-	-	-	-
		F	85	-	-	-	-	-	-	-	-
155	Malignant neoplasm of liver and intrahepatic bile ducts, specified as primary	M	37	-	-	-	-	-	-	-	1
		F	44	-	1	-	-	-	1	-	-
156	Malignant neoplasm of gallbladder and bile ducts	M	27	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-
157	Malignant neoplasm of pancreas	M	173	-	-	-	-	-	-	-	-
		F	134	-	-	-	-	-	-	-	-
158	Malignant neoplasm of peritoneum and retroperitoneal tissue	M	6	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
159	Malignant neoplasm of unspecified digestive organs	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	079
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	084
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	094
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	100
-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	113
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	135
-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	140-239
13	7	14	14	27	48	124	172	305	391	515	518	399	282	177	140-239
7	7	16	22	42	77	123	195	244	307	363	391	325	246	186	140-239
12	7	14	13	26	46	122	168	301	385	508	509	395	279	176	140-209
7	7	15	21	42	75	123	191	241	303	359	389	322	241	181	140-209
-	-	-	-	-	-	-	-	-	1	1	1	4	3	1	140
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	141
-	-	-	-	-	-	1	1	1	2	3	1	6	4	6	142
-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	143
-	-	1	-	-	-	1	1	1	-	2	2	1	-	-	144
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	145
-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	146
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	147
-	-	-	-	-	-	-	-	-	2	2	1	-	1	2	148
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	149
-	-	-	-	-	-	-	-	3	-	1	1	1	-	2	150
-	-	-	-	-	-	1	1	-	-	1	2	1	-	-	151
-	-	-	-	-	-	1	1	2	1	2	1	2	1	2	152
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	153
-	-	-	-	-	-	1	1	4	-	1	1	-	-	-	154
-	-	-	-	-	-	1	-	2	1	2	2	1	1	1	155
-	-	-	-	-	1	1	-	-	2	6	3	3	4	2	156
-	-	-	-	1	1	1	2	2	4	2	3	1	-	-	157
-	-	-	-	1	2	3	8	11	11	21	20	17	10	10	158
-	-	1	-	1	2	-	5	7	6	13	15	15	8	3	159
-	-	-	-	2	5	13	24	40	80	73	98	59	59	28	160
-	-	2	2	2	6	9	13	27	43	41	74	60	53	38	160
-	-	-	-	1	-	3	-	1	-	-	1	-	-	-	161
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	162
-	-	1	-	3	6	9	10	21	24	56	53	40	34	20	163
-	-	1	3	4	3	7	20	27	39	33	52	67	42	39	164
-	-	-	1	2	4	8	11	12	17	23	22	32	17	13	165
-	-	-	-	1	4	2	8	6	6	11	12	13	12	10	166
-	-	-	-	-	-	2	1	2	6	8	5	4	7	1	167
-	-	1	-	-	-	1	4	3	11	3	8	5	3	4	168
-	-	-	-	-	-	2	3	2	2	5	2	6	2	3	169
-	-	1	-	-	-	2	1	2	7	9	8	9	4	1	170
-	-	-	-	1	1	6	10	18	23	26	31	31	17	9	171
-	-	-	-	1	-	1	6	6	12	23	34	22	10	19	172
-	-	-	-	-	1	-	1	3	1	-	-	-	-	-	173
-	-	-	-	-	-	-	1	3	1	1	-	1	-	-	174
-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	175
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	176
-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	177
-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	178

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
161	Malignant neoplasm of larynx	M	41	-	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-
162	Malignant neoplasm of trachea, bronchus and lung	M	674	-	-	-	-	-	-	-	-
		F	178	-	-	-	-	-	-	-	-
162.0	Trachea	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
162.1	Bronchus and lung	M	674	-	-	-	-	-	-	-	-
		F	177	-	-	-	-	-	-	-	-
163	Malignant neoplasm of other and unspecified respiratory organs	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
170	Malignant neoplasm of bone	M	31	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	2
171	Malignant neoplasm of connective and other soft tissue	M	8	-	-	1	-	-	1	-	-
		F	8	-	-	-	1	-	1	-	1
172	Malignant melanoma of skin	M	8	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
173	Other malignant neoplasm of skin	M	48	-	-	-	-	-	-	-	-
		F	32	-	-	-	-	-	-	-	-
174	Malignant neoplasm of breast	M	4	-	-	-	-	-	-	-	-
		F	490	-	-	-	-	-	-	-	-
180	Malignant neoplasm of cervix uteri	F	70	-	-	-	-	-	-	-	-
181	Choriocarcinoma	F	1	-	-	-	-	-	-	-	-
182.0	Malignant neoplasm of corpus uteri	F	56	-	-	-	-	-	-	-	-
182.9	Malignant neoplasm of uterus unspecified	F	24	-	-	-	-	-	-	-	-
183	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	109	-	-	-	-	-	-	-	-
184	Malignant neoplasm of other and unspecified female genital organs	F	16	-	-	-	-	-	-	-	-
185	Malignant neoplasm of prostate	M	269	-	-	-	-	-	-	-	-
186	Malignant neoplasm of testis	M	13	-	-	1	-	-	1	-	-
187	Malignant neoplasm of other and unspecified male genital organs	M	8	-	-	-	-	-	-	-	-
188	Malignant neoplasm of bladder	M	63	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	-	-
189	Malignant neoplasm of other and unspecified urinary organs	M	33	-	-	1	-	-	1	-	-
		F	26	-	-	1	-	-	1	-	-
190	Malignant neoplasm of eye	M	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
191	Malignant neoplasm of brain	M	35	-	-	-	-	-	-	-	2
		F	34	-	-	1	1	-	2	3	3
192	Malignant neoplasm of other parts of nervous system	M	17	-	-	1	-	-	1	2	1
		F	15	1	1	-	2	1	5	-	-
193	Malignant neoplasm of thyroid gland	M	8	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-
194	Malignant neoplasm of other endocrine glands	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
195	Malignant neoplasm of ill-defined sites	M	41	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
196	Secondary and unspecified malignant neoplasm of lymph nodes	M	9	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
197	Secondary malignant neoplasm of respiratory and digestive systems	M	15	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-
198	Other secondary malignant neoplasm	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
199	Malignant neoplasm without specification of site	M	26	-	-	-	-	-	-	-	-
		F	32	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulum-cell sarcoma	M	36	-	-	-	-	-	-	-	1
		F	11	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	1	1	2	1	5	3	10	8	6	3	1	161
-	-	1	-	-	1	1	3	3	5	4	2	3	1	1	
-	-	-	3	4	8	39	55	100	123	159	103	61	14	5	162
-	1	-	1	-	6	5	22	23	25	33	28	17	11	6	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162.0
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	3	4	8	39	55	100	123	159	103	61	14	5	162.1
-	1	-	1	-	6	5	22	23	25	33	28	17	10	6	
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	163
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	1	1	-	-	2	-	3	1	6	7	1	3	3	170
1	-	-	-	-	-	-	1	3	4	4	3	2	2	2	
1	-	-	-	-	1	1	1	1	-	-	2	-	-	-	171
-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	
-	-	1	-	1	-	-	-	-	2	-	1	-	1	2	172
-	-	-	1	-	2	1	1	1	3	2	2	-	-	1	
-	-	-	-	-	2	1	-	1	3	6	9	6	11	9	173
-	-	-	-	-	-	2	1	3	5	3	4	3	5	6	
-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	174
-	-	1	5	16	28	34	56	55	45	69	70	47	39	25	
-	-	-	-	2	7	14	8	10	6	14	4	1	3	1	180
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	181
-	-	-	1	-	1	4	8	7	8	10	8	4	5	-	182.0
-	1	-	-	-	1	2	3	1	4	3	3	3	2	1	182.9
-	1	-	2	1	3	10	9	13	20	19	13	11	4	3	183
-	-	-	-	-	-	-	-	-	1	2	5	4	2	2	184
-	-	-	-	-	-	1	4	7	19	27	66	55	49	41	185
1	1	1	1	3	1	1	-	-	-	1	-	1	1	-	186
-	-	-	-	-	-	-	1	1	2	1	1	1	1	-	187
-	-	-	-	-	1	2	2	4	7	6	10	17	12	2	188
-	-	-	-	-	1	1	1	1	1	5	4	6	8	3	
-	-	1	-	-	1	1	3	6	8	4	5	1	1	1	189
-	-	1	-	1	1	2	-	2	5	5	-	4	2	2	
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	190
-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	
-	-	1	1	-	2	4	3	10	4	5	-	2	1	-	191
2	1	1	1	2	1	4	2	3	5	3	-	1	-	-	
1	-	1	-	1	1	1	1	2	2	3	-	-	-	-	192
-	1	-	1	1	1	-	2	4	-	-	-	-	-	-	
-	-	-	-	-	-	1	1	-	2	1	-	2	-	1	193
-	-	-	-	-	1	3	1	2	4	3	3	1	3	-	
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	194
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	2	-	1	-	-	-	-	1	6	6	11	6	7	195
-	-	-	-	-	-	-	-	1	1	9	2	5	5	3	
-	-	-	-	-	-	-	-	-	2	3	2	-	2	-	196
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-	-	-	-	-	2	1	2	1	2	4	3	-	197
-	-	-	-	1	-	-	1	3	2	3	5	1	2	3	
-	1	-	-	-	-	-	-	2	-	2	1	-	-	-	198
-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	
1	-	-	-	1	-	-	2	6	5	4	3	2	2	-	199
-	-	1	-	1	1	2	2	-	1	6	5	8	4	1	
1	1	-	3	2	2	5	7	4	4	1	4	1	-	-	200
-	-	-	-	-	-	2	-	-	4	4	-	-	1	-	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	1	2	3	-	4	3	1	2	2	-	2	1	1	-	201
1	1	1	2	3	1	-	-	5	2	1	1	1	-	-	202
-	-	-	-	-	1	1	3	3	1	-	-	1	-	-	203
-	-	-	-	-	-	3	2	5	5	11	9	4	-	1	204
-	1	-	-	-	-	2	4	3	4	3	5	1	-	-	205
-	1	-	-	-	-	1	-	2	2	2	12	3	4	1	206
1	-	1	-	2	1	2	2	2	4	3	2	2	1	-	207
-	-	-	-	2	1	3	-	2	3	3	2	-	-	-	208
-	-	2	1	-	-	2	2	1	-	3	2	1	1	1	209
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	210
1	-	1	-	-	1	1	-	2	2	5	4	4	1	1	211
3	-	-	1	-	1	3	1	1	2	3	-	-	-	1	212
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	213
-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	214
-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	215
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	216
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	217
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	218
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	219
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	220
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	222
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	223
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	225
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	226
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	228
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	229
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230
1	-	-	-	-	-	-	-	1	1	-	3	1	2	-	231
-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	232
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	233
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	234
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	235
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	239
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	240
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	243
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	244
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	245
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	247
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	248
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	249
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	250
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	251
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	252
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	253
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	254
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	255
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	256
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	257
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	258
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	259
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	261
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	262
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	263
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	264
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	267
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	269
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	271
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	273
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	274
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	275
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	276
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	277
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	278
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	279
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	281
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	283
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	284
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	285
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	286
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	287
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	288
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	289
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	290
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	291
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	292
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	294
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	297
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	298
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	302
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	304
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	305
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	307
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	308
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	309
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	310
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	312
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	313
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	315
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	316
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	318
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	320
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	321
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	323
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	324
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	325
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	326
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	327
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	328
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	329
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	330
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	331
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	332
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	333
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	334
-	-	-	-												

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
244	Myxoedema	M	1	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-
250	Diabetes mellitus	M	150	-	-	1	-	-	1	-	-
		F	189	-	-	-	1	-	1	1	1
251	Disorders of pancreatic internal secretion other than diabetes mellitus	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
252	Diseases of parathyroid gland	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
253	Diseases of pituitary gland	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
254	Diseases of thymus gland	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
255	Diseases of adrenal glands	M	6	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
258	Polyglandular dysfunction and other diseases of endocrine glands	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
263	Other vitamin B deficiency	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
268	Nutritional marasmus	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
269	Other nutritional deficiency	M	9	1	-	1	-	-	2	-	-
		F	7	-	1	-	-	-	1	-	-
271	Congenital disorders of carbohydrate metabolism	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	1	-	-
273	Other and unspecified congenital disorders of metabolism	M	14	5	-	1	-	-	6	4	-
		F	10	7	-	-	2	1	10	-	-
274	Gout	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
275	Plasma protein abnormalities	M	3	1	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	1	-
276	Amyloidosis	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
279	Other and unspecified metabolic diseases	M	2	1	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	1
280-289	IV. Diseases of blood and blood-forming organs	M	61	3	1	1	-	-	5	1	1
		F	63	-	-	-	-	1	1	1	-
280	Iron deficiency anaemias	M	3	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
281	Other deficiency anaemias	M	15	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
282	Hereditary haemolytic anaemias	M	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
284	Aplastic anaemia	M	9	-	-	-	-	-	-	-	1
		F	8	-	-	-	-	-	-	1	-
285	Other and unspecified anaemias	M	25	1	1	-	-	-	2	-	-
		F	29	-	-	-	-	-	-	-	-
286	Coagulation defects	M	3	-	-	1	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-
287	Purpura and other haemorrhagic conditions	M	4	2	-	-	-	-	2	-	-
		F	5	-	-	-	-	1	1	-	-
289	Other diseases of blood and blood-forming organs	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
290-315	V. Mental disorders	M	21	-	1	-	-	-	1	-	-
		F	11	-	-	-	-	-	-	-	-
290	Senile and pre-senile dementia	M	12	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
293	Psychosis associated with other cerebral condition	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
295	Schizophrenia	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	244
-	1	-	-	-	-	1	-	2	2	2	2	2	2	4	
2	2	-	2	1	5	3	8	10	13	22	31	24	13	13	250
-	-	1	1	1	1	3	5	11	8	31	35	51	17	21	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	251
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	252
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	253
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	254
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	1	-	-	-	1	2	2	-	-	255
-	1	-	-	-	-	1	2	3	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	258
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	263
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	268
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	1	1	-	2	1	1	-	-	269
-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	271
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	273
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	274
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	275
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	276
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	279
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	2	-	-	1	-	5	10	11	10	8	7	280-289
-	-	-	-	1	2	2	1	1	4	3	6	14	14	12	
-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	280
-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	
-	-	-	-	1	1	-	1	-	1	-	5	5	1	2	281
-	-	-	-	-	-	-	-	-	2	-	-	3	4	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	282
-	-	-	-	-	-	-	1	1	3	2	1	-	-	1	284
-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	
-	-	-	-	1	-	-	-	-	1	6	2	5	5	4	285
-	-	-	-	-	-	-	-	-	2	2	3	7	7	7	
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	286
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	
-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	287
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	289
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	2	1	2	2	7	2	1	2	290-315
-	-	-	-	-	-	-	-	-	-	-	5	1	1	2	
-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	290
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	295

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
296	Affective psychoses	M									
		F	2								
303	Alcoholism	M	5								
		F	2								
306	Special symptoms not elsewhere classified	M	2								
		F									
313	Severe mental retardation	M									
		F	1						1		
315	Unspecified mental retardation	M	1		1				1		
		F									
320-389	VI. Diseases of the nervous system and sense organs	M	236	9	4	1	1	-	15	2	4
		F	238	14	3	1	-	2	20	-	-
320	Meningitis	M	20	8	1				9		
		F	12	6					6		
321	Phlebitis and thrombophlebitis of Intracranial venous sinuses	M	-								
		F	1	1					1		
322	Intracranial and Intrasplinal abscess	M	3								
		F	2								
323	Encephalitis, myelitis, and encephalomyelitis	M	3		1				1		
		F	1		1				1		
330	Hereditary neuromuscular disorders	M	3								
		F	3	3					3		
331	Hereditary diseases of the striato-pallidal system	M	2								
		F									
332	Hereditary ataxia	M									
		F	1								
340	Multiple sclerosis	M	29								
		F	33								
341	Other demyelinating diseases of central nervous system	M	2								
		F	3								
342	Paralysis agitans	M	53								
		F	51								
343	Cerebral spastic infantile paralysis	M	3	1					1		1
		F	9	2				2	4		
344	Other cerebral paralysis	M	50								
		F	81								
345	Epilepsy	M	22		1	1	1		3	2	2
		F	13		1				1		
347	Other diseases of brain	M	14		1				1		1
		F	8								
348	Motor neurone disease	M	18								
		F	7								
349	Other diseases of spinal cord	M	2								
		F	2								
351	Trigeminal neuralgia	M									
		F	1								
353	Sciatica	M	1								
		F									
354	Polyneuritis and polyradiculitis	M	1								
		F	3								
355	Other and unspecified forms of neuralgia and neuritis	M	2								
		F									
357	Other diseases of peripheral nerves except autonomic	M	1								
		F									
358	Diseases of peripheral autonomic nervous system	M	2								
		F									
374	Cataract	M									
		F	1								
377	Other diseases of retina and optic nerve	M									
		F	1								

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	1	-	1	-	-	-	-	-	2	-	-	-	-	-	381
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
6	8	9	15	42	112	179	370	582	865	1,153	1,559	1,575	1,422	1,341	390-458
7	3	9	20	27	45	94	191	298	480	763	1,217	1,509	1,567	1,838	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	391
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	392
-	-	-	2	-	1	2	6	6	4	14	8	11	5	8	394
2	-	2	1	3	4	6	8	8	10	7	10	10	12	7	
2	-	-	-	1	1	2	2	3	5	8	3	3	8	2	395
-	-	-	-	1	1	-	-	1	3	6	8	5	5	7	
-	1	1	1	4	-	1	1	4	3	1	2	-	-	-	396
-	-	1	-	-	-	-	1	2	-	-	-	4	-	1	
-	-	-	-	-	-	2	1	1	1	3	2	3	1	1	397
-	-	-	-	-	-	2	2	-	3	-	1	-	-	-	
-	-	-	-	-	1	-	1	4	2	4	5	1	1	3	398
-	-	-	1	1	2	3	2	6	4	3	7	4	-	3	
-	-	-	-	1	-	6	2	6	2	5	3	3	-	1	400
-	-	-	-	1	-	1	6	3	3	4	4	2	1	-	
-	-	-	-	-	1	1	3	1	9	4	10	11	17	5	401
-	-	-	-	-	1	-	-	1	3	10	16	22	15	16	
-	-	-	-	3	2	1	3	16	16	31	53	45	38	32	402
-	-	-	-	1	1	2	5	9	6	33	62	67	76	54	
1	-	-	-	-	-	-	1	6	2	1	4	4	2	7	403
-	-	-	-	-	-	-	-	1	1	-	1	6	3	4	
-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	404
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
1	2	-	8	17	78	123	259	411	589	714	892	741	583	458	410-414
-	-	1	5	6	10	34	77	150	238	358	506	565	490	577	
-	-	-	-	1	4	4	14	30	58	52	65	44	33	13	410.0
-	-	-	-	1	1	8	10	14	25	54	57	63	36	19	
1	2	-	7	12	70	109	222	345	458	567	626	490	294	207	410.9
-	-	1	5	5	8	19	59	126	179	235	321	313	245	215	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	411.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	3	2	2	4	7	5	8	4	411.9
-	-	-	-	-	-	-	-	-	-	-	2	4	3	1	
-	-	-	-	-	-	1	1	3	3	4	11	15	12	4	412.0
-	-	-	-	-	-	-	1	-	8	6	9	11	13	10	
-	-	-	1	4	4	9	18	31	68	83	180	183	235	229	412.9
-	-	-	-	-	1	7	6	10	24	62	114	174	191	332	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	413.0
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
-	-	-	-	-	-	-	1	-	-	2	3	4	-	1	413.9
-	-	-	-	-	-	-	1	-	2	1	1	-	2	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	420
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	1	-	1	2	1	-	2	1	-	-	-	421
-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	
-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	422
-	-	-	-	-	1	-	-	-	2	-	1	2	-	1	
-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	423
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	1	1	3	3	6	9	19	21	15	8	424
-	-	-	-	1	2	-	2	5	7	9	13	14	24	17	

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
425	Cardiomyopathy	M	10	-	-	-	-	-	-	-	1
		F	3	-	-	-	-	-	-	-	-
426	Pulmonary heart disease	M	13	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
427	Symptomatic heart disease	M	227	-	-	-	-	-	-	-	1
		F	253	-	-	-	-	-	-	-	-
428	Other myocardial insufficiency	M	604	-	-	-	-	-	-	-	-
		F	684	-	-	-	-	-	1	-	-
429	III-defined heart disease	M	33	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-
430.0	Subarachnoid haemorrhage, with hypertension	M	34	-	-	-	-	-	-	-	-
		F	39	-	-	-	-	-	-	-	-
430.9	Subarachnoid haemorrhage, without hypertension	M	95	1	-	-	-	-	1	1	1
		F	113	-	-	-	-	-	-	-	-
431.0	Cerebral haemorrhage, with hypertension	M	261	-	-	-	-	-	-	-	-
		F	345	-	-	-	-	-	-	-	-
431.9	Cerebral haemorrhage, without hypertension	M	391	-	-	-	-	-	-	-	1
		F	485	-	-	-	-	-	-	-	-
432.0	Occlusion of pre-cerebral arteries with hypertension	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
432.9	Occlusion of pre-cerebral arteries without hypertension	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
433.0	Cerebral thrombosis with hypertension	M	84	-	-	-	-	-	-	-	-
		F	170	-	-	-	-	-	-	-	-
433.9	Cerebral thrombosis without hypertension	M	776	-	-	-	-	-	-	1	-
		F	910	-	-	-	-	-	-	-	-
434.0	Cerebral embolism with hypertension	M	7	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
434.9	Cerebral embolism without hypertension	M	43	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-
435.9	Transient cerebral ischaemia without hypertension	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
436.0	Acute but III-defined cerebrovascular disease with hypertension	M	67	-	-	-	-	-	-	-	-
		F	90	-	-	-	-	-	-	-	-
436.9	Acute but III-defined cerebrovascular disease without hypertension	M	144	-	-	-	-	-	-	-	-
		F	171	-	-	-	-	-	-	-	-
437.0	Generalised ischaemic cerebrovascular disease with hypertension	M	7	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
437.9	Generalised ischaemic cerebrovascular disease without hypertension	M	103	-	-	-	-	-	-	-	-
		F	127	-	-	-	-	-	-	-	-
438.0	Other and III-defined cerebrovascular disease with hypertension	M	48	-	-	-	-	-	-	-	-
		F	72	-	-	-	-	-	-	-	-
438.9	Other and III-defined cerebrovascular disease without hypertension	M	43	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
440	Arteriosclerosis	M	459	-	-	-	-	-	-	-	-
		F	493	-	-	-	-	-	-	-	-
441	Aortic aneurysm (non-syphilitic)	M	57	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	-	-
442	Other aneurysm	M	6	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
443	Other peripheral vascular disease	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
444	Arterial embolism and thrombosis	M	33	1	-	-	-	-	1	-	-
		F	31	1	-	-	-	-	1	-	-
445	Gangrene	M	60	-	-	-	-	-	-	-	-
		F	50	-	-	-	-	-	-	-	-
446	Polyarteritis nodosa and allied conditions	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
447	Other diseases of arteries and arterioles	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
450	Pulmonary embolism and infarction	M	107	-	-	-	-	-	-	-	-
		F	90	-	-	-	-	-	-	-	-
451	Phlebitis and thrombophlebitis	M	6	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
452	Portal vein thrombosis	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
453	Other venous embolism and thrombosis	M	2	1	-	-	-	-	1	-	-
		F	4	1	-	-	-	-	1	-	-
454	Varicose veins of lower extremities	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
455	Haemorrhoids	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
456	Varicose veins of other sites	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
458	Other diseases of circulatory system	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
460-519	VIII. Diseases of the respiratory system	M	2,654	105	12	3	2	1	123	5	6
		F	1,898	85	12	4	2	2	105	8	6
463	Acute tonsillitis	M	1	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
464	Acute laryngitis and tracheitis	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
465	Acute upper respiratory infection of multiple or unspecified sites	M	8	1	-	-	-	-	1	-	-
		F	14	-	-	-	-	-	-	-	-
466	Acute bronchitis and bronchiolitis	M	50	4	-	-	1	-	5	-	-
		F	52	4	-	-	1	-	5	1	-
470	Influenza unqualified	M	37	1	-	-	-	-	1	-	-
		F	30	-	-	-	-	-	-	-	-
471	Influenza with pneumonia	M	53	1	1	-	-	-	2	-	-
		F	55	1	-	-	-	-	1	-	-
472	Influenza with other respiratory manifestations	M	19	-	-	-	-	-	-	1	-
		F	10	-	-	-	-	-	-	-	-
473	Influenza with digestive manifestations	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
480	Viral pneumonia	M	37	11	4	-	-	1	16	1	-
		F	20	8	2	-	-	-	10	2	-
481	Pneumococcal pneumonia	M	113	4	-	-	-	-	4	1	-
		F	90	4	1	-	-	-	5	-	-
482	Other bacterial pneumonia	M	5	3	-	-	-	-	3	-	-
		F	8	1	-	-	-	-	1	-	-
483	Pneumonia due to other specified organism	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
484	Acute interstitial pneumonia	M	15	9	-	-	-	-	9	-	-
		F	10	3	-	-	-	-	3	-	-
485	Bronchopneumonia, unspecified	M	562	42	4	1	1	-	48	1	1
		F	568	30	5	1	-	1	37	1	2
486	Pneumonia, unspecified	M	222	18	1	1	-	-	20	-	3
		F	213	20	2	2	1	-	25	2	2
490	Bronchitis, unqualified	M	142	3	-	1	-	-	4	-	-
		F	113	4	-	-	-	-	4	1	-
491	Chronic bronchitis	M	1,072	-	-	-	-	-	-	-	1
		F	495	-	-	-	-	-	-	-	1
492	Emphysema	M	79	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	1	-
493	Asthma	M	95	1	-	-	-	-	1	-	-
		F	51	-	1	-	-	-	1	-	-
500	Hypertrophy of tonsils and adenoids	M	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
508	Other diseases of upper respiratory tract	M	-	-	-	-	-	-	-	-	-
		F	5	1	1	-	-	-	2	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	1	-	1	2 2	2	2 5	8 5	9 6	11 8	19 14	19 15	18 14	10 10	7 9	450
-	-	-	-	-	1	1	1	-	1	1	3	1	-	-	451
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	452
-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	453
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	454
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	455
-	-	-	-	-	-	-	1	1	1	1	-	-	1	1	456
-	-	-	-	-	1	-	1	-	1	-	-	2	-	-	458
8 8	7 9	5 9	9 7	15 12	17 13	44 23	76 49	178 66	246 106	334 152	438 264	424 288	359 351	360 422	460-519
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	463
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	464
-	-	-	-	-	-	2	-	-	1	1	3	2	2	3	465
-	-	-	-	-	-	1	-	5	3	2	5	7	12	10	466
-	-	-	-	-	-	1	2	1	2	1	5	6	14	14	470
-	-	-	-	2	-	-	1	3	-	1	10	8	7	7	471
-	-	1	-	-	-	2	5	2	3	6	10	8	6	8	472
1	-	1	-	-	1	1	-	2	4	7	7	9	11	11	473
-	-	-	-	-	-	-	-	1	1	-	3	3	5	4	480
-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	481
1	1	-	1	1	1	4	5	5	10	12	15	18	16	18	482
1	1	-	-	-	-	-	-	-	-	2	1	-	1	1	483
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	484
-	-	-	1	-	1	-	-	1	-	1	-	-	1	2	485
4 1	1 1	3 1	1 2	- 1	4 -	7 2	8 8	18 18	28 19	47 44	91 88	104 82	95 104	103 157	486
-	4	1	1	1	1	2	1	12	12	24	31	36	37	36	490
-	6	4	3	1	1	1	6	4	6	7	22	36	41	42	491
-	-	-	-	-	2	1	2	9	19	10	17	29	25	24	492
-	-	-	-	-	-	-	4	4	6	7	14	17	24	32	493
-	-	-	1	4	5	13	29	83	133	190	208	172	127	106	500
-	-	-	-	2	2	6	11	21	42	57	77	84	91	101	508
-	-	-	-	1	1	4	2	8	14	16	14	8	5	7	
-	-	-	-	-	-	2	1	3	4	5	3	6	4	1	
2 1	1	-	3	3	1	4	10	16	11	13	10	8	5	7	
-	-	1	2	1	3	4	7	5	5	3	5	9	4	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	510
-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	511
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	512
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	513
-	1	-	-	-	1	1	1	1	2	1	7	12	11	15	514
-	-	-	-	-	-	-	-	1	-	-	4	8	19	26	515
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	517
-	-	-	1	2	1	2	2	6	2	1	3	3	-	-	518
-	-	-	-	-	1	1	2	1	1	1	1	2	1	-	519
-	-	-	-	2	-	2	7	2	3	3	9	1	-	3	520-577
-	-	1	-	1	1	-	1	1	4	2	6	4	3	1	522
-	-	-	-	-	-	1	-	2	2	3	2	2	2	4	524
-	-	-	-	-	-	-	1	-	2	-	1	6	5	1	530
3	1	3	3	8	8	13	28	31	38	61	58	59	30	34	531
2	1	3	1	-	5	12	14	18	29	24	45	43	34	45	532
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	533
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	534
-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	535
-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	536
-	-	-	1	-	-	2	2	2	-	11	9	5	6	6	537
-	-	-	-	-	-	2	2	3	2	2	5	5	3	8	540
-	-	-	-	-	-	2	4	7	10	7	13	14	6	4	541
-	-	-	-	-	1	1	-	-	4	2	3	4	2	5	542
-	-	1	1	1	-	1	3	2	7	7	9	10	6	7	543
-	-	-	-	-	-	-	2	-	3	3	-	5	3	1	544
-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	545
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	546
-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	547
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	548
1	-	1	-	1	1	-	-	-	1	1	-	-	-	2	549
-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	550
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	551
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	552
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	553
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	554
-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	555
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	556
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	557
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	558
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	559
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	560
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	561
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	562
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	563
1	1	-	-	1	1	-	1	1	1	2	-	1	-	-	564
1	-	-	-	-	-	-	-	-	2	2	2	1	2	-	565

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
564	Functional disorders of intestines	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
566	Abscess of anal and rectal regions	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
567	Peritonitis	M	9	1	-	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-
568	Peritoneal adhesions	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
569	Other diseases of intestines and peritoneum	M	9	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	1
570	Acute and subacute necrosis of liver	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	M	63	-	-	-	-	-	-	-	-
		F	41	1	-	-	-	-	1	-	2
572	Suppurative hepatitis and liver abscess	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
573	Other diseases of liver	M	5	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
574	Cholelithiasis	M	3	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
575	Cholecystitis and cholangitis, without mention of calculus	M	10	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
576	Other diseases of gallbladder and biliary ducts	M	5	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
577	Diseases of pancreas	M	11	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
580-529	X. Diseases of the genito-urinary system	M	389	2	-	-	-	-	2	2	1
		F	267	3	-	-	-	-	3	-	2
580	Acute nephritis	M	5	-	-	-	-	-	-	-	-
		F	8	1	-	-	-	-	1	-	-
581	Nephrotic syndrome	M	7	-	-	-	-	-	-	1	-
		F	9	-	-	-	-	-	-	-	-
582	Chronic nephritis	M	94	-	-	-	-	-	-	-	-
		F	84	-	-	-	-	-	-	-	-
583	Nephritis, unqualified	M	26	-	-	-	-	-	-	-	1
		F	22	-	-	-	-	-	-	-	-
584	Renal sclerosis, unqualified	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
590	Infections of kidney	M	52	2	-	-	-	-	2	-	-
		F	87	2	-	-	-	-	2	-	2
591	Hydronephrosis	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
592	Calculus of kidney and ureter	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
593	Other diseases of kidney and ureter	M	25	-	-	-	-	-	-	1	-
		F	24	-	-	-	-	-	-	-	-
594	Calculus of other parts of urinary system	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
595	Cystitis	M	6	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
596	Other diseases of bladder	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
597	Urethritis (non-venereal)	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
598	Stricture of urethra	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
599	Other diseases of urinary tract	M	13	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	M	138	-	-	-	-	-	-	-	-
601	Prostatitis	M	8	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	564
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	566
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	567
-	-	1	-	-	-	1	1	-	-	3	1	-	1	-	568
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	569
-	-	1	-	-	1	2	-	1	2	3	-	-	-	2	570
-	-	-	-	-	-	1	-	-	-	2	1	1	2	4	571
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	572
1	-	-	-	2	3	3	10	10	6	10	8	5	3	2	573
-	1	1	-	-	1	4	5	3	5	2	6	5	1	4	574
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	575
1	-	-	1	-	1	-	1	-	-	2	-	1	-	1	576
-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	577
-	-	-	-	-	-	1	-	1	-	1	1	2	2	1	578
-	-	-	-	-	-	-	-	-	2	2	2	2	1	2	579
-	-	-	1	-	-	-	-	2	-	1	4	1	2	2	580
-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	581
-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	582
-	-	-	-	2	-	-	-	1	2	3	3	-	-	-	583
6	4	-	3	5	5	9	10	13	31	39	51	66	67	73	580-629
2	2	1	2	3	4	7	12	24	27	30	45	31	38	34	
-	-	-	-	1	-	-	1	-	-	2	-	-	-	1	580
-	-	-	-	-	-	1	1	2	-	1	-	1	1	-	581
-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	582
4	1	-	1	2	3	3	5	7	9	11	16	15	7	10	583
1	2	1	1	1	1	2	4	11	9	10	11	7	12	11	
2	1	-	-	2	2	1	2	-	3	3	2	1	2	4	584
-	-	-	-	-	1	-	-	2	-	3	4	2	3	7	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	585
-	2	-	2	-	-	1	1	2	8	5	4	11	8	6	590
1	-	-	-	1	-	2	4	3	8	9	19	13	14	9	
-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	591
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	592
-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	593
-	-	-	-	-	-	1	-	-	2	3	2	4	9	3	594
-	-	-	-	-	-	-	1	1	3	3	4	4	4	4	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	595
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	596
-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	597
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	598
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	599
-	-	-	-	-	-	3	-	1	-	-	1	2	2	4	
-	-	-	-	-	-	-	1	1	3	1	2	1	3	3	600
-	-	-	-	-	-	-	1	2	6	11	22	25	32	39	601
-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
602	Other diseases of prostate	M	3	-	-	-	-	-	-	-	-
615	Other diseases of ovary and fallopian tube	F	1	-	-	-	-	-	-	-	-
622	Infective diseases of uterus (except cervix), vagina and vulva	F	1	-	-	-	-	-	-	-	-
623	Uterovaginal prolapse	F	2	-	-	-	-	-	-	-	-
625	Other diseases of uterus	F	5	-	-	-	-	-	-	-	-
630-678	XI. Complications of pregnancy, childbirth and the puerperium	F	20	-	-	-	-	-	-	-	-
632	Haemorrhage of pregnancy	F	1	-	-	-	-	-	-	-	-
634	Other complications of pregnancy	F	1	-	-	-	-	-	-	-	-
637	Pre-eclampsia, eclampsia and toxæmia unspecified	F	3	-	-	-	-	-	-	-	-
639	Other toxæmias of pregnancy and the puerperium	F	1	-	-	-	-	-	-	-	-
643	Spontaneous abortion	F	1	-	-	-	-	-	-	-	-
644	Abortion not specified as induced or spontaneous	F	1	-	-	-	-	-	-	-	-
651	Delivery complicated by placenta prævia or antepartum hæmorrhage	F	1	-	-	-	-	-	-	-	-
653	Delivery complicated by other postpartum hæmorrhage	F	1	-	-	-	-	-	-	-	-
655	Delivery complicated by foetopelvic disproportion	F	1	-	-	-	-	-	-	-	-
660	Delivery with other obstetrical trauma	F	1	-	-	-	-	-	-	-	-
670	Sepsis of childbirth and the puerperium	F	2	-	-	-	-	-	-	-	-
673	Puerperal pulmonary embolism	F	3	-	-	-	-	-	-	-	-
674	Cerebral hæmorrhage in the puerperium	F	3	-	-	-	-	-	-	-	-
680-709	XII. Diseases of the skin and subcutaneous tissue	M	28	-	-	-	-	-	-	-	-
		F	36	2	1	-	-	-	3	-	-
682	Other cellulitis and abscess	M	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
684	Impetigo	M	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-
685	Pilonidal cyst	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
691	Infantile eczema and related conditions	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
693	Dermatitis herpetiformis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
694	Pemphigus	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
695	Erythematous conditions	M	1	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
698	Pruritus and related conditions	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
707	Chronic ulcer of skin	M	20	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
708	Urticaria	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
710-738	XIII. Diseases of the musculoskeletal system and connective tissue	M	60	-	-	-	-	-	-	-	-
		F	87	-	-	-	-	-	-	-	-
712	Rheumatoid arthritis and allied conditions	M	28	-	-	-	-	-	-	-	-
		F	43	-	-	-	-	-	-	-	-
713	Osteo-arthritis and allied conditions	M	9	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	602
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	615
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	622
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	623
-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	625
-	3	6	5	4	2	-	-	-	-	-	-	-	-	-	630-678
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	632
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	634
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	637
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	639
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	643
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	644
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	651
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	653
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	655
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	660
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	670
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	673
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	674
-	-	-	-	1	2	-	-	-	3	3	2	3	4	5	680-709
-	-	-	-	-	-	-	-	-	3	3	4	3	5	16	
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	682
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	684
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	685
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	691
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	693
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	694
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	695
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	698
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	1	-	1	-	-	1	2	7	4	5	707
-	-	-	-	-	-	1	1	-	1	-	1	2	5	15	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	708
1	1	-	-	-	1	4	2	2	11	11	11	6	5	5	710-738
2	2	-	-	1	1	2	1	3	12	11	12	12	21	8	
1	-	-	-	-	-	-	2	1	6	4	6	1	4	3	712
1	-	-	-	-	1	1	1	2	7	7	10	3	8	2	
-	-	-	-	-	-	1	-	-	1	3	-	1	1	2	713
-	-	-	-	-	-	-	-	-	1	-	-	2	7	2	

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
714	Other specified forms of arthritis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
715	Arthritis, unspecified	M	7	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
716	Polymyositis and dermatomyositis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
718	Rheumatism, unspecified	M	4	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
720	Osteomyelitis and periostitis	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
721	Osteitis deformans	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
723	Other diseases of bone	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
733	Other diseases of muscle, tendon and fascia	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
734	Diffuse diseases of connective tissue	M	3	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
740-759	XIV. Congenital anomalies	M	222	174	11	3	2	-	190	5	5
		F	246	196	8	1	6	1	212	8	5
740	Anencephalus	M	14	14	-	-	-	-	14	-	-
		F	31	31	-	-	-	-	31	-	-
741.0	Spina bifida with hydrocephalus	M	10	7	2	-	1	-	10	-	-
		F	24	21	-	-	1	-	22	2	-
741.9	Spina bifida without mention of hydrocephalus	M	10	10	-	-	-	-	10	-	-
		F	17	14	1	-	-	-	15	2	-
742	Congenital hydrocephalus	M	15	10	2	1	-	-	13	-	-
		F	14	9	1	-	2	-	12	1	-
743	Other congenital anomalies of nervous system	M	4	2	-	-	-	-	2	1	-
		F	10	7	-	-	1	-	8	2	-
746	Congenital anomalies of heart	M	83	65	4	1	-	-	70	3	4
		F	77	60	2	1	2	-	65	1	2
747	Other congenital anomalies of circulatory system	M	11	6	-	-	-	-	6	1	-
		F	3	-	1	-	-	-	1	-	1
748	Congenital anomalies of respiratory system	M	8	2	1	-	-	-	3	-	1
		F	4	4	-	-	-	-	4	-	-
749	Cleft palate and cleft lip	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
750	Other congenital anomalies of upper alimentary tract	M	4	4	-	-	-	-	4	-	-
		F	5	5	-	-	-	-	5	-	-
751	Other congenital anomalies of digestive system	M	23	22	-	1	-	-	23	-	-
		F	14	11	2	-	-	-	13	-	-
753	Congenital anomalies of urinary system	M	8	5	-	-	-	-	5	-	-
		F	15	6	1	-	-	-	7	-	1
756	Other congenital anomalies of musculoskeletal system	M	8	5	1	-	1	-	7	-	-
		F	9	7	-	-	-	-	7	-	-
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	2	-	-
758	Other and unspecified congenital anomalies	M	4	3	1	-	-	-	4	-	-
		F	2	1	-	-	-	-	1	-	1
759	Congenital syndromes affecting multiple systems	M	20	19	-	-	-	-	19	-	-
		F	18	17	-	-	-	1	18	-	-
760-779	XV. Certain causes of perinatal morbidity and mortality	M	317	317	-	-	-	-	317	-	-
		F	216	216	-	-	-	-	216	-	-
760	Chronic circulatory and genito-urinary diseases in mother	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	M	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	2	-	-
762	Toxaemia of pregnancy	M	1	1	-	-	-	-	1	-	-
		F	4	4	-	-	-	-	4	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	775
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	777
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	778
.	.	.	.	1	.	1	.	2	4	12	20	49	73	173	780-796
.	.	.	.	.	.	1	.	2	3	2	24	42	112	245	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	780
.	.	.	.	.	.	1	.	.	4	4	6	9	2	1	782
.	.	.	.	.	.	1	.	1	.	1	6	2	5	3	
.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	784
.	.	.	.	.	.	.	.	.	1	.	.	.	2	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	785
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	786
.	.	.	.	.	.	.	.	.	.	1	.	2	3	1	792
.	.	.	.	.	.	.	.	.	1	.	3	1	1	5	
.	.	.	.	.	.	.	.	.	.	2	10	34	67	169	794
.	.	.	.	.	.	.	.	.	.	1	13	37	102	232	
.	.	.	1	.	.	.	.	.	.	2	1	.	.	.	795
.	.	.	.	1	.	.	.	2	.	3	2	2	.	.	796
.	.	1	.	.	.	.	1	1	1	.	2	2	2	1	
50	66	46	37	25	31	44	53	64	61	70	47	43	46	41	E800-
19	12	10	12	8	7	16	22	21	27	28	42	67	78	82	E999
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E804
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E805
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E806
.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	E810

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E812	Motor vehicle traffic accident involving collision with another motor vehicle	M	85	-	1	-	-	-	1	1	1
		F	43	-	-	-	-	-	-	-	1
E813	Motor vehicle traffic accident involving collision with other vehicle	M	45	-	-	-	1	-	1	1	4
		F	8	-	-	-	-	-	-	-	1
E814	Motor vehicle traffic accident involving collision with pedestrian	M	137	-	3	-	4	5	12	16	5
		F	55	-	-	-	1	-	1	10	2
E815	Other motor vehicles traffic accident involving collision	M	14	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
E816	Non-collision motor vehicle traffic accident due to loss of control	M	32	-	-	1	-	-	1	1	-
		F	6	-	-	-	-	-	-	-	-
E817	Non-collision motor vehicle traffic accident while boarding or alighting	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E818	Other non-collision motor vehicle traffic accident	M	9	-	-	-	-	-	-	2	1
		F	-	-	-	-	-	-	-	-	-
E821	Motor vehicle non-traffic accident involving collision with stationary object	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E823	Motor vehicle non-traffic accident of other and unspecified nature	M	4	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
E826	Pedal cycle accident	M	15	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E827	Other non-motor road vehicle accident	M	2	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-
E830	Accident to watercraft causing submersion	M	13	-	-	-	-	-	-	1	-
		F	4	-	-	-	-	-	-	-	1
E831	Accident to watercraft causing other injury	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E832	Other accidental submersion or drowning in water transport	M	8	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E833	Fall on stairs or ladders in water transport	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E838	Other and unspecified water transport accident	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E853	Accidental poisoning by analgesics and antipyretics	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E854	Accidental poisoning by other sedatives and hypnotics	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E855	Accidental poisoning by autonomic nervous system and psychotherapeutic drugs	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E859	Accidental poisoning by other and unspecified drugs and medicaments	M	2	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E860	Accidental poisoning by alcohol	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E865	Accidental poisoning by pesticides fertilizers or plant foods	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E870	Accidental poisoning by gas distributed by pipe-line	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E874	Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels	M	2	1	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-
E875	Accidental poisoning by other carbon monoxide	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by unspecified gases and vapours	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E880	Fall on or from stairs or steps	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
10 7	17 6	11 3	8 5	2 1	3 1	6 4	10 1	4 6	4 3	3 3	2 1	2 1	- -	- -	E812
2 2	- -	2 -	1 -	4 -	1 -	3 1	2 1	7 -	3 2	6 -	3 1	5 -	- -	- -	E813
7 2	1 -	4 1	1 -	3 1	3 -	11 1	12 5	10 1	11 5	11 5	8 4	13 8	8 5	1 4	E814
3 2	5 2	1 -	1 -	- -	- -	1 -	- 1	1 -	1 -	- -	1 -	- -	- -	- -	E815
2 2	8 -	2 -	5 -	2 1	2 -	2 -	2 -	1 -	3 1	1 -	- -	- 1	- 1	- -	E816
- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E817
- -	2 -	1 -	- -	- -	2 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	E818
- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E821
1 -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E823
1 -	1 -	1 -	1 -	1 -	- -	- -	3 -	- -	- -	5 1	2 -	- -	- -	- -	E826
- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	E827
4 3	2 -	2 -	1 -	1 -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	E830
- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E831
2 -	2 -	1 -	- -	- -	1 -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	E832
- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	E833
- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E838
- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	E853
- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	E854
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	E855
- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E859
- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	E860
1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	E865
- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	1 -	- 1	- 1	- -	- -	E870
- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	E874
- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	E875
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	E877
- -	- -	- -	1 -	1 -	- -	- -	1 -	1 -	1 -	1 -	1 -	- -	- -	2 -	E880

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E881	Fall on or from ladders or scaffolding	M	5	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E882	Fall from or out of building or other structure	M	12	-	-	1	-	-	1	1	-
		F	4	-	-	-	-	-	-	-	-
E883	Fall into hole or other opening in surface	M	7	-	-	-	-	1	1	-	-
		F	2	-	-	2	-	-	2	-	-
E884	Other fall from one level to another	M	12	-	-	-	-	-	-	-	1
		F	3	-	-	1	-	-	1	-	-
E885	Fall on same level from slipping, tripping or stumbling	M	10	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-
E887	Other and unspecified fall	M	110	-	-	-	-	-	-	-	-
		F	218	-	-	-	-	-	-	-	-
E890	Accident caused by conflagration in private dwelling	M	7	-	-	1	1	1	3	1	1
		F	9	-	1	-	1	-	2	1	-
E891	Accident caused by conflagration in other building or structure	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E893	Accident caused by ignition of clothing	M	6	-	-	1	-	-	1	-	-
		F	14	-	-	-	-	-	-	-	-
E894	Accident caused by ignition of highly inflammable material	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	1	-	-
E895	Accident caused by controlled fire in private dwelling	M	6	-	-	1	-	-	1	-	-
		F	5	-	-	-	-	-	-	1	-
E896	Accident caused by controlled fire in other building or structure	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E897	Accident caused by controlled fire not in building or structure	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E898	Accident caused by other specified fires or flames	M	4	-	1	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-
E899	Accident caused by unspecified fire	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E900	Excessive heat	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E901	Excessive cold	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E904	Hunger, thirst exposure and neglect	M	16	4	-	-	-	-	4	-	-
		F	7	4	-	-	-	-	4	-	-
E906	Other accidents caused by animals	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E910	Accidental drowning and submersion	M	54	-	3	2	-	2	7	4	3
		F	20	-	1	1	1	-	3	2	3
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	23	13	3	-	-	-	16	-	-
		F	10	6	-	-	-	-	6	-	-
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
E913	Accidental mechanical suffocation	M	15	8	3	-	-	-	11	1	-
		F	5	3	2	-	-	-	5	-	-
E915	Foreign body accidentally entering other orifice	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E916	Struck accidentally by falling object	M	16	-	-	-	1	-	1	-	1
		F	1	-	-	-	-	-	-	-	-
E917	Striking against or struck accidentally by objects	M	6	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E918	Caught accidentally in or between objects	M	5	-	-	-	1	-	1	-	1
		F	1	-	-	-	-	-	-	1	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	E881
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	2	2	-	1	1	1	-	-	1	-	E882
-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
-	-	2	-	-	-	-	-	1	2	-	-	1	-	-	E883
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	1	2	3	-	1	1	-	1	E884
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
1	-	-	-	-	1	-	1	1	-	3	-	-	-	2	E885
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	
-	1	-	-	4	-	-	-	-	5	11	13	13	31	32	E887
-	-	-	-	-	1	-	-	3	9	9	25	44	62	65	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	E890
-	-	-	-	-	-	-	2	-	-	-	1	-	2	1	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E891
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	E893
-	-	-	-	-	-	-	1	-	-	2	-	4	3	4	
-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	E894
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	E895
-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E896
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E897
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	E898
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E899
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E900
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E901
-	-	-	-	-	-	1	-	1	3	4	2	1	1	-	E904
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	E906
2	2	5	6	2	1	3	1	6	5	-	4	1	-	2	E910
-	1	-	-	2	-	1	2	-	2	1	-	1	2	-	
1	1	1	-	-	1	1	-	1	-	1	-	-	-	-	E911
-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E912
1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	E913
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E915
1	1	-	-	-	1	2	3	3	-	1	-	1	1	-	E916
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
1	-	1	1	-	-	-	1	1	1	-	-	-	-	-	E917
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	E918
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 19 (contd.) - DEATHS IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E920	Accident caused by cutting or piercing instruments	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	1	-	-
E922	Accident caused by firearm missiles	M	8	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-
E923	Accident caused by explosive material	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance corrosive liquid and steam	M	3	1	-	-	1	-	2	-	-
		F	1	-	-	-	1	-	1	-	-
E925	Accident caused by electric current	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1
E927	Vehicle accidents not elsewhere classifiable	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E928	Machinery accidents not elsewhere classifiable	M	19	-	-	1	-	-	1	-	3
		F	-	-	-	-	-	-	-	-	-
E929	Other and unspecified accidents	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E950	Suicide and self-inflicted poisoning by solid or liquid substances	M	4	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
E951	Suicide and self-inflicted poisoning by gases in domestic use	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E952	Suicide and self-inflicted poisoning by other gases	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation	M	17	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E954	Suicide and self-inflicted injury by submersion (drowning)	M	4	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
E955	Suicide and self-inflicted injury by firearms and explosives	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E956	Suicide and self-inflicted injury by cutting and piercing instruments	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E957	Suicide and self-inflicted injury by jumping from high place	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E963	Assault by hanging and strangulation	M	2	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
E965	Assault by firearms and explosives	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E966	Assault by cutting and piercing instruments	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E968	Assault by other and unspecified means	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E980	Poisoning by solid or liquid substances undetermined whether accidentally or purposely inflicted	M	8	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-
E981	Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E982	Poisoning by other gases undetermined whether accidentally or purposely inflicted	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E983	Hanging strangulation or suffocation, undetermined whether accidentally or purposely inflicted	M	7	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-
E984	Submersion (drowning) undetermined whether accidentally or purposely inflicted	M	34	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E987	Falling from high place undetermined whether accidentally or purposely inflicted	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E989	Late effect of injury undetermined whether accidentally or purposely inflicted	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E920
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	E922
3	1	-	-	-	-	-	-	1	1	1	-	-	-	-	E923
-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	E924
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E925
-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	E927
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	E928
2	2	2	1	1	2	1	-	3	1	-	-	-	-	-	E929
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	E950
-	-	-	1	2	1	1	1	-	1	-	-	-	-	-	E951
-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	E952
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E953
-	1	-	-	1	3	2	4	2	1	1	1	1	-	-	E954
-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	E955
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E956
-	-	-	-	1	-	-	-	2	-	2	-	-	-	1	E957
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	E963
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	E965
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	E966
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E968
-	1	2	-	2	-	1	1	1	-	-	-	-	-	-	E980
-	1	2	2	-	-	3	1	2	1	-	-	-	-	-	E981
-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	E982
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E983
1	1	-	-	-	1	-	-	1	2	-	-	-	-	-	E984
2	3	4	2	2	1	3	-	5	3	3	5	-	1	-	E985
-	1	1	1	1	4	1	-	4	-	2	1	1	-	-	E987
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	E988
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	E989

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed International List Number	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	18,340 15,394	289 296
008,009	B 4	Enteritis and other diarrhoeal diseases	M F	62 49	- -
010-012	B 5	Tuberculosis of respiratory system	M F	166 60	2 -
013-019	B 6	Other tuberculosis, including late effects	M F	16 13	- -
032	B 8	Diphtheria	M F	- -	- -
033	B 9	Whooping cough	M F	- -	- -
034	B 10	Streptococcal sore throat and scarlet fever	M F	- 1	- -
036	B 11	Meningococcal infection	M F	3 2	- -
038	B 18a	Septicaemia	M F	3 9	- -
040-043	B 12	Acute poliomyelitis	M F	- -	- -
055	B 14	Measles	M F	2 2	- -
070	B 18b	Infectious hepatitis	M F	10 15	- -
009.2	B 18c	Gastro-enteritis (under 2 years)	M F	47 33	- -
000-007, 020-031, 035, 037, 039, 044-054, 056-068, 071-136	B 18	All other infective and parasitic diseases	M F	25 19	- -
151	B 19a	Malignant neoplasms:- of stomach	M F	481 370	- -
150, 152-159	B 19b	of other digestive organs and peritoneum	M F	806 729	- 1
162	B 19c	of trachea, bronchus and lung	M F	674 178	- -
174	B 19d	of breast	M F	4 490	- 1
180-189	B 19e	of genito-urinary organs	M F	386 333	- -
200-209	B 19f	of lymphatic and haematopoietic tissue	M F	220 138	- -
140-149, 160, 161, 163-173, 190-199	B 19g	Other	M F	413 312	3 1
210-239	B 20	Benign neoplasms and neoplasms of unspecified nature	M F	49 37	- -
250	B 21	Diabetes mellitus	M F	150 189	- 1
260-269	B 22	Avitaminoses and other nutritional deficiency	M F	12 9	- -
280-285	B 23	Anaemias	M F	53 55	- 1
320	B 24	Meningitis	M F	20 12	- -
390-392	B 25	Active rheumatic fever	M F	2 1	- -
393-398	B 26	Chronic rheumatic heart disease	M F	164 180	- -
400-404	B 27	Hypertensive disease	M F	362 445	2 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969,
CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed International List Number	Abbreviated List Number	Cause of death		Total ¹	Uncertified
410-414	B 28	Ischaemic heart disease	M F	4,876 3,017	42 27
420-429	B 29	Other forms of heart disease	M F	988 1,075	31 20
430-438	B 30	Cerebrovascular disease	M F	2,105 2,636	14 16
440-458	B 46a	Other diseases of circulatory system	M F	749 720	7 4
470-474	B 31	Influenza	M F	111 97	4 -
480-486	B 32	Pneumonia	M F	954 910	1 1
490-493	B 33	Bronchitis, emphysema and asthma	M F	1,388 690	9 3
518	B 46b	Bronchiectasis	M F	32 26	- -
460-466, 500-517, 519	B 46c	Other diseases of respiratory system	M F	169 175	3 2
531-533	B 34	Peptic ulcer	M F	166 71	- -
540-543	B 35	Appendicitis	M F	11 8	- -
550-553, 560	B 36	Intestinal obstruction and hernia	M F	48 50	- -
571	B 37	Cirrhosis of liver	M F	63 41	- -
520-530, 534-537, 561-570, 572-577	B 46d	Other diseases of digestive system	M F	100 115	- -
580-584	B 38	Nephritis and nephrosis	M F	133 123	- -
600	B 39	Hyperplasia of prostate	M	138	-
640-645	B 40	Abortion	F	2	-
630-639, 650-678	B 41	Other complications of pregnancy, childbirth and the puerperium	F	18	-
740-759	B 42	Congenital anomalies	M F	222 246	- 1
764-768, 772, 776	B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M F	154 100	- -
760-763, 769-771, 773-775, 777-779	B 44	Other causes of perinatal mortality*	M F	163 116	- -
794	B 45a	Senility without mention of psychosis	M F	282 385	145 191
780-793, 795-796	B 45b	Ill-defined conditions	M F	54 49	23 20
240-246, 251-258, 270-279, 286-289, 290-315, 321-389, 590-599, 601-629, 680-738	B 46e	All other diseases	M F	492 575	2 5
External Causes					
E810-E823	B 47	Motor vehicle accidents	M F	330 117	- -
E800-E807, E825-E949	B 48	All other accidents	M F	426 336	1 -
E950-E959	B 49	Suicide and self-inflicted injuries	M F	38 14	- -
E960-E999	B 50	All other external causes	M F	65 34	- -

* Late foetal deaths not included

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	7,836 6,909	52 46	5,956 4,967	88 85	2,987 2,313	120 136	1,561 1,205	29 29
B 4	Enteritis and other diarrhoeal diseases	M F	42 28	- -	14 16	- -	6 3	- -	- 2	- -
B 5	Tuberculosis of respiratory system	M F	93 34	- -	47 18	2 -	19 7	- -	7 1	- -
B 6	Other tuberculosis, including late effects	M F	4 7	- -	6 4	- -	5 2	- -	1 -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- 1	- -	1 1	- -	2 -	- -	- -	- -
B 18a	Septicaemia	M F	- 7	- -	2 -	- -	1 1	- -	- 1	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- 1	- -	1 1	- -	1 -	- -	- -	- -
B 18b	Infectious hepatitis	M F	6 8	- -	1 5	- -	2 1	- -	1 1	- -
B 18c	Gastro-enteritis (under 2 years)	M F	33 19	- -	11 11	- -	3 2	- -	- 7	- -
B 18	All other infective and parasitic diseases	M F	11 10	- -	5 5	- -	8 2	- -	1 2	- -
B 19a	Malignant neoplasms:- of stomach	M F	192 159	- -	143 121	- -	96 52	- -	50 38	- -
B 19b	of other digestive organs and peritoneum	M F	357 339	- -	268 238	- -	126 99	- 1	55 53	- -
B 19c	of trachea, bronchus and lung	M F	392 93	- -	188 53	- -	56 21	- -	38 11	- -
B 19d	of breast	M F	2 231	- -	1 163	- 1	1 70	- -	- 26	- -
B 19e	of genito-urinary organs	M F	168 158	- -	125 98	- -	66 47	- -	27 30	- -
B 19f	of lymphatic and haematopoietic tissue	M F	109 65	- -	66 41	- -	33 23	- -	12 9	- -
B 19g	Other	M F	176 147	- -	133 84	- 1	67 47	1 -	37 34	2 -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	18 16	- -	24 17	- -	4 2	- -	3 2	- -
B 21	Diabetes mellitus	M F	66 83	- -	48 57	- -	23 36	- 1	13 13	- -
B 22	Avitaminoses and other nutritional deficiency	M F	4 4	- -	4 2	- -	4 3	- -	- -	- -
B 23	Anaemias	M F	16 32	- -	22 11	- 1	11 9	- -	4 3	- -
B 24	Meningitis	M F	13 6	- -	6 5	- -	- 1	- -	1 -	- -
B 25	Active rheumatic fever	M F	2 -	- -	- 1	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	86 105	- -	48 51	- -	17 16	- -	13 8	- -
B 27	Hypertensive disease	M F	149 212	1 1	118 127	- -	69 68	1 -	26 38	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	2,081	15	1,549	11	808	8	438	8
		F	1,363	4	943	13	488	4	223	6
B 29	Other forms of heart disease	M	292	7	448	12	174	11	74	1
		F	355	6	466	4	162	6	92	4
B 30	Cerebrovascular disease	M	830	-	629	5	407	9	239	-
		F	1,100	1	842	2	447	9	247	4
B 46a	Other diseases of circulatory system	M	291	3	288	3	115	1	55	-
		F	327	2	275	1	72	-	46	1
B 31	Influenza	M	37	-	28	1	32	2	14	1
		F	42	-	25	-	13	-	17	-
B 32	Pneumonia	M	407	-	296	-	144	1	107	-
		F	449	-	260	-	125	1	76	-
B 33	Bronchitis, emphysema and asthma	M	728	3	420	3	163	2	77	1
		F	371	-	205	1	92	2	22	-
B 46b	Bronchiectasis	M	13	-	10	-	6	-	3	-
		F	10	-	10	-	5	-	1	-
B 46c	Other diseases of respiratory system	M	64	-	55	3	35	-	15	-
		F	90	-	50	1	22	1	13	-
B 34	Peptic ulcer	M	53	-	72	-	27	-	14	-
		F	28	-	25	-	9	-	9	-
B 35	Appendicitis	M	6	-	5	-	-	-	-	-
		F	4	-	4	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	18	-	18	-	9	-	3	-
		F	26	-	14	-	7	-	3	-
B 37	Cirrhosis of liver	M	30	-	19	-	7	-	7	-
		F	22	-	9	-	6	-	4	-
B 46d	Other diseases of digestive system	M	44	-	30	-	22	-	4	-
		F	53	-	36	-	16	-	10	-
B 38	Nephritis and nephrosis	M	54	-	33	-	25	-	21	-
		F	64	-	28	-	18	-	13	-
B 39	Hyperplasia of prostate	M	47	-	50	-	23	-	18	-
B 40	Abortion	F	-	-	1	-	1	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	7	-	8	-	-	-	3	-
B 42	Congenital anomalies	M	123	-	67	-	22	-	10	-
		F	144	-	67	-	20	1	15	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	85	-	54	-	13	-	2	-
		F	58	-	25	-	10	-	7	-
B 44	Other causes of perinatal mortality*	M	75	-	61	-	14	-	13	-
		F	52	-	42	-	7	-	15	-
B 45a	Senility without mention of psychosis	M	44	12	101	42	103	77	34	14
		F	79	24	126	51	146	104	34	12
B 45b	Ill-defined conditions	M	26	10	17	6	8	6	3	1
		F	21	8	18	7	6	4	4	1
B 46e	All other diseases	M	201	1	139	-	104	1	48	-
		F	265	-	198	2	74	2	38	1
	External Causes									
B 47	Motor vehicle accidents	M	167	-	88	-	47	-	28	-
		F	66	-	36	-	9	-	6	-
B 48	All other accidents	M	168	-	174	-	47	-	37	1
		F	134	-	126	-	43	-	33	-
B 49	Suicide and self-inflicted injuries	M	14	-	17	-	3	-	4	-
		F	10	-	2	-	1	-	1	-
B 50	All other external causes	M	32	-	17	-	12	-	4	-
		F	23	-	6	-	4	-	1	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	213 160	- 2	2,869 2,779	- -	310 337	- -	684 628	- -
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	22 16	- -	2 1	- -	7 4	- -
B 5	Tuberculosis of respiratory system	M F	2 -	- -	52 18	- -	5 2	- -	10 2	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 6	- -	- -	- -	1 -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- -	- -	- 4	- -	- -	- -	- 1	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	1 -	- -	- 2	- -	- 1	- -	2 -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- -	- -	14 10	- -	2 7	- -	6 3	- -
B 18	All other infective and parasitic diseases	M F	1 1	- -	2 3	- -	- 1	- -	1 1	- -
B 19a	Malignant neoplasms: of stomach	M F	6 7	- -	65 59	- -	3 11	- -	18 11	- -
B 19b	of other digestive organs and peritoneum	M F	6 12	- -	158 155	- -	14 14	- -	31 25	- -
B 19c	of trachea, bronchus and lung	M F	7 -	- -	197 48	- -	19 3	- -	46 10	- -
B 19d	of breast	M F	- 5	- -	1 87	- -	- 19	- -	1 25	- -
B 19e	of genito-urinary organs	M F	2 4	- -	54 67	- -	6 7	- -	11 10	- -
B 19f	of lymphatic and haematopoietic tissue	M F	4 1	- -	53 35	- -	4 2	- -	16 10	- -
B 19g	Other	M F	5 3	- -	54 62	- -	8 6	- -	15 14	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- -	- -	9 9	- -	2 2	- -	1 1	- -
B 21	Diabetes mellitus	M F	1 1	- -	20 31	- -	3 5	- -	7 7	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	2 1	- -	- 1	- -	- 1	- -
B 23	Anaemias	M F	- -	- -	6 16	- -	1 2	- -	2 3	- -
B 24	Meningitis	M F	- -	- -	8 3	- -	- -	- -	1 -	- -
B 25	Active rheumatic fever	M F	- -	- -	2 -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	4 3	- -	23 48	- -	6 5	- -	8 10	- -
B 27	Hypertensive disease	M F	6 5	- -	44 69	- -	6 9	- -	10 13	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	50	-	766	-	105	-	184	-
		F	34	-	601	-	82	-	121	-
B 29	Other forms of heart disease	M	13	-	55	-	8	-	9	-
		F	11	1	82	-	15	-	22	-
B 30	Cerebrovascular disease	M	29	-	232	-	30	-	57	-
		F	17	-	365	-	63	-	97	-
B 46a	Other diseases of circulatory system	M	7	-	92	-	6	-	27	-
		F	9	-	117	-	14	-	19	-
B 31	Influenza	M	3	-	9	-	2	-	2	-
		F	-	-	15	-	1	-	5	-
B 32	Pneumonia	M	15	-	186	-	10	-	38	-
		F	8	-	239	-	18	-	57	-
B 33	Bronchitis, emphysema and asthma	M	19	-	317	-	31	-	51	-
		F	14	-	146	-	10	-	31	-
B 46b	Bronchiectasis	M	-	-	4	-	-	-	-	-
		F	-	-	3	-	-	-	2	-
B 46c	Other diseases of respiratory system	M	-	-	28	-	2	-	6	-
		F	1	-	44	-	3	-	13	-
B 34	Peptic ulcer	M	1	-	27	-	-	-	5	-
		F	-	-	13	-	2	-	3	-
B 35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	6	-	1	-	1	-
		F	1	-	12	-	2	-	3	-
B 37	Cirrhosis of liver	M	-	-	16	-	3	-	3	-
		F	-	-	10	-	2	-	1	-
B 46d	Other diseases of digestive system	M	-	-	15	-	5	-	6	-
		F	1	-	29	-	1	-	4	-
B 38	Nephritis and nephrosis	M	1	-	18	-	1	-	1	-
		F	1	-	25	-	1	-	6	-
B 39	Hyperplasia of prostate	M	1	-	13	-	-	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	1	-
B 42	Congenital anomalies	M	4	-	51	-	4	-	17	-
		F	1	-	63	-	1	-	24	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	37	-	2	-	16	-
		F	3	-	21	-	1	-	8	-
B 44	Other causes of perinatal mortality*	M	5	-	22	-	1	-	12	-
		F	3	-	20	-	1	-	6	-
B 45a	Senility without mention of psychosis	M	-	-	3	-	1	-	4	-
		F	-	-	11	-	2	-	6	-
B 45b	Ill-defined conditions	M	-	-	1	-	1	-	1	-
		F	1	1	3	-	1	-	1	-
B 46e	All other diseases	M	10	-	69	-	7	-	10	-
		F	9	-	118	-	9	-	33	-
External Causes										
B 47	Motor vehicle accidents	M	2	-	56	-	3	-	27	-
		F	-	-	27	-	5	-	6	-
B 48	All other accidents	M	4	-	59	-	6	-	15	-
		F	3	-	54	-	9	-	9	-
B 49	Suicide and self-inflicted injuries	M	1	-	3	-	1	-	1	-
		F	1	-	7	-	-	-	-	-
B 50	All other external causes	M	-	-	11	-	1	-	2	-
		F	-	-	13	-	2	-	2	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	375 278	7 3	424 310	1 4	276 227	7 4	204 171	8 10
B 4	Enteritis and other diarrhoeal diseases	M F	2 2	- -	2 -	- -	- 1	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	2 1	- -	1 -	- -	3 -	- -	1 2	- -
B 6	Other tuberculosis, including late effects	M F	1 -	- -	- -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 18a	Septicaemia	M F	- 2	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- 1	- -	1 -	- -	1 -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	2 2	- -	2 -	- -	- -	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	- -	- -	3 -	- -	- -	- -	- -	- -
B 19a	Malignant neoplasms:- of stomach	M F	11 5	- -	10 7	- -	9 7	- -	5 3	- -
B 19b	of other digestive organs and peritoneum	M F	11 7	- -	13 18	- -	11 12	- -	9 3	- -
B 19c	of trachea, bronchus and lung	M F	20 6	- -	10 2	- -	8 -	- -	4 1	- -
B 19d	of breast	M F	- 10	- -	- 12	- -	- 5	- -	- 7	- -
B 19e	of genito-urinary organs	M F	4 7	- -	14 7	- -	5 5	- -	10 -	- -
B 19f	of lymphatic and haematopoietic tissue	M F	4 1	- -	2 -	- -	2 4	- -	2 3	- -
B 19g	Other	M F	10 8	- -	10 2	- -	13 7	- -	4 5	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 1	- -	- 1	- -	- -	- -	- 1	- -
B 21	Diabetes mellitus	M F	1 5	- -	5 3	- -	2 3	- -	2 2	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 -	- -	1 -	- -	- -	- -
B 23	Anaemias	M F	1 1	- -	- 1	- -	- 1	- -	- -	- -
B 24	Meningitis	M F	- 1	- -	1 -	- -	- -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	6 6	- -	4 3	- -	2 4	- -	8 -	- -
B 27	Hypertensive disease	M F	11 9	- -	10 9	- -	15 14	1 -	3 10	- -

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	76	2	115	-	66	3	52	3
		F	30	-	83	-	30	-	34	1
B 29	Other forms of heart disease	M	22	1	23	-	21	1	17	1
		F	31	-	17	1	17	-	14	-
B 30	Cerebrovascular disease	M	43	-	57	-	36	-	26	-
		F	49	-	41	-	42	-	41	1
B 46a	Other diseases of circulatory system	M	5	-	32	1	12	-	6	-
		F	5	-	28	-	9	1	9	-
B 31	Influenza	M	1	-	1	-	-	-	-	-
		F	3	-	4	-	1	-	1	-
B 32	Pneumonia	M	24	-	10	-	16	-	11	-
		F	11	-	10	-	12	-	5	-
B 33	Bronchitis, emphysema and asthma	M	32	-	31	-	24	1	11	-
		F	23	-	15	-	8	-	4	-
B 46b	Bronchiectasis	M	-	-	2	-	-	-	-	-
		F	-	-	2	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	9	-	2	-	1	-	-	-
		F	5	-	4	-	2	-	-	-
B 34	Peptic ulcer	M	3	-	3	-	3	-	-	-
		F	1	-	1	-	-	-	1	-
B 35	Appendicitis	M	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	1	-	-	-
		F	2	-	-	-	1	-	-	-
B 37	Cirrhosis of liver	M	1	-	2	-	2	-	-	-
		F	1	-	1	-	1	-	-	-
B 46d	Other diseases of digestive system	M	4	-	5	-	-	-	1	-
		F	-	-	1	-	1	-	2	-
B 38	Nephritis and nephrosis	M	5	-	2	-	-	-	3	-
		F	4	-	6	-	3	-	-	-
B 39	Hyperplasia of prostate	M	-	-	3	-	4	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	-	-
B 42	Congenital anomalies	M	8	-	4	-	3	-	1	-
		F	8	-	2	-	1	-	5	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	1	-	5	-	2	-	-	-
		F	3	-	1	-	1	-	2	-
B 44	Other causes of perinatal mortality*	M	3	-	9	-	1	-	2	-
		F	-	-	5	-	1	-	1	-
B 45a	Senility without mention of psychosis	M	-	-	3	-	1	-	6	4
		F	2	1	7	3	7	2	7	7
B 45b	Ill-defined conditions	M	7	3	1	-	1	1	1	-
		F	3	2	-	-	1	1	1	1
B 46e	All other diseases	M	14	1	15	-	7	-	3	-
		F	13	-	10	-	12	-	3	-
External Causes										
B 47	Motor vehicle accidents	M	15	-	2	-	2	-	5	-
		F	3	-	3	-	2	-	1	-
B 48	All other accidents	M	12	-	4	-	1	-	9	-
		F	7	-	1	-	7	-	3	-
B 49	Suicide and self-inflicted injuries	M	1	-	-	-	-	-	2	-
		F	-	-	1	-	-	-	-	-
B 50	All other external causes	M	1	-	4	-	1	-	-	-
		F	-	-	1	-	1	-	-	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total							
		M	434	1	449	5	318	10	342	7
		F	372	2	363	7	247	3	255	9
B 4	Enteritis and other diarrhoeal diseases	M	-	-	1	-	-	-	2	-
		F	1	-	-	-	1	-	1	-
B 5	Tuberculosis of respiratory system	M	3	-	6	-	1	-	3	-
		F	2	-	4	-	-	-	-	-
B 6	Other tuberculosis, including late effects	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	1	-
B 18c	Gastro-enteritis (under 2 years)	M	-	-	1	-	-	-	2	-
		F	1	-	-	-	1	-	1	-
B 18	All other infective and parasitic diseases	M	1	-	1	-	1	-	-	-
		F	1	-	2	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	10	-	15	-	12	-	10	-
		F	12	-	8	-	7	-	5	-
B 19b	of other digestive organs and peritoneum	M	16	-	14	-	21	-	10	-
		F	17	-	13	-	10	-	6	-
B 19c	of trachea, bronchus and lung	M	18	-	16	-	8	-	8	-
		F	4	-	7	-	1	-	-	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	16	-	9	-	7	-	8	-
B 19e	of genito-urinary organs	M	9	-	15	-	7	-	8	-
		F	10	-	12	-	4	-	5	-
B 19f	of lymphatic and haematopoietic tissue	M	4	-	6	-	7	-	2	-
		F	-	-	1	-	1	-	1	-
B 19g	Other	M	8	-	7	-	7	-	8	-
		F	10	-	1	-	3	-	9	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	-	-	1	-	1	-	-	-
		F	-	-	-	-	1	-	-	-
B 21	Diabetes mellitus	M	1	-	6	-	1	-	3	-
		F	3	-	3	-	4	-	4	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 23	Anaemias	M	2	-	1	-	-	-	1	-
		F	2	-	2	-	1	-	-	-
B 24	Meningitis	M	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	1	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	4	-	2	-	6	-	4	-
		F	5	-	6	-	5	-	3	-
B 27	Hypertensive disease	M	7	-	7	-	5	-	3	-
		F	7	-	19	-	9	-	12	1

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	113	1	120	1	72	4	84	1
		F	69	-	58	-	25	1	57	2
B 29	Other forms of heart disease	M	26	-	19	-	23	-	31	4
		F	29	1	22	-	18	-	33	2
B 30	Cerebrovascular disease	M	60	-	57	-	51	-	46	-
		F	56	-	74	-	61	-	34	-
B 46a	Other diseases of circulatory system	M	12	-	8	-	12	2	8	-
		F	14	1	12	-	16	-	6	-
B 31	Influenza	M	3	-	3	-	1	-	4	-
		F	-	-	3	-	1	-	-	-
B 32	Pneumonia	M	21	-	17	-	12	-	17	-
		F	19	-	13	-	10	-	16	-
B 33	Bronchitis, emphysema and asthma	M	32	-	43	-	19	1	27	-
		F	23	-	33	-	13	-	14	-
B 46b	Bronchiectasis	M	1	-	1	-	-	-	3	-
		F	-	-	-	-	1	-	-	-
B 46c	Other diseases of respiratory system	M	2	-	4	-	2	-	1	-
		F	2	-	6	-	2	-	1	-
B 34	Peptic ulcer	M	3	-	2	-	1	-	-	-
		F	3	-	-	-	1	-	-	-
B 35	Appendicitis	M	1	-	1	-	1	-	-	-
		F	1	-	2	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	1	-
B 37	Cirrhosis of liver	M	-	-	1	-	1	-	1	-
		F	2	-	2	-	-	-	1	-
B 46d	Other diseases of digestive system	M	1	-	4	-	1	-	2	-
		F	4	-	4	-	3	-	1	-
B 38	Nephritis and nephrosis	M	3	-	5	-	6	-	1	-
		F	6	-	2	-	4	-	2	-
B 39	Hyperplasia of prostate	M	6	-	6	-	5	-	5	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	-	-
B 42	Congenital anomalies	M	4	-	8	-	4	-	4	-
		F	4	-	9	-	10	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	2	-	2	-	2	-
		F	5	-	1	-	-	-	2	-
B 44	Other causes of perinatal mortality*	M	8	-	6	-	4	-	1	-
		F	7	-	2	-	3	-	1	-
B 45a	Senility without mention of psychosis	M	3	-	7	4	2	-	4	-
		F	9	-	8	7	9	-	6	3
B 45b	Ill-defined conditions	M	-	-	-	-	5	3	2	2
		F	-	-	1	-	6	2	1	1
B 46e	All other diseases	M	9	-	10	-	6	-	13	-
		F	17	-	10	-	3	-	6	-
External Causes										
B 47	Motor vehicle accidents	M	17	-	12	-	4	-	10	-
		F	4	-	4	-	2	-	2	-
B 48	All other accidents	M	17	-	10	-	1	-	10	-
		F	6	-	7	-	3	-	11	-
B 49	Suicide and self-inflicted injuries	M	-	-	1	-	1	-	2	-
		F	-	-	-	-	-	-	1	-
B 50	All other external causes	M	3	-	4	-	2	-	2	-
		F	1	-	1	-	-	-	1	-

* Late foetal deaths not included

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	547 473	4 2	391 309	2 -	713 641	- 2	1,623 1,380	10 16
B 4	Enteritis and other diarrhoeal diseases	M F	3 1	- -	1 -	- -	2 1	- -	4 3	- -
B 5	Tuberculosis of respiratory system	M F	4 2	- -	- 1	- -	7 4	- -	7 4	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	1 -	- -	1 2	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 18a	Septicaemia	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	1 1	- -
B 18b	Infectious hepatitis	M F	- 2	- -	- -	- -	- -	- -	1 1	- -
B 18c	Gastro-enteritis (under 2 years)	M F	3 -	- -	1 -	- -	1 1	- -	3 -	- -
B 18	All other infective and parasitic diseases	M F	- 1	- -	1 -	- -	- 1	- -	2 -	- -
B 19a	Malignant neoplasms:- of stomach	M F	12 9	- -	6 8	- -	17 20	- -	33 39	- -
B 19b	of other digestive organs and peritoneum	M F	24 30	- -	19 17	- -	41 32	- -	82 77	- -
B 19c	of trachea, bronchus and lung	M F	16 4	- -	15 7	- -	39 5	- -	55 21	- -
B 19d	of breast	M F	- 12	- -	- 9	- -	1 20	- -	- 49	- -
B 19e	of genito-urinary organs	M F	11 14	- -	12 6	- -	14 10	- -	27 27	- -
B 19f	of lymphatic and haematopoietic tissue	M F	3 3	- -	- 3	- -	10 7	- -	16 14	- -
B 19g	Other	M F	20 13	- -	7 4	- -	15 3	- -	34 16	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	1 -	- -	1 -	- -	1 2	- -	5 2	- -
B 21	Diabetes mellitus	M F	11 8	- -	3 4	- -	3 7	- -	10 21	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 -	- -	- -	- -	- 1	- -
B 23	Anaemias	M F	- 2	- -	2 1	- -	2 1	- -	7 2	- -
B 24	Meningitis	M F	- -	- -	2 -	- -	1 -	- -	1 1	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	1 3	- -	8 4	- -	7 12	- -	12 9	- -
B 27	Hypertensive disease	M F	10 16	- -	12 11	- -	15 17	- -	33 31	- -

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	168	-	110	-	197	-	379	-
		F	91	-	48	-	143	-	247	5
B 29	Other forms of heart disease	M	10	-	15	-	26	-	122	3
		F	29	1	15	-	35	-	164	1
B 30	Cerebrovascular disease	M	76	-	30	-	68	-	182	3
		F	90	-	70	-	111	-	228	1
B 46a	Other diseases of circulatory system	M	50	-	14	-	29	-	96	1
		F	56	-	13	-	49	-	93	-
B 31	Influenza	M	4	-	4	-	2	-	9	-
		F	5	-	3	-	3	-	9	-
B 32	Pneumonia	M	17	-	13	-	43	-	88	-
		F	14	-	17	-	32	-	67	-
B 33	Bronchitis, emphysema and asthma	M	40	-	51	1	69	-	113	-
		F	13	-	24	-	24	-	54	-
B 46b	Bronchiectasis	M	2	-	-	-	1	-	3	-
		F	2	-	-	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	4	-	3	-	1	-	23	-
		F	3	-	4	-	9	-	23	-
B 34	Peptic ulcer	M	1	-	4	-	7	-	23	-
		F	3	-	-	-	5	-	3	-
B 35	Appendicitis	M	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	2	-
B 36	Intestinal obstruction and hernia	M	2	-	2	-	1	-	5	-
		F	3	-	-	-	-	-	6	-
B 37	Cirrhosis of liver	M	-	-	-	-	-	-	5	-
		F	-	-	1	-	5	-	-	-
B 46d	Other diseases of digestive system	M	-	-	-	-	3	-	10	-
		F	1	-	1	-	6	-	7	-
B 38	Nephritis and nephrosis	M	4	-	4	-	7	-	8	-
		F	2	-	2	-	3	-	4	-
B 30	Hyperplasia of prostate	M	4	-	-	-	2	-	15	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	1	-	1	-
B 42	Congenital anomalies	M	5	-	6	-	13	-	18	-
		F	6	-	8	-	12	-	15	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	6	-	11	-	15	-
		F	6	-	4	-	4	-	7	-
B 44	Other causes of perinatal mortality*	M	1	-	-	-	10	-	12	-
		F	2	-	-	-	5	-	5	-
B 45a	Senility without mention of psychosis	M	6	3	4	1	6	-	18	3
		F	2	1	3	-	9	1	26	8
B 45b	Ill-defined conditions	M	2	1	4	-	1	-	3	-
		F	1	-	1	-	3	1	4	1
B 46e	All other diseases	M	14	-	14	-	14	-	44	-
		F	12	-	10	-	25	-	52	-
External Causes										
B 47	Motor vehicle accidents	M	6	-	6	-	3	-	24	-
		F	5	-	2	-	3	-	5	-
B 48	All other accidents	M	10	-	10	-	19	-	62	-
		F	6	-	8	-	9	-	33	-
B 49	Suicide and self-inflicted injuries	M	-	-	1	-	2	-	7	-
		F	-	-	-	-	-	-	2	-
B 50	All other external causes	M	1	-	-	-	2	-	6	-
		F	1	-	-	-	2	-	1	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	587 461	12 12	804 648	43 37	295 260	- 1	591 464	9 3
B 4	Enteritis and other diarrhoeal diseases	M F	- 1	- -	2 2	- -	3 1	- -	2 4	- -
B 5	Tuberculosis of respiratory system	M F	5 -	- -	7 5	1 -	2 -	- -	2 -	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 18a	Septicaemia	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	1 -	- -	- -	- -	2 -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- 1	- -	2 2	- -	3 1	- -	1 3	- -
B 18	All other infective and parasitic diseases	M F	- -	- -	2 -	- -	- 2	- -	1 -	- -
B 19a	Malignant neoplasms: of stomach	M F	9 8	- -	15 13	- -	6 5	- -	20 9	- -
B 19b	of other digestive organs and peritoneum	M F	23 17	- -	21 20	- -	19 19	- -	19 24	- -
B 19c	of trachea, bronchus and lung	M F	9 3	- -	18 7	- -	10 4	- -	15 3	- -
B 19d	of breast	M F	- 13	- -	- 23	- -	- 11	- -	- 11	- -
B 19e	of genito-urinary organs	M F	13 3	- -	16 12	- -	10 7	- -	18 10	- -
B 19f	of lymphatic and haematopoietic tissue	M F	5 5	- -	9 4	- -	4 3	- -	8 -	- -
B 19g	Other	M F	10 9	- 1	15 24	- -	11 4	- -	13 9	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	3 1	- -	3 5	- -	2 -	- -	1 2	- -
B 21	Diabetes mellitus	M F	5 7	- -	10 6	- -	1 3	- -	3 5	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	3 -	- -	1 -	- -	- -	- -
B 23	Anaemias	M F	1 1	- -	5 4	- -	1 -	- -	2 2	- 1
B 24	Meningitis	M F	- -	- -	2 1	- -	- -	- -	1 -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	6 6	- -	6 4	- -	1 4	- -	3 4	- -
B 27	Hypertensive disease	M F	8 12	- -	27 19	- -	4 1	- -	7 20	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M F	119 58	- -	206 114	7 2	82 56	- 1	205 100	1 -
B 29	Other forms of heart disease	M F	113 93	2 1	67 52	5 2	9 10	- -	31 23	- -
B 30	Cerebrovascular disease	M F	56 73	- -	85 113	- 1	27 46	- -	54 69	1 -
B 46a	Other diseases of circulatory system	M F	29 32	- -	56 26	- -	7 5	- -	25 30	- -
B 31	Influenza	M F	5 2	- -	6 5	- -	- -	- -	1 1	- -
B 32	Pneumonia	M F	28 15	- -	36 28	- -	16 11	- -	22 23	- -
B 33	Bronchitis, emphysema and asthma	M F	34 11	- -	30 15	1 -	39 18	- -	41 20	- -
B 46b	Bronchiectasis	M F	1 2	- -	1 2	- -	- 2	- -	1 1	- -
B 46c	Other diseases of respiratory system	M F	4 3	- -	9 7	1 1	1 -	- -	4 1	- -
B 34	Peptic ulcer	M F	6 3	- -	8 5	- -	3 3	- -	7 -	- -
B 35	Appendicitis	M F	2 -	- -	- 1	- -	- 1	- -	- -	- -
B 36	Intestinal obstruction and hernia	M F	1 1	- -	2 4	- -	2 -	- -	2 1	- -
B 37	Cirrhosis of liver	M F	1 1	- -	4 -	- -	1 1	- -	3 -	- -
B 46d	Other diseases of digestive system	M F	1 3	- -	8 7	- -	1 1	- -	3 6	- -
B 38	Nephritis and nephrosis	M F	6 5	- -	1 9	- -	1 3	- -	3 2	- -
B 39	Hyperplasia of prostate	M	3	-	12	-	2	-	5	-
B 40	Abortion	F	-	-	1	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	2	-
B 42	Congenital anomalies	M F	4 5	- -	10 8	- -	6 6	- -	4 6	- -
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M F	5 1	- -	4 4	- -	2 2	- -	7 5	- -
B 44	Other causes of perinatal mortality*	M F	9 6	- -	5 6	- -	2 4	- -	2 2	- -
B 45a	Senility without mention of psychosis	M F	16 11	9 8	36 39	23 28	- 1	- -	8 21	7 2
B 45b	Ill-defined conditions	M F	3 1	- 1	6 3	5 2	- -	- -	1 1	- -
B 46e	All other diseases	M F	15 24	- 1	12 25	- 1	4 15	- -	19 19	- -
External Causes										
B 47	Motor vehicle accidents	M F	11 6	- -	6 3	- -	6 2	- -	13 5	- -
B 48	All other accidents	M F	16 19	- -	29 19	- -	7 6	- -	14 21	- -
B 49	Suicide and self-inflicted injuries	M F	2 -	- -	2 -	- -	- -	- -	- -	- -
B 50	All other external causes	M F	- -	- -	1 1	- -	2 -	- -	1 -	- -

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	401 312	9 6	483 393	1 6	174 195	- -	285 213	4 2
B 4	Enteritis and other diarrhoeal diseases	M F	1 -	- -	- 2	- -	- 1	- -	- 1	- -
B 5	Tuberculosis of respiratory system	M F	4 2	- -	7 1	1 -	3 1	- -	3 1	- -
B 6	Other tuberculosis, including late effects	M F	3 1	- -	1 -	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	1 -	- -	2 -	- -	- -	- -	1 -	- -
B 18	All other infective and parasitic diseases	M F	- -	- -	1 -	- -	- -	- -	1 -	- -
B 19a	Malignant neoplasms:- of stomach	M F	5 6	- -	18 9	- -	6 7	- -	14 5	- -
B 19b	of other digestive organs and peritoneum	M F	15 14	- -	27 14	- -	7 14	- -	14 7	- -
B 19c	of trachea, bronchus and lung	M F	6 2	- -	21 4	- -	8 2	- -	7 2	- -
B 19d	of breast	M F	- 11	- -	- 15	1 -	- 4	- -	- 6	- -
B 19e	of genito-urinary organs	M F	3 7	- -	12 13	- -	3 4	- -	9 5	- -
B 19f	of lymphatic and haematopoietic tissue	M F	4 3	- -	7 2	- -	- 3	- -	3 -	- -
B 19g	Other	M F	10 8	- -	11 4	- -	7 2	- -	7 5	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	4 -	- -	1 4	- -	2 -	- -	2 1	- -
B 21	Diabetes mellitus	M F	4 2	- -	6 5	- -	2 1	- -	4 -	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B 23	Anaemias	M F	2 -	- -	1 1	- -	- -	- -	1 -	- -
B 24	Meningitis	M F	1 -	- -	- -	- -	- -	- -	3 -	- -
B 25	Active rheumatic fever	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	4 5	- -	4 1	- -	2 4	- -	3 2	- -
B 27	Hypertensive disease	M F	14 8	- -	8 13	- -	2 1	- -	- 5	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	100	1	155	-	44	-	62	2
		F	35	2	110	2	28	-	32	1
B 29	Other forms of heart disease	M	44	1	18	-	9	-	9	1
		F	48	-	18	-	9	-	14	-
B 30	Cerebrovascular disease	M	48	-	64	-	13	-	32	1
		F	59	-	77	-	33	-	33	-
B 46a	Other diseases of circulatory system	M	16	2	13	-	4	-	13	-
		F	8	1	15	-	4	-	13	-
B 31	Influenza	M	4	-	1	-	-	-	-	-
		F	3	-	1	-	-	-	1	-
B 32	Pneumonia	M	17	-	16	-	19	-	11	-
		F	14	-	24	-	30	-	16	-
B 33	Bronchitis, emphysema and asthma	M	24	2	33	-	13	-	24	-
		F	10	1	11	-	26	-	16	-
B 46b	Bronchiectasis	M	1	-	2	-	-	-	-	-
		F	-	-	1	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	6	2	2	-	1	-	4	-
		F	3	-	2	-	-	-	2	-
B 34	Peptic ulcer	M	2	-	6	-	2	-	8	-
		F	2	-	3	-	-	-	1	-
B 35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	1	-	-	-	2	-
		F	1	-	-	-	1	-	-	-
B 37	Cirrhosis of liver	M	-	-	3	-	1	-	1	-
		F	-	-	-	-	-	-	2	-
B 46d	Other diseases of digestive system	M	1	-	2	-	-	-	1	-
		F	2	-	2	-	1	-	1	-
B 38	Nephritis and nephrosis	M	3	-	2	-	-	-	2	-
		F	-	-	1	-	-	-	1	-
B 39	Hyperplasia of prostate	M	4	-	4	-	3	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	-	-
B 42	Congenital anomalies	M	4	-	3	-	1	-	4	-
		F	2	-	8	-	3	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	5	-	2	-	2	-	1	-
		F	1	-	-	-	-	-	1	-
B 44	Other causes of perinatal mortality*	M	8	-	4	-	4	-	5	-
		F	4	-	6	-	1	-	3	-
B 45a	Senility without mention of psychosis	M	1	-	4	-	3	-	9	-
		F	4	2	1	1	3	-	11	1
B 45b	Ill-defined conditions	M	1	1	-	-	-	-	2	-
		F	2	-	2	2	-	-	2	-
B 46e	All other diseases	M	10	-	7	-	3	-	11	-
		F	12	-	9	-	8	-	9	-
External Causes										
B 47	Motor vehicle accidents	M	11	-	10	-	2	-	2	-
		F	4	-	6	-	-	-	2	-
B 48	All other accidents	M	7	-	6	-	6	-	8	-
		F	9	-	5	-	1	-	4	-
B 49	Suicide and self-inflicted injuries	M	1	-	-	-	2	-	1	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	1	-	1	-	-	-	3	-
		F	-	-	-	-	1	-	1	-

* Late foetal deaths not included

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M F	1,028 738	41 39	236 191	16 13	871 747	42 54
B 4	Enteritis and other diarrhoeal diseases	M F	2 1	- -	- 1	- -	2 1	- -	2 -	- -
B 5	Tuberculosis of respiratory system	M F	8 2	- -	2 -	- -	7 3	- -	- -	- -
B 6	Other tuberculosis, including late effects	M F	4 -	- -	- -	- -	2 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	1 -	- -	- -	- -	1 -	- -	- -	- -
B 18a	Septicaemia	M F	1 -	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B 18b	Infectious hepatitis	M F	2 -	- -	- -	- -	1 -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	1 1	- -	- -	- -	1 -	- -	2 -	- -
B 18	All other infective and parasitic diseases	M F	3 2	- -	- -	- -	2 -	- -	2 -	- -
B 19a	Malignant neoplasms:- of stomach	M F	26 14	- -	9 6	- -	31 15	- -	14 6	- -
B 19b	of other digestive organs and peritoneum	M F	38 34	- 1	6 10	- -	42 29	- -	23 14	- -
B 19c	of trachea, bronchus and lung	M F	18 8	- -	3 -	- -	18 5	- -	7 4	- -
B 19d	of breast	M F	- 17	- -	- 6	- -	1 25	- -	- 10	- -
B 19e	of genito-urinary organs	M F	23 18	- -	4 6	- -	21 13	- -	9 6	- -
B 19f	of lymphatic and haematopoietic tissue	M F	14 8	- -	3 2	- -	10 6	- -	2 4	- -
B 19g	Other	M F	28 14	- -	5 2	- -	16 12	1 -	12 10	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- -	- -	- -	- -	2 2	- -	- -	- -
B 21	Diabetes mellitus	M F	12 10	- -	- 2	- -	4 15	- 1	5 5	- -
B 22	Avitaminoses and other nutritional deficiency	M F	2 -	- -	- -	- -	2 3	- -	- -	- -
B 23	Anaemias	M F	6 4	- -	1 -	- -	3 5	- -	- -	- -
B 24	Meningitis	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	10 9	- -	1 1	- -	2 1	- -	2 5	- -
B 27	Hypertensive disease	M F	23 13	- -	6 3	- -	17 26	- -	10 7	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	304	1	76	1	230	4	115	2
		F	186	2	30	-	162	1	57	1
B 29	Other forms of heart disease	M	43	3	20	4	54	2	45	2
		F	44	2	20	1	53	1	36	2
B 30	Cerebrovascular disease	M	120	4	37	1	128	4	58	-
		F	137	4	42	-	142	2	56	3
B 46a	Other diseases of circulatory system	M	48	1	3	-	28	-	19	-
		F	21	-	3	-	20	-	12	-
B 31	Influenza	M	6	2	1	-	12	-	2	-
		F	9	-	1	-	2	-	-	-
B 32	Pneumonia	M	67	1	10	-	37	-	16	-
		F	54	-	12	1	26	-	16	-
B 33	Bronchitis, emphysema and asthma	M	59	1	10	-	44	1	18	-
		F	18	1	12	-	28	-	15	1
B 46b	Bronchiectasis	M	1	-	-	-	2	-	-	-
		F	2	-	-	-	3	-	-	-
B 46c	Other diseases of respiratory system	M	13	-	-	-	9	-	5	-
		F	9	1	-	-	10	-	1	-
B 34	Peptic ulcer	M	8	-	2	-	7	-	6	-
		F	3	-	-	-	3	-	1	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	2	-	4	-
		F	3	-	-	-	3	-	-	-
B 37	Cirrhosis of liver	M	2	-	-	-	2	-	2	-
		F	1	-	-	-	4	-	-	-
B 46d	Other diseases of digestive system	M	11	-	2	-	4	-	3	-
		F	5	-	2	-	5	-	2	-
B 38	Nephritis and nephrosis	M	3	-	3	-	4	-	12	-
		F	5	-	3	-	4	-	3	-
B 39	Hyperplasia of prostate	M	6	-	2	-	7	-	3	-
B 40	Abortion	F	-	-	-	-	1	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	9	-	2	-	4	-	5	-
		F	10	-	2	-	3	-	3	1
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	1	-	1	-	1	-
		F	5	-	2	-	3	-	-	-
B 44	Other causes of perinatal mortality*	M	4	-	2	-	2	-	2	-
		F	-	-	-	-	1	-	2	-
B 45a	Senility without mention of psychosis	M	29	25	11	10	38	26	16	13
		F	36	27	10	10	62	49	12	9
B 45b	Ill-defined conditions	M	3	3	-	-	4	3	1	-
		F	1	1	-	-	2	-	1	1
B 46e	All other diseases	M	33	-	4	-	42	1	16	-
		F	23	-	10	1	22	-	12	1
External Causes										
B 47	Motor vehicle accidents	M	13	-	4	-	9	-	13	-
		F	-	-	-	-	4	-	1	-
B 48	All other accidents	M	11	-	5	-	15	-	6	-
		F	11	-	3	-	17	-	5	-
B 49	Suicide and self-inflicted injuries	M	1	-	-	-	2	-	-	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	5	-	-	-	3	-	3	-
		F	-	-	-	-	3	-	-	-

* Late foetal deaths not included

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	392 331	4 11	452 341	6 4	793 608	23 23	316 256	- 2
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	1 -	- -	1 -	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	2 2	- -	1 -	- -	4 -	- -	2 1	- -
B 6	Other tuberculosis, including late effects	M F	1 -	- -	- -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- -	- -	1 1	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- -	- -	- -	- -	7 -	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	1 -	- -	1 -	- -	1 1	- -	- -	- -
B 19a	Malignant neoplasms:- of stomach	M F	16 11	- -	17 7	- -	25 21	- -	8 10	- -
B 19b	of other digestive organs and peritoneum	M F	17 12	- -	14 11	- -	34 32	- -	7 10	- -
B 19c	of trachea, bronchus and lung	M F	10 4	- -	9 2	- -	19 9	- -	10 -	- -
B 19d	of breast	M F	- 12	- -	- 10	- -	- 11	- -	- 5	- -
B 19e	of genito-urinary organs	M F	9 4	- -	7 4	- -	17 13	- -	3 13	- -
B 19f	of lymphatic and haematopoietic tissue	M F	4 3	- -	3 2	- -	6 4	- -	3 3	- -
B 19g	Other	M F	6 9	- -	6 7	- -	24 21	2 -	7 6	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	1 -	- -	- 1	- -	3 1	- -	- -	- -
B 21	Diabetes mellitus	M F	2 4	- -	- 4	- -	6 4	- -	7 5	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 23	Anaemias	M F	1 -	- -	1 -	- -	3 3	- -	- -	- -
B 24	Meningitis	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	2 -	- -	6 4	- -	5 2	- -	2 2	- -
B 27	Hypertensive disease	M F	13 19	1 -	3 9	- -	19 25	- -	4 4	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1969, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 28	Ischaemic heart disease	M	83	-	136	1	199	7	103	-
		F	53	-	68	-	103	6	52	-
B 29	Other forms of heart disease	M	12	-	22	-	43	1	9	-
		F	9	-	34	-	36	3	22	1
B 30	Cerebrovascular disease	M	64	-	107	-	87	-	45	-
		F	70	-	103	2	94	2	50	-
B 46a	Other diseases of circulatory system	M	17	-	9	-	37	-	9	-
		F	16	-	11	-	26	1	9	-
B 31	Influenza	M	11	-	6	-	7	1	1	-
		F	1	-	3	-	8	-	6	-
B 32	Pneumonia	M	14	-	18	-	56	-	33	-
		F	17	-	4	-	49	-	23	-
B 33	Bronchitis, emphysema and asthma	M	32	-	21	-	40	1	16	-
		F	19	-	11	-	8	-	3	-
B 46b	Bronchiectasis	M	3	-	-	-	3	-	-	-
		F	-	-	-	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	8	-	4	-	3	-	8	-
		F	2	-	1	-	8	-	4	-
B 34	Peptic ulcer	M	4	-	7	-	4	-	3	-
		F	2	-	2	-	7	-	-	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	-	-	2	-	1	-
		F	1	-	1	-	2	-	-	-
B 37	Cirrhosis of liver	M	1	-	2	-	5	-	-	-
		F	1	-	-	-	4	-	-	-
B 46d	Other diseases of digestive system	M	2	-	-	-	4	-	-	-
		F	2	-	3	-	6	-	1	-
B 38	Nephritis and nephrosis	M	3	-	5	-	12	-	4	-
		F	3	-	1	-	11	-	1	-
B 39	Hyperplasia of prostate	M	5	-	7	-	9	-	2	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	2	-	1	-
B 42	Congenital anomalies	M	2	-	2	-	8	-	-	-
		F	2	-	3	-	9	-	3	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	1	-	-	-	1	-
		F	-	-	2	-	4	-	1	-
B 44	Other causes of perinatal mortality*	M	4	-	1	-	8	-	4	-
		F	4	-	1	-	11	-	3	-
B 45a	Senility without mention of psychosis	M	9	3	9	5	25	9	-	-
		F	26	9	11	2	22	9	1	1
B 45b	Ill-defined conditions	M	-	-	-	-	3	1	-	-
		F	2	2	-	-	2	1	2	-
B 46e	All other diseases	M	9	-	8	-	34	-	6	-
		F	7	-	9	-	25	1	4	-
External Causes										
B 47	Motor vehicle accidents	M	8	-	8	-	13	-	7	-
		F	4	-	3	-	2	-	1	-
B 48	All other accidents	M	10	-	9	-	18	1	10	-
		F	7	-	6	-	19	-	8	-
B 49	Suicide and self-inflicted injuries	M	-	-	2	-	1	-	1	-
		F	1	-	1	-	-	-	-	-
B 50	All other external causes	M	1	-	1	-	3	-	-	-
		F	1	-	-	-	1	-	-	-

* Late foetal deaths not included

TABLE 21 - DEATHS REGISTERED IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List Number	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	2,869	156	22	22	40	32	95	232	551	895	824
		F	2,779	130	29	14	27	25	60	176	357	708	1,253
B 4	Enteritis and other diarrhoeal diseases	M	22	11	6	-	1	-	-	-	-	1	3
		F	16	9	3	-	-	-	-	-	-	3	1
B 5	Tuberculosis of respiratory system	M	52	-	-	-	1	-	3	12	13	15	8
		F	18	-	-	-	-	-	1	3	6	4	4
B 6	Other tuberculosis, including late effects	M	1	-	-	-	-	-	-	-	-	1	-
		F	6	-	1	-	-	-	1	2	-	2	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	-	-	-	-	-	-	-	-	-
		F	4	2	-	-	1	-	-	-	-	1	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-
B 18c	Gastro-enteritis (under 2 years)	M	14	11	3	-	-	-	-	-	-	-	-
		F	10	8	2	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	2	-	1	-	-	-	-	-	-	1	-
		F	3	1	-	-	-	-	-	1	-	1	-
B 19a	Malignant neoplasms:- of stomach	M	55	-	-	-	-	-	1	6	21	20	17
		F	59	-	-	-	-	1	4	2	11	15	26
B 19b	of other digestive organs and peritoneum	M	158	-	-	-	-	-	5	20	29	64	40
		F	155	-	-	-	-	2	4	10	37	40	62
B 19c	of trachea, bronchus and lung	M	197	-	-	-	-	1	6	29	60	78	23
		F	48	-	-	-	-	1	2	9	12	13	11
B 19d	of breast	M	1	-	-	-	-	-	-	-	-	1	-
		F	87	-	-	-	-	2	8	15	16	28	18
B 19e	of genito-urinary organs	M	54	-	-	-	1	-	2	2	9	20	20
		F	67	-	-	-	1	-	5	13	17	18	13
B 19f	of lymphatic and haematopoietic tissue	M	53	-	-	1	3	1	2	12	14	16	4
		F	35	-	3	2	1	1	1	4	13	8	2
B 19g	Other	M	54	-	1	-	-	1	-	8	15	21	8
		F	62	-	4	1	-	-	3	11	14	16	13
B 20	Benign neoplasms and neoplasms of unspecified nature	M	9	2	-	-	-	-	-	2	-	3	2
		F	9	-	-	-	-	1	-	1	3	1	3
B 21	Diabetes mellitus	M	20	-	-	-	1	-	1	1	3	6	6
		F	31	-	-	1	-	-	1	1	1	14	13
B 22	Avitaminoses and other nutritional deficiency	M	2	1	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-
B 23	Anaemias	M	6	-	-	2	-	-	-	-	-	2	2
		F	16	-	-	-	-	-	1	1	1	1	12
B 24	Meningitis	M	3	5	1	-	-	-	1	-	-	1	-
		F	3	1	-	-	-	-	-	-	-	1	1
B 25	Active rheumatic fever	M	2	-	2	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	23	-	-	-	2	2	1	6	4	6	2
		F	48	-	-	-	2	1	1	8	9	9	18
B 27	Hypertensive disease	M	44	-	-	-	-	-	3	2	8	10	21
		F	69	-	-	-	-	-	1	2	2	23	41
B 28	Ischaemic heart disease	M	766	-	-	-	1	2	19	69	177	267	231
		F	601	-	-	-	-	-	2	28	90	192	289
B 29	Other forms of heart disease	M	55	-	-	-	-	-	4	-	6	11	34
		F	82	-	-	-	-	-	3	-	4	9	66

TABLE 21 (contd.) - DEATHS REGISTERED IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List Number	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	232	-	-	1	1	5	5	19	36	72	93
		F	365	-	-	1	2	3	7	20	31	115	186
B 46a	Other diseases of circulatory system	M	92	2	-	-	-	-	2	1	11	32	44
		F	117	-	-	-	-	2	1	3	9	26	76
B 31	Influenza	M	9	-	1	-	-	-	-	1	1	5	1
		F	15	-	-	-	-	-	1	-	1	3	10
B 32	Pneumonia	M	186	17	4	1	2	3	5	3	20	44	87
		F	239	9	8	3	7	1	4	8	14	50	135
B 33	Bronchitis, emphysema and asthma	M	317	-	-	1	1	-	6	11	78	118	102
		F	146	-	1	1	-	-	2	5	21	32	84
B 46b	Bronchiectasis	M	4	-	-	-	-	-	-	-	1	2	1
		F	3	-	-	-	-	-	-	-	1	1	1
B 46c	Other diseases of respiratory system	M	28	6	2	-	-	-	1	1	4	4	10
		F	44	7	1	-	-	-	-	4	2	4	26
B 34	Peptic ulcer	M	27	-	-	-	-	1	-	2	4	13	7
		F	13	-	-	-	-	-	-	1	-	4	8
B 35	Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	6	-	-	-	-	-	-	1	1	2	2
		F	12	1	-	-	-	-	-	-	3	1	7
B 37	Cirrhosis of liver	M	16	-	-	-	-	-	1	3	3	6	3
		F	10	-	-	-	-	-	-	1	2	4	3
B 46d	Other diseases of digestive system	M	15	1	-	-	1	-	3	1	2	6	1
		F	29	-	-	-	-	-	-	3	4	10	12
B 38	Nephritis and nephrosis	M	18	-	-	-	1	-	4	3	3	5	2
		F	25	-	-	-	1	-	1	2	7	5	9
B 39	Hyperplasia of prostate	M	13	-	-	-	-	-	-	-	1	2	10
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	1	-	-	-	-	-	-
B 42	Congenital anomalies	M	51	46	1	1	1	2	-	-	-	-	-
		F	63	51	3	2	1	-	-	2	3	1	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	37	37	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	22	22	-	-	-	-	-	-	-	-	-
		F	20	20	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	3	-	-	-	-	-	-	-	-	1	2
		F	11	-	-	-	-	-	-	-	-	-	11
B 45b	Ill-defined conditions	M	1	-	-	-	-	-	-	-	-	1	-
		F	3	-	-	-	-	1	-	-	-	-	2
B 46e	All other diseases	M	69	1	-	4	3	3	3	6	11	19	19
		F	118	7	2	-	3	1	2	9	13	37	44
External Causes													
B 47	Motor vehicle accidents	M	56	-	4	10	11	5	5	1	10	6	4
		F	27	-	-	3	7	2	-	2	1	4	8
B 48	All other accidents	M	59	5	1	1	5	3	9	8	5	8	14
		F	54	1	1	-	-	1	1	1	3	8	38
B 49	Suicide and self-inflicted injuries	M	3	-	-	-	-	-	-	1	-	2	-
		F	7	-	-	-	-	1	1	2	2	1	-
B 50	All other external causes	M	11	-	-	-	4	3	1	1	1	1	-
		F	13	-	-	-	-	4	2	2	4	1	-

* Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List Number	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	3,187	182	28	22	34	27	68	251	601	958	1,016
		F	2,999	121	19	15	16	30	59	188	389	701	1,461
B 4	Enteritis and other diarrhoeal diseases	M	14	11	2	-	-	-	-	-	-	-	1
		F	7	5	1	-	-	-	-	-	-	-	1
B 5	Tuberculosis of respiratory system	M	31	-	-	-	1	-	-	3	10	15	2
		F	15	-	-	-	-	-	2	5	2	3	3
B 6	Other tuberculosis, including late effects	M	2	-	-	-	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	1	1	2	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	2	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-
B 18a	Septicaemia	M	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	1	-	-	-	-	-	-	-	-	-	1
		F	3	-	-	1	-	1	-	-	-	1	-
B 18c	Gastro-enteritis (under 2 years)	M	13	4	2	-	-	-	-	-	-	-	-
		F	6	5	1	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	1	-	-	-	-	-	-	1	-	-	-
		F	6	1	2	-	-	-	-	-	2	1	-
B 19a	Malignant neoplasms:- of stomach	M	77	-	-	-	-	-	1	9	23	27	17
		F	85	-	-	-	-	2	2	8	22	24	27
B 19b	of other digestive organs and peritoneum	M	159	-	-	-	-	1	6	15	31	51	55
		F	143	-	-	-	-	-	5	12	21	49	56
B 19c	of trachea, bronchus and lung	M	149	-	-	-	-	1	3	17	52	60	16
		F	31	-	-	-	-	-	2	7	9	10	3
B 19d	of breast	M	1	-	-	-	-	-	-	-	-	1	-
		F	108	-	-	-	-	2	11	21	21	25	28
B 19e	of genito-urinary organs	M	66	-	-	-	1	-	1	2	8	24	30
		F	73	-	-	-	-	1	3	14	18	20	17
B 19f	of lymphatic and haematopoietic tissue	M	36	-	1	1	1	2	2	6	8	13	2
		F	24	-	2	-	-	2	2	5	7	5	1
B 19g	Other	M	74	-	-	1	3	2	3	10	22	22	11
		F	50	1	1	2	2	2	3	6	9	15	9
B 20	Benign neoplasms and neoplasms of unspecified nature	M	9	-	-	1	-	1	-	1	3	2	1
		F	7	-	1	-	-	-	-	1	-	-	5
B 21	Diabetes mellitus	M	20	-	-	-	-	-	1	4	4	6	5
		F	33	-	-	-	-	-	-	3	6	11	13
B 22	Avitaminoses and other nutritional deficiency	M	1	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	1	1
B 23	Anaemias	M	8	-	1	-	-	-	-	-	-	2	5
		F	6	-	-	-	-	-	-	-	1	1	4
B 24	Meningitis	M	5	3	-	-	-	-	-	1	-	-	1
		F	3	1	-	-	-	-	-	1	-	-	1
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	26	-	-	-	-	-	5	3	4	5	9
		F	35	-	-	-	-	2	3	5	7	10	8
B 27	Hypertensive disease	M	56	-	-	-	1	-	-	3	15	16	21
		F	71	-	-	-	-	-	-	4	4	27	36
B 28	Ischaemic heart disease	M	915	-	-	-	-	2	21	93	214	309	276
		F	623	-	-	-	-	3	5	23	90	181	321
B 29	Other forms of heart disease	M	116	-	-	1	-	-	1	5	4	16	89
		F	171	-	-	-	-	1	1	2	12	20	135

TABLE 21 (contd.) - DEATHS REGISTERED IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List Number	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	346	-	-	2	2	2	3	16	55	129	137
		F	553	-	-	-	-	3	5	20	70	130	325
B 46a	Other diseases of circulatory system	M	110	-	-	-	-	-	-	7	10	31	62
		F	140	2	-	-	-	-	2	7	4	22	103
B 31	Influenza	M	12	1	-	-	-	1	-	1	2	2	5
		F	14	-	-	-	-	1	-	-	2	1	10
B 32	Pneumonia	M	158	22	3	1	1	1	-	3	19	36	72
		F	161	16	2	-	2	1	1	3	11	31	94
B 33	Bronchitis, emphysema and asthma	M	296	1	1	-	-	1	-	14	63	123	93
		F	144	1	-	1	-	-	2	7	20	44	69
B 46b	Bronchiectasis	M	6	-	-	-	-	-	-	3	1	2	-
		F	6	-	-	1	-	-	-	1	1	3	-
B 46c	Other diseases of respiratory system	M	25	2	-	2	-	-	-	3	6	3	9
		F	33	3	2	1	-	-	1	3	3	3	17
B 34	Peptic ulcer	M	30	-	-	-	-	1	-	3	4	11	11
		F	18	-	-	-	-	-	-	-	6	4	8
B 35	Appendicitis	M	2	-	1	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	2
B 36	Intestinal obstruction and hernia	M	7	-	1	-	-	-	-	1	1	1	3
		F	5	-	-	-	-	-	-	-	1	1	3
B 37	Cirrhosis of liver	M	10	-	-	-	-	-	1	4	3	2	-
		F	9	1	-	1	-	-	1	3	1	-	2
B 46d	Other diseases of digestive system	M	19	1	-	-	-	2	2	1	3	7	3
		F	22	-	-	-	1	1	-	3	4	6	7
B 38	Nephritis and nephrosis	M	19	-	-	1	-	1	-	-	5	6	6
		F	17	1	-	-	-	-	-	1	4	7	4
B 39	Hyperplasia of prostate	M	18	-	-	-	-	-	-	-	1	5	12
B 40	Abortion	F	1	-	-	-	-	1	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	5	-	-	-	2	3	-	-	-	-	-
B 42	Congenital anomalies	M	54	44	4	2	1	1	-	1	-	1	-
		F	53	38	4	4	2	-	-	2	3	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	40	40	-	-	-	-	-	-	-	-	-
		F	19	19	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	39	39	-	-	-	-	-	-	-	-	-
		F	28	28	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	26	-	-	-	-	-	-	-	-	1	25
		F	59	-	-	-	-	-	-	-	-	2	57
B 45b	Ill-defined conditions	M	4	-	-	-	-	-	-	-	-	1	3
		F	10	-	-	-	-	1	-	-	-	4	5
B 46e	All other diseases	M	65	4	2	1	1	-	4	5	15	15	18
		F	113	2	3	-	2	-	5	16	19	22	44
External Causes													
B 47	Motor vehicle accidents	M	33	-	3	4	11	1	1	5	4	3	1
		F	19	-	1	2	2	1	1	2	2	5	3
B 48	All other accidents	M	80	11	9	5	7	4	10	5	9	6	14
		F	55	2	-	1	1	-	-	1	2	10	38
B 49	Suicide and self-inflicted injuries	M	6	-	-	-	-	1	1	2	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
B50	All other external causes	M	12	-	-	-	3	2	1	3	-	3	-
		F	9	-	-	-	2	1	1	1	3	-	1

* Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS REGISTERED IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List Number	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	12,284	371	67	72	136	119	239	722	1,805	3,265	5,488
		F	9,616	333	49	57	65	83	160	468	1,023	2,196	3,182
B 4	Enteritis and other diarrhoeal diseases	M	26	17	3	1	-	-	-	-	-	2	3
		F	26	16	1	-	-	-	-	1	2	3	3
B 5	Tuberculosis of respiratory system	M	83	-	-	1	-	2	7	12	19	26	16
		F	27	-	-	-	-	1	5	6	7	3	5
B 6	Other tuberculosis, including late effects	M	13	1	1	-	-	-	-	1	3	5	2
		F	3	-	-	-	-	-	1	1	1	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-
B 11	Meningococcal infection	M	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	2	1	-	-	-	-	-	-	1	-	-
		F	4	3	-	1	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	2	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	9	3	-	1	-	-	1	1	-	2	1
		F	10	-	1	-	1	-	-	2	1	2	3
B 18c	Gastro-enteritis (under 2 years)	M	20	17	3	-	-	-	-	-	-	-	-
		F	17	16	1	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	22	1	1	1	2	-	4	5	3	1	4
		F	10	1	3	-	-	1	1	-	2	1	1
B 19a	Malignant neoplasms:- of stomach	M	339	-	-	-	-	-	5	22	76	124	112
		F	226	-	-	-	-	1	2	12	37	76	98
B 19b	of other digestive organs and peritoneum	M	489	-	-	1	-	1	11	42	95	159	180
		F	431	-	1	-	-	5	7	36	78	135	169
B 19c	of trachea, bronchus and lung	M	328	-	-	-	-	1	3	48	111	124	41
		F	99	-	-	-	1	-	2	11	27	38	20
B 19d	of breast	M	2	-	-	-	-	-	-	-	1	-	1
		F	295	-	-	-	-	2	25	54	63	86	65
B 19e	of genito-urinary organs	M	269	-	2	-	-	3	3	11	37	77	136
		F	193	-	1	-	1	4	10	35	44	57	41
B 19f	of lymphatic and haematopoietic tissue	M	128	2	5	3	4	7	8	17	27	35	20
		F	79	-	2	5	5	4	6	9	22	18	8
B 19g	Other	M	285	-	1	4	6	6	10	14	47	80	117
		F	200	-	2	6	3	4	10	20	46	52	57
B 20	Benign neoplasms and neoplasms of unspecified nature	M	31	-	-	1	1	-	3	3	7	11	5
		F	21	-	1	1	-	1	2	2	4	5	5
B 21	Diabetes mellitus	M	110	-	1	-	3	2	4	6	16	39	39
		F	125	-	1	1	-	2	1	4	12	41	63
B 22	Avitaminoses and other nutritional deficiency	M	9	-	1	-	-	2	-	1	1	3	1
		F	6	-	1	-	-	-	-	-	-	2	3
B 23	Anaemias	M	39	1	-	-	-	-	1	1	5	14	17
		F	33	-	-	1	-	-	1	1	3	6	21
B 24	Meningitis	M	7	-	-	-	1	-	-	1	3	2	-
		F	6	4	-	-	1	-	1	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	115	-	-	-	1	3	2	9	25	39	36
		F	97	-	-	-	-	2	8	11	21	23	32
B 27	Hypertensive disease	M	262	-	-	-	-	-	4	13	36	85	124
		F	305	-	-	2	-	-	3	8	21	81	190
B 28	Ischaemic heart disease	M	3,193	-	-	-	2	4	55	220	609	1,028	1,275
		F	1,793	-	-	-	-	3	9	60	208	491	1,022
B 29	Other forms of heart disease	M	818	-	-	1	2	-	4	12	32	117	650
		F	822	-	-	1	-	4	4	9	33	79	692

TABLE 21 (contd.) - DEATHS REGISTERED IN 1969, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS													
Abbreviated List Number	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	1,527	1	-	-	2	3	21	58	163	418	861
		F	1,718	-	-	-	5	3	13	61	145	458	1,033
B 46a	Other diseases of circulatory system	M	547	-	-	-	-	1	3	13	38	120	372
		F	463	-	-	-	1	1	4	14	18	84	341
B 31	Influenza	M	90	1	-	1	1	-	-	6	8	23	50
		F	68	1	-	-	-	-	2	2	6	17	40
B 32	Pneumonia	M	610	48	6	5	8	4	6	24	49	146	314
		F	510	41	5	6	6	9	4	13	32	113	281
B 33	Bronchitis, emphysema and asthma	M	775	3	-	-	2	3	10	40	152	237	328
		F	400	3	-	1	1	3	5	23	49	95	220
B 46b	Bronchiectasis	M	22	-	-	-	-	-	2	6	3	8	3
		F	17	-	-	-	-	1	2	-	3	4	7
B 46c	Other diseases of respiratory system	M	116	4	1	-	-	1	2	4	17	19	68
		F	98	4	1	-	1	-	1	3	6	15	67
B 34	Peptic ulcer	M	109	-	-	-	-	1	1	9	20	32	46
		F	40	-	-	-	-	-	1	6	6	7	20
B 35	Appendicitis	M	10	-	2	1	1	-	1	-	1	2	2
		F	5	-	-	-	-	1	-	-	1	3	-
B 36	Intestinal obstruction and hernia	M	35	3	-	-	-	-	1	-	6	10	15
		F	33	4	-	-	-	-	1	-	4	8	16
B 37	Cirrhosis of liver	M	37	-	-	-	1	-	3	6	10	10	7
		F	22	-	-	1	1	1	-	5	5	4	5
B 46d	Other diseases of digestive system	M	66	-	-	-	1	1	3	9	11	18	23
		F	64	-	-	1	1	1	1	4	10	17	29
B 38	Nephritis and nephrosis	M	96	-	-	1	7	-	6	9	15	25	33
		F	81	-	-	-	2	2	3	6	15	21	32
B 39	Hyperplasia of prostate	M	107	-	-	-	-	-	-	1	6	26	74
B 40	Abortion	F	1	-	-	-	-	1	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	12	-	-	-	-	6	6	-	-	-	-
B 42	Congenital anomalies	M	116	83	11	7	7	1	3	1	-	2	1
		F	130	107	9	7	5	-	1	-	1	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic condition	M	77	77	-	-	-	-	-	-	-	-	-
		F	60	60	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	103	103	-	-	-	-	-	-	-	-	-
		F	68	68	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	253	-	-	-	-	-	-	-	-	10	243
		F	315	-	-	-	-	-	-	-	-	12	303
B 45b	Ill-defined conditions	M	49	1	-	-	-	-	1	1	6	18	22
		F	36	-	-	-	-	-	-	2	5	8	21
B 46e	All other diseases	M	358	8	6	7	9	9	13	25	51	81	149
		F	344	10	7	5	10	8	9	20	54	91	130
External Causes													
B 47	Motor vehicle accidents	M	241	-	8	19	38	32	18	44	32	26	24
		F	71	-	-	9	14	6	3	10	15	5	9
B 48	All other accidents	M	287	11	17	15	30	26	8	19	43	48	70
		F	227	11	12	9	5	2	3	10	14	31	130
B 49	Suicide and self-inflicted injuries	M	29	-	-	-	1	1	8	6	7	4	2
		F	7	-	-	-	-	-	1	5	1	-	-
B 50	All other external causes	M	42	1	-	1	6	5	4	2	13	9	1
		F	12	-	-	-	-	4	2	2	1	3	-

* Late foetal deaths not included.

TABLE 22 – DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1969
CLASSIFIED BY PLACE OF OCCURRENCE.

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	18,340	15,394	3,134	2,852	559	470	6,926	5,452	7,721	6,620
LEINSTER	7,836	6,909	2,091	1,874	204	238	2,425	1,973	3,116	2,824
MUNSTER	5,956	4,967	739	725	187	126	2,639	2,104	2,391	2,012
CONNACHT	2,987	2,313	208	171	109	58	1,288	952	1,382	1,132
ULSTER (part of)	1,561	1,205	96	82	59	48	574	423	832	652
LEINSTER										
Carlow	213	160	34	32	11	12	73	44	95	72
Dublin County Borough	2,869	2,779	1,171	1,034	63	95	621	630	1,014	1,020
Dun Laoghaire Borough	310	337	128	149	7	8	59	50	116	130
Dublin County (remainder)	684	628	258	214	11	19	159	116	256	279
Kildare	375	278	67	39	6	18	147	114	155	107
Kilkenny	424	310	38	46	20	14	203	122	163	128
Laois	276	227	13	17	11	7	144	105	108	98
Longford	204	171	25	24	9	3	75	82	95	62
Louth	434	372	88	87	11	12	165	133	170	140
Meath	449	363	74	54	9	13	174	127	192	169
Offaly	318	247	24	15	9	5	138	111	147	116
Westmeath	342	255	31	17	11	13	183	120	117	105
Wexford	547	473	58	72	18	12	195	143	276	246
Wicklow	391	309	82	74	8	7	89	76	212	152
MUNSTER										
Clare	587	461	28	40	24	12	324	228	211	181
Cork County Borough	713	641	218	168	16	7	197	189	282	277
Cork County	1,623	1,380	209	195	37	23	685	557	692	605
Kerry	804	648	61	74	31	31	362	294	350	249
Limerick County Borough	295	260	57	53	9	7	148	134	81	66
Limerick County	591	464	24	37	24	9	307	242	236	176
Tipperary, North Riding	401	312	28	22	4	5	196	152	173	133
Tipperary, South Riding	483	393	49	67	15	16	232	160	187	150
Waterford County Borough	174	195	33	40	12	5	52	54	77	96
Waterford County	285	213	32	29	15	11	136	94	102	79
CONNACHT										
Galway	1,028	738	98	77	54	23	454	305	422	333
Leitrim	236	191	10	10	8	8	73	79	145	94
Mayo	871	747	51	36	13	8	385	310	422	393
Roscommon	460	306	30	25	20	12	212	127	198	142
Sligo	392	331	19	23	14	7	164	131	195	170
ULSTER (part of)										
Cavan	452	341	30	20	13	12	196	141	213	168
Donegal	793	608	44	40	35	27	226	177	488	364
Monaghan	316	256	22	22	11	9	152	105	131	120

TABLE 24 - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis, all forms	M	182	1	1	1	3	2	11	28	45	62	28
	F	73	-	1	-	-	1	10	18	17	14	12
Other infective and parasitic diseases	M	105	48	14	4	3	-	5	7	4	7	13
	F	97	38	14	3	3	2	1	4	8	15	9
Malignant neoplasms	M	2,984	2	10	11	19	27	72	290	686	1,017	850
	F	2,550	1	16	16	14	36	117	314	544	748	744
Ischaemic and other forms of heart disease	M	6,028	-	-	2	8	13	112	417	1,075	1,799	2,602
	F	4,272	-	-	1	2	16	36	146	474	1,014	2,583
Hypertensive disease	M	362	-	-	-	1	-	7	18	59	111	166
	F	445	-	-	2	-	-	4	14	27	131	267
Cerebrovascular disease	M	2,105	1	-	3	5	10	29	93	254	619	1,091
	F	2,636	-	-	1	7	9	25	101	246	703	1,544
Other diseases of the circulatory system	M	751	2	-	-	-	1	6	21	59	183	479
	F	721	2	-	-	1	4	7	24	31	132	520
Diseases of the respiratory system	M	2,654	105	18	11	15	14	32	120	424	772	1,143
	F	1,898	85	20	14	17	16	25	72	172	416	1,061
Senility	M	282	-	-	-	-	-	-	-	-	12	270
	F	385	-	-	-	-	-	-	-	-	14	371
Other diseases	M	2,028	522	32	29	40	28	62	114	226	419	556
	F	1,816	444	32	25	33	32	39	101	202	350	558
Accidents and other external causes	M	859	28	42	55	116	83	66	97	125	117	130
	F	501	14	14	24	31	22	15	38	48	68	227
All causes	M	18,340	709	117	116	210	178	402	1,205	2,957	5,118	7,328
	F	15,394	584	97	86	108	138	279	832	1,769	3,605	7,896
LEINSTER												
Tuberculosis, all forms	M	97	-	-	-	2	2	5	16	24	35	13
	F	41	-	1	-	-	-	4	12	8	7	9
Other infective and parasitic diseases	M	59	29	11	3	1	-	2	3	2	4	4
	F	55	23	11	2	1	1	-	2	3	9	3
Malignant neoplasms	M	1,396	1	5	4	11	13	40	152	342	484	344
	F	1,192	1	11	9	7	17	62	148	271	335	331
Ischaemic and other forms of heart disease	M	2,459	-	-	2	5	9	48	192	516	757	930
	F	1,823	-	-	-	2	10	14	76	231	440	1,050
Hypertensive disease	M	149	-	-	-	-	-	5	10	22	47	65
	F	212	-	-	1	-	-	1	9	14	65	122
Cerebrovascular disease	M	830	-	-	1	2	7	13	47	104	241	415
	F	1,100	-	-	1	6	4	16	51	109	295	618
Other diseases of the circulatory system	M	293	2	-	-	-	-	4	8	23	82	174
	F	327	-	-	-	-	2	2	6	17	68	232
Diseases of the respiratory system	M	1,249	55	13	10	7	13	15	55	218	375	494
	F	962	47	14	8	10	11	14	38	88	195	537
Senility	M	44	-	-	-	-	-	-	-	-	3	41
	F	79	-	-	-	-	-	-	-	-	-	79
Other diseases	M	879	276	15	17	16	14	32	54	90	165	200
	F	885	241	17	8	15	10	11	49	105	168	261
Accidents and other external causes	M	381	16	20	29	52	31	34	52	54	42	51
	F	233	5	7	15	16	14	9	18	22	32	95
All causes	M	7,836	379	64	66	96	83	198	589	1,395	2,235	2,731
	F	6,909	317	41	44	57	69	133	409	868	1,614	3,337

TABLE 24 (contd.) – DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis, all forms	M	53	-	1	-	1	-	1	9	17	16	8
	F	22	-	-	-	-	1	2	4	6	7	2
Other infective and parasitic diseases	M	24	15	1	-	1	-	-	2	-	1	4
	F	29	11	1	1	2	1	1	2	2	3	5
Malignant neoplasms	M	924	1	2	2	3	10	19	84	200	331	272
	F	798	-	3	4	4	11	31	96	157	263	229
Ischaemic and other forms of heart disease	M	2,045	-	-	-	2	2	42	141	330	613	915
	F	1,460	-	-	-	-	5	15	44	154	355	887
Hypertensive disease	M	118	-	-	-	1	-	1	5	23	41	47
	F	127	-	-	1	-	-	3	3	8	35	77
Cerebrovascular disease	M	629	-	-	2	3	1	7	33	91	206	286
	F	842	-	-	-	1	5	5	27	91	232	481
Other diseases of the circulatory system	M	288	-	-	-	-	-	1	11	21	63	192
	F	276	-	-	-	1	1	3	14	8	46	203
Diseases of the respiratory system	M	809	27	3	1	3	4	12	39	116	256	348
	F	550	23	3	2	4	3	7	16	48	148	296
Senility	M	101	-	-	-	-	-	-	-	-	2	99
	F	126	-	-	-	-	-	-	-	-	5	121
Other diseases	M	669	172	12	9	13	8	13	36	84	135	187
	F	567	130	8	11	12	16	18	35	59	106	172
Accidents and other external causes	M	296	8	16	15	42	39	22	18	49	43	44
	F	170	6	3	7	11	4	3	13	18	22	83
All causes	M	5,956	223	35	29	69	64	118	378	931	1,707	2,402
	F	4,967	170	18	26	35	47	88	254	551	1,222	2,556
CONNACHT												
Tuberculosis, all forms	M	24	1	-	1	-	-	4	2	4	8	4
	F	9	-	-	-	-	-	3	2	3	-	1
Other infective and parasitic diseases	M	20	4	2	1	1	-	3	2	2	1	4
	F	7	1	2	-	-	-	-	-	2	1	1
Malignant neoplasms	M	445	-	-	3	1	3	10	39	89	137	163
	F	359	-	2	1	2	3	15	45	79	100	112
Ischaemic and other forms of heart disease	M	999	-	-	-	1	1	18	51	141	267	520
	F	666	-	-	-	-	1	3	16	61	147	438
Hypertensive disease	M	69	-	-	-	-	-	1	1	11	15	41
	F	68	-	-	-	-	-	-	1	5	20	42
Cerebrovascular disease	M	407	1	-	-	-	1	6	6	42	114	237
	F	447	-	-	-	-	-	2	13	36	108	288
Other diseases of the circulatory system	M	115	-	-	-	-	1	1	1	10	28	74
	F	72	2	-	-	-	1	2	2	3	12	50
Diseases of the respiratory system	M	380	12	2	-	4	2	3	15	60	89	193
	F	257	10	2	3	2	2	2	10	26	44	156
Senility	M	103	-	-	-	-	-	-	-	-	7	96
	F	146	-	-	-	-	-	-	-	-	8	138
Other diseases	M	316	48	4	3	7	4	7	17	30	84	112
	F	225	37	5	5	6	4	7	9	17	56	79
Accidents and other external causes	M	109	3	4	7	13	8	7	14	13	16	24
	F	57	-	1	1	2	2	2	4	7	9	29
All causes	M	2,987	69	12	15	27	20	60	148	402	766	1,468
	F	2,313	50	12	10	12	13	36	102	239	505	1,334

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (Part of)												
Tuberculosis, all forms	M	8	-	-	-	-	-	1	1	-	3	3
	F	1	-	-	-	-	-	1	-	-	-	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	-	-	-	1	1
	F	6	3	-	-	-	-	-	-	1	2	-
Malignant neoplasms	M	219	-	3	2	4	1	3	15	55	65	71
	F	201	-	-	2	1	5	9	25	37	50	72
Ischaemic and other forms of heart disease	M	525	-	-	-	-	1	4	33	88	162	237
	F	323	-	-	1	-	-	4	10	28	72	208
Hypertensive disease	M	26	-	-	-	-	-	-	2	3	8	13
	F	38	-	-	-	-	-	-	1	-	11	26
Cerebrovascular disease	M	239	-	-	-	-	1	3	7	17	58	153
	F	247	-	-	-	-	-	2	10	10	68	157
Other diseases of the circulatory system	M	55	-	-	-	-	-	-	1	5	10	39
	F	46	-	-	-	-	-	-	2	3	6	35
Diseases of the respiratory system	M	216	11	-	-	1	1	2	11	30	52	108
	F	129	5	1	1	1	-	2	8	10	29	72
Senility	M	34	-	-	-	-	-	-	-	-	-	34
	F	34	-	-	-	-	-	-	-	-	1	33
Other diseases	M	164	26	1	-	4	2	10	7	22	35	57
	F	139	36	2	1	-	2	3	8	21	20	46
Accidents and other external causes	M	73	1	2	4	9	5	3	13	9	16	11
	F	41	3	3	1	2	2	1	3	1	5	20
All causes	M	1,561	38	6	6	18	11	26	90	229	410	727
	F	1,205	47	6	6	4	9	22	67	111	264	669
COUNTY CARLOW												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	1	-	-	1	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	30	-	1	-	-	1	-	5	9	5	9
	F	32	-	-	-	-	-	1	3	5	11	12
Ischaemic and other forms of heart disease	M	67	-	-	-	-	-	-	9	10	12	36
	F	48	-	-	-	-	-	1	-	6	7	34
Hypertensive disease	M	6	-	-	-	-	-	-	-	1	-	5
	F	5	-	-	-	-	-	-	-	-	1	4
Cerebrovascular disease	M	29	-	-	-	-	-	-	3	5	6	15
	F	17	-	-	-	1	-	1	-	1	6	8
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	1	4	2
	F	9	-	-	-	-	-	-	-	1	3	5
Diseases of the respiratory system	M	37	3	1	-	1	-	1	-	6	9	16
	F	23	4	1	-	-	-	-	-	4	4	10
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	26	11	-	-	-	-	3	3	1	4	4
	F	21	8	-	-	-	1	-	1	3	1	7
Accidents and other external causes	M	7	-	-	-	-	1	1	1	1	1	2
	F	4	-	-	-	1	-	-	1	-	-	2
All causes	M	213	14	2	-	1	2	6	21	36	42	89
	F	160	12	1	-	2	1	3	5	21	33	82

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	53	-	-	-	1	-	3	12	13	16	8
	F	24	-	1	-	-	-	2	5	6	6	4
Other infective and parasitic diseases	M	24	11	7	-	1	-	-	-	-	2	3
	F	26	12	5	-	1	-	-	1	-	6	1
Malignant neoplasms	M	582	-	1	1	4	3	16	77	148	220	112
	F	513	-	7	3	2	7	27	64	120	138	145
Ischaemic and other forms of heart disease	M	844	-	-	-	3	4	24	75	187	284	267
	F	731	-	-	-	2	1	6	36	103	210	373
Hypertensive disease	M	44	-	-	-	-	-	3	2	8	10	21
	F	69	-	-	-	-	-	1	2	2	23	41
Cerebrovascular disease	M	232	-	-	1	1	5	5	19	36	72	93
	F	365	-	-	1	2	3	7	20	31	115	186
Other diseases of the circulatory system	M	94	2	-	-	-	-	3	1	11	32	45
	F	117	-	-	-	-	2	1	3	9	26	76
Diseases of the respiratory system	M	544	23	7	2	3	3	12	16	104	173	201
	F	447	16	10	4	7	1	7	17	39	90	256
Senility	M	3	-	-	-	-	-	-	-	-	1	2
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	320	115	2	7	7	6	14	19	28	68	54
	F	375	101	5	3	6	3	5	21	37	80	114
Accidents and other external causes	M	129	5	5	11	20	11	15	11	16	17	18
	F	101	1	1	3	7	8	4	7	10	14	46
All causes	M	2,869	156	22	22	40	32	95	232	551	895	824
	F	2,779	130	29	14	27	25	60	176	357	708	1,253
DUN LAOGHAIRE BOROUGH												
Tuberculosis, all forms	M	5	-	-	-	-	-	-	-	2	3	-
	F	2	-	-	-	-	-	-	1	-	-	1
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	1	-
Malignant neoplasms	M	54	-	1	-	-	1	5	8	16	11	12
	F	62	-	-	-	-	-	3	8	12	17	22
Ischaemic and other forms of heart disease	M	119	-	-	1	-	1	4	7	22	40	44
	F	102	-	-	-	-	1	-	5	12	17	67
Hypertensive disease	M	6	-	-	-	-	-	-	1	1	1	3
	F	9	-	-	-	-	-	-	-	1	2	6
Cerebrovascular disease	M	30	-	-	-	-	-	-	1	4	12	13
	F	63	-	-	-	-	1	2	-	6	12	42
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	1	1	4
	F	14	-	-	-	-	-	-	-	1	3	10
Diseases of the respiratory system	M	45	2	-	1	-	-	-	1	16	11	14
	F	32	3	-	-	1	-	-	-	3	6	19
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	31	8	1	1	-	1	1	4	5	2	8
	F	32	4	-	-	-	1	-	3	6	8	10
Accidents and other external causes	M	11	2	2	-	3	-	-	2	1	-	1
	F	16	-	-	1	1	-	-	2	2	3	7
All causes	M	310	14	4	3	3	3	10	24	68	81	100
	F	337	8	1	1	2	3	5	19	43	69	186

TABLE 24 (contd.) – DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (Remainder)												
Tuberculosis, all forms	M	11	-	-	-	-	1	1	1	2	4	2
	F	2	-	-	-	-	-	1	1	-	-	-
Other infective and parasitic diseases	M	10	7	1	1	-	-	-	1	-	-	-
	F	6	3	-	1	-	1	-	-	1	-	-
Malignant neoplasms	M	138	-	1	1	1	3	5	18	30	50	29
	F	105	-	2	2	1	3	5	12	28	25	27
Ischaemic and other forms of heart disease	M	201	-	-	-	-	2	6	16	56	59	62
	F	153	-	-	-	-	4	-	7	19	33	90
Hypertensive disease	M	10	-	-	-	-	-	2	2	1	1	4
	F	13	-	-	-	-	-	-	-	2	5	6
Cerebrovascular disease	M	57	-	-	-	-	1	2	4	6	12	32
	F	97	-	-	-	1	-	1	4	11	22	58
Other diseases of the circulatory system	M	27	-	-	-	-	-	-	2	2	10	13
	F	19	-	-	-	-	-	-	2	2	5	10
Diseases of the respiratory system	M	97	6	-	1	-	-	1	4	13	22	50
	F	108	7	-	1	-	7	2	5	5	23	58
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	84	41	2	1	1	1	2	5	8	8	15
	F	102	37	-	3	2	2	1	4	8	12	33
Accidents and other external causes	M	45	1	4	4	7	3	-	8	8	4	6
	F	17	1	2	2	-	1	2	2	1	-	6
All causes	M	684	55	8	8	9	11	19	61	126	170	217
	F	628	48	4	9	4	18	12	37	77	125	294
COUNTY KILDARE												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	1	1	1	-
	F	1	-	-	-	-	-	-	1	-	-	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	60	1	-	-	1	1	1	3	19	18	16
	F	44	1	-	-	1	-	6	10	10	8	8
Ischaemic and other forms of heart disease	M	104	-	-	-	-	-	-	12	22	34	36
	F	67	-	-	-	-	1	1	2	5	17	41
Hypertensive disease	M	11	-	-	-	-	-	-	-	1	5	5
	F	9	-	-	-	-	-	-	1	-	3	5
Cerebrovascular disease	M	43	-	-	-	-	-	2	1	9	12	19
	F	49	-	-	-	-	-	1	4	8	16	20
Other diseases of the circulatory system	M	5	-	-	-	-	-	-	-	-	4	1
	F	5	-	-	-	-	-	-	-	1	1	3
Diseases of the respiratory system	M	66	4	-	2	-	-	-	3	7	19	31
	F	42	1	1	-	-	-	-	2	6	8	24
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	52	10	-	1	2	-	-	2	7	17	13
	F	44	9	1	1	-	-	-	1	6	11	15
Accidents and other external causes	M	29	1	1	1	4	1	3	6	4	5	3
	F	10	-	-	2	-	-	-	-	1	2	5
All causes	M	375	18	1	4	7	2	6	28	70	115	124
	F	278	15	2	3	1	1	8	21	37	66	124

TABLE 24 (contd.) – DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, all forms	M	1	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	6	2	-	1	-	-	-	1	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	59	-	-	-	-	-	1	5	7	24	22
	F	48	-	-	-	-	2	3	2	9	19	13
Ischaemic and other forms of heart disease	M	142	-	-	1	1	-	1	11	29	38	61
	F	103	-	-	-	-	-	-	5	16	26	56
Hypertensive disease	M	10	-	-	-	-	-	-	1	-	6	3
	F	9	-	-	-	-	-	-	-	-	3	6
Cerebrovascular disease	M	57	-	-	-	-	-	-	1	9	20	27
	F	41	-	-	-	-	-	-	1	2	12	26
Other diseases of the circulatory system	M	32	-	-	-	-	-	-	-	-	4	28
	F	28	-	-	-	-	-	-	-	-	5	23
Diseases of the respiratory system	M	46	1	-	1	1	-	-	2	7	16	18
	F	35	2	-	1	-	-	1	2	4	5	20
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	58	19	2	1	2	1	1	3	5	13	11
	F	33	7	-	-	1	-	-	2	7	2	14
Accidents and other external causes	M	10	1	-	1	1	1	2	1	2	1	-
	F	6	-	-	-	2	1	1	-	1	-	1
All causes	M	424	23	2	5	5	2	6	25	60	123	173
	F	310	9	-	1	3	3	5	12	39	72	166
COUNTY LAOIS												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	1	1	1	-
	F	1	-	-	-	-	-	1	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	1	-	-	-	-	-	-	-	1
Malignant neoplasms	M	48	-	-	-	1	1	1	4	8	14	19
	F	40	-	2	-	1	1	4	4	6	11	11
Ischaemic and other forms of heart disease	M	89	-	-	-	-	-	-	4	16	22	47
	F	51	-	-	-	-	1	1	2	7	11	29
Hypertensive disease	M	15	-	-	-	-	-	-	1	3	8	3
	F	14	-	-	1	-	-	-	-	1	3	9
Cerebrovascular disease	M	36	-	-	-	-	-	-	1	7	7	21
	F	42	-	-	-	-	-	-	3	3	12	24
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	-	-	3	9
	F	9	-	-	-	-	-	-	-	1	2	6
Diseases of the respiratory system	M	41	-	-	-	-	-	-	1	4	12	24
	F	23	-	-	-	-	1	-	1	3	5	13
Senility	M	1	-	-	-	-	-	-	-	-	1	-
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	26	4	1	1	1	-	1	1	4	4	9
	F	28	2	2	-	-	-	2	4	4	7	7
Accidents and other external causes	M	4	-	-	1	-	-	-	-	2	1	-
	F	10	1	-	1	1	-	-	1	1	4	1
All causes	M	276	4	1	2	2	1	2	13	45	73	133
	F	227	3	5	2	2	3	8	15	26	55	108

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
COUNTY LONGFORD												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	1	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	34	-	-	-	-	-	1	2	4	17	10
	F	22	-	-	-	-	-	2	5	5	5	5
Ischaemic and other forms of heart disease	M	77	-	-	-	-	1	1	4	15	17	39
	F	48	-	-	-	-	-	-	1	6	9	32
Hypertensive disease	M	3	-	-	-	-	-	-	-	1	1	1
	F	10	-	-	-	-	-	-	1	1	3	5
Cerebrovascular disease	M	26	-	-	-	-	-	-	2	3	7	14
	F	41	-	-	-	1	-	-	1	3	12	24
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	-	3	3
	F	9	-	-	-	-	-	-	-	-	1	8
Diseases of the respiratory system	M	22	1	-	1	-	-	-	-	2	10	8
	F	10	2	-	-	-	-	-	-	2	3	3
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	13	3	-	-	-	-	-	2	2	3	3
	F	18	7	1	-	-	-	-	2	2	4	2
Accidents and other external causes	M	16	1	1	2	1	-	1	4	1	4	1
	F	4	-	-	1	-	-	-	-	-	-	3
All causes	M	204	5	1	3	1	1	3	14	28	62	86
	F	171	9	1	1	1	-	2	11	20	37	89
COUNTY LOUTH												
Tuberculosis, all forms	M	4	-	-	-	1	-	-	-	-	3	-
	F	2	-	-	-	-	-	-	-	-	1	1
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	1	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	65	-	-	2	1	-	4	1	19	25	13
	F	69	-	-	1	-	1	4	10	16	22	15
Ischaemic and other forms of heart disease	M	143	-	-	-	-	-	2	9	27	46	59
	F	103	-	-	-	-	-	2	2	11	22	66
Hypertensive disease	M	7	-	-	-	-	-	-	-	-	3	4
	F	7	-	-	-	-	-	-	1	1	2	3
Cerebrovascular disease	M	60	-	-	-	-	1	2	1	4	18	34
	F	56	-	-	-	-	-	-	3	4	10	39
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	2	3	3	4
	F	14	-	-	-	-	-	-	-	-	4	10
Diseases of the respiratory system	M	59	2	2	-	2	-	-	7	13	13	20
	F	44	4	1	-	-	-	1	1	3	9	25
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	43	15	2	1	-	-	-	3	4	5	13
	F	55	15	2	-	4	1	-	1	8	9	15
Accidents and other external causes	M	37	-	4	3	4	6	4	8	2	1	5
	F	11	-	-	-	1	1	1	1	1	3	3
All causes	M	434	17	8	6	8	7	12	32	72	117	155
	F	372	20	3	1	5	3	8	19	45	82	186

TABLE 24 (contd.) – DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	1	1	2	2
	F	4	-	-	-	-	-	-	2	-	-	2
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	1	-	-
	F	3	-	2	-	-	-	-	1	-	-	-
Malignant neoplasms	M	73	-	-	-	-	2	-	6	18	23	24
	F	51	-	-	-	1	1	-	9	10	17	13
Ischaemic and other forms of heart disease	M	141	-	-	-	-	-	2	9	24	49	57
	F	86	-	-	-	-	-	-	4	7	23	52
Hypertensive disease	M	7	-	-	-	-	-	-	2	1	1	3
	F	19	-	-	-	-	-	-	1	1	5	12
Cerebrovascular disease	M	57	-	-	-	-	-	1	4	6	11	35
	F	74	-	-	-	-	-	1	5	7	18	43
Other diseases of the circulatory system	M	8	-	-	-	-	-	1	1	1	3	2
	F	12	-	-	-	-	-	-	-	-	3	9
Diseases of the respiratory system	M	68	1	2	1	-	-	-	3	9	22	30
	F	55	-	-	-	-	-	1	4	4	10	36
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	8	-	-	-	-	-	-	-	-	-	8
Other diseases	M	53	12	1	1	1	-	5	3	5	11	14
	F	39	10	1	-	1	1	1	2	8	6	9
Accidents and other external causes	M	27	-	-	3	5	2	1	5	6	2	3
	F	12	-	-	2	1	1	-	1	2	2	3
All causes	M	449	14	3	5	6	4	10	34	72	124	177
	F	363	10	3	2	3	3	3	29	39	84	187
COUNTY OFFALY												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	1	-	-	-	-	1	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	62	-	-	-	1	-	1	8	9	20	23
	F	33	-	-	1	-	-	3	2	4	11	12
Ischaemic and other forms of heart disease	M	101	-	-	-	-	1	3	10	14	26	47
	F	48	-	-	-	-	-	-	1	8	10	29
Hypertensive disease	M	5	-	-	-	-	-	-	1	1	3	-
	F	9	-	-	-	-	-	-	-	-	1	8
Cerebrovascular disease	M	51	-	-	-	-	-	-	2	2	23	24
	F	61	-	-	-	-	-	2	3	8	15	33
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	-	-	3	9
	F	16	-	-	-	-	-	-	1	-	3	12
Diseases of the respiratory system	M	34	2	-	-	-	-	-	5	4	10	13
	F	27	4	-	-	1	2	1	1	3	3	12
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	40	11	1	-	-	1	1	2	3	11	10
	F	38	13	1	-	-	-	1	3	1	8	11
Accidents and other external causes	M	8	1	-	-	-	2	-	2	2	-	1
	F	5	1	-	1	-	-	-	-	-	-	3
All causes	M	318	15	1	-	1	4	6	30	36	96	129
	F	247	19	1	2	1	2	7	11	24	51	129

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis, all forms	M	3	-	-	-	-	1	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-
Malignant neoplasms	M	46	-	-	-	-	-	2	2	14	13	15
	F	34	-	-	2	-	2	1	4	6	13	6
Ischaemic and other forms of heart disease	M	119	-	-	-	-	-	1	5	20	30	63
	F	93	-	-	-	-	-	-	3	6	17	67
Hypertensive disease	M	3	-	-	-	-	-	-	-	-	-	3
	F	12	-	-	-	-	-	-	-	2	6	4
Cerebrovascular disease	M	46	-	-	-	-	-	1	3	6	10	26
	F	34	-	-	-	1	-	-	1	3	7	22
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	1	2	5
	F	6	-	-	-	-	-	-	-	-	1	5
Diseases of the respiratory system	M	52	5	-	1	-	-	-	2	8	13	23
	F	31	-	-	2	1	-	1	1	2	10	14
Senility	M	4	-	-	-	-	-	-	-	-	1	3
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	35	5	1	1	-	2	-	3	7	5	11
	F	22	6	-	-	-	1	1	2	4	5	3
Accidents and other external causes	M	24	2	2	-	-	1	1	3	6	3	6
	F	15	-	3	-	-	2	-	2	1	1	6
All causes	M	342	14	3	2	-	4	5	18	62	79	155
	F	255	7	3	5	2	5	3	13	24	60	133
COUNTY WEXFORD												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	1	3	-
	F	2	-	-	-	-	-	-	1	-	-	1
Other infective and parasitic diseases	M	3	-	3	-	-	-	-	-	-	-	-
	F	4	-	2	-	-	-	-	-	-	2	-
Malignant neoplasms	M	86	-	1	-	1	1	3	7	27	24	22
	F	85	-	-	-	-	-	1	9	22	30	23
Ischaemic and other forms of heart disease	M	179	-	-	-	1	-	2	11	41	58	66
	F	123	-	-	-	-	1	1	4	18	25	74
Hypertensive disease	M	10	-	-	-	-	-	-	-	1	3	6
	F	16	-	-	-	-	-	-	-	2	7	7
Cerebrovascular disease	M	76	-	-	-	1	-	-	4	6	23	42
	F	90	-	-	-	-	-	-	3	14	23	50
Other diseases of the circulatory system	M	50	-	-	-	-	-	-	1	1	8	40
	F	56	-	-	-	-	-	-	-	1	7	48
Diseases of the respiratory system	M	67	1	-	-	-	2	1	5	18	21	19
	F	37	4	1	-	-	-	-	1	7	11	13
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	49	11	-	2	1	2	2	2	5	7	17
	F	46	12	2	1	1	-	-	-	9	9	12
Accidents and other external causes	M	17	1	1	1	2	2	3	1	2	2	2
	F	12	-	1	1	1	-	1	-	2	2	4
All causes	M	547	13	5	3	6	7	11	31	102	149	220
	F	473	16	6	2	2	1	3	18	75	116	234

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	2	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	59	-	-	-	1	-	-	6	14	20	18
	F	54	-	-	-	1	-	2	6	18	8	19
Ischaemic and other forms of heart disease	M	133	-	-	-	-	-	2	10	33	42	46
	F	67	-	-	-	-	1	2	4	7	13	40
Hypertensive disease	M	12	-	-	-	-	-	-	-	3	5	4
	F	11	-	-	-	-	-	-	3	1	1	6
Cerebrovascular disease	M	30	-	-	-	-	-	-	1	1	8	20
	F	70	-	-	-	-	-	1	3	8	15	43
Other diseases of the circulatory system	M	14	-	-	-	-	-	-	1	2	2	9
	F	13	-	-	-	-	-	1	-	1	4	7
Diseases of the respiratory system	M	71	4	1	-	-	2	-	6	7	24	27
	F	48	-	-	-	-	-	-	3	3	8	34
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	49	11	2	-	1	-	2	2	6	7	18
	F	32	10	2	-	-	-	-	3	2	6	9
Accidents and other external causes	M	17	1	-	2	5	1	3	-	1	1	3
	F	10	1	-	1	1	-	-	1	-	1	5
All causes	M	391	17	3	3	7	3	7	26	67	109	149
	F	309	11	2	1	2	1	6	23	41	56	166
COUNTY CLARE												
Tuberculosis, all forms	M	5	-	-	-	-	-	-	-	1	2	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	69	-	-	-	1	-	-	7	19	19	23
	F	58	-	-	1	2	1	2	4	9	22	17
Ischaemic and other forms of heart disease	M	238	-	-	-	-	-	3	13	20	64	138
	F	157	-	-	-	-	-	1	3	13	34	106
Hypertensive disease	M	8	-	-	-	-	-	-	-	1	3	4
	F	12	-	-	-	-	-	-	-	-	4	8
Cerebrovascular disease	M	56	-	-	1	-	-	-	3	7	28	17
	F	73	-	-	-	-	1	-	-	9	30	33
Other diseases of the circulatory system	M	29	-	-	-	-	-	-	1	4	9	15
	F	32	-	-	-	-	-	-	2	1	2	27
Diseases of the respiratory system	M	72	-	-	-	1	1	1	5	8	21	35
	F	33	2	-	-	-	1	2	1	3	11	13
Senility	M	16	-	-	-	-	-	-	-	-	-	16
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	65	18	2	-	2	-	1	4	6	9	23
	F	59	14	1	-	1	1	2	3	5	10	22
Accidents and other external causes	M	29	-	4	2	3	3	1	1	5	3	7
	F	25	-	1	1	5	1	2	2	1	2	10
All causes	M	587	18	6	3	7	4	6	34	71	158	280
	F	461	17	2	2	8	5	9	15	41	115	247

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	7	-	-	-	-	-	-	2	3	2	-
	F	5	-	-	-	-	-	1	1	1	2	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	-	-	1
	F	2	1	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	137	-	-	1	-	3	2	15	34	52	30
	F	97	-	-	-	1	2	6	11	16	31	30
Ischaemic and other forms of heart disease	M	230	-	-	-	-	1	7	20	48	64	90
	F	190	-	-	-	-	1	3	6	16	55	109
Hypertensive disease	M	15	-	-	-	-	-	-	1	6	3	5
	F	17	-	-	-	-	-	-	1	2	6	8
Cerebrovascular disease	M	68	-	-	-	1	-	-	4	10	29	24
	F	111	-	-	-	-	2	-	4	21	31	53
Other diseases of the circulatory system	M	29	-	-	-	-	-	-	2	-	9	18
	F	49	-	-	-	-	-	-	4	2	6	37
Diseases of the respiratory system	M	116	8	1	-	-	-	-	9	21	42	35
	F	68	4	2	1	-	-	-	1	9	16	35
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	76	31	4	1	1	-	1	3	10	15	10
	F	79	18	4	3	1	1	1	8	9	12	22
Accidents and other external causes	M	26	2	3	-	6	3	5	-	2	3	2
	F	14	-	-	-	1	-	-	1	1	4	7
All causes	M	713	43	8	2	8	7	15	56	134	219	221
	F	641	23	6	4	3	6	11	37	77	164	310
COUNTY CORK												
Tuberculosis, all forms	M	8	-	-	-	1	-	1	1	2	3	-
	F	6	-	-	-	-	-	-	2	-	4	-
Other infective and parasitic diseases	M	8	3	1	-	-	-	-	2	-	-	2
	F	5	-	-	-	1	-	-	2	1	-	1
Malignant neoplasms	M	247	1	1	1	-	4	6	24	42	90	78
	F	243	-	-	1	1	1	6	24	59	87	64
Ischaemic and other forms of heart disease	M	513	-	-	-	2	1	9	37	82	160	222
	F	420	-	-	-	-	1	8	13	45	83	270
Hypertensive disease	M	33	-	-	-	-	-	1	1	10	9	12
	F	31	-	-	-	-	-	1	1	1	9	19
Cerebrovascular disease	M	182	-	-	-	1	-	-	12	24	50	95
	F	228	-	-	-	1	1	1	5	20	58	142
Other diseases of the circulatory system	M	96	-	-	-	-	-	-	2	7	18	69
	F	93	-	-	-	-	-	2	4	3	14	70
Diseases of the respiratory system	M	236	5	2	-	-	3	4	10	29	76	107
	F	154	8	1	-	1	-	2	3	11	37	91
Senility	M	18	-	-	-	-	-	-	-	-	-	18
	F	26	-	-	-	-	-	-	-	-	2	24
Other diseases	M	183	40	3	3	4	3	5	10	16	39	60
	F	133	28	-	3	3	4	5	9	11	28	42
Accidents and other external causes	M	99	1	4	4	15	11	7	6	21	13	17
	F	41	1	1	2	1	1	1	3	4	5	22
All causes	M	1,623	50	11	8	23	22	33	105	233	458	680
	F	1,380	37	2	6	8	8	26	66	155	327	745

TABLE 24 (conid.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	4	1	1	2
	F	5	-	-	-	-	-	-	-	3	1	1
Other infective and parasitic diseases	M	4	3	-	-	-	-	-	-	-	-	1
	F	3	2	-	-	1	-	-	-	-	-	-
Malignant neoplasms	M	94	-	-	-	-	-	1	5	19	38	31
	F	103	-	2	-	-	3	2	17	15	32	32
Ischaemic and other forms of heart disease	M	279	-	-	-	-	-	5	20	41	92	121
	F	170	-	-	-	-	-	-	8	21	47	94
Hypertensive disease	M	27	-	-	-	1	-	-	1	2	12	11
	F	19	-	-	1	-	-	-	-	1	6	11
Cerebrovascular disease	M	85	-	-	1	1	-	3	3	12	22	43
	F	113	-	-	-	-	1	1	6	10	30	65
Other diseases of the circulatory system	M	56	-	-	-	-	-	-	4	2	16	34
	F	26	-	-	-	-	-	-	2	1	7	16
Diseases of the respiratory system	M	82	3	-	1	-	-	4	6	7	25	36
	F	57	2	-	-	-	-	1	2	3	19	30
Senility	M	36	-	-	-	-	-	-	-	-	-	36
	F	39	-	-	-	-	-	-	-	-	2	37
Other diseases	M	95	19	-	2	2	2	2	5	12	22	29
	F	90	19	3	1	-	3	1	5	12	21	25
Accidents and other external causes	M	38	-	3	-	1	7	-	1	11	6	9
	F	23	-	-	1	1	1	-	1	2	3	14
All causes	M	804	25	3	4	5	9	15	49	107	234	353
	F	648	23	5	3	2	8	5	41	68	168	325
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	4	-	-	-	-	-	-	-	-	-
	F	4	2	-	1	-	-	-	-	1	-	-
Malignant neoplasms	M	60	-	-	-	1	-	1	5	16	20	17
	F	53	-	-	-	-	1	4	12	9	13	14
Ischaemic and other forms of heart disease	M	92	-	-	-	-	-	3	6	21	30	32
	F	70	-	-	-	-	1	2	3	8	20	36
Hypertensive disease	M	4	-	-	-	-	-	-	-	2	2	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular disease	M	27	-	-	-	-	-	-	1	8	8	10
	F	46	-	-	-	-	-	1	1	9	10	25
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	1	1	5
	F	5	-	-	-	-	-	-	-	-	1	4
Diseases of the respiratory system	M	56	2	-	-	-	-	-	-	13	17	24
	F	31	2	-	1	-	-	-	1	3	9	15
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	28	10	-	-	-	1	-	1	4	5	7
	F	41	12	-	-	1	-	4	3	3	9	9
Accidents and other external causes	M	15	-	-	2	4	-	-	2	2	4	1
	F	8	2	-	2	-	-	-	1	-	-	3
All causes	M	295	16	-	2	5	1	4	15	67	88	97
	F	260	18	-	4	1	2	11	21	33	62	108

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	1	-	-	1	-	-	-	-	1	-
	F	6	3	-	-	-	-	-	-	-	1	2
Malignant neoplasms	M	93	-	-	-	-	-	-	4	19	35	35
	F	66	-	-	2	-	1	2	9	11	25	16
Ischaemic and other forms of heart disease	M	239	-	-	-	-	-	3	17	43	72	104
	F	127	-	-	-	-	-	1	4	14	37	71
Hypertensive disease	M	7	-	-	-	-	-	-	1	-	3	3
	F	20	-	-	-	-	-	2	1	1	3	13
Cerebrovascular disease	M	54	-	-	-	-	1	2	2	10	17	22
	F	69	-	-	-	-	-	-	4	9	18	38
Other diseases of the circulatory system	M	25	-	-	-	-	-	-	-	1	3	21
	F	30	-	-	-	-	-	-	2	1	9	18
Diseases of the respiratory system	M	69	3	-	-	-	-	-	4	10	21	31
	F	46	1	-	-	1	-	1	1	2	10	30
Senility	M	8	-	-	-	-	-	-	-	-	-	8
	F	21	-	-	-	-	-	-	-	-	-	21
Other diseases	M	63	14	-	1	-	-	2	5	11	16	14
	F	53	11	-	2	3	3	1	1	5	9	18
Accidents and other external causes	M	28	1	-	2	6	6	-	1	1	9	2
	F	26	2	-	-	1	-	-	2	4	2	15
All causes	M	591	19	-	3	7	7	7	34	96	178	240
	F	464	17	-	4	5	4	7	24	47	114	242
TIPPERARY N.R.												
Tuberculosis, all forms	M	7	-	1	-	-	-	-	2	1	2	1
	F	3	-	-	-	-	1	-	1	1	-	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	43	-	-	-	-	1	1	2	8	19	12
	F	51	-	-	-	-	-	1	7	15	15	13
Ischaemic and other forms of heart disease	M	148	-	-	-	-	-	4	7	24	38	75
	F	108	-	-	-	-	1	-	2	14	23	68
Hypertensive disease	M	14	-	-	-	-	-	-	-	1	4	9
	F	8	-	-	-	-	-	-	-	-	2	6
Cerebrovascular disease	M	48	-	-	-	-	-	-	3	5	13	27
	F	59	-	-	-	-	-	1	1	3	14	40
Other diseases of the circulatory system	M	16	-	-	-	-	-	-	1	1	2	12
	F	8	-	-	-	1	-	-	-	-	1	6
Diseases of the respiratory system	M	52	2	-	-	1	-	-	1	9	16	23
	F	30	-	-	-	-	1	-	2	1	8	18
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	1	3
Other diseases	M	51	17	1	2	-	1	1	3	3	9	14
	F	28	7	-	1	-	1	1	1	4	4	9
Accidents and other external causes	M	20	1	1	1	2	2	6	3	1	1	2
	F	13	1	-	-	2	-	-	2	1	3	4
All causes	M	401	21	3	3	3	4	12	22	53	104	176
	F	312	8	-	1	3	4	3	16	39	71	167

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY S.R.												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	-	5	2	1
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	1
Malignant neoplasms	M	96	-	1	-	-	2	3	10	25	35	20
	F	61	-	-	-	-	2	1	7	11	17	23
Ischaemic and other forms of heart disease	M	177	-	-	-	-	-	5	12	26	54	80
	F	129	-	-	-	-	1	-	3	12	30	83
Hypertensive disease	M	8	-	-	-	-	-	-	1	1	4	2
	F	13	-	-	-	-	-	-	-	2	2	9
Cerebrovascular disease	M	64	-	-	-	-	-	-	4	10	23	27
	F	77	-	-	-	-	-	-	3	4	24	46
Other diseases of the circulatory system	M	13	-	-	-	-	-	1	1	2	3	6
	F	16	-	-	-	-	1	-	-	-	2	13
Diseases of the respiratory system	M	54	2	-	-	1	-	2	2	11	14	22
	F	39	3	-	-	2	1	-	-	6	13	14
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	42	8	-	-	3	-	-	2	9	7	13
	F	42	12	-	1	1	2	1	3	4	4	14
Accidents and other external causes	M	17	1	-	1	2	3	2	4	2	1	1
	F	11	-	-	1	-	1	-	-	2	3	4
All causes	M	483	11	1	1	6	5	13	36	91	143	176
	F	393	16	1	2	3	8	2	16	42	95	208
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	2	1	-
	F	1	-	-	-	-	-	1	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	1
Malignant neoplasms	M	31	-	-	-	1	-	3	6	8	5	8
	F	36	-	1	-	-	-	2	2	5	14	12
Ischaemic and other forms of heart disease	M	55	-	-	-	-	-	1	3	9	20	22
	F	41	-	-	-	-	-	-	1	7	14	19
Hypertensive disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	1	-
Cerebrovascular disease	M	13	-	-	-	-	-	-	-	3	4	6
	F	33	-	-	-	-	-	-	1	1	8	23
Other diseases of the circulatory system	M	4	-	-	-	-	-	-	-	1	-	3
	F	4	-	-	-	-	-	-	-	-	1	3
Diseases of the respiratory system	M	33	2	-	-	-	-	-	1	4	10	16
	F	56	-	-	-	-	-	1	4	5	15	31
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	20	7	-	-	-	-	1	1	5	2	4
	F	16	3	-	-	-	1	-	1	4	4	3
Accidents and other external causes	M	10	2	1	2	-	1	-	-	1	1	2
	F	2	-	-	-	-	-	-	-	1	-	1
All causes	M	174	11	1	2	1	1	5	11	33	44	65
	F	195	3	1	-	-	2	4	9	23	57	96

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	1	1	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	1	-
Malignant neoplasms	M	54	-	-	-	-	-	2	6	10	18	18
	F	30	-	-	-	-	-	5	3	7	7	8
Ischaemic and other forms of heart disease	M	74	-	-	-	-	-	2	6	16	19	31
	F	48	-	-	-	-	-	-	1	4	12	31
Hypertensive disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	2	2
Cerebrovascular disease	M	32	-	-	-	-	-	2	1	2	12	15
	F	33	-	-	-	-	-	1	2	5	9	16
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	-	2	2	9
	F	13	-	-	-	-	-	1	-	-	3	9
Diseases of the respiratory system	M	39	-	-	-	-	-	1	1	4	14	19
	F	36	1	-	-	-	-	-	1	5	10	19
Senility	M	9	-	-	-	-	-	-	-	-	2	7
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	46	8	2	-	1	1	-	2	8	11	13
	F	26	6	-	-	2	-	2	1	2	5	8
Accidents and other external causes	M	14	-	-	1	3	3	1	-	3	2	1
	F	7	-	1	-	-	-	-	1	2	-	3
All causes	M	285	9	2	1	4	4	8	16	46	81	114
	F	213	8	1	-	2	-	10	9	26	49	108
COUNTY GALWAY												
Tuberculosis, all forms	M	12	1	-	-	-	-	2	1	1	3	4
	F	2	-	-	-	-	-	1	1	-	-	-
Other infective and parasitic diseases	M	9	2	-	-	1	-	1	-	2	-	3
	F	3	-	2	-	-	-	-	-	1	-	-
Malignant neoplasms	M	147	-	-	2	-	3	2	15	33	34	58
	F	113	-	1	1	-	1	5	17	28	24	36
Ischaemic and other forms of heart disease	M	357	-	-	-	-	-	9	19	51	105	173
	F	239	-	-	-	-	-	2	8	23	61	145
Hypertensive disease	M	23	-	-	-	-	-	1	-	4	6	12
	F	13	-	-	-	-	-	-	-	3	7	3
Cerebrovascular disease	M	120	-	-	-	-	1	3	2	12	31	71
	F	137	-	-	-	-	-	-	4	9	33	91
Other diseases of the circulatory system	M	48	-	-	-	-	1	-	-	3	18	26
	F	21	2	-	-	-	-	-	1	1	4	13
Diseases of the respiratory system	M	146	2	-	-	1	-	1	4	26	39	73
	F	92	5	2	-	-	1	-	1	7	11	65
Senility	M	29	-	-	-	-	-	-	-	-	4	25
	F	36	-	-	-	-	-	-	-	-	3	33
Other diseases	M	107	19	1	2	3	3	4	4	12	22	37
	F	71	17	2	1	-	1	2	3	6	15	24
Accidents and other external causes	M	30	1	3	1	3	3	3	4	5	4	3
	F	11	-	-	-	-	-	-	2	-	1	8
All causes	M	1,028	25	4	5	8	11	26	49	149	266	485
	F	738	24	7	2	-	3	10	37	78	159	418

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	30	-	-	-	-	-	1	2	4	15	8
	F	32	-	-	-	-	-	1	8	8	11	4
Ischaemic and other forms of heart disease	M	97	-	-	-	-	-	4	5	13	32	43
	F	51	-	-	-	-	1	-	-	4	14	32
Hypertensive disease	M	6	-	-	-	-	-	-	-	1	-	5
	F	3	-	-	-	-	-	-	1	-	1	1
Cerebrovascular disease	M	37	-	-	-	-	-	1	-	6	11	19
	F	42	-	-	-	-	-	-	1	6	12	23
Other diseases of the circulatory system	M	3	-	-	-	-	-	-	-	-	-	3
	F	3	-	-	-	-	-	-	-	-	1	2
Diseases of the respiratory system	M	21	2	-	-	-	-	-	-	2	5	12
	F	25	-	-	-	1	-	-	1	4	9	10
Senility	M	11	-	-	-	-	-	-	-	-	-	11
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	20	4	-	-	1	-	-	3	1	6	5
	F	21	3	1	-	2	-	-	-	5	3	7
Accidents and other external causes	M	9	-	-	-	1	1	2	-	1	2	2
	F	3	-	1	-	-	-	-	-	1	1	-
All causes	M	236	6	-	-	2	1	8	10	28	73	108
	F	191	3	2	-	3	1	1	11	28	53	89
COUNTY MAYO												
Tuberculosis, all forms	M	7	-	-	1	-	-	-	1	2	3	-
	F	5	-	-	-	-	-	1	1	2	-	1
Other infective and parasitic diseases	M	5	1	-	-	-	-	-	2	-	1	1
	F	2	1	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	139	-	-	-	1	-	4	12	27	45	50
	F	105	-	1	-	1	-	4	8	20	35	36
Ischaemic and other forms of heart disease	M	286	-	-	-	1	-	2	12	48	58	165
	F	216	-	-	-	-	-	1	3	16	40	156
Hypertensive disease	M	17	-	-	-	-	-	-	1	3	4	9
	F	26	-	-	-	-	-	-	-	1	7	18
Cerebrovascular disease	M	128	-	-	-	-	-	-	2	10	32	84
	F	142	-	-	-	-	-	-	5	10	32	95
Other diseases of the circulatory system	M	28	-	-	-	-	-	1	-	3	5	19
	F	20	-	-	-	-	1	-	1	2	3	13
Diseases of the respiratory system	M	104	4	-	-	2	2	1	5	14	23	53
	F	69	3	-	2	-	-	2	5	9	11	37
Senility	M	38	-	-	-	-	-	-	-	-	3	35
	F	62	-	-	-	-	-	-	-	-	2	60
Other diseases	M	90	8	3	1	2	-	1	3	9	21	42
	F	76	8	-	3	1	3	4	3	2	21	31
Accidents and other external causes	M	29	2	-	1	4	1	-	3	4	5	9
	F	24	-	-	-	1	1	2	-	3	5	12
All causes	M	871	15	3	3	10	3	9	41	120	200	467
	F	747	12	1	5	3	5	14	26	65	156	460

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	5	1	1	1	-	-	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	67	-	-	1	-	-	1	7	14	22	22
	F	54	-	-	-	1	1	3	6	13	11	19
Ischaemic and other forms of heart disease	M	162	-	-	-	-	-	2	8	13	44	95
	F	98	-	-	-	-	-	-	-	13	18	67
Hypertensive disease	M	10	-	-	-	-	-	-	-	1	2	7
	F	7	-	-	-	-	-	-	-	-	1	6
Cerebrovascular disease	M	58	-	-	-	-	-	1	-	8	19	30
	F	56	-	-	-	-	-	-	1	4	17	34
Other diseases of the circulatory system	M	19	-	-	-	-	-	-	-	3	3	13
	F	12	-	-	-	-	-	1	-	-	1	10
Diseases of the respiratory system	M	41	2	2	-	-	-	1	1	7	10	18
	F	32	-	-	1	-	1	-	-	5	7	18
Senility	M	16	-	-	-	-	-	-	-	-	-	16
	F	12	-	-	-	-	-	-	-	-	1	11
Other diseases	M	60	7	-	-	1	-	1	6	5	22	18
	F	29	4	2	1	-	-	1	2	1	7	11
Accidents and other external causes	M	22	-	-	3	3	1	1	5	1	3	4
	F	6	-	-	-	-	-	-	1	-	-	5
All causes	M	460	10	4	5	4	1	9	27	52	125	223
	F	306	4	2	2	1	2	5	10	36	63	181
COUNTY SLIGO												
Tuberculosis, all forms	M	3	-	-	-	-	-	2	-	1	-	-
	F	2	-	-	-	-	-	1	-	1	-	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	62	-	-	-	-	-	2	3	11	21	25
	F	55	-	-	-	-	1	2	6	10	19	17
Ischaemic and other forms of heart disease	M	97	-	-	-	-	1	1	7	16	28	44
	F	62	-	-	-	-	-	-	5	5	14	38
Hypertensive disease	M	13	-	-	-	-	-	-	-	2	3	8
	F	19	-	-	-	-	-	-	-	1	4	14
Cerebrovascular disease	M	64	1	-	-	-	-	1	2	6	21	33
	F	70	-	-	-	-	-	2	2	7	14	45
Other diseases of the circulatory system	M	17	-	-	-	-	-	-	1	1	2	13
	F	16	-	-	-	-	-	1	-	-	3	12
Diseases of the respiratory system	M	68	2	-	-	1	-	-	5	11	12	37
	F	39	2	-	-	1	-	-	3	1	6	26
Senility	M	9	-	-	-	-	-	-	-	-	-	9
	F	26	-	-	-	-	-	-	-	-	2	24
Other diseases	M	39	10	-	-	-	1	1	1	3	13	10
	F	28	5	-	-	3	-	-	1	3	10	6
Accidents and other external causes	M	19	-	-	2	2	2	1	2	2	2	6
	F	13	-	-	1	1	1	-	1	3	2	4
All causes	M	392	13	1	2	3	4	8	21	53	102	185
	F	331	7	-	1	5	2	6	18	32	74	186

TABLE 24 (contd.) - DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	56	-	-	1	1	-	2	7	15	17	13
	F	43	-	-	-	1	1	4	7	6	11	13
Ischaemic and other forms of heart disease	M	164	-	-	-	-	1	1	16	32	49	65
	F	106	-	-	-	-	-	4	5	6	24	67
Hypertensive disease	M	3	-	-	-	-	-	-	1	1	-	1
	F	9	-	-	-	-	-	-	-	-	3	6
Cerebrovascular disease	M	107	-	-	-	-	1	3	4	7	26	66
	F	103	-	-	-	-	-	1	5	4	30	63
Other diseases of the circulatory system	M	9	-	-	-	-	-	-	-	1	1	7
	F	11	-	-	-	-	-	-	1	2	1	7
Diseases of the respiratory system	M	49	3	-	-	-	-	2	2	12	9	21
	F	19	-	-	-	-	-	-	3	4	5	7
Senility	M	9	-	-	-	-	-	-	-	-	-	9
	F	11	-	-	-	-	-	-	-	-	1	10
Other diseases	M	34	4	-	-	1	-	3	3	7	2	14
	F	27	5	-	-	-	1	1	3	5	5	7
Accidents and other external causes	M	20	-	-	1	3	1	1	1	5	7	1
	F	10	1	1	-	2	1	-	1	-	1	3
All causes	M	452	7	-	2	5	3	12	35	80	111	197
	F	341	7	1	-	3	3	10	25	27	82	183
COUNTY DONEGAL												
Tuberculosis, all forms	M	5	-	-	-	-	-	1	-	-	2	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	-	-	-	1	1
	F	3	1	-	-	-	-	-	-	1	1	-
Malignant neoplasms	M	125	-	2	-	2	1	1	6	28	36	49
	F	111	-	-	2	-	3	5	12	19	27	43
Ischaemic and other forms of heart disease	M	247	-	-	-	-	-	3	10	37	68	129
	F	141	-	-	1	-	-	-	3	14	27	96
Hypertensive disease	M	19	-	-	-	-	-	-	1	2	6	10
	F	25	-	-	-	-	-	-	1	-	7	17
Cerebrovascular disease	M	87	-	-	-	-	-	-	2	7	17	61
	F	94	-	-	-	-	-	1	4	4	26	59
Other diseases of the circulatory system	M	37	-	-	-	-	-	-	1	2	9	25
	F	26	-	-	-	-	-	-	-	-	5	21
Diseases of the respiratory system	M	109	6	-	-	-	1	-	6	11	32	53
	F	73	2	-	-	-	-	1	4	3	17	46
Senility	M	25	-	-	-	-	-	-	-	-	-	25
	F	22	-	-	-	-	-	-	-	-	-	22
Other diseases	M	102	16	1	-	2	1	5	4	12	26	35
	F	91	25	1	1	-	-	2	4	12	14	32
Accidents and other external causes	M	35	1	1	1	3	3	2	9	3	6	6
	F	22	2	-	1	-	-	-	1	1	2	15
All causes	M	793	23	4	1	7	6	12	39	102	203	396
	F	608	30	1	5	-	3	9	29	54	126	351

TABLE 24 (contd.) – DEATHS IN 1969 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	1	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	38	-	1	1	1	-	-	2	12	12	9
	F	47	-	-	-	-	1	-	6	12	12	16
Ischaemic and other forms of heart disease	M	114	-	-	-	-	-	-	7	19	45	43
	F	76	-	-	-	-	-	-	2	8	21	45
Hypertensive disease	M	4	-	-	-	-	-	-	-	-	2	2
	F	4	-	-	-	-	-	-	-	-	1	3
Cerebrovascular disease	M	45	-	-	-	-	-	-	1	3	15	26
	F	50	-	-	-	-	-	-	1	2	12	35
Other diseases of the circulatory system	M	9	-	-	-	-	-	-	-	2	-	7
	F	9	-	-	-	-	-	-	1	1	-	7
Diseases of the respiratory system	M	58	2	-	-	1	-	-	3	7	11	34
	F	37	3	1	1	1	-	1	1	3	7	19
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	28	6	-	-	1	1	2	-	3	7	8
	F	21	6	1	-	-	1	-	1	4	1	7
Accidents and other external causes	M	18	-	1	2	3	1	-	3	1	3	4
	F	9	-	2	-	-	1	1	1	-	2	2
All causes	M	316	8	2	3	6	2	2	16	47	96	134
	F	256	10	4	1	1	3	3	13	30	56	135

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Detailed International List Number	Cause of death		Total		Dublin Co. Boro ^o and Dun. Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	488	221	108	62	55	15	29	13	40	16	256	115
		F	412	172	89	49	34	12	27	7	24	9	238	95
008,009	Enteritis and other diarrhoeal disease	M	6	33	2	11	1	3	-	2	2	1	1	16
		F	6	24	1	9	-	2	-	1	-	1	5	11
010-019	Tuberculosis, all forms	M	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	3	6	-	-	1	1	-	-	-	1	2	4
		F	4	4	1	2	1	-	-	-	-	-	2	2
320	Meningitis	M	2	6	2	3	-	-	-	1	-	2	-	-
		F	1	5	1	-	-	-	-	1	-	-	-	4
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	1	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	2	-	-	-	-	-	1	-	-	-	1
		F	-	1	-	-	-	-	-	-	-	-	-	1
480-486	Pneumonia	M	27	60	4	15	6	5	1	4	1	3	15	33
		F	22	44	3	8	1	3	2	3	2	3	14	27
490-493	Bronchitis, emphysema and asthma	M	-	4	-	-	-	1	-	-	-	-	-	3
		F	1	3	-	-	-	1	-	-	-	-	1	2
460-466, 500-519	Other diseases of the respiratory system	M	2	10	1	5	-	-	-	-	1	1	-	4
		F	-	14	-	8	-	2	-	-	-	-	-	4
520-577	Diseases of the digestive system	M	3	2	1	-	-	-	-	1	-	-	2	1
		F	4	2	-	1	-	1	-	-	-	-	4	-
740	Anencephalus	M	14	-	3	-	5	-	1	-	2	-	3	-
		F	31	-	8	-	3	-	3	-	1	-	16	-
741	Spina bifida	M	11	6	4	3	1	-	-	-	1	-	5	3
		F	27	8	9	3	4	-	1	-	3	1	10	4
742	Congenital hydrocephalus	M	7	3	3	-	1	-	-	1	1	-	2	2
		F	5	4	2	-	1	-	-	-	1	-	1	4
746	Congenital anomalies of heart	M	33	31	12	8	1	2	3	-	1	3	16	18
		F	40	20	5	6	1	2	2	2	1	-	31	10
743-745, 747-759	Other congenital anomalies	M	51	17	11	5	4	1	5	2	5	1	26	8
		F	46	15	15	4	5	-	1	-	3	2	22	9
764-768, 772	Birth injury and difficult labour	M	25	2	5	1	2	-	4	-	3	-	11	1
		F	20	-	3	-	-	-	2	-	-	-	15	-
770, 771	Conditions of placenta and cord	M	9	-	1	-	2	-	1	-	1	-	4	-
		F	9	-	1	-	-	-	-	-	1	-	7	-
774, 775	Haemolytic disease of newborn	M	23	-	5	-	1	-	3	-	3	-	11	-
		F	19	-	6	-	2	-	1	-	1	-	9	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	127	-	33	-	13	-	6	-	10	-	65	-
		F	80	-	19	-	6	-	3	-	7	-	45	-
777	Immaturity, unqualified	M	116	-	16	-	13	-	5	-	7	-	75	-
		F	68	-	12	-	4	-	8	-	2	-	42	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	15	1	1	-	-	-	-	-	2	-	12	1
		F	20	-	2	-	4	-	2	-	2	-	10	-
780.2	Convulsions	M	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	14	36	4	11	4	2	-	1	-	4	6	18
		F	9	27	1	7	2	1	2	-	-	2	4	17

* Late foetal deaths not included.

[illegible]

TABLE 26 (contd.) - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1969,

Detailed International List number	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
755	Other congenital anomalies of limbs	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculo-skeletal system	M	5	2	1	3	1	-	-	-	-	-
		F	7	-	2	2	2	-	-	-	-	-
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
758	Other and unspecified congenital anomalies	M	3	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-
759	Congenital syndromes affecting multiple systems	M	19	1	5	6	-	-	1	1	-	1
		F	17	2	5	7	3	-	1	1	2	-
Diseases of mother during pregnancy:-												
760	Chronic circulatory and genito-urinary disease in mother	M	1	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	2	-	-	-	-	-	-
762	Toxemia of pregnancy	M	1	-	1	1	-	-	-	-	-	-
		F	4	-	-	-	1	1	1	-	-	-
763	Maternal ante - and intrapartum infection	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
Birth injury from:-												
764	Difficult labour with abnormality of bones, etc.	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
765	Difficult labour with disproportion	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	1	1	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
767	Difficult labour with abnormality of forces of labour	M	2	1	1	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	5	2	-	2	2	-	1	-	-	-
		F	4	-	3	3	1	-	-	-	-	-
770	Conditions of placenta	M	6	2	3	5	1	-	-	-	-	-
		F	6	2	4	6	-	-	-	-	-	-
771	Conditions of umbilical cord	M	3	1	2	3	-	-	-	-	-	-
		F	3	1	-	1	2	-	-	-	-	-
772	Birth injury without mention of cause	M	24	-	5	5	5	8	2	1	1	-
		F	19	-	5	5	2	3	-	5	1	-
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774	Haemolytic disease of newborn with kernicterus	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	23	1	11	12	5	3	1	1	-	-
		F	19	3	11	14	2	1	2	-	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	127	1	69	70	29	20	4	2	-	2
		F	80	8	30	38	18	11	2	3	1	4
777	Immaturity, unqualified	M	116	3	59	62	29	11	5	2	1	2
		F	68	3	33	36	15	10	2	2	2	1
778	Other conditions of foetus or newborn	M	8	-	1	1	1	1	2	-	2	1
		F	10	-	1	1	5	-	2	1	1	-
780.2	Convulsions	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	50	3	2	5	1	-	-	-	-	-
		F	36	1	1	2	1	1	-	-	1	-

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months											Detailed Inter- national List No.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756	
4	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	756	
4	-	1	-	5	1	-	-	-	-	1	-	-	-	-	-	757	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757	
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	758	
-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	758	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	759	
9	2	1	2	14	2	-	-	1	1	-	1	-	-	-	-	759	
14	-	1	1	16	-	1	-	-	-	-	-	-	-	-	-	760	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	760	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761	
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	761	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	762	
3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	762	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	766	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766	
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	767	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	768	
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	769	
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	769	
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	770	
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	770	
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	771	
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	771	
22	-	-	-	22	2	-	-	-	-	-	-	-	-	-	-	772	
16	1	1	1	19	-	-	-	-	-	-	-	-	-	-	-	772	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774	
22	-	1	-	23	-	-	-	-	-	-	-	-	-	-	-	775	
19	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	775	
127	-	-	-	127	-	-	-	-	-	-	-	-	-	-	-	776	
77	2	-	1	80	-	-	-	-	-	-	-	-	-	-	-	776	
112	2	2	-	116	-	-	-	-	-	-	-	-	-	-	-	777	
68	-	-	-	68	-	-	-	-	-	-	-	-	-	-	-	777	
8	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	778	
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	778	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	780.2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780.2	
6	1	1	6	14	5	5	6	4	3	5	5	1	-	1	1	780.2	
5	2	2	-	9	3	2	4	4	4	2	1	3	1	1	2	780.2	

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS IN 1969
CLASSIFIED BY SEX, AGE AND CAUSE

Detailed International List Number	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M F	23 15	9 4	7 6	3 1	19 11	3 1	2	1
008, 009	Enteritis and other diarrhoeal diseases	M F	2 2	- -	- -	- -	- -	2 -	- 2	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	3 1	- -	- -	2 1	2 1	1 -	- -	- -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	- -	- -	- -	- -	- -	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	1 -	1 -	- -	- -	- -	- -	- -	- -
741	Spina bifida	M F	- -	- -	- -	- -	- -	- -	- -	- -
742	Congenital hydrocephalus	M F	- 1	- -	- -	- -	- -	- -	- -	- -
746	Congenital anomalies of heart	M F	1 1	- -	- 1	- -	1 -	- -	- -	- -
743-745, 747-759	Other congenital anomalies	M F	1 4	- -	1 3	- -	1 3	1 -	- -	- -
764-765, 772	Birth injury and difficult labour	M F	- -	- -	- -	- -	- -	- -	- -	- -
770, 771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	- -	- -
774, 775	Haemolytic disease of newborn	M F	- -	- -	- -	- -	- -	- -	- -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	4 1	4 1	- -	- -	4 1	- -	- -	- -
777	Immaturity, unqualified	M F	5 2	1 2	3 -	1 -	5 2	- -	- -	- -
760-763, 769-773, 778-779	Other causes of perinatal mortality*	M F	3 1	1 -	2 1	- -	3 1	- -	- -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	3 2	2 1	1 1	- -	3 2	- -	- -	- -

* Late foetal deaths not included.

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	488	221	253	126	170	53	42	27	23	15
		F	412	172	221	96	122	48	34	16	35	12
008, 009	Enteritis and other diarrhoeal disease	M	6	33	3	23	3	8	-	2	-	-
		F	6	24	3	15	3	7	-	1	-	1
010-019	Tuberculosis, all forms	M	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	3	6	1	2	2	2	-	2	-	-
		F	4	4	3	2	1	-	-	-	-	2
320	Meningitis	M	2	6	2	5	-	1	-	-	-	-
		F	1	5	1	2	-	2	-	1	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	1	-	-	-	-	-	-
470-474	Influenza	M	-	2	-	-	-	1	-	1	-	-
		F	-	1	-	1	-	-	-	-	-	-
480-486	Pneumonia	M	27	60	10	37	12	12	3	6	2	5
		F	22	44	11	23	7	11	2	7	2	3
490-493	Bronchitis emphysema and asthma	M	-	4	-	-	-	1	-	1	-	2
		F	1	3	1	1	-	2	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	2	10	1	7	-	1	-	1	1	1
		F	-	14	-	10	-	3	-	1	-	-
520-577	Diseases of the digestive system	M	3	2	1	2	2	-	-	-	-	-
		F	4	2	2	1	1	1	-	-	1	-
740	Anencephalus	M	14	-	6	-	7	-	1	-	-	-
		F	31	-	19	-	9	-	3	-	-	-
741	Spina bifida	M	11	6	9	3	2	2	-	1	-	-
		F	27	8	17	6	7	-	1	2	2	-
742	Congenital hydrocephalus	M	7	3	4	1	3	2	-	-	-	-
		F	5	4	3	3	2	1	-	-	-	-
746	Congenital anomalies of heart	M	33	32	20	13	7	10	4	5	2	4
		F	39	20	25	11	11	6	1	-	3	3
743-745, 747-759	Other congenital anomalies	M	51	17	29	12	14	4	6	1	2	-
		F	46	15	24	7	12	5	6	2	4	1
764-768, 772	Birth injury and difficult labour	M	25	2	17	1	7	1	1	-	-	-
		F	18	-	11	-	4	-	1	-	4	-
770, 771	Conditions of placenta and cord	M	9	-	4	-	4	-	-	-	1	-
		F	9	-	3	-	4	-	-	-	2	-
774, 775	Haemolytic disease of newborn	M	23	-	12	-	7	-	3	-	1	-
		F	19	-	12	-	6	-	-	-	1	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	127	-	67	-	46	-	12	-	2	-
		F	80	-	47	-	21	-	9	-	3	-
777	Immaturity, unqualified	M	116	-	51	-	49	-	8	-	8	-
		F	72	-	30	-	26	-	4	-	8	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	15	-	8	-	1	-	3	-	3	-
		F	20	-	7	-	6	-	3	-	4	-
780.2	Convulsions	M	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	14	36	8	20	4	8	1	5	1	3
		F	8	27	2	13	2	10	4	2	1	2

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	11	3	102	54	6	8	39	16	10	8
		F	10	2	84	46	5	3	32	16	10	5
008, 009	Enteritis and other diarrhoeal disease	M	-	-	2	9	-	2	-	5	-	2
		F	-	-	1	8	-	1	1	2	-	2
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	2	-	-	-
		F	-	-	1	2	-	-	-	2	-	-
320	Meningitis	M	-	-	2	3	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	1
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
480-486	Pneumonia	M	-	3	4	13	-	2	2	4	2	2
		F	2	2	1	8	2	-	2	2	1	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	1	5	-	-	-	-	-	-
		F	-	-	-	7	-	1	-	1	-	-
520-577	Diseases of the digestive system	M	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-
740	Anencephalus	M	-	-	3	-	-	-	1	-	1	-
		F	-	-	8	-	-	-	3	-	1	-
741	Spina bifida	M	1	-	4	3	-	-	2	-	-	-
		F	1	-	9	3	-	-	1	-	2	1
742	Congenital hydrocephalus	M	-	-	3	-	-	-	-	-	-	-
		F	-	-	2	-	-	-	2	-	-	-
746	Congenital anomalies of heart	M	1	-	11	8	1	-	1	2	1	1
		F	-	-	5	6	-	-	6	3	-	-
743-745, 747-759	Other congenital anomalies	M	1	-	10	4	1	1	4	2	2	1
		F	-	-	14	4	1	-	5	1	1	-
764-768, 772	Birth injury and difficult labour	M	1	-	4	1	1	-	5	-	-	-
		F	-	-	3	-	-	-	2	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	4	-	1	-	1	-	1	-
		F	1	-	6	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	-	32	-	1	-	11	-	1	-
		F	3	-	18	-	1	-	6	-	3	-
777	Immaturity, unqualified	M	5	-	16	-	-	-	9	-	2	-
		F	2	-	12	-	-	-	4	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality *	M	-	-	1	-	-	-	1	-	-	-
		F	-	-	2	-	-	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	3	8	1	3	1	1	-	2
		F	-	-	1	7	-	-	-	3	-	1

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Number	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	16	7	4	-	3	2	15	2	12	2
		F	8	1	2	1	8	1	15	5	8	2
008, 009	Enteritis and other diarrhoeal disease	M	-	2	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	-	-	-	1	1	1	-	1
		F	1	1	-	-	1	1	-	4	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	1	-	-	-
741	Spina bifida	M	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	1	-	-	-	1	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	-	-	-	-	1	-	-	1	-
		F	1	-	-	-	2	-	2	-	4	1
743-745, 747-759	Other congenital anomalies	M	2	1	1	-	-	-	2	-	1	-
		F	-	-	-	-	-	-	-	-	-	1
764-768, 772	Birth injury and difficult labour	M	1	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	1	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	-	-	1	-	1	-	1	-
		F	2	-	-	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	4	-	2	-	-	-	2	-	2	-
		F	1	-	1	-	1	-	4	-	1	-
777	Immaturity, unqualified	M	7	-	-	-	1	-	4	-	4	-
		F	3	-	1	-	1	-	3	-	1	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	1	-	1	-	-	-	2	-	1	-
		F	-	-	-	-	-	-	2	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	-	-	1	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Number	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All Causes									
		M	11	4	6	8	9	4	9	8	15	3
		F	12	7	5	2	13	3	9	2	11	6
008, 009	Enteritis and other diarrhoeal disease	M	-	-	1	1	-	-	-	1	-	-
		F	1	-	-	1	-	-	-	-	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	-	5	-	-	1	3	-	-
		F	-	3	-	-	1	2	-	-	1	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	-	-	1	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	1	-
741	Spina bifida	M	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	1	-	-	1	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	1	-	-	1	-	1
746	Congenital anomalies of heart	M	1	-	-	-	3	1	-	-	-	2
		F	1	-	2	-	-	1	2	-	1	-
743-745, 747-759	Other congenital anomalies	M	1	1	2	-	-	-	2	2	1	1
		F	2	1	-	-	-	-	1	-	1	1
764-768, 772	Birth injury and difficult labour	M	1	-	-	-	2	-	1	-	2	-
		F	-	-	1	-	1	-	2	-	1	-
770, 771	Conditions of placenta and cord	M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	1	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	2	-	2	-	5	-	3	-
		F	-	-	1	-	5	-	2	-	-	-
777	Immaturity, unqualified	M	3	-	-	-	-	-	-	-	9	-
		F	1	-	-	-	2	-	-	-	5	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	-	-	2	1	1	-	1	-	-
		F	-	1	-	-	-	-	1	-	-	2

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All Causes									
		M	38	5	41	9	15	10	8	8	13	6
		F	17	6	24	13	18	5	14	4	12	5
008, 009	Enteritis and other diarrhoeal disease	M	1	-	1	2	-	2	-	3	1	-
		F	-	1	-	-	2	-	-	1	1	2
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	1	-	-	-	1	1	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
320	Meningitis	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	5	2	3	1	3	-	-	2	-	3
		F	1	-	2	4	1	1	-	2	1	-
490-493	Bronchitis, emphysema and asthma	M	-	1	-	-	-	-	-	-	-	-
		F	-	1	-	1	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	-	-	-	-	-
		F	-	2	-	1	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	1	-	-	-	-	-	-	-
		F	-	1	1	-	-	-	-	-	-	-
740	Anencephalus	M	3	-	2	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	1	-	1	-
741	Spina bifida	M	1	-	-	1	-	1	-	-	-	-
		F	-	-	2	-	-	-	3	-	-	-
742	Congenital hydrocephalus	M	1	-	1	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	4	2	-	2	-	2	2	-
		F	1	1	4	1	2	1	-	1	2	1
743-745, 747-759	Other congenital anomalies	M	3	-	2	-	3	1	1	-	1	1
		F	3	-	3	3	3	1	1	-	-	-
764-768, 772	Birth injury and difficult labour	M	-	-	2	-	1	1	1	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	1	-	1	-	1	-	1	-	-	-
		F	-	-	2	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	2	-	1	-	-	-	-	-
		F	1	-	2	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	11	-	13	-	2	-	1	-	7	-
		F	4	-	7	-	3	-	2	-	5	-
777	Immaturity, unqualified	M	8	-	9	-	3	-	1	-	2	-
		F	1	-	1	-	6	-	2	-	1	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	2	1	-	2	-	-	-	1	-	2
		F	-	-	-	3	-	1	2	-	-	2

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	16	5	7	4	9	2	8	1	17	8	4	2
		F	6	2	11	5	3	-	6	2	17	7	2	1
008, 009	Enteritis and other diarrhoeal disease	M	-	1	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	1	-	-	-	1	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	1	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	-	2	1	1	-	-	-	2	1	1
		F	-	-	-	3	-	-	1	-	2	2	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	-	-
520-577	Diseases of the digestive system	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	2	-	-	-	1	-	2	-	-	-
741	Spina bifida	M	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	1	-	-	-	-	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	1	-	1	-	-	-	-	3	1	-	1
		F	-	-	1	1	-	-	-	-	1	-	-	-
743-745, 747-759	Other congenital anomalies	M	2	-	-	-	-	1	1	-	4	-	-	-
		F	-	-	-	-	1	-	-	-	4	1	-	-
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	2	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	1	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	5	-	2	-	1	-	1	-	6	-	1	-
		F	-	-	-	-	-	-	-	-	5	-	1	-
777	Immaturity, unqualified	M	7	-	3	-	4	-	3	-	1	-	1	-
		F	4	-	4	-	1	-	1	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	1	-	2	-	1	-
		F	-	-	-	-	-	-	1	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	-	1	2	-	-	-	-	2	-	-
		F	-	2	-	-	-	-	-	-	3	2	-	-

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1969, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Number	Cause of death	MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY			
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year		
		All Causes	M	F	5	10	6	4	10	3	3	4	13	10	7
				6	6	4	-	5	2	6	1	23	7	6	4
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	1	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	1
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	2	1	1	1	-	-	1	1	4	1	1	-
		F	-	3	-	-	2	-	-	-	1	1	1	1	2
490-493	Bronchitis, emphysema and asthma	M	-	1	-	-	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	-	-	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-	-
740	Anencephalus	M	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-	-	-	-
741	Spina bifida	M	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	1	-	-	-	-	-	1	-	1	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	2	-	1	1	-	-	1	2	3	-	-	-
		F	-	-	-	-	-	-	1	-	2	2	-	-	1
743-745, 747-759	Other congenital anomalies	M	1	-	1	1	-	-	-	-	2	-	-	-	-
		F	1	1	1	-	-	-	1	-	3	1	-	-	-
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	2	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	2	-	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	1	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	1	-	3	-	1	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	2	-	1	-	-
777	Immaturity, unqualified	M	1	-	1	-	4	-	-	-	4	-	4	-	-
		F	-	-	2	-	2	-	1	-	6	-	1	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	-	-	3	-	-	-	-
		F	1	-	-	-	2	-	-	-	2	-	2	-	-
780.2	Convulsions	M	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	1	-	-	-	2	1	-	-	2	-	-	1
		F	1	-	-	-	-	-	1	-	-	2	-	-	-

* Late foetal deaths not included

TABLE 29 - LATE FOETAL DEATHS NOTIFIED IN 1969 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY

Detailed Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
740	Anencephalus	4	30	38	26	7	3	4	112
	Spina Bifida								
741.0	With hydrocephalus	-	5	-	9	3	-	-	17
741.9	Without mention of hydrocephalus	-	4	1	-	-	-	-	5
	Congenital hydrocephalus								
742	Hydrocephalus	-	5	9	4	8	2	1	29
743	Other congenital anomalies of nervous system	-	-	2	-	-	-	-	2
	Congenital anomalies of heart								
746.9	Unspecified anomalies of heart	-	-	2	-	-	-	-	2
	Cleft palate and cleft lip								
749.2	Cleft palate with cleft lip	-	-	-	1	-	-	-	1
	Congenital anomalies of skin, hair and nails								
757.2	Other specified anomalies of skin	-	-	-	-	-	1	-	1
	Other and unspecified congenital anomalies								
758.9	Unspecified congenital anomaly	1	-	1	-	-	-	-	2
	Congenital syndromes affecting multiple systems								
759.2	Other forms of monster	-	1	-	-	-	-	-	1
759.3	Down's disease	1	-	1	-	-	2	-	4
759.9	Multiple congenital anomalies, unspecified	-	1	1	1	1	-	-	4
	Chronic circulatory and genito-urinary diseases in mother								
760.0	Chronic rheumatic heart disease	-	-	1	-	1	-	-	2
760.2	Chronic hypertension	-	-	-	2	5	2	-	9
760.3	Other chronic diseases of circulatory system	-	-	-	-	1	-	-	1
	Other maternal conditions unrelated to pregnancy								
761.1	Diabetes mellitus	1	1	1	1	1	2	-	7
761.2	Influenza	-	-	-	-	1	1	-	2
761.5	Injury	1	-	-	-	1	-	-	2
761.9	Other maternal causes	-	1	-	-	2	-	-	3
	Toxaemia of pregnancy								
762.1	Pre-eclampsia of pregnancy	1	2	6	6	3	-	-	18
762.2	Eclampsia of pregnancy	-	2	1	-	2	-	-	5
762.3	Toxaemia unspecified	-	2	4	9	2	4	1	22
762.9	Other toxaemia of pregnancy	-	1	3	2	3	3	-	12
	Maternal ante-and intrapartum infection								
763.0	Pyelitis and pyelonephritis of pregnancy	-	-	-	1	-	-	-	1
763.1	Other infections of genito-urinary tract during pregnancy	-	-	-	1	-	-	-	1
763.9	Other	-	1	-	1	-	-	-	2
	Difficult labour with disproportion but no mention of abnormality of pelvis								
765.3	With other and unspecified birth injury	-	-	-	1	-	-	-	1
765.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	1	-	-	-	1
	Difficult labour with malposition of foetus								
766.4	With asphyxia, anoxia or hypoxia	-	1	-	2	1	-	-	4
766.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	1	2	4	2	1	2	1	13

TABLE 29 (contd.) - LATE FOETAL DEATHS NOTIFIED IN 1969 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY

Detailed Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
767.9	Difficult labour with abnormality of forces of labour Without mention of birth injury, asphyxia, anoxia or hypoxia	-	1	-	-	-	-	-	1
768.3	Difficult labour with other and unspecified complications With other or unspecified birth injury	-	1	-	-	-	-	-	1
768.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	2	1	3	-	6
	Other complications of pregnancy and childbirth								
769.1	Premature rupture of membranes	-	-	-	-	-	2	-	2
769.2	Hydramnios	-	-	-	-	4	1	-	5
769.4	Multiple pregnancy	-	-	-	-	-	1	-	1
769.9	Other	1	2	2	4	3	1	1	14
	Conditions of placenta								
770.0	Placenta praevia	-	2	-	2	1	1	2	8
770.1	Premature separation of placenta	2	14	23	21	23	18	1	102
770.2	Placental infarction	2	4	10	5	8	5	1	35
770.8	Other	-	1	-	-	1	-	-	2
770.9	Unspecified	2	6	6	10	5	8	-	37
	Conditions of umbilical cord								
771.0	Compression of cord	1	-	-	2	2	1	-	6
771.1	Prolapse of cord without mention of compression	3	4	3	3	7	3	-	23
771.9	Other	1	3	11	6	8	4	-	33
	Birth injury without mention of cause								
772.0	To brain	1	1	-	1	-	-	-	3
772.9	Other and unspecified	-	-	-	1	-	-	-	1
	Haemolytic disease of newborn with kernicterus								
774.0	With Rh incompatibility	-	-	1	-	-	1	-	2
774.9	Without mention of cause	-	-	1	1	-	-	-	2
	Haemolytic disease of newborn without mention of kernicterus								
775.0	With Rh incompatibility	-	7	14	20	8	9	-	58
775.2	With other and unspecified blood incompatibility	-	-	1	-	-	1	-	2
775.9	Without mention of cause	-	1	1	-	-	-	-	2
	Anoxic and hypoxic conditions not elsewhere classified								
776.0	Aspiration of content of birth canal	-	-	1	-	-	-	-	1
776.3	Foetal distress	1	2	1	2	1	1	-	8
776.4	Intra-uterine anoxia	3	4	9	8	8	1	2	35
776.9	Asphyxia of newborn, unspecified	-	-	-	2	-	-	-	2
777	Immaturity, unqualified Immaturity	-	3	8	4	1	3	-	19
	Other conditions of foetus or newborn								
778.1	Post-maturity	-	1	2	4	3	-	-	10
778.9	Other	-	-	1	1	2	-	-	4
	Foetal death of unknown cause								
779.0	Maceration	-	20	20	22	28	11	1	102
779.9	Other	6	9	23	17	15	9	1	80
Total		33	145	213	208	172	106	16	893

TABLE 30 - LATE FOETAL DEATHS NOTIFIED IN 1969 CLASSIFIED BY CAUSE AND PERIOD OF GESTATION.

Detailed Inter- national List Numbers 740 - 779	Cause of death	Period of gestation		
		28 - 36 weeks	37 weeks and over	Total
740	Anencephalus	75	37	112
741	Spina bifida	5	17	22
742	Congenital hydrocephalus	9	20	29
743	Other congenital anomalies of nervous system	-	2	2
746	Congenital anomalies of heart	-	2	2
749	Cleft palate and cleft lip	-	1	1
757	Congenital anomalies of skin, hair and nails	-	1	1
758	Other and unspecified congenital anomalies	1	1	2
759	Congenital syndromes affecting multiple systems	4	5	9
760	Chronic circulatory and genito-urinary diseases in mother	6	6	12
761	Other maternal conditions unrelated to pregnancy	6	8	14
762	Toxaemia of pregnancy	32	25	57
763	Maternal ante- and intrapartum infection	1	3	4
765	Difficult labour with disproportion but no mention of abnormality of pelvis	-	2	2
766	Difficult labour with malposition of foetus	5	12	17
767	Difficult labour with abnormality of forces of labour	-	1	1
768	Difficult labour with other and unspecified complications	2	5	7
769	Other complications of pregnancy and childbirth	16	6	22
770	Conditions of placenta	89	95	184
771	Conditions of umbilical cord	10	52	62
772	Birth injury without mention of cause	1	3	4
774	Haemolytic disease of newborn with kernicterus	2	2	4
775	Haemolytic disease of newborn without mention of kernicterus	45	17	62
776	Anoxic and hypoxic conditions not elsewhere classified	13	33	46
777	Immaturity unqualified	16	3	19
778	Other conditions of foetus or newborn	2	12	14
779	Foetal death of unknown cause	79	103	182
	Total	419	474	893

TABLE 31 - LATE FOETAL DEATHS NOTIFIED IN 1969 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN.

Detailed International List Numbers 740 - 779	Cause of death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
740	Anencephalus	38	48	19	7	112
741	Spina bifida	8	4	8	2	22
742	Congenital hydrocephalus	5	8	13	3	29
743	Other congenital anomalies of nervous system	-	2	-	-	2
746	Congenital anomalies of heart	2	-	-	-	2
749	Cleft palate and cleft lip	-	1	-	-	1
757	Congenital anomalies of skin, hair and nails	-	-	1	-	1
758	Other and unspecified congenital anomalies	1	-	1	-	2
759	Congenital syndromes affecting multiple systems	2	4	2	1	9
760	Chronic circulatory and genito-urinary diseases in mother	3	3	2	4	12
761	Other maternal conditions unrelated to pregnancy	5	2	6	1	14
762	Toxaemia of pregnancy	26	7	14	10	57
763	Maternal ante- and intrapartum infection	1	-	2	1	4
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	-	1	1	-	2
766	Difficult labour with malposition of foetus	1	5	7	4	17
767	Difficult labour with abnormality of forces of labour	1	-	-	-	1
768	Difficult labour with other and unspecified complications	-	1	4	2	7
769	Other complications of pregnancy and childbirth	1	6	9	6	22
770	Conditions of placenta	47	43	49	45	184
771	Conditions of umbilical cord	13	14	20	15	62
772	Birth injury without mention of cause	3	1	-	-	4
774	Haemolytic disease of newborn with kernicterus	-	1	3	-	4
775	Haemolytic disease of newborn without mention of kernicterus	2	15	33	12	62
776	Anoxic and hypoxic conditions not elsewhere classified	12	11	17	6	46
777	Immaturity, unqualified	8	4	4	3	19
778	Other conditions of foetus or newborn	5	2	5	2	14
779	Foetal death of unknown cause	57	46	43	36	182
Total		241	229	263	160	893

TABLE 32 - LATE FOETAL DEATHS NOTIFIED IN 1969 CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28 - 36 weeks	37 weeks and over	Total
Males	198	252	450
Females	221	222	443
Total	419	474	893

TABLE 33 - LATE FOETAL DEATHS NOTIFIED IN 1969 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							
	Under 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 and over	Total
0	28	87	64	39	14	8	1	241
1	4	28	44	19	13	7	1	116
2	1	14	43	30	16	8	1	113
3	-	11	26	34	20	8	2	101
4	-	3	19	34	22	12	-	90
5	-	2	10	21	25	11	3	72
6	-	-	3	9	14	11	2	39
7	-	-	2	5	13	10	-	30
8	-	-	-	8	13	7	1	29
9	-	-	-	7	6	4	4	21
10	-	-	1	1	4	5	-	11
11	-	-	1	1	2	6	-	10
12	-	-	-	-	3	3	1	7
13	-	-	-	-	1	4	-	5
14	-	-	-	-	5	1	-	6
15 and over	-	-	-	-	1	1	-	2
Total	33	145	213	208	172	106	16	893

TABLE 34 – DEATHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1969 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHs

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,516	4,519	4,744	3,913	3,880	3,297	4,200	3,665	18,340	15,394
Carlow	79	48	64	42	41	37	29	33	213	160
Dublin County Borough	938	820	670	641	586	628	675	690	2,869	2,779
Dun Laoghaire Borough	91	110	77	78	66	61	76	88	310	337
Dublin County (remainder)	193	185	171	154	150	137	170	152	684	628
Kildare	99	84	103	68	91	66	82	60	375	278
Kilkenny	129	102	118	78	68	68	109	62	424	310
Laois	70	78	79	46	65	49	62	54	276	227
Longford	57	39	55	56	39	38	53	38	204	171
Louth	129	108	110	95	91	59	104	110	434	372
Meath	142	104	122	102	83	81	102	76	449	363
Offaly	103	75	83	62	72	43	60	67	318	247
Westmeath	107	72	72	72	89	55	74	56	342	255
Wexford	171	141	140	127	123	105	113	100	547	473
Wicklow	116	82	96	80	96	69	83	78	391	309
Leinster	2,424	2,048	1,960	1,701	1,660	1,496	1,792	1,664	7,836	6,909
Clare	198	139	156	146	100	84	133	92	587	461
Cork County Borough	224	187	175	168	155	140	159	146	713	641
Cork County	470	413	445	365	399	277	369	325	1,623	1,380
Kerry	241	230	208	141	166	123	189	154	804	648
Limerick County Borough	96	89	69	61	60	54	70	56	295	260
Limerick County	156	121	150	119	126	108	159	116	591	464
Tipperary, N.R.	125	91	107	77	77	67	92	77	401	312
Tipperary, S.R.	138	116	129	102	96	86	120	89	483	393
Waterford County Borough	57	45	37	55	39	41	41	54	174	195
Waterford County	88	61	68	46	61	50	68	56	285	213
Munster	1,793	1,492	1,544	1,280	1,219	1,030	1,400	1,165	5,956	4,967
Galway	287	215	257	176	251	175	233	172	1,028	738
Leitrim	69	49	62	45	45	43	60	54	236	191
Mayo	232	191	285	218	170	155	184	183	871	747
Roscommon	125	95	125	74	94	71	116	66	460	306
Sligo	117	99	102	84	94	73	79	75	392	331
Connacht	830	649	831	597	654	517	672	550	2,987	2,313
Cavan	130	95	110	91	113	71	99	84	452	341
Donegal	233	168	218	171	175	125	167	144	793	608
Monaghan	106	67	81	73	59	58	70	58	316	256
Ulster (part of)	469	330	409	335	347	254	336	286	1,561	1,205

TABLE 35 – BIRTHS SHOWING THE NUMBERS REGISTERED IN EACH QUARTER IN 1969 ASSIGNED
TO THE COUNTIES AND COUNTY BOROUGHs.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	7,913	7,448	8,575	8,286	8,207	8,028	7,448	7,007	32,143	30,769
Carlow	103	91	118	122	97	108	89	81	407	402
Dublin County Borough	1,630	1,550	1,692	1,659	1,664	1,661	1,536	1,394	6,522	6,264
Dun Laoghaire Borough	200	172	182	180	178	176	168	150	728	678
Dublin County (remainder)	695	632	686	674	640	640	593	576	2,614	2,522
Kildare	216	211	229	206	258	219	193	210	896	846
Kilkenny	144	153	186	178	156	151	154	147	640	629
Laois	131	102	125	126	125	123	96	104	477	455
Longford	64	83	73	68	75	78	70	62	282	291
Louth	209	217	276	260	241	235	195	203	921	915
Meath	194	159	213	229	209	196	179	181	795	765
Offaly	152	148	138	169	151	155	129	116	570	588
Westmeath	145	142	160	147	173	161	139	131	617	581
Wexford	235	213	251	241	270	267	258	238	1,014	959
Wicklow	167	163	212	191	172	166	195	168	746	688
Leinster	4,285	4,036	4,541	4,450	4,409	4,336	3,994	3,761	17,229	16,583
Clare	178	151	207	199	172	184	199	186	756	720
Cork County Borough	338	326	436	402	383	363	394	325	1,551	1,416
Cork County	539	539	584	610	617	555	481	479	2,221	2,183
Kerry	270	253	268	295	254	244	217	235	1,009	1,027
Limerick County Borough	219	209	231	195	194	169	197	194	841	767
Limerick County	212	174	191	190	194	204	218	208	815	776
Tipperary, N.R.	152	130	165	121	162	137	146	105	625	493
Tipperary, S.R.	182	186	210	191	167	175	180	188	739	740
Waterford County Borough	120	90	109	114	121	123	105	94	455	421
Waterford County	117	80	119	99	112	96	94	96	442	371
Munster	2,327	2,138	2,520	2,416	2,376	2,250	2,231	2,110	9,454	8,914
Galway	344	374	388	386	382	375	369	359	1,483	1,494
Leitrim	40	36	60	58	48	36	53	55	201	185
Mayo	222	234	285	268	314	306	176	172	997	980
Roscommon	102	88	140	117	112	110	99	86	453	401
Sligo	123	110	108	112	101	108	86	76	418	406
Connacht	831	842	981	941	957	935	783	748	3,552	3,466
Cavan	113	94	136	117	117	149	109	93	475	453
Donegal	258	234	273	245	255	262	217	200	1,003	941
Monaghan	99	104	124	117	93	96	114	95	430	412
Ulster (part of)	470	432	533	479	465	507	440	388	1,908	1,806

TABLE 36 - BIRTHS, REGISTERED IN 1969, IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	60,395	2,517	-	-	-	-	60,395	2,517
Carlow	662	15	114	-	246	-	794	15
Dublin County Borough	21,009	790	9,146	14	145	2	12,008	778
Dun Laoghaire Borough	1,216	39	758	2	910	1	1,368	38
Dublin County (remainder)	367	182	284	2	4,861	12	4,944	192
Kildare	300	77	9	2	1,376	-	1,667	75
Kilkenny	962	46	69	1	331	-	1,224	45
Laois	604	67	11	2	269	5	862	70
Longford	358	16	83	-	282	-	557	16
Louth	3,351	22	1,593	-	56	-	1,814	22
Meath	188	31	5	3	1,348	1	1,531	29
Offaly	874	63	46	5	272	-	1,100	58
Westmeath	955	59	217	-	400	1	1,138	60
Wexford	1,600	113	50	-	308	2	1,858	115
Wicklow	167	128	10	-	1,148	1	1,305	129
Clare	931	37	5	-	513	-	1,439	37
Cork County Borough	6,527	61	3,636	-	15	-	2,906	61
Cork County	1,135	35	30	-	3,263	1	4,368	36
Kerry	1,624	39	38	-	411	-	1,997	39
Limerick County Borough	3,991	44	2,446	-	19	-	1,564	44
Limerick County	-	60	-	-	1,531	-	1,531	60
Tipperary, N.R.	869	22	198	-	425	-	1,096	22
Tipperary, S.R.	1,449	37	147	-	140	-	1,442	37
Waterford County Borough	1,584	110	836	-	18	-	766	110
Waterford County	149	67	5	-	601	1	745	68
Galway	3,616	49	767	-	77	2	2,926	51
Leitrim	167	2	8	-	225	-	384	2
Mayo	1,694	47	42	-	278	-	1,930	47
Roscommon	453	23	46	-	423	1	830	24
Sligo	810	27	82	-	69	-	797	27
Cavan	508	62	16	-	373	1	865	63
Donegal	1,775	135	19	-	53	-	1,809	135
Monaghan	500	12	39	-	369	-	830	12

*Including registered private maternity homes.

TABLE 37 - BIRTHS REGISTERED IN 1969 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY
AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	62,912	32,143	30,769	1,642	845	797
15 and under	32	18	14	21	12	9
16	90	40	50	49	24	25
17	289	149	140	99	42	57
18	559	270	289	137	71	66
19	991	507	484	186	99	87
Under 20	1,961	984	977	492	248	244
20	1,620	848	772	213	103	110
21	2,312	1,243	1,069	205	108	97
22	2,880	1,497	1,383	169	97	72
23	3,289	1,703	1,586	106	46	60
24	3,605	1,822	1,783	94	54	40
20-24	13,706	7,113	6,593	787	408	379
25	3,760	1,907	1,853	57	36	21
26	3,954	2,039	1,915	40	21	19
27	3,571	1,834	1,737	36	18	18
28	3,373	1,690	1,683	32	12	20
29	3,575	1,879	1,696	27	10	17
25-29	18,233	9,349	8,884	192	97	95
30	3,352	1,729	1,623	31	16	15
31	2,943	1,459	1,484	16	8	8
32	2,920	1,467	1,453	16	7	9
33	2,756	1,399	1,357	14	9	5
34	2,588	1,285	1,303	19	6	13
30-34	14,559	7,339	7,220	96	46	50
35	2,330	1,217	1,113	6	4	2
36	2,344	1,198	1,146	12	7	5
37	1,949	983	966	7	5	2
38	1,745	883	862	14	9	5
39	1,530	757	773	8	5	3
35-39	9,898	5,038	4,860	47	30	17
40	1,233	629	604	3	1	2
41	951	468	483	4	3	1
42	743	382	361	2	2	-
43	501	259	242	2	1	1
44	315	154	161	-	-	-
40-44	3,743	1,892	1,851	11	7	4
45	203	116	87	-	-	-
46	95	52	43	-	-	-
47	34	17	17	1	-	1
48	14	10	4	-	-	-
49	8	5	3	-	-	-
45-49	354	200	154	1	-	1
50-55	2	-	2	-	-	-
Age not stated	456	228	228	16	9	7

TABLE 38 - BIRTHS REGISTERED IN 1969, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CARLOW							DUBLIN COUNTY BOROUGH					
Under 20 years	30	8	22	8	4	4	471	228	243	109	44	65
20-24 years	201	94	107	8	5	3	3,450	1,791	1,659	225	117	108
25-29 years	227	115	112	4	1	3	3,731	1,931	1,800	67	32	35
30-34 years	164	89	75	-	-	-	2,712	1,336	1,376	23	7	16
35-39 years	137	72	65	2	2	-	1,752	895	857	5	3	2
40-44 years	44	26	18	-	-	-	604	305	299	4	2	2
45 years and over	4	2	2	-	-	-	59	32	27	-	-	-
Age not stated	2	1	1	-	-	-	7	4	3	4	4	-
All ages	809	407	402	22	12	10	12,786	6,522	6,264	437	209	228
DUN LAOGHAIRE BOROUGH							DUBLIN COUNTY (remainder)					
Under 20 years	44	31	13	12	8	4	103	51	52	34	17	17
20-24 years	287	138	149	11	6	5	1,028	521	507	58	29	29
25-29 years	469	241	228	6	4	2	1,824	931	893	13	4	9
30-34 years	347	175	172	4	2	2	1,273	634	639	7	3	4
35-39 years	188	98	90	4	3	1	666	343	323	4	3	1
40-44 years	63	37	26	-	-	-	225	124	101	-	-	-
45 years and over	8	8	-	-	-	-	14	8	6	-	-	-
Age not stated	-	-	-	-	-	-	3	2	1	2	1	1
All ages	1,406	728	678	37	23	14	5,136	2,614	2,522	118	57	61
KILDARE							KILKENNY					
Under 20 years	81	52	29	13	9	4	48	28	20	20	13	7
20-24 years	444	232	212	18	10	8	282	143	139	11	5	6
25-29 years	523	270	253	3	-	3	327	159	168	4	2	2
30-34 years	375	177	198	3	-	3	303	151	152	2	1	1
35-39 years	225	116	109	2	1	1	210	109	101	-	-	-
40-44 years	78	41	37	1	1	-	93	47	46	-	-	-
45 years and over	4	3	1	-	-	-	4	2	2	-	-	-
Age not stated	12	5	7	1	-	1	2	1	1	1	1	-
All ages	1,742	896	846	41	21	20	1,269	640	629	38	22	16
LAOIS							LONGFORD					
Under 20 years	26	17	9	5	5	-	8	5	3	3	2	1
20-24 years	184	96	88	14	9	5	104	51	53	12	5	7
25-29 years	219	110	109	-	-	-	153	77	76	-	-	-
30-34 years	236	128	108	1	1	-	141	63	78	2	1	1
35-39 years	161	80	81	1	-	1	122	61	61	-	-	-
40-44 years	61	25	36	-	-	-	36	21	15	-	-	-
45 years and over	13	8	5	-	-	-	8	4	4	-	-	-
Age not stated	32	13	19	-	-	-	1	-	1	-	-	-
All ages	932	477	455	21	15	6	573	282	291	17	8	9

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1969, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
LOUTH							MEATH					
Under 20 years	71	42	29	6	3	3	59	31	28	11	5	6
20-24 years	462	235	227	18	8	10	338	184	154	26	14	12
25-29 years	555	274	281	3	-	3	453	227	226	2	1	1
30-34 years	369	182	187	1	1	-	344	173	171	1	-	1
35-39 years	244	124	120	-	-	-	256	127	129	2	1	1
40-44 years	121	55	66	-	-	-	91	45	46	-	-	-
45 years and over	13	8	5	-	-	-	17	6	11	-	-	-
Age not stated	1	1	-	-	-	-	2	2	-	-	-	-
All ages	1,836	921	915	28	12	16	1,560	795	765	42	21	21
OFFALY							WESTMEATH					
Under 20 years	34	13	21	9	2	7	53	31	22	13	9	4
20-24 years	252	135	117	14	8	6	242	131	111	14	8	6
25-29 years	319	147	172	3	2	1	346	175	171	6	3	3
30-34 years	280	145	135	2	1	1	279	148	131	2	2	-
35-39 years	186	87	99	-	-	-	195	87	108	2	1	1
40-44 years	67	31	36	-	-	-	73	40	33	-	-	-
45 years and over	7	5	2	-	-	-	7	4	3	-	-	-
Age not stated	13	7	6	-	-	-	3	1	2	-	-	-
All ages	1,158	570	588	28	13	15	1,198	617	581	37	23	14
WEXFORD							WICKLOW					
Under 20 years	99	49	50	28	16	12	67	27	40	16	7	9
20-24 years	462	251	211	24	14	10	404	224	180	21	8	13
25-29 years	548	267	281	8	7	1	422	224	198	1	1	-
30-34 years	450	234	216	5	2	3	276	139	137	3	3	-
35-39 years	291	153	138	2	1	1	176	87	89	6	5	1
40-44 years	106	48	58	-	-	-	74	39	35	-	-	-
45 years and over	10	7	3	1	-	1	12	5	7	-	-	-
Age not stated	7	5	2	-	-	-	3	1	2	-	-	-
All ages	1,973	1,014	959	68	40	28	1,434	746	688	47	24	23
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years	66	33	33	7	4	3	103	55	48	36	19	17
20-24 years	672	357	315	19	6	13	807	437	370	59	32	27
25-29 years	953	495	458	5	4	1	1,163	560	603	15	8	7
30-34 years	705	354	351	1	1	-	1,056	547	509	6	3	3
35-39 years	428	240	188	1	1	-	744	364	380	2	2	-
40-44 years	135	71	64	1	-	1	298	131	167	-	-	-
45 years and over	7	1	6	-	-	-	25	14	11	-	-	-
Age not stated	1	-	1	1	-	1	208	113	95	-	-	-
All ages	2,967	1,551	1,416	35	16	19	4,404	2,221	2,183	118	64	54

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1969, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
CLARE												
Under 20 years	33	18	15	12	7	5	52	29	23	13	8	5
20-24 years	279	135	144	13	6	7	337	171	166	27	14	13
25-29 years	425	229	196	4	3	1	551	273	278	4	3	1
30-34 years	334	170	164	2	1	1	482	229	253	3	1	2
35-39 years	269	130	139	-	-	-	347	161	186	1	1	-
40-44 years	111	62	49	-	-	-	163	97	66	-	-	-
45 years and over	11	6	5	-	-	-	15	9	6	-	-	-
Age not stated	14	6	8	1	-	1	89	40	49	-	-	-
All ages	1,476	756	720	32	17	15	2,036	1,009	1,027	48	27	21
LIMERICK COUNTY BOROUGH												
LIMERICK COUNTY												
Under 20 years	66	28	38	7	4	3	48	25	23	17	9	8
20-24 years	401	225	176	17	11	6	289	161	128	24	15	9
25-29 years	499	248	251	6	3	3	421	217	204	3	1	2
30-34 years	339	185	154	5	3	2	400	193	207	2	-	2
35-39 years	225	120	105	-	-	-	284	142	142	2	1	1
40-44 years	73	30	43	1	1	-	124	62	62	-	-	-
45 years and over	5	5	-	-	-	-	22	14	8	-	-	-
Age not stated	-	-	-	-	-	-	3	1	2	-	-	-
All ages	1,608	841	767	36	22	14	1,591	815	776	48	26	22
TIPPERARY, NORTH RIDING												
TIPPERARY, SOUTH RIDING												
Under 20 years	44	24	20	14	8	6	61	20	41	17	7	10
20-24 years	235	122	113	17	8	9	310	149	161	13	6	7
25-29 years	291	177	114	2	1	1	378	201	177	1	1	-
30-34 years	271	160	111	-	-	-	338	163	175	1	1	-
35-39 years	193	102	91	-	-	-	262	141	121	1	-	1
40-44 years	78	37	41	1	1	-	116	60	56	-	-	-
45 years and over	6	3	3	-	-	-	12	4	8	-	-	-
Age not stated	-	-	-	-	-	-	2	1	1	-	-	-
All ages	1,118	625	493	34	18	16	1,479	739	740	33	15	18
WATERFORD COUNTY BOROUGH												
WATERFORD COUNTY												
Under 20 years	30	10	20	1	-	1	20	12	8	4	2	2
20-24 years	240	122	118	6	2	4	176	90	86	14	4	10
25-29 years	265	142	123	2	2	-	239	135	104	2	1	1
30-34 years	190	101	89	-	-	-	190	102	88	-	-	-
35-39 years	121	66	55	1	-	1	131	72	59	3	2	1
40-44 years	26	12	14	-	-	-	51	27	24	-	-	-
45 years and over	4	2	2	-	-	-	4	3	1	-	-	-
Age not stated	-	-	-	-	-	-	2	1	1	-	-	-
All ages	876	455	421	10	4	6	813	442	371	23	9	14

TABLE 38 (contd.) - BIRTHS REGISTERED IN 1969, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
GALWAY							LEITRIM					
Under 20 years	61	25	36	17	8	9	6	4	2	3	2	1
20-24 years	506	252	254	30	20	10	51	27	24	8	4	4
25-29 years	823	413	410	8	4	4	107	56	51	-	-	-
30-34 years	788	387	401	6	2	4	94	47	47	-	-	-
35-39 years	545	283	262	-	-	-	90	45	45	1	1	-
40-44 years	225	104	121	-	-	-	36	20	16	-	-	-
45 years and over	20	13	7	-	-	-	1	1	-	-	-	-
Age not stated	9	6	3	3	2	1	1	1	-	-	-	-
All ages	2,977	1,483	1,494	64	36	28	386	201	185	12	7	5
MAYO							ROSCOMMON					
Under 20 years	42	18	24	17	8	9	9	4	5	2	-	2
20-24 years	273	136	137	8	5	3	133	68	65	4	2	2
25-29 years	527	268	259	4	2	2	223	115	108	1	-	1
30-34 years	514	259	255	2	1	1	234	126	108	2	1	1
35-39 years	427	218	209	-	-	-	186	99	87	-	-	-
40-44 years	170	88	82	1	1	-	59	36	23	-	-	-
45 years and over	15	7	8	-	-	-	5	3	2	-	-	-
Age not stated	9	3	6	1	-	1	5	2	3	-	-	-
All ages	1,977	997	980	33	17	16	854	453	401	9	3	6
SLIGO							CAVAN					
Under 20 years	24	15	9	5	2	3	20	9	11	9	4	5
20-24 years	133	65	68	9	2	7	145	74	71	10	5	5
25-29 years	241	128	113	3	1	2	233	119	114	1	1	-
30-34 years	197	94	103	1	1	-	230	126	104	3	2	1
35-39 years	163	88	75	-	-	-	194	91	103	-	-	-
40-44 years	61	27	34	-	-	-	80	40	40	2	1	1
45 years and over	3	1	2	-	-	-	10	8	2	-	-	-
Age not stated	2	-	2	-	-	-	16	8	8	-	-	-
All ages	824	418	406	18	6	12	928	475	453	25	13	12
DONEGAL							MONAGHAN					
Under 20 years	51	24	27	12	5	7	31	18	13	12	7	5
20-24 years	423	214	209	27	14	13	156	82	74	8	6	2
25-29 years	535	298	237	8	3	5	243	127	116	3	2	1
30-34 years	444	223	221	5	4	1	204	99	105	1	1	-
35-39 years	328	160	168	1	-	1	152	77	75	4	2	2
40-44 years	149	79	70	-	-	-	52	25	27	-	-	-
45 years and over	8	3	5	-	-	-	3	1	2	-	-	-
Age not stated	6	2	4	1	-	1	1	1	-	1	1	-
All ages	1,944	1,003	941	54	26	28	842	430	412	29	19	10

TABLE 39 - TOTAL BIRTHS REGISTERED IN 1969 CLASSIFIED BY AGE OF

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	62,912	17,016	13,134	10,065	7,412	5,168	3,346	2,290	1,443	948	678
15 and under	32	31	1	-	-	-	-	-	-	-	-
16	90	87	3	-	-	-	-	-	-	-	-
17	289	256	31	1	1	-	-	-	-	-	-
18	559	449	96	14	-	-	-	-	-	-	-
19	991	755	183	45	6	1	-	1	-	-	-
Under 20	1,961	1,578	314	60	7	1	-	1	-	-	-
20	1,620	1,094	372	129	19	6	-	-	-	-	-
21	2,312	1,447	581	204	62	13	5	-	-	-	-
22	2,880	1,609	788	323	112	39	9	-	-	-	-
23	3,289	1,662	981	381	180	72	7	6	-	-	-
24	3,605	1,588	1,113	540	222	82	46	11	2	1	-
20-24	13,706	7,400	3,835	1,577	595	212	67	17	2	1	-
25	3,760	1,399	1,205	640	299	135	59	14	8	-	1
26	3,954	1,266	1,254	758	383	155	88	31	15	4	-
27	3,571	934	1,080	767	423	186	99	49	16	7	7
28	3,373	748	971	769	424	249	109	54	30	11	6
29	3,575	658	868	859	539	322	147	104	47	18	9
25-29	18,233	5,005	5,378	3,793	2,068	1,047	502	252	116	40	23
30	3,352	547	675	763	579	368	189	113	47	35	21
31	2,943	381	573	672	546	334	204	102	66	34	11
32	2,920	337	452	602	592	381	215	150	81	52	29
33	2,756	290	405	526	510	388	240	167	92	61	39
34	2,588	247	340	448	479	396	258	163	90	75	41
30-34	14,559	1,802	2,445	3,011	2,706	1,867	1,106	695	376	257	141
35	2,330	205	282	357	438	348	259	150	101	74	49
36	2,344	182	221	348	403	379	247	188	130	85	65
37	1,949	134	170	238	303	296	254	192	106	79	69
38	1,745	121	143	215	252	267	228	146	107	70	57
39	1,530	88	107	147	202	227	177	160	121	92	66
35-39	9,898	730	923	1,305	1,598	1,517	1,165	836	565	400	306
40	1,233	56	75	121	153	156	161	140	105	67	44
41	951	40	64	84	99	152	116	90	88	52	43
42	743	26	30	57	78	82	102	97	77	46	43
43	501	23	24	26	50	66	58	65	52	36	22
44	315	13	24	16	29	30	38	47	23	23	23
40-44	3,743	158	217	304	409	486	475	439	345	224	175
45	203	3	11	8	16	19	15	33	19	19	18
46	95	3	4	2	9	8	12	9	13	5	11
47	34	3	-	2	-	6	3	4	3	1	3
48	14	-	-	-	3	2	1	2	2	-	-
49 and over	10	-	1	1	1	-	-	1	1	1	1
45 and over	356	9	16	13	29	35	31	49	38	26	33
Age not stated	456	334	6	2	-	3	-	1	1	-	-

MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
569	283	182	111	77	36	20	13	5	3	1	1	1	110	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	20-24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	-	1	-	-	-	-	-	-	-	-	-	-	27
2	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	2	-	-	-	-	-	-	-	-	-	-	-	-	29
6	2	-	1	-	-	-	-	-	-	-	-	-	-	25-29
9	5	1	-	-	-	-	-	-	-	-	-	-	-	30
13	6	1	-	-	-	-	-	-	-	-	-	-	-	31
20	6	3	-	-	-	-	-	-	-	-	-	-	-	32
22	8	6	2	-	-	-	-	-	-	-	-	-	-	33
22	11	6	6	3	-	1	1	-	-	-	1	-	-	34
86	36	17	8	3	-	1	1	-	-	-	1	-	-	30-34
31	20	7	5	2	1	1	-	-	-	-	-	-	-	35
43	28	13	9	1	2	-	-	-	-	-	-	-	-	36
39	26	20	10	6	5	1	-	-	1	-	-	-	-	37
56	33	21	11	11	2	1	1	1	-	-	-	1	1	38
57	34	21	15	13	1	1	-	1	-	-	-	-	-	39
226	141	82	50	33	11	4	1	2	1	-	-	1	1	35-39
53	35	32	11	11	6	5	2	-	-	-	-	-	-	40
117	3	3	-	-	-	-	-	-	-	-	-	-	-	41
26	25	15	12	12	6	2	4	1	-	1	-	-	1	42
20	21	13	14	5	3	2	1	-	-	-	-	-	-	43
16	10	6	4	4	4	2	1	1	1	-	-	-	-	44
232	94	69	41	32	19	11	8	2	1	1	-	-	1	40-44
11	6	8	9	1	3	2	-	1	1	-	-	-	-	45
6	1	4	1	5	1	1	-	-	-	-	-	-	-	46
1	1	2	-	1	1	1	2	-	-	-	-	-	-	47
-	1	-	1	-	1	-	1	-	-	-	-	-	-	48
1	-	-	-	2	-	-	-	-	-	-	-	-	-	49 and over
19	9	14	11	9	6	4	3	1	1	-	-	-	-	45 and over
-	1	-	-	-	-	-	-	-	-	-	-	-	108	Age not stated

TABLE 40 - LEGITIMATE BIRTHS REGISTERED IN 1969, CLASSIFIED

Age of mother at maternity	Legitimate births: the year of											
	Total	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959
All ages	61,270	1,868	10,167	6,418	6,087	5,266	4,498	3,764	3,536	2,994	2,851	2,422
15	11	5	5	1	-	-	-	-	-	-	-	-
16	41	13	25	3	-	-	-	-	-	-	-	-
17	190	67	97	20	4	2	-	-	-	-	-	-
18	422	136	194	65	23	3	-	-	-	-	-	-
19	805	195	383	157	56	10	2	1	1	-	-	-
Under 20	1,469	416	704	246	83	15	2	1	1	-	-	-
20	1,407	217	679	291	142	60	13	5	-	-	-	-
21	2,107	250	950	433	282	117	52	18	3	-	1	-
22	2,711	214	1,123	575	414	208	112	48	13	3	1	-
23	3,183	181	1,150	692	520	300	185	97	41	9	6	-
24	3,511	145	1,086	666	620	456	259	164	73	25	11	4
20-24	12,919	1,007	4,988	2,657	1,978	1,141	621	332	130	37	19	4
25	3,703	101	911	622	657	549	363	238	151	73	26	7
26	3,914	79	799	574	635	610	449	303	227	127	78	19
27	3,535	55	588	463	511	479	446	338	303	152	118	52
28	3,341	49	447	369	415	464	401	360	303	226	164	75
29	3,548	42	377	317	376	424	380	381	360	330	242	157
25-29	18,041	326	3,122	2,345	2,594	2,526	2,039	1,620	1,344	908	628	310
30	3,321	31	296	246	279	341	328	334	359	310	296	211
31	2,927	24	221	167	230	266	288	252	303	286	293	225
32	2,904	9	168	167	195	199	272	261	253	263	268	268
33	2,742	11	158	140	153	171	190	215	234	219	266	233
34	2,569	8	135	101	128	133	180	184	230	200	236	226
30-34	14,463	83	978	821	985	1,110	1,258	1,246	1,379	1,278	1,359	1,163
35	2,324	7	96	96	131	99	142	125	155	189	210	197
36	2,332	7	75	77	77	103	121	123	150	162	175	185
37	1,942	6	68	44	74	65	102	77	96	106	125	158
38	1,731	6	53	44	55	72	64	82	82	95	118	104
39	1,522	4	37	26	38	47	51	54	70	78	58	116
35-39	9,851	30	329	287	375	386	480	461	553	630	686	760
40	1,230	1	25	20	25	37	32	37	44	51	57	60
41	947	2	3	18	17	21	28	23	37	38	44	61
42	741	1	7	13	15	17	15	20	20	25	30	28
43	499	-	6	5	6	6	10	10	12	13	13	18
44	315	2	4	3	4	6	7	7	5	5	7	5
40-44	3,732	6	45	59	67	87	92	97	118	132	151	172
45	203	-	-	1	4	-	3	4	4	6	3	6
46	95	-	1	-	-	1	1	-	1	2	2	4
47	33	-	-	1	-	-	-	1	-	-	1	1
48	14	-	-	-	-	-	-	1	-	-	1	1
49 and over	10	-	-	-	1	-	-	-	-	-	-	-
45 and over	355	-	1	2	5	1	4	6	5	8	7	12
Age not stated	440	-	-	1	-	-	2	1	-	1	1	1

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

marriage being												Age of mother at maternity
1958	1957	1956	1955	1954	1953	1952	1951	1950	1945 to 1949	1944 and earlier	Not stated	
1,993	1,646	1,440	1,209	1,114	771	698	475	514	971	135	439	All ages
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	1	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	1	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	-	22
1	1	-	-	-	-	-	-	-	-	-	-	23
2	-	-	-	-	-	-	-	-	-	-	-	24
3	1	-	-	-	-	-	-	-	-	-	1	20-24
3	1	-	-	-	1	-	-	-	-	-	-	25
10	4	-	-	-	-	-	-	-	-	-	-	26
18	6	2	1	3	-	-	-	-	-	-	-	27
35	18	9	1	2	2	1	-	-	-	-	-	28
86	46	14	10	2	1	1	-	-	-	-	2	29
152	75	25	12	7	4	2	-	-	-	-	2	25-29
122	89	42	21	9	5	-	1	1	-	-	-	30
152	95	63	26	20	8	5	3	-	-	-	-	31
208	140	86	73	47	18	5	-	3	1	-	-	32
212	165	152	97	68	31	13	7	6	1	-	-	33
207	149	143	113	88	53	31	14	7	3	-	-	34
901	638	486	330	232	115	54	25	17	5	-	-	30-34
186	167	143	117	102	61	51	25	19	6	-	-	35
193	191	184	140	134	81	69	36	31	18	-	-	36
138	139	131	146	134	104	90	51	47	40	-	1	37
121	116	131	102	108	90	78	63	63	84	-	-	38
94	110	100	105	111	92	82	75	72	101	-	1	39
732	723	689	610	589	428	370	250	232	249	-	2	35-39
71	76	84	96	100	65	82	62	68	133	4	-	40
54	39	64	51	67	48	66	44	69	144	9	-	41
34	42	52	48	44	41	45	32	45	148	19	-	42
25	27	18	29	38	37	37	21	34	112	22	-	43
13	9	14	19	19	16	24	19	23	78	26	-	44
197	193	232	243	268	207	254	178	239	615	80	-	40-44
5	7	5	9	9	11	14	11	14	62	25	-	45
3	7	3	3	4	5	3	10	8	23	14	-	46
-	-	-	1	4	-	1	1	2	11	9	-	47
-	1	-	1	-	-	-	-	1	3	5	-	48
-	1	-	-	1	1	-	-	1	3	2	-	49 and over
8	16	8	14	18	17	18	22	26	102	55	-	45 and over
-	-	-	-	-	-	-	-	-	-	-	433	Age not stated

TABLE 41 - LEGITIMATE FIRST BIRTHS REGISTERED IN 1969 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

[illegible]

TABLE 42 – MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	20,304	19,441	863	567	116	36	15	5	124
Carlow	238	225	13	11	-	-	-	1	1
Dublin County Borough	5,637	5,337	300	152	21	10	12	4	101
Dun Laoghaire Borough	442	409	33	24	3	6	-	-	-
Dublin County (remainder)	1,005	955	50	44	3	-	3	-	-
Kildare	483	461	22	20	2	-	-	-	-
Kilkenny	406	396	10	9	-	-	-	-	1
Laois	232	225	7	7	-	-	-	-	-
Longford	135	127	8	6	-	2	-	-	-
Louth	595	582	13	10	3	-	-	-	-
Meath	462	455	7	7	-	-	-	-	-
Offaly	294	287	7	6	-	-	-	-	1
Westmeath	376	369	7	7	-	-	-	-	-
Wexford	583	561	22	19	-	-	-	-	3
Wicklow	460	418	42	37	-	1	-	-	4
Leinster	11,348	10,807	541	359	32	19	15	5	111
Clare	440	436	4	2	-	-	-	-	2
Cork County Borough	1,063	1,046	17	14	1	2	-	-	-
Cork County	1,259	1,209	50	39	1	7	-	-	3
Kerry	624	618	6	5	-	-	-	-	1
Limerick County Borough	623	619	4	4	-	-	-	-	-
Limerick County	398	392	6	3	-	2	-	-	1
Tipperary, N.R.	321	317	4	4	-	-	-	-	-
Tipperary, S.R.	413	409	4	4	-	-	-	-	-
Waterford County Borough	293	291	2	2	-	-	-	-	-
Waterford County	256	253	3	3	-	-	-	-	-
Munster	5,690	5,590	100	80	2	11	-	-	7
Galway	856	848	8	6	-	-	-	-	2
Leitrim	117	109	8	5	1	2	-	-	-
Mayo	530	525	5	4	-	1	-	-	-
Roscommon	250	250	-	-	-	-	-	-	-
Sligo	230	222	8	8	-	-	-	-	-
Connacht	1,983	1,954	29	23	1	3	-	-	2
Cavan	307	260	47	39	5	1	-	-	2
Donegal	715	610	105	53	49	2	-	-	1
Monaghan	261	220	41	13	27	-	-	-	1
Ulster (part of)	1,283	1,090	193	105	81	3	-	-	4

COUNTY AND COUNTY BOROUGH DURING 1969.

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
4,267	4,232	7,531	4,274	19,998	89	141	76	Total
39	51	98	50	229	3	4	2	Carlow
1,384	1,147	1,992	1,114	5,544	20	44	29	Dublin County Borough
95	113	160	74	434	2	4	2	Dun Laoghaire Borough
240	174	334	257	988	3	10	4	Dublin County (remainder)
98	87	193	105	479	-	3	1	Kildare
66	74	174	92	400	4	2	-	Kilkenny
46	56	91	39	229	-	3	-	Laois
19	20	63	33	133	-	1	1	Longford
116	117	256	106	581	9	3	2	Louth
76	94	184	108	458	2	1	1	Meath
57	76	116	45	291	2	-	1	Offaly
58	74	173	71	371	3	1	1	Westmeath
97	164	211	111	575	1	6	1	Wexford
92	119	169	80	454	1	4	1	Wicklow
2,483	2,366	4,214	2,285	11,166	50	86	46	Leinster
101	85	131	123	428	6	5	1	Clare
277	185	393	208	1,044	2	12	5	Cork County Borough
234	263	468	294	1,246	5	4	4	Cork County
122	126	219	157	619	1	3	1	Kerry
161	144	182	136	615	3	3	2	Limerick County Borough
91	87	138	82	392	-	5	1	Limerick County
63	74	112	72	319	1	-	1	Tipperary, N.R.
97	78	146	92	404	1	3	5	Tipperary, S.R.
87	44	106	56	289	-	3	1	Waterford County Borough
40	50	112	54	252	2	2	-	Waterford County
1,273	1,136	2,007	1,274	5,608	21	40	21	Munster
138	204	301	213	848	4	3	1	Galway
22	33	41	21	116	1	-	-	Leitrim
102	77	231	120	527	2	1	-	Mayo
49	55	103	43	248	1	1	-	Roscommon
34	69	79	48	227	1	1	1	Sligo
345	438	755	445	1,966	9	6	2	Connacht
44	63	138	62	300	3	1	3	Cavan
91	161	302	161	703	4	6	2	Donegal
31	68	115	47	255	2	2	2	Monaghan
166	292	555	270	1,258	9	9	7	Ulster (part of)

TABLE 43 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	9	28	85	296	604	1,054	1,639	2,228	2,354	2,132	1,923	1,565	1,194	871	745	528	445	352	282	263	200	182
16	2	3	-	3	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	3	4	20	18	10	3	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
18	-	5	15	26	41	33	23	11	6	2	1	1	1	-	-	-	-	-	-	-	-	-
19	1	4	14	45	74	87	59	37	15	12	6	2	3	-	-	-	-	-	-	-	-	-
20	-	1	14	43	101	150	150	110	66	24	22	9	7	6	2	2	1	1	-	-	-	-
21	-	3	8	48	102	182	264	277	168	83	47	31	13	8	6	3	6	4	-	-	-	-
22	2	2	5	22	68	165	266	337	297	185	114	57	44	23	17	11	1	1	4	-	-	-
23	-	2	7	29	58	128	259	369	392	320	188	113	57	29	32	11	9	4	1	5	3	-
24	-	2	6	15	43	88	172	272	341	311	271	163	95	53	37	13	17	10	3	4	5	1
25	-	-	-	10	27	51	132	229	282	281	287	211	117	73	54	20	13	10	5	2	1	1
26	1	1	3	8	16	44	77	164	206	234	226	226	142	88	52	30	29	15	7	4	3	3
27	-	-	-	4	10	28	58	95	155	190	199	153	130	89	57	35	32	22	6	8	4	4
28	-	1	1	5	13	20	43	88	111	127	130	127	146	94	57	44	25	15	18	4	11	3
29	1	-	-	4	6	19	31	44	68	108	99	105	89	71	76	59	35	18	18	15	11	8
30	-	-	2	4	6	13	22	43	50	55	87	91	76	62	68	45	32	29	17	16	12	8
31	-	-	-	2	4	7	17	30	44	49	67	53	52	61	45	34	28	27	23	10	11	7
32	-	1	-	-	2	5	13	22	37	28	44	59	45	41	36	31	29	26	17	18	10	6
33	-	-	1	1	3	3	13	22	22	26	26	31	33	42	29	31	22	20	15	25	12	10
34	-	-	-	3	1	3	5	17	20	22	27	31	37	24	36	34	31	27	24	13	17	9
35	-	-	-	-	2	3	6	10	13	15	16	22	15	22	32	21	15	16	23	15	9	13
36	-	-	-	-	2	-	2	7	14	11	20	17	16	15	14	18	26	17	14	23	8	13
37	1	-	-	1	-	2	5	2	10	14	12	19	21	13	20	15	15	14	13	17	11	7
38	-	-	1	1	1	1	5	6	5	9	3	11	11	14	6	12	17	14	14	14	11	8
39	-	-	-	-	1	2	2	8	10	2	6	5	13	12	10	15	14	11	14	10	8	11
40	-	-	1	-	1	2	-	2	3	4	6	3	7	4	12	5	8	7	11	6	10	9
41	-	-	-	-	1	1	-	3	3	3	3	3	4	4	9	5	5	5	5	7	11	8
42	-	-	-	1	-	1	1	4	4	-	-	7	7	4	5	6	14	9	6	6	3	11
43	-	-	-	-	1	1	3	2	-	2	1	1	3	4	5	4	6	2	2	11	3	8
44	-	-	-	-	-	1	2	4	2	4	3	4	3	5	4	3	1	5	7	7	6	6
45	-	-	-	-	-	1	-	-	3	1	2	-	-	4	2	7	6	4	2	4	4	2
46	-	-	1	-	-	-	1	2	-	1	4	3	1	1	1	4	1	4	1	4	1	5
47	-	-	-	-	-	-	-	1	1	1	-	1	1	-	5	-	2	4	3	6	4	6
48	-	-	-	1	-	-	1	-	2	-	-	-	-	-	5	2	1	1	-	2	6	3
49	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	3	4	-	2	1
50-54	-	-	-	-	-	-	-	4	2	2	2	2	2	1	3	1	3	2	3	5	2	8
55-59	-	-	-	-	-	1	-	-	-	2	-	1	1	1	1	2	-	2	1	1	-	2
60-64	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	1	-	2	-	-	1	3	2	-	3	2	1	1	1	4	2	1	2	-	1	1	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	Age of groom
155	139	127	110	99	70	71	51	43	41	47	45	28	25	91	41	21	13	7	3	98	20,304	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	165	18
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	712	20
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1,261	21
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,628	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2,020	23
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1,930	24
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,814	25
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,584	26
1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	5	1,289	27
6	1	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1,101	28
4	2	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	898	29
5	5	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	758	30
7	7	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	590	31
7	6	5	4	1	2	1	1	2	-	1	-	1	-	-	-	-	-	-	-	2	503	32
6	6	6	2	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	2	414	33
13	8	-	4	3	1	-	1	1	-	2	-	-	1	-	-	-	-	-	-	1	416	34
15	6	4	5	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	304	35
10	8	9	5	6	5	-	2	-	-	-	1	-	1	1	-	-	-	-	-	1	286	36
9	10	7	7	5	3	2	1	1	1	-	-	-	1	-	-	-	-	-	-	1	260	37
7	13	10	4	6	2	6	-	2	1	-	-	-	1	2	-	-	-	-	-	1	219	38
12	5	7	7	2	3	4	5	5	2	1	1	-	1	-	-	-	-	-	-	-	209	39
7	10	8	4	3	-	5	3	1	1	1	-	1	-	1	-	-	-	-	-	1	147	40
7	7	9	6	6	3	5	1	2	1	-	2	-	-	1	-	-	-	-	-	-	130	41
5	3	7	3	4	4	2	4	1	3	2	1	3	-	1	-	-	-	-	-	-	132	42
4	8	7	5	4	3	5	2	1	2	1	2	2	-	1	-	-	-	-	-	-	106	43
2	4	5	6	6	4	6	1	2	-	1	2	1	-	2	-	-	-	-	-	-	109	44
3	4	2	5	6	4	6	1	1	-	3	1	-	3	3	-	-	-	-	-	-	84	45
3	3	6	2	1	6	3	7	-	3	1	-	3	-	6	-	-	-	-	-	-	79	46
5	4	1	6	6	1	2	-	3	1	4	4	-	1	3	1	-	-	-	-	-	77	47
1	4	5	4	4	2	2	4	4	2	1	2	1	-	4	-	-	-	-	-	-	64	48
1	2	2	3	5	4	1	2	-	-	5	4	1	-	3	1	1	-	-	-	-	50	49
10	8	5	13	18	10	10	4	5	14	11	15	2	6	16	8	3	-	-	-	-	200	50-54
2	3	5	3	5	3	4	8	6	5	3	5	7	6	21	16	3	-	-	1	-	121	55-59
-	-	2	2	1	3	-	1	3	2	6	1	4	1	13	4	1	1	1	-	-	51	60-64
-	-	-	-	1	1	2	1	2	2	1	-	1	-	9	3	8	4	3	-	1	42	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	8	3	6	1	1	-	25	70-74
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	2	2	2	1	-	12	75 and over
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	76	Not stated

TABLE 44 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	9	28	85	296	603	1,052	1,638	2,224	2,348	2,132	1,921	1,562	1,191	866	738	520	441	344	279	260	196	176
16	2	3	-	3	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	3	4	20	18	10	3	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
18	-	5	15	26	41	33	23	11	6	2	1	1	1	-	-	-	-	-	-	-	-	-
19	1	4	14	45	74	87	59	37	15	12	6	2	3	-	-	-	-	-	-	-	-	-
20	-	1	14	43	101	150	150	110	66	24	22	9	7	6	2	2	1	1	-	-	-	-
21	-	3	8	48	102	182	264	277	168	83	47	31	13	8	6	3	6	4	-	-	-	-
22	2	2	5	22	68	165	266	337	297	185	114	57	44	23	17	11	1	1	4	-	-	-
23	-	2	7	29	58	128	259	369	391	320	187	113	57	29	32	10	9	4	1	5	3	-
24	-	2	6	15	43	88	172	272	341	310	271	163	94	53	37	13	17	10	3	4	5	1
25	-	-	-	10	27	51	132	229	282	281	287	211	116	73	54	20	13	10	5	2	1	1
26	1	1	3	8	15	44	77	163	206	234	226	226	142	88	52	30	29	15	7	4	3	3
27	-	-	-	4	10	28	58	95	155	190	199	153	129	89	57	35	32	22	6	8	4	4
28	-	1	1	5	13	20	43	88	111	127	130	127	146	94	57	44	24	15	18	4	11	2
29	1	-	-	4	6	19	31	44	68	108	99	105	89	71	76	59	35	18	18	15	11	8
30	-	-	2	4	6	13	21	43	50	55	87	90	76	62	68	44	32	28	17	16	12	6
31	-	-	-	2	4	7	17	30	43	49	67	53	52	61	45	34	28	27	23	10	11	7
32	-	1	-	-	2	5	13	22	37	27	44	59	45	40	36	30	29	26	17	18	10	6
33	-	-	1	1	3	3	13	22	22	26	26	31	33	42	28	31	22	20	15	25	12	10
34	-	-	-	3	1	3	5	17	20	22	27	31	37	24	35	34	31	27	24	13	17	8
35	-	-	-	-	2	3	6	10	13	15	16	22	15	22	32	21	14	16	23	14	9	13
36	-	-	-	-	2	-	2	7	14	11	19	17	16	15	14	17	26	17	13	22	6	13
37	1	-	-	1	-	1	5	2	10	14	12	19	21	13	20	15	14	14	13	17	11	7
38	-	-	1	1	1	1	5	6	5	9	3	11	11	14	6	12	17	12	14	14	11	8
39	-	-	-	-	1	2	2	8	10	2	6	5	13	10	10	15	14	10	14	10	8	11
40	-	-	1	-	1	2	-	2	3	4	6	3	7	4	12	5	8	7	11	6	10	9
41	-	-	-	-	1	1	-	3	3	3	3	3	4	4	9	5	5	5	5	7	11	8
42	-	-	-	1	-	1	1	4	-	4	-	7	7	4	5	6	14	7	6	6	3	11
43	-	-	-	-	1	1	3	1	-	2	1	1	3	4	5	3	6	2	2	10	3	8
44	-	-	-	-	-	1	2	3	2	4	3	4	3	5	4	3	1	5	7	7	6	6
45	-	-	-	-	-	1	-	-	3	1	2	-	-	4	2	5	6	3	2	4	3	2
46	-	-	1	-	-	-	1	2	-	1	4	3	1	1	1	4	1	4	1	4	1	5
47	-	-	-	-	-	-	-	1	1	1	-	1	1	-	5	-	2	4	3	6	4	6
48	-	-	-	1	-	-	1	-	2	-	-	-	-	-	4	2	1	1	-	2	6	3
49	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	3	3	-	2	1
50-54	-	-	-	-	-	-	-	3	2	1	2	2	2	1	2	1	2	2	2	5	1	8
55-59	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	2	1	1	-	-
60-64	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	1	-	2	-	-	1	3	2	-	3	2	1	1	1	4	2	1	2	-	1	1	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated		All ages
148	134	119	99	85	62	65	42	37	29	33	32	17	17	55	15	5	1	-	1	93	19,998	All Ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	165	18
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	712	20
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1,261	21
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,627	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2,017	23
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1,928	24
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,813	25
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,582	26
1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,287	27
6	1	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1,099	28
4	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	897	29
5	4	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	750	30
7	7	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	588	31
7	6	5	4	1	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	2	499	32
6	6	6	2	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	1	411	33
13	8	-	4	3	1	-	1	1	-	2	-	-	1	-	-	-	-	-	-	1	414	34
14	6	4	5	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	299	35
10	7	9	5	5	5	-	2	-	-	-	-	-	1	1	-	-	-	-	-	1	277	36
9	10	7	7	4	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	1	256	37
7	13	9	4	6	2	5	-	2	-	-	-	-	-	1	-	-	-	-	-	1	212	38
12	5	7	6	2	3	4	4	4	2	-	1	-	1	-	-	-	-	-	-	-	202	39
6	10	8	4	3	-	5	3	1	1	-	-	1	-	1	-	-	-	-	-	1	145	40
5	7	8	5	5	3	5	1	2	1	-	2	-	-	1	-	-	-	-	-	-	125	41
4	3	7	3	4	4	2	4	1	3	2	1	1	-	1	-	-	-	-	-	-	127	42
4	8	6	5	4	3	5	2	1	2	1	2	2	-	1	-	-	-	-	-	-	102	43
2	4	4	5	5	4	5	-	2	-	1	2	1	-	1	-	-	-	-	-	-	102	44
3	4	2	5	6	4	6	-	1	-	2	1	-	3	1	-	-	-	-	-	-	76	45
3	2	6	2	1	4	3	6	-	2	1	-	3	-	5	-	-	-	-	-	-	73	46
5	4	1	6	5	1	2	-	3	1	3	3	-	-	3	1	-	-	-	-	-	73	47
1	4	5	4	4	1	1	3	4	2	1	2	-	-	3	-	-	-	-	-	-	58	48
1	2	1	3	4	3	1	2	-	-	5	3	1	-	1	1	-	-	-	-	-	42	49
8	6	5	10	15	8	8	3	5	9	9	12	1	4	10	4	2	-	-	-	-	155	50-54
2	3	4	2	4	3	3	6	3	2	2	1	7	4	11	3	1	-	-	-	-	69	55-59
-	-	1	-	-	2	-	-	1	1	2	-	-	1	6	3	-	-	-	-	-	20	60-64
-	-	-	-	-	1	2	1	2	1	-	-	-	-	6	1	1	-	-	-	1	16	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	6	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	75 and over
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	73	Not stated

TABLE 45 - MARRIAGES REGISTERED IN 1969 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	594	7,255	6,377	2,576	1,230	591	338	189	110	113	68	19,441	28.0
Church of Ireland	6	183	223	71	29	19	5	8	4	12	7	567	28.9
Presbyterian	2	49	33	11	9	5	6	-	-	-	1	116	28.2
Other religious denominations	-	21	17	8	5	-	1	-	3	1	-	56	29.8
Civil marriages	1	43	36	15	5	9	4	3	4	4	-	124	31.1
Total	603	7,551	6,686	2,681	1,278	624	354	200	121	130	76	20,304	28.1

TABLE 46 - MARRIAGES REGISTERED IN 1969 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	2,017	9,818	4,691	1,484	685	322	178	82	36	37	91	19,441	25.3
Church of Ireland	28	313	144	37	16	7	5	4	3	4	6	567	25.8
Presbyterian	14	59	27	12	-	2	1	-	-	-	1	116	24.7
Other religious denominations	8	26	11	6	3	-	-	1	1	-	-	56	25.8
Civil marriages	9	60	30	3	9	3	2	4	1	3	-	124	27.8
Total	2,076	10,276	4,903	1,542	713	334	186	91	41	44	98	20,304	25.3

TABLE 47 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	17	350	746	674	423	227	137	59	36	22	17	2,708	33.1
Other agricultural occupations and fishermen	22	130	142	54	36	22	16	5	8	6	2	443	29.7
Higher professional	4	286	506	148	54	19	4	10	11	5	4	1,051	28.4
Lower professional	10	344	506	153	47	24	8	5	5	4	3	1,109	27.8
Employers and managers	3	201	269	113	45	23	16	9	5	8	2	694	29.4
Salaried employees	6	179	263	96	24	15	7	12	3	5	2	612	28.6
Intermediate non-manual workers	66	1,215	1,228	430	182	87	47	24	11	28	6	3,324	27.9
Other non-manual workers	63	775	552	184	107	44	23	19	11	11	6	1,795	27.4
Skilled manual workers	179	2,587	1,651	546	222	97	58	26	14	14	22	5,416	26.5
Other manual workers	203	1,427	788	273	129	65	36	27	14	16	9	2,987	26.4
Not stated	30	57	35	10	9	1	2	4	3	11	3	165	28.6
Total	603	7,551	6,686	2,681	1,278	624	354	200	121	130	76	20,304	28.1

TABLE 48 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	8	58	69	45	28	9	9	6	1	2	2	237	30.5
Other agricultural occupations and fishermen	4	5	9	1	-	-	-	-	-	-	-	19	24.3
Higher professional	5	52	36	7	-	1	2	-	-	-	2	105	25.4
Lower professional ..	38	1,097	963	315	106	38	20	7	3	5	17	2,609	26.8
Employers and managers	1	36	22	9	8	6	2	1	1	1	-	87	29.3
Salaried employees ..	-	12	12	5	2	-	-	-	-	1	-	32	28.1
Intermediate non-manual workers	427	3,729	1,868	447	212	74	31	20	6	4	24	6,842	25.2
Other non-manual workers	568	2,096	1,004	452	232	152	87	42	23	23	24	4,703	26.4
Skilled manual workers	150	571	172	52	22	6	4	2	-	-	6	985	23.8
Other manual workers ..	664	2,044	497	116	53	22	11	5	2	1	11	3,426	23.1
Not stated	211	576	251	93	50	26	20	8	5	7	12	1,259	25.4
Total	2,076	10,276	4,903	1,542	713	334	186	91	41	44	98	20,304	25.3

TABLE 49 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,708	185	4	5	449	4	3	668	1,032	30	119	209
Other agricultural occupations and fishermen	443	3	3	-	41	2	-	93	193	15	72	21
Higher professional ..	1,051	2	1	73	310	11	7	467	102	20	8	50
Lower professional ..	1,109	5	-	10	444	8	2	394	123	24	36	63
Employers and managers	694	4	-	3	135	15	2	330	117	21	23	44
Salaried employees ..	612	-	-	3	117	3	6	311	88	18	14	52
Intermediate non-manual workers	3,324	10	2	5	521	17	6	1,609	576	100	288	190
Other non-manual workers	1,795	9	2	4	108	4	-	505	497	117	447	102
Skilled manual workers ..	5,416	11	1	2	410	21	5	1,941	1,089	503	1,177	256
Other manual workers ..	2,987	6	6	-	69	2	1	514	858	134	1,231	166
Not stated	165	2	-	-	5	-	-	10	28	3	11	106
Total	20,304	237	19	105	2,609	87	32	6,842	4,703	985	3,426	1,259

TABLE 50 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	603	7,551	6,686	2,681	1,278	624	354	200	121	130	76	20,304	28.1
Carlow	5	82	85	37	17	9	9	4	5	3	1	257	29.7
Dublin County Borough	211	2,317	1,708	490	198	96	49	38	23	24	8	5,162	26.7
Dun Laoghaire Borough	7	114	116	31	8	10	4	-	5	2	4	301	27.7
Dublin County (remainder)	29	417	346	117	46	28	9	9	7	9	3	1,020	27.5
Kildare	22	214	156	58	15	13	3	5	1	3	-	490	26.8
Kilkenny	2	117	125	45	28	14	14	5	6	3	-	359	29.7
Laois	5	80	69	32	17	11	4	3	-	-	-	221	28.4
Longford	2	31	36	25	13	7	5	3	-	-	2	124	30.5
Louth	21	233	178	64	27	14	9	3	5	4	-	558	27.4
Meath	20	143	132	60	38	18	11	4	2	4	3	435	28.8
Offaly	6	100	75	37	28	7	9	3	3	1	2	271	28.9
Westmeath	13	109	99	54	23	13	7	3	1	2	-	324	28.5
Wexford	21	214	172	63	36	21	13	6	3	3	-	552	28.1
Wicklow	9	177	155	54	32	6	9	4	4	4	2	456	28.0
Leinster	373	4,348	3,452	1,167	526	267	155	90	65	62	25	10,530	27.4
Clare	9	110	100	69	41	18	9	9	4	2	10	381	30.1
Cork County Borough	22	416	289	83	33	16	8	8	1	5	-	881	26.6
Cork County	23	382	424	240	131	56	31	14	8	10	3	1,322	29.6
Kerry	7	157	195	90	55	21	7	7	2	2	6	549	29.2
Limerick County Borough	29	204	129	56	14	11	5	1	4	4	2	459	26.8
Limerick County	6	123	160	74	46	17	18	9	5	2	-	460	30.1
Tipperary, N.R.	11	92	110	61	20	11	10	1	1	2	2	321	28.8
Tipperary, S.R.	11	137	117	55	32	13	11	2	4	4	-	386	28.9
Waterford County Borough	11	119	98	31	6	-	1	1	2	2	-	271	26.3
Waterford County	6	80	73	41	17	9	8	4	2	4	-	244	29.6
Munster	135	1,820	1,695	800	395	172	108	56	33	37	23	5,274	28.6
Galway	10	206	247	145	65	46	16	9	4	3	5	756	29.8
Leitrim	2	30	46	26	17	9	4	1	2	1	-	138	30.9
Mayo	4	94	162	75	49	22	12	6	1	2	6	433	30.3
Roscommon	-	28	56	49	23	13	7	4	2	1	4	187	32.2
Sligo	4	51	73	43	15	7	5	2	2	2	-	204	29.7
Connacht	20	409	584	338	169	97	44	22	11	9	15	1,718	30.2
Cavan	4	60	79	40	25	18	9	4	2	7	2	250	31.4
Donegal	12	162	198	64	42	16	9	6	3	-	3	515	28.4
Monaghan	8	65	75	37	23	12	6	4	-	3	1	234	29.7
Ulster (part of)	24	287	352	141	90	46	24	14	5	10	6	999	29.5
Ireland*	552	6,864	6,083	2,446	1,180	582	331	182	114	118	69	18,521	28.1
Six Counties	16	122	88	45	29	12	8	4	1	6	1	332	28.8
England and Wales	14	472	414	143	49	19	11	8	5	2	4	1,141	27.2
Scotland	-	14	21	8	1	2	1	-	-	-	1	48	28.1
Elsewhere	3	63	74	37	18	9	3	6	1	4	-	218	30.0
Not stated	18	16	6	2	1	-	-	-	-	-	1	44	21.9

*Exclusive of the Six Counties.

TABLE 51 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Area of residence of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	2,076	10,276	4,903	1,542	713	334	186	91	41	44	98	20,304	25.3
Carlow	30	115	46	24	10	6	5	-	2	-	2	240	25.8
Dublin County Borough	551	2,879	1,179	345	147	91	44	20	14	11	16	5,297	25.0
Dun Laoghaire Borough	35	220	99	24	9	4	1	-	2	1	3	398	24.8
Dublin County (remainder)	86	566	229	51	28	14	9	6	1	3	6	999	25.0
Kildare	81	265	104	25	8	4	3	-	2	1	-	493	24.0
Kilkenny	37	189	94	25	15	12	7	4	2	-	1	386	26.0
Laois	29	119	59	17	8	6	1	2	-	-	-	241	25.2
Longford	12	58	36	10	7	2	1	1	-	-	1	128	25.8
Louth	80	326	125	34	19	9	5	4	1	1	1	605	24.7
Meath	53	215	107	29	14	7	3	1	1	1	2	433	25.0
Offaly	35	156	50	28	12	2	2	1	3	-	3	292	25.1
Westmeath	48	149	91	21	15	4	4	1	-	1	2	336	25.2
Wexford	89	304	144	35	19	11	6	5	-	-	2	615	24.8
Wicklow	49	216	99	33	17	7	10	4	-	3	7	445	25.8
Leinster	1,215	5,777	2,462	701	328	179	101	49	28	22	46	10,908	25.0
Clare	34	145	113	38	14	8	3	5	-	1	11	372	26.4
Cork County Borough	73	556	192	63	23	11	7	2	-	2	-	929	24.8
Cork County	118	607	367	152	70	19	16	7	1	4	2	1,363	26.2
Kerry	40	263	151	61	23	13	3	1	3	1	5	564	26.1
Limerick County Borough	69	267	111	27	18	6	1	4	-	1	2	506	24.6
Limerick County	32	207	133	47	25	4	6	2	-	-	3	459	26.1
Tipperary, N.R.	35	147	91	22	16	4	2	2	-	1	-	320	25.5
Tipperary, S.R.	62	202	85	21	10	9	5	-	1	2	-	397	24.8
Waterford County Borough	32	173	61	15	1	2	3	-	1	1	1	290	24.2
Waterford County	19	120	60	21	11	6	2	1	1	-	-	241	25.9
Munster	514	2,687	1,364	467	211	82	48	24	7	13	24	5,441	25.5
Galway	63	346	221	78	49	14	6	1	-	-	8	786	26.1
Leitrim	9	52	43	12	11	3	-	-	1	-	-	131	26.7
Mayo	27	189	161	53	24	13	3	-	-	1	6	477	26.6
Roscommon	10	88	67	27	10	7	2	1	-	-	2	214	26.9
Sligo	18	100	55	24	6	2	2	3	-	2	1	213	26.2
Connacht	127	775	547	194	100	39	13	5	1	3	17	1,821	26.4
Cavan	16	135	60	28	17	6	4	2	3	-	2	273	26.7
Donegal	73	285	146	56	12	7	6	1	1	-	3	590	25.0
Monaghan	23	112	62	29	7	6	2	-	-	2	1	244	26.0
Ulster (part of)	112	532	268	113	36	19	12	3	4	2	6	1,107	25.6
Ireland*	1,968	9,771	4,641	1,475	675	319	174	81	40	40	93	19,277	25.3
Six Counties	33	52	35	13	13	6	4	5	1	1	1	164	27.3
England and Wales	34	396	187	48	14	6	4	4	-	-	3	696	25.1
Scotland	1	8	8	1	1	-	-	-	-	-	-	19	25.7
Elsewhere	3	42	27	5	10	3	4	-	-	3	-	97	28.7
Not stated	37	7	5	-	-	-	-	1	-	-	1	51	19.2

* Exclusive of Six Counties.

TABLE 52 - MARRIAGES REGISTERED IN 1969 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	20,304	240	5,297	398	999	493	386	241	128	605	433	292	336	615	445	10,908	372	929	1,363
Carlow	257	160	7	-	3	21	15	13	-	-	-	2	-	14	12	247	-	-	3
Dublin Co. Borough	5,162	12	4,182	120	374	32	16	16	6	17	31	11	20	25	36	4,898	10	20	25
Dun Laoghaire Borough	301	1	76	139	44	2	3	1	-	1	1	1	1	4	11	285	-	1	1
Dublin County (remainder)	1,020	2	394	74	393	17	5	4	1	12	23	4	5	8	21	963	6	3	4
Kildare	490	12	36	3	25	326	3	15	2	-	8	10	3	1	18	462	-	4	3
Kilkenny	359	12	10	-	2	1	260	4	-	1	3	3	-	11	1	308	1	2	2
Laois	221	5	8	1	2	14	10	137	1	1	1	17	2	2	2	203	-	-	-
Longford	124	1	9	-	-	-	1	1	85	1	-	-	12	1	-	111	-	-	-
Louth	558	-	21	2	14	1	2	1	-	444	26	-	3	3	2	519	2	-	-
Meath	435	-	45	3	17	12	-	1	1	40	268	3	10	1	4	405	-	1	2
Offaly	271	4	13	1	-	11	-	8	-	2	1	187	18	-	-	245	-	-	1
Westmeath	324	-	9	4	6	3	1	1	7	1	12	17	218	1	-	280	2	1	1
Wexford	552	11	15	-	4	3	8	3	-	-	-	-	-	459	19	522	-	-	4
Wicklow	456	7	55	10	29	10	1	5	2	1	3	1	-	22	284	430	-	3	2
Leinster	10,530	227	4,880	357	913	453	325	210	105	521	377	256	292	552	410	9,878	21	35	48
Clare	381	-	16	-	4	-	1	-	-	1	-	1	1	2	1	27	282	1	-
Cork County Borough	881	-	10	1	-	3	1	1	-	1	1	-	1	2	1	22	3	700	132
Cork County	1,322	3	10	3	1	1	1	2	-	1	2	2	1	7	1	35	3	142	1,036
Kerry	549	-	9	-	3	1	2	-	2	-	1	2	2	2	1	25	2	5	21
Limerick County Borough	459	-	8	-	-	1	2	2	-	1	1	-	1	-	-	16	15	2	4
Limerick	460	1	7	1	-	-	-	2	-	-	1	1	1	-	-	14	15	5	26
Tipperary, N.R.	321	-	7	1	2	4	6	7	-	-	2	11	2	1	1	44	4	1	6
Tipperary, S.R.	386	-	4	1	-	3	16	1	3	-	-	1	-	2	2	33	2	3	16
Waterford County Borough	271	1	8	1	1	-	7	-	-	-	1	-	-	7	-	26	-	1	2
Waterford County	244	1	7	-	4	2	8	2	-	-	-	-	-	5	-	29	-	6	24
Munster	5,274	6	86	8	15	15	44	17	5	4	9	18	9	28	7	271	326	866	1,267
Galway	756	-	24	1	7	2	-	4	2	1	3	6	11	1	4	66	10	1	3
Leitrim	138	-	7	-	-	1	-	-	4	-	-	-	3	-	1	16	1	-	-
Mayo	433	-	10	1	-	-	-	1	-	2	-	-	-	1	-	15	2	-	2
Roscommon	187	-	7	-	1	-	2	-	3	-	2	1	5	-	-	21	-	-	1
Sligo	204	-	9	2	-	-	-	-	2	2	-	-	1	-	1	17	1	-	-
Connacht	1,718	-	57	4	8	3	2	5	11	5	5	7	20	2	6	135	14	1	6
Cavan	250	-	17	1	2	-	2	-	6	8	12	2	1	-	-	51	1	1	1
Donegal	515	-	9	1	-	-	-	-	-	1	3	1	-	1	-	16	1	-	2
Monaghan	234	-	3	-	2	2	-	-	1	12	6	-	-	1	-	27	-	-	1
Ulster (part of)	999	-	29	2	4	2	2	-	7	21	21	3	1	2	-	94	2	1	4
Ireland*	18,521	233	5,052	371	940	473	373	232	128	551	412	284	322	584	423	10,378	363	903	1,325
Six Counties	332	-	33	-	13	4	3	-	-	35	-	-	-	4	1	93	-	4	3
England and Wales	1,141	6	153	21	34	12	9	7	-	13	19	8	10	21	16	329	6	16	25
Scotland	48	-	8	1	1	1	-	-	-	3	-	-	-	1	1	16	-	2	1
Elsewhere	218	1	51	5	11	3	1	2	-	3	2	-	3	4	4	90	3	4	9
Not stated	44	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-

* Exclusive of the Six Counties

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick County Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford County Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
564	506	459	320	397	290	241	5,441	786	131	477	214	213	1,821	273	590	244	1,107	19,277	164	696	19	97	51
-	-	-	1	-	-	-	4	2	-	1	-	-	3	1	1	-	2	256	-	1	-	-	-
10	11	11	14	13	7	3	124	36	5	18	13	6	78	12	14	9	35	5,135	7	15	1	4	-
1	1	-	1	1	1	-	7	2	-	1	1	1	5	-	-	-	-	297	2	2	-	-	-
2	2	1	2	3	3	4	30	5	-	3	2	3	13	3	3	1	7	1,013	1	4	-	2	-
5	-	1	2	3	1	-	19	3	-	1	-	1	5	-	1	-	1	487	-	3	-	-	-
1	2	-	4	14	14	9	49	2	-	-	-	-	2	-	-	-	-	359	-	-	-	-	-
-	1	1	2	4	-	1	9	3	1	2	1	-	7	1	-	1	2	221	-	-	-	-	-
1	-	-	-	-	-	-	1	1	3	1	2	1	8	3	-	-	3	123	-	1	-	-	-
3	-	1	1	2	-	3	12	2	-	-	2	1	5	2	1	10	13	549	7	2	-	-	-
-	-	1	3	-	-	-	7	2	1	2	1	-	6	13	-	2	15	433	1	-	-	1	-
2	1	2	6	-	-	-	12	9	1	-	2	-	12	-	-	-	-	269	-	1	-	-	1
-	1	1	1	1	-	-	8	18	1	3	5	1	28	5	-	1	6	322	-	-	-	1	1
-	-	2	3	3	7	3	22	2	-	3	-	1	6	-	-	-	-	550	-	1	-	1	-
-	2	-	4	1	-	1	13	3	-	2	-	1	6	2	-	-	2	451	2	2	-	1	-
25	21	21	44	45	33	24	317	90	12	37	29	16	184	42	20	24	86	10,465	20	32	1	10	2
4	24	15	4	2	1	1	334	12	-	2	1	2	17	-	-	-	-	378	1	1	-	1	-
1	3	6	-	1	-	2	848	4	-	3	-	-	7	-	1	-	1	878	1	-	-	1	1
26	6	22	3	9	-	19	1,266	4	1	3	1	2	11	1	3	1	5	1,317	-	4	-	1	-
466	3	16	-	-	-	3	516	1	-	1	-	1	3	-	1	-	1	545	-	3	-	1	-
1	376	29	4	3	1	2	437	2	-	1	-	1	4	-	1	-	1	458	-	1	-	-	-
18	45	295	10	21	-	1	436	2	-	1	-	2	5	-	1	-	1	456	-	1	-	1	2
-	5	9	221	16	-	4	266	7	1	-	2	-	10	-	1	-	1	321	-	-	-	-	-
3	4	19	9	272	7	12	347	3	-	-	-	-	3	-	-	-	-	383	1	2	-	-	-
1	1	2	-	1	212	21	241	1	-	1	-	-	2	-	-	1	1	270	-	1	-	-	-
-	-	1	1	11	28	142	213	-	-	-	-	1	1	-	-	-	-	243	-	1	-	-	-
520	467	414	252	336	249	207	4,904	36	2	12	4	9	63	1	8	2	11	5,249	3	14	-	5	3
1	4	2	3	3	-	1	28	598	3	30	22	1	654	-	-	-	-	748	1	5	-	2	-
-	-	-	1	1	-	-	3	-	85	4	6	8	103	9	4	1	14	136	-	1	-	1	-
-	-	1	2	-	-	-	7	17	2	356	11	7	393	3	3	3	9	424	1	4	-	1	3
1	-	2	2	-	1	-	7	17	5	3	123	5	153	2	1	1	4	185	-	-	-	-	2
3	-	-	-	-	-	-	4	2	8	6	7	153	176	1	2	-	3	200	1	1	-	1	1
5	4	5	8	4	1	1	49	634	103	399	169	174	1,479	15	10	5	30	1,693	3	11	-	5	6
-	1	1	-	-	-	1	6	2	1	2	2	3	10	168	1	8	177	244	4	1	-	-	1
-	2	1	2	-	1	-	9	2	5	4	-	-	11	4	463	-	467	503	8	4	-	-	-
-	-	-	-	-	-	-	1	1	-	1	-	-	2	14	-	180	194	224	7	2	-	1	-
-	3	2	2	-	1	1	16	5	6	7	2	3	23	186	464	188	838	971	19	7	-	1	1
550	495	442	306	385	284	233	5,286	765	123	455	204	202	1,749	244	502	219	965	18,378	45	64	1	21	12
-	-	1	-	3	-	-	11	3	2	5	4	4	18	17	61	15	93	215	113	2	2	-	-
7	5	11	11	7	6	7	101	12	4	15	6	6	43	9	19	7	35	508	2	626	-	3	2
1	2	1	-	1	-	-	8	1	1	-	-	-	2	1	5	-	6	32	-	-	16	-	-
5	4	3	2	1	-	1	32	5	1	2	-	1	9	1	3	3	7	138	4	3	-	73	-
1	-	1	1	-	-	-	3	-	-	-	-	-	-	1	-	-	1	6	-	1	-	-	37

TABLE 53 - MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Six Counties	15	116	96	52	25	9	9	3	2	6	1	334	28.8
England and Wales	42	679	551	150	57	18	10	6	5	2	4	1,524	26.4
Scotland	-	20	22	9	2	2	1	-	-	-	1	57	27.8
Europe (remainder)	2	32	35	12	5	2	-	-	-	-	-	88	27.0
U.S.A.	1	40	79	31	14	10	1	10	2	5	1	194	31.3
Canada	1	40	40	8	-	3	2	-	-	-	-	94	26.6
Australia and New Zealand	-	19	25	4	1	-	1	-	-	-	-	50	26.6
Elsewhere	1	22	19	8	3	1	1	-	-	-	-	55	27.2
Total	62	968	867	274	107	45	25	19	9	13	7	2,396	27.2

TABLE 54 - MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Six Counties	46	142	86	33	12	5	3	3	1	2	1	334	25.8
England and Wales	114	892	368	83	36	14	9	3	-	-	5	1,524	24.6
Scotland	1	33	15	5	3	-	-	-	-	-	-	57	25.4
Europe (remainder)	8	40	26	11	3	-	-	-	-	-	-	88	25.3
U.S.A.	5	89	54	15	13	4	6	3	2	3	-	194	28.2
Canada	4	59	24	4	-	1	2	-	-	-	-	94	24.7
Australia and New Zealand	6	31	11	2	-	-	-	-	-	-	-	50	23.4
Elsewhere	3	28	18	3	2	-	-	-	-	-	1	55	25.0
Total	187	1,314	602	156	69	24	20	9	3	5	7	2,396	25.1

TABLE 55 - MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	334	38	4	27	31	13	6	58	24	92	38	3
England and Wales	1,524	20	10	161	111	72	50	244	118	511	215	12
Scotland	57	-	-	8	4	2	2	4	4	23	10	-
Europe (remainder)	88	2	-	13	17	6	3	21	4	20	-	2
U.S.A.	194	3	1	38	19	5	9	34	12	59	11	3
Canada	94	1	-	13	18	7	4	10	5	32	4	-
Australia and New Zealand	50	3	-	4	5	1	3	12	2	19	1	-
Elsewhere	55	1	1	17	8	5	5	5	-	11	2	-
Total	2,396	68	16	281	213	111	82	388	169	767	281	20

TABLE 56 – MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	334	-	-	3	59	4	-	108	54	11	68	27
England and Wales	1,524	5	-	11	346	6	4	550	255	80	181	86
Scotland	57	-	-	2	7	2	1	17	11	9	5	3
Europe (remainder)	88	-	-	1	24	-	-	33	12	7	4	7
U.S.A.	194	1	-	1	47	-	2	72	45	6	8	12
Canada	94	-	-	2	27	1	-	31	14	5	7	7
Australia and New Zealand	50	-	-	-	9	-	-	28	5	3	4	1
Elsewhere	55	-	-	2	17	2	-	24	4	-	2	4
Total	2,396	6	-	22	536	15	7	863	400	121	279	147

TABLE 57 – MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Form of ceremony								
	Total marriages	Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religious denominations	Civil marriages
Six Counties	334	247	52	27	6	-	-	-	2
England and Wales	1,524	1,406	82	16	8	3	-	1	8
Scotland	57	52	3	2	-	-	-	-	-
Europe (remainder)	88	79	4	-	-	1	-	1	3
U.S.A.	194	180	5	-	-	-	-	1	8
Canada	94	86	5	2	-	-	-	-	1
Australia and New Zealand	50	49	-	-	-	-	-	-	1
Elsewhere	55	46	4	1	2	-	-	-	2
Total	2,396	2,145	155	48	16	4	-	3	25

TABLE 58 - MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	334	6	15	4	1	21	287	-
England and Wales	1,524	181	97	108	57	38	1,042	1
Scotland	57	5	2	3	1	4	42	-
Europe (remainder)	88	17	4	8	-	-	59	-
U.S.A.	194	35	13	21	11	7	107	-
Canada	94	42	7	8	2	3	31	1
Australia and New Zealand	50	28	6	8	2	-	6	-
Elsewhere	55	15	6	5	4	-	25	-
Total	2,396	329	150	165	78	73	1,599	2

TABLE 59 - MARRIAGES REGISTERED IN 1969 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	334	36	47	14	19	97	121	-
England and Wales	1,524	362	193	182	101	70	614	2
Scotland	57	17	6	8	2	8	16	-
Europe (remainder)	88	48	9	15	2	2	12	-
U.S.A.	194	53	18	37	14	9	63	-
Canada	94	50	16	12	4	3	9	-
Australia and New Zealand	50	28	6	5	5	-	6	-
Elsewhere	55	27	11	7	2	1	7	-
Total	2,396	621	306	280	149	190	848	2

TABLE 60 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1969.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGHS												
Cork	-	1	2	195	-	4	-	-	45	4	-	-
Dublin	6	-	2	1,317	-	85	-	29	612	48	48	-
Limerick	-	-	-	31	-	-	-	2	11	-	-	-
Waterford	-	-	-	1	-	-	-	-	-	-	-	-
COUNTIES												
Carlow												
Urban	-	1	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	31	-	-	-
Cavan												
Urban	-	-	-	-	-	-	-	-	18	-	-	-
Rural	-	2	-	8	-	1	-	2	85	2	1	-
Clare												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	4	-	-	-	-	-	-	-	-
Cork												
Urban	-	3	1	30	-	2	-	-	25	-	-	-
Rural	-	15	1	131	-	2	-	1	43	1	1	-
Donegal												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	3	-	-	-	-	16	-	-	-
Dublin												
Urban	-	-	1	93	-	3	-	1	100	9	6	-
Rural	-	1	-	180	-	3	-	1	161	10	13	2
Galway												
Urban	-	-	-	132	-	2	-	1	7	3	-	-
Rural	-	1	2	95	-	21	-	2	32	-	-	-
Kerry												
Urban	-	-	-	1	-	-	-	-	1	-	-	-
Rural	-	-	-	5	-	1	-	2	6	-	6	-
Kildare												
Urban	-	-	-	9	-	-	-	-	4	-	-	-
Rural	-	-	-	40	-	1	-	1	18	1	-	-
Kilkenny												
Urban	-	-	-	1	-	-	-	-	-	-	-	-
Rural	-	-	-	2	-	7	-	-	-	-	-	-
Laois												
Rural	-	4	2	49	-	1	-	1	22	3	-	-
Leitrim												
Rural	-	-	-	-	-	2	-	-	1	2	-	-
Limerick												
Rural	-	6	-	25	-	-	-	-	19	-	-	-
Longford												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	5	-	-	-	-	-	1	-	-
Louth												
Urban	-	-	2	14	-	2	-	-	2	-	-	-
Rural	-	1	-	7	-	2	-	-	17	-	-	-

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1969.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	-	-	-	5	-	-	-	-	9	-	-	-
Rural	1	-	2	28	-	1	-	2	11	1	-	-
Meath												
Urban	-	-	-	29	-	-	-	-	5	-	-	-
Rural	-	-	-	24	-	-	-	-	47	1	-	-
Monaghan												
Urban	-	-	-	2	-	-	-	-	1	-	-	-
Rural	-	-	1	9	-	-	-	-	2	-	-	-
Offaly												
Urban	-	-	-	21	-	-	-	-	-	-	-	-
Rural	-	-	-	31	-	1	-	-	13	-	-	-
Roscommon												
Rural	-	1	-	3	-	-	-	-	18	-	-	-
Sligo												
Urban	-	-	-	37	-	1	-	-	14	1	-	-
Rural	-	1	-	8	-	2	-	-	18	3	-	-
Tipperary N.R.												
Urban	-	-	-	7	-	-	-	-	-	-	-	-
Rural	-	-	-	4	-	2	-	1	10	-	-	-
Tipperary S.R.												
Urban	-	-	-	1	-	-	-	-	1	-	-	-
Rural	-	2	1	10	-	-	-	-	19	-	-	-
Waterford												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	2	-	1	-	1	-	-	-	-	-	-
Westmeath												
Urban	-	-	-	-	-	-	-	-	8	-	-	-
Rural	-	2	-	4	-	-	-	-	99	-	-	-
Wexford												
Urban	-	2	-	19	-	-	-	5	14	-	12	-
Rural	-	-	-	20	-	1	-	3	7	-	27	-
Wicklow												
Urban	-	-	-	13	-	-	-	-	10	1	-	-
Rural	-	3	-	6	-	-	-	-	13	-	-	-
ALL COUNTY BOROUGHS	6	1	4	1,544	-	89	-	31	668	52	48	-
ALL URBAN DISTRICTS	-	6	4	414	-	10	-	7	219	14	18	-
ALL RURAL DISTRICTS	2	41	9	702	-	49	-	16	708	25	48	2
TOTAL	8	48	17	2,660	-	148	-	54	1,595	91	114	2

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1969.

County or County Borough.	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weill's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH:													
Cork	68	2	-	39	27	51	6	-	-	-	-	7	-
Dublin	1,203	3	-	180	94	414	145	1	-	-	-	133	17d.
Limerick	3	-	-	-	1	6	4	-	-	-	-	7	-
Waterford	-	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES													
Carlow	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	3	-	-	-	-	-	4	-	-	-	-	-	-
Cavan	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	28	-	-	1	-	-	1	-	-	-	-	-	-
Rural	41	-	-	1	-	-	5	-	-	1	-	4	-
Clare	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	10	-	-	-	1	5	-	-	-	-	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-	-
Cork	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	31	-	-	1	5	5	5	-	-	-	-	-	-
Rural	476	-	-	40	17	-	18	-	-	-	1	6	1d.
Donegal	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	14	-	-	-	2	-	-	-	-	1	1	4	-
Dublin	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	65	-	-	34	3	15	56	-	-	-	-	14	4d.
Rural	221	1	-	115	8	-	34	-	-	-	-	18	1c, 9d.
Galway	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	24	-	-	1	4	9	1	-	-	-	-	1	-
Rural	6	-	-	-	-	-	5	-	-	1	-	6	-
Kerry	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	1	-	1	1	20	-	-	-	-	-	-	-	-
Rural	83	-	-	3	2	-	3	-	-	-	2	17	-
Kildare	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	7	-	-	-	2	-	2	-	-	-	-	7	-
Rural	47	1	-	2	1	-	10	-	-	-	-	2	3d.
Kilkenny	-	-	-	-	-	25	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	110	-	-	3	-	-	13	-	-	-	-	-	-
Laois	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	55	-	-	9	1	-	2	-	-	-	-	1	3d.
Leitrim	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	4	-	-	-	-	-	-	-	-	-	-	-	-
Limerick	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	44	-	-	-	4	-	6	-	-	-	-	6	-
Longford	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	1	-	-	-	-	-	-	-	-
Louth	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	4	2	7	-	-	1	-	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	16	-

(c) Puerperal Sepsis.

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1969.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weill's disease	Whooping cough	Other notifiable infectious diseases
Mayo	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	12	-	-	1	2	-	1	-	-	-	1	1	-
Meath	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	6	-	-	-	-	1	7	-	-	-	-	6	-
Rural	33	-	-	4	-	-	3	-	-	-	-	27	-
Monaghan	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	15	-	-	-	-	-	1	-	-	-	-	-	-
Offaly	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	3	4	-	2	-	-	-	-	-	1d.
Roscommon	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	15	-	1	-	-	-	3	-	-	-	-	-	-
Sligo	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	2	-	-	15	23	29	7	-	-	-	1	2	-
Rural	1	-	-	4	-	-	-	2	-	-	-	-	-
Tipperary N.R.	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	11	-	-	-	-	-	-	-	-	-	-	-	-
Rural	4	-	-	-	1	-	5	1	-	2	-	-	-
Tipperary S.R.	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	12	-	-	-	-	-	2	-	-	-	-	-	-
Rural	45	-	-	-	-	-	5	-	-	-	-	-	1d.
Waterford	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	91	-	-	-	-	-	-	-	-	-	-	-	-
Rural	118	-	-	-	-	-	1	-	-	-	-	4	-
Westmeath	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	2	-	-	-	-	46	-	-	-	-	-	-	-
Rural	69	-	-	-	-	-	10	-	-	-	-	39	-
Wexford	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	31	-	-	-	-	3	3	-	-	-	-	4	-
Rural	28	-	-	-	-	-	7	-	-	-	-	2	-
Wicklow	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	15	-	-	-	-	2	15	-	-	-	-	9	-
Rural	15	-	-	2	-	-	13	-	-	-	-	5	-
ALL COUNTY BOROUGHES	1,274	5	-	219	122	471	155	1	-	-	-	147	17d.
ALL URBAN DISTRICTS	336	-	1	53	62	142	106	-	-	1	1	43	4d.
ALL RURAL DISTRICTS	1,460	2	1	187	43	-	151	3	-	5	5	158	1c. 18d.
TOTAL	3,070	7	2	459	227	613	412	4	-	6	6	348	1c. 39d.

(c) Puerperal Sepsis.

(d) Acute Lymphocytic Meningitis.

NOTIFICATION OF LATE FOETAL DEATH.

Part I

NOTES.—1. "Foetal death" for the purposes of notification means the death, prior to the complete expulsion or extraction from the mother, of a product of conception whose period of gestation is not less than twenty-eight completed weeks, the death being indicated by the fact that after such expulsion or extraction, the foetus does not breathe or show any other evidence of life.

2. The medical practitioner or, if there is none, the midwife who attends at the confinement is obliged to complete this form and send it to the chief medical officer of the health authority, in whose functional area the confinement took place, within thirty-six hours. If, instead, a medical student or student midwife only attends at the confinement, the obligation rests on him or her.

3. On receipt of this form duly completed the Chief Medical Officer should enter the reference numbers, forward Part II to the Director, Central Statistics Office, (Vital Statistics Branch), St. Stephen's Green House, Earlsfort Terrace, Dublin 2, and retain Part I on file.

Name and surname of mother.....

Normal dwelling place of mother.....

Place of confinement.....

Date of confinement.....

For office use
Reference no.

Signature of informant.....

Qualification of informant.....

Date of signature.....

Reference no.

Part II

County or county borough in which mother normally resides.....

County or county borough in which confinement took place.....

Date of confinement.....day of..... 19.....

Place of confinement: Hospital ☐ Maternity home ☐ Domiciliary ☐

Sex of foetus: Male ☐ Female ☐

Estimated period of gestation: Over 28 weeks and under 37 weeks ☐

37 completed weeks and over ☐

Putative cause of death.....

(by reference to
description on reverse).....

Date of birth of mother.....day of..... 19.....

Year of present marriage of mother 19.....

Number of previous children of mother by her present husband

or any previous husband (a) still living.....

(b) born alive but now dead.....

Number of previous foetal deaths (as defined
in Note 1 above) as respects the mother.....

Stamp of Chief Medical Officer

Insert
'X' in
appropriate
box in
each
case