

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1970

COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: 35p

(Prl 3222)

July, 1973



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA
REPORT
ON
VITAL STATISTICS
1970

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: 35p

(Prí. 3222)

July, 1973.

CONTENTS

PART I – TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xvi
Age at maternity, parity, duration of marriage	xvi
Multiple births	xix
DEATHS	
Number and rate	xx
Comparison between counties	xx
Causes of death	xxiii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
DIAGRAM 1 – Birth, marriage and death rates (per 1,000 population) 1941 to 1970	viii
" 2 – Standardised death rates (per 1,000 population) from all causes, 1970	xxi
" 3 – Death rates (per 1,000 population) from tuberculosis and cancer, 1943–1970	xxvii
" 4 – Death rates from lung cancer (per 100,000 population), 1960–1970	xxvii
" 5 – Infant and neo-natal mortality (per 1,000 live births), 1943–1970	xxxvii

CONTENTS – PART II – TABLES

Contents	Area	Title	Page
Population	State	Table 1 – Estimated population in thousands in each year 1851–1970.	2
Population by age	State	Table 2 – Estimated population by age 1970.	3
Population	Counties	Table 3 – Population by sex of each county and county borough according to the Census of Population, 1966	4
Marriages, births and deaths, 1864–1970	State	Table 4 – Marriages, births and deaths and natural increase (excess of birth over deaths) 1864–1970.	5
Marriage, birth and death rate, 1864–1970	State	Table 5 – Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1970.	6
Marriages, births and deaths 1951–1970	State	Table 6 – Marriages, births and deaths registered and rates for the years 1951–1970 per 1,000 of the population.	7
Deaths by principal causes, 1970 with rates	State and Six Counties	Table 7 – Deaths from principal causes in Ireland and the Six Counties, 1970, with rates per 100,000 population.	8
Deaths by age, 1864–1970	State	Table 8 – Average annual number of deaths during the period 1864–1960 and the number of deaths in each year 1961–1970, classified by sex and age.	10
Death rates by age, 1864–1970	State	Table 9 – Average annual death rates for the period 1864–1960 and death rates for each of the years 1961–1970 per 1,000 corresponding population classified by sex and age.	11
Births, deaths, infant mortality and illegitimate births showing county transfers, 1970	Counties	Table 10 – Births and deaths in each county and county borough in 1970 and the numbers relating to the resident population of each area with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriage, births and deaths by sex, 1970	Counties	Table 11 – Marriages, births and deaths assigned to each county and county borough during 1970 showing separately illegitimate births and deaths from some principal causes.	14
Marriage, birth and death rates, 1970	Counties	Table 12 – Marriage, birth and death rates and the proportion of illegitimate births in each county and county borough and the death rates for some of the principal diseases in 1970.	15
Deaths by conjugal conditions, 1970	State	Table 13 – Deaths in 1970 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1970	Urban Districts	Table 14 – Births and deaths assigned to each urban district in 1970 classified by sex.	16
Births and deaths, 1970	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 – Births and deaths classified by sex in 1970 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1970	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 – Birth and death rates in 1970 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1970	Agg. Urban and Agg. Rural	Table 17 – Deaths occurring in 1970 at each year of age of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by sex and age, 1970	Counties	Table 18 – Deaths occurring in 1970 classified by sex and age of residents in each county borough and county.	22
Deaths by cause and age, 1970	State	Table 19 – Deaths in 1970, classified by cause (International Detailed List, 8th Revision, 1965) and by sex and age.	26
Deaths by cause and uncertified deaths, 1970	Counties	Table 20 – Deaths of residents of each county and county borough in 1970, classified by cause and showing the number of uncertified deaths.	62

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Deaths by cause, sex and age 1970	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 - Deaths occurring in 1970, classified by cause (International Abbreviated List), sex and age of residents in Dublin County Borough remaining urban districts and aggregate rural districts.	82
Deaths in hospitals, 1970	Counties	Table 22 - Deaths of residents of each province, county and county borough in 1970 classified by place of occurrence	88
Deaths not medically certified by age, 1970	Counties	Table 23 - Deaths of residents of each county and county borough in 1970 which were not medically certified, classified by age.	89
Deaths by age, sex and principal counties, 1970	Counties	Table 24 - Deaths in 1970 classified by principal groups of causes, sex and age, of residents in each county and county borough.	90
Infant mortality, 1970	Principal Towns, U.D.'s and R.D.'s	Table 25 - Infant mortality - deaths at ages under 4 weeks and 4 weeks and under one year in 1970, classified by sex and cause assigned to the principal towns, other urban districts and rural districts.	109
Infant mortality, 1970	State	Table 26 - Infant mortality deaths under one year in 1970 classified by sex, age and cause (International detailed list).	110
Infant mortality, 1970 (illegitimate infants)	State	Table 27 - Infant mortality - deaths of illegitimate infants in 1970 classified by sex, age and cause.	114
Infant mortality, 1970	Counties	Table 28 - Infant mortality - deaths at ages under 4 weeks and 4 weeks and under one year in 1970, classified by sex and cause assigned to each county and county borough.	115
Late foetal deaths, 1970	State	Table 29 - Late foetal deaths notified in 1970 classified by cause and age of mother at maternity.	122
Late foetal deaths, 1970	State	Table 30 - Late foetal deaths notified in 1970 classified by cause and period of gestation.	124
Late foetal deaths, 1970	State	Table 31 - Late foetal deaths notified in 1970 classified by cause and number of previous children.	125
Late foetal deaths, 1970	State	Table 32 - Late foetal deaths notified in 1970 classified by sex and period of gestation.	126
Late foetal deaths, 1970	State	Table 33 - Late foetal deaths notified in 1970 classified by age of mother and number of previous children.	126
Deaths occurring in each quarter, 1970	Counties	Table 34 - Deaths showing the numbers occurring in each quarter in 1970 assigned to the counties and county boroughs.	127
Births occurring in each quarter, 1970	Counties	Table 35 - Births showing the numbers in each quarter in 1970 assigned to the counties and county boroughs.	128
Births, hospital and domiciliary, 1970	Counties	Table 36 - Births in 1970 in each county and county borough showing place of occurrence and areas of normal residence.	129
Births by age of mother, 1970	State	Table 37 - Births in 1970 classified by sex and age of mother at maternity and showing the number of illegitimate births.	130
Births by age of mother, 1970	Counties	Table 38 - Births in 1970 classified by age of mother at maternity and county of normal residence.	131
Births, by age of mother and previous children	State	Table 39 - Total births in 1970 classified by age of mother at maternity and number of previous liveborn children.	136
Legitimate births by age at maternity and year of marriage, 1970	State	Table 40 - Legitimate births in 1970, classified by age of mother at maternity and year of marriage.	138

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Legitimate first births, by age of mother at maternity and year of marriage, 1970	State	Table 41 - Legitimate first births in 1970 classified by age of mother at maternity and year of marriage.	140
Marriages, 1970	Counties	Table 42 - Marriages registered in each county and county borough during 1970.	142
All marriages by ages of groom and bride, 1970	State	Table 43 - Marriages registered in 1970 classified by age of groom and age of bride in single years. All marriages.	144
First marriages by ages of groom and bride, 1970	State	Table 44 - Marriages registered in 1970 classified by age of groom and age of bride in single years. First marriages only.	146
Marriages by form of ceremony and age of groom, 1970	State	Table 45 - Marriages registered in 1970 classified according to form of ceremony and age of groom.	148
Marriages by form of ceremony and age of bride, 1970	State	Table 46 - Marriages registered in 1970 classified according to form of ceremony and age of bride.	148
Marriages by social group and age of groom, 1970	State	Table 47 - Marriages registered in 1970 classified by social group and age of groom.	148
Marriages by social group and age of bride, 1970	State	Table 48 - Marriages registered in 1970 classified by social group and age of bride.	149
Marriages by social group of groom and bride, 1970	State	Table 49 - Marriages registered in 1970 classified by social group of groom and bride.	149
Marriage by age and area of residence of groom, 1970	Counties	Table 50 - Marriages registered in 1970 classified by age and area of residence of groom before marriage.	150
Marriages by age and area of residence of bride, 1970	Counties	Table 51 - Marriages registered in 1970 classified by age and area of residence of bride before marriage.	151
Marriages by areas of residence of groom and bride, 1970	Counties	Table 52 - Marriages registered in 1970 classified by area of residence of groom and area of residence of bride before marriage.	152
Marriages with intended future residence abroad by age of groom, 1970	State	Table 53 - Marriages registered in 1970 in which the future permanent residence was stated to be outside the country, classified by age of groom.	154
Marriages with intended future residence abroad by age of bride, 1970	State	Table 54 - Marriages in 1970 in which the future permanent residence was stated to be outside the country classified by age of bride.	154
Marriages with intended future residence abroad by social group of groom, 1970	State	Table 55 - Marriages registered in 1970 in which the future permanent residence was stated to be outside the country, classified by social group of groom.	154
Marriages with intended future residence abroad by social group of bride, 1970	State	Table 56 - Marriages registered in 1970 in which the future permanent residence was stated to be outside the country, classified by social group of bride.	155
Marriages with intended future residence abroad by form of ceremony, 1970	State	Table 57 - Marriages registered in 1970 in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	155
Marriages with intended future residence abroad by area of residence of groom before marriage, 1970	State	Table 58 - Marriages registered in 1970 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	156
Marriages with intended future residence abroad by area of residence of bride before marriage, 1970	State	Table 59 - Marriages registered in 1970 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	156
Notification of infectious diseases, 1970	State	Table 60 - Summary of cases of infectious diseases notified to the Department of Health during the year, 1970.	157

REPORT ON VITAL STATISTICS FOR THE YEAR 1970

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1970 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. From 1968 however the number of deaths includes non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

NOTE: Prior to 1970 births and deaths were classified according to year of registration. In order to comply with United Nations regulation it was decided to classify births and deaths by year of occurrence from 1970 onwards.

Births and deaths for 1970 in this Report are recorded and analysed by year of occurrence unless otherwise stated.

GENERAL SUMMARY

Marriages. — There were 20,778 marriages registered during the year 1970 compared with 20,304 in 1969. The marriage rate per 1,000 population was 7.06 compared with 6.95 in 1969.

Births. — The number of births occurring in 1970 was 64,382 compared with 64,284 registered giving rates of 21.87 and 21.83 respectively. In 1969 births registered numbered 62,912 and the rate was 21.54 per 1,000 population.

Deaths. — The number of deaths occurring in 1970 was 33,686 compared with 34,291 registered giving rates of 11.44 and 11.65 respectively. In 1969 deaths registered numbered 33,734 and the rate was 11.55 per 1,000 population.

Of the deaths occurring in 1970, 28.20 per cent were stated to be due to ischaemic and other forms of heart disease, 16.46 per cent to malignant neoplasms, 13.61 per cent to cerebrovascular disease and 0.66 per cent to tuberculosis (all forms).

The number of deaths in 1970 from tuberculosis of all forms was 221 and the rate was 0.08 per 1,000 population, 0.01 below that for 1969.

The number of deaths occurring in 1970 from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia) was 5,309. This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1970 was 1.80 per 1,000 population compared with 1.82 in 1969.

During 1970 the number of deaths occurring of infants under one year was 1,255 compared with 1,258 registered giving rates of 19.49 and 19.57 respectively per 1,000 live births.

The total number of deaths from accidents and other external causes in 1970 was 1,414 of which road vehicle accidents accounted for 500.


Marriage, birth and death rates per 1,000 population for the years 1942 to 1970 are illustrated in Diagram 1.

Issue of Authority for Registration. — Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of births registered on the authority of An tArd Chlaraitheoir in 1970 was 664 and the number of deaths registered was 156. Throughout the tables in this Report these births and deaths have been excluded.

Population. — The estimated population in April 1970 was 2,944,000.

Diagram I

BIRTH, MARRIAGE AND DEATH RATES,(PER 1,000 POPULATION) 1941 — 1970



MARRIAGES

The number of marriages registered in 1970 was 20,778, an increase of 474 on the previous year; the rate was 7.1 per 1,000 population, being the highest rate ever recorded. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1941 to 1970 with those in the Six Counties, England and Wales and Scotland.

TABLE 1

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1970.

Year	Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4
1969	7.0	7.7	8.1	8.3
1970	7.1	8.1	8.5	8.3

*Exclusive of the Six Counties.

† Average annual number of marriages per 1,000 population for decennial periods from 1941-1960.

From this table it will be seen that over the period under review, while the marriage rate in this country has been consistently lower than the rates in the other areas, the difference has been decreasing due to the rate in this country rising faster than in the other areas.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

TABLE II

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1967 TO 1970.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1967	1968	1969	1970	1945-46	1967	1968	1969	1970
	Per cent									
Under 20 years	1.0	3.0	2.8	3.0	3.3	6.6	10.1	10.0	10.2	11.3
20 to 24 "	14.3	33.4	35.7	37.3	39.4	29.5	48.0	49.7	50.9	52.4
25 to 29 "	25.7	32.7	33.0	33.0	33.5	31.1	24.7	24.8	24.3	23.1
30 to 34 "	24.2	14.6	13.9	13.2	12.0	19.9	9.0	8.4	7.6	6.9
35 to 44 "	25.8	11.3	10.2	9.4	8.2	11.1	6.1	5.2	5.2	4.5
45 years and over	9.0	5.0	4.4	4.0	3.7	1.9	2.1	1.9	1.8	1.9
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	28.8	28.4	28.1	27.7	28.0	25.8	25.5	25.3	25.1

Whereas, in 1945-46, 59.0 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 23.9 in 1970, the average age of men at marriage declining from 33.1 years in 1945-46 to 27.7 years in 1970. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 13.3 per cent in 1970 while the average age at marriage declined from 28.0 years in 1945-46 to 25.1 in 1970. In TABLE 43 the marriages registered in 1970 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1970 were 27.4 and 24.8 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1970 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IRELAND* AND ENGLAND AND WALES 1970.

Age groups	Bachelors		Spinsters	
	Ireland* 1970	England and Wales 1970	Ireland* 1970	England and Wales 1970
15-19 years†	5.1	27.5	18.8	95.3
20-24 "	96.0	173.9	159.9	255.5
25-29 "	157.7	169.8	169.8	156.8
30-34 "	82.0	83.6	79.2	67.2
35-39 "	39.9	37.5	36.4	34.7
40-44 "	21.8	22.6	16.1	20.5
45-49 "	13.1	14.0	8.9	13.1
50-54 "	5.4	9.4	2.9	8.6
55 and over	1.4	3.9	0.3	2.1
Total, 15 years and over	43.3	84.2	53.8	99.4

* Exclusive of the Six Counties.

† 16-19 years for England and Wales.

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15-19 age groups the marriage rate in England and Wales was over five times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was almost double the Irish rate and for females was more than one and a half times the Irish rate. There was very little difference between the rates in the age groups between 30-49 for males and between 25-44 for females. In the age-groups above 50 the rates for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1970 amounted to 19,989 (equal to 96 per cent of the total) and other marriages numbered 789, of which 518 were according to the rites and ceremonies of the Church of Ireland, 104 in Presbyterian Churches, 29 in Methodist Churches, 7 according to Jewish Rites, 10 in registered buildings belonging to other religious denominations and 121 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1970 was 7.14 per 1,000 of the Catholic population an increase of 0.15 on the corresponding rate for 1969. The rate for all other marriages combined was 5.53 per 1,000 of the population other than Catholic, a decrease of 0.56 on the 1969 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1970 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	54	900	15,685	16,585	5.63	4.94	5.60
1951-60†	507	112	37	18	5	65	744	14,998	15,742	5.48	4.48	5.42
1961	375	92	29	17	5	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	28	14	3	47	650	14,977	15,627	5.58	4.50	5.52
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95
1970	518	104	29	7	10	121	789	19,989	20,778	7.14	5.53	7.06

† Average annual number of marriages and rates for decennial periods 1941-1960.

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of the groom was 27.6 years compared with 28.9 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 25.0 years and for other marriages, 25.7 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation although status (i.e. whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1970 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In the case of grooms and brides the average marriage age in 1970 was higher in the social group "Farmers, relatives assisting and farm managers" than in any other group. The lowest average age was in the "Manual workers" group for both grooms and brides.

TABLE 49 shows marriages registered in 1970 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 53 per cent were in the "Intermediate and other non-manual workers" group, 25 per cent were other manual workers and 9 per cent were in the lower professional group, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 24 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1970. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in TABLE V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 27 years, whereas in the counties Leitrim, Roscommon, Longford and Tipperary N.R. the average age was 31.9, 31.4, 30.6 and 30.0 respectively. The average age of brides was not over 25 years in the four county boroughs. The lowest average ages were in counties Kildare 24.1, and Louth 24.4 and the highest were in Leitrim 27.5, Roscommon 26.7 and Longford 26.5.

In TABLE 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,078 of the men married in the State in 1970 were returned as residing in England, Wales or Scotland, 344 in the Six Counties and 229 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 634, the number from the Six Counties was 139 and the number from other countries was 97. In 735 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1970.

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	222	181	41	81.5
Dublin County Borough	5,818	5,085	733	87.4
Dun Laoghaire	449	363	86	80.8
Dublin County (remainder)	1,018	650	368	63.9
Kildare	569	493	76	86.6
Kilkenny	372	288	84	77.4
Laois	246	194	52	78.9
Longford	133	103	30	77.4
Louth	603	550	53	91.2
Meath	469	384	85	81.9
Offaly	315	259	56	82.2
Westmeath	336	254	82	75.6
Wexford	589	540	49	91.7
Wicklow	510	422	88	82.7
Clare	411	330	81	80.3
Cork County Borough	1,090	909	181	83.4
Cork County	1,307	1,150	157	88.0
Kerry	598	513	85	85.8
Limerick County Borough	538	341	197	63.4
Limerick County	470	379	91	80.6
Tipperary, N.R.	352	303	49	86.1
Tipperary, S.R.	463	360	103	77.8
Waterford County Borough	265	213	52	80.4
Waterford County	267	203	64	76.0
Galway	903	750	153	83.1
Leitrim	136	105	31	77.2
Mayo	489	380	109	77.7
Roscommon	203	135	68	66.5
Sligo	292	229	63	78.4
Cavan	281	225	56	80.1
Donegal	755	595	160	78.8
Monaghan	309	272	37	88.0
TOTAL	20,778	17,158	3,620	82.6

* Includes 48 cases in which residence was not stated and 870 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM
THAT AREA, IN 1970.

Area	Rate (a)	Rate (b)
Carlow	6.6	6.7
Dublin County Borough	9.8	9.2
Dun Laoghaire Borough	8.1	7.3
Dublin County (remainder)	4.9	4.8
Kildare	8.3	7.9
Kilkenny	6.2	5.8
Laois	5.6	5.7
Longford	4.8	4.6
Louth	8.4	7.6
Meath	6.8	6.4
Offaly	6.0	6.3
Westmeath	6.3	5.5
Wexford	7.0	6.7
Wicklow	8.2	7.7
LEINSTER	7.9	7.4
Clare	5.6	5.3
Cork County Borough	8.3	7.0
Cork County	6.0	6.3
Kerry	5.4	5.1
Limerick County Borough	8.9	6.6
Limerick County	5.8	5.6
Tipperary, N.R.	6.5	6.5
Tipperary, S.R.	6.8	5.6
Waterford County Borough	8.5	7.6
Waterford County	6.1	5.9
MUNSTER	6.6	6.1
Galway	6.1	5.5
Leitrim	4.8	4.2
Mayo	4.4	3.8
Roscommon	3.8	3.4
Sligo	5.9	5.0
CONNACHT	5.2	4.6
Cavan	5.4	4.1
Donegal	7.2	5.2
Monaghan	6.9	5.9
ULSTER (part of)	6.6	5.1
TOTAL	7.1	6.5

It will be observed that rates (a) and (b) differ on account of the fact the marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 217 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a high proportion of cases, the intended future residence was outside the State.

TABLE VII
PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1960-1970.

Year (1)	Total Marriages (2)	Marriages with intended future residence abroad (3)	Col. (3) as percentage of col. (2) (4)
1960	15,465	2,395	15.5
1961	15,329	2,266	14.8
1962	15,627	2,037	13.0
1963	15,556	1,949	12.5
1964	16,128	1,995	12.4
1965	16,946	2,004	11.8
1966	16,849	2,272	13.5
1967	17,788	2,242	12.6
1968	18,993	2,293	12.1
1969	20,304	2,396	11.8
1970	20,778	2,224	10.7

As may be seen from Table VII the proportion of marriages with intended future residence outside the State shows a decline over the years 1960 to 1965 with a big increase in 1966. Since 1966 there has been a continuous decline and it is now below the 1965 level. In the case of 1,381 marriages the future residence was in England and Wales, 322 in the Six Counties, 56 in Scotland, 105 in other parts of Europe, 145 in the United States of America, 104 in Canada, 50 in Australia and New Zealand and 61 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average age of the men marrying and then going abroad was somewhat below that for all marriages in the State while the average age of the women marrying and then going abroad was at the same level as that for all marriages. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VIII contains the results obtained.

TABLE VIII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1969 AND 1970.

Social group of groom	Percentage with intended future residence outside the State	
	1969	1970
	Per cent	
Farmers, relatives assisting and farm managers	3	3
Other agricultural occupations and fishermen	4	4
Higher professionals	27	22
Lower professionals	19	18
Employers and managers	16	13
Salaried employees	13	14
Intermediate non-manual workers	12	11
Other non-manual workers	9	9
Skilled manual workers	14	12
Other manual workers	10	9
TOTAL, ALL GROUPS COMBINED	12	11

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. With the aid of this Table it may be calculated that in 1970 in the case of Catholic marriages the percentage with intended future residence outside the State was 10 per cent compared with 11 per cent in 1969, the corresponding figures for all other marriages being 26 per cent in 1970 and 29 per cent in 1969.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1969 AND 1970 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1969	1970
	Per cent	
Dublin County Borough and Dun Laoghaire	6	5
Remainder of Leinster	3	2
Munster	3	3
Connacht	5	5
Ulster (part of)	7	8
Outside the State	92	90

BIRTHS

The number of births occurring during the year 1970 was 64,382, comprised of 33,131 males and 31,251 females. The corresponding figures for 1969 were 62,912, 32,143 and 30,769 respectively. The birth rate in 1970 was 21.9 per 1,000 population, compared with 21.5 in 1969.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1970.

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1961	59.8	21.2	22.4	17.5	19.5
1962	61.8	21.8	22.7	17.9	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6
1967	61.3	21.1	22.4	17.2	18.6
1968	61.0	21.0	22.1	16.9	18.3
1969	62.9	21.5	21.4	16.3	17.4
1970‡	64.4	21.9	21.1	16.0	16.8

* Exclusive of the Six Counties.

† Average annual number of births and birth rates for decennial periods from 1941-1960.

‡ See Note on page vii.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1970 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 173 or 0.3 per cent of the total with only one instance where parity was not stated. In 1969 the corresponding figures were 456 or 0.7 per cent and 110 or 0.2 per cent respectively. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI

BIRTHS OCCURRING IN 1970 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	2,109	1,674	358	62	11	3	1	-	-	-
20-24 years	14,786	7,895	4,259	1,717	605	210	99	-	-	1
25-29 "	18,861	5,143	5,529	3,997	2,176	1,065	932	19	-	-
30-34 "	14,883	1,767	2,527	3,226	2,825	1,830	2,572	133	3	-
35-39 "	9,777	666	949	1,333	1,559	1,464	3,309	484	13	-
40-44 "	3,492	190	214	271	401	472	1,488	403	53	-
45 years and over	301	12	6	17	17	25	159	54	11	-
Not stated	173	164	1	2	-	-	4	2	-	-
TOTAL	64,382	17,511	13,843	10,625	7,594	5,069	8,564	1,095	80	1

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Continuing the trend observed since 1967 and 1968 there is in 1970 a shift towards the younger age groups in the distribution of births according to the age of mother at maternity. As may be calculated from Table XII, in 1970 mothers aged under 30 years at maternity accounted for 55.7 per cent of the births compared with 54.2 per cent in 1969, corresponding figures for England and Wales and Scotland for 1970 being 77.6 per cent and 75.9 per cent respectively, illustrating the striking difference between the countries.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1969 AND 1970 AND IN ENGLAND AND WALES AND SCOTLAND IN 1970

Age at maternity	Ireland*		England and Wales 1970	Scotland 1970
	1969	1970 †		
	Per cent			
Under 20 years	3.1	3.3	10.3	10.3
20-24 years	21.9	23.0	36.9	36.0
25-29 "	29.2	29.4	30.4	29.6
30-34 "	23.3	23.2	14.5	15.3
35-39 "	15.8	15.2	6.2	6.7
40-44 "	6.0	5.4	1.6	1.8
45 years and over	0.6	0.5	0.1	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	29.9	29.6	26.2	25.9

* Exclusive of the Six Counties.

† See Note on page vii.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced as may be seen from Table XIII.

TABLE XIII

PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY
IN IRELAND* IN 1969 AND 1970 AND IN ENGLAND AND WALES AND SCOTLAND IN 1970

Age at maternity	Ireland*		England and Wales 1970	Scotland 1970
	1969	1970†		
	Per cent			
Under 20 years	7.2	7.4	17.5	19.3
20-24 years	43.9	45.4	49.9	49.1
25-29 "	31.9	31.3	24.5	22.8
30-34 "	11.4	10.7	5.9	6.1
35-39 "	4.6	4.0	1.8	2.2
40-44 "	1.0	1.1	0.4	0.4
45 years and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	25.8	25.6	23.8	23.4

* Exclusive of the Six Counties.

† See Note on page vii.

Fertility rates in Ireland and in England and Wales in 1970 are compared in Table XIV.

TABLE XIV

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES,[†] 1970.

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1970†	England and Wales 1970	Ireland* 1970†	England and Wales 1970	Ireland* 1970†	England and Wales 1970
15-19 years	16.7	49.7	796.9	443.3	4.1	14.0
20-24 "	163.3	153.4	614.8	242.5	11.6	28.4
25-29 "	253.8	151.2	404.0	171.5	8.8	44.0
30-34 "	204.3	78.7	269.8	83.8	5.3	38.2
35-39 "	125.6	34.2	162.0	35.8	2.4	21.3
40-44 "	42.4	8.7	54.5	9.0	0.9	6.4
45-49 "	3.6	0.6	4.9	0.6	-	0.4
Total, 15-49 years	105.8	70.9	201.4	92.1	5.7	19.9

* Exclusive of the Six Counties.

† See Note on page vii.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 80 per cent above that in England and Wales, in the 20-24 year group 154 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 1,709 being 67 more than in 1969. This was equivalent to an annual rate of 5.7 per 1,000 unmarried females and was 2.7 per cent of total births. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1970 and 1969 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1970.

TABLE XV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1969 AND 1970 AND IN ENGLAND AND WALES AND SCOTLAND IN 1970.

Number of previous children	Ireland*		England and Wales 1970	Scotland 1970
	1969	1970†		
	Per cent			
0	27.1	27.2	39.1	37.5
1	20.9	21.5	33.3	31.0
2	16.0	16.5	15.7	16.6
3	11.8	11.8	6.5	7.9
4	8.2	7.9	2.8	3.6
5 to 9	13.9	13.3	2.5	3.2
10 to 14	1.9	1.7	0.1	0.1
15 and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

* Exclusive of the Six Counties.

† See Note on page vii.

The difference between the years 1970 and 1969 in respect of the percentage distribution according to number of previous children was slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1970, 15.1 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 2.6 in England and Wales and 3.3 in Scotland.

MULTIPLE BIRTHS

The number of maternities in 1970 which resulted in multiple live births was 844 consisting of 834 sets of twins and 10 of triplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 13. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1961–1970.

TABLE XVI

NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1961–1970.

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1961	59,825	58,902	911	6	-	15.5
1962	61,782	60,826	926	12	2	15.2
1963	63,246	62,264	960	11	-	15.4
1964	64,072	63,177	873	11	-	13.8
1965	63,525	62,648	850	12	1	13.6
1966	62,215	61,339	858	9	-	14.0
1967	61,307	60,457	836	7	-	13.8
1968	61,004	60,165	821	9	-	13.6
1969	62,912	62,033	849	15	-	13.7
1970*	64,382	63,528	834	10	-	13.1

* See Note on page vii.

DEATHS

The number of deaths occurring during the year 1970 was 33,686 of which 18,447 were those of males and 15,239 those of females equivalent to a rate of 11.44 deaths per 1,000 total population, compared with 11.55 in the previous year, and 11.39 in 1968.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1960 and the death rates for each year 1961 to 1970.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941–1970 with those in the Six Counties, England and Wales and Scotland. The death rate in this country in 1970 was somewhat higher than in the Six Counties and lower than that for England and Wales and Scotland. However, over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

Attention should be drawn to the fact that these comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the populations in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the populations.

TABLE XVII

DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941–1970.

Period	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1941–1950†	41.5	14.0	12.6	12.3	13.2
1951–1960†	35.4	12.2	11.0	11.6	12.0
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3
1967	31.4	10.8	9.8	11.2	11.5
1968	33.2	11.4	10.6	11.9	12.2
1969	33.7	11.6	10.8	11.9	12.3
1970‡	33.7	11.4	10.9	11.7	12.2

*Exclusive of the Six Counties.

† Average annual number of deaths and death rates for decennial periods from 1941–1960.

‡ See Note on page vii.

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 6.24 and a standardised rate of 11.66, reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 16.18 to 11.07, because of the comparatively old age structure in that county. The standardised rates in 1970 were lowest in Donegal and Laois and highest in the County Borough of Waterford.

Diagram 2

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1970




TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1970.

Area	Deaths per 1,000 population	
	Crude	Standardised
TOTAL	11.44	11.44
Carlow	13.33	13.65
Dublin County Borough	9.48	12.24
Dun Laoghaire Borough	11.55	11.93
Dublin County (Remainder)	6.24	11.66
Kildare	9.93	12.97
Kilkenny	12.29	11.62
Laois	11.07	10.52
Longford	14.11	12.09
Louth	10.95	12.80
Meath	11.24	12.14
Offaly	10.25	10.91
Westmeath	11.34	10.89
Wexford	12.01	11.61
Wicklow	11.80	12.75
LEINSTER	9.95	12.03
Clare	13.27	11.00
Cork County Borough	10.87	13.54
Cork County	13.22	11.84
Kerry	13.47	11.37
Limerick County Borough	8.91	12.46
Limerick County	13.26	12.39
Tipperary, N.R.	13.33	12.77
Tipperary, S.R.	11.67	11.29
Waterford County Borough	12.24	14.53
Waterford County	12.36	11.04
MUNSTER	12.41	12.00
Galway	11.92	10.62
Leitrim	16.18	11.07
Mayo	14.67	10.64
Roscommon	14.47	10.53
Sligo	15.61	12.35
CONNACHT	13.83	10.86
Cavan	14.33	11.67
Donegal	13.08	10.35
Monaghan	14.05	12.38
ULSTER (part of)	13.62	11.11

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eighth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The Eighth Revision was used for the first time in classifying deaths by causes in the 1968[†] Report. The Reports from 1958 to 1967 were based on the Seventh revision.

TABLE XIX

AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES FROM SOME OF THE PRINCIPAL CAUSES
IN EACH PERIOD 1955-57, 1960-62, 1965-67 AND 1970.

I.L. Nos. 8th Revision	Cause of death	1955-57	1960-62	1965-67	1970*	1970†
		Average annual number			Number	
C10-019	Tuberculosis, all forms	758	438	309	227	221
Rem. 000-136	Other infective and parasitic diseases	335	234	228	215	212
140-209	Cancer	4,722	4,810	5,117	5,592	5,544
393-398, 410-429	Diseases of heart	10,580	10,884	10,690	10,082	9,904
Rem. 390-458	Other diseases of circulatory system	5,910	5,918	6,275	6,987	6,915
470-474	Influenza	554	554	397	770	704
Rem. 460-519	Other diseases of respiratory system	2,469	2,880	3,357	4,554	4,426
794	Senility	2,680	2,010	1,251	613	599
	Other diseases	5,997	5,028	4,404	3,812	3,747
800-999	Accidents and other external causes	988	998	1,151	1,439	1,414
	ALL CAUSES	34,993	33,754	33,179	34,291	33,686
		Average annual rates per 100,000 population			Rates per 100,000 population	
010-019	Tuberculosis, all forms	26.1	15.5	10.7	7.7	7.5
Rem. 000-136	Other infective and parasitic diseases	11.5	8.3	7.9	7.3	7.2
140-209	Cancer	162.8	170.1	177.3	189.9	188.3
393-398, 410-429	Diseases of the heart	364.7	385.0	370.4	342.4	336.4
Rem. 390-458	Other diseases of circulatory system	203.7	209.3	217.4	237.3	234.9
470-474	Influenza	19.1	19.6	13.8	26.2	23.9
Rem. 460-519	Other diseases of respiratory system	85.1	101.9	116.3	154.7	150.3
794	Senility	92.4	71.1	43.3	20.8	20.3
	Other diseases	206.7	177.9	152.6	129.5	127.3
800-999	Accidents and other external causes	34.1	35.3	39.9	48.9	48.0
	ALL CAUSES	1,206.2	1,194.0	1,149.7	1,164.6	1,144.1

* Classified by year of registration.

† Classified by year of occurrence. See Note on page vii.

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the periods 1955-57 and 1968-70 has been the drop in deaths from tuberculosis. The rate for 1970 was one-third of the rate in 1955-57. In the case of other infective and parasitic diseases the rate dropped to almost one-half of the 1955-57 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, almost twice as many people dying from heart disease as from the next biggest cause of death, i.e. cancer, the rate for which showed an increase of 15 per cent.

TABLE

AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of Death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All causes	1,247.4	1,039.8	512.0	431.6	41.9	31.5	96.6	51.2	121.4	67.8
008,009	Enteritis and other diarrhoeal diseases	2.9	2.8	22.1	15.9	-	-	-	0.4	-	-
010-019	Tuberculosis	10.0	5.0	0.6	0.7	0.3	-	2.1	0.4	1.2	2.5
000-136(rem.)	All other infective and parasitic diseases	4.3	4.4	13.9	17.8	1.3	1.7	1.3	0.4	-	0.6
	Malignant neoplasms of										
150	oesophagus	6.5	6.8	-	-	-	-	-	-	-	-
151	stomach	29.6	23.7	-	-	-	-	-	-	0.6	0.6
153	large intestine	17.4	25.4	-	-	-	-	-	0.4	1.9	1.3
154	rectum	10.8	7.2	-	-	-	-	-	-	1.2	0.6
157	pancreas	11.0	9.4	-	-	-	-	-	-	0.6	-
161	larynx	2.7	1.2	-	-	-	-	-	-	-	-
162	trachea, bronchus and lung	51.1	13.8	-	-	0.6	-	-	-	1.9	-
174	breast	0.3	27.6	-	-	-	-	-	-	-	3.8
180	cervix uteri	-	5.1	-	-	-	-	-	-	-	1.3
181,182	Other uterus	-	5.9	-	-	-	-	-	-	-	-
183	ovary, fallopian tube and broad ligament	-	7.6	-	-	-	-	-	-	-	1.9
185	prostate	18.4	-	-	-	-	-	-	-	-	-
188,189	bladder and other urinary organs	9.1	3.9	0.6	0.7	-	0.3	0.9	-	0.6	-
204-207	leukaemia, aleukaemia	7.7	4.4	2.5	2.6	2.3	2.7	2.1	0.4	-	1.3
140-209(rem.)	all other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	37.6	32.4	1.9	2.6	1.9	3.0	8.5	6.2	13.6	7.6
210-239	Benign neoplasm and neoplasms of unspecified nature	3.3	3.7	-	2.0	0.3	0.7	0.9	0.4	-	-
250	Diabetes mellitus	11.0	12.7	-	-	-	-	0.4	1.3	0.6	1.9
280-285	Anaemias	2.3	5.5	-	1.3	0.6	0.3	-	1.3	0.6	-
320	Meningitis	1.4	1.0	6.9	7.9	0.6	-	-	-	1.2	0.6
393-398	Chronic rheumatic heart disease	14.5	12.9	-	-	0.3	0.3	1.3	1.3	5.0	3.2
400-404	Hypertensive disease	26.4	25.3	-	-	-	-	0.9	-	0.6	-
410-414	Ischaemic heart disease	324.7	202.5	-	-	-	-	2.1	-	5.6	1.3
420-429	Other forms of heart disease	55.4	62.2	-	-	0.6	1.0	0.4	1.8	3.7	1.9
430-438	Cerebrovascular disease	143.8	167.8	-	0.7	0.3	-	3.4	2.2	5.0	0.6
440	Arteriosclerosis	30.0	35.2	-	-	-	-	-	-	-	-
470-474	Influenza	26.0	21.8	3.8	0.7	-	1.0	-	1.3	1.2	1.3
480-486	Pneumonia	69.7	67.2	70.6	60.8	2.9	2.0	3.0	3.5	3.7	1.3
490-493	Bronchitis, emphysema and asthma	90.5	46.2	1.9	2.6	0.3	-	0.9	0.4	-	0.6
531-533	Peptic ulcer	11.0	5.5	-	-	-	-	-	-	-	-
550-553.560	Intestinal obstruction and hernia	3.4	3.2	2.5	-	0.3	-	-	0.4	-	0.6
571	Cirrhosis of liver	4.2	2.5	0.6	-	-	-	-	0.4	-	-
580-584	Nephritis and nephrosis	10.0	6.4	-	0.7	0.3	0.7	1.3	1.8	1.2	0.6
600	Hyperplasia of prostate	7.8	-	-	-	-	-	-	-	-	-
640-645	Abortion	-	-	-	-	-	-	-	-	-	-
630-639	Other complications of pregnancy, childbirth and the puerperium	-	1.4	-	-	-	-	-	0.9	-	6.3
740-759	Congenital anomalies	15.4	13.2	115.4	111.7	2.6	2.3	5.5	2.2	3.7	0.6
764-768, 772,776	Birth injury, difficult labour and other anoxic and hypoxic conditions	11.6	8.3	107.8	80.0	-	-	-	-	-	-
760-763, 769-771, 773-775, 777-779	Other causes of perinatal morality	8.7	6.9	81.3	66.8	-	-	-	-	-	-
794	Senility without mention of phychosis	16.8	23.9	-	-	-	-	-	-	-	-
780-796(rem.)	Other symptoms and ill-defined conditions	2.9	1.4	1.3	-	-	-	-	-	-	-
240-738(rem.)	All other diseases	77.4	80.6	39.1	27.1	4.5	4.0	11.1	7.1	8.7	10.8
E810-E823	Motor vehicle accidents	23.5	9.1	9.5	2.6	10.6	5.7	26.4	10.2	27.2	8.9
E800-E807	All other accidents										
E825-E949		28.9	24.2	29.6	24.5	11.0	5.4	17.0	5.3	22.9	3.2
E950-E959	Suicide and self-inflicted injurees	3.0	0.5	-	-	-	-	3.4	0.4	3.1	-
E960-E999	All other external causes	4.7	2.0	-	2.0	-	0.3	3.8	0.4	5.6	2.5

Death rates per 100,000 corresponding population

Death rates per 100,000 corresponding population												I.D.L. Nos.
35-44		45-54		55-64		65-74		75-84		85 and over		
M	F	M	F	M	F	M	F	M	F	M	F	
266.4	199.9	761.7	511.2	2,070.9	1,273.1	5,244.0	3,293.1	10,982.5	8,434.0	29,729.7	24,529.9	
0.7	-	-	-	0.7	1.4	3.0	3.6	6.6	12.2	-	25.6	008,009
5.2	5.3	11.7	7.5	31.7	13.5	44.4	20.0	43.7	10.4	27.0	-	010-019
1.3	2.0	4.9	4.4	7.6	4.3	6.0	4.5	10.9	8.7	27.0	42.7	000-131(rem.)
2.6	1.3	4.9	4.4	13.8	12.1	32.3	29.9	59.0	46.9	67.6	119.7	150
3.9	2.0	19.8	9.4	64.0	34.1	163.3	111.6	244.5	210.1	418.9	316.2	151
4.6	8.6	13.0	26.8	35.8	37.7	80.6	100.7	176.9	199.7	175.7	290.6	153
2.0	0.7	6.2	7.5	20.0	16.4	45.4	28.1	117.9	45.1	216.2	94.0	154
2.6	0.7	7.4	8.7	26.9	17.8	62.5	43.6	74.2	67.7	148.6	94.0	157
-	0.7	1.2	2.5	6.9	5.0	15.1	2.7	24.0	3.5	27.0	-	161
13.7	5.3	61.7	16.9	178.4	40.5	272.2	67.2	203.1	52.1	94.6	51.3	162
-	25.1	0.6	56.2	0.7	69.0	-	94.4	2.2	88.5	13.5	162.4	174
-	4.6	-	13.1	-	12.1	-	14.5	-	17.4	-	17.1	180
-	4.0	-	8.1	-	16.4	-	20.9	-	26.0	-	51.3	181,182
-	7.0	-	15.0	-	27.0	-	20.0	-	24.3	-	8.5	183
-	-	-	-	19.3	-	83.7	-	272.9	-	486.5	-	185
0.7	-	7.4	3.7	20.7	9.2	48.4	14.5	65.5	31.3	121.6	17.1	188,189
3.3	1.3	8.0	3.1	16.5	10.0	34.3	20.0	39.3	8.7	54.1	17.1	204-207
24.1	10.6	43.2	24.3	76.4	82.5	145.2	122.5	235.8	171.9	473.0	265.0	140-209(rem.)
2.6	2.6	3.7	5.0	8.3	9.2	18.1	14.5	10.9	10.4	13.5	8.5	210-239
3.3	2.0	7.4	6.2	23.4	24.2	48.4	59.9	104.8	93.8	175.7	111.1	250
1.3	2.0	-	0.6	2.8	5.7	12.1	20.9	17.5	39.9	67.6	145.3	280-285
0.7	-	1.9	-	0.7	0.7	1.0	-	-	-	-	-	320
8.5	5.9	18.5	18.1	31.0	31.3	64.5	33.6	89.5	85.1	121.6	102.6	393-398
5.2	4.0	6.2	11.2	42.7	20.6	134.1	84.4	272.9	265.6	675.7	615.4	400-404
56.0	14.5	240.7	70.5	666.7	248.2	1,583.7	745.9	2,834.1	1,850.7	6,418.9	5,076.9	410-414
0.7	3.3	9.3	6.2	27.5	17.8	155.2	98.0	757.6	696.2	3,418.9	3,017.1	420-429
14.3	17.8	54.3	48.7	170.1	167.1	634.1	549.9	1,683.4	1,701.4	4,770.3	4,495.7	430-438
-	0.7	3.1	-	11.7	5.0	97.8	55.4	366.8	392.4	2,108.4	1,888.9	440
3.3	2.6	20.4	8.7	38.6	26.3	123.0	98.9	253.3	177.1	608.1	376.1	470-474
6.5	5.9	26.5	16.9	66.1	56.9	255.0	202.4	720.5	592.0	2,216.2	1,683.8	480-486
7.2	9.2	48.1	23.1	192.1	71.8	497.0	183.3	775.1	349.0	1,581.1	991.5	490-493
1.3	0.7	6.2	3.7	24.1	5.0	52.4	29.9	100.4	41.7	229.7	76.9	531-533
0.7	-	0.6	1.2	6.2	3.6	11.1	7.3	30.6	36.5	121.6	76.9	550-553,560
2.0	4.6	5.6	5.0	12.4	6.4	20.2	5.4	15.3	6.9	54.1	17.1	571
6.5	2.0	9.3	2.5	19.3	14.2	37.3	23.6	91.7	46.9	135.1	51.3	580-584
0.7	-	-	-	1.4	-	25.2	-	141.9	-	310.8	-	600
-	-	-	-	-	-	-	-	-	-	-	-	640-645
-	5.3	-	-	-	-	-	-	-	-	-	-	{ 630-639 650-678
0.7	2.0	5.6	1.2	2.1	0.7	4.0	2.7	-	1.7	-	8.5	740-759
-	-	-	-	-	-	-	-	-	-	-	-	{ 764-768 772,776
-	-	-	-	-	-	-	-	-	-	-	-	{ 760-763, 769-771, 773-775, 777-779
-	-	-	-	1.4	-	9.1	13.6	216.2	204.9	1,864.9	1,863.2	794
0.7	-	2.5	-	4.8	1.4	10.1	4.5	26.2	17.4	94.5	34.2	780-796(rem.)
19.5	22.4	45.7	49.9	109.5	123.8	306.5	272.2	714.0	562.5	1,824.3	1,572.6	240-738(rem.)
20.2	4.6	23.5	8.1	37.2	9.2	41.3	23.6	52.4	26.0	81.1	8.5	E810-E823
27.4	2.6	24.1	7.5	32.4	10.7	51.4	43.6	117.9	208.3	486.5	735.0	{ E800-E807 E825-E949
4.6	2.0	3.1	0.6	9.0	1.4	5.0	-	2.2	1.7	-	-	E950-E959
8.5	4.6	5.6	4.4	10.3	2.8	10.1	0.9	10.9	1.7	-	-	E960-E999

Of the deaths occurring in 1970, 74 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 394.6 per 100,000 population for males and 277.6 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 202.0 and 174.5 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 143.8 and 167.8 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

In 1970 there were 221 deaths from tuberculosis, of which 199 were caused by the respiratory form and 22 by other forms of the disease. Between the period 1941–1950 and the year 1970 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level.

The mortality from tuberculosis in the counties and county boroughs in 1970 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Waterford County (0.18), Kerry and Mayo (0.15), while the lowest rates were in Counties Offaly and Monaghan (0.02).

TABLE XXI

NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941–1970.

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941–1950*	2,739	0.92	779	0.26	1.05	1.07
1951–1960*	787	0.27	190	0.06	1.62	1.28
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00
1969	226	0.08	29	0.01	2.77	1.23
1970†	199	0.07	22	0.01	2.06	1.75

* Average annual number of deaths and death rates for decennial periods from 1941–1960.

† See Note on page vii.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1943 — 1970





Diagram 4

DEATH RATES FROM LUNG CANCER PER 100,000 POPULATION



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045-055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140-205 (Nos. 140-209 in Eighth Revision) of the International Statistical classification which now included Hodgkins disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figures less Hodgkins disease and leukaemia should also be shown.

In 1970 there were 5,544 deaths from cancer (Nos. 140 to 209). Of this number, 56 deaths were caused by Hodgkins disease and 179 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1960 to 1970.

TABLE XXII

DEATHS FROM CANCER (Nos. 140-209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1960 TO 1970.

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
Males								
1960	8	20	47	171	435	842	1,290	178
1961	9	20	50	162	437	865	1,374	183
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
1967	9	19	43	166	466	912	1,469	189
1968	8	16	46	159	455	1,018	1,472	194
1969	6	17	47	178	481	1,035	1,607	204
1970*	7	20	57	173	479	983	1,624	202
Females								
1960	7	13	60	189	375	664	908	158
1961	6	26	63	178	343	600	893	151
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164
1967	5	21	67	201	376	647	956	162
1968	6	23	78	191	375	641	1,104	170
1969	7	23	76	196	392	685	1,089	175
1970*	6	18	71	200	390	691	1,079	174

* See Note on page vii.

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 25 years but between the ages 25 and 54 years the female rates were generally greater than those for males. In 1970 the male death rate for all ages was 16 per cent above that for females. The trend in the death rates from cancer since 1943 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII

DEATHS FROM CANCER (Nos. 140–209) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1960 TO 1970.

Year	Ireland*	Six Counties	England and Wales	Scotland
1960	1.68	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.61	2.18	2.21
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29
1966	1.79	1.71	2.25	2.31
1967	1.76	1.65	2.30	2.34
1968	1.82	1.84	2.32	2.40
1969	1.89	1.86	2.35	2.42
1970	1.88	1.77	2.36	2.43

* Exclusive of the Six Counties.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and the Six Counties.

The death rates from cancer in 1970 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140–209) IN EACH COUNTY AND COUNTY BOROUGH IN 1970.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	2.16	2.24	Clare	1.85	1.51
Dublin County Borough	1.88	2.37	Cork County Borough	1.89	2.34
Dun Laoghaire Borough	2.19	2.24	Cork County	2.03	1.83
Dublin County (remainder)	1.22	2.25	Kerry	1.89	1.60
Kildare	1.58	2.06	Limerick County Borough	1.62	2.20
Kilkenny	1.98	1.88	Limerick County	2.08	1.94
Laois	1.51	1.44	Tipperary, N.R.	1.98	1.90
Longford	1.75	1.50	Tipperary, S.R.	2.07	1.98
Louth	1.88	2.21	Waterford County Borough	1.99	2.34
Meath	1.67	1.81	Waterford County	2.16	1.91
Offaly	1.38	1.47			
Westmeath	1.69	1.64	MUNSTER	1.96	1.89
Wexford	1.97	1.90			
Wicklow	1.99	2.15	Galway	1.77	1.60
			Leitrim	2.67	1.89
LEINSTER	1.76	2.11	Mayo	2.28	1.74
			Roscommon	2.22	1.68
Cavan	2.05	1.67	Sligo	2.58	2.07
Donegal	1.86	1.50			
Monaghan	2.12	1.85	CONNACHT	2.15	1.73
ULSTER (part of)	1.97	1.62	TOTAL	1.88	1.88

TABLE XXV

MORTALITY IN 1970 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed Inter- national List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
140-149 150-159 160-163 170-174 180-189 190-199 200-209	Malignant neoplasms of:	Number of deaths															
	Buccal cavity and pharynx	-	1	1	7	12	25	45	91	1	1	3	4	10	9	12	40
	Digestive organs and peritoneum	-	9	25	91	251	408	409	1,193	2	6	23	99	188	378	466	1,162
	Respiratory system	2	3	21	102	271	288	115	802	-	-	9	32	65	78	40	224
	Bone, connective tissue, skin and breast	11	4	5	8	19	17	25	89	6	10	39	94	109	126	101	485
	Genito-urinary organs	4	3	3	16	61	136	202	425	2	5	23	65	93	82	77	347
	Other and unspecified sites	9	4	19	27	40	39	29	167	12	1	6	13	44	39	37	152
	Lymphatic and haematopoietic tissues	24	9	14	30	42	62	39	220	20	6	5	13	39	49	15	147
	TOTAL	50	33	88	281	696	975	864	2,987	43	29	108	320	548	761	748	2,557
	140-149 150-159 160-163 170-174 180-189 190-199 200-209	Malignant neoplasms of:	Rates per 100,000 corresponding population														
Buccal cavity and pharynx		-	0.6	0.7	4.3	8.3	25.2	84.6	6.2	0.1	0.6	2.0	2.5	7.1	8.2	17.3	2.7
Digestive organs and peritoneum		-	5.6	16.3	56.2	172.9	411.3	768.8	80.7	0.3	3.8	15.2	61.8	133.7	343.0	672.4	79.3
Respiratory system		0.3	1.9	13.7	63.0	186.6	290.3	216.2	54.2	-	-	5.9	20.0	46.2	70.8	57.7	15.3
Bone, connective tissue, skin and breast		1.6	2.5	3.3	4.9	13.1	17.1	47.0	6.0	0.9	6.3	25.7	58.7	77.5	114.3	145.7	33.1
Genito-urinary organs		0.6	1.9	2.0	9.9	42.0	137.1	379.7	28.7	0.3	3.2	15.2	40.6	66.1	74.4	111.1	23.7
Other and unspecified sites		1.3	2.5	12.4	16.7	27.5	39.3	54.5	11.3	1.8	0.6	4.0	8.1	31.3	35.4	53.4	10.3
Lymphatic and haematopoietic tissues		3.4	5.6	9.1	18.5	28.9	62.5	73.3	14.9	3.0	3.8	3.3	8.1	27.7	44.5	21.6	10.0
TOTAL		7.1	20.4	57.3	173.5	479.3	982.9	1,624.1	202.0	6.4	18.4	71.2	199.8	389.8	690.6	1,079.4	174.4

The crude death rate from cancer in 1970 varied from 2.67 per 1,000 population in Leitrim to 1.22 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.37 per 1,000 population in Dublin County Borough to 1.44 in Laois. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer occurring in 1970, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate for males being only 2 per cent higher than that for females. The death rate from malignant neoplasms of the respiratory system was nearly four times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1960 to 1970, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1961 TO 1970 FROM
CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	-	4	25	30	62	121
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
1967	1	16	79	221	325	642	1	5	33	54	72	165
1968	6	8	86	250	371	721	3	7	20	64	93	187
1969	3	12	94	223	342	674	2	6	27	48	95	178
1970*	5	21	100	259	370	755	-	8	27	57	110	202
Death rates per 100,000 corresponding population												
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	34.9	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.1	-	2.4	15.3	22.3	36.9	8.5
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2
1967	0.1	10.3	47.6	158.2	216.0	44.1	0.1	3.2	20.2	40.0	41.4	11.4
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	52.8	12.9
1969	0.4	7.8	57.7	156.4	226.2	46.0	0.2	3.9	16.8	34.6	53.5	12.2
1970*	0.6	13.7	61.7	178.4	242.8	51.1	-	5.3	16.9	40.5	61.3	13.8

*See Note on page vii.

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1961 the death rate in the case of males was 34.9 compared with 7.8 in the case of females. In 1970 the corresponding rates were 51.1 and 13.8 respectively. In 1960 females accounted for 18.9 per cent of the deaths, by 1970 their percentage share had risen to 21.1.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1965 to 1970.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1965 TO 1970.

Area	1965	1966	1967	1968	1969	1970
	Number of deaths					
Ireland*	716	777	807	908	852	957
Six Counties	414	447	474	525	544	524
Scotland	2,961	2,972	3,150	3,209	3,273	3,443
England and Wales	26,399	27,025	28,250	28,836	29,763	30,284
	Rates per 100,000 population					
Ireland*	25	27	28	31	29	33
Six Counties	28	30	32	35	36	34
Scotland	57	58	61	62	63	66
England and Wales	55	56	58	59	61	62

* Exclusive of the Six Counties.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales were more than double the Irish rates.

DISEASES OF THE CIRCULATORY SYSTEM

There were 16,819 deaths ascribed to diseases of the circulatory system (Nos. 390–458) in 1970 of which 9,115 were deaths of males and 7,704 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (4,802 males compared with 2,968 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1970 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Uncertified	Per cent	Total	Uncertified	Per cent
Active rheumatic fever	1	-	-	-	-	-
Chronic rheumatic heart disease	214	-	-	189	-	-
Hypertensive disease	391	5	1.3	371	1	0.3
Ischaemic heart disease	4,802	42	0.9	2,968	26	0.9
Other forms of heart disease	819	27	3.3	912	25	2.7
Cerebrovascular disease	2,127	9	0.4	2,459	8	0.3
Disease of arteries, arterioles and capillaries	633	5	0.8	658	3	0.5
Disease of veins and lymphatics and other diseases of the circulatory system	128	-	-	147	-	-
TOTAL	9,115	88	1.0	7,704	63	0.8

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1970, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION.

Detailed 1965 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
390-392	Active rheumatic fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
393-398	Chronic rheumatic heart disease	4	8	13	30	45	64	50	214	4	5	9	29	44	37	61	189
400-404	Hypertensive disease	2	1	8	10	62	133	175	391	-	-	6	18	29	93	225	371
410-414	Ischaemic heart disease	5	9	86	390	968	1,571	1,773	4,802	-	2	22	113	349	822	1,660	2,968
420-429	Other forms of heart disease	3	6	1	15	40	154	600	819	7	3	5	10	25	108	754	912
430-438	Cerebrovascular disease	9	8	22	88	247	629	1,124	2,127	6	1	27	78	235	606	1,506	2,459
440-448	Diseases of arteries, arterioles and capillaries	3	1	2	12	40	152	423	633	-	-	5	9	30	96	518	658
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	1	1	2	14	23	47	40	128	-	3	3	14	27	51	49	147
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	28	34	134	559	1,425	2,750	4,185	9,115	17	14	77	271	739	1,813	4,773	7,704
		Rates per 100,000 corresponding population															
390-392	Active rheumatic fever	0.1	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-
393-398	Chronic rheumatic heart disease	0.6	5.0	8.5	18.5	31.0	64.5	94.0	14.5	0.6	3.2	5.9	18.1	31.3	33.6	88.0	12.9
400-404	Hypertensive disease	0.3	0.6	5.2	6.2	42.7	134.1	328.9	26.4	-	-	4.0	11.2	20.6	84.4	324.7	25.3
410-414	Ischaemic heart disease	0.7	5.6	56.0	240.7	666.7	1,583.7	3,332.7	324.7	-	1.3	14.5	70.5	248.2	745.9	2,395.4	202.5
420-429	Other forms of heart disease	0.4	3.7	0.7	9.3	27.5	155.2	1,127.8	55.4	1.0	1.9	3.3	6.2	17.8	98.0	1,088.0	62.2
430-438	Cerebrovascular disease	1.3	5.0	14.3	54.3	170.1	634.1	2,112.8	143.8	0.9	0.6	17.8	48.7	167.1	549.9	2,173.2	167.8
440-448	Diseases of arteries, arterioles and capillaries	0.4	0.6	1.3	7.4	27.5	153.2	795.1	42.8	-	-	3.3	5.6	21.3	87.1	747.5	44.9
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	0.1	0.6	1.3	8.6	15.8	47.4	75.2	8.7	-	1.9	2.0	8.7	19.2	46.3	70.7	10.0
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	4.0	21.1	87.3	345.1	981.4	2,772.2	7,866.5	616.4	2.5	8.9	50.8	169.2	525.6	1,645.2	6,887.4	525.7

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460-519 in the International List) in 1970 numbered 5,130. These included 704 deaths caused by influenza, 2,015 by pneumonia, 1,737 by bronchitis and 674 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1970 was 20, the same as in 1969. The death rate was 0.31 per thousand maternities. TABLE XXX shows the maternal deaths in 1970 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1970 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE.

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and over
Other complications of pregnancy	1	-	-	-	1	-	-	-
Pre-eclampsia, eclampsia and toxæmia unspecified	4	-	-	2	-	1	1	-
Delivery complicated by placenta prævia and antepartum haemorrhage	2	-	-	1	-	1	-	-
Delivery complicated by retained placenta	1	-	-	-	-	1	-	-
Delivery complicated by other postpartum haemorrhage	1	-	-	-	-	1	-	-
Delivery with rupture of uterus	1	-	-	-	-	1	-	-
Delivery with other complications	1	-	-	-	1	-	-	-
Sepsis of childbirth and the puerperium	1	-	-	-	-	1	-	-
Puerperal pulmonary embolism	3	-	-	-	2	1	-	-
Cerebral haemorrhage in the puerperium	3	-	1	1	1	-	-	-
Puerperal blood dyscrasias	2	-	1	-	1	-	-	-
TOTAL	20	-	2	4	6	7	1	-

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1970

Cirrhosis of liver	1	-	-	1	-	-	-	-
Pulmonary tuberculosis	1	-	-	1	-	-	-	-
Diabetes mellitus	2	-	-	-	-	1	-	1
TOTAL	4	-	-	2	-	1	-	1

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1961 to 1970.

TABLE XXXI

MATERNAL DEATHS PER 100,000 TOTAL LIVE AND STILL BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1961-1970.

Year	Number of deaths	Deaths per 100,000 live and still births			
		Ireland*	Six Counties	England and Wales	Scotland
1961	27	44	52	34	36
1962	27	43	30	36	39
1963	22	34	41	28	37
1964	30	46	17	25	23
1965	18	28	32	25	37
1966	18	28	18	26	24
1967	14	22	24	20	23
1968	22	36	27	24	15
1969	20	31	15	19	14
1970	20	31	-	18	19

* Exclusive of the Six Counties

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:-

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rates for infant mortality were in Leitrim, Sligo and Clare and the lowest in Wexford and Kildare. The rates for perinatal mortality were highest in Westmeath, Leitrim and Sligo and lowest in Wexford whilst those for late foetal mortality were highest in Westmeath and lowest in Wexford and Waterford Co. Borough.

TABLE XXXII

INFANT AND LATE FOETAL MORTALITY*, 1970.

Area	Infant mortality		Neo-natal mortality		Late foetal mortality		Perinatal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,255	19.5	821	12.8	904	13.8	1,583	24.2
Carlow	20	23.4	15	17.6	20	22.9	32	36.6
Dublin Co. Borough and County	371	18.3	239	11.8	294	14.3	492	24.0
Kildare	28	15.5	19	10.5	26	14.2	41	22.4
Kilkenny	29	24.1	25	20.7	18	14.7	40	32.7
Laois	17	17.5	12	12.3	11	11.2	21	21.4
Longford	17	29.5	8	13.9	10	17.0	17	29.0
Louth	32	16.7	22	11.5	27	13.9	46	23.7
Meath	36	22.5	24	15.0	22	13.6	38	23.5
Offaly	27	23.8	15	13.2	14	12.2	24	20.9
Westmeath	32	27.0	23	19.4	29	23.9	52	42.9
Wexford	30	15.4	16	8.2	11	5.6	22	11.2
Wicklow	30	19.9	20	13.3	27	17.6	43	28.1
LEINSTER	669	19.2	438	12.5	509	14.4	868	24.5
Clare	44	30.3	28	19.3	18	12.2	41	27.9
Cork Co. Borough and County	145	18.7	103	13.2	95	12.1	180	22.9
Kerry	38	18.0	27	12.8	28	13.1	50	23.4
Limerick Co. Borough and County	55	17.7	30	9.6	47	14.9	70	22.2
Tipperary, N.R.	20	17.0	11	9.4	18	15.1	28	23.5
Tipperary, S.R.	30	20.5	19	13.0	19	12.8	38	25.6
Waterford Co. Borough and County	30	18.0	19	11.4	16	9.5	32	19.0
MUNSTER	362	19.3	237	12.6	241	12.7	439	23.1
Galway	53	17.9	34	11.5	45	15.0	73	24.3
Leitrim	15	36.5	13	31.6	4	9.6	16	38.6
Mayo	38	20.2	14	7.4	24	12.6	34	17.9
Roscommon	16	20.2	8	10.1	11	13.7	18	22.4
Sligo	27	32.9	22	26.8	11	13.2	31	37.3
CONNACHT	149	21.7	91	13.3	95	13.7	172	24.7
Cavan	16	17.1	13	13.9	20	21.0	30	31.4
Donegal	38	18.8	29	14.4	29	14.2	52	25.4
Monaghan	21	23.5	13	14.6	10	11.1	22	24.4
ULSTER (part of)	75	19.5	55	14.3	59	15.1	104	26.6

* For definition — see page xxxv.

INFANT MORTALITY

During the year 1970 there were 1,255 deaths of infants under one year, a decrease of 38 on 1969. The 1970 rate of 19.5 per 1,000 live births is the lowest ever recorded; the rate in 1969 was 20.6.

TABLE XXXIII

INFANT MORTALITY BY AGE, 1941-1970.

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.9
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0
1969	5.9	6.0	1.0	0.8	0.6	14.3	1.4	0.9	2.1	1.8	6.2	20.6
1970*	6.1	4.4	1.1	0.5	0.5	12.8	1.5	0.9	2.5	1.8	6.7	19.5

* See Note on page vii.

Infant mortality has shown a considerable decrease in the period covered by the Table, the greatest reductions being in ages between 14 days and under 4 weeks, where the 1968 rates were about one-seventh of those at the start of the period, and in ages over 4 weeks, where the 1968 rate was less than one-fifth of that in the period 1941-50. No significant changes were shown at ages 1-6 days until 1963, since then, apart from an increase in 1964 and again in 1969 there has been a downward trend. No significant changes were shown at ages under 24 hours until 1968 when there was a drop of about 10 per cent in the rate with a further drop of 11 per cent in 1969, the rate rising again in 1970 by 3 per cent.

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1943-1970




TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1970.

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21
1969	21	24	18	21
1970	19	23	18	20

* Exclusive of the Six Counties.

As can be seen from Table XXXIV the decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1970 CLASSIFIED BY CAUSE AND AGE.

International List Numbers	Cause	Late foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	2	5	34	41
Rem. 000-136	Other infective and parasitic diseases	-	-	2	6	28	36
320	Meningitis	-	-	3	3	11	17
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	2	13	26	166	207
520-577	Diseases of the digestive system	-	1	1	1	4	7
740-759	Congenital anomalies	182	93	65	62	102	322
764-768, 772	Birth injuries	27	18	30	4	-	52
774, 775	Haemolytic disease of newborn	64	20	2	-	-	22
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	58	118	107	11	4	240
777	Immaturity, unqualified	19	102	33	9	3	147
778	Other conditions of foetus or newborn (including haemorrhagic disease)	11	5	12	1	2	20
	Other causes	543	36	15	13	80	144
	TOTAL	904	395	285	141	434	1,255

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 20 per cent were ascribed to immaturity, congenital anomalies accounted for 23 per cent, anoxic, and hypoxic conditions not elsewhere specified (including atelectasis) 33 per cent and birth injuries 7 per cent. At ages

over 4 weeks respiratory diseases, congenital anomalies, and enterities and other diarrhoeal diseases were the main causes of death. Details of the 144 deaths included as other causes will be found in Table 19 where it will be noted that 59 of them were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:—

Year	Late Foetal Deaths
1957	1,391
1958	1,264
1959	1,267
1960	1,361
1961	1,264
1962	1,241
1963	1,169
1964	1,126
1965	1,072
1966	996
1967	1,000
1968	934
1969	893
1970	904

The causes of late foetal deaths notified in 1970 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI.

TABLE XXXVI

LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1970.

International List Numbers	Cause	Number of Late foetal Deaths	Rate per 1,000 total Births
704	Anencephalus	106	1.62
741	Spina bifida	17	0.26
742	Congenital hydrocephalus	30	0.46
743	Other congenital anomalies of nervous system	2	0.03
746	Congenital anomalies of heart	2	0.03
748	Congenital anomalies of respiratory system	1	0.02
750	Other congenital anomalies of upper alimentary tract	1	0.02
751	Other congenital anomalies of digestive system	1	0.02
753	Congenital anomalies of urinary system	1	0.02
756	Other congenital anomalies of musculoskeletal system	3	0.05
758	Other and unspecified congenital anomalies	7	0.11
759	Congenital syndromes affecting multiple systems	11	0.17
760	Chronic circulatory and genito-urinary diseases in mother	13	0.20
761	Other maternal conditions unrelated to pregnancy	17	0.26
762	Toxaemia of pregnancy	57	0.87
763	Maternal ante- and intrapartum infection	1	0.02
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	1	0.02
766	Difficult labour with malposition of foetus	16	0.25
767	Difficult labour with abnormality of forces of labour	2	0.03
768	Difficult labour with other and unspecified complications	7	0.11
769	Other complications of pregnancy and childbirth	14	0.21
770	Conditions of placenta	191	2.93
771	Conditions of umbilical cord	68	1.04
772	Birth injury without mention of cause	1	0.02
775	Haemolytic disease of newborn, without mention of kernicterus	64	0.98
776	Anoxic and hypoxic conditions not elsewhere classified	58	0.89
777	Immaturity, unqualified	19	0.29
778	Other conditions of foetus or newborn	11	0.17
779	Foetal deaths of unknown cause	182	2.79
	ALL CAUSES	904	13.85

*For definition — see page xxxv.

More late foetal deaths resulted from placental and cord injuries than from any other group, being 29 per cent of the total deaths. Congenital anomalies of foetus was next at 20 per cent and haemolytic disease of the newborn at 7 per cent. Of the total deaths 20 per cent were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII 836 late foetal deaths in 1970 occurred in hospitals; this is equivalent to 92 per cent of the total number of late foetal deaths. From the same table it may be observed that over half of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII
LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1970 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED.

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28 – 36 weeks	387	17	11	415
37 weeks and over	449	31	9	489
TOTAL	836	48	20	904

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1965 to 1970 compare as follows:—

TABLE XXXVIII
PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES, 1965–1970.

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland†	Six Counties	England and Wales	Scotland	Ireland†	Six Counties	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3
1967	16.0	17.0	14.4	15.8	28.5	31.0	25.4	27.5
1968	15.1	16.3	14.4	14.8	26.6	29.4	24.7	25.9
1969	14.0	15.3	13.2	14.0	25.8	28.8	23.4	25.0
1970	13.8	14.3	12.8	13.9	24.2	27.6	23.4	24.8

* For definition see page xxxv.

† Exclusive of the Six Counties.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) registered in 1970 was 1,414 of which 889 were males and 525 females. The corresponding figures for 1969 were 1,360, 859 and 501 respectively. In the Eighth Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 88 deaths in 1970. In the Seventh Revision, 54 of these deaths would have been in the category Accidental drowning and 27 in the category Accidental poisoning, so for comparison with former years, they have been grouped with these categories in Table XXXIX.

TABLE XXXIX
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1961 TO 1970.

International List Numbers 8th Revision	Cause of death	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970*
E800-E807	Railway accidents	2	6	6	4	4	4	7	2	4	6
E810-E827	Road vehicle accidents	315	310	322	312	327	371	398	430	466	500
E850-E877	Accidental poisoning								23	20	30
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted	24	35	20	25	39	27	18	18	24	27
E890-E899; E924	Accidents caused by fire, explosion and burns	69	74	77	79	64	73	84	56	69	78
E910	Accidental drowning								90	74	83
E984	Drowning undetermined whether accidentally or purposely inflicted	103	110	112	124	118	138	146	61	51	54
E880-E887	Accidental falls	266	274	316	309	329	336	304	352	394	376
Rem. E800-E999	Other accidents and external causes	130	125	153	161	156	151	168	235	206	208
E950-E959	Suicide and self-inflicted injury	89	52	70	58	51	69	72	71	52	52
	TOTAL	998	986	1,076	1,072	1,088	1,169	1,197	1,338	1,360	1,414

* See Note on page vii.

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. At ages over 75 years, while the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI, the vast majority of these falls occurred in the home.

TABLE XL

DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1970, CLASSIFIED BY AGE AND SEX.

International List Numbers (8th Revision)	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E800-E807	Railway accidents	M	6	-	-	1	2	1	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E810-E827	Road vehicle accidents	M	366	-	15	33	62	44	33	44	59	45	31
		F	134	1	3	18	23	14	7	13	13	26	16
E850-E877	Accidental poisoning	M	17	-	2	-	4	4	3	1	2	1	-
		F	13	-	1	1	4	1	-	2	-	-	4
E880-E887	Accidental falls	M	152	-	2	5	10	8	5	10	13	26	73
		F	224	1	3	1	-	1	1	3	5	41	168
E890-E899; E924	Accidents caused by fire, explosion and burns	M	35	1	3	3	1	3	2	1	5	6	10
		F	43	2	1	2	2	1	-	2	2	5	26
E910	Accidental drowning	M	59	-	7	10	11	6	12	5	4	3	1
		F	24	-	1	6	5	1	2	3	3	-	3
E950-E959	Suicide and self-inflicted injury	M	44	-	-	-	8	5	7	5	13	5	1
		F	8	-	-	-	1	-	3	1	2	-	1
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	64	-	-	-	8	7	13	9	14	8	5
		F	24	-	-	-	1	4	6	7	4	1	1
Rem. E800-E999	Other accidents and external causes	M	146	29	3	15	13	17	18	15	18	13	5
		F	55	25	6	6	1	1	2	2	5	2	5
	TOTAL	M	889	30	32	67	119	95	93	91	129	107	126
		F	525	29	15	34	37	23	21	33	34	75	224

TABLE XLI

DEATHS DUE TO ACCIDENTS IN THE HOME IN 1970, CLASSIFIED BY CAUSE AND AGE GROUP.

Inter- national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M	5	-	1	-	-	1	1	-	1	1	-
		F	5	-	1	1	1	1	-	1	-	-	-
E870-E877	Accidental poisoning by gases and vapours	M	3	-	-	-	1	-	2	-	-	-	-
		F	6	-	-	-	1	-	-	1	-	-	4
E880-E887	Accidental falls	M	96	-	2	-	1	1	2	4	4	15	67
		F	211	1	2	1	-	1	1	1	4	38	162
E890-E899	Accident caused by fires and flames	M	30	1	2	3	-	3	2	1	5	4	9
		F	41	2	1	2	2	1	-	1	2	5	25
E904	Exposure and neglect	M	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1
E910	Accidental drowning and submersion	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	23	12	2	-	1	1	1	1	1	2	2
		F	19	12	3	1	-	-	-	1	-	1	1
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	-	-
E913	Accidental mechanical suffocation	M	6	5	-	1	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-
E916	Struck accidentally by falling object	M	1	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E922	Accident caused by firearm missiles	M	2	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E923	Accident caused by explosive material	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance, corrosive liquid and steam	M	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	1
E925	Accident caused by electric current	M	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
	Other and unspecified accidents	M	6	-	-	2	2	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1
	TOTAL	M	175	20	8	8	5	6	10	7	11	22	78
		F	291	16	9	5	4	3	1	7	7	44	195

There were 466 deaths resulting from accidents in the home recorded in 1970, compared with 462 in 1969. As will be seen from Table XLI 307 deaths in 1970 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids etc., accounted for 74 deaths, of which 7 were of children under 5 years of age and 51 of persons aged 55 years and over. Twenty-four deaths of children under one year old were due to obstruction and suffocation by food and 6 to accidental mechanical suffocation. There were 19 deaths from accidental poisoning, 13 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1970 in which the cause of death was not certified by a medical practitioner was 499 which represents 1.5 per cent of the total deaths. In TABLE 23 uncertified deaths in 1970 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and south-west regions of the country, being highest, in the year 1970 in the counties of Leitrim (8.0 per cent), Mayo (6.0 per cent) and Kerry (4.4 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place, the percentage for 1970 being over one-ninth of the average for the period 1941-50.

TABLE XLII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL IN EACH PROVINCE IN THE YEARS 1941 TO 1970*.

Province	1941-50	1951-60	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970*
Leinster	5.6	3.1	1.5	1.4	1.4	1.2	1.1	1.0	0.8	0.7	0.7	0.6
Munster	12.1	8.1	4.7	4.4	4.2	3.3	3.0	2.5	2.3	1.6	1.6	1.3
Connacht	28.1	20.0	12.5	12.5	11.0	8.9	9.3	6.9	6.0	4.9	4.8	4.2
Ulster (part of)	22.0	13.8	7.9	7.9	6.4	5.3	4.8	3.7	3.5	3.2	2.1	2.0
TOTAL	13.0	8.5	4.9	4.7	4.2	3.4	3.3	2.6	2.3	1.9	1.7	1.5

* See Note on page vii.

TABLE XLIII

PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1970*.

Province	All ages	Under 1 year	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	0.6	0.1	0.4	-	-	0.6	0.4	0.3	0.4	0.9
Munster	1.3	-	-	-	-	-	0.6	0.5	0.5	2.3
Connacht	4.2	-	-	-	-	-	0.4	1.2	2.0	6.9
Ulster (part of)	2.0	-	-	-	-	-	-	0.5	0.9	3.4
TOTAL	1.5	0.1	0.2	-	-	0.3	0.4	0.5	0.7	2.7
Actual number of deaths uncertified	499	1	1	-	-	2	9	24	64	398

* See Note on page vii.

The proportion of deaths uncertified was highest in the age group 75 years and over; this age group accounted for over four-fifths of the uncertified deaths. In most age groups the province of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUEST AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1970 was 2,566 compared with 2,454 in 1969 and 2,336 in 1968.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS IN EACH YEAR 1851 TO 1970.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1892	3,408	1,697	1,711	1933	2,962	1,512	1,450
1852	4,927	2,413	2,514	1893	3,382	1,684	1,698	1934	2,971	1,518	1,453
1853	4,807	2,358	2,449	1894	3,362	1,675	1,687	1935	2,971	1,520	1,451
1854	4,704	2,311	2,393	1895	3,333	1,662	1,671	1936	2,967	1,520	1,447
1855	4,638	2,281	2,357	1896	3,314	1,653	1,661	1937	2,948	1,510	1,438
1856	4,594	2,261	2,333	1897	3,298	1,646	1,652	1938	2,937	1,505	1,432
1857	4,540	2,234	2,306	1898	3,283	1,640	1,643	1939	2,934	1,503	1,431
1858	4,506	2,217	2,289	1899	3,265	1,631	1,634	1940	2,958	1,515	1,443
1859	4,471	2,199	2,272	1900	3,234	1,616	1,618	1941	2,993	1,533	1,460
1860	4,428	2,179	2,249	1901	3,213	1,607	1,606	1942	2,963	1,499	1,464
1861	4,393	2,164	2,229	1902	3,200	1,603	1,597	1943	2,946	1,490	1,456
1862	4,377	2,158	2,219	1903	3,185	1,599	1,586	1944	2,944	1,487	1,457
1863	4,328	2,134	2,194	1904	3,175	1,597	1,578	1945	2,952	1,490	1,462
1864	4,263	2,103	2,160	1905	3,165	1,594	1,571	1946	2,957	1,496	1,461
1865	4,223	2,084	2,139	1906	3,160	1,593	1,567	1947	2,974	1,505	1,469
1866	4,163	2,051	2,112	1907	3,151	1,589	1,562	1948	2,985	1,512	1,473
1867	4,130	2,033	2,097	1908	3,145	1,588	1,557	1949	2,981	1,513	1,468
1868	4,109	2,022	2,087	1909	3,142	1,589	1,553	1950	2,969	1,510	1,459
1869	4,090	2,012	2,078	1910	3,139	1,588	1,551	1951	2,961	1,507	1,454
1870	4,062	1,996	2,066	1911	3,132	1,586	1,546	1952	2,953	1,501	1,452
1871	4,042	1,986	2,056	1912	3,120	1,581	1,539	1953	2,949	1,498	1,451
1872	4,023	1,975	2,048	1913	3,103	1,572	1,531	1954	2,941	1,493	1,448
1873	3,989	1,955	2,034	1914	3,092	1,568	1,524	1955	2,921	1,479	1,442
1874	3,966	1,944	2,022	1915	3,068	1,546	1,522	1956	2,898	1,463	1,435
1875	3,951	1,940	2,011	1916	3,068	1,549	1,519	1957	2,885	1,456	1,429
1876	3,949	1,942	2,007	1917	3,065	1,551	1,514	1958	2,853	1,439	1,414
1877	3,956	1,947	2,009	1918	3,066	1,553	1,513	1959	2,846	1,435	1,411
1878	3,952	1,948	2,004	1919	3,102	1,598	1,504	1960	2,832	1,427	1,405
1879	3,939	1,944	1,995	1920	3,103	1,598	1,505	1961	2,818	1,417	1,402
1880	3,891	1,920	1,971	1921	3,096	1,599	1,497	1962	2,830	1,423	1,407
1881	3,847	1,901	1,946	1922	3,022	1,529	1,493	1963	2,850	1,433	1,417
1882	3,808	1,882	1,926	1923	3,014	1,526	1,488	1964	2,864	1,440	1,424
1883	3,745	1,853	1,892	1924	3,005	1,521	1,484	1965	2,876	1,446	1,430
1884	3,703	1,834	1,869	1925	2,985	1,512	1,473	1966	2,884	1,449	1,435
1885	3,671	1,820	1,851	1926	2,971	1,507	1,464	1967	2,899	1,456	1,443
1886	3,642	1,808	1,834	1927	2,957	1,502	1,455	1968	2,910	1,461	1,449
1887	3,600	1,788	1,812	1928	2,944	1,498	1,446	1969	2,921	1,466	1,455
1888	3,554	1,766	1,788	1929	2,937	1,496	1,441	1970	2,944	1,479	1,466
1889	3,516	1,748	1,768	1930	2,927	1,493	1,434				
1890	3,482	1,733	1,749	1931	2,933	1,497	1,436				
1891	3,449	1,718	1,731	1932	2,949	1,505	1,444				

TABLE 2 - ESTIMATED POPULATION BY AGE 1970

Age Group	Total	Males	Females
Under 1	62,700	32,300	30,400
1-4	247,200	126,300	120,900
5-9	313,000	159,800	153,200
10-14	295,600	150,700	144,900
15-19	255,900	130,700	125,200
20-24	205,600	104,400	101,200
25-29	168,700	85,100	83,600
30-34	150,700	76,400	74,300
35-39	150,000	75,900	74,100
40-44	155,100	77,600	77,500
45-49	161,500	80,800	80,700
50-54	160,700	81,200	79,500
55-59	153,100	78,000	75,100
60-64	132,700	67,200	65,500
65-69	111,700	54,100	57,600
70-74	97,700	45,100	52,600
75-79	66,400	29,800	36,600
80-84	37,000	16,000	21,000
85+	19,100	7,400	11,700
All Ages	2,944,400	1,478,800	1,465,600

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE
CENSUS OF POPULATION, 1966

Area	Persons	Males	Females
Carlow	33,593	17,320	16,273
Dublin County Borough	568,772	267,070	301,702
Dun Laoghaire Borough	51,772	23,159	28,613
Dublin County (remainder)	174,503	85,463	89,040
Kildare	66,404	34,829	31,575
Kilkenny	60,463	31,390	29,073
Laois	44,595	23,622	20,973
Longford	28,989	15,245	13,744
Louth	69,519	34,664	34,855
Meath	67,323	34,877	32,446
Offaly	51,717	27,007	24,710
Westmeath	52,900	27,101	25,799
Wexford	83,437	42,270	41,167
Wicklow	60,428	30,231	30,197
Clare	73,597	38,667	34,930
Cork County Borough	122,146	58,122	64,024
Cork County	217,557	111,888	105,669
Kerry	112,785	58,674	54,111
Limerick County Borough	55,912	26,747	29,165
Limerick County	81,445	42,388	39,057
Tipperary, N.R.	53,843	28,064	25,779
Tipperary, S.R.	68,969	35,352	33,617
Waterford County Borough	29,842	14,140	15,702
Waterford County	43,238	22,326	20,912
Galway	148,340	77,696	70,644
Leitrim	30,572	16,444	14,128
Mayo	115,547	59,829	55,718
Roscommon	56,228	29,782	26,446
Sligo	51,263	26,346	24,917
Cavan	54,022	28,803	25,219
Donegal	108,549	55,606	52,943
Monaghan	45,732	23,910	21,822
Total	2,884,002	1,449,032	1,434,970

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1970.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1961	15,329	59,825	30,687	29,138	58,850	975	531	444	34,763	18,750	16,013	25,062
1962	15,627	61,782	31,650	30,132	60,671	1,111	534	577	33,838	18,355	15,483	27,944
1963	15,556	63,246	32,486	30,760	62,089	1,157	587	570	33,795	18,199	15,596	29,451
1964	16,128	64,072	32,759	31,313	62,780	1,292	641	651	32,630	17,630	15,000	31,442
1965	16,946	63,525	32,438	31,087	62,122	1,403	708	695	33,022	17,965	15,057	30,503
1966	16,849	62,215	32,173	30,042	60,779	1,436	757	679	35,113	19,148	15,965	27,102
1967	17,788	61,307	31,642	29,665	59,767	1,540	779	761	31,400	17,035	14,365	29,907
1968	18,993	61,004	31,469	29,535	59,446	1,558	782	776	33,157	18,031	15,126	27,847
1969	20,304	62,912	32,143	30,769	61,270	1,642	845	797	33,734	18,340	15,394	29,178
1970	20,778	64,284	33,086	31,198	62,576	1,708	839	869	34,291	18,755	15,536	29,993
*1970	20,778	64,382	33,131	31,251	62,673	1,709	840	869	33,686	18,447	15,239	30,696

*Births and deaths classified by year of occurrence

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1970.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate Per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961	5.44	21.23	20.88	0.35	1.63	1,053	12.33	30.54	8.89
1962	5.52	21.83	21.44	0.39	1.80	1,050	11.96	29.13	9.87
1963	5.46	22.19	21.79	0.41	1.83	1,056	11.86	26.59	10.33
1964	5.63	22.37	21.92	0.45	2.02	1,046	11.39	26.72	10.98
1965	5.89	22.09	21.60	0.49	2.21	1,043	11.48	25.25	10.61
1966	5.84	21.57	21.07	0.50	2.31	1,071	12.18	24.95	9.40
1967	6.14	21.15	20.62	0.53	2.51	1,067	10.83	24.43	10.32
1968	6.53	20.96	20.43	0.54	2.55	1,065	11.39	20.98	9.57
1969	6.95	21.54	20.98	0.56	2.61	1,045	11.55	20.55	9.99
1970	7.06	21.83	21.25	0.58	2.66	1,061	11.65	19.57	10.19
*1970	7.06	21.87	21.29	0.58	2.65	1,061	11.44	19.49	10.43

*Births and deaths classified by year of occurrence

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND RATES FOR THE YEARS 1951 TO 1970 PER 1,000 OF THE POPULATION

Year	Marriages															Births					Deaths				
	Catholic					All others					Total					Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total										
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average 1951-1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
1967	3,114	3,884	6,260	3,839	17,097	141	171	280	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400
1968	3,725	3,747	6,769	4,019	18,260	151	161	286	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157
1969	4,118	4,000	7,216	4,107	19,441	149	232	315	167	863	4,267	4,232	7,531	4,274	20,304	15,361	16,861	16,235	14,455	62,912	10,035	8,657	7,177	7,865	33,734
1970	3,598	4,751	7,242	4,398	19,989	141	187	315	146	789	3,739	4,938	7,557	4,544	20,778	15,857	17,232	16,155	15,040	64,284	10,199	8,910	7,195	7,987	34,291
*1970	3,598	4,751	7,242	4,398	19,989	141	187	315	146	789	3,739	4,938	7,557	4,544	20,778	13,462	17,451	16,098	17,371	64,382	10,552	8,125	7,076	7,933	33,686

Equivalent annual rate per 1,000 corresponding population

Average 1951-1960	4.2	5.2	7.8	4.8	5.5	3.0	5.0	6.6	3.4	4.5	4.1	5.2	7.7	4.7	5.4	20.9	22.9	21.6	19.6	21.2	15.3	12.4	9.9	11.2	12.2
1961	3.3	5.5	8.5	4.8	5.5	1.9	4.6	5.4	3.5	3.8	3.2	5.5	8.3	4.8	5.4	20.9	23.0	22.0	19.0	21.2	17.1	11.6	9.8	10.8	12.3
1962	4.1	4.8	8.9	4.5	5.6	3.1	5.1	7.1	2.7	4.5	4.0	4.8	8.8	4.4	5.5	21.7	23.4	22.3	20.1	21.8	15.3	12.1	9.9	10.7	12.0
1963	4.0	4.8	8.4	4.9	5.5	3.2	4.4	7.0	3.9	4.6	3.9	4.8	8.4	4.8	5.5	21.8	23.8	23.1	20.5	22.2	15.1	11.9	10.1	10.6	11.9
1964	3.5	5.9	8.6	4.8	5.7	2.4	4.3	7.6	3.0	4.3	3.5	5.8	8.5	4.7	5.6	21.4	24.4	23.3	21.0	22.4	13.0	12.5	9.8	10.5	11.4
1965	5.0	4.9	9.0	4.9	6.0	2.5	3.6	7.5	3.5	4.3	4.9	4.8	9.0	4.9	5.9	22.1	23.8	22.5	20.1	22.1	13.7	11.0	10.2	11.1	11.5
1966	4.8	4.7	9.0	5.0	5.9	3.3	4.7	7.4	3.7	4.8	4.8	4.7	8.9	5.0	5.8	21.1	23.0	22.4	19.8	21.6	15.4	12.7	9.6	11.1	12.2
1967	4.6	5.7	9.2	5.6	6.3	3.3	4.0	6.5	2.3	4.0	4.5	5.6	9.0	5.4	6.1	20.7	23.0	21.2	19.6	21.1	11.9	10.8	9.8	10.8	10.8
1968	5.4	5.4	9.8	5.8	6.6	4.2	4.5	8.0	3.8	5.2	5.3	5.4	9.7	5.7	6.5	21.3	22.0	21.0	19.5	21.0	14.2	11.4	9.6	10.4	11.4
1969	5.9	5.8	10.4	5.9	7.0	4.2	6.6	8.9	4.7	6.1	5.8	5.8	10.3	5.9	7.0	21.0	23.1	22.2	19.8	21.5	13.7	11.9	9.8	10.8	11.5
1970	5.1	6.8	10.3	6.3	7.1	4.0	5.2	8.8	4.1	5.5	5.1	6.7	10.3	6.2	7.1	21.5	23.4	21.9	20.4	21.8	13.9	12.1	9.8	10.9	11.7
*1970	5.1	6.8	10.3	6.3	7.1	4.0	5.2	8.8	4.1	5.5	5.1	6.7	10.3	6.2	7.1	18.3	23.7	21.9	23.6	21.9	14.3	11.0	9.6	10.8	11.4

*Births and deaths by quarter of occurrence.

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1970, WITH RATES PER 100,000 POPULATION.

Note - The classification of cause of death in this table is based on the Abbreviated List, 1965.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
	All causes	33,686	1,144.2	16,551	1,086.0
001	Typhoid fever	1	0.0	-	-
004,006	Bacillary dysentery and amoebiasis	1	0.0	2	0.1
008,009	Enteritis and other diarrhoeal diseases	84	2.9	46	3.0
010-012	Tuberculosis of respiratory system	199	6.8	44	2.9
013-019	Other tuberculosis, including late effects	22	0.7	21	1.4
032	Diphtheria	-	-	-	-
033	Whooping cough	-	-	-	-
034	Streptococcal sore throat and scarlet fever	1	0.0	-	-
036	Meningococcal infection	11	0.4	4	0.3
038	Septicaemia	27	0.9	10	0.7
040-043	Acute poliomyelitis	-	-	-	-
055	Measles	13	0.4	1	0.1
070	Infectious hepatitis	15	0.5	8	0.5
084	Malaria	-	-	-	-
090-097	Syphilis and its sequelae	4	0.1	4	0.3
Rem. 000-136	All other infective and parasitic diseases	55	1.9	22	1.4
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-209 (except 201 and 204-207)	(a) Cancer	5,309	180.3	2,696	176.9
201,204-207	(b) Hodgkin's disease and leukaemia	235	8.0	113	7.4
210-239	Benign neoplasms and neoplasms of unspecified unspecified nature	103	3.5	32	2.1
250	Diabetes mellitus	348	11.8	156	10.2
260-269	Avitaminoses and other nutritional deficiency	15	0.5	6	0.4
280-285	Anaemias	115	3.9	55	3.6
320	Meningitis	35	1.2	18	1.2
390-392	Active Rheumatic fever	1	0.0	-	-
393-398	Chronic rheumatic heart disease	403	13.7	214	14.0
400-404	Hypertensive disease	762	25.9	232	15.2
410-414	Ischaemic heart disease	7,770	263.9	4,498	295.1
420-429	Other forms of heart disease	1,731	58.8	930	61.0

* Exclusive of the Six Counties

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1970, WITH RATES PER 100,000 POPULATION.

Detailed List No.	Cause of death	Ireland*		Six Counties	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease	4,586	155.8	2,450	160.8
470-474	Influenza	704	23.9	262	17.2
480-486	Pneumonia	2,015	68.4	794	52.1
490-493	Bronchitis, emphysema and asthma	2,016	68.5	952	62.5
531-533	Peptic ulcer	242	8.2	112	7.3
540-543	Appendicitis	24	0.8	8	0.5
550-553,560	Intestinal obstruction and hernia	97	3.3	62	4.1
571	Cirrhosis of liver	99	3.4	39	2.6
580-584	Nephritis and nephrosis	242	8.2	83	5.4
600	Hyperplasia of prostate	116	3.9	49	3.2
640-645	Abortion	-	-	-	-
630-639,650-678	Other complications of pregnancy, childbirth and the puerperium	20	0.7	-	-
740-759	Congenital anomalies	420	14.3	236	15.5
764-768,772-776	Birth injury, difficult labour and other anoxic and hypoxic conditions	292	9.9	160	10.5
760-763,769-771 773-775,777-779	Other causes of peri-natal mortality ¹	230	7.8	183	12.0
780-796	Senility without mention of psychosis, ill-defined and unknown causes	663	22.5	49	3.2
	All other diseases	3,246	110.3	1,304	85.6
E810-E823	Motor vehicle accidents	481	16.3	269	17.7
E800-E807 E825-E949	All other accidents	782	26.6	330	21.7
E950-E959	Suicide and self-inflicted injuries	52	1.8	60	3.9
E960-E999	All other external causes	99	3.4	37	2.4

* Exclusive of the Six Counties

¹ Late foetal deaths not included

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS DURING THE PERIOD 1864-1960 AND THE NUMBER OF DEATHS IN EACH YEAR 1961 TO 1970, CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961	18,750	1,195	77	61	76	84	204	471	1,261	2,637	4,761	5,682	2,161	80
1962	18,355	1,178	80	59	89	93	202	453	1,265	2,652	4,601	5,448	2,135	100
1963	18,199	1,101	72	56	86	86	182	444	1,207	2,749	4,677	5,434	2,009	96
1964	17,630	1,087	67	50	94	74	225	461	1,271	2,773	4,416	5,064	1,957	91
1965	17,965	1,036	79	45	93	104	176	464	1,175	2,751	4,753	5,065	2,123	101
1966	19,148	1,020	62	58	97	91	177	425	1,268	2,792	5,131	5,580	2,330	117
1967	17,035	981	71	64	91	109	184	352	1,177	2,652	4,692	4,651	1,905	106
1968	18,031	818	91	44	108	137	203	421	1,173	2,874	4,896	5,001	2,143	122
1969	18,340	826	62	54	103	107	178	402	1,205	2,957	5,118	5,080	2,127	121
‡ 1970	18,447	812	66	64	107	120	196	409	1,234	3,007	5,202	5,030	2,077	123
Females														
Average														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961	16,013	946	56	53	36	50	174	373	862	1,705	3,656	5,437	2,479	186
1962	15,483	883	63	30	37	51	136	376	895	1,675	3,512	5,209	2,434	182
1963	15,596	811	46	38	35	53	145	416	845	1,676	3,548	5,234	2,571	178
1964	15,000	872	57	49	54	50	152	336	861	1,695	3,253	4,987	2,454	180
1965	15,057	797	55	27	41	44	123	317	853	1,580	3,468	5,081	2,463	208
1966	15,965	770	57	38	55	40	123	319	871	1,721	3,757	5,245	2,730	239
1967	14,365	719	47	37	37	42	122	284	838	1,609	3,421	4,531	2,489	189
1968	15,126	662	39	43	48	48	109	307	863	1,660	3,538	4,868	2,708	233
1969	15,394	681	49	37	62	46	138	279	832	1,769	3,605	4,953	2,708	235
‡ 1970	15,239	653	52	42	63	53	107	303	819	1,790	3,629	4,858	2,619	251
Persons														
Average-														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961	34,763	2,141	133	114	112	134	378	844	2,123	4,342	8,417	11,119	4,640	266
1962	33,838	2,061	143	89	126	144	338	829	2,160	4,327	8,113	10,657	4,569	282
1963	33,795	1,912	118	94	121	139	327	869	2,052	4,425	8,225	10,668	4,580	274
1964	32,630	1,959	124	99	148	124	377	797	2,132	4,468	7,669	10,051	4,411	271
1965	33,022	1,833	134	72	134	148	299	781	2,028	4,331	8,221	10,146	4,586	309
1966	35,113	1,790	119	96	152	131	300	744	2,139	4,513	8,888	10,825	5,060	356
1967	31,400	1,700	118	101	128	151	306	636	2,015	4,261	8,113	9,182	4,394	295
1968	33,157	1,480	130	87	156	185	312	728	2,036	4,534	8,434	9,869	4,851	335
1969	33,734	1,507	111	91	165	153	316	681	2,037	4,726	8,723	10,033	4,835	356
‡ 1970	33,686	1,465	118	106	170	173	303	712	2,053	4,797	8,831	9,888	4,696	374

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons, of whom 49 were males and 31 females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons, of whom 29 were males and 15 were females. These numbers are included in the totals.

‡ See note on page vii.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1960 AND DEATH RATES FOR EACH OF THE YEARS 1961 to 1970 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE.

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961	13.24	7.79	0.52	0.41	0.63	1.04	1.38	2.83	7.39	19.82	49.98	122.54	291.27
1962	12.91	7.68	0.54	0.40	0.74	1.16	1.37	2.72	7.41	19.93	48.30	117.49	290.49
1963	12.71	7.17	0.48	0.39	0.70	0.94	1.23	2.76	7.11	20.28	48.97	118.02	265.65
1964	12.25	6.96	0.45	0.34	0.72	0.80	1.57	2.92	7.57	20.29	46.29	108.90	273.07
1965	12.44	6.56	0.52	0.30	0.69	1.07	1.22	2.97	7.11	19.78	49.30	107.08	296.53
1966	13.21	6.32	0.41	0.40	0.73	0.96	1.19	2.70	7.55	20.31	52.74	125.20	302.40
1967	11.70	6.07	0.46	0.44	0.69	1.09	1.22	2.27	7.08	18.99	48.25	104.21	233.62
1968	12.34	5.04	0.59	0.30	0.82	1.38	1.31	2.72	7.14	20.42	50.04	111.03	294.61
1969	12.51	5.20	0.39	0.36	0.79	1.05	1.13	2.61	7.39	20.74	52.07	111.89	299.73
1970	12.47	5.12	0.41	0.42	0.82	1.15	1.21	2.66	7.62	20.71	52.44	109.83	297.30
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961	11.42	6.42	0.40	0.38	0.32	0.64	1.16	2.19	5.35	12.71	36.19	100.91	245.83
1962	11.00	5.99	0.45	0.21	0.33	0.66	0.90	2.20	5.56	12.49	34.76	96.67	241.31
1963	11.01	5.48	0.32	0.28	0.30	0.60	0.97	2.50	5.17	12.45	34.96	95.83	228.00
1964	10.54	5.82	0.40	0.35	0.44	0.56	1.05	2.06	5.30	12.53	31.49	89.69	235.18
1965	10.54	5.27	0.38	0.19	0.33	0.47	0.86	1.96	5.22	11.66	33.28	90.57	240.63
1966	11.13	4.98	0.39	0.27	0.44	0.44	0.84	1.99	5.33	12.90	35.10	97.46	243.26
1967	9.96	4.65	0.32	0.26	0.29	0.44	0.82	1.80	5.13	11.91	31.92	84.02	208.60
1968	10.44	4.26	0.26	0.30	0.38	0.50	0.72	1.97	5.35	12.15	32.67	87.70	246.62
1969	10.58	4.49	0.32	0.26	0.50	0.47	0.89	1.82	5.18	12.76	33.01	87.66	249.41
1970	10.40	4.32	0.34	0.29	0.50	0.52	0.68	2.00	5.11	12.73	32.93	84.34	245.30
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961	12.33	7.12	0.46	0.34	0.48	0.85	1.27	2.50	6.40	16.25	42.88	110.91	264.63
1962	11.96	6.85	0.50	0.31	0.54	0.91	1.13	2.46	6.51	16.19	41.33	106.30	261.72
1963	11.86	6.34	0.40	0.33	0.51	0.77	1.09	2.63	6.16	16.38	41.75	105.98	242.93
1964	11.39	6.40	0.43	0.35	0.58	0.69	1.31	2.48	6.45	16.43	38.60	98.44	250.37
1965	11.49	5.93	0.45	0.25	0.51	0.78	1.04	2.46	6.17	15.77	40.98	98.12	263.17
1966	12.18	5.67	0.40	0.34	0.59	0.71	1.01	2.34	6.45	16.66	43.50	110.03	266.84
1967	10.83	5.38	0.39	0.35	0.49	0.77	1.02	2.03	6.12	15.51	39.69	93.16	218.64
1968	11.39	4.66	0.43	0.30	0.61	0.95	1.02	2.35	6.25	16.35	40.92	98.15	264.42
1969	11.55	4.85	0.36	0.31	0.64	0.77	1.01	2.22	6.29	16.81	42.04	98.46	268.96
1970	11.44	4.73	0.38	0.36	0.66	0.84	0.95	2.33	6.37	16.78	42.17	95.63	265.45

TABLE 10 - BIRTHS AND DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN
CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number
Total	64,382			64,382	1,709			1,709
Carlow	674	88	268	854	6	-	19	25
Dublin County Borough	22,779	9,834	145	13,090	711	309	71	473
Dun Laoghaire Borough	1,491	915	850	1,426	8	8	33	33
Dublin County (remainder)	469	283	5,518	5,704	202	183	87	106
Kildare	393	13	1,427	1,807	9	1	38	46
Kilkenny	1,076	109	238	1,205	15	4	28	39
Laois	694	11	289	972	5	-	12	17
Longford	371	85	291	577	1	-	9	10
Louth	3,583	1,729	60	1,914	27	9	23	41
Meath	224	5	1,378	1,597	4	-	46	50
Offaly	902	55	286	1,133	2	-	27	29
Westmeath	1,006	231	409	1,184	170	156	16	30
Wexford	1,707	53	298	1,952	35	1	47	81
Wicklow	244	6	1,266	1,504	2	-	31	33
Clare	974	11	491	1,454	8	-	28	36
Cork County Borough	7,100	3,896	26	3,230	300	263	11	48
Cork County	1,169	43	3,418	4,544	8	-	112	120
Kerry	1,689	16	439	2,112	9	-	41	50
Limerick County Borough	3,996	2,522	21	1,495	51	28	12	35
Limerick County	41	-	1,573	1,614	5	-	51	56
Tipperary, N.R.	724	47	497	1,174	5	-	26	31
Tipperary, S.R.	1,465	161	162	1,466	18	1	23	40
Waterford County Borough	1,650	841	20	829	18	14	6	10
Waterford County	101	4	743	840	2	1	30	31
Galway	3,685	805	77	2,957	13	2	38	49
Leitrim	180	11	242	411	-	-	17	17
Mayo	1,696	45	229	1,880	14	-	24	38
Roscommon	416	28	404	792	5	-	11	16
Sligo	828	73	65	820	7	1	10	16
Cavan	575	35	394	934	6	-	20	26
Donegal	1,985	25	59	2,019	36	1	21	56
Monaghan	495	45	442	892	7	-	14	21

1970 AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
33,686			33,686	1,255			1,255	30,696	Total
384	22	89	451	12	1	9	20	403	Carlow
7,172	1,867	303	5,608	522	289	2	235	7,482	Dublin County Borough
644	201	195	638	18	10	20	28	788	Dun Laoghaire Borough
890	339	741	1,292	17	2	93	108	4,412	Dublin County (remainder)
551	21	151	681	5	1	24	28	1,126	Kildare
706	36	67	737	20	-	9	29	468	Kilkenny
459	19	50	490	8	-	9	17	482	Laois
339	12	67	394	9	-	8	17	183	Longford
832	81	37	788	58	29	3	32	1,126	Louth
648	16	149	781	7	-	29	36	816	Meath
480	9	63	534	21	-	6	27	599	Offaly
582	58	79	603	18	2	16	32	581	Westmeath
940	13	86	1,013	18	-	12	30	939	Wexford
513	27	249	735	7	-	23	30	769	Wicklow
901	20	97	978	33	2	13	44	476	Clare
2,130	768	66	1,428	122	65	4	61	1,802	Cork County Borough
2,197	74	737	2,860	24	-	60	84	1,684	Cork County
1,415	10	81	1,486	28	2	12	38	626	Kerry
654	236	120	538	46	27	6	25	957	Limerick County Borough
992	151	229	1,070	21	8	17	30	544	Limerick County
654	9	76	721	8	-	12	20	453	Tipperary, N.R.
792	43	48	797	25	2	7	30	669	Tipperary, S.R.
594	227	15	382	16	9	3	10	447	Waterford County Borough
300	9	246	537	5	-	15	20	303	Waterford County
2,012	298	42	1,756	70	20	3	53	1,201	Galway
366	2	96	460	8	-	7	15	-49	Leitrim
1,447	12	178	1,613	27	-	11	38	267	Mayo
700	15	98	783	8	2	10	16	9	Roscommon
770	46	51	775	22	2	7	27	45	Sligo
699	15	64	748	8	-	8	16	186	Cavan
1,326	9	61	1,378	35	1	4	38	641	Donegal
597	21	55	631	9	-	12	21	261	Monaghan

TABLE 11 - MARRIAGES, BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1970
SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
TOTAL	20,778	33,131	31,251	64,382	840	869	1,709	18,447	15,239	33,686	1,255	221	5,545
Carlow	222	397	457	854	12	13	25	267	184	451	20	1	73
Dublin Co. Borough	5,818	6,715	6,375	13,090	227	246	473	2,795	2,813	5,608	235	54	1,115
Dun Laoghaire Borough	449	755	671	1,426	13	20	33	295	343	638	28	3	121
Dublin Co. (remainder)	1,018	2,983	2,721	5,704	60	46	106	679	613	1,292	108	10	252
Kildare	569	936	871	1,807	26	20	46	399	282	681	28	2	108
Kilkenny	372	627	578	1,205	20	19	39	407	330	737	29	2	119
Laois	246	523	449	972	11	6	17	284	206	490	17	3	67
Longford	133	282	295	577	3	7	10	214	180	394	17	4	49
Louth	603	966	948	1,914	21	20	41	407	381	788	32	2	135
Meath	469	804	793	1,597	21	29	50	435	346	781	36	4	116
Offaly	315	564	569	1,133	16	13	29	308	226	534	27	1	72
Westmeath	336	657	527	1,184	18	12	30	348	255	603	32	2	90
Wexford	589	1,023	929	1,952	42	39	81	594	419	1,013	30	4	166
Wicklow	510	772	732	1,504	15	18	33	438	297	735	30	2	124
LEINSTER	11,649	18,004	16,915	34,919	505	508	1,013	7,870	6,875	14,745	669	94	2,607
Clare	411	754	700	1,454	18	18	36	575	403	978	44	8	136
Cork Co. Borough	1,090	1,640	1,590	3,230	23	25	48	718	710	1,428	61	10	249
Cork County	1,307	2,377	2,167	4,544	51	69	120	1,580	1,280	2,860	84	18	440
Kerry	598	1,094	1,018	2,112	26	24	50	853	633	1,486	38	16	209
Limerick Co. Borough	538	744	751	1,495	15	20	35	283	255	538	25	4	98
Limerick County	470	849	765	1,614	32	24	56	599	471	1,070	30	8	168
Tipperary, N.R.	352	612	562	1,174	18	13	31	414	307	721	20	3	107
Tipperary, S.R.	463	778	688	1,466	15	25	40	441	356	797	30	4	141
Waterford Co. Borough	265	420	409	829	6	4	10	175	207	382	10	1	62
Waterford County	267	421	419	840	18	13	31	307	230	537	20	8	94
MUNSTER	5,761	9,689	9,069	18,758	222	235	457	5,945	4,852	10,797	362	80	1,704
Galway	903	1,507	1,450	2,957	19	30	49	1,022	734	1,756	53	16	261
Leitrim	136	196	215	411	10	7	17	285	175	460	15	1	76
Mayo	489	918	962	1,880	14	24	38	913	700	1,613	38	16	251
Roscommon	203	426	366	792	13	3	16	452	331	783	16	5	120
Sligo	292	434	386	820	9	7	16	451	324	775	27	3	128
CONNACHT	2,023	3,481	3,379	6,860	65	71	136	3,123	2,264	5,387	149	41	836
Cavan	281	481	453	934	14	12	26	429	319	748	16	2	107
Donegal	755	1,024	995	2,019	21	35	56	709	669	1,378	38	3	196
Monaghan	309	452	440	892	13	8	21	371	260	631	21	1	95
ULSTER (part of)	1,345	1,957	1,888	3,845	48	55	103	1,509	1,248	2,757	75	6	398

TABLE 12 – MARRIAGE, BIRTHS AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1970.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegit- imate % of total births	All causes	Tuber- culosis	Malignant neoplasms	
TOTAL	7.06	21.87	2.65	11.44	0.08	1.88	19.49
Carlow	6.56	25.24	2.93	13.33	0.03	2.16	23.42
Dublin County Borough	9.83	22.12	3.61	9.48	0.09	1.88	17.95
Dun Laoghaire Borough	8.13	25.81	2.31	11.55	0.05	2.19	19.64
Dublin County (remainder)	4.91	27.53	1.86	6.24	0.05	1.22	18.93
Kildare	8.30	26.36	2.55	9.93	0.03	1.58	15.50
Kilkenny	6.20	20.10	3.24	12.29	0.03	1.98	24.07
Laois	5.56	21.97	1.75	11.07	0.07	1.51	17.49
Longford	4.76	20.66	1.73	14.11	0.14	1.75	29.46
Louth	8.38	26.60	2.14	10.95	0.03	1.88	16.72
Meath	6.75	22.99	3.13	11.24	0.06	1.67	22.54
Offaly	6.05	21.75	2.56	10.25	0.02	1.38	23.83
Westmeath	6.32	22.26	2.53	11.34	0.04	1.69	27.03
Wexford	6.99	23.15	4.15	12.01	0.05	1.97	15.37
Wicklow	8.19	24.15	2.19	11.80	0.03	1.99	19.95
LEINSTER	7.86	23.56	2.90	9.95	0.06	1.76	19.16
Clare	5.58	19.73	2.48	13.27	0.11	1.85	30.26
Cork County Borough	8.29	24.58	1.49	10.87	0.08	1.89	18.89
Cork County	6.04	21.00	2.64	13.22	0.08	2.03	18.49
Kerry	5.42	19.15	2.37	13.47	0.15	1.89	17.99
Limerick County Borough	8.91	24.77	2.34	8.91	0.07	1.62	16.72
Limerick County	5.82	20.00	3.47	13.26	0.10	2.08	18.59
Tipperary, N.R.	6.51	21.70	2.64	13.33	0.06	1.98	17.04
Tipperary, S.R.	6.78	21.47	2.73	11.67	0.06	2.07	20.46
Waterford County Borough	8.49	26.56	1.21	12.24	0.03	1.99	12.06
Waterford County	6.14	19.33	3.69	12.36	0.18	2.16	23.81
MUNSTER	6.62	21.56	2.44	12.41	0.09	1.96	19.30
Galway	6.13	20.07	1.66	11.92	0.11	1.77	17.92
Leitrim	4.78	14.46	4.14	16.18	0.04	2.67	36.50
Mayo	4.45	17.10	2.02	14.67	0.15	2.28	20.21
Roscommon	3.75	14.63	2.02	14.47	0.09	2.22	20.20
Sligo	5.88	16.51	1.95	15.61	0.06	2.58	32.93
CONNACHT	5.19	17.61	1.98	13.83	0.11	2.15	21.72
Cavan	5.38	17.89	2.78	14.33	0.04	2.05	17.13
Donegal	7.17	19.17	2.77	13.08	0.03	1.86	18.82
Monaghan	6.88	19.86	2.35	14.05	0.02	2.12	23.54
ULSTER (part of)	6.64	18.99	2.68	13.62	0.03	1.97	19.51

TABLE 13 - DEATHS IN 1970 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	18,447	6,437	8,500	3,510	15,239	4,721	3,740	6,778
Under 15 years	942	942	-	-	747	747	-	-
15-19	107	107	-	-	63	63	-	-
20-24	120	105	15	-	53	41	12	-
25-29	97	59	38	-	52	25	27	-
30-34	99	57	41	1	55	17	38	-
35-39	141	63	78	-	101	33	67	1
40-44	268	110	156	2	202	64	131	7
45-49	475	198	271	6	315	74	226	15
50-54	759	276	462	21	504	130	325	49
55-59	1,244	382	812	50	698	184	408	106
60-64	1,763	558	1,094	111	1,092	308	493	291
65-69	2,330	700	1,254	276	1,405	393	519	493
70-74	2,872	916	1,467	489	2,224	672	609	943
75-79	2,732	793	1,234	705	2,390	633	454	1,303
80-84	2,298	642	889	767	2,468	645	282	1,541
85 and over	2,200	529	589	1,082	2,870	692	149	2,029

TABLE 14 - BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1970 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,269	2,107	4,376	1,063	925	1,988
Carlow	104	134	238	62	41	103
Athy	55	51	106	21	23	44
Naas	64	73	137	21	19	40
Longford	56	45	101	24	21	45
Ceanannus Mor	33	32	65	12	8	20
An Uaimh	72	66	138	25	33	58
Trim	19	27	46	9	8	17
Birr	34	25	59	22	17	39
Tullamore	67	83	150	34	24	58
Athlone	110	110	220	38	23	61
Enniscorthy	60	52	112	42	32	74
New Ross	55	59	114	32	21	53
Arklow	80	91	171	33	22	55
Wicklow	52	32	84	24	21	45
Ennis	124	102	226	35	28	63
Kilrush	13	24	37	25	12	37
Clonakilty	14	11	25	12	9	21
Cobh	88	86	174	50	32	82
Fermoy	44	47	91	15	26	41
Kinsale	15	10	25	14	15	29
Macroom	14	10	24	9	12	21
Mallow	81	76	157	36	28	64
Midleton	44	38	82	9	11	20
Skibbereen	22	16	38	15	12	27
Youghal	69	51	120	28	36	64
Killarney	74	65	139	27	28	55
Listowel	29	17	46	11	11	22
Nenagh	59	50	109	30	20	50
Templemore	23	26	49	11	13	24
Thurles	78	60	138	32	33	65
Carrick-on-Suir	49	45	94	24	22	46
Cashel	21	25	46	17	16	33
Tipperary	61	39	100	22	28	50
Dungarvan	51	36	87	32	24	56
Ballinasloe	27	22	49	17	10	27
Ballina	75	60	135	23	31	54
Castlebar	55	60	115	27	24	51
Westport	27	32	59	21	20	41
Cavan	42	42	84	23	13	36
Buncrana	27	23	50	13	22	35
Bundoran	22	9	31	5	8	13
Letterkenny	46	41	87	13	12	25
Carrickmacross	24	28	52	9	9	18
Castleblayney	20	19	39	12	14	26
Clones	25	22	47	14	8	22
Monaghan	45	35	80	33	25	58

TABLE 15 - BIRTHS AND DEATHS CLASSIFIED BY SEX IN 1970, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	33,131	31,251	64,382	840	869	1,709	18,447	15,239	33,686	221	5,545
Dublin County Borough	6,715	6,375	13,090	227	246	473	2,795	2,813	5,608	54	1,115
Cork County Borough	1,640	1,590	3,230	23	25	48	718	710	1,428	10	249
Limerick County Borough	744	751	1,495	15	20	35	283	255	538	4	98
Waterford County Borough	420	409	829	6	4	10	175	207	382	1	62
Dun Laoghaire Borough	755	671	1,426	13	20	33	295	343	638	3	121
Municipal Boroughs:											
Galway	352	327	679	2	7	9	98	105	203	4	35
Drogheda	303	291	594	2	6	8	86	93	179	-	25
Sligo	153	131	284	8	2	10	94	92	186	-	31
Wexford	151	152	303	3	6	9	72	53	125	1	18
Clonmel	135	134	269	4	1	5	50	56	106	1	12
Kilkenny	161	156	317	2	5	7	62	59	121	-	23
Urban Districts:											
Dundalk	295	255	550	2	5	7	121	105	226	2	47
Bray	214	194	408	4	6	10	84	83	167	1	27
Tralee	151	135	286	3	1	4	89	62	151	-	21
Total above Principal Towns	12,189	11,571	23,760	314	354	668	5,022	5,036	10,058	81	1,884
Total other Urban Districts	2,269	2,107	4,376	53	42	95	1,063	925	1,988	15	326
All Boroughs and Urban Districts:											
Leinster	9,455	8,974	18,429	286	316	602	3,914	3,862	7,776	66	1,484
Munster	4,063	3,853	7,916	69	67	136	1,769	1,706	3,475	24	591
Connacht	689	632	1,321	13	11	24	280	282	562	5	93
Ulster (part of)	251	219	470	8	2	10	122	111	233	1	42
Total - Boroughs and Urban Districts	14,458	13,678	28,136	376	396	772	6,085	5,961	12,046	96	2,210
All Rural Districts:											
Leinster	8,549	7,941	16,490	219	192	411	3,956	3,013	6,969	28	1,123
Munster	5,626	5,216	10,842	153	168	321	4,176	3,146	7,322	56	1,113
Connacht	2,792	2,747	5,539	52	60	112	2,843	1,982	4,825	36	743
Ulster (part of)	1,706	1,669	3,375	40	53	93	1,387	1,137	2,524	5	356
Total - Rural Districts	18,673	17,573	36,246	464	473	937	12,362	9,278	21,640	125	3,335

TABLE 16 - BIRTH AND DEATH RATES IN 1970 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	21.87	2.65	11.44	0.08	1.88
Dublin County Borough	23.13	3.61	9.91	0.10	1.97
Cork County Borough	25.19	1.49	11.14	0.08	1.94
Limerick County Borough	26.17	2.34	9.42	0.07	1.72
Waterford County Borough	26.16	1.21	12.05	0.03	1.96
Dun Laoghaire Borough	26.91	2.31	12.04	0.06	2.28
Municipal Boroughs:					
Galway	25.25	1.33	7.55	0.15	1.30
Drogheda	30.09	1.35	9.07	-	1.27
Sligo	20.18	3.52	13.22	-	2.20
Wexford	25.80	2.97	10.64	0.09	1.53
Clonmel	23.13	1.86	9.11	0.09	1.03
Kilkenny	30.80	2.21	11.76	-	2.23
Urban Districts:					
Dundalk	25.32	1.27	10.41	0.09	2.16
Bray	28.22	2.45	11.55	0.07	1.87
Tralee	23.39	1.40	12.35	-	1.72
Total above Principal Towns	24.27	2.81	10.28	0.08	1.92
All other Urban Districts	21.88	2.17	9.94	0.07	1.63
All Boroughs and Urban Districts:					
Leinster	23.96	3.27	10.11	0.09	1.93
Munster	24.46	1.72	10.74	0.07	1.83
Connacht	21.29	1.82	9.06	0.08	1.50
Ulster (part of)	19.57	2.13	9.70	0.04	1.75
Total - Boroughs and Urban Districts	23.87	2.74	10.22	0.08	1.87
All Rural Districts:					
Leinster	22.73	2.49	9.61	0.04	1.55
Munster	19.48	2.96	13.16	0.10	2.00
Connacht	16.90	2.02	14.72	0.11	2.27
Ulster (part of)	18.45	2.76	13.80	0.03	1.95
Total - Rural Districts	20.22	2.59	12.07	0.07	1.86

TABLE 17 - DEATHS OCCURRING IN 1970 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	12,046	6,085	5,961	21,640	12,362	9,278	33,686	18,447	15,239
Under 1 year	530	310	220	725	393	332	1,255	703	552
1 year	41	19	22	55	27	28	96	46	50
2 years	16	7	9	30	16	14	46	23	23
3 "	12	7	5	22	14	8	34	21	13
4 "	15	10	5	19	9	10	34	19	15
1-4 "	84	43	41	126	66	60	210	109	101
5 "	12	6	6	21	12	9	33	18	15
6 "	17	9	8	9	4	5	26	13	13
7 "	8	5	3	8	5	3	16	10	6
8 "	12	7	5	12	8	4	24	15	9
9 "	8	3	5	11	7	4	19	10	9
5-9 "	57	30	27	61	36	25	118	66	52
10 "	13	9	4	10	5	5	23	14	9
11 "	8	4	4	15	11	4	23	15	8
12 "	5	2	3	14	8	6	19	10	9
13 "	7	5	2	16	8	8	23	13	10
14 "	6	5	1	12	7	5	18	12	6
10-14 "	39	25	14	67	39	28	106	64	42
15 "	14	9	5	18	10	8	32	19	13
16 "	19	13	6	12	6	6	31	19	12
17 "	13	6	7	24	18	6	37	24	13
18 "	11	6	5	25	16	9	36	22	14
19 "	13	11	2	21	12	9	34	23	11
15-19 "	70	45	25	100	62	38	170	107	63
20 "	16	10	6	19	10	9	35	20	15
21 "	12	8	4	19	13	6	31	21	10
22 "	14	6	8	19	11	8	33	17	16
23 "	12	10	2	26	22	4	38	32	6
24 "	13	9	4	23	21	2	36	30	6
20-24 "	67	43	24	106	77	29	173	120	53
25 "	8	4	4	14	10	4	22	14	8
26 "	12	5	7	16	13	3	28	18	10
27 "	11	6	5	16	12	4	27	18	9
28 "	16	6	10	23	19	4	39	25	14
29 "	14	7	7	19	15	4	33	22	11
25-29 "	61	28	33	88	69	19	149	97	52
30 "	13	11	2	22	12	10	35	23	12
31 "	8	7	1	12	9	3	20	16	4
32 "	11	9	2	15	8	7	26	17	9
33 "	20	12	8	16	10	6	36	22	14
34 "	21	11	10	16	10	6	37	21	16
30-34 "	73	50	23	81	49	32	154	99	55

TABLE 17 (contd.) - DEATHS OCCURRING IN 1970 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	16	11	5	29	20	9	45	31	14
36 "	15	8	7	20	14	6	35	22	13
37 "	14	9	5	26	11	15	40	20	20
38 "	30	15	15	34	19	15	64	34	30
39 "	25	12	13	33	22	11	58	34	24
35-39 "	100	55	45	142	86	56	242	141	101
40 "	41	24	17	48	31	17	89	55	34
41 "	45	25	20	38	24	14	83	49	34
42 "	41	21	20	63	36	27	104	57	47
43 "	42	22	20	46	25	21	88	47	41
44 "	38	24	14	68	36	32	106	60	46
40-44 "	207	116	91	263	152	111	470	268	202
45 "	49	24	25	62	43	19	111	67	44
46 "	81	51	30	68	41	27	149	92	57
47 "	61	35	26	87	58	29	148	93	55
48 "	89	48	41	100	63	37	189	111	78
49 "	84	45	39	109	67	42	193	112	81
45-49 "	364	203	161	426	272	154	790	475	315
50 "	112	60	52	163	96	67	275	156	119
51 "	68	39	29	127	84	43	195	123	72
52 "	88	49	39	121	76	45	209	125	84
53 "	90	52	38	165	105	60	255	157	98
54 "	133	81	52	196	117	79	329	198	131
50-54 "	491	281	210	772	478	294	1,263	759	504
55 "	131	86	45	194	127	67	325	213	112
56 "	140	87	53	233	141	92	373	228	145
57 "	161	98	63	216	135	81	377	233	144
58 "	173	107	66	241	157	84	414	264	150
59 "	192	129	63	261	177	84	453	306	147
55-59 "	797	507	290	1,145	737	408	1,942	1,244	698
60 "	260	144	116	403	269	134	663	413	250
61 "	182	107	75	223	152	71	405	259	146
62 "	238	135	103	365	232	133	603	367	236
63 "	234	136	98	319	192	127	553	328	225
64 "	242	145	97	389	251	138	631	396	235
60-64 "	1,156	667	489	1,699	1,096	603	2,855	1,763	1,092
65 "	294	188	106	460	290	170	754	478	276
66 "	231	139	92	363	248	115	594	387	207
67 "	268	168	100	426	279	147	694	447	247
68 "	316	171	145	522	330	192	838	501	337
69 "	368	205	163	487	312	175	855	517	338
65-69 "	1,477	871	606	2,258	1,459	799	3,735	2,330	1,405

TABLE 17 (contd.) - DEATHS OCCURRING IN 1970 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	409	220	189	686	402	284	1,095	622	473
71 "	288	175	113	501	293	208	789	468	321
72 "	342	181	161	640	360	280	982	541	441
73 "	360	194	166	676	402	274	1,036	596	440
74 "	385	190	195	809	455	354	1,194	645	549
70-74 "	1,784	960	824	3,312	1,912	1,400	5,096	2,872	2,224
75 "	350	169	181	764	428	336	1,114	597	517
76 "	327	151	176	713	408	305	1,040	559	481
77 "	334	144	190	682	412	270	1,016	556	460
78 "	364	162	202	707	390	317	1,071	552	519
79 "	294	142	152	587	326	261	881	468	413
75-79 "	1,669	768	901	3,453	1,964	1,489	5,122	2,732	2,390
80 "	375	142	233	819	423	396	1,194	565	629
81 "	252	102	150	593	331	262	845	433	412
82 "	295	110	185	662	354	308	957	464	493
83 "	275	98	177	563	276	287	838	374	464
84 "	278	103	175	654	359	295	932	462	470
80-84 "	1,475	555	920	3,291	1,743	1,548	4,766	2,298	2,468
85 "	249	100	149	567	290	277	816	390	426
86 "	269	87	182	541	281	260	810	368	442
87 "	200	79	121	436	215	221	636	294	342
88 "	190	69	121	417	205	212	607	274	333
89 "	146	53	93	330	150	180	476	203	273
85-89 "	1,054	388	666	2,291	1,141	1,150	3,345	1,529	1,816
90 "	120	30	90	296	138	158	416	168	248
91 "	83	25	58	194	94	100	277	119	158
92 "	80	31	49	212	93	119	292	124	168
93 "	65	26	39	155	65	90	220	91	129
94 "	40	4	36	106	42	64	146	46	100
90-94 "	388	116	272	963	432	531	1,351	548	803
95 "	32	10	22	95	33	62	127	43	84
96 "	27	6	21	66	24	42	93	30	63
97 "	17	4	13	42	15	27	59	19	40
98 "	9	1	8	29	9	20	38	10	28
99 "	12	2	10	19	13	6	31	15	16
95-99 "	97	23	74	251	94	157	348	117	231
100 "	5	1	4	12	2	10	17	3	14
101 "	1	-	1	6	2	4	7	2	5
102 "	-	-	-	2	1	1	2	1	1
100 years and over	6	1	5	20	5	15	26	6	20

TABLE 18 - DEATHS OCCURRING IN 1970 CLASSIFIED BY SEX AND

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,447	703	46	23	21	19	812	66	64	107	120	97
	Females	15,239	552	50	23	13	15	653	52	42	63	53	52
LEINSTER	Males	7,870	369	26	14	17	11	437	35	26	62	62	46
	Females	6,875	300	29	13	7	6	355	32	25	31	35	29
MUNSTER	Males	5,945	215	11	5	-	4	235	19	20	28	41	28
	Females	4,852	147	11	3	4	7	172	17	10	15	11	18
CONNACHT	Males	3,123	82	4	1	2	4	93	4	11	11	11	17
	Females	2,264	67	7	3	2	1	80	3	3	11	6	2
ULSTER (part of)	Males	1,509	37	5	3	2	-	47	8	7	6	6	6
	Females	1,248	38	3	4	-	1	46	-	4	6	1	3
LEINSTER Carlow	Males	267	12	1	1	-	1	15	3	-	2	2	-
	Females	184	8	1	-	-	-	8	1	1	-	-	2
Dublin County Borough	Males	2,795	133	12	2	5	5	157	15	9	23	22	17
	Females	2,813	102	11	6	2	3	124	17	6	12	16	14
Dun Laoghaire Borough	Males	295	18	3	1	-	1	23	3	-	1	-	3
	Females	343	10	-	-	-	-	11	-	-	-	-	2
Dublin County (remainder)	Males	679	39	5	4	2	3	53	3	4	6	6	7
	Females	613	69	2	2	2	1	76	2	8	4	2	4
Kildare	Males	399	15	1	1	2	-	19	1	1	3	4	3
	Females	282	13	1	1	-	-	15	1	1	1	2	-
Kilkenny	Males	407	17	1	-	-	-	18	1	2	3	3	1
	Females	330	12	1	-	-	1	14	1	1	2	1	-
Laois	Males	284	11	-	1	-	-	12	2	1	-	3	3
	Females	206	6	2	-	-	-	8	1	1	-	-	1
Longford	Males	214	7	-	-	2	-	9	-	-	1	2	1
	Females	180	10	1	-	-	-	11	1	1	1	1	-
Louth	Males	407	18	-	1	2	-	21	1	1	4	4	4
	Females	381	14	3	-	-	-	17	1	2	2	5	2
Meath	Males	435	23	1	1	1	-	26	1	1	6	1	1
	Females	346	13	5	-	1	1	20	-	2	-	1	2
Offaly	Males	308	19	-	-	-	-	19	2	1	2	1	2
	Females	226	8	1	2	1	-	12	1	-	1	1	-
Westmeath	Males	348	21	-	-	2	-	23	-	2	3	4	-
	Females	255	11	-	1	-	-	12	2	-	2	-	2
Wexford	Males	594	18	1	2	1	1	23	2	1	3	5	3
	Females	419	12	-	-	1	-	13	2	2	3	4	-
Wicklow	Males	438	18	1	-	-	-	19	1	3	5	5	1
	Females	297	12	1	1	-	-	14	2	-	3	2	-

AGE, OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Males	Total
												Females	
99 55	141 101	268 202	475 315	759 504	1,244 698	1,763 1,092	2,330 1,405	2,872 2,224	2,732 2,390	2,298 2,468	2,200 2,870		
46 33	65 41	130 104	240 166	360 247	584 303	802 536	1,062 675	1,176 967	1,069 1,030	877 1,051	791 1,215	Males Females	LEINSTER
38 13	46 34	88 57	152 101	233 172	397 245	572 334	747 424	963 729	893 795	745 782	700 923	Males Females	MUNSTER
10 5	18 17	40 26	58 32	121 57	165 106	262 126	332 184	483 343	558 376	438 409	491 478	Males Females	CONNACHT
5 4	12 9	10 15	25 16	45 28	98 44	127 96	189 122	250 185	212 189	238 226	218 254	Males Females	ULSTER (part of)
1 1	1 -	4 1	5 5	9 6	24 7	26 19	29 18	42 29	42 25	30 34	32 26	Males Females	LEINSTER Carlow
19 16	21 15	45 49	112 80	140 102	245 137	326 226	438 303	417 390	324 406	241 441	224 459	Males Females	Dublin County Borough
4 -	3 2	4 4	6 8	13 12	25 11	25 30	30 26	41 37	44 64	38 50	32 87	Males Females	Dun Laoghaire Borough
5 4	7 4	10 11	28 17	33 28	63 26	60 43	94 59	94 85	86 89	72 83	48 68	Males Females	Dublin County (remainder)
1 -	4 2	3 6	16 6	18 10	30 11	44 37	53 29	70 48	55 41	48 28	26 44	Males Females	Kildare
2 -	3 -	9 2	8 5	17 12	28 16	38 23	48 33	55 49	60 44	57 55	54 72	Males Females	Kilkenny
2 2	1 2	4 2	3 4	11 6	17 6	22 11	35 15	45 34	46 39	34 27	43 47	Males Females	Laois
3 3	2 -	4 4	3 2	9 7	8 12	18 11	24 11	35 27	36 32	34 21	25 35	Males Females	Longford
3 4	6 7	13 3	8 9	15 12	23 11	43 23	46 45	53 48	69 59	45 67	48 64	Males Females	Louth
2 1	3 2	6 7	8 8	28 9	24 13	37 26	54 32	66 47	58 35	56 52	57 89	Males Females	Meath
2 -	1 1	8 6	7 4	5 7	17 13	25 16	29 17	51 47	59 33	38 28	39 39	Males Females	Offaly
- 2	2 -	4 3	4 2	16 8	21 9	37 15	46 19	45 36	46 50	57 37	38 56	Males Females	Westmeath
1 -	5 5	6 4	15 8	28 16	29 22	61 35	81 37	89 55	89 61	74 73	79 79	Males Females	Wexford
1 -	6 1	10 2	17 8	18 12	30 9	40 21	55 31	73 35	55 52	53 55	46 50	Males Females	Wicklow

TABLE 18 (contd.) - DEATHS OCCURRING IN 1970 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	575	26	-	-	-	-	26	3	1	2	6	3
	Females	403	18	1	-	-	1	20	2	2	3	1	1
Cork County Borough	Males	718	34	1	2	-	2	39	4	4	8	5	2
	Females	710	27	-	-	1	1	29	5	2	1	-	7
Cork County	Males	1,580	50	-	-	-	-	50	3	1	7	9	7
	Females	1,280	34	2	-	1	3	40	5	1	5	4	2
Kerry	Males	853	22	2	1	-	-	25	4	2	3	4	5
	Females	633	16	-	1	-	1	18	1	-	1	2	3
Limerick County Borough	Males	283	15	-	-	-	-	15	1	3	-	2	1
	Females	255	10	2	-	1	-	13	-	-	-	1	1
Limerick County	Males	599	18	2	-	-	-	20	4	1	-	9	6
	Females	471	12	2	-	-	1	15	1	-	1	-	-
Tipperary, North Riding	Males	414	14	1	-	-	1	16	-	4	3	1	1
	Females	307	6	1	-	-	-	7	1	-	1	1	2
Tipperary, South Riding	Males	441	14	1	1	-	-	16	-	1	-	-	2
	Females	356	16	2	2	-	-	20	1	2	2	1	2
Waterford County Borough	Males	175	7	1	-	-	-	8	-	3	2	1	-
	Females	207	3	1	-	-	-	4	-	2	1	-	-
Waterford County	Males	307	15	3	1	-	1	20	-	-	3	4	1
	Females	230	5	-	-	1	-	6	1	1	-	1	-
CONNACHT													
Galway	Males	1,022	32	3	1	1	3	40	2	2	1	4	10
	Females	734	21	4	-	1	1	27	1	1	4	1	1
Leitrim	Males	285	8	-	-	-	-	8	-	2	1	4	3
	Females	175	7	-	-	-	-	7	-	-	1	1	-
Mayo	Males	913	23	1	-	-	1	25	2	4	3	2	-
	Females	700	15	2	1	1	-	19	1	2	2	3	-
Roscommon	Males	452	6	-	-	1	-	7	-	1	4	1	1
	Females	331	10	-	1	-	-	11	1	-	2	1	-
Sligo	Males	451	13	-	-	-	-	13	-	2	2	-	3
	Females	324	14	1	1	-	-	16	-	-	2	-	1
ULSTER (part of)													
Cavan	Males	429	9	3	1	-	-	13	3	2	3	1	1
	Females	319	7	1	2	-	1	11	-	1	1	-	-
Donegal	Males	709	18	1	2	-	-	21	1	3	3	3	2
	Females	669	20	2	2	-	-	24	-	1	5	1	3
Monaghan	Males	371	10	1	-	2	-	13	4	2	-	2	3
	Females	260	11	-	-	-	-	11	-	2	-	-	-

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
MUNSTER													
5	4	8	10	14	29	64	58	91	93	77	81	Males	Clare
1	3	2	6	15	22	25	23	68	57	67	85	Females	
8	8	10	17	31	65	77	111	107	100	56	66	Males	Cork County Borough
3	5	10	20	26	39	58	69	100	109	112	115	Females	
5	16	28	47	70	103	128	188	260	250	221	187	Males	Cork County
2	8	14	24	42	69	78	95	192	227	242	230	Females	
6	7	14	9	30	53	98	110	131	134	111	107	Males	Kerry
1	2	15	12	13	27	38	61	86	118	101	134	Females	
4	1	6	8	16	24	40	44	41	39	23	15	Males	Limerick County Borough
2	3	4	11	11	11	22	21	43	37	31	44	Females	
2	1	8	16	26	30	45	77	102	94	81	77	Males	Limerick County
1	2	4	9	18	27	46	51	68	70	65	93	Females	
2	-	2	10	14	35	32	52	64	60	61	57	Males	Tipperary, North Riding
1	2	3	6	15	13	16	29	45	45	47	73	Females	
2	4	3	20	19	30	45	53	81	58	56	51	Males	Tipperary, South Riding
-	5	3	3	16	21	24	33	50	59	54	60	Females	
-	1	5	3	6	8	15	17	40	24	23	19	Males	Waterford County Borough
-	3	-	7	5	4	14	18	32	28	42	47	Females	
4	4	4	12	7	20	28	37	46	41	36	40	Males	Waterford County
2	1	2	3	11	12	13	24	45	45	21	42	Females	
CONNACHT													
5	5	18	18	38	40	75	106	156	191	145	166	Males	Galway
2	6	11	15	15	34	42	63	122	116	118	155	Females	
-	-	4	6	12	24	22	34	39	47	37	42	Males	Leitrim
1	-	3	3	6	11	5	17	25	43	20	32	Females	
3	6	10	19	34	59	80	87	139	147	134	159	Males	Mayo
1	7	7	6	15	27	49	45	112	106	136	162	Females	
1	3	2	8	21	21	43	46	71	99	63	60	Males	Roscommon
-	2	1	3	9	15	12	25	48	57	77	67	Females	
1	4	6	7	16	21	42	59	78	74	59	64	Males	Sligo
1	2	4	5	12	19	18	34	36	54	58	62	Females	
ULSTER (part of)													
-	4	3	9	17	23	43	58	70	76	54	49	Males	Cavan
1	2	4	4	5	14	28	31	43	52	66	56	Females	
4	4	5	10	14	53	54	79	113	90	132	118	Males	Donegal
1	6	9	8	18	23	52	60	90	98	120	150	Females	
1	4	2	6	14	22	30	52	67	46	52	51	Males	Monaghan
2	1	2	4	5	7	16	31	52	39	40	48	Females	

TABLE 19 - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total Under 5	5-9	10-14
	Total deaths - All causes	M F	18,447 15,239	703 552	46 50	23 23	21 13	19 15	812 653	66 52	64 42
000-136	Infective and parasitic diseases	M F	254 179	40 37	11 7	4 5	- 3	3 -	58 52	3 3	2 2
001	Typhoid fever	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
003	Other salmonella infections	M F	4 3	2 2	- -	- -	- -	- -	2 2	- -	- -
004	Bacillary dysentery	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
008	Enteritis due to other specified organism	M F	2 -	2 -	- -	- -	- -	- -	2 -	- -	- -
009	Diarrhoeal disease	M F	41 41	20 19	9 4	4 1	- -	- -	33 24	- -	- -
010-019	Tuberculosis - all forms	M F	148 73	1 -	- -	- 1	- -	- -	1 1	- -	1 -
010	Silicotuberculosis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
011	Pulmonary tuberculosis	M F	132 65	1 -	- -	- -	- -	- -	1 -	- -	- -
012	Other respiratory tuberculosis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
013	Tuberculosis of meninges and central nervous system	M F	2 3	- -	- -	- -	- -	- -	- -	- -	1 -
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M F	2 1	- -	- -	- -	- -	- -	- -	- -	- -
016	Tuberculosis of genito-urinary system	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
017	Tuberculosis of other organs	M F	4 1	- -	- -	- -	- -	- -	- -	- -	- -
018	Disseminated tuberculosis	M F	4 2	- -	- -	- 1	- -	- -	- 1	- -	- -
019	Late effects of tuberculosis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
034	Streptococcal sore throat and scarlet fever	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
036	Meningococcal infection	M F	5 6	2 3	- -	- -	- -	- -	2 3	- -	- -
037	Tetanus	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
038	Septicaemia	M F	12 15	9 7	- 1	- 1	- 1	- -	9 10	- -	- 1
039	Other bacterial diseases	M F	3 -	- -	- -	- -	- -	- -	- -	- -	- -
053	Herpes Zoster	M F	2 4	- -	- -	- -	- -	- -	- -	- -	- -
054	Herpes Simplex	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -
055	Measles	M F	5 8	1 2	1 2	- 1	- 1	2 -	4 6	- 1	- 1
056	Rubella	M F	- 1	- 1	- -	- -	- -	- -	- 1	- -	- -
065	Viral encephalitis, unspecified	M F	5 4	- -	1 -	- 1	- -	- -	1 1	- -	1 -
066	Late effects of viral encephalitis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
070	Infectious hepatitis	M F	6 9	- 1	- -	- -	- 1	1 -	1 2	1 2	- -

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
107 63	120 53	97 52	99 55	141 101	268 202	475 315	759 504	1,244 698	1,763 1,092	2,330 1,405	2,872 2,224	2,732 2,390	2,298 2,468	2,200 2,870	
2 1	6 2	- 1	2 4	3 3	8 8	13 8	14 11	26 16	32 11	24 18	29 13	15 9	13 9	4 8	000-136
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	001
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	003
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	004
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	008
-	1	-	-	-	1	-	-	-	1	2	1	1	2	-	009
-	1	-	-	-	-	-	-	1	1	2	2	3	4	3	010-019
1	4 1	1	2 3	2 3	6 5	9 6	10 6	23 12	23 7	21 12	23 10	10 2	10 4	2	010
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	011
1	3	-	2 3	1 3	4 5	9 6	10 6	22 11	20 6	19 10	21 9	8 2	9 4	2	012
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	013
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	014
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	016
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	017
-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	018
-	-	1	-	-	-	-	-	1	2	-	1	-	-	-	019
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	034
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	036
1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	037
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	038
-	-	-	-	-	-	-	1	-	2 1	1 1	-	-	-	-	039
-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	053
-	-	-	-	-	-	-	-	-	-	-	-	1 1	1	3	054
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	055
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	056
1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	065
-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	066
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	070
-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
072	Mumps	M	2	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
079	Other viral diseases	M	4	3	-	-	-	-	3	1	-
		F	2	2	-	-	-	-	2	-	-
093	Cardiovascular syphilis	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
094	Syphilis of central nervous system	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
100	Leptospirosis	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
112	Monilliasis	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
113	Actinomycosis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
135	Sarcoidosis	M	5	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
140-239	II. Neoplasms	M	3,036	-	-	2	3	3	8	9	7
		F	2,611	2	3	-	4	3	12	10	10
140-209	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	2,987	-	-	2	3	3	8	9	6
		F	2,557	1	2	-	4	2	9	10	8
140	Malignant neoplasm of lip	M	22	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
141	Malignant neoplasm of tongue	M	26	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
142	Malignant neoplasm of salivary gland	M	7	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
143	Malignant neoplasm of gum	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
144	Malignant neoplasm of floor of mouth	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
145	Malignant neoplasm of other and unspecified parts of mouth	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
146	Malignant neoplasm of oropharynx	M	8	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
147	Malignant neoplasm of nasopharynx	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
148	Malignant neoplasm of hypopharynx	M	7	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
149	Malignant neoplasm of pharynx, unspecified	M	14	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
150	Malignant neoplasm of oesophagus	M	96	-	-	-	-	-	-	-	-
		F	100	-	-	-	-	-	-	-	-
151	Malignant neoplasm of stomach	M	437	-	-	-	-	-	-	-	-
		F	348	-	-	-	-	-	-	-	-
152	Malignant neoplasm of small intestine, including duodenum	M	8	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
153	Malignant neoplasm of large intestine, except rectum	M	257	-	-	-	-	-	-	-	-
		F	372	-	-	-	-	-	-	-	-
154	Malignant neoplasm of rectum and rectosigmoid junction	M	159	-	-	-	-	-	-	-	-
		F	105	-	-	-	-	-	-	-	-
155	Malignant neoplasm of liver and intrahepatic bile ducts, specified as primary	M	44	-	-	-	-	-	-	-	-
		F	41	-	-	-	-	-	-	-	-
156	Malignant neoplasm of gallbladder and bile ducts	M	19	-	-	-	-	-	-	-	-
		F	41	-	-	-	-	-	-	-	-
157	Malignant neoplasm of pancreas	M	163	-	-	-	-	-	-	-	-
		F	138	-	-	-	-	-	-	-	-
158	Malignant neoplasm of peritoneum and retroperitoneal tissue	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	1	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	072
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	079
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	094
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	094
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	112
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	113
-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	135
17	12	14	19	31	61	98	189	304	404	481	512	429	270	171	140-239
12	5	14	15	33	79	141	187	251	310	339	438	326	252	177	
17	10	14	19	29	59	95	186	298	398	472	503	425	269	170	140-209
11	5	14	15	32	76	136	184	245	303	332	429	324	248	176	
-	-	-	-	-	-	1	-	3	2	2	4	2	4	4	140
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
-	-	-	-	-	-	-	2	1	1	3	4	6	4	5	141
-	-	-	-	-	1	-	1	1	1	2	-	-	-	1	
-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	142
-	-	-	-	-	-	-	-	-	2	1	1	-	2	2	
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	143
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	145
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	1	-	1	-	-	1	-	1	1	1	1	1	146
-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	147
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	2	-	-	2	1	1	1	-	148
-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	
-	-	-	-	-	-	-	1	1	1	3	1	2	3	2	149
-	-	-	-	-	-	1	1	2	1	1	2	-	1	1	
-	-	-	-	-	4	2	6	8	12	21	11	16	11	5	150
-	-	-	-	-	2	3	4	7	10	17	16	16	11	14	
-	-	-	1	4	2	15	17	41	52	63	99	68	44	31	151
-	-	1	-	2	1	5	10	21	27	45	78	67	54	37	
-	-	-	-	-	-	-	3	1	-	-	1	1	1	-	152
-	-	-	-	-	-	-	-	2	-	2	3	1	1	-	
-	-	2	1	2	5	6	15	21	31	40	40	49	32	13	153
-	1	1	1	3	10	16	27	22	31	51	60	63	52	34	
-	-	-	2	-	3	1	9	12	17	20	25	33	21	16	154
-	-	-	1	-	1	3	9	9	14	11	20	12	14	11	
-	-	1	-	-	1	2	2	3	7	5	7	11	5	-	155
-	-	-	1	-	1	3	3	4	3	9	4	3	6	4	
-	-	-	-	-	-	-	1	-	3	6	5	3	1	-	156
-	-	1	-	-	1	-	2	6	5	3	8	8	6	1	
-	-	-	1	1	3	2	10	20	19	27	35	22	12	11	157
-	-	-	-	-	1	4	10	9	16	24	24	22	17	11	
-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	158
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
159	Malignant neoplasm of unspecified digestive organs	M	6	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	5	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
161	Malignant neoplasm of larynx	M	40	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-
162	Malignant neoplasm of trachea, bronchus and lung	M	755	-	-	-	-	-	-	1	1
		F	202	-	-	-	-	-	-	-	-
162.0	Trachea	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
162.1	Bronchus and lung	M	754	-	-	-	-	-	-	1	1
		F	201	-	-	-	-	-	-	-	-
163	Malignant neoplasm of other and unspecified respiratory organs	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
170	Malignant neoplasm of bone	M	33	-	-	-	-	-	-	-	2
		F	27	-	-	-	-	-	-	-	2
171	Malignant neoplasm of connective and other soft tissue	M	8	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	1
172	Malignant melanoma of skin	M	9	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
173	Other malignant neoplasm of skin	M	35	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	-	-
174	Malignant neoplasm of breast	M	4	-	-	-	-	-	-	-	-
		F	405	-	-	-	-	-	-	-	-
180	Malignant neoplasm of cervix uteri	F	75	-	-	-	-	-	-	-	-
181	Choriocarcinoma	F	1	-	-	-	-	-	-	-	-
182.0	Malignant neoplasm of corpus uteri	F	64	-	-	-	-	-	-	-	-
182.9	Malignant neoplasm of uterus unspecified	F	21	-	-	-	-	-	-	-	-
183	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	112	-	-	-	-	-	-	-	-
184	Malignant neoplasm of other and unspecified female genital organs	F	17	-	-	-	-	-	-	-	-
185	Malignant neoplasm of prostate	M	272	-	-	-	-	-	-	-	-
186	Malignant neoplasm of testis	M	9	-	-	-	-	-	-	-	-
187	Malignant neoplasm of other and unspecified male genital organs	M	10	-	-	-	-	-	-	-	-
188	Malignant neoplasm of bladder	M	90	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	-	-
189	Malignant neoplasm of other and unspecified urinary organs	M	44	-	-	1	-	-	1	-	-
		F	26	-	-	-	1	-	1	1	-
190	Malignant neoplasm of eye	M	6	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
191	Malignant neoplasm of brain	M	49	-	-	-	1	1	2	1	-
		F	26	-	-	-	-	-	-	2	-
192	Malignant neoplasm of other parts of nervous system	M	14	-	-	1	-	-	1	1	-
		F	13	1	1	-	-	-	2	2	1
193	Malignant neoplasm of thyroid gland	M	4	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-
194	Malignant neoplasm of other endocrine glands	M	4	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
195	Malignant neoplasm of ill-defined sites	M	40	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
196	Secondary and unspecified malignant neoplasm of lymph nodes	M	6	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
197	Secondary malignant neoplasm of respiratory and digestive systems	M	14	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	159
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	160
-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	161
-	-	-	-	-	1	2	1	6	4	9	6	4	7	2	162
-	-	-	3	5	16	36	64	106	153	152	118	66	27	7	162
-	-	-	-	1	7	13	14	21	36	34	40	21	9	6	162.0
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	162.1
-	-	-	3	5	16	36	64	106	153	152	118	66	27	6	163
-	-	-	-	1	7	13	14	21	35	34	40	21	9	6	170
4	3	2	-	1	2	-	2	3	4	4	-	2	2	2	171
3	-	1	-	-	-	-	-	1	3	2	7	5	3	-	172
-	1	1	-	-	-	1	2	-	-	1	-	1	1	-	173
-	-	1	1	-	-	-	-	-	2	1	2	1	-	-	174
-	-	-	1	1	-	2	-	-	1	1	2	1	-	-	180
-	-	1	-	-	1	2	-	1	2	4	-	1	-	2	181
-	1	-	-	1	-	-	-	5	5	2	7	3	7	4	182.0
-	-	1	-	-	-	1	1	3	-	2	4	6	3	10	182.9
-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	183
-	-	3	3	14	24	40	50	56	41	50	54	32	19	19	184
-	-	1	1	2	5	11	10	4	13	8	8	6	4	2	185
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	186
-	-	-	-	1	2	5	4	7	10	9	10	6	4	6	187
-	-	-	-	-	2	4	-	6	-	-	4	3	2	-	188
-	-	2	1	3	7	9	15	15	23	7	15	9	5	1	189
-	-	-	-	-	-	-	1	1	1	1	4	3	5	1	190
-	-	-	-	-	-	-	-	8	20	29	54	72	53	36	191
1	-	1	1	1	1	-	1	-	1	1	-	-	-	1	192
-	-	-	-	-	-	2	1	2	-	3	1	-	-	1	193
-	-	-	-	-	1	1	5	7	9	16	20	13	10	8	194
-	-	-	-	-	-	1	-	5	4	4	2	6	7	2	195
1	1	1	-	-	-	2	4	3	11	8	4	4	3	1	196
-	-	-	-	-	-	2	3	3	1	5	5	1	4	-	197
-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	198
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	199
2	-	-	1	5	7	3	8	12	3	3	-	2	-	-	200
-	-	-	-	-	4	3	3	4	5	3	1	-	1	-	201
-	-	1	-	-	3	3	1	1	2	1	-	-	-	-	202
2	1	-	-	-	1	-	1	-	3	-	-	-	-	-	203
-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	204
-	-	-	-	1	-	-	2	3	3	3	5	1	1	-	205
1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	206
-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	207
-	-	-	1	1	-	-	2	2	6	4	7	7	5	5	208
2	-	-	-	-	-	-	1	1	4	3	7	10	5	4	209
-	-	-	1	-	1	1	-	-	-	1	2	-	-	-	210
-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	211
-	-	-	-	-	-	-	2	1	2	5	1	1	1	1	212
-	-	-	-	-	-	-	-	2	2	1	3	1	2	2	213

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
198	Other secondary malignant neoplasm	M	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
199	Malignant neoplasm without specification of site	M	27	-	-	-	-	-	-	-	-
		F	29	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulum-cell sarcoma	M	31	-	-	-	-	-	-	2	-
		F	23	-	-	-	1	-	1	-	-
201	Hodgkin's disease	M	36	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	1
202	Other neoplasm of lymphoid tissue	M	7	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
203	Multiple myeloma	M	25	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-
204	Lymphatic leukaemia	M	49	-	-	-	1	1	2	4	3
		F	31	-	1	-	-	2	3	2	-
205	Myeloid leukaemia	M	39	-	-	-	-	1	1	-	-
		F	16	-	-	-	-	-	-	2	-
206	Monocytic leukaemia	M	8	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1
207	Other and unspecified leukaemia	M	18	-	-	-	1	-	1	-	-
		F	16	-	-	-	1	-	1	1	2
208	Polycythaemia vera	M	6	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
209	Myelofibrosis	M	1	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
211	Benign neoplasm of other parts of digestive system	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
212	Benign neoplasm of respiratory system	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
214	Lipoma	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
215	Other benign neoplasm of muscular and connective tissue	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
220	Benign neoplasm of ovary	F	6	-	-	-	-	-	-	-	-
223	Benign neoplasm of kidney and other urinary organs	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
225	Benign neoplasm of brain and other parts of nervous system	M	4	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
226	Benign neoplasm of endocrine glands	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
227	Haemangioma and lymphangioma	M	1	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-
228	Benign neoplasm of other and unspecified organs and tissues	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
230	Neoplasm of unspecified nature of digestive organs	M	6	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
231	Neoplasm of unspecified nature of respiratory organs	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
232	Neoplasm of unspecified nature of skin and musculoskeletal system	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
234	Neoplasm of unspecified nature of uterus	F	1	-	-	-	-	-	-	-	-
235	Neoplasm of unspecified nature of ovary	F	1	-	-	-	-	-	-	-	-
237	Neoplasm of unspecified nature of other genito-urinary organs	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
238	Neoplasm of unspecified nature of eye, brain and other parts of nervous system	M	21	-	-	-	-	-	-	-	1
		F	17	-	-	-	-	1	1	-	2
239	Neoplasm of unspecified nature of other and unspecified organs	M	1	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79 ¹	80-84	85 and over	
-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	198
-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	199
1	-	-	-	1	1	1	2	4	2	6	5	1	3	-	200
-	-	1	-	-	-	1	1	2	7	3	7	2	4	1	201
3	2	1	1	2	1	-	1	2	3	2	7	2	-	2	202
-	-	-	1	1	-	1	2	5	4	2	5	-	1	-	203
-	1	3	4	2	3	5	3	1	3	5	2	2	2	-	204
1	2	-	2	1	-	1	2	7	1	1	1	-	-	-	205
-	-	-	-	-	1	-	-	1	3	1	-	-	1	-	206
2	-	-	1	-	-	-	-	-	-	2	1	-	-	-	207
-	-	-	-	-	-	1	4	2	1	5	6	4	1	1	208
-	-	-	-	-	-	1	1	2	6	3	5	3	1	1	209
1	-	-	-	1	-	-	3	8	4	4	7	7	4	1	210
-	1	-	1	-	-	-	1	3	4	5	7	2	-	2	211
2	1	-	-	-	2	3	3	3	5	5	9	4	-	1	212
-	-	-	1	-	-	1	1	2	2	2	3	2	-	-	213
-	-	-	-	1	1	1	-	-	3	-	-	-	-	1	214
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	215
1	-	-	-	1	-	1	2	1	-	3	5	3	-	1	216
-	-	-	-	1	1	1	1	-	3	1	3	1	-	-	217
-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	218
-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	219
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	220
-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	221
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	222
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	223
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	225
-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	226
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	228
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	229
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	231
-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	232
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	233
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	234
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	235
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	236
-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	237
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238
-	1	-	-	1	2	-	3	4	2	6	1	-	-	-	239
-	-	-	-	1	2	1	2	1	4	1	2	-	-	-	240
-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	241

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1 2	1 1	1 1	1 3	3 2	3 5	7 5	9 12	16 13	30 28	30 38	26 52	34 44	17 17	17 15	240-279
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	240
-	-	-	-	-	1	-	1	1	1	3	1	2	-	-	242
-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	244
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	245
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	246
2	1	1	2	3 1	2 2	4 3	8 7	13 11	21 23	25 27	23 39	31 38	17 16	13 13	250
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	251
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	252
-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	253
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	254
-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	255
-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	258
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	263
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	266
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	268
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	269
-	-	-	-	-	-	1	-	-	1	-	2	-	-	2	270
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	271
1	-	-	-	1	-	-	-	-	2	1	-	-	-	-	273
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	274
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	275
-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	276
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	277
-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	279
-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	
3	3	-	1	1 3	1	- 1	- 1	2 6	2 5	5 9	8 14	3 14	6 10	5 17	280-289
1	-	-	-	-	-	-	-	2	-	-	1	1	-	1	280
-	-	-	-	-	-	-	-	-	1	1	2	2	3	-	281
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	282

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
283	Acquired haemolytic anaemias	M	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
284	Aplastic anaemia	M	9	-	-	-	-	-	1	-	-
		F	11	-	-	1	-	1	-	-	-
285	Other and unspecified anaemias	M	14	-	-	-	-	-	-	-	1
		F	39	-	1	-	-	1	1	-	-
286	Coagulation defects	M	1	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-
287	Purpura and other haemorrhagic conditions	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
288	Agranulocytosis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
289	Other diseases of blood and blood-forming organs	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
290-315	V. Mental disorders	M	15	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
290	Senile and pre-senile dementia	M	10	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
296	Affective psychoses	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
299	Unspecified psychosis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
303	Alcoholism	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
306	Special symptoms not elsewhere classified	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
315	Unspecified mental retardation	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
320-389	VI. Diseases of the nervous system and sense organs	M	250	11	1	2	1	1	16	5	6
		F	234	14	2	-	1	1	18	2	-
320	Meningitis	M	21	7	-	2	1	1	11	-	2
		F	14	10	1	-	1	-	12	-	-
321	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	2	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
322	Intracranial and intraspinal abscess	M	1	-	-	-	-	-	-	-	-
		F	5	1	-	-	-	-	1	-	-
323	Encephalitis, myelitis, and encephalomyelitis	M	4	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	1	1	-	-
324	Late effects of intracranial abscess or pyogenic infection	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
330	Hereditary neuromuscular disorders	M	6	1	1	-	-	-	2	-	1
		F	3	-	-	-	-	-	-	1	-
331	Hereditary diseases of the striato-pallidal system	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
332	Hereditary ataxia	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
333	Other hereditary and familial diseases of nervous system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
340	Multiple sclerosis	M	34	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
341	Other demyelinating diseases of central nervous system	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
342	Paralysis agitans	M	44	-	-	-	-	-	-	-	-
		F	59	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	283
-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	284
1	-	-	1	1	-	-	-	2	1	-	1	-	1	2	285
1	-	-	-	1	1	-	1	1	1	3	4	-	2	2	286
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	287
-	2	-	-	-	-	-	-	-	1	1	-	1	-	-	288
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	289
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	290-315
-	-	1	-	-	1	-	1	-	-	2	3	3	3	3	290
-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	296
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	299
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	303
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	306
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	315
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	320-389
5	7	4	3	5	5	8	14	16	18	25	34	29	29	21	320
1	4	4	3	2	6	8	5	21	14	32	27	32	29	26	321
-	-	1	1	-	1	2	1	1	-	1	-	-	-	-	322
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	323
-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	324
-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	330
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	331
1	-	1	-	-	-	-	-	1	-	1	-	1	-	-	332
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	333
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	340
-	-	1	1	2	1	4	7	6	3	3	3	1	1	1	341
-	-	-	-	2	1	5	1	10	3	3	-	1	3	1	342
-	-	-	-	-	-	-	-	3	3	5	14	9	8	2	
-	-	-	-	-	-	-	-	2	3	12	19	14	7	2	

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
343	Cerebral spastic infantile paralysis	M F	3 5	- 1	- 1	- -	- -	- -	- 2	1 1	- -
344	Other cerebral paralysis	M F	68 65	- -	- -	- -	- -	- -	- -	- -	- -
345	Epilepsy	M F	26 21	1 -	- -	- -	- -	- -	1 -	2 -	3 -
347	Other diseases of brain	M F	10 10	- -	- -	- -	- -	- -	- -	- -	- -
348	Motor neurone disease	M F	16 12	- -	- -	- -	- -	- -	- -	- -	- -
349	Other diseases of spinal cord	M F	3 2	- -	- -	- -	- -	- -	- -	- -	- -
351	Trigeminal neuralgia	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
353	Sciatica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
354	Polyneuritis and polyradiculitis	M F	4 1	- -	- -	- -	- -	- -	- -	1 -	- -
356	Other diseases of cranial nerves	M F	1 -	1 -	- -	- -	- -	- -	1 -	- -	- -
357	Other diseases of peripheral nerves except autonomic	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
358	Diseases of peripheral autonomic nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
374	Cataract	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
377	Other diseases of retina and optic nerve	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
381	Otitis media without mention of mastoiditis	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- -
382	Otitis media with mastoiditis	M F	- 1	- 1	- -	- -	- -	- -	- 1	- -	- -
383	Mastoiditis without mention of otitis media	M F	- 1	- 1	- -	- -	- -	- -	- 1	- -	- -
390-458	VII. Diseases of the circulatory system	M F	9,115 7,704	2 -	- 1	- -	- -	- -	2 1	1 2	3 2
391	Rheumatic fever with heart involvement	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
393	Diseases of pericardium	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- -
394	Diseases of mitral valve	M F	89 97	- -	- -	- -	- -	- -	- -	1 -	- 1
395	Diseases of aortic valve	M F	58 22	- -	- -	- -	- -	- -	- -	- -	- -
396	Diseases of mitral and aortic valves	M F	16 13	- -	- -	- -	- -	- -	- -	- -	- -
397	Diseases of other endocardial structures	M F	18 11	- -	- -	- -	- -	- -	- -	- -	- -
398	Other heart diseases, specified as rheumatic	M F	32 44	- -	- -	- -	- -	- -	- -	- -	- -
400	Malignant hypertension	M F	26 15	- -	- -	- -	- -	- -	- -	- -	- -
401	Essential benign hypertension	M F	55 52	- -	- -	- -	- -	- -	- -	- -	- -
402	Hypertensive heart disease	M F	275 282	- -	- -	- -	- -	- -	- -	- -	- -
403	Hypertensive renal disease	M F	32 20	- -	- -	- -	- -	- -	- -	- -	- -

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	343
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	344
-	-	-	-	-	-	-	1	1	5	8	12	16	13	13	345
2	4	1	1	1	1	-	1	2	1	1	2	1	1	1	347
1	3	4	1	-	2	1	-	1	1	4	2	-	-	1	348
-	-	-	-	-	1	-	-	-	1	-	1	1	2	3	349
-	-	-	-	-	1	-	-	3	1	-	-	-	-	4	351
-	2	-	-	-	-	2	2	1	2	3	1	-	3	-	353
-	-	-	-	-	2	-	1	3	-	2	1	1	2	-	354
-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	355
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	356
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	357
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	358
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	374
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	377
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	381
-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	382
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	390-458
12	10	14	20	36	98	202	357	558	867	1,206	1,544	1,533	1,313	1,339	391
7	5	3	11	22	55	85	186	250	489	638	1,175	1,445	1,511	1,817	393
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	394
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	395
-	1	2	2	1	5	4	2	10	8	14	14	14	8	3	396
-	-	-	2	1	2	6	7	8	9	11	9	22	12	7	397
-	1	-	1	1	2	3	7	4	8	10	6	8	4	3	398
-	-	-	-	2	-	1	2	1	2	3	4	3	2	2	400
-	-	-	-	1	-	-	3	2	4	1	2	3	-	-	401
-	1	-	1	-	-	1	1	1	-	2	3	2	1	-	402
-	-	2	1	-	1	-	2	1	1	4	4	-	1	1	403
-	-	-	-	1	1	-	2	1	2	-	-	1	1	2	404
1	-	-	-	2	-	4	5	6	1	3	6	2	-	2	405
1	1	1	1	-	2	4	5	6	12	3	2	1	4	1	406
-	-	-	1	3	2	3	1	4	10	2	-	-	-	-	407
-	-	-	-	1	3	1	3	4	1	1	-	1	-	-	408
-	1	-	-	-	1	-	-	2	3	9	6	15	12	6	409
-	-	-	-	-	-	-	-	1	1	5	10	10	12	13	410
-	-	-	-	1	1	-	2	9	21	44	60	49	45	43	411
-	-	-	-	-	1	2	7	9	11	27	45	61	64	55	412
-	1	-	-	-	-	-	3	6	7	5	7	1	1	1	413
-	-	-	-	-	-	-	4	2	-	2	3	2	3	4	414

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
404	Hypertensive heart and renal disease	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
410-414	Ischaemic heart disease	M	4,802	-	-	-	-	-	-	-	-
		F	2,968	-	-	-	-	-	-	-	-
410.0	Acute myocardial infarction With hypertensive disease	M	321	-	-	-	-	-	-	-	-
		F	269	-	-	-	-	-	-	-	-
410.9	Without mention of hypertensive disease	M	3,325	-	-	-	-	-	-	-	-
		F	1,648	-	-	-	-	-	-	-	-
411.0	Other acute and sub-acute forms of Ischaemic heart disease With hypertensive disease	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
411.9	Without mention of hypertensive disease	M	29	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-
412.0	Chronic Ischaemic heart disease With hypertensive disease	M	51	-	-	-	-	-	-	-	-
		F	49	-	-	-	-	-	-	-	-
412.9	Without mention of hypertensive disease	M	1,064	-	-	-	-	-	-	-	-
		F	981	-	-	-	-	-	-	-	-
413.0	Angina pectoris With hypertensive disease	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
413.9	Without mention of hypertensive disease	M	8	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
420	Acute pericarditis, non-rheumatic	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
421	Acute and subacute endocarditis	M	10	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
422	Acute myocarditis	M	7	-	-	-	-	-	-	2	-
		F	4	-	-	-	-	-	-	-	-
423	Chronic disease of pericardium, non-rheumatic	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
424	Chronic disease of endocardium	M	80	-	-	-	-	-	-	-	1
		F	100	-	-	-	-	-	-	-	-
425	Cardiomyopathy	M	10	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
426	Pulmonary heart disease	M	5	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
427	Symptomatic heart disease	M	227	-	-	-	-	-	-	-	-
		F	208	-	-	-	-	-	-	-	1
428	Other myocardial Insufficiency	M	443	-	-	-	-	-	-	-	-
		F	549	-	-	-	-	-	-	-	-
429	Ill-defined heart disease	M	34	-	-	-	-	-	-	-	1
		F	30	-	-	-	-	-	-	-	-
430.0	Subarachnoid haemorrhage, with hypertension	M	18	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
430.9	Subarachnoid haemorrhage, without hypertension	M	83	-	-	-	-	-	-	-	1
		F	105	-	-	-	-	-	-	-	-
431.0	Cerebral haemorrhage, with hypertension	M	240	-	-	-	-	-	-	-	-
		F	293	-	-	-	-	-	-	-	-
431.9	Cerebral haemorrhage, without hypertension	M	364	-	-	-	-	-	-	-	-
		F	412	-	-	-	-	-	-	-	-
432.0	Occlusion of pre-cerebral arteries with hypertension	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
432.9	Occlusion of pre-cerebral arteries without hypertension	M	10	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
433.0	Cerebral thrombosis with hypertension	M	129	-	-	-	-	-	-	-	-
		F	154	-	-	-	-	-	-	-	-
433.9	Cerebral thrombosis without hypertension	M	766	-	1	-	-	-	-	-	-
		F	810	-	-	-	-	1	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	404
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
3	2	1	8	21	65	135	255	374	594	744	827	736	562	475	410-414
-	-	-	2	5	17	35	78	110	239	316	506	549	517	594	-
-	-	-	-	2	3	9	20	28	57	66	69	40	21	6	410.0
-	-	-	-	-	1	7	10	15	20	40	70	53	37	16	-
2	2	1	7	15	54	111	212	307	468	557	569	476	326	218	410.9
-	-	-	2	5	13	25	60	85	178	215	312	312	238	203	-
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	411.0
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	2	1	4	3	2	6	2	7	2	411.9
-	-	-	-	-	-	-	-	-	-	4	3	2	4	5	-
-	-	-	-	-	1	2	2	4	2	10	14	11	2	3	412.0
-	-	-	-	-	-	1	1	1	2	5	4	11	13	11	-
-	-	-	1	4	7	11	19	30	63	107	168	204	205	245	412.9
-	-	-	-	-	3	2	7	9	38	51	117	170	225	359	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	413.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	1	2	-	2	1	-	413.9
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	420
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	3	-	-	-	1	-	2	1	2	1	-	-	-	421
-	-	-	1	-	-	-	1	1	4	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	2	1	3	-	-	422
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	423
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	4	4	5	10	13	18	9	16	424
-	-	-	-	-	1	-	3	3	6	6	18	20	18	25	-
-	-	1	-	-	-	-	1	3	1	1	2	-	-	1	425
1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	1	-	-	-	-	1	1	1	-	426
-	1	1	-	-	1	1	-	-	-	1	-	-	1	2	-
-	-	-	-	-	-	1	-	1	6	10	37	57	53	62	427
1	-	-	-	-	1	-	1	-	3	6	30	37	62	66	-
1	-	-	-	-	-	2	3	2	7	17	48	91	102	170	428
-	-	-	-	-	-	-	1	3	4	4	39	97	151	250	-
-	-	-	-	-	1	1	-	1	6	3	6	8	4	3	429
1	-	-	-	-	-	2	1	1	-	2	1	11	2	9	-
-	1	1	-	-	1	2	1	2	2	5	1	1	1	-	430.0
-	-	-	-	1	2	3	5	5	4	4	4	5	2	2	-
4	2	1	1	2	8	13	10	12	2	14	6	6	1	-	430.9
2	-	-	-	-	9	14	13	9	13	16	15	7	4	3	-
-	-	-	1	-	1	5	11	24	29	45	51	40	12	21	431.0
-	1	-	-	-	3	2	12	17	25	47	55	57	42	32	-
1	-	1	2	-	6	7	12	30	21	41	81	55	61	46	431.9
1	-	-	-	5	3	3	6	14	33	34	73	84	84	72	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	432.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	5	2	-	-	432.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	1	7	6	19	28	33	23	12	433.0
-	-	-	-	1	-	-	3	4	9	14	35	31	33	24	-
-	-	-	1	-	1	6	6	18	42	69	110	160	177	176	433.9
-	-	-	-	-	1	2	3	10	22	46	114	164	194	253	-

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
434.0	Cerebral embolism with hypertension	M F	7 14	- -	- -	- -	- -	- -	- -	- -	- -
434.9	Cerebral embolism without hypertension	M F	34 41	- -	- -	- -	- -	- -	- -	- -	- -
435.0	Transient cerebral ischaemia with hypertension	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
436.0	Acute but ill-defined cerebrovascular disease with hypertension	M F	78 111	- -	- -	- -	- -	- -	- -	- -	- -
436.9	Acute but ill-defined cerebrovascular disease without hypertension	M F	176 197	- -	- -	- -	- -	- -	- -	- -	- -
437.0	Generalised ischaemic cerebrovascular disease with hypertension	M F	9 10	- -	- -	- -	- -	- -	- -	- -	- -
437.9	Generalised ischaemic cerebrovascular disease without hypertension	M F	121 145	- -	- -	- -	- -	- -	- -	- -	- -
438.0	Other and ill-defined cerebrovascular disease with hypertension	M F	55 77	- -	- -	- -	- -	- -	- -	- -	- -
438.9	Other and ill-defined cerebrovascular disease without hypertension	M F	36 48	- -	- -	- -	- -	- -	- -	- -	- -
440	Arteriosclerosis	M F	443 516	- -	- -	- -	- -	- -	- -	- -	- -
441	Aortic aneurysm (non-syphilitic)	M F	61 43	- -	- -	- -	- -	- -	- -	- -	- -
442	Other aneurysm	M F	4 2	- -	- -	- -	- -	- -	- -	- -	- -
443	Other peripheral vascular disease	M F	11 6	- -	- -	- -	- -	- -	- -	- -	- -
444	Arterial embolism and thrombosis	M F	44 36	1 -	- -	- -	- -	- -	1 -	- -	- -
445	Gangrene	M F	65 46	- -	- -	- -	- -	- -	- -	- -	- -
446	Polyarteritis nodosa and allied conditions	M F	3 8	1 -	- -	- -	- -	- -	1 -	- -	- -
447	Other diseases of arteries and arterioles	M F	2 1	- -	- -	- -	- -	- -	- -	- -	- -
450	Pulmonary embolism and infarction	M F	95 128	- -	- -	- -	- -	- -	- -	- -	- -
451	Phlebitis and thrombophlebitis	M F	8 6	- -	- -	- -	- -	- -	- -	- -	- -
452	Portal vein thrombosis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
453	Other venous embolism and thrombosis	M F	9 8	- -	- -	- -	- -	- -	- -	- -	- -
454	Varicose veins of lower extremities	M F	1 2	- -	- -	- -	- -	- -	- -	- -	- -
455	Haemorrhoids	M F	2 -	- -	- -	- -	- -	- -	- -	- -	- -
456	Varicose veins of other sites	M F	5 3	- -	- -	- -	- -	- -	- -	- -	- -
457	Non-infective disease of lymphatic channels	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
458	Other diseases of circulatory system	M F	6 -	- -	- -	- -	- -	- -	- -	- -	- -
460-519	VIII. Diseases of the respiratory system	M F	2,957 2,173	129 79	13 15	3 9	3 3	2 6	150 112	5 9	7 4
463	Acute tonsillitis	M F	1 -	- -	- -	- -	- -	- -	- -	1 -	- -
464	Acute laryngitis and tracheitis	M F	3 3	1 -	- 1	- 1	- -	- 1	1 3	- -	- -

22

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
465	Acute upper respiratory infection of multiple or unspecified sites	M	13	5	-	-	-	-	5	-	-
		F	12	1	-	-	-	-	1	1	-
466	Acute bronchitis and bronchiolitis	M	49	7	-	-	-	-	7	-	-
		F	53	5	-	-	-	1	6	-	-
470	Influenza unqualified	M	81	-	-	-	-	-	-	-	-
		F	95	-	-	-	-	-	-	2	-
471	Influenza with pneumonia	M	244	3	-	-	-	-	3	-	-
		F	181	-	-	-	-	-	-	-	1
472	Influenza with other respiratory manifestations	M	58	3	-	-	-	-	3	-	-
		F	40	-	-	-	-	-	-	-	-
474	Influenza with nervous manifestations	M	2	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
480	Viral pneumonia	M	45	18	6	-	-	-	24	-	1
		F	38	17	3	2	-	-	22	-	-
481	Pneumococcal pneumonia	M	102	3	-	-	-	-	3	-	-
		F	78	1	-	-	-	1	2	-	-
482	Other bacterial pneumonia	M	9	3	1	-	-	-	4	-	1
		F	5	1	1	-	-	-	2	-	1
483	Pneumonia due to other specified organism	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
484	Acute interstitial pneumonia	M	1	1	-	-	-	-	1	-	-
		F	3	2	1	-	-	-	3	-	-
485	Bronchopneumonia, unspecified	M	613	44	3	2	1	1	51	2	3
		F	633	32	6	1	2	1	42	2	1
486	Pneumonia, unspecified	M	260	24	2	1	2	-	29	1	1
		F	225	15	2	4	-	-	21	1	1
490	Bronchitis, unqualified	M	125	1	1	-	-	-	2	-	-
		F	99	-	1	1	-	-	2	-	-
491	Chronic bronchitis	M	1,025	-	-	-	-	-	-	-	-
		F	488	-	-	-	-	2	2	-	-
492	Emphysema	M	109	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
493	Asthma	M	80	-	-	-	-	1	1	-	1
		F	53	-	-	-	-	-	-	-	-
501	Peritonsillar abscess	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
503	Chronic sinusitis	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
508	Other diseases of upper respiratory tract	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-
510	Empyema	M	3	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
511	Pleurisy	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
512	Spontaneous pneumothorax	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
513	Abscess of lung	M	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
514	Pulmonary congestion and hypostasis	M	46	1	-	-	-	-	1	-	-
		F	59	-	-	-	-	-	-	1	-
515	Pneumoconiosis due to silica and silicates	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
516	Other pneumoconioses and related diseases	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
517	Other chronic interstitial pneumonia	M	17	-	-	-	-	-	-	-	-
		F	12	-	-	-	1	-	1	1	-
518	Bronchiectasis	M	28	-	-	-	-	-	-	1	-
		F	19	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79 ¹	80-84	85 and over	
-	-	-	-	-	-	-	-	-	1	2	-	1	2	2	465
-	-	-	-	1	-	-	1	-	1	2	2	2	1	-	466
-	1	-	-	-	-	-	-	2	2	7	6	4	13	7	466
-	-	-	-	-	-	-	1	2	6	3	7	8	7	13	470
-	-	-	-	2	-	3	5	5	3	13	12	15	8	15	470
-	-	-	1	-	-	2	-	2	3	9	22	15	19	20	471
-	-	1	-	-	3	8	7	21	19	35	45	42	34	26	471
1	1	1	-	2	-	4	7	9	17	23	39	31	24	21	472
-	-	1	-	-	-	-	8	2	6	5	12	12	5	4	472
-	-	-	-	1	1	1	-	3	3	6	10	7	5	3	474
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	474
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	480
-	-	-	1	-	-	2	-	3	1	1	2	5	2	3	480
-	-	1	-	-	-	-	-	-	4	-	5	1	5	-	481
2	-	-	-	1	1	4	7	3	12	7	19	16	13	14	481
2	-	-	-	-	1	2	3	2	9	9	11	11	12	14	482
-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	482
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	483
-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	484
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	484
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	485
-	3	1	3	3	2	6	8	18	32	54	102	101	114	110	485
1	-	-	-	2	4	6	6	21	24	42	105	105	131	141	486
2	-	-	1	-	3	8	7	11	15	27	40	43	36	36	486
4	1	1	-	-	2	4	5	7	12	13	37	28	46	42	490
-	-	-	-	-	-	1	-	4	8	17	25	25	21	22	490
-	-	-	-	-	1	-	3	6	6	9	14	14	19	25	491
1	1	-	-	1	6	15	38	88	127	170	210	158	121	89	491
-	-	1	-	1	6	11	12	22	45	69	76	74	82	87	492
-	-	-	-	-	1	3	8	12	20	21	19	12	8	5	492
-	-	-	-	-	2	3	1	2	6	8	5	1	7	2	493
-	-	-	-	-	3	9	4	10	10	18	13	7	3	1	493
-	1	-	-	2	2	3	4	4	10	10	11	3	1	2	501
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	501
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	503
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	503
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	508
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	510
-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	510
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	511
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	512
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	512
-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	513
-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	513
-	-	-	-	-	-	-	-	2	-	1	6	8	9	19	514
-	-	-	-	-	-	1	1	-	1	3	5	13	13	21	514
-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	515
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	515
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	516
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	516
-	-	-	-	-	-	2	-	1	4	1	3	5	1	-	517
-	-	-	-	-	-	-	-	4	-	2	2	-	1	1	517
-	1	-	-	-	-	-	3	1	2	4	3	6	3	4	518
-	1	-	-	-	1	-	1	4	1	2	2	2	1	4	518

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
519	Other diseases of respiratory system	M	31	14	-	-	-	-	14	-	-
		F	26	4	-	-	-	-	4	-	-
520-577	IX. Diseases of the digestive system	M	387	6	1	-	-	-	7	-	2
		F	311	1	1	-	-	-	2	1	-
520	Disorders of tooth development and eruption	M	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-
524	Dento-facial anomalies including malocclusion	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
527	Diseases of the salivary glands	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
528	Diseases of the oral soft tissues excluding gingiva and tongue	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
530	Diseases of oesophagus	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
531	Ulcer of stomach	M	52	-	-	-	-	-	-	-	-
		F	35	-	-	-	-	-	-	-	-
532	Ulcer of duodenum	M	69	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-
533	Peptic ulcer, site unspecified	M	41	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
534	Gastrojejunal ulcer	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
535	Gastritis and duodenitis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
536	Disorders of function of stomach	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
537	Other diseases of stomach and duodenum	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
540	Acute appendicitis	M	11	-	-	-	-	-	-	-	1
		F	8	-	-	-	-	-	-	1	-
541	Appendicitis, unqualified	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
550	Inguinal hernia without mention of obstruction	M	4	2	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-
551	Other hernia of abdominal cavity without mention of obstruction	M	5	1	-	-	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-
552	Inguinal hernia with obstruction	M	6	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
553	Other hernia of abdominal cavity with obstruction	M	12	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
560	Intestinal obstruction without mention of hernia	M	23	-	-	-	-	-	-	-	1
		F	32	-	-	-	-	-	-	-	-
562	Diverticula of intestine	M	17	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-
563	Chronic enteritis and ulcerative colitis	M	9	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-
567	Peritonitis	M	8	2	-	-	-	-	2	-	-
		F	8	-	-	-	-	-	-	-	-
568	Peritoneal adhesions	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
569	Other diseases of intestines and peritoneum	M	16	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-
570	Acute and subacute necrosis of liver	M	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
571	Cirrhosis of liver	M	62	-	1	-	-	-	1	-	-
		F	37	-	-	-	-	-	-	-	-
572	Suppurative hepatitis and liver abscess	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-

death															Detailed inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	1	-	-	-	-	-	2	1	2	1	4	3	1	2	519
-	-	-	-	-	-	-	-	1	2	5	4	2	4	4	
1	1	2	4	4	9	15	16	35	45	53	65	49	45	34	520-577
3	5	3	1	6	8	9	18	20	22	35	45	48	46	39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	520
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	524
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	527
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	525
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	530
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	531
-	-	-	-	-	-	1	1	5	8	6	10	8	9	4	532
-	-	-	-	-	-	1	1	3	-	7	5	9	6	3	533
-	-	-	-	-	-	1	4	9	11	7	12	9	6	10	534
-	-	-	-	1	-	-	2	-	2	2	10	-	2	4	535
-	-	-	-	1	1	2	1	1	1	7	10	4	10	3	536
-	-	-	-	-	-	1	1	-	2	4	5	1	6	2	537
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	538
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	539
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	540
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	541
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	542
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	543
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	544
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	545
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	546
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	547
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	549
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	550
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	552
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	553
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	554
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	555
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	556
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	557
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	558
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	559
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	560
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	561
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	562
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	563
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	564
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	565
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	566
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	567
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	568
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	569
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	570
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	571
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	572
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	573
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	574
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	575
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	576
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	577
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	578
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	579
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	580
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	581
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	582
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	583
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	584
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	585
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	586
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	587
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	588
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	589
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	590
-	-	-	-	-	-	-	-	-	-	-	-				

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
573	Other diseases of liver	M	10	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
574	Cholelithiasis	M	5	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
575	Cholecystitis and cholangitis, without mention of calculus	M	9	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-
576	Other diseases of gallbladder and biliary ducts	M	3	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
577	Diseases of pancreas	M	14	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
580-629	X. Diseases of the genito-urinary system	M	407	4	2	-	-	-	6	1	-
		F	227	1	2	-	1	-	4	1	1
580	Acute nephritis	M	4	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
581	Nephrotic syndrome	M	6	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	1	-
582	Chronic nephritis	M	120	-	-	-	-	-	-	1	-
		F	59	-	-	-	-	-	-	-	1
583	Nephritis, unqualified	M	18	-	-	-	-	-	-	-	-
		F	14	-	1	-	-	-	1	-	-
590	Infections of kidney	M	68	4	-	-	-	-	4	-	-
		F	86	1	1	-	-	-	2	-	-
591	Hydronephrosis	M	7	-	1	-	-	-	1	-	-
		F	1	-	-	-	1	-	1	-	-
592	Calculus of kidney and ureter	M	7	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
593	Other diseases of kidney and ureter	M	40	-	1	-	-	-	1	-	-
		F	25	-	-	-	-	-	-	-	-
595	Cystitis	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
596	Other diseases of bladder	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
599	Other diseases of urinary tract	M	5	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	M	116	-	-	-	-	-	-	-	-
601	Prostatitis	M	8	-	-	-	-	-	-	-	-
602	Other diseases of prostate	M	2	-	-	-	-	-	-	-	-
614	Salpingitis and oophoritis, unqualified	F	2	-	-	-	-	-	-	-	-
616	Diseases of parametrium and pelvic peritoneum (female)	F	1	-	-	-	-	-	-	-	-
622	Infective diseases of uterus (except cervix), vagina and vulva	F	1	-	-	-	-	-	-	-	-
625	Other diseases of uterus	F	1	-	-	-	-	-	-	-	-
620-678	XI. Complications of pregnancy, childbirth and the puerperium	F	20	-	-	-	-	-	-	-	-
634	Other complications of pregnancy	F	1	-	-	-	-	-	-	-	-
637	Pre-eclampsia, eclampsia and toxæmia unspecified	F	4	-	-	-	-	-	-	-	-
651	Delivery complicated by placenta prævia or antepartum hæmorrhage	F	2	-	-	-	-	-	-	-	-
652	Delivery complicated by retained placenta	F	1	-	-	-	-	-	-	-	-
653	Delivery complicated by other postpartum hæmorrhage	F	1	-	-	-	-	-	-	-	-
659	Delivery with rupture of uterus	F	1	-	-	-	-	-	-	-	-
661	Delivery with other complications	F	1	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	1	-	1	3	1	1	-	1	2	573
-	-	1	-	-	-	-	1	1	1	1	-	3	-	1	574
-	2	1	-	-	-	1	1	-	-	1	1	1	-	-	575
-	-	-	-	-	1	1	-	1	2	3	-	-	1	-	576
-	-	-	-	-	-	-	1	-	1	-	5	5	3	6	577
-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	578
-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	579
-	1	1	1	1	-	1	-	2	-	-	4	2	-	1	580
-	1	-	-	1	-	-	1	2	-	2	-	2	1	-	581
2	2	1	1	6	9	13	11	20	26	45	48	85	77	54	580-629
6	1	3	-	-	6	4	7	13	26	34	22	36	28	35	
-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	582
1	-	-	-	-	-	-	-	-	1	5	-	1	2	-	583
-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	584
-	-	-	-	-	-	1	1	1	1	1	1	2	2	-	585
1	1	1	1	4	6	6	5	13	11	19	8	20	15	8	586
-	1	1	-	-	2	-	2	5	11	10	5	10	5	6	587
2	1	-	-	-	-	1	1	1	1	1	5	2	3	2	588
2	-	-	-	-	1	-	-	1	-	2	2	3	2	-	589
1	-	-	-	1	2	2	2	3	8	7	6	14	10	8	590
2	-	2	-	-	2	2	1	4	11	12	9	14	8	17	591
-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	592
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	593
-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	594
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	595
-	-	-	-	-	-	1	3	-	3	2	7	5	10	8	596
-	-	-	-	-	-	1	1	-	1	2	2	2	7	9	597
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	598
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	599
1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	600
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	601
-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	602
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	603
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	604
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	605
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	606
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	607
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	608
-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	609
-	-	-	-	-	-	-	-	2	-	-	2	4	1	2	610
-	-	-	-	-	1	-	-	1	1	10	15	36	29	23	611
-	-	-	-	-	-	-	-	-	-	2	-	3	1	2	612
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	613
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	614
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	615
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	616
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	617
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	618
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	619
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	620
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	621
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	622
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	623
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	624
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	626
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	627
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	628
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	629
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	630
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	631
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	632
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	633
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	634
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	635
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	636
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	637
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	638
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	639
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	640
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	641
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	642
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	643
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	644
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	645
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	646
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	647
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	648
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	649
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	651
-	-	-	-	-	-	-	-	-	-	-	-</				

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
670	Sepsis of childbirth and the puerperium	F	1	-	-	-	-	-	-	-	-
673	Puerperal pulmonary embolism	F	3	-	-	-	-	-	-	-	-
674	Cerebral haemorrhage in the puerperium	F	3	-	-	-	-	-	-	-	-
675	Puerperal blood dyscrasias	F	2	-	-	-	-	-	-	-	-
680-709	XII. Diseases of the skin and subcutaneous tissue	M	16	2	-	-	-	-	2	-	-
		F	29	1	-	-	-	-	1	-	-
680	Boil and carbuncle	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
682	Other cellulitis and abscess	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
684	Impetigo	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
686	Other local infections of skin and subcutaneous tissue	M	2	2	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-
694	Pemphigus	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
695	Erythematous conditions	M	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
696	Psoriasis and similar disorders	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
707	Chronic ulcer of skin	M	9	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-
710-738	XIII. Diseases of the musculoskeletal system and connective tissue	M	50	-	-	-	-	-	-	-	-
		F	88	1	-	-	-	-	1	-	-
710	Acute arthritis due to pyogenic organisms	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
712	Rheumatoid arthritis and allied conditions	M	22	-	-	-	-	-	-	-	-
		F	56	-	-	-	-	-	-	-	-
713	Osteo-arthritis and allied conditions	M	5	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
715	Arthritis, unspecified	M	9	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
716	Polymyositis and dermatomyositis	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
718	Rheumatism, unspecified	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
720	Osteomyelitis and periostitis	M	2	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
721	Osteitis deformans	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
723	Other diseases of bone	M	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
733	Other diseases of muscle, tendon and fascia	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
734	Diffuse diseases of connective tissue	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
735	Curvature of spine	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
740-759	XIV. Congenital anomalies	M	227	166	12	1	1	3	183	5	3
		F	193	156	7	3	-	3	169	4	3
740	Anencephalus	M	22	21	1	-	-	-	22	-	-
		F	22	22	-	-	-	-	22	-	-
741.0	Spina bifida with hydrocephalus	M	12	10	1	-	-	1	12	-	-
		F	27	25	1	-	-	-	26	1	-
741.9	Spina bifida without mention of hydrocephalus	M	5	5	-	-	-	-	5	-	-
		F	7	7	-	-	-	-	7	-	-

[illegible]

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
742	Congenital hydrocephalus	M	11	8	2	-	-	-	10	-	-
		F	12	10	1	-	-	-	11	-	1
743	Other congenital anomalies of nervous system	M	4	2	-	-	1	-	3	-	-
		F	7	6	-	-	-	-	6	-	-
746	Congenital anomalies of heart	M	85	59	4	1	-	2	66	2	1
		F	70	48	5	2	-	1	56	3	2
747	Other congenital anomalies of circulatory system	M	13	5	-	-	-	-	5	1	1
		F	5	4	-	-	-	-	4	-	-
748	Congenital anomalies of respiratory system	M	6	4	-	-	-	-	4	-	-
		F	5	4	-	-	-	1	5	-	-
749	Cleft palate and cleft lip	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	M	9	9	-	-	-	-	9	-	-
		F	2	2	-	-	-	-	2	-	-
751	Other congenital anomalies of digestive system	M	17	11	3	-	-	-	14	1	-
		F	17	16	-	-	-	1	17	-	-
753	Congenital anomalies of urinary system	M	14	9	-	-	-	-	9	1	1
		F	6	3	-	-	-	-	3	-	-
756	Other congenital anomalies of musculoskeletal system	M	10	6	-	-	-	-	6	-	-
		F	4	2	-	-	-	-	2	-	-
758	Other and unspecified congenital anomalies	M	3	2	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-
759	Congenital syndromes affecting multiple systems	M	15	14	1	-	-	-	15	-	-
		F	9	7	-	1	-	-	8	-	-
760-779	XV. Certain causes of perinatal morbidity and mortality	M	300	300	-	-	-	-	300	-	-
		F	222	222	-	-	-	-	222	-	-
761	Other maternal conditions unrelated to pregnancy	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
762	Toxaemia of pregnancy	M	1	1	-	-	-	-	1	-	-
		F	4	4	-	-	-	-	4	-	-
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	2	2	-	-	-	-	2	-	-
		F	1	1	-	-	-	-	1	-	-
769	Other complications of pregnancy and childbirth	M	7	7	-	-	-	-	7	-	-
		F	9	9	-	-	-	-	9	-	-
770	Conditions of placenta	M	9	9	-	-	-	-	9	-	-
		F	3	3	-	-	-	-	3	-	-
771	Conditions of umbilical cord	M	6	6	-	-	-	-	6	-	-
		F	-	-	-	-	-	-	-	-	-
772	Birth injury without mention of cause	M	26	26	-	-	-	-	26	-	-
		F	22	22	-	-	-	-	22	-	-
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
774	Haemolytic disease of newborn with kernicterus	M	2	2	-	-	-	-	2	-	-
		F	1	1	-	-	-	-	1	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	7	7	-	-	-	-	7	-	-
		F	12	12	-	-	-	-	12	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	142	142	-	-	-	-	142	-	-
		F	98	98	-	-	-	-	98	-	-
777	Immaturity, unqualified	M	82	82	-	-	-	-	82	-	-
		F	65	65	-	-	-	-	65	-	-
778	Other conditions of foetus or newborn	M	14	14	-	-	-	-	14	-	-
		F	6	6	-	-	-	-	6	-	-
780-796	XVI. Symptoms and ill-defined conditions	M	291	1	1	-	-	-	2	-	-
		F	372	-	-	-	-	-	-	-	-
780	Certain symptoms referable to nervous system and special senses	M	2	1	1	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

[illegible]

[illegible]

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E840	Accident to powered aircraft take-off or landing	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E841	Accident to powered aircraft other and unspecified	M	5	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E852	Accidental poisoning by primarily systemic and haematologic agents	M	1	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E853	Accidental poisoning by analgesics and antipyretics	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	1	1	-
E854	Accidental poisoning by other sedatives and hypnotics	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E855	Accidental poisoning by autonomic nervous system and psychotherapeutic drugs	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E865	Accidental poisoning by pesticides, fertilizers or plant foods	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E869	Accidental poisoning by other and unspecified solid and liquid substances	M	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
E871	Accidental poisoning by liquefied petroleum gas distributed in mobile containers	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E872	Accidental poisoning by other utility gas	M	2	-	-	-	1	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
E873	Accidental poisoning by motor vehicle exhaust gas	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E875	Accidental poisoning by other carbon monoxide	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by unspecified gases and vapours	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E880	Fall on or from stairs or steps	M	13	-	-	-	-	-	-	-	-
		F	9	-	-	1	-	-	1	-	-
E881	Fall on or from ladders or scaffolding	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E882	Fall from or out of building or other structure	M	11	-	-	-	-	-	-	2	-
		F	2	-	-	-	-	-	-	-	1
E883	Fall into hole or other opening in surface	M	6	-	-	1	-	-	1	2	-
		F	-	-	-	-	-	-	-	-	-
E884	Other fall from one level to another	M	17	-	-	1	-	-	1	-	-
		F	5	1	1	-	-	-	2	-	-
E885	Fall on same level from slipping, tripping or stumbling	M	8	-	-	-	-	-	-	1	-
		F	4	-	-	-	-	1	1	-	-
E887	Other and unspecified fall	M	93	-	-	-	-	-	-	-	-
		F	204	-	-	-	-	-	-	-	-
E890	Accident caused by conflagration in private dwelling	M	8	-	-	-	1	-	1	1	1
		F	9	2	-	-	-	-	2	1	-
E891	Accident caused by conflagration in other building or structure	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E893	Accident caused by ignition of clothing	M	17	-	1	-	-	-	1	1	-
		F	21	-	-	-	-	-	-	1	-
E894	Accident caused by ignition of highly inflammable material	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	1	-	-
E895	Accident caused by controlled fire in private dwelling	M	3	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E840
-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	E841
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E852
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E853
-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	E854
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E855
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E865
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	E869
-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	E871
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	E872
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E873
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	E874
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	E875
1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	E877
-	2	1	-	1	1	2	-	1	-	1	-	2	1	1	E880
-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	E881
2	1	1	1	-	1	1	-	1	-	-	1	-	-	-	E882
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	E883
2	1	-	1	-	-	2	2	-	2	2	4	-	-	-	E884
-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	E885
-	1	2	-	-	-	-	2	2	5	4	9	17	21	30	E887
-	-	-	-	-	1	1	1	-	2	8	29	36	58	68	E887
-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	E890
1	-	-	1	-	-	-	1	-	-	-	1	1	1	1	E891
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E893
-	-	-	1	-	-	-	-	1	2	-	4	2	3	2	E893
-	-	-	-	-	-	-	-	1	-	3	1	3	4	8	E894
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	E894
-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	E895
1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	E895

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E896	Accident caused by controlled fire in other building or structure	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E898	Accident caused by other specified fires or flames	M	4	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E899	Accident caused by unspecified fire	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E900	Excessive heat	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E901	Excessive cold	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E904	Hunger, thirst exposure and neglect	M	11	3	-	-	-	-	3	-	-
		F	4	3	-	-	-	-	3	-	-
E906	Other accidents caused by animals	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E907	Lightning	M	4	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-
E910	Accidental drowning and submersion	M	59	-	2	2	2	1	7	2	8
		F	24	-	1	-	-	-	1	1	5
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	36	18	1	-	-	1	20	-	-
		F	29	18	1	2	-	-	21	1	-
E912	Inhalation and ingestion of other object causing obstruction of suffocation	M	2	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	1	-	-
E913	Accidental mechanical suffocation	M	11	6	-	-	-	-	6	1	3
		F	2	1	1	-	-	-	2	-	-
E915	Foreign body accidentally entering other orifice	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E916	Struck accidentally by falling object	M	10	-	-	-	-	-	-	1	1
		F	3	-	-	-	-	-	-	1	1
E917	Striking against or struck accidentally by objects	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E918	Caught accidentally in or between objects	M	5	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-
E919	Over-exertion and strenuous movements	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E920	Accident caused by cutting or piercing instruments	M	3	-	-	-	1	-	1	-	-
		F	1	-	-	-	-	-	-	1	-
E922	Accident caused by firearm missiles	M	7	-	-	-	-	-	-	1	2
		F	1	-	-	-	-	-	-	-	-
E923	Accident caused by explosive material	M	2	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance corrosive liquid and steam	M	1	-	-	1	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-
E925	Accident caused by electric current	M	4	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E927	Vehicle accidents not elsewhere classifiable	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E928	Machinery accidents not elsewhere classifiable	M	11	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	1
E929	Other and unspecified accidents	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E930	Complications and misadventures in operative therapeutic procedures	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E934	Complications and misadventures in prophylaxis with other vaccines	M	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E940	Late effect of motor vehicle accident	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E946	Late effect of other accidents	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E948	Late effect of irradiation	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E950	Suicide and self-inflicted poisoning by solid or liquid substances	M	9	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E951	Suicide and self-inflicted poisoning by gases in domestic use	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E952	Suicide and self-inflicted poisoning by other gases	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation	M	15	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E954	Suicide and self-inflicted injury by submersion (drowning)	M	8	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
E955	Suicide and self-inflicted injury by firearms and explosives	M	5	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E956	Suicide and self-inflicted injury by cutting and piercing instruments	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E958	Suicide and self-inflicted injury by other and unspecified means	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E960	Fight, brawl, rape	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E963	Assault by hanging and strangulation	M	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	1
E964	Assault by submersion (drowning)	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
E965	Assault by firearms and explosives	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E966	Assault by cutting and piercing instruments	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E968	Assault by other and unspecified means	M	2	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
E969	Late effect of injury purposely inflicted by other person	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E980	Poisoning by solid or liquid substances undetermined whether accidentally or purposely inflicted	M	17	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
E981	Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E982	Poisoning by other gases undetermined whether accidentally or purposely inflicted	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E983	Hanging, strangulation, or suffocation, undetermined whether accidentally or purposely inflicted	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E984	Submersion (drowning) undetermined whether accidentally or purposely inflicted	M	42	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E986	Injury by cutting and piercing instruments undetermined whether accidentally or purposely inflicted	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E987	Falling from high place undetermined whether accidentally or purposely inflicted	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	E940
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E946
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E948
1	2	1	-	-	-	-	2	1	2	-	-	-	-	-	E950
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	E951
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	E952
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	E953
-	2	-	3	-	2	-	1	-	3	3	-	-	1	-	E954
-	3	-	-	1	2	-	-	-	1	1	-	-	-	-	E955
-	-	-	-	1	1	-	1	-	1	1	-	-	1	-	E956
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	E958
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	E960
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	E963
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E964
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E965
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E966
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E968
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	E969
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E980
-	2	1	-	4	1	2	2	1	2	2	-	-	-	-	E981
-	-	1	1	2	-	2	1	1	1	-	-	-	-	-	E982
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E983
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	E984
3	3	3	3	3	4	2	1	9	1	4	1	3	2	-	E985
-	-	1	1	1	3	-	4	1	1	1	-	-	-	-	E986
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E987
-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	E988

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	18,447 15,239	254 245
008-009	B 4	Enteritis and other diarrhoeal diseases	M F	43 41	- -
010-012	B 5	Tuberculosis of respiratory system	M F	134 65	2 -
013-019	B 6	Other tuberculosis, including late effects	M F	14 8	- -
032	B 8	Diphtheria	M F	- -	- -
033	B 9	Whooping cough	M F	- -	- -
034	B 10	Streptococcal sore throat and scarlet fever	M F	- 1	- -
036	B 11	Meningococcal infection	M F	5 6	- -
038	B 18a	Septicaemia	M F	12 15	- -
040-043	B 12	Acute poliomyelitis	M F	- -	- -
055	B 14	Measles	M F	5 8	- -
070	B 18b	Infectious hepatitis	M F	6 9	- -
009.2	B 18c	Gastro-enteritis (under 2 years)	M F	29 23	- -
000-007, 020-031, 035, 037, 039, 044-054, 056-068, 071-136	B 18	All other infective and parasitic	M F	35 26	- -
151	B 19a	Malignant neoplasms:- of stomach	M F	437 348	1 3
150, 152-159	B 19b	of other digestive organs and peritoneum	M F	756 814	- 2
162	B 19c	of trachea, bronchus and lung	M F	755 201	- -
174	B 19d	of breast	M F	4 405	- 1
180-189	B 19e	of genito-urinary organs	M F	425 348	- -
200-209	B 19f	of lymphatic and haematopoietic tissue	M F	220 147	- -
140-149, 160, 161, 163-173, 190-199	B 19g	other	M F	390 294	2 2
210-239	B 20	Benign neoplasms and neoplasms of unspecified nature	M F	49 54	- -
250	B 21	Diabetes mellitus	M F	162 186	- -
260-269	B 22	Avitaminoses and other nutritional deficiency	M F	3 12	- -
280-285	B 23	Anaemias	M F	34 81	- -
320	B 24	Meningitis	M F	21 14	- -
390-392	B 25	Active rheumatic fever	M F	1 -	- -
393-398	B 26	Chronic rheumatic heart disease	M F	214 189	- -
400-404	B 27	Hypertensive disease	M F	391 371	5 1
410-414	B 28	Ischaemic heart disease	M F	4,802 2,968	42 26
420-429	B 29	Other forms of heart disease	M F	819 912	27 25

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	7,870	50	5,945	65	3,123	117	1,509	22
		F	6,875	34	4,852	70	2,264	108	1,248	33
B 4	Enteritis and other diarrhoeal diseases	M	26	-	9	-	7	-	1	-
		F	26	-	7	-	6	-	2	-
B 5	Tuberculosis of respiratory system	M	52	1	50	1	26	-	6	-
		F	31	-	24	-	10	-	-	-
B 6	Other tuberculosis, including late effects	M	5	-	6	-	3	-	-	-
		F	6	-	-	-	2	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 11	Meningococcal infection	M	3	-	2	-	-	-	-	-
		F	4	-	-	-	1	-	1	-
B 18a	Septicaemia	M	5	-	2	-	4	-	1	-
		F	6	-	5	-	2	-	2	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	3	-	1	-	1	-	-	-
		F	4	-	2	-	2	-	-	-
B 18b	Infectious hepatitis	M	2	-	1	-	1	-	2	-
		F	7	-	-	-	1	-	1	-
B 18c	Gastro-enteritis (under 2 years)	M	17	-	6	-	6	-	-	-
		F	15	-	3	-	5	-	-	-
B 18	All other infective and parasitic diseases	M	10	-	13	-	7	-	5	-
		F	10	-	8	-	6	-	2	-
B 19a	Malignant neoplasms:- of stomach	M	174	-	145	-	69	1	49	-
		F	162	-	96	-	50	3	40	-
B 19b	of other digestive organs and peritoneum	M	310	-	248	-	139	-	59	-
		F	378	-	269	-	120	1	47	1
B 19c	of trachea, bronchus and lung	M	435	-	202	-	81	-	37	-
		F	110	-	59	-	24	-	8	-
B 19d	of breast	M	3	-	-	-	1	-	-	-
		F	179	1	132	-	67	-	27	-
B 19e	of genito-urinary organs	M	185	-	129	-	75	-	36	-
		F	188	-	92	-	42	-	26	-
B 19f	of lymphatic and haematopoietic tissue	M	96	-	72	-	36	-	16	-
		F	69	-	49	-	21	-	8	-
B 19g	Other	M	179	-	120	-	68	-	23	2
		F	138	-	91	1	43	1	22	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	28	-	13	-	6	-	2	-
		F	28	-	16	-	8	-	2	-
B 21	Diabetes mellitus	M	70	-	46	-	27	-	19	-
		F	95	-	48	-	34	-	9	-
B 22	Avitaminoses and other nutritional deficiency	M	1	-	1	-	1	-	-	-
		F	6	-	5	-	-	-	1	-
B 23	Anaemias	M	14	-	10	-	9	-	1	-
		F	45	-	23	-	9	-	4	-
B 24	Meningitis	M	11	-	3	-	5	-	2	-
		F	8	-	4	-	1	-	1	-
B 25	Active rheumatic fever	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	94	-	69	-	33	-	18	-
		F	99	-	61	-	21	-	8	-
B 27	Hypertensive disease	M	167	2	119	2	76	1	29	-
		F	175	1	111	-	50	-	35	-
B 28	Ischaemic heart disease	M	2,048	14	1,539	16	830	6	385	6
		F	1,295	5	924	13	489	4	260	4
B 29	Other forms of heart disease	M	257	11	332	8	151	6	79	2
		F	361	6	332	3	147	11	72	5

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	851	1	680	2	390	4	206	2
		F	1,065	2	799	-	377	2	218	4
B 46a	Other diseases of circulatory system	M	330	-	277	2	106	1	48	2
		F	358	1	293	1	91	-	63	1
B 31	Influenza	M	139	1	117	1	93	8	36	-
		F	130	1	102	-	46	2	41	-
B 32	Pneumonia	M	448	1	306	-	166	3	110	-
		F	489	-	285	-	103	-	108	-
B 33	Bronchitis, emphysema and asthma	M	651	-	431	1	190	5	67	-
		F	353	-	218	1	72	-	34	-
B 46b	Bronchiectasis	M	10	-	13	-	4	-	1	-
		F	6	-	9	-	3	-	1	-
B 46c	Other diseases of respiratory system	M	74	-	61	-	25	-	15	-
		F	83	1	44	-	29	-	17	-
B 34	Peptic ulcer	M	60	-	59	-	25	-	18	-
		F	40	-	14	-	17	-	9	-
B 35	Appendicitis	M	5	-	3	-	4	-	1	-
		F	7	-	1	-	-	-	3	-
B 36	Intestinal obstruction and hernia	M	13	-	26	-	6	-	5	-
		F	18	-	23	-	6	-	-	-
B 37	Cirrhosis of liver	M	35	-	14	-	9	-	4	-
		F	15	-	13	-	7	-	2	-
B 46d	Other diseases of digestive system	M	46	-	30	-	15	-	9	-
		F	62	-	39	-	26	-	9	-
B 38	Nephritis and nephrosis	M	53	1	45	-	33	-	17	-
		F	43	-	32	-	9	-	10	-
B 39	Hyperplasia of prostate	M	33	-	53	-	18	-	12	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	8	-	8	-	1	-	3	-
B 42	Congenital anomalies	M	128	-	65	-	23	-	11	-
		F	102	-	49	-	24	-	18	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	93	-	51	-	14	-	13	-
		F	74	-	31	-	10	-	6	-
B 44	Other causes of perinatal mortality *	M	52	-	50	-	20	-	7	-
		F	46	-	32	-	13	-	10	-
B 45a	Senility without mention of psychosis	M	45	15	67	29	108	78	28	7
		F	67	15	119	48	122	82	43	18
B 45b	Ill-defined conditions	M	12	3	19	3	7	4	5	1
		F	10	1	8	1	3	1	-	-
B 46e	All other diseases	M	205	-	164	-	86	-	52	-
		F	221	-	205	2	69	1	47	-
External Causes										
B 47	Motor vehicle accidents	M	180	-	91	-	44	-	33	-
		F	92	-	25	-	10	-	6	-
B 48	All other accidents	M	184	-	151	-	58	-	34	-
		F	138	-	131	-	66	-	20	-
B 49	Suicide and self-inflicted injuries	M	21	-	11	-	8	-	4	-
		F	4	-	2	-	2	-	-	-
B 50	All other external causes	M	24	-	28	-	15	-	3	-
		F	14	-	11	-	2	-	2	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	267	-	2,795	1	295	-	679	1
		F	184	1	2,813	-	343	-	613	-
B 4	Enteritis and other diarrhoeal diseases	M	2	-	10	-	2	-	5	-
		F	1	-	13	-	-	-	6	-
B 5	Tuberculosis of respiratory system	M	1	-	31	-	1	-	3	-
		F	-	-	17	-	2	-	5	-
B 6	Other tuberculosis, including late effects	M	-	-	3	-	-	-	1	-
		F	-	-	3	-	-	-	1	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	1	-	-	-	-	-
		F	-	-	3	-	-	-	-	-
B 18a	Septicaemia	M	-	-	2	-	1	-	-	-
		F	-	-	1	-	-	-	1	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	1	-	1	-	-	-	-	-
		F	-	-	3	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	1	-
		F	-	-	2	-	1	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	1	-	8	-	1	-	2	-
		F	1	-	7	-	-	-	4	-
B 18	All other infective and parasitic diseases	M	-	-	3	-	-	-	1	-
		F	-	-	3	-	-	-	3	-
B 19a	Malignant neoplasms:- of stomach	M	6	-	59	-	3	-	19	-
		F	3	-	61	-	10	-	15	-
B 19b	of other digestive organs and peritoneum	M	12	-	117	-	4	-	25	-
		F	12	-	177	-	29	-	28	-
B 19c	of trachea, bronchus and lung	M	10	-	213	-	18	-	42	-
		F	1	-	59	-	4	-	15	-
B 19d	of breast	M	-	-	1	-	-	-	-	-
		F	6	-	83	-	9	-	26	-
B 19e	of genito-urinary organs	M	8	-	62	-	12	-	15	-
		F	4	-	84	-	10	-	14	-
B 19f	of lymphatic and haematopoietic tissue	M	2	-	46	-	5	-	14	-
		F	1	-	37	-	1	-	7	-
B 19g	Other	M	5	-	61	-	3	-	18	-
		F	3	-	55	-	13	-	14	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	-	-	13	-	-	-	5	-
		F	1	-	14	-	3	-	3	-
B 21	Diabetes mellitus	M	8	-	22	-	3	-	6	-
		F	2	-	40	-	2	-	8	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	1	-	-	-	-	-
		F	-	-	3	-	-	-	1	-
B 23	Anaemias	M	-	-	7	-	-	-	2	-
		F	-	-	22	-	2	-	3	-
B 24	Meningitis	M	-	-	2	-	1	-	1	-
		F	-	-	1	-	1	-	2	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	10	-	26	-	4	-	5	-
		F	6	-	43	-	4	-	14	-
B 27	Hypertensive disease	M	4	-	42	-	4	-	22	1
		F	14	-	61	-	9	-	11	-
B 28	Ischaemic heart disease	M	62	-	751	1	74	-	190	-
		F	39	-	551	-	78	-	95	-
B 29	Other forms of heart disease	M	12	-	42	-	8	-	16	-
		F	7	-	101	-	15	-	24	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	37	-	214	-	37	-	68	-
		F	21	-	379	-	51	-	73	-
B 46a	Other diseases of circulatory system	M	13	-	101	-	17	-	18	-
		F	15	-	122	-	12	-	22	-
B 31	Influenza	M	13	-	29	-	5	-	7	-
		F	10	-	37	-	4	-	7	-
B 32	Pneumonia	M	9	-	225	-	14	-	40	-
		F	11	-	264	-	22	-	61	-
B 33	Bronchitis, emphysema and asthma	M	20	-	274	-	27	-	37	-
		F	12	-	169	-	8	-	26	-
B 46b	Bronchiectasis	M	1	-	4	-	1	-	1	-
		F	-	-	2	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	1	-	27	-	3	-	10	-
		F	1	-	30	-	5	-	10	-
B 34	Peptic ulcer	M	1	-	29	-	8	-	4	-
		F	1	-	16	-	4	-	-	-
B 35	Appendicitis	M	-	-	3	-	-	-	-	-
		F	1	-	2	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	7	-	-	-	-	-
		F	-	-	8	-	1	-	3	-
B 37	Cirrhosis of liver	M	-	-	14	-	1	-	4	-
		F	-	-	7	-	3	-	1	-
B 46d	Other diseases of digestive system	M	-	-	18	-	3	-	5	-
		F	-	-	27	-	1	-	5	-
B 38	Nephritis and nephrosis	M	-	-	19	-	2	-	2	-
		F	2	-	14	-	4	-	4	-
B 39	Hyperplasia of prostate	M	1	-	6	-	-	-	1	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	2	-	-	-	4	-
B 42	Congenital anomalies	M	4	-	42	-	4	-	16	-
		F	1	-	37	-	6	-	21	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	41	-	4	-	8	-
		F	1	-	23	-	-	-	16	-
B 44	Other causes of perinatal mortality *	M	4	-	13	-	2	-	3	-
		F	2	-	21	-	2	-	8	-
B 45a	Senility without mention of psychosis	M	2	-	4	-	-	-	2	-
		F	2	1	9	-	1	-	4	-
B 45b	Ill-defined conditions	M	-	-	2	-	-	-	-	-
		F	-	-	3	-	1	-	1	-
B 46e	All other diseases	M	5	-	59	-	9	-	19	-
		F	2	-	103	-	16	-	24	-
External Causes										
B 47	Motor vehicle accidents	M	4	-	65	-	5	-	18	-
		F	1	-	33	-	3	-	11	-
B 48	All other accidents	M	4	-	65	-	8	-	21	-
		F	-	-	59	-	5	-	12	-
B 49	Suicide and self-inflicted injuries	M	1	-	7	-	2	-	2	-
		F	1	-	-	-	-	-	1	-
B 50	All other external causes	M	-	-	11	-	-	-	2	-
		F	-	-	9	-	1	-	2	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Kildare County		Kilkenny County		Laois County		Longford County		
		Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	
		Total	M F	399 282	3 4	407 330	5 2	284 206	8 6	214 180
B 4	Enteritis and other diarrhoeal diseases	M F	2 2	- -	- 1	- -	1 -	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	1 1	- -	1 -	- -	1 1	1 -	2 2	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B 18a	Septicaemia	M F	- 1	- -	- -	- -	1 -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- 2	- -	- -	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	1 -	- -	- 1	- -	- 1	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	- -	- -	2 -	- -	- -	- -	2 -	- -
B 19a	Malignant neoplasms:- of stomach	M F	10 3	- -	13 10	- -	3 4	- -	6 1	- -
B 19b	of other digestive organs and peritoneum	M F	17 17	- -	9 17	- -	12 9	- -	6 6	- -
B 19c	of trachea, bronchus and lung	M F	18 6	- -	17 3	- -	6 1	- -	1 1	- -
B 19d	of breast	M F	1 5	- -	- 5	- -	- 6	- -	- 6	- -
B 19e	of genito-urinary organs	M F	4 8	- -	9 11	- -	7 7	- -	7 3	- -
B 19f	of lymphatic and haematopoietic tissue	M F	2 2	- -	3 4	- -	- 1	- -	- 2	- -
B 19g	Other	M F	12 3	- -	12 6	- -	8 3	- -	8 2	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 -	- -	1 -	- -	- -	- -	1 -	- -
B 21	Diabetes mellitus	M F	3 4	- -	4 1	- -	6 4	- -	1 2	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B 23	Anaemias	M F	1 -	- -	3 1	- -	- 2	- -	- -	- -
B 24	Meningitis	M F	- -	- -	- -	- -	- -	- -	2 1	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	7 5	- -	3 7	- -	2 2	- -	5 2	- -
B 27	Hypertensive disease	M F	9 8	- -	12 8	- -	12 8	- 1	4 9	- -
B 28	Ischaemic heart disease	M F	101 38	1 1	103 68	1 -	59 33	2 1	49 41	1 1
B 29	Other forms of heart disease	M F	14 21	- -	23 15	1 1	28 17	1 1	17 13	1 -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	46	-	45	-	30	-	47	-
		F	54	1	55	-	35	-	39	-
B 46a	Other diseases of circulatory system	M	8	-	42	-	13	-	3	-
		F	16	1	43	-	13	-	5	-
B 31	Influenza	M	7	1	14	-	5	-	4	-
		F	8	-	14	-	5	-	6	1
B 32	Pneumonia	M	15	-	10	-	26	-	13	-
		F	14	-	10	-	10	-	4	-
B 33	Bronchitis, emphysema and asthma	M	44	-	21	-	20	-	6	-
		F	19	-	7	-	10	-	8	-
B 46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	10	-	2	-	2	-	1	-
		F	7	-	4	1	4	-	2	-
B 34	Peptic ulcer	M	3	-	2	-	1	-	1	-
		F	2	-	-	-	1	-	3	-
B 35	Appendicitis	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 37	Cirrhosis of liver	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 46d	Other diseases of digestive system	M	3	-	2	-	1	-	2	-
		F	3	-	5	-	1	-	1	-
B 38	Nephritis and nephrosis	M	4	-	1	1	5	-	1	-
		F	2	-	5	-	1	-	2	-
B 39	Hyperplasia of prostate	M	3	-	2	-	-	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	7	-	4	-	2	-	2	-
		F	2	-	4	-	3	-	5	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	3	-	2	-	1	-
		F	6	-	4	-	1	-	2	-
B 44	Other causes of perinatal mortality *	M	2	-	9	-	1	-	1	-
		F	-	-	4	-	1	-	-	-
B 45a	Senility without mention of psychosis	M	-	-	3	2	3	3	1	-
		F	3	1	1	-	7	3	4	2
B 45b	Ill-defined conditions	M	2	1	2	-	1	1	-	-
		F	-	-	1	-	1	-	-	-
B 46e	All other diseases	M	13	-	16	-	6	-	7	-
		F	10	-	9	-	5	-	3	-
External Causes										
B 47	Motor vehicle accidents	M	13	-	6	-	11	-	4	-
		F	2	-	2	-	4	-	-	-
B 48	All other accidents	M	9	-	6	-	6	-	8	-
		F	6	-	3	-	4	-	4	-
B 49	Suicide and self-inflicted injuries	M	-	-	2	-	2	-	-	-
		F	1	-	-	-	-	-	-	-
B 50	All other external causes	M	2	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
	Total	M F	407 381	5 2	435 346	4 2	308 226	5 4	348 255	15 4
B 4	Enteritis and other diarrhoeal diseases	M F	1 -	- -	1 1	- -	- -	- -	- 1	- -
B 5	Tuberculosis of respiratory system	M F	1 1	- -	3 1	- -	1 -	- -	1 -	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	- -	- 1	- -	
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	
B 11	Meningococcal infection	M F	- 1	- -	- -	- -	- -	- -	- -	
B 18a	Septicaemia	M F	- 1	- -	- 1	- -	- -	- -	- -	
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	
B 18b	Infectious hepatitis	M F	- 1	- -	- 1	- -	- -	- -	- -	
B 18c	Gastro-enteritis (under 2 years)	M F	- -	- -	1 -	- -	- -	- -	1 -	
B 18	All other infective and parasitic diseases	M F	1 -	- -	- 1	- -	- -	- -	1 2	
B 19a	Malignant neoplasma:- of stomach	M F	11 14	- -	11 6	- -	8 10	- -	5 6	
B 19b	of other digestive organs and peritoneum	M F	12 20	- -	17 17	- -	8 7	- -	21 9	
B 19c	of trachea, bronchus and lung	M F	26 3	- -	18 6	- -	7 2	- -	12 2	
B 19d	of breast	M F	- 6	- -	- 6	- -	- 5	- -	1 4	
B 19e	of genito-urinary organs	M F	12 7	- -	13 4	- -	3 4	- -	5 8	
B 19f	of lymphatic and haematopoietic tissue	M F	3 3	- -	3 1	- -	3 -	- -	4 4	
B 19g	Other	M F	9 9	- -	6 8	- -	7 8	- -	5 3	
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 1	- -	1 2	- -	3 1	- -	- -	
B 21	Diabetes mellitus	M F	- 3	- -	2 5	- -	6 6	- -	1 -	
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	- -	- -	1 -	
B 23	Anaemias	M F	- 4	- -	- 2	- -	1 1	- -	- 4	
B 24	Meningitis	M F	- 1	- -	1 -	- -	1 -	- -	- -	
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	
B 26	Chronic rheumatic heart disease	M F	8 2	- -	6 2	- -	7 1	- -	3 3	
B 27	Hypertensive disease	M F	8 7	- -	8 5	- -	8 6	1 -	11 7	
B 28	Ischaemic heart disease	M F	103 60	4 1	118 57	- -	66 29	1 1	90 62	
B 29	Other forms of heart disease	M F	17 45	- -	12 18	1 -	18 13	1 -	18 35	

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	53	-	56	-	53	-	45	-
		F	70	1	84	-	49	-	37	-
B 46a	Other diseases of circulatory system	M	13	-	12	-	8	-	15	-
		F	11	-	19	-	9	-	13	-
B 31	Influenza	M	7	-	5	-	10	-	7	-
		F	2	-	3	-	8	-	6	-
B 32	Pneumonia	M	27	-	14	-	8	-	13	1
		F	16	-	24	-	12	-	6	-
B 33	Bronchitis, emphysema and asthma	M	26	-	48	-	24	-	19	-
		F	21	-	21	-	11	-	6	-
B 46b	Bronchiectasis	M	-	-	2	-	1	-	-	-
		F	1	-	-	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	1	-	6	-	3	-	2	-
		F	2	-	5	-	3	-	-	-
B 34	Peptic ulcer	M	2	-	1	-	1	-	3	-
		F	1	-	3	-	3	-	-	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	1	-	2	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	-	-	1	-	2	-
		F	4	-	-	-	-	-	1	-
B 37	Cirrhosis of liver	M	2	-	4	-	3	-	1	-
		F	1	-	1	-	-	-	-	-
B 46d	Other diseases of digestive system	M	2	-	2	-	1	-	2	-
		F	5	-	3	-	3	-	2	-
B 38	Nephritis and nephrosis	M	3	-	-	-	6	-	3	-
		F	2	-	1	-	-	-	3	-
B 39	Hyperplasia of prostate	M	5	-	2	-	1	-	4	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	-	-	1	-
B 42	Congenital anomalies	M	9	-	9	-	10	-	4	-
		F	4	-	6	-	5	-	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	7	-	4	-	5	-
		F	5	-	4	-	1	-	4	-
B 44	Other causes of perinatal mortality *	M	3	-	1	-	-	-	8	-
		F	1	-	-	-	1	-	4	-
B 45a	Senility without mention of psychosis	M	4	1	5	3	6	2	8	4
		F	6	-	6	2	8	3	5	-
B 45b	Ill-defined conditions	M	-	-	1	-	-	-	2	1
		F	2	-	-	-	-	-	-	-
B 46e	All other diseases	M	9	-	9	-	12	-	14	-
		F	13	-	5	-	11	-	6	-
External Causes										
B 47	Motor vehicle accidents	M	10	-	16	-	4	-	6	-
		F	12	-	9	-	5	-	1	-
B 48	All other accidents	M	9	-	11	-	6	-	6	-
		F	9	-	6	-	3	-	8	-
B 49	Suicide and self-inflicted injuries	M	-	-	2	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	2	-	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County, Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	594	-	438	1	718	-	1,580	6
		F	419	4	297	1	710	-	1,280	7
B 4	Enteritis and other diarrhoeal diseases	M	1	-	2	-	-	-	-	-
		F	-	-	-	-	1	-	2	-
B 5	Tuberculosis of respiratory system	M	4	-	2	-	6	-	9	1
		F	-	-	-	-	4	-	8	-
B 6	Other tuberculosis, including late effects	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 18b	Infectious hepatitis	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	1	-	2	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
B 18	All other infective and parasitic diseases	M	-	-	-	-	1	-	4	-
		F	-	-	1	-	1	-	1	-
B 19a	Malignant neoplasms:- of stomach	M	15	-	5	-	13	-	44	-
		F	13	-	6	-	18	-	21	-
B 19b	of other digestive organs and peritoneum	M	27	-	23	-	30	-	63	-
		F	16	-	14	-	54	-	67	-
B 19c	of trachea, bronchus and lung	M	19	-	28	-	40	-	56	-
		F	5	-	2	-	10	-	13	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	7	1	5	-	12	-	40	-
B 19e	of genito-urinary organs	M	20	-	8	-	21	-	25	-
		F	13	-	11	-	8	-	29	-
B 19f	of lymphatic and haematopoietic tissue	M	6	-	5	-	6	-	21	-
		F	1	-	5	-	8	-	10	-
B 19g	Other	M	18	-	7	-	14	-	30	-
		F	6	-	5	-	15	-	21	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	-	-	1	-	2	-	3	-
		F	1	-	1	-	2	-	7	-
B 21	Diabetes mellitus	M	3	-	5	-	6	-	14	-
		F	10	-	8	-	4	-	11	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 23	Anaemias	M	-	-	-	-	2	-	-	-
		F	3	-	1	-	5	-	5	-
B 24	Meningitis	M	2	-	2	-	-	-	-	-
		F	-	-	1	-	-	-	1	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	5	-	3	-	14	-	13	-
		F	7	-	1	-	15	-	13	-
B 27	Hypertensive disease	M	12	-	11	-	12	-	26	-
		F	13	-	9	-	13	-	26	-
B 28	Ischaemic heart disease	M	157	-	125	-	181	-	385	-
		F	89	-	55	-	140	-	228	1
B 29	Other forms of heart disease	M	20	-	12	-	14	-	88	2
		F	26	-	11	-	38	-	95	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	69	-	51	1	68	-	204	1
		F	52	-	66	-	108	-	213	-
B 46a	Other diseases of circulatory system	M	59	-	8	-	31	-	83	-
		F	52	-	6	-	47	-	91	-
B 31	Influenza	M	15	-	11	-	16	-	36	-
		F	14	-	6	-	15	-	27	-
B 32	Pneumonia	M	19	-	15	-	46	-	97	-
		F	17	-	18	-	49	-	93	-
B 33	Bronchitis, emphysema and asthma	M	46	-	39	-	69	-	118	-
		F	19	-	16	-	32	-	54	-
B 46b	Bronchiectasis	M	-	-	-	-	2	-	4	-
		F	-	-	2	-	1	-	3	-
B 46c	Other diseases of respiratory system	M	1	-	5	-	5	-	20	-
		F	7	-	3	-	4	-	17	-
B 34	Peptic ulcer	M	2	-	2	-	7	-	17	-
		F	2	-	4	-	1	-	3	-
B 35	Appendicitis	M	1	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	1	-	7	-	5	-
		F	1	-	-	-	3	-	5	-
B 37	Cirrhosis of liver	M	3	-	2	-	2	-	4	-
		F	1	-	1	-	3	-	3	-
B 46d	Other diseases of digestive system	M	2	-	3	-	3	-	3	-
		F	2	-	4	-	6	-	14	-
B 38	Nephritis and nephrosis	M	4	-	3	-	4	-	16	-
		F	-	-	3	-	5	-	8	-
B 39	Hyperplasia of prostate	M	4	-	4	-	4	-	10	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	1	-	1	-
B 42	Congenital anomalies	M	7	-	8	-	12	-	14	-
		F	6	-	2	-	9	-	11	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	2	-	4	-	13	-	11	-
		F	5	-	2	-	7	-	8	-
B 44	Other causes of perinatal mortality *	M	4	-	1	-	6	-	14	-
		F	-	-	2	-	5	-	3	-
B 45a	Senility without mention of psychosis	M	4	-	3	-	1	-	10	2
		F	7	3	4	-	11	-	24	6
B 45b	Ill-defined conditions	M	2	-	-	-	2	-	2	-
		F	-	-	1	1	-	-	3	-
B 46e	All other diseases	M	16	-	11	-	19	-	51	-
		F	9	-	5	-	28	-	56	-
	External Causes									
B 47	Motor vehicle accidents	M	9	-	9	-	7	-	16	-
		F	4	-	5	-	2	-	4	-
B 48	All other accidents	M	11	-	14	-	29	-	45	-
		F	10	-	9	-	24	-	35	-
B 49	Suicide and self-inflicted injuries	M	-	-	2	-	-	-	5	-
		F	-	-	1	-	-	-	1	-
B 50	All other external causes	M	2	-	2	-	3	-	12	-
		F	-	-	-	-	1	-	4	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Clare County		Kerry County		Limerick County Borough		Limerick County		
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
		Total	M F	575 403	7 11	853 633	30 35	283 255	- 1	599 471
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	3 2	- -	2 -	- -	1 1	- -
B 5	Tuberculosis of respiratory system	M F	4 3	- -	12 2	- -	3 1	- -	5 3	- -
B 6	Other tuberculosis, including late effects	M F	1 -	- -	2 -	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- 1	- -	- -
B 11	Meningococcal infection	M F	2 -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	1 2	- -	- 1	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	1 -	- -	1 -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- -	- -	1 -	- -	2 -	- -	- 7	- -
B 18	All other infective and parasitic diseases	M F	2 3	- -	2 1	- -	1 1	- -	1 1	- -
B 19a	Malignant neoplasms:- of stomach	M F	12 7	- -	21 9	- -	6 4	- -	16 10	- -
B 19b	of other digestive organs and peritoneum	M F	20 19	- -	26 28	- -	12 20	- -	32 23	- -
B 19c	of trachea, bronchus and lung	M F	15 3	- -	21 1	- -	15 5	- -	16 3	- -
B 19d	of breast	M F	- 12	- -	- 17	- -	- 2	- -	- 10	- -
B 19e	of genito-urinary organs	M F	16 4	- -	25 13	- -	3 12	- -	13 8	- -
B 19f	of lymphatic and haematopoietic tissue	M F	3 7	- -	15 5	- -	5 2	- -	5 7	- -
B 19g	Other	M F	11 7	- -	18 10	- -	7 5	- -	14 11	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 -	- -	- 1	- -	2 1	- -	2 2	- -
B 21	Diabetes mellitus	M F	3 6	- -	5 8	- -	3 2	- -	3 6	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 -	- -	- -	- -	2 -	- -
B 23	Anaemias	M F	- 2	- -	4 4	- -	1 1	- -	2 4	- -
B 24	Meningitis	M F	1 -	- -	- -	- -	1 -	- -	2 -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	13 3	- -	9 6	- -	- 5	- -	3 4	- -
B 27	Hypertensive disease	M F	10 4	- -	15 17	- -	2 4	- -	6 16	- -
B 28	Ischaemic heart disease	M F	128 58	1 2	232 125	5 4	88 66	- -	177 110	2 -
B 29	Other forms of heart disease	M F	74 55	- 1	55 56	3 2	3 5	- -	33 29	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	61	-	91	1	20	-	65	-
		F	51	-	100	-	40	-	76	-
B 46a	Other diseases of circulatory system	M	26	-	61	1	10	-	25	-
		F	26	1	59	-	12	-	17	-
B 31	Influenza	M	10	1	15	-	5	-	16	-
		F	6	-	13	-	10	-	12	-
B 32	Pneumonia	M	23	-	24	-	19	-	25	-
		F	23	-	16	-	12	-	17	-
B 33	Bronchitis, emphysema and asthma	M	32	-	40	-	30	-	48	1
		F	16	-	12	-	19	-	32	-
B 46b	Bronchiectasis	M	2	-	1	-	-	-	2	-
		F	-	-	-	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	5	-	8	-	-	-	6	-
		F	2	-	4	-	2	-	3	-
B 34	Peptic ulcer	M	4	-	8	-	1	-	9	-
		F	1	-	3	-	1	-	1	-
B-35	Appendicitis	M	-	-	1	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	4	-	2	-	-	-
		F	3	-	7	-	-	-	-	-
B 37	Cirrhosis of liver	M	3	-	2	-	-	-	1	-
		F	1	-	-	-	-	-	3	-
B 46d	Other diseases of digestive system	M	4	-	4	-	3	-	5	-
		F	1	-	6	-	2	-	3	-
B 38	Nephritis and nephrosis	M	4	-	2	-	4	-	3	-
		F	8	-	4	-	-	-	2	-
B 39	Hyperplasia of prostate	M	2	-	16	-	5	-	4	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	2	-	-	-
B 42	Congenital anomalies	M	7	-	8	-	2	-	7	-
		F	10	-	6	-	2	-	1	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	5	-	4	-	4	-
		F	1	-	3	-	2	-	2	-
B 44	Other causes of perinatal mortality *	M	12	-	5	-	3	-	1	-
		F	7	-	6	-	2	-	3	-
B 45a	Senility without mention of psychosis	M	17	5	21	18	-	-	3	-
		F	18	6	35	28	1	1	9	4
B 45b	Ill-defined conditions	M	7	-	3	2	-	-	1	-
		F	2	-	-	-	-	-	1	-
B 46e	All other diseases	M	18	-	26	-	8	-	15	-
		F	17	1	17	1	8	-	18	-
External Causes										
B 47	Motor vehicle accidents	M	4	-	15	-	8	-	15	-
		F	4	-	8	-	-	-	1	-
B 48	All other accidents	M	8	-	22	-	6	-	10	-
		F	9	-	26	-	2	-	13	-
B 49	Suicide and self-inflicted injuries	M	1	-	3	-	-	-	2	-
		F	1	-	-	-	-	-	-	-
B 50	All other external causes	M	2	-	1	-	-	-	2	-
		F	-	-	1	-	-	-	3	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	414	8	441	3	175	-	307	8
		F	307	4	356	4	207	-	230	4
B 4	Enteritis and other diarrhoeal diseases	M	1	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	-
B 5	Tuberculosis of respiratory system	M	3	-	3	-	1	-	4	-
		F	-	-	-	-	-	-	3	-
B 6	Other tuberculosis, including late effects	M	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	1	-	-	-	1	-	1	-
		F	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	9	-	11	-	3	-	10	-
		F	9	-	4	-	6	-	8	-
B 19b	of other digestive organs and peritoneum	M	14	-	25	-	7	-	19	-
		F	12	-	24	-	8	-	14	-
B 19c	of trachea, bronchus and lung	M	7	-	15	-	7	-	10	-
		F	4	-	7	-	6	-	7	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	10	-	11	-	8	-	10	-
B 19e	of genito-urinary organs	M	14	-	6	-	4	-	2	-
		F	5	-	9	-	3	-	1	-
B 19f	of lymphatic and haematopoietic tissue	M	7	-	6	-	-	-	4	-
		F	2	-	3	-	2	-	3	-
B 19g	Other	M	11	-	10	-	4	-	1	-
		F	3	-	10	1	4	-	5	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	2	-	-	-	-	-	-	-
		F	-	-	3	-	-	-	-	-
B 21	Diabetes mellitus	M	4	-	5	-	1	-	2	-
		F	5	-	4	-	2	-	-	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
B 23	Anaemias	M	-	-	-	-	-	-	1	-
		F	-	-	1	-	1	-	-	-
B 24	Meningitis	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	5	-	6	-	2	-	4	-
		F	6	-	5	-	-	-	4	-
B 27	Hypertensive disease	M	32	2	12	-	1	-	3	-
		F	18	-	8	-	1	-	4	-
B 28	Ischaemic heart disease	M	95	2	147	2	37	-	69	4
		F	57	-	80	3	25	-	35	3
B 29	Other forms of heart disease	M	31	-	9	-	6	-	19	3
		F	20	-	11	-	10	-	13	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	47	-	69	-	27	-	28	-
		F	64	-	70	-	45	-	32	-
B 46a	Other diseases of circulatory system	M	9	1	8	-	7	-	17	-
		F	8	-	14	-	9	-	10	-
B 31	Influenza	M	5	-	6	-	4	-	4	-
		F	7	-	5	-	5	-	2	-
B 32	Pneumonia	M	23	-	17	-	16	-	16	-
		F	12	-	14	-	28	-	21	-
B 33	Bronchitis, emphysema and asthma	M	25	-	29	-	17	-	23	-
		F	11	1	13	-	17	-	12	-
B 46b	Bronchiectasis	M	-	-	2	-	-	-	-	-
		F	-	-	3	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	8	-	4	-	-	-	5	-
		F	6	-	4	-	2	-	-	-
B 34	Peptic ulcer	M	2	-	7	-	1	-	3	-
		F	1	-	1	-	1	-	1	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	-	-	2	-	2	-
		F	3	-	1	-	-	-	1	-
B 37	Cirrhosis of liver	M	1	-	-	-	-	-	1	-
		F	-	-	3	-	-	-	-	-
B 46d	Other diseases of digestive system	M	3	-	2	-	1	-	2	-
		F	2	-	1	-	1	-	3	-
B 38	Nephritis and nephrosis	M	3	-	4	-	3	-	2	-
		F	1	-	2	-	2	-	-	-
B 39	Hyperplasia of prostate	M	3	-	3	-	2	-	4	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	2	-	-	-	-	-
B 42	Congenital anomalies	M	4	-	1	-	2	-	8	-
		F	1	-	6	-	1	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	4	-	-	-	3	-
		F	3	-	3	-	-	-	2	-
B 44	Other causes of perinatal mortality *	M	-	-	5	-	3	-	1	-
		F	1	-	5	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	5	3	2	1	2	-	6	-
		F	6	2	4	-	3	-	8	1
B 45b	Ill-defined conditions	M	2	-	-	-	-	-	2	1
		F	2	1	-	-	-	-	-	-
B 46e	All other diseases	M	7	-	8	-	2	-	10	-
		F	17	-	16	-	11	-	17	-
External Causes										
B 47	Motor vehicle accidents	M	8	-	8	-	2	-	8	-
		F	2	-	1	-	1	-	2	-
B 48	All other accidents	M	14	-	3	-	8	-	6	-
		F	6	-	4	-	4	-	8	-
B 49	Suicide and self-inflicted injuries	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	1	-	2	-	1	-	4	-
		F	-	-	2	-	-	-	-	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Galway County		Leitrim County		Mayo County		Roscommon County											
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified										
		M	F	M	F	M	F	M	F										
	Total		1,022	734	32	21	285	175	20	17	913	700	48	49	452	331	14	13	
B 4	Enteritis and other diarrhoeal diseases	M	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
B 5	Tuberculosis of respiratory system	M	9	-	-	-	-	-	-	11	-	-	-	-	4	-	-	-	-
		F	3	-	1	-	-	-	-	4	-	-	-	-	1	-	-	-	-
B 6	Other tuberculosis, including late effects	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	17	-	8	-	-	-	-	23	1	-	-	-	10	-	-	-	-
		F	7	-	7	-	-	-	-	14	3	-	-	-	8	-	-	-	-
B 19b	of other digestive organs and peritoneum	M	45	-	10	-	-	-	-	44	-	-	-	-	17	-	-	-	-
		F	35	-	11	-	-	-	-	32	1	-	-	-	24	-	-	-	-
B 19c	of trachea, bronchus and lung	M	16	-	8	-	-	-	-	33	-	-	-	-	7	-	-	-	-
		F	9	-	3	-	-	-	-	6	-	-	-	-	3	-	-	-	-
B 19d	of breast	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	35	-	4	-	-	-	-	12	-	-	-	-	8	-	-	-	-
B 19e	of genito-urinary organs	M	27	-	2	-	-	-	-	31	-	-	-	-	9	-	-	-	-
		F	15	-	3	-	-	-	-	9	-	-	-	-	7	-	-	-	-
B 19f	of lymphatic and haematopoietic tissue	M	11	-	5	-	-	-	-	10	-	-	-	-	4	-	-	-	-
		F	9	-	1	-	-	-	-	5	-	-	-	-	2	-	-	-	-
B 19g	Other	M	20	-	8	-	-	-	-	17	-	-	-	-	14	-	-	-	-
		F	14	-	6	-	-	-	-	15	-	-	-	-	7	-	1	-	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	4	-	-	-	-	1	-	-	-	-
B 21	Diabetes mellitus	M	7	-	1	-	-	-	-	9	-	-	-	-	6	-	-	-	-
		F	10	-	2	-	-	-	-	9	-	-	-	-	8	-	-	-	-
B 22	Avitaminoses and other nutritional deficiency	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 23	Anaemias	M	3	-	1	-	-	-	-	3	-	-	-	-	1	-	-	-	-
		F	4	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
B 24	Meningitis	M	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	7	-	3	-	-	-	-	7	-	-	-	-	4	-	-	-	-
		F	6	-	1	-	-	-	-	4	-	-	-	-	5	-	-	-	-
B 27	Hypertensive disease	M	22	-	4	-	-	-	-	24	1	-	-	-	15	-	-	-	-
		F	12	-	4	-	-	-	-	15	-	-	-	-	3	-	-	-	-
B 28	Ischaemic heart disease	M	295	1	81	-	-	-	-	235	5	-	-	-	117	-	-	-	-
		F	182	2	41	-	-	-	-	151	2	-	-	-	62	-	-	-	-
B 29	Other forms of heart disease	M	34	-	8	1	-	-	-	55	3	-	-	-	39	-	2	-	-
		F	25	1	9	2	-	-	-	59	2	-	-	-	40	-	4	-	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	113	1	32	-	104	2	69	1
		F	104	-	23	1	135	1	61	-
B 46a	Other diseases of circulatory system	M	48	-	7	-	25	1	13	-
		F	32	-	5	-	19	-	14	-
B 31	Influenza	M	27	3	9	-	16	5	16	-
		F	12	-	5	-	13	2	7	-
B 32	Pneumonia	M	68	-	22	1	50	2	10	-
		F	43	-	4	-	36	-	10	-
B 33	Bronchitis, emphysema and asthma	M	60	1	19	1	49	2	26	1
		F	29	-	5	-	17	-	11	-
B 46b	Bronchiectasis	M	4	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-
B 46c	Other diseases of respiratory system	M	8	-	3	-	9	-	-	-
		F	12	-	1	-	7	-	4	-
B 34	Peptic ulcer	M	5	-	1	-	11	-	3	-
		F	4	-	-	-	6	-	5	-
B 35	Appendicitis	M	4	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	1	-	3	-	1	-
		F	3	-	-	-	1	-	1	-
B 37	Cirrhosis of liver	M	2	-	-	-	4	-	1	-
		F	5	-	1	-	-	-	-	-
B 46d	Other diseases of digestive system	M	9	-	-	-	4	-	-	-
		F	7	-	1	-	9	-	5	-
B 38	Nephritis and nephrosis	M	9	-	4	-	3	-	14	-
		F	4	-	-	-	4	-	-	-
B 39	Hyperplasia of prostate	M	5	-	1	-	7	-	4	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	14	-	2	-	3	-	1	-
		F	8	-	2	-	4	-	5	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	7	-	1	-	1	-	2	-
		F	5	-	2	-	1	-	1	-
B 44	Other causes of perinatal mortality *	M	5	-	5	-	4	-	-	-
		F	1	-	3	-	1	-	1	-
B 45a	Senility without mention of psychosis	M	31	25	18	16	38	24	10	10
		F	23	17	15	14	52	37	10	8
B 45b	Ill-defined conditions	M	2	1	1	1	2	2	1	-
		F	2	-	-	-	1	1	-	-
B 46e	All other diseases	M	28	-	7	-	24	-	16	-
		F	24	1	6	-	22	-	6	-
External Causes										
B 47	Motor vehicle accidents	M	14	-	5	-	11	-	6	-
		F	5	-	-	-	3	-	-	-
B 48	All other accidents	M	26	-	3	-	17	-	7	-
		F	28	-	7	-	19	-	8	-
B 49	Suicide and self-inflicted injuries	M	1	-	1	-	4	-	-	-
		F	1	-	-	-	1	-	-	-
B 50	All other external causes	M	3	-	1	-	6	-	4	-
		F	1	-	-	-	1	-	-	-

* Late foetal deaths not included

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County ¹		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	451	3	429	7	709	13	371	2
		F	324	8	319	9	669	21	260	3
B 4	Enteritis and other diarrhoeal diseases	M	-	-	-	-	-	-	1	-
		F	1	-	-	-	1	-	1	-
B 5	Tuberculosis of respiratory system	M	2	-	2	-	3	-	1	-
		F	1	-	-	-	-	-	-	-
B 6	Other tuberculosis, including late effects	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 18a	Septicaemia	M	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	2	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	1	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	-	-	1	-	3	-	1	-
		F	-	-	-	-	1	-	1	-
B 19a	Malignant neoplasms:- of stomach	M	11	-	15	-	21	-	13	-
		F	14	-	16	-	16	-	8	-
B 19b	of other digestive organs and peritoneum	M	23	-	16	-	32	-	11	-
		F	18	-	5	-	33	1	9	-
B 19c	of trachea, bronchus and lung	M	17	-	10	-	11	-	16	-
		F	3	-	1	-	5	-	2	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	8	-	7	-	13	-	7	-
B 19e	of genito-urinary organs	M	6	-	10	-	21	-	5	-
		F	8	-	9	-	11	-	6	-
B 19f	of lymphatic and haematopoietic tissue	M	6	-	4	-	6	-	6	-
		F	4	-	1	-	5	-	2	-
B 19g	Other	M	9	-	5	-	12	2	6	-
		F	1	-	8	-	10	-	4	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	-	-	-	-	2	-	-	-
		F	-	-	2	-	-	-	-	-
B 21	Diabetes mellitus	M	4	-	6	-	8	-	5	-
		F	5	-	6	-	2	-	1	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 23	Anaemias	M	1	-	1	-	-	-	-	-
		F	2	-	1	-	3	-	-	-
B 24	Meningitis	M	-	-	1	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	12	-	5	-	9	-	4	-
		F	5	-	1	-	6	-	1	-
B 27	Hypertensive disease	M	11	-	6	-	19	-	4	-
		F	16	-	14	-	16	-	5	-
B 28	Ischaemic heart disease	M	102	-	99	2	182	4	104	-
		F	53	-	58	-	140	4	62	-
B 29	Other forms of heart disease	M	15	-	32	1	37	1	10	-
		F	14	2	15	-	44	5	13	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1970, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	72	-	68	1	83	-	55	1
		F	54	-	66	3	106	1	46	-
B 46a	Other diseases of circulatory system	M	13	-	13	-	29	1	6	1
		F	21	-	19	1	34	-	10	-
B 31	Influenza	M	25	-	17	-	14	-	5	-
		F	9	-	15	-	18	-	8	-
B 32	Pneumonia	M	16	-	23	-	46	-	41	-
		F	10	-	13	-	65	-	30	-
B 33	Bronchitis, emphysema and asthma	M	36	-	23	-	22	-	22	-
		F	10	-	9	-	17	-	8	-
B 46b	Bronchiectasis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	1	-	-	-
B 46c	Other diseases of respiratory system	M	5	-	3	-	6	-	6	-
		F	5	-	3	-	4	-	10	-
B 34	Peptic ulcer	M	5	-	3	-	14	-	1	-
		F	2	-	4	-	4	-	1	-
B 35	Appendicitis	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	3	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	2	-	2	-
		F	1	-	-	-	-	-	-	-
B 37	Cirrhosis of liver	M	2	-	1	-	1	-	2	-
		F	1	-	-	-	2	-	-	-
B 46d	Other diseases of digestive system	M	2	-	1	-	7	-	1	-
		F	4	-	-	-	9	-	-	-
B 38	Nephritis and nephrosis	M	3	-	7	-	9	-	1	-
		F	1	-	4	-	6	-	-	-
B 39	Hyperplasia of prostate	M	1	-	5	-	7	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	1	-
B 42	Congenital anomalies	M	3	-	4	-	1	-	6	-
		F	5	-	1	-	12	-	5	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	4	-	6	-	3	-
		F	1	-	3	-	2	-	1	-
B 44	Other causes of perinatal mortality *	M	6	-	1	-	6	-	-	-
		F	7	-	2	-	7	-	1	-
B 45a	Senility without mention of psychosis	M	11	3	10	2	18	5	-	-
		F	22	6	16	5	24	10	3	3
B 45b	Ill-defined conditions	M	1	-	1	1	3	-	1	-
		F	-	-	-	-	-	-	-	-
B 46e	All other diseases	M	11	-	9	-	38	-	5	-
		F	11	-	10	-	31	-	6	-
External Causes										
B 47	Motor vehicle accidents	M	8	-	10	-	10	-	13	-
		F	2	-	-	-	6	-	-	-
B 48	All other accidents	M	5	-	10	-	15	-	9	-
		F	4	-	6	-	9	-	5	-
B 49	Suicide and self-inflicted injuries	M	2	-	-	-	4	-	-	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	1	-	1	-	-	-	2	-
		F	-	-	-	-	2	-	-	-

* Late foetal deaths not included

TABLE 21 - DEATHS OCCURRING IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN
DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
			All Causes										
		M	2,795	133	24	24	45	36	66	252	571	855	789
		F	2,813	102	22	23	28	30	64	182	363	693	1,306
B 4	Enteritis and other diarrhoeal diseases	M	10	6	2	-	-	-	-	-	-	1	1
		F	13	6	1	-	1	-	-	-	-	1	4
B 5	Tuberculosis of respiratory system	M	31	-	-	-	-	-	-	4	9	13	5
		F	17	-	-	-	-	2	2	4	3	6	-
B 6	Other tuberculosis, including late effects	M	3	-	-	-	-	-	1	-	2	-	-
		F	3	-	1	-	-	-	-	-	2	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	1	-	-	-	-	-	-	-	1	-	-
		F	3	1	-	-	1	-	-	-	-	1	-
B 18a	Septicaemia	M	2	1	-	-	-	-	-	-	-	1	-
		F	1	-	1	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	1	-	1	-	-	-	-	-	-	-	-
		F	3	-	1	2	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	1	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	8	6	2	-	-	-	-	-	-	-	-
		F	7	6	1	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	3	-	-	-	-	-	-	-	-	2	1
		F	3	-	-	-	-	-	1	-	1	1	-
B 19a	Malignant neoplasms:- of stomach	M	59	-	-	-	-	-	2	5	17	24	11
		F	61	-	-	-	-	-	1	4	10	17	29
B 19b	of other digestive organs and peritoneum	M	117	-	-	-	-	2	3	9	34	36	33
		F	177	-	-	-	-	1	4	16	35	55	66
B 19c	of trachea, bronchus and lung	M	213	-	-	-	-	1	7	21	78	77	29
		F	59	-	-	-	-	-	3	8	17	22	9
B 19d	of breast	M	1	-	-	-	-	-	-	1	-	-	-
		F	83	-	-	-	-	1	10	22	22	20	8
B 19e	of genito-urinary organs	M	62	-	-	-	-	1	1	3	12	23	22
		F	84	-	-	-	-	2	10	20	18	18	16
B 19f	of lymphatic and haematopoietic tissue	M	46	-	1	1	4	-	3	8	7	12	10
		F	37	-	1	2	2	3	2	4	10	8	5
B 19g	Other	M	61	-	-	3	2	-	5	13	14	17	7
		F	55	-	-	2	2	3	3	5	12	14	14
B 20	Benign neoplasms and neoplasms of unspecified nature	M	13	-	-	1	-	-	2	1	3	4	2
		F	14	-	1	-	-	-	1	-	5	5	2
B 21	Diabetes mellitus	M	22	-	-	-	1	-	1	2	4	8	6
		F	40	-	-	-	3	1	-	1	3	18	14
B 22	Avitaminoses and other nutritional deficiency	M	1	-	-	-	-	-	-	-	-	1	-
		F	3	-	-	1	-	-	-	1	-	-	1
B 23	Anaemias	M	7	-	-	-	-	1	1	-	1	2	2
		F	22	-	-	-	-	-	-	-	2	4	16
B 24	Meningitis	M	2	1	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	26	-	-	-	1	2	2	5	11	4	1
		F	43	-	-	-	1	2	1	8	13	8	10
B 27	Hypertensive disease	M	42	-	-	-	-	-	2	-	7	15	18
		F	61	-	-	-	-	-	1	3	5	13	39

TABLE 21 (contd.) - DEATHS OCCURRING IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH													
Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 28	Ischaemic heart disease	M	751	-	-	-	2	1	17	84	180	277	190
		F	551	-	-	-	-	-	1	22	66	149	313
B 29	Other forms of heart disease	M	42	-	-	-	-	2	-	-	4	9	27
		F	101	-	-	1	1	-	-	1	3	11	84
B 30	Cerebrovascular disease	M	214	-	-	-	-	2	4	17	35	81	75
		F	379	-	-	-	-	-	7	16	44	96	216
B 46a	Other diseases of circulatory system	M	101	-	-	-	1	-	1	6	19	25	49
		F	122	-	-	-	-	-	-	4	11	22	85
B 31	Influenza	M	29	-	-	-	-	-	-	2	10	7	10
		F	37	-	-	1	1	-	-	4	5	11	15
B 32	Pneumonia	M	225	17	5	1	-	4	-	8	30	48	112
		F	264	9	7	2	2	1	2	5	19	67	150
B 33	Bronchitis, emphysema and asthma	M	274	1	-	1	-	-	2	22	51	96	101
		F	169	-	2	-	1	-	5	9	22	48	82
B 46b	Bronchiectasis	M	4	-	-	1	-	-	-	-	1	-	2
		F	2	-	-	-	1	-	-	-	1	-	-
B 46c	Other diseases of respiratory system	M	27	11	-	-	-	-	-	2	-	5	9
		F	30	3	-	1	1	1	-	-	7	9	8
B 34	Peptic ulcer	M	29	-	-	-	-	-	-	2	8	9	10
		F	16	-	-	-	-	-	-	-	2	7	7
B 35	Appendicitis	M	3	-	-	1	-	-	-	-	1	-	1
		F	2	-	-	-	-	-	-	-	-	-	2
B 36	Intestinal obstruction and hernia	M	7	3	-	-	-	-	-	-	1	2	1
		F	8	-	-	-	-	-	-	1	1	1	5
B 37	Cirrhosis of liver	M	14	-	1	-	-	-	1	4	4	1	3
		F	7	-	-	-	1	-	-	-	2	2	2
B 46d	Other diseases of digestive system	M	18	-	-	-	-	1	1	3	3	6	4
		F	27	-	-	-	-	2	1	4	1	6	13
B 38	Nephritis and nephrosis	M	19	-	-	-	2	1	1	2	5	4	4
		F	14	-	-	-	-	-	-	1	2	6	5
B 39	Hyperplasia of prostate	M	6	-	-	-	-	-	-	-	-	3	3
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	2	-	-	-	-	2	-	-	-	-	-
B 42	Congenital anomalies	M	42	32	4	2	1	-	-	1	1	1	-
		F	37	31	-	1	2	-	-	-	1	-	2
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	41	41	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality*	M	13	13	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	4	-	-	-	-	-	-	-	-	-	4
		F	9	-	-	-	-	-	-	-	-	1	8
B 45b	Ill-defined conditions	M	2	-	-	-	-	-	-	-	1	-	1
		F	3	-	-	-	-	-	-	-	-	-	3
B 46e	All other diseases	M	59	2	1	2	4	1	2	7	4	19	17
		F	103	3	2	2	1	2	5	11	13	27	37
External Causes													
B 47	Motor vehicle accidents	M	65	-	3	7	13	13	2	5	5	10	7
		F	33	-	1	5	5	2	1	2	2	10	5
B 48	All other accidents	M	65	5	6	4	9	3	4	10	4	10	10
		F	59	4	4	3	1	1	1	2	3	9	31
B 49	Suicide and self-inflicted injuries	M	7	-	-	-	3	1	-	1	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 50	All other external causes	M	11	-	-	-	2	-	1	3	2	2	1
		F	9	-	-	-	1	3	2	3	-	-	-

*Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS OCCURRING IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
All Causes		M	3,290	177	19	31	43	42	105	232	603	976	1,062
		F	3,148	118	19	18	21	26	72	189	416	737	1,532
B 4	Enteritis and other diarrhoeal diseases	M	10	5	4	-	-	-	1	-	-	-	-
		F	5	3	1	-	-	-	-	-	-	1	-
B 5	Tuberculosis of respiratory system	M	26	-	-	-	1	1	-	5	10	4	5
		F	13	-	-	-	-	-	1	3	6	3	-
B 6	Other tuberculosis, including late effects	M	1	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	1	-	-	-	-	1	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	4	4	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	1
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	1	-	-	-	-	-	-	-	-	-	1
		F	3	-	-	1	-	-	1	-	-	-	1
B 18c	Gastro-enteritis (under 2 years)	M	7	4	3	-	-	-	-	-	-	-	-
		F	4	3	1	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	7	1	-	3	-	-	-	3	-	-	-
		F	5	3	-	-	-	-	-	-	-	1	1
B 19a	Malignant neoplasms:- of stomach	M	57	-	-	-	-	-	2	6	17	17	15
		F	83	-	-	-	-	1	2	8	10	24	38
B 19b	of other digestive organs and peritoneum	M	116	-	-	-	-	2	5	10	26	42	31
		F	186	-	-	-	-	1	4	22	30	53	76
B 19c	of trachea, bronchus and lung	M	180	-	-	-	-	-	1	24	59	70	26
		F	49	-	-	-	-	-	3	7	17	16	6
B 19d	of breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	81	-	-	-	-	2	10	19	21	15	14
B 19e	of genito-urinary organs	M	73	-	1	-	-	1	1	3	10	24	33
		F	70	-	-	-	-	1	3	12	12	23	19
B 19f	of lymphatic and haematopoietic tissue	M	38	-	-	1	-	2	4	5	6	14	6
		F	29	-	2	3	-	1	1	3	7	7	5
B 19g	Other	M	64	-	-	1	4	3	12	4	13	14	13
		F	69	-	-	3	3	2	4	4	17	16	20
B 20	Benign neoplasms and neoplasms of unspecified nature	M	9	-	-	-	-	-	-	-	4	4	1
		F	11	-	-	1	-	-	1	4	2	2	1
B 21	Diabetes mellitus	M	30	-	-	-	-	1	-	-	8	11	10
		F	34	-	-	-	-	-	1	4	9	12	8
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	1	-
B 23	Anaemias	M	5	-	-	1	-	-	1	-	1	2	-
		F	18	-	-	-	-	-	2	1	-	7	8
B 24	Meningitis	M	4	2	-	1	-	-	-	1	-	-	-
		F	4	3	1	-	-	-	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	41	-	-	-	1	1	5	8	6	10	10
		F	49	-	-	-	1	1	3	8	12	7	17
B 27	Hypertensive disease	M	53	-	-	-	-	-	-	-	-	-	-
		F	70	-	-	-	-	-	3	3	11	13	23
									2	5	2	16	45

TAB _E 21 (contd.) - DEATHS OCCURRING IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 28	Ischaemic heart disease	M	874	-	-	-	-	3	23	86	195	316	251
		F	633	-	-	-	-	-	5	21	93	181	333
B 29	Other forms of heart disease	M	94	-	-	-	-	2	-	2	6	19	65
		F	144	-	-	-	2	1	3	4	5	19	110
B 30	Cerebrovascular disease	M	370	-	-	-	3	2	9	11	52	107	186
		F	492	-	1	-	-	1	5	20	50	122	293
B 46a	Other diseases of circulatory system	M	126	1	-	-	1	-	1	5	9	44	65
		F	178	-	-	-	-	-	5	4	14	30	125
B 31	Influenza	M	67	-	-	-	-	-	4	6	11	29	17
		F	61	-	-	-	1	1	-	4	14	23	18
B 32	Pneumonia	M	179	22	5	1	3	2	-	8	16	48	74
		F	192	16	2	1	2	-	1	7	22	31	110
B 33	Bronchitis, emphysema and asthma	M	312	-	1	-	1	-	3	15	84	109	99
		F	153	-	1	-	-	-	1	8	24	42	77
B 46b	Bronchiectasis	M	5	-	-	-	1	-	-	1	-	2	1
		F	4	-	-	-	-	-	-	-	-	2	2
B 46c	Other diseases of respiratory system	M	28	3	-	-	1	-	-	1	3	7	13
		F	37	1	2	-	-	-	-	1	5	11	17
B 34	Peptic ulcer	M	34	-	-	-	-	-	-	2	6	12	14
		F	18	-	-	-	-	-	1	2	2	6	7
B 35	Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-
B 36	Intestinal obstruction and hernia	M	17	1	-	-	-	-	1	-	2	4	9
		F	8	-	-	-	-	-	-	-	-	3	5
B 37	Cirrhosis of liver	M	13	-	-	-	-	-	-	2	4	5	2
		F	8	-	-	-	-	-	2	1	2	1	2
B 46d	Other diseases of digestive system	M	16	-	-	-	-	1	1	3	3	4	4
		F	23	-	-	-	-	1	-	1	5	4	12
B 38	Nephritis and nephrosis	M	23	-	-	1	1	-	1	-	6	5	9
		F	25	-	1	1	-	1	1	2	5	6	8
B 39	Hyperplasia of prostate	M	23	-	-	-	-	-	-	-	-	8	15
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	5	-	-	-	1	2	2	-	-	-	-
B 42	Congenital anomalies	M	54	45	3	1	2	2	-	1	-	-	-
		F	44	33	3	3	1	1	1	2	-	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	44	44	-	-	-	-	-	-	-	-	-
		F	24	24	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality*	M	33	33	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	16	-	-	-	-	-	-	-	-	-	16
		F	62	-	-	-	-	-	-	-	-	2	60
B 45b	Ill-defined conditions	M	4	-	-	-	-	-	-	1	-	1	2
		F	2	-	-	-	-	-	-	-	1	1	-
B 46e	All other diseases	M	79	5	-	1	4	2	1	6	16	17	27
		F	125	5	4	-	2	6	2	6	22	32	46
External Causes													
B 47	Motor vehicle accidents	M	51	-	2	4	9	7	6	6	6	8	3
		F	19	-	-	1	5	1	1	1	4	4	2
B 48	All other accidents	M	91	10	3	16	7	8	16	3	8	5	15
		F	76	5	1	3	2	2	2	5	1	11	44
B 49	Suicide and self-inflicted injuries	M	4	-	-	-	1	-	1	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 50	All other external causes	M	13	-	-	-	3	2	3	-	3	1	1
		F	6	1	-	-	-	-	1	-	2	1	1

*Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS OCCURRING IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death													
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
			All Causes	M	F	12,362	393	66	75	139	118	238	750	1,833	3,371	5,379
			F		9,278	332	60	53	67	51	167	448	1,011	2,199	4,890	
B 4	Enteritis and other diarrhoeal diseases	M	23	11	7	-	-	-	-	-	-	1	2	2	2	2
		F	23	10	3	-	-	-	-	-	-	2	2	2	2	6
B 5	Tuberculosis of respiratory system	M	77	1	-	-	-	3	1	6	10	23	23	10	10	10
		F	35	-	-	-	-	-	1	5	5	8	10	6	6	6
B 6	Other tuberculosis, including late effects	M	10	-	-	1	1	-	1	-	-	1	4	2	2	2
		F	3	-	-	-	-	-	1	-	-	-	2	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-
B 11	Meningococcal infection	M	3	1	-	-	-	-	-	-	2	-	-	-	-	-
		F	3	2	-	-	-	-	-	1	-	-	-	-	-	-
B 18a	Septicaemia	M	6	4	-	-	-	-	-	-	-	2	-	-	-	-
		F	11	5	2	1	-	-	-	-	1	1	1	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	4	1	2	-	1	-	-	-	-	-	-	-	-	-
		F	4	1	3	-	-	-	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	5	-	1	1	1	-	-	-	-	1	-	1	-	1
		F	4	-	1	1	-	-	-	-	1	-	1	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	14	10	4	-	-	-	-	-	-	-	-	-	-	-
		F	12	10	2	-	-	-	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	25	4	1	-	1	-	2	3	7	3	4	3	4	7
		F	18	2	1	-	-	-	1	-	3	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	321	-	-	-	-	-	1	2	21	59	121	117	117	117
		F	204	-	-	-	-	-	-	-	3	28	82	91	91	91
B 19b	of other digestive organs and peritoneum	M	523	-	-	-	-	-	4	11	40	98	168	202	202	202
		F	451	-	1	-	1	3	12	46	75	147	166	166	166	166
B 19c	of trachea, bronchus and lung	M	362	-	-	2	-	2	13	55	122	123	45	45	45	45
		F	94	-	-	-	-	-	2	12	23	36	21	21	21	21
B 19d	of breast	M	3	-	-	-	-	-	-	-	-	1	-	2	2	2
		F	241	-	-	-	-	-	3	18	49	54	69	48	48	48
B 19e	of genito-urinary organs	M	290	-	-	-	3	1	1	10	39	89	147	147	147	147
		F	193	-	1	1	-	2	10	33	63	41	42	42	42	42
B 19f	of lymphatic and haematopoietic tissue	M	136	-	3	7	7	7	7	17	29	36	23	23	23	23
		F	81	-	2	4	4	2	2	6	22	34	5	5	5	5
B 19g	Other	M	265	-	3	-	7	6	8	26	55	68	92	92	92	92
		F	170	1	1	3	4	1	4	17	45	44	50	50	50	50
B 20	Benign neoplasms and neoplasms of unspecified nature	M	27	-	-	-	2	-	2	5	5	10	3	3	3	3
		F	29	1	1	1	1	-	2	4	6	9	4	4	4	4
B 21	Diabetes mellitus	M	110	-	-	-	-	-	4	10	22	29	45	45	45	45
		F	112	-	-	-	-	2	2	5	22	36	45	45	45	45
B 22	Avitaminoses and other nutritional deficiency	M	2	-	-	-	-	-	-	-	-	1	1	1	1	1
		F	7	1	-	-	-	-	1	-	1	2	2	2	2	2
B 23	Anaemias	M	22	-	-	1	-	-	-	-	2	8	11	11	11	11
		F	41	-	2	1	3	-	1	-	6	12	16	16	16	16
B 24	Meningitis	M	15	4	4	1	-	2	1	1	1	1	-	-	-	-
		F	9	7	1	-	-	-	-	-	1	-	-	-	-	-
B 25	Active rheumatic fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	147	-	-	1	1	5	6	17	28	50	39	39	39	39
		F	97	-	-	1	1	2	5	13	19	22	34	34	34	34
B 27	Hypertensive disease	M	296	-	-	-	2	1	3	7	44	105	134	134	134	134
		F	240	-	-	-	-	-	3	10	22	64	141	141	141	141

TABLE 21 (contd.) - DEATHS OCCURRING IN 1970, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over.
B 28	Ischaemic heart disease	M	3,177	-	-	-	3	5	46	220	593	978	1,332
		F	1,784	-	-	-	-	2	16	70	190	492	1,014
B 29	Other forms of heart disease	M	683	-	-	2	1	2	1	13	30	126	508
		F	667	-	-	2	1	2	2	5	17	78	560
B 30	Cerebrovascular disease	M	1,543	-	-	1	5	4	9	60	160	441	863
		F	1,588	-	-	-	5	-	15	42	141	388	997
B 46a	Other diseases of circulatory system	M	534	1	-	-	-	2	2	15	35	130	349
		F	505	-	-	-	-	3	3	15	32	95	357
B 31	Influenza	M	289	6	-	-	-	2	1	25	35	86	134
		F	221	1	-	2	1	1	4	6	18	75	113
B 32	Pneumonia	M	626	54	9	7	4	-	10	27	50	157	308
		F	529	43	15	3	4	1	6	15	39	125	278
B 33	Bronchitis, emphysema and asthma	M	753	-	1	-	1	-	6	41	144	288	272
		F	355	-	1	-	-	1	8	20	55	112	158
B 46b	Bronchiectasis	M	19	-	-	-	-	-	-	2	2	5	10
		F	13	-	-	-	-	-	1	1	4	2	5
B 46c	Other diseases of respiratory system	M	120	15	-	1	1	-	4	2	14	23	60
		F	106	6	3	3	-	-	1	4	6	16	67
B 34	Peptic ulcer	M	99	-	-	-	-	-	2	6	21	31	39
		F	46	-	-	-	-	-	-	4	3	20	19
B 35	Appendicitis	M	10	-	-	-	-	1	-	-	2	4	3
		F	8	-	-	1	-	-	-	-	-	3	4
B 36	Intestinal obstruction and hernia	M	26	-	-	1	-	-	-	1	6	5	13
		F	31	-	-	-	1	1	-	1	4	4	20
B 37	Cirrhosis of liver	M	35	-	-	-	-	-	2	3	10	14	6
		F	22	-	-	-	-	-	5	7	5	3	2
B 46d	Other diseases of digestive system	M	66	2	-	-	2	3	5	5	9	21	19
		F	86	1	1	-	6	-	4	6	15	20	33
B 38	Nephritis and nephrosis	M	106	-	-	-	-	1	8	13	17	28	39
		F	55	-	-	1	4	-	2	1	13	14	20
B 39	Hyperplasia of prostate	M	87	-	-	-	-	-	1	-	2	14	70
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	13	-	-	-	1	6	6	-	-	-	-
B 42	Congenital anomalies	M	131	89	10	5	10	4	1	7	2	3	-
		F	112	92	10	3	2	-	2	-	-	3	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	86	86	-	-	-	-	-	-	-	-	-
		F	74	74	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	83	83	-	-	-	-	-	-	-	-	-
		F	59	59	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	228	-	-	-	-	-	-	-	2	9	217
		F	280	-	-	-	-	-	-	-	-	12	268
B 45b	Ill-defined conditions	M	37	1	1	-	-	-	1	3	6	9	16
		F	16	-	-	-	-	-	-	-	1	4	11
B 46e	All other diseases	M	369	15	6	8	10	3	12	21	55	87	152
		F	314	7	2	3	5	2	11	22	44	79	139
External Causes													
B 47	Motor vehicle accidents	M	232	-	10	22	40	24	23	27	43	23	20
		F	81	1	2	11	13	11	5	10	7	12	9
B 48	All other accidents	M	271	15	8	14	24	26	22	26	35	36	65
		F	220	16	7	10	9	2	1	5	11	28	131
B 49	Suicide and self-inflicted injuries	M	33	-	-	-	4	4	6	3	10	5	1
		F	8	-	-	-	1	-	3	1	2	-	1
B 50	All other external causes	M	46	-	-	-	4	7	9	6	10	7	3
		F	14	2	-	1	-	1	4	4	2	-	-

* Late foetal deaths not included.

TABLE 22 - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH
IN 1970 CLASSIFIED BY PLACE OF OCCURRENCE.

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	18,447	15,239	3,203	2,911	607	501	6,969	5,518	7,668	6,309
LEINSTER	7,870	6,875	2,108	1,911	227	214	2,446	2,027	3,089	2,723
MUNSTER	5,945	4,852	790	732	214	153	2,592	2,027	2,349	1,940
CONNACHT	3,123	2,264	217	191	120	68	1,361	1,005	1,425	1,000
ULSTER (part of)	1,509	1,248	88	77	46	66	570	459	805	646
LEINSTER										
Carlow	267	184	51	29	18	8	99	58	99	89
Dublin County Borough	2,795	2,813	1,154	1,060	64	101	599	662	978	990
Dun Laoghaire Borough	295	343	127	143	8	9	44	47	116	144
Dublin County (remainder)	679	613	248	213	28	16	111	125	292	259
Kildare	399	282	75	48	12	7	166	107	146	120
Kilkenny	407	330	36	32	20	14	192	153	159	131
Laois	284	206	17	14	7	4	157	100	103	88
Longford	214	180	16	24	7	4	105	80	86	72
Louth	407	381	86	73	15	9	149	144	157	155
Meath	435	346	81	61	9	6	141	120	204	159
Offaly	308	226	16	23	4	6	143	100	145	97
Westmeath	348	255	43	29	7	11	193	127	105	88
Wexford	594	419	59	70	22	12	229	141	284	196
Wicklow	438	297	99	92	6	7	118	63	215	135
MUNSTER										
Clare	575	403	35	51	33	15	279	185	228	152
Cork County Borough	718	710	216	198	19	17	210	208	273	287
Cork County	1,580	1,280	228	193	37	36	656	498	659	553
Kerry	853	633	73	64	41	21	392	286	347	262
Limerick County Borough	283	255	64	57	10	4	125	137	84	57
Limerick County	599	471	26	33	26	11	320	234	227	193
Tipperary, North Riding	414	307	27	22	10	8	189	148	188	129
Tipperary, South Riding	441	356	52	50	11	17	219	180	159	109
Waterford County Borough	175	207	27	36	9	12	52	49	87	110
Waterford County	307	230	42	28	18	12	150	102	97	88
CONNACHT										
Galway	1,022	734	99	83	50	30	457	372	416	249
Leitrim	285	175	17	15	17	10	108	67	143	83
Mayo	913	700	42	41	17	10	421	293	433	356
Roscommon	452	331	27	25	21	11	204	155	200	140
Sligo	451	324	32	27	15	7	171	118	233	172
ULSTER (part of)										
Cavan	429	319	19	24	10	6	196	139	204	150
Donegal	709	669	41	29	21	46	207	209	440	385
Monaghan	371	260	28	24	15	14	167	111	161	111

TABLE 24 - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TOTAL												
Tuberculosis, all forms	M	148	1	-	1	5	2	8	19	46	44	22
	F	73	-	1	-	1	4	8	12	19	22	6
Other infective and parasitic diseases	M	106	39	18	4	3	-	3	8	12	9	10
	F	106	37	14	5	2	1	3	7	8	9	20
Malignant neoplasms	M	2,987	-	8	15	27	33	88	281	696	975	864
	F	2,557	1	8	18	16	29	108	320	548	761	748
Ischaemic and other forms of heart disease	M	5,835	-	-	3	9	23	100	435	1,053	1,789	2,423
	F	4,069	-	-	4	7	10	36	152	418	967	2,475
Hypertensive disease	M	391	-	-	-	2	1	8	10	62	133	175
	F	371	-	-	-	-	-	6	18	29	93	225
Cerebrovascular disease	M	2,127	-	-	1	8	8	22	88	247	629	1,124
	F	2,459	-	1	-	5	1	27	78	235	606	1,506
Other diseases of the circulatory system	M	762	2	-	-	3	2	4	26	63	199	463
	F	805	-	-	-	-	3	8	23	57	147	567
Diseases of the respiratory system	M	2,957	129	21	12	12	8	30	162	451	910	1,222
	F	2,173	79	33	13	14	6	29	84	241	574	1,100
Senility	M	248	-	-	-	-	-	-	-	2	9	237
	F	351	-	-	-	-	-	-	-	-	15	336
Other diseases	M	1,997	502	30	27	39	24	53	114	246	398	564
	F	1,750	406	29	20	34	30	57	92	201	360	521
Accidents and other external causes	M	889	30	32	67	119	95	93	91	129	107	126
	F	525	29	15	34	37	23	21	33	34	75	224
All causes	M	18,447	703	109	130	227	196	409	1,234	3,007	5,202	7,230
	F	15,239	552	101	94	116	107	303	819	1,790	3,629	7,728
LEINSTER												
Tuberculosis, all forms	M	57	1	-	-	-	-	3	5	19	19	10
	F	37	-	1	-	-	3	3	4	8	14	4
Other infective and parasitic diseases	M	49	18	13	1	1	-	1	1	5	4	5
	F	57	19	10	4	2	1	1	1	4	4	11
Malignant neoplasms	M	1,382	-	5	10	12	13	47	127	352	464	352
	F	1,224	-	3	9	6	16	63	179	265	334	349
Ischaemic and other forms of heart disease	M	2,399	-	-	-	5	10	50	226	469	762	877
	F	1,755	-	-	4	4	6	14	78	192	425	1,032
Hypertensive disease	M	167	-	-	-	2	-	5	1	26	56	77
	F	175	-	-	-	-	-	1	7	18	47	102
Cerebrovascular disease	M	851	-	-	-	4	3	11	51	117	246	419
	F	1,065	-	-	-	2	-	13	32	106	269	643
Other diseases of the circulatory system	M	330	2	-	-	1	1	2	11	36	80	197
	F	358	-	-	-	-	1	3	9	33	59	253
Diseases of the respiratory system	M	1,322	73	13	5	2	4	16	78	208	396	527
	F	1,061	46	19	8	8	4	12	37	117	282	528
Senility	M	45	-	-	-	-	-	-	-	1	1	43
	F	67	-	-	-	-	-	-	-	-	4	63
Other diseases	M	859	261	15	14	26	11	26	49	104	167	186
	F	828	222	13	10	18	14	24	47	82	171	227
Accidents and other external causes	M	409	14	22	31	71	50	34	51	49	43	44
	F	248	13	9	22	26	17	11	19	14	33	84
All causes	M	7,870	369	68	61	124	92	195	600	1,386	2,238	2,737
	F	6,875	300	55	57	66	62	145	413	839	1,642	3,296

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis, all forms	M	56	-	-	-	4	2	3	8	16	15	8
	F	24	-	-	-	-	1	2	7	9	3	2
Other infective and parasitic diseases	M	28	8	3	2	1	-	-	5	4	2	3
	F	23	6	2	-	-	-	-	4	2	5	4
Malignant neoplasms	M	916	-	1	2	8	13	22	85	210	296	279
	F	788	1	2	7	5	9	27	95	164	242	236
Ischaemic and other forms of heart disease	M	1,940	-	-	3	3	11	32	141	358	591	801
	F	1,317	-	-	-	2	1	10	52	139	322	791
Hypertensive disease	M	119	-	-	-	-	-	2	7	14	38	58
	F	111	-	-	-	-	-	3	6	4	27	71
Cerebrovascular disease	M	680	-	-	-	3	4	9	26	75	212	351
	F	799	-	-	-	1	1	11	26	72	209	479
Other diseases of the circulatory system	M	278	-	-	-	2	1	1	8	20	75	171
	F	293	-	-	-	-	-	2	10	15	51	215
Diseases of the respiratory system	M	928	35	4	4	8	2	10	52	146	311	356
	F	658	24	9	2	3	2	7	30	84	166	331
Senility	M	67	-	-	-	-	-	-	-	-	1	66
	F	119	-	-	-	-	-	-	-	-	4	115
Other diseases	M	652	161	8	5	10	10	14	29	81	132	202
	F	551	109	8	9	9	13	22	33	79	96	173
Accidents and other external causes	M	281	11	4	23	30	23	41	24	45	37	43
	F	169	7	4	9	6	4	7	10	11	28	83
All causes	M	5,945	215	20	39	69	66	134	385	969	1,710	2,338
	F	4,852	147	25	27	26	31	91	273	579	1,153	2,500
CONNACHT												
Tuberculosis, all forms	M	29	-	-	1	1	-	1	6	9	8	3
	F	12	-	-	-	1	-	3	1	2	5	-
Other infective and parasitic diseases	M	20	11	2	-	1	-	2	2	1	1	-
	F	18	10	2	-	-	-	2	-	2	-	2
Malignant neoplasms	M	469	-	2	1	6	5	13	49	93	141	159
	F	367	-	3	-	3	1	11	31	84	126	108
Ischaemic and other forms of heart disease	M	1,014	-	-	-	1	2	15	44	148	283	521
	F	657	-	-	-	-	3	8	12	39	144	451
Hypertensive disease	M	76	-	-	-	-	1	-	2	16	31	26
	F	50	-	-	-	-	-	1	3	4	11	31
Cerebrovascular disease	M	390	-	-	1	-	-	2	8	33	104	242
	F	377	-	1	-	1	-	1	14	41	74	245
Other diseases of the circulatory system	M	106	-	-	-	-	-	-	7	2	28	69
	F	91	-	-	-	-	1	2	1	7	29	51
Diseases of the respiratory system	M	478	15	2	2	2	1	4	23	68	128	235
	F	253	7	2	2	2	-	5	14	18	68	135
Senility	M	108	-	-	-	-	-	-	-	1	7	100
	F	122	-	-	-	-	-	-	-	-	5	117
Other diseases	M	308	54	2	6	1	3	8	25	36	63	110
	F	237	44	4	1	7	1	7	10	27	59	77
Accidents and other external causes	M	125	2	3	6	10	15	13	13	20	21	22
	F	80	6	1	3	3	1	3	3	8	6	46
All causes	M	3,123	82	11	15	22	27	58	179	427	815	1,487
	F	2,264	67	13	6	17	7	43	89	232	527	1,263

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (Part of)												
Tuberculosis, all forms	M	6	-	-	-	-	-	1	-	2	2	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	9	2	-	1	-	-	-	-	2	2	2
	F	8	2	-	1	-	-	-	2	-	-	3
Malignant neoplasms	M	220	-	-	2	1	2	6	20	41	74	74
	F	178	-	-	2	2	3	7	15	35	59	55
Ischaemic and other forms of heart disease	M	482	-	-	-	-	-	3	24	78	153	224
	F	340	-	-	-	1	-	4	10	48	76	201
Hypertensive disease	M	29	-	-	-	-	-	1	-	6	8	14
	F	35	-	-	-	-	-	1	2	3	8	21
Cerebrovascular disease	M	206	-	-	-	1	1	-	3	22	67	112
	F	218	-	-	-	1	-	2	6	16	54	139
Other diseases of the circulatory system	M	48	-	-	-	-	-	1	-	5	16	26
	F	63	-	-	-	-	1	1	3	2	8	48
Diseases of the respiratory system	M	229	6	2	3	-	1	-	9	29	75	104
	F	201	2	3	1	1	-	5	3	22	58	106
Senility	M	28	-	-	-	-	-	-	-	-	-	28
	F	43	-	-	-	-	-	-	-	-	2	41
Other diseases	M	178	26	5	2	2	-	5	11	25	36	66
	F	134	31	4	-	-	2	4	2	13	34	44
Accidents and other external causes	M	74	3	3	7	8	7	5	3	15	6	17
	F	28	3	1	-	2	1	-	1	1	8	11
All causes	M	1,509	37	10	15	12	11	22	70	225	439	668
	F	1,248	38	8	4	7	7	24	44	140	307	669
COUNTY CARLOW												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	1	2	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	43	-	-	-	-	-	3	4	15	9	12
	F	30	-	-	1	-	1	-	7	9	6	6
Ischaemic and other forms of heart disease	M	84	-	-	-	-	-	-	5	19	22	38
	F	52	-	-	-	-	1	-	3	6	13	29
Hypertensive disease	M	4	-	-	-	-	-	-	-	-	2	2
	F	14	-	-	-	-	-	-	1	-	4	9
Cerebrovascular disease	M	37	-	-	-	-	-	-	-	5	13	19
	F	21	-	-	-	-	-	-	-	2	6	13
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	1	1	4	7
	F	15	-	-	-	-	-	-	-	1	3	11
Diseases of the respiratory system	M	44	1	-	-	-	-	1	2	8	17	15
	F	34	3	-	-	-	-	-	-	6	12	13
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	27	9	1	1	2	-	1	1	1	4	7
	F	13	5	-	1	-	-	1	-	1	3	2
Accidents and other external causes	M	9	1	-	2	2	1	-	1	-	-	2
	F	2	-	-	-	-	1	-	-	1	-	-
All causes	M	267	12	3	3	4	1	5	14	50	71	104
	F	184	8	1	2	-	3	1	11	26	47	85

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	34	-	-	-	-	-	1	4	11	13	5
	F	20	-	1	-	-	2	2	4	5	6	-
Other infective and parasitic	M	17	7	3	-	-	-	-	-	1	4	2
	F	25	8	3	2	2	-	1	1	1	3	4
Malignant neoplasms	M	559	-	1	4	6	4	21	60	162	189	112
	F	556	-	1	4	4	10	33	79	124	154	147
Ischaemic and other forms of heart disease	M	819	-	-	-	3	5	19	89	195	290	218
	F	695	-	-	1	2	2	2	31	82	168	407
Hypertensive disease	M	42	-	-	-	-	-	2	-	7	15	18
	F	61	-	-	-	-	-	1	3	5	13	39
Cerebrovascular disease	M	214	-	-	-	-	2	4	17	35	81	75
	F	379	-	-	-	-	-	7	16	44	96	216
Other diseases of the circulatory system	M	101	-	-	-	1	-	1	6	19	25	49
	F	122	-	-	-	-	-	-	4	11	22	85
Diseases of the respiratory system	M	559	29	5	3	-	4	2	34	92	156	234
	F	502	12	9	4	6	2	7	18	54	135	255
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	9	-	-	-	-	-	-	-	-	1	8
Other diseases	M	298	92	6	6	8	4	9	23	36	60	54
	F	343	78	3	4	7	8	7	19	32	76	109
Accidents and other external causes	M	148	5	9	11	27	17	7	19	13	22	18
	F	101	4	5	8	7	6	4	7	5	19	36
All causes	M	2,795	133	24	24	45	36	66	252	571	855	789
	F	2,813	102	22	23	28	30	64	182	363	693	1,306
DUN LAOGHAIRE BOROUGH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	2	-
Other infective and parasitic diseases	M	3	2	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	45	-	-	-	-	-	1	5	13	11	15
	F	76	-	-	-	-	2	1	12	17	12	32
Ischaemic and other forms of heart disease	M	86	-	-	-	-	3	3	8	13	26	33
	F	97	-	-	-	-	-	1	4	8	15	69
Hypertensive disease	M	4	-	-	-	-	-	-	-	2	1	1
	F	9	-	-	-	-	-	-	-	1	4	4
Cerebrovascular disease	M	37	-	-	-	-	1	-	2	8	8	18
	F	51	-	-	-	-	-	-	-	4	11	36
Other diseases of the circulatory system	M	17	1	-	-	-	-	-	-	-	3	13
	F	12	-	-	-	-	-	-	-	2	2	8
Diseases of the respiratory system	M	50	4	3	-	-	-	1	2	8	13	19
	F	39	1	-	-	-	-	-	1	4	5	28
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	37	11	-	-	-	1	1	-	5	7	12
	F	46	8	-	-	-	-	3	3	4	9	19
Accidents and other external causes	M	15	-	1	3	1	2	1	2	1	1	3
	F	9	1	-	-	-	-	1	-	1	3	3
All causes	M	295	18	5	3	1	7	7	19	50	71	114
	F	343	10	-	-	-	2	6	20	41	63	201

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	2	-	2
	F	6	-	-	-	-	-	1	-	-	2	3
Other infective and parasitic diseases	M	7	1	4	-	-	-	-	-	-	-	2
	F	10	4	1	-	-	-	-	-	2	-	3
Malignant neoplasms	M	133	-	3	1	2	4	4	16	37	45	21
	F	119	-	1	2	1	-	5	20	30	37	23
Ischaemic and other forms of heart disease	M	211	-	-	-	1	1	5	21	44	64	75
	F	133	-	-	2	-	1	5	8	10	30	77
Hypertensive disease	M	22	-	-	-	1	-	1	1	5	8	6
	F	11	-	-	-	-	-	-	-	1	2	8
Cerebrovascular disease	M	68	-	-	-	-	-	-	7	7	23	31
	F	73	-	-	-	1	-	2	3	8	17	42
Other diseases of the circulatory system	M	18	1	-	-	-	-	1	1	1	4	10
	F	22	-	-	-	-	1	-	-	4	3	14
Diseases of the respiratory system	M	95	7	3	-	1	-	1	5	15	28	35
	F	105	13	2	1	-	1	-	3	9	30	46
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	76	28	2	2	3	-	2	2	7	13	17
	F	104	49	1	-	3	3	1	7	4	21	15
Accidents and other external causes	M	43	2	2	4	4	7	3	8	5	3	5
	F	26	3	2	5	1	2	1	4	1	2	5
All causes	M	679	39	14	7	12	12	17	61	123	188	206
	F	613	69	7	10	6	8	15	45	69	144	240
COUNTY KILDARE												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	2	1	1	-	-	-	-	-	-	-	-
	F	5	1	1	1	-	-	-	-	-	1	1
Malignant neoplasms	M	64	-	-	-	1	1	-	4	18	25	15
	F	44	-	-	-	-	-	4	3	10	16	11
Ischaemic and other forms of heart disease	M	122	-	-	-	-	-	3	15	19	42	43
	F	64	-	-	-	-	-	-	1	13	17	33
Hypertensive disease	M	9	-	-	-	-	-	-	-	2	5	2
	F	8	-	-	-	-	-	-	-	1	3	4
Cerebrovascular disease	M	46	-	-	-	2	-	1	5	5	18	15
	F	54	-	-	-	-	-	1	4	8	14	27
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	3	-	5
	F	16	-	-	-	-	-	1	2	2	5	6
Diseases of the respiratory system	M	76	1	-	-	-	-	-	3	17	18	37
	F	48	4	1	-	-	-	-	5	6	14	18
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	2
Other diseases	M	47	13	2	-	1	1	-	2	6	13	9
	F	30	8	-	-	2	-	1	1	4	5	9
Accidents and other external causes	M	24	-	1	2	3	2	3	5	4	1	3
	F	9	-	-	1	1	-	1	-	3	1	2
All causes	M	399	15	4	2	7	4	7	34	74	123	129
	F	282	13	2	2	3	-	8	16	48	77	113

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-
Other infective and parasitic diseases	M	2	1	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	63	-	-	-	-	1	2	4	16	19	21
	F	56	-	-	1	-	-	-	7	13	16	19
Ischaemic and other forms of heart disease	M	129	-	-	-	-	-	3	10	23	33	60
	F	90	-	-	-	1	-	-	6	12	26	45
Hypertensive disease	M	12	-	-	-	-	-	-	-	4	-	8
	F	8	-	-	-	-	-	-	1	1	1	5
Cerebrovascular disease	M	45	-	-	-	-	-	1	3	3	13	25
	F	55	-	-	-	-	-	-	1	5	16	33
Other diseases of the circulatory system	M	42	-	-	-	-	-	-	-	2	6	34
	F	43	-	-	-	-	-	-	1	-	6	36
Diseases of the respiratory system	M	47	2	-	-	-	-	3	5	6	17	14
	F	35	-	1	-	-	-	-	-	2	14	18
Senility	M	3	-	-	-	-	-	-	-	1	1	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	49	14	1	2	-	1	1	3	8	11	8
	F	34	11	1	-	1	-	2	1	5	2	11
Accidents and other external causes	M	15	-	-	-	6	1	2	-	3	3	-
	F	5	-	-	1	1	-	-	-	-	-	3
All causes	M	407	17	1	3	6	3	12	25	66	103	171
	F	330	12	2	2	3	-	2	17	39	82	171
COUNTY LAOIS												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	36	-	-	-	-	-	-	2	9	12	13
	F	31	-	-	-	-	-	3	4	4	7	13
Ischaemic and other forms of heart disease	M	89	-	-	-	-	1	1	3	11	29	44
	F	52	-	-	1	-	1	-	2	2	16	30
Hypertensive disease	M	12	-	-	-	-	-	-	-	-	8	4
	F	8	-	-	-	-	-	-	1	1	1	5
Cerebrovascular disease	M	30	-	-	-	-	-	-	2	3	8	17
	F	35	-	-	-	-	-	-	-	4	8	23
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	-	1	5	7
	F	13	-	-	-	-	-	-	-	-	2	11
Diseases of the respiratory system	M	53	5	-	1	-	-	-	2	8	14	23
	F	29	-	1	-	-	1	1	1	3	6	16
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	7	-	-	-	-	-	-	-	-	2	5
Other diseases	M	26	5	-	-	-	1	1	3	3	3	10
	F	20	5	-	-	-	-	-	1	3	5	6
Accidents and other external causes	M	19	1	1	2	2	3	3	2	4	-	1
	F	8	-	-	1	-	1	-	1	-	2	3
All causes	M	284	11	1	3	3	5	5	14	39	80	123
	F	206	6	2	2	-	3	4	10	17	49	113

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	-	1
	F	2	-	-	-	-	-	-	-	-	2	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	28	-	-	-	-	-	1	-	2	11	14
	F	21	-	-	1	-	1	2	4	5	4	4
Ischaemic and other forms of heart disease	M	71	-	-	-	-	-	3	4	10	19	35
	F	56	-	-	-	-	1	-	1	5	14	35
Hypertensive disease	M	4	-	-	-	-	-	-	-	-	3	1
	F	9	-	-	-	-	-	-	-	3	3	3
Cerebrovascular disease	M	47	-	-	-	-	-	1	2	5	10	29
	F	39	-	-	-	1	-	1	-	4	6	27
Other diseases of the circulatory system	M	3	-	-	-	-	-	-	-	-	-	3
	F	5	-	-	-	-	-	-	-	3	-	2
Diseases of the respiratory system	M	24	1	1	-	-	-	-	4	2	8	8
	F	20	1	-	-	-	-	-	2	1	5	11
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	19	3	-	-	2	1	-	2	4	6	1
	F	20	8	-	-	1	1	1	2	2	4	1
Accidents and other external causes	M	12	1	1	-	1	3	1	-	1	2	2
	F	4	1	1	1	-	-	-	-	-	-	1
All causes	M	214	7	2	-	3	4	6	12	26	59	95
	F	180	10	1	2	2	3	4	9	23	38	88
COUNTY LOUTH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	1	-	1	-	-
	F	3	2	-	1	-	-	-	-	-	-	-
Malignant neoplasms	M	73	-	-	-	-	2	4	5	17	26	19
	F	62	-	-	-	-	-	2	9	9	15	27
Ischaemic and other forms of heart disease	M	128	-	-	-	1	-	8	13	18	32	56
	F	107	-	-	-	-	-	2	2	9	31	63
Hypertensive disease	M	8	-	-	-	-	-	1	-	1	3	3
	F	7	-	-	-	-	-	-	1	1	3	2
Cerebrovascular disease	M	53	-	-	-	-	-	1	1	7	10	34
	F	70	-	-	-	-	-	-	2	1	21	46
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	1	2	2	8
	F	11	-	-	-	-	-	-	-	3	2	6
Diseases of the respiratory system	M	61	3	-	-	-	-	2	2	10	16	28
	F	42	2	1	-	1	-	-	3	3	6	26
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	43	13	-	1	4	-	1	1	8	7	8
	F	49	10	2	1	1	1	4	3	6	14	7
Accidents and other external causes	M	21	2	3	1	3	5	1	-	1	3	2
	F	23	-	-	1	5	5	2	1	1	1	7
All causes	M	407	18	3	2	8	7	19	23	66	99	162
	F	381	14	3	3	7	6	10	21	34	93	190

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	1	2	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	2	-	-	-	-	-	-	-	2
Malignant neoplasms	M	68	-	-	1	-	-	1	10	11	20	25
	F	48	-	-	-	-	1	3	9	11	14	10
Ischaemic and other forms of heart disease	M	136	-	-	-	-	-	-	11	24	51	50
	F	77	-	-	-	-	-	1	2	12	19	43
Hypertensive disease	M	8	-	-	-	-	-	-	-	-	3	5
	F	5	-	-	-	-	-	-	-	-	-	5
Cerebrovascular disease	M	56	-	-	-	-	-	-	1	9	12	34
	F	84	-	-	-	-	-	2	1	5	22	54
Other diseases of the circulatory system	M	12	-	-	-	-	1	-	1	-	4	6
	F	19	-	-	-	-	-	2	1	1	1	14
Diseases of the respiratory system	M	75	5	-	-	-	-	1	4	6	21	38
	F	53	4	1	-	-	-	-	-	4	11	33
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	40	18	-	-	-	1	2	4	4	3	8
	F	34	9	3	1	-	-	-	1	6	8	6
Accidents and other external causes	M	31	-	2	1	7	1	5	5	6	4	-
	F	15	-	1	1	1	2	1	3	-	3	3
All causes	M	435	23	3	2	7	3	9	36	61	120	171
	F	346	13	7	2	1	3	9	17	39	79	176
COUNTY OFFALY												
Tuberculosis, all forms	M	1	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	36	-	-	1	-	-	1	1	8	15	10
	F	36	-	-	-	-	-	5	3	6	12	10
Ischaemic and other forms of heart disease	M	91	-	-	-	-	-	2	5	16	28	40
	F	43	-	-	-	-	-	-	1	6	13	23
Hypertensive disease	M	8	-	-	-	-	-	-	-	1	1	6
	F	6	-	-	-	-	-	-	-	1	4	1
Cerebrovascular disease	M	53	-	-	-	1	-	1	2	6	10	33
	F	49	-	-	-	-	-	-	1	6	16	26
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	-	1	7
	F	9	-	-	-	-	-	-	1	-	1	7
Diseases of the respiratory system	M	46	4	-	-	-	-	1	1	6	15	19
	F	34	2	1	-	-	-	1	1	5	12	12
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	8	-	-	-	-	-	-	-	-	-	8
Other diseases	M	49	14	-	1	2	-	2	3	3	10	14
	F	33	6	3	1	1	-	-	3	4	5	10
Accidents and other external causes	M	10	1	-	1	-	4	1	-	2	-	1
	F	8	-	-	-	1	-	1	1	1	1	3
All causes	M	308	19	-	3	3	4	9	12	42	80	136
	F	226	8	4	1	2	-	7	11	29	64	100

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	1	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	1	-	-	-
	F	3	2	-	-	-	1	-	-	-	-	-
Malignant neoplasms	M	53	-	-	1	1	-	3	3	12	17	16
	F	36	-	-	-	-	1	1	2	11	12	9
Ischaemic and other forms of heart disease	M	111	-	-	-	-	-	1	7	18	31	54
	F	100	-	-	-	-	-	2	6	4	20	68
Hypertensive disease	M	11	-	-	-	1	-	1	-	-	1	8
	F	7	-	-	-	-	-	-	-	-	3	4
Cerebrovascular disease	M	45	-	-	-	-	-	1	2	9	11	22
	F	37	-	-	-	-	-	-	1	1	10	25
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	3	5	7
	F	13	-	-	-	-	-	-	-	2	2	9
Diseases of the respiratory system	M	41	3	1	-	-	-	-	2	8	18	9
	F	18	-	1	1	-	-	-	-	3	5	8
Senility	M	8	-	-	-	-	-	-	-	-	-	8
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	49	18	-	1	-	-	-	1	7	7	15
	F	26	9	-	1	1	1	-	1	2	3	8
Accidents and other external causes	M	13	-	1	-	5	-	-	4	-	1	2
	F	9	-	-	-	1	-	-	-	1	-	7
All causes	M	348	21	2	2	7	-	6	20	58	91	141
	F	255	11	1	2	2	4	3	10	24	55	143
COUNTY WEXFORD												
Tuberculosis, all forms	M	4	1	-	-	-	-	1	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	1	-	-	-	-	-	-	2	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	105	-	1	1	1	1	3	4	21	30	43
	F	61	-	1	-	1	-	3	12	10	16	18
Ischaemic and other forms of heart disease	M	182	-	-	-	-	-	-	23	31	51	77
	F	122	-	-	-	1	-	1	8	15	25	72
Hypertensive disease	M	12	-	-	-	-	-	-	-	3	4	5
	F	13	-	-	-	-	-	-	-	3	2	8
Cerebrovascular disease	M	69	-	-	-	-	-	1	3	7	17	41
	F	52	-	-	-	-	-	-	1	9	13	29
Other diseases of the circulatory system	M	59	-	-	-	-	-	-	1	3	18	37
	F	52	-	-	-	-	-	-	-	2	9	41
Diseases of the respiratory system	M	81	5	-	-	1	-	2	8	12	32	21
	F	57	2	-	1	-	-	2	1	12	18	21
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	52	11	3	-	1	-	2	1	5	17	12
	F	41	9	-	1	-	-	3	2	6	9	11
Accidents and other external causes	M	22	-	1	2	5	3	2	3	5	-	1
	F	14	1	-	2	5	-	-	-	-	-	6
All causes	M	594	18	5	3	8	4	11	43	90	170	242
	F	419	12	1	4	7	-	9	24	57	92	213

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	2	1	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	1	-	-
Malignant neoplasms	M	76	-	-	1	1	-	3	9	11	35	16
	F	48	-	-	-	-	-	1	8	6	13	20
Ischaemic and other forms of heart disease	M	140	-	-	-	-	-	2	12	28	44	54
	F	67	-	-	-	-	-	-	3	8	18	38
Hypertensive disease	M	11	-	-	-	-	-	-	-	1	2	8
	F	9	-	-	-	-	-	-	-	-	4	5
Cerebrovascular disease	M	51	-	-	-	1	-	-	4	8	12	26
	F	66	-	-	-	-	-	-	2	5	13	46
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	1	3	4
	F	6	-	-	-	-	-	-	-	2	1	3
Diseases of the respiratory system	M	70	3	-	1	-	-	2	4	10	23	27
	F	45	2	1	1	1	-	1	2	5	9	23
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	47	12	-	-	3	1	4	3	7	6	11
	F	35	7	-	-	1	-	1	3	3	7	13
Accidents and other external causes	M	27	1	-	2	5	1	5	2	4	3	4
	F	15	3	-	1	3	-	-	2	-	1	5
All causes	M	438	18	1	4	10	2	16	35	70	128	154
	F	297	12	2	2	5	-	3	20	30	66	157
COUNTY CLARE												
Tuberculosis, all forms	M	5	-	-	-	-	-	1	-	2	1	1
	F	3	-	-	-	-	-	-	-	1	1	1
Other infective and parasitic diseases	M	5	1	-	1	-	-	-	2	-	-	1
	F	5	2	-	-	-	-	-	1	1	-	1
Malignant neoplasms	M	77	-	-	-	-	1	-	2	15	29	30
	F	59	1	-	-	-	-	-	7	12	20	19
Ischaemic and other forms of heart disease	M	215	-	-	2	1	1	2	9	40	53	107
	F	116	-	-	-	-	-	-	4	13	28	71
Hypertensive disease	M	10	-	-	-	-	-	-	-	1	5	4
	F	4	-	-	-	-	-	-	-	-	1	3
Cerebrovascular disease	M	61	-	-	-	-	1	2	2	9	19	28
	F	51	-	-	-	-	-	1	4	3	12	31
Other diseases of the circulatory system	M	26	-	-	-	-	1	-	-	1	4	20
	F	26	-	-	-	-	-	-	1	1	1	23
Diseases of the respiratory system	M	72	3	-	-	-	-	3	5	16	22	23
	F	47	-	-	-	-	-	2	-	5	12	28
Senility	M	17	-	-	-	-	-	-	-	-	1	16
	F	18	-	-	-	-	-	-	-	-	1	17
Other diseases	M	72	22	-	-	4	1	1	2	7	15	20
	F	60	15	2	4	3	1	2	2	11	9	11
Accidents and other external causes	M	15	-	-	1	3	3	3	2	2	-	1
	F	14	-	-	-	1	1	-	2	-	6	4
All causes	M	575	26	-	4	8	8	12	24	93	149	251
	F	403	18	2	4	4	2	5	21	47	91	209

TABLE 24 (contd.) - DEATHS IN 1943 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	1	3	-	2
	F	4	-	-	-	-	-	-	3	-	1	-
Other infective and parasitic diseases	M	1	-	-	1	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	124	-	1	1	1	3	5	5	35	43	30
	F	125	-	1	3	-	3	5	16	26	31	40
Ischaemic and other forms of heart disease	M	209	-	-	-	1	2	5	21	42	69	69
	F	193	-	-	-	1	-	2	4	26	54	106
Hypertensive disease	M	12	-	-	-	-	-	-	2	1	4	5
	F	13	-	-	-	-	-	-	1	-	2	10
Cerebrovascular disease	M	68	-	-	-	1	1	1	2	6	19	38
	F	108	-	-	-	-	1	-	6	15	23	63
Other disease of the circulatory system	M	31	-	-	-	1	-	-	2	4	14	10
	F	47	-	-	-	-	-	1	3	2	8	33
Diseases of the respiratory system	M	138	4	-	-	4	-	1	11	26	48	44
	F	101	4	-	1	-	-	1	6	17	28	44
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	1	10
Other diseases	M	89	27	3	2	2	-	-	2	20	17	16
	F	79	21	-	1	-	6	5	6	10	14	16
Accidents and other external causes	M	39	3	1	4	3	4	6	2	5	4	7
	F	27	1	1	2	-	-	1	1	1	6	14
All causes	M	718	34	5	8	13	10	18	48	142	218	222
	F	710	27	2	7	1	10	15	46	97	169	336
COUNTY CORK												
Tuberculosis, all forms	M	10	-	-	-	1	-	-	5	1	2	1
	F	8	-	-	-	-	1	1	2	4	-	-
Other infective and parasitic diseases	M	4	-	-	-	-	-	-	1	2	1	-
	F	3	1	-	-	-	-	-	-	-	1	1
Malignant neoplasms	M	239	-	-	-	2	4	6	26	52	77	72
	F	201	-	1	2	1	2	5	24	51	46	69
Ischaemic and other forms of heart disease	M	486	-	-	-	-	1	8	46	74	141	216
	F	336	-	-	-	-	-	3	15	24	81	213
Hypertensive disease	M	26	-	-	-	-	-	1	2	3	9	11
	F	26	-	-	-	-	-	-	1	1	7	17
Cerebrovascular disease	M	204	-	-	-	-	-	2	4	20	57	121
	F	213	-	-	-	1	-	4	2	17	55	134
Other diseases of the circulatory system	M	83	-	-	-	-	-	1	1	7	17	57
	F	91	-	-	-	-	-	1	4	5	16	65
Diseases of the respiratory system	M	275	11	-	1	3	2	3	14	35	97	109
	F	194	6	2	-	2	-	2	6	20	48	108
Senility	M	10	-	-	-	-	-	-	-	-	-	10
	F	24	-	-	-	-	-	-	-	-	1	23
Other diseases	M	165	37	-	-	3	1	7	13	20	37	47
	F	140	24	2	2	2	1	4	11	21	25	48
Accidents and other external causes	M	78	2	-	3	7	4	16	5	17	10	14
	F	44	3	1	2	3	-	2	1	4	7	21
All causes	M	1,580	50	-	4	16	12	44	117	231	448	658
	F	1,280	34	6	6	9	4	22	66	147	287	699

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	14	-	-	-	2	2	1	-	4	3	2
	F	2	-	-	-	-	-	1	-	1	-	-
Other infective and parasitic diseases	M	6	1	1	-	-	-	-	-	2	1	1
	F	4	-	-	-	-	-	-	-	1	2	1
Malignant neoplasms	M	126	-	-	1	1	-	4	11	34	32	43
	F	83	-	-	-	2	1	3	8	21	31	17
Ischaemic and other forms of heart disease	M	296	-	-	1	-	2	6	11	60	94	122
	F	187	-	-	-	-	-	3	3	14	42	125
Hypertensive disease	M	15	-	-	-	-	-	-	1	2	5	7
	F	17	-	-	-	-	-	2	2	-	4	9
Cerebrovascular disease	M	91	-	-	-	1	-	1	5	10	29	45
	F	100	-	-	-	-	-	3	3	6	34	54
Other diseases of the circulatory system	M	61	-	-	-	-	-	-	2	5	17	37
	F	59	-	-	-	-	-	-	-	2	8	49
Diseases of the respiratory system	M	88	3	1	1	-	-	1	4	15	31	32
	F	45	4	-	-	-	-	-	3	8	13	17
Senility	M	21	-	-	-	-	-	-	-	-	-	21
	F	35	-	-	-	-	-	-	-	-	-	35
Other diseases	M	94	17	-	-	-	5	2	3	12	22	33
	F	66	12	1	-	1	2	3	2	9	9	27
Accidents and other external causes	M	41	1	1	3	3	2	6	2	7	7	9
	F	35	-	1	1	-	1	2	4	3	4	19
All causes	M	853	22	3	6	7	11	21	39	151	241	352
	F	633	16	2	1	3	4	17	25	65	147	353
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	2	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	3	3	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	48	-	-	-	-	3	1	9	12	13	10
	F	50	-	-	-	-	-	4	8	9	19	10
Ischaemic and other forms of heart disease	M	91	-	-	-	-	1	2	8	24	32	24
	F	76	-	-	-	-	-	1	5	10	18	42
Hypertensive disease	M	2	-	-	-	-	-	-	-	1	-	1
	F	4	-	-	-	-	-	1	-	-	-	3
Cerebrovascular disease	M	20	-	-	-	1	-	-	1	4	9	5
	F	40	-	-	-	-	-	1	2	4	12	21
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	-	5	5
	F	12	-	-	-	-	-	-	-	-	5	7
Diseases of the respiratory system	M	54	1	-	-	-	-	-	2	15	18	18
	F	43	2	3	-	-	1	-	5	5	5	22
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	38	10	-	-	-	1	2	1	5	5	14
	F	24	7	-	-	1	2	-	2	4	4	4
Accidents and other external causes	M	14	1	-	4	1	-	2	1	2	3	-
	F	2	-	-	-	-	-	-	-	-	1	1
All causes	M	283	15	-	4	2	5	7	24	64	85	77
	F	255	10	3	-	1	3	7	22	33	64	112

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis, all forms	M	5	-	-	-	1	-	-	-	3	1	-
	F	3	-	-	-	-	-	-	1	-	1	1
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	-	-	1
	F	3	1	-	-	-	-	-	2	-	-	-
Malignant neoplasms	M	96	-	-	-	2	-	3	11	14	30	36
	F	72	-	-	1	1	1	1	5	13	25	25
Ischaemic and other forms of heart disease	M	213	-	-	-	-	2	4	15	34	74	84
	F	143	-	-	-	-	-	1	7	19	39	77
Hypertensive disease	M	6	-	-	-	-	-	-	-	2	2	2
	F	16	-	-	-	-	-	-	1	1	4	10
Cerebrovascular disease	M	65	-	-	-	-	1	1	2	7	24	30
	F	76	-	-	-	-	-	-	1	14	21	40
Other diseases of the circulatory system	M	25	-	-	-	-	-	-	-	1	5	19
	F	17	-	-	-	-	-	-	2	1	6	8
Diseases of the respiratory system	M	97	4	-	1	-	-	-	7	9	32	44
	F	65	4	2	-	-	-	1	3	11	11	33
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	9	-	-	-	-	-	-	-	-	-	9
Other diseases	M	58	11	2	1	1	2	1	1	2	8	29
	F	50	6	1	-	-	-	2	4	11	9	17
Accidents and other external causes	M	29	2	-	3	5	3	-	6	3	3	4
	F	17	1	-	-	-	-	1	1	3	3	8
All causes	M	599	18	2	5	9	8	9	42	75	179	252
	F	471	12	3	1	1	1	6	27	73	119	228
TIPPERARY, N.R.												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	1	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms	M	62	-	-	-	1	1	-	2	20	17	21
	F	45	-	-	-	-	2	3	7	7	17	9
Ischaemic and other forms of heart disease	M	131	-	-	-	-	-	1	13	20	36	61
	F	83	-	-	-	1	1	-	5	10	18	48
Hypertensive disease	M	32	-	-	-	-	-	-	2	3	9	18
	F	18	-	-	-	-	-	-	-	1	5	12
Cerebrovascular disease	M	47	-	-	-	-	-	1	1	5	17	23
	F	64	-	-	-	-	-	-	1	3	16	44
Other diseases of the circulatory system	M	9	-	-	-	-	-	-	-	1	2	6
	F	8	-	-	-	-	-	-	-	-	1	7
Diseases of the respiratory system	M	61	3	1	-	1	-	-	4	9	17	26
	F	36	1	-	-	-	-	-	3	7	8	17
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	6	-	-	-	-	-	-	-	-	1	5
Other diseases	M	38	8	-	1	-	-	-	1	3	11	14
	F	37	5	-	-	-	-	2	4	1	7	18
Accidents and other external causes	M	23	1	1	3	2	2	-	-	5	6	3
	F	8	-	1	1	1	-	-	-	-	-	5
All causes	M	414	14	2	4	4	3	2	24	67	116	178
	F	307	6	1	1	2	3	5	21	29	74	165

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY, S.R.												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	1	3	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	1	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-
Malignant neoplasms	M	73	-	-	-	-	-	2	14	15	25	17
	F	68	-	-	-	1	-	3	4	17	24	19
Ischaemic and other forms of heart disease	M	162	-	-	-	-	2	-	11	31	50	68
	F	96	-	-	-	-	-	-	7	13	17	59
Hypertensive disease	M	12	-	-	-	-	-	1	-	1	3	7
	F	8	-	-	-	-	-	-	1	1	-	6
Cerebrovascular disease	M	69	-	-	-	-	-	-	5	9	21	34
	F	70	-	-	-	-	-	2	3	3	20	42
Other disease of the circulatory system	M	8	-	-	-	-	-	-	-	-	3	5
	F	14	-	-	-	-	-	-	-	3	3	8
Diseases of the respiratory system	M	58	-	2	1	-	-	1	-	13	22	19
	F	39	1	1	1	1	1	-	2	2	10	20
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	39	13	-	-	-	-	1	4	5	5	11
	F	48	14	1	-	1	1	3	2	6	9	11
Accidents and other external causes	M	13	1	-	-	-	2	2	4	-	2	2
	F	7	1	-	2	-	-	-	-	-	-	4
All causes	M	441	14	2	1	-	4	7	39	75	134	165
	F	356	16	4	3	3	2	8	19	45	83	173
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	25	-	-	-	-	-	1	1	4	14	5
	F	37	-	-	1	-	-	3	9	3	12	9
Ischaemic and other forms of heart disease	M	45	-	-	-	-	-	1	4	10	14	16
	F	35	-	-	-	-	-	-	1	3	9	22
Hypertensive disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular disease	M	27	-	-	-	-	-	1	1	2	9	14
	F	45	-	-	-	-	-	-	1	3	10	31
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	1	1	2	3
	F	9	-	-	-	-	-	-	-	1	2	6
Diseases of the respiratory system	M	37	1	-	-	-	-	-	1	3	11	21
	F	52	1	1	-	-	-	-	1	5	13	31
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	18	6	-	1	-	-	-	1	1	6	3
	F	20	1	-	-	1	-	-	-	3	4	11
Accidents and other external causes	M	11	-	-	2	3	-	3	-	2	-	1
	F	5	1	-	1	-	-	-	-	-	-	3
All causes	M	175	7	1	3	3	-	6	9	23	57	66
	F	207	3	1	2	1	-	3	12	18	50	117

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis, all forms	M	5	-	-	-	-	-	1	-	-	3	1
	F	3	-	-	-	-	-	-	1	2	-	-
Other infective and parasitic diseases	M	2	-	1	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	46	-	-	-	1	1	-	4	9	16	15
	F	48	-	-	-	-	-	-	7	5	17	19
Ischaemic and other forms of heart disease	M	92	-	-	-	1	-	3	3	23	28	34
	F	52	-	-	-	-	-	-	1	7	16	28
Hypertensive disease	M	3	-	-	-	-	-	-	-	-	1	2
	F	4	-	-	-	-	-	-	-	-	4	-
Cerebrovascular disease	M	28	-	-	-	-	1	-	3	3	8	13
	F	32	-	-	-	-	-	-	3	4	6	19
Other diseases of the circulatory system	M	18	-	-	-	1	-	-	2	-	6	9
	F	10	-	-	-	-	-	-	-	-	1	9
Diseases of the respiratory system	M	48	5	-	-	-	-	1	4	5	13	20
	F	36	1	-	-	-	-	1	1	4	18	11
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	8	-	-	-	-	-	-	-	-	-	8
Other diseases	M	41	10	3	-	-	-	-	1	6	6	15
	F	27	4	1	2	-	-	1	-	3	6	10
Accidents and other external causes	M	18	-	1	-	3	3	3	2	2	2	2
	F	10	-	-	-	1	2	1	1	-	1	4
All causes	M	307	15	5	-	7	5	8	19	48	83	117
	F	230	5	1	2	1	2	3	14	25	69	108
COUNTY GALWAY												
Tuberculosis, all forms	M	11	-	-	-	-	-	1	2	3	3	2
	F	5	-	-	-	1	-	1	1	-	2	-
Other infective and parasitic diseases	M	7	2	-	-	-	-	2	1	1	1	-
	F	8	4	-	-	-	-	2	-	1	-	1
Malignant neoplasms	M	137	-	1	-	1	2	5	12	16	33	67
	F	124	-	2	-	2	-	6	9	27	47	31
Ischaemic and other forms of heart disease	M	336	-	-	-	1	2	3	14	43	95	178
	F	213	-	-	-	-	-	1	2	12	50	148
Hypertensive disease	M	22	-	-	-	-	-	-	-	4	12	6
	F	12	-	-	-	-	-	1	1	-	5	5
Cerebrovascular disease	M	113	-	-	1	-	-	-	3	6	29	74
	F	104	-	-	-	-	-	-	5	14	22	63
Other diseases of the circulatory system	M	48	-	-	-	-	-	-	2	2	12	32
	F	32	-	-	-	-	1	-	-	1	13	17
Diseases of the respiratory system	M	167	5	2	-	2	-	1	8	21	47	81
	F	98	1	1	-	-	-	1	6	9	26	54
Senility	M	31	-	-	-	-	-	-	-	1	2	28
	F	23	-	-	-	-	-	-	-	-	2	21
Other diseases	M	106	25	2	1	-	2	3	7	12	23	31
	F	80	12	3	-	2	1	4	4	8	16	30
Accidents and other external causes	M	44	-	3	2	1	9	8	7	6	5	3
	F	35	4	-	2	-	1	1	2	4	2	19
All causes	M	1,022	32	8	4	5	15	23	56	115	262	502
	F	734	21	6	2	5	3	17	30	76	185	389

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	41	-	-	-	-	1	1	6	12	12	9
	F	35	-	-	-	1	1	1	5	7	11	9
Ischaemic and other forms of heart disease	M	92	-	-	-	-	-	-	3	20	27	42
	F	51	-	-	-	-	-	1	1	3	13	33
Hypertensive disease	M	4	-	-	-	-	-	-	-	1	3	-
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular disease	M	32	-	-	-	-	-	-	-	-	13	19
	F	23	-	-	-	-	-	-	2	3	3	15
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	-	3	4
	F	5	-	-	-	-	-	-	-	-	-	5
Diseases of the respiratory system	M	53	1	-	-	-	1	2	3	8	10	28
	F	15	-	-	-	-	-	-	-	-	7	8
Senility	M	18	-	-	-	-	-	-	-	-	2	16
	F	15	-	-	-	-	-	-	-	-	1	14
Other diseases	M	27	7	-	-	1	1	1	4	4	2	7
	F	19	6	-	-	1	-	1	1	2	6	2
Accidents and other external causes	M	10	-	-	2	3	-	-	2	1	1	1
	F	7	1	-	-	-	-	-	-	1	-	5
All causes	M	285	8	-	2	5	3	4	18	46	73	126
	F	175	7	-	-	2	1	3	9	16	42	95
COUNTY MAYO												
Tuberculosis, all forms	M	12	-	-	1	-	-	-	3	5	3	-
	F	4	-	-	-	-	-	1	-	1	2	-
Other infective and parasitic diseases	M	12	9	2	-	-	-	-	1	-	-	-
	F	6	4	1	-	-	-	-	-	-	-	1
Malignant neoplasms	M	158	-	-	-	3	1	3	16	38	53	44
	F	93	-	1	-	-	-	1	6	21	31	33
Ischaemic and other forms of heart disease	M	297	-	-	-	-	-	9	13	49	65	161
	F	214	-	-	-	-	1	4	4	17	46	142
Hypertensive disease	M	24	-	-	-	-	1	-	-	4	9	10
	F	15	-	-	-	-	-	-	1	3	2	9
Cerebrovascular disease	M	104	-	-	-	-	-	1	2	11	29	61
	F	135	-	1	-	1	-	1	3	14	29	86
Other diseases of the circulatory system	M	25	-	-	-	-	-	-	3	-	6	16
	F	19	-	-	-	-	-	-	1	1	9	8
Diseases of the respiratory system	M	124	7	-	-	-	-	-	7	16	29	65
	F	74	3	-	2	1	-	3	3	6	15	41
Senility	M	38	-	-	-	-	-	-	-	-	3	35
	F	52	-	-	-	-	-	-	-	-	2	50
Other diseases	M	81	6	-	3	-	-	1	7	6	21	37
	F	64	7	-	1	2	-	2	2	11	18	21
Accidents and other external causes	M	38	1	-	2	2	1	2	1	10	8	11
	F	24	1	1	-	1	-	2	1	2	3	13
All causes	M	913	23	2	6	5	3	16	53	139	226	440
	F	700	15	4	3	5	1	14	21	76	157	404

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	4	-	-	-	1	-	-	-	1	1	1
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	61	-	1	-	2	1	1	7	10	17	22
	F	59	-	-	-	-	-	2	4	15	18	20
Ischaemic and other forms of heart disease	M	160	-	-	-	-	-	-	9	18	48	85
	F	107	-	-	-	-	-	-	1	2	18	86
Hypertensive disease	M	15	-	-	-	-	-	-	2	5	2	6
	F	3	-	-	-	-	-	-	1	-	-	2
Cerebrovascular disease	M	69	-	-	-	-	-	-	2	8	14	45
	F	61	-	-	-	-	-	-	1	5	12	43
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	2	-	5	6
	F	14	-	-	-	-	-	-	-	-	4	10
Diseases of the respiratory system	M	52	2	-	-	-	-	-	3	10	17	20
	F	32	2	1	-	1	-	1	2	1	11	13
Senility	M	10	-	-	-	-	-	-	-	-	-	10
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	51	4	-	1	-	-	2	4	9	9	22
	F	34	7	-	-	1	-	-	3	2	10	11
Accidents and other external causes	M	17	-	-	-	2	1	2	-	3	4	5
	F	8	-	-	1	1	-	-	-	-	-	6
All causes	M	452	6	1	1	5	2	5	29	64	117	222
	F	331	10	1	1	3	-	3	12	27	73	201
COUNTY SLIGO												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	1	-	-	-	-	-	1	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	72	-	-	1	-	-	3	8	17	26	17
	F	56	-	-	-	-	-	1	7	14	19	15
Ischaemic and other forms of heart disease	M	129	-	-	-	-	-	3	5	18	48	55
	F	72	-	-	-	-	2	2	4	5	17	42
Hypertensive disease	M	11	-	-	-	-	-	-	-	2	5	4
	F	16	-	-	-	-	-	-	-	1	4	11
Cerebrovascular disease	M	72	-	-	-	-	-	1	1	8	19	43
	F	54	-	-	-	-	-	-	3	5	8	38
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	-	-	2	11
	F	21	-	-	-	-	-	2	-	5	3	11
Diseases of the respiratory system	M	82	-	-	-	-	-	1	2	13	25	41
	F	34	1	-	-	-	-	-	3	2	9	19
Senility	M	11	-	-	-	-	-	-	-	-	-	11
	F	22	-	-	-	-	-	-	-	-	-	22
Other diseases	M	43	12	-	1	-	-	1	3	5	8	13
	F	40	12	1	-	1	-	-	-	4	9	13
Accidents and other external causes	M	16	1	-	-	2	4	1	3	-	3	2
	F	6	-	-	-	1	-	-	-	1	1	3
All causes	M	451	13	-	2	2	4	10	23	63	137	197
	F	324	14	2	-	2	2	6	17	37	70	174

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis, all forms	M	2	-	-	-	-	-	1	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	-	-	1	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms	M	60	-	-	-	1	-	2	6	10	23	18
	F	47	-	-	-	-	-	3	3	13	9	19
Ischaemic and other forms of heart disease	M	136	-	-	-	-	-	1	7	25	48	55
	F	74	-	-	-	-	-	-	-	13	19	42
Hypertensive disease	M	6	-	-	-	-	-	-	-	3	3	-
	F	14	-	-	-	-	-	-	1	2	3	8
Cerebrovascular disease	M	68	-	-	-	-	-	-	1	4	22	41
	F	66	-	-	-	1	-	-	2	3	15	45
Other diseases of the circulatory system	M	13	-	-	-	-	-	1	-	3	3	6
	F	19	-	-	-	-	1	1	1	-	3	13
Diseases of the respiratory system	M	66	1	1	2	-	-	-	6	10	20	26
	F	40	-	2	1	-	-	1	-	7	11	18
Senility	M	10	-	-	-	-	-	-	-	-	-	10
	F	16	-	-	-	-	-	-	-	-	-	16
Other diseases	M	45	7	2	-	-	-	1	4	6	8	17
	F	36	7	1	-	-	-	1	1	3	13	10
Accidents and other external causes	M	21	1	1	2	3	1	1	2	5	1	4
	F	6	-	1	-	-	-	-	-	1	1	3
All causes	M	429	9	4	5	4	1	7	26	66	128	179
	F	319	7	4	1	1	1	6	9	42	74	174
COUNTY DONEGAL												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	2	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	-	-	-	-	-	-	-	1	1	1
	F	2	-	-	-	-	-	-	1	-	-	1
Malignant neoplasms	M	103	-	-	-	-	2	1	8	19	32	41
	F	93	-	-	1	2	2	3	9	19	30	27
Ischaemic and other forms of heart disease	M	228	-	-	-	-	-	2	10	32	66	118
	F	190	-	-	-	1	-	3	7	22	35	122
Hypertensive disease	M	19	-	-	-	-	-	1	-	2	4	12
	F	16	-	-	-	-	-	1	-	1	4	10
Cerebrovascular disease	M	83	-	-	-	1	-	-	1	15	25	41
	F	106	-	-	-	-	-	2	3	12	25	64
Other diseases of the circulatory system	M	29	-	-	-	-	-	-	-	1	11	17
	F	34	-	-	-	-	-	-	1	2	5	26
Diseases of the respiratory system	M	88	4	-	-	-	-	-	1	12	27	44
	F	105	1	1	-	1	-	3	3	10	27	59
Senility	M	18	-	-	-	-	-	-	1	-	-	18
	F	24	-	-	-	-	-	-	-	-	1	23
Other diseases	M	106	12	3	-	2	-	4	4	17	24	40
	F	82	17	3	-	-	1	3	1	9	18	30
Accidents and other external causes	M	29	2	-	4	3	4	1	-	6	1	8
	F	17	2	-	-	2	1	-	1	-	5	6
All causes	M	709	18	3	4	6	6	9	24	107	192	340
	F	669	20	4	1	6	4	15	26	75	150	368

TABLE 24 (contd.) - DEATHS IN 1970 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	2	-	-	-	-	-	-	1	1	-
	F	5	2	-	1	-	-	-	-	-	-	2
Malignant neoplasms	M	57	-	-	2	-	-	3	6	12	19	15
	F	38	-	-	1	-	1	1	3	3	20	9
Ischaemic and other forms of heart disease	M	118	-	-	-	-	-	-	7	21	39	51
	F	76	-	-	-	-	-	1	3	13	22	37
Hypertensive disease	M	4	-	-	-	-	-	-	-	1	1	2
	F	5	-	-	-	-	-	-	1	-	1	3
Cerebrovascular disease	M	55	-	-	-	-	1	-	1	3	20	30
	F	46	-	-	-	-	-	-	1	1	14	30
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	1	2	3
	F	10	-	-	-	-	-	-	1	-	-	9
Diseases of the respiratory system	M	75	1	1	1	-	1	-	2	7	28	34
	F	56	1	-	-	-	-	1	-	5	20	29
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	2
Other diseases	M	27	7	-	2	-	-	-	3	2	4	9
	F	16	7	-	-	-	1	-	-	1	3	4
Accidents and other external causes	M	24	-	2	1	2	2	3	1	4	4	5
	F	5	1	-	-	-	-	-	-	-	2	2
All causes	M	371	10	3	6	2	4	6	20	52	119	149
	F	260	11	-	2	-	2	3	9	23	83	127

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1970,
CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND
RURAL DISTRICTS.

Inter- national List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M F		M F		M F		M F		M F		M F	
	All Causes		452 369	251 183	96 76	55 36	42 26	14 14	24 20	11 15	41 23	27 10	249 224	144 108
008,009	Enteritis and other diarrhoeal disease	M F	5 2	17 17	2 1	5 5	- -	2 1	- -	- 1	1 -	1 1	2 1	9 9
010-019	Tuberculosis, all forms	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007														
020-032	Other infective and parasitic diseases	M F	5 3	12 15	2 -	- 2	- -	1 1	- -	1 3	- -	3 2	3 3	7 7
034-136														
320	Meningitis	M F	2 4	5 6	1 -	1 1	- -	- 1	- -	- 1	1 -	- -	- 4	4 3
321-324	Other inflammatory diseases of the central nervous system	M F	1 1	- -	1 -	- -	- -	- -	- -	- -	- 1	- -	- -	- -
470-474	Influenza	M F	- -	6 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	6 1
480-486	Pneumonia	M F	22 15	71 53	3 2	17 8	- 1	5 5	- -	3 5	2 1	9 3	17 11	37 32
490-493	Bronchitis, emphysema and asthma	M F	- 2	1 5	- -	1 2	- -	- -	- -	- -	- -	- -	- 2	- 3
460-466, 500-519	Other diseases of the respiratory system	M F	2 -	27 2	1 -	11 1	- -	1 -	- -	- -	- -	1 -	1 -	14 1
520-577	Diseases of the digestive system	M F	2 1	4 -	- -	3 -	1 -	- -	- -	- -	- -	- -	1 1	1 -
740	Anencephalus	M F	19 22	2 -	8 7	- -	- 3	- -	2 -	- -	1 1	1 -	8 11	1 -
741	Spina bifida	M F	11 18	4 14	1 4	2 1	3 1	- 1	- 2	- 1	2 -	1 2	5 11	1 9
742	Congenital hydrocephalus	M F	5 8	3 2	1 3	- -	- 1	- -	- 2	- -	- 1	- -	4 1	3 2
746	Congenital anomalies of heart	M F	37 29	22 19	11 5	7 5	3 -	- 2	3 1	1 1	1 1	3 -	19 22	11 11
743-745, 747-759	Other congenital anomalies	M F	39 32	24 12	3 8	2 3	5 3	1 1	4 1	2 1	6 2	3 -	21 18	16 7
764-768, 772	Birth injury and difficult labour	M F	29 23	- -	6 2	- -	3 2	- -	- 1	- -	2 3	- -	18 15	- -
770,771	Conditions of placenta and cord	M F	15 3	- -	1 -	- -	1 1	- -	2 -	- -	2 -	- -	9 2	- -
774,775	Haemolytic disease of newborn	M F	9 13	- -	- 1	- -	- -	- -	1 -	- -	1 -	- -	7 12	- -
776	Anoxic and hypoxic conditions not elsewhere classified	M F	139 97	3 1	39 20	- 1	14 7	- -	4 6	1 -	15 5	1 -	67 59	1 -
777	Immaturity, unqualified	M F	80 64	2 1	12 17	- -	6 4	- -	5 3	- -	5 5	- -	52 35	2 1
760-763, 769-773, 778,779	Other causes of perinatal mortality*	M F	21 19	2 1	2 5	- -	5 2	- -	1 2	- -	2 2	- -	11 8	2 1
780.2	Convulsions	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
	Other causes	M F	9 13	44 34	2 1	6 7	1 1	4 2	2 2	3 2	- 1	4 2	4 8	27 21

*Late foetal deaths not included.

TABLE 26 - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1970

[illegible]

TABLE 26'(contd.) - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1970

Detailed International List No.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
755	Other congenital anomalies of limbs	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculoskeletal system	M	6	-	3	3	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
758	Other and unspecified congenital anomalies	M	2	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
759	Congenital syndromes affecting multiple systems	M	14	3	3	6	1	1	-	-	-	-
		F	7	-	5	5	-	-	1	-	-	-
760	Diseases of the mother during pregnancy:- Chronic circulatory and genito-urinary disease in mother	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	M	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
762	Toxaemia of pregnancy	M	1	-	-	-	-	1	-	-	-	-
		F	4	-	3	3	-	1	-	-	-	-
763	Maternal ante and intrapartum infection	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
764	Birth injury from:- Difficult labour with abnormality of bones, etc.	M	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
765	Difficult labour with disproportion	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	2	-	1	1	-	1	-	-	-	-
		F	1	1	-	1	-	-	-	-	-	-
767	Difficult labour with abnormality of forces of labour	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	7	-	4	4	1	1	-	-	-	-
		F	9	-	9	9	-	-	-	-	-	-
770	Conditions of placenta	M	9	1	5	6	2	-	1	-	-	-
		F	3	1	1	2	-	-	-	1	-	-
771	Conditions of umbilical cord	M	6	1	3	4	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
772	Birth injury without mention of cause	M	26	1	9	10	5	3	2	2	-	2
		F	22	1	5	6	5	4	1	2	1	1
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	1	-	-	-	-	-	-
774	Haemolytic disease of newborn with kernicterus	M	2	1	1	2	-	-	-	-	-	-
		F	1	-	1	1	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	7	-	7	7	-	-	-	-	-	-
		F	12	3	7	10	2	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	142	4	66	70	29	18	11	5	1	-
		F	98	5	43	48	23	11	5	2	1	1
777	Immaturity unqualified	M	82	5	52	57	9	4	-	3	1	1
		F	65	8	37	45	9	4	1	1	-	-
778	Other conditions of foetus or newborn	M	14	2	2	4	-	3	2	3	-	1
		F	6	1	-	1	1	1	-	1	-	-
780.2	Convulsions	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	53	2	-	2	-	1	-	-	-	-
		F	47	4	1	5	1	1	-	-	1	-

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months										Detailed Inter- national List No.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756
3	-	-	-	3	-	1	-	-	-	-	-	1	-	-	1	757
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	758
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	759
1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	760
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
8	-	-	1	9	2	1	-	-	-	-	1	-	-	-	1	762
6	-	-	-	6	-	-	-	-	-	1	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	768
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	769
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	775
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
6	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-	779
9	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	780
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	781
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	782
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	783
24	-	1	1	26	-	-	-	-	-	-	-	-	-	-	-	784
20	2	-	-	22	-	-	-	-	-	-	-	-	-	-	-	785
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	786
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	787
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	788
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	789
7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	790
12	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	791
134	4	-	1	139	1	1	-	-	1	-	-	-	-	-	-	792
91	4	2	-	97	1	-	-	-	-	-	-	-	-	-	-	793
75	4	1	-	80	1	-	-	-	-	-	1	-	-	-	-	794
60	2	-	2	64	1	-	-	-	-	-	-	-	-	-	-	795
13	-	-	-	13	1	-	-	-	-	-	-	-	-	-	-	796
4	1	-	-	5	1	-	-	-	-	-	2	-	-	-	-	797
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	798
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	799
3	3	1	2	9	12	4	9	5	3	4	3	2	-	1	1	800
8	1	2	2	13	5	4	4	5	6	4	2	2	1	1	-	801

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS IN 1970
CLASSIFIED BY SEX, AGE AND CAUSE.

International List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M	15	5	3	2	10	2	2	1
		F	21	9	4	3	16	3	2	-
008,009	Enteritis and other diarrhoeal diseases	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	3	-	-	-	-	1	2	-
		F	2	-	-	-	-	1	1	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
741	Spina bifida	M	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	-	1	1	-	-	-
		F	2	-	-	2	2	-	-	-
743-745, 747-759	Other congenital anomalies	M	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-
764-765, 772	Birth injury and difficult labour	M	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-
770,771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
774,775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	4	3	-	1	4	-	-	-
		F	9	6	2	1	9	-	-	-
777	Immaturity, unqualified	M	2	1	1	-	2	-	-	-
		F	1	1	-	-	1	-	-	-
760-763, 769,773 778,779	Other causes of perinatal mortality*	M	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other causes	M	2	1	-	-	1	-	-	1
		F	3	2	1	-	3	-	-	-

* Late foetal deaths not included.

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Number	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M F	452 369	251 183	236 202	133 98	139 98	76 49	51 40	31 27	26 29	11 9
008, 009	Enteritis and other diarrhoeal disease	M F	5 2	17 17	4 2	8 10	- -	4 3	1 -	5 4	- -	- -
010-019	Tuberculosis, all forms	M F	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	5 3	12 15	3 2	3 5	- -	4 3	1 1	4 5	1 -	1 2
320	Meningitis	M F	2 4	5 6	2 1	2 4	- 2	1 1	- 1	2 -	- -	- 1
321-324	Other inflammatory diseases of the central nervous system	M F	1 1	- -	1 1	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	6 1	- -	2 -	- -	3 1	- -	1 -	- -	- -
480-486	Pneumonia	M F	22 15	71 53	12 8	36 32	6 6	20 14	4 -	9 6	- 1	6 1
490-493	Bronchitis, emphysema and asthma	M F	- 2	1 5	- 1	1 4	- 1	- 1	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	2 -	27 2	2 -	20 1	- -	6 -	- -	1 1	- -	- -
520-577	Diseases of the digestive system	M F	2 1	4 -	- 1	3 -	2 -	1 -	- -	- -	- -	- -
740	Anencephalus	M F	19 22	2 -	13 11	- -	2 6	1 -	3 3	1 -	1 2	- -
741	Spina bifida	M F	11 18	4 14	4 13	4 8	5 3	- 5	- 2	- -	2 -	- 1
742	Congenital hydrocephalus	M F	5 8	3 2	2 6	1 -	3 1	2 1	- 1	- 1	- -	- -
746	Congenital anomalies of heart	M F	37 29	22 19	27 18	14 9	9 5	7 6	1 2	- 2	- 4	1 2
743-745, 747-759	Other congenital anomalies	M F	39 32	24 12	17 15	12 5	11 9	8 4	9 3	4 3	2 5	- -
764-768, 772	Birth injury and difficult labour	M F	29 23	- -	13 12	- -	12 8	- -	3 2	- -	1 1	- -
770, 771	Conditions of placenta and cord	M F	15 3	- -	9 1	- -	3 2	- -	3 -	- -	- -	- -
774, 775	Haemolytic disease of newborn	M F	9 13	- -	5 4	- -	1 4	- -	3 3	- -	- 2	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	139 97	3 1	79 61	1 1	39 23	- -	10 8	1 -	11 5	1 -
777	Immaturity, unqualified	M F	80 64	2 1	31 31	- 1	34 21	2 -	9 5	- -	6 7	- -
760-763, 769, 773, 778, 779	Other causes of perinatal mortality *	M F	21 19	2 1	7 9	- -	9 4	1 1	4 5	1 -	1 1	- -
780.2	Convulsions	M F	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -
	Other causes	M F	9 13	44 34	5 5	24 18	3 3	16 9	- 4	2 5	1 1	2 2

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY, (remainder)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All Causes									
		M	9	3	84	49	12	6	24	15	8	7
		F	6	2	70	32	6	4	43	26	11	2
008,009	Enteritis and other diarrhoeal disease	M	1	-	1	5	1	-	1	-	-	1
		F	-	-	1	5	-	-	-	4	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	1	-	1	-	-	-	-	-
		F	-	-	-	2	-	-	-	-	1	-
320	Meningitis	M	-	-	-	1	1	-	-	1	-	-
		F	-	-	-	-	-	1	-	2	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	3	14	-	3	1	3	-	1
		F	1	2	2	7	-	1	1	10	2	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	2	-	-	1	1	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	1	10	-	1	1	2	-	-
		F	-	-	-	1	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
740	Anencephalus	M	-	-	7	-	1	-	-	-	-	-
		F	1	-	7	-	-	-	2	-	-	-
741	Spina bifida	M	-	-	1	2	-	-	2	1	-	-
		F	-	-	3	1	1	-	7	2	-	-
742	Congenital hydrocephalus	M	-	-	1	-	-	-	1	-	-	-
		F	-	-	2	-	1	-	-	-	-	-
746	Congenital anomalies of heart	M	-	-	11	6	-	1	5	1	2	-
		F	-	-	4	4	1	1	7	1	-	-
743-745, 747-759	Other congenital anomalies	M	-	1	2	2	1	-	1	3	1	1
		F	-	-	7	3	1	-	1	-	2	-
764-768, 772	Birth injury and difficult labour	M	1	-	5	-	1	-	1	-	1	-
		F	-	-	2	-	-	-	2	-	1	-
770, 771	Conditions of placenta and cord	M	1	-	1	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	2	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	3	-	36	-	3	-	7	-	2	1
		F	1	-	20	1	-	-	14	-	5	-
777	Immaturity, unqualified	M	2	-	10	-	2	-	2	-	1	-
		F	1	-	16	-	1	-	4	1	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality *	M	1	-	2	-	-	-	1	-	-	-
		F	-	-	4	-	1	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	1	5	1	1	1	4	-	2
		F	-	-	1	6	-	1	-	5	-	-

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All Causes									
		M	14	3	7	4	3	4	14	4	15	8
		F	11	1	5	1	5	5	8	6	9	4
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	1	-	-	-	-	2	-	-	-	-
		F	-	-	1	-	-	-	-	2	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	1	1	2	2	-	1	1	2	1	1
		F	-	-	-	-	-	1	-	1	2	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	-	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	1	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	1	-
741	Spina bifida	M	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	1	-	1	1	-	1	2
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-
746	Congenital anomalies of heart	M	-	-	-	-	1	-	3	-	2	-
		F	1	1	1	-	2	2	-	-	-	-
743-745, 747-759	Other congenital anomalies	M	-	1	1	-	-	-	1	-	3	1
		F	-	-	1	-	-	-	-	1	-	-
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	-	-	-	-	1	-
		F	2	-	1	-	-	-	1	-	-	-
770, 771	Conditions of placenta and cord	M	1	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	3	-	2	-	1	-	4	-	6	-
		F	2	-	-	-	2	-	4	-	4	-
777	Immaturity, unqualified	M	6	-	1	-	1	-	1	-	-	-
		F	2	-	1	-	-	-	1	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality *	M	1	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	-	1	-	1	2	2	-	2
		F	-	-	-	-	-	1	-	1	-	-

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All Causes									
		M	11	8	14	7	9	9	12	6	16	10
		F	4	4	9	2	7	5	8	4	12	6
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	-	-	1	-	1	-	-
		F	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	1	-	-	-	-	-	2
320	Meningitis	M	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	1	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	2	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	1	-	-	2	1	4	1	1	-	2
		F	-	2	-	-	-	2	-	2	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	1	-	-	-	-	-	2	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
741	Spina bifida	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	1	-	-	-	-
742	Congenital hydrocephalus	M	-	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	1	-	-	-
746	Congenital anomalies of heart	M	2	2	-	1	1	2	-	1	-	2
		F	1	-	-	-	1	-	-	-	3	1
743-745, 747-759	Other congenital anomalies	M	3	-	1	2	1	1	2	-	1	-
		F	1	-	-	-	1	1	1	-	1	1
764-768, 772	Birth injury and difficult labour	M	2	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	2	-	1	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	3	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-
774, 775	Haemolytic disease of newborn	M	-	-	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	-	5	-	2	-	3	-	3	-
		F	1	-	4	-	3	-	1	-	1	-
777	Immaturity, unqualified	M	-	-	4	-	1	-	-	-	12	-
		F	1	-	3	-	-	-	1	-	6	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality *	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	-	1	-	-	-	1	-	1
		F	-	2	1	-	-	1	2	1	-	2

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR
IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Inter- national List Number	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	27	7	33	17	15	7	9	6	10	8
		F	21	6	22	12	12	4	4	6	7	5
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	-	-	1	-	2	-	-
		F	-	1	-	1	-	-	-	-	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, } 020-032, } 034-136 }	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	1	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	1	1	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1
480-486	Pneumonia	M	-	3	3	7	2	1	-	1	1	2
		F	1	2	1	4	3	1	-	2	1	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	1	-
460-466, } 500-519 }	Other diseases of the respiratory system	M	-	1	-	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	1	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
741	Spina bifida	M	2	-	1	-	1	-	-	-	-	-
		F	1	1	2	1	-	1	-	-	-	-
742	Congenital hydrocephalus	M	-	-	3	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-
746	Congenital anomalies of heart	M	2	-	1	2	2	2	1	-	2	-
		F	-	1	2	1	-	1	-	1	-	-
743-745, } 747-759 }	Other congenital anomalies	M	4	-	1	2	-	2	-	1	1	1
		F	2	-	3	-	-	1	-	1	-	-
764-768, } 772 }	Birth injury and difficult labour	M	1	-	2	-	2	-	2	-	3	-
		F	1	-	1	-	1	-	1	-	-	-
770, 771	Conditions of placenta and cord	M	1	-	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	12	-	9	-	3	-	2	-	1	-
		F	6	-	7	-	2	-	1	-	2	-
777	Immaturity, unqualified	M	2	-	9	2	1	-	2	-	1	-
		F	3	-	2	-	4	-	1	-	2	-
760-763, } 769, 773, } 778, 779 }	Other causes of perinatal mortality*	M	3	-	2	-	2	-	1	-	-	-
		F	2	-	1	-	1	-	-	-	-	1
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	3	1	2	-	1	1	1	-	3
		F	1	1	2	3	-	-	-	-	-	1

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			All Causes											
		M	7	7	8	6	6	1	8	7	23	9	7	1
		F	4	2	11	5	1	2	4	1	11	10	6	1
008, 009	Enteritis and other diarrhoeal disease	M	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	2	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	1	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	2	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	1	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	-	-	-	-	1	-	3	2	3	-	-
		F	-	1	-	1	-	1	-	1	-	1	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	2	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	2	-	-	-	-	-	-	-	3	-	-	-
		F	-	-	2	-	-	-	1	-	1	-	-	-
741	Spina bifida	M	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	1	-	1	-	-	-	-	1	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	1	-	-	-	-	1	-	-	-	1	-
		F	-	-	-	1	-	-	-	-	1	1	-	-
743-745, 747-759	Other congenital anomalies	M	1	-	-	1	1	-	2	1	6	3	-	-
		F	-	-	1	1	1	-	1	-	-	2	1	-
764-768, 772	Birth injury and difficult labour	M	2	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	1	-	-	-	2	-	-	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	2	-	-	-
		F	-	-	3	-	-	-	-	-	1	-	1	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	-	4	-	-	-	3	-	5	1	1	-
		F	2	-	2	-	-	-	-	-	5	-	1	-
777	Immaturity, unqualified	M	-	-	4	-	2	-	1	-	2	-	4	-
		F	1	-	2	-	-	-	-	-	-	-	2	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	1	1	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	-	4	-	-	1	-	-	-	-	-
		F	-	-	-	1	-	1	-	-	2	2	-	1

* Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1970, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY ¹		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F	M	F
	All Causes		8	6	15	9	3	5	10	12	3	2	7	3
008, 009	Enteritis and other diarrhoeal disease	M	1	-	5	-	-	-	-	-	-	-	-	-
		F	-	2	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	3	-	-	-	-	-	-	-	-	1	1
		F	1	1	-	1	-	1	-	-	-	-	-	2
320	Meningitis	M	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	2	4	-	2	-	-	-	1	-	4	-	1
		F	-	2	-	2	-	1	-	-	1	-	-	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	1	-	-	-	1	-	1	-
741	Spina bifida	M	-	-	-	-	-	-	1	-	-	-	1	-
		F	-	-	1	-	-	-	-	-	-	1	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	1	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	1	1	-	1	-	2	1	1	1
743-745, 747-759	Other congenital anomalies	M	-	-	1	-	2	1	1	-	-	-	1	-
		F	1	1	-	-	1	-	-	-	3	-	2	-
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	2	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	1	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	2	-	1	-	3	1	5	-	3	-
		F	-	-	1	-	1	-	2	-	2	-	1	-
777	Immaturity, unqualified	M	1	-	-	-	2	-	1	-	5	-	-	-
		F	-	-	-	-	3	-	1	-	5	-	1	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	1	-	-	-	2	1	-	-	1	-	-	-
		F	1	-	1	-	3	-	-	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	-	-	-	1	1	-	-	2	-	-
		F	-	2	1	-	1	-	-	-	1	1	-	1

* Late foetal deaths not included

TABLE 29 - LATE FOETAL DEATHS NOTIFIED IN 1970 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY

Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
740	Anencephalus Anencephalus	1	27	34	16	22	6	-	106
741.0	Spina Bifida With hydrocephalus	-	3	1	3	2	3	-	12
741.9	Without mention of hydrocephalus	1	-	1	-	2	-	1	5
742	Congenital hydrocephalus Hydrocephalus	1	3	5	10	7	4	-	30
743.0	Other congenital anomalies of nervous system Encephalocele	-	-	1	-	-	-	-	1
743.1	Microcephalus	-	-	-	-	1	-	-	1
746.8	Congenital anomalies of heart Other specified anomalies of heart	-	-	-	-	1	-	-	1
746.9	Unspecified anomalies of heart	-	-	-	1	-	-	-	1
748.3	Congenital anomalies of respiratory system Other anomalies of larynx, trachea and bronchus	-	-	-	-	1	-	-	1
750.2	Other congenital anomalies of upper alimentary tract Tracheo-oesophageal fistula, oesophageal atresia and stenosis	-	-	-	1	-	-	-	1
751.9	Other congenital anomalies of digestive system Unspecified anomalies of digestive system	-	-	-	1	-	-	-	1
753.1	Congenital anomalies of urinary system Cystic kidney disease	-	-	1	-	-	-	-	1
756.0	Other congenital anomalies of musculoskeletal system Anomalies of skull and face bones	-	-	-	1	-	-	-	1
756.1	Anomalies of spine	-	-	-	1	-	-	-	1
756.4	Chondrodystrophy	-	-	-	-	-	1	-	1
758.9	Other and unspecified congenital anomalies Unspecified congenital anomaly	-	4	-	2	-	1	-	7
759.3	Congenital syndromes affecting multiple systems Down's disease	-	-	-	-	1	-	-	1
759.9	Multiple congenital anomalies, unspecified	1	2	3	1	1	2	-	10
760.0	Chronic circulatory and genito-urinary diseases in mother Chronic rheumatic heart disease	-	-	-	-	1	-	-	1
760.2	Chronic hypertension	-	1	1	5	2	2	1	12
761.1	Other maternal conditions unrelated to pregnancy Diabetes mellitus	-	1	3	1	3	-	-	8
761.2	Influenza	-	-	-	1	1	1	-	3
761.5	Injury	-	1	1	1	-	-	-	3
761.9	Other maternal causes	-	-	1	-	2	-	-	3
762.1	Toxaemia of pregnancy Pre-eclampsia of pregnancy	2	4	6	6	5	1	-	24
762.2	Eclampsia of pregnancy	1	-	-	1	-	-	-	2
762.3	Toxaemia, unspecified	2	7	6	6	5	5	-	31
763.9	Maternal ante- and intrapartum infection Other	-	-	1	-	-	-	-	1

TABLE 29 (contd.) – LATE FOETAL DEATHS NOTIFIED IN 1970 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY

Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
764.9	Difficult labour with abnormality of bones, organs or tissues of pelvis Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	1	-	-	-	-	1
766.0	Difficult labour with malposition of foetus With birth injury to brain	-	-	-	1	-	-	-	1
766.3	With other or unspecified birth injury	-	-	2	-	-	-	-	2
766.4	With asphyxia, anoxia or hypoxia	1	1	2	-	1	-	-	5
766.9	Without mention of birth injury, asphyxia, anoxia or or hypoxia	-	1	2	2	1	2	-	8
767.9	Difficult labour with abnormality of forces of labour Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	1	1	-	2
768.4	Difficult labour with other and unspecified complications With asphyxia, anoxia or hypoxia	-	-	1	2	1	-	-	4
768.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	1	-	1	1	-	3
769.1	Other complications of pregnancy and childbirth Premature rupture of membranes	-	-	-	-	-	1	-	1
769.2	Hydramnios	2	-	1	1	1	-	-	5
769.9	Other	-	1	2	5	-	-	-	8
770.0	Conditions of placenta Placenta praevia	-	-	3	1	1	1	-	6
770.1	Premature separation of placenta	2	21	28	22	28	15	1	117
770.2	Placental infarction	2	8	10	3	5	2	1	31
770.8	Other	-	-	-	-	1	-	-	1
770.9	Unspecified	-	7	6	10	9	4	-	36
771.0	Conditions of umbilical cord Compression of cord	-	1	2	1	-	4	-	8
771.1	Prolapse of cord without mention of compression	-	4	4	5	4	6	-	23
771.9	Other	1	8	11	8	7	2	-	37
772.0	Birth injury without mention of cause To brain	-	-	1	-	-	-	-	1
775.0	Haemolytic disease of newborn, without mention of kernicterus With Rh incompatibility	-	4	15	16	20	6	-	61
775.1	With ABO incompatibility	-	-	1	-	-	-	-	1
775.9	Without mention of cause	-	-	-	-	2	-	-	2
776.0	Anoxic and hypoxic conditions not elsewhere classified Aspiration of content of birth canal	-	-	1	-	-	-	-	1
776.3	Foetal distress	-	2	-	1	-	1	-	4
776.4	Intra-uterine anoxia	-	9	9	11	15	7	-	51
776.9	Asphyxia of newborn unspecified	1	-	-	-	-	1	-	2
777	Immaturity, unqualified Prematurity	5	3	5	2	2	2	-	19
778.1	Other conditions of foetus or newborn Post-maturity	-	3	1	3	2	1	-	10
778.9	Other	-	-	1	-	-	-	-	1
779.0	Foetal death of unknown cause Maceration	5	21	19	26	28	14	3	116
779.9	Other	2	16	26	9	9	4	-	66
Total		30	163	220	187	196	101	7	904

TABLE 30 - LATE FOETAL DEATHS NOTIFIED IN 1970 CLASSIFIED BY CAUSE AND PERIOD OF GESTATION

Inter- national List Nos. 740-779	Cause of death	Period of gestation		
		28-36 weeks	37 weeks and over	Total
740	Anencephalus	67	39	106
741	Spina bifida	-	17	17
742	Congenital hydrocephalus	14	16	30
743	Other congenital anomalies of nervous system	1	1	2
746	Congenital anomalies of heart	-	2	2
748	Congenital anomalies of respiratory system	-	1	1
750	Other congenital anomalies of upper alimentary tract	-	1	1
751	Other congenital anomalies of digestive system	1	-	1
753	Congenital anomalies of urinary system	-	1	1
756	Other congenital anomalies of musculoskeletal system	3	-	3
758	Other and unspecified congenital anomalies	7	-	7
759	Congenital syndromes affecting multiple systems	8	3	11
760	Chronic circulatory and genito-urinary diseases in mother	5	8	13
761	Other maternal conditions unrelated to pregnancy	7	10	17
762	Toxaemia of pregnancy	31	26	57
763	Other	-	1	1
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	1	-	1
766	Difficult labour with malposition of foetus	3	13	16
767	Difficult labour with abnormality of forces of labour	-	2	2
768	Difficult labour with other and unspecified complications	1	6	7
769	Other complications of pregnancy and childbirth	13	1	14
770	Conditions of placenta	106	85	191
771	Conditions of umbilical cord	8	60	68
772	Birth injury without mention of cause	-	1	1
775	Haemolytic disease of newborn, without mention of kernicterus	41	23	64
776	Anoxic and hypoxic conditions not elsewhere classified	17	41	58
777	Immaturity, unqualified	14	5	19
778	Other conditions of foetus or newborn	-	11	11
779	Foetal death of unknown cause	67	115	182
	Total	415	489	904

TABLE 31 - LATE FOETAL DEATHS NOTIFIED IN 1970 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN

Inter-national List Nos. 740-779	Cause of death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
740	Anencephalus	44	28	27	7	106
741	Spina bifida	5	4	5	3	17
742	Congenital hydrocephalus	5	11	7	7	30
743	Other congenital anomalies of nervous system	1	-	1	-	2
746	Congenital anomalies of heart	1	-	1	-	2
748	Congenital anomalies of respiratory system	-	-	1	-	1
750	Other congenital anomalies of upper alimentary tract	-	-	-	1	1
751	Other congenital anomalies of digestive system	1	-	-	-	1
753	Congenital anomalies of urinary system	-	1	-	-	1
756	Other congenital anomalies of musculoskeletal system	1	1	1	-	3
758	Other and unspecified congenital anomalies	3	2	1	1	7
759	Congenital syndromes affecting multiple systems	4	2	1	4	11
760	Chronic circulatory and genito-urinary diseases in mother	4	2	4	3	13
761	Other maternal conditions unrelated to pregnancy	2	5	8	2	17
762	Toxaemia of pregnancy	31	10	10	6	57
763	Other	-	1	-	-	1
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	1	-	-	-	1
766	Difficult labour with malposition of foetus	6	7	1	2	16
767	Difficult labour with abnormality of forces of labour	-	-	1	1	2
768	Difficult labour with other and unspecified complications	1	2	3	1	7
769	Other complications of pregnancy and childbirth	3	5	3	3	14
770	Conditions of placenta	47	47	49	48	191
771	Conditions of umbilical cord	15	13	26	14	68
772	Birth injury without mention of cause	-	-	1	-	1
775	Haemolytic disease of newborn, without mention of kernicterus	2	19	25	18	64
776	Anoxic and hypoxic conditions not elsewhere classified	18	15	16	9	58
777	Immaturity, unqualified	9	4	4	2	19
778	Other conditions of foetus or newborn	4	1	1	5	11
779	Foetal death of unknown cause	65	44	55	18	182
	Total	273	224	252	155	904

TABLE 32 – LATE FOETAL DEATHS NOTIFIED IN 1970 CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28 – 36 weeks	37 weeks and over	Total
Males	201	241	442
Females	214	248	462
Total	415	489	904

TABLE 33 – LATE FOETAL DEATHS NOTIFIED IN 1970 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							
	Under 20	20–24	25–29	30–34	35–39	40–44	45 and over	Total
0	26	105	77	35	24	6	-	273
1	3	36	44	14	14	5	-	116
2	1	16	36	24	22	9	-	108
3	-	4	28	37	30	5	1	105
4	-	1	12	23	26	10	-	72
5	-	1	11	24	27	11	1	75
6	-	-	6	12	19	9	2	48
7	-	-	3	5	9	11	2	30
8	-	-	1	7	7	9	-	24
9	-	-	-	3	5	7	-	15
10	-	-	-	2	5	7	1	15
11	-	-	1	-	3	7	-	11
12	-	-	1	1	3	3	-	8
13	-	-	-	-	1	-	-	1
14	-	-	-	-	1	2	-	3
15 and over	-	-	-	-	-	-	-	-
Total	30	163	220	187	196	101	7	904

TABLE 34 – DEATHS SHOWING THE NUMBERS OCCURRING IN EACH QUARTER IN 1970 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHS

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,836	4,716	4,386	3,739	3,882	3,194	4,343	3,590	18,447	15,239
Carlow	97	62	65	44	49	41	56	37	267	184
Dublin Co. Borough	850	830	672	673	603	608	670	702	2,795	2,813
Dun Laoghaire Borough	83	97	64	82	64	79	84	85	295	343
Dublin Co. (remainder)	197	186	158	158	157	138	167	131	679	613
Kildare	138	86	74	65	82	59	105	72	399	282
Kilkenny	123	120	103	86	80	62	101	62	407	330
Laois	115	63	55	56	61	48	53	39	284	206
Longford	74	50	50	60	37	28	53	42	214	180
Louth	121	103	112	116	84	74	90	88	407	381
Meath	131	102	118	91	85	80	101	73	435	346
Offaly	103	84	83	51	65	41	57	50	308	226
Westmeath	116	65	76	71	75	46	81	73	348	255
Wexford	177	121	156	97	130	89	131	112	594	419
Wicklow	122	95	114	75	95	70	107	57	438	297
Leinster	2,447	2,064	1,900	1,725	1,667	1,463	1,856	1,623	7,870	6,875
Clare	165	118	133	84	133	97	144	104	575	403
Cork Co. Borough	247	223	142	173	133	134	196	180	718	710
Cork County	512	395	368	309	317	288	383	288	1,580	1,280
Kerry	250	207	204	164	195	114	204	148	853	633
Limerick Co. Borough	98	65	65	76	62	56	58	58	283	255
Limerick County	181	136	146	96	131	109	141	130	599	471
Tipperary, N.R.	134	95	107	70	88	61	85	81	414	307
Tipperary, S.R.	150	122	102	97	83	67	106	70	441	356
Waterford Co. Borough	49	73	33	42	45	41	48	51	175	207
Waterford County	91	65	75	50	67	56	74	59	307	230
Munster	1,877	1,499	1,375	1,161	1,254	1,023	1,439	1,169	5,945	4,852
Galway	313	229	258	174	223	155	228	176	1,022	734
Leitrim	96	64	65	42	56	30	68	39	285	175
Mayo	321	243	211	170	177	137	204	150	913	700
Roscommon	154	125	109	66	85	64	104	76	452	331
Sligo	169	100	98	81	99	68	85	75	451	324
Connacht	1,053	761	741	533	640	454	689	516	3,123	2,264
Cavan	128	96	112	84	81	63	108	76	429	319
Donegal	210	201	177	181	159	142	163	145	709	669
Monaghan	121	95	81	55	81	49	88	61	371	260
Ulster (part of)	459	392	370	320	321	254	359	282	1,509	1,248

TABLE 35 - BIRTHS SHOWING THE NUMBERS IN EACH QUARTER IN 1970 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHES.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	6,960	6,502	9,011	8,440	8,297	7,801	8,863	8,508	33,131	31,251
Carlow	63	76	111	137	115	118	108	126	397	457
Dublin Co. Borough	1,510	1,444	1,742	1,668	1,632	1,571	1,831	1,692	6,715	6,375
Dun Laoghaire Borough	155	143	231	184	167	162	202	182	755	671
Dublin Co. (remainder)	656	570	782	759	716	632	829	760	2,983	2,721
Kildare	200	184	265	248	229	217	242	222	936	871
Kilkenny	143	117	166	157	162	138	156	166	627	578
Laois	128	98	152	107	108	134	135	110	523	449
Longford	60	60	81	97	77	64	64	74	282	295
Louth	200	179	258	281	234	237	274	251	966	948
Meath	166	161	243	212	182	183	213	237	804	793
Offaly	120	105	156	162	157	152	131	150	564	569
Westmeath	145	104	203	142	146	144	163	137	657	527
Wexford	179	170	295	261	252	227	297	271	1,023	929
Wicklow	158	165	199	190	205	184	210	193	772	732
Leinster	3,883	3,576	4,884	4,605	4,382	4,163	4,855	4,571	18,004	16,915
Clare	181	131	200	214	187	171	186	184	754	700
Cork Co. Borough	301	324	467	458	429	408	443	400	1,640	1,590
Cork County	509	467	660	598	570	516	638	586	2,377	2,167
Kerry	240	246	305	283	265	231	284	258	1,094	1,018
Limerick Co. Borough	154	127	193	183	190	210	207	231	744	751
Limerick County	177	151	249	188	220	227	203	199	849	765
Tipperary N.R.	142	127	148	120	144	145	178	170	612	562
Tipperary S.R.	159	151	201	172	210	178	208	187	778	688
Waterford Co. Borough	85	81	105	94	119	109	111	125	420	409
Waterford County	78	88	107	116	127	105	109	110	421	419
Munster	2,026	1,893	2,635	2,426	2,461	2,300	2,567	2,450	9,689	9,069
Galway	290	301	423	398	382	329	412	422	1,507	1,450
Leitrim	41	51	51	44	57	68	47	52	196	215
Mayo	155	169	246	241	274	299	243	253	918	962
Roscommon	86	76	134	101	86	75	120	114	426	366
Sligo	90	84	102	102	138	99	104	101	434	386
Connacht	662	681	956	886	937	870	926	942	3,481	3,379
Cavan	76	91	135	121	142	117	128	124	481	453
Donegal	211	187	261	265	277	255	275	288	1,024	995
Monaghan	102	74	140	137	98	96	112	133	452	440
Ulster (part of)	389	352	536	523	517	468	515	545	1,957	1,888

TABLE 36 - BIRTHS IN 1970 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	62,499	1,883	-	-	-	-	62,499	1,883
Carlow	666	8	88	-	267	1	845	9
Dublin Co. Borough	22,119	660	9,827	7	144	1	12,436	654
Dun Laoghaire Borough	1,459	32	915	-	850	-	1,394	32
Dublin Co. (remainder)	340	129	279	4	5,511	7	5,572	132
Kildare	337	56	12	1	1,427	-	1,752	55
Kilkenny	1,051	25	109	-	238	-	1,180	25
Laois	647	47	10	1	287	2	924	48
Longford	360	11	84	1	291	-	567	10
Louth	3,566	17	1,729	-	60	-	1,897	17
Meath	199	25	5	-	1,378	-	1,572	25
Offaly	855	47	53	2	286	-	1,088	45
Westmeath	969	37	231	-	408	1	1,146	38
Wexford	1,630	77	53	-	298	-	1,875	77
Wicklow	160	84	6	-	1,264	2	1,418	86
Clare	933	41	11	-	491	-	1,413	41
Cork Co. Borough	7,050	50	3,894	2	26	-	3,182	48
Cork County	1,145	24	43	-	3,416	2	4,518	26
Kerry	1,651	38	16	-	439	-	2,074	38
Limerick Co. Borough	3,972	24	2,521	1	21	-	1,472	23
Limerick County	-	41	-	-	1,572	1	1,572	42
Tipperary, N.R.	708	16	47	-	475	2	1,156	18
Tipperary, S.R.	1,443	22	160	1	161	1	1,444	22
Waterford Co. Borough	1,576	74	841	-	20	-	755	74
Waterford County	40	61	3	1	743	-	780	60
Galway	3,651	34	805	-	77	-	2,923	34
Leitrim	174	6	11	-	242	-	405	6
Mayo	1,656	40	45	-	229	-	1,840	40
Roscommon	410	6	28	-	403	1	785	7
Sligo	805	23	73	-	65	-	797	23
Cavan	538	37	35	-	394	-	897	37
Donegal	1,901	84	25	-	59	-	1,935	84
Monaghan	488	7	45	-	442	-	885	7

*Including registered private maternity homes.

TABLE 37 - BIRTHS IN 1970 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	64,382	33,131	31,251	1,709	840	869
15 and under	28	12	16	19	7	12
16	106	57	49	51	26	25
17	324	171	153	111	54	57
18	613	323	290	150	70	80
19	1,038	522	516	181	93	88
Under 20	2,109	1,085	1,024	512	250	262
20	1,738	906	832	222	107	115
21	2,385	1,245	1,140	189	85	104
22	3,111	1,624	1,487	147	67	80
23	3,653	1,927	1,726	134	71	63
24	3,899	2,037	1,862	91	47	44
20-24	14,786	7,739	7,047	783	377	406
25	3,986	2,054	1,932	61	33	28
26	4,056	2,070	1,986	66	36	30
27	3,960	2,002	1,958	54	27	27
28	3,527	1,801	1,726	36	21	15
29	3,332	1,711	1,621	32	18	14
25-29	18,861	9,638	9,223	249	135	114
30	3,567	1,787	1,780	32	13	19
31	3,114	1,610	1,504	23	12	11
32	2,828	1,437	1,391	17	10	7
33	2,797	1,442	1,355	18	9	9
34	2,577	1,293	1,284	5	2	3
30-34	14,883	7,569	7,314	95	46	49
35	2,355	1,215	1,140	8	2	6
36	2,219	1,124	1,095	4	2	2
37	2,008	1,050	958	11	7	4
38	1,690	891	799	13	5	8
39	1,505	781	724	7	4	3
35-39	9,777	5,061	4,716	43	20	23
40	1,184	617	567	6	3	3
41	902	457	445	4	2	2
42	680	350	330	3	2	1
43	434	238	196	3	2	1
44	292	143	149	-	-	-
40-44	3,492	1,805	1,687	16	9	7
45	164	77	87	-	-	-
46	84	43	41	-	-	-
47	34	15	19	-	-	-
48	10	7	3	-	-	-
49	7	3	4	-	-	-
45-49	299	145	154	-	-	-
50-55	2	-	2	-	-	-
Age not stated	173	89	84	11	3	8

TABLE 38 - BIRTHS IN 1970 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
CARLOW												
Under 20 years	29	16	13	7	3	4	581	310	271	123	63	60
20-24 years	186	81	105	12	6	6	3,671	1,851	1,820	213	88	125
25-29 years	246	127	119	4	2	2	3,784	1,933	1,851	87	49	38
30-34 years	198	86	112	2	1	1	2,720	1,400	1,320	27	15	12
35-39 years	149	68	81	-	-	-	1,694	883	811	14	7	7
40-44 years	41	16	25	-	-	-	598	319	279	6	4	2
45 years and over	5	3	2	-	-	-	36	17	19	-	-	-
Age not stated	-	-	-	-	-	-	6	2	4	3	1	2
All ages	854	397	457	25	12	13	13,090	6,715	6,375	473	227	246
DUN LAOGHAIRE BOROUGH												
Under 20 years	51	26	25	13	7	6	113	65	48	42	24	18
20-24 years	341	202	139	14	5	9	1,167	633	534	46	22	24
25-29 years	460	224	236	3	1	2	1,980	1,028	952	12	9	3
30-34 years	312	167	145	2	-	2	1,449	713	736	5	4	1
35-39 years	203	111	92	-	-	-	749	412	337	1	1	-
40-44 years	53	24	29	-	-	-	227	119	108	-	-	-
45 years and over	5	1	4	-	-	-	18	12	6	-	-	-
Age not stated	1	-	1	1	-	1	1	1	-	-	-	-
All ages	1,426	755	671	33	13	20	5,704	2,983	2,721	106	60	46
DUBLIN COUNTY BOROUGH												
Under 20 years	51	26	25	13	7	6	113	65	48	42	24	18
20-24 years	341	202	139	14	5	9	1,167	633	534	46	22	24
25-29 years	460	224	236	3	1	2	1,980	1,028	952	12	9	3
30-34 years	312	167	145	2	-	2	1,449	713	736	5	4	1
35-39 years	203	111	92	-	-	-	749	412	337	1	1	-
40-44 years	53	24	29	-	-	-	227	119	108	-	-	-
45 years and over	5	1	4	-	-	-	18	12	6	-	-	-
Age not stated	1	-	1	1	-	1	1	1	-	-	-	-
All ages	1,426	755	671	33	13	20	5,704	2,983	2,721	106	60	46
DUBLIN COUNTY (remainder)												
Under 20 years	51	26	25	13	7	6	113	65	48	42	24	18
20-24 years	341	202	139	14	5	9	1,167	633	534	46	22	24
25-29 years	460	224	236	3	1	2	1,980	1,028	952	12	9	3
30-34 years	312	167	145	2	-	2	1,449	713	736	5	4	1
35-39 years	203	111	92	-	-	-	749	412	337	1	1	-
40-44 years	53	24	29	-	-	-	227	119	108	-	-	-
45 years and over	5	1	4	-	-	-	18	12	6	-	-	-
Age not stated	1	-	1	1	-	1	1	1	-	-	-	-
All ages	1,426	755	671	33	13	20	5,704	2,983	2,721	106	60	46
KILDARE												
Under 20 years	90	37	53	14	8	6	44	24	20	14	6	8
20-24 years	483	253	230	23	14	9	258	136	122	18	8	10
25-29 years	557	291	266	7	4	3	333	173	160	3	3	-
30-34 years	354	189	165	1	-	1	270	133	137	2	2	-
35-39 years	223	112	111	1	-	1	208	109	99	2	1	1
40-44 years	94	50	44	-	-	-	85	48	37	-	-	-
45 years and over	4	2	2	-	-	-	6	3	3	-	-	-
Age not stated	2	2	-	-	-	-	1	1	-	-	-	-
All ages	1,807	936	871	46	26	20	1,205	627	578	39	20	19
KILKENNY												
Under 20 years	90	37	53	14	8	6	44	24	20	14	6	8
20-24 years	483	253	230	23	14	9	258	136	122	18	8	10
25-29 years	557	291	266	7	4	3	333	173	160	3	3	-
30-34 years	354	189	165	1	-	1	270	133	137	2	2	-
35-39 years	223	112	111	1	-	1	208	109	99	2	1	1
40-44 years	94	50	44	-	-	-	85	48	37	-	-	-
45 years and over	4	2	2	-	-	-	6	3	3	-	-	-
Age not stated	2	2	-	-	-	-	1	1	-	-	-	-
All ages	1,807	936	871	46	26	20	1,205	627	578	39	20	19
LAOIS												
Under 20 years	29	21	8	5	3	2	13	4	9	4	1	3
20-24 years	188	101	87	8	6	2	108	53	55	4	2	2
25-29 years	279	152	127	2	2	-	154	73	81	1	-	1
30-34 years	217	109	108	2	-	2	139	73	66	1	-	1
35-39 years	173	95	78	-	-	-	118	55	63	-	-	-
40-44 years	61	29	32	-	-	-	38	20	18	-	-	-
45 years and over	5	4	1	-	-	-	7	4	3	-	-	-
Age not stated	20	12	8	-	-	-	-	-	-	-	-	-
All ages	972	523	449	17	11	6	577	282	295	10	3	7
LONGFORD												
Under 20 years	29	21	8	5	3	2	13	4	9	4	1	3
20-24 years	188	101	87	8	6	2	108	53	55	4	2	2
25-29 years	279	152	127	2	2	-	154	73	81	1	-	1
30-34 years	217	109	108	2	-	2	139	73	66	1	-	1
35-39 years	173	95	78	-	-	-	118	55	63	-	-	-
40-44 years	61	29	32	-	-	-	38	20	18	-	-	-
45 years and over	5	4	1	-	-	-	7	4	3	-	-	-
Age not stated	20	12	8	-	-	-	-	-	-	-	-	-
All ages	972	523	449	17	11	6	577	282	295	10	3	7

TABLE 38 (contd.) - BIRTHS IN 1970 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
LOUTH							MEATH					
Under 20 years	72	30	42	13	3	10	74	33	41	21	9	12
20-24 years	493	255	238	20	13	7	361	189	172	17	9	8
25-29 years	583	306	277	5	3	2	471	233	238	9	2	7
30-34 years	408	196	212	2	1	1	353	187	166	1	-	1
35-39 years	268	136	132	1	1	-	235	115	120	1	1	-
40-44 years	75	38	37	-	-	-	95	44	51	1	-	1
45 years and over	15	5	10	-	-	-	6	2	4	-	-	-
Age not stated	-	-	-	-	-	-	2	1	1	-	-	-
All ages	1,914	966	948	41	21	20	1,597	804	793	50	21	29
OFFALY							WESTMEATH					
Under 20 years	32	11	21	13	6	7	51	31	20	6	3	3
20-24 years	254	132	122	9	6	3	261	154	107	16	11	5
25-29 years	332	165	167	7	4	3	337	186	151	4	3	1
30-34 years	245	110	135	-	-	-	274	139	135	1	-	1
35-39 years	178	93	85	-	-	-	174	99	75	1	-	1
40-44 years	76	43	33	-	-	-	80	45	35	1	-	1
45 years and over	6	4	2	-	-	-	5	2	3	-	-	-
Age not stated	10	6	4	-	-	-	2	1	1	1	1	-
All ages	1,133	564	569	29	16	13	1,184	657	527	30	18	12
WEXFORD							WICKLOW					
Under 20 years	93	47	46	25	11	14	54	27	27	8	4	4
20-24 years	500	269	231	33	19	14	392	211	181	18	7	11
25-29 years	528	256	272	14	8	6	458	236	222	4	3	1
30-34 years	448	230	218	6	3	3	333	173	160	2	1	1
35-39 years	268	151	117	2	-	2	192	94	98	1	-	1
40-44 years	103	62	41	1	1	-	71	30	41	-	-	-
45 years and over	11	7	4	-	-	-	3	1	2	-	-	-
Age not stated	1	1	-	-	-	-	1	-	1	-	-	-
All ages	1,952	1,023	929	81	42	39	1,504	772	732	33	15	18
CORK COUNTY BOROUGH							CORK COUNTY					
Under 20 years	89	42	47	15	8	7	114	70	44	33	18	15
20-24 years	772	407	365	22	13	9	904	465	439	63	23	40
25-29 years	1,001	508	493	6	1	5	1,312	685	627	12	7	5
30-34 years	795	397	398	4	-	4	1,127	595	532	4	-	4
35-39 years	426	206	220	-	-	-	758	404	354	5	2	3
40-44 years	136	74	62	1	1	-	294	145	149	2	1	1
45 years and over	11	6	5	-	-	-	26	9	17	-	-	-
Age not stated	-	-	-	-	-	-	9	4	5	1	-	1
All ages	3,230	1,640	1,590	48	23	25	4,544	2,377	2,167	120	51	69

TABLE 38 (contd.)—BIRTHS IN 1970 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births			
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	
	GALWAY						LEITRIM						
	Under 20 years	63	33	30	15	7	8	10	6	4	7	4	3
	20-24 years	557	286	271	22	5	17	56	30	26	9	6	3
	25-29 years	844	424	420	7	3	4	110	46	64	-	-	-
	30-34 years	721	359	362	2	2	-	122	55	67	-	-	-
	35-39 years	544	293	251	1	-	1	72	38	34	-	-	-
	40-44 years	196	95	101	1	1	-	38	20	18	-	-	-
	45 years and over	21	10	11	-	-	-	2	1	1	-	-	-
	Age not stated	11	7	4	1	1	-	1	-	1	1	-	1
All ages	2,957	1,507	1,450	49	19	30	411	196	215	17	10	7	
	MAYO						ROSCOMMON						
	Under 20 years	41	17	24	14	6	8	12	7	5	3	3	-
	20-24 years	313	147	166	15	4	11	124	75	49	9	8	1
	25-29 years	530	263	267	6	3	3	204	106	98	2	-	2
	30-34 years	479	218	261	2	1	1	203	110	93	1	1	-
	35-39 years	379	205	174	1	-	1	184	95	89	1	1	-
	40-44 years	114	58	56	-	-	-	59	28	31	-	-	-
	45 years and over	12	3	9	-	-	-	6	5	1	-	-	-
	Age not stated	12	7	5	-	-	-	-	-	-	-	-	-
All ages	1,880	918	962	38	14	24	792	426	366	16	13	3	
	SLIGO						CAVAN						
	Under 20 years	20	10	10	3	3	-	21	12	9	4	1	3
	20-24 years	139	71	68	7	3	4	175	94	81	12	7	5
	25-29 years	218	115	103	3	2	1	230	108	122	8	4	4
	30-34 years	227	132	95	1	1	-	242	129	113	2	2	-
	35-39 years	134	67	67	1	-	1	177	95	82	-	-	-
	40-44 years	75	35	40	1	-	1	77	37	40	-	-	-
	45 years and over	6	3	3	-	-	-	8	5	3	-	-	-
	Age not stated	1	1	-	-	-	-	4	1	3	-	-	-
All ages	820	434	386	16	9	7	934	481	453	26	14	12	
	DONEGAL						MONAGHAN						
	Under 20 years	62	24	38	22	7	15	33	16	17	10	5	5
	20-24 years	412	209	203	21	10	11	164	85	79	9	7	2
	25-29 years	567	287	280	6	2	4	245	123	122	-	-	-
	30-34 years	493	236	257	3	1	2	221	110	111	1	1	-
	35-39 years	347	197	150	2	1	1	159	83	76	1	-	1
	40-44 years	122	64	58	-	-	-	65	32	33	-	-	-
	45 years and over	14	7	7	-	-	-	5	3	2	-	-	-
	Age not stated	2	-	2	2	-	2	-	-	-	-	-	-
All ages	2,019	1,024	995	56	21	35	892	452	440	21	13	8	

TABLE 39 - TOTAL BIRTHS IN 1970 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	64,382	17,511	13,843	10,625	7,594	5,069	3,296	2,152	1,470	993	653
15 and under	28	27	1	-	-	-	-	-	-	-	-
16	106	100	4	2	-	-	-	-	-	-	-
17	324	293	28	2	1	-	-	-	-	-	-
18	613	482	112	14	3	1	-	1	-	-	-
19	1,038	772	213	44	7	2	-	-	-	-	-
Under 20	2,109	1,674	358	62	11	3	-	1	-	-	-
20	1,738	1,160	422	125	29	1	1	-	-	-	-
21	2,385	1,463	619	213	72	16	2	-	-	-	-
22	3,111	1,742	870	341	117	28	9	3	-	-	-
23	3,653	1,835	1,089	475	161	59	28	6	-	-	-
24	3,899	1,695	1,259	563	226	106	38	10	2	-	-
20-24	14,786	7,895	4,259	1,717	605	210	78	19	2	-	-
25	3,986	1,494	1,250	676	321	159	58	19	9	-	-
26	4,056	1,265	1,286	785	405	193	80	26	11	4	-
27	3,960	980	1,186	919	459	213	117	54	23	6	2
28	3,527	771	999	820	480	221	120	71	28	8	8
29	3,332	633	808	797	511	279	144	82	38	19	5
25-29	18,861	5,143	5,529	3,997	2,176	1,065	519	252	109	37	15
30	3,567	520	756	855	654	352	189	112	66	32	14
31	3,114	432	582	705	587	356	205	109	72	25	24
32	2,828	315	443	650	546	349	225	132	76	41	26
33	2,797	281	419	552	548	383	230	161	98	60	31
34	2,577	219	327	464	490	390	252	169	116	68	39
30-34	14,883	1,767	2,527	3,226	2,825	1,830	1,101	683	428	226	134
35	2,355	206	285	383	422	343	243	157	105	89	54
36	2,219	150	246	302	388	352	263	168	114	85	67
37	2,008	125	198	280	300	307	245	162	147	90	55
38	1,690	118	129	203	226	225	219	159	126	98	69
39	1,505	67	91	165	223	237	176	164	109	88	57
35-39	9,777	666	949	1,333	1,559	1,464	1,146	810	601	450	302
40	1,184	69	81	109	152	180	130	121	93	86	46
41	902	45	67	71	105	115	113	89	80	49	51
42	680	40	30	47	71	81	69	74	62	57	41
43	434	21	21	24	48	71	54	43	35	38	27
44	292	15	15	20	25	25	41	26	29	21	13
40-44	3,492	190	214	271	401	472	407	353	299	251	178
45	164	7	4	10	10	14	26	22	13	16	10
46	84	2	2	5	4	7	15	7	11	5	8
47	34	1	-	1	2	3	4	2	4	6	3
48	10	1	-	-	1	-	-	-	1	-	3
49 and over	9	1	-	1	-	1	-	2	-	1	-
45 and over	301	12	6	17	17	25	45	33	29	28	24
Age not stated	173	164	1	2	-	-	-	1	2	1	-

☆

TABLE 40 - LEGITIMATE BIRTHS IN 1970, CLASSIFIED BY

Age of mother at maternity	Legitimate births: the year											
	Total	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960
All ages	62,673	2,246	10,589	6,920	6,194	5,243	4,672	4,031	3,502	3,088	2,650	2,484
15	9	2	7	-	-	-	-	-	-	-	-	-
16	55	30	17	6	1	1	-	-	-	-	-	-
17	213	88	103	20	1	1	-	-	-	-	-	-
18	463	154	211	69	20	6	2	1	-	-	-	-
19	857	232	391	159	61	10	2	1	1	-	-	-
Under 20	1,597	506	729	254	83	18	4	2	1	-	-	-
20	1,516	286	678	335	158	42	14	-	1	1	-	-
21	2,196	293	991	465	262	121	39	18	4	2	1	-
22	2,964	268	1,256	639	397	219	121	40	12	5	4	1
23	3,519	220	1,276	776	566	361	184	80	35	15	4	2
24	3,808	173	1,144	763	664	472	288	170	83	29	16	3
20-24	14,003	1,240	5,345	2,978	2,047	1,215	646	308	135	52	25	6
25	3,925	124	989	707	620	555	425	244	147	82	17	10
26	3,990	85	794	620	624	586	489	330	231	137	59	22
27	3,906	61	617	506	546	528	514	443	287	185	125	66
28	3,491	41	455	405	447	445	428	385	321	236	171	82
29	3,300	35	371	297	373	344	381	357	343	287	196	150
25-29	18,612	346	3,226	2,535	2,610	2,458	2,237	1,759	1,329	927	568	330
30	3,535	26	301	241	326	334	396	394	369	334	268	248
31	3,091	23	221	190	244	251	309	327	311	300	265	233
32	2,811	23	169	134	189	190	207	266	261	275	265	253
33	2,779	12	141	141	147	170	205	220	208	273	244	265
34	2,572	18	105	108	120	140	145	152	199	225	220	259
30-34	14,788	102	937	814	1,026	1,085	1,263	1,359	1,348	1,407	1,262	1,258
35	2,347	16	88	104	101	100	149	136	173	178	131	205
36	2,215	15	60	78	86	87	89	131	149	123	164	167
37	1,997	6	60	40	74	78	86	101	115	120	133	152
38	1,677	4	49	41	47	55	73	65	80	87	79	95
39	1,498	3	28	22	45	57	42	64	56	60	85	104
35-39	9,734	44	285	285	353	377	439	497	573	568	643	723
40	1,178	-	27	21	24	34	31	39	48	52	63	62
41	898	3	12	12	26	28	14	30	28	33	37	53
42	677	-	11	10	9	16	22	17	18	22	17	24
43	431	1	9	6	4	5	7	13	11	13	21	16
44	292	1	5	3	8	6	2	3	8	8	8	5
40-44	3,476	5	64	52	71	89	76	102	113	128	146	160
45	164	-	-	1	4	1	4	2	3	1	1	4
46	84	1	-	-	-	-	1	2	-	5	3	1
47	34	1	-	-	-	-	-	-	-	-	-	-
48	10	-	-	-	-	-	1	-	-	-	-	1
49 and over	9	-	1	-	-	-	-	-	-	-	1	-
45 and over	301	2	1	1	4	1	6	4	3	6	5	6
Age not stated	162	1	2	1	-	-	1	-	-	-	1	1

AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

of marriage being												Age of mother at maternity
1959	1958	1957	1956	1955	1954	1953	1952	1951	1946 to 1950	1945 and earlier	Not stated	
2,112	1,768	1,451	1,167	958	820	627	529	389	966	114	153	All ages
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	1	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	-	-	-	-	-	-	-	1	22
-	-	-	-	-	-	-	-	-	-	-	-	23
1	2	-	-	-	-	-	-	-	-	-	-	24
2	3	-	-	-	-	-	-	-	-	-	1	20-24
4	1	-	-	-	-	-	-	-	-	-	-	25
9	2	2	-	-	-	-	-	-	-	-	-	26
15	10	1	1	-	-	1	-	-	-	-	-	27
45	14	11	2	1	1	-	-	-	-	-	1	28
95	46	12	7	2	2	2	-	-	-	-	-	29
168	73	26	10	3	3	3	-	-	-	-	1	25-29
139	70	54	24	3	4	2	2	-	-	-	-	30
191	111	62	26	14	8	1	3	1	-	-	-	31
210	137	91	68	48	12	10	1	2	-	-	-	32
249	179	139	80	51	31	11	10	-	3	-	-	33
228	216	148	98	77	52	34	18	5	4	-	-	34
1,017	713	494	296	193	107	58	34	8	7	-	-	30-34
203	177	144	129	92	82	49	21	10	9	-	-	35
191	174	179	153	126	98	51	50	28	16	-	-	36
151	162	159	126	106	102	86	61	34	45	-	-	37
117	130	116	114	126	98	90	77	64	70	-	-	38
91	104	110	114	106	95	76	70	46	118	1	-	39
753	747	708	636	556	475	352	279	182	258	1	-	35-39
71	82	82	73	72	80	65	67	43	137	5	-	40
44	60	57	59	55	58	54	48	44	131	12	-	41
18	41	37	40	31	41	38	43	43	159	20	-	42
23	25	21	18	26	29	22	23	22	106	10	-	43
5	13	15	17	11	14	17	18	23	77	25	-	44
161	221	212	207	195	222	196	199	175	610	72	-	40-44
8	6	7	10	4	5	12	10	12	49	20	-	45
-	5	3	5	6	4	2	3	10	23	10	-	46
2	-	1	1	1	4	3	2	2	15	2	-	47
-	-	-	1	-	-	1	1	-	1	4	-	48
1	-	-	-	-	-	-	1	-	1	4	-	49 and over
11	11	11	17	11	13	18	17	24	89	40	-	45 and over
-	-	-	1	-	-	-	-	-	2	1	151	Age not stated

TABLE 42 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	20,778	19,989	789	518	104	29	7	10	121
Carlow	222	216	6	5	-	-	-	-	1
Dublin County Borough	5,818	5,542	276	136	19	11	7	9	94
Dun Laoghaire Borough	449	428	21	18	1	1	-	-	1
Dublin County (remainder)	1,018	984	34	34	-	-	-	-	-
Kildare	569	550	19	18	-	-	-	-	1
Kilkenny	372	362	10	10	-	-	-	-	-
Laois	246	237	9	7	-	2	-	-	-
Longford	133	133	-	-	-	-	-	-	-
Louth	603	597	6	5	1	-	-	-	-
Meath	469	466	3	3	-	-	-	-	-
Offaly	315	305	10	9	-	1	-	-	-
Westmeath	336	332	4	4	-	-	-	-	-
Wexford	589	568	21	19	1	1	-	-	-
Wicklow	510	464	46	40	3	-	-	-	3
Leinster	11,649	11,184	465	308	25	16	7	9	100
Clare	411	409	2	2	-	-	-	-	-
Cork County Borough	1,090	1,067	23	11	3	4	-	-	5
Cork County	1,307	1,253	54	47	-	3	-	-	4
Kerry	598	592	6	5	-	-	-	-	1
Limerick County Borough	538	533	5	4	-	-	-	-	1
Limerick County	470	463	7	4	-	1	-	-	2
Tipperary, N.R.	352	329	23	20	-	2	-	-	1
Tipperary, S.R.	463	462	1	1	-	-	-	-	-
Waterford County Borough	265	262	3	1	-	-	-	-	2
Waterford County	267	263	4	4	-	-	-	-	-
Munster	5,761	5,633	128	99	3	10	-	-	16
Galway	903	900	3	2	-	-	-	-	1
Leitrim	136	132	4	4	-	-	-	-	-
Mayo	489	487	2	2	-	-	-	-	-
Roscommon	203	203	-	-	-	-	-	-	-
Sligo	292	280	12	11	-	-	-	-	1
Connacht	2,023	2,002	21	19	-	-	-	-	2
Cavan	281	245	36	29	5	2	-	-	-
Donegal	755	654	101	43	54	1	-	1	2
Monaghan	309	271	38	20	17	-	-	-	1
Ulster (part of)	1,345	1,170	175	92	76	3	-	1	3

COUNTY AND COUNTY BOROUGH DURING 1970

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
3,739	4,938	7,557	4,544	20,495	74	126	83	Total
28	59	81	54	220	-	2	-	Carlow
1,223	1,430	1,954	1,211	5,710	24	51	33	Dublin County Borough
95	113	153	88	435	2	10	2	Dun Laoghaire Borough
146	227	381	264	1,008	2	4	4	Dublin County (remainder)
91	141	235	102	561	1	4	3	Kildare
60	81	145	86	369	-	3	-	Kilkenny
32	65	110	39	243	1	1	1	Laois
21	29	51	32	132	1	-	-	Longford
88	139	234	142	595	1	3	4	Louth
68	116	179	106	464	4	1	-	Meath
41	74	138	62	311	2	2	-	Offaly
54	80	96	106	332	2	2	-	Westmeath
99	140	225	125	580	-	6	3	Wexford
81	154	169	106	499	1	6	4	Wicklow
2,127	2,848	4,151	2,523	11,459	41	95	54	Leinster
98	94	136	83	411	-	-	-	Clare
218	253	369	250	1,081	2	4	3	Cork County Borough
229	299	461	318	1,287	9	6	5	Cork County
112	131	190	165	594	3	1	-	Kerry
146	108	186	98	534	-	1	3	Limerick County Borough
92	89	147	142	462	4	2	2	Limerick County
68	79	130	75	348	2	1	1	Tipperary, N.R.
93	106	188	76	456	2	4	1	Tipperary, S.R.
54	36	120	55	262	1	1	1	Waterford County Borough
44	65	91	67	264	1	1	1	Waterford County
1,154	1,260	2,018	1,329	5,699	24	21	17	Munster
142	212	353	196	898	3	1	1	Galway
11	28	58	39	133	-	1	2	Leitrim
69	126	188	106	485	1	3	-	Mayo
33	61	79	30	203	-	-	-	Roscommon
41	74	109	68	289	-	-	3	Sligo
296	501	787	439	2,008	4	5	6	Connacht
30	76	122	53	277	1	2	1	Cavan
105	180	338	132	748	1	3	3	Donegal
27	73	141	68	304	3	-	2	Monaghan
162	329	601	253	1,329	5	5	6	Ulster (part of)

TABLE 43 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY
ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	1	22	87	319	671	1,231	1,641	2,409	2,392	2,393	2,009	1,503	1,304	848	647	480	402	347	266	209	193	167
16	-	-	8	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	2	5	25	6	8	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
18	-	6	15	27	60	29	19	14	6	1	3	1	-	-	-	1	-	-	-	-	-	-
19	-	5	19	40	89	132	63	35	23	8	8	4	1	1	-	1	-	-	-	-	-	-
20	-	4	8	63	90	168	162	87	67	29	21	6	10	-	2	2	1	-	-	1	1	-
21	-	-	12	42	108	224	264	389	127	107	49	26	18	9	9	7	-	2	-	-	-	1
22	1	1	8	26	71	190	274	415	373	159	112	60	42	17	11	10	4	2	1	1	-	-
23	-	-	2	29	71	152	252	376	399	417	149	100	66	25	20	4	5	3	3	3	2	-
24	-	1	5	18	39	88	181	313	372	406	336	120	124	66	40	18	9	6	6	3	7	1
25	-	-	1	16	38	56	120	213	298	339	298	251	118	73	42	29	20	12	4	7	4	2
26	-	1	2	8	28	48	73	163	203	249	281	225	174	69	55	35	30	9	9	8	1	2
27	-	-	1	6	25	36	61	101	133	190	187	169	138	125	58	41	22	15	10	14	5	2
28	-	-	-	1	10	26	54	87	136	125	141	115	118	89	78	26	17	21	10	8	5	8
29	-	-	-	2	5	18	26	53	76	97	99	114	112	55	50	53	35	21	14	8	4	7
30	-	-	-	2	10	13	27	52	48	66	84	65	92	70	50	31	34	20	12	14	6	5
31	-	-	-	3	4	4	13	25	36	46	58	60	69	59	37	34	29	28	16	10	11	8
32	-	-	-	-	4	10	9	16	18	41	42	37	43	25	35	25	36	25	28	11	10	12
33	-	-	-	2	-	8	8	20	14	26	27	28	35	40	27	33	23	26	14	10	10	9
34	-	-	1	-	-	3	4	10	15	17	27	37	33	27	35	30	18	21	21	12	17	12
35	-	1	-	2	-	4	5	10	9	17	23	25	30	23	22	22	25	24	12	10	7	15
36	-	-	-	1	3	3	5	4	10	10	15	19	23	6	17	13	19	19	13	13	8	10
37	-	-	-	-	1	2	5	3	4	11	9	10	19	19	10	9	13	8	13	16	15	8
38	-	1	-	-	1	3	-	4	5	5	8	9	13	18	5	6	8	15	14	9	10	10
39	-	-	-	-	1	-	1	3	4	5	6	6	4	3	13	7	14	10	15	7	9	2
40	-	-	-	1	2	-	1	2	4	4	4	3	2	5	11	6	9	8	11	3	5	15
41	-	-	-	-	-	-	2	1	1	4	3	4	3	5	3	12	8	14	4	7	7	6
42	-	-	-	1	-	1	-	1	2	2	1	4	3	5	3	5	3	8	7	5	13	5
43	-	-	-	1	-	-	1	1	4	2	4	1	5	2	2	2	3	6	6	9	10	4
44	-	-	-	-	1	-	-	1	1	3	5	1	2	3	1	3	-	8	6	7	3	4
45	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	3	4	3	7	2	5	3
46	-	-	-	-	1	-	1	1	1	1	2	-	-	2	3	5	1	5	4	2	2	4
47	-	-	-	-	-	-	-	3	1	2	-	1	1	1	4	-	4	1	1	5	1	3
48	-	-	-	1	-	1	-	1	-	-	-	1	-	-	2	-	2	3	1	-	1	2
49	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	4	1	-	1	2	1	2
50-54	-	-	-	-	-	-	1	3	1	2	1	-	1	2	2	2	2	2	1	2	6	4
55-59	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	-	1	-	6	1
60-64	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	1	-	1	1	-	1	-	1	-	-	2	-	-	1	1	-	-	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																						Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
146	121	107	90	72	71	60	38	57	49	41	44	35	28	96	44	23	17	5	1	92	20,778	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	429	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	724	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,399	21
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,782	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,082	23
3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,168	24
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,949	25
1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,681	26
4	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,349	27
3	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	1,087	28
6	2	3	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	865	29
8	2	1	2	-	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-	2	723	30
3	3	2	4	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	568	31
6	1	5	2	2	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	447	32
3	2	2	-	2	3	-	1	-	2	-	1	-	-	2	-	-	-	-	-	1	379	33
8	5	2	2	4	2	-	-	-	-	3	1	1	-	2	-	-	1	-	-	3	374	34
3	7	2	1	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	306	35
8	5	2	4	2	2	2	3	2	-	-	-	-	-	1	-	-	-	-	-	-	242	36
8	9	3	3	4	3	3	2	1	-	3	1	-	1	-	-	-	-	-	-	-	216	37
4	11	7	4	3	-	3	2	2	1	-	1	-	-	1	-	-	-	-	-	2	185	38
12	5	8	2	5	4	2	1	2	1	-	3	-	2	-	-	-	-	-	-	-	157	39
9	11	3	9	4	2	1	1	1	4	-	2	1	1	1	-	-	-	-	-	-	146	40
5	8	5	6	6	4	1	1	2	2	2	1	-	-	1	-	-	-	-	-	-	128	41
4	8	8	5	2	4	6	-	5	2	2	2	-	1	-	-	-	-	-	-	-	118	42
7	4	5	6	4	5	1	2	1	-	1	1	-	2	-	1	-	-	-	-	-	103	43
1	8	7	5	4	2	3	1	3	1	1	2	-	2	2	-	-	-	-	-	-	91	44
6	5	6	2	5	3	1	-	4	6	1	2	1	1	5	1	-	-	-	-	1	82	45
13	2	4	6	3	2	3	-	3	1	3	4	1	-	-	2	1	-	-	-	1	84	46
3	7	3	4	2	4	5	1	3	6	2	2	-	1	4	-	-	-	-	-	-	75	47
4	3	4	5	-	2	3	4	6	5	3	2	3	1	4	1	1	1	-	-	-	67	48
4	2	3	2	4	3	-	1	1	2	-	1	5	2	2	2	-	-	-	-	-	49	49
6	2	11	7	4	13	9	8	9	9	8	8	7	5	22	6	2	1	-	-	-	169	50-54
1	4	3	5	4	3	9	1	5	-	7	3	10	6	24	13	3	4	-	-	-	119	55-59
-	-	2	2	1	1	2	1	2	5	2	4	3	1	15	7	4	2	1	1	-	59	60-64
1	-	-	-	-	1	-	3	1	1	-	1	1	1	4	6	7	4	-	-	-	33	65-69
-	-	-	-	1	1	-	-	2	-	1	-	-	-	2	4	5	2	3	-	-	21	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	5	75 and over
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	52	63	Not stated

TABLE 44 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY
FIRST

Age of groom	Age of																						
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
All ages	1	22	87	318	671	1,231	1,639	2,406	2,390	2,390	2,004	1,502	1,299	842	644	477	398	341	259	206	188	163	
16	-	-	8	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	-	2	5	25	6	8	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
18	-	6	15	27	60	29	19	14	6	1	3	1	-	-	-	1	-	-	-	-	-	-	
19	-	5	19	40	89	132	63	35	23	8	8	4	1	1	-	1	-	-	-	-	-	-	
20	-	4	8	63	90	168	162	87	67	29	21	6	10	-	2	2	1	-	-	1	1	-	
21	-	-	12	42	108	224	264	389	127	107	49	25	18	9	9	7	-	2	-	-	-	1	
22	1	1	8	26	71	190	274	414	373	159	112	60	42	17	11	10	4	2	1	1	-	-	
23	-	-	2	29	71	152	252	376	399	417	149	100	66	25	20	4	5	3	3	3	2	-	
24	-	1	5	18	39	88	181	313	372	406	336	120	124	65	40	18	9	6	6	3	7	1	
25	-	-	1	16	38	56	120	213	298	339	298	251	118	73	42	29	20	12	4	7	4	2	
26	-	1	2	8	28	48	73	163	203	249	281	225	173	69	55	35	30	9	9	8	1	1	
27	-	-	1	5	25	36	61	101	133	190	187	169	138	125	58	41	22	15	10	14	5	2	
28	-	-	-	1	10	26	54	87	136	124	141	115	118	89	77	26	17	21	10	8	5	7	
29	-	-	-	2	5	18	26	53	76	97	99	114	111	55	50	53	35	21	14	8	4	7	
30	-	-	-	2	10	13	27	52	48	66	83	65	91	69	49	31	34	20	12	14	5	5	
31	-	-	-	3	4	4	13	25	35	46	57	60	69	59	37	34	29	28	16	10	11	8	
32	-	-	-	-	4	10	9	16	18	41	42	37	43	25	35	25	36	25	28	11	10	12	
33	-	-	-	2	-	8	8	20	14	26	27	28	35	39	27	33	23	25	14	10	9	9	
34	-	-	1	-	-	3	4	10	15	17	27	37	33	27	35	30	18	21	21	12	17	12	
35	-	1	-	2	-	4	5	10	9	17	23	25	30	23	22	21	25	24	12	10	7	15	
36	-	-	-	1	3	3	5	4	10	9	14	19	22	6	17	13	19	18	12	13	8	10	
37	-	-	-	-	1	2	5	3	4	11	9	10	19	19	10	9	13	8	13	16	15	8	
38	-	1	-	-	1	3	-	4	4	5	8	9	12	18	5	6	8	14	14	9	10	9	
39	-	-	-	-	1	-	1	3	4	5	6	6	4	3	13	7	14	10	14	6	9	2	
40	-	-	-	1	2	-	1	2	4	4	4	3	2	4	11	6	9	8	9	2	4	15	
41	-	-	-	-	-	-	-	1	1	4	3	4	3	5	3	12	8	14	4	7	7	6	
42	-	-	-	1	-	1	-	1	2	2	1	4	3	5	2	4	2	7	6	5	13	5	
43	-	-	-	1	-	-	1	1	4	2	4	1	5	2	2	2	3	6	6	9	10	4	
44	-	-	-	-	1	-	-	1	1	3	4	1	2	3	1	3	-	8	6	7	3	4	
45	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	3	4	2	7	1	5	3	
46	-	-	-	-	1	-	1	1	1	1	2	-	-	2	3	5	1	4	4	2	2	4	
47	-	-	-	-	-	-	-	3	1	2	-	1	1	1	4	-	3	1	1	5	1	3	
48	-	-	-	1	-	1	-	1	-	-	-	1	-	-	2	-	1	3	1	-	1	1	
49	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	4	1	-	1	2	1	2	
50-54	-	-	-	-	-	-	1	1	1	1	1	-	1	2	2	1	2	2	1	2	5	4	
55-59	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	6	1	
60-64	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Not stated	-	-	-	1	-	1	1	-	1	-	1	-	-	2	-	-	1	1	-	-	-	-	

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																						Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
141	115	102	81	66	64	49	33	47	41	31	33	26	20	50	15	9	2	-	-	92	20,495	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	429	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	724	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,398	21
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,781	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,082	23
3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,167	24
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,949	25
1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,679	26
4	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,348	27
3	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	1,084	28
6	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	862	29
8	2	1	2	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-	2	717	30
3	3	2	3	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	564	31
6	1	5	2	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	446	32
3	2	2	-	2	3	-	1	-	2	-	1	-	-	2	-	-	-	-	-	1	376	33
8	5	2	2	4	2	-	-	-	-	2	1	1	-	2	-	-	-	-	-	3	372	34
3	7	2	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	303	35
8	5	2	4	2	2	2	3	1	-	-	-	-	-	1	-	-	-	-	-	-	236	36
8	9	3	3	3	3	3	2	1	-	1	1	-	1	-	-	-	-	-	-	-	213	37
4	11	7	4	3	-	3	2	1	1	-	-	-	-	1	-	-	-	-	-	2	179	38
11	5	8	2	5	4	2	1	2	1	-	2	-	2	-	-	-	-	-	-	-	153	39
9	11	3	8	4	1	1	1	1	4	-	2	1	-	-	-	-	-	-	-	-	137	40
5	8	5	6	6	4	-	1	2	2	1	1	-	-	1	-	-	-	-	-	-	124	41
4	8	8	4	2	4	6	-	4	2	1	2	-	1	-	-	-	-	-	-	-	110	42
7	4	5	4	4	4	1	2	1	-	1	1	-	1	-	-	-	-	-	-	-	98	43
1	7	6	5	4	2	1	1	3	1	-	1	-	2	1	-	-	-	-	-	-	83	44
6	5	6	2	5	3	1	-	4	6	1	2	-	-	3	-	-	-	-	-	1	74	45
13	2	4	6	3	2	2	-	3	1	3	4	-	-	-	1	1	-	-	-	1	80	46
2	6	3	4	2	4	4	1	3	4	2	2	-	1	3	-	-	-	-	-	-	68	47
4	3	4	5	-	2	3	4	6	4	3	2	3	1	4	1	-	-	-	-	-	62	48
3	2	3	2	4	2	-	1	1	2	-	-	5	2	1	1	-	-	-	-	-	43	49
5	1	9	7	3	12	7	6	7	7	6	5	6	4	12	4	2	-	-	-	-	130	50-54
1	1	3	4	2	2	8	1	3	-	5	2	4	3	9	5	2	2	-	-	-	69	55-59
-	-	-	-	-	-	-	-	1	3	2	2	3	1	9	2	2	-	-	-	-	26	60-64
-	-	-	-	-	1	-	1	1	-	-	1	1	-	1	1	-	-	-	-	-	8	65-69
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	4	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75 and over
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	52	63	Not stated

TABLE 45 - MARRIAGES REGISTERED IN 1970 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	673	7,868	6,662	2,398	1,053	555	347	162	109	104	58	19,989	27.6
Church of Ireland	6	197	176	54	33	24	7	5	3	8	5	518	28.6
Presbyterian	2	43	36	11	6	2	1	-	1	2	-	104	27.8
Other Religious denominations	-	11	24	5	2	2	-	-	1	1	-	46	29.3
Civil marriages	2	36	33	23	12	3	2	2	5	3	-	121	31.0
Total	683	8,155	6,931	2,491	1,106	586	357	169	119	118	63	20,778	27.7

TABLE 46 - MARRIAGES REGISTERED IN 1970 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	2,261	10,424	4,607	1,365	603	287	183	90	40	42	87	19,989	25.0
Church of Ireland	41	279	122	31	18	7	10	1	2	2	5	518	25.5
Presbyterian	9	64	18	6	4	1	1	-	1	-	-	104	24.9
Other Religious denominations	5	27	6	3	2	1	-	1	1	-	-	46	25.8
Civil marriages	15	50	29	12	4	2	3	4	-	2	-	121	27.2
Total	2,331	10,844	4,782	1,417	631	298	197	96	44	46	92	20,778	25.1

TABLE 47 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	12	311	763	578	386	222	135	51	37	18	16	2,529	33.1
Other agricultural occupations and fishermen	26	176	145	52	34	15	11	7	2	4	3	475	28.1
Higher professional	2	326	535	148	45	24	11	6	3	5	3	1,108	28.0
Lower professional	7	396	481	160	39	17	9	1	4	4	2	1,120	27.4
Employers and managers	2	241	293	103	48	20	16	6	7	6	5	747	28.8
Salaried employees	5	201	252	87	39	12	5	5	5	7	-	618	28.4
Intermediate non-manual workers	94	1,266	1,238	346	132	75	51	29	17	23	5	3,276	27.5
Other non-manual workers	70	780	602	210	79	40	27	13	8	6	6	1,841	27.0
Skilled manual workers	202	2,924	1,861	529	194	102	57	25	18	23	13	5,948	26.3
Other manual workers	231	1,464	714	267	103	57	32	26	17	10	9	2,930	26.0
Not stated	32	70	47	11	7	2	3	-	1	12	1	186	27.5
Total	683	8,155	6,931	2,491	1,106	586	357	169	119	118	63	20,778	27.7

TABLE 48 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	5	45	50	20	18	15	11	5	-	-	-	169	30.9
Other agricultural occupations and fishermen	2	3	-	-	-	1	-	-	-	-	-	6	24.2
Higher professional	4	48	45	9	4	1	1	-	-	-	-	112	26.1
Lower professional	83	1,304	987	290	110	34	14	8	3	-	13	2,846	26.2
Employers and managers	2	53	53	12	8	2	6	1	-	-	-	137	27.7
Salaried employees	3	25	13	7	3	1	-	1	-	-	-	53	26.6
Intermediate non-manual workers	520	3,797	1,657	436	163	75	44	16	5	5	32	6,750	24.9
Other non-manual workers	593	2,136	1,043	380	219	121	87	48	28	30	21	4,706	26.2
Skilled manual workers	129	549	178	42	20	7	5	1	1	-	2	934	23.9
Other manual workers	795	2,362	522	145	53	17	10	7	4	3	17	3,935	23.0
Not stated	195	522	234	76	33	24	19	9	3	8	7	1,130	25.3
Total	2,331	10,844	4,782	1,417	631	298	197	96	44	46	92	20,778	25.1

TABLE 49 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,529	129	-	2	403	6	1	650	1,025	21	121	171
Other agricultural occupations and fishermen	475	1	1	-	32	2	-	76	234	14	102	13
Higher professional	1,108	1	-	68	400	15	8	409	125	13	14	55
Lower professional	1,120	3	-	6	492	12	8	398	128	20	15	38
Employers and managers	747	1	-	4	163	22	3	350	114	14	37	39
Salaried employees	618	1	-	7	107	17	11	310	95	11	22	37
Intermediate non-manual workers	3,276	12	1	9	481	23	10	1,573	555	114	346	152
Other non-manual workers	1,841	5	1	1	126	7	-	519	502	116	468	96
Skilled manual workers	5,948	9	2	12	543	29	12	2,012	1,139	491	1,461	238
Other manual workers	2,930	6	1	3	93	4	-	443	764	118	1,338	160
Not stated	186	1	-	-	6	-	-	10	25	2	11	131
Total	20,778	169	6	112	2,846	137	53	6,750	4,706	934	3,935	1,130

TABLE 50 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	683	8,155	6,931	2,491	1,106	586	357	169	119	118	63	20,778	27.7
Carlow	8	80	80	27	10	9	3	1	5	3	2	228	28.5
Dublin County Borough	263	2,612	1,674	483	170	89	56	36	23	32	3	5,441	26.3
Dun Laoghaire Borough	14	178	134	42	11	9	3	1	3	4	2	401	26.8
Dublin County (remainder)	27	429	359	75	40	23	12	8	6	6	1	986	27.0
Kildare	18	246	164	52	29	14	11	2	-	3	1	540	27.0
Kilkenny	4	121	119	51	18	14	10	2	3	1	2	345	28.6
Laois	6	94	73	32	25	10	6	3	2	3	-	254	29.0
Longford	1	31	41	26	16	5	5	1	-	2	-	128	30.6
Louth	26	248	167	51	25	12	8	6	1	3	2	549	26.8
Meath	9	166	147	56	28	11	10	5	3	5	5	445	28.4
Offaly	8	121	117	42	23	7	9	1	1	-	1	330	27.8
Westmeath	15	93	100	37	18	13	7	1	2	2	2	290	28.3
Wexford	25	206	193	70	32	12	15	4	5	6	-	568	28.1
Wicklow	25	228	135	45	18	8	7	4	-	7	1	478	26.7
Leinster	449	4,853	3,503	1,089	463	236	162	75	54	77	22	10,983	27.0
Clare	6	112	147	61	26	19	11	4	2	-	5	393	29.1
Cork County Borough	38	443	287	88	21	13	12	7	2	3	2	916	26.2
Cork County	24	415	474	206	114	42	38	15	12	8	5	1,353	29.2
Kerry	4	160	226	82	34	25	15	9	3	2	5	565	29.2
Limerick County Borough	24	183	124	37	18	3	3	2	2	2	2	400	26.2
Limerick County	7	163	133	73	38	17	6	9	4	4	1	455	29.1
Tipperary, N.R.	4	110	104	48	42	20	15	1	3	2	2	351	30.0
Tipperary, S.R.	12	141	129	40	26	14	9	4	3	1	1	380	28.2
Waterford County Borough	9	110	76	25	5	2	2	1	3	1	2	236	26.5
Waterford County	5	76	93	46	21	6	5	2	2	2	-	258	29.0
Munster	133	1,913	1,793	706	345	161	116	54	36	25	25	5,307	28.3
Galway	22	217	288	143	70	36	15	8	6	1	3	809	29.2
Leitrim	2	22	37	26	10	7	6	5	1	1	1	118	31.9
Mayo	5	100	173	77	27	14	8	6	2	2	-	414	29.3
Roscommon	3	33	45	53	22	19	5	1	-	-	2	183	31.4
Sligo	6	75	80	44	19	11	6	2	2	2	2	249	29.3
Connacht	38	447	623	343	148	87	40	22	11	6	8	1,773	29.6
Cavan	3	67	68	34	17	15	4	4	2	1	1	216	29.7
Donegal	11	163	212	78	41	20	10	3	1	3	2	544	28.6
Monaghan	5	82	102	32	15	17	5	2	4	1	-	265	29.0
Ulster (part of)	19	312	382	144	73	52	19	9	7	5	3	1,025	28.9
Ireland *	639	7,525	6,301	2,282	1,029	536	337	160	108	113	58	19,088	27.7
Six Counties	11	138	113	36	24	12	7	-	2	1	-	344	27.6
England and Wales	9	405	393	123	41	25	11	5	6	4	4	1,026	27.5
Scotland	1	19	23	6	1	-	1	1	-	-	-	52	27.1
Elsewhere	-	56	98	44	10	13	1	3	3	-	1	229	29.3
Not stated	23	12	3	-	1	-	-	-	-	-	-	39	20.3

* Exclusive of the Six Counties.

TABLE 51 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride-	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	2,331	10,844	4,782	1,417	631	298	197	96	44	46	92	20,778	25.1
Carlow	25	116	48	25	4	3	1	2	2	-	2	228	25.3
Dublin County Borough	723	3,161	1,145	324	120	68	39	28	12	20	5	5,645	24.5
Dun Laoghaire Borough	45	247	107	27	8	5	2	3	-	4	2	450	25.0
Dublin County (remainder)	86	590	210	42	24	14	7	5	1	1	7	987	24.6
Kildare	91	315	95	25	12	6	5	2	3	-	2	556	24.1
Kilkenny	29	162	95	21	11	5	1	-	1	1	2	328	25.2
Laois	34	111	64	25	5	5	3	3	-	1	-	251	25.6
Longford	7	54	30	14	7	3	2	-	-	-	-	117	26.5
Louth	98	315	131	32	19	3	9	2	1	1	4	615	24.4
Meath	68	230	80	23	10	7	6	7	-	-	5	436	24.7
Offaly	39	164	62	19	12	9	3	3	-	-	3	314	25.2
Westmeath	35	158	68	18	10	6	4	1	1	-	3	304	25.1
Wexford	88	333	121	34	22	9	11	4	-	1	-	623	24.8
Wicklow	81	253	80	24	12	6	6	3	2	4	3	474	24.6
Leinster	1,449	6,209	2,336	653	276	149	99	63	23	33	38	11,328	24.7
Clare	30	185	101	28	15	3	6	-	-	-	7	375	25.4
Cork County Borough	95	552	225	57	28	14	9	3	4	1	2	990	24.9
Cork County	114	598	395	127	53	19	16	5	7	2	7	1,343	26.0
Kerry	43	269	158	43	28	7	4	1	1	1	7	562	25.7
Limerick County Borough	60	228	76	21	16	7	2	1	-	-	1	412	24.3
Limerick County	43	259	141	36	15	4	6	1	2	1	1	509	25.3
Tipperary, N.R.	36	169	99	40	17	6	8	-	-	-	1	376	25.9
Tipperary, S.R.	61	225	83	26	13	5	5	3	-	2	-	423	24.8
Waterford County Borough	31	144	50	7	6	3	4	4	1	-	-	250	24.8
Waterford County	30	125	60	17	13	4	2	2	-	1	3	257	25.4
Munster	543	2,754	1,388	402	204	72	62	20	15	8	29	5,497	25.4
Galway	73	395	224	91	32	16	4	2	-	-	5	842	25.6
Leitrim	7	60	27	15	6	8	3	1	-	1	2	130	27.5
Mayo	31	202	144	42	16	5	4	1	1	-	4	450	25.8
Roscommon	11	72	59	23	11	4	1	1	-	-	4	186	26.7
Sligo	26	116	62	30	8	4	2	3	1	-	2	254	25.9
Connacht	148	845	516	201	73	37	14	8	2	1	17	1,862	26.0
Cavan	15	119	72	20	16	6	4	-	-	-	1	253	26.3
Donegal	59	313	150	53	31	9	4	1	1	1	2	624	25.5
Monaghan	31	140	74	19	14	11	5	-	-	2	-	296	26.0
Ulster (part of)	105	572	296	92	61	26	13	1	1	3	3	1,173	25.8
Ireland*	2,245	10,380	4,536	1,348	614	284	188	92	41	45	87	19,860	25.1
Six Counties	22	60	33	10	6	4	3	1	-	-	-	139	25.6
England and Wales	25	349	164	50	7	5	5	3	2	1	3	614	25.3
Scotland	2	9	9	-	-	-	-	-	-	-	-	20	24.3
Elsewhere	2	38	38	8	3	5	1	-	1	-	1	97	27.3
Not stated	35	8	2	1	1	-	-	-	-	-	1	48	19.5

*Exclusive of the Six Counties.

TABLE 52 - MARRIAGES REGISTERED IN 1970 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	20,778	228	5,645	450	987	556	328	251	117	615	436	314	304	623	474	11,328	375	990	1,343
Carlow	228	155	9	1	7	8	13	5	-	-	1	1	-	10	6	216	-	1	1
Dublin Co. Borough	5,441	11	4,494	114	364	36	12	10	3	19	23	11	22	24	38	5,181	10	21	19
Dun Laoghaire Borough	401	-	109	209	33	2	-	-	1	3	1	1	2	1	17	379	-	-	4
Dublin County (remainder)	986	3	388	48	399	16	3	3	1	11	22	2	2	11	19	928	3	2	3
Kildare	540	10	37	3	23	394	3	12	-	2	6	8	2	4	9	513	2	-	5
Kilkenny	345	13	10	-	1	5	235	9	-	1	-	-	1	11	-	286	-	1	2
Laois	254	8	8	1	1	16	8	157	-	-	-	18	1	4	2	224	1	2	1
Longford	128	-	6	-	-	-	-	1	79	-	1	-	8	-	1	96	-	-	-
Louth	549	2	23	2	11	-	-	1	1	446	24	-	3	1	1	515	-	1	2
Meath	445	1	34	1	20	8	2	5	1	30	299	2	4	4	1	412	1	1	3
Offaly	330	1	16	-	4	11	1	17	-	-	7	216	15	-	2	290	1	-	3
Westmeath	290	1	15	1	4	2	1	2	-	-	7	13	204	1	1	252	1	1	1
Wexford	568	7	15	2	2	3	7	2	-	-	-	2	-	482	8	530	-	-	7
Wicklow	478	3	37	19	29	10	1	-	-	1	2	-	3	19	332	456	-	4	1
Leinster	10,983	215	5,201	401	898	511	286	224	86	513	393	274	267	572	437	10,278	19	34	52
Clare	393	2	13	1	6	1	1	-	1	1	1	-	-	1	-	28	295	2	5
Cork County Borough	916	-	11	2	4	2	-	2	-	1	-	1	-	3	1	27	3	754	92
Cork County	1,353	1	17	2	6	2	-	1	-	1	-	1	-	2	2	35	1	155	1,047
Kerry	565	-	17	3	3	-	-	-	1	1	-	1	1	3	2	32	3	4	21
Limerick County Borough	400	-	13	-	3	2	-	-	1	1	1	-	-	1	-	22	15	1	3
Limerick	455	-	5	1	1	2	1	-	2	-	-	1	2	-	-	15	4	2	30
Tipperary, N.R.	351	1	11	2	1	4	9	4	-	1	-	9	-	2	1	45	5	2	2
Tipperary, S.R.	380	1	9	1	1	-	5	1	-	-	-	3	1	1	-	23	1	1	12
Waterford County Borough	236	-	2	2	-	2	6	-	-	1	-	-	-	2	-	15	-	2	4
Waterford County	258	-	8	1	1	3	8	2	-	-	1	-	-	9	-	33	-	7	23
Munster	5,307	5	106	15	26	18	30	10	5	7	3	16	4	24	6	275	327	930	1,239
Galway	809	2	21	1	6	2	1	2	3	2	4	7	9	1	2	63	18	3	2
Leitrim	118	-	3	-	3	-	-	1	3	-	-	-	1	-	-	11	-	-	-
Mayo	414	-	17	1	2	-	1	-	3	-	2	3	1	4	1	35	-	-	3
Roscommon	183	-	5	-	2	-	-	3	4	1	1	1	3	-	-	20	-	-	1
Sligo	249	-	6	1	-	-	1	-	2	2	1	-	-	1	-	14	1	-	1
Connacht	1,773	2	52	3	13	2	3	6	15	5	8	11	14	6	3	143	19	3	7
Cavan	216	-	12	1	2	3	-	1	2	4	16	1	5	-	1	48	-	-	1
Donegal	544	-	8	-	1	-	-	-	2	1	-	3	3	1	1	20	1	-	-
Monaghan	265	-	5	-	1	1	-	1	2	29	1	-	1	1	-	42	-	1	-
Ulster (part of)	1,025	-	25	1	4	4	-	2	6	34	17	4	9	2	2	110	1	1	1
Ireland*	19,088	222	5,384	420	941	535	319	242	112	559	421	305	294	604	448	10,806	366	968	1,299
Six Counties	344	-	38	5	8	3	1	-	1	37	3	3	-	5	5	109	-	2	6
England and Wales	1,026	6	150	17	23	10	6	9	2	13	8	6	9	11	17	287	6	14	26
Scotland	52	-	9	1	3	2	-	-	-	1	1	-	-	1	-	18	-	2	-
Elsewhere	229	-	64	7	11	6	1	-	2	4	3	-	1	2	4	105	3	4	12
Not stated	39	-	-	-	1	-	1	-	-	1	-	-	-	-	-	3	-	-	-

*Exclusive of the Six Counties

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick County Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford County Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
562	412	509	376	423	250	257	5,497	842	130	450	186	254	1,862	253	624	296	1,173	19,860	139	614	20	97	48
-	-	1	2	-	1	-	6	-	-	-	-	1	1	-	1	1	2	225	1	2	-	-	-
11	7	11	14	22	7	7	129	28	7	15	8	8	66	12	11	12	35	5,411	12	12	-	5	1
2	-	1	1	3	1	1	13	-	-	-	1	-	1	-	-	2	2	395	1	4	-	-	1
2	2	1	3	2	1	2	21	6	-	1	2	3	12	6	4	3	13	974	1	6	-	4	1
2	1	2	1	2	-	2	17	-	-	-	-	2	2	-	1	5	6	538	-	-	-	-	2
1	-	1	9	15	12	13	54	2	-	-	-	-	2	1	1	-	2	344	-	1	-	-	-
2	-	2	12	3	-	2	25	4	-	-	-	1	5	-	-	-	-	254	-	-	-	-	-
1	1	-	1	-	-	-	3	2	11	3	4	3	23	5	-	-	5	127	-	1	-	-	-
1	1	1	1	-	-	-	7	1	1	-	-	1	3	4	-	15	19	544	3	1	-	-	1
-	-	-	1	-	-	-	6	4	-	2	3	-	9	10	1	4	15	442	-	1	-	2	-
-	-	-	18	-	-	-	22	8	-	-	-	-	8	1	3	1	5	325	2	-	-	1	2
3	-	-	-	-	-	-	6	17	-	1	7	-	25	3	2	-	5	288	-	1	-	1	-
3	-	5	3	2	4	5	29	-	-	2	1	1	4	-	-	1	1	564	2	2	-	-	-
2	1	-	3	-	1	-	12	3	-	-	1	-	4	2	3	1	6	478	-	-	-	-	-
30	13	25	69	49	27	32	350	75	19	24	27	20	165	44	27	45	116	10,909	22	31	-	13	8
1	15	19	5	2	-	1	345	13	-	2	-	1	16	-	2	-	2	391	1	1	-	-	-
9	4	10	3	1	2	3	881	2	1	1	-	-	4	1	1	1	3	915	-	-	-	1	-
24	2	25	3	11	4	19	1,291	4	2	5	1	1	13	-	1	-	1	1,340	1	10	-	1	1
460	3	20	3	2	2	2	520	2	2	2	1	1	8	2	-	2	4	564	-	1	-	-	-
2	304	32	4	3	1	1	366	6	-	-	-	-	6	1	1	1	3	397	-	2	-	1	-
7	40	336	3	8	-	-	430	4	-	2	2	-	8	-	-	-	-	453	-	2	-	-	-
2	9	11	248	18	-	-	297	4	1	1	-	-	6	1	-	-	1	349	-	2	-	-	-
3	7	8	5	299	3	13	352	-	-	2	-	1	3	1	-	-	1	379	-	-	1	-	-
1	1	1	-	3	180	25	217	1	-	-	-	-	1	1	-	-	1	234	-	1	-	1	-
-	1	2	4	8	20	154	219	3	-	1	-	-	4	-	-	-	-	256	1	1	-	-	-
509	386	464	278	355	212	218	4,918	39	6	16	4	4	69	7	5	4	16	5,278	3	20	1	4	1
3	2	4	5	4	1	1	43	651	1	24	13	4	693	2	2	2	6	805	-	2	-	1	1
1	-	-	1	-	-	-	2	1	72	5	4	9	91	10	4	-	14	118	-	-	-	-	-
1	3	-	-	2	-	1	10	19	2	331	4	5	361	-	1	2	3	409	1	4	-	-	-
2	-	-	-	-	-	-	3	22	5	11	114	4	156	1	-	1	2	181	-	1	-	1	-
-	2	1	1	-	-	-	6	3	11	11	13	183	221	4	3	-	7	248	1	-	-	-	-
7	7	5	7	6	1	2	64	696	91	382	148	205	1,522	17	10	5	32	1,761	2	7	-	2	1
2	-	-	1	1	-	-	5	-	2	1	1	-	4	145	1	7	153	210	5	-	-	-	1
-	-	1	6	-	-	-	8	4	2	4	2	7	19	1	476	3	480	527	9	3	5	-	-
-	-	-	-	1	1	-	3	3	-	3	1	-	7	12	1	193	206	258	5	2	-	-	-
2	-	1	7	2	1	-	16	7	4	8	4	7	30	158	478	203	839	995	19	5	5	-	1
548	406	495	361	412	241	252	5,348	817	120	430	183	236	1,786	226	520	257	1,003	18,943	46	63	6	19	11
-	-	2	1	-	1	-	12	3	6	1	-	8	18	15	68	29	112	251	90	1	-	2	-
13	5	9	11	9	6	5	104	13	2	17	2	7	41	10	26	6	42	474	1	547	-	4	-
-	-	-	1	-	1	-	4	-	1	-	-	2	3	1	7	3	11	36	-	2	14	-	-
1	1	3	2	2	1	-	29	9	1	2	1	1	14	1	3	1	5	153	1	1	-	72	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	35

TABLE 53 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	9	131	106	33	22	11	6	-	3	1	-	322	27.7
England and Wales	26	600	501	144	48	31	11	5	7	3	5	1,381	26.8
Scotland	2	22	23	6	1	-	1	1	-	-	-	56	26.7
Europe (remainder)	1	30	51	17	3	2	-	-	-	-	1	105	27.4
U.S.A.	41	59	21	5	12	2	3	2	-	-	-	145	24.6
Canada	-	44	44	13	3	-	-	-	-	-	-	104	26.3
Australia and New Zealand	1	32	9	4	3	-	1	-	-	-	-	50	25.5
Elsewhere	-	22	19	14	3	1	-	1	-	-	1	61	28.0
Total	80	940	774	236	95	47	22	9	10	4	7	2,224	26.8

TABLE 54 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Six Counties	35	158	89	17	11	5	4	1	-	1	1	322	25.2
England and Wales	87	794	352	80	26	17	9	4	4	2	6	1,381	25.0
Scotland	5	30	14	5	1	1	-	-	-	-	-	56	24.8
Europe (remainder)	7	55	35	4	2	1	-	-	-	-	1	105	24.7
U.S.A.	3	59	49	19	7	3	4	-	1	-	-	145	27.5
Canada	3	61	32	5	2	1	-	-	-	-	-	104	24.9
Australia and New Zealand	7	32	8	1	1	1	-	-	-	-	-	50	23.5
Elsewhere	3	27	23	3	2	-	-	-	1	-	2	61	25.8
Total	150	1,216	602	134	52	29	17	5	6	3	10	2,224	25.1

TABLE 55 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	322	39	4	23	32	15	14	60	17	82	32	4
England and Wales	1,381	20	13	126	93	63	38	228	130	461	202	7
Scotland	56	2	-	6	3	3	4	1	5	17	15	-
Europe (remainder)	105	-	-	23	12	8	7	28	1	24	2	-
U.S.A.	145	2	1	28	22	2	13	30	5	39	2	1
Canada	104	3	1	18	21	4	3	11	2	39	2	-
Australia and New Zealand	50	2	1	2	2	2	3	3	7	25	3	-
Elsewhere	61	-	-	23	13	3	4	7	1	8	1	1
Total	2,224	68	20	249	198	100	86	368	168	695	259	13

TABLE 56 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Six Counties	322	1	1	3	86	3	1	90	54	11	56	16
England and Wales	1,381	1	-	14	335	11	1	470	227	55	205	62
Scotland	56	-	-	-	16	-	-	19	10	2	7	2
Europe (remainder)	105	-	-	-	33	1	1	52	10	2	5	1
U.S.A.	145	-	-	4	48	1	3	44	32	2	4	7
Canada	104	-	-	2	39	2	1	39	6	2	7	6
Australia and New Zealand	50	-	-	-	8	-	-	22	5	1	12	2
Elsewhere	61	-	-	1	19	1	-	23	11	-	2	4
Total	2,224	2	1	24	584	19	7	759	355	75	298	100

TABLE 57 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY

Country of future permanent residence	Total marriages	Form of ceremony						
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Six Counties	322	256	35	27	1	-	1	2
England and Wales	1,381	1,291	66	7	7	3	2	5
Scotland	56	48	4	3	1	-	-	-
Europe (remainder)	105	96	7	1	-	-	-	1
U.S.A.	145	138	2	-	1	-	-	4
Canada	104	92	8	3	-	-	-	1
Australia and New Zealand	50	47	3	-	-	-	-	-
Elsewhere	61	54	1	1	-	-	-	5
Total	2,224	2,022	126	42	10	3	3	18

TABLE 58 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	322	14	10	1	2	24	270	1
England and Wales	1,381	155	86	92	63	45	940	-
Scotland	56	4	-	2	2	5	43	-
Europe (remainder)	105	11	3	6	1	-	84	-
U.S.A.	145	22	5	11	11	3	93	-
Canada	104	42	11	12	1	2	36	-
Australia and New Zealand	50	36	2	4	2	1	5	-
Elsewhere	61	20	2	15	2	1	21	-
Total	2,224	304	119	143	84	81	1,492	1

TABLE 59 - MARRIAGES REGISTERED IN 1970 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	322	46	51	10	14	106	95	-
England and Wales	1,381	312	171	176	98	84	538	2
Scotland	56	17	7	3	2	13	14	-
Europe (remainder)	105	55	9	17	4	1	19	-
U.S.A.	145	44	15	19	20	5	41	1
Canada	104	50	17	14	4	4	15	-
Australia and New Zealand	50	32	7	6	2	1	2	-
Elsewhere	61	30	3	16	5	3	4	-
Total	2,224	586	280	261	149	217	728	3

TABLE 60 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH
DURING THE YEAR, 1970

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGH												
Cork	-	-	-	261	-	9	-	1	23	3	1	-
Dublin	-	-	-	1,221	-	100	-	14	419	33	25	-
Limerick	-	-	-	63	-	-	-	-	3	-	-	-
Waterford	-	-	-	1	-	-	-	-	-	-	-	-
COUNTIES												
Carlow												
Urban	-	-	-	1	-	-	-	-	-	-	-	-
Rural	-	4	-	-	-	-	-	-	22	-	-	-
Cavan												
Urban	-	-	-	1	-	-	-	-	2	-	1	-
Rural	-	1	-	2	-	1	-	-	62	-	30	-
Clare												
Urban	-	-	2	2	-	-	-	-	1	-	-	-
Rural	-	-	-	10	-	-	-	-	1	-	-	-
Cork												
Urban	-	-	-	98	-	3	-	-	32	-	1	-
Rural	-	11	-	161	-	3	-	-	64	-	5	-
Donegal												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	-	6	-	-	1	-	-	-
Dublin												
Urban	-	-	-	51	-	5	-	-	102	7	8	-
Rural	-	-	-	146	-	6	-	-	83	4	17	-
Galway												
Urban	-	1	-	73	-	3	-	1	43	3	-	-
Rural	-	-	2	56	-	8	-	-	80	7	-	-
Kerry												
Urban	-	-	-	4	-	-	-	1	8	-	4	-
Rural	-	-	-	8	-	-	-	1	35	-	24	-
Kildare												
Urban	-	1	-	11	-	-	-	-	2	-	-	-
Rural	-	3	1	30	-	-	-	-	9	3	-	-
Kilkenny												
Urban	-	-	-	1	-	1	-	-	6	2	-	-
Rural	-	1	-	4	-	11	-	-	27	3	1	-
Laois												
Rural	-	-	-	37	-	2	-	-	5	1	1	-
Leitrim												
Rural	-	-	1	-	-	-	-	-	-	-	-	-
Limerick												
Rural	-	6	-	33	-	-	-	1	39	-	-	-
Longford												
Urban	-	-	-	7	-	-	-	-	2	-	-	-
Rural	-	-	-	4	-	-	-	-	-	1	-	-
Louth												
Urban	-	1	2	15	-	6	-	-	9	1	-	-
Rural	-	1	-	9	-	6	-	-	15	-	-	-

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1970.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Well's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHs:													
Cork	83	-	-	44	43	87	12	-	-	-	-	32	1d
Dublin	1,382	-	-	110	112	249	112	4	-	-	-	505	15d
Limerick	71	-	-	1	23	8	6	-	-	-	-	2	-
Waterford	1	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES:													
Carlow	-	-	-	-	1	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	37	-	-	-	-	-	1	-	-	-	-	-	-
Cavan	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	3	-	-	1	-	-	-	-	-	-	-	-	-
Rural	153	-	-	5	3	-	6	-	-	-	-	6	-
Clare	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	3	-	-	-	-	-	-	-	-	-	-	-	-
Rural	18	-	-	-	3	-	-	-	-	-	-	2	1d
Cork	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	16	-	-	14	16	3	7	1	-	-	-	-	-
Rural	125	-	-	31	17	-	11	-	-	-	-	16	1c
Donegal	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	46	-	-	70	-	-	1	-	-	-	-	11	-
Dublin	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	305	-	-	42	9	75	14	-	-	-	-	27	4d
Rural	510	-	-	63	18	-	23	-	-	-	-	39	3d
Galway	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	237	1	-	4	17	26	4	-	-	1	-	21	-
Rural	213	-	-	5	2	-	2	-	-	1	-	3	1c
Kerry	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	3	-	-	-	1	2	-	-	-	-	-	-	-
Rural	49	-	-	-	2	-	26	-	-	-	-	3	-
Kildare	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	12	-	-	-	-	-	-	-	-	-	-	1	-
Rural	135	-	-	-	4	-	1	-	-	-	-	4	2d
Kilkenny	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	2	-	-	-	-	1	-	-	-	-	-	3	4d
Rural	6	-	-	-	-	-	4	1	-	-	-	-	2d
Laois	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	20	-	-	-	-	-	-	-	-	-	-	6	-
Leitrim	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	5	3	-	-	-	-	1	-	-	-	-	2	-
Limerick	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	33	-	-	-	17	-	3	1	-	-	-	2	-
Longford	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	-	-	-	-	-	1	-	-	-	-	-	-	-
Rural	1	-	-	-	-	-	1	-	-	-	-	-	-
Louth	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban	4	-	-	-	1	-	-	-	-	-	-	-	-
Rural	41	-	-	2	-	-	-	-	-	-	-	-	-

(c) Puerperal Sepsis.

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1970.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebo spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	-	-	-	16	-	2	-	-	2	-	30	-
Rural	-	-	2	65	-	1	-	-	56	-	39	-
Meath												
Urban	-	-	-	8	-	-	-	-	10	-	-	-
Rural	-	2	-	9	-	1	-	-	52	1	-	-
Monaghan												
Urban	-	-	-	8	-	2	-	-	13	-	-	-
Rural	-	2	2	14	-	-	-	1	18	-	-	-
Offaly												
Urban	-	-	1	14	-	-	-	-	1	-	-	-
Rural	-	-	-	22	-	1	-	-	-	-	-	-
Roscommon												
Rural	-	-	-	2	-	-	-	-	9	-	5	-
Sligo												
Urban	-	-	-	5	-	-	-	-	11	4	-	-
Rural	-	-	-	1	-	4	-	1	8	3	3	-
Tipperary N.R.												
Urban	-	2	-	9	-	-	-	-	-	-	-	-
Rural	-	3	-	16	-	1	-	-	3	-	-	-
Tipperary S.R.												
Urban	-	-	-	6	-	-	-	-	-	-	-	-
Rural	-	-	-	7	-	-	-	-	2	-	-	-
Waterford												
Urban	-	-	-	2	-	-	-	-	-	-	-	-
Rural	-	-	-	4	-	-	-	-	2	-	-	-
Westmeath												
Urban	-	-	-	-	-	-	-	-	6	-	-	-
Rural	-	-	-	4	-	-	-	-	20	-	-	-
Wexford												
Urban	-	-	-	30	-	3	-	-	8	-	9	-
Rural	-	-	-	33	-	6	-	1	5	-	29	-
Wicklow												
Urban	-	-	1	23	-	6	-	-	29	1	1	-
Rural	-	1	1	44	-	1	-	-	12	1	1	-
ALL COUNTY BOROUGHS	-	-	-	1,546	-	109	-	15	445	36	26	-
ALL URBAN DISTRICTS	-	5	6	385	-	31	-	2	287	18	54	-
ALL RURAL DISTRICTS	-	35	9	721	-	58	-	5	630	24	155	-
TOTAL	-	40	15	2,652	-	198	-	22	1,362	78	235	-

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1970

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	9	-	-	-	-	2	-	-	-	-	-	2	-
Rural	170	-	-	-	8	-	2	-	-	-	-	22	-
Meath													
Urban	4	-	-	-	-	16	1	-	-	-	-	28	-
Rural	129	-	-	-	-	-	1	-	-	-	-	34	-
Monaghan													
Urban	11	-	-	1	-	-	-	-	-	-	-	1	-
Rural	37	-	-	1	-	-	-	1	-	-	-	1	-
Offaly													
Urban	31	-	-	-	-	-	-	-	-	-	-	-	-
Rural	174	-	-	-	1	-	1	-	-	-	-	-	-
Roscommon													
Rural	74	-	-	-	1	-	1	-	-	-	-	5	-
Sligo													
Urban	64	-	-	3	29	-	2	-	-	-	-	13	-
Rural	44	-	-	1	3	-	-	-	-	-	-	3	-
Tipperary N.R.													
Urban	2	-	-	-	1	-	1	-	-	-	-	-	-
Rural	1	-	-	-	1	-	6	-	-	-	-	-	-
Tipperary S.R.													
Urban	1	-	-	-	2	-	2	-	-	-	-	-	-
Rural	7	1	-	-	2	-	-	-	-	-	-	1	3d
Waterford													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	4	-	-	-	-	-	-	-	-	-	-	-	-
Westmeath													
Urban	2	-	-	-	-	43	-	-	-	-	-	2	-
Rural	326	-	-	2	-	-	2	-	-	-	-	41	-
Wexford													
Urban	5	-	-	1	-	4	5	-	-	-	-	1	-
Rural	19	-	-	-	1	-	1	-	-	-	-	4	-
Wicklow													
Urban	108	-	-	27	1	12	2	-	-	-	-	12	-
Rural	143	-	-	13	1	-	6	-	-	-	-	6	-
ALL COUNTY BOROUGHES	1,537	-	-	155	178	344	130	4	-	-	-	539	16d
ALL URBAN DISTRICTS	822	1	-	93	78	185	38	1	-	1	-	111	8d
ALL RURAL DISTRICTS	2,520	4	-	193	84	-	100	3	-	1	-	211	2c 11d
TOTAL	4,879	5	-	441	340	529	268	8	-	2	-	861	2c 35d

(c) Puerperal Sepsis.

(d) Acute Lymphocytic Meningitis.