

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLÁINTE

TUARASCÁIL
AR
STADREAMH BEATHA

REPORT
ON
VITAL STATISTICS

1971


COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: 35p

(PrL 3972)

July, 1974



AN ROINN SLÁINTE

TUARASCÁIL

AR

STÁIDREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1971

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1.
or through any Bookseller

Price: 35p

(Prl. 3972)

July, 1974.

CONTENTS

PART I – TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xvi
Age at maternity, parity, duration of marriage	xvi
Multiple births	xix
DEATHS	
Number and rate	xx
Comparison between counties	xx
Causes of death	xxiii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
DIAGRAM 1 – Birth, marriage and death rates (per 1,000 population) 1941 to 1971	viii
” 2 – Standardised death rates (per 1,000 population) from all causes, 1971	xxi
” 3 – Death rates (per 1,000 population) from tuberculosis and cancer, 1944–1971	xxvii
” 4 – Death rates from lung cancer (per 100,000 population), 1961–1971	xxvii
” 5 – Infant and neo-natal mortality (per 1,000 live births), 1943–1971	xxxvii

CONTENTS – PART II – TABLES

Contents	Area	Title	Page
Population	State	Table 1 – Estimated population in thousands in each year 1851–1971.	2
Population by age	State	Table 2 – Population at the 1971 Census according to age and conjugal condition.	3
Population	Counties	Table 3 – Population by sex of each county and county borough according to the Census of Population, 1971.	4
Marriages, births and deaths, 1864–1971	State	Table 4 – Marriages, births and deaths and natural increase (excess of birth over deaths) 1864–1971.	5
Marriage, birth and death rate, 1864–1971	State	Table 5 – Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1971.	6
Marriages, births and deaths 1961–1971	State	Table 6 – Marriages, births and deaths registered and rates for the years 1961–1971 per 1,000 of the population.	7
Deaths by principal causes, 1971 with rates	State and Northern Ireland	Table 7 – Deaths from principal causes in Ireland and Northern Ireland, 1971, with rates per 100,000 population.	8
Deaths by age, 1864–1971	State	Table 8 – Average annual number of deaths during the period 1864–1970 and the number of deaths in the year 1971 classified by sex and age.	10
Death rates by age, 1864–1971	State	Table 9 – Average annual death rates for the period 1864–1970 and death rates for the year 1971 per 1,000 corresponding population classified by sex and age.	11
Births, deaths, infant mortality and illegitimate births showing county transfers, 1971	Counties	Table 10 – Births and deaths in each county and county borough in 1971 and the numbers relating to the resident population of each area with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriage, births and deaths by sex, 1971	Counties	Table 11 – Marriages registered in and births and deaths assigned to each county and county borough during 1971 showing separately illegitimate births and deaths from some principal causes.	14
Marriage, birth and death rates, 1971	Counties	Table 12 – Marriage, birth and death rates and the proportion of illegitimate births in each county and county borough and the death rates for some of the principal diseases in 1971.	15
Deaths by conjugal conditions, 1971	State	Table 13 – Deaths in 1971 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1971	Urban Districts	Table 14 – Births and deaths assigned to each urban district in 1971 classified by sex.	16
Births and deaths, 1971	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 – Births and deaths classified by sex in 1971 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1971	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 – Birth and death rates in 1971 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1971	Agg. Urban and Agg. Rural	Table 17 – Deaths occurring in 1971 at each year of age of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by sex and age, 1971	Counties	Table 18 – Deaths occurring in 1971 classified by sex and age of residents in each county borough and county.	22
Deaths by cause and age, 1971	State	Table 19 – Deaths in 1971, classified by cause (International Detailed List, 8th Revision, 1965) and by sex and age.	26
Deaths by cause and uncertified deaths, 1971	Counties	Table 20 – Deaths of residents of each county and county borough in 1971, classified by cause and showing the number of uncertified deaths.	60

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Deaths by cause, sex and age, 1971	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 - Deaths occurring in 1971, classified by cause (International Abbreviated List), sex and age of residents in Dublin County Borough remaining urban districts and aggregate rural districts.	80
Deaths in hospitals, 1971	Counties	Table 22 - Deaths of residents of each province, county and county borough in 1971 classified by place of occurrence	86
Deaths not medically certified by age, 1971	Counties	Table 23 - Deaths of residents of each county and county borough in 1971 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1971	Counties	Table 24 - Deaths in 1971 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1971	Principal Towns, U.D.'s and R.D.'s	Table 25 - Infant mortality - deaths at ages under 4 weeks and 4 weeks and under one year in 1971, classified by sex and cause assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1971	State	Table 26 - Infant mortality - deaths under one year in 1971 classified by sex, age and cause (International detailed list).	108
Infant mortality, 1971 (illegitimate infants)	State	Table 27 - Infant mortality - deaths of illegitimate infants in 1971 classified by sex, age and cause.	112
Infant mortality, 1971	Counties	Table 28 - Infant mortality - deaths at ages under 4 weeks and 4 weeks and under one year in 1971, classified by sex and cause assigned to each county and county borough.	113
Late foetal deaths, 1971	State	Table 29 - Late foetal deaths notified in 1971 classified by cause and age of mother at maternity.	120
Late foetal deaths, 1971	State	Table 30 - Late foetal deaths notified in 1971 classified by cause and period of gestation.	122
Late foetal deaths, 1971	State	Table 31 - Late foetal deaths notified in 1971 classified by cause and number of previous children.	123
Late foetal deaths, 1971	State	Table 32 - Late foetal deaths notified in 1971 classified by sex and period of gestation.	124
Late foetal deaths, 1971	State	Table 33 - Late foetal deaths notified in 1971 classified by age of mother and number of previous children.	124
Deaths occurring in each quarter, 1971	Counties	Table 34 - Deaths showing the numbers occurring in each quarter in 1971 assigned to the counties and county boroughs.	125
Births occurring in each quarter, 1971	Counties	Table 35 - Births showing the numbers in each quarter in 1971 assigned to the counties and county boroughs.	126
Births, hospital and domiciliary, 1971	Counties	Table 36 - Births in 1971 in each county and county borough showing place of occurrence and areas of normal residence.	127
Births by age of mother, 1971	State	Table 37 - Births in 1971 classified by sex and age of mother at maternity and showing the number of illegitimate births.	128
Births by age of mother, 1971	Counties	Table 38 - Births in 1971 classified by age of mother at maternity and county of normal residence.	129
Births, by age of mother and previous children, 1971	State	Table 39 - Total births in 1971 classified by age of mother at maternity and number of previous liveborn children.	134
Legitimate births by age at maternity and year of marriage, 1971	State	Table 40 - Legitimate births in 1971, classified by age of mother at maternity and year of marriage.	136

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Legitimate first births, by age of mother at maternity and year of marriage, 1971	State	Table 41 - Legitimate first births in 1971 classified by age of mother at maternity and year of marriage.	138
Marriages, 1971	Counties	Table 42 - Marriages registered in each county and county borough during 1971.	140
All marriages by ages of groom and bride, 1971	State	Table 43 - Marriages registered in 1971 classified by age of groom and age of bride in single years. All marriages.	142
First marriages by ages of groom and bride, 1971	State	Table 44 - Marriages registered in 1971 classified by age of groom and age of bride in single years. First marriages only.	144
Marriages by form of ceremony and age of groom, 1971	State	Table 45 - Marriages registered in 1971 classified according to form of ceremony and age of groom.	146
Marriages by form of ceremony and age of bride, 1971	State	Table 46 - Marriages registered in 1971 classified according to form of ceremony and age of bride.	146
Marriages by social group and age of groom, 1971	State	Table 47 - Marriages registered in 1971 classified by social group and age of groom.	146
Marriages by social group and age of bride, 1971	State	Table 48 - Marriages registered in 1971 classified by social group and age of bride.	147
Marriages by social group of groom and bride, 1971	State	Table 49 - Marriages registered in 1971 classified by social group of groom and bride.	147
Marriage by age and area of residence of groom, 1971	Counties	Table 50 - Marriages registered in 1971 classified by age and area of residence of groom before marriage.	148
Marriages by age and area of residence of bride, 1971	Counties	Table 51 - Marriages registered in 1971 classified by age and area of residence of bride before marriage.	149
Marriages by areas of residence of groom and bride, 1971	Counties	Table 52 - Marriages registered in 1971 classified by area of residence of groom and area of residence of bride before marriage.	150
Marriages with intended future residence abroad by age of groom, 1971	State	Table 53 - Marriages registered in 1971 in which the future permanent residence was stated to be outside the country, classified by age of groom.	152
Marriages with intended future residence abroad by age of bride, 1971	State	Table 54 - Marriages in 1971 in which the future permanent residence was stated to be outside the country classified by age of bride.	152
Marriages with intended future residence abroad by social group of groom, 1971	State	Table 55 - Marriages registered in 1971 in which the future permanent residence was stated to be outside the country, classified by social group of groom.	152
Marriages with intended future residence abroad by social group of bride, 1971	State	Table 56 - Marriages registered in 1971 in which the future permanent residence was stated to be outside the country, classified by social group of bride.	153
Marriages with intended future residence abroad by form of ceremony, 1971	State	Table 57 - Marriages registered in 1971 in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	153
Marriages with intended future residence abroad by area of residence of groom before marriage, 1971	State	Table 58 - Marriages registered in 1971 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	154
Marriages with intended future residence abroad by area of residence of bride before marriage, 1971	State	Table 59 - Marriages registered in 1971 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	154
Notification of infectious diseases, 1971	State	Table 60 - Summary of cases of infectious diseases notified to the Department of Health during the year, 1971.	155
Appendix I	State	Table I - Births occurring in 1969 but registered in 1970 classified by age of mother at maternity and number of previous children.	159
Appendix II	State	Table II - Deaths occurring in 1969 but registered in 1970 classified by cause, sex and age group.	160

REPORT ON VITAL STATISTICS FOR THE YEAR 1971

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of Northern Ireland.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1971 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. From 1968 however the number of deaths includes non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

NOTE: Prior to 1970 births and deaths were classified according to year of registration. In order to comply with United Nations regulation it was decided to classify births and deaths by year of occurrence from 1970 onwards.

Because of this change in the basis of classification, those births and deaths which occurred in 1969 but were registered in 1970 have been recorded neither in the 1969 nor in the 1970 Report on Vital Statistics. The number of births excluded on this account was 2,545 and the number of deaths, 2,279. Appendix tables to the present Report show these births classified by age of mother at maternity and number of previous children, while deaths are classified by cause, sex and age group.

GENERAL SUMMARY

Marriages. - There were 22,014 marriages registered during the year 1971 compared with 20,778 in 1970. The marriage rate per 1,000 population was 7.39 compared with 7.06 in 1970.

Births. - The number of births occurring during 1971 was 67,551 and the birth rate was 22.68 per 1,000 population, compared with 21.87 per 1,000 population in 1970. The number of illegitimate births registered in 1971 was 1,842 or 2.73 per cent of all births.

Deaths. - The number of deaths occurring during 1971 was 31,890 and the death rate was 10.71 per 1,000 population. In 1970 deaths numbered 33,686 and the rate was 11.44.

Of the deaths occurring in 1971, 30.29 per cent were stated to be due to ischaemic and other forms of heart disease, 17.81 per cent to malignant neoplasms, 14.28 per cent to cerebrovascular disease and 0.57 per cent to tuberculosis (all forms).

The number of deaths in 1971, from tuberculosis of all forms was 183 and the rate was 0.06 per 1,000 population, 0.02 below that for 1970.

There were 5,474 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1971 was 1.84 per 1,000 population, compared with 1.80 in 1970.

During 1971 the number of deaths occurring of infants under one year was 1,214 compared with 1,255 in 1970 giving rates of 17.97 and 19.49 respectively per 1,000 live births.

The total number of deaths from accidents and other external causes in 1971 was 1,481 of which road vehicle accidents accounted for 575.


Marriage, birth and death rates per 1,000 population for the years 1941 to 1971 are illustrated in Diagram 1.

Issue of Authority for Registration. - Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of births registered on the authority of An tArd Chlaraitheoir in 1971 was 800 and the number of deaths registered was 184. Throughout the tables in this Report these births and deaths have been excluded.

Population. - The population according to the Census taken on 18 April 1971 was 2,978,248.

Diagram 1

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1941 — 1971



MARRIAGES

The number of marriages registered in 1971 was 22,014, an increase of 1,236 on the previous year; the rate was 7.4 per 1,000 population, being the highest rate ever recorded. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1962. The following table compares the marriage rate in Ireland in the years 1941 to 1971 with those in Northern Ireland, England and Wales and Scotland.

TABLE I
NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960
AND IN EACH YEAR 1962-1971.

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4
1969	7.0	7.7	8.1	8.3
1970	7.1	8.1	8.5	8.3
1971	7.4	7.9	8.3	8.1

*Exclusive of Northern Ireland.

† Average annual number of marriages per 1,000 population for decennial periods from 1941-1960.

From this table it will be seen that over the period under review, while the marriage rate in this country has been consistently lower than the rates in the other areas, the difference has been decreasing due to the rate in this country rising faster than in the other areas.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

TABLE II
PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND
AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1968 TO 1971.

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1968	1969	1970	1971	1945-46	1968	1969	1970	1971
	Per cent									
Under 20 years	1.0	2.8	3.0	3.3	3.6	6.6	10.0	10.2	11.3	12.0
20 to 24 "	14.3	35.7	37.3	39.4	39.7	29.5	49.7	50.9	52.4	52.2
25 to 29 "	25.7	33.0	33.0	33.5	34.1	31.1	24.8	24.3	23.1	23.2
30 to 34 "	24.2	13.9	13.2	12.0	11.4	19.9	8.4	7.6	6.9	6.5
35 to 44 "	25.8	10.2	9.4	8.2	7.6	11.1	5.2	5.2	4.5	4.4
45 years and over	9.0	4.4	4.0	3.7	3.6	1.9	1.9	1.8	1.9	1.7
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	28.4	28.1	27.7	27.5	28.0	25.5	25.3	25.1	25.0

Whereas, in 1945–46, 59.0 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 22.6 in 1971; the average age of men at marriage declining from 33.1 years in 1945–46 to 27.5 years in 1971. In 1945–46, 32.9 per cent of women marrying were aged 30 years and over compared with 12.7 per cent in 1971 while the average age at marriage declined from 28.0 years in 1945–46 to 25.0 in 1971. In TABLE 43 the marriages registered in 1971 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1971 were 27.2 and 24.7 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1971 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IRELAND* AND ENGLAND AND WALES 1971.

Age groups	Bachelors		Spinsters	
	Ireland* 1971	England and Wales 1971	Ireland* 1971	England and Wales 1971
15-19 years†	5.8	25.9	20.5	92.0
20-24 "	93.7	165.8	157.7	239.4
25-29 "	173.2	163.0	190.5	161.7
30-34 "	100.7	85.6	97.1	75.7
35-39 "	48.1	44.2	49.6	38.7
40-44 "	25.4	24.6	19.7	22.0
45-49 "	13.4	15.6	7.7	15.0
50-54 "	6.6	10.5	3.5	10.6
55 and over	1.5	4.4	0.6	2.7
Total, 15 years and over	46.5	81.7	57.8	96.5

* Exclusive of Northern Ireland.

† 16-19 years for England and Wales.

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15–19 age groups the marriage rate in England and Wales was more than four times that in Ireland in the case of both males and females. In the 20–24 age group the England and Wales rate for males was almost double the Irish rate and for females was more than one and a half times the Irish rate. There was very little difference between the rates in the age groups between 30–49 for males and between 25–44 for females. In the age groups above 50 the rate for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1971 amounted to 21,118 (equal to 96 per cent of the total) and other marriages numbered 896, of which 566 were according to the rites and ceremonies of the Church of Ireland, 111 in Presbyterian Churches, 30 in Methodist Churches, 6 according to Jewish Rites, 13 in registered buildings belonging to other religious denominations and 170 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1971 was 7.55 per 1,000 of the Catholic population an increase of 0.41 on the corresponding rate for 1970. The rate for all other marriages combined was 4.91 per 1,000 of the population other than Catholic, a decrease of 0.62 on the 1970 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1960 AND IN EACH YEAR 1962-1971 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	54	900	15,685	16,585	5.63	4.94	5.60
1951-60†	507	112	37	18	5	65	744	14,998	15,742	5.48	4.48	5.42
1962	438	120	28	14	3	47	650	14,977	15,627	5.58	4.50	5.52
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95
1970	518	104	29	7	10	121	789	19,989	20,778	7.14	5.53	7.06
1971	566	111	30	6	13	170	896	21,118	22,014	7.55	4.91	7.39

† Average annual number of marriages and rates for decennial periods 1941-1960.

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of the groom was 27.4 years compared with 29.4 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 24.9 years and for other marriages, 26.4 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation although status (i.e. whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1971 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In the case of grooms and brides the average marriage age in 1971 was higher in the social group "Farmers, relatives assisting and farm managers" than in any other group. The lowest average age was in the "Skilled manual workers" group for grooms and in the group "Other manual workers" for brides.

TABLE 49 shows marriages registered in 1971 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 55 per cent were in the "Intermediate and other non-manual workers" group, 23 per cent were other manual workers and 9 per cent were in the lower professional group, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 25 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1971. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in TABLE V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 27 years, whereas in the counties Roscommon, Cavan, Laois and Longford the average age was 32.2, 30.3, 29.8 and 29.6 respectively. The average age of brides was not over 25 years in the four county boroughs. The lowest average ages were in Limerick County Borough 23.7, and Offaly 23.8 and the highest were in Roscommon 27.5, Leitrim 26.9 and Cavan 26.5.

In TABLE 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,000 of the men married in the State in 1971 were returned as residing in England, Wales or Scotland, 319 in Northern Ireland and 210 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 619, the number from Northern Ireland was 146 and the number from other countries was 82. In 695 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1971.

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	244	209	35	85.7
Dublin County Borough	5,759	4,955	804	86.0
Dun Laoghaire	498	403	95	80.9
Dublin County (remainder)	1,223	740	483	60.5
Kildare	561	484	77	86.3
Kilkenny	390	295	95	75.6
Laois	287	234	53	81.5
Longford	191	155	36	81.2
Louth	670	607	63	90.6
Meath	527	430	97	81.6
Offaly	326	267	59	81.9
Westmeath	401	313	88	78.1
Wexford	651	581	70	89.2
Wicklow	514	425	89	82.7
Clare	474	363	111	76.6
Cork County Borough	1,070	891	179	83.3
Cork County	1,442	1,293	149	89.7
Kerry	663	570	93	86.0
Limerick County Borough	570	396	174	69.5
Limerick County	530	424	106	80.0
Tipperary, N.R.	337	291	46	86.4
Tipperary, S.R.	504	402	102	79.8
Waterford County Borough	270	216	54	80.0
Waterford County	258	203	55	78.7
Galway	923	750	173	81.3
Leitrim	148	111	37	75.0
Mayo	567	420	147	74.1
Roscommon	264	197	67	74.6
Sligo	289	235	54	81.3
Cavan	344	288	56	83.7
Donegal	813	649	164	79.8
Monaghan	306	259	47	84.6
TOTAL	22,014	18,056	3,958	82.0

*Includes 46 cases in which residence was not stated and 847 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM
THAT AREA, IN 1971.

Area	Rate (a)	Rate (b)
Carlow	7.1	8.2
Dublin County Borough	10.1	9.7
Dun Laoghaire Borough	9.4	8.5
Dublin County (remainder)	5.3	5.0
Kildare	7.8	8.3
Kilkenny	6.3	5.6
Laois	6.3	5.6
Longford	6.8	6.3
Louth	8.9	8.4
Meath	7.3	6.7
Offaly	6.3	6.5
Westmeath	7.5	7.0
Wexford	7.5	6.9
Wicklow	7.8	7.4
LEINSTER	8.2	7.8
Clare	6.3	6.0
Cork County Borough	8.3	7.6
Cork County	6.4	6.4
Kerry	5.9	5.4
Limerick County Borough	10.0	7.6
Limerick County	6.4	6.7
Tipperary, N.R.	6.2	6.1
Tipperary, S.R.	7.3	6.5
Waterford County Borough	8.4	6.9
Waterford County	5.7	6.2
MUNSTER	6.9	6.5
Galway	6.2	5.6
Leitrim	5.2	4.9
Mayo	5.2	4.2
Roscommon	4.9	4.0
Sligo	5.7	4.7
CONNACHT	5.6	4.8
Cavan	6.5	5.7
Donegal	7.5	5.4
Monaghan	6.6	6.0
ULSTER (part of)	7.1	5.6
TOTAL	7.4	6.9

It will be observed that rates (a) and (b) differ on account of the fact the marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 197 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a high proportion of cases, the intended future residence was outside the State.

TABLE VII
PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1962-1971.

Year	Total Marriages	Marriages with intended future residence abroad	Col. (3) as percentage of col. (2)
(1)	(2)	(3)	(4)
1962	15,627	2,037	13.0
1963	15,556	1,949	12.5
1964	16,128	1,995	12.4
1965	16,946	2,004	11.8
1966	16,849	2,272	13.5
1967	17,788	2,242	12.6
1968	18,993	2,293	12.1
1969	20,304	2,396	11.8
1970	20,778	2,224	10.7
1971	22,014	2,090	9.5

As may be seen from Table VII the proportion of marriages with intended future residence outside the State shows a decline over the years 1962 to 1965 with a big increase in 1966. Since 1966 there has been a continuous decline and it is now below the 1965 level. In the case of 1,309 marriages the future residence was in England and Wales, 284 in Northern Ireland, 51 in Scotland, 115 in other parts of Europe, 136 in the United States of America, 77 in Canada, 64 in Australia and New Zealand and 54 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average age of the men marrying and then going abroad was somewhat below that for all marriages in the State while the average age of the women marrying and then going abroad was slightly above the level of that for all marriages. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VII contains the results obtained.

TABLE VIII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1970 AND 1971.

Social group of groom	Percentage with intended future residence outside the State	
	1970	1971
	Per cent	
Farmers, relatives assisting and farm managers	3	2
Other agricultural occupations and fishermen	4	4
Higher professionals	22	24
Lower professionals	18	16
Employers and managers	13	12
Salaried employees	14	12
Intermediate non-manual workers	11	8
Other non-manual workers	9	9
Skilled manual workers	12	11
Other manual workers	9	7
TOTAL ALL GROUPS COMBINED	11	10

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. With the aid of this Table it may be calculated that in 1971 in the case of Catholic marriages the percentage with intended future residence outside the State was 9 per cent compared with 10 per cent in 1970, the corresponding figures for all other marriages being 23 per cent in 1971 and 26 per cent in 1970.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1970 AND 1971 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1970	1971
	Per cent	
Dublin County Borough and Dun Laoghaire	5	4
Remainder of Leinster	2	3
Munster	3	3
Connacht	5	5
Ulster (part of)	8	7
Outside the State	90	90

BIRTHS

The number of births occurring during the year 1971 was 67,551, comprised of 34,751 males and 32,800 females. The corresponding figures for 1970 were 64,382, 33,131 and 31,251 respectively. The birth rate in 1971 was 22.7 per 1,000 population, compared with 21.9 in 1970.

TABLE X

NUMBER OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1960 AND IN EACH YEAR 1962-1971.

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1962	61.8	21.8	22.7	17.9	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6
1967	61.3	21.1	22.4	17.2	18.6
1968	61.0	21.0	22.1	16.9	18.3
1969	62.9	21.5	21.4	16.3	17.4
1970	64.4	21.9	21.1	16.0	16.8
1971	67.6	22.7	20.7	16.0	16.6

*Exclusive of Northern Ireland.

† Average annual number of births and birth rates for decennial periods from 1941-1960.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1971 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 295 or 0.4 per cent of the total. The number where parity was not stated was 7. In 1970 the corresponding figures were 173 or 0.3 per cent with only one instance where parity was not stated. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI

BIRTHS OCCURRING IN 1971 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	2.485	2.022	389	67	6	1	-	-	-	-
20-24 years	15.754	8.531	4.426	1.812	645	225	114	-	-	1
25-29 "	20.683	5.667	6.125	4.390	2.372	1.139	980	9	-	1
30-34 "	14.871	1.780	2.472	3.302	2.875	1.856	2.454	127	1	4
35-39 "	9.653	674	921	1.323	1.609	1.510	3.162	426	27	1
40-44 "	3.543	168	211	303	401	426	1,581	412	41	-
45 years and over	267	7	16	13	20	21	129	49	12	-
Not stated	295	292	2	-	-	-	1	-	-	-
TOTAL	67,551	19,141	14,562	11,210	7,928	5,178	8,421	1,023	81	7

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Continuing the trend observed since 1967 and 1968 there is in 1971 a shift towards the younger age groups in the distribution of births according to the age of mother at maternity. As may be calculated from Table XII, in 1971 mothers aged under 30 years at maternity accounted for 57.6 per cent of the births compared with 55.7 per cent in 1970, corresponding figures for England and Wales and Scotland for 1971 being 78.6 per cent and 76.9 per cent respectively, illustrating the striking difference between the countries.

TABLE XII

**PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1970 AND 1971 AND IN ENGLAND AND WALES AND SCOTLAND IN 1971.**

Age at maternity	Ireland*		England and Wales 1971	Scotland 1971
	1970	1971		
	Per cent			
Under 20 years	3.3	3.7	10.6	10.6
20-24 years	23.0	23.4	36.5	36.3
25-29 "	29.4	30.6	31.5	30.0
30-34 "	23.2	22.1	14.0	14.8
35-39 "	15.2	14.4	5.8	6.4
40-44 "	5.4	5.3	1.5	1.7
45 years and over	0.5	0.4	0.1	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	29.6	29.4	26.2	25.7

* Exclusive of Northern Ireland.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference remains very pronounced as may be seen from Table XIII.

TABLE XIII

**PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY
IN IRELAND* IN 1970 AND 1971 AND IN ENGLAND AND WALES AND SCOTLAND IN 1971.**

Age at maternity	Ireland*		England and Wales 1971	Scotland 1971
	1970	1971		
	Per cent			
Under 20 years	7.2	8.3	17.6	19.2
20-24 years	43.9	45.4	48.3	48.3
25-29 "	31.9	31.6	26.2	23.5
30-34 "	11.4	9.9	5.8	6.2
35-39 "	4.6	3.8	1.7	2.1
40-44 "	1.0	0.9	0.4	0.5
45 years and over	0.1	0.0	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	25.8	25.4	23.9	23.3

* Exclusive of Northern Ireland.

Fertility rates in Ireland and in England and Wales in 1971 are compared in Table XIV.

TABLE XIV

BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES, 1971.

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1971	England and Wales 1971	Ireland* 1971	England and Wales 1971	Ireland* 1971	England and Wales 1971
15-19 years	19.0	50.4	678.7	468.5	4.7	14.3
20-24 "	149.6	154.1	457.3	245.2	11.1	28.3
25-29 "	242.6	153.0	349.0	173.0	10.1	45.5
30-34 "	199.5	77.5	248.0	82.0	6.2	40.9
35-39 "	131.1	32.8	160.0	34.1	3.5	21.8
40-44 "	46.4	8.1	58.4	8.4	0.9	6.2
45-49 "	3.3	0.5	4.2	0.6	0.2	0.3
Total 15-49 years	107.3	83.6	195.1	93.2	6.3	21.8

*Exclusive of Northern Ireland.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 45 per cent above that in England and Wales, in the 20-24 year group 87 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 and 20-24 year groups, but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 1,842 being 133 more than in 1970. This was equivalent to an annual rate of 6.3 per 1,000 unmarried females and was 2.7 per cent of total births. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1971 and 1970 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1971.

TABLE XV

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1970 AND 1971 AND IN ENGLAND AND WALES AND SCOTLAND IN 1971.

Number of previous children	Ireland*		England and Wales 1971	Scotland 1971
	1970	1971		
	Per cent			
0	27.2	28.4	40.2	38.5
1	21.5	21.6	33.7	31.5
2	16.5	16.6	15.3	16.4
3	11.8	11.8	6.1	7.4
4	7.9	7.7	2.5	3.3
5 to 9	13.3	13.0	2.1	2.8
10 to 14	1.7	1.5	0.1	0.1
15 and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

*Exclusive of Northern Ireland.

The difference between the years 1971 and 1970 in respect of the percentage distribution according to number of previous children was slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1971, 14.6 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 2.2 in England and Wales and 2.9 in Scotland.

MULTIPLE BIRTHS

The number of maternities in 1971 which resulted in multiple live births was 851 consisting of 839 sets of twins and 12 of triplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 12.6. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1962–1971.

TABLE XVI

NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1962–1971.

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1962	61,782	60,826	926	12	2	15.2
1963	63,246	62,264	960	11	-	15.4
1964	64,072	63,177	873	11	-	13.8
1965	63,525	62,648	850	12	1	13.6
1966	62,215	61,339	858	9	-	14.0
1967	61,307	60,457	836	7	-	13.8
1968	61,004	60,165	821	9	-	13.6
1969	62,912	62,033	849	15	-	13.7
1970	64,382	63,528	834	10	-	13.1
1971	67,551	66,688	839	12	-	12.6

DEATHS

The number of deaths occurring during the year 1971 was 31,890 of which 17,357 were those of males and 14,533 those of females equivalent to a rate of 10.71 deaths per 1,000 total population, compared with 11.44 in the previous year, and 11.55 in 1969.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1960 and the death rates for each year 1962 to 1971.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941–1971 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1971 was slightly higher than in Northern Ireland and lower than that for England and Wales and Scotland. However, over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

Attention should be drawn to the fact that these comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the populations.

TABLE XVII

DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941–1960
AND IN EACH YEAR 1962–1971.

Period	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941–1950†	41.5	14.0	12.6	12.3	13.2
1951–1960†	35.4	12.2	11.0	11.6	12.0
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3
1967	31.4	10.8	9.8	11.2	11.5
1968	33.2	11.4	10.6	11.9	12.2
1969	33.7	11.6	10.8	11.9	12.3
1970	33.7	11.4	10.9	11.7	12.2
1971	31.9	10.7	10.6	11.6	11.8

* Exclusive of Northern Ireland.

† Average annual number of deaths and death rates for decennial periods from 1941–1960.

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 5.50 and a standardised rate of 9.35, reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 16.36 to 11.11, because of the comparatively old age structure in that county. The standardised rates in 1971 were lowest in Mayo and Dublin County and highest in the County Borough of Waterford.

Diagram 2

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1971




TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1971.

Area	Deaths per 1,000 population	
	Crude	Standardised
TOTAL	10.71	10.71
Carlow	11.22	11.38
Dublin County Borough	9.53	11.18
Dun Laoghaire Borough	11.68	10.82
Dublin County (Remainder)	5.50	9.35
Kildare	9.32	11.95
Kilkenny	10.88	10.48
Laois	11.16	10.66
Longford	11.54	10.01
Louth	10.05	11.48
Meath	10.47	11.18
Offaly	10.67	10.84
Westmeath	11.37	10.56
Wexford	11.42	10.93
Wicklow	10.02	10.85
LEINSTER	9.46	10.85
Clare	13.15	10.87
Cork County Borough	10.14	11.87
Cork County	11.78	10.69
Kerry	12.55	10.55
Limerick County Borough	9.87	12.13
Limerick County	11.90	11.29
Tipperary, N.R.	11.91	11.15
Tipperary, S.R.	11.61	11.18
Waterford County Borough	10.89	12.64
Waterford County	11.29	10.05
MUNSTER	11.58	11.06
Galway	11.75	10.38
Leitrim	16.36	11.11
Mayo	12.65	9.31
Roscommon	13.25	9.65
Sligo	13.45	10.73
CONNACHT	12.76	10.07
Cavan	12.85	10.35
Donegal	11.79	9.38
Monaghan	12.18	10.84
ULSTER (part of)	12.14	9.91

TABLE
AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All causes	1,160.4	980.3	506.3	388.1	45.2	22.6	95.2	47.0	117.9	82.6
008,009	Enteritis and other diarrhoeal diseases	2.1	2.0	16.7	11.7	-	-	-	-	-	1.3
010-019	Tuberculosis	8.5	3.8	0.6	0.7	-	0.3	0.8	-	1.8	-
000-136(rem.)	All other infective and parasitic diseases	3.5	3.6	14.2	17.6	1.3	0.3	-	0.9	0.6	-
	Malignant neoplasms of										
150	oesophagus	7.6	6.4	-	-	-	-	0.4	-	-	-
151	stomach	29.8	23.1	-	-	-	-	0.4	-	0.6	3.1
153	large intestine	19.0	23.7	-	-	-	-	0.4	-	2.4	0.6
154	rectum	11.4	6.7	-	-	-	-	-	-	0.6	1.3
157	pancreas	12.0	8.3	-	-	-	-	-	-	-	-
161	larynx	2.9	1.6	-	-	-	-	-	-	-	-
162	trachea, bronchus and lung	51.3	16.0	-	-	0.3	-	-	-	1.2	-
174	breast	0.2	31.6	-	-	-	-	-	-	-	3.8
180	cervix uteri	-	4.3	-	-	-	-	-	-	-	1.9
181,182	Other uterus	-	5.9	-	-	-	-	-	-	-	1.3
183	ovary, fallopian tube and broad ligament	-	7.2	-	-	-	-	-	0.9	-	0.6
185	prostate	19.5	-	-	-	0.0	-	-	-	-	-
188,189	bladder and other urinary organs	8.9	4.6	0.6	-	-	0.3	-	0.4	-	0.6
204-207	leukaemia, aleukaemia	7.0	4.3	4.3	1.3	2.2	3.3	2.0	2.5	1.8	1.3
140-209(rem.)	all other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	38.1	30.4	8.7	4.6	1.6	1.7	6.9	4.2	15.2	5.0
210-239	Benign neoplasm and neoplasms of unspecified nature	2.1	2.4	0.6	-	-	1.0	0.4	-	-	1.3
250	Diabetes mellitus	9.2	11.5	-	-	-	-	-	0.9	1.8	-
280-285	Anaemias	2.9	4.1	0.6	-	0.6	-	-	-	-	-
320	Meningitis	1.0	1.1	6.2	6.5	0.3	0.3	0.4	0.9	-	0.6
393-398	Chronic rheumatic heart disease	10.0	12.5	-	-	-	-	0.8	0.4	2.4	4.4
400-404	Hypertensive disease	19.0	22.4	-	-	0.6	-	0.4	-	-	-
410-414	Ischaemic heart disease	316.9	196.5	-	-	-	-	0.8	0.4	6.1	1.9
420-429	Other forms of heart disease	53.8	58.4	-	-	-	-	1.2	-	1.2	2.5
430-438	Cerebrovascular disease	134.3	171.6	-	0.7	0.6	0.3	3.2	3.8	3.0	6.3
440	Arteriosclerosis	25.5	31.0	-	-	-	-	-	-	-	-
470-474	Influenza	3.5	3.8	0.6	-	-	0.3	0.4	0.4	-	1.3
480-486	Pneumonia	55.3	59.7	53.1	41.6	1.9	1.3	2.4	3.8	2.4	4.4
490-493	Bronchitis, emphysema and asthma	76.8	38.0	3.1	-	0.6	-	1.6	1.3	1.2	1.9
531-533	Peptic ulcer	8.8	4.7	-	-	0.3	-	-	-	0.8	-
550-553,560	Intestinal obstruction and hernia	3.9	2.9	1.9	2.0	-	-	0.4	-	1.2	-
571	Cirrhosis of liver	2.9	2.0	-	-	-	-	0.4	-	0.6	-
580-584	Nephritis and nephrosis	7.6	6.1	-	-	0.6	0.7	2.0	-	1.2	1.3
600	Hyperplasia of prostate	7.2	-	-	-	-	-	-	-	-	-
640-645	Abortion	-	0.1	-	-	-	-	-	-	-	0.6
630-639	Other complications of pregnancy, childbirth and the puerperium	-	-	-	-	-	-	-	-	-	-
650-678		-	1.1	-	-	-	-	-	0.9	-	4.4
740-759	Congenital anomalies	14.7	13.0	117.4	109.9	3.8	3.3	2.0	0.4	3.0	1.3
764-768, 772,776	Birth injury, difficult labour and other anoxic and hypoxic conditions	13.0	6.6	120.4	63.7	-	-	-	-	-	-
760-763, 769-771, 773-775, 777-779	Other causes of perinatal mortality	9.0	6.5	83.4	63.1	-	-	-	-	-	-
794	Senility without mention of phychosis	16.1	23.1	-	-	-	-	-	-	-	-
780-798(rem.)	Other symptoms and ill-defined conditions	2.7	0.9	0.6	-	-	-	-	-	-	-
240-738(rem.)	All other diseases	78.2	81.3	37.7	40.3	6.7	3.3	5.7	5.9	10.3	10.6
E810-E823	Motor vehicle accidents	27.8	9.8	11.1	7.2	14.7	3.7	36.1	14.4	29.2	8.8
E800-E807	All other accidents	-	-	-	-	-	-	-	-	-	-
E825-E949		25.6	21.7	21.6	17.6	8.9	2.3	17.4	3.4	15.8	1.9
E950-E959	Suicide and self inflicted injuries	3.9	1.5	-	-	-	-	2.8	-	6.1	3.1
E960-E999	All other external causes	6.2	2.8	2.5	-	0.3	-	5.7	1.3	7.3	5.6

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eighth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The Eighth Revision was used for the first time in classifying deaths by causes in the 1968 Report. The Reports from 1958 to 1967 were based on the Seventh Revision.

TABLE XIX

AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES FROM SOME OF THE PRINCIPAL CAUSES
IN EACH PERIOD 1955-57, 1960-62, 1965-67, 1970 AND 1971.

I.L. Nos. 8th Revision	Cause of death	1955-57	1960-62	1965-67	1970	1971
		Average annual number			Number	
010-019	Tuberculosis, all forms	758	438	309	221	183
Rem. 000-136	Other infective and parasitic diseases	335	234	228	212	167
140-209	Cancer	4,722	4,810	5,117	5,544	5,680
393-398, 410-429	Diseases of heart	10,580	10,884	10,690	9,904	9,658
Rem. 390-458	Other diseases of circulatory system	5,910	5,918	6,275	6,915	6,642
470-474	Influenza	554	554	397	704	109
Rem. 460-519	Other diseases of respiratory system	2,469	2,880	3,357	4,426	3,815
794	Senility	2,680	2,010	1,251	599	583
	Other diseases	5,997	5,028	4,404	3,747	3,572
800-999	Accidents and other external causes	988	998	1,151	1,414	1,481
	ALL CAUSES	34,993	33,754	33,179	33,686	31,890
		Average annual rates per 100,000 population			Annual rate per 100,000 population	
010-019	Tuberculosis, all forms	26.1	15.5	10.7	7.5	6.1
Rem. 000-136	Other infective and parasitic diseases	11.5	8.3	7.9	7.2	5.6
140-209	Cancer	162.8	170.1	177.3	188.3	190.7
393-398, 410-429	Diseases of the heart	364.7	385.0	370.4	336.4	324.3
Rem. 390-458	Other diseases of circulatory system	203.7	209.3	217.4	234.9	223.0
470-474	Influenza	19.1	19.6	13.8	23.9	3.7
Rem. 460-519	Other diseases of respiratory system	85.1	101.9	116.3	150.3	128.1
794	Senility	92.4	71.1	43.3	20.3	19.6
	Other diseases	206.7	177.9	152.6	127.3	119.9
800-999	Accidents and other external causes	34.1	35.3	39.9	48.0	49.7
	ALL CAUSES	1,206.2	1,194.0	1,149.7	1,144.1	1,070.8

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the periods 1955-57 and the years 1970 and 1971 has been the drop in deaths from tuberculosis. The rate for 1971 was one-quarter of the rate in 1955-57. In the case of other infective and parasitic diseases the rate dropped to one-half of the 1955-57 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, almost twice as many people dying from heart disease as from the next biggest cause of death, i.e. cancer, the rate for which showed an increase of 17 per cent.

Death rates per 100,000 corresponding population												I.D.L. Nos.
35-44		45-54		55-64		65-74		75-84		85 and over		
M	F	M	F	M	F	M	F	M	F	M	F	
233.7	142.7	746.4	491.8	1,944.6	1,184.4	4,772.6	3,058.6	11,186.3	8,632.3	24,439.2	21,859.9	
-	-	0.6	0.6	0.7	1.4	2.0	3.6	2.3	1.8	-	7.8	008,009
0.7	1.3	10.0	8.1	19.8	11.2	58.5	10.8	34.5	20.1	24.6	-	010-019
2.6	-	1.9	3.1	4.8	2.8	7.1	5.4	2.3	11.0	37.0	15.6	000-136(rem.)
2.0	-	8.8	5.6	19.1	12.6	36.3	24.2	55.3	54.8	49.3	85.8	150
5.3	2.0	28.2	14.4	69.6	37.2	165.5	97.6	237.1	199.2	258.8	319.9	151
6.6	4.0	14.4	13.8	35.5	42.9	101.9	101.2	175.0	204.7	209.5	280.9	153
2.6	3.3	8.2	3.8	19.8	15.5	55.5	26.0	131.2	47.5	135.6	70.2	154
0.7	2.0	11.3	3.8	32.1	19.7	56.5	35.8	101.3	73.1	160.2	46.8	157
0.7	-	3.1	1.9	4.1	4.2	15.1	8.1	29.9	3.7	37.0	23.4	161
10.5	2.7	60.2	19.4	167.9	47.1	295.7	84.2	237.1	65.8	123.2	39.0	162
-	25.4	-	67.6	-	81.5	1.0	98.5	4.6	124.3	-	179.4	174
-	2.7	-	8.1	-	11.9	-	14.3	-	18.3	-	7.8	180
-	2.7	-	5.0	-	11.2	-	34.0	-	25.6	-	39.0	181,182
-	4.7	-	8.1	-	24.6	-	21.5	-	45.7	-	-	183
-	-	2.5	-	20.5	-	101.9	-	269.4	-	468.3	-	185
2.6	0.7	8.8	2.5	25.3	11.9	35.3	15.2	85.2	42.0	61.6	23.4	188,189
4.0	0.7	6.3	5.0	10.9	3.5	27.3	17.9	46.0	11.0	37.0	31.2	204-207
21.7	8.0	43.9	36.3	90.8	63.9	144.3	103.9	234.8	195.6	345.1	288.7	140-209(rem.)
2.0	-	1.9	1.9	4.1	4.2	9.0	9.0	18.4	12.8	-	31.2	210-239
2.0	-	6.3	4.4	12.3	14.0	42.4	53.7	110.5	122.4	172.5	109.2	250
0.7	-	0.6	1.9	3.4	4.2	9.0	13.4	34.5	36.6	110.9	124.8	280-285
-	-	-	0.6	0.7	-	2.0	1.8	-	-	-	-	320
4.6	4.0	13.2	15.7	23.9	28.1	33.3	40.3	80.6	84.1	147.9	117.0	393-398
4.0	1.3	13.8	5.0	36.2	26.0	86.7	67.2	195.7	263.2	382.1	514.9	400-404
53.3	10.7	232.5	59.5	668.0	264.8	1,519.9	709.4	3,032.0	1,913.6	5,841.8	4,540.5	410-414
2.6	0.7	13.8	8.8	30.7	14.1	173.6	111.1	805.8	681.7	2,551.2	2,574.5	420-429
11.9	13.3	52.6	60.1	156.3	148.2	568.2	579.5	1,839.5	1,855.1	3,722.0	4,166.0	430-438
-	0.7	2.5	1.3	6.1	4.9	55.5	53.7	407.5	336.3	1,676.1	1,599.3	440
-	2.0	-	0.6	3.4	2.1	13.1	2.7	48.4	47.5	147.9	124.8	470-474
3.3	6.0	13.8	19.4	51.2	41.5	173.6	166.6	704.5	541.0	1,787.0	1,716.3	480-486
7.9	6.0	40.1	18.2	139.2	57.6	393.6	148.7	787.4	330.8	1,528.2	709.9	490-493

Of the deaths occurring in 1971, 75 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 380.7 per 100,000 population for males and 267.4 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 207.7 and 174.1 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 134.3 and 171.6 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

In 1971 there were 183 deaths from tuberculosis, of which 165 were caused by the respiratory form and 18 by other forms of the disease. Between the period 1941-1950 and the year 1971 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level.

The mortality from tuberculosis in the counties and county boroughs in 1971 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Wicklow (0.12), and Waterford County (0.11), while the lowest rates were in Counties Offaly and Monaghan (0.02).

TABLE XXI

NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941-1960 AND IN EACH YEAR 1962-1971.

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941-1950*	2,739	0.92	779	0.26	1.05	1.07
1951-1960*	787	0.27	190	0.06	1.62	1.28
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00
1969	226	0.08	29	0.01	2.77	1.23
1970	199	0.07	22	0.01	2.06	1.75
1971	165	0.06	18	0.01	2.44	1.24

* Average annual number of deaths and death rates for decennial periods from 1941-1960.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1944 — 1971





Diagram 4

DEATH RATES FROM LUNG CANCER PER 100,000 POPULATION



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045–055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140–205 (Nos. 140–209 in Eighth Revision) of the International Statistical classification which now included Hodgkins disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figures less Hodgkins disease and leukaemia should also be shown.

In 1971 there were 5,680 deaths from cancer (Nos. 140 to 209). Of this number, 38 deaths were caused by Hodgkins disease and 168 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1962 to 1971.

TABLE XXII

DEATHS FROM CANCER (Nos. 140–209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1962 TO 1971.

Year	Age group (years)							
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	Total
Males								
1962	8	20	52	196	460	877	1,382	190
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
1967	9	19	43	166	466	912	1,469	189
1968	8	16	46	159	455	1,018	1,472	194
1969	6	17	47	178	481	1,035	1,607	204
1970	7	20	57	173	479	983	1,624	202
1971	8	22	57	196	495	1,036	1,651	207
Females								
1962	6	17	74	195	343	630	929	156
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164
1967	5	21	67	201	376	647	956	162
1968	6	23	78	191	375	641	1,104	170
1969	7	23	76	196	392	685	1,089	175
1970	6	18	71	200	390	691	1,079	174
1971	6	19	59	195	388	683	1,173	174

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 25 years but between the ages 25 and 54 years the female rates were generally greater than those for males. In 1971 the male death rate for all ages was 19 per cent above that for females. The trend in the death rates from cancer since 1943 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII

DEATHS FROM CANCER (Nos. 140-209) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1960 TO 1971.

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1960	1.68	1.62	2.16	2.13
1961	1.67	1.60	2.16	2.16
1962	1.73	1.61	2.18	2.21
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29
1966	1.79	1.71	2.25	2.31
1967	1.76	1.65	2.30	2.34
1968	1.82	1.84	2.32	2.40
1969	1.89	1.86	2.35	2.42
1970	1.88	1.77	2.36	2.43
1971	1.91	1.80	2.39	2.45

*Exclusive of Northern Ireland.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and Northern Ireland.

The death rates from cancer in 1971 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140-209) IN EACH COUNTY AND COUNTY BOROUGH IN 1971.

Area	Rate per 1,000 population			Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.78	1.82	Clare	1.81	1.54
Dublin County Borough	2.16	2.49	Cork County Borough	2.09	2.42
Dun Laoghaire Borough	2.41	2.22	Cork County	1.96	1.78
Dublin County (remainder)	1.12	1.88	Kerry	2.01	1.69
Kildare	1.79	2.27	Limerick County Borough	1.57	1.92
Kilkenny	1.89	1.81	Limerick County	2.05	1.93
Laois	1.66	1.59	Tipperary, N.R.	2.01	1.88
Longford	1.59	1.35	Tipperary, S.R.	2.12	2.03
Louth	1.76	2.01	Waterford County Borough	2.16	2.52
Meath	1.63	1.74	Waterford County	2.14	1.92
Offaly	1.78	1.81			
Westmeath	1.46	1.39	MUNSTER	1.99	1.90
Wexford	2.21	2.47			
Wicklow	1.84	1.97			
LEINSTER	1.85	2.34	Galway	1.72	1.86
			Leitrim	2.57	1.83
			Mayo	1.92	1.46
			Roscommon	2.02	1.53
Cavan	2.01	1.64	Sligo	2.39	1.93
Donegal	1.81	1.47			
Monaghan	1.88	1.67	CONNACHT	1.96	1.59
ULSTER (part of)	1.88	1.55	TOTAL	1.91	1.91

TABLE XXV

MORTALITY IN 1971 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed Inter- national List Nos.	Site	Males								Females									
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages		
	Malignant neoplasms of:	Number of deaths																	
		140-149	Buccal cavity and pharynx	1	5	3	7	13	17	33	79	1	-	-	7	8	6	11	33
		150-159	Digestive organs and peritoneum	4	9	29	119	278	440	385	1,264	2	9	19	78	198	347	459	1,112
		160-163	Respiratory system	1	2	18	103	258	310	130	822	-	-	4	35	75	108	47	269
		170-174	Bone, connective tissue, skin and breast	7	3	2	8	28	26	42	116	3	7	42	116	129	128	114	539
		180-189	Genito-urinary organs	6	4	5	20	71	139	199	444	4	7	16	39	87	97	88	338
		190-199	Other and unspecified sites	16	3	11	32	32	44	34	172	13	6	4	22	30	43	57	175
	200-209	Lymphatic and haematopoietic tissues	26	10	18	23	46	51	28	202	21	2	3	15	25	33	16	115	
		TOTAL	61	36	86	312	726	1,027	851	3,099	44	31	88	312	552	762	792	2,581	
	Malignant neoplasms of:	Rates per 100,000 corresponding population																	
		140-149	Buccal cavity and pharynx	0.1	3.0	2.0	4.4	8.9	17.2	64.0	5.3	0.1	-	-	4.4	5.6	5.4	16.3	2.2
		150-159	Digestive organs and peritoneum	0.6	5.5	19.1	74.6	189.7	444.1	746.8	84.5	0.3	5.6	12.7	48.9	139.1	310.8	679.7	75.0
		160-163	Respiratory system	0.1	1.2	11.8	64.5	176.0	312.9	252.2	55.0	-	-	2.7	21.9	52.7	96.7	69.6	18.1
		170-174	Bone, connective tissue, skin and breast	1.0	1.8	1.3	5.0	19.1	26.2	81.5	7.8	0.4	4.4	28.0	72.7	90.6	114.6	168.8	36.4
		180-189	Genito-urinary organs	0.8	2.4	3.3	12.5	48.4	140.3	386.0	29.7	0.6	4.4	10.7	24.4	61.1	86.9	130.3	22.8
		190-199	Other and unspecified sites	2.2	1.8	7.2	20.1	21.8	44.4	66.0	11.5	1.9	3.8	2.7	13.8	21.1	38.5	84.4	11.8
	200-209	Lymphatic and haematopoietic tissues	3.6	6.1	11.8	14.4	31.4	51.5	54.3	13.5	3.0	1.3	2.0	9.4	17.6	29.6	23.7	7.8	
		TOTAL	8.4	21.9	56.6	195.5	495.4	1,036.5	1,650.8	207.2	6.4	19.4	58.7	195.4	387.8	682.5	1,172.8	174.1	

The crude death rate from cancer in 1971 varied from 2.57 per 1,000 population in Leitrim to 1.12 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.52 per 1,000 population in Waterford County Borough to 1.35 in Longford. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer occurring in 1971, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate for males being 13 per cent higher than that for females. The death rate from malignant neoplasms of the respiratory system was nearly three times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1961 to 1971, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1961 TO 1971 FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1961	4	16	71	184	220	495	1	4	21	34	49	109
1962	5	16	97	176	203	497	2	6	28	44	62	142
1963	1	20	76	176	216	489	-	4	25	30	62	121
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
1967	1	16	79	221	325	642	1	5	33	54	72	165
1968	6	8	86	250	371	721	3	7	20	64	93	187
1969	3	12	94	223	342	674	2	6	27	48	95	178
1970	5	21	100	259	370	755	-	8	27	57	110	202
1971	3	16	96	246	406	767	-	4	31	67	135	237
Death rates per 100,000 corresponding population												
1961	0.5	9.6	41.6	138.3	147.3	34.9	0.1	2.3	13.0	25.3	29.6	7.8
1962	0.6	9.6	56.8	132.3	136.0	34.9	0.3	3.5	17.4	32.8	37.4	10.1
1963	0.1	12.4	44.7	129.8	144.5	34.1	-	2.4	15.3	22.3	36.9	8.5
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2
1967	0.1	10.3	47.6	158.2	216.0	44.1	0.1	3.2	20.2	40.0	41.4	11.4
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	52.8	12.9
1969	0.4	7.8	57.7	156.4	226.2	46.0	0.2	3.9	16.8	34.6	53.5	12.2
1970	0.6	13.7	61.7	178.4	242.8	51.1	-	5.3	16.9	40.5	61.3	13.8
1971	0.3	10.5	60.2	167.9	269.5	51.3	-	2.7	19.4	47.1	75.3	16.0

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1961 the death rate in the case of males was 34.9 compared with 7.8 in the case of females. In 1971 the corresponding rates were 51.3 and 16.0 respectively. In 1961 females accounted for 18.1 per cent of the deaths, by 1971 their percentage share had risen to 23.6.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1966 to 1971.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1966 TO 1971.

Area	1966	1967	1968	1969	1970	1971
	Number of deaths					
Ireland*	777	807	908	852	957	1,004
Northern Ireland	447	474	525	544	524	582
Scotland	2,972	3,150	3,209	3,273	3,443	3,416
England and Wales	27,025	28,250	28,836	29,763	30,284	30,754
	Rates per 100,000 population					
Ireland*	27	28	31	29	33	34
Northern Ireland	30	32	35	36	34	38
Scotland	58	61	62	63	66	65
England and Wales	56	58	59	61	62	63

*Exclusive of Northern Ireland.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales were more than double the Irish rates.

DISEASES OF THE CIRCULATORY SYSTEM

There were 16,300 deaths ascribed to diseases of the circulatory system (Nos. 390–458) in 1971 of which 8,687 were deaths of males and 7,613 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (4,740 males compared with 2,913 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1971 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Uncertified	Per cent	Total	Uncertified	Per cent
Chronic rheumatic heart disease	149	-	-	185	-	-
Hypertensive disease	285	1	0.4	332	4	1.2
Ischaemic heart disease	4,740	50	1.1	2,913	38	1.3
Other forms of heart disease	805	23	2.9	866	18	2.1
Cerebrovascular disease	2,009	7	0.3	2,544	8	0.3
Disease of arteries, arterioles and capillaries	576	4	0.7	618	2	0.3
Disease of veins and lymphatics and other diseases of the circulatory system	123	-	-	155	-	-
TOTAL	8,687	85	1.0	7,613	70	0.9

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1971, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION.

Detailed 1965 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
390-392	Active rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
393-398	Chronic rheumatic heart disease	2	4	7	21	35	33	47	149	1	7	6	25	40	45	61	185
400-404	Hypertensive disease	2	-	6	22	53	86	116	285	-	-	2	8	37	75	210	332
410-414	Ischaemic heart disease	2	10	81	371	979	1,506	1,791	4,740	1	3	16	95	377	792	1,629	2,913
420-429	Other forms of heart disease	3	2	4	22	45	172	557	805	-	4	1	14	20	124	703	866
430-438	Cerebrovascular disease	9	5	18	84	229	563	1,101	2,009	11	10	20	96	211	647	1,549	2,544
440-448	Diseases of arteries, arterioles and capillaries	2	-	3	14	44	117	396	576	-	1	4	7	25	93	488	618
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	-	7	5	34	43	34	123	2	1	2	13	20	45	72	155
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	20	21	126	539	1,419	2,520	4,042	8,687	15	26	51	258	730	1,821	4,712	7,613
		Rates per 100,000 corresponding population															
390-392	Active rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
393-398	Chronic rheumatic heart disease	0.3	2.4	4.6	13.2	23.9	33.3	91.2	10.0	0.1	4.4	4.0	15.7	28.1	40.3	90.3	12.5
400-404	Hypertensive disease	0.3	-	3.9	13.8	36.2	86.8	225.0	19.1	-	-	1.3	5.0	26.0	67.2	311.0	22.4
410-414	Ischaemic heart disease	0.3	6.1	53.3	232.5	668.0	1,519.9	3,474.2	316.9	0.1	1.9	10.7	59.5	264.8	709.4	2,412.2	196.5
420-429	Other forms of heart disease	0.4	1.2	2.6	13.8	30.7	173.6	1,080.5	53.8	-	2.5	0.7	8.8	14.0	111.1	1,041.0	58.4
430-438	Cerebrovascular disease	1.2	3.0	11.8	52.6	156.3	568.2	2,135.7	134.3	1.6	6.3	13.3	60.1	148.2	579.5	2,293.8	171.6
440-448	Diseases of arteries, arterioles and capillaries	0.3	-	2.0	8.8	30.0	118.1	768.2	38.5	-	0.6	2.7	4.4	17.6	83.3	722.6	41.7
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	-	4.6	3.1	23.2	43.4	66.0	8.2	0.3	0.6	1.3	8.1	14.0	40.3	106.6	10.5
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	2.8	12.8	82.9	337.8	968.2	2,543.2	7,840.8	580.8	2.2	16.3	34.0	161.6	512.8	1,631.0	6,977.5	513.5

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460–519 in the International List) in 1971 numbered 3,924. These included 109 deaths caused by influenza, 1,712 by pneumonia, 1,451 by bronchitis and 652 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1971 was 17 compared with 20 in 1970. The death rate was 0.25 per thousand maternities. TABLE XXX shows the maternal deaths in 1971 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1971 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE.

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and over
Pre-eclampsia, eclampsia and toxæmia unspecified	1	-	-	-	-	-	1	-
Spontaneous abortion	1	-	-	-	1	-	-	-
Delivery complicated by placenta prævia and antepartum hæmorrhage	1	-	1	-	-	-	-	-
Delivery complicated by other postpartum hæmorrhage	1	1	-	-	-	-	-	-
Delivery with rupture of uterus	1	-	-	-	1	-	-	-
Sepsis of childbirth and the puerperium	1	-	-	-	-	1	-	-
Puerperal pulmonary embolism	8	-	-	3	2	2	-	1
Cerebral hæmorrhage in the puerperium	2	-	-	1	-	-	-	1
Other and unspecified complications of the puerperium	1	-	-	-	-	-	1	-
TOTAL	17	1	1	4	4	3	2	2

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1971

Bronchial asthma	1	-	-	-	1	-	-	-
Accident caused by cutting or piercing instrument	1	-	-	1	-	-	-	-
TOTAL	2	-	-	1	1	-	-	-

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1962 to 1971.

TABLE XXXI

MATERNAL DEATHS PER 100,000 TOTAL LIVE AND STILL BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1962-1971.

Year	Number of deaths	Deaths per 100,000 live and still births			
		Ireland*	Northern Ireland	England and Wales	Scotland
1962	27	43	30	36	39
1963	22	34	41	28	37
1964	30	46	17	25	23
1965	18	28	32	25	37
1966	18	28	18	26	24
1967	14	22	24	20	23
1968	22	36	27	24	15
1969	20	31	15	19	14
1970	20	31	-	18	19
1971	17	25	19	17	16

* Exclusive of Northern Ireland.

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:—

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rate for infant mortality was in Sligo and the lowest in Waterford. The rate for perinatal mortality was highest in Tipperary, N.R. and lowest in Longford while for late foetal mortality the highest rate was in Tipperary, S.R. and the lowest in Wexford.

TABLE XXXII

INFANT AND LATE FOETAL MORTALITY*, 1971

Area	Infant mortality		Neo-natal mortality		Late foetal mortality		Perinatal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,214	18.0	825	12.2	881	12.9	1,558	22.8
Carlow	19	21.4	16	18.0	4	4.5	16	17.9
Dublin Co. Borough and County	363	17.2	251	11.9	268	12.5	475	22.2
Kildare	32	15.4	19	9.2	17	8.1	32	15.3
Kilkenny	26	20.1	18	13.9	15	11.5	28	21.4
Laois	21	22.7	13	14.0	14	14.9	22	23.4
Longford	10	17.6	4	7.1	4	7.0	7	12.3
Louth	37	19.4	22	11.5	43	22.0	58	29.7
Meath	27	15.5	17	9.8	24	13.6	41	23.2
Offaly	20	17.2	15	12.9	15	12.7	28	23.7
Westmeath	19	16.0	13	11.0	22	18.2	31	25.7
Wexford	47	23.1	33	16.2	8	3.9	36	17.6
Wicklow	22	13.2	13	7.8	18	10.7	28	16.7
LEINSTER	643	17.6	434	11.9	452	12.2	802	21.6
Clare	21	13.3	13	8.2	30	18.7	42	26.1
Cork Co. Borough and County	158	19.4	117	14.3	77	9.4	178	21.6
Kerry	44	20.9	27	12.8	39	18.2	63	29.3
Limerick Co. Borough and County	81	24.1	58	17.2	46	13.5	96	28.1
Tipperary, N.R.	24	20.5	16	13.7	28	23.3	41	34.2
Tipperary, S.R.	24	16.4	14	9.6	36	24.1	48	32.1
Waterford Co. Borough and County	17	9.6	10	5.7	17	9.5	24	13.5
MUNSTER	369	18.8	255	13.0	273	13.7	492	24.8
Galway	54	16.6	36	11.0	47	14.2	70	21.2
Leitrim	5	10.8	5	10.8	5	10.7	10	21.3
Mayo	30	16.0	15	8.0	21	11.1	34	17.9
Roscommon	14	17.2	10	12.3	11	13.4	20	24.3
Sligo	25	26.1	20	20.9	7	7.3	23	23.8
CONNACHT	128	17.4	86	11.7	91	12.2	157	21.0
Cavan	15	15.5	9	9.3	22	22.2	30	30.3
Donegal	39	18.4	28	13.2	37	17.2	62	28.8
Monaghan	20	22.4	13	14.5	6	6.7	15	16.7
ULSTER (part of)	74	18.6	50	12.6	65	16.1	107	26.5

* For definition - see page xxxv.

INFANT MORTALITY

During the year 1971 there were 1,214 deaths of infants under one year, a decrease of 41 on 1970. The 1971 rate of 18.0 per 1,000 live births is the lowest ever recorded; the rate in 1970 was 19.5

TABLE XXXIII
INFANT MORTALITY BY AGE, 1941-1960 AND 1962-1971.

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.9
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0
1969	5.9	6.0	1.0	0.8	0.6	14.3	1.4	0.9	2.1	1.8	6.2	20.6
1970	6.1	4.4	1.1	0.5	0.5	12.8	1.5	0.9	2.5	1.8	6.7	19.5
1971	5.8	4.2	1.1	0.7	0.4	12.2	1.4	1.0	1.8	1.6	5.8	18.0

Infant mortality has shown a considerable decrease in the period covered by the Table, the greatest reductions being in ages between 14 days and under 4 weeks, where the 1968 rates were about one-seventh of those at the start of the period, and in ages over 4 weeks, where the 1968 rate was less than one-fifth of that in the period 1941-50. No significant changes were shown at ages 1-6 days until 1963, since then, apart from an increase in 1964 and again in 1969 there has been a downward trend. No significant changes were shown at ages under 24 hours until 1968 when there was a drop of about 10 per cent in the rate with a further drop of 11 per cent. in 1969, the rate rising again in 1970 by 3 per cent. In 1971 however the rate dropped once more by 5 per cent.

Diagram 5




TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1971.

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21
1969	21	24	18	21
1970	19	23	18	20
1971	18	23	18	20

* Exclusive of Northern Ireland.

As can be seen from Table XXXIV the decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1971 CLASSIFIED BY CAUSE AND AGE.

International List Numbers	Cause	Late foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	1	1	8	24	34
Rem. 000-136	Other infective and parasitic diseases	-	-	2	4	33	39
320	Meningitis	-	-	4	2	10	16
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	5	14	26	132	177
520-577	Diseases of the digestive system	-	1	1	1	4	7
740-759	Congenital anomalies	189	104	65	56	108	333
764-768, 772	Birth injuries	21	26	25	8	2	61
774, 775	Haemolytic disease of newborn	69	34	12	2	2	50
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	63	115	98	18	1	232
777	Immaturity, unqualified	19	84	44	8	4	140
778	Other conditions of foetus or newborn (including haemorrhagic disease)	7	3	7	6	1	17
	Other causes	513	17	14	9	68	108
	TOTAL	881	390	287	148	389	1,214

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 19 per cent were ascribed to immaturity, congenital anomalies accounted for 25 per cent, anoxic, and hypoxic conditions not elsewhere specified (including asphyxia and atelectasis) 31 per cent and birth injuries 8 per cent.

At ages over 4 weeks respiratory diseases, congenital anomalies, and enteritis and other diarrhoeal diseases were the main causes of death. Details of the 108 deaths included as other causes will be found in Table 19 where it will be noted that 39 of them were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:—

Year	Late Foetal Deaths
1957	1,391
1958	1,264
1959	1,267
1960	1,361
1961	1,264
1962	1,241
1963	1,169
1964	1,126
1965	1,072
1966	996
1967	1,000
1968	934
1969	893
1970	904
1971	881

The causes of late foetal deaths notified in 1971 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI.

TABLE XXXVI

LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1971.

International List Numbers	Cause	Number of Late foetal Deaths	Rate per 1,000 total Births
740	Anencephalus	111	1.62
741	Spina bifida	21	0.31
742	Congenital hydrocephalus	28	0.41
743	Other congenital anomalies of nervous system	5	0.07
746	Congenital anomalies of heart	3	0.04
748	Congenital anomalies of respiratory system	-	-
750	Other congenital anomalies of upper alimentary tract	-	-
751	Other congenital anomalies of digestive system	1	0.01
753	Congenital anomalies of urinary system	1	0.01
756	Other congenital anomalies of musculoskeletal system	2	0.03
758	Other and unspecified congenital anomalies	2	0.03
759	Congenital syndromes affecting multiple systems	15	0.22
760	Chronic circulatory and genito-urinary diseases in mother	9	0.13
761	Other maternal conditions unrelated to pregnancy	11	0.16
762	Toxaemia of pregnancy	65	0.95
763	Maternal ante- and intrapartum infection	3	0.04
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	3	0.04
766	Difficult labour with malposition of foetus	9	0.13
767	Difficult labour with abnormality of forces of labour	-	-
768	Difficult labour with other and unspecified complications	7	0.10
769	Other complications of pregnancy and childbirth	7	0.10
770	Conditions of placenta	214	3.13
771	Conditions of umbilical cord	63	0.92
772	Birth injury without mention of cause	2	0.03
774	Haemolytic disease of newborn with kernicterus	2	0.03
775	Haemolytic disease of newborn, without mention of kernicterus	67	0.98
776	Anoxic and hypoxic conditions not elsewhere classified	63	0.92
777	Immaturity, unqualified	19	0.28
778	Other conditions of foetus or newborn	7	0.10
779	Foetal deaths of unknown cause	141	2.06
	ALL CAUSES	881	12.87

* For definition - see page xxxv.

More late foetal deaths resulted from placental and cord injuries than from any other group, being 31 per cent of the total deaths. Congenital anomalies of foetus was next at 21 per cent and haemolytic disease of the newborn at 8 per cent. Of the total deaths 17 per cent were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII 828 late foetal deaths in 1971 occurred in hospitals; this is equivalent to 94 per cent of the total number of late foetal deaths. From the same table it may be observed that over half of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII

LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1971 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED.

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28 - 36 weeks	403	11	13	427
37 weeks and over	425	24	5	454
TOTAL	828	35	18	881

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1965 to 1971 compare as follows:—

TABLE XXXVIII

PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES, 1965-1971.

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland†	Northern Ireland	England and Wales	Scotland	Ireland†	Northern Ireland	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3
1967	16.0	17.0	14.4	15.8	28.5	31.0	25.4	27.5
1968	15.1	16.3	14.4	14.8	26.6	29.4	24.7	25.9
1969	14.0	15.3	13.2	14.0	25.8	28.8	23.4	25.0
1970	13.8	14.3	12.8	13.9	24.2	27.6	23.4	24.8
1971	12.9	14.3	12.5	13.1	22.8	27.2	22.2	24.5

*For definition see page xxxv.

† Exclusive of Northern Ireland.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) occurring in 1971 was 1,481 of which 951 were males and 530 females. The corresponding figures for 1970 were 1,414, 889 and 525 respectively. In the Eighth Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 119 deaths in 1971 (Table XL). In the Seventh Revision, 70 of these deaths would have been in the category Accidental drowning and 35 in the category Accidental poisoning, so for comparison with former years, they have been grouped with these categories in Table XXXIX.

TABLE XXXIX

DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1962 TO 1971.

International List Numbers 8th Revision	Cause of death	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971
E800-E807	Railway accidents	6	6	4	4	4	7	2	4	6	3
E810-E827	Road vehicle accidents	310	322	312	327	371	398	430	466	500	575
E850-E877	Accidental poisoning							23	20	30	18
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted	35	20	25	39	27	18	18	24	27	35
E890-E899; E924	Accidents caused by fire, explosion and burns	74	77	79	64	73	84	56	69	78	81
E910	Accidental drowning							90	74	83	64
E984	Drowning undetermined whether accidentally or purposely inflicted	110	112	124	118	138	146	61	51	54	70
E880-E887	Accidental falls	274	316	309	329	336	304	352	394	376	358
Rem. E800-E999	Other accidents and external causes	125	153	161	156	151	168	235	206	208	196
E950-E959	Suicide and self-inflicted injury	52	70	58	51	69	72	71	52	52	81
	TOTAL	986	1,076	1,072	1,088	1,169	1,197	1,338	1,360	1,414	1,481

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. At ages over 75 years, the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI. The vast majority of these falls occurred in the home (Table XLI).

TABLE XL

DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1971, CLASSIFIED BY AGE AND SEX.

International List Numbers (8th Revision)	Cause of death	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E800-E807	Railway accidents	M	3	-	-	2	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
E810-E827	Road vehicle accidents	M	426	-	18	47	90	48	22	52	63	53
		F	149	-	11	13	34	14	7	17	16	24
E850-E877	Accidental poisoning	M	13	1	1	3	2	-	1	2	2	1
		F	5	-	-	-	-	1	1	1	1	1
E880-E887	Accidental falls	M	133	-	1	-	3	3	5	11	18	27
		F	225	-	2	-	2	-	-	2	4	37
E890-E899; E924	Accidents caused by fire, explosion and burns	M	38	-	4	1	4	2	1	6	4	3
		F	43	2	2	1	4	-	2	3	3	7
E910	Accidental drowning	M	53	-	4	11	10	3	9	4	5	7
		F	11	-	3	2	-	-	1	2	-	1
E950-E959	Suicide and self-inflicted injury	M	59	-	-	-	7	10	18	6	11	6
		F	22	-	-	-	-	5	3	7	3	3
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	82	1	-	-	12	9	11	23	16	7
		F	37	-	-	-	3	7	5	7	10	4
Rem. E800-E999	Other accidents and external causes	M	144	22	5	11	25	21	12	18	14	13
		F	38	13	5	2	2	5	-	2	6	6
	TOTAL	M	951	24	33	75	153	96	79	123	133	117
		F	530	15	23	18	45	31	19	39	39	83

TABLE XLI

DEATHS DUE TO ACCIDENTS IN THE HOME IN 1971, CLASSIFIED BY CAUSE AND AGE GROUP.

Inter- national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M F	5 1	- -	- -	- -	1 -	- -	- 1	1 -	2 -	1 -	- -
E870-E877	Accidental poisoning by gases and vapours	M F	4 3	1 -	- -	2 -	- -	- -	- -	1 1	- -	- 1	- 1
E880-E887	Accidental falls	M F	96 215	- 1	1 -	- -	- 2	1 -	5 -	3 2	7 3	18 32	61 175
E890-E899	Accident caused by fires and flames	M F	31 40	- 2	11 1	4 1	2 3	- -	1 2	2 2	2 3	2 7	7 19
E904	Exposure and neglect	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	1 -
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F	31 15	16 10	2 2	1 1	- -	2 -	3 -	2 -	2 2	3 -	- -
E913	Accidental mechanical suffocation	M F	5 2	3 1	1 1	1 -	- -	- -	- -	- -	- -	- -	- -
E920	Accident caused by cutting or piercing instruments	M F	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -
E924	Accident caused by hot substance, corrosive liquid and steam	M F	4 1	- -	2 1	- -	1 -	- -	- -	- -	- -	- -	1 -
E925	Accident caused by electric current	M F	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
	Other and unspecified accidents	M F	3 1	- -	- -	- -	2 -	- -	- -	1 -	- -	- 1	- -
	TOTAL	M F	181 280	20 14	17 5	8 2	6 5	4 1	9 3	10 5	13 8	24 42	70 195

There were 461 deaths resulting from accidents in the home recorded in 1971, compared with 466 in 1970. As will be seen from Table XLI 311 deaths in 1971 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids etc., accounted for 76 deaths, of which 17 were of children under 5 years of age and 41 of persons aged 55 years and over. Twenty-six deaths of children under one year old were due to obstruction and suffocation by food and 4 to accidental mechanical suffocation. There were 13 deaths from accidental poisoning, 9 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1971 in which the cause of death was not certified by a medical practitioner was 424 which represents 1.3 per cent of the total deaths. In TABLE 23 uncertified deaths in 1971 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and south-west regions of the country, being highest, in the year 1971 in the counties of Leitrim (8.0 per cent), Mayo (4.8 per cent) and Kerry (4.5 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place, the percentage for 1971 being one-tenth of the average for the period 1941-50.

TABLE XLII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL IN EACH PROVINCE IN THE YEARS 1941 TO 1960 AND 1962 TO 1971.

Province	1941-50	1951-60	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971
Leinster	5.6	3.1	1.4	1.4	1.2	1.1	1.0	0.8	0.7	0.7	0.6	0.6
Munster	12.1	8.1	4.4	4.2	3.3	3.0	2.5	2.3	1.6	1.6	1.3	1.1
Connacht	28.1	20.0	12.5	11.0	8.9	9.3	6.9	6.0	4.9	4.8	4.2	3.6
Ulster (part of)	22.0	13.8	7.9	6.4	5.3	4.8	3.7	3.5	3.2	2.1	2.0	1.8
TOTAL	13.0	8.5	4.7	4.2	3.4	3.3	2.6	2.3	1.9	1.7	1.5	1.3

TABLE XLIII

PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1971.

Province	All ages	Under 1 year	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	0.6	0.2	-	-	-	0.3	0.5	0.7	0.7	0.6
Munster	1.1	-	-	-	1.0	-	0.2	0.3	0.4	2.1
Connacht	3.6	-	-	-	-	-	-	0.7	1.7	6.0
Ulster (part of)	1.8	-	-	-	-	-	0.7	1.5	1.4	2.5
TOTAL	1.3	0.1	-	-	0.3	0.2	0.4	0.6	0.8	2.2
Actual number of deaths uncertified	424	1	-	-	1	1	7	28	65	321

The proportion of deaths uncertified was highest in the age group 75 years and over; this age group accounted for almost four-fifths of the uncertified deaths. In most age groups the province of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUEST AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1971 was 1,808 compared with 2,566 in 1970.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS IN EACH YEAR 1851 TO 1971.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1892	3,408	1,697	1,711	1933	2,962	1,512	1,450
1852	4,927	2,413	2,514	1893	3,382	1,684	1,698	1934	2,971	1,518	1,453
1853	4,807	2,358	2,449	1894	3,362	1,675	1,687	1935	2,971	1,520	1,451
1854	4,704	2,311	2,393	1895	3,333	1,662	1,671	1936	2,967	1,520	1,447
1855	4,638	2,281	2,357	1896	3,314	1,653	1,661	1937	2,948	1,510	1,438
1856	4,594	2,261	2,333	1897	3,298	1,646	1,652	1938	2,937	1,505	1,432
1857	4,540	2,234	2,306	1898	3,283	1,640	1,643	1939	2,934	1,503	1,431
1858	4,506	2,217	2,289	1899	3,265	1,631	1,634	1940	2,958	1,515	1,443
1859	4,471	2,199	2,272	1900	3,234	1,616	1,618	1941	2,993	1,533	1,460
1860	4,428	2,179	2,249	1901	3,213	1,607	1,606	1942	2,963	1,499	1,464
1861	4,393	2,164	2,229	1902	3,200	1,603	1,597	1943	2,946	1,490	1,456
1862	4,377	2,158	2,219	1903	3,185	1,599	1,586	1944	2,944	1,487	1,457
1863	4,328	2,134	2,194	1904	3,175	1,597	1,578	1945	2,952	1,490	1,462
1864	4,263	2,103	2,160	1905	3,165	1,594	1,571	1946	2,957	1,496	1,461
1865	4,223	2,084	2,139	1906	3,160	1,593	1,567	1947	2,974	1,505	1,469
1866	4,163	2,051	2,112	1907	3,151	1,589	1,562	1948	2,985	1,512	1,473
1867	4,130	2,033	2,097	1908	3,145	1,588	1,557	1949	2,981	1,513	1,468
1868	4,109	2,022	2,087	1909	3,142	1,589	1,553	1950	2,969	1,510	1,459
1869	4,090	2,012	2,078	1910	3,139	1,588	1,551	1951	2,961	1,507	1,454
1870	4,062	1,996	2,066	1911	3,132	1,586	1,546	1952	2,953	1,501	1,452
1871	4,042	1,986	2,056	1912	3,120	1,581	1,539	1953	2,949	1,498	1,451
1872	4,023	1,975	2,048	1913	3,103	1,572	1,531	1954	2,941	1,493	1,448
1873	3,989	1,955	2,034	1914	3,092	1,568	1,524	1955	2,921	1,479	1,442
1874	3,966	1,944	2,022	1915	3,068	1,546	1,522	1956	2,898	1,463	1,435
1875	3,951	1,940	2,011	1916	3,068	1,549	1,519	1957	2,885	1,456	1,429
1876	3,949	1,942	2,007	1917	3,065	1,551	1,514	1958	2,853	1,439	1,414
1877	3,956	1,947	2,009	1918	3,066	1,553	1,513	1959	2,846	1,435	1,411
1878	3,952	1,948	2,004	1919	3,102	1,598	1,504	1960	2,832	1,427	1,405
1879	3,939	1,944	1,995	1920	3,103	1,598	1,505	1961	2,818	1,417	1,402
1880	3,891	1,920	1,971	1921	3,096	1,599	1,497	1962	2,830	1,423	1,407
1881	3,847	1,901	1,946	1922	3,022	1,529	1,493	1963	2,850	1,433	1,417
1882	3,808	1,882	1,926	1923	3,014	1,526	1,488	1964	2,864	1,440	1,424
1883	3,745	1,853	1,892	1924	3,005	1,521	1,484	1965	2,876	1,446	1,430
1884	3,703	1,834	1,869	1925	2,985	1,512	1,473	1966	2,884	1,449	1,435
1885	3,671	1,820	1,851	1926	2,971	1,507	1,464	1967	2,899	1,456	1,443
1886	3,642	1,808	1,834	1927	2,957	1,502	1,455	1968	2,910	1,461	1,449
1887	3,600	1,788	1,812	1928	2,944	1,498	1,446	1969	2,921	1,466	1,455
1888	3,554	1,766	1,788	1929	2,937	1,496	1,441	1970	2,944	1,479	1,466
1889	3,516	1,748	1,768	1930	2,927	1,493	1,434	1971	2,978	1,496	1,482
1890	3,482	1,733	1,749	1931	2,933	1,497	1,436				
1891	3,449	1,718	1,731	1932	2,949	1,505	1,444				

TABLE 2 - CLASSIFICATION OF THE POPULATION ENUMERATED AT THE 1971 CENSUS ACCORDING TO AGE AND CONJUGAL CONDITION

Age Groups	MALES				FEMALES			
	Single	Married	Widowed	Total	Single	Married	Widowed	Total
0-4	161,846	-	-	161,846	153,809	-	-	153,809
5-9	161,828	-	-	161,828	155,112	-	-	155,112
10-14	152,112	-	-	152,112	146,445	-	-	146,445
15-19	136,132	641	-	136,773	128,182	2,770	2	130,954
20-24	93,000	16,952	9	109,961	72,540	32,686	64	105,290
25-29	43,162	44,498	76	87,736	26,559	58,497	201	85,257
30-34	24,724	51,988	111	76,823	14,478	59,592	458	74,528
35-39	21,845	53,425	218	75,488	12,581	60,034	1,004	73,619
40-44	22,132	53,794	498	76,424	13,582	60,426	2,297	76,305
45-49	22,529	56,002	1,002	79,533	14,636	61,345	4,610	80,591
50-54	22,303	55,841	1,895	80,039	15,435	55,383	8,225	79,043
55-59	21,448	53,909	3,072	78,429	15,784	47,807	12,827	76,418
60-64	18,341	45,410	4,380	68,131	15,586	34,271	16,078	65,935
65-69	14,921	34,012	5,560	54,493	14,520	23,443	19,295	57,258
70-74	12,438	24,988	7,167	44,593	13,676	15,904	24,813	54,393
75-79	7,153	14,075	6,546	27,774	8,654	7,060	18,287	34,001
80-84	3,854	6,733	5,076	15,663	5,054	2,852	12,806	20,712
85 and over	1,949	2,659	3,506	8,114	2,987	1,005	8,826	12,818
Total	941,717	514,927	39,116	1,495,760	829,620	523,075	129,793	1,482,488

**TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE
CENSUS OF POPULATION, 1971.**

Area	Persons	Males	Females
Carlow	34,237	17,502	16,735
Dublin County Borough	567,866	267,801	300,065
Dun Laoghaire Borough	53,171	24,063	29,108
Dublin County (remainder)	231,182	114,144	117,038
Kildare	71,977	37,279	34,698
Kilkenny	61,473	31,828	29,645
Laois	45,259	23,805	21,454
Longford	28,250	14,891	13,359
Louth	74,951	37,511	37,440
Meath	71,729	36,977	34,752
Offaly	51,829	27,029	24,800
Westmeath	53,570	27,544	26,026
Wexford	86,351	43,768	42,583
Wicklow	66,295	33,318	32,977
Clare	75,008	39,002	36,006
Cork County Borough	128,645	61,731	66,914
Cork County	224,238	115,055	109,183
Kerry	112,772	58,404	54,368
Limerick County Borough	57,161	27,626	29,535
Limerick County	83,298	43,160	40,138
Tipperary, N.R.	54,337	28,190	26,147
Tipperary, S.R.	69,228	35,333	33,895
Waterford County Borough	31,968	15,421	16,547
Waterford County	45,347	23,349	21,998
Galway	149,223	77,842	71,381
Leitrim	28,360	15,269	13,091
Mayo	109,525	56,402	53,123
Roscommon	53,519	28,294	25,225
Sligo	50,275	25,887	24,388
Cavan	52,618	27,819	24,799
Donegal	108,344	55,424	52,920
Monaghan	46,242	24,092	22,150
Total	2,978,248	1,495,760	1,482,488

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1971.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864 - 1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1961 - 1970	17,430	62,417	32,053	30,364	61,035	1,382	700	682	33,574	18,221	15,353	28,843
1971	22,014	67,551	34,751	32,800	65,709	1,842	922	920	31,890	17,357	14,533	35,661

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1971.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate Per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961-1970	6.05	21.67	21.19	0.48	2.21	1,056	11.66	24.83	10.01
1971	7.39	22.68	22.06	0.62	2.73	1,059	10.71	17.97	11.97

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1961 TO 1971 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1961 TO 1970 AND THE RATES FOR THE YEAR 1971 PER 1,000 OF THE POPULATION

Year	Marriages										Births										Deaths				
	Catholic					All others					Total					Births					Deaths				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
1967	3,114	3,884	6,260	3,839	17,097	141	171	230	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400
1968	3,725	3,747	6,769	4,019	18,260	151	161	236	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157
1969	4,118	4,000	7,216	4,107	19,441	149	232	315	167	863	4,267	4,232	7,531	4,274	20,304	15,361	16,861	16,235	14,455	62,912	10,035	8,657	7,177	7,865	33,734
1970	3,598	4,751	7,242	4,398	19,989	141	187	315	146	789	3,739	4,938	7,557	4,544	20,778	15,857	17,232	16,155	15,040	64,284	10,199	8,910	7,195	7,987	34,291
Average 1961-1970	3,133	3,709	6,299	3,601	16,742	118	171	271	128	688	3,251	3,880	6,570	3,729	17,430	15,354	16,743	15,949	14,371	62,417	10,299	8,484	7,060	7,731	33,574
1971	4,312	4,717	7,376	4,713	21,118	151	250	332	163	896	4,463	4,967	7,708	4,876	22,014	16,838	17,762	16,941	16,010	67,551	8,917	7,976	7,071	7,926	31,890

EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION

Average 1961-1970	4.6	5.4	9.2	5.3	6.1	3.2	4.6	7.3	3.5	4.7	4.5	5.4	9.1	5.2	6.1	21.3	23.3	22.2	20.0	21.7	14.3	11.8	9.8	10.7	11.7
1971	6.2	6.7	10.6	6.7	7.6	3.3	5.5	7.3	3.6	4.9	6.0	6.7	10.4	6.6	7.4	22.6	23.9	22.8	21.5	22.7	12.0	10.7	9.5	10.7	10.7

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1971, WITH RATES PER 100,000 POPULATION

Note - The classification of cause of death in this table is based on the Abbreviated List, 1965.

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All causes	31,890	1,073.3	16,202	1,056.2
001	Typhoid fever	-	-	-	-
004,006	Bacillary dysentery and amoebiasis	-	-	2	0.1
008,009	Enteritis and other diarrhoeal diseases	61	2.1	34	2.2
010-012	Tuberculosis of respiratory system	165	5.6	26	1.7
013-019	Other tuberculosis, including late effects	18	0.6	17	1.1
032	Diphtheria	-	-	-	-
033	Whooping cough	3	0.1	1	0.1
034	Streptococcal sore throat and scarlet fever	1	0.0	-	-
036	Meningococcal infection	8	0.3	10	0.7
038	Septicaemia	21	0.7	16	1.0
040-043	Acute poliomyelitis	-	-	-	-
055	Measles	14	0.5	4	0.3
070	Infectious hepatitis	12	0.4	10	0.7
084	Malaria	-	-	-	-
090-097	Syphilis and its sequelae	4	0.1	7	0.5
000,002,003,005,007, 020-031, 035, 037-039, 044-054, 056-079, 084-089, 098-136	All other infective and parasitic diseases	43	1.4	24	1.6
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
104-209 (except 201 and 204-207)	(a) Cancer	5,474	184.2	2,758	179.8
201, 204-207	(b) Hodgkin's disease and leukaemia	206	6.9	104	6.8
210-239	Benign neoplasms and neoplasms of unspecified nature	66	2.2	41	2.7
250	Diabetes mellitus	308	10.4	144	9.4
260-269	Avitaminoses and other nutritional deficiency	28	0.9	3	0.2
280-285	Anaemias	103	3.5	50	3.3
320	Meningitis	32	1.1	15	1.0
390-392	Active Rheumatic fever	-	-	-	-
393-398	Chronic rheumatic heart disease	334	11.2	214	14.0
400-404	Hypertensive disease	617	20.7	209	13.6
410-414	Ischaemic heart disease	7,653	257.6	4,507	293.8
420-429	Other forms of heart disease	1,671	56.2	930	60.6

*Exclusive of Northern Ireland

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1971, WITH RATES PER 100,000 POPULATION.

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease	4,553	153.2	2,493	162.5
470-474	Influenza	109	3.7	51	3.3
480-486	Pneumonia	1,712	57.6	860	56.1
490-493	Bronchitis, emphysema and asthma	1,713	57.7	759	49.5
531-533	Peptic ulcer	200	6.7	101	6.6
540-543	Appendicitis	28	0.9	10	0.7
550-553, 560	Intestinal obstruction and hernia	102	3.4	57	3.7
571	Cirrhosis of liver	74	2.5	47	3.1
580-584	Nephritis and nephrosis	205	6.9	64	4.2
600	Hyperplasia of prostate	107	3.6	47	3.1
640-645	Abortion	1	0.0	1	0.1
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium	16	0.5	5	0.3
740-759	Congenital anomalies	412	13.9	237	15.4
764-768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions	293	9.9	155	10.1
760-763, 769-771 773-775, 777-779	Other causes of peri-natal mortality [†]	232	7.8	165	10.8
780-796	Senility without mention of psychosis, ill-defined and unknown causes	637	21.4	37	2.4
	All other diseases	3,173	106.5	1,248	81.4
E810-E823	Motor vehicle accidents	561	18.9	289	18.8
E800-E807 E825-E949	All other accidents	705	23.7	322	21.0
E950-E959	Suicide and self-inflicted injuries	81	2.7	53	3.5
E960-E999	All other external causes	134	4.5	75	4.9

*Exclusive of Northern Ireland

[†]Late foetal deaths not included

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS DURING THE PERIOD 1864-1970 AND THE NUMBER OF DEATHS IN THE YEAR 1971, CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961-1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971	17,357	819	82	60	106	129	194	355	1,191	2,850	4,729	4,859	1,878	105
Females														
Average-														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961-1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	203
1971	14,533	597	41	27	54	57	132	214	785	1,686	3,415	4,723	2,555	247
Persons														
Average-														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,223	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961-1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971	31,890	1,416	123	87	160	186	326	569	1,976	4,536	8,144	9,582	4,433	352

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1970 AND DEATH RATES FOR THE YEAR 1971 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961-1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971	11.60	5.06	0.51	0.39	0.78	1.17	1.18	2.34	7.46	19.45	47.73	111.86	244.39
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961-1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971	9.80	3.88	0.26	0.18	0.41	0.54	0.83	1.43	4.92	11.84	30.59	86.32	218.60
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.32	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961-1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971	10.71	4.49	0.39	0.29	0.60	0.86	1.01	1.89	6.19	15.70	38.65	97.63	228.60

**TABLE 10 - BIRTHS AND DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN
CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS**

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number
Total	67,551	-	-	67,551	1,842	-	-	1,842
Carlow	701	103	290	888	5	1	19	23
Dublin County Borough	24,353	10,884	104	13,573	870	380	53	543
Dun Laoghaire Borough	1,395	911	889	1,373	12	10	52	54
Dublin County (remainder)	572	388	6,022	6,206	273	255	129	147
Kildare	350	11	1,735	2,074	4	-	43	47
Kilkenny	1,153	120	262	1,295	11	-	18	29
Laois	647	17	296	926	6	-	9	15
Longford	336	63	294	567	3	1	11	13
Louth	3,551	1,696	55	1,910	44	22	12	34
Meath	241	9	1,511	1,743	6	-	57	63
Offaly	915	55	306	1,166	5	-	16	21
Westmeath	845	100	440	1,185	13	7	33	39
Wexford	1,795	75	314	2,034	30	-	41	71
Wicklow	248	9	1,424	1,663	5	-	49	54
Clare	988	7	596	1,577	2	-	27	29
Cork County Borough	7,554	4,149	22	3,427	324	277	14	61
Cork County	1,110	28	3,645	4,727	10	1	94	103
Kerry	1,749	13	372	2,108	15	-	23	38
Limerick County Borough	4,450	2,837	20	1,633	64	38	8	34
Limerick County	28	-	1,705	1,733	1	-	47	48
Tipperary, N.R.	630	25	567	1,172	2	-	20	22
Tipperary, S.R.	1,446	142	155	1,459	13	-	30	43
Waterford County Borough	1,851	1,022	17	846	10	2	7	15
Waterford County	63	1	858	920	18	17	28	29
Galway	4,032	858	84	3,258	21	5	45	61
Leitrim	173	13	304	464	2	1	7	8
Mayo	1,756	77	197	1,876	7	-	31	38
Roscommon	427	60	445	812	3	-	12	15
Sligo	975	107	90	958	10	3	18	25
Cavan	646	50	372	968	13	1	22	34
Donegal	2,055	26	87	2,116	36	-	26	62
Monaghan	516	43	421	894	4	-	20	24

**1971, AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.**

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
31,890	-	-	31,890	1,214	-	-	1,214	35,661	Total
329	24	79	384	9	-	10	19	504	Carlow
6,893	1,781	298	5,410	518	256	1	263	8,163	Dublin County Borough
651	226	196	621	16	7	12	21	752	Dun Laoghaire Borough
822	328	777	1,271	9	1	71	79	4,935	Dublin County (remainder)
529	19	161	671	4	-	23	32	1,403	Kildare
637	33	65	669	20	2	8	26	626	Kilkenny
466	18	57	505	7	-	14	21	421	Laois
301	18	43	326	5	-	5	10	241	Longford
794	88	47	753	58	30	9	37	1,157	Louth
630	19	140	751	1	-	26	27	992	Meath
489	2	66	553	10	-	10	20	613	Offaly
579	49	79	609	12	3	10	19	576	Westmeath
911	17	92	986	30	1	18	47	1,048	Wexford
458	28	234	664	3	1	20	22	999	Wicklow
901	9	94	986	16	-	5	21	591	Clare
1,955	723	72	1,304	142	82	5	65	2,123	Cork County Borough
2,053	82	670	2,641	19	2	76	93	2,086	Cork County
1,326	9	98	1,415	23	-	21	44	693	Kerry
692	259	131	564	77	42	12	47	1,069	Limerick County Borough
915	166	242	991	21	13	26	34	742	Limerick County
583	16	80	647	9	-	15	24	525	Tipperary, N.R.
797	51	58	804	16	-	8	24	655	Tipperary, S.R.
540	209	17	348	14	11	3	6	498	Waterford County Borough
313	8	207	512	-	-	11	11	408	Waterford County
1,932	217	39	1,754	68	17	3	54	1,504	Galway
386	1	79	464	1	-	4	5	-	Leitrim
1,286	15	115	1,388	21	1	10	30	490	Mayo
640	20	89	709	7	-	7	14	103	Roscommon
673	45	48	676	26	6	5	25	282	Sligo
637	17	56	676	11	-	4	15	292	Cavan
1,239	8	46	1,277	33	-	6	39	839	Donegal
533	25	55	563	8	-	12	20	331	Monaghan

TABLE 11 - MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1971 SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under 1 year	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
TOTAL	22,014	34,751	32,800	67,551	922	920	1,842	17,357	14,533	31,890	1,214	183	5,680
Carlow	244	438	450	888	11	12	23	225	159	384	19	1	61
Dublin Co. Borough	5,759	7,042	6,531	13,573	283	260	543	2,708	2,702	5,410	283	37	1,224
Dun Laoghaire Borough	498	722	651	1,373	22	32	54	284	337	621	21	2	128
Dublin Co. (remainder)	1,223	3,182	3,024	6,206	76	71	147	670	601	1,271	79	10	260
Kildare	561	1,093	981	2,074	28	19	47	386	285	671	32	3	129
Kilkenny	390	685	610	1,295	16	13	29	372	297	669	26	3	116
Laois	287	487	439	926	8	7	15	299	208	505	21	3	75
Longford	191	291	276	567	10	3	13	192	134	326	10	1	45
Louth	670	995	915	1,910	19	15	34	405	348	753	37	3	132
Meath	527	905	838	1,743	29	34	63	435	316	751	27	5	117
Offaly	326	573	593	1,166	9	12	21	323	230	553	20	1	92
Westmeath	401	600	585	1,185	19	20	39	317	292	609	19	2	78
Wexford	651	1,040	994	2,034	38	33	71	545	441	986	47	5	191
Wicklow	514	861	802	1,663	27	27	54	374	290	664	22	8	122
LEINSTER	12,242	18,914	17,689	36,603	595	558	1,153	7,535	6,638	14,173	643	84	2,770
Clare	474	826	751	1,577	14	15	29	546	440	986	21	7	136
Cork Co. Borough	1,070	1,731	1,696	3,427	33	28	61	660	644	1,304	65	10	269
Cork County	1,442	2,405	2,322	4,727	37	66	103	1,458	1,183	2,641	93	12	439
Kerry	663	1,109	999	2,108	17	21	38	773	642	1,415	44	9	227
Limerick Co. Borough	570	854	779	1,633	17	17	34	276	288	564	47	5	90
Limerick County	530	881	852	1,733	27	21	48	573	418	991	34	4	171
Tipperary, N.R.	337	602	570	1,172	13	9	22	371	276	647	24	4	109
Tipperary, S.R.	504	715	744	1,459	14	29	43	449	355	804	24	7	147
Waterford Co. Borough	270	446	400	846	7	8	15	175	173	348	6	3	69
Waterford County	258	477	443	920	12	17	29	276	236	512	11	5	97
MUNSTER	6,118	10,046	9,556	19,602	191	231	422	5,557	4,655	10,212	369	66	1,754
Galway	923	1,646	1,612	3,258	32	29	61	1,025	729	1,754	54	14	256
Leitrim	148	245	219	464	3	5	8	277	187	464	5	2	73
Mayo	567	976	900	1,876	25	13	38	751	635	1,386	30	6	210
Roscommon	264	424	388	812	5	10	15	434	275	709	14	-	108
Sligo	289	474	484	958	12	13	25	361	315	676	25	4	120
CONNACHT	2,191	3,765	3,603	7,368	77	70	147	2,843	2,141	4,989	128	26	767
Cavan	344	495	473	968	16	18	34	399	277	676	15	3	106
Donegal	813	1,086	1,030	2,116	33	29	62	709	568	1,277	39	3	196
Monaghan	306	445	449	894	10	14	24	309	254	563	20	1	87
ULSTER (part of)	1,463	2,026	1,952	3,978	59	61	120	1,417	1,099	2,516	74	7	369

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1971.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms	
TOTAL	7.39	22.68	2.73	10.71	0.06	1.91	17.97
Carlow	7.13	25.94	2.59	11.22	0.03	1.78	21.40
Dublin County Borough	10.14	23.90	4.00	9.53	0.06	2.16	19.38
Dun Laoghaire Borough	9.37	25.82	3.93	11.68	0.04	2.41	15.29
Dublin County (remainder)	5.29	23.84	2.37	5.50	0.04	1.12	12.73
Kildare	7.79	23.81	2.27	9.32	0.04	1.79	15.43
Kilkenny	6.34	21.07	2.24	10.88	0.05	1.89	20.08
Laois	6.34	20.48	1.62	11.16	0.07	1.66	22.88
Longford	6.76	20.07	2.29	11.54	0.04	1.59	17.64
Louth	8.94	25.48	1.78	10.05	0.04	1.76	19.37
Meath	7.35	24.30	3.61	10.47	0.07	1.63	15.49
Offaly	6.29	22.50	1.80	10.67	0.02	1.78	17.15
Westmeath	7.49	22.12	3.29	11.37	0.04	1.48	16.03
Wexford	7.54	23.56	3.49	11.42	0.06	2.21	23.11
Wicklow	7.75	25.08	3.25	10.02	0.12	1.84	13.23
LEINSTER	8.17	24.43	3.15	9.46	0.06	1.85	17.57
Clare	6.32	21.02	1.84	13.15	0.09	1.31	13.32
Cork County Borough	8.32	23.64	1.78	10.14	0.08	2.09	18.97
Cork County	6.43	21.08	2.18	11.78	0.05	1.96	19.67
Kerry	5.88	18.69	1.80	12.55	0.08	2.01	20.87
Limerick County Borough	9.97	23.57	2.08	9.87	0.09	1.57	23.78
Limerick County	6.36	20.80	2.77	11.90	0.05	2.05	19.62
Tipperary, N.R.	6.20	21.57	1.88	11.91	0.07	2.01	20.43
Tipperary, S.R.	7.23	21.08	2.95	11.61	0.10	2.12	16.45
Waterford County Borough	8.45	26.46	1.77	10.89	0.09	2.16	7.09
Waterford County	5.69	20.29	3.15	11.29	0.11	2.14	11.96
MUNSTER	6.94	22.22	2.15	11.58	0.07	1.99	13.82
Galway	6.19	21.83	1.87	11.75	0.09	1.72	16.57
Leitrim	5.22	16.36	1.72	16.36	0.07	2.57	10.78
Mayo	5.18	17.13	2.03	12.65	0.05	1.92	15.99
Roscommon	4.93	15.17	1.85	13.25	-	2.02	17.24
Sligo	5.75	19.06	2.31	13.45	0.08	2.39	23.10
CONNACHT	5.60	18.85	2.00	12.76	0.07	1.96	17.37
Cavan	6.54	18.40	3.51	12.85	0.06	2.01	15.50
Donegal	7.50	19.53	2.93	11.79	0.03	1.81	13.43
Monaghan	6.62	19.33	2.68	12.18	0.02	1.88	22.37
ULSTER (part of)	7.06	19.20	3.02	12.14	0.03	1.88	18.60

**TABLE 13 - DEATHS IN 1971 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN
AGE GROUPS.**

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	17,857	6,023	8,133	3,201	14,533	4,377	3,577	6,579
Under 15 years	961	961	-	-	665	665	-	-
15-19	106	106	-	-	54	52	2	-
20-24	129	117	12	-	57	40	16	1
25-29	91	58	33	-	60	34	26	-
30-34	103	54	48	1	72	25	46	1
35-39	110	54	56	-	81	19	60	2
40-44	245	99	145	1	133	35	95	3
45-49	454	171	274	9	288	92	186	10
50-54	737	241	481	15	497	123	314	55
55-59	1,150	349	741	60	717	184	399	134
60-64	1,700	490	1,085	125	969	251	500	218
65-69	2,167	665	1,250	252	1,319	377	496	446
70-74	2,562	809	1,317	436	2,096	596	566	934
75-79	2,650	740	1,277	633	2,310	615	429	1,266
80-84	2,209	606	838	765	2,413	620	294	1,499
85 and over	1,983	503	576	904	2,802	644	148	2,010

TABLE 14 - BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1971 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,324	2,364	4,688	931	875	1,806
Carlow	98	106	204	46	39	85
Athy	59	54	113	20	21	41
Naas	81	74	155	30	11	41
Longford	51	59	110	20	12	32
Ceanannus Mor	48	35	83	19	6	25
An Uaimh	98	79	177	27	17	44
Trim	25	24	49	10	8	18
Birr	33	56	89	23	13	36
Tullamore	78	76	154	18	27	45
Athlone	106	113	219	40	42	82
Enniscorthy	70	62	132	33	34	67
New Ross	51	67	118	15	20	35
Arklow	106	100	206	23	37	60
Wicklow	43	55	98	14	13	32
Ennis	123	107	230	34	45	79
Kilrush	23	28	51	23	16	39
Clonakilty	23	16	39	8	11	19
Cobh	67	94	161	37	23	65
Fermoy	42	49	91	20	30	50
Kinsale	10	15	25	11	13	24
Macroom	19	19	38	11	9	20
Mallow	69	97	166	31	20	51
Midleton	41	45	86	16	21	37
Skibbereen	25	13	43	21	12	33
Youghal	67	42	109	13	19	37
Killarney	67	77	144	35	31	66
Listowel	28	19	47	8	16	24
Nenagh	54	61	115	21	30	51
Templemore	25	21	46	10	8	18
Thurles	74	58	132	32	33	65
Carrick-on-Suir	51	66	117	26	24	50
Cashel	26	29	55	21	16	37
Tipperary	72	54	126	21	24	45
Dungarvan	48	54	102	23	21	44
Ballinasloe	31	42	73	18	5	23
Ballina	63	52	115	32	20	52
Castlebar	47	49	96	13	17	30
Westport	34	37	71	10	13	23
Cavan	36	34	70	14	21	35
Buncrana	25	28	53	12	8	20
Bundoran	18	19	37	7	4	11
Letterkenny	57	53	110	13	9	22
Carrikmacross	33	23	61	5	6	11
Castleblayney	19	20	39	15	7	22
Clones	17	22	39	9	13	22
Monaghan	43	51	94	18	20	38

TABLE 15-BIRTHS AND DEATHS CLASSIFIED BY SEX, IN 1971, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	34,751	32,800	67,551	922	920	1,842	17,357	14,533	31,890	183	5,680
Dublin County Borough	7,042	6,531	13,573	283	260	543	2,708	2,702	5,410	37	1,224
Cork County Borough	1,731	1,696	3,427	33	28	61	660	644	1,304	10	269
Limerick County Borough	854	779	1,633	17	17	34	276	288	564	5	90
Waterford County Borough	446	400	846	7	8	15	175	173	348	3	69
Dun Laoghaire Borough	722	651	1,373	22	32	54	284	337	621	2	128
Municipal Boroughs:											
Galway	389	391	780	7	6	13	135	112	247	2	49
Drogheda	275	284	559	5	3	8	94	76	170	3	35
Sligo	146	154	300	5	2	7	81	80	161	-	32
Wexford	140	167	307	2	2	4	74	69	143	1	32
Clonmel	136	152	288	2	9	11	66	51	117	-	30
Kilkenny	155	169	324	3	4	7	48	50	98	-	21
Urban Districts:											
Dundalk	292	254	546	7	7	14	114	116	230	-	34
Bray	200	233	433	3	5	8	73	58	131	4	25
Tralee	139	136	275	2	1	3	58	73	131	1	22
Total above Principal Towns	12,667	11,997	24,664	398	384	782	4,846	4,829	9,675	68	2,060
Total other Urban Districts	2,324	2,364	4,688	44	62	106	931	875	1,806	13	282
All Boroughs and Urban Districts:											
Leinster	9,773	9,249	19,022	343	332	675	3,733	3,713	7,446	49	1,605
Munster	4,260	4,132	8,392	77	94	171	1,662	1,656	3,318	30	615
Connacht	710	725	1,435	18	10	28	289	247	536	2	98
Ulster (part of)	248	255	503	4	10	14	93	88	181	-	24
Total - Boroughs and Urban Districts	14,991	14,361	29,352	442	446	888	5,777	5,704	11,481	81	2,342
All Rural Districts:											
Leinster	9,141	8,440	17,581	252	226	478	3,802	2,925	6,727	35	1,165
Munster	5,786	5,424	11,210	114	137	251	3,895	2,999	6,894	36	1,139
Connacht	3,055	2,878	5,933	59	60	119	2,559	1,894	4,453	24	669
Ulster (part of)	1,778	1,697	3,475	55	51	106	1,324	1,011	2,335	7	365
Total - Rural Districts	19,760	18,439	38,199	480	474	954	11,580	8,829	20,409	102	3,338

TABLE 16 - BIRTH AND DEATH RATES IN 1971 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	22.68	2.73	10.71	0.06	1.91
Dublin County Borough	23.90	4.00	9.53	0.06	2.16
Cork County Borough	26.64	1.78	10.14	0.08	2.09
Limerick County Borough	28.57	2.08	9.87	0.09	1.57
Waterford County Borough	26.46	1.77	10.89	0.09	2.16
Dun Laoghaire Borough	25.82	3.93	11.68	0.04	2.41
Municipal Boroughs:					
Galway	28.13	1.67	8.91	0.07	1.77
Drogheda	28.29	1.43	8.60	0.15	1.72
Sligo	21.31	2.33	11.43	-	2.27
Wexford	25.91	1.30	12.07	0.08	2.70
Clonmel	24.78	3.82	10.07	-	2.58
Kilkenny	32.93	2.16	9.96	-	2.13
Urban Districts:					
Dundalk	25.19	2.56	10.61	-	1.57
Bray	29.93	1.85	9.06	0.28	1.73
Tralee	22.38	1.09	10.66	0.08	1.79
Total above Principal Towns	25.11	3.17	9.85	0.07	2.10
All other Urban Districts	23.34	2.26	8.99	0.06	1.40
All Boroughs and Urban Districts:					
Leinster	24.66	3.55	9.65	0.06	2.08
Munster	25.85	2.04	10.22	0.09	1.89
Connacht	22.84	1.95	8.53	0.03	1.56
Ulster (part of)	20.84	2.78	7.50	-	0.99
Total - Boroughs and Urban Districts	24.81	3.03	9.71	0.07	1.98
All Rural Districts:					
Leinster	24.19	2.72	9.26	0.05	1.60
Munster	20.11	2.24	12.37	0.06	2.04
Connacht	18.09	2.01	13.57	0.07	2.04
Ulster (part of)	18.98	3.05	12.75	0.04	1.99
Total - Rural Districts	21.28	2.50	11.37	0.06	1.86

TABLE 17 - DEATHS OCCURRING IN 1971 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	11,481	5,777	5,704	20,409	11,580	8,829	31,890	17,357	14,533
Under 1 year	565	335	230	649	368	281	1,214	703	511
1 year	38	20	18	56	32	24	94	52	42
2 years	25	17	8	25	13	12	50	30	20
3 "	8	2	6	24	15	9	32	17	15
4 "	3	3	-	23	14	9	26	17	9
1-4 "	74	42	32	128	74	54	202	116	86
5 "	16	13	3	12	4	8	28	17	11
6 "	15	10	5	17	13	4	32	23	9
7 "	9	8	1	18	11	7	27	19	8
8 "	11	7	4	10	7	3	21	14	7
9 "	9	5	4	6	4	2	15	9	6
5-9 "	60	43	17	63	39	24	123	82	41
10 "	10	7	3	7	5	2	17	12	5
11 "	6	5	1	11	9	2	17	14	3
12 "	4	2	2	11	7	4	15	9	6
13 "	8	5	3	8	3	5	16	8	8
14 "	8	6	2	14	11	3	22	17	5
10-14 "	36	25	11	51	35	16	87	60	27
15 "	8	1	7	12	8	4	20	9	11
16 "	15	9	6	18	10	8	33	19	14
17 "	14	8	6	24	19	5	38	27	11
18 "	10	7	3	22	15	7	32	22	10
19 "	15	9	6	22	20	2	37	29	8
15-19 "	62	34	28	98	72	26	160	106	54
20 "	16	10	6	22	19	3	38	29	9
21 "	16	14	2	17	9	8	33	23	10
22 "	18	11	7	26	20	6	44	31	13
23 "	15	10	5	16	13	3	31	23	8
24 "	22	13	9	18	10	8	40	23	17
20-24 "	87	58	29	99	71	28	186	129	57
25 "	15	5	10	16	8	8	31	13	18
26 "	12	7	5	14	10	4	26	17	9
27 "	14	8	6	27	19	8	41	27	14
28 "	9	7	2	22	13	9	31	20	11
29 "	12	9	3	10	5	5	22	14	8
25-29 "	62	36	26	89	55	34	151	91	60
30 "	10	4	6	19	14	5	29	18	11
31 "	12	7	5	24	11	13	36	18	18
32 "	14	8	6	23	16	7	37	24	13
33 "	9	4	5	19	11	8	28	15	13
34 "	19	13	6	26	15	11	45	28	17
30-34 "	64	36	28	111	67	44	175	103	72

TABLE 17 (contd.) - DEATHS OCCURRING IN 1971 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	16	8	8	19	9	10	35	17	18
36 "	12	8	4	16	7	9	28	15	13
37 "	12	9	3	15	12	3	27	21	6
38 "	16	4	12	26	15	11	42	19	23
39 "	23	15	8	36	23	13	59	38	21
35-39 "	79	44	35	112	66	46	191	110	81
40 "	38	24	14	27	18	9	65	42	23
41 "	43	29	14	35	22	13	78	51	27
42 "	32	22	10	40	28	12	72	50	22
43 "	39	30	9	45	22	23	84	52	32
44 "	40	21	19	39	29	10	79	50	29
40-44 "	192	126	66	186	119	67	378	245	133
45 "	49	35	14	79	48	31	128	83	45
46 "	61	34	27	75	45	30	136	79	57
47 "	58	36	22	89	57	32	147	93	54
48 "	67	41	26	83	45	38	150	86	64
49 "	72	46	26	109	67	42	181	113	68
45-49 "	307	192	115	435	262	173	742	454	288
50 "	109	62	47	148	88	60	257	150	107
51 "	102	65	37	124	83	41	226	148	78
52 "	100	56	44	131	80	51	231	136	95
53 "	110	60	50	136	84	52	246	144	102
54 "	117	66	51	157	93	64	274	159	115
50-54 "	538	309	229	696	428	268	1,234	737	497
55 "	130	78	52	175	105	70	305	183	122
56 "	145	83	62	214	132	82	359	215	144
57 "	140	90	50	199	125	74	339	215	124
58 "	200	111	89	263	177	86	463	288	175
59 "	189	114	75	212	135	77	401	249	152
55-59 "	804	476	328	1,063	674	389	1,867	1,150	717
60 "	221	122	99	354	233	121	575	355	220
61 "	168	103	65	268	190	78	436	293	143
62 "	192	117	75	324	212	112	516	329	187
63 "	217	139	78	332	219	113	549	358	191
64 "	246	144	102	347	221	126	593	365	228
60-64 "	1,044	625	419	1,625	1,075	550	2,669	1,700	969
65 "	262	149	113	446	285	161	708	434	274
66 "	240	139	101	364	221	143	604	360	244
67 "	269	176	93	410	270	140	679	446	233
68 "	288	170	118	476	300	176	764	470	294
69 "	279	176	103	452	281	171	731	457	274
65-69 "	1,338	810	528	2,148	1,357	791	3,486	2,167	1,319

TABLE 17 (contd.) - DEATHS OCCURRING IN 1971 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	361	185	176	583	325	258	944	510	434
71 "	309	163	146	571	338	233	880	501	379
72 "	332	172	160	586	340	246	918	512	406
73 "	298	149	149	618	357	261	916	506	410
74 "	352	157	195	648	376	272	1,000	533	467
70-74 "	1,652	826	826	3,006	1,736	1,270	4,658	2,562	2,096
75 "	345	164	181	705	366	339	1,050	530	520
76 "	344	169	175	739	435	304	1,083	604	479
77 "	293	134	159	610	346	264	903	480	423
78 "	331	151	180	707	402	305	1,038	553	485
79 "	304	141	163	582	342	240	886	483	403
75-79 "	1,617	759	858	3,343	1,891	1,452	4,960	2,650	2,310
80 "	349	130	219	772	422	350	1,121	552	569
81 "	258	96	162	566	303	263	824	399	425
82 "	287	105	182	605	312	293	892	417	475
83 "	288	119	169	595	322	273	883	441	442
84 "	264	81	183	638	319	319	902	400	502
80-84 "	1,446	531	915	3,176	1,678	1,498	4,622	2,209	2,413
85 "	231	84	147	499	238	261	730	322	408
86 "	246	93	153	533	265	268	779	358	421
87 "	167	61	106	452	224	228	619	285	334
88 "	157	40	117	375	166	209	532	206	326
89 "	155	49	106	316	153	163	471	202	269
85-89 "	956	327	629	2,175	1,046	1,129	3,131	1,373	1,758
90 "	116	34	82	297	136	161	413	170	243
91 "	112	38	74	184	79	105	296	117	179
92 "	76	21	55	166	63	103	242	84	158
93 "	63	21	42	158	59	99	221	80	141
94 "	35	11	24	95	43	52	130	54	76
90-94 "	402	125	277	900	380	520	1,302	505	797
95 "	28	6	22	85	28	57	113	34	79
96 "	18	3	15	61	15	46	79	18	61
97 "	23	4	19	42	20	22	65	24	41
98 "	15	3	12	43	14	29	58	17	41
99 "	6	2	4	14	5	9	20	7	13
95-99 "	90	18	72	245	82	163	335	100	235
100 "	3	-	3	5	3	2	8	3	5
101 "	1	-	1	2	1	1	3	1	2
102 "	2	-	2	2	1	1	4	1	3
104 "	-	-	-	1	-	1	1	-	1
107 "	-	-	-	1	-	1	1	-	1
100 years and over	6	-	6	11	5	6	17	5	12

TABLE 18 - DEATHS OCCURRING IN 1971 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	17,357	703	52	30	17	17	819	82	60	106	129	91
	Females	14,533	511	42	20	15	9	597	41	27	54	57	60
LEINSTER	Males	7,535	380	29	17	9	11	446	43	27	45	67	38
	Females	6,638	263	30	11	8	5	317	18	10	26	36	33
MUNSTER	Males	5,557	202	10	7	7	4	230	25	22	29	34	34
	Females	4,655	167	7	6	3	2	185	17	10	15	16	15
CONNACHT	Males	2,848	76	10	3	1	2	92	4	6	24	22	13
	Females	2,141	52	4	1	4	1	62	4	4	10	3	9
ULSTER (part of)	Males	1,417	45	3	3	-	-	51	10	5	8	6	6
	Females	1,099	29	1	2	-	1	33	2	3	3	2	3
LEINSTER													
Carlow	Males	225	12	1	-	1	2	16	2	1	1	1	-
	Females	159	7	1	1	-	1	10	-	-	-	-	-
Dublin County Borough	Males	2,708	160	12	10	-	2	184	23	11	17	35	17
	Females	2,702	103	8	6	3	-	120	4	4	14	12	14
Dun Laoghaire Borough	Males	284	10	1	-	-	-	11	1	1	1	1	1
	Females	337	11	2	-	-	-	13	-	-	-	3	1
Dublin County (remainder)	Males	670	45	2	2	2	2	53	3	1	7	5	5
	Females	601	34	4	1	2	1	42	2	1	2	4	2
Kildare	Males	386	18	1	1	-	1	21	1	-	4	2	2
	Females	285	14	3	1	-	-	18	-	-	1	1	-
Kilkenny	Males	372	14	-	-	-	-	14	3	1	1	1	1
	Females	297	12	1	-	-	-	13	-	-	2	1	2
Laois	Males	299	13	3	-	1	-	17	-	3	-	3	1
	Females	206	8	-	-	-	2	10	1	1	1	3	1
Longford	Males	192	6	-	-	-	-	6	-	-	-	1	1
	Females	134	4	1	-	-	-	5	-	-	1	-	1
Louth	Males	405	18	1	1	1	2	23	-	1	5	8	1
	Females	348	19	2	-	1	-	22	1	-	1	3	4
Meath	Males	435	18	1	1	1	-	21	2	1	1	4	2
	Females	316	9	-	-	2	-	11	2	1	1	-	2
Offaly	Males	323	10	-	-	1	-	14	-	1	1	1	-
	Females	230	7	1	-	-	-	8	-	-	1	-	1
Westmeath	Males	317	11	3	1	2	-	17	2	3	-	1	2
	Females	292	8	2	1	-	1	12	4	1	1	1	1
Wexford	Males	545	28	4	1	-	1	34	4	-	2	2	4
	Females	441	19	3	-	-	-	22	2	1	-	6	2
Wicklow	Males	374	14	-	-	-	1	15	2	3	5	2	1
	Females	290	8	2	1	-	-	11	2	1	1	2	2

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY.

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
103	110	245	454	737	1,150	1,700	2,167	2,562	2,650	2,209	1,983	Males
72	81	133	288	497	717	969	1,319	2,096	2,310	2,413	2,802	Females
48	59	122	208	362	565	794	1,006	1,107	1,045	834	719	Males LEINSTER
34	48	73	135	263	354	467	624	926	1,012	1,066	1,196	Females
31	36	77	158	210	361	560	683	812	898	720	637	Males MUNSTER
24	25	39	98	132	217	309	417	721	737	785	893	Females
16	9	34	58	111	141	239	293	433	483	450	420	Males CONNACHT
13	8	15	36	64	85	115	163	304	398	366	482	Females
8	6	12	30	54	83	107	185	210	224	205	207	Males ULSTER (part of)
1	-	6	19	38	61	78	115	145	163	196	231	Females
												LEINSTER
-	5	-	6	5	14	24	26	23	49	33	19	Males Carlow
-	1	2	5	3	11	10	21	17	35	22	22	Females
14	21	56	88	149	255	289	384	385	330	251	199	Males Dublin County Borough
17	14	37	52	130	163	188	258	383	416	415	461	Females
4	1	4	10	12	19	35	37	58	42	25	21	Males Dun Laoghaire Borough
1	2	3	2	9	18	30	23	46	57	56	73	Females
8	8	6	23	49	50	86	66	94	78	72	56	Males Dublin County (remainder)
4	12	10	17	26	28	35	53	78	101	94	90	Females
1	3	10	6	10	32	35	53	60	54	46	46	Males Kildare
2	4	-	9	12	21	18	35	46	34	36	48	Females
2	2	4	10	12	20	40	50	49	61	50	51	Males Kilkenny
1	1	1	10	15	6	24	29	43	45	42	62	Females
-	1	3	2	8	18	26	44	48	45	45	35	Males Laois
1	-	2	7	4	7	11	21	23	38	34	41	Females
2	-	2	6	10	11	24	22	29	30	26	22	Males Longford
1	2	2	1	3	5	9	10	23	17	20	34	Females
4	4	5	14	23	28	45	54	53	56	42	39	Males Louth
2	2	4	8	9	8	35	21	48	39	66	75	Females
3	2	2	9	12	36	65	51	61	62	52	49	Males Meath
2	2	2	4	9	21	21	31	43	45	60	59	Females
2	3	9	7	19	11	21	41	47	68	40	38	Males Offaly
-	1	-	4	12	14	7	16	36	41	45	44	Females
1	3	3	11	7	15	19	36	60	43	47	47	Males Westmeath
1	1	4	4	12	9	18	26	43	42	54	58	Females
2	4	10	5	25	30	53	83	83	70	73	61	Males Wexford
2	2	2	5	11	32	36	55	55	55	74	79	Females
5	2	8	11	21	26	32	59	57	57	32	36	Males Wicklow
-	4	4	7	8	11	25	25	42	47	48	50	Females

TABLE 18 (contd.) - DEATHS OCCURRING IN 1971 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	546	11	1	1	1	-	14	1	-	3	6	3
	Females	440	10	1	-	-	-	11	2	-	1	4	1
Cork County Borough	Males	660	38	2	1	-	-	41	2	1	5	3	6
	Females	644	27	1	-	-	-	28	1	2	1	4	2
Cork County	Males	1,458	57	4	2	-	2	65	7	7	7	9	9
	Females	1,183	36	2	1	-	-	39	2	3	2	3	1
Kerry	Males	773	20	1	-	1	1	23	7	3	2	5	6
	Females	642	24	1	1	1	-	27	2	-	-	1	1
Limerick County Borough	Males	276	20	1	-	1	-	22	3	3	2	3	3
	Females	288	27	-	-	-	-	27	1	-	5	1	2
Limerick County	Males	573	16	-	1	2	1	20	-	2	4	4	4
	Females	418	18	1	2	1	1	23	2	2	1	1	1
Tipperary, North Riding	Males	371	13	-	-	2	-	15	-	-	2	-	1
	Females	276	11	-	1	-	-	12	1	-	1	-	2
Tipperary, South Riding	Males	449	14	-	1	-	-	15	2	2	1	2	1
	Females	355	10	-	-	1	1	12	3	1	-	-	2
Waterford County Borough	Males	175	4	1	1	-	-	6	1	3	1	2	-
	Females	173	2	-	-	-	-	2	3	2	4	2	-
Waterford County	Males	276	9	-	-	-	-	9	2	1	2	-	1
	Females	236	2	1	1	-	-	4	-	-	-	-	3
CONNACHT													
Galway	Males	1,025	31	1	1	-	2	35	1	5	8	11	4
	Females	729	23	1	1	3	-	28	-	2	3	1	5
Leitrim	Males	277	3	1	-	-	-	4	1	-	2	2	1
	Females	187	2	-	-	-	-	2	-	1	2	-	1
Mayo	Males	751	19	7	2	1	-	29	1	1	9	6	1
	Females	635	11	3	-	-	-	14	1	1	2	1	2
Roscommon	Males	434	7	1	-	-	-	8	1	-	4	1	3
	Females	275	7	-	-	1	-	8	1	-	-	-	1
Sligo	Males	361	16	-	-	-	-	16	-	-	1	2	4
	Females	315	9	-	-	-	1	10	2	-	3	1	-
ULSTER (part of)													
Cavan	Males	399	11	1	2	-	-	14	1	2	3	3	2
	Females	277	4	-	-	-	-	4	-	2	1	1	-
Donegal	Males	709	23	-	1	-	-	24	6	1	4	2	3
	Females	568	16	1	2	-	1	20	2	1	2	1	3
Monaghan	Males	309	11	2	-	-	-	13	3	2	1	1	1
	Females	254	9	-	-	-	-	9	-	-	-	-	-

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY.

death												Area
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	5	7	15	21	25	37	69	84	96	81	77	Males Clare
4	2	2	9	9	21	24	34	75	67	75	99	Females
5	5	17	24	37	54	72	83	101	85	62	57	Males Cork County Borough
1	6	9	11	23	45	55	49	93	111	100	103	Females
6	10	14	41	44	91	151	174	199	254	202	168	Males Cork County
10	7	6	21	37	45	61	119	193	188	193	253	Females
7	5	6	18	26	52	79	93	106	129	117	89	Males Kerry
3	2	7	13	17	31	52	47	99	100	108	132	Females
1	1	6	11	13	22	27	39	43	37	23	17	Males Limerick County Borough
-	-	4	8	12	16	18	30	39	35	53	37	Females
2	3	6	11	12	42	69	66	87	91	82	68	Males Limerick County
2	3	4	7	13	17	30	34	60	62	81	75	Females
1	-	8	14	7	17	33	58	55	63	53	44	Males Tipperary, North Riding
3	2	2	8	4	13	21	29	50	49	36	43	Females
1	2	4	12	25	33	46	45	76	75	56	51	Males Tipperary, South Riding
1	1	3	10	7	16	23	34	49	63	65	65	Females
2	1	7	5	12	11	21	24	21	29	13	16	Males Waterford County Borough
-	1	2	6	6	3	16	19	29	21	28	29	Females
4	4	2	7	13	14	25	32	40	39	31	50	Males Waterford County
-	1	-	5	4	10	9	22	34	41	46	57	Females
												CONNACHT
6	3	18	23	45	36	84	96	169	169	160	152	Males Galway
5	2	5	16	31	30	32	65	112	129	107	156	Females
-	1	3	3	13	17	31	31	37	44	48	39	Males Leitrim
2	-	1	3	3	8	7	19	31	35	36	36	Females
4	2	6	10	25	50	58	79	101	139	118	112	Males Mayo
2	4	5	8	19	23	39	40	78	122	118	156	Females
2	-	2	15	19	21	37	47	62	70	77	65	Males Roscommon
2	1	2	4	6	10	12	17	39	57	55	60	Females
4	3	5	7	9	17	29	40	64	61	47	52	Males Sligo
2	1	2	5	5	14	25	22	44	55	50	74	Females
												ULSTER (part of)
1	1	3	9	14	22	24	57	62	65	63	53	Males Cavan
-	-	2	2	8	16	19	32	36	47	49	58	Females
6	3	6	17	31	39	58	83	99	111	98	118	Males Donegal
-	-	3	13	26	31	37	62	68	84	94	121	Females
1	2	3	4	9	22	25	45	49	48	44	36	Males Monaghan
1	-	1	4	4	14	22	21	41	32	53	52	Females

[illegible]

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
106 54	129 57	91 60	103 72	110 81	245 133	454 288	737 497	1,150 717	1,700 969	2,167 1,319	2,562 2,096	2,650 2,310	2,209 2,413	1,983 2,802	
- 2	2 -	3 1	1 1	3 2	2 -	6 9	14 10	14 8	23 14	37 12	30 10	11 9	6 9	5 3	000-136
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	003
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	008
-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	009
-	-	1	1	-	-	1	-	1	1	1	3	-	1	1	010-019
-	2	2	1	-	1	3	13	9	20	33	25	10	5	2	010-019
-	-	-	-	2	-	6	7	7	9	7	5	4	7	-	010
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	010
-	1	2	1	-	1	3	10	8	20	29	23	10	5	1	011
-	-	-	-	1	-	6	6	6	8	5	4	3	6	-	011
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	012
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	012
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	013
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	013
-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	014
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	015
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	016
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	017
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	019
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	019
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	033
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	034
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	036
-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	038
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	039
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	045
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	045
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	053
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	053
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	055
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	065
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	065
1	-	-	-	-	-	-	2	-	1	2	1	2	-	-	070
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	072
-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	079
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	079
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	084
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	093
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	097

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

TABLE 19 (Contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)											
Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
100	Leptospirosis	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
130	Toxoplasmosis	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
135	Sarcoidosis	M	6	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
140-239	II. Neoplasms	M	3,130	4	4	3	6	6	23	11	3
		F	2,616	1	4	1	3	-	9	11	8
140-209	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	M	3,099	4	3	3	6	6	22	11	3
		F	2,581	1	4	1	3	-	9	8	8
140	Malignant neoplasm of lip	M	15	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
141	Malignant neoplasm of tongue	M	22	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
142	Malignant neoplasm of salivary gland	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
143	Malignant neoplasm of gum	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
144	Malignant neoplasm of floor of mouth	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
145	Malignant neoplasm of other and unspecified parts of mouth	M	8	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
146	Malignant neoplasm of oropharynx	M	7	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
147	Malignant neoplasm of nasopharynx	M	6	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
148	Malignant neoplasm of hypopharynx	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
149	Malignant neoplasm of pharynx, unspecified	M	11	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
150	Malignant neoplasm of oesophagus	M	110	-	-	-	-	-	-	-	-
		F	95	-	-	-	-	-	-	-	-
151	Malignant neoplasm of stomach	M	445	-	-	-	-	-	-	-	-
		F	343	-	-	-	-	-	-	-	-
152	Malignant neoplasm of small intestine, including duodenum	M	9	-	-	1	-	-	1	-	-
		F	4	-	-	-	-	-	-	-	-
153	Malignant neoplasm of large intestine, except rectum	M	284	-	-	-	-	-	-	-	-
		F	351	-	-	-	-	-	-	-	-
154	Malignant neoplasm of rectum and rectosigmoid junction	M	170	-	-	-	-	-	-	-	-
		F	99	-	-	-	-	-	-	-	-
155	Malignant neoplasm of liver and intrahepatic bile ducts, specified as primary	M	42	-	-	-	-	-	-	-	-
		F	37	-	-	-	1	-	1	-	-
156	Malignant neoplasm of gallbladder and bile ducts	M	13	-	-	-	-	-	-	-	-
		F	50	-	-	-	-	-	-	-	-
157	Malignant neoplasm of pancreas	M	179	-	-	-	-	-	-	-	-
		F	123	-	-	-	-	-	-	-	-
158	Malignant neoplasm of peritoneum and retroperitoneal tissue	M	10	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
159	Malignant neoplasm of unspecified digestive organs	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
161	Malignant neoplasm of larynx	M	43	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-
162	Malignant neoplasm of trachea, bronchus and lung	M	767	-	-	-	-	-	-	-	1
		F	237	-	-	-	-	-	-	-	-
162.0	Trachea	M	5	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
162.1	Bronchus and lung	M	762	-	-	-	-	-	-	-	1
		F	237	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
-	-	-	-	1	-	2	-	-	-	2	1	-	-	-	135
16	10	22	14	33	56	117	198	305	427	508	528	418	288	153	140-239
7	12	11	22	30	58	121	194	250	308	368	404	348	267	188	
15	10	22	14	32	54	114	198	303	423	505	522	412	286	153	140-209
7	12	10	21	30	58	121	191	248	304	361	401	344	264	184	
-	-	1	-	-	-	-	-	1	1	1	2	3	3	3	140
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	
-	-	-	-	1	1	-	3	1	2	4	1	5	-	4	141
-	-	-	-	-	-	2	1	-	1	-	-	-	2	-	
-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	142
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	143
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	144
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	1	-	1	-	-	1	5	-	-	145
-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	
-	-	-	-	1	-	-	-	1	-	2	2	1	-	-	146
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	1	-	1	-	-	1	1	1	-	1	-	-	-	-	147
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	148
-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	
-	-	1	-	-	-	-	1	1	-	-	2	3	2	1	149
-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	
1	-	-	-	2	1	8	6	11	17	18	18	13	11	4	150
-	-	-	-	-	-	3	6	7	11	11	16	16	14	11	
-	1	1	-	1	7	16	29	41	61	76	88	63	40	21	151
-	-	3	2	-	3	6	17	25	28	48	61	64	45	41	
-	-	-	1	-	1	-	1	2	-	1	2	-	-	-	152
-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	
-	1	3	1	3	7	10	13	20	32	36	65	43	33	17	153
-	-	-	1	3	3	4	18	27	34	43	70	60	52	36	
-	-	-	1	2	2	5	8	15	14	23	32	29	28	11	154
-	-	-	2	1	4	3	3	8	14	13	16	18	8	9	
-	-	-	-	2	-	3	1	2	7	8	8	6	5	-	155
1	-	-	1	-	2	2	2	1	4	1	5	7	5	5	
-	-	-	-	-	-	-	-	2	2	4	3	2	-	-	156
-	-	-	-	-	-	2	3	4	6	5	12	8	7	3	
-	-	-	-	1	-	7	11	22	25	32	24	26	18	13	157
-	-	-	-	1	2	1	5	10	18	20	20	18	22	6	
-	-	1	1	-	-	-	1	2	3	-	1	1	-	-	158
-	-	-	-	-	-	-	2	-	1	5	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	159
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	160
-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	
-	-	-	-	-	1	2	3	2	4	8	7	6	7	3	161
-	-	-	-	-	-	-	3	2	4	4	5	2	-	3	
-	-	-	2	8	8	29	67	98	148	158	135	64	39	10	162
-	-	-	-	1	3	7	24	35	32	47	47	22	14	5	
-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	162.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	8	8	29	66	98	146	157	134	64	39	10	162.1
-	-	-	-	1	3	7	24	35	32	47	47	22	14	5	

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
163	Malignant neoplasm of other and unspecified respiratory organs	M	6	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
170	Malignant neoplasm of bone	M	50	-	-	-	-	1	1	2	1
		F	19	-	-	-	-	-	-	-	-
171	Malignant neoplasm of connective and other soft tissue	M	9	-	-	-	-	1	1	-	-
		F	7	-	-	-	-	-	-	1	-
172	Malignant melanoma of skin	M	14	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
173	Other malignant neoplasm of skin	M	40	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
174	Malignant neoplasm of breast	M	3	-	-	-	-	-	-	-	-
		F	469	-	-	-	-	-	-	-	-
180	Malignant neoplasm of cervix uteri	F	64	-	-	-	-	-	-	-	-
181	Chorioneplithelioma	F	1	-	-	-	-	-	-	-	-
182.0	Malignant neoplasm of corpus uteri	F	60	-	-	-	-	-	-	-	-
182.9	Malignant neoplasm of uterus unspecified	F	26	-	-	-	-	-	-	-	-
183	Malignant neoplasm of ovary, falloplan tube, and broad ligament	F	107	-	-	-	-	-	-	-	-
184	Malignant neoplasm of other and unspecified female genital organs	F	12	-	-	-	-	-	-	-	-
185	Malignant neoplasm of prostate	M	291	-	-	-	-	-	-	1	-
186	Malignant neoplasm of testis	M	16	-	-	-	-	1	1	-	-
187	Malignant neoplasm of other and unspecified male genital organs	M	4	-	-	-	-	-	-	-	-
188	Malignant neoplasm of bladder	M	86	-	-	-	-	-	-	-	-
		F	43	-	-	-	-	-	-	-	-
189	Malignant neoplasm of other and unspecified urinary organs	M	47	1	-	-	-	-	1	-	-
		F	25	-	-	-	-	-	-	1	-
190	Malignant neoplasm of eye	M	7	-	-	-	-	1	1	-	-
		F	5	-	-	-	-	-	-	-	-
191	Malignant neoplasm of brain	M	38	1	1	1	-	1	4	-	-
		F	15	-	2	-	-	-	2	-	1
192	Malignant neoplasm of other parts of nervous system	M	19	-	2	-	2	-	4	1	-
		F	18	1	-	1	2	-	4	2	-
193	Malignant neoplasm of thyroid gland	M	7	-	-	-	-	-	-	1	-
		F	33	-	-	-	-	-	-	-	-
194	Malignant neoplasm of other endocrine glands	M	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
195	Malignant neoplasm of ill-defined sites	M	36	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-
196	Secondary and unspecified malignant neoplasm of lymph nodes	M	7	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
197	Secondary malignant neoplasm of respiratory and digestive systems	M	17	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
198	Other secondary malignant neoplasm	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
199	Malignant neoplasm without specification of site	M	36	-	-	-	-	-	-	-	-
		F	45	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulum-cell sarcoma	M	25	1	-	-	-	-	1	-	-
		F	12	-	-	-	-	-	-	-	1
201	Hodgkin's disease	M	32	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
202	Other neoplasm of lymphoid tissue	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
203	Multiple myeloma	M	26	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-
204	Lymphatic leukaemia	M	40	-	-	-	3	1	4	4	1
		F	27	-	1	-	-	-	1	3	3

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	1	-	2	-	2	-	-	1	-	-	163
-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-
1	1	2	-	-	1	1	2	9	4	9	2	6	6	2	170
-	-	-	-	-	1	-	1	3	-	4	2	5	3	-	-
-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	171
1	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-
-	-	-	1	-	1	1	-	1	2	3	1	2	1	1	172
-	-	1	-	2	1	4	-	2	1	4	3	2	1	1	-
-	-	-	-	-	-	1	3	1	5	3	5	9	4	9	173
-	-	-	-	-	-	-	1	1	5	2	3	2	4	4	-
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	174
-	-	1	5	11	27	56	52	50	66	57	53	32	36	23	-
-	-	1	2	2	2	2	11	10	7	8	8	4	6	1	180
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	181
-	-	-	1	-	1	1	3	7	5	20	10	6	3	3	182.0
-	-	-	1	1	1	1	3	-	4	4	4	3	2	2	182.9
-	2	-	1	4	3	4	9	21	14	17	7	19	6	-	183
-	-	-	-	-	-	1	-	1	1	1	1	4	-	3	184
-	-	-	-	-	-	1	3	12	18	51	50	63	54	38	185
2	1	3	1	1	-	-	1	4	-	1	-	-	1	-	186
-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	187
-	-	-	-	-	3	-	6	6	13	10	10	22	11	5	188
-	-	-	1	-	-	-	2	2	5	3	8	14	5	3	-
-	-	-	-	-	1	6	2	9	9	7	8	3	1	-	189
-	1	-	-	1	-	1	1	6	4	3	3	3	1	-	-
-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	190
-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-
-	1	-	1	-	6	4	7	3	5	3	3	1	-	-	191
-	-	-	1	-	1	1	-	1	4	-	3	1	-	-	-
1	-	1	-	-	1	1	5	2	2	1	-	-	-	-	192
-	3	1	1	-	-	4	2	-	1	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	193
-	-	-	-	-	-	-	3	4	4	7	3	6	3	3	-
1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	194
-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
1	-	-	-	-	-	3	3	-	5	4	6	6	7	1	195
-	1	-	-	-	-	1	1	1	2	4	5	8	5	5	-
-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	196
-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
-	-	-	-	-	-	2	2	1	1	3	3	4	1	-	197
-	-	-	-	-	-	1	1	1	1	2	3	2	2	2	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	198
-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
1	-	1	-	-	2	-	3	2	5	8	8	1	2	3	199
-	-	2	-	-	3	3	2	3	3	2	10	6	6	5	-
2	1	1	-	2	1	1	4	2	4	3	2	-	1	-	200
-	1	-	-	-	-	1	1	2	3	1	1	1	-	-	-
2	1	1	2	2	6	3	1	5	1	6	1	1	-	-	201
1	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-
-	-	2	-	-	-	-	-	-	3	1	-	-	-	-	202
-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-
-	-	-	-	-	1	2	2	5	5	3	6	2	-	-	203
-	-	-	-	-	-	1	1	3	6	7	2	-	3	1	-
-	-	-	-	1	-	1	1	3	3	4	10	3	2	3	204
1	1	-	-	-	-	1	-	-	1	3	6	3	-	4	-

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
205	Myeloid leukaemia	M	26	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	1
206	Monocytic leukaemia	M	6	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
207	Other and unspecified leukaemia	M	32	1	-	1	1	-	3	2	-
		F	17	-	1	-	-	-	1	1	2
208	Polycythaemia vera	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
209	Myelofibrosis	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
210	Benign neoplasm of buccal cavity and pharynx	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
211	Benign neoplasm of other parts of digestive system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
212	Benign neoplasm of respiratory system	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
215	Other benign neoplasm of muscular and connective tissue	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
218	Uterine fibroma	F	1	-	-	-	-	-	-	-	-
220	Benign neoplasm of ovary	F	1	-	-	-	-	-	-	-	-
223	Benign neoplasm of kidney and other urinary organs	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
225	Benign neoplasm of brain and other parts of nervous system	M	3	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
226	Benign neoplasm of endocrine glands	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-
227	Haemangioma and lymphangioma	M	1	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
230	Neoplasm of unspecified nature of digestive organs	M	2	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
231	Neoplasm of unspecified nature of respiratory organs	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
234	Neoplasm of unspecified nature of uterus	F	1	-	-	-	-	-	-	-	-
237	Neoplasm of unspecified nature of other genito-urinary organs	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
238	Neoplasm of unspecified nature of eye, brain and other parts of nervous system	M	12	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	2	-
239	Neoplasm of unspecified nature of other and unspecified organs	M	2	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
240-279	III. Endocrine, nutritional and metabolic diseases	M	201	12	-	3	-	2	17	1	-
		F	270	15	1	3	-	-	19	1	-
240	Simple goitre	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
241	Non-toxic nodular goitre	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
242	Thyrotoxicosis with or without goitre	M	3	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
243	Cretinism of congenital origin	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
244	Myxoedema	M	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
245	Thyroiditis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	M	138	-	-	-	-	-	-	-	-
		F	170	-	-	-	-	-	-	-	-
251	Disorders of pancreatic internal secretion other than diabetes mellitus	M	2	1	-	1	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	-
252	Diseases of parathyroid gland	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
253	Diseases of pituitary gland	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
255	Diseases of adrenal glands	M	2	1	-	-	-	-	1	-	-
		F	6	-	-	-	-	-	-	-	-
258	Polyglandular dysfunction and other diseases of endocrine glands	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
261	Thiamine deficiency	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
263	Other vitamin B deficiency	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
265	Vitamin D deficiency	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
268	Nutritional marasmus	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
269	Other nutritional deficiency	M	11	1	-	1	-	-	2	-	-
		F	13	1	-	-	-	-	1	-	-
271	Congenital disorders of carbohydrate metabolism	M	1	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-
272	Congenital disorders of lipid metabolism	M	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-
273	Other and unspecified congenital disorders of metabolism	M	13	8	-	1	-	2	11	1	-
		F	15	11	-	3	-	-	14	1	-
274	Gout	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
275	Plasma protein abnormalities	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
276	Amyloidosis	M	10	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
277	Obesity not specified as of endocrine origin	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
279	Other and unspecified metabolic diseases	M	9	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	2	-	-
280-289	IV. Diseases of blood and blood-forming organs	M	60	2	2	-	-	-	4	1	2
		F	70	1	-	-	-	-	1	-	-
280	Iron deficiency anaemias	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
281	Other deficiency anaemias	M	8	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
282	Hereditary haemolytic anaemias	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
283	Acquired haemolytic anaemias	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
284	Aplastic anaemia	M	8	-	-	-	-	-	-	-	2
		F	11	-	-	-	-	-	-	-	-
285	Other and unspecified anaemias	M	23	-	1	-	-	-	1	-	-
		F	33	-	-	-	-	-	-	-	-
286	Coagulation defects	M	2	1	1	-	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	-
287	Purpura and other haemorrhagic conditions	M	13	1	-	-	-	-	1	1	-
		F	5	-	-	-	-	-	-	-	-
288	Agranulocytosis	M	1	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
289	Other diseases of blood and blood-forming organs	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
290-315	V. Mental disorders	M	12	-	-	-	-	-	-	-	1
		F	12	-	-	-	-	-	-	-	-
290	Senile and pre-senile dementia	M	2	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	253
-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	255
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	258
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	261
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	263
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	265
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268
-	-	1	-	-	-	1	-	3	1	1	1	-	1	1	269
-	-	-	-	-	-	-	-	1	1	1	1	3	2	2	271
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	272
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	273
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	274
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	275
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	276
-	-	1	-	1	1	2	2	1	1	2	-	-	-	-	277
-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	279
-	-	-	1	-	-	1	1	1	2	2	-	1	1	-	280-289
1	-	-	-	-	4	1	1	4	4	8	4	5	11	10	280
-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	281
-	-	-	-	-	-	-	-	1	1	1	-	2	1	2	282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	283
-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	284
-	-	-	-	-	-	-	-	3	2	-	3	-	2	1	285
-	-	-	-	-	-	-	2	-	1	6	5	2	7	5	286
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	287
1	-	-	-	-	1	-	1	-	3	2	1	1	-	1	288
-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	289
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	290-315
-	-	-	1	-	1	1	-	2	1	2	-	2	-	1	290
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-	-	-	-	-	-	1	-	1	2	3	-	2	

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
303	Alcoholism	M	8	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
305	Physical disorders of presumably psychogenic origin	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
306	Special symptoms not elsewhere classified	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
315	Unspecified mental retardation	M	1	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	1	-	-
320-389	VI. Diseases of the nervous system and sense organs	M	237	9	3	1	1	1	15	4	6
		F	221	11	2	1	3	1	18	3	2
320	Meningitis	M	15	8	1	-	1	-	10	-	1
		F	17	8	1	-	1	-	10	1	-
321	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
322	Intracranial and intraspinal abscess	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
323	Encephalitis, myelitis, and encephalomyelitis	M	4	-	-	-	-	-	-	-	-
		F	7	2	1	-	-	-	3	-	1
324	Late effects of intracranial abscess or pyogenic infection	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
330	Hereditary neuromuscular disorders	M	8	1	-	-	-	-	1	-	1
		F	1	-	-	-	-	-	-	-	-
331	Hereditary diseases of the striato-pallidal system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
333	Other hereditary and familial diseases of nervous system	M	1	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
340	Multiple sclerosis	M	20	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-
341	Other demyelinating diseases of central nervous system	M	5	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
342	Paralysis agitans	M	62	-	-	-	-	-	-	-	-
		F	54	-	-	-	-	-	-	-	-
343	Cerebral spastic infantile paralysis	M	5	-	-	-	-	1	1	1	2
		F	3	-	-	-	-	-	-	-	-
344	Other cerebral paralysis	M	53	-	-	-	-	-	-	-	-
		F	74	-	-	-	-	-	-	-	-
345	Epilepsy	M	25	-	-	1	-	-	1	3	1
		F	9	1	-	1	-	-	2	1	-
347	Other diseases of brain	M	16	-	1	-	-	-	1	-	1
		F	11	-	-	-	-	1	1	-	1
348	Motor neurone disease	M	21	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	1	-	-
354	Polyneuritis and polyradiculitis	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	1	-	-
381	Otitis media without mention of mastoiditis	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-
390-458	VII. Diseases of the circulatory system	M	8,687	1	-	-	-	-	1	2	-
		F	7,613	1	-	-	-	-	1	1	-
393	Diseases of pericardium	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
394	Diseases of mitral valve	M	67	-	-	-	-	-	-	-	-
		F	102	-	-	-	-	-	-	-	-
395	Diseases of aortic valve	M	41	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
396	Diseases of mitral and aortic valves	M	14	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
397	Diseases of other endocardial structures	M	6	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	1	-	1	1	-	1	1	2	-	1	-	-	303
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	305
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	315
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	320-389
4 5	7 2	4 4	2 4	2 1	2 2	2 7	7 8	15 9	28 10	25 20	34 33	40 25	25 38	15 30	320
-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	321
2	-	-	1	-	-	1	-	-	-	1	1	-	-	-	322
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	323
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	324
1 1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	330
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	331
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	333
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	340
-	-	3	2	1	1	2 2	2 6	3 3	6 5	4	2 4	1	-	-	341
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	342
-	-	-	-	-	-	-	1	1	9	11	15	15	6	4	343
-	-	-	-	-	-	2	-	1	4	10	13	9	11	4	344
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	345
-	-	-	-	-	-	-	-	2	4	2	10	17	12	6	347
-	-	-	-	-	-	-	1	2	1	6	11	13	20	20	348
1	5	3	1	2	2	-	1	2	1	-	1	-	1	-	354
-	-	1	1	-	1	-	-	-	-	1	-	-	1	1	381
-	1	-	-	-	-	-	2	-	1	-	1	4	2	2	390-458
-	-	-	-	-	-	-	1	1	-	-	-	1	3	2	393
-	-	-	-	-	-	-	-	4	5	4	4	1	2	1	394
-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	395
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	396
1	-	-	2	-	2	8	4	5	8	7	8	10	8	4	397
-	-	1	1	-	3	3	8	10	9	9	20	10	19	9	398
-	-	-	-	-	2	1	1	6	6	7	4	8	2	4	399
-	-	-	-	-	-	1	1	1	4	3	3	5	2	6	400
-	-	-	1	-	-	2	1	2	2	-	2	-	1	3	401
-	-	1	1	-	2	-	1	1	-	-	3	2	-	-	402
-	-	-	-	-	1	-	-	2	-	1	-	1	-	1	403
-	-	-	-	-	-	1	3	1	3	-	-	2	1	-	404

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
398	Other heart diseases, specified as rheumatic	M	21	-	-	-	-	-	-	-	-
		F	34	-	-	-	-	-	-	-	-
400	Malignant hypertension	M	31	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-
401	Essential benign hypertension	M	33	-	-	-	-	-	-	1	-
		F	52	-	-	-	-	-	-	-	-
402	Hypertensive heart disease	M	193	-	-	-	-	-	-	-	-
		F	241	-	-	-	-	-	-	-	-
403	Hypertensive renal disease	M	24	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
404	Hypertensive heart and renal disease	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
410-414	Ischaemic heart disease	M	4,740	-	-	-	-	-	-	-	-
		F	2,913	-	-	-	-	-	-	-	-
410.0	Acute myocardial infarction:- With hypertensive disease	M	300	-	-	-	-	-	-	-	-
		F	247	-	-	-	-	-	-	-	-
410.9	Without mention of hypertensive disease	M	3,328	-	-	-	-	-	-	-	-
		F	1,689	-	-	-	-	-	-	-	-
411.0	Other acute and sub-acute forms of ischaemic heart disease:- With hypertensive disease	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
411.9	Without mention of hypertensive disease	M	25	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-
412.0	Chronic ischaemic heart disease:- With hypertensive disease	M	51	-	-	-	-	-	-	-	-
		F	71	-	-	-	-	-	-	-	-
412.9	Without mention of hypertensive disease	M	1,028	-	-	-	-	-	-	-	-
		F	885	-	-	-	-	-	-	-	-
413.0	Angina pectoris:- With hypertensive disease	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
413.9	Without mention of hypertensive disease	M	4	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
414.0	Asymptomatic ischaemic heart disease with hypertensive disease	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
420	Acute pericarditis, non-rheumatic	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
421	Acute and subacute endocarditis	M	7	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
422	Acute myocarditis	M	7	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
423	Chronic disease of pericardium, non-rheumatic	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
424	Chronic disease of endocardium	M	72	-	-	-	-	-	-	-	-
		F	89	-	-	-	-	-	-	-	-
425	Cardiomyopathy	M	6	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
426	Pulmonary heart disease	M	13	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
427	Symptomatic heart disease	M	295	-	-	-	-	-	-	-	-
		F	285	-	-	-	-	-	-	-	-
428	Other myocardial insufficiency	M	368	-	-	-	-	-	-	-	-
		F	455	-	-	-	-	-	-	-	-
429	Ill-defined heart disease	M	31	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-
430.0	Subarachnoid haemorrhage, with hypertension	M	19	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-
430.9	Subarachnoid haemorrhage, without hypertension	M	65	-	-	-	-	-	-	-	-
		F	102	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	1	-	1	1	1	-	4	2	2	3	1	4	1	-	398
1	-	-	2	1	-	1	6	5	6	5	2	2	3	-	
-	1	-	-	-	3	6	3	7	1	3	3	2	2	-	400
-	-	-	-	-	1	-	1	3	2	1	2	2	-	-	
-	-	-	-	-	-	-	-	2	5	1	8	7	1	8	401
-	-	-	-	1	-	-	-	2	4	4	7	12	14	8	
-	-	-	-	-	1	1	10	12	18	17	46	37	29	22	402
-	-	-	-	-	-	1	-	10	12	21	36	55	56	50	
-	-	-	-	-	1	1	-	5	3	3	4	3	3	1	403
-	-	-	-	-	-	2	3	1	2	2	1	2	3	6	
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	404
-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	
1	1	1	9	16	65	129	242	421	558	749	757	738	579	474	410-414
-	1	1	2	7	9	32	63	149	228	315	477	518	529	582	
-	-	-	1	1	2	10	21	30	52	51	64	41	16	11	410.0
-	-	-	-	1	1	4	9	22	27	39	48	42	40	14	
1	-	1	8	13	58	106	200	348	442	609	531	485	328	198	410.9
-	1	1	2	6	8	28	47	104	171	215	307	309	249	241	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	411.0
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	-	-	2	1	1	4	1	3	6	2	5	411.9
-	-	-	-	-	-	-	-	-	1	1	4	2	2	2	
-	-	-	-	-	-	-	1	5	6	7	3	8	12	9	412.0
-	-	-	-	-	-	-	-	3	1	13	12	12	17	13	
-	1	-	-	2	5	11	18	36	53	81	156	197	219	249	412.9
-	-	-	-	-	-	-	7	18	27	46	105	150	220	312	
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	413.0
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	413.9
-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	414.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	420
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
1	-	-	-	-	-	1	-	1	1	2	-	1	-	-	421
-	-	-	1	-	-	-	-	-	1	2	-	-	1	-	
-	-	-	-	-	-	-	-	1	2	1	-	2	-	1	422
-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	423
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	1	1	3	1	5	7	13	16	13	12	424
-	-	1	1	-	-	1	3	5	2	7	13	17	17	22	
-	2	2	-	-	-	-	-	1	1	-	-	-	-	-	425
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	1	-	1	5	3	1	-	2	-	426
-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	
-	-	-	-	-	2	6	2	2	8	15	54	60	76	70	427
-	-	-	-	-	-	2	2	1	8	15	36	63	65	93	
-	-	-	-	-	1	3	3	1	1	18	50	65	105	121	428
-	-	-	-	-	1	1	1	-	-	11	33	81	118	209	
-	-	-	-	-	-	1	-	4	7	2	4	4	6	3	429
-	-	-	-	-	-	2	1	-	2	2	3	4	2	3	
-	-	-	-	-	1	-	5	2	2	4	2	3	-	-	430.0
-	-	-	-	1	1	1	4	7	6	3	4	3	2	1	
1	4	1	2	3	3	6	8	7	11	9	3	5	2	-	430.9
1	3	2	7	6	3	13	14	8	13	8	10	4	6	4	

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
431.0	Cerebral haemorrhage, with hypertension	M	227	-	-	-	-	-	-	-	-
		F	345	-	-	-	-	-	-	-	-
431.9	Cerebral haemorrhage, without hypertension	M	355	-	-	-	-	-	-	1	-
		F	427	-	-	-	-	-	-	-	-
432.0	Occlusion of pre-cerebral arteries with hypertension	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
432.9	Occlusion of pre-cerebral arteries without hypertension	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
433.0	Cerebral thrombosis with hypertension	M	90	-	-	-	-	-	-	-	-
		F	130	-	-	-	-	-	-	-	-
433.9	Cerebral thrombosis without hypertension	M	714	-	-	-	-	-	-	-	-
		F	833	1	-	-	-	-	1	1	-
434.0	Cerebral embolism with hypertension	M	5	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
434.9	Cerebral embolism without hypertension	M	37	-	-	-	-	-	-	-	-
		F	50	-	-	-	-	-	-	-	-
435.9	Transient cerebral ischaemia without hypertension	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
436.0	Acute but ill-defined cerebrovascular disease with hypertension	M	86	-	-	-	-	-	-	-	-
		F	103	-	-	-	-	-	-	-	-
436.9	Acute but ill-defined cerebrovascular disease without hypertension	M	205	-	-	-	-	-	-	-	-
		F	258	-	-	-	-	-	-	-	-
437.0	Generalised ischaemic cerebrovascular disease with hypertension	M	6	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
437.9	Generalised ischaemic cerebrovascular disease without hypertension	M	116	-	-	-	-	-	-	-	-
		F	110	-	-	-	-	-	-	-	-
438.0	Other and ill-defined cerebrovascular disease with hypertension	M	38	-	-	-	-	-	-	-	-
		F	71	-	-	-	-	-	-	-	-
438.9	Other and ill-defined cerebrovascular disease without hypertension	M	42	-	-	-	-	-	-	-	-
		F	59	-	-	-	-	-	-	-	-
440	Arteriosclerosis	M	381	-	-	-	-	-	-	-	-
		F	459	-	-	-	-	-	-	-	-
441	Aortic aneurysm (non-syphilitic)	M	70	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
442	Other aneurysm	M	6	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
443	Other peripheral vascular disease	M	10	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
444	Arterial embolism and thrombosis	M	43	1	-	-	-	-	1	-	-
		F	45	-	-	-	-	-	-	-	-
445	Gangrene	M	59	-	-	-	-	-	-	-	-
		F	66	-	-	-	-	-	-	-	-
446	Polyarteritis nodosa and allied conditions	M	5	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
447	Other diseases of arteries and arterioles	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
450	Pulmonary embolism and infarction	M	102	-	-	-	-	-	-	-	-
		F	133	-	-	-	-	-	-	-	-
451	Phlebitis and thrombophlebitis	M	5	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
452	Portal vein thrombosis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
453	Other venous embolism and thrombosis	M	6	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
454	Varicose veins of lower extremities	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
456	Varicose veins of other sites	M	4	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
458	Other diseases of circulatory system	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	5	7	12	16	24	28	38	48	31	18	431.0
-	1	-	-	-	1	5	10	15	35	48	68	67	51	44	
1	2	-	1	-	2	4	11	23	35	35	59	77	60	44	431.9
-	3	-	1	1	4	8	15	15	25	42	72	73	79	89	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	432.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	432.9
-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	
-	-	-	-	-	-	1	1	2	5	24	12	18	20	7	433.0
-	-	-	-	-	1	1	2	6	6	18	23	35	26	12	
-	-	-	1	-	-	5	7	9	37	66	116	153	164	156	433.9
-	-	-	-	-	1	3	5	13	17	37	119	160	217	259	
-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	434.0
-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	
-	-	-	-	-	2	1	1	3	4	5	3	8	4	6	434.9
-	-	-	-	-	-	-	2	5	1	6	6	11	14	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	435.9
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	
-	-	-	-	-	2	-	8	5	9	11	22	15	7	7	436.0
-	-	-	-	-	-	-	5	4	4	17	30	25	14	4	
-	-	-	-	-	-	-	5	12	9	27	40	37	48	27	436.9
-	1	-	-	-	1	1	5	10	7	22	54	52	61	44	
-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	437.0
-	-	-	-	-	-	-	-	-	1	-	2	-	4	2	
-	-	-	-	-	-	-	-	1	-	15	21	34	23	22	437.9
-	-	-	-	-	-	-	-	1	3	5	10	26	24	41	
-	-	-	-	-	-	-	1	2	3	3	10	7	10	2	438.0
-	-	-	-	-	-	1	1	1	3	10	20	12	14	9	
-	-	-	-	-	-	-	-	1	4	3	6	9	9	10	438.9
-	-	-	-	-	-	-	-	1	3	3	7	9	19	17	
-	-	-	-	-	-	1	3	3	6	15	40	75	102	136	440
-	-	-	-	-	1	1	1	2	5	7	53	81	103	205	
-	1	-	-	1	1	2	1	5	11	10	19	14	2	3	441
-	-	-	1	-	-	1	1	5	2	3	9	6	4	5	
-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	442
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	4	-	4	1	443
-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	
-	-	-	-	-	-	3	1	4	7	3	8	8	7	1	444
-	-	-	-	1	-	-	1	5	4	2	9	13	4	6	
-	-	-	-	-	-	-	-	1	2	6	8	17	5	20	445
-	-	-	-	-	-	-	-	1	-	2	7	12	20	24	
-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	446
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	447
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	5	-	4	11	14	15	23	18	8	4	450
2	-	1	-	1	1	4	6	5	12	18	23	27	20	13	
-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	451
-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	452
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	3	-	2	-	-	-	453
-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	454
-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	
-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	456
-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	
-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	458
-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
460-519	VIII. Diseases of the respiratory system	M	2,243	100	14	6	2	1	123	5	4
		F	1,681	77	15	4	-	-	96	4	3
462	Acute pharyngitis	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
463	Acute tonsillitis	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1
464	Acute laryngitis and tracheitis	M	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-
465	Acute upper respiratory infection of multiple or unspecified sites	M	9	-	-	-	-	-	-	-	-
		F	17	2	1	-	-	-	3	-	-
466	Acute bronchitis and bronchiolitis	M	46	8	1	1	-	-	10	1	-
		F	39	7	1	-	-	-	8	1	-
470	Influenza unqualified	M	16	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-
471	Influenza with pneumonia	M	27	1	-	-	-	-	1	-	-
		F	33	-	-	-	-	-	-	1	-
472	Influenza with other respiratory manifestations	M	8	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
473	Influenza with digestive manifestations	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
480	Viral pneumonia	M	39	17	2	-	-	-	19	-	-
		F	36	12	-	1	-	-	13	-	-
481	Pneumococcal pneumonia	M	83	1	-	-	-	-	1	-	-
		F	85	2	3	-	-	-	5	-	1
482	Other bacterial pneumonia	M	3	-	-	-	-	-	-	-	-
		F	5	1	-	-	-	-	1	-	-
484	Acute interstitial pneumonia	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
485	Bronchopneumonia, unspecified	M	456	36	7	2	-	1	46	3	1
		F	518	23	4	1	-	-	28	1	-
486	Pneumonia, unspecified	M	244	17	2	-	1	-	20	-	2
		F	241	12	4	1	-	-	17	1	1
490	Bronchitis, unqualified	M	109	1	-	1	1	-	3	1	-
		F	86	-	-	-	-	-	-	-	-
491	Chronic bronchitis	M	863	-	-	-	-	-	-	-	-
		F	393	-	-	-	-	-	-	-	-
492	Emphysema	M	108	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-
493	Asthma	M	69	-	-	2	-	-	2	-	1
		F	62	-	-	-	-	-	-	-	-
508	Other diseases of upper respiratory tract	M	2	1	-	-	-	-	1	-	-
		F	1	1	-	-	-	-	1	-	-
510	Empyema	M	6	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
511	Pleurisy	M	5	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
512	Spontaneous pneumothorax	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
513	Abscess of lung	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
514	Pulmonary congestion and hypostasis	M	54	1	-	-	-	-	1	-	-
		F	53	-	-	-	-	-	-	-	-
515	Pneumoconiosis due to silica and silicates	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
516	Other pneumoconioses and related diseases	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
517	Other chronic interstitial pneumonia	M	20	-	-	-	-	-	-	-	-
		F	9	-	-	1	-	-	1	-	-
518	Bronchiectasis	M	22	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
4 8	7 6	- 8	6 5	7 9	13 14	38 20	57 47	94 66	205 86	281 143	349 249	418 281	314 267	318 369	460-519
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	462
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	463
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	464
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	465
-	-	-	-	-	-	-	1	1	-	4	1	1	1	1	466
-	-	-	-	1	-	-	1	-	3	2	9	5	3	11	470
-	-	-	-	-	-	-	-	-	-	2	8	6	8	6	471
-	-	1	-	1	-	-	-	1	1	2	1	7	1	3	472
-	-	-	-	-	-	-	-	-	-	2	2	3	5	8	473
1	1	-	-	-	2	-	1	2	2	1	5	5	4	8	477
-	-	-	-	-	-	-	-	-	-	1	1	6	11	7	478
-	-	-	1	-	-	-	-	-	-	2	2	1	2	1	479
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	480
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	481
-	1	-	-	-	1	-	2	-	2	3	2	2	2	5	482
-	-	2	1	-	-	2	1	-	1	1	3	4	4	4	483
1	-	-	-	-	1	-	2	4	5	8	16	19	10	16	484
-	-	1	-	2	1	-	1	4	4	8	12	14	17	15	485
1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	486
1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	487
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	488
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	489
2	-	-	2	-	2	4	4	13	25	38	52	88	84	92	490
2	1	1	2	3	2	3	10	12	21	21	74	101	94	142	491
-	2	-	2	1	-	3	5	9	17	19	33	57	43	31	492
2	3	-	-	-	1	6	7	7	10	20	46	30	31	59	493
-	-	-	-	-	1	2	6	2	6	16	14	17	13	28	494
-	-	-	-	-	-	-	-	3	6	8	10	23	12	24	495
-	1	-	1	2	4	21	22	47	107	135	163	156	112	92	496
-	-	-	-	-	3	3	15	27	32	51	68	70	59	65	497
-	-	-	1	-	-	2	1	6	22	21	25	16	12	2	498
-	-	-	-	-	-	-	2	-	4	5	7	1	4	-	499
1	2	-	-	2	3	3	7	5	9	12	4	13	3	2	499
2	1	3	-	2	4	5	4	7	3	11	6	7	5	2	500
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	508
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	509
-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	510
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	511
-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	511
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	512
-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	512
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	513
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	513
-	-	-	-	1	-	-	-	2	-	7	5	10	14	14	514
-	-	-	-	-	1	1	-	-	-	3	5	8	10	25	514
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	515
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	516
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	517
-	-	-	-	-	-	-	3	-	3	5	5	2	2	-	517
-	-	-	-	-	-	-	1	1	1	3	1	-	-	1	517
-	-	-	-	-	1	-	1	2	2	3	3	5	1	4	518
-	-	-	1	1	-	-	2	-	-	1	2	1	3	-	518

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
519	Other diseases of respiratory system	M	41	16	2	-	-	-	18	-	-
		F	38	16	1	-	-	-	17	-	-
520-577	IX. Diseases of the digestive system	M	364	3	2	-	-	-	5	4	3
		F	300	4	-	-	-	1	5	1	1
526	Diseases of the jaws	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
527	Diseases of the salivary glands	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
530	Diseases of oesophagus	M	5	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
531	Ulcer of stomach	M	41	-	-	-	-	-	-	-	1
		F	33	-	-	-	-	-	-	-	-
532	Ulcer of duodenum	M	58	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
533	Peptic ulcer, site unspecified	M	32	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-
535	Gastritis and duodenitis	M	5	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
537	Other diseases of stomach and duodenum	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
540	Acute appendicitis	M	14	1	1	-	-	-	2	3	1
		F	12	-	-	-	-	1	1	1	-
541	Appendicitis, unqualified	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
550	Inguinal hernia without mention of obstruction	M	5	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
551	Other hernia of abdominal cavity without mention of obstruction	M	6	1	-	-	-	-	1	-	-
		F	8	3	-	-	-	-	3	-	-
552	Inguinal hernia with obstruction	M	7	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
553	Other hernia of abdominal cavity with obstruction	M	5	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
560	Intestinal obstruction without mention of hernia	M	36	1	1	-	-	-	2	-	-
		F	23	-	-	-	-	-	-	-	-
561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
562	Diverticula of intestine	M	28	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-
563	Chronic enteritis and ulcerative colitis	M	8	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	1
565	Anal fissure and fistula	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
566	Abscess of anal and rectal regions	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
567	Peritonitis	M	8	-	-	-	-	-	-	1	-
		F	2	1	-	-	-	-	1	-	-
568	Peritoneal adhesions	M	1	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
569	Other diseases of intestines and peritoneum	M	16	-	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-
570	Acute and subacute necrosis of liver	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	M	44	-	-	-	-	-	-	-	-
		F	30	-	-	-	-	-	-	-	-
572	Suppurative hepatitis and liver abscess	M	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-
573	Other diseases of liver	M	10	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
574	Cholelithiasis	M	9	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	1	-	1	-	1	2	7	5	6	519
-	-	-	-	-	-	-	-	-	3	3	2	3	3	7	
2	1	3	6	3	7	10	27	33	42	54	61	50	30	23	520-577
2	2	1	1	-	1	10	13	24	29	32	49	40	46	43	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	526
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	527
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	530
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
-	-	-	1	-	1	-	1	2	8	5	9	8	5	-	531
-	-	-	-	-	-	2	-	1	1	4	10	4	3	8	
-	-	-	-	2	2	2	2	9	8	13	7	7	3	3	532
-	-	-	-	-	-	2	1	2	-	2	4	1	2	1	
-	-	-	-	-	-	1	1	2	1	4	8	8	4	3	533
-	-	-	-	-	-	1	1	2	-	4	1	3	5	4	
-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	535
-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	537
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	
1	-	-	-	-	-	-	-	1	-	3	-	-	2	1	540
-	-	-	1	-	-	-	1	-	1	-	1	3	2	1	
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	541
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	550
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	551
-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	
-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	552
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	553
-	-	-	-	-	-	-	1	-	1	1	3	1	3	1	
-	1	-	2	-	-	1	3	2	4	3	5	5	5	3	560
-	-	-	-	-	-	-	-	2	3	3	4	3	5	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	561
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	1	1	4	4	4	8	3	3	562
-	-	-	-	-	-	-	-	1	2	3	3	3	4	11	
-	-	1	-	-	-	-	1	2	-	1	3	-	-	-	563
-	2	-	-	-	1	-	1	2	3	1	1	-	3	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	565
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	566
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	-	2	1	-	-	2	-	-	-	-	567
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	568
-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	
-	-	-	2	-	-	-	2	2	-	3	4	1	-	2	569
-	-	-	-	-	-	1	2	2	3	2	4	3	6	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	570
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
1	-	1	-	-	-	1	8	5	7	5	7	5	3	1	571
-	-	-	-	-	-	4	1	5	5	4	4	3	3	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	572
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	3	-	-	3	2	1	-	1	573
-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	
-	-	-	-	-	-	-	1	2	2	-	2	-	1	1	574
-	-	-	-	-	-	-	-	-	2	2	2	1	1	2	

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
575	Cholecystitis and cholangitis, without mention of calculus	M	3	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-
576	Other diseases of gallbladder and biliary ducts	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
577	Diseases of pancreas	M	10	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
580-629	X. Diseases of the genito-urinary system	M	345	2	-	-	-	-	2	-	2
		F	213	-	-	-	-	-	-	1	1
580	Acute nephritis	M	6	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	1	1	
581	Nephrotic syndrome	M	8	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
582	Chronic nephritis	M	81	-	-	-	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-
583	Nephritis, unqualified	M	19	-	-	-	-	-	-	-	2
		F	11	-	-	-	-	-	-	-	-
590	Infections of kidney	M	57	2	-	-	-	-	2	-	-
		F	68	-	-	-	-	-	-	-	-
591	Hydronephrosis	M	4	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
592	Calculus of kidney and ureter	M	4	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
593	Other diseases of kidney and ureter	M	34	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
594	Calculus of other parts of urinary system	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
595	Cystitis	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
596	Other diseases of bladder	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
597	Urethritis (non-venereal)	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
598	Stricture of urethra	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
599	Other diseases of urinary tract	M	12	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	M	107	-	-	-	-	-	-	-	-
601	Prostatitis	M	4	-	-	-	-	-	-	-	-
602	Other diseases of prostate	M	1	-	-	-	-	-	-	-	-
607	Other diseases of male genital organs	M	1	-	-	-	-	-	-	-	-
616	Diseases of parametrium and pelvic peritoneum (female)	F	1	-	-	-	-	-	-	-	-
625	Other diseases of uterus	F	1	-	-	-	-	-	-	-	-
626	Disorders of menstruation	F	1	-	-	-	-	-	-	-	-
629	Other diseases of female genital organs	F	1	-	-	-	-	-	-	-	-
630-678	XI. Complications of pregnancy, childbirth and the puerperium	F	17	-	-	-	-	-	-	-	-
637	Pre-eclampsia, eclampsia and toxæmia unspecified	F	1	-	-	-	-	-	-	-	-
643	Spontaneous abortion	F	1	-	-	-	-	-	-	-	-
651	Delivery complicated by placenta prævia or antepartum hæmorrhage	F	1	-	-	-	-	-	-	-	-
653	Delivery complicated by other postpartum hæmorrhage	F	1	-	-	-	-	-	-	-	-

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

TABLE 19 (Contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)											
Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
659	Delivery with rupture of uterus	F	1	-	-	-	-	-	-	-	-
670	Sepsis of childbirth and the puerperium	F	1	-	-	-	-	-	-	-	-
673	Puerperal pulmonary embolism	F	8	-	-	-	-	-	-	-	-
674	Cerebral haemorrhage in the puerperium	F	2	-	-	-	-	-	-	-	-
677	Other and unspecified complications of the puerperium	F	1	-	-	-	-	-	-	-	-
680-709	XII. Diseases of the skin and subcutaneous tissue	M	15	-	-	-	-	-	-	1	-
		F	18	-	-	-	-	-	-	-	-
682	Other cellulitis and abscess	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
686	Other local infections of skin and subcutaneous tissue	M	4	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
694	Pemphigus	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
695	Erythematous conditions	M	4	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
696	Psoriasis and similar disorders	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
707	Chronic ulcer of skin	M	6	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
710-738	XIII. Diseases of the musculoskeletal system and connective tissue	M	69	-	-	-	-	-	-	-	1
		F	91	-	-	-	-	-	-	-	-
712	Rheumatoid arthritis and allied conditions	M	27	-	-	-	-	-	-	-	1
		F	49	-	-	-	-	-	-	-	-
713	Osteo-arthritis and allied conditions	M	8	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
714	Other specified forms of arthritis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
715	Arthritis, unspecified	M	8	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-
716	Polymyositis and dermatomyositis	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
717	Other non-articular rheumatism	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
718	Rheumatism, unspecified	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
720	Osteomyelitis and periostitis	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
721	Osteitis deformans	M	6	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
723	Other diseases of bone	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
727	Ankylosis of joint	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
733	Other diseases of muscle, tendon and fascia	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
734	Diffuse diseases of connective tissue	M	5	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
735	Curvature of spine	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
740-759	XIV. Congenital anomalies	M	220	175	11	3	1	-	190	6	6
		F	192	158	4	3	3	1	169	7	3
740	Anencephalus	M	15	15	-	-	-	-	15	-	-
		F	26	26	-	-	-	-	26	-	-

DETAILED LIST, 8th REVISION, 1964) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed Inter- national List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
741.0	Spina bifida with hydrocephalus	M	37	35	1	1	-	-	37	-	-
		F	31	27	1	2	1	-	31	-	-
741.9	Spina bifida without mention of hydrocephalus	M	6	5	-	-	-	-	5	-	1
		F	8	8	-	-	-	-	8	-	-
742	Congenital hydrocephalus	M	13	10	2	-	1	-	13	-	-
		F	17	13	2	1	-	-	16	1	-
743	Other congenital anomalies of nervous system	M	7	6	-	1	-	-	7	-	-
		F	5	5	-	-	-	-	5	-	-
746	Congenital anomalies of heart	M	67	46	4	1	-	-	51	6	3
		F	52	39	1	-	-	1	41	4	2
747	Other congenital anomalies of circulatory system	M	6	3	-	-	-	-	3	-	1
		F	7	4	-	-	-	-	4	1	-
748	Congenital anomalies of respiratory system	M	6	5	-	-	-	-	5	-	-
		F	5	5	-	-	-	-	5	-	-
749	Cleft palate and cleft lip	M	1	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	M	2	2	-	-	-	-	2	-	-
		F	3	3	-	-	-	-	3	-	-
751	Other congenital anomalies of digestive system	M	10	10	-	-	-	-	10	-	-
		F	5	5	-	-	-	-	5	-	-
753	Congenital anomalies of urinary system	M	22	15	2	-	-	-	17	-	-
		F	12	5	-	-	-	-	5	1	1
755	Other congenital anomalies of limbs	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculoskeletal system	M	7	7	-	-	-	-	7	-	-
		F	7	5	-	-	1	-	6	-	-
758	Other and unspecified congenital anomalies	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
759	Congenital syndromes affecting multiple systems	M	20	15	1	-	-	-	16	-	1
		F	13	12	-	-	1	-	13	-	-
760-779	XV. Certain causes of perinatal morbidity and mortality	M	330	330	-	-	-	-	330	-	-
		F	195	195	-	-	-	-	195	-	-
762	Toxaemia of pregnancy	M	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	2	-	-
763	Maternal ante- and intrapartum infection	M	2	2	-	-	-	-	2	-	-
		F	1	1	-	-	-	-	1	-	-
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	M	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
766	Difficult labour with malposition of foetus	M	3	3	-	-	-	-	3	-	-
		F	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	4	-	-	-	-	-	4	-	-
		F	2	2	-	-	-	-	2	-	-
770	Conditions of placenta	M	6	6	-	-	-	-	6	-	-
		F	4	4	-	-	-	-	4	-	-
771	Conditions of umbilical cord	M	2	2	-	-	-	-	2	-	-
		F	2	2	-	-	-	-	2	-	-
772	Birth injury without mention of cause	M	40	40	-	-	-	-	40	-	-
		F	16	16	-	-	-	-	16	-	-
774	Haemolytic disease of newborn with kernicterus	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	27	27	-	-	-	-	27	-	-
		F	22	22	-	-	-	-	22	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	151	151	-	-	-	-	151	-	-
		F	81	81	-	-	-	-	81	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
777	Immaturity, unqualified	M	82	82	-	-	-	-	82	-	-
		F	58	58	-	-	-	-	58	-	-
778	Other conditions of foetus or newborn	M	11	11	-	-	-	-	11	-	-
		F	6	6	-	-	-	-	6	-	-
780-796	XVI. Symptoms and ill-defined conditions	M	281	1	-	-	-	-	1	-	-
		F	356	-	-	-	-	-	-	-	-
780	Certain symptoms referable to nervous system and special senses	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
782	Symptoms referable to cardiovascular and lymphatic system	M	15	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
783	Symptoms referable to respiratory system	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
784	Symptoms referable to upper gastro-intestinal tract	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
786	Symptoms referable to genito-urinary system	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
788	Other general symptoms	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
789	Abnormal urinary constituents of unspecified cause	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
792	Uraemia	M	6	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	M	241	-	-	-	-	-	-	-	-
		F	342	-	-	-	-	-	-	-	-
795	Sudden death (cause unknown)	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
796	Other ill-defined and unknown causes of morbidity and mortality	M	7	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E800-E999	XVII. Accidents, poisoning and violence	M	951	24	11	10	7	5	57	43	32
		F	530	15	7	5	6	5	38	11	7
E805	Hit by rolling stock	M	3	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-
E810	Motor vehicle traffic accident involving collision with train	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E812	Motor vehicle traffic accident involving collision with another motor vehicle	M	109	-	1	-	-	-	1	-	1
		F	48	-	-	1	1	-	2	2	-
E813	Motor vehicle traffic accident involving collision with other vehicle	M	52	-	-	-	-	-	-	2	9
		F	5	-	-	-	-	-	-	-	-
E814	Motor vehicle traffic accident involving collision with pedestrian	M	165	-	1	5	2	4	12	27	7
		F	69	-	-	1	5	3	9	5	3
E815	Other motor vehicle traffic accident involving collision	M	8	-	-	-	1	-	1	-	-
		F	4	-	-	-	-	-	-	-	-
E816	Non-collision motor vehicle traffic accident due to loss of control	M	65	-	2	1	1	-	4	-	-
		F	14	-	-	-	-	-	-	-	-
E818	Other non-collision motor vehicle traffic accident	M	13	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E822	Motor vehicle non-traffic accident while boarding or alighting	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E823	Motor vehicle non-traffic accident of other and unspecified nature	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	2	-	7	6	15	51	53	145	780-796
-	-	-	-	-	-	-	-	1	2	-	9	42	84	218	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	4	2	2	5	1	-	782
-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	783
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	784
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	785
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	786
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	789
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	792
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	9	41	50	140	794
-	-	-	-	-	-	-	-	-	2	-	8	41	80	211	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	795
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	1	1	3	1	-	-	796
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
71	82	51	45	35	44	70	53	54	79	56	61	40	38	40	E800-
21	24	17	14	7	12	16	23	19	20	27	56	58	78	82	E999
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E805
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E810
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	14	13	6	7	3	9	5	8	7	3	1	4	4	1	E812
8	11	5	4	3	-	2	2	4	1	3	1	-	-	-	
4	2	2	-	1	-	4	2	4	6	7	4	2	3	-	E813
-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	
8	7	4	6	2	4	12	12	7	13	15	14	9	3	3	E814
2	2	1	-	-	3	1	7	1	9	4	9	9	3	1	
-	2	1	1	-	-	-	-	1	-	2	-	-	-	-	E815
-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	
14	12	8	6	2	1	4	3	6	2	1	-	2	-	-	E816
5	2	2	-	-	-	1	3	-	-	-	1	-	-	-	
2	-	-	-	-	2	1	-	2	1	3	-	1	1	-	E818
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E822
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	E823
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

[illegible]

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
1	-	-	-	-	-	-	-	1	3	1	1	-	-	-	E826
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	E827
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	E830
-	3	1	1	-	1	1	-	-	-	-	-	-	-	-	E831
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E832
2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	E833
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	E836
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E844
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E850
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E851
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E853
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	E854
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	E855
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E862
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	E865
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E870
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E872
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	E874
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E875
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E876
-	-	-	-	-	3	1	1	1	-	-	3	1	-	-	E880
2	-	1	1	-	-	-	2	-	-	-	3	1	1	-	E881
-	1	-	1	-	-	-	1	3	1	1	-	-	-	-	E882
-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	E883
-	1	-	-	-	-	-	-	-	2	-	2	2	2	-	E884
-	-	-	-	-	-	1	1	-	-	-	4	-	-	1	E885
1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	E886

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	
E887	Other and unspecified fall	M	87	-	1	-	-	-	-	1	-	-
		F	206	-	-	-	-	-	-	-	-	-
E890	Accident caused by conflagration in private dwelling	M	16	-	1	-	1	-	2	1	-	
		F	14	2	-	1	-	-	3	-	-	
E891	Accident caused by conflagration in other building or structure	M	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	
E892	Accident caused by conflagration not in building or structure	M	1	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E893	Accident caused by ignition of clothing	M	5	-	-	-	-	-	-	-	-	
		F	10	-	-	-	-	-	-	-	-	
E894	Accident caused by ignition of highly inflammable material	M	2	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	
E895	Accident caused by controlled fire in private dwelling	M	3	-	-	-	-	-	-	-	-	
		F	12	-	-	-	-	-	-	1	-	
E896	Accident caused by controlled fire in other building or structure	M	2	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E898	Accident caused by other specified fires or flames	M	3	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	
E899	Accident caused by unspecified fire	M	2	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	
E904	Hunger, thirst, exposure and neglect	M	8	-	-	-	-	-	-	-	-	
		F	5	2	-	-	-	-	2	-	-	
E905	Bites and stings of venomous animals and insects	M	1	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E906	Other accidents caused by animals	M	8	-	-	1	-	-	1	-	-	
		F	2	-	-	-	-	-	-	-	-	
E907	Lightning	M	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	
E910	Accidental drowning and submersion	M	53	-	2	1	1	-	4	7	4	
		F	11	-	1	-	-	2	3	-	2	
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	34	16	1	1	-	-	18	-	2	
		F	17	10	3	-	-	-	13	1	-	
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	3	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E913	Accidental mechanical suffocation	M	10	3	1	-	-	-	4	1	4	
		F	2	1	1	-	-	-	2	-	-	
E916	Struck accidentally by falling object	M	15	-	-	-	-	1	1	1	1	
		F	1	-	-	-	-	-	-	-	-	
E917	Striking against or struck accidentally by objects	M	2	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E918	Caught accidentally in or between objects	M	3	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E920	Accident caused by cutting or piercing instruments	M	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	
E922	Accident caused by firearm missiles	M	7	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	1	
E923	Accident caused by explosive material	M	2	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E924	Accident caused by hot substance, corrosive liquid and steam	M	4	-	-	1	1	-	2	-	-	
		F	2	-	1	-	-	-	1	-	-	
E925	Accident caused by electric current	M	3	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	
E927	Vehicle accidents not elsewhere classifiable	M	2	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	

[illegible]

TABLE 19 (contd.) - DEATHS IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL)

			Age at								
Detailed Inter- national List Number	Cause of death		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
E928	Machinery accidents not elsewhere classifiable	M	13	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
E929	Other and unspecified accidents	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E934	Complications and misadventures in prophylaxis with other vaccines	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	1	-	-
E940	Late effects of motor vehicle accident	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E950	Suicide and self-inflicted poisoning by solid or liquid substances	M	13	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
E951	Suicide and self-inflicted poisoning by gases in domestic use	M	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation	M	23	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E954	Suicide and self-inflicted injury by submersion (drowning)	M	7	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E955	Suicide and self-inflicted injury by firearms and explosives	M	7	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E956	Suicide and self-inflicted injury by cutting and piercing instruments	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E958	Suicide and self-inflicted injury by other and unspecified means	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E960	Fight, brawl, rape	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E963	Assault by hanging and strangulation	M	2	1	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-
E965	Assault by firearms and explosives	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E966	Assault by cutting and piercing instruments	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E968	Assault by other and unspecified means	M	3	2	-	-	-	-	2	-	-
		F	3	-	-	-	-	-	-	-	-
E980	Poisoning by solid or liquid substances undetermined whether accidentally or purposely inflicted	M	15	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
E981	Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E982	Poisoning by other gases undetermined whether accidentally or purposely inflicted	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E983	Hanging, strangulation or suffocation, undetermined whether accidentally or purposely inflicted	M	3	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
E984	Submersion (drowning) undetermined whether accidentally or purposely inflicted	M	51	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E987	Falling from high place, undetermined whether accidentally or purposely inflicted	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

[illegible]

TABLE 20 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed International List Number	Abbreviated List Number	Cause of Death		Total	Uncertified
		Total	M F	17,357 14,533	221 203
008, 009	B 4	Enteritis and other diarrhoeal diseases	M F	32 29	- -
010-012	B 5	Tuberculosis of respiratory system	M F	117 48	- -
013-019	B 6	Other tuberculosis, including late effects	M F	10 8	- -
032	B 8	Diphtheria	M F	- -	- -
033	B 9	Whooping cough	M F	- 3	- -
034	B 10	Streptococcal sore throat and scarlet fever	M F	1 -	- -
036	B 11	Meningococcal infection	M F	4 4	- -
038	B 18a	Septicaemia	M F	12 9	- -
040-043	B 12	Acute poliomyelitis	M F	- -	- -
055	B 14	Measles	M F	6 8	- -
070	B 18b	Infectious hepatitis	M F	3 9	- -
009.2	B 18c	Gastro-enteritis (under 2 years)	M F	20 16	- -
000-007, 020-031, 035, 037, 039, 044-054, 056-068, 071-136	B 18	All other infective and parasitic diseases	M F	27 20	- -
151	B 19a	Malignant neoplasms:- of stomach	M F	445 343	2 -
150, 152-159	B 19b	of other digestive organs and peritoneum	M F	819 769	- -
162	B 19c	of trachea, bronchus and lung	M F	767 237	- -
174	B 19d	of breast	M F	3 469	- 1
180-189	B 19e	of genito-urinary organs	M F	444 338	1 -
200-209	B 19f	of lymphatic and haematopoietic tissue	M F	202 115	- 1
140-149, 160, 161, 163-173, 190-199	B 199	Other	M F	419 310	- -
210-239	B 20	Benign neoplasms and neoplasms of unspecified nature	M F	31 35	- -
250	B 21	Diabetes mellitus	M F	138 170	- -
260-269	B 22	Avitaminoses and other nutritional deficiency	M F	11 17	- -
280-285	B 23	Anaemias	M F	43 60	- -
320	B 24	Meningitis	M F	15 17	- -
390-392	B 25	Active rheumatic fever	M F	- -	- -
393-398	B 26	Chronic rheumatic heart disease	M F	149 185	- -
400-404	B 27	Hypertensive disease	M F	285 332	1 4

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed International List Number	Abbreviated List Number	Cause of Death		Total	Uncertified
410-414	B 28	Ischaemic heart disease	M F	4,740 2,913	50 38
420-429	B 29	Other forms of heart disease	M F	805 866	23 18
430-438	B 30	Cerebrovascular disease	M F	2,009 2,544	7 8
440-458	B 46 ^a	Other diseases of circulatory system	M F	699 773	4 2
470-474	B 31	Influenza	M F	53 56	1 1
480-486	B 32	Pneumonia	M F	827 885	2 1
490-493	B 33	Bronchitis, emphysema and asthma	M F	1,149 564	1 2
518	B 46 ^b	Bronchiectasis	M F	22 11	- -
460-466, 500-517, 519	B 46 ^c	Other diseases of respiratory system	M F	192 165	- -
531-533	B 34	Peptic ulcer	M F	131 69	- 1
540-543	B 35	Appendicitis	M F	16 12	- -
550-553, 560	B 36	Intestinal obstruction and hernia	M F	59 43	- -
571	B 37	Cirrhosis of liver	M F	44 30	1 -
520-530, 534-537, 561-570, 572-577	B 46 ^d	Other diseases of digestive system	M F	114 146	1 -
580-584	B 38	Nephritis and nephrosis	M F	114 91	- -
600	B 39	Hyperplasia of prostate	M	107	1
640-645	B 40	Abortion	F	1	-
630-639, 650-678	B 41	Other complications of pregnancy, childbirth and the puerperium	F	16	-
740-759	B 42	Congenital anomalies	M F	220 192	1 1
764-768, 772, 776	B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M F	195 98	- -
760-763, 769-771, 773-775, 777-779	B 44	Other causes of perinatal mortality *	M F	135 97	- -
794	B 45 ^a	Senility without mention of psychosis	M F	241 342	108 119
780-793, 795-796	B 45 ^b	Ill-defined conditions	M F	40 14	13 3
240-246, 251-258, 270-279, 286-289, 290-315, 321-389, 590-599, 601-629, 680-738	B 46 ^e	All other disease	M F	511 540	4 3
External Causes					
E810-E823	B 47	Motor vehicle accidents	M F	416 145	- -
E800-E807, E825-E949	B 48	All other accidents	M F	383 322	- -
E950-E959	B 49	Suicide and self-inflicted injuries	M F	59 22	- -
E960-E999	B 50	All other external causes	M F	93 41	- -

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	7,535	53	5,557	56	2,848	86	1,417	26
		F	6,638	29	4,655	60	2,141	94	1,099	20
B 4	Enteritis and other diarrhoeal diseases	M	24	-	3	-	3	-	2	-
		F	16	-	7	-	4	-	2	-
B 5	Tuberculosis of respiratory system	M	52	-	46	-	13	-	6	-
		F	24	-	16	-	7	-	1	-
B 6	Other tuberculosis, including late effects	M	4	-	3	-	3	-	-	-
		F	4	-	1	-	3	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	2	-	2	-	-	-	-	-
		F	3	-	-	-	1	-	-	-
B 18a	Septicaemia	M	5	-	4	-	3	-	-	-
		F	3	-	2	-	3	-	1	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	6	-	-	-	-	-	-	-
		F	4	-	2	-	2	-	-	-
B 18b	Infectious hepatitis	M	3	-	-	-	-	-	-	-
		F	5	-	4	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	15	-	2	-	3	-	-	-
		F	10	-	2	-	3	-	1	-
B 18	All other infective and parasitic diseases	M	10	-	12	-	2	-	3	-
		F	9	-	6	-	2	-	3	-
B 19a	Malignant neoplasms:- of stomach	M	207	-	114	-	75	2	49	-
		F	168	-	100	-	42	-	33	-
B 19b	of other digestive organs and peritoneum	M	358	-	268	-	136	-	57	-
		F	357	-	247	-	109	-	56	-
B 19c	of trachea, bronchus and lung	M	455	-	203	-	77	-	32	-
		F	134	-	71	-	20	-	12	-
B 19d	of breast	M	2	-	1	-	-	-	-	-
		F	231	-	143	-	57	-	38	1
B 19e	of genito-urinary organs	M	197	-	148	-	72	1	27	-
		F	166	-	112	-	40	-	20	-
B 19f	of lymphatic and haematopoietic tissue	M	95	-	74	-	21	-	12	-
		F	58	-	37	-	15	1	5	-
B 199	Other	M	188	-	141	-	60	-	30	-
		F	154	-	95	-	43	-	18	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	15	-	9	-	5	-	2	-
		F	20	-	13	-	2	-	-	-
B 21	Diabetes mellitus	M	56	-	41	-	26	-	15	-
		F	73	-	52	-	32	-	13	-
B 22	Avitaminoses and other nutritional deficiency	M	4	-	4	-	2	-	1	-
		F	9	-	6	-	-	-	2	-
B 23	Anaemias	M	20	-	12	-	7	-	4	-
		F	34	-	18	-	4	-	4	-
B 24	Meningitis	M	9	-	4	-	-	-	2	-
		F	12	-	5	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	65	-	46	-	27	-	11	-
		F	105	-	46	-	24	-	10	-
B 27	Hypertensive disease	M	141	-	91	1	44	-	9	-
		F	162	1	88	3	49	-	33	-
B 28	Ischaemic heart disease	M	1,996	23	1,540	14	807	6	397	7
		F	1,301	13	890	12	491	9	231	4
B 29	Other forms of heart disease	M	273	14	325	3	146	5	61	1
		F	313	4	335	-	156	8	62	6

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	803	1	664	1	365	4	177	1
		F	1,173	-	829	7	347	1	195	-
B 46a	Other diseases of circulatory system	M	279	1	263	1	100	2	57	-
		F	335	-	288	1	100	1	50	-
B 31	Influenza	M	16	-	10	1	19	-	8	-
		F	19	-	19	1	12	-	6	-
B 32	Pneumonia	M	383	-	216	1	114	-	114	1
		F	443	-	249	-	89	1	104	-
B 33	Bronchitis, emphysema and asthma	M	560	-	360	1	159	-	70	-
		F	277	-	189	1	76	1	22	-
B 46b	Bronchiectasis	M	8	-	10	-	4	-	-	-
		F	7	-	3	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	89	-	48	-	41	-	14	-
		F	70	-	53	-	28	-	14	-
B 34	Peptic ulcer	M	52	-	46	-	22	-	11	-
		F	25	-	28	-	10	-	6	1
B 35	Appendicitis	M	6	-	2	-	3	-	5	-
		F	3	-	4	-	2	-	3	-
B 36	Intestinal obstruction and hernia	M	21	-	18	-	14	-	6	-
		F	22	-	18	-	2	-	1	-
B 37	Cirrhosis of liver	M	24	1	11	-	7	-	2	-
		F	15	-	9	-	3	-	3	-
B 46d	Other diseases of digestive system	M	49	-	35	-	21	-	9	1
		F	65	-	55	-	21	-	5	-
B 38	Nephritis and nephrosis	M	52	-	34	-	22	-	6	-
		F	41	-	20	-	23	-	7	-
B 39	Hyperplasia of prostate	M	30	-	40	1	27	-	10	-
B 40	Abortion	F	-	-	1	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	7	-	4	-	5	-	-	-
B 42	Congenital anomalies	M	121	-	70	1	20	-	9	-
		F	112	1	60	-	13	-	7	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	99	-	62	-	20	-	14	-
		F	49	-	31	-	14	-	4	-
B 44	Other causes of perinatal mortality *	M	74	-	34	-	13	-	14	-
		F	35	-	40	-	11	-	11	-
B 45a	Senility without mention of psychosis	M	42	6	83	31	83	59	33	12
		F	72	8	112	35	122	68	36	8
B 45b	Ill-defined conditions	M	21	7	3	-	12	4	4	2
		F	4	2	1	-	8	1	1	-
B 46e	All other diseases	M	194	-	149	-	108	3	60	1
		F	252	-	167	-	79	3	42	-
External Causes										
B 47	Motor vehicle accidents	M	199	-	121	-	59	-	37	-
		F	80	-	45	-	15	-	5	-
B 48	All other accidents	M	156	-	148	-	54	-	25	-
		F	130	-	120	-	44	-	28	-
B 49	Suicide and self-inflicted injuries	M	29	-	18	-	10	-	2	-
		F	15	-	2	-	4	-	1	-
B 50	All other external causes	M	41	-	20	-	22	-	10	-
		F	20	-	12	-	6	-	3	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	225 159	-	2,708 2,702	3 3	284 337	1	670 601	1
B 4	Enteritis and other diarrhoeal diseases	M F	2 -	-	9 6	-	1 -	-	3 -	-
B 5	Tuberculosis of respiratory system	M F	- 1	-	28 7	-	- 1	-	5 5	-
B 6	Other tuberculosis, including late effects	M F	- -	-	2 -	-	- 1	-	- -	-
B 8	Diphtheria	M F	- -	-	- -	-	- -	-	- -	-
B 9	Whooping cough	M F	- -	-	- -	-	- -	-	- -	-
B 10	Streptococcal sore throat and scarlet fever	M F	- -	-	- -	-	- -	-	- -	-
B 11	Meningococcal infection	M F	- -	-	2 1	-	- -	-	- -	-
B 18a	Septicaemia	M F	- -	-	2 1	-	- -	-	1 1	-
B 12	Acute poliomyelitis	M F	- -	-	- -	-	- -	-	- -	-
B 14	Measles	M F	1 1	-	3 1	-	- -	-	- 1	-
B 18b	Infectious hepatitis	M F	- -	-	1 2	-	- 1	-	1 -	-
B 18c	Gastro-enteritis (under 2 years)	M F	1 -	-	7 4	-	1 -	-	2 -	-
B 18	All other infective and parasitic diseases	M F	- -	-	4 1	-	- -	-	2 1	-
B 19a	Malignant neoplasms:- of stomach	M F	7 4	-	74 75	-	11 5	-	10 14	-
B 19b	of other digestive organs and peritoneum	M F	9 6	-	152 169	-	13 15	-	34 32	-
B 19c	of trachea, bronchus and lung	M F	4 -	-	237 63	-	23 10	-	46 14	-
B 19d	of breast	M F	- 3	-	2 112	-	- 14	-	- 24	-
B 19e	of genito-urinary organs	M F	5 5	-	78 72	-	9 10	-	23 14	-
B 19f	of lymphatic and haematopoietic tissue	M F	8 3	-	39 19	-	2 12	-	9 10	-
B 199	Other	M F	4 3	-	63 69	-	9 5	-	16 14	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- 2	-	6 9	-	1 2	-	1 1	-
B 21	Diabetes mellitus	M F	1 2	-	22 35	-	4 3	-	9 7	-
B 22	Avitaminoses and other nutritional deficiency	M F	- -	-	2 4	-	- 2	-	- 1	-
B 23	Anaemias	M F	1 3	-	8 11	-	1 1	-	3 4	-
B 24	Meningitis	M F	- -	-	2 6	-	- -	-	3 -	-
B 25	Active rheumatic fever	M F	- -	-	- -	-	- -	-	- -	-
B 26	Chronic rheumatic heart disease	M F	2 6	-	24 39	-	2 3	-	6 5	-
B 27	Hypertensive disease	M F	12 5	-	38 66	-	3 4	-	9 10	-
B 28	Ischaemic heart disease	M F	54 26	-	699 539	1 3	81 73	1	191 125	1
B 29	Other forms of heart disease	M F	9 5	-	57 87	-	3 9	-	18 22	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	36	-	188	-	19	-	54	-
		F	40	-	410	-	72	-	98	-
B 46a	Other diseases of circulatory system	M	6	-	93	-	14	-	16	-
		F	10	-	124	-	21	-	19	-
B 31	Influenza	M	2	-	3	-	1	-	-	-
		F	-	-	4	-	1	-	3	-
B 32	Pneumonia	M	11	-	165	-	17	-	51	-
		F	4	-	231	-	18	-	47	-
B 33	Bronchitis, emphysema and asthma	M	19	-	230	-	22	-	39	-
		F	7	-	111	-	12	-	25	-
B 46b	Bronchiectasis	M	-	-	4	-	-	-	1	-
		F	-	-	3	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	2	-	33	-	5	-	9	-
		F	1	-	35	-	5	-	6	-
B 34	Peptic ulcer	M	-	-	15	-	4	-	4	-
		F	1	-	11	-	3	-	2	-
B 35	Appendicitis	M	-	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	1	-	9	-	-	-	5	-
		F	-	-	13	-	1	-	1	-
B 37	Cirrhosis of liver	M	2	-	10	-	-	-	2	-
		F	-	-	9	-	2	-	1	-
B 46d	Other diseases of digestive system	M	3	-	14	-	1	-	2	-
		F	1	-	32	-	1	-	1	-
B 38	Nephritis and nephrosis	M	-	-	14	-	3	-	1	-
		F	1	-	14	-	5	-	3	-
B 39	Hyperplasia of prostate	M	1	-	11	-	1	-	3	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	1	-	-	-	1	-
B 42	Congenital anomalies	M	2	-	52	-	3	-	17	-
		F	3	-	43	-	4	-	21	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	51	-	2	-	11	-
		F	1	-	22	-	1	-	5	-
B 44	Other causes of perinatal mortality *	M	4	-	28	-	-	-	2	-
		F	1	-	16	-	1	-	2	-
B 45a	Senility without mention of psychosis	M	-	-	7	1	2	-	1	-
		F	1	-	10	-	1	-	2	-
B 45b	Ill-defined conditions	M	-	-	7	1	-	-	1	-
		F	-	-	1	-	-	-	-	-
B 46e	All other diseases	M	2	-	66	-	7	-	13	-
		F	4	-	112	-	14	-	33	-
	External Causes									
B 47	Motor vehicle accidents	M	5	-	66	-	7	-	28	-
		F	1	-	32	-	5	-	11	-
B 48	All other accidents	M	6	-	51	-	9	-	11	-
		F	6	-	54	-	6	-	8	-
B 49	Suicide and self-inflicted injuries	M	-	-	15	-	2	-	3	-
		F	-	-	10	-	1	-	2	-
B 50	All other external causes	M	-	-	20	-	2	-	6	-
		F	-	-	10	-	2	-	3	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	386 285	3 4	372 297	2 -	299 206	7 2	192 134	3 4
B 4	Enteritis and other diarrhoeal diseases	M F	- 2	- -	- -	- -	2 2	- -	- 2	- -
B 5	Tuberculosis of respiratory system	M F	2 1	- -	2 -	- -	1 2	- -	- 1	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	2 -	- -	- 1	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- 1	- -	- -	- -	1 1	- -	- 2	- -
B 18	All other infective and parasitic diseases	M F	- 1	- -	- 1	- -	- 1	- -	- 1	- -
B 19a	Malignant neoplasms:- of stomach	M F	13 12	- -	12 2	- -	3 3	- -	5 2	- -
B 19b	of other digestive organs and peritoneum	M F	15 12	- -	19 11	- -	15 7	- -	4 8	- -
B 19c	of trachea, bronchus and lung	M F	16 5	- -	17 5	- -	10 3	- -	7 2	- -
B 19d	of breast	M F	- 10	- -	- 7	- -	- 7	- -	- 2	- -
B 19e	of genito-urinary organs	M F	8 9	- -	10 7	- -	9 3	- -	2 1	- -
B 19f	of lymphatic and haematopoietic tissue	M F	2 3	- -	6 1	- -	2 2	- -	3 -	- -
B 19g	Other	M F	14 10	- -	11 8	- -	6 5	- -	6 3	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	1 -	- -	1 -	- -	- -	- -	- -	- -
B 21	Diabetes mellitus	M F	2 2	- -	3 3	- -	- 3	- -	1 -	- -
B 22	Avitaminoses and other nutritional deficiency	M F	1 -	- -	- -	- -	- -	- -	- -	- -
B 23	Anaemias	M F	- -	- -	- -	- -	1 1	- -	- -	- -
B 24	Meningitis	M F	1 -	- -	- -	- -	2 -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	4 6	- -	2 6	- -	- 3	- -	3 -	- -
B 27	Hypertensive disease	M F	7 10	- -	4 8	- -	7 6	- -	6 5	- -
B 28	Ischaemic heart disease	M F	86 44	2 2	99 56	1 -	79 40	5 2	54 30	3 2
B 29	Other forms of heart disease	M F	25 24	- 1	25 21	- -	16 9	- -	8 11	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	48	-	42	-	48	-	50	-
		F	42	-	52	-	46	-	32	-
B 46a	Other diseases of circulatory system	M	5	-	29	-	13	-	4	-
		F	7	-	32	-	8	-	6	-
B 31	Influenza	M	2	-	1	-	2	-	-	-
		F	1	-	-	-	1	-	2	-
B 32	Pneumonia	M	14	-	12	-	21	-	6	-
		F	12	-	10	-	12	-	5	-
B 33	Bronchitis, emphysema and asthma	M	40	-	26	-	17	-	5	-
		F	23	-	11	-	10	-	2	-
B 46b	Bronchiectasis	M	1	-	-	-	1	-	-	-
		F	-	-	2	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	12	-	2	-	2	-	2	-
		F	4	-	3	-	4	-	1	-
B 34	Peptic ulcer	M	-	-	1	-	5	-	1	-
		F	1	-	1	-	1	-	1	-
B 35	Appendicitis	M	1	-	2	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	-	-	1	-	2	-	-	-
		F	-	-	1	-	-	-	-	-
B 37	Cirrhosis of liver	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 46d	Other diseases of digestive system	M	2	-	2	-	1	-	1	-
		F	4	-	5	-	2	-	2	-
B 38	Nephritis and nephrosis	M	6	-	2	-	3	-	-	-
		F	4	-	-	-	1	-	1	-
B 39	Hyperplasia of prostate	M	2	-	1	-	1	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	5	-	2	-	5	-	2	-
		F	7	1	4	-	2	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	5	-	4	-	2	-	1	-
		F	4	-	1	-	-	-	1	-
B 44	Other causes of perinatal mortality *	M	2	-	5	-	3	-	-	-
		F	1	-	4	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	3	-	-	-	3	-	1	-
		F	6	-	7	-	6	-	3	2
B 45b	Ill-defined conditions	M	1	1	3	1	2	2	-	-
		F	-	-	-	-	-	-	-	-
B 46e	All other diseases	M	11	-	11	-	7	-	10	-
		F	9	-	16	-	4	-	5	-
External Causes										
B 47	Motor vehicle accidents	M	10	-	4	-	5	-	5	-
		F	4	-	2	-	7	-	1	-
B 48	All other accidents	M	12	-	6	-	4	-	5	-
		F	4	-	6	-	2	-	-	-
B 49	Suicide and self-inflicted injuries	M	2	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 50	All other external causes	M	3	-	2	-	-	-	-	-
		F	-	-	2	-	-	-	1	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	405 348	1 2	435 316	5 2	323 230	13 3	317 292	11 6
B 4	Enteritis and other diarrhoeal diseases	M F	2 2	- -	2 1	- -	- -	- -	2 -	- -
B 5	Tuberculosis of respiratory system	M F	1 2	- -	2 1	- -	1 -	- -	- 1	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 1	- -	- -	- -	1 -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- 1	- -	- -
B 18a	Septicaemia	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	1 1	- -	1 1	- -	- -	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	- 1	- -	- -	- -	1 -	- -	1 -	- -
B 19a	Malignant neoplasms:- of stomach	M F	17 8	- -	11 7	- -	12 10	- -	3 7	- -
B 19b	of other digestive organs and peritoneum	M F	20 13	- -	13 13	- -	15 11	- -	9 10	- -
B 19c	of trachea, bronchus and lung	M F	16 6	- -	18 7	- -	8 2	- -	8 3	- -
B 19d	of breast	M F	- 17	- -	- 9	- -	- 6	- -	- 6	- -
B 19e	of genito-urinary organs	M F	11 6	- -	10 8	- -	3 8	- -	6 8	- -
B 19f	of lymphatic and haemopoietic tissue	M F	4 3	- -	6 4	- -	- 1	- -	4 2	- -
B 19g	Other	M F	6 5	- -	9 2	- -	14 2	- -	8 4	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 1	- -	2 1	- -	- -	- -	- 2	- -
B 21	Diabetes mellitus	M F	4 3	- -	1 1	- -	1 4	- -	2 2	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B 23	Anaemias	M F	- 1	- -	2 2	- -	- 2	- -	1 1	- -
B 24	Meningitis	M F	- 1	- -	- -	- -	- 1	- -	1 1	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	1 6	- -	7 7	- -	5 11	- -	1 2	- -
B 27	Hypertensive disease	M F	5 7	- -	12 6	- -	10 2	- -	7 7	- -
B 28	Ischaemic heart disease	M F	107 66	- 2	131 58	1 -	73 29	2 -	104 62	6 2
B 29	Other forms of heart disease	M F	22 14	1 -	10 8	- -	27 19	7 1	21 32	3 1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	41	-	64	-	56	-	40	1
		F	62	-	76	-	61	-	54	-
B 46a	Other diseases of circulatory system	M	13	-	10	-	12	1	14	-
		F	15	-	22	-	11	-	6	-
B 31	Influenza	M	-	-	1	-	-	-	2	-
		F	1	-	-	-	4	-	-	-
B 32	Pneumonia	M	20	-	10	-	10	-	16	-
		F	15	-	12	-	13	-	32	-
B 33	Bronchitis, emphysema and asthma	M	29	-	40	-	21	-	17	-
		F	15	-	24	-	8	-	5	-
B 46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	7	-	3	-	5	-	2	-
		F	2	-	2	-	-	-	2	-
B 34	Peptic ulcer	M	4	-	4	-	1	-	6	-
		F	2	-	1	-	-	-	1	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	-	-	-	-
		F	1	-	1	-	1	-	1	-
B 37	Cirrhosis of liver	M	3	-	2	-	-	-	3	1
		F	-	-	-	-	1	-	-	-
B 46d	Other diseases of digestive system	M	5	-	-	-	3	-	5	-
		F	7	-	1	-	2	-	3	-
B 38	Nephritis and nephrosis	M	3	-	1	-	6	-	3	-
		F	3	-	2	-	1	-	2	-
B 39	Hyperplasia of prostate	M	4	-	3	-	-	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	1	-	-	-	1	-
B 42	Congenital anomalies	M	6	-	7	-	6	-	2	-
		F	3	-	4	-	2	-	5	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	3	-	1	-	1	-
		F	4	-	2	-	-	-	2	-
B 44	Other causes of perinatal mortality *	M	3	-	6	-	6	-	5	-
		F	1	-	2	-	3	-	-	-
B 45a	Senility without mention of psychosis	M	5	-	5	3	6	2	1	-
		F	6	-	8	2	3	2	11	1
B 45b	Ill-defined conditions	M	-	-	2	1	2	1	1	-
		F	-	-	-	-	-	-	2	2
B 46e	All other diseases	M	14	-	12	-	10	-	8	-
		F	10	-	11	-	5	-	6	-
External Causes										
B 47	Motor vehicle accidents	M	14	-	15	-	2	-	7	-
		F	8	-	1	-	-	-	2	-
B 48	All other accidents	M	8	-	6	-	4	-	5	-
		F	8	-	10	-	6	-	4	-
B 49	Suicide and self-inflicted injuries	M	-	-	1	-	2	-	-	-
		F	-	-	-	-	-	-	-	-
B 50	All other external causes	M	3	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	1	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			M F		M F		M F		M F	
	Total		545 441	3 3	374 290	- -	660 644	- -	1,458 1,183	7 7
B 4	Enteritis and other diarrhoeal diseases	M F	1 -	- -	- 1	- -	- 1	- -	- 3	- -
B 5	Tuberculosis of respiratory system	M F	4 -	- -	6 2	- -	6 3	- -	9 3	- -
B 6	Other tuberculosis, including late effects	M F	- 1	- -	- -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	- -	- -	- -	- -	- -	- 1	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- 1	- -	2 -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M F	1 -	- -	- 1	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	1 -	- -	- -	- -	- -	- 1	- -	- -
B 18	All other infective and parasitic diseases	M F	2 -	- -	1 1	- -	2 -	- -	- -	- -
B 19a	Malignant neoplasms:- of stomach	M F	20 10	- -	9 9	- -	9 16	- -	31 24	- -
B 19b	of other digestive organs and peritoneum	M F	24 28	- -	16 22	- -	44 34	- -	68 80	- -
B 19c	of trachea, bronchus and lung	M F	28 8	- -	17 6	- -	43 14	- -	38 14	- -
B 19d	of breast	M F	- 10	- -	- 4	- -	- 23	- -	- 32	- -
B 19e	of genito-urinary organs	M F	13 10	- -	10 5	- -	25 15	- -	37 30	- -
B 19f	of lymphatic and haematopoietic tissue	M F	7 4	- -	3 4	- -	12 6	- -	18 13	- -
B 19g	Other	M F	14 15	- -	8 9	- -	14 14	- -	37 17	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- 2	- -	1 -	- -	1 -	- -	1 -	- -
B 21	Diabetes mellitus	M F	3 4	- -	3 4	- -	6 3	- -	11 12	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- 1	- -	- -	- -	3 5	- -
B 23	Anaemias	M F	1 6	- -	2 2	- -	1 -	- -	3 5	- -
B 24	Meningitis	M F	1 -	- -	1 1	- -	- 1	- -	1 2	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	4 7	- -	4 4	- -	4 8	- -	15 8	- -
B 27	Hypertensive disease	M F	11 19	- 1	10 7	- -	9 8	- -	27 18	- -
B 28	Ischaemic heart disease	M F	148 97	- -	90 56	- -	177 128	- -	407 212	1 3
B 29	Other forms of heart disease	M F	20 18	3 1	12 14	- -	11 28	- -	77 80	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	64	-	53	-	63	-	180	-
		F	68	-	60	-	102	-	216	1
B 46a	Other diseases of circulatory system	M	39	-	11	-	38	-	96	1
		F	44	-	10	-	54	-	98	-
B 31	Influenza	M	-	-	2	-	2	-	3	-
		F	-	-	2	-	2	-	5	-
B 32	Pneumonia	M	16	-	14	-	28	-	64	-
		F	16	-	16	-	49	-	72	-
B 33	Bronchitis, emphysema and asthma	M	28	-	27	-	56	-	76	-
		F	14	-	10	-	28	-	41	1
B 46b	Bronchiectasis	M	1	-	-	-	1	-	-	-
		F	1	-	-	-	1	-	2	-
B 46c	Other diseases of respiratory system	M	4	-	1	-	5	-	11	-
		F	3	-	2	-	2	-	20	-
B 34	Peptic ulcer	M	3	-	4	-	7	-	14	-
		F	-	-	-	-	8	-	5	-
B 35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	1	-	2	-
B 36	Intestinal obstruction and hernia	M	-	-	1	-	2	-	6	-
		F	-	-	2	-	2	-	5	-
B 37	Cirrhosis of liver	M	-	-	-	-	1	-	1	-
		F	1	-	1	-	4	-	1	-
B 46d	Other diseases of digestive system	M	6	-	4	-	4	-	7	-
		F	1	-	3	-	13	-	12	-
B 38	Nephritis and nephrosis	M	7	-	3	-	6	-	9	-
		F	2	-	2	-	1	-	7	-
B 39	Hyperplasia of prostate	M	3	-	-	-	3	-	11	1
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	-	-	1	-
B 42	Congenital anomalies	M	7	-	5	-	7	-	21	-
		F	7	-	5	-	10	-	16	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	5	-	5	-	19	-	21	-
		F	4	-	2	-	7	-	9	-
B 44	Other causes of perinatal mortality *	M	8	-	2	-	5	-	6	-
		F	4	-	-	-	4	-	5	-
B 45a	Senility without mention of psychosis	M	4	-	4	-	-	-	17	4
		F	5	1	3	-	7	-	19	2
B 45b	Ill-defined conditions	M	1	-	1	-	-	-	-	-
		F	-	-	1	-	1	-	-	-
B 46e	All other diseases	M	12	-	11	-	16	-	52	-
		F	16	-	7	-	21	-	41	-
External Causes										
B 47	Motor vehicle accidents	M	14	-	17	-	14	-	22	-
		F	2	-	4	-	10	-	9	-
B 48	All other accidents	M	19	-	10	-	14	-	45	-
		F	12	-	4	-	11	-	37	-
B 49	Suicide and self-inflicted injuries	M	1	-	2	-	2	-	8	-
		F	-	-	1	-	-	-	-	-
B 50	All other external causes	M	1	-	2	-	2	-	4	-
		F	1	-	-	-	4	-	1	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	546 440	9 8	773 642	28 35	276 288	- -	573 418	2 2
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	2 1	- -	1 -	- -	- 1	- -
B 5	Tuberculosis of respiratory system	M F	5 2	- -	6 2	- -	3 2	- -	2 2	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M F	1 -	- -	1 1	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	- -	- 1	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- 2	- -	1 -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	- -	- -	1 1	- -	1 -	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	2 -	- -	2 2	- -	2 2	- -	- 2	- -
B 19a	Malignant neoplasms:- of stomach	M F	10 5	- -	15 13	- -	9 7	- -	12 11	- -
B 19b	of other digestive organs and peritoneum	M F	16 18	- -	33 38	- -	14 12	- -	33 17	- -
B 19c	of trachea, bronchus and lung	M F	13 2	- -	23 10	- -	12 5	- -	17 6	- -
B 19d	of breast	M F	- 12	- -	1 15	- -	- 10	- -	- 13	- -
B 19e	of genito-urinary organs	M F	19 8	- -	18 18	- -	5 4	- -	17 12	- -
B 19f	of lymphatic and haematopoietic tissue	M F	10 3	- -	15 3	- -	1 1	- -	3 2	- -
B 19g	Other	M F	11 9	- -	16 9	- -	7 3	- -	14 14	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	- 1	- -	2 3	- -	- 2	- -	3 4	- -
B 21	Diabetes mellitus	M F	7 10	- -	2 8	- -	4 4	- -	3 -	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B 23	Anaemias	M F	1 2	- -	2 5	- -	- -	- -	- 3	- -
B 24	Meningitis	M F	- -	- -	1 1	- -	- -	- -	1 1	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	7 4	- -	5 5	- -	2 4	- -	4 3	- -
B 27	Hypertensive disease	M F	4 5	- -	10 11	- 1	6 4	- -	6 6	- -
B 28	Ischaemic heart disease	M F	140 82	1 2	214 113	6 4	85 69	- -	177 93	1 1
B 29	Other forms of heart disease	M F	90 87	1 -	54 49	2 -	10 17	- -	27 28	- -

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	54	-	97	1	23	-	60	-
		F	60	1	112	5	46	-	68	-
B 46a	Other diseases of circulatory system	M	15	-	53	-	4	-	22	-
		F	26	-	40	-	-	-	23	-
B 31	Influenza	M	1	-	3	1	-	-	1	-
		F	1	-	3	1	-	-	-	-
B 32	Pneumonia	M	17	-	19	1	8	-	29	-
		F	17	-	31	-	7	-	12	-
B 33	Bronchitis, emphysema and asthma	M	28	-	31	-	26	-	51	-
		F	12	-	14	-	20	-	19	-
B 46b	Bronchiectasis	M	1	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	6	-	7	-	2	-	5	-
		F	3	-	10	-	6	-	5	-
B 34	Peptic ulcer	M	4	-	4	-	3	-	4	-
		F	4	-	2	-	-	-	3	-
B 35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	3	-	3	-	-	-	1	-
		F	4	-	1	-	1	-	2	-
B 37	Cirrhosis of liver	M	-	-	2	-	2	-	-	-
		F	-	-	2	-	1	-	-	-
B 46d	Other diseases of digestive system	M	2	-	6	-	2	-	2	-
		F	2	-	8	-	5	-	4	-
B 38	Nephritis and nephrosis	M	4	-	3	-	1	-	3	-
		F	3	-	3	-	1	-	1	-
B 39	Hyperplasia of prostate	M	3	-	3	-	2	-	8	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	1	-	-	-
B 42	Congenital anomalies	M	4	-	11	-	9	-	8	-
		F	5	-	9	-	7	-	7	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	-	-	5	-	2	-	6	-
		F	-	-	3	-	4	-	4	-
B 44	Other causes of perinatal mortality *	M	5	-	2	-	6	-	1	-
		F	3	-	5	-	9	-	7	-
B 45a	Senility without mention of psychosis	M	22	7	24	17	1	-	4	1
		F	13	5	39	24	3	-	11	1
B 45b	Ill-defined conditions	M	1	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 46e	All other diseases	M	12	-	19	-	3	-	16	-
		F	20	-	21	-	15	-	17	-
External Causes										
B 47	Motor vehicle accidents	M	12	-	21	-	9	-	17	-
		F	3	-	2	-	2	-	6	-
B 48	All other accidents	M	14	-	34	-	7	-	11	-
		F	13	-	26	-	10	-	8	-
B 49	Suicide and self-inflicted injuries	M	1	-	-	-	1	-	2	-
		F	-	-	-	-	1	-	-	-
B 50	All other external causes	M	1	-	2	-	4	-	1	-
		F	-	-	-	-	2	-	2	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total		Total		Total		Total	
		M	371	4	449	3	175	-	276	3
		F	276	7	355	1	173	-	236	-
B 4	Enteritis and other diarrhoeal diseases	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 5	Tuberculosis of respiratory system	M	3	-	5	-	2	-	5	-
		F	1	-	-	-	1	-	-	-
B 6	Other tuberculosis, including late effects	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-
B 18c	Gastro-enteritis (under 2 years)	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	-	-	2	-	1	-	1	-
		F	-	-	-	-	-	-	-	-
B 19a	Malignant neoplasms:- of stomach	M	10	-	12	-	2	-	4	-
		F	4	-	11	-	3	-	6	-
B 19b	of other digestive organs and peritoneum	M	15	-	23	-	8	-	14	-
		F	10	-	17	-	9	-	12	-
B 19c	of trachea, bronchus and lung	M	15	-	21	-	8	-	13	-
		F	7	-	8	-	2	-	3	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	8	-	10	-	10	-	10	-
B 19e	of genito-urinary organs	M	6	-	7	-	8	-	6	-
		F	8	-	11	-	-	-	6	-
B 19f	of lymphatic and haematopoietic tissue	M	4	-	4	-	2	-	5	-
		F	2	-	2	-	2	-	3	-
B 19g	Other	M	12	-	14	-	6	-	10	-
		F	8	-	7	-	9	-	5	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	1	-	1	-	-	-	-	-
		F	1	-	1	-	1	-	-	-
B 21	Diabetes mellitus	M	3	-	5	-	-	-	-	-
		F	2	-	8	-	-	-	5	-
B 22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 23	Anaemias	M	1	-	2	-	1	-	1	-
		F	1	-	1	-	1	-	-	-
B 24	Meningitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	3	-	2	-	-	-	4	-
		F	-	-	5	-	6	-	3	-
B 27	Hypertensive disease	M	14	1	9	-	2	-	4	-
		F	20	2	6	-	3	-	7	-
B 28	Ischaemic heart disease	M	109	2	139	2	42	-	50	1
		F	57	2	84	-	21	-	31	-
B 29	Other forms of heart disease	M	28	-	12	-	5	-	11	-
		F	18	-	11	-	3	-	14	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	54	-	82	-	18	-	33	-
		F	55	-	87	-	34	-	49	-
B 46a	Other diseases of circulatory system	M	5	-	6	-	6	-	18	-
		F	8	-	11	1	13	-	15	-
B 31	Influenza	M	-	-	-	-	-	-	-	-
		F	3	-	1	-	2	-	2	-
B 32	Pneumonia	M	14	-	12	-	10	-	15	-
		F	8	-	14	-	24	-	15	-
B 33	Bronchitis, emphysema and asthma	M	20	1	24	-	26	-	22	-
		F	16	-	17	-	9	-	13	-
B 46b	Bronchiectasis	M	1	-	5	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 46c	Other diseases of respiratory system	M	3	-	6	-	-	-	3	-
		F	4	-	2	-	1	-	-	-
B 34	Peptic ulcer	M	5	-	2	-	2	-	1	-
		F	-	-	2	-	3	-	1	-
B 35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	1	-	-	-
		F	2	-	-	-	1	-	-	-
B 37	Cirrhosis of liver	M	1	-	1	-	-	-	3	-
		F	-	-	1	-	-	-	-	-
B 46d	Other diseases of digestive system	M	3	-	7	-	1	-	1	-
		F	4	-	2	-	2	-	3	-
B 38	Nephritis and nephrosis	M	3	-	1	-	1	-	3	-
		F	-	-	2	-	1	-	1	-
B 39	Hyperplasia of prostate	M	3	-	1	-	1	-	5	-
B 40	Abortion	F	1	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	3	-	2	-	2	-	3	1
		F	4	-	-	-	2	-	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	5	-	1	-	1	-	2	-
		F	3	-	1	-	-	-	-	-
B 44	Other causes of perinatal mortality *	M	-	-	5	-	1	-	3	-
		F	2	-	5	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	4	-	3	1	-	-	8	1
		F	5	3	5	-	-	-	10	-
B 45b	Ill-defined conditions	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B 46e	All other diseases	M	7	-	12	-	5	-	7	-
		F	6	-	11	-	4	-	11	-
External Causes										
B 47	Motor vehicle accidents	M	6	-	6	-	4	-	10	-
		F	1	-	6	-	3	-	3	-
B 48	All other accidents	M	7	-	6	-	6	-	4	-
		F	5	-	3	-	2	-	5	-
B 49	Suicide and self-inflicted injuries	M	2	-	1	-	-	-	1	-
		F	-	-	-	-	1	-	-	-
B 50	All other external causes	M	-	-	2	-	2	-	2	-
		F	1	-	-	-	-	-	2	-

* Late foetal deaths not included.

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	1,025 729	27 22	277 167	18 19	751 638	28 38	434 275	10 9
B 4	Enteritis and other diarrhoeal diseases	M F	2 -	- -	- -	- -	1 3	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	7 5	- -	- -	- -	4 -	- -	- -	- -
B 6	Other tuberculosis, including late effects	M F	1 1	- -	1 1	- -	1 1	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- 1	- -	- -
B 18a	Septicaemia	M F	3 3	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M F	- -	- -	- -	- -	2 -	- -	- -	- -
B 18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M F	2 -	- -	- -	- -	1 2	- -	- -	- -
B 18	All other infective and parasitic diseases	M F	1 1	- -	- -	- -	- -	- -	1 -	- -
B 19a	Malignant neoplasms:- of stomach	M F	17 8	1 -	9 4	- -	16 15	1 -	20 4	- -
B 19b	of other digestive organs and peritoneum	M F	49 34	- -	17 7	- -	37 35	- -	17 15	- -
B 19c	of trachea, bronchus and lung	M F	30 7	- -	8 2	- -	18 6	- -	11 1	- -
B 19d	of breast	M F	- 27	- -	- 4	- -	- 17	- -	- 7	- -
B 19e	of genito-urinary organs	M F	25 10	- -	7 4	- -	18 16	- -	13 4	- -
B 19f	of lymphatic and haematopoietic tissue	M F	8 4	- 1	2 1	- -	4 5	- -	2 3	- -
B 199	Other	M F	23 14	- -	3 5	- -	13 10	- -	8 3	- -
B 20	Benign neoplasms and neoplasms of unspecified nature	M F	3 -	- -	- 1	- -	1 -	- -	- -	- -
B 21	Diabetes mellitus	M F	12 12	- -	- 1	- -	2 12	- -	10 4	- -
B 22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 23	Anaemias	M F	4 -	- -	- 1	- -	- 3	- -	2 -	- -
B 24	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M F	9 8	- -	3 1	- -	9 7	- -	2 2	- -
B 27	Hypertensive disease	M F	11 11	- -	7 4	- -	10 14	- -	6 6	- -
B 28	Ischaemic heart disease	M F	125 195	3 4	86 40	- -	189 140	2 3	132 63	1 1
B 29	Other forms of heart disease	M F	45 40	1 2	8 9	1 2	52 63	2 2	23 24	1 2

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leltrim County		Mayo County		Roscommon County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
B 30	Cerebrovascular disease	M	98	2	34	1	116	-	64	1
		F	101	-	38	-	104	1	51	-
B 46 ^a	Other diseases of circulatory system	M	33	1	10	-	26	1	22	-
		F	45	-	4	-	23	1	14	-
B 31	Influenza	M	9	-	3	-	1	-	2	-
		F	4	-	1	-	1	-	2	-
B 32	Pneumonia	M	59	-	13	-	24	-	7	-
		F	43	-	9	-	27	1	3	-
B 33	Bronchitis, emphysema and asthma	M	51	-	12	-	41	-	25	-
		F	26	1	10	-	18	-	5	-
B 46 ^b	Bronchiectasis	M	3	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 46 ^c	Other diseases of respiratory system	M	16	-	2	-	14	-	3	-
		F	15	-	-	-	3	-	3	-
B 34	Peptic ulcer	M	8	-	2	-	5	-	3	-
		F	1	-	1	-	6	-	2	-
B 35	Appendicitis	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	1	-
B 36	Intestinal obstruction and hernia	M	1	-	1	-	5	-	5	-
		F	-	-	-	-	2	-	-	-
B 37	Cirrhosis of liver	M	4	-	-	-	3	-	-	-
		F	1	-	1	-	1	-	-	-
B 46 ^d	Other diseases of digestive system	M	14	-	-	-	4	-	1	-
		F	6	-	1	-	7	-	5	-
B 38	Nephritis and nephrosis	M	7	-	3	-	6	-	3	-
		F	6	-	1	-	4	-	6	-
B 39	Hyperplasia of prostate	M	9	-	5	-	6	-	5	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	3	-	-	-	2	-	-	-
B 42	Congenital anomalies	M	10	-	-	-	5	-	1	-
		F	6	-	-	-	1	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	2	-	5	-	4	-
		F	5	-	1	-	2	-	4	-
B 44	Other causes of perinatal mortality *	M	7	-	1	-	2	-	-	-
		F	4	-	1	-	4	-	1	-
B 45 ^a	Senility without mention of psychosis	M	20	16	19	16	24	19	10	6
		F	19	13	21	16	44	29	17	6
B 45 ^b	Ill-defined conditions	M	3	2	1	-	4	1	4	1
		F	3	1	-	-	2	-	2	-
B 46 ^e	All other diseases	M	34	1	9	-	42	2	11	-
		F	25	-	9	1	20	1	13	-
	External Causes									
B 47	Motor vehicle accidents	M	27	-	3	-	14	-	11	-
		F	10	-	-	-	2	-	-	-
B 48	All other accidents	M	17	-	4	-	16	-	5	-
		F	22	-	4	-	10	-	7	-
B 49	Suicide and self-inflicted injuries	M	6	-	-	-	3	-	-	-
		F	-	-	-	-	1	-	-	-
B 50	All other external causes	M	10	-	1	-	8	-	1	-
		F	4	-	-	-	1	-	-	-

* Late foetal deaths not included.

TABLE 20 (contd) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total		Total		Total		Total	
		M	361	3	399	6	709	19	309	1
		F	315	6	277	-	568	20	254	-
B 4	Enteritis and other diarrhoeal diseases	M	-	-	1	-	1	-	-	-
		F	1	-	-	-	2	-	-	-
B 5	Tuberculosis of respiratory system	M	2	-	3	-	2	-	1	-
		F	2	-	-	-	1	-	-	-
B 6	Other tuberculosis, including late effects	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 18c	Gastro-enteritis (under 2 years)	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-
B 18	All other infective and parasitic diseases	M	-	-	-	-	3	-	-	-
		F	1	-	-	-	2	-	1	-
B 19a	Malignant neoplasms:- of stomach	M	13	-	19	-	20	-	10	-
		F	11	-	6	-	17	-	10	-
B 19b	of other digestive organs and peritoneum	M	16	-	13	-	28	-	16	-
		F	18	-	10	-	31	-	15	-
B 19c	of trachea, bronchus and lung	M	10	-	9	-	12	-	11	-
		F	4	-	2	-	7	-	3	-
B 19d	of breast	M	-	-	-	-	-	-	-	-
		F	2	-	9	-	22	1	7	-
B 19e	of genito-urinary organs	M	9	1	10	-	11	-	6	-
		F	6	-	5	-	14	-	1	-
B 19f	of lymphatic and haematopoietic tissue	M	5	-	2	-	9	-	1	-
		F	2	-	2	-	3	-	-	-
B 19g	Other	M	13	-	13	-	12	-	5	-
		F	11	-	6	-	10	-	2	-
B 20	Benign neoplasms and neoplasms of unspecified nature	M	1	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	-
B 21	Diabetes mellitus	M	2	-	4	-	7	-	4	-
		F	3	-	1	-	8	-	4	-
B 22	Avitaminoses and other nutritional deficiency	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
B 23	Anaemias	M	1	-	-	-	3	-	1	-
		F	-	-	2	-	1	-	1	-
B 24	Meningitis	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 25	Acute rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	4	-	2	-	8	-	1	-
		F	6	-	1	-	8	-	1	-
B 27	Hypertensive disease	M	10	-	3	-	6	-	-	-
		F	14	-	7	-	22	-	4	-
B 28	Ischaemic heart disease	M	75	-	100	3	194	4	103	-
		F	53	1	51	-	111	4	69	-
B 29	Other forms of heart disease	M	18	-	14	-	37	1	10	-
		F	20	-	10	-	42	6	10	-

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1971, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 30	Cerebrovascular disease	M	53	-	66	-	79	1	32	-
		F	53	-	67	-	79	-	49	-
B 46a	Other diseases of circulatory system	M	9	-	20	-	30	-	7	-
		F	14	-	14	-	24	-	12	-
B 31	Influenza	M	4	-	-	-	4	-	4	-
		F	4	-	1	-	3	-	2	-
B 32	Pneumonia	M	11	-	17	-	58	-	39	1
		F	7	-	22	-	52	-	30	-
B 33	Bronchitis, emphysema and asthma	M	30	-	18	-	29	-	23	-
		F	17	-	11	-	9	-	2	-
B 46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B 46c	Other diseases of respiratory system	M	6	-	6	-	4	-	4	-
		F	7	-	4	-	4	-	6	-
B 34	Peptic ulcer	M	4	-	4	-	6	-	1	-
		F	-	-	2	-	2	1	2	-
B 35	Appendicitis	M	1	-	2	-	2	-	1	-
		F	1	-	1	-	2	-	-	-
B 36	Intestinal obstruction and hernia	M	2	-	2	-	3	-	1	-
		F	-	-	-	-	1	-	-	-
B 37	Cirrhosis of liver	M	-	-	2	-	-	-	-	-
		F	-	-	1	-	2	-	-	-
B 46d	Other diseases of digestive system	M	2	-	2	-	6	1	1	-
		F	2	-	1	-	4	-	-	-
B 38	Nephritis and nephrosis	M	3	-	4	-	2	-	-	-
		F	6	-	3	-	4	-	-	-
B 39	Hyperplasia of prostate	M	2	-	7	-	3	-	-	-
B 40	Abortion	F	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B 42	Congenital anomalies	M	4	-	-	-	7	-	2	-
		F	4	-	1	-	4	-	2	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	2	-	7	-	5	-
		F	2	-	-	-	1	-	3	-
B 44	Other causes of perinatal mortality *	M	3	-	5	-	8	-	1	-
		F	1	-	2	-	8	-	1	-
B 45a	Senility without mention of psychosis	M	10	2	8	2	24	10	1	-
		F	21	4	11	-	24	8	1	-
B 45b	Ill-defined conditions	M	-	-	2	1	2	1	-	-
		F	1	-	-	-	1	-	-	-
B 46e	All other diseases	M	12	-	13	-	37	1	10	-
		F	12	1	14	-	19	-	9	-
External Causes										
B 47	Motor vehicle accidents	M	4	-	15	-	19	-	3	-
		F	3	-	1	-	3	-	1	-
B 48	All other accidents	M	12	-	5	-	17	-	3	-
		F	1	-	7	-	18	-	3	-
B 49	Suicide and self-inflicted injuries	M	1	-	-	-	2	-	-	-
		F	3	-	-	-	1	-	-	-
B 50	All other external causes	M	2	-	3	-	6	-	1	-
		F	1	-	1	-	1	-	1	-

* Late foetal deaths not included.

TABLE 21 - DEATHS OCCURRING IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN
DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
			All Causes										
		M	2,703	160	24	34	52	31	77	237	544	789	760
		F	2,702	103	17	8	26	31	51	182	351	641	1,292
B 4	Enteritis and other diarrhoeal diseases	M	9	8	-	-	-	-	-	-	-	1	-
		F	6	4	1	-	-	-	-	-	-	1	-
B 5	Tuberculosis of respiratory system	M	23	-	-	-	-	-	1	4	6	14	3
		F	7	-	-	1	-	-	-	2	4	-	-
B 6	Other tuberculosis, including late effects	M	2	-	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	2	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-
B 18a	Septicaemia	M	2	2	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	3	-	2	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	1	-	-	-	-	-	-	-	-	1	1
		F	2	-	-	-	-	-	-	-	-	1	-
B 18c	Gastro-enteritis (under 2 years)	M	7	7	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	4	-	-	-	-	-	1	1	1	-	1
		F	1	-	-	-	-	-	-	-	-	-	1
B 19a	Malignant neoplasms:- of stomach	M	74	-	-	-	-	1	1	10	15	33	14
		F	75	-	-	-	-	1	1	4	12	22	35
B 19b	of other digestive organs and peritoneum	M	152	-	-	-	2	2	5	11	35	84	32
		F	139	-	-	-	-	-	3	15	22	53	76
B 19c	of trachea, bronchus and lung	M	237	-	-	-	-	-	5	24	78	92	38
		F	63	-	-	-	-	-	1	9	21	23	6
B 19d	of breast	M	2	-	-	-	-	-	-	-	-	1	1
		F	112	-	-	-	-	1	16	21	33	22	19
B 19e	of genito-urinary organs	M	78	-	-	1	1	1	2	5	13	25	30
		F	72	-	-	1	-	1	4	8	17	22	20
B 19f	of lymphatic and haematopoietic tissue	M	39	-	1	1	3	3	3	2	9	12	5
		F	19	-	1	-	2	-	1	3	3	6	3
B 19g	Other	M	63	-	3	1	-	2	2	12	16	19	11
		F	69	-	-	2	4	1	1	7	15	19	17
B 20	Benign neoplasms and neoplasms of unspecified nature	M	6	-	-	-	-	-	1	-	-	3	2
		F	9	-	-	-	-	-	-	1	2	2	4
B 21	Diabetes mellitus	M	22	-	-	-	-	-	-	1	3	7	11
		F	35	-	-	-	1	-	-	1	4	16	13
B 22	Avitaminoses and other nutritional deficiency	M	2	-	1	-	-	-	-	-	-	1	-
		F	4	-	-	-	-	-	-	-	-	1	3
B 23	Anaemias	M	8	-	-	1	-	-	-	1	1	1	4
		F	11	-	-	-	-	-	-	-	2	-	9
B 24	Meningitis	M	2	2	-	-	-	-	-	-	-	-	-
		F	6	3	1	-	-	1	-	-	-	1	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	24	-	-	-	-	-	3	6	8	5	2
		F	39	-	-	-	-	3	1	10	7	9	9
B 27	Hypertensive disease	M	38	-	-	-	-	-	3	5	7	9	14
		F	66	-	-	-	-	-	-	1	4	15	46
B 28	Ischaemic heart disease	M	699	-	-	-	-	2	20	81	178	213	205
		F	539	-	-	-	-	1	4	23	68	141	236
B 29	Other forms of heart disease	M	57	-	-	-	2	1	1	4	6	14	23
		F	87	-	-	-	-	2	1	2	3	14	65

TABLE 21 (contd.) - DEATHS OCCURRING IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	188	-	-	-	2	-	1	16	28	59	82
		F	410	-	-	-	-	4	-	28	39	115	224
B 46a	Other diseases of circulatory system	M	93	-	-	-	1	-	4	6	14	20	48
		F	124	-	-	-	-	1	-	2	15	19	87
B 31	Influenza	M	3	-	-	-	-	-	-	-	-	-	3
		F	4	-	-	-	-	1	-	1	-	-	2
B 32	Pneumonia	M	165	12	7	-	1	-	1	6	16	38	84
		F	231	9	1	1	2	3	1	3	16	45	150
B 33	Bronchitis, emphysema and asthma	M	230	-	2	-	-	-	1	13	49	74	91
		F	111	-	-	-	1	-	3	9	15	24	59
B 46b	Bronchiectasis	M	4	-	-	-	-	-	1	-	2	1	-
		F	3	-	-	-	-	1	-	1	-	-	1
B 46c	Other diseases of respiratory system	M	33	9	1	-	-	-	1	-	2	10	10
		F	35	7	1	-	-	-	-	3	-	8	16
B 34	Peptic ulcer	M	15	-	-	1	-	-	1	1	7	2	3
		F	11	-	-	-	-	-	-	-	1	7	3
B 35	Appendicitis	M	2	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 36	Intestinal obstruction and hernia	M	9	-	-	-	1	1	-	-	1	1	5
		F	13	-	-	-	-	-	-	1	4	2	6
B 37	Cirrhosis of liver	M	10	-	-	-	-	-	-	1	4	4	1
		F	9	-	-	-	-	-	-	1	3	3	2
B 46d	Other diseases of digestive system	M	14	-	-	-	-	-	-	3	4	4	3
		F	32	-	-	-	-	-	1	2	6	9	14
B 38	Nephritis and nephrosis	M	14	-	-	1	3	-	2	2	2	2	2
		F	14	-	-	-	-	1	1	1	3	1	7
B 39	Hyperplasia of prostate	M	11	-	-	-	-	-	-	-	-	3	8
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	1	-	-	-	-	-	-
B 42	Congenital anomalies	M	52	45	1	1	-	-	1	-	2	1	1
		F	43	36	3	-	-	-	2	1	-	1	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	51	51	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality*	M	28	28	-	-	-	-	-	-	-	-	-
		F	16	16	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	7	-	-	-	-	-	-	-	-	-	7
		F	10	-	-	-	-	-	-	-	-	-	10
B 45b	Ill-defined conditions	M	7	-	-	-	-	-	1	-	2	2	2
		F	1	-	-	-	-	-	-	-	-	-	1
B 46e	All other diseases	M	66	2	3	4	2	4	1	3	12	15	20
		F	112	3	2	-	2	3	6	10	19	20	47
External Causes													
B 47	Motor vehicle accidents	M	66	-	2	15	18	7	2	9	3	6	4
		F	32	-	-	2	9	2	1	4	2	6	6
B 48	All other accidents	M	51	-	3	6	11	3	4	4	10	8	2
		F	54	2	2	1	2	-	1	2	3	10	31
B 49	Suicide and self-inflicted injuries	M	15	-	-	-	2	2	6	2	3	-	-
		F	10	-	-	-	-	3	1	2	3	1	-
B 50	All other external causes	M	20	-	-	1	3	2	2	4	3	3	2
		F	10	-	-	-	2	1	1	1	5	-	-

*Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS OCCURRING IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Cause of death			Age at death											
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
All Causes			M	3,069	175	18	34	39	41	93	265	557	867	980
			F	3,002	127	15	20	31	23	50	162	396	713	1,465
B 4	Enteritis and other diarrhoeal diseases	M	F	2 4	1 1	1 -	- -	- -	- -	- -	- -	- 1	- 1	- 1
B 5	Tuberculosis of respiratory system	M	F	27 15	- -	- -	- -	1 -	- 1	- 1	6 5	4 3	13 3	3 3
B 6	Other tuberculosis, including late effects	M	F	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -
B 8	Diphtheria	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 10	Streptococcal sore throat and scarlet fever	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 11	Meningococcal infection	M	F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 18a	Septicaemia	M	F	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 12	Acute poliomyelitis	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 14	Measles	M	F	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 18b	Infectious hepatitis	M	F	1 2	- -	1 -	- -	- 1	- -	- -	- -	- 1	- -	- -
B 18c	Gastro-enteritis (under 2 years)	M	F	2 1	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 18	All other infective and parasitic diseases	M	F	9 3	5 2	- -	- -	- -	- -	1 -	- -	3 -	- -	- 1
B 19a	Malignant neoplasms:- of stomach	M	F	84 63	- -	- -	- -	- 1	- -	3 -	7 2	19 7	35 22	20 31
B 19b	of other digestive organs and peritoneum	M	F	150 155	- -	- -	- -	- 4	- 1	6 1	19 10	42 38	44 47	35 58
B 19c	of trachea, bronchus and lung	M	F	154 62	- -	- -	- -	- -	- 2	2 2	27 10	38 17	61 20	23 13
B 19d	of breast	M	F	- 94	- -	- -	- -	- -	- 9	- 22	- 27	- 21	- 15	- 15
B 19e	of genito-urinary organs	M	F	87 68	1 -	1 -	- -	- 1	- 1	3 4	3 5	14 24	23 18	33 16
B 19f	of lymphatic and haematopoietic tissue	M	F	32 27	- -	2 1	2 4	1 -	3 1	3 1	5 4	8 3	7 9	1 4
B 19g	Other	M	F	80 62	- -	1 1	2 -	1 1	1 2	8 2	12 8	17 12	20 11	13 25
B 20	Benign neoplasms and neoplasms of unspecified nature	M	F	7 9	- -	- -	- 1	- -	- -	2 -	1 2	1 1	- 4	2 1
B 21	Diabetes mellitus	M	F	23 25	- -	- -	- -	- 1	1 -	2 -	4 3	3 4	7 5	9 12
B 22	Avitaminoses and other nutritional deficiency	M	F	1 4	- 1	- -	- -	- -	- -	- -	- -	1 2	- 1	- -
B 23	Anaemias	M	F	8 8	- -	- -	- -	- -	- -	- -	1 -	1 -	3 1	4 6
B 24	Meningitis	M	F	2 3	1 1	- 1	- -	- -	- -	- -	- -	- -	1 1	- -
B 25	Active rheumatic fever	M	F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 26	Chronic rheumatic heart disease	M	F	20 48	- -	- -	- -	- 1	1 1	- 1	2 4	5 13	7 13	5 15
B 27	Hypertensive disease	M	F	48 56	- -	- -	- -	- -	- -	1 1	7 1	11 6	15 19	14 29
B 28	Ischaemic heart disease	M	F	841 589	- -	- -	- -	- -	3 -	22 3	87 17	203 103	270 158	253 308
B 29	Other forms of heart disease	M	F	91 149	- -	- -	- -	- -	- 1	1 -	8 4	5 1	22 20	55 123

TABLE 21 (contd.) - DEATHS OCCURRING IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS
AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	320	-	-	1	2	-	6	17	43	88	163
		F	561	-	-	-	4	-	7	18	44	138	350
B 46a	Other diseases of circulatory system	M	120	-	-	-	-	-	2	5	17	37	59
		F	169	-	-	-	-	-	3	7	6	31	122
B 31	Influenza	M	8	1	-	-	-	-	-	-	2	2	3
		F	7	-	-	-	1	-	1	-	-	-	5
B 32	Pneumonia	M	116	15	2	2	-	2	1	1	10	25	58
		F	163	12	4	-	2	1	1	5	11	35	92
B 33	Bronchitis, emphysema and asthma	M	249	-	-	1	2	-	4	14	39	103	86
		F	131	-	-	-	1	-	4	6	22	40	58
B 46b	Bronchiectasis	M	6	-	-	-	-	-	-	-	-	2	4
		F	1	-	-	-	-	-	-	-	-	-	1
B 46c	Other diseases of respiratory system	M	33	6	1	-	-	-	-	2	3	4	17
		F	37	11	1	1	1	-	1	-	2	6	14
B 34	Peptic ulcer	M	35	-	-	-	-	1	2	3	6	12	11
		F	18	-	-	-	-	-	-	3	3	3	9
B 35	Appendicitis	M	4	-	-	2	-	-	-	-	-	1	1
		F	3	-	-	-	-	-	-	-	1	1	1
B 36	Intestinal obstruction and hernia	M	7	-	-	-	-	-	-	1	2	1	3
		F	13	3	-	-	-	-	-	-	1	4	5
B 37	Cirrhosis of liver	M	12	-	-	-	-	-	-	2	2	4	4
		F	11	-	-	-	-	-	-	1	4	4	2
B 46d	Other diseases of digestive system	M	20	-	-	1	-	-	5	1	3	5	5
		F	39	1	-	-	3	-	-	3	6	12	14
B 38	Nephritis and nephrosis	M	22	-	-	-	1	-	-	4	7	4	6
		F	17	-	-	-	-	1	3	1	1	2	9
B 39	Hyperplasia of prostate	M	19	-	-	-	-	-	-	-	1	4	14
B 40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	4	-	-	-	1	2	-	1	-	-	-
B 42	Congenital anomalies	M	49	45	2	1	1	-	-	-	-	-	-
		F	42	37	-	3	-	1	-	1	-	-	-
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	45	45	-	-	-	-	-	-	-	-	-
		F	26	23	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality*	M	43	43	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	23	-	-	-	-	-	-	-	-	2	21
		F	50	-	-	-	-	-	-	-	1	3	46
B 45b	Ill-defined conditions	M	2	-	-	-	-	-	-	-	-	-	2
		F	2	-	-	-	-	-	-	-	-	1	1
B 46e	All other diseases	M	83	2	-	2	1	1	2	8	19	21	27
		F	111	4	1	1	1	-	1	9	23	33	38
External Causes													
B 47	Motor vehicle accidents	M	73	-	2	14	12	12	3	10	12	7	1
		F	41	-	4	6	9	4	2	5	5	5	1
B 48	All other accidents	M	79	4	5	6	11	3	10	7	9	10	14
		F	68	5	2	4	4	-	1	1	1	16	34
B 49	Suicide and self-inflicted injuries	M	7	-	-	-	2	3	1	-	1	-	-
		F	4	-	-	-	-	1	-	-	-	2	1
B 50	All other external causes	M	20	3	-	-	2	6	3	2	3	1	-
		F	14	-	-	-	-	5	1	3	2	2	1

*Late foetal deaths not included

TABLE 21 (contd.) - DEATHS OCCURRING IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	11,580	368	74	74	144	122	185	689	1,749	3,093	5,082
		F	8,829	281	54	40	54	78	113	441	939	2,061	4,768
B 4	Enteritis and other diarrhoeal diseases	M	21	12	5	-	-	-	-	1	1	1	1
		F	19	8	4	-	-	2	-	1	1	2	1
B 5	Tuberculosis of respiratory system	M	62	-	-	-	-	3	-	4	18	26	11
		F	26	-	-	-	-	-	-	5	7	7	7
B 6	Other tuberculosis, including late effects	M	7	-	1	-	1	-	-	2	-	3	-
		F	7	-	1	-	-	-	1	1	2	1	1
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-
B 10	Streptococcal sore throat and scarlet fever	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
B 11	Meningococcal infection	M	1	1	-	-	-	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	1	-	-
B 18a	Septicaemia	M	9	6	-	-	-	1	-	-	1	1	-
		F	7	4	-	-	-	-	-	1	1	1	-
B 12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 14	Measles	M	2	-	-	2	-	-	-	-	-	-	-
		F	6	1	4	-	1	-	-	-	-	-	-
B 18b	Infectious hepatitis	M	1	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	2	-	2	1
B 18c	Gastro-enteritis (under 2 years)	M	11	11	-	-	-	-	-	-	-	-	-
		F	11	8	3	-	-	-	-	-	-	-	-
B 18	All other infective and parasitic diseases	M	14	1	-	-	-	-	2	2	2	5	2
		F	16	6	-	1	-	-	-	2	1	2	4
B 19a	Malignant neoplasms:- of stomach	M	287	-	-	-	1	-	4	28	68	98	90
		F	205	-	-	-	-	3	2	17	34	65	84
B 19b	of other digestive organs and peritoneum	M	517	-	1	-	-	2	10	44	98	168	194
		F	445	-	1	-	1	3	12	30	85	138	175
B 19c	of trachea, bronchus and lung	M	376	-	-	1	-	2	9	45	130	140	49
		F	112	-	-	-	-	-	1	12	29	48	22
B 19d	of breast	M	1	-	-	-	-	-	-	-	-	-	1
		F	263	-	-	-	-	5	13	65	56	67	57
B 19e	of genito-urinary organs	M	279	-	-	-	1	3	-	12	44	86	133
		F	198	-	-	-	3	5	8	26	46	53	52
B 19f	of lymphatic and haematopoietic tissue	M	131	2	3	4	7	4	12	16	29	32	22
		F	69	-	-	7	6	1	1	8	19	18	9
B 19g	Other	M	276	1	9	2	7	8	8	30	52	64	95
		F	179	1	1	2	2	4	5	26	32	51	55
B 20	Benign neoplasms and neoplasms of unspecified nature	M	18	-	1	-	-	-	-	2	5	6	4
		F	17	-	-	2	-	2	-	-	3	4	6
B 21	Diabetes mellitus	M	90	-	-	-	-	2	1	5	12	23	42
		F	110	-	-	-	-	-	-	3	12	39	53
B 22	Avitaminoses and other nutritional deficiency	M	8	1	-	-	-	1	-	-	3	1	2
		F	9	1	-	-	-	-	-	1	1	1	5
B 23	Anaemias	M	27	-	1	1	-	-	1	-	3	5	16
		F	41	-	-	-	-	-	-	2	4	14	21
B 24	Meningitis	M	11	5	2	1	1	-	-	-	1	1	-
		F	8	4	-	1	2	-	-	1	-	-	-
B 25	Active rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 26	Chronic rheumatic heart disease	M	105	-	-	-	2	3	4	13	22	21	40
		F	93	-	-	-	-	3	4	11	20	23	37
B 27	Hypertensive disease	M	199	-	-	1	1	-	2	10	35	32	88
		F	210	-	-	-	-	-	1	6	27	41	135
B 28	Ischaemic heart disease	M	3,200	-	-	-	2	5	39	203	595	1,023	1,333
		F	1,785	-	-	-	1	2	9	52	203	493	1,022
B 29	Other forms of heart disease	M	657	-	-	-	1	1	2	10	34	133	473
		F	630	-	-	-	-	1	-	8	16	90	515

TABLE 21 (contd.) - DEATHS OCCURRING IN 1971, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 30	Cerebrovascular disease	M	1,501	-	-	-	4	5	11	51	158	416	856
		F	1,573	1	-	1	5	6	13	50	128	394	975
B 46a	Other diseases of circulatory system	M	486	1	-	-	-	-	4	8	47	103	323
		F	480	-	-	-	2	1	3	11	24	88	351
B 31	Influenza	M	42	-	-	-	1	-	-	-	3	11	27
		F	45	-	-	1	-	1	2	-	3	3	35
B 32	Pneumonia	M	546	44	6	4	5	2	3	15	49	109	309
		F	491	29	9	3	5	3	7	23	32	106	274
B 33	Bronchitis, emphysema and asthma	M	670	1	2	1	2	2	7	37	116	213	289
		F	322	-	-	-	1	3	2	14	45	102	155
B 46b	Bronchiectasis	M	12	-	-	-	-	-	-	1	2	3	6
		F	7	-	-	-	-	-	1	1	-	3	2
B 46c	Other diseases of respiratory system	M	126	12	2	1	-	-	1	6	6	35	63
		F	93	9	3	1	-	-	-	1	6	20	53
B 34	Peptic ulcer	M	81	-	-	-	-	-	2	3	17	32	27
		F	40	-	-	-	-	-	-	4	2	15	19
B 35	Appendicitis	M	10	1	1	2	1	-	-	-	1	2	2
		F	9	-	1	1	-	1	-	1	-	-	5
B 36	Intestinal obstruction and hernia	M	43	2	1	-	-	1	-	3	7	13	16
		F	17	-	-	-	-	-	-	-	2	6	9
B 37	Cirrhosis of liver	M	22	-	-	-	1	1	-	6	6	4	4
		F	10	-	-	-	-	-	-	3	3	1	3
B 46d	Other diseases of digestive system	M	80	-	-	1	-	5	-	13	13	30	18
		F	75	-	-	1	1	1	-	4	17	14	37
B 38	Nephritis and nephrosis	M	78	-	-	1	1	2	5	9	12	22	26
		F	60	-	-	2	-	-	3	6	7	14	28
B 39	Hyperplasia of prostate	M	77	-	-	-	-	-	-	-	4	14	59
B 40	Abortion	F	1	-	-	-	-	1	-	-	-	-	-
B 41	Other complications of pregnancy, childbirth and the puerperium	F	11	-	-	-	-	5	5	1	-	-	-
B 42	Congenital anomalies	M	119	85	12	10	4	5	-	1	2	-	-
		F	107	85	8	7	1	1	1	1	1	1	1
B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	99	99	-	-	-	-	-	-	-	-	-
		F	50	50	-	-	-	-	-	-	-	-	-
B 44	Other causes of perinatal mortality*	M	64	64	-	-	-	-	-	-	-	-	-
		F	60	60	-	-	-	-	-	-	-	-	-
B 45a	Senility without mention of psychosis	M	211	-	-	-	-	-	-	-	-	8	203
		F	282	-	-	-	-	-	-	-	1	5	276
B 45b	Ill-defined conditions	M	31	1	-	-	-	-	-	2	5	9	14
		F	11	-	-	-	-	-	-	-	1	-	10
B 46e	All other diseases	M	362	12	6	8	9	6	10	22	59	82	148
		F	317	10	6	5	4	9	8	20	46	83	126
External Causes													
B 47	Motor vehicle accidents	M	277	-	14	17	59	29	17	33	43	37	28
		F	72	-	7	3	16	8	4	8	9	11	6
B 48	All other accidents	M	253	16	7	16	21	20	14	31	28	35	65
		F	200	8	8	2	2	3	2	5	6	27	137
B 49	Suicide and self-inflicted injuries	M	37	-	-	-	3	5	11	4	7	6	1
		F	8	-	-	-	-	1	2	5	-	-	-
B 50	All other external causes	M	53	1	-	-	9	4	6	17	11	4	1
		F	17	-	-	-	1	3	3	3	3	3	1

*Late foetal deaths not included

**TABLE 22 - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH IN 1971
CLASSIFIED BY PLACE OF OCCURRENCE.**

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	17,357	14,533	3,273	2,877	478	424	6,638	5,311	6,968	5,921
LEINSTER	7,535	6,638	2,206	1,900	182	188	2,357	2,000	2,790	2,550
MUNSTER	5,557	4,655	793	754	154	126	2,387	1,983	2,223	1,792
CONNACHT	2,848	2,141	200	166	105	70	1,317	911	1,226	994
ULSTER (part of)	1,417	1,099	74	57	37	40	577	417	729	585
LEINSTER										
Carlow	225	159	35	34	12	7	88	64	90	54
Dublin County Borough	2,708	2,702	1,237	1,077	44	83	583	573	844	969
Dun Laoghaire Borough	284	337	103	146	5	15	46	53	130	123
Dublin County (remainder)	670	601	243	197	18	14	147	136	282	254
Kildare	386	285	64	67	13	5	167	109	142	104
Kilkenny	372	297	40	31	16	11	177	139	139	116
Laois	299	206	22	11	10	5	149	103	118	87
Longford	192	134	21	16	8	1	92	64	71	53
Louth	405	348	104	67	15	11	154	141	132	129
Meath	435	316	89	56	6	9	144	116	196	135
Offaly	323	230	21	15	8	4	147	115	147	96
Westmeath	317	292	51	39	7	7	152	161	107	85
Wexford	545	441	74	79	12	12	200	151	259	199
Wicklow	374	290	102	65	8	4	111	75	153	146
MUNSTER										
Clare	546	440	33	52	26	19	259	205	228	164
Cork County Borough	660	644	227	194	9	14	178	192	246	244
Cork County	1,458	1,183	210	179	26	18	607	486	615	500
Kerry	773	642	75	88	20	27	356	278	322	249
Limerick County Borough	276	288	64	57	8	5	122	158	82	68
Limerick County	573	418	50	41	19	6	277	207	227	164
Tipperary, North Riding	371	276	22	23	8	7	180	143	161	103
Tipperary, South Riding	449	355	46	55	16	8	225	162	162	130
Waterford County Borough	175	173	33	38	11	11	58	48	73	76
Waterford County	276	236	33	27	11	11	125	104	107	94
CONNACHT										
Galway	1,025	729	106	75	56	31	486	333	377	290
Leitrim	277	187	17	14	12	-	113	77	135	96
Mayo	751	635	30	32	12	13	363	266	346	324
Roscommon	434	275	26	16	11	17	192	114	205	128
Sligo	361	315	21	29	14	9	163	121	163	156
ULSTER (part of)										
Cavan	399	277	15	11	10	11	190	126	184	129
Donegal	709	568	32	28	20	14	237	169	420	357
Monaghan	309	254	27	18	7	15	150	122	125	99

TABLE 24 – DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
		TOTAL										
Tuberculosis, all forms	M	127	-	1	-	2	3	1	16	29	58	17
	F	56	-	1	1	-	-	2	13	16	12	11
Other infective and parasitic diseases	M	85	40	10	4	-	1	4	4	8	9	5
	F	82	33	12	1	2	2	-	6	6	10	10
Malignant neoplasms	M	3,099	4	18	14	25	36	86	312	726	1,027	851
	F	2,581	1	8	16	19	31	88	312	552	762	792
Ischaemic and other forms of heart disease	M	5,694	-	-	-	7	16	92	414	1,059	1,711	2,395
	F	3,964	-	-	-	2	14	23	134	437	961	2,393
Hypertensive disease	M	285	-	-	1	1	-	6	22	53	86	116
	F	332	-	-	-	-	-	2	8	37	75	210
Cerebrovascular disease	M	2,009	-	-	1	8	5	18	84	229	563	1,101
	F	2,544	1	-	1	9	10	20	96	211	647	1,549
Other diseases of the circulatory system	M	699	1	-	-	1	-	10	19	78	160	430
	F	773	-	-	-	2	2	6	20	45	138	560
Diseases of the respiratory system	M	2,243	100	23	9	11	6	20	95	299	630	1,050
	F	1,681	77	19	7	14	13	23	67	152	392	917
Senility	M	241	-	-	-	-	-	-	-	-	10	231
	F	342	-	-	-	-	-	-	-	2	8	332
Other diseases	M	1,924	534	31	38	27	31	39	102	236	358	528
	F	1,648	384	23	24	18	29	31	90	189	327	533
Accidents and other external causes	M	951	24	33	75	153	96	79	123	133	117	118
	F	530	15	23	18	45	31	19	39	39	83	218
All causes	M	17,357	703	116	142	235	194	355	1,191	2,850	4,729	6,842
	F	14,533	511	86	68	111	132	214	785	1,686	3,415	7,525
		LEINSTER										
Tuberculosis, all forms	M	56	-	1	-	-	2	1	9	10	25	8
	F	28	-	-	1	-	-	-	8	8	5	6
Other infective and parasitic diseases	M	50	25	7	4	-	-	2	2	3	5	2
	F	42	18	9	-	-	1	-	3	4	3	4
Malignant neoplasms	M	1,502	1	12	7	9	14	45	154	376	529	355
	F	1,268	1	7	8	10	12	48	156	279	368	379
Ischaemic and other forms of heart disease	M	2,334	-	-	-	3	7	49	211	486	722	856
	F	1,719	-	-	-	1	10	14	78	204	419	993
Hypertensive disease	M	141	-	-	-	-	-	5	8	24	47	57
	F	162	-	-	-	-	-	1	3	16	39	103
Cerebrovascular disease	M	803	-	-	-	3	3	8	37	97	239	416
	F	1,173	1	-	1	5	5	9	47	88	310	707
Other diseases of the circulatory system	M	279	-	-	-	1	-	6	12	40	57	163
	F	335	-	-	-	-	2	5	10	23	53	242
Diseases of the respiratory system	M	1,056	57	18	2	5	4	10	45	157	291	467
	F	816	45	12	4	6	8	12	34	75	172	448
Senility	M	42	-	-	-	-	-	-	-	-	1	41
	F	72	-	-	-	-	-	-	-	-	2	70
Other diseases	M	847	289	15	16	14	10	19	35	103	151	195
	F	778	194	11	6	8	16	21	39	101	143	239
Accidents and other external causes	M	425	8	13	41	77	46	36	57	63	46	38
	F	245	4	15	8	32	13	11	20	23	36	83
All causes	M	7,535	380	66	70	112	86	181	570	1,359	2,113	2,598
	F	6,838	263	54	28	62	67	121	398	821	1,550	3,274

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis, all forms	M	49	-	-	-	2	-	-	4	11	25	7
	F	17	-	-	-	-	-	2	3	5	4	3
Other infective and parasitic diseases	M	22	10	-	-	-	1	1	1	4	2	3
	F	21	4	2	1	1	1	-	3	2	4	3
Malignant neoplasms	M	949	3	4	5	9	14	26	90	226	299	273
	F	805	-	1	6	4	15	29	87	171	248	244
Ischaemic and other forms of heart disease	M	1,911	-	-	-	-	5	26	128	346	578	828
	F	1,271	-	-	-	1	2	5	33	142	318	770
Hypertensive disease	M	91	-	-	1	1	-	1	9	21	23	35
	F	88	-	-	-	-	-	1	3	12	18	54
Cerebrovascular disease	M	664	-	-	1	4	1	9	28	80	177	364
	F	829	-	-	-	2	3	8	31	69	209	507
Other diseases of the circulatory system	M	263	1	-	-	-	-	1	4	26	60	171
	F	288	-	-	-	-	-	1	4	13	59	211
Diseases of the respiratory system	M	644	25	4	4	2	-	5	29	93	181	301
	F	513	22	5	1	6	3	8	18	45	124	281
Senility	M	83	-	-	-	-	-	-	-	-	3	80
	F	112	-	-	-	-	-	-	-	1	3	108
Other diseases	M	574	155	10	14	2	12	13	34	74	102	158
	F	532	134	4	11	8	8	5	36	56	124	146
Accidents and other external causes	M	307	8	10	22	43	32	31	41	40	45	35
	F	179	7	6	8	9	7	5	12	10	27	88
All causes	M	5,557	202	28	47	63	65	113	368	921	1,495	2,255
	F	4,655	167	18	27	31	39	64	230	526	1,138	2,415
CONNACHT												
Tuberculosis, all forms	M	16	-	-	-	-	-	-	3	5	6	2
	F	10	-	1	-	-	-	-	2	2	3	2
Other infective and parasitic diseases	M	8	5	1	-	-	-	-	1	-	1	-
	F	13	9	1	-	1	-	-	-	-	2	-
Malignant neoplasms	M	441	-	1	1	5	5	11	48	85	136	149
	F	326	-	-	1	4	4	9	46	54	93	115
Ischaemic and other forms of heart disease	M	980	-	-	-	3	3	12	51	145	258	508
	F	671	-	-	-	-	1	2	15	56	144	453
Hypertensive disease	M	44	-	-	-	-	-	-	3	6	13	22
	F	49	-	-	-	-	-	-	1	5	11	32
Cerebrovascular disease	M	365	-	-	-	-	1	1	12	35	96	220
	F	347	-	-	-	-	2	3	14	35	75	218
Other diseases of the circulatory system	M	100	-	-	-	-	-	2	2	9	26	61
	F	100	-	-	-	2	-	-	6	6	14	72
Diseases of the respiratory system	M	337	11	1	1	2	1	3	14	34	98	172
	F	205	7	2	1	1	1	2	6	18	65	102
Senility	M	83	-	-	-	-	-	-	-	-	5	78
	F	122	-	-	-	-	-	-	-	1	1	120
Other diseases	M	329	53	5	2	11	8	5	20	39	68	118
	F	229	35	5	5	2	5	5	5	18	47	102
Accidents and other external causes	M	145	7	8	6	25	11	9	15	22	19	23
	F	69	1	1	1	3	9	2	5	5	12	30
All causes	M	2,848	76	16	10	46	29	43	169	380	726	1,353
	F	2,141	52	10	8	13	22	23	100	200	467	1,246

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (Part of)												
Tuberculosis, all forms	M	6	-	-	-	-	1	-	-	3	2	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	5	-	2	-	-	-	1	-	1	1	-
	F	6	2	-	-	-	-	-	-	-	1	3
Malignant neoplasms	M	207	-	1	1	2	3	4	20	39	63	74
	F	182	-	-	1	1	-	2	23	48	53	54
Ischaemic and other forms of heart disease	M	469	-	-	-	1	1	5	24	82	153	203
	F	303	-	-	-	-	1	2	8	35	80	177
Hypertensive disease	M	9	-	-	-	-	-	-	2	2	3	2
	F	33	-	-	-	-	-	-	1	4	7	21
Cerebrovascular disease	M	177	-	-	-	1	-	-	7	17	51	101
	F	195	-	-	-	2	-	-	4	19	53	117
Other diseases of the circulatory system	M	57	-	-	-	-	-	1	1	3	17	35
	F	50	-	-	-	-	-	-	-	3	12	35
Diseases of the respiratory system	M	206	7	-	2	2	1	2	7	15	60	110
	F	147	3	-	1	1	1	1	9	14	31	86
Senility	M	33	-	-	-	-	-	-	-	-	1	32
	F	36	-	-	-	-	-	-	-	-	2	34
Other diseases	M	174	37	1	6	-	1	2	13	20	37	57
	F	109	21	3	2	-	-	-	10	14	13	46
Accidents and other external causes	M	74	1	2	6	8	7	3	10	8	7	22
	F	37	3	1	1	1	2	1	2	1	8	17
All causes	M	1,417	45	6	15	14	14	18	84	190	395	636
	F	1,099	29	4	5	5	4	6	57	139	260	590
COUNTY CARLOW												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	3	1	1	1	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	37	-	-	-	-	-	1	4	8	9	15
	F	24	-	-	-	-	-	-	4	8	9	3
Ischaemic and other forms of heart disease	M	65	-	-	-	-	-	1	2	15	15	32
	F	37	-	-	-	-	-	1	2	3	10	21
Hypertensive disease	M	12	-	-	-	-	-	-	-	2	3	7
	F	5	-	-	-	-	-	-	-	2	1	2
Cerebrovascular disease	M	36	-	-	-	-	-	1	1	3	11	20
	F	40	-	-	-	-	-	-	-	2	10	28
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	1	-	5
	F	10	-	-	-	-	-	-	-	-	-	10
Diseases of the respiratory system	M	34	1	1	-	-	-	-	3	4	9	16
	F	12	-	-	-	-	-	-	1	1	4	6
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	21	10	-	-	1	-	-	1	3	1	5
	F	21	6	-	-	-	-	2	1	5	3	4
Accidents and other external causes	M	11	-	2	2	1	-	2	-	2	1	1
	F	7	1	2	-	-	-	-	-	-	-	4
All causes	M	225	12	4	3	2	-	5	11	38	49	101
	F	159	7	3	-	-	-	3	8	21	38	79

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	30	-	-	-	-	-	1	4	7	15	3
	F	7	-	-	1	-	-	-	2	4	-	-
Other infective and parasitic diseases	M	21	11	3	1	-	-	1	1	1	2	1
	F	12	5	3	-	-	-	-	-	-	2	2
Malignant neoplasms	M	645	-	1	3	6	9	18	64	167	246	131
	F	579	-	4	3	6	4	27	67	123	169	176
Ischaemic and other forms of heart disease	M	780	-	-	-	2	3	24	91	192	232	236
	F	665	-	-	-	-	6	6	38	78	164	373
Hypertensive disease	M	38	-	-	-	-	-	3	5	7	9	14
	F	66	-	-	-	-	-	-	1	4	15	46
Cerebrovascular disease	M	188	-	-	-	2	-	1	16	28	59	32
	F	410	-	-	-	-	4	-	28	39	115	224
Other diseases of the circulatory system	M	93	-	-	-	1	-	4	6	14	20	48
	F	124	-	-	-	-	1	-	2	15	19	87
Diseases of the respiratory system	M	435	21	10	-	1	-	4	19	69	123	188
	F	384	16	2	1	3	5	4	17	31	77	228
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	319	128	5	8	6	5	7	12	40	46	62
	F	339	80	6	-	4	5	10	18	44	63	109
Accidents and other external causes	M	152	-	5	22	34	14	14	19	19	17	8
	F	106	2	2	3	13	6	4	9	13	17	37
All causes	M	2,708	160	24	34	52	31	77	237	544	769	780
	F	2,702	103	17	8	26	31	51	182	351	641	1,292
DUN LAOGHAIRE BOROUGH												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	67	-	-	-	-	-	2	4	15	30	16
	F	61	-	1	-	-	1	5	6	17	9	22
Ischaemic and other forms of heart disease	M	86	-	-	-	-	-	2	8	20	31	25
	F	85	-	-	-	-	-	-	1	12	17	55
Hypertensive disease	M	3	-	-	-	-	-	-	-	-	2	1
	F	4	-	-	-	-	-	-	-	-	1	3
Cerebrovascular disease	M	19	-	-	-	-	-	-	2	2	4	11
	F	72	-	-	-	1	-	-	-	7	14	50
Other diseases of the circulatory system	M	14	-	-	-	-	-	-	2	1	3	8
	F	21	-	-	-	-	-	-	1	-	5	15
Diseases of the respiratory system	M	45	5	-	-	-	-	1	2	6	16	15
	F	36	4	1	-	-	-	-	1	4	8	18
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	27	5	-	-	-	1	-	2	6	5	8
	F	40	7	-	-	-	-	-	-	6	11	16
Accidents and other external causes	M	20	-	-	2	2	4	-	2	4	4	2
	F	14	-	-	-	2	1	-	2	1	3	5
All causes	M	284	10	1	2	2	5	5	22	54	95	88
	F	337	11	2	-	3	2	5	11	48	69	186

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (Remainder)												
Tuberculosis, all forms	M	5	-	-	-	-	1	-	-	-	3	1
	F	5	-	-	-	-	-	-	2	-	2	1
Other infective and parasitic diseases	M	7	3	-	1	-	-	1	-	1	1	-
	F	3	1	1	-	-	-	-	1	-	-	-
Malignant neoplasms	M	138	-	5	-	2	1	4	24	41	31	30
	F	122	-	-	1	1	2	4	20	23	32	39
Ischaemic and other forms of heart disease	M	215	-	-	-	1	-	2	26	50	71	65
	F	152	-	-	-	1	-	3	3	15	31	99
Hypertensive disease	M	9	-	-	-	-	-	-	-	3	2	4
	F	10	-	-	-	-	-	-	-	-	2	8
Cerebrovascular disease	M	54	-	-	-	-	2	1	4	8	14	25
	F	98	-	-	-	1	-	3	7	10	25	52
Other diseases of the circulatory system	M	16	-	-	-	-	-	-	-	4	6	6
	F	19	-	-	-	-	-	2	1	-	4	12
Diseases of the respiratory system	M	100	11	-	1	3	-	-	4	11	21	49
	F	82	8	1	-	-	-	2	5	5	14	47
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	77	30	3	-	1	1	3	3	6	8	22
	F	84	25	3	2	-	2	4	3	5	18	22
Accidents and other external causes	M	48	1	-	2	5	8	3	11	12	3	3
	F	24	-	3	-	3	2	4	1	5	3	3
All causes	M	670	45	8	4	12	13	14	72	136	160	206
	F	601	34	8	3	6	6	22	43	63	131	285
COUNTY KILDARE												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	2	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	1	-	-
	F	4	-	2	-	-	-	-	1	-	1	-
Malignant neoplasms	M	68	-	-	1	-	-	3	4	17	22	21
	F	61	-	-	-	-	2	3	9	14	15	18
Ischaemic and other forms of heart disease	M	115	-	-	-	-	-	4	3	20	39	49
	F	74	-	-	-	-	-	-	4	9	22	39
Hypertensive disease	M	7	-	-	-	-	-	-	-	2	2	3
	F	10	-	-	-	-	-	-	1	1	2	6
Cerebrovascular disease	M	48	-	-	-	-	-	2	2	8	17	19
	F	42	-	-	-	-	-	1	2	1	19	19
Other diseases of the circulatory system	M	5	-	-	-	-	-	1	-	-	1	3
	F	7	-	-	-	-	-	-	-	-	2	5
Diseases of the respiratory system	M	69	2	1	-	-	-	-	2	7	21	36
	F	40	2	1	-	1	-	-	1	7	9	19
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	40	13	2	-	-	1	2	3	8	5	6
	F	32	12	-	-	-	-	-	1	6	9	4
Accidents and other external causes	M	27	2	-	-	6	2	1	2	4	4	6
	F	8	-	1	-	1	-	-	2	1	2	1
All causes	M	386	18	3	1	6	3	13	16	67	113	148
	F	285	14	4	-	2	2	4	21	39	81	118

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, all forms	M	2	-	-	-	-	1	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	75	1	-	1	-	1	1	6	16	28	21
	F	41	-	-	-	-	-	-	12	8	6	15
Ischaemic and other forms of heart disease	M	126	-	-	-	-	-	2	9	20	38	57
	F	83	-	-	-	-	-	-	5	5	26	47
Hypertensive disease	M	4	-	-	-	-	-	-	2	-	-	2
	F	8	-	-	-	-	-	-	1	3	1	3
Cerebrovascular disease	M	42	-	-	-	-	-	-	-	7	10	25
	F	52	-	-	-	-	-	1	-	4	17	30
Other diseases of the circulatory system	M	29	-	-	-	-	-	-	-	2	2	25
	F	32	-	-	-	-	-	-	2	-	7	23
Disease of the respiratory system	M	41	2	-	-	-	-	1	1	8	10	19
	F	26	1	1	-	-	-	1	4	4	7	8
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	40	10	-	2	-	-	2	2	2	10	12
	F	35	9	-	-	-	2	-	1	5	6	12
Accidents and other external causes	M	13	1	-	1	2	1	-	2	4	1	1
	F	10	1	-	-	3	1	-	-	-	1	4
All causes	M	372	14	-	4	2	3	6	22	60	99	162
	F	297	12	1	-	3	3	2	25	30	72	149
COUNTY LAOIS												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	1	1	-	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	45	-	-	-	-	-	2	2	11	15	15
	F	30	-	-	-	-	-	1	6	4	10	9
Ischaemic and other forms of heart disease	M	95	-	-	-	-	-	1	2	12	32	48
	F	52	-	-	-	-	1	-	1	3	11	36
Hypertensive disease	M	7	-	-	-	-	-	-	-	2	3	2
	F	6	-	-	-	-	-	-	-	-	2	4
Cerebrovascular disease	M	48	-	-	-	-	-	1	1	4	14	28
	F	46	-	-	-	-	-	-	1	2	15	28
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	1	-	5	7
	F	8	-	-	-	-	-	-	-	-	-	8
Diseases of the respiratory system	M	43	2	1	-	-	-	-	2	10	13	15
	F	27	2	-	1	-	-	-	-	5	4	15
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	33	8	2	2	1	-	-	2	3	9	6
	F	16	3	-	1	1	-	1	-	2	2	6
Accidents and other external causes	M	9	1	1	1	2	1	-	-	2	-	1
	F	9	-	2	-	3	1	-	2	-	-	1
All causes	M	299	13	4	3	3	1	4	10	44	92	125
	F	206	8	2	2	4	2	2	11	18	44	113

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	27	-	-	-	-	-	-	1	10	11	5
	F	18	-	-	-	-	-	-	1	5	7	5
Ischaemic and other forms of heart disease	M	65	-	-	-	-	1	1	6	14	18	25
	F	41	-	-	-	-	1	1	1	3	14	21
Hypertensive disease	M	6	-	-	-	-	-	-	-	-	2	4
	F	5	-	-	-	-	-	1	-	1	1	2
Cerebrovascular disease	M	50	-	-	-	-	-	-	3	4	15	28
	F	32	-	-	-	-	-	2	-	-	4	26
Other diseases of the circulatory system	M	4	-	-	-	-	-	-	-	2	-	2
	F	6	-	-	-	-	-	-	-	1	1	4
Diseases of the respiratory system	M	13	1	-	-	-	1	-	-	3	1	7
	F	10	-	-	-	-	-	-	-	1	2	7
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	16	4	-	-	1	-	-	1	2	4	4
	F	12	2	-	-	1	-	-	1	2	3	3
Accidents and other external causes	M	10	1	-	-	-	1	1	5	-	-	2
	F	3	-	-	-	-	1	-	1	-	1	-
All causes	M	192	6	-	-	1	3	2	16	35	51	78
	F	134	4	1	-	1	2	4	4	14	33	71
COUNTY LOUTH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1
Other infective and parasitic diseases	M	2	1	1	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	1	-	-	-	-	-
Malignant neoplasms	M	74	-	2	-	-	-	2	14	19	16	21
	F	58	-	1	-	-	1	1	4	16	23	12
Ischaemic and other forms of heart disease	M	130	-	-	-	-	-	1	9	28	43	49
	F	106	-	-	-	-	-	1	2	16	17	70
Hypertensive disease	M	5	-	-	-	-	-	-	-	2	3	-
	F	7	-	-	-	-	-	-	-	-	4	3
Cerebrovascular disease	M	41	-	-	-	-	1	-	-	7	13	20
	F	62	-	-	-	1	-	-	2	3	8	48
Other diseases of the circulatory system	M	13	-	-	-	-	-	1	2	1	2	7
	F	15	-	-	-	-	-	-	2	1	4	8
Diseases of the respiratory system	M	56	3	1	-	-	-	-	4	9	17	22
	F	33	6	1	-	-	2	1	1	-	5	17
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	53	14	-	1	3	-	2	3	5	12	13
	F	39	10	-	-	-	1	3	5	4	5	11
Accidents and other external causes	M	25	-	1	-	10	4	3	4	2	1	-
	F	16	-	1	1	3	1	-	-	3	3	4
All causes	M	405	18	5	1	13	5	9	37	73	107	137
	F	348	19	3	1	4	6	6	17	43	69	180

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	1	1	1	-
	F	2	-	-	-	-	-	-	-	2	-	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	67	-	2	-	-	1	1	5	20	22	16
	F	50	-	1	1	-	1	2	4	12	16	13
Ischaemic and other forms of heart disease	M	148	-	-	-	-	2	1	10	40	48	47
	F	73	-	-	-	-	-	-	5	12	17	39
Hypertensive disease	M	12	-	-	-	-	-	-	-	2	3	7
	F	6	-	-	-	-	-	-	-	-	2	4
Cerebrovascular disease	M	64	-	-	-	-	-	-	1	5	14	44
	F	76	1	-	-	-	-	-	1	4	22	48
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	6	3	1
	F	22	-	-	-	-	1	-	-	3	3	15
Diseases of the respiratory system	M	54	-	1	-	-	-	-	-	11	13	29
	F	38	-	-	-	-	-	2	1	4	10	21
Senility	M	5	-	-	-	-	-	-	-	-	1	4
	F	8	-	-	-	-	-	-	-	-	-	8
Other diseases	M	47	16	-	-	1	-	-	1	12	4	13
	F	29	7	-	-	-	2	-	2	5	4	9
Accidents and other external causes	M	23	-	-	3	4	2	2	3	4	3	2
	F	11	-	1	2	1	-	-	-	-	-	7
All causes	M	435	18	3	3	5	5	4	21	101	112	163
	F	316	9	2	3	1	4	4	13	42	74	164
COUNTY OFFALY												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	52	-	-	-	-	-	5	3	4	21	19
	F	40	1	-	-	-	-	1	5	6	15	12
Ischaemic and other forms of heart disease	M	105	-	-	-	-	-	3	16	18	25	43
	F	59	-	-	-	-	-	-	6	5	11	37
Hypertensive disease	M	10	-	-	-	-	-	-	-	-	6	4
	F	2	-	-	-	-	-	-	-	-	-	2
Cerebrovascular disease	M	56	-	-	-	-	-	-	2	4	16	34
	F	61	-	-	-	-	-	-	3	3	17	38
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	-	-	2	10
	F	11	-	-	-	-	-	-	-	-	1	10
Diseases of the respiratory system	M	36	1	-	-	1	-	1	2	3	9	19
	F	25	-	1	-	-	-	-	-	4	4	16
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	36	12	1	-	-	1	1	2	2	8	9
	F	22	5	-	-	1	1	-	2	3	3	7
Accidents and other external causes	M	9	-	-	1	1	1	2	-	1	1	2
	F	6	-	-	-	-	-	-	-	-	1	5
All causes	M	323	13	1	1	2	2	12	26	32	88	146
	F	230	7	1	-	1	1	1	16	21	52	130

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis, all forms	M	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	3	-	-	-	-	-	-	1	-	2	-
	F	1	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	38	-	1	1	-	-	2	4	8	13	9
	F	40	-	-	1	-	-	1	5	7	15	11
Ischaemic and other forms of heart disease	M	126	-	-	-	-	-	2	10	13	34	67
	F	96	-	-	-	-	-	1	3	5	26	61
Hypertensive disease	M	7	-	-	-	-	-	1	-	-	5	1
	F	7	-	-	-	-	-	-	-	2	2	3
Cerebrovascular disease	M	40	-	-	-	-	-	-	-	2	16	22
	F	54	-	-	-	1	-	1	3	3	13	33
Other diseases of the circulatory system	M	14	-	-	-	-	-	-	-	3	5	6
	F	6	-	-	-	-	-	-	1	2	2	1
Diseases of the respiratory system	M	37	1	2	1	-	1	1	1	4	7	19
	F	39	2	1	2	1	-	1	-	5	7	20
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	38	9	-	1	-	-	-	1	4	13	10
	F	30	6	1	1	-	2	-	3	3	4	10
Accidents and other external causes	M	12	1	2	2	1	2	-	1	-	1	2
	F	7	-	1	1	-	-	1	1	-	-	3
All causes	M	317	11	6	5	1	3	6	18	34	96	137
	F	292	8	4	5	2	2	5	16	27	69	154
COUNTY WEXFORD												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	-	1	3
	F	1	-	-	-	-	-	-	1	-	-	-
Other infective and parasitic diseases	M	4	3	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	106	-	-	1	1	1	2	12	25	42	22
	F	85	-	-	-	2	-	-	10	22	28	23
Ischaemic and other forms of heart disease	M	172	-	-	-	-	-	2	9	25	65	71
	F	122	-	-	-	-	2	1	3	23	32	61
Hypertensive disease	M	11	-	-	-	-	-	-	1	1	4	5
	F	19	-	-	-	-	-	-	-	2	4	13
Cerebrovascular disease	M	64	-	-	-	1	-	-	3	10	18	32
	F	68	-	-	1	1	1	1	-	6	16	42
Other disease of the circulatory system	M	39	-	-	-	-	-	-	1	3	5	30
	F	44	-	-	-	-	-	1	-	1	5	37
Disease of the respiratory system	M	49	5	1	-	-	-	2	1	8	15	17
	F	34	3	3	-	-	1	-	-	4	13	10
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	5	-	-	-	-	-	-	-	-	2	3
Other diseases	M	57	19	2	-	-	1	2	1	7	11	14
	F	47	15	-	1	1	-	-	1	10	7	12
Accidents and other external causes	M	35	1	2	3	2	4	6	2	4	5	6
	F	15	-	-	1	2	-	1	1	-	3	7
All causes	M	545	28	6	4	4	6	14	30	83	166	204
	F	441	19	3	3	6	4	4	16	68	110	208

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	2	1	2	1
	F	2	-	-	-	-	-	-	1	-	-	1
Other infective and parasitic diseases	M	3	1	-	1	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	1	1	-	2
Malignant neoplasms	M	63	-	1	-	-	1	2	7	15	23	14
	F	59	-	-	2	1	1	3	3	14	14	21
Ischaemic and other forms of heart disease	M	106	-	-	-	-	1	3	10	19	31	42
	F	74	-	-	-	-	-	-	4	15	21	34
Hypertensive disease	M	10	-	-	-	-	-	1	-	3	3	3
	F	7	-	-	-	-	-	-	-	1	2	4
Cerebrovascular disease	M	53	-	-	-	-	-	2	2	5	18	26
	F	60	-	-	-	-	-	-	-	4	15	41
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	-	3	3	5
	F	10	-	-	-	-	-	2	1	-	-	7
Diseases of the respiratory system	M	44	2	-	-	-	2	-	4	4	16	16
	F	30	1	-	-	1	-	1	3	-	8	16
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	43	11	-	2	-	-	-	1	3	15	11
	F	32	7	1	1	-	1	1	1	1	5	14
Accidents and other external causes	M	31	-	-	2	7	2	2	6	5	5	2
	F	9	-	2	-	1	-	1	1	-	2	2
All causes	M	374	14	1	5	7	6	10	32	58	116	125
	F	290	8	3	3	3	2	8	15	36	67	145
COUNTY CLARE												
Tuberculosis, all forms	M	5	-	-	-	-	-	-	-	1	3	1
	F	2	-	-	-	-	-	-	2	-	-	-
Other infective and parasitic diseases	M	3	1	-	-	-	-	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	79	1	-	-	4	1	2	7	13	18	33
	F	57	-	-	-	2	1	1	5	15	19	14
Ischaemic and other forms of heart disease	M	237	-	-	-	-	1	6	17	27	75	111
	F	173	-	-	-	-	1	2	5	13	37	115
Hypertensive disease	M	4	-	-	-	-	-	1	-	2	-	1
	F	5	-	-	-	-	-	-	-	-	1	4
Cerebrovascular disease	M	54	-	-	-	-	-	-	2	3	16	33
	F	60	-	-	-	-	-	-	3	8	18	31
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	2	4	9
	F	26	-	-	-	-	-	-	-	-	3	23
Diseases of the respiratory system	M	53	1	-	-	-	-	-	3	5	20	24
	F	33	1	1	-	2	1	-	1	2	9	16
Senility	M	22	-	-	-	-	-	-	-	-	2	20
	F	13	-	-	-	-	-	-	-	-	1	12
Other diseases	M	46	8	1	-	-	-	1	3	5	10	18
	F	55	8	-	2	-	2	1	1	6	17	18
Accidents and other external causes	M	28	-	2	1	5	3	2	4	3	4	4
	F	16	1	-	-	1	-	-	1	1	4	8
All causes	M	546	11	3	1	9	5	12	36	62	153	254
	F	440	10	1	2	5	5	4	18	45	109	241

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	7	-	-	-	1	-	-	-	-	5	1
	F	3	-	-	-	-	-	1	-	1	1	-
Other Infective and parasitic diseases	M	2	1	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	147	-	-	1	2	2	7	23	35	47	30
	F	122	-	-	1	-	-	4	11	33	30	43
Ischaemic and other forms of heart disease	M	192	-	-	-	-	2	2	24	46	58	60
	F	164	-	-	-	-	-	2	3	30	36	93
Hypertensive disease	M	9	-	-	-	-	-	-	2	2	3	2
	F	8	-	-	-	-	-	-	-	3	2	3
Cerebrovascular disease	M	63	-	-	-	1	-	3	3	12	13	31
	F	102	-	-	-	-	-	3	8	9	23	59
Other diseases of the circulatory system	M	38	-	-	-	-	-	-	1	4	12	21
	F	54	-	-	-	-	-	-	-	4	9	41
Diseases of the respiratory system	M	92	3	1	-	1	-	1	3	10	32	41
	F	82	4	1	-	1	1	2	4	9	15	45
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	78	31	-	1	-	1	7	3	10	10	15
	F	76	22	-	1	1	1	-	3	9	21	18
Accidents and other external causes	M	32	3	2	1	3	6	2	2	6	4	3
	F	25	1	-	1	3	1	3	5	1	5	5
All causes	M	660	38	3	3	8	11	22	61	126	184	204
	F	644	27	1	3	5	3	15	34	100	142	314
COUNTY CORK												
Tuberculosis, all forms	M	9	-	-	-	-	-	-	1	-	5	3
	F	3	-	-	-	-	-	-	-	1	-	2
Other Infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	1	-	-	1	-	1
Malignant neoplasms	M	229	1	1	1	1	6	8	21	58	67	65
	F	210	-	-	3	1	4	8	26	28	74	66
Ischaemic and other forms of heart disease	M	499	-	-	-	-	1	3	35	94	154	212
	F	300	-	-	-	-	-	-	11	27	81	181
Hypertensive disease	M	27	-	-	-	-	-	-	1	5	10	11
	F	18	-	-	-	-	-	-	1	4	4	9
Cerebrovascular disease	M	180	-	-	-	1	1	1	3	16	46	112
	F	216	-	-	-	-	3	2	7	17	52	135
Other diseases of the circulatory system	M	96	-	-	-	-	-	1	1	6	15	73
	F	98	-	-	-	-	-	1	1	1	25	70
Diseases of the respiratory system	M	154	10	1	-	-	-	1	5	25	38	74
	F	140	4	1	-	1	-	1	2	10	39	82
Senility	M	17	-	-	-	-	-	-	-	-	-	17
	F	19	-	-	-	-	-	-	-	1	-	18
Other diseases	M	168	45	3	7	2	3	1	7	28	23	49
	F	128	30	1	1	1	2	1	9	13	32	38
Accidents and other external causes	M	79	1	3	6	12	4	9	11	10	15	8
	F	47	1	1	1	2	1	-	1	3	5	32
All causes	M	1,458	57	8	14	16	15	24	85	242	373	624
	F	1,183	36	3	5	5	11	13	58	106	312	534

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	-	3	3	-
	F	3	-	-	-	-	-	1	1	1	-	-
Other infective and parasitic diseases	M	6	1	-	-	-	1	1	-	-	1	2
	F	6	2	-	-	-	-	-	1	-	2	1
Malignant neoplasms	M	121	-	1	1	-	1	2	7	26	45	38
	F	106	-	-	-	-	3	5	12	27	28	31
Ischaemic and other forms of heart disease	M	273	-	-	-	-	-	3	12	56	75	127
	F	167	-	-	-	-	-	1	3	20	36	107
Hypertensive disease	M	10	-	-	1	-	-	-	2	4	3	-
	F	11	-	-	-	-	-	-	1	2	4	4
Cerebrovascular disease	M	97	-	-	-	-	-	1	7	12	31	46
	F	112	-	-	-	-	-	-	2	8	36	66
Other diseases of the circulatory system	M	53	-	-	-	-	-	-	2	3	12	36
	F	40	-	-	-	-	-	-	-	4	7	29
Diseases of the respiratory system	M	60	1	-	1	-	-	1	1	12	11	33
	F	58	4	2	-	-	-	1	4	8	13	26
Senility	M	24	-	-	-	-	-	-	-	-	-	24
	F	39	-	-	-	-	-	-	-	-	2	37
Other diseases	M	66	17	1	1	-	4	1	4	8	13	17
	F	72	18	-	2	1	1	1	4	12	14	19
Accidents and other external causes	M	57	1	1	6	7	7	2	9	7	5	12
	F	28	-	1	-	-	-	-	2	1	4	20
All causes	M	773	20	3	10	7	13	11	44	131	199	335
	F	642	24	3	2	1	4	9	30	83	146	340
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	1	2	-	-
	F	2	-	-	-	-	-	-	-	1	1	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	1	-	-
	F	3	1	-	-	1	-	-	-	-	-	1
Malignant neoplasms	M	48	1	1	2	-	1	3	5	10	13	12
	F	42	-	-	-	-	-	2	6	9	13	12
Ischaemic and other forms of heart disease	M	97	-	-	-	-	-	2	6	19	39	31
	F	90	-	-	-	-	-	-	5	10	22	53
Hypertensive disease	M	6	-	-	-	-	-	-	2	1	-	3
	F	4	-	-	-	-	-	1	-	-	-	3
Cerebrovascular disease	M	23	-	-	1	-	-	-	3	3	6	10
	F	46	-	-	-	1	-	1	2	3	13	26
Other diseases of the circulatory system	M	4	-	-	-	-	-	-	-	-	3	1
	F	-	-	-	-	-	-	-	-	-	-	-
Diseases of the respiratory system	M	36	1	-	1	-	-	-	2	4	17	11
	F	33	4	-	-	-	-	-	-	5	10	14
Senility	M	1	-	-	-	-	-	-	-	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	34	16	1	-	-	-	-	4	5	2	6
	F	50	20	-	-	4	-	-	7	6	6	7
Accidents and other external causes	M	21	-	-	2	5	3	2	1	4	1	3
	F	15	2	-	1	-	2	-	-	-	4	6
All causes	M	276	20	2	6	5	4	7	24	49	82	77
	F	288	27	-	1	6	2	4	20	34	69	125

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	2	-
	F	2	-	-	-	-	-	-	-	-	1	1
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	-	-	1	-	1	-
Malignant neoplasms	M	96	-	1	-	-	-	-	4	27	34	30
	F	75	-	1	-	-	1	4	12	18	22	17
Ischaemic and other forms of heart disease	M	208	-	-	-	-	-	3	7	34	64	100
	F	124	-	-	-	-	1	-	-	8	33	82
Hypertensive disease	M	6	-	-	-	1	-	-	1	1	1	2
	F	6	-	-	-	-	-	-	-	-	-	6
Cerebrovascular disease	M	60	-	-	-	1	-	1	1	13	12	32
	F	68	-	-	-	-	-	-	4	7	12	45
Other diseases of the circulatory system	M	22	1	-	-	-	-	-	-	4	7	10
	F	23	-	-	-	-	-	-	1	2	5	15
Diseases of the respiratory system	M	87	3	-	-	-	-	1	5	19	16	43
	F	36	2	-	-	-	-	1	1	4	7	21
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	57	11	2	1	-	2	1	2	9	10	19
	F	53	16	2	3	1	-	1	1	6	10	13
Accidents and other external causes	M	31	1	1	1	6	4	3	3	4	7	1
	F	16	-	1	-	1	1	1	-	2	3	7
All causes	M	573	16	4	2	8	6	9	23	111	153	241
	F	418	18	5	4	2	3	7	20	47	94	218
TIPPERARY N.R.												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	1	1	1
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	63	-	-	-	1	-	2	4	11	29	15
	F	47	-	-	-	-	3	2	6	9	16	11
Ischaemic and other forms of heart disease	M	140	-	-	-	-	-	2	7	23	38	70
	F	75	-	-	-	-	-	-	1	13	21	40
Hypertensive disease	M	14	-	-	-	-	-	-	-	3	-	11
	F	20	-	-	-	-	-	-	-	1	3	16
Cerebrovascular disease	M	54	-	-	-	-	-	2	1	3	18	30
	F	55	-	-	-	-	-	-	1	5	19	30
Other diseases of the circulatory system	M	5	-	-	-	-	-	-	-	2	-	3
	F	8	-	-	-	-	-	-	-	1	2	5
Diseases of the respiratory system	M	38	3	1	-	-	-	-	1	2	16	15
	F	31	1	-	1	-	1	1	1	2	11	13
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	36	8	-	-	-	-	1	6	3	9	9
	F	27	9	1	-	-	1	1	2	1	6	6
Accidents and other external causes	M	15	2	1	-	1	2	1	2	2	2	2
	F	7	1	-	-	-	-	-	1	1	1	2
All causes	M	371	13	2	-	2	2	3	21	50	73	160
	F	276	11	1	1	1	5	4	12	34	59	128

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY S.R.												
Tuberculosis, all forms	M	7	-	-	-	1	-	-	1	-	4	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	3	-	-	-	-	-	1	-	-	-
	F	2	-	1	-	-	-	-	-	-	1	-
Malignant neoplasms	M	81	-	-	-	-	1	1	9	27	18	25
	F	66	-	-	2	-	1	1	3	18	18	23
Ischaemic and other forms of heart disease	M	153	-	-	-	-	-	2	12	28	41	70
	F	100	-	-	-	-	-	-	5	10	28	57
Hypertensive disease	M	9	-	-	-	-	-	-	1	1	4	3
	F	6	-	-	-	-	-	-	-	-	3	3
Cerebrovascular disease	M	82	-	-	-	-	-	1	3	9	23	46
	F	87	-	-	-	-	-	1	1	8	19	58
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	1	1	4
	F	11	-	-	-	-	-	-	-	-	2	9
Diseases of the respiratory system	M	47	2	-	-	-	-	-	4	10	14	17
	F	34	1	-	-	-	-	1	1	2	6	23
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	42	9	1	2	-	-	-	3	2	13	12
	F	35	9	-	-	-	1	-	6	1	6	12
Accidents and other external causes	M	15	-	-	2	2	1	2	3	1	3	1
	F	9	-	1	2	-	1	1	1	-	-	3
All causes	M	449	14	1	4	3	2	6	37	79	121	182
	F	355	10	2	4	-	3	4	17	39	83	193
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	34	-	-	-	1	1	-	4	9	11	8
	F	35	-	-	-	1	-	2	3	8	9	12
Ischaemic and other forms of heart disease	M	47	-	-	-	-	1	1	4	13	12	16
	F	30	-	-	-	1	-	-	-	7	12	10
Hypertensive disease	M	2	-	-	-	-	-	-	-	1	-	1
	F	3	-	-	-	-	-	-	1	1	-	1
Cerebrovascular disease	M	18	-	-	-	1	-	-	3	-	5	9
	F	34	-	-	-	1	-	1	2	1	10	19
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	2	3	1
	F	13	-	-	-	-	-	-	2	-	2	9
Diseases of the respiratory system	M	36	-	1	1	1	-	1	2	2	9	19
	F	36	1	-	-	2	-	-	1	2	9	21
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	17	4	1	1	-	-	1	1	2	3	4
	F	15	1	-	2	-	-	-	3	-	5	4
Accidents and other external causes	M	12	-	-	2	-	-	5	3	1	1	-
	F	6	-	-	3	1	-	-	-	-	-	2
All causes	M	175	4	2	4	3	2	8	17	32	45	58
	F	173	2	-	5	6	-	3	12	19	48	78

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis, all forms	M	5	-	-	-	-	-	-	1	3	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms	M	52	-	-	-	-	1	1	6	10	17	17
	F	45	-	-	-	-	2	-	3	6	19	15
Ischaemic and other forms of heart disease	M	65	-	-	-	-	-	2	4	6	22	31
	F	48	-	-	-	-	-	-	-	4	12	32
Hypertensive disease	M	4	-	-	-	-	-	-	-	1	2	1
	F	7	-	-	-	-	-	-	-	1	1	5
Cerebrovascular disease	M	33	-	-	-	-	-	-	2	9	7	15
	F	49	-	-	-	-	-	-	1	3	7	38
Other diseases of the circulatory system	M	18	-	-	-	-	-	-	-	2	3	13
	F	15	-	-	-	-	-	-	-	1	4	10
Diseases of the respiratory system	M	41	1	-	1	-	-	-	3	4	8	24
	F	30	-	-	-	-	-	1	3	1	5	20
Senility	M	8	-	-	-	-	-	-	-	-	-	8
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	30	6	-	1	-	2	-	1	2	9	9
	F	21	1	-	-	-	-	-	-	2	7	11
Accidents and other external causes	M	17	-	-	1	2	2	3	3	2	3	1
	F	10	1	2	-	-	1	-	1	1	1	3
All causes	M	276	9	-	3	2	5	6	20	39	72	120
	F	236	2	2	-	-	3	1	9	19	56	144
COUNTY GALWAY												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	1	2	3	2
	F	6	-	1	-	-	-	-	1	-	3	1
Other infective and parasitic diseases	M	6	5	-	-	-	-	-	-	-	1	-
	F	4	3	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	152	-	1	1	-	2	3	22	24	46	53
	F	104	-	-	-	-	1	1	25	16	29	32
Ischaemic and other forms of heart disease	M	379	-	-	-	1	-	7	23	51	105	192
	F	243	-	-	-	-	1	-	6	19	60	157
Hypertensive disease	M	11	-	-	-	-	-	-	2	-	3	6
	F	11	-	-	-	-	-	-	-	1	3	7
Cerebrovascular disease	M	98	-	-	-	-	-	-	4	8	24	62
	F	101	-	-	-	-	-	2	4	9	25	61
Other diseases of the circulatory system	M	33	-	-	-	-	-	1	-	2	10	20
	F	45	-	-	-	2	-	-	3	3	5	32
Diseases of the respiratory system	M	138	8	-	-	-	1	-	1	13	41	74
	F	88	5	-	-	1	-	2	2	3	29	46
Senility	M	20	-	-	-	-	-	-	-	-	-	20
	F	19	-	-	-	-	-	-	-	1	1	17
Other diseases	M	120	17	2	1	5	4	2	8	10	27	44
	F	72	14	3	1	-	3	1	3	7	14	26
Accidents and other external causes	M	60	1	1	4	13	3	8	7	10	5	8
	F	36	1	1	1	1	5	1	3	3	7	13
All causes	M	1,025	31	4	6	19	10	21	68	120	265	481
	F	729	23	5	2	4	10	7	47	62	177	392

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	46	-	-	-	-	-	1	8	9	14	14
	F	27	-	-	-	1	1	-	2	2	16	5
Ischaemic and other forms of heart disease	M	97	-	-	-	1	-	1	2	23	21	49
	F	50	-	-	-	-	-	1	2	5	11	31
Hypertensive disease	M	7	-	-	-	-	-	-	-	-	-	7
	F	4	-	-	-	-	-	-	-	-	2	2
Cerebrovascular disease	M	34	-	-	-	-	1	-	1	3	14	15
	F	38	-	-	-	-	-	-	1	5	11	21
Other diseases of the circulatory system	M	10	-	-	-	-	-	1	-	-	4	5
	F	4	-	-	-	-	-	-	1	1	-	2
Diseases of the respiratory system	M	31	-	-	-	1	-	1	1	4	7	17
	F	20	-	-	-	-	1	-	-	1	6	12
Senility	M	19	-	-	-	-	-	-	-	-	2	17
	F	21	-	-	-	-	-	-	-	-	-	21
Other diseases	M	24	3	-	-	1	-	-	2	5	6	7
	F	18	2	-	1	1	1	-	-	-	4	9
Accidents and other external causes	M	8	-	1	1	1	-	-	1	4	-	-
	F	4	-	-	-	-	-	-	-	-	-	4
All causes	M	277	3	1	1	4	1	4	16	48	68	131
	F	187	2	-	1	2	3	1	6	15	50	107
COUNTY MAYO												
Tuberculosis, all forms	M	5	-	-	-	-	-	-	-	3	2	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	6	3	1	-	1	-	-	-	-	1	-
Malignant neoplasms	M	106	-	-	-	2	1	4	7	20	33	39
	F	104	-	-	1	1	-	5	12	17	26	42
Ischaemic and other forms of heart disease	M	250	-	-	-	1	2	2	10	35	65	135
	F	210	-	-	-	-	-	1	3	20	35	151
Hypertensive disease	M	10	-	-	-	-	-	-	-	4	5	1
	F	14	-	-	-	-	-	-	1	1	2	10
Cerebrovascular disease	M	116	-	-	-	-	-	-	4	16	22	74
	F	104	-	-	-	-	1	-	5	9	21	68
Other diseases of the circulatory system	M	26	-	-	-	-	-	-	1	5	7	13
	F	23	-	-	-	-	-	-	2	1	3	17
Diseases of the respiratory system	M	80	2	1	1	-	-	1	5	7	20	43
	F	49	1	2	1	-	-	-	3	5	15	22
Senility	M	24	-	-	-	-	-	-	-	-	1	23
	F	44	-	-	-	-	-	-	-	-	-	44
Other diseases	M	92	15	3	-	4	-	1	5	13	18	33
	F	66	7	-	-	1	1	3	-	8	14	32
Accidents and other external causes	M	41	2	5	1	8	2	-	3	5	7	8
	F	14	-	-	-	-	2	-	1	1	1	9
All causes	M	751	19	10	2	15	5	8	35	108	180	369
	F	635	11	3	2	3	4	9	27	62	118	396

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and parasitic diseases	M	1	-	-	-	-	-	-	1	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	71	-	-	-	3	-	-	9	14	20	25
	F	37	-	-	-	-	2	2	1	6	12	14
Ischaemic and other forms of heart disease	M	157	-	-	-	-	1	1	11	22	36	86
	F	89	-	-	-	-	-	-	2	3	18	66
Hypertensive disease	M	6	-	-	-	-	-	-	-	1	3	2
	F	6	-	-	-	-	-	-	-	-	1	5
Cerebrovascular disease	M	64	-	-	-	-	-	1	2	6	19	36
	F	51	-	-	-	-	1	-	4	7	9	30
Other diseases of the circulatory system	M	22	-	-	-	-	-	-	1	-	2	19
	F	14	-	-	-	-	-	-	-	1	4	9
Diseases of the respiratory system	M	37	-	-	-	-	-	-	5	7	11	14
	F	13	-	-	-	-	-	-	1	2	2	8
Senility	M	10	-	-	-	-	-	-	-	-	1	9
	F	17	-	-	-	-	-	-	-	-	-	17
Other diseases	M	49	5	-	1	-	2	-	2	7	14	18
	F	40	6	1	1	-	-	1	2	3	7	19
Accidents and other external causes	M	17	2	1	-	2	2	-	3	1	3	3
	F	7	-	-	-	-	-	-	-	-	3	4
All causes	M	434	7	1	1	5	5	2	34	58	109	212
	F	275	7	1	1	-	3	3	10	22	56	172
COUNTY SLIGO												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	2	-	-	-	-	-	-	1	1	-	-
Other Infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	66	-	-	-	-	2	3	2	18	23	18
	F	54	-	-	-	2	-	1	6	13	10	22
Ischaemic and other forms of heart disease	M	97	-	-	-	-	-	1	5	14	31	46
	F	79	-	-	-	-	-	-	2	9	20	48
Hypertensive disease	M	10	-	-	-	-	-	-	1	1	2	6
	F	14	-	-	-	-	-	-	-	3	3	8
Cerebrovascular disease	M	53	-	-	-	-	-	-	1	2	17	33
	F	53	-	-	-	-	-	1	-	5	9	38
Other diseases of the circulatory system	M	9	-	-	-	-	-	-	-	2	3	4
	F	14	-	-	-	-	-	-	-	-	2	12
Diseases of the respiratory system	M	51	1	-	-	1	-	1	2	3	19	24
	F	35	1	-	-	-	-	-	-	7	13	14
Senility	M	10	-	-	-	-	-	-	-	-	1	9
	F	21	-	-	-	-	-	-	-	-	-	21
Other diseases	M	44	13	-	-	1	2	2	3	4	3	16
	F	33	6	1	2	-	-	-	-	-	8	16
Accidents and other external causes	M	19	2	-	-	1	4	1	1	2	4	4
	F	8	-	-	-	2	2	1	1	1	1	-
All causes	M	361	16	-	-	3	8	8	16	46	104	160
	F	315	9	1	2	4	2	3	10	39	66	179

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis, all forms	M	3	-	-	-	-	1	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	66	-	-	-	1	1	1	5	9	25	24
	F	40	-	-	1	-	-	-	5	13	8	13
Ischaemic and other forms of heart disease	M	116	-	-	-	-	-	1	7	16	38	54
	F	62	-	-	-	-	-	-	-	5	22	35
Hypertensive disease	M	3	-	-	-	-	-	-	1	1	-	1
	F	7	-	-	-	-	-	-	-	1	2	4
Cerebrovascular disease	M	66	-	-	-	-	-	-	2	6	20	38
	F	67	-	-	-	1	-	-	1	7	15	43
Other diseases of the circulatory system	M	20	-	-	-	-	-	1	-	1	7	11
	F	14	-	-	-	-	-	-	-	2	4	8
Diseases of the respiratory system	M	41	3	-	-	-	-	-	2	4	11	21
	F	38	-	-	1	1	-	1	1	1	9	24
Senility	M	8	-	-	-	-	-	-	-	-	-	8
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	52	8	1	1	-	-	1	4	5	14	18
	F	28	3	-	-	-	-	-	3	5	4	13
Accidents and other external causes	M	23	-	1	2	5	1	-	2	3	3	6
	F	9	-	-	-	-	-	1	-	1	4	3
All causes	M	399	11	3	3	6	3	4	23	46	119	181
	F	277	4	-	2	2	-	2	10	35	68	154
COUNTY DONEGAL												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	2	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	4	-	1	-	-	-	1	-	1	1	-
	F	4	1	-	-	-	-	-	-	-	1	2
Malignant neoplasms	M	92	-	-	-	-	2	2	12	15	23	38
	F	104	-	-	-	1	-	2	13	24	34	30
Ischaemic and other forms of heart disease	M	239	-	-	-	-	1	2	12	48	81	95
	F	161	-	-	-	-	1	1	8	21	40	90
Hypertensive disease	M	6	-	-	-	-	-	-	1	1	3	1
	F	22	-	-	-	-	-	-	1	2	5	14
Cerebrovascular disease	M	79	-	-	-	1	-	-	4	8	21	45
	F	79	-	-	-	1	-	-	2	8	24	44
Other diseases of the circulatory system	M	30	-	-	-	-	-	-	1	-	8	21
	F	24	-	-	-	-	-	-	-	-	5	19
Diseases of the respiratory system	M	95	1	-	-	2	-	1	2	7	25	57
	F	68	2	-	-	-	1	-	7	6	11	41
Senility	M	24	-	-	-	-	-	-	-	-	1	23
	F	24	-	-	-	-	-	-	-	-	2	22
Other diseases	M	94	21	-	4	-	1	-	8	11	16	33
	F	58	11	3	2	-	-	-	6	6	5	25
Accidents and other external causes	M	44	1	-	3	3	5	3	8	4	3	14
	F	23	2	1	1	1	1	-	2	-	3	12
All causes	M	709	23	1	7	6	9	9	48	97	182	327
	F	568	16	4	3	3	3	3	39	68	130	299

TABLE 24 (contd.) - DEATHS IN 1971 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	49	-	1	1	1	-	1	3	15	15	12
	F	38	-	-	-	-	-	-	5	11	11	11
Ischaemic and other forms of heart disease	M	114	-	-	-	1	-	2	5	18	34	54
	F	80	-	-	-	-	-	1	-	9	18	52
Hypertensive disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	3
Cerebrovascular disease	M	32	-	-	-	-	-	-	1	3	10	18
	F	49	-	-	-	-	-	-	1	4	14	30
Other diseases of the circulatory system	M	7	-	-	-	-	-	-	-	2	2	3
	F	12	-	-	-	-	-	-	-	1	3	8
Diseases of the respiratory system	M	70	3	-	2	-	1	1	3	4	24	32
	F	41	1	-	-	-	-	-	1	7	11	21
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	28	8	-	1	-	-	1	1	4	7	6
	F	23	7	-	-	-	-	-	1	3	4	8
Accidents and other external causes	M	7	-	1	1	-	1	-	-	1	1	2
	F	5	1	-	-	-	1	-	-	-	1	2
All causes	M	309	11	2	5	2	2	5	13	47	94	128
	F	254	9	-	-	-	1	1	8	36	62	137

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Detailed International List Number	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M F	490 335	213 176	125 75	45 39	47 37	15 19	27 21	15 11	51 20	10 8	240 182	128 99
008,009	Enteritis and other diarrhoeal disease	M F	8 2	13 11	4 1	4 3	- -	1 -	- -	- 1	- -	- -	4 1	8 7
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 3
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	2 4	17 13	1 1	2 -	- -	2 1	- 1	4 2	- -	2 -	1 2	7 10
320	Meningitis	M F	2 4	6 4	- 1	2 2	- -	- -	- -	1 1	- -	- -	2 3	3 1
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- 2	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 1
470-474	Influenza	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
480-486	Pneumonia	M F	17 21	54 29	3 4	11 5	2 2	1 2	1 3	4 4	1 1	4 -	10 11	34 18
490-493	Bronchitis, emphysema and asthma	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
460-466, 500-519	Other diseases of the respiratory system	M F	3 4	24 23	- 4	12 7	- -	1 5	- -	- 2	1 -	1 -	2 -	10 9
520-577	Diseases of the digestive system	M F	- 3	3 1	- -	- -	- 2	- 1	- 1	- -	- -	- -	- -	3 -
740	Anencephalus	M F	15 26	- -	2 7	- -	- 2	- -	1 2	- -	1 2	- -	11 13	- -
741	Spina bifida	M F	27 15	18 20	8 5	2 8	6 1	- 1	2 -	1 -	4 1	- 1	7 8	10 10
742	Congenital hydrocephalus	M F	6 8	4 5	3 2	3 3	- 1	1 1	- 1	- -	1 1	- -	2 3	- 1
746	Congenital anomalies of heart	M F	24 21	22 18	6 4	6 5	2 1	3 1	2 3	1 -	3 1	- 1	11 12	12 11
743-745, 747-759	Other congenital anomalies	M F	50 33	14 12	17 4	1 2	2 4	2 3	3 2	1 -	6 2	- 1	22 21	10 6
764-768, 772	Birth injury and difficulty labour	M F	43 16	1 1	9 4	- -	1 1	1 -	- 3	- -	4 1	- -	29 7	- 1
770, 771	Conditions of placenta and cord	M F	8 6	- -	1 -	- -	- 1	- -	- -	- -	3 -	- -	4 5	- -
774, 775	Haemolytic disease of newborn	M F	28 20	- 2	8 5	- -	4 1	- 1	4 1	- -	3 2	- 1	9 11	- -
776	Anoxic and hypoxic conditions not elsewhere classified	M F	150 81	1 -	44 19	- -	20 10	- -	6 2	1 -	10 8	- -	70 42	- -
777	Immaturity, unqualified	M F	81 55	1 3	15 11	- -	7 8	- -	8 2	- -	11 1	- -	40 33	1 3
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M F	16 10	1 1	4 1	- -	1 2	- -	- -	- -	2 -	- -	9 7	1 1
780.2	Convulsions	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
	Other causes	M F	10 6	36 28	- 2	2 4	2 1	3 3	- -	2 1	1 -	2 3	7 3	27 17

*Late foetal deaths not included.

TABLE 26 - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1971,

Detailed Inter- national List No.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M	703	34	191	225	87	42	21	11	12	5
		F	511	31	134	165	40	32	15	10	9	3
008,009	Enteritis and other diarrhoeal diseases	M	21	-	1	1	-	-	-	-	-	-
		F	13	-	-	-	-	-	1	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
000-007 020-027 030-032 034-136	Other infective and parasitic diseases	M	19	-	-	-	1	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	1	-
320	Meningitis	M	8	-	-	-	-	-	-	-	-	1
		F	8	-	-	-	-	-	-	1	-	2
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	71	-	3	3	1	2	-	1	-	-
		F	50	-	1	1	4	1	1	1	2	-
490-493	Bronchitis, emphysema and asthma	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466 500-519	Other diseases of the respiratory system	M	27	-	1	1	-	1	-	-	-	-
		F	27	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	3	-	-	-	-	-	-	-	-	-
		F	4	1	-	1	-	-	-	-	1	-
740	Congenital anomalies:- Anencephalus	M	15	3	8	11	4	-	-	-	-	-
		F	26	6	18	24	1	1	-	-	-	-
741	Spina bifida	M	40	3	5	8	1	4	1	1	-	-
		F	35	2	2	4	-	3	-	2	1	-
742	Congenital hydrocephalus	M	10	4	1	5	1	-	-	-	-	-
		F	13	3	2	5	2	1	-	-	-	-
743	Other congenital anomalies of nervous system	M	6	-	1	1	1	1	1	-	-	-
		F	5	-	1	1	1	-	-	-	1	-
746	Congenital anomalies of heart	M	46	1	4	5	3	3	2	1	1	2
		F	39	-	5	5	2	1	1	-	1	-
747	Other congenital anomalies of circulatory	M	3	-	1	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
748	Congenital anomalies of respiratory	M	5	2	2	4	-	-	-	-	-	-
		F	5	1	4	5	-	-	-	-	-	-
749	Cleft palate and cleft lip	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	M	2	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-
751	Other congenital anomalies of digestive system	M	10	-	1	1	-	1	-	1	1	-
		F	5	1	-	1	-	-	1	-	-	-
753	Congenital anomalies of urinary system	M	15	-	4	4	2	-	1	-	-	-
		F	5	-	1	1	-	-	-	-	-	-

TABLE 26 (contd.) - INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1971¹

Detailed International List No.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days ¹					
							1	2	3	4	5	6
755	Other congenital anomalies of limbs	M	1	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculo-skeletal system	M	7	2	3	5	1	-	-	-	-	-
		F	5	-	2	2	-	-	-	1	-	-
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
758	Other and unspecified congenital anomalies	M	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	1	-	-	-	-	-	-
759	Congenital syndromes affecting multiple systems	M	15	2	3	5	3	-	3	-	-	-
		F	12	2	3	5	-	-	1	-	1	-
Diseases of the mother during pregnancy:-												
760	Chronic circulatory and genito-urinary disease in mother	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
762	Toxaemia of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	1	-	-	-	-	-
763	Maternal ante- and intrapartum infection	M	2	-	1	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
Birth Injury from:-												
764	Difficult labour with abnormality of bones, etc.	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	3	1	2	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
767	Difficult labour with abnormality of forces of labour	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	1	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	4	-	-	-	1	-	1	-	1	-
		F	2	-	2	2	-	-	-	-	-	-
770	Conditions of placenta	M	6	1	3	4	2	-	-	-	-	-
		F	4	2	1	3	1	-	-	-	-	-
771	Conditions of umbilical cord	M	2	1	1	2	-	-	-	-	-	-
		F	2	-	2	2	-	-	-	-	-	-
772	Birth injury without mention of cause	M	40	1	14	15	5	6	3	1	1	-
		F	16	-	7	7	6	2	-	1	-	-
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774	Haemolytic disease of newborn with kernicterus	M	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	27	2	16	18	5	-	-	-	2	-
		F	22	5	11	16	1	2	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	151	5	69	74	39	17	6	1	2	1
		F	81	2	39	41	13	12	3	3	1	-
777	Immaturity unqualified	M	82	6	43	49	12	4	3	4	2	1
		F	58	4	31	35	6	7	4	1	-	-
778	Other conditions of foetus or newborn	M	11	-	2	2	1	1	-	-	1	-
		F	6	-	1	1	1	2	1	-	-	-
780.2	Convulsions	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	46	-	1	1	3	-	-	-	1	-
		F	34	1	-	1	1	-	-	-	-	1

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months											Detailed Inter- national List No.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11		
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	755
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	-	-	-	6	-	-	-	1	-	-	-	-	-	-	-	-	756
3	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	758
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	-	-	1	12	-	1	1	-	-	-	-	1	-	-	-	-	759
7	1	-	2	10	1	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	769
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	770
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	771
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
31	7	1	-	39	1	-	-	-	-	-	-	-	-	-	-	-	772
16	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	2	-	-	27	-	-	-	-	-	-	-	-	-	-	-	-	775
20	-	-	-	20	1	1	-	-	-	-	-	-	-	-	-	-	
140	9	1	-	150	-	1	-	-	-	-	-	-	-	-	-	-	776
73	6	2	-	81	-	-	-	-	-	-	-	-	-	-	-	-	
75	2	1	3	81	-	1	-	-	-	-	-	-	-	-	-	-	777
53	1	-	1	55	3	-	-	-	-	-	-	-	-	-	-	-	
5	4	-	1	10	1	-	-	-	-	-	-	-	-	-	-	-	778
5	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	780.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	3	1	1	10	3	8	5	4	3	1	-	3	1	3	5	-	
3	2	1	-	6	7	6	3	4	3	-	2	1	1	1	-	-	

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE INFANTS IN 1971
CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M	19	7	5	1	13	5	1	-
		F	14	9	3	2	14	-	-	-
008, 009	Enteritis and other diarrhoeal disease	M	2	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
933	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	1	-	-	-
		F	1	1	-	-	1	-	-	-
741	Spina bifida	M	-	-	-	-	-	-	-	-
		F	1	-	-	1	1	-	-	-
742	Congenital hydrocephalus	M	1	1	-	-	1	-	-	-
		F	2	2	-	-	2	-	-	-
746	Congenital anomalies of heart	M	3	1	-	-	1	1	1	-
		F	1	-	-	1	1	-	-	-
743-745, 747-759	Other congenital anomalies	M	2	1	-	-	1	1	-	-
		F	2	1	1	-	2	-	-	-
764-768 772	Birth injury and difficult labour	M	3	2	-	1	3	-	-	-
		F	-	-	-	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	5	1	4	-	5	-	-	-
		F	3	2	1	-	3	-	-	-
777	Immaturity, unqualified	M	1	1	-	-	1	-	-	-
		F	3	3	-	-	3	-	-	-
760-763, 769, 773, 778, 779	Other cause of perinatal mortality*	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other causes	M	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List No.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M	490	213	266	114	141	61	49	27	34	11
		F	335	176	167	96	114	53	38	14	16	13
008,009	Enteritis and other diarrhoeal disease	M	8	13	8	9	-	2	-	2	-	-
		F	2	11	2	6	-	2	-	2	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	3	-	2	-	-	-	1	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	2	17	1	7	-	8	1	2	-	-
		F	4	13	3	5	-	2	1	5	-	1
320	Meningitis	M	2	6	2	4	-	2	-	-	-	-
		F	4	4	3	4	1	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	2	-	-	-	2	-	-	-	-
470-474	Influenza	M	-	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	17	54	9	31	6	13	1	6	1	4
		F	21	29	14	15	4	9	3	3	-	2
490-493	Bronchitis, emphysema and asthma	M	-	1	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	3	24	1	16	1	4	1	3	-	1
		F	4	23	4	12	-	9	-	1	-	1
520-577	Diseases of the digestive system	M	-	3	-	2	-	-	-	-	-	1
		F	3	1	1	-	2	1	-	-	-	-
740	Anencephalus	M	15	-	7	-	7	-	1	-	-	-
		F	26	-	13	-	10	-	2	-	1	-
741	Spina bifida	M	27	13	14	10	11	2	2	1	-	-
		F	15	20	9	13	6	6	-	1	-	-
742	Congenital hydrocephalus	M	6	4	4	3	1	1	1	-	-	-
		F	8	5	5	4	1	1	1	-	1	-
746	Congenital anomalies of heart	M	24	22	11	10	7	9	2	2	4	1
		F	21	18	13	13	5	3	3	-	-	2
743-745, 747-759	Other congenital anomalies	M	50	14	35	6	10	4	5	2	-	2
		F	33	12	16	8	14	4	2	-	1	-
764-768, 772	Birth injury and difficult labour	M	43	1	24	-	8	1	7	-	4	-
		F	16	1	6	-	5	-	5	-	-	1
770,771	Conditions of placenta and cord	M	8	-	4	-	2	-	1	-	1	-
		F	6	-	3	-	2	-	-	-	1	-
774,775	Haemolytic disease of newborn	M	28	-	14	-	10	-	3	-	1	-
		F	20	2	6	1	6	1	6	-	2	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	150	1	75	-	52	1	13	-	10	-
		F	81	-	43	-	26	-	9	-	3	-
777	Immaturity, unqualified	M	81	1	42	-	20	1	7	-	12	-
		F	55	3	18	1	26	1	4	-	7	1
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M	16	1	14	-	1	-	1	1	-	-
		F	10	1	5	1	4	-	1	-	-	-
780.2	Convulsions	M	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	10	36	1	16	5	12	3	7	1	1
		F	6	28	3	11	2	12	1	1	-	4

*Late foetal deaths not included

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	12 4	- 3	121 67	39 36	4 8	6 3	26 24	19 10	11 8	7 6
008,009	Enteritis and other diarrhoeal disease	M F	1 -	- -	4 1	4 3	- -	- -	1 -	1 -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020,032, 034-136	Other infective and parasitic diseases	M F	- -	- -	1 1	2 -	- -	- -	- -	1 1	- -	1 -
320	Meningitis	M F	- -	- -	- 1	2 2	- -	- -	1 -	- -	- -	1 -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	1 -	- -	3 4	9 5	- -	2 -	1 5	6 2	1 -	1 2
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	- -	- 3	9 4	- 1	3 3	1 -	3 1	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	1 1	- -	2 7	- -	- -	- -	2 2	- -	- 1	- -
741	Spina bifida	M F	- -	- -	8 2	2 8	- 3	- -	1 2	1 1	- -	- -
742	Congenital hydrocephalus	M F	- -	- -	3 2	3 3	- -	- -	- 1	- -	- -	- -
746	Congenital anomalies of heart	M F	1 1	- -	5 4	5 5	1 -	1 -	1 3	3 2	- 1	- 2
743-745, 747-759	Other congenital anomalies	M F	- -	- 1	16 3	1 2	1 1	- -	5 4	2 1	3 1	- 2
764-768, 772	Birth injury and difficult labour	M F	- -	- -	9 4	- -	- -	- -	6 1	- -	1 -	- -
770,771	Conditions of placenta and cord	M F	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -
774,775	Haemolytic disease of newborn	M F	- -	- -	8 5	- -	- -	- -	- -	- -	1 -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	4 1	- -	42 18	- -	2 1	- -	5 4	- -	4 4	- -
777	Immaturity, unqualified	M F	2 1	- -	15 10	- -	- 1	- -	- -	- -	- -	- -
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M F	2 -	- -	4 1	- -	- -	- -	2 1	- 1	1 -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	- 2	- 1	2 4	- 1	- -	- 1	2 1	- -	4 -

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	10 8	4 4	10 3	3 5	3 1	3 3	11 11	7 8	13 4	5 5
008,009	Enteritis and other diarrhoeal disease	M F	- -	- -	2 1	- -	- 1	- 1	- 1	1 1	- -	2 1
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- 1	- 1	- -	- -	- 1	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- 1	- -	- -	- 1	- 1	- 1	- 1	- -	- -	- -
320	Meningitis	M F	- -	- -	- 2	- -	- -	- -	- 1	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	- -	2 1	- -	2 -	- -	1 -	1 2	2 3	- -	- -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	- -	- -	- 2	- -	- -	- 1	- -	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- 1	1 -	- -	- -	1 -
740	Anencephalus	M F	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -
741	Spina bifida	M F	- -	- 1	1 -	- -	1 -	- -	1 -	- -	1 -	1 1
742	Congenital hydrocephalus	M F	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -
746	Congenital anomalies of heart	M F	- 1	- 1	1 -	- 1	- -	- -	- 1	- -	- -	- 1
743-745, 747-759	Other congenital anomalies	M F	1 1	- -	1 -	- -	- 1	- 1	2 1	1 -	3 1	1 -
764-768, 772	Birth injury and difficult labour	M F	1 -	- -	- -	- -	1 -	- 1	1 -	- -	1 -	- -
770,771	Conditions of placenta and cord	M F	- 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -
774,775	Haemolytic disease of newborn	M F	- -	- -	1 -	- -	- -	- 2	2 1	- -	- -	- 1
776	Anoxic and hypoxic conditions not elsewhere specified	M F	3 1	- -	2 -	- -	- 1	- -	3 3	- -	2 2	- -
777	Immaturity, unqualified	M F	2 2	- -	2 -	- -	- -	- -	1 -	- -	5 -	- -
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M F	3 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	2 1	- -	1 -	- -	2 -	- -	1 -	- -	- 1

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	10 5	3 2	9 4	2 4	18 15	10 4	8 5	6 3	6 7	5 3
008,009	Enteritis and other diarrhoeal disease	M F	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- 1	- -	- -	- -	2 1	- -	1 -	- -	1 -
320	Meningitis	M F	- -	- -	- -	- -	1 -	- -	- -	1 1	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	- -	1 -	- -	- 2	2 3	3 -	- -	2 -	- -	1 1
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	1 -	- -	- 1	- -	- -	- -	- -	- -	2 3	- -
741	Spina bifida	M F	1 -	2 -	1 1	1 1	2 -	- -	- -	2 1	1 1	- 1
742	Congenital hydrocephalus	M F	- 1	- -	1 -	- -	- 1	- -	- -	- -	- -	- -
746	Congenital anomalies of heart	M F	1 -	- -	- -	- -	- 1	1 1	1 2	- -	- -	- -
743-745, 747-759	Other congenital anomalies	M F	- 1	- -	1 -	- 1	2 2	1 -	- 1	- -	- -	1 -
764-768, 772	Birth injury and difficult labour	M F	- -	- -	- -	- -	1 -	- -	3 -	- -	- -	- -
770,771	Conditions of placenta and cord	M F	- -	- -	2 -	- -	- 1	- -	- -	- -	- -	- -
774,775	Haemolytic disease of newborn	M F	- -	- -	1 -	- -	1 -	- -	- -	- -	1 -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	1 -	- -	1 2	- -	4 4	- -	2 2	- -	- -	- -
777	Immaturity, unqualified	M F	6 3	- -	2 -	- -	5 1	- 1	2 -	- -	3 3	1 -
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M F	- -	- -	- -	- -	2 1	- -	- -	- -	- -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	- 1	1 -	1 -	- -	1 1	- -	- -	- -	1 1

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M F		M F		M F		M F		M F	
	All causes		30 18	8 9	41 28	16 8	12 15	8 9	15 18	5 9	11 14	5 4
008,009	Enteritis and other diarrhoeal disease	M F	- -	- -	- -	- 1	- -	1 1	- -	1 -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	1 -	- -	- -	- 1	- 1	- -	1 1	- -	- -
320	Meningitis	M F	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	1 2	1 1	2 1	5 2	1 1	- 3	1 -	- -	- -	2 -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	1 1	1 -	2 1	- -	- -	- -	- 4	- -	- 2
520-577	Diseases of the digestive system	M F	- 1	- 1	- -	- -	- -	- -	- 1	- -	- -	- -
740	Anencephalus	M F	- 1	- -	2 2	- -	- 1	- -	- 1	- -	1 -	- -
741	Spina bifida	M F	2 -	- -	2 3	1 -	2 1	1 2	4 -	- 1	- -	- 2
742	Congenital hydrocephalus	M F	- 1	- -	1 -	- -	- -	- -	- -	1 -	- -	- -
746	Congenital anomalies of heart	M F	1 -	1 1	3 2	2 2	1 1	3 -	1 1	2 -	1 1	1 -
743-745, 747-759	Other congenital anomalies	M F	1 3	2 2	3 5	1 -	1 2	- 1	1 1	- 1	1 2	- -
764-768, 772	Birth injury and difficult labour	M F	1 -	1 -	3 1	- -	2 2	- -	- 1	- -	1 -	- -
770,771	Conditions of placenta and cord	M F	- -	- -	- 1	- -	- -	- -	- 1	- -	- -	- -
774-775	Haemolytic disease of newborn	M F	3 -	- 1	1 2	- -	1 2	- -	1 1	- -	- 1	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	17 7	- -	18 8	- -	2 1	1 -	2 3	- -	5 4	- -
777	Immaturity, unqualified	M F	1 3	- -	5 2	- -	1 3	- -	5 5	- -	1 5	- -
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M F	1 -	- -	- -	- -	- -	- -	- 2	- -	- 1	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	2 -	1 2	- 1	5 2	1 -	1 1	- 1	1 1	1 -	1 -

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	9 7	4 4	8 6	6 4	2 1	2 1	7 -	2 2	19 17	12 6	3 2	- -
008,009	Enteritis and other diarrhoeal disease	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- -	- -	3 -	- -	- -	- -	2 -	1 1	2 2	- -	- -
320	Meningitis	M F	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	- -	3 -	- -	1 1	- 1	- 1	1 -	- -	1 2	4 3	- -	- -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	- 1	- -	1 -	- -	- -	- -	- -	1 -	2 -	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	- 2	- -	2 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
741	Spina bifida	M F	1 -	- -	- -	- -	- 1	- -	- -	- -	1 -	1 1	- -	- -
742	Congenital hydrocephalus	M F	- -	- -	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -
746	Congenital anomalies of heart	M F	- -	- -	- -	- -	- -	- -	- -	- -	2 2	1 -	- -	- -
743-745, 747-759	Other congenital anomalies	M F	2 1	- -	- -	- -	- -	- -	1 -	- -	1 1	- -	- -	- -
764-768, 772	Birth injury and difficult labour	M F	- 1	- -	- -	- -	- -	- -	1 -	- -	2 2	- -	1 1	- -
770,771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -
774,775	Haemolytic disease of newborn	M F	- -	- -	2 -	- -	- -	- -	1 -	- -	1 2	- -	1 -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	5 2	- -	1 1	- -	1 -	- -	1 -	- -	1 3	- -	1 -	- -
777	Immaturity, unqualified	M F	- 1	- 1	3 4	- -	1 -	- -	- -	- -	5 1	- -	- 1	- -
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M F	- -	- -	- 1	- -	- -	- -	- -	- -	1 1	- -	- -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	1 -	1 1	- -	- 2	- -	1 -	- -	- 2	1 1	- -	- -	- -

*Late foetal deaths not included.

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1971, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed Inter- national List Nos.	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	9 7	10 4	4 6	3 1	14 6	2 3	7 2	4 2	19 9	4 7	8 5	3 4
008,009	Enteritis and other diarrhoeal diseases	M F	- -	- 1	- -	- -	- 1	- -	- -	- -	- 1	- -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- 1	- -	1 1	- 1	- -	- 1	- 1	- -	- -	- -	- -
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
480-486	Pneumonia	M F	- 1	1 -	- -	- -	1 -	- -	2 -	1 -	- 1	- -	- -	2 1
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	1 -	- -	- -	1 -	- -	1 -	- 1	- 1	- -	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
740	Anencephalus	M F	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	1 -	- -
741	Spina bifida	M F	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
742	Congenital hydrocephalus	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -
746	Congenital anomalies of heart	M F	- -	1 -	- -	- -	1 -	- -	- 1	2 1	1 1	2 -	- -	- -
743-745, 747-759	Other congenital anomalies	M F	1 -	1 -	- 1	1 -	3 -	- -	- -	- 1	2 -	- -	- -	- -
764-768, 772	Birth injury and difficult labour	M F	- -	- -	1 1	- -	3 1	- -	- -	2 -	- -	2 -	- 1	- -
770,771	Conditions of placenta and cord	M F	- -	- -	- -	- -	1 -	- -	1 -	- 1	- -	- -	- -	- -
774,775	Haemolytic disease of newborn	M F	- 3	- -	- 1	- -	1 -	- -	1 1	- -	1 -	- -	- -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	5 2	- -	3 3	- -	3 1	- -	2 -	- -	5 1	- -	3 2	- -
777	Immaturity, unqualified	M F	1 1	- -	- -	- -	1 1	- -	3 1	- -	8 5	- 1	1 1	- -
760-763, 769,773, 778,779	Other causes of perinatal mortality*	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
780.2	Convulsions	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	1 -	4 1	- -	2 -	1 -	1 -	- -	- -	1 2	1 2	- -	- 2

*Late foetal deaths not included.

**TABLE 29 - LATE FOETAL DEATHS NOTIFIED IN 1971 CLASSIFIED BY CAUSE
AND AGE OF MOTHER AT MATERNITY.**

Inter- national List Nos. 740-779	Cause of Death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
740	Anencephalus	5	37	27	17	22	3	-	111
741.0	Spina Bifida								
	With hydrocephalus	2	5	2	1	2	1	-	13
741.9	Without mention of hydrocephalus	-	3	1	1	3	-	-	8
742	Congenital hydrocephalus								
	Hydrocephalus	-	5	3	7	4	8	1	28
743.0	Other congenital anomalies of nervous system								
	Encephalocele	-	1	3	-	-	-	-	4
743.1	Microcephalus	-	-	1	-	-	-	-	1
746.9	Congenital anomalies of heart								
	Unspecified anomalies of heart	1	-	1	-	-	-	-	2
749.1	Cleft Palate and Cleft Lip								
	Cleft Lip	-	-	-	1	-	-	-	1
751.9	Other Congenital anomalies of digestive system								
	Unspecified anomalies of digestive system	-	-	-	-	-	-	1	1
753.1	Congenital anomalies of urinary system								
	Cystic kidney disease	-	-	-	-	-	1	-	1
756.3	Other congenital anomalies of musculoskeletal system								
	Other anomalies of ribs and sternum	-	-	-	1	-	-	-	1
756.4	Chondrodystrophy	-	-	-	1	-	-	-	1
758.9	Other and unspecified congenital anomalies								
	Unspecified congenital anomaly	-	-	1	1	-	-	-	2
759.2	Congenital syndromes affecting multiple systems								
	Other forms of monster	-	-	1	-	-	-	-	1
759.3	Down's disease	-	-	-	-	1	1	-	2
759.9	Multiple congenital anomalies, unspecified	-	-	2	7	2	1	-	12
760.2	Chronic circulatory and genito-urinary diseases in mother								
	Chronic hypertension	-	-	2	2	3	2	-	9
761.1	Other maternal conditions unrelated to pregnancy								
	Diabetes mellitus	-	-	1	1	2	2	-	6
761.2	Influenza	-	-	-	-	-	1	-	1
761.5	Injury	-	-	-	2	-	-	-	2
761.9	Other maternal causes	-	-	-	1	-	1	-	2
762.1	Toxaemia of pregnancy								
	Pre-eclampsia of pregnancy	3	2	9	4	6	7	2	33
762.2	Eclampsia of pregnancy	-	2	1	-	2	-	-	5
762.3	Toxaemia, unspecified	1	6	3	6	5	2	1	24
762.9	Other toxaemia of pregnancy	-	1	1	-	-	1	-	3
763.1	Maternal ante- and intrapartum infection								
	Other infections of genito-urinary tract during pregnancy	-	-	-	1	-	-	-	1
763.9	Other	-	1	-	1	-	-	-	2

TABLE 29 (contd.) - LATE FOETAL DEATHS NOTIFIED IN 1971 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY.

Inter-national List Nos. 740-779	Cause of Death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
765.9	Difficult labour with disproportion but no mention of abnormality of pelvis Without mention of birth injury, asphyxia, anoxia or hypoxia	-	2	-	-	1	-	-	3
766.4	Difficult labour with malposition of foetus With asphyxia, anoxia or hypoxia	-	3	1	-	-	-	-	4
766.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	1	1	1	1	1	-	-	5
768.4	Difficult labour with other and unspecified complications With asphyxia, anoxia or hypoxia	-	-	1	2	1	1	-	5
768.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	1	1	-	2
769.1	Other complications of pregnancy and childbirth Premature rupture of membranes	-	-	-	1	-	-	-	1
769.4	Multiple pregnancy	-	-	-	2	-	-	-	2
769.9	Other	-	-	1	1	2	-	-	4
770.0	Conditions of placenta Placenta praevia	-	1	1	6	3	2	-	13
770.1	Premature separation of placenta	4	26	33	33	20	16	1	133
770.2	Placental infarction	2	8	4	6	4	4	2	30
770.8	Other	-	2	2	-	1	1	-	6
770.9	Unspecified	2	3	10	4	9	4	-	32
771.0	Conditions of umbilical cord Compression of cord	-	-	1	1	1	-	-	3
771.1	Prolapse of cord without mention of compression	-	1	3	2	6	1	-	13
771.9	Other	2	5	10	9	16	5	-	47
772.0	Birth injury without mention of cause To brain	-	1	-	-	-	-	-	1
772.9	Other and unspecified	-	1	-	-	-	-	-	1
774.0	Haemolytic disease of newborn with kernicterus With Rh incompatibility	-	-	-	-	1	1	-	2
775.0	Haemolytic disease of newborn without mention of kernicterus With Rh incompatibility	-	6	16	14	15	11	-	62
775.9	Without mention of cause	-	-	3	1	1	-	-	5
776.0	Anoxic and hypoxic conditions not elsewhere classified Aspiration of content of birth canal	-	-	-	3	-	-	-	3
776.3	Foetal distress	-	2	5	4	3	-	-	14
776.4	Intra-uterine anoxia	1	5	8	14	12	4	1	45
776.9	Asphyxia of newborn unspecified	-	1	-	-	-	-	-	1
777	Immaturity, unqualified Prematurity	1	5	4	8	1	-	-	19
778.1	Other conditions of foetus or newborn Postmaturity	-	3	1	2	1	-	-	7
779.0	Foetal death of unknown cause Maceration	6	17	12	22	12	9	2	80
779.9	Other	3	17	10	12	7	10	2	61
	Total	34	173	186	203	171	101	13	881

**TABLE 30 - LATE FOETAL DEATHS NOTIFIED IN 1971, CLASSIFIED BY
CAUSE AND PERIOD OF GESTATION.**

Inter- national List Nos. 740 - 779	Cause of Death	Period of gestation		
		28 - 36 weeks	37 weeks and over	Total
740	Anencephalus	72	39	111
741	Spina Bifida	8	13	21
742	Congenital hydrocephalus	8	20	28
743	Other congenital anomalies of nervous system	2	3	5
746	Congenital anomalies of heart	1	1	2
749	Cleft palate and cleft lip	1	-	1
751	Other congenital anomalies of digestive system	-	1	1
753	Congenital anomalies of urinary system	-	1	1
756	Other congenital anomalies of musculoskeletal system	-	2	2
758	Other and unspecified congenital anomalies	-	2	2
759	Congenital syndromes affecting multiple systems	6	9	15
760	Chronic circulatory and genito-urinary diseases in mother	4	5	9
761	Other maternal conditions unrelated to pregnancy	4	7	11
762	Toxaemia of pregnancy	40	25	65
763	Maternal ante-and intrapartum infection	3	-	3
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	-	3	3
766	Difficult labour with malposition of foetus	5	4	9
768	Difficult labour with other and unspecified complications	1	6	7
769	Other complications of pregnancy and childbirth	7	-	7
770	Conditions of placenta	110	104	214
771	Conditions of umbilical cord	14	49	63
772	Birth injury without mention of cause	-	2	2
774	Haemolytic disease of newborn with kernicterus	2	-	2
775	Haemolytic disease of newborn without mention of kernicterus	43	24	67
776	Anoxic and hypoxic conditions not elsewhere classified	8	55	63
777	Immaturity, unqualified	19	-	19
778	Other conditions of foetus or newborn	-	7	7
779	Foetal death of unknown cause	69	72	141
	Total	427	454	881

TABLE 31 - LATE FOETAL DEATHS NOTIFIED IN 1971 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN.

Inter- national List Nos. 740 - 779	Cause of Death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
740	Anencephalus	43	28	31	9	111
741	Spina Bifida	11	4	4	2	21
742	Congenital hydrocephalus	5	3	9	11	28
743	Other congenital anomalies of nervous system	1	4	-	-	5
746	Congenital anomalies of heart	1	1	-	-	2
749	Cleft palate and cleft lip	1	-	-	-	1
751	Other congenital anomalies of digestive system	-	-	-	1	1
753	Congenital anomalies of urinary system	-	-	-	1	1
756	Other congenital anomalies of musculoskeletal system	-	-	-	2	2
758	Other and unspecified congenital anomalies	1	1	-	-	2
759	Congenital syndromes affecting multiple systems	1	3	9	2	15
760	Chronic circulatory and genito-urinary diseases in mother	5	2	1	1	9
761	Other maternal conditions unrelated to pregnancy	1	1	5	4	11
762	Toxaemia of pregnancy	31	11	11	12	65
763	Maternal ante- and intrapartum infection	1	1	-	1	3
765	Difficult labour with disproportion but no mention of abnormality of pelvis	2	1	-	-	3
766	Difficult labour with malposition of foetus	4	1	1	3	9
768	Difficult labour with other and unspecified complications	1	-	3	3	7
769	Other complications of pregnancy and childbirth	1	-	4	2	7
770	Conditions of placenta	59	50	64	41	214
771	Conditions of umbilical cord	12	19	16	16	63
772	Birth injury without mention of cause	-	2	-	-	2
774	Haemolytic disease of newborn with kernicterus	-	-	1	1	2
775	Haemolytic disease of newborn without mention of kernicterus	2	14	29	22	67
776	Anoxic and hypoxic conditions not elsewhere classified	22	19	11	11	63
777	Immaturity, unqualified	5	9	3	2	19
778	Other conditions of foetus or newborn	2	1	-	4	7
779	Foetal death of unknown cause	49	34	36	22	141
	Total	261	209	238	173	881

TABLE 32 - LATE FOETAL DEATHS NOTIFIED IN 1971 CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28 - 36 weeks	37 weeks and over	Total
Males	227	211	438
Females	200	243	443
Total	427	454	881

TABLE 33 - LATE FOETAL DEATHS NOTIFIED IN 1971 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							
	Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	Total
0	28	111	60	40	18	4	-	261
1	5	36	46	17	8	3	1	116
2	1	15	27	30	11	9	-	93
3	-	9	23	32	22	9	-	95
4	-	2	12	29	26	11	1	81
5	-	-	7	19	26	9	1	62
6	-	-	6	14	15	8	2	45
7	-	-	-	12	12	12	1	37
8	-	-	3	2	10	10	-	25
9	-	-	1	1	6	5	1	14
10	-	-	-	3	6	5	3	17
11	-	-	-	2	6	4	2	14
12	-	-	1	-	2	3	-	6
13	-	-	-	2	1	2	1	6
14	-	-	-	-	-	6	-	6
15 and over	-	-	-	-	2	1	-	3
Total	34	173	186	203	171	101	13	881

TABLE 34 - DEATHS SHOWING THE NUMBERS OCCURRING IN EACH QUARTER IN 1971 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHES

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	4,782	4,135	4,372	3,604	3,846	3,225	4,357	3,569	17,357	14,533
Carlow	72	39	64	35	41	49	48	36	225	159
Dublin Co. Borough	716	758	663	646	613	614	716	684	2,708	2,702
Dun Laoghaire Borough	65	88	77	87	68	79	74	83	284	337
Dublin Co. (remainder)	188	158	161	135	146	143	175	165	670	601
Kildare	106	75	109	71	71	67	100	72	386	285
Kilkenny	99	92	87	73	86	51	100	81	372	297
Laois	87	53	82	60	63	50	67	43	299	206
Longford	52	44	56	24	43	31	41	35	192	134
Louth	132	107	91	77	84	77	98	87	405	348
Meath	130	100	96	70	95	68	114	78	435	316
Offaly	76	58	100	64	81	55	66	53	323	230
Westmeath	95	99	80	65	59	64	83	64	317	292
Wexford	134	122	145	119	136	93	130	107	545	441
Wicklow	107	85	96	65	71	73	100	67	374	290
Leinster	2,059	1,878	1,907	1,591	1,657	1,514	1,912	1,655	7,535	6,632
Clare	181	138	140	118	110	80	115	104	546	440
Cork Co. Borough	163	203	185	156	144	135	168	150	660	644
Cork County	382	326	400	326	301	258	375	273	1,458	1,183
Kerry	200	174	186	166	205	140	182	162	773	642
Limerick Co. Borough	73	79	66	74	63	67	74	63	276	288
Limerick County	149	101	156	114	130	113	138	90	573	418
Tipperary, N.R.	98	96	93	67	83	50	97	63	371	276
Tipperary, S.R.	129	110	103	83	107	80	110	82	449	355
Waterford Co. Borough	37	53	50	34	43	36	45	50	175	173
Waterford County	59	60	71	53	64	60	82	63	276	236
Munster	1,471	1,340	1,450	1,191	1,250	1,019	1,386	1,105	5,557	4,655
Galway	292	206	242	173	228	152	263	198	1,025	729
Leitrim	83	49	58	48	69	38	67	52	277	187
Mayo	217	172	178	169	162	151	194	143	751	635
Roscommon	132	76	105	83	95	48	102	68	434	275
Sligo	124	103	83	88	69	63	85	61	361	315
Connacht	848	606	666	561	623	452	711	522	2,842	2,141
Cavan	126	86	104	59	79	54	90	78	399	277
Donegal	197	150	156	143	173	122	183	153	709	563
Monaghan	81	75	89	59	64	64	75	56	309	254
Ulster (part of)	404	311	349	261	316	240	348	287	1,417	1,099

**TABLE 35 - BIRTHS SHOWING THE NUMBERS IN EACH QUARTER IN 1971
ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHS**

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	8,758	8,080	9,154	8,608	8,703	8,238	8,136	7,874	34,751	32,800
Carlow	118	128	113	116	104	110	103	96	438	450
Dublin Co. Borough	1,745	1,676	1,869	1,731	1,737	1,554	1,691	1,570	7,042	6,531
Dun Laoghaire Borough	171	154	193	142	180	187	178	168	722	651
Dublin Co. (remainder)	828	759	859	773	791	779	704	713	3,182	3,024
Kildare	267	222	281	271	276	238	269	250	1,093	981
Kilkenny	169	148	205	171	170	142	141	149	685	610
Laois	121	102	139	128	119	106	108	103	487	439
Longford	66	71	86	83	69	60	70	62	291	276
Louth	229	220	273	249	261	230	232	216	995	915
Meath	249	203	227	205	207	224	222	206	905	838
Offaly	131	148	160	171	140	137	142	137	573	593
Westmeath	131	131	172	157	167	150	130	147	600	585
Wexford	262	250	259	274	275	242	244	223	1,040	994
Wicklow	204	193	227	200	235	218	195	191	861	802
Leinster	4,691	4,405	5,063	4,671	4,731	4,377	4,429	4,236	18,914	17,689
Clare	201	197	228	182	193	191	204	181	826	751
Cork Co. Borough	438	446	444	442	424	420	425	388	1,731	1,696
Cork County	606	568	597	614	615	566	537	574	2,405	2,322
Kerry	294	247	303	275	264	235	248	242	1,109	999
Limerick Co. Borough	214	173	216	199	216	224	203	183	854	779
Limerick County	232	208	219	215	214	218	216	211	881	852
Tipperary N.R.	151	145	161	132	163	147	127	146	602	570
Tipperary S.R.	198	164	179	202	175	195	163	183	715	744
Waterford Co. Borough	122	90	107	107	113	111	99	92	446	400
Waterford County	119	102	138	121	120	125	100	95	477	443
Munster	2,575	2,340	2,592	2,489	2,502	2,432	2,377	2,295	10,046	9,556
Galway	431	383	458	391	397	432	360	406	1,646	1,612
Leitrim	66	68	58	51	64	56	57	44	245	219
Mayo	251	213	229	218	265	240	231	229	976	900
Roscommon	110	81	125	107	108	100	81	100	424	388
Sligo	141	120	112	132	105	121	116	111	474	484
Connacht	999	865	982	899	939	949	845	890	3,765	3,603
Cavan	111	134	117	132	141	98	126	109	495	473
Donegal	294	221	274	278	267	275	251	256	1,086	1,030
Monaghan	88	115	126	139	123	107	108	88	445	449
Ulster (part of)	493	470	517	549	531	480	485	453	2,026	1,952

TABLE 36 - BIRTHS, IN 1971, IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	66,104	1,447	-	-	-	-	66,104	1,447
Carlow	696	5	103	-	289	1	882	6
Dublin Co. Borough	23,836	517	10,871	3	104	-	13,059	514
Dun Laoghaire Borough	1,373	22	911	-	889	-	1,351	22
Dublin Co. (remainder)	486	86	387	1	6,017	5	6,116	90
Kildare	309	41	10	1	1,734	1	2,033	41
Kilkenny	1,134	19	120	-	262	-	1,276	19
Laois	617	30	15	2	296	-	898	28
Longford	322	14	63	-	294	-	553	14
Louth	3,541	10	1,696	-	55	-	1,900	10
Meath	219	22	9	-	1,510	1	1,720	23
Offaly	891	24	54	1	306	-	1,143	23
Westmeath	814	31	99	1	440	-	1,155	30
Wexford	1,739	56	73	2	314	-	1,980	54
Wicklow	170	78	9	-	1,422	2	1,583	80
Clare	960	28	7	-	596	-	1,549	28
Cork Co. Borough	7,513	41	4,149	1	22	-	3,387	40
Cork County	1,081	29	23	-	3,642	3	4,695	32
Kerry	1,724	25	13	-	372	-	2,083	25
Limerick Co. Borough	4,429	21	2,837	-	20	-	1,612	21
Limerick County	1	27	-	-	1,705	-	1,706	27
Tipperary, N.R.	619	11	25	-	567	-	1,161	11
Tipperary, S.R.	1,430	16	142	-	155	-	1,443	16
Waterford Co. Borough	1,793	58	1,022	-	17	-	788	58
Waterford County	16	47	-	1	858	-	874	46
Galway	4,005	27	857	1	84	-	3,232	26
Leitrim	169	4	13	-	303	1	459	5
Mayo	1,736	20	77	-	197	-	1,856	20
Roscommon	416	11	59	1	442	3	799	13
Sligo	964	11	106	1	90	-	948	10
Cavan	610	36	50	-	372	-	932	36
Donegal	1,985	70	23	3	86	1	2,048	68
Monaghan	506	10	43	-	420	1	883	11

*Including registered private maternity homes.

**TABLE 37 - BIRTHS IN 1971 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY
AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS**

Age of mother at maternity	Total births (Including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	67,551	34,751	32,800	1,842	922	920
15 and under	49	26	23	33	19	14
16	118	62	56	58	27	31
17	349	192	157	118	65	53
18	797	383	414	211	100	111
19	1,172	595	577	185	96	89
Under 20	2,485	1,258	1,227	605	307	298
20	1,815	955	860	200	107	93
21	2,528	1,268	1,260	186	82	104
22	3,220	1,681	1,539	155	73	82
23	3,900	2,027	1,873	152	76	76
24	4,291	2,289	2,002	113	53	60
20-24	15,754	8,220	7,534	806	391	415
25	4,411	2,296	2,115	83	42	41
26	4,320	2,161	2,159	74	37	37
27	4,219	2,174	2,045	50	31	19
28	4,028	2,029	1,999	36	11	25
29	3,705	1,875	1,830	26	13	13
25-29	20,683	10,535	10,148	269	134	135
30	3,341	1,690	1,651	29	16	13
31	3,271	1,684	1,587	15	10	5
32	3,039	1,539	1,500	22	12	10
33	2,648	1,384	1,264	15	8	7
34	2,572	1,290	1,282	12	9	3
30-34	14,871	7,587	7,284	93	55	38
35	2,375	1,250	1,125	15	6	9
36	2,073	1,065	1,008	11	7	4
37	1,939	1,015	924	10	4	6
38	1,756	906	850	5	2	3
39	1,510	767	743	6	3	3
35-39	9,653	5,003	4,650	47	22	25
40	1,187	599	588	2	1	1
41	957	502	455	9	6	3
42	665	349	316	1	1	-
43	476	264	212	2	1	1
44	258	141	117	-	-	-
40-44	3,543	1,855	1,688	14	9	5
45	145	73	72	-	-	-
46	62	34	28	1	-	1
47	32	18	14	1	1	-
48	17	11	6	-	-	-
49	8	5	3	2	1	1
45-49	264	141	123	4	2	2
50-55	3	2	1	-	-	-
Age not stated	295	150	145	4	2	2

TABLE 38 - BIRTHS IN 1971, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
CARLOW												
Under 20 years	43	24	19	7	4	3	628	320	308	150	81	69
20-24 years	191	94	97	11	4	7	3,890	2,055	1,835	253	125	128
25-29 years	308	149	154	3	1	2	3,993	2,051	1,942	87	46	41
30-34 years	160	80	80	2	2	-	2,734	1,429	1,305	33	21	12
35-39 years	131	61	70	-	-	-	1,691	854	837	13	6	7
40-44 years	55	29	26	-	-	-	599	312	287	5	3	2
45 years and over	5	1	4	-	-	-	38	21	17	2	1	1
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	888	438	450	23	11	12	13,573	7,042	6,531	543	283	260
DUN LAOGHAIRE BOROUGH												
Under 20 years	52	25	27	20	7	13	149	73	76	47	27	20
20-24 years	322	169	153	23	12	11	1,230	623	607	65	31	34
25-29 years	438	230	208	7	3	4	2,299	1,189	1,110	28	16	12
30-34 years	329	177	152	2	-	2	1,498	750	748	4	2	2
35-39 years	172	91	81	2	-	2	770	402	368	3	-	3
40-44 years	54	29	25	-	-	-	247	142	105	-	-	-
45 years and over	6	1	5	-	-	-	13	3	10	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	1,373	722	651	54	22	32	6,206	3,182	3,024	147	76	71
DUBLIN COUNTY BOROUGH												
Under 20 years	52	25	27	20	7	13	149	73	76	47	27	20
20-24 years	322	169	153	23	12	11	1,230	623	607	65	31	34
25-29 years	438	230	208	7	3	4	2,299	1,189	1,110	28	16	12
30-34 years	329	177	152	2	-	2	1,498	750	748	4	2	2
35-39 years	172	91	81	2	-	2	770	402	368	3	-	3
40-44 years	54	29	25	-	-	-	247	142	105	-	-	-
45 years and over	6	1	5	-	-	-	13	3	10	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	1,373	722	651	54	22	32	6,206	3,182	3,024	147	76	71
DUBLIN COUNTY (remainder)												
Under 20 years	52	25	27	20	7	13	149	73	76	47	27	20
20-24 years	322	169	153	23	12	11	1,230	623	607	65	31	34
25-29 years	438	230	208	7	3	4	2,299	1,189	1,110	28	16	12
30-34 years	329	177	152	2	-	2	1,498	750	748	4	2	2
35-39 years	172	91	81	2	-	2	770	402	368	3	-	3
40-44 years	54	29	25	-	-	-	247	142	105	-	-	-
45 years and over	6	1	5	-	-	-	13	3	10	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	1,373	722	651	54	22	32	6,206	3,182	3,024	147	76	71
KILDARE												
Under 20 years	96	53	43	15	11	4	53	28	25	15	8	7
20-24 years	606	306	300	26	13	13	269	138	131	9	5	4
25-29 years	646	345	301	4	2	2	382	202	180	3	2	1
30-34 years	405	207	198	-	-	-	290	150	140	1	1	-
35-39 years	229	132	97	1	1	-	204	113	91	1	-	1
40-44 years	81	45	36	-	-	-	91	51	40	-	-	-
45 years and over	11	5	6	1	1	-	5	3	2	-	-	-
Age not stated	-	-	-	-	-	-	1	-	1	-	-	-
All ages	2,074	1,093	981	47	23	19	1,295	685	610	29	16	13
KILKENNY												
Under 20 years	96	53	43	15	11	4	53	28	25	15	8	7
20-24 years	606	306	300	26	13	13	269	138	131	9	5	4
25-29 years	646	345	301	4	2	2	382	202	180	3	2	1
30-34 years	405	207	198	-	-	-	290	150	140	1	1	-
35-39 years	229	132	97	1	1	-	204	113	91	1	-	1
40-44 years	81	45	36	-	-	-	91	51	40	-	-	-
45 years and over	11	5	6	1	1	-	5	3	2	-	-	-
Age not stated	-	-	-	-	-	-	1	-	1	-	-	-
All ages	2,074	1,093	981	47	23	19	1,295	685	610	29	16	13
LAOIS												
Under 20 years	25	14	11	6	3	3	17	7	10	8	5	3
20-24 years	173	86	87	6	3	3	101	56	45	3	3	-
25-29 years	274	154	120	-	-	-	165	88	77	2	2	-
30-34 years	236	119	117	1	-	1	124	57	67	-	-	-
35-39 years	146	73	73	1	1	-	106	59	47	-	-	-
40-44 years	54	33	21	1	1	-	51	22	29	-	-	-
45 years and over	4	1	3	-	-	-	3	2	1	-	-	-
Age not stated	14	7	7	-	-	-	-	-	-	-	-	-
All ages	926	487	439	15	8	7	567	291	276	13	10	3
LONGFORD												
Under 20 years	25	14	11	6	3	3	17	7	10	8	5	3
20-24 years	173	86	87	6	3	3	101	56	45	3	3	-
25-29 years	274	154	120	-	-	-	165	88	77	2	2	-
30-34 years	236	119	117	1	-	1	124	57	67	-	-	-
35-39 years	146	73	73	1	1	-	106	59	47	-	-	-
40-44 years	54	33	21	1	1	-	51	22	29	-	-	-
45 years and over	4	1	3	-	-	-	3	2	1	-	-	-
Age not stated	14	7	7	-	-	-	-	-	-	-	-	-
All ages	926	487	439	15	8	7	567	291	276	13	10	3

TABLE 38 (contd.) - BIRTHS IN 1971, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Maies	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	LOUTH						MEATH					
Under 20 years	62	35	27	12	6	6	88	43	45	28	12	16
20-24 years	526	284	242	9	5	4	424	222	202	23	12	11
25-29 years	581	297	284	8	4	4	569	275	294	9	3	6
30-34 years	408	216	192	3	3	-	338	187	151	2	1	1
35-39 years	241	117	124	2	1	1	222	125	97	-	-	-
40-44 years	85	41	44	-	-	-	97	48	49	1	1	-
45 years and over	7	5	2	-	-	-	3	3	-	-	-	-
Age not stated	-	-	-	-	-	-	2	2	-	-	-	-
All ages	1,910	995	915	34	19	15	1,743	905	838	63	29	34
	OFFALY						WESTMEATH					
Under 20 years	33	19	14	5	3	2	63	24	39	18	7	11
20-24 years	274	133	141	9	2	7	266	131	135	15	7	8
25-29 years	352	171	181	6	3	3	350	187	163	4	3	1
30-34 years	262	130	132	1	1	-	255	129	126	-	-	-
35-39 years	152	75	77	-	-	-	177	88	89	2	2	-
40-44 years	74	38	36	-	-	-	71	39	32	-	-	-
45 years and over	6	2	4	-	-	-	3	2	1	-	-	-
Age not stated	13	5	8	-	-	-	-	-	-	-	-	-
All ages	1,166	573	593	21	9	12	1,185	600	585	39	19	20
	WEXFORD						WICKLOW					
Under 20 years	104	62	42	26	12	14	84	38	46	20	9	11
20-24 years	521	276	245	30	17	13	454	247	207	22	13	9
25-29 years	604	306	298	8	5	3	508	272	236	10	5	5
30-34 years	440	220	220	4	2	2	354	158	196	1	-	1
35-39 years	278	129	149	3	2	1	182	101	81	1	-	1
40-44 years	77	40	37	-	-	-	76	43	33	-	-	-
45 years and over	7	6	1	-	-	-	5	2	3	-	-	-
Age not stated	3	1	2	-	-	-	-	-	-	-	-	-
All ages	2,034	1,040	994	71	38	33	1,663	861	802	54	27	27
	CORK COUNTY BOROUGH						CORK COUNTY					
Under 20 years	111	52	59	22	12	10	145	82	63	32	17	15
20-24 years	828	439	389	28	14	14	906	457	449	43	9	34
25-29 years	1,129	566	563	5	4	1	1,393	718	675	14	3	11
30-34 years	765	384	381	5	2	3	1,055	516	539	5	4	1
35-39 years	437	212	225	1	1	-	796	419	377	7	3	4
40-44 years	146	72	74	-	-	-	279	134	145	2	1	1
45 years and over	11	6	5	-	-	-	23	12	11	-	-	-
Age not stated	-	-	-	-	-	-	130	67	63	-	-	-
All ages	3,427	1,731	1,696	61	33	26	4,727	2,405	2,322	103	37	66

TABLE 38 (contd.) - BIRTHS IN 1971, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
CLARE												
Under 20 years	42	18	24	7	3	4	51	25	26	15	6	9
20-24 years	329	178	151	7	3	4	406	222	184	16	9	7
25-29 years	476	245	231	12	6	6	594	296	298	6	1	5
30-34 years	376	205	171	2	1	1	462	262	200	-	-	-
35-39 years	262	142	120	1	1	-	350	166	184	1	1	-
40-44 years	84	33	51	-	-	-	134	81	53	-	-	-
45 years and over	7	5	2	-	-	-	12	8	4	-	-	-
Age not stated	1	-	1	-	-	-	99	49	50	-	-	-
All ages	1,577	826	751	29	14	15	2,108	1,109	999	38	17	21
KERRY												
Under 20 years	90	42	48	19	10	9	59	28	31	14	6	8
20-24 years	433	233	200	8	3	5	365	192	173	23	13	10
25-29 years	477	253	224	4	3	1	497	240	257	6	4	2
30-34 years	329	161	168	2	1	1	405	210	195	2	2	-
35-39 years	222	122	100	1	-	1	285	148	137	-	-	-
40-44 years	76	39	37	-	-	-	115	58	57	3	2	1
45 years and over	4	3	1	-	-	-	6	4	2	-	-	-
Age not stated	2	1	1	-	-	-	1	1	-	-	-	-
All ages	1,633	854	779	34	17	17	1,733	881	852	48	27	21
LIMERICK COUNTY BOROUGH												
LIMERICK COUNTY												
TIPPERARY, NORTH RIDING												
TIPPERARY, SOUTH RIDING												
Under 20 years	42	17	25	11	7	4	74	29	45	17	5	12
20-24 years	227	117	110	8	5	3	339	164	175	19	7	12
25-29 years	364	171	193	2	-	2	418	204	214	4	-	4
30-34 years	271	143	128	1	1	-	308	149	159	1	1	-
35-39 years	198	116	82	-	-	-	224	119	105	2	1	1
40-44 years	63	36	27	-	-	-	87	44	43	-	-	-
45 years and over	7	2	5	-	-	-	9	6	3	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	1,172	602	570	22	13	9	1,459	715	744	43	14	29
WATERFORD COUNTY BOROUGH												
WATERFORD COUNTY												
Under 20 years	30	20	10	6	4	2	45	22	23	15	7	8
20-24 years	247	134	113	5	1	4	212	108	104	11	3	8
25-29 years	277	132	145	2	2	-	282	137	145	1	-	1
30-34 years	189	110	79	1	-	1	200	107	93	2	2	-
35-39 years	75	42	33	-	-	-	131	78	53	-	-	-
40-44 years	26	8	18	-	-	-	42	19	23	-	-	-
45 years and over	2	-	2	1	-	1	6	5	1	-	-	-
Age not stated	-	-	-	-	-	-	2	1	1	-	-	-
All ages	846	446	400	15	7	8	920	477	443	29	12	17

TABLE 38 (contd.) - BIRTHS IN 1971, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
GALWAY							LEITRIM					
Under 20 years	90	44	46	22	11	11	5	3	2	-	-	-
20-24 years	606	315	291	29	16	13	76	41	35	3	1	2
25-29 years	1,009	491	518	3	1	2	135	63	72	4	2	2
30-34 years	769	383	386	4	2	2	117	64	53	1	-	1
35-39 years	540	271	269	1	-	1	94	51	43	-	-	-
40-44 years	214	124	90	-	-	-	35	22	13	-	-	-
45 years and over	19	8	11	-	-	-	2	1	1	-	-	-
Age not stated	11	10	1	2	2	-	-	-	-	-	-	-
All ages	3,258	1,646	1,612	61	32	29	464	245	219	8	3	5
MAYO							ROSCOMMON					
Under 20 years	42	26	16	12	7	5	16	8	8	5	2	3
20-24 years	320	172	148	19	12	7	141	77	64	6	2	4
25-29 years	523	278	245	5	4	1	215	116	99	1	-	1
30-34 years	466	226	240	1	1	-	210	110	100	2	1	1
35-39 years	365	197	168	1	1	-	155	76	79	1	-	1
40-44 years	150	74	76	-	-	-	65	30	35	-	-	-
45 years and over	9	3	6	-	-	-	5	5	-	-	-	-
Age not stated	1	-	1	-	-	-	5	2	3	-	-	-
All ages	1,876	976	900	38	25	13	812	424	388	15	5	10
SLIGO							CAVAN					
Under 20 years	35	20	15	6	4	2	22	11	11	10	4	6
20-24 years	178	81	97	15	7	8	180	102	78	16	9	7
25-29 years	279	133	146	3	-	3	268	133	135	5	2	3
30-34 years	227	112	115	1	1	-	223	120	103	1	-	1
35-39 years	169	91	78	-	-	-	189	79	110	-	-	-
40-44 years	66	36	30	-	-	-	69	39	30	1	1	-
45 years and over	3	1	2	-	-	-	9	7	2	-	-	-
Age not stated	1	-	1	-	-	-	8	4	4	1	-	1
All ages	958	474	484	25	12	13	968	495	473	34	16	18
DONEGAL							MONAGHAN					
Under 20 years	68	37	31	12	6	6	21	9	12	4	2	2
20-24 years	503	255	248	33	19	14	211	113	98	12	5	7
25-29 years	595	306	289	8	6	2	288	137	151	5	1	4
30-34 years	474	231	243	6	2	4	192	85	107	2	1	1
35-39 years	327	180	147	1	-	1	133	74	59	1	1	-
40-44 years	134	69	65	1	-	1	46	25	21	-	-	-
45 years and over	14	8	6	-	-	-	3	2	1	-	-	-
Age not stated	1	-	1	1	-	1	-	-	-	-	-	-
All ages	2,116	1,086	1,030	62	33	29	894	445	449	24	10	14

TABLE 39 - TOTAL BIRTHS IN 1971 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	67,551	19,141	14,562	11,210	7,928	5,178	3,441	2,095	1,342	926	617
15 and under	49	45	4	-	-	-	-	-	-	-	-
16	118	112	4	2	-	-	-	-	-	-	-
17	349	315	31	3	-	-	-	-	-	-	-
18	797	650	132	13	2	-	-	-	-	-	-
19	1,172	900	218	49	4	1	-	-	-	-	-
Under 20	2,485	2,022	389	67	6	1	-	-	-	-	-
20	1,815	1,219	425	138	24	9	-	-	-	-	-
21	2,528	1,618	602	228	56	21	3	-	-	-	-
22	3,220	1,872	859	337	103	32	14	2	-	-	-
23	3,900	1,930	1,200	493	173	70	26	6	2	-	-
24	4,291	1,892	1,340	616	289	93	41	17	2	1	-
20-24	15,754	8,531	4,426	1,812	645	225	84	25	4	1	-
25	4,411	1,675	1,389	790	333	122	61	26	10	4	1
26	4,320	1,321	1,460	828	394	176	92	31	9	7	1
27	4,219	1,114	1,267	914	494	252	117	38	16	3	4
28	4,028	907	1,114	916	555	275	144	72	30	9	3
29	3,705	650	895	942	596	314	149	76	43	26	8
25-29	20,683	5,667	6,125	4,390	2,372	1,139	563	243	108	49	17
30	3,341	520	695	838	576	325	172	103	47	35	14
31	3,271	401	666	781	622	358	207	108	48	36	24
32	3,039	338	467	698	562	404	265	129	84	49	19
33	2,648	260	361	516	589	374	204	138	88	50	38
34	2,572	261	283	469	526	395	274	139	100	51	32
30-34	14,871	1,780	2,472	3,302	2,875	1,856	1,122	617	367	221	127
35	2,375	180	273	356	447	376	256	175	108	78	65
36	2,073	164	221	336	350	309	257	153	81	63	68
37	1,939	121	179	262	322	300	236	165	121	86	45
38	1,756	112	136	207	286	294	231	151	118	80	44
39	1,510	97	112	162	204	231	187	150	124	73	47
35-39	9,653	674	921	1,323	1,609	1,510	1,167	794	552	380	269
40	1,187	57	72	121	152	136	189	138	88	72	54
41	957	48	59	76	116	117	140	92	83	65	41
42	665	28	35	55	72	88	81	79	49	44	41
43	476	24	35	36	38	52	53	45	35	41	39
44	258	11	10	15	23	33	20	31	25	21	15
40-44	3,543	168	211	303	401	426	483	385	280	243	190
45	145	5	7	9	12	10	11	19	20	15	9
46	62	-	4	2	2	6	5	4	4	13	4
47	32	1	2	1	1	3	2	7	5	4	1
48	17	-	1	1	4	2	2	1	1	-	-
49 and over	11	1	2	-	1	-	1	-	1	-	-
45 and over	267	7	16	13	20	21	21	31	31	32	14
Age not stated	295	292	2	-	-	-	1	-	-	-	-

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

fiveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	8	9	20	21	22 and over	Not stated	
397	272	182	108	64	42	15	10	8	3	2	-	1	7	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	1	20-24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2	-	-	-	-	-	-	-	-	-	-	-	-	1	28
3	3	-	-	-	-	-	-	-	-	-	-	-	-	29
6	3	-	-	-	-	-	-	-	-	-	-	-	1	25-29
9	4	1	1	-	-	-	-	-	-	-	-	-	1	30
12	4	1	1	-	-	-	-	-	-	-	-	-	2	31
10	6	4	2	1	1	-	-	-	-	-	-	-	-	32
13	9	6	1	1	-	-	-	-	-	-	-	-	-	33
19	12	8	1	1	-	-	-	-	-	-	-	-	1	34
63	35	20	6	3	1	-	-	-	-	-	-	-	4	30-34
36	7	6	5	2	2	2	1	-	-	-	-	-	-	35
38	16	10	3	3	-	-	-	-	-	-	-	1	-	36
34	28	10	14	10	4	-	1	-	-	-	-	-	1	37
35	27	15	12	4	2	2	-	-	-	-	-	-	-	38
35	30	25	16	5	8	3	1	-	-	-	-	-	-	39
178	108	66	50	24	16	7	3	-	-	-	-	1	1	35-39
32	30	21	12	5	6	-	1	1	-	-	-	-	-	40
41	34	18	9	8	4	2	1	2	-	1	-	-	-	41
28	19	22	10	7	2	2	3	-	-	-	-	-	-	42
18	20	16	8	4	7	2	-	1	1	1	-	-	-	43
12	11	8	9	10	3	-	-	1	-	-	-	-	-	44
131	114	85	48	34	22	6	5	5	1	2	-	-	-	40-44
8	4	7	3	-	1	1	1	2	1	-	-	-	-	45
10	3	1	-	1	-	1	1	-	1	-	-	-	-	46
1	1	1	-	-	1	-	-	1	-	-	-	-	-	47
-	3	2	-	-	-	-	-	-	-	-	-	-	-	48
-	1	-	1	2	1	-	-	-	-	-	-	-	-	49 and over
19	12	11	4	3	3	2	2	3	2	-	-	-	-	45 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	Age not stated

TABLE 40 - LEGITIMATE BIRTHS IN 1971, CLASSIFIED BY

Age of mother at maternity	Legitimate births: the											
	Total	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961
All ages	65,709	2,661	11,037	7,387	6,832	5,497	4,723	4,306	3,617	3,132	2,806	2,355
15	16	7	6	2	1	-	-	-	-	-	-	-
16	60	31	26	3	-	-	-	-	-	-	-	-
17	231	115	96	14	4	1	1	-	-	-	-	-
18	586	194	302	69	16	5	-	-	-	-	-	-
19	987	256	500	159	55	14	1	2	-	-	-	-
Under 20	1,880	603	930	247	76	20	2	2	-	-	-	-
20	1,615	299	761	322	159	59	10	4	-	1	-	-
21	2,342	332	1,064	493	270	116	48	13	4	2	-	-
22	3,065	282	1,272	690	429	233	93	35	20	8	2	1
23	3,748	285	1,279	819	637	360	198	107	37	20	3	3
24	4,178	223	1,203	831	742	532	342	173	76	33	14	7
20-24	14,948	1,421	5,579	3,155	2,237	1,300	691	332	137	64	19	11
25	4,328	146	1,028	786	790	571	410	297	151	88	38	13
26	4,246	106	803	705	720	612	503	343	224	127	70	17
27	4,169	87	639	534	636	552	533	434	336	204	118	63
28	3,992	70	483	410	505	521	487	488	351	233	185	107
29	3,679	52	356	331	401	404	441	437	348	305	260	151
25-29	20,414	461	3,309	2,766	3,052	2,660	2,374	1,999	1,410	1,007	671	351
30	3,312	38	272	266	295	316	328	374	350	309	270	196
31	3,256	20	205	199	277	285	305	345	339	337	262	235
32	3,017	25	159	159	186	184	217	288	286	295	293	283
33	2,633	18	139	125	139	153	163	230	244	226	239	227
34	2,560	14	117	109	124	124	158	175	213	199	246	217
30-34	14,778	115	892	858	1,021	1,067	1,171	1,412	1,432	1,366	1,310	1,153
35	2,360	13	78	84	107	106	101	138	147	177	180	196
36	2,062	13	74	70	83	98	81	120	121	133	152	150
37	1,929	13	53	53	77	65	75	86	95	112	110	129
38	1,751	8	43	47	54	62	57	77	90	86	117	123
39	1,504	5	26	39	45	51	62	47	60	61	95	84
35-39	9,606	52	274	293	366	382	376	468	513	569	654	682
40	1,185	3	26	16	31	24	40	36	44	60	53	55
41	948	3	10	19	21	20	28	19	33	30	44	45
42	664	1	7	17	11	8	15	18	21	15	24	24
43	474	1	8	5	9	8	16	10	15	10	18	18
44	258	-	2	6	5	6	4	4	7	8	6	6
40-44	3,529	8	53	63	77	66	103	87	120	123	145	148
45	145	-	-	3	1	2	2	4	3	3	4	3
46	61	-	-	-	1	-	2	1	1	-	1	1
47	31	-	-	1	1	-	1	-	-	-	2	-
48	17	-	-	-	-	-	1	1	1	-	-	1
49 and over	9	-	-	1	-	-	-	-	-	-	-	-
45 and over	263	-	-	5	3	2	6	6	5	3	7	5
Age not stated	291	1	-	-	-	-	-	-	-	-	-	-

AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

year of marriage being												Age of mother at maternity
1980	1959	1958	1957	1956	1955	1954	1953	1952	1947- 1951	1946 and earlier	Not stated	
2,230	1,784	1,462	1,204	988	835	664	489	433	857	120	290	
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	23
2	-	-	-	-	-	-	-	-	-	-	-	24
2	-	-	-	-	-	-	-	-	-	-	-	20-24
5	5	-	-	-	-	-	-	-	-	-	-	25
12	3	1	-	-	-	-	-	-	-	-	-	26
21	11	-	-	1	-	-	-	-	-	-	-	27
68	21	8	4	-	1	-	-	-	-	-	-	28
124	47	9	7	4	1	1	-	-	-	-	-	29
230	87	18	11	5	2	1	-	-	-	-	-	25-29
155	69	38	16	13	5	1	1	-	-	-	-	30
202	113	72	40	10	8	1	1	-	-	-	-	31
244	157	113	66	38	16	7	1	-	-	-	-	32
240	173	133	64	52	35	19	4	3	2	-	-	33
211	223	167	110	61	45	23	15	4	5	-	-	34
1,052	735	523	296	174	109	51	22	7	7	-	-	30-34
217	185	184	152	119	70	51	31	14	10	-	-	35
200	162	150	134	105	77	70	29	25	15	-	-	36
157	165	137	163	114	104	71	65	47	38	-	-	37
117	139	131	131	123	98	91	46	47	64	-	-	38
87	96	109	95	97	115	92	85	72	78	3	-	39
778	747	711	675	558	464	375	256	205	205	3	-	35-39
58	74	84	82	85	99	73	60	53	129	-	-	40
49	56	55	47	72	57	68	56	58	145	13	-	41
32	42	33	43	36	52	32	46	43	132	12	-	42
17	19	20	28	27	25	40	21	29	107	23	-	43
7	9	10	10	19	10	12	16	18	65	28	-	44
163	200	202	210	239	243	225	199	201	578	76	-	40-44
4	6	4	6	5	10	10	5	16	37	17	-	45
-	4	1	5	3	3	2	3	4	19	10	-	46
1	2	3	-	3	3	-	2	-	6	6	-	47
-	2	-	1	1	-	-	1	-	2	6	-	48
-	1	-	-	-	1	-	1	-	3	2	-	49 and over
5	15	8	12	12	17	12	12	20	67	41	-	45 and over
-	-	-	-	-	-	-	-	-	-	-	290	Age not stated

TABLE 41 - LEGITIMATE FIRST BIRTHS IN 1971 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

[illegible]

TABLE 42 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	22,014	21,118	896	566	111	30	6	13	170
Carlow	244	236	8	8	-	-	-	-	-
Dublin County Borough	5,759	5,432	327	141	13	10	6	11	146
Dun Laoghaire Borough	498	446	52	45	2	1	-	-	4
Dublin County (remainder)	1,223	1,194	29	28	1	-	-	-	-
Kildare	561	548	13	10	3	-	-	-	-
Kilkenny	390	387	3	3	-	-	-	-	-
Laois	287	270	17	17	-	-	-	-	-
Longford	191	186	5	5	-	-	-	-	-
Louth	670	664	6	5	1	-	-	-	-
Meath	527	518	9	9	-	-	-	-	-
Offaly	326	319	7	6	-	1	-	-	-
Westmeath	401	401	-	-	-	-	-	-	-
Wexford	651	619	32	27	-	4	-	-	1
Wicklow	514	468	46	42	1	-	-	1	2
Leinster	12,242	11,688	554	346	21	16	6	12	153
Clare	474	474	-	-	-	-	-	-	-
Cork County Borough	1,070	1,043	27	19	-	4	-	-	4
Cork County	1,442	1,389	53	48	-	3	-	-	2
Kerry	663	656	7	6	-	-	-	-	1
Limerick County Borough	570	565	5	-	-	-	-	1	4
Limerick County	530	522	8	4	-	2	-	-	2
Tipperary, N.R.	337	327	10	9	-	1	-	-	-
Tipperary, S.R.	504	501	3	2	-	-	-	-	1
Waterford County Borough	270	266	4	4	-	-	-	-	-
Waterford County	258	249	9	9	-	-	-	-	-
Munster	6,118	5,992	126	101	-	10	-	1	14
Galway	923	922	1	1	-	-	-	-	-
Leitrim	148	138	10	7	2	1	-	-	-
Mayo	567	562	5	4	-	-	-	-	1
Roscommon	264	264	-	-	-	-	-	-	-
Sligo	239	276	13	12	-	1	-	-	-
Connacht	2,191	2,162	29	24	2	2	-	-	1
Cavan	344	301	43	39	3	-	-	-	1
Donegal	813	704	109	40	66	2	-	-	1
Monaghan	306	271	35	16	19	-	-	-	-
Ulster (part of)	1,463	1,276	187	95	88	2	-	-	2

COUNTY AND COUNTY BOROUGH DURING 1971

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
4,463	4,967	7,708	4,876	21,697	97	135	85	Total
53	63	82	46	241	1	1	1	Carlow
1,281	1,380	1,733	1,365	5,669	17	43	30	Dublin County Borough
118	114	199	67	491	1	4	2	Dun Laoghaire Borough
251	243	404	325	1,202	5	11	5	Dublin County (remainder)
108	104	254	95	550	6	3	2	Kildare
67	90	164	69	381	4	4	1	Kilkenny
47	60	122	58	275	4	5	3	Laois
31	55	58	47	187	-	4	-	Longford
159	150	244	117	661	3	3	3	Louth
115	122	189	101	515	5	2	5	Meath
76	67	123	60	322	2	2	-	Offaly
76	89	140	96	391	5	3	2	Westmeath
127	145	232	147	645	3	2	1	Wexford
108	103	177	126	500	3	5	6	Wicklow
2,617	2,785	4,121	2,719	12,030	59	92	61	Leinster
106	107	145	116	470	-	3	1	Clare
223	280	378	189	1,059	3	3	5	Cork County Borough
289	332	501	320	1,424	8	4	6	Cork County
134	111	237	181	658	2	2	1	Kerry
162	140	164	104	567	1	2	-	Limerick County Borough
106	127	162	135	526	1	3	-	Limerick County
64	80	134	59	335	-	1	1	Tipperary, N.R.
122	97	197	88	499	2	-	3	Tipperary, S.R.
42	70	98	60	267	-	3	-	Waterford County Borough
42	74	69	73	255	-	3	-	Waterford County
1,290	1,418	2,085	1,325	6,060	17	24	17	Munster
136	165	418	204	916	5	2	-	Galway
20	33	61	34	147	1	-	-	Leitrim
90	106	174	197	559	2	3	3	Mayo
32	65	116	51	259	-	5	-	Roscommon
58	58	113	60	289	-	-	-	Sligo
336	427	832	546	2,170	8	10	3	Connacht
61	68	137	78	337	5	1	1	Cavan
114	190	367	142	803	4	5	1	Donegal
45	79	116	66	297	4	3	2	Monaghan
220	337	620	286	1,437	13	9	4	Ulster (part of)

TABLE 43 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY
ALL

Age of groom	Age of																							
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35		
All ages	25	37	119	359	753	1,331	1,818	2,325	2,756	2,455	2,096	1,662	1,289	932	666	537	424	358	273	216	164	172		
16	1	2	4	5	4	2	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
17	1	2	4	12	8	10	10	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18	2	6	17	37	67	36	29	5	7	3	1	-	2	-	-	2	-	-	-	-	-	-	-	-
19	2	6	25	61	88	132	71	42	38	17	6	1	2	3	-	1	1	-	-	-	-	-	-	-
20	2	4	18	49	120	195	209	116	91	47	19	10	2	13	5	2	1	-	-	-	-	-	-	-
21	4	3	18	55	142	214	266	319	149	117	60	31	17	9	8	-	-	1	2	-	1	-	-	-
22	6	6	7	35	95	219	327	363	448	153	108	54	42	33	13	10	3	8	3	1	1	-	-	-
23	4	-	8	32	68	145	271	376	470	425	180	112	51	35	18	8	9	3	6	1	1	1	-	-
24	1	3	5	29	48	101	195	318	433	385	357	133	80	49	40	8	11	5	5	8	4	2	-	-
25	1	2	3	16	32	71	133	223	345	358	317	307	116	78	45	43	24	13	6	4	4	1	-	-
26	-	1	5	7	20	77	89	164	230	258	279	225	209	87	54	33	27	14	11	4	2	1	-	-
27	-	-	3	4	16	31	56	106	154	204	226	204	181	119	43	44	31	23	11	11	1	6	-	-
28	-	-	-	4	6	22	44	76	111	131	173	123	134	93	75	31	43	25	15	9	1	2	-	-
29	-	-	1	4	7	23	30	44	68	90	97	126	99	68	85	65	21	19	16	16	11	8	-	-
30	-	-	1	-	6	9	18	43	62	72	59	87	76	60	58	42	36	20	9	11	7	4	-	-
31	-	-	-	1	6	7	17	27	40	41	50	59	54	49	33	48	29	37	10	11	6	8	-	-
32	-	-	-	2	4	9	13	28	24	41	37	36	62	44	30	39	28	28	23	20	12	7	-	-
33	-	-	-	-	3	9	5	23	15	28	30	32	33	35	29	30	24	31	19	16	3	6	-	-
34	-	-	-	1	3	5	9	13	14	29	22	34	30	33	27	26	12	20	20	15	9	12	-	-
35	-	2	-	1	1	3	6	7	8	18	15	22	22	21	21	17	20	19	11	10	13	14	-	-
36	-	-	-	-	1	2	1	2	13	10	11	16	14	23	24	14	12	19	18	11	6	11	-	-
37	1	-	-	1	1	-	3	7	7	8	14	11	7	17	8	14	18	12	17	8	6	15	-	-
38	-	-	-	1	2	1	-	2	5	2	7	6	10	16	10	10	12	17	12	11	12	4	-	-
39	-	-	-	-	1	2	1	-	3	5	4	5	7	10	11	13	9	9	7	9	7	9	-	-
40	-	-	-	-	1	1	1	-	3	3	7	3	6	7	8	15	8	3	5	6	8	8	-	-
41	-	-	-	-	1	1	-	4	-	1	3	8	6	4	4	4	5	5	5	1	9	9	-	-
42	-	-	-	-	-	1	3	1	-	1	5	3	5	4	4	4	5	4	7	6	5	8	-	-
43	-	-	-	-	1	-	2	-	2	2	1	2	4	4	3	5	4	3	6	5	9	7	-	-
44	-	-	-	-	-	-	2	-	2	3	2	3	4	7	2	3	1	3	10	7	1	6	-	-
45	-	-	-	-	-	-	1	3	2	-	1	-	4	1	1	1	7	3	3	1	5	3	-	-
46	-	-	-	-	-	-	1	-	2	1	1	-	3	2	1	-	5	1	4	2	5	1	-	-
47	-	-	-	-	-	-	-	1	2	-	-	1	2	2	3	-	4	-	3	3	6	2	-	-
48	-	-	-	-	-	1	-	1	3	-	1	3	-	1	1	-	3	3	1	1	3	3	-	-
49	-	-	-	-	-	1	-	1	-	-	1	1	-	1	1	2	-	-	1	-	-	4	-	-
50-54	-	-	-	1	-	-	-	1	1	1	1	2	1	2	1	1	8	9	3	5	3	8	-	-
55-59	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	2	1	-	2	2	2	-	-
60-64	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	1	-	1	5	3	1	1	-	1	1	-	-	2	1	-	2	-	1	-	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																						Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
156	116	109	103	86	70	57	61	42	39	28	36	31	30	89	66	32	12	10	4	70	22,014	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	214	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	498	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	906	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,419	21
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,940	22
3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,232	23
-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2,224	24
-	2	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	2,150	25
1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1,809	26
2	4	-	1	1	1	-	1	-	1	-	*	*	1	-	-	-	-	-	-	1	1,487	27
1	3	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,129	28
9	2	-	2	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	918	29
6	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	693	30
9	4	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	553	31
7	7	5	4	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	515	32
4	2	3	4	2	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	393	33
6	2	4	5	1	1	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	358	34
5	5	9	5	2	4	1	1	4	-	1	-	-	-	1	-	-	-	-	-	1	290	35
13	5	3	2	2	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	240	36
8	3	4	4	3	3	-	3	2	3	-	-	1	-	1	-	-	-	-	-	-	210	37
4	5	8	4	4	2	1	1	1	2	-	2	2	1	-	1	-	-	-	-	-	178	38
5	10	8	7	5	2	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	156	39
8	9	4	5	2	1	4	6	-	1	-	2	1	1	1	-	1	-	-	-	2	141	40
10	7	5	7	8	4	2	4	2	1	-	2	1	1	2	-	-	-	-	-	-	126	41
8	7	5	8	3	4	6	2	3	1	-	1	-	-	-	-	-	-	-	-	-	114	42
6	8	5	5	1	5	3	4	1	1	-	-	1	1	2	2	-	-	-	-	1	106	43
8	4	6	3	6	1	2	5	2	-	-	4	2	2	1	-	-	-	-	-	-	102	44
7	2	5	5	9	4	4	3	4	3	1	-	1	1	1	2	1	-	-	-	-	89	45
6	3	8	3	3	1	1	3	5	4	3	3	1	-	2	-	1	-	-	-	1	77	46
6	3	8	5	3	5	2	4	1	1	2	1	2	-	3	-	-	-	-	-	-	75	47
2	1	5	-	3	4	1	-	2	5	3	2	4	-	1	-	-	-	-	-	-	58	48
-	1	-	5	4	3	2	2	-	-	2	1	1	3	-	1	-	-	-	-	-	38	49
6	4	4	10	11	11	13	9	7	4	10	9	5	10	24	3	3	1	-	-	-	192	50-54
5	3	3	3	3	3	8	3	4	6	3	6	5	7	23	21	3	1	3	-	-	125	55-59
1	-	-	1	1	1	-	3	-	3	-	2	2	1	12	19	11	3	3	1	1	71	60-64
-	1	-	-	2	-	-	-	1	-	2	-	-	-	7	12	6	3	-	-	-	35	65-69
-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	5	3	3	2	3	-	20	70-74
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	2	-	-	6	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	31	52	Not stated

TABLE 44 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY
FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	25	37	119	359	752	1,331	1,815	2,325	2,753	2,454	2,093	1,655	1,287	925	660	532	420	348	268	207	163	166
16	1	2	4	5	4	2	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
17	1	2	4	12	8	10	10	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
18	2	6	17	37	67	86	29	5	7	3	1	-	2	-	-	2	-	-	-	-	-	-
19	2	6	25	61	88	132	71	42	38	17	6	1	2	3	-	1	1	-	-	-	-	-
20	2	4	18	49	120	195	209	116	91	47	20	10	2	13	5	2	1	-	-	-	-	-
21	4	3	18	55	142	214	266	319	149	117	59	31	17	9	8	-	-	1	2	-	1	-
22	6	6	7	35	95	219	327	363	448	153	108	53	42	32	13	9	3	8	3	1	1	-
23	4	-	8	32	68	145	271	376	470	425	180	112	51	35	18	7	9	3	6	-	1	1
24	1	3	5	29	48	101	195	318	433	385	357	132	80	49	40	8	11	5	5	8	4	2
25	1	2	3	16	32	71	133	223	345	358	317	307	116	78	45	43	24	13	6	4	4	1
26	-	1	5	7	20	77	89	164	230	258	279	225	209	87	54	33	27	14	11	4	2	1
27	-	-	3	4	16	31	56	106	154	204	226	204	181	118	43	44	31	22	11	11	1	6
28	-	-	-	4	6	22	44	76	111	131	173	123	134	93	73	31	43	24	15	8	1	2
29	-	-	1	4	7	23	30	44	68	90	96	124	99	68	85	65	21	18	16	15	11	8
30	-	-	1	-	6	9	18	43	62	72	59	87	76	59	58	42	35	20	9	10	7	4
31	-	-	-	1	6	7	16	27	40	41	50	59	54	49	33	48	28	37	10	11	6	6
32	-	-	-	2	4	9	13	23	24	41	37	36	61	43	30	39	28	28	23	20	12	7
33	-	-	-	-	3	9	4	23	15	23	30	32	33	35	23	30	24	30	18	16	3	6
34	-	-	-	1	3	5	9	13	14	29	22	34	30	33	27	26	12	20	20	14	9	12
35	-	2	-	1	1	3	6	7	8	17	15	21	22	21	20	17	20	18	11	10	13	13
36	-	-	-	-	1	2	1	2	12	10	10	16	14	23	24	14	12	19	18	11	6	11
37	1	-	-	1	1	-	3	7	7	8	14	10	7	17	8	14	18	11	16	8	6	15
38	-	-	-	1	2	1	-	2	5	2	7	6	10	15	10	10	11	17	11	11	12	4
39	-	-	-	-	1	2	1	-	3	5	4	5	7	10	10	13	9	9	7	9	7	8
40	-	-	-	-	1	1	1	-	3	3	6	3	6	7	8	15	8	3	5	6	8	8
41	-	-	-	-	1	1	-	4	-	1	3	8	6	4	4	4	5	5	5	1	9	9
42	-	-	-	-	-	1	2	1	-	1	5	3	5	4	4	2	5	3	7	6	5	8
43	-	-	-	-	1	-	2	-	2	2	1	2	3	4	3	4	4	3	6	4	9	7
44	-	-	-	-	-	-	2	-	2	3	2	3	4	7	1	3	1	2	10	7	1	6
45	-	-	-	-	-	-	1	3	1	-	1	-	4	1	1	1	7	2	3	1	4	3
46	-	-	-	-	-	-	1	-	1	1	1	-	3	2	1	-	5	1	4	2	5	1
47	-	-	-	-	-	-	-	1	2	-	-	1	2	2	3	-	4	-	2	3	6	2
48	-	-	-	-	-	1	-	1	3	-	1	3	-	1	1	-	3	3	1	1	3	3
49	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	2	-	-	1	-	-	4
50-54	-	-	-	1	-	-	-	1	1	1	1	2	1	2	1	1	8	9	3	3	3	6
55-59	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	2	2	2
60-64	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	1	-	1	5	3	1	1	-	-	1	-	-	2	1	-	2	-	1	-

**AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES**

bride																						Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
149	108	105	96	72	62	45	53	35	31	15	25	24	18	54	27	10	3	3	-	67	21,697	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	214	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	498	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	907	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,418	21
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,937	22
3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,229	23
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,222	24
-	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2,149	25
1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1,808	26
2	4	-	1	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	1,485	27
1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,123	28
8	2	-	2	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	912	29
6	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	690	30
9	4	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	549	31
7	7	5	4	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	513	32
4	2	3	4	1	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	386	33
6	1	3	4	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	352	34
5	4	8	5	2	4	1	1	4	-	-	-	-	-	-	-	-	-	-	-	1	281	35
12	5	3	2	2	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	235	36
8	3	4	4	3	3	-	3	2	3	-	-	1	-	1	-	-	-	-	-	-	207	37
3	5	8	4	4	2	1	1	1	2	-	2	2	1	-	1	-	-	-	-	-	174	38
5	10	8	7	4	2	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	153	39
8	7	4	5	2	1	4	6	-	1	-	2	1	1	1	-	-	-	-	-	2	137	40
9	7	5	7	7	4	1	4	2	1	-	2	1	1	2	-	-	-	-	-	-	123	41
8	7	5	8	3	4	5	1	3	1	-	1	-	-	-	-	-	-	-	-	-	108	42
6	8	5	5	1	5	3	4	-	1	-	-	1	1	1	1	-	-	-	-	-	99	43
7	3	5	3	6	1	1	5	2	-	-	3	2	2	1	-	-	-	-	-	-	95	44
7	2	5	5	7	4	2	3	4	2	1	-	-	-	1	1	-	-	-	-	-	77	45
6	3	8	2	3	1	-	2	5	4	1	3	1	-	2	-	1	-	-	-	1	71	46
5	3	7	5	3	5	2	3	1	1	1	-	2	-	3	-	-	-	-	-	-	69	47
2	1	5	-	2	2	1	-	1	3	2	1	3	-	1	-	-	-	-	-	-	49	48
-	1	-	4	4	3	2	2	-	-	2	-	1	3	-	1	-	-	-	-	-	35	49
5	3	4	8	8	11	12	7	5	3	5	6	5	6	15	1	-	-	-	-	-	148	50-54
5	2	3	2	1	2	5	1	3	4	2	3	2	1	14	10	-	-	-	-	-	69	55-59
1	-	-	1	-	1	-	3	-	2	-	1	-	-	4	4	6	1	1	-	-	30	60-64
-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	6	2	1	-	-	-	13	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	5	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	30	50	Not stated

TABLE 45 - MARRIAGES REGISTERED IN 1971 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	765	8,407	7,189	2,410	1,080	569	307	182	112	104	43	21,118	27.4
Church of Ireland	10	207	193	56	30	15	16	5	11	16	7	566	29.3
Presbyterian	7	34	38	18	5	1	2	1	1	2	2	111	28.2
Other Religious denominations	-	22	15	7	1	-	2	1	-	1	-	49	28.2
Civil marriages	5	51	58	21	8	4	10	3	1	9	-	170	30.8
Total	787	8,721	7,493	2,512	1,074	589	337	192	125	132	52	22,014	27.5

TABLE 46 - MARRIAGES REGISTERED IN 1971 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	2,550	10,983	4,870	1,398	623	304	154	76	51	46	63	21,118	24.9
Church of Ireland	38	292	148	21	18	10	5	10	10	8	6	566	26.7
Presbyterian	15	56	25	4	7	1	1	1	-	-	1	111	25.0
Other Religious denominations	3	26	17	-	-	-	1	1	-	1	-	49	25.9
Civil marriages	18	93	26	12	8	1	3	1	5	3	-	170	26.6
Total	2,624	11,450	5,086	1,435	656	316	164	89	66	58	70	22,014	25.0

TABLE 47 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	13	380	830	617	344	214	123	66	30	17	11	2,645	32.6
Other agricultural occupations and fishermen	22	174	143	37	30	19	10	5	9	6	1	456	28.6
Higher professional	6	376	637	152	46	31	7	6	5	7	2	1,275	27.8
Lower professional	12	435	517	142	39	18	10	6	3	7	2	1,191	27.3
Employers and managers	3	251	408	107	40	23	14	10	8	9	3	876	28.7
Salaried employees	6	242	297	97	39	15	13	3	6	6	1	725	28.3
Intermediate non-manual workers	131	1,186	1,169	334	128	68	31	20	7	19	8	3,101	27.1
Other non-manual workers	79	794	632	191	80	39	29	18	13	3	6	1,884	27.0
Skilled manual workers	254	3,258	2,013	542	200	106	56	34	27	25	12	6,527	26.1
Other manual workers	208	1,561	814	283	122	55	41	22	13	14	6	3,139	26.2
Not stated	53	64	33	10	6	1	3	2	4	19	-	195	28.4
Total	787	8,721	7,493	2,512	1,074	589	337	192	125	132	52	22,014	27.5

TABLE 48 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	9	56	52	36	17	14	9	4	-	-	1	198	29.9
Other agricultural occupations and fishermen	4	7	4	-	1	-	-	-	-	-	-	16	23.4
Higher professional	3	75	53	11	1	2	2	-	-	1	-	148	25.9
Lower professional	88	1,379	1,079	300	123	38	12	10	4	4	11	3,048	26.3
Employers and managers	6	68	56	17	10	7	2	4	3	5	1	179	29.2
Salaried employees	9	53	29	6	2	2	-	1	-	-	-	102	25.0
Intermediate non-manual workers	648	4,122	1,779	423	170	59	21	20	6	2	20	7,270	24.6
Other non-manual workers	706	2,173	1,055	411	220	125	81	39	33	31	18	4,892	26.0
Skilled manual workers	157	707	203	57	29	15	6	2	4	2	3	1,185	24.2
Other manual workers	789	2,290	596	122	50	37	18	4	2	1	12	3,921	23.1
Not stated	205	520	180	52	33	17	13	5	14	12	4	1,055	25.0
Total	2,624	11,450	5,086	1,435	656	316	164	89	66	58	70	22,014	25.0

TABLE 49 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,645	149	1	8	442	17	1	702	988	54	153	130
Other agricultural occupations and fishermen	456	3	4	-	19	4	3	83	204	23	95	18
Higher professional	1,275	3	-	67	457	15	12	495	129	23	21	53
Lower professional	1,191	6	-	15	531	11	11	386	115	35	37	44
Employers and managers	876	1	-	12	170	36	7	410	144	30	22	44
Salaried employees	725	-	-	3	160	10	15	327	120	27	26	37
Intermediate non-manual workers	3,101	8	1	17	477	26	14	1,430	536	133	320	139
Other non-manual workers	1,884	7	1	4	121	14	9	571	479	141	462	75
Skilled manual workers	6,527	13	4	17	574	38	20	2,284	1,306	539	1,508	224
Other manual workers	3,139	8	5	5	89	7	10	573	834	179	1,268	161
Not stated	195	-	-	-	8	1	-	9	37	1	9	130
Total	22,014	198	16	148	3,048	179	102	7,270	4,892	1,185	3,921	1,055

TABLE 50 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	787	8,721	7,493	2,512	1,074	589	337	192	125	132	52	22,014	27.5
Carlow	10	110	90	35	17	5	7	4	-	3	1	282	27.9
Dublin County Borough	264	2,587	1,753	495	160	83	55	28	17	34	5	5,481	26.3
Dun Laoghaire Borough	16	206	156	33	13	9	5	1	3	11	-	453	27.1
Dublin County (remainder)	34	510	407	108	46	21	10	9	8	4	2	1,159	26.8
Kildare	36	274	188	46	23	12	6	4	8	2	1	600	26.6
Kilkenny	10	119	129	42	24	10	5	1	3	-	1	344	27.9
Laois	4	86	75	33	24	8	14	4	1	3	3	255	29.8
Longford	4	55	63	22	11	7	7	5	3	-	1	178	29.6
Louth	32	278	213	58	16	13	9	5	6	2	-	632	26.7
Meath	13	161	161	63	27	18	16	7	6	5	1	478	29.1
Offaly	13	112	127	48	17	9	5	4	1	2	1	339	28.0
Westmeath	17	136	124	40	23	16	9	4	4	-	1	374	28.1
Wexford	16	248	187	73	26	20	7	9	5	6	3	600	27.9
Wicklow	17	228	150	45	20	12	6	5	4	5	-	492	27.2
Leinster	486	5,110	3,823	1,141	447	243	161	90	69	77	20	11,667	27.0
Clare	13	147	163	66	24	18	6	6	5	2	-	450	28.2
Cork County Borough	34	434	355	85	28	10	10	8	4	4	-	972	26.5
Cork County	29	457	532	197	104	49	24	16	9	5	3	1,425	28.6
Kerry	14	188	230	95	38	18	14	6	1	3	5	612	28.5
Limerick County Borough	18	233	117	37	14	11	4	1	-	-	1	436	25.8
Limerick County	14	168	208	79	42	15	15	7	4	2	-	554	28.8
Tipperary, N.R.	11	110	105	57	23	11	2	4	4	2	-	329	28.6
Tipperary, S.R.	20	193	123	45	29	15	14	7	-	1	-	452	27.6
Waterford County Borough	4	111	70	20	8	4	-	1	1	1	1	221	26.3
Waterford County	7	112	90	41	14	7	4	2	3	2	1	283	27.9
Munster	164	2,153	1,998	722	324	158	93	58	31	22	11	5,734	27.8
Galway	12	244	285	155	56	48	16	7	1	4	1	829	27.2
Leitrim	8	26	52	26	11	7	4	2	-	-	3	139	29.4
Mayo	7	116	137	73	33	21	8	3	2	5	3	458	29.3
Roscommon	-	37	74	35	32	15	9	6	2	2	2	214	32.2
Sligo	9	67	82	43	15	10	2	1	3	1	3	236	28.7
Connacht	36	490	680	332	147	101	39	19	8	12	12	1,876	29.5
Cavan	4	82	101	47	29	18	9	5	1	5	-	301	30.3
Donegal	26	224	190	77	37	13	5	6	4	3	3	538	27.6
Monaghan	11	92	96	32	20	12	6	3	1	2	1	276	28.5
Ulster (part of)	41	398	387	156	86	43	20	14	6	10	4	1,165	28.5
Ireland*	727	8,151	6,888	2,351	1,004	545	313	181	114	121	47	20,442	27.5
Northern Ireland	17	110	116	36	12	12	6	2	4	4	-	319	28.1
England and Wales	15	368	380	86	41	23	15	5	5	5	5	948	27.4
Scotland	1	23	17	5	1	1	2	1	1	-	-	52	27.9
Elsewhere	2	56	89	33	15	8	1	3	1	2	-	210	29.1
Not stated	25	13	3	1	1	-	-	-	-	-	-	43	20.5

*Exclusive of the Six Counties.

TABLE 50 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	787	8,721	7,493	2,512	1,074	589	337	192	125	132	52	22,014	27.5
Carlow	10	110	90	35	17	5	7	4	-	3	1	282	27.9
Dublin County Borough	264	2,587	1,753	495	160	83	55	28	17	34	5	5,481	26.3
Dun Laoghaire Borough	16	206	156	33	13	9	5	1	3	11	-	453	27.1
Dublin County (remainder)	34	510	407	108	46	21	10	9	8	4	2	1,159	26.8
Kildare	36	274	188	46	23	12	6	4	8	2	1	600	26.6
Kilkenny	10	119	129	42	24	10	5	1	3	-	1	344	27.9
Laois	4	86	75	33	24	8	14	4	1	3	3	255	29.8
Longford	4	55	63	22	11	7	7	5	3	-	1	178	29.6
Louth	32	278	213	58	16	13	9	5	6	2	-	632	26.7
Meath	13	161	161	63	27	18	16	7	6	5	1	478	29.1
Offaly	13	112	127	48	17	9	5	4	1	2	1	389	28.0
Westmeath	17	136	124	40	23	16	9	4	4	-	1	374	28.1
Wexford	16	248	187	73	26	20	7	9	5	6	3	600	27.9
Wicklow	17	228	150	45	20	12	6	5	4	5	-	492	27.2
Leinster	486	5,110	3,823	1,141	447	243	161	90	69	77	20	11,667	27.0
Clare	13	147	163	66	24	18	6	6	5	2	-	450	28.2
Cork County Borough	34	434	355	85	28	10	10	8	4	4	-	972	26.5
Cork County	29	457	532	197	104	49	24	16	9	5	3	1,425	26.6
Kerry	14	188	230	95	38	18	14	6	1	3	5	612	28.5
Limerick County Borough	18	233	117	37	14	11	4	1	-	-	1	436	25.8
Limerick County	14	168	208	79	42	15	15	7	4	2	-	554	28.8
Tipperary, N.R.	11	110	105	57	23	11	2	4	4	2	-	329	28.6
Tipperary, S.R.	20	193	128	45	29	15	14	7	-	1	-	452	27.6
Waterford County Borough	4	111	70	20	8	4	-	1	1	1	1	221	26.3
Waterford County	7	112	90	41	14	7	4	2	3	2	1	283	27.9
Munster	164	2,153	1,998	722	324	158	93	58	31	22	11	5,734	27.8
Galway	12	244	285	155	56	48	16	7	1	4	1	829	27.2
Leitrim	8	26	52	26	11	7	4	2	-	-	3	139	29.4
Mayo	7	116	187	73	33	21	8	3	2	5	3	458	29.3
Roscommon	-	37	74	35	32	15	9	6	2	2	2	214	32.2
Sligo	9	67	82	43	15	10	2	1	3	1	3	236	28.7
Connacht	36	490	680	332	147	101	39	19	8	12	12	1,876	29.5
Cavan	4	82	101	47	29	18	9	5	1	5	-	301	30.3
Donegal	26	224	190	77	37	13	5	6	4	3	3	588	27.6
Monaghan	11	92	96	32	20	12	6	3	1	2	1	276	28.5
Ulster (part of)	41	398	387	156	86	43	20	14	6	10	4	1,165	28.5
Ireland*	727	8,151	6,888	2,351	1,004	545	313	181	114	121	47	20,442	27.5
Northern Ireland	17	110	116	36	12	12	6	2	4	4	-	319	28.1
England and Wales	15	368	380	86	41	23	15	5	5	5	5	948	27.4
Scotland	1	23	17	5	1	1	2	1	1	-	-	52	27.9
Elsewhere	2	56	89	33	15	8	1	3	1	2	-	210	29.1
Not stated	25	13	3	1	1	-	-	-	-	-	-	43	20.5

*Exclusive of the Six Counties.

TABLE 51 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Total	2,624	11,450	5,086	1,435	656	316	164	89	66	58	70	22,014	25.0
Carlow	55	123	55	14	10	3	-	1	1	-	2	264	24.1
Dublin County Borough	679	3,150	1,172	311	135	87	34	20	20	18	9	5,635	24.7
Dun Laoghaire Borough	57	276	106	31	10	3	1	4	4	3	1	496	24.9
Dublin County (remainder)	106	606	248	61	23	6	10	8	5	1	2	1,076	24.8
Kildare	107	313	111	25	11	6	4	5	3	1	2	588	24.1
Kilkenny	40	167	91	35	12	5	1	-	-	2	-	353	25.3
Laois	24	136	57	31	16	3	3	1	1	-	4	276	25.9
Longford	21	82	42	9	9	2	6	-	2	-	1	174	25.9
Louth	101	380	138	24	19	9	7	1	3	2	1	685	24.4
Meath	73	249	110	29	15	6	7	4	4	-	4	501	25.0
Offaly	58	182	76	10	11	2	1	1	-	-	1	342	23.8
Westmeath	68	170	85	26	19	3	7	1	1	-	2	382	24.9
Wexford	100	334	158	29	13	10	7	4	1	1	-	657	24.5
Wicklow	76	258	93	26	14	8	6	2	1	5	-	489	24.9
Leinster	1,565	6,426	2,542	661	317	153	94	52	46	33	29	11,913	24.7
Clare	33	205	129	33	15	4	5	-	-	1	1	426	25.5
Cork County Borough	108	555	227	44	21	17	5	1	3	4	-	985	24.6
Cork County	130	743	389	130	42	25	9	6	1	4	4	1,483	25.4
Kerry	61	301	158	68	29	6	5	1	1	1	6	637	25.6
Limerick County Borough	81	278	80	26	9	8	-	1	-	-	3	486	23.7
Limerick County	55	249	157	43	22	20	4	2	-	-	2	554	25.8
Tipperary, N.R.	42	179	86	29	15	3	-	1	-	2	1	358	25.0
Tipperary, S.R.	82	234	103	29	22	6	4	2	1	-	1	484	24.7
Waterford County Borough	32	131	52	14	5	3	1	3	-	1	2	244	24.7
Waterford County	43	131	64	6	5	3	-	3	1	-	1	257	24.2
Munster	667	3,006	1,445	422	185	95	33	20	7	13	21	5,914	25.0
Galway	62	410	249	83	21	16	6	6	-	1	-	854	25.7
Leitrim	10	47	59	9	8	5	1	1	-	-	2	142	26.9
Mayo	38	216	139	50	20	4	4	-	3	-	3	477	25.9
Roscommon	6	108	66	27	17	7	4	2	-	2	6	245	27.5
Sligo	31	126	61	21	9	4	2	-	4	1	3	262	25.6
Connacht	147	907	574	190	75	36	17	9	7	4	14	1,980	26.1
Cavan	29	144	84	39	17	8	3	2	1	2	-	329	26.5
Donegal	93	360	153	45	23	6	6	2	1	2	2	693	24.7
Monaghan	30	159	58	18	15	2	1	1	1	-	2	287	24.9
Ulster (part of)	152	663	295	102	55	16	10	5	3	4	4	1,309	25.2
Ireland*	2,531	11,002	4,856	1,375	632	300	154	26	63	54	68	21,121	25.0
Northern Ireland	21	61	31	9	10	8	3	-	2	1	-	146	26.8
England and Wales	32	332	163	38	10	4	6	2	-	3	2	592	25.2
Scotland	3	15	8	1	-	-	-	-	-	-	-	27	23.8
Elsewhere	4	29	27	11	4	4	1	1	1	-	-	82	23.0
Not stated	33	11	1	1	-	-	-	-	-	-	-	46	19.2

*Exclusive of the Six Counties.

TABLE 52 - MARRIAGES REGISTERED IN 1971 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	22,014	264	5,635	496	1,076	588	353	276	174	685	501	342	382	657	489	11,918	426	985	1,483
Carlow	282	183	7	3	5	19	10	17	-	1	2	1	1	11	8	268	-	1	3
Dublin Co. Borough	5,481	9	4,477	114	351	40	16	12	5	26	39	12	19	36	36	5,192	8	18	28
Dun Laoghaire Borough	453	-	111	240	52	2	2	-	-	1	2	-	1	7	18	436	-	1	2
Dublin County (remainder)	1,159	2	418	56	472	30	4	5	1	22	24	4	12	4	33	1,087	2	5	6
Kildare	600	17	50	3	23	393	6	19	-	4	10	23	6	1	17	572	2	2	5
Kilkenny	344	11	15	2	2	4	231	11	1	-	1	3	-	4	5	290	1	3	1
Laois	255	6	15	-	3	14	11	165	-	-	1	10	2	1	-	228	2	-	2
Longford	178	-	9	1	1	3	-	1	110	1	-	1	12	1	-	140	-	1	-
Louth	632	1	20	3	12	-	2	-	-	504	32	-	2	1	1	578	3	-	-
Meath	478	-	44	3	23	14	-	-	2	20	317	1	8	4	3	439	1	1	2
Offaly	339	3	10	1	3	14	2	13	1	-	4	220	20	4	3	298	2	2	2
Westmeath	374	1	15	3	6	3	1	2	13	2	14	15	248	3	3	329	1	-	-
Wexford	600	6	21	3	1	4	12	-	-	-	-	-	-	504	15	566	1	-	3
Wicklow	492	10	49	20	26	12	3	3	1	-	3	2	1	32	310	472	-	1	1
Leinster	11,667	249	5,261	452	980	552	300	248	134	581	449	292	332	613	452	10,895	23	35	55
Clare	450	1	10	-	3	2	2	-	-	-	1	1	-	2	1	23	340	-	2
Cork County Borough	972	-	14	1	2	-	-	1	1	-	1	-	-	2	1	23	-	789	124
Cork County	1,425	1	16	3	4	2	2	1	1	-	1	1	6	5	2	45	2	118	1,145
Kerry	612	1	10	-	2	3	1	1	-	1	-	2	2	2	-	25	1	7	18
Limerick County Borough	436	-	8	-	1	-	-	2	1	1	-	-	-	1	2	16	10	3	6
Limerick	554	-	7	2	3	1	3	-	-	-	-	-	2	2	1	21	10	1	35
Tipperary N.R.	329	2	7	3	-	1	2	4	1	-	-	17	-	-	1	38	14	-	6
Tipperary S.R.	452	-	8	2	1	3	9	4	1	-	-	1	1	2	2	34	2	1	16
Waterford County Borough	221	-	5	-	1	1	14	-	-	-	-	-	-	4	1	26	-	1	3
Waterford County	283	-	5	-	1	2	11	-	-	1	-	-	-	3	-	23	2	3	28
Munster	5,734	5	90	11	18	15	44	13	5	3	3	22	11	23	11	274	381	923	1,383
Galway	829	-	25	-	2	1	1	-	1	3	3	11	14	-	1	62	10	1	3
Leitrim	139	-	7	1	-	-	-	-	8	-	1	1	-	-	1	19	-	-	1
Mayo	458	-	9	-	2	2	-	-	3	3	3	-	-	2	-	24	2	2	2
Roscommon	214	2	7	-	1	-	-	-	8	-	1	1	7	-	2	29	3	-	1
Sligo	236	1	8	-	-	1	-	1	-	1	1	-	-	1	-	14	-	-	-
Connacht	1,876	3	56	1	5	4	1	1	20	7	9	13	21	3	4	143	15	3	7
Cavan	301	-	14	1	3	-	-	3	8	8	17	1	5	-	-	60	-	-	2
Donegal	588	-	11	-	4	1	1	1	1	-	1	1	-	1	1	23	-	-	3
Monaghan	276	-	7	-	3	1	-	-	-	27	3	-	1	-	2	44	1	-	1
Ulster (part of)	1,165	-	32	1	10	2	1	4	9	35	21	2	6	1	3	127	1	-	6
Ireland*	20,442	257	5,439	465	1,013	573	346	266	168	626	482	329	370	640	470	11,444	420	961	1,451
Northern Ireland	319	-	19	6	9	3	-	2	2	46	-	2	2	2	2	95	-	2	4
England and Wales	948	4	108	17	28	10	4	7	2	11	14	7	8	13	15	248	3	18	21
Scotland	52	1	6	1	4	-	1	-	-	1	2	-	-	1	1	18	-	1	1
Elsewhere	210	2	63	7	22	2	1	1	2	1	3	3	2	1	1	111	3	3	6
Not stated	43	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-

* Exclusive of Northern Ireland

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick County Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford County Borough	Waterford County	Minister	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Northern Ireland	England and Wales	Scotland	Elsewhere	Not stated
637	486	554	358	484	244	257	5,914	854	142	477	245	262	1,980	329	693	287	1,309	21,121	146	592	27	82	46
-	-	1	-	2	1	-	8	1	-	1	-	2	4	-	-	-	-	230	-	2	-	-	-
14	8	18	20	25	3	7	144	28	4	16	14	9	71	17	13	11	41	5,448	12	13	-	7	1
-	1	3	2	2	-	-	11	1	-	-	1	-	2	-	1	1	2	451	1	1	-	-	-
2	1	3	4	3	4	4	34	9	-	4	1	4	18	2	6	2	10	1,149	3	6	-	1	-
-	1	1	4	1	1	-	17	3	2	-	1	1	7	1	2	-	3	599	-	-	-	1	-
2	-	1	8	13	11	10	50	1	-	1	-	-	2	-	1	1	1	343	1	-	-	-	-
3	-	-	13	1	-	-	21	-	-	2	1	-	3	1	2	-	3	255	-	-	-	-	-
1	1	-	-	-	-	-	3	2	7	-	13	1	23	11	1	-	12	178	-	-	-	-	-
3	-	3	2	3	-	-	14	5	1	3	1	1	11	8	1	11	20	623	7	2	-	-	-
2	-	4	3	3	-	-	16	1	2	1	-	1	5	14	3	-	17	477	-	1	-	-	-
-	2	5	11	3	-	1	28	7	-	1	2	-	10	2	1	-	3	339	-	-	-	-	-
2	1	1	3	2	-	1	11	13	3	4	4	-	24	2	4	2	8	372	-	2	-	-	-
6	1	1	-	3	5	5	25	-	-	2	1	-	3	2	1	-	3	597	-	1	1	1	-
1	-	1	2	1	1	-	8	-	2	-	-	-	2	1	2	1	4	486	-	6	-	-	-
36	16	37	72	62	26	28	390	71	21	35	39	19	185	61	37	29	127	11,597	24	34	1	10	1
2	30	20	6	1	-	-	401	15	1	1	4	-	21	1	2	-	3	448	1	-	-	1	-
8	2	1	1	5	2	3	935	4	-	3	1	-	8	2	3	-	5	971	-	1	-	-	-
27	5	35	4	10	3	16	1,365	1	3	2	-	1	7	-	2	1	3	1,420	-	3	-	1	1
518	3	19	-	2	-	-	568	3	1	3	1	-	8	1	1	1	3	604	1	6	-	-	1
2	350	32	6	4	1	1	415	2	-	1	-	1	4	1	-	-	1	423	-	-	-	-	-
17	60	370	9	14	-	1	517	6	-	2	1	2	11	-	1	-	1	550	1	3	-	-	-
2	5	11	220	20	-	-	278	6	-	-	2	2	10	1	-	-	1	327	-	2	-	-	-
3	5	15	20	332	4	11	409	1	1	-	2	1	5	1	-	-	1	449	-	1	-	2	-
-	-	-	-	1	167	20	192	1	-	-	-	-	1	-	-	-	-	219	-	1	-	-	1
2	-	2	1	15	31	168	252	3	-	-	-	-	3	-	2	1	3	281	1	-	-	1	-
531	460	505	267	404	208	220	5,332	42	6	12	11	7	78	7	11	3	21	5,705	4	17	-	5	3
3	1	1	3	3	2	-	27	669	1	23	22	8	723	2	4	2	8	820	-	6	-	2	1
-	-	-	-	-	-	-	1	1	82	3	13	9	108	3	7	-	10	138	-	1	-	-	-
3	1	1	1	-	1	-	13	23	-	365	7	10	405	1	7	1	9	451	3	3	-	1	-
1	-	-	1	-	-	-	6	12	5	8	140	9	174	1	3	1	5	214	-	-	-	-	-
-	-	-	-	1	-	-	1	5	11	15	5	179	215	-	4	-	4	234	1	1	-	-	-
7	2	2	5	4	3	-	48	710	99	414	187	215	1,625	7	25	4	36	1,357	4	11	-	3	1
1	-	-	-	-	1	-	4	2	5	1	1	3	12	205	1	9	215	291	5	1	2	2	-
-	-	-	2	1	-	-	6	4	2	3	-	5	14	1	524	2	527	570	9	6	2	1	-
-	-	-	-	1	-	-	3	2	-	-	-	-	2	18	1	197	216	265	11	-	-	-	-
1	-	-	2	2	1	-	13	3	7	4	1	8	23	224	526	208	953	1,126	25	7	4	3	-
625	478	544	346	472	233	248	5,783	831	133	465	238	249	1,916	299	599	244	1,142	20,285	57	69	5	21	5
-	-	-	2	1	1	-	10	-	5	3	1	3	12	19	69	23	116	233	84	2	-	-	-
7	6	9	9	8	4	9	94	18	2	8	6	9	43	9	14	14	37	422	4	516	2	2	2
1	-	1	-	-	-	-	4	-	-	-	-	1	1	-	8	-	8	31	-	-	20	1	-
4	2	-	1	2	1	-	22	3	2	1	-	-	6	2	3	1	6	145	1	5	-	58	1
-	-	-	-	1	-	-	1	2	-	-	-	-	2	-	-	-	-	5	-	-	-	-	38

TABLE 53 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Northern Ireland	21	97	98	37	8	9	5	2	4	3	-	284	27.8
England and Wales	33	552	515	107	45	24	16	5	3	4	5	1,309	26.7
Scotland	1	25	17	4	-	1	2	-	1	-	-	51	26.9
Europe (remainder)	2	40	53	14	1	2	1	1	-	1	-	115	27.2
U.S.A.	2	38	48	28	10	7	1	1	-	-	1	136	28.8
Canada	1	32	31	6	5	1	-	1	-	-	-	77	26.9
Australia and New Zealand	1	39	17	5	-	1	1	-	-	-	-	64	25.2
Elsewhere	-	23	22	7	-	-	1	-	1	-	-	54	26.9
Total	61	846	801	208	69	45	27	10	9	8	6	2,090	27.0

TABLE 54 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 & over	Not stated	All ages	
Northern Ireland	35	138	67	20	11	6	3	1	2	1	-	284	25.5
England and Wales	99	745	334	78	23	7	11	5	-	3	4	1,309	24.8
Scotland	7	23	15	3	2	1	-	-	-	-	-	51	24.9
Europe (remainder)	8	57	35	7	5	1	1	-	-	1	-	115	25.7
U.S.A.	5	48	50	22	7	2	-	1	-	1	-	136	27.4
Canada	3	42	20	10	1	-	-	-	-	-	1	77	25.1
Australia and New Zealand	3	49	10	-	2	-	-	-	-	-	-	64	23.5
Elsewhere	-	34	12	6	-	-	1	1	-	-	-	54	25.7
Total	160	1,136	543	146	51	17	16	8	2	6	5	2,090	25.1

TABLE 55 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom												
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	
Northern Ireland	284	26	4	31	24	12	10	33	25	86	33	-	
England and Wales	1,309	16	9	185	100	68	51	151	101	467	155	6	
Scotland	51	-	2	6	3	4	1	4	4	16	11	-	
Europe (remainder)	115	-	-	24	13	7	11	23	8	25	2	2	
U.S.A.	136	2	2	27	17	6	7	14	13	41	6	1	
Canada	77	3	-	12	16	6	3	11	-	23	3	-	
Australia and New Zealand	64	1	1	6	5	2	1	9	9	26	3	1	
Elsewhere	54	-	-	19	12	4	1	5	1	10	2	-	
Total	2,090	48	18	310	190	109	85	250	161	694	215	10	

TABLE 56 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	284	1	-	5	68	3	1	67	58	21	48	14
England and Wales	1,309	1	1	15	328	13	7	469	207	73	140	55
Scotland	51	-	-	-	16	1	-	16	10	1	6	1
Europe (remainder)	115	1	-	3	37	2	2	44	12	5	6	3
U.S.A.	136	-	-	8	50	3	1	39	20	6	9	-
Canada	77	-	-	1	30	1	-	28	12	2	2	1
Australia and New Zealand	64	-	-	-	11	1	-	28	7	7	6	4
Elsewhere	54	-	-	2	21	-	1	19	7	-	1	3
Total	2,090	3	1	34	561	24	12	710	331	115	218	81

TABLE 57 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY

Country of future permanent residence	Total marriages	Form of ceremony						
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Northern Ireland	284	219	38	24	1	-	-	2
England and Wales	1,309	1,217	71	10	6	-	1	4
Scotland	51	44	3	1	-	-	1	2
Europe (remainder)	115	107	3	1	-	-	-	4
U.S.A.	136	131	2	-	-	-	-	3
Canada	77	63	8	2	-	-	-	4
Australia and New Zealand	64	56	6	1	-	-	-	1
Elsewhere	54	46	3	1	-	1	-	3
Total	2,090	1,883	134	40	7	1	2	23

TABLE 58 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	284	5	5	2	2	28	241	1
England and Wales	1,309	182	100	99	67	40	871	-
Scotland	51	5	2	2	-	5	37	-
Europe (remainder)	115	18	6	3	4	-	84	-
U.S.A.	186	25	9	9	6	7	80	-
Canada	77	17	16	6	7	-	31	-
Australia and New Zealand	64	36	6	12	1	1	8	-
Elsewhere	54	16	5	11	2	1	19	-
Total	2,090	254	149	144	89	82	1,371	1

TABLE 59 - MARRIAGES REGISTERED IN 1971 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	284	30	42	8	9	101	93	1
England and Wales	1,309	270	169	183	98	63	524	2
Scotland	51	12	5	5	1	10	18	-
Europe (remainder)	115	71	11	10	3	2	18	-
U.S.A.	186	37	19	15	14	10	40	1
Canada	77	30	16	9	8	3	11	-
Australia and New Zealand	64	32	11	14	2	4	1	-
Elsewhere	54	20	6	18	1	5	4	-
Total	2,090	502	279	262	136	198	709	4

TABLE 60 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH
DURING THE YEAR, 1971

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
COUNTY BOROUGHS												
Cork	-	-	-	347	-	9	-	-	14	3	-	-
Dublin	-	-	5	1,292	-	103	1	17	400	57	5	-
Limerick	-	1	-	49	-	-	-	-	4	-	-	-
Waterford	-	-	-	5	-	-	-	-	2	-	-	-
COUNTIES												
Carlow												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	2	-	-	-	-	34	-	-	-
Cavan												
Urban	-	-	-	-	-	1	-	-	-	-	-	-
Rural	-	1	-	1	-	9	-	-	32	-	-	-
Clare												
Urban	-	-	-	4	-	-	-	-	1	-	-	-
Rural	-	-	-	25	-	-	-	-	8	-	-	-
Cork												
Urban	-	-	-	140	-	3	-	-	27	4	-	-
Rural	-	25	-	245	-	6	-	-	23	5	4	-
Donegal												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	3	-	-	-	-	13	-	-	-
Dublin												
Urban	-	-	1	57	-	2	-	1	43	8	-	-
Rural	-	1	2	123	-	6	-	1	62	10	1	-
Galway												
Urban	-	-	1	22	-	3	-	-	24	1	-	-
Rural	-	-	1	18	-	3	-	2	58	4	-	-
Kerry												
Urban	-	1	-	3	-	-	-	-	4	1	-	-
Rural	-	-	1	17	-	-	-	1	5	-	-	-
Kildare												
Urban	-	-	-	8	-	-	-	-	1	-	-	-
Rural	-	3	1	30	-	-	-	-	11	3	-	-
Kilkenny												
Urban	-	1	-	1	-	-	-	1	5	1	-	-
Rural	-	-	-	10	-	2	-	-	62	-	-	-
Laois												
Rural	-	4	2	54	-	3	-	-	6	5	-	-
Leitrim												
Rural	-	-	-	1	-	-	-	-	1	-	-	-
Limerick												
Rural	-	10	-	39	-	3	-	-	13	-	-	-
Longford												
Urban	-	-	-	1	-	1	-	-	2	-	-	-
Rural	-	-	-	1	-	-	-	-	4	1	-	-
Louth												
Urban	-	1	-	13	-	-	-	-	10	2	-	-
Rural	-	-	-	4	-	3	-	-	-	2	-	-

TABLE 80 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT
OF HEALTH DURING THE YEAR, 1971

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebo spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	-	-	-	9	-	-	-	-	1	2	-	-
Rural	-	-	4	39	-	1	-	-	23	4	1	-
Meath												
Urban	-	-	-	18	-	-	-	-	5	-	-	-
Rural	-	1	2	28	-	-	-	1	65	-	-	-
Monaghan												
Urban	-	-	-	2	-	-	-	-	4	-	-	-
Rural	-	-	-	14	-	1	-	-	5	-	-	-
Offaly												
Urban	-	-	-	5	-	-	-	-	5	-	-	-
Rural	-	1	-	18	-	2	-	-	32	-	1	-
Roscommon												
Rural	1	1	-	2	-	1	-	-	6	-	-	-
Sligo												
Urban	-	-	-	16	-	1	-	-	1	1	-	-
Rural	-	-	-	3	-	-	-	-	1	-	-	-
Tipperary N.R.												
Urban	-	2	1	2	-	-	-	-	-	-	-	-
Rural	-	15	-	13	-	-	-	-	9	1	-	-
Tipperary S.R.												
Urban	-	-	-	3	-	-	2	-	2	-	-	-
Rural	-	-	1	14	-	-	-	-	11	-	-	-
Waterford												
Urban	-	-	-	1	-	-	-	-	2	-	-	-
Rural	-	1	-	6	-	-	-	-	6	-	-	-
Westmeath												
Urban	-	1	-	1	-	-	-	-	-	-	-	-
Rural	-	5	-	4	-	-	-	-	39	-	-	-
Wexford												
Urban	-	-	-	21	-	7	-	-	3	-	4	-
Rural	-	1	-	37	-	3	-	-	11	-	9	-
Wicklow												
Urban	-	-	-	18	-	-	-	-	22	2	-	-
Rural	-	1	-	30	-	-	-	-	39	6	-	-
ALL COUNTY BOROUGHES	-	1	5	1,693	-	112	1	17	420	60	5	-
ALL URBAN DISTRICTS	-	6	3	345	-	18	2	2	162	22	4	-
ALL RURAL DISTRICTS	1	70	14	781	-	43	-	5	584	41	16	-
TOTAL	1	77	22	2,819	-	173	3	24	1,166	123	25	-

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1971.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weill's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGH:													
Cork	25	.	.	98	41	42	12	2	.	.	.	7	1d
Dublin	1,266	.	.	368	127	371	98	.	.	.	.	98	198d
Limerick	97	.	.	.	9	12	.	.	.	.	.	8	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.	.
COUNTIES:													
Carlow	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	153	.	.	.	.	.	.	.	.	.	.	3	.
Cavan	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	2	.	.	1	7	11	.	.	.	.	.	.	.
Rural	44	.	.	26	3	.	.	.	.	.	.	.	.
Clare	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	1	.	.	.	3	.	.	.	.	.	.	.	.
Rural	41	.	.	1	2	.	.	.	.	.	.	1	.
Cork	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	100	.	.	72	17	12	.	10	.	1	.	7	.
Rural	146	.	.	35	29	.	6	.	.	.	2	22	.
Donegal	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	.	.	.	.	1	.	.	.
Rural	125	.	.	1	1	.	2	.	.	.	.	4	1d
Dublin	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	195	.	.	94	6	58	28	.	.	.	.	70	24d
Rural	291	.	.	86	15	.	23	1	.	.	.	20	31d
Galway	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	32	.	.	17	1	11	2	.	.	.	.	4	1d
Rural	11	.	.	4	.	.	10	.	.	1	.	22	.
Kerry	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	2	.	.	7	1	1	.	.	.	.	.	.	.
Rural	12	.	.	9	1	.	2	1	.	.	.	2	.
Kildare	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	13	.	.	3	2	6	.	.	.	.	.	.	.
Rural	43	.	.	10	1	.	.	.	.	.	.	7	13d
Kilkenny	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	.	22	.	.	.	.	.	.	.
Rural	48	.	.	1	.	.	2	.	.	.	.	21	1d
Laois	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	18	.	.	15	3	.	1	.	.	.	.	2	3d
Leitrim	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	7	.	.	5	.	.	1	.	.	.	.	1	1d
Limerick	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	51	.	.	1	5	.	1	1	.	.	.	14	.
Longford	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	1	.	.	.	.	.	.	.	.	.	.	2	.
Rural	.	.	.	.	.	.	3	.	.	.	.	.	.
Louth	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban	.	.	.	.	2	5	.	.	.	.	.	3	.
Rural	1	.	.	2	.	.	.	.	.	.	.	27	.

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1971

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	1	-	-	-	3	8	2	-	-	-	-	2	-
Rural	32	-	-	-	1	-	3	-	-	-	-	2	-
Meath													
Urban	26	-	-	3	-	22	5	-	-	-	-	-	-
Rural	109	-	-	5	28	-	7	-	-	-	-	8	-
Monaghan													
Urban	1	-	-	9	1	-	-	-	-	-	-	-	-
Rural	2	-	-	1	-	-	-	-	-	-	-	-	1d
Offaly													
Urban	4	-	-	-	-	16	1	-	-	-	-	11	-
Rural	80	-	-	88	-	-	3	-	-	-	-	16	-
Roscommon													
Rural	12	-	-	-	1	-	-	-	-	-	-	-	-
Sligo													
Urban	40	-	-	-	-	15	-	-	-	-	-	15	-
Rural	14	-	-	-	-	-	1	-	-	-	-	1	-
Tipperary N.R.													
Urban	39	-	-	-	-	-	-	-	-	-	1	6	-
Rural	60	-	-	-	-	-	-	-	-	-	-	-	-
Tipperary S.R.													
Urban	70	-	-	-	-	-	-	-	-	-	-	8	-
Rural	14	-	-	6	2	-	-	2	-	-	-	1	-
Waterford													
Urban	10	-	-	-	1	4	-	-	-	-	-	1	-
Rural	48	-	-	5	-	-	2	-	-	-	-	-	-
Westmeath													
Urban	-	-	-	-	-	5	-	-	-	-	-	-	-
Rural	136	-	-	27	-	-	2	-	-	-	-	22	-
Wexford													
Urban	10	-	-	5	-	7	1	-	-	-	-	-	-
Rural	8	-	-	4	-	-	2	-	-	-	-	-	-
Wicklow													
Urban	54	-	-	1	-	12	3	-	-	-	-	7	2d
Rural	48	-	-	22	2	-	12	-	-	-	-	5	2d
ALL COUNTY BOROUGHES	1,388	-	-	466	177	425	110	2	-	-	-	108	199d
ALL URBAN DISTRICTS	601	-	-	212	44	215	42	10	-	-	1	136	27d
ALL RURAL DISTRICTS	1,554	-	-	354	94	-	83	5	-	-	2	201	53d
TOTAL	3,543	-	-	1,032	315	640	235	17	-	-	3	445	279d

(d) Acute Lymphocytic Meningitis.

APPENDIX

TABLE I

BIRTHS OCCURRING IN 1969 BUT REGISTERED IN 1970 CLASSIFIED BY AGE OF MOTHER AT MATERNITY
AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	76	63	10	3	-	-	-	-	-	-
20-24 years	549	311	141	58	27	10	2	-	-	-
25-29 "	701	169	191	152	102	43	44	-	-	-
30-34 "	602	77	86	137	122	69	103	8	-	-
35-39 "	442	29	35	57	80	70	148	23	-	-
40-44 "	144	8	11	7	9	13	68	25	3	-
45 years and over	12	1	-	2	1	1	4	3	-	-
Not stated	19	17	1	-	-	-	-	-	1	-
TOTAL	2,545	675	475	416	341	206	369	59	4	-

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as fifth and sixth child in parity order.

APPENDIX

TABLE 11

DEATHS OCCURRING IN 1969 BUT REGISTERED IN 1970

International Detailed List Numbers	Abbreviated List Number	Cause of Death				
			All Ages	Under 1 year	1-4	
		Total	M F	1,259 1,020	77 46	15 11
008-009	B 4	Enteritis and other diarrhoeal diseases	M F	3 3	2 2	1 1
010-012	B 5	Tuberculosis of respiratory system	M F	14 2	-	-
013-019	B 6	Other tuberculosis, including late effects	M F	-	-	-
032	B 8	Diphtheria	M F	-	-	-
033	B 9	Whooping cough	M F	-	-	-
034	B 10	Streptococcal sore throat and scarlet fever	M F	-	-	-
036	B 11	Meningococcal infection	M F	- 3	-	- 2
038	B 18 ^a	Septicaemia	M F	1 1	1 -	- -
040-043	B 12	Acute poliomyelitis	M F	- -	-	-
055	B 14	Measles	M F	- -	-	-
070	B 18 ^b	Infectious hepatitis	M F	- 1	-	-
009.2	B 18 ^c	Gastro-enteritis (under 2 years)	M F	2 2	2 2	-
000-007, 020-031, 035, 037, 039, 044-054, 056-068, 071-136	B 18	All other infective and parasitic diseases	M F	- 2	- 1	-
151	B 19 ^a	Malignant neoplasms:- of stomach	M F	21 17	-	-
150, 152-159	B 19 ^b	of other digestive organs and peritoneum	M F	31 38	- 1	-
162	B 19 ^c	of trachea, bronchus and lung	M F	27 11	-	-
174	B 19 ^d	of breast	M F	1 23	-	-
180-189	B 19 ^e	of genito-urinary organs	M F	23 12	-	-
200-209	B 19 ^f	of lymphatic and haematopoietic tissue	M F	11 9	-	2
140-149, 160, 161, 163-173, 190-199	B 19 ^g	other	M F	13 20	- 1	-
210-239	B 20	Benign neoplasms and neoplasms of unspecified nature	M F	2 4	-	-
250	B 21	Diabetes mellitus	M F	12 17	-	-
260-269	B 22	Avitaminoses and other nutritional deficiency	M F	2 -	-	-
280-285	B 23	Anaemias	M F	3 3	-	-
320	B 24	Meningitis	M F	1 -	-	-
390-392	B 25	Active rheumatic fever	M F	- -	-	-
393-398	B 26	Chronic rheumatic heart disease	M F	11 17	-	-
400-404	B 27	Hypertensive disease	M F	23 24	-	-
410-414	B 28	Ischaemic heart disease	M F	355 200	-	-
420-429	B 29	Other forms of heart disease	M F	66 69	-	-

APPENDIX

TABLE 11

CLASSIFIED BY CAUSE, SEX AND AGE GROUP

[illegible]

APPENDIX
TABLE 11

DEATHS OCCURRING IN 1969 BUT REGISTERED IN 1970

International Detailed List Numbers	Abbreviated List Number	Cause of death		All Ages	Under 1 year	1-4
430-438	B 30	Cerebrovascular disease	M F	104 158	- -	- -
440-458	B 46 ^a	Other diseases of circulatory system	M F	39 52	- 1	- -
470-474	B 31	Influenza	M F	40 37	- 1	1 -
480-486	B 32	Pneumonia	M F	72 60	6 6	8 -
490-493	B 33	Bronchitis, emphysema and asthma	M F	96 49	- -	- -
518	B 46 ^b	Bronchiectasis	M F	1 -	- -	- -
460-466, 500-517, 519	B 46 ^c	Other diseases of respiratory system	M F	9 8	3 -	- -
531-533	B 34	Peptic ulcer	M F	8 6	- -	- -
540-543	B 35	Appendicitis	M F	- -	- -	- -
550-553, 560	B 36	Intestinal obstruction and hernia	M F	3 1	- -	- -
571	B 37	Cirrhosis of liver	M F	2 5	- -	- -
520-530, 534-537, 561-570, 572-577	B 46 ^d	Other diseases of digestive system	M F	3 6	- -	- -
580-584	B 38	Nephritis and nephrosis	M F	7 6	- -	- -
600	B 39	Hyperplasia of prostate	M	7	-	-
640-645	B 40	Abortion	F	-	-	-
630-639, 650-678	B 41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-
740-759	B 42	Congenital anomalies	M F	24 16	19 10	5 3
764-768, 772, 776	B 43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M F	23 10	23 10	- -
760-763, 769-771, 773-775, 777-779	B 44	Other causes of perinatal mortality*	M F	12 11	12 11	- -
794	B 45 ^a	Senility without mention of psychosis	M F	30 23	- -	- -
780-793, 795-796	B 45 ^b	Ill-defined conditions	M F	2 4	- -	- -
240-246, 251-258, 270-279, 286-289, 290-315, 321-389, 590-599, 601-629, 680-738	B 46 ^c	All other diseases	M F	34 36	5 1	- 4
External Causes						
E810-E823	B 47	Motor vehicle accidents	M F	60 26	- -	1 -
E800-E807, E825-E949	B 48	All other accidents	M F	29 25	1 1	- 1
E950-E959	B 49	Suicide and self-inflicted injuries	M F	5 -	- -	- -
E960-E999	B 50	All other external causes	M F	19 4	- -	2 -

* Late foetal deaths not included

APPENDIX

TABLE 11

CLASSIFIED BY CAUSE, SEX AND AGE GROUP (contd.)

Age at death																
5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
-	-	-	-	-	-	1	1	4	1	5	9	18	14	20	17	14
-	-	-	-	-	1	-	-	2	1	3	11	18	33	36	29	24
-	-	-	-	-	-	1	1	-	-	-	4	5	3	8	8	10
-	-	-	-	-	-	1	-	-	1	-	4	4	8	10	12	11
-	-	-	-	-	1	-	-	-	-	2	5	11	9	4	3	4
-	-	-	-	1	-	-	-	1	4	2	4	2	9	6	3	4
-	-	1	1	-	-	1	-	-	1	3	3	4	14	13	9	13
-	-	1	-	2	-	-	1	1	3	-	-	5	12	8	10	11
-	-	-	1	-	-	-	1	2	3	7	8	20	14	20	9	11
-	1	-	-	-	-	-	-	-	-	1	7	9	8	8	7	8
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1
-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1
-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-	3	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	1	-
-	-	-	-	-	1	-	-	1	1	-	-	2	1	-	-	1
-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	8	16
-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	11
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
-	2	2	-	-	-	-	1	1	-	2	3	3	5	5	4	1
1	-	-	-	2	1	-	-	1	1	4	1	1	8	5	3	3
6	2	3	3	7	-	-	3	3	5	3	5	7	7	1	4	-
1	-	2	2	3	-	1	2	-	2	4	2	3	3	1	-	-
-	1	2	1	1	1	2	1	2	2	2	2	1	4	2	2	2
-	-	2	1	-	-	-	-	-	-	-	-	-	2	3	5	10
-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	1	-	3	1	4	1	4	-	1	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-