


Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



Central Statistics Office
An Phríomh-Oifig Staidrimh

Report on Vital Statistics

Tuarascáil ar Staidreamh Beatha

1992

Published by the Stationery Office, Dublin, Ireland.

To be purchased from the:

Central Statistics Office, Information Section, Skehard Road, Cork,

Government Publications Sales Office, Sun Alliance House,
Molesworth Street, Dublin 2,

or through any bookseller.

Compiled by the Central Statistics Office on behalf of the Department of
Health and Children.

Pn 4366. Price £10.00. October 1997.

© Government of Ireland 1997

Material compiled and presented by
Central Statistics Office.

Reproduction is authorised, except for commercial
purposes, provided the source is acknowledged.

ISSN 0075 – 062X

ISBN 0–7076–1793–6

Contents

Part I – Text

	Page
General Summary	9
Marriages	
Number and rate	11
Age at marriage	11
Mode of celebration	12
Socio–economic group	13
Area of residence	13
Births	
Number and rate	18
Age at maternity, parity, duration of marriage	18
Multiple births	21
Deaths	
Number and rate	22
Comparison between counties	22
Causes of death	24
Tuberculosis	28
Cancer	29
Diseases of the circulatory system	34
Respiratory diseases	36
Pregnancy, childbirth and the puerperium	36
Infant and late foetal mortality	38
Accidents, poisoning and violence	43
Uncertified deaths	46
Inquests and post–mortems	46
Diagram 1 – Birth, marriage and death rates (per 1,000 population) 1941–1992	25
" 2 – Percentage distribution of principal causes of death for Males and Females	25
" 3 – Infant and neo-natal mortality rates (per 1,000 live births), 1941–1992	25

Contents

Part II – Tables

Table No.		Page
1	Estimated population in thousands in each year 1851–1992	48
2	Estimated population by age, 1987–1992 in thousands	49
3	Population by sex of each county and county borough according to the Census of Population, 1991	50
4	Marriages, births and deaths and natural increase (excess of births over deaths) 1864–1992	51
5	Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1992	52
6A	Marriages and the rates from the years 1971–1992 per 1,000 population	53
6B	Births and deaths and the rates from the years 1971–1992 per 1,000 population	54
6C	Marriages, births and deaths during each year 1986–1992, classified by Month and Quarter of Occurrence	55
7	Deaths from principal causes in Ireland and Northern Ireland, 1992 with rates per 100,000 population	56
8	Average annual number of deaths during the period 1864–1990 and the number of deaths in the years 1983–1992 classified by sex and age	58
9	Average annual death rates for the period 1864–1990 and the death rates for the years 1983–1992 per 1,000 corresponding population classified by sex and age	60
10	Births and deaths in each county and county borough in 1992 and the numbers relating to the resident population of each area, with corresponding particulars for births outside marriage and deaths of infants under one year of age	62
11	Marriages registered in, and births and deaths assigned to each county and county borough, during 1992, showing separately births outside marriage and deaths from certain causes	64
12	Marriage, birth and death rates and the proportions of births outside marriage in each county and county borough and the death rates for some diseases in 1992	65
13	Deaths in 1992, classified by marital status and sex in certain age groups	66
14	Births and deaths assigned to each urban district, in 1992, classified by sex	66
15	Births and deaths classified by sex, in 1992, assigned to the principal towns and aggregate urban and rural districts, showing separately births outside marriage and deaths from tuberculosis and malignant neoplasms	67
16	Birth and death rates in 1992 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of births outside marriage and the death rates from tuberculosis and malignant neoplasms	68
17	Deaths occurring in 1992, classified by age of residents in the aggregate urban districts and in the aggregate rural districts	69
18	Deaths occurring in 1992, classified by sex and age of residents in each province, county and county borough	72
19	Deaths in 1992 classified by cause (International Detailed List, 9th revision, 1975) and by sex and age	76
19A	Deaths from external causes in 1992 classified by the nature of the injury or poisoning and by sex	116
20	Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths	124

Tables (contd.)

Table No.		Page
21	Deaths occurring in 1992, classified by cause (International Abbreviated List), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts	146
22	Deaths of residents of each province, county and county borough in 1992, classified by place of occurrence	158
23	Deaths of residents of each province, county and county borough in 1992, which were not medically certified, classified by age	159
24	Deaths in 1992 classified by principal groups of causes, sex and age, of residents in each county and county borough	160
25	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause assigned to the principal towns, other urban districts and rural districts	180
26	Infant mortality – deaths under one year, in 1992 classified by sex, age and cause (International Detailed List)	182
27A	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each province	190
27B	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each county and county borough	192
28	Infant mortality – deaths of infants (born outside marriage), in 1992, classified by sex, age and cause	202
29	Late foetal deaths notified in 1992, classified by cause and age of mother at maternity	204
30	Late foetal deaths notified in 1992, classified by cause and period of gestation	207
31	Late foetal deaths notified in 1992, classified by cause and number of previous children	208
32	Late foetal deaths notified in 1992, classified by age of mother, sex of foetus and period of gestation	209
33	Late foetal deaths notified in 1992, classified by age of mother and number of previous children	209
34	Deaths showing the numbers occurring in each quarter in 1992 assigned to the counties and county boroughs	210
35	Deaths, by date of occurrence, in each month during 1992	212
36	Births showing the numbers in each quarter in 1992, assigned to the counties and county boroughs	214
37	Births in 1992 by day of occurrence and mothers usual residence	215
38	Births, by date of occurrence, in each month during 1992	216
39	Births in 1992 in each county and county borough showing place of occurrence and areas of normal residence	218
40	Births in 1992, classified by sex and age of mother at maternity and showing the number of births outside marriage	219
41A	Total births (including outside marriage), in 1992, classified by age of mother at maternity and county of normal residence	220
41B	Births outside marriage, in 1992, classified by age of mother at maternity and county of normal residence	221

Tables (contd.)

Table No.		Page
42	Total births in 1992, classified by age of mother at maternity and number of previous liveborn children	222
43	Births within marriage in 1992, classified by age of mother at maternity and year of marriage	224
44	First births within marriage in 1992, classified by age of mother at maternity and year of marriage	226
45	Marriages registered in each county and county borough during 1992	228
46	Marriages registered in 1992 classified by age of groom and bride in single years. All marriages	230
47	Marriages registered in 1992 classified by age of groom and bride in single years. First marriages only	232
48	Marriages registered in 1992 classified according to form of ceremony and age of groom	234
49	Marriages registered in 1992 classified according to form of ceremony and age of bride	234
50	Marriages registered in 1992 classified by socio-economic group and age of groom	234
51	Marriages registered in 1992 classified by socio-economic group and age of bride	235
52	Marriages registered in 1992 classified by socio-economic group of bride and groom	235
53	Marriages registered in 1992 classified by age and area of residence of groom before marriage	236
54	Marriages registered in 1992 classified by age and area of residence of bride before marriage	237
55	Marriages registered in each county in 1992 classified by area of residence of bride and groom before marriage	238
56	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by age of groom	240
57	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by age of bride	240
58	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of groom	240
59	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of bride	241
60	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by form of ceremony	241

Tables (contd.)

Table No.		Page
61	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage	242
62	Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage	242

NOTE: The following pages are blank – Nos. 8,10, 75, 211, 227

Appendix

Table No.		Page
A	Deaths which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1992, classified by principal groups of causes, sex and age	244
B	Deaths which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1992, classified by principal groups of causes, sex and year of occurrence	245
C	Deaths from accidents, poisoning and violence which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1992, classified by sex and age	246
D	Deaths from accidents, poisoning and violence which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1992, classified by sex and year of occurrence	247

Report on Vital Statistics for the year 1992

This Report has been prepared by the Central Statistics Office for the Minister for Health and Children in accordance with the provision of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952. Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

Births and deaths for each year since 1943 exclude late registrations; while deaths for each of the years 1940 to 1967 exclude non-residents. From 1968 however, the number of deaths includes non-residents.

The main statistics contained in this Report have already been published, and the Report consists mainly of a further breakdown and analysis of these.

More up to date information on Vital Statistics is published in the Quarterly Report on Births, Deaths and Marriages published about five months after the end of the quarter to which the data relate. In the Quarterly Report, births and deaths are classified according to quarter of registration.

General Summary

Marriages: There were 16,636 marriages registered during the year 1992 compared with 17,441 in 1991. The marriage rate per 1,000 population was 4.7, compared with 4.9 for 1991.

Births: The number of births which occurred during 1992 was 51,089 – 26,307 males and 24,782 females. The birth rate was 14.4 per 1,000 population compared with 15.0 in 1991. The number of births outside marriage which occurred in 1992 was 9,211 or 18 per cent of all births.

Deaths: The number of deaths occurring during 1992 was 30,931, 16,516 males and 14,415 females. The death rate was 8.7 per 1,000 population. In 1991 deaths numbered 31,305 and the rate was 8.9.

Of the deaths occurring in 1992, 31.5 per cent were due to ischaemic and other forms of heart disease; 24.4 per cent to cancer; 13.7 per cent to other diseases of the circulatory system and 13.3 per cent to diseases of respiratory system.

There were 7,539 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues. Of these, 27 were caused by Hodgkin's disease and 229 by leukaemia and aleukaemia. The death rate for cancer (ICD-9 nos. 140-208) in 1992 was 2.12 per 1,000 population compared with 2.06 for 1991.

During 1992 the number of deaths of infants under one year was 331 compared with 401 in 1991. The corresponding rate fell from 7.6 to 6.5 per 1,000 live births.

The total number of deaths from accidents and other external causes in 1992 was 1,363 of which motor vehicle accidents accounted for 380 deaths. The corresponding figures for 1991 were 1,455 and 434 respectively.

Population: The estimated population in April 1992 was 3,553,200 – 1,767,700 males and 1,785,500 females.

Issue of Authority for Registration: Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir (Registrar General). Throughout the tables in this Report these births and deaths have been excluded. Tables containing an analysis of late death registrations in 1992 are included in the Appendix of this Report. The number of such deaths registered was 302.

MARRIAGES

The number of marriages registered in 1992 was 16,636, a decrease of 805 on the previous year; the rate was 4.7 per 1,000 population, 0.2 below that for 1991. Tables 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for 10-year periods since 1864 and by single years since 1983. The following table compares the marriage rate in Ireland in the years 1941 to 1992 with those in Northern Ireland, England and Wales and Scotland.

Table I Number of marriages per 1,000 population in Ireland* and neighbouring countries, 1941 – 1992

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941–1950 [†]	5.6	7.6	8.6	8.5
1951–1960 [†]	5.4	6.8	7.8	8.1
1961–1970 [†]	6.0	7.3	7.9	7.9
1971–1980 [†]	6.8	6.9	7.7	7.6
1981–1990 [†]	5.4	6.4	6.9	6.9
1983	5.6	6.5	6.9	6.8
1984	5.2	6.7	7.0	7.0
1985	5.3	6.6	6.9	7.1
1986	5.2	6.5	6.9	7.0
1987	5.2	6.6	7.0	7.0
1988	5.2	6.3	6.9	7.0
1989	5.2	6.3	6.9	6.9
1990	5.1	6.0	6.5	6.8
1991	4.9	5.8	6.0	6.6
1992	4.7	5.8	6.1	6.9

*Exclusive of Northern Ireland

[†] Average annual number of marriages per 1,000 population for decennial periods from 1941–1990.

Age at Marriage

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

Table II Percentage distribution of marriages according to age of groom and age of bride and average age at marriage in 1945–1946 and in each year 1989–1992

Age Group	Distribution according to age of groom					Distribution according to age of bride				
	1945–46	1989	1990	1991	1992	1945–46	1989	1990	1991	1992
Under 20 years	1.0	1.1	1.1	0.9	0.8	6.6	3.7	3.4	3.2	2.5
20–24 "	14.3	25.9	23.8	22.0	19.7	29.5	40.4	37.8	35.1	32.4
25–29 "	25.7	46.5	47.1	47.4	47.8	31.1	40.4	42.6	43.5	46.2
30–34 "	24.2	17.0	18.3	20.0	21.6	19.9	10.3	11.1	12.6	13.5
35–44 "	25.8	7.4	7.7	7.7	7.8	11.1	4.0	4.0	4.5	4.4
45 years and over	9.0	2.1	2.1	2.0	2.3	1.9	1.2	1.1	1.1	1.0
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Age	33.1	28.4	28.6	28.7	29.0	28.0	26.4	26.6	26.9	27.1

In 1992, the proportion of grooms and brides at ages under 25 years continued to fall while the proportion aged 25 to 34 grew. The average age at marriage has been increasing since 1984; the average age for males being 29.0 years and for females, 27.1 years in 1992. In Table 46 all marriages registered in 1992 are cross-classified by age of groom and age of bride in single years. Table 47 gives similar details for first marriages. The average ages at first marriage of males and females were 28.8 and 27.0 respectively in 1992. Table III compares first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1992. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

Table III First marriage rates per 1,000 single population in each age group in Ireland* and England and Wales, 1992

Age groups	Males		Females	
	Ireland*	England and Wales	Ireland*	England and Wales
15–19 years [†]	0.8	3.0	2.5	12.5
20–24 "	24.3	39.4	45.4	71.0
25–29 "	108.9	75.1	137.4	90.4
30–34 "	102.5	62.0	92.1	63.3
35–39 "	49.6	40.1	39.2	37.7
40–44 "	19.8	20.7	14.2	19.0
45–49 "	9.5	11.9	4.4	12.4
50–54 "	4.4	7.5	3.3	7.4
55 and over	0.9	2.5	0.4	1.3
TOTAL, 15 years and over	30.2	36.7	35.7	46.8

* Exclusive of Northern Ireland
1992 Labour Force Survey population estimates used

[†] 16–19 years for England and Wales

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the two youngest age groups. In the 25–39 year age groups the rates for both males and females in Ireland were higher than the rates in England and Wales in 1992. In the age groups 40 years and over the rates for England and Wales were higher than the Irish rates.

Mode of Celebration

A total of 15,255 marriages (i.e. 91.7% of all marriages) were celebrated in accordance with the rites and ceremonies of the Catholic Church in 1992. Other marriages numbered 1,381, of which 521 were according to the rites and ceremonies of the Church of Ireland, 98 in Presbyterian Churches, 35 in Methodist Churches, 32 in accordance with the rites and ceremonies of other religious denominations and 695 by civil contract in Registrar's Office.

The rate for Catholic Marriages in 1992 was 4.6 per 1,000 of the Catholic population. The rate for all other marriages was 6.5 per 1,000 of the population other than Catholic.

Table IV Marriages registered in the years 1951 – 1992 according to the mode of celebration, and the rates per 1,000 corresponding population for Catholic and all other marriages

Year	Marriages registered other than Catholic							Catholic	Total	Rate per 1,000 corresponding population		
	Church of Ireland	Presby- terian	Metho- dist	Jewish	Other Religious Denom- inations	Civil Marr- riages	Total			Catholic	All other	Total
1951–60 [†]	507	112	37	18	5	65	744	14,998	15,742	5.5	4.5	5.4
1961–70 [†]	456	107	31	10	6	78	688	16,742	17,430	6.1	4.8	6.1
1971–80 [†]	433	89	27	7	8	259	823	20,739	21,562	6.9	5.1	6.8
1981–90 [†]	396	73	30	6	20	634	1,159	17,730	18,888	5.3	6.6	5.4
1983	404	71	23	2	19	902	1,421	18,046	19,467	5.4	7.7	5.6
1984	380	84	32	15	22	606	1,125	17,388	18,513	5.2	5.9	5.2
1985	364	73	35	1	13	581	1,067	17,724	18,791	5.3	5.5	5.3
1986	387	64	32	1	14	598	1,096	17,477	18,573	5.2	5.5	5.2
1987	455	54	33	16	17	655	1,230	17,079	18,309	5.1	6.1	5.2
1988	430	74	34	11	16	670	1,235	17,147	18,382	5.2	6.0	5.2
1989	352	59	21	3	27	675	1,137	17,037	18,174	5.2	5.4	5.2
1990	423	73	27	6	27	656	1,212	16,626	17,838	5.0	5.7	5.1
1991	392	52	30	0	25	649	1,148	16,293	17,441	4.9	5.3	4.9
1992	521	98	35	0	32	695	1,381	15,255	16,636	4.6	6.5	4.7

[†]Average annual number of marriages and rates for decennial periods 1951–1990

Marriages are classified according to form of ceremony, age of groom and age of bride in Tables 48 and 49. For Catholic marriages the average age of the groom was 28.8 years compared with 30.8 years for other marriages (including Civil marriages). The average age of the bride for Catholic marriages was 27.0 years and for other marriages, 28.3 years.

Socio–Economic Group (SEG)

This classification is widely used in Census of Population statistics and is determined by a person's occupation or, in some cases, by a combination of occupation and employment status. The socio–economic group (SEG) of a person not gainfully occupied is considered to be that of the gainfully occupied person on whom he or she is deemed to be dependent. The men and women married in 1992 were classified by SEG on the basis of the information on occupation given in the marriage register. The results obtained are given in Tables 50 to 52.

In Tables 50 and 51 grooms and brides are classified by SEG and age at marriage. For both grooms and brides the average marriage age in 1992 was higher in the SEG "Farmers, farmers' relatives assisting and farm managers" than in any other group and the lowest average age was in the "Other manual workers" group.

Table 52 shows marriages registered in 1992 classified by the SEG of groom and bride. The highest number of marriages among males occurred in the "Skilled manual workers" group which accounted for 28 per cent of the grooms excluding the "not stated" cases. The highest among females was in the "Intermediate non–manual workers" group which accounted for 41 per cent of the brides. The table also gives information on the respective SEGs of grooms and brides. Over 40 per cent of women in the SEG "Farmers, farmers' relatives assisting and farm managers" married men in another SEG. A substantial number of the women in the "Intermediate and other non–manual workers" group married men in each of the other SEG's. More than half of the women in the "Manual workers" groups married men in the same groups.

Area of Residence

Four classifications of district may be considered in relation to each marriage – namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In Table 45, figures for marriages according to the place of occurrence are given for 1992. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in Table V.

In Tables 53 and 54 marriages are classified by area of residence prior to marriage and by age group of groom and bride. Looking solely at marriages for which the area of residence was within the State, the average age at marriage for grooms was lowest in Longford, 27.6 and highest in Roscommon, 30.2. The average age for brides was lowest in Donegal, 25.8 and highest in Waterford County, 28.1.

In Table 55 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or of both groom and bride were outside the State. Thus, 1,527 of the men married in the State in 1992 were returned as residing in England, Wales or Scotland, 203 in Northern Ireland and 567 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 1,289, the number from Northern Ireland was 98 and the number from other countries was 414. In 1,687 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

Table V Comparisons of area in which marriage took place with area of residence of bride, 1992

Area in which registered	Total Marriages (1)	Marriages in the case of which bride was resident in		Col. (2) as percentage of Col. (1)
		Same area (2)	Other areas* (3)	
Carlow	190	149	41	78.4
Dublin County Borough	2,672	1,900	772	71.1
Dublin Belgard	681	449	232	65.9
Dublin Fingal	602	327	275	54.3
Dun Laoghaire Rathdown	742	566	176	76.3
Kildare	506	385	121	76.1
Kilkenny	385	285	100	74.0
Laois	261	194	67	74.3
Longford	141	122	19	86.5
Louth	468	401	67	85.7
Meath	458	351	107	76.6
Offaly	290	213	77	73.5
Westmeath	328	262	66	79.9
Wexford	538	460	78	85.5
Wicklow	463	350	113	75.6
Clare	442	307	135	69.5
Cork County Borough	824	621	203	75.4
Cork County	1,149	929	220	80.9
Kerry	551	397	154	72.1
Limerick County Borough	226	166	60	73.5
Limerick County	482	339	143	70.3
Tipperary N.R.	332	239	93	72.0
Tipperary S.R.	311	242	69	77.8
Waterford County Borough	177	123	54	69.5
Waterford County	229	154	75	67.3
Galway County Borough	246	111	135	45.1
Galway County	480	367	113	76.5
Leitrim	115	76	39	66.1
Mayo	525	335	190	63.8
Roscommon	224	154	70	68.8
Sligo	236	177	59	75.0
Cavan	305	246	59	80.7
Donegal	783	592	191	75.6
Monaghan	274	227	47	82.9
TOTAL	16,636	12,216	4,420	73.4

* Includes 68 cases in which residence was not stated and 1,801 cases in which the residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

Table VI Marriage Rates per 1,000 Population in each county and county borough calculated using (a) Total marriages registered in each area and (b) Marriages of men from that area, in 1992

Province, County or County Borough	Rate (a)	Rate (b)
TOTAL	4.7	4.0
LEINSTER	4.6	4.2
Carlow	4.6	4.3
Dublin County Borough	5.5	4.9
Dublin Belgard	3.2	3.4
Dublin Fingal	3.9	3.5
Dun Laoghaire Rathdown	4.0	4.2
Kildare	4.1	3.7
Kilkenny	5.2	3.8
Laois	4.9	4.4
Longford	4.6	4.1
Louth	5.1	4.4
Meath	4.3	3.7
Offaly	4.9	4.6
Westmeath	5.2	4.7
Wexford	5.2	4.4
Wicklow	4.7	4.2
MUNSTER	4.6	3.9
Clare	4.8	3.8
Cork County Borough	6.4	5.1
Cork County	4.0	3.7
Kerry	4.5	3.3
Limerick County Borough	4.3	4.5
Limerick County	4.3	3.8
Tipperary, N.R.	5.7	4.2
Tipperary, S.R.	4.1	3.4
Waterford County Borough	4.3	3.5
Waterford County	4.4	4.0
CONNACHT	4.3	3.1
Galway County Borough	4.8	2.1
Galway County	3.7	3.6
Leitrim	4.5	3.3
Mayo	4.7	2.9
Roscommon	4.3	2.9
Sligo	4.3	3.4
ULSTER (part of)	5.8	4.3
Cavan	5.7	4.2
Donegal	6.1	4.4
Monaghan	5.3	4.2

Rates (a) and (b) differ as marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). Rate (b) includes marriages of men from the county who married outside the county. Information on intended future residence tends not to be as accurate as other details recorded in relation to marriages. There were 452 marriages registered in which no information on future residence was provided.

Table VII Percentage of marriages with future intended residence outside the State 1976 to 1992

Year	Total Marriages	Marriages with intended future residence abroad	Col. (3) as percentage of col. (2)
(1)	(2)	(3)	(4)
1976	20,580	1,454	7.1
1977	20,016	1,335	6.7
1978	21,184	1,408	6.6
1979	20,806	1,169	5.6
1980	21,792	1,203	5.5
1981	20,612	1,100	5.3
1982	20,224	1,075	5.3
1983	19,467	1,013	5.2
1984	18,513	1,149	6.2
1985	18,791	1,345	7.2
1986	18,573	1,523	8.2
1987	18,309	1,843	10.1
1988	18,382	2,443	13.3
1989	18,174	2,914	16.0
1990	17,838	3,123	17.5
1991	17,441	2,887	16.6
1992	16,636	2,656	16.0

Table VII shows a steady increase in the proportion of marriages with intended future residence outside the State between 1984 and 1990 but a decline since 1991. In the case of 1,647 marriages the future residence was in England and Wales, 176 in Northern Ireland, 63 in Scotland, 193 in other parts of Europe, 363 in the United States of America, 55 in Canada, 110 in Australia and New Zealand and 49 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in Tables 56 and 57 respectively. The marriages of persons going abroad are classified by socio-economic groups of groom and bride in Tables 58 and 59 respectively. By comparing Tables 50 and 58 it is possible to examine the proportions of men marrying in each socio-economic group who intended to reside outside the country; this proportion varied considerably between the different groups as can be seen in Table VIII.

Table VIII Percentage of men marrying in each socio-economic group whose intended future residence was outside the state in 1991 and 1992

Socio-economic group of groom	Percentage with intended future residence outside the State	
	1991	1992
	Per Cent	
Farmers, relatives assisting and farm managers	3	2
Other agricultural occupations and fishermen	8	9
Higher professionals	35	33
Lower professionals	26	24
Employers and managers	19	19
Salaried employees	16	17
Intermediate non-manual workers	13	12
Other non-manual workers	11	13
Skilled manual workers	22	20
Other manual workers	10	9
TOTAL	17	16

A classification of marriages of persons going abroad by form of marriage ceremony, is made in Table 60. In the case of Catholic marriages the percentage with intended future residence outside the State at 16 per cent, is 1 per cent lower than 1991. The corresponding figure for all other marriages was 17 per cent in 1991 and 18 per cent in 1992.

Finally, in Tables 61 and 62, the marriages of persons going abroad are classified by area of residence before marriage of the groom and bride respectively. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

Table IX Grooms from each area whose intended future residence was outside the state, shown as a percentage of the total grooms from that area, 1991 and 1992

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1991	1992
	Per Cent	
Dublin	4	3
Leinster	4	3
Munster	4	3
Connacht	6	5
Ulster (part of)	7	6
Outside the State	90	91

Births

The number of births which occurred in 1992 was 51,089 comprising 26,307 males and 24,782 females. The corresponding total for 1991 was 52,718, 27,122 males and 25,596 females. The birth rate in 1992 was 14.4 per 1,000 population, compared with 15.0 in 1991.

Table X Number of births in Ireland* and birth rates per 1,000 population in Ireland and neighbouring countries, 1941 to 1992

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941–1950 [†]	65.0	21.9	22.4	16.9	18.8
1951–1960 [†]	61.7	21.2	21.3	15.8	18.5
1961–1970 [†]	62.4	21.7	22.4	17.5	18.8
1971–1980 [†]	69.4	21.8	18.1	13.2	13.6
1981–1990 [†]	61.6	17.6	17.4	13.2	12.9
1983	67.1	19.2	17.7	12.7	12.6
1984	64.1	18.2	17.9	12.8	12.7
1985	62.4	17.6	17.7	13.1	13.0
1986	61.6	17.4	18.0	13.2	12.9
1987	58.4	16.5	17.7	13.6	13.0
1988	54.6	15.5	17.6	13.8	13.0
1989	52.0	14.8	16.5	13.6	12.5
1990	53.0	15.1	16.7	13.9	12.9
1991	52.7	15.0	16.4	13.7	13.1
1992	51.1	14.4	15.8	13.4	12.9

*Exclusive of Northern Ireland.

[†] Average annual number of births and birth rates for decennial periods 1941–1990.

Classification by age at maternity, parity and duration of marriage

Table 42 shows the total number of births which occurred in 1992 classified by age of mother at maternity and number of previous liveborn children (i.e. parity). The mother's age was not stated in respect of 484 births (or 0.9% of the total). In 1991 the corresponding number was 497 (0.9%). The results contained in Table 42 are summarised in Table XI. In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins, the children would be classified as a fifth and sixth child in parity order.

Table XI Births occurring in 1992 classified by age of mother at maternity and number of previous children

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5–9	10–14	15 and over	Not stated
Under 20 years	2,714	2,431	235	38	3	–	–	–	–	7
20–24 years	7,859	4,677	2,238	674	172	53	19	–	–	26
25–29 "	15,458	6,169	5,218	2,528	958	345	172	1	–	67
30–34 "	15,494	3,444	5,015	3,819	1,795	757	574	12	–	78
35–39 "	7,381	845	1,450	1,873	1,483	779	864	46	3	38
40–44 "	1,620	130	207	236	310	237	451	38	3	8
45 years and over	79	2	2	15	12	9	30	6	3	0
Not stated	484	166	87	49	41	16	18	2	1	104
TOTAL	51,089	17,864	14,452	9,232	4,774	2,196	2,128	105	10	328

Between the mid 1960's and the mid 1970's there was a trend towards the younger age groups in the distribution of births according to the age of mother at maternity and by 1975 mothers under 30 years accounted for 61.7 per cent of births. Subsequently the proportion declined fairly steadily to reach 52.5 per cent in 1991 and 51.4 in 1992. The corresponding figures for England and Wales and for Scotland in 1992 were 66.1 per cent and 67.1 per cent respectively.

Table XII **Percentage distribution of births according to age of mother at maternity in Ireland* in 1991 and 1992 and in England and Wales and Scotland in 1992**

Age at maternity	Ireland*		England and Wales	Scotland
	1991	1992	1992	1992
Under 20 years	5.3	5.4	6.9	7.9
20-24 years	15.8	15.5	23.7	23.4
25-29 "	31.4	30.5	35.5	35.8
30-34 "	29.7	30.6	24.2	24.3
35-39 "	14.4	14.6	8.2	7.4
40-44 "	3.2	3.2	1.4	1.0
45 years and over	0.2	0.2	0.1	0.1
TOTAL	100.0	100.0	100.0	100.0
Average age at maternity	29.6	29.7	27.9	27.0

* Exclusive of Northern Ireland.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the fact that women in Ireland marry at a later age and have on average more children, as may be seen from Table XV. Table XIII shows the percentage distribution of first births within marriage.

Table XIII **Percentage distribution of first births within marriage according to age of mother in Ireland* in 1991 and 1992 and in England, Wales and Scotland in 1992**

Age at maternity	Ireland*		England and Wales	Scotland [†]
	1991	1992	1992	1992
Under 20 years	1.8	1.8	3.2	3.2
20-24 years	17.9	16.4	24.5	24.9
25-29 "	48.0	46.9	43.6	45.6
30-34 "	25.1	27.6	22.3	21.5
35-39 "	6.2	6.4	5.6	4.4
40-44 "	1.0	0.9	0.8	0.4
45 years and over	0.0	0.0	0.0	0.0
TOTAL	100.0	100.0	100.0	100.0
Average age at maternity	28.5	28.7	27.8	27.0

* Exclusive of Northern Ireland.

[†]First Births of First Marriage

Table XIV compares fertility rates in Ireland, England and Wales in 1992. In each age group the number of births within marriage per 1,000 married women was considerably higher in Ireland than in England and Wales, while the converse was true for the number of births outside marriage per 1,000 single, widowed and divorced women.

The total number of births outside marriage was 9,211 in 1992, i.e. 299 more than in 1991. This was equivalent to an annual rate of 21.6 per 1,000 unmarried females aged 15–49 years and was 18.0 per cent of all births. The number of births outside marriage has shown an increase every year since 1959 when the lowest ever number was recorded.

Table XIV Births per 1,000 women in each age group, Ireland*, England and Wales, 1992

Age of Mother	Total Births per 1,000 women		Births (within marriage) per 1,000 married women		Births (outside marriage) per 1,000 single, widowed, divorced or separated women	
	Ireland*	England and Wales	Ireland*	England and Wales	Ireland*	England and Wales
15–19 years	16.8	31.7	712.5†	330.0	15.2	27.0
20–24 "	58.9	86.2	280.1	199.3	31.7	52.7
25–29 "	124.4	117.3	210.5	170.7	26.9	57.0
30–34 "	122.9	87.2	153.0	103.4	27.0	49.9
35–39 "	61.4	33.4	69.8	35.4	20.9	27.0
40–44 "	14.4	5.5	16.1	5.4	5.6	6.0
45–49 "	0.8	0.3	1.0	0.3	–	0.3
Total 15–49 years	57.9	63.5	91.9	85.2	21.6	40.7

*Exclusive of Northern Ireland; rates use 1992 Labour Force Survey estimates as the denominator.

†Since the number of births within marriage in the under 20 age group is small, caution should be exercised in the interpretation of trends in this rate.

The percentage distribution of births within marriage according to the number of previous children in 1991 and 1992 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1992.

The difference between the years 1991 and 1992 in respect of the percentage distribution according to number of previous children was slight. The percentage of mothers with two or less previous children was lowest in Ireland while the percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1992, 4.9 per cent of the mothers had 5 or more previous children compared to 1.3 in England and Wales and 0.6 in Scotland.

Table XV Percentage distribution of births within marriage according to number of previous children in Ireland* in 1991 and 1992 and in England and Wales and Scotland in 1992

Number of previous children	Ireland*		England and Wales	Scotland†
	1991	1992	1992	1992
0	27.9	28.1	39.5	41.6
1	30.6	30.9	36.7	37.5
2	20.1	20.6	15.6	14.6
3	10.8	10.7	5.2	4.5
4	5.1	4.8	1.7	1.2
5 to 9	5.2	4.7	1.3	0.6
10 to 14	0.3	0.2	0.0	0.0
15 and over	0.0	0.0	0.0	0.0
TOTAL	100.0	100.0	100.0	100.0

* Exclusive of Northern Ireland.

† Includes stillbirths.

Multiple Births

The number of maternities in 1992 which resulted in multiple live births was 592 consisting of 581 sets of twins, 8 sets of triplets and 3 sets of quadruplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 11.5. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1980 to 1992.

Table XVI Number of multiple births and the number of twins per 1,000 maternities 1980–1992

Year	Live births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Quintuplets	Twinning rate
1980	74,064	73,271	769	12	—	—	10.5
1981	72,158	71,425	719	7	—	—	10.1
1982	70,843	70,055	770	9	—	—	11.0
1983	67,117	66,352	741	12	—	—	11.2
1984	64,062	63,368	690	2	—	—	10.9
1985	62,388	61,730	644	7	—	—	10.4
1986	61,620	60,974	628	7	—	—	10.3
1987	58,433	57,801	608	12	—	—	10.5
1988	54,600	53,966	624	5	—	—	11.6
1989	52,018	51,388	616	7	—	—	12.0
1990	53,044	52,400	624	8	—	1	11.9
1991	52,718	52,116	584	6	2	—	11.2
1992	51,089	50,484	581	8	3	—	11.5

DEATHS

The number of deaths which occurred during the year 1992 was 30,931 of which 16,516 were males and 14,415 were females. This is equivalent to a rate of 8.7 deaths per 1,000 total population compared to 8.9 in 1991 and in 1990.

Table 9 shows the annual average death rates, by age group, for decennial periods from 1864 to 1990 and the death rates for each year 1983 to 1992.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941–1992 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1992 was lower than in Northern Ireland, England and Wales and Scotland. Over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

These comparisons are based on *crude death rates*, which are to some extent affected by differences in the age–sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age–sex structures of the population.

Table XVII **Death rates per 1,000 population in Ireland* and neighbouring countries, 1941–1992**

Period	Number of deaths (000's) Ireland*	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941–1950 [†]	41.5	14.0	12.6	12.3	13.2
1951–1960 [†]	35.4	12.2	11.0	11.6	12.0
1961–1970 [†]	33.5	11.7	10.7	11.8	12.1
1971–1980 [†]	33.7	10.6	10.9	11.9	12.3
1981–1990 [†]	32.4	9.2	10.1	11.5	12.3
1983	33.0	9.4	10.4	11.7	12.3
1984	32.1	9.1	10.1	11.4	12.1
1985	33.2	9.4	10.2	11.8	12.5
1986	33.6	9.5	10.3	11.6	12.4
1987	31.4	8.9	9.7	11.3	12.1
1988	31.6	8.9	10.0	11.3	12.2
1989	32.1	9.1	10.0	11.4	12.8
1990	31.4	8.9	9.7	11.1	12.1
1991	31.3	8.9	9.5	11.2	12.2
1992	30.9	8.7	9.3	10.9	11.9

*Exclusive of Northern Ireland

[†] Average annual number of deaths and death rates for decennial periods from 1941–1990

Comparison between Counties

When comparisons are made between the death rates in different regions of the country, variations in the age distribution of the population from one county to another must be taken into account. If a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this, standardised rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to give the standardised rate for the county. See table XVIII.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being Dublin Belgard which had a crude death rate of 3.55 and a standardised rate of 7.6 reflecting the very young age structure in Dublin Belgard and Leitrim where standardisation had the effect of lowering the death rate from 15.30 to 9.86 because of the comparatively old age structure in that county. The standardised rates in 1992 were lowest in Galway County Borough, 6.41 and highest in Carlow, 10.75.

Table XVIII Crude and Standardised death rates in each Province, County and County Borough in 1992*

Province, County or County Borough	Rates per 1,000 population	
	Crude	Standardised
TOTAL	8.71	8.71
LEINSTER	7.75	8.70
Carlow	9.91	10.75
Dublin County Borough	9.92	8.94
Dublin Belgard	3.55	7.60
Dublin Fingal	3.96	7.36
Dun Laoghaire Rathdown	7.06	7.27
Kildare	6.47	9.80
Kilkenny	8.49	8.36
Laois	9.86	9.64
Longford	10.02	8.65
Louth	8.54	9.41
Meath	7.26	8.61
Offaly	9.91	10.24
Westmeath	8.74	8.91
Wexford	9.58	9.39
Wicklow	7.60	8.42
MUNSTER	9.40	8.97
Clare	9.08	8.33
Cork County Borough	8.78	8.82
Cork County	9.15	8.96
Kerry	11.88	9.41
Limerick County Borough	9.39	9.61
Limerick County	8.23	8.67
Tipperary N.R.	9.55	8.55
Tipperary S.R.	10.17	9.49
Waterford County Borough	7.23	8.15
Waterford County	9.92	9.32
CONNAUGHT	10.56	8.32
Galway County Borough	5.09	6.41
Galway County	10.52	8.57
Leitrim	15.30	9.86
Mayo	11.62	8.25
Roscommon	10.90	7.65
Sligo	11.09	8.76
ULSTER (part of)	9.97	8.44
Cavan	11.07	8.99
Donegal	9.68	8.13
Monaghan	9.56	8.69

* 1991 Census of Population figures used for areas. Rates adjusted using the total 1992 population estimate.

Causes of Death

The Ninth Revision of the International Classification of Diseases, Injuries and Causes of Death (ICD-9) as recommended by the World Health Organisation came into operation on the 1st of January 1979. This replaced the Eighth Revision (ICD-8) which was used from 1968 to 1978. The Ninth Revision was used for the first time in classifying deaths by causes in the 1979 Report. To facilitate linkage with previous years all deaths in 1979 were, in addition, coded according to the Eighth Revision of the International Classification of Diseases. A cross-classification of deaths occurring in 1979 by the Eighth and Ninth Revision is contained in Tables 60-63 of the 1979 Report. As the Ninth Revision imposes certain changes in interpretation of recorded medical opinion regarding the underlying cause of death when more than one disease is mentioned on the medical certificate of Cause of Death, care should be taken in comparing deaths coded according to the Ninth Revision with those for previous years.

Injury and Poisoning:— This category forms part of the main body of classification in ICD-9 and deaths coded accordingly are shown in Table 19.


External Causes of Death:— In the Sixth, Seventh and Eighth Revisions the E-code was considered as part of the main classification. In the Ninth Revision the E-code is treated as a supplementary classification to be used where relevant in conjunction with codes from any part of the main classification.

Table XIX **Average annual number of deaths and death rates from some of the principal causes in each period 1970-72, 1975-77, 1980-82, 1985-87, 1990-1992**

ICD-9 Code	Cause of death	1970-72	1975-77	1980-82	1985-87	1990-92
		Average annual number				
010-018, 137	Tuberculosis	196	169	130	100	63
Rem. 001-139	Other infectious and parasitic diseases	147	127	141	127	119
140-208	Malignant Neoplasms	5,637	6,167	6,280	6,848	7,307
393-398, 410-429	Ischaemic and other forms of heart disease	10,581	11,319	11,357	11,193	9,870
Rem. 390-459	Other diseases of the circulatory system	6,428	5,974	5,285	4,883	4,295
487	Influenza	351	219	68	47	33
Rem. 460-519	Other diseases of the respiratory system	4,065	3,920	4,258	4,257	4,282
797	Senility	500	297	80	56	34
Rem. 001-799	Other diseases	3,889	3,772	3,674	3,664	3,790
800-999	Injury and Poisoning	1,525	1,652	1,680	1,543	1,410
	All Causes	33,319	33,616	32,953	32,526	31,203
		Average annual rates per 100,000 population				
010-018, 137	Tuberculosis	6.6	5.2	3.8	2.8	1.8
Rem. 001-139	Other infectious and parasitic diseases	4.9	3.9	4.1	3.6	3.4
140-208	Malignant Neoplasms	188.9	191.2	182.4	193.4	207.1
393-398, 410-429	Ischaemic and other forms of heart disease	354.6	350.9	330.0	316.1	279.7
Rem. 390-459	Other diseases of the circulatory system	215.4	185.2	153.6	137.9	121.7
487	Influenza	11.8	6.8	2.0	1.3	0.9
Rem. 460-519	Other diseases of the respiratory system	136.2	121.5	123.7	120.2	121.4
797	Senility	16.8	9.2	2.3	1.6	1.0
Rem. 001-799	Other diseases	130.3	116.9	106.8	103.5	107.4
800-999	Injury and Poisoning	51.1	51.2	48.8	43.6	40.0
	All Causes	1,116.6	1,042.1	957.5	918.5	884.4


In Table XIX the number of deaths in the various disease groups in the years prior to 1979 have been adjusted on an approximate basis for previous periods to conform to the structure of the groups under the 9th Revision of the International Classification of Diseases.

Birth, Death and Marriage Rates from 1941




Deaths from principal causes

Male



Female



Infant and neo-natal mortality rates




**Table XX Age-sex specific death rates for the
Death rates per 100,000**

Mortality List Number	Cause of death	All Ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
01-07	ALL CAUSES	934.4	807.5	168.5	127.9	20.3	12.1	91.0	24.9	121.1	41.1
	Infectious and Parasitic Diseases	5.4	4.2	8.0	2.3	1.2	0.3	0.6	0.7	3.3	1.2
01	Intestinal Infectious Diseases	0.1	0.4	-	-	-	-	-	-	-	-
02	Tuberculosis	1.7	0.6	-	-	-	-	-	-	0.4	-
034	Whooping Cough	-	-	-	-	-	-	-	-	-	-
036	Meningococcal Infection	0.6	0.3	5.1	0.8	1.2	0.3	-	0.7	-	-
037	Tetanus	-	-	-	-	-	-	-	-	-	-
038	Septicaemia	0.7	1.5	1.4	1.5	-	-	0.3	-	-	-
041	Smallpox	-	-	-	-	-	-	-	-	-	-
042	Measles	-	-	-	-	-	-	-	-	-	-
052	Malaria	0.1	0.1	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	2.1	1.5	1.4	-	-	-	0.3	-	2.8	1.2
08-14	Malignant Neoplasms:-	230.8	193.8	2.9	2.3	2.9	1.2	5.4	3.0	14.2	13.1
091	of Stomach	16.5	8.2	-	-	-	-	-	-	-	-
093	Colon	20.2	19.6	-	-	-	-	-	-	0.8	0.4
094	Rectum, Rectosigmoid Junction and Anus	8.7	5.3	-	-	-	-	-	-	-	-
101	Trachea, Bronchus and Lung	59.3	28.6	-	-	-	-	-	0.3	-	0.4
113	Female Breast	-	36.9	-	-	-	-	-	-	-	2.0
120	Cervix Uteri	-	3.9	-	-	-	-	-	-	-	0.8
141	Leukaemia	8.5	4.4	1.4	-	0.9	-	3.8	0.7	1.6	1.2
	Other Malignant Neoplasms	117.6	87.0	1.4	2.3	2.1	1.2	1.6	2.0	11.8	8.3
181	Diabetes Mellitus	13.5	14.1	-	-	-	-	0.3	-	-	0.4
191	Nutritional Marasmus	-	-	-	-	-	-	-	-	-	-
192	Other Protein-Calorie Malnutrition	0.2	0.2	-	-	-	-	-	-	-	-
200	Anaemias	1.6	2.0	-	-	-	-	-	-	0.4	-
220	Meningitis	0.5	0.2	2.2	-	0.6	0.3	0.3	-	-	-
25-30	Diseases of the Circulatory System	418.1	368.7	1.4	0.8	1.2	1.6	3.2	1.3	10.2	3.2
250	Acute Rheumatic Fever	-	0.1	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	1.0	2.2	-	-	-	-	-	-	-	-
26	Hypertensive Disease	4.6	5.6	-	-	-	-	-	-	-	-
27	Ischaemic Heart Disease	258.8	176.5	-	-	-	-	0.3	0.3	4.1	0.4
270	(Acute Myocardial Infarction)	197.0	131.2	-	-	-	-	-	0.3	2.4	0.4
29	Cerebrovascular Disease	71.4	95.7	0.7	-	0.3	0.6	1.0	0.3	1.2	1.2
300	Atherosclerosis	11.4	11.5	-	-	-	-	-	-	-	-
	Other Diseases of the Circulatory System	70.8	77.1	0.7	0.8	0.9	0.9	1.9	0.7	4.9	1.6
321	Pneumonia	45.1	54.0	2.2	0.8	-	0.3	0.6	0.7	4.5	0.8
322	Influenza	0.2	0.7	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	16.7	10.8	-	0.8	0.3	-	1.3	-	1.6	-
341	Ulcer of Stomach and Duodenum	5.9	4.6	-	-	-	-	-	-	-	-
342	Appendicitis	0.1	0.1	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	3.4	2.0	-	-	-	-	-	-	0.4	0.8
350	Nephritis, Nephrotic Syndrome and Nephrosis	10.5	10.0	-	-	-	0.3	-	0.3	0.4	0.4
360	Hyperplasia of Prostate	1.6	-	-	-	-	-	-	-	-	-
38	Abortion	-	-	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	-	0.1	-	-	-	-	-	-	-	-
44	Congenital Anomalies	6.3	6.2	55.7	53.3	1.8	1.9	3.2	2.0	2.0	0.8
45	Certain Conditions Originating in the Perinatal Period+ (Birth Trauma)	3.6	2.2	46.3	30.4	-	-	-	-	-	-
453		-	-	-	-	-	-	-	-	-	-
46	Signs, Symptoms and ill-Defined Conditions	5.3	5.8	29.6	16.7	-	-	-	-	-	-
47-56	Injury and Poisoning	54.3	20.7	10.1	9.9	10.0	3.1	69.3	12.8	70.7	11.9
47	Fractures	9.9	7.4	2.9	2.3	2.4	0.9	11.8	3.0	6.5	1.6
49	Intracranial and Internal Injuries inc. nerves	17.8	5.4	0.7	2.3	3.5	1.2	29.1	4.7	24.0	5.1
52	Burns	1.2	0.8	0.7	2.3	0.3	-	1.6	-	0.4	-
53	Poisoning and Toxic Effects	4.3	2.9	-	0.8	0.6	-	3.2	3.0	4.9	2.0
	Other Injuries and Poisoning	21.1	4.2	5.8	2.3	3.2	0.9	23.6	2.0	34.9	3.2
	All Other Diseases	111.2	107.1	10.1	10.7	2.4	3.1	6.7	4.0	13.4	8.7
	External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	36.1	17.4	9.4	9.1	9.4	3.4	44.7	11.1	33.7	6.3
E471	Motor Vehicle Traffic Accidents	15.2	6.2	2.2	3.8	5.0	2.2	30.3	7.1	18.3	5.1
E50	Accidental Falls	7.1	6.6	0.7	0.8	0.3	0.3	1.0	-	3.3	-
E54	Suicide	17.2	3.3	-	-	0.9	-	21.7	2.0	32.5	4.7
E55	Homicide	1.2	0.3	0.7	0.8	-	-	1.6	-	2.4	1.2
	All Other External Causes	1.1	0.2	-	-	-	-	1.6	0.3	2.8	-

**Principal Causes of Death (I.C.D. 9th Revision) in 1992
corresponding population**

35-44		45-54		55-64		65-74		75-84		85 and Over		Mortality List Number
M	F	M	F	M	F	M	F	M	F	M	F	
163.4	103.9	463.8	308.3	1,394.8	825.5	4,234.8	2,318.2	10,288.8	6,609.5	22,478.7	17,719.6	
3.0	1.3	3.8	2.8	5.8	4.3	15.5	13.1	50.5	27.5	31.9	60.7	01-07
0.4	-	-	0.6	-	-	0.9	0.8	-	3.8	-	9.3	01
0.4	-	1.1	0.6	1.4	2.1	10.0	2.3	23.5	2.5	-	4.7	02
-	-	-	-	-	-	-	-	-	-	-	-	034
-	-	-	0.6	-	-	-	-	-	-	-	-	036
-	-	-	-	-	-	-	-	-	-	-	-	037
-	-	-	-	0.7	1.4	-	6.9	14.4	12.5	10.6	14.0	038
-	-	-	-	-	-	-	-	-	-	-	-	041
-	-	-	-	-	-	-	-	-	-	-	-	042
0.4	-	-	-	-	-	-	-	-	-	-	4.7	052
1.7	1.3	2.7	1.1	3.6	0.7	4.5	3.1	12.6	8.8	21.3	28.0	
41.4	60.0	151.9	172.6	469.0	381.8	1,285.7	765.6	2,285.2	1,299.1	3,287.2	1,859.8	08-14
3.0	3.0	9.3	6.8	33.1	7.1	101.0	37.7	149.8	65.1	287.2	79.4	091
3.8	4.3	9.9	13.1	39.6	24.2	102.8	79.2	225.6	146.4	372.3	289.7	093
2.1	0.9	6.6	5.1	21.6	9.3	42.8	11.5	88.4	48.8	117.0	74.8	094
5.1	3.0	33.4	16.0	140.5	54.8	391.3	145.3	530.7	214.0	595.7	172.9	101
-	21.3	-	59.8	-	104.0	-	123.8	-	166.5	-	271.0	113
-	6.4	-	6.3	-	7.8	-	13.8	-	12.5	-	9.3	120
2.6	1.7	4.9	4.6	9.4	3.6	39.1	11.5	83.0	38.8	127.7	51.4	141
24.7	19.6	87.7	61.0	224.8	170.9	608.7	342.8	1,207.6	607.0	1,787.2	911.2	
0.4	0.4	3.8	1.7	24.5	10.0	60.1	68.4	194.9	117.6	234.0	229.0	181
-	-	-	-	-	-	-	-	-	-	-	-	191
-	0.4	-	-	-	-	0.9	0.8	3.6	1.3	-	4.7	192
-	-	-	0.6	0.7	0.7	6.4	2.3	16.2	21.3	106.4	65.4	200
-	-	0.5	-	-	0.7	0.9	0.8	1.8	-	-	4.7	220
39.2	16.2	189.7	63.8	624.6	247.2	2,038.2	965.4	4,918.8	3,394.2	11,489.4	9,817.8	25-30
-	-	-	-	-	0.7	-	0.8	-	-	-	-	250
-	0.4	0.5	1.7	1.4	5.0	6.4	11.5	10.8	12.5	21.3	14.0	251
0.9	0.4	1.1	-	4.3	5.7	21.8	8.5	63.2	50.1	138.3	186.9	26
28.2	1.7	151.3	27.9	474.1	155.3	1,399.5	580.3	2,781.6	1,630.8	5,159.6	3,836.4	27
19.6	1.3	108.6	22.8	348.0	115.4	1,122.8	464.3	2,115.5	1,226.5	3,648.9	2,574.8	270
4.3	6.4	13.2	22.2	63.4	42.7	298.5	222.9	1,021.7	914.9	2,542.6	2,649.5	29
-	-	2.7	0.6	4.3	2.1	26.4	6.1	149.8	85.1	840.4	588.8	300
6.0	7.2	20.8	11.4	77.1	35.6	285.7	135.3	891.7	700.9	2,787.2	2,542.1	
3.8	1.3	6.6	5.7	23.1	17.8	121.0	66.1	648.0	451.8	2,521.3	2,215.0	321
-	-	-	-	-	-	-	1.5	1.8	3.8	31.9	37.4	322
1.7	1.3	4.4	4.6	20.2	22.1	79.2	36.1	222.0	90.1	393.6	140.2	323
0.4	-	2.2	1.7	4.3	2.1	27.3	11.5	75.8	45.1	223.4	121.5	341
-	-	-	-	-	0.7	0.9	-	1.8	-	-	-	342
1.7	1.3	4.9	3.4	16.6	4.3	14.6	9.2	12.6	5.0	-	9.3	347
0.9	-	1.6	0.6	9.4	4.3	31.8	16.9	164.3	102.6	436.2	299.1	350
-	-	-	-	1.4	-	3.6	-	28.9	-	74.5	-	360
-	-	-	-	-	-	-	-	-	-	-	-	38
-	0.4	-	-	-	-	-	-	-	-	-	-	39
1.3	2.1	-	3.4	1.4	2.8	2.7	3.1	9.0	5.0	10.6	14.0	44
-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	453
1.3	-	-	0.6	3.6	-	8.2	5.4	39.7	32.5	148.9	219.6	46
49.5	9.8	60.9	16.0	69.9	30.6	81.9	32.3	139.0	93.9	308.5	317.8	47-56
7.3	0.9	6.0	1.7	11.5	3.6	14.6	7.7	50.5	48.8	234.0	257.0	47
17.1	2.6	19.7	5.1	21.6	9.3	20.0	9.2	36.1	18.8	31.9	32.7	49
0.4	-	0.5	-	2.2	0.7	3.6	1.5	5.4	7.5	10.6	9.3	52
4.7	3.4	5.5	4.0	7.2	6.4	10.9	4.6	14.4	7.5	10.6	4.7	53
20.1	3.0	29.1	5.1	27.4	10.7	32.8	9.2	32.5	11.3	21.3	14.0	
18.8	9.4	33.4	30.8	120.3	96.2	455.9	319.8	1,474.7	918.6	3,180.9	2,303.7	
31.6	6.8	38.4	10.8	46.8	21.4	56.4	24.6	128.2	91.4	297.9	322.4	E47-E53
12.4	3.0	12.1	5.1	15.1	10.7	13.6	10.8	34.3	20.0	31.9	18.7	E471
4.7	-	7.7	2.8	10.8	2.8	17.3	6.1	56.0	48.8	234.0	275.7	E50
17.9	3.0	21.9	5.1	23.8	9.3	24.6	6.1	19.9	5.0	-	-	E54
0.9	0.4	1.6	-	-	0.7	2.7	-	3.6	-	-	-	E55
0.4	-	1.6	-	1.4	-	0.9	1.5	-	-	10.6	-	

Table XIX shows that heart diseases remained the single biggest cause of death. While the number of deaths due to heart disease has fluctuated somewhat since 1970–72, the rate per 100,000 population has declined steadily. However, the number of deaths due to cancer continues to rise steadily. Between 1970–72 and 1990–92, there has been a 30 per cent increase. There has been a significant decline in the number of deaths from influenza since 1970–72.

Of the deaths occurring in 1992, 79 per cent were due to the four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 309 per 100,000 population for males and 239 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 231 and 194 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 71 and 96 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 44 years accidents were the greatest single cause. Table XX contains more information on deaths classified by causes and age groups.

Some of the principal causes of deaths are considered in greater detail in the following sections.

Tuberculosis

In 1992 there were 56 deaths from tuberculosis, of which 36 were caused by the respiratory form and 20 by other forms of the disease. Between the period 1941–1950 and the year 1992 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level. All of the 56 deaths in 1992 were in the age group 30 and over.

The mortality from tuberculosis in the counties and county boroughs in 1992 is compared in Table 12 of this Report.

Table XXI **Number of deaths and death rates per 1,000 population from Tuberculosis of the Respiratory System and from all other forms of Tuberculosis, 1941 – 1992**

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 Population	Number	Rate per 1,000 Population	Tuberculosis respiratory system	Other forms of Tuberculosis
1941–1950*	2,739	0.92	779	0.26	1.05	1.07
1951–1960*	787	0.27	190	0.06	1.62	1.28
1961–1970*	304	0.11	34	0.01	2.27	1.35
1971–1980*	120	0.04	55	0.02	2.49	1.60
1981–1990*	64	0.02	33	0.01	2.09	1.49
1983	67	0.02	42	0.01	2.53	1.80
1984	68	0.02	35	0.01	2.24	0.94
1985	77	0.02	38	0.01	2.85	1.38
1986	62	0.02	28	0.01	1.82	1.55
1987	67	0.02	29	0.01	2.19	1.90
1988	44	0.01	28	0.01	1.75	1.55
1989	49	0.01	30	0.01	1.04	1.14
1990	45	0.01	23	0.01	1.81	0.64
1991	43	0.01	21	0.01	1.87	2.50
1992	36	0.01	20	0.01	3.50	1.00

*Average annual number of deaths and death rates for decennial periods from 1941–1990.

Cancer

Table XXII shows the death rate from cancer in certain age groups in the years 1980 to 1992.*

Table XXII Age-sex specific death rates from Cancer (Nos. 140–208) per 100,000 corresponding population, 1980–1992.

Year	Age Group (years)							
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	Total
Males								
1980	6	15	43	173	498	1,115	1,997	200
1981	7	13	44	169	491	1,123	2,008	199
1982	6	17	36	161	501	1,138	1,973	196
1983	6	12	39	178	526	1,125	2,049	200
1984	7	12	37	169	528	1,139	2,142	203
1985	5	14	38	164	553	1,187	2,143	210
1986	8	15	38	162	531	1,205	2,230	214
1987	4	13	35	158	506	1,173	2,397	214
1988	5	14	40	151	509	1,266	2,270	220
1989	5	14	40	144	502	1,203	2,328	221
1990	5	10	40	140	499	1,182	2,360	221
1991	4	11	33	146	514	1,201	2,335	223
1992	4	14	41	152	469	1,285	2,431	231
Females								
1980	5	15	64	185	414	701	1,198	169
1981	4	12	51	189	385	675	1,184	162
1982	6	18	59	209	393	682	1,194	167
1983	5	14	51	187	417	684	1,281	169
1984	5	19	63	192	399	722	1,331	175
1985	4	13	58	174	414	688	1,204	168
1986	4	14	50	194	421	704	1,292	175
1987	5	13	56	170	403	712	1,372	179
1988	5	13	62	176	425	726	1,360	185
1989	4	12	57	180	418	780	1,479	197
1990	4	14	49	176	396	713	1,358	185
1991	4	15	61	176	396	724	1,366	189
1992	2	13	60	173	382	766	1,418	194

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 34 years but between the ages 35 and 54 years the female rates were generally greater than those for males. In 1992 the male death rate for all ages was 19 per cent above that for females.

*** Comparability with data compiled pre–1950:**

Prior to 1950 under the Fifth Revision of the International List of Causes of Death, cancer deaths were those classified under codes 045–055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140–205 (Nos. 140–208 in the Ninth Revision) of the International Statistical classification which now includes Hodgkin's disease and leukaemia. Thus, for comparability with the years prior to 1950 the total cancer figure less Hodgkin's disease and leukaemia should also be shown. In 1992 there were 7,539 deaths from cancer (Nos. 140 to 208). Of this number 27 deaths were caused by Hodgkin's disease and 229 by leukaemia and aleukaemia.

Table XXIII Deaths from Cancer (nos. 140–208) per 1,000 population in Ireland* and neighbouring countries, 1980 – 1992

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1980	1.85	1.94	2.62	2.66
1981	1.81	1.86	2.62	2.71
1982	1.82	1.99	2.63	2.72
1983	1.85	2.03	2.68	2.76
1984	1.89	2.12	2.78	2.78
1985	1.89	2.07	2.80	2.81
1986	1.95	2.06	2.78	2.84
1987	1.96	2.14	2.80	2.87
1988	2.03	2.12	2.85	2.89
1989	2.09	2.21	2.84	2.93
1990	2.03	2.20	2.80	2.93
1991	2.06	2.18	2.81	2.98
1992	2.12	2.20	2.80	3.00

*Exclusive of Northern Ireland.

In the period under review the crude rates for England and Wales and Scotland were consistently higher than those for this country and Northern Ireland. The death rates from cancer in 1992 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

Table XXIV Death rates (Crude and Standardised) from Cancer (ICD-9 nos. 140-208) in each Province, County and County Borough in 1992*

Province, County or County Borough	Rates per 1,000 population	
	Crude	Standardised
TOTAL	2.12	2.12
LEINSTER	2.03	2.25
Carlow	2.18	2.35
Dublin County Borough	2.72	2.44
Dublin Belgard	1.09	2.25
Dublin Fingal	1.14	2.06
Dun Laoghaire Rathdown	2.10	2.14
Kildare	1.67	2.48
Kilkenny	1.97	1.92
Laois	2.30	2.25
Longford	2.29	1.99
Louth	2.36	2.57
Meath	1.62	1.90
Offaly	2.49	2.53
Westmeath	1.92	1.93
Wexford	2.01	1.98
Wicklow	2.02	2.23
MUNSTER	2.19	2.09
Clare	1.94	1.80
Cork County Borough	2.18	2.15
Cork County	2.04	2.01
Kerry	2.54	2.07
Limerick County Borough	2.42	2.46
Limerick County	1.77	1.86
Tipperary N.R.	2.35	2.10
Tipperary S.R.	2.42	2.24
Waterford County Borough	2.14	2.37
Waterford County	2.79	2.61
CONNAUGHT	2.32	1.89
Galway County Borough	1.42	1.81
Galway County	2.23	1.87
Leitrim	3.69	2.51
Mayo	2.37	1.75
Roscommon	2.43	1.77
Sligo	2.50	2.06
ULSTER (part of)	2.24	1.93
Cavan	2.63	2.13
Donegal	2.09	1.81
Monaghan	2.21	2.02

* 1991 Census of Population figures used for areas. Rates adjusted using the total 1992 population estimate.

Table XXV Mortality in 1992 from Malignant Neoplasms, classified by site, sex, and age, with corresponding rates per 100,000 population

Site	ICD-9 Code	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Malignant neoplasms of:																	
Lip, oral cavity and pharynx	140-149	-	-	4	13	21	29	21	88	-	2	1	2	3	9	11	28
Digestive organs and peritoneum	150-159	1	3	34	106	223	453	526	1,346	1	1	25	71	118	306	538	1,060
Respiratory system	160-165	-	1	13	68	209	451	366	1,108	1	1	7	30	81	199	215	534
Bone, connective tissue, skin and breast	170-175	3	6	7	8	21	25	38	108	3	9	54	114	158	177	221	736
Genito-urinary organs	179-189	-	3	3	25	59	233	386	709	-	7	25	51	97	140	185	505
Other and unspecified sites	190-199	8	7	18	34	78	110	120	375	8	6	15	18	46	108	146	347
Lymphatic and haematopoietic tissues	200-208	19	15	18	23	40	111	118	344	3	7	14	17	33	57	120	251
TOTAL		31	35	97	277	651	1,412	1,575	4,078	16	33	141	303	536	996	1,436	3,461

Rates per 100,000 corresponding population

Malignant neoplasms of:																	
Lip, oral cavity and pharynx	140-149	0.0	0.0	1.7	7.1	15.1	26.4	32.4	5.0	0.0	0.8	0.4	1.1	2.1	6.9	10.9	1.6
Digestive organs and peritoneum	150-159	0.1	1.2	14.5	58.1	160.7	412.1	812.4	76.1	0.1	0.4	10.6	40.4	84.0	235.3	530.8	59.4
Respiratory system	160-165	0.0	0.4	5.5	37.3	150.6	410.3	565.3	62.7	0.1	0.4	3.0	17.1	57.7	153.0	212.1	29.9
Bone, connective tissue, skin and breast	170-175	0.4	2.4	3.0	4.4	15.1	22.7	58.7	6.1	0.4	3.6	23.0	64.9	112.5	136.1	218.1	41.2
Genito-urinary organs	179-189	0.0	1.2	1.3	13.7	42.5	212.0	596.2	40.1	0.0	2.8	10.6	29.1	69.1	107.6	182.5	28.3
Other and unspecified sites	190-199	1.0	2.8	7.7	18.6	56.2	100.1	185.3	21.2	1.1	2.4	6.4	10.3	32.8	83.0	144.1	19.4
Lymphatic and haematopoietic tissues	200-208	2.4	6.1	7.7	12.6	28.8	101.0	182.2	19.5	0.4	2.8	6.0	9.7	23.5	43.8	118.4	14.1
TOTAL		3.9	14.2	41.4	151.9	469.1	1,284.6	2,432.5	230.7	2.1	13.1	60.0	172.6	381.7	765.8	1,416.9	193.8

The crude death rate from cancer in 1992 varied from 3.69 per 1,000 population in Leitrim to 1.09 in Dublin Belgard. When comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west, standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.61 per 1,000 population in Waterford County to 1.75 in Mayo.

Full details of deaths due to cancer occurring in 1992, classified by site of the disease and age group are contained in Table 19. The number of deaths and death rates from cancer per 100,000 in each group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly one third of the total cancer deaths for both males and females, the death rate for males being 27 per cent higher than that for females. The death rate from malignant neoplasms of the respiratory system for males was more than double that for females.

Cancer of the Bronchus, Trachea and Lung

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1980 to 1992, classified by sex and age group, are shown in Table XXVI.

Table XXVI Deaths and death rates per 100,000 corresponding population in each year 1980 to 1992 from Cancer of the Bronchus, Trachea and Lung, classified by sex and age group

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1980	4	11	67	249	604	935	—	11	35	92	195	333
1981	1	15	76	263	691	1,046	2	10	26	100	240	378
1982	1	13	76	240	624	954	4	6	36	104	228	378
1983	3	14	91	275	663	1,046	—	5	34	104	295	438
1984	3	15	89	266	723	1,096	1	8	37	105	294	445
1985	2	9	78	262	761	1,112	4	3	26	105	292	430
1986	1	5	77	254	778	1,115	1	6	29	104	303	443
1987	1	10	72	218	714	1,015	3	2	30	91	293	419
1988	1	12	75	243	729	1,060	1	4	29	120	332	486
1989	3	18	48	219	766	1,054	1	6	25	102	406	540
1990	1	15	63	212	753	1,044	1	6	35	106	337	485
1991	—	14	62	198	738	1,012	—	6	27	88	339	460
1992	—	12	61	195	780	1,048	2	7	28	77	397	511
Death rates per 100,000 corresponding population												
1980	0.4	6.2	43.8	174.8	368.6	54.7	—	6.5	23.4	62.4	97.1	19.7
1981	0.1	8.1	49.6	186.2	418.3	60.5	0.2	5.7	17.5	67.7	117.8	22.1
1982	0.1	6.8	49.1	170.1	374.3	54.6	0.4	3.3	24.0	70.4	110.1	21.8
1983	0.3	7.1	58.3	195.6	395.6	59.6	—	2.6	22.6	70.6	140.7	25.1
1984	0.3	7.4	56.6	189.7	429.6	62.0	0.1	4.1	24.4	71.5	138.4	25.3
1985	0.2	4.3	49.4	188.2	451.4	62.8	0.4	1.5	17.2	72.0	136.3	24.3
1986	0.1	2.3	48.8	184.4	461.1	63.0	0.1	2.9	19.2	72.0	140.5	25.0
1987	0.1	4.5	45.1	159.8	420.7	57.3	0.3	0.9	19.6	63.7	134.1	23.6
1988	0.1	5.3	46.3	178.4	425.1	60.3	0.1	1.8	18.6	84.6	149.7	27.4
1989	0.3	7.9	29.2	161.1	443.5	60.4	0.1	2.7	15.7	72.4	180.5	30.6
1990	0.1	6.5	37.3	155.9	434.5	59.9	0.1	2.6	21.4	75.8	148.7	27.5
1991	—	6.0	35.4	144.2	424.6	57.7	—	2.6	16.0	62.9	148.0	26.0
1992	—	5.1	33.5	140.5	447.0	59.4	0.2	3.0	16.0	54.8	171.8	28.6

The main point that emerges from this table is that for age groups under 65 years for both males and females, death rates in 1992 from cancer of the bronchus, trachea and lung are generally lower than in 1980; while this situation is reversed for the "65 years and over" age group for both sexes.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1987 to 1992.

Table XXVII Deaths and death rates in Ireland* and neighbouring countries from Cancer of the bronchus, trachea and lung in each year 1987 to 1992

Area	1987	1988	1989	1990	1991	1992
	Number of Deaths					
Ireland*	1,434	1,546	1,594	1,529	1,472	1,559
Northern Ireland	759	777	827	768	788	771
Scotland	4,290	4,144	4,234	4,123	4,209	4,308
England and Wales	35,138	35,302	33,184	33,159	34,190	33,662
Rates per 100,000 population						
Ireland*	40	44	45	44	42	44
Northern Ireland	48	49	52	48	49	48
Scotland	84	81	83	81	84	84
England and Wales	70	70	66	65	67	66

*Exclusive of Northern Ireland.

Diseases of the Circulatory System

There were 13,973 deaths ascribed to diseases of the circulatory system (Nos. 390–459) in 1992, of which 7,391 were deaths of males and 6,582 of females. Details of these deaths, classified by cause and age may be obtained from Table 19 of this report while the numbers assigned to each county and county borough are shown in Table 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths is largely reflected in the number of deaths from ischaemic heart disease (4,575 males compared with 3,150 females), the majority of which were due to acute myocardial infarction (3,482 males compared with 2,340 females). The converse is true for cerebrovascular disease (1,708 females compared with 1,263 males). In respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

Table XXVIII Deaths from diseases of the Circulatory System in 1992 showing the numbers and percentages not medically certified

Cause of Death	Males			Females		
	Total	Uncertified	Percent	Total	Uncertified	Percent
Acute rheumatic fever	—	—	—	2	0	0.00
Chronic rheumatic heart disease	18	0	0.00	39	0	0.00
Hypertensive disease	82	0	0.00	100	0	0.00
Ischaemic heart disease	4,575	1	0.02	3,150	0	0.00
Diseases of pulmonary circulation	31	0	0.00	44	0	0.00
Other forms of heart disease	841	1	0.12	1,041	0	0.00
Cerebrovascular disease	1,263	0	0.00	1,708	0	0.00
Diseases of arteries, arterioles and capillaries	496	0	0.00	417	0	0.00
Diseases of veins and lymphatics and other diseases of the circulatory system	85	0	0.00	81	0	0.00
TOTAL	7,391	2	0.03	6,582	0	0.00

Table XXIX Deaths from Diseases of the Circulatory System in 1992 classified by sex, and age, with corresponding death rates per 100,000 population

Cause of Death	ICD-9 Code	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Acute rheumatic fever	390-392	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2
Chronic rheumatic heart disease	393-398	-	-	-	1	2	7	8	18	-	-	1	3	7	15	13	39
Hypertensive disease	401-405	-	-	2	2	6	24	48	82	-	-	1	-	8	11	80	100
Ischaemic heart disease	410-414	1	10	66	276	658	1,538	2,026	4,575	1	1	4	49	218	755	2,122	3,150
Diseases of pulmonary circulation	415-417	1	-	1	-	1	14	14	31	1	-	1	1	4	6	31	44
Other forms of heart disease	420-429	8	9	9	28	58	184	545	841	5	3	11	10	33	108	871	1,041
Cerebrovascular disease	430-438	5	3	10	24	88	328	805	1,263	3	3	15	39	60	290	1,298	1,708
Diseases of arteries, arterioles and capillaries	440-448	1	1	2	10	43	124	315	496	-	-	4	8	8	51	346	417
Diseases of veins and lymphatics and other diseases of circulatory system	451-459	-	2	2	5	11	21	44	85	-	1	1	2	8	19	50	81
Total diseases of circulatory system		16	25	92	346	867	2,240	3,805	7,391	10	8	38	112	347	1,256	4,811	6,582

Rates per 100,000 population

Acute rheumatic fever	390-392	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.0	0.1
Chronic rheumatic heart disease	393-398	0.0	0.0	0.0	0.5	1.4	6.4	12.4	1.0	0.0	0.0	0.4	1.7	5.0	11.5	12.8	2.2
Hypertensive disease	401-405	0.0	0.0	0.9	1.1	4.3	21.8	74.1	4.6	0.0	0.0	0.4	0.0	5.7	8.5	78.9	5.6
Ischaemic heart disease	410-414	0.1	4.1	28.2	151.3	474.1	1,399.3	3,129.1	258.8	0.1	0.4	1.7	27.9	155.2	580.5	2,093.8	176.4
Diseases of pulmonary circulation	415-417	0.1	0.0	0.4	0.0	0.7	12.7	21.6	1.8	0.1	0.0	0.4	0.6	2.8	4.6	30.6	2.5
Other forms of heart disease	420-429	1.0	3.7	3.8	15.4	41.8	167.4	841.7	47.6	0.7	1.2	4.7	5.7	23.5	83.0	859.4	58.3
Cerebrovascular disease	430-438	0.6	1.2	4.3	13.2	63.4	298.4	1,243.3	71.4	0.4	1.2	6.4	22.2	42.7	223.0	1,280.7	95.7
Diseases of arteries, arterioles and capillaries	440-448	0.1	0.4	0.9	5.5	31.0	112.8	486.5	28.1	0.0	0.0	1.7	4.6	5.7	39.2	341.4	23.4
Diseases of veins and lymphatics and other diseases of circulatory system	451-459	0.0	0.8	0.9	2.7	7.9	19.1	68.0	4.8	0.0	0.4	0.4	1.1	5.7	14.6	49.3	4.5
Total diseases of circulatory system		2.0	10.2	39.3	189.7	624.7	2,038.0	5,876.7	418.1	1.3	3.2	16.2	63.8	247.1	965.7	4,747.0	368.6

Respiratory Diseases

Deaths from respiratory diseases (Nos. 460–519 in the International List) in 1992 numbered 4,105. These included 1,763 deaths by pneumonia, 245 by bronchitis, 17 by influenza and 2,080 due to other respiratory diseases.

Pregnancy, Childbirth and Puerperium

There were two maternal deaths in 1992, compared to three in 1991. The death rate was 0.04 per 1,000 maternities. Table XXX shows the maternal deaths in 1992 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal.

Table XXX Maternal deaths in 1992 classified by age of mother and principal cause

Cause of death	Age Group							
	All ages	15–19	20–24	25–29	30–34	35–39	40–44	45 years and over
Infective and Parasitic conditions in the mother classifiable elsewhere but complicating pregnancy childbirth and the puerperium	1	–	–	–	–	–	1	–
Obstetrical pulmonary embolism	1	–	–	–	–	–	1	–
TOTAL	2	–	–	–	–	–	2	–

Deaths associated with Pregnancy, Childbirth or the Puerperium, but not classified as Maternal, in 1992

Cause of death	Age Group							
	All ages	15–19	20–24	25–29	30–34	35–39	40–44	45 years and over
Subarachnoid Hemorrhage	1	1	–	–	–	–	–	–
Encephalitis	1	–	–	–	1	–	–	–
TOTAL	2	1	–	–	1	–	–	–

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1980 – 1992.

Table XXXI Maternal deaths per 100,000 total live and still births in Ireland* and neighbouring Countries, 1980 – 1992

Year	Numbers of deaths	Death per 100,000 live and still births			
		Ireland*	Northern Ireland	England and Wales	Scotland
1980	5	7	7	11	14
1981	3	4	4	9	19
1982	4	6	7	7	9
1983	8	12	15	9	12
1984	4	6	11	8	12
1985	4	6	—	7	13
1986	3	5	—	7	11
1987	2	3	4	7	3
1988	1	2	7	6	12
1989	2	4	—	8	6
1990	2	4	—	1	6
1991	3	6	1	1	9
1992	2	4	—	6	11

*Exclusive of Northern Ireland.

Infant and Late Foetal Mortality

The terms used in relation to infant and late foetal mortality are defined as follows:

Infant death: Death at ages under 1 year of live born infant.

Early neo–natal death: Death at ages under 1 week of live born infant.

Neo–natal death: Death at ages under 4 weeks of live born infant.

Post–neo–natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo–natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo–natal mortality rate: Neo–natal deaths divided by total live births, multiplied by 1,000.

Early neo–natal mortality rate: Early neo–natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality have been obtained through a scheme of notification to the Directors of Community Care. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently, the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rate for infant mortality was in Cork County Borough and the lowest in Sligo. The rate for perinatal mortality was highest in Tipperary S.R. and lowest in Tipperary N.R. while for late foetal mortality the highest rate was in Tipperary S.R. and lowest in Tipperary N.R.

Table XXXII Infant and Late Foetal mortality*, 1992

Area	Infant Mortality		Neo-natal Mortality		Late Foetal Mortality		Perinatal Mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	331	6.5	219	4.3	285	5.5	476	9.3
LEINSTER	198	7.1	136	4.9	149	5.3	270	9.7
Carlow	4	6.0	3	4.5	2	3.0	5	7.5
Dublin County Borough	50	7.5	34	5.1	67	4.4	139	9.1
Dublin Belgard	31	8.8	19	5.4				
Dublin Fingal	24	9.4	15	5.9				
Dun Laoghaire Rathdown	19	7.9	14	5.8				
Kildare	12	5.7	12	5.7	12	5.7	23	10.9
Kilkenny	4	3.8	3	2.9	10	9.5	13	12.3
Laois	1	1.5	—	—	4	5.9	4	5.9
Longford	2	4.8	—	—	4	9.6	4	9.6
Louth	13	10.3	8	6.4	11	8.7	19	15.0
Meath	12	8.0	7	4.7	9	5.9	15	9.9
Offaly	5	5.9	4	4.7	—	—	4	4.7
Westmeath	9	9.4	8	8.4	7	7.3	13	13.5
Wexford	7	4.4	5	3.2	17	10.6	21	13.1
Wicklow	5	3.2	4	2.5	6	3.8	10	6.3
MUNSTER	95	6.7	66	4.6	86	6.0	142	9.9
Clare	5	4.0	4	3.2	13	10.2	17	13.4
Cork County Borough	18	11.2	14	8.7	32	5.5	60	10.3
Cork County	28	6.7	18	4.3				
Kerry	11	7.0	8	5.1	6	3.8	11	6.9
Limerick County Borough	6	7.9	5	6.6	13	5.4	22	9.1
Limerick County	9	5.5	5	3.0				
Tipperary N.R.	5	5.8	3	3.5	1	1.2	3	3.5
Tipperary S.R.	7	7.0	6	6.0	14	13.8	20	19.6
Waterford County Borough	3	6.1	2	4.0	7	5.3	9	6.9
Waterford County	3	3.7	1	1.2				
CONNACHT	19	3.3	7	1.2	33	5.6	39	6.7
Galway County Borough	3	4.0	1	1.3	16	5.9	20	7.4
Galway County	6	3.1	4	2.1				
Leitrim	2	6.0	1	3.0	1	3.0	2	6.0
Mayo	4	2.7	—	—	9	6.1	9	6.1
Roscommon	3	5.0	1	1.7	3	5.0	4	6.6
Sligo	1	1.3	—	—	4	5.3	4	5.3
ULSTER (part of)	19	5.8	10	3.1	17	5.2	25	7.7
Cavan	8	10.4	3	3.9	3	3.9	6	7.8
Donegal	6	3.4	4	2.3	11	6.2	15	8.4
Monaghan	5	7.0	3	4.2	3	4.2	4	5.6

* For definition see page 37

Infant Mortality

During the year 1992 there were 331 deaths of infants under one year, compared to 401 in 1991. The infant mortality rate which continued to decline over the years to 8.8 in 1985 has fluctuated slightly since then, the rate declining to 6.5 in 1992.

Table XXXIII Infant mortality by age, 1941 to 1992

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50 [†]	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60 [†]	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961-70 [†]	7.1	6.2	1.4	1.1	0.8	16.6	2.1	1.5	2.7	2.0	8.2	24.9
1971-80 [†]	5.1	3.8	0.9	0.4	0.4	10.6	1.2	1.0	1.8	1.4	5.3	15.9
1981	3.2	2.0	0.6	0.4	0.3	6.5	0.8	0.8	1.4	0.9	3.8	10.3
1982	3.5	2.1	0.6	0.2	0.2	6.6	0.9	0.6	1.5	0.9	3.9	10.5
1983	3.1	2.1	0.5	0.2	0.3	6.1	0.8	0.8	1.2	1.2	4.0	10.1
1984	3.3	2.0	0.3	0.2	0.2	6.0	0.7	0.7	1.2	1.0	3.7	9.6
1985	2.8	1.4	0.5	0.3	0.3	5.3	0.9	0.5	1.3	0.9	3.6	8.8
1986	2.5	1.6	0.5	0.1	0.3	5.0	0.6	0.9	1.4	0.9	3.9	8.9
1987	1.9	1.5	0.5	0.3	0.2	4.3	0.8	0.8	1.5	0.7	3.6	7.9
1988	2.6	1.7	0.5	0.3	0.2	5.3	0.7	0.6	1.2	1.0	3.5	8.9
1989	2.4	1.6	0.3	0.2	0.2	4.8	0.4	0.8	1.2	0.9	3.3	8.1
1990	2.6	1.5	0.4	0.1	0.3	4.8	0.7	0.5	1.3	0.8	3.4	8.2
1991	2.4	1.4	0.7	0.2	0.3	5.0	0.6	0.3	1.1	0.6	2.6	7.6
1992	2.2	1.5	0.3	0.1	0.2	4.3	0.4	0.3	0.8	0.7	2.2	6.5

[†]Decennial average.

Table XXXIV Infant Mortality rates in Ireland* and neighbouring countries, 1941 to 1992

Year	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50 [†]	66	60	43	57
1951-60 [†]	37	32	25	30
1961-70 [†]	25	25	19	23
1971-80 [†]	16	19	15	16
1981	10	13	11	11
1982	11	14	11	11
1983	10	12	10	10
1984	10	11	9	10
1985	9	10	9	9
1986	9	10	10	9
1987	8	9	9	8
1988	9	9	9	8
1989	8	7	8	7
1990	8	8	8	8
1991	8	7	7	7
1992	6	6	7	7

[†]Decennial average.

*Exclusive of Northern Ireland

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in Table 19. In Table 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at certain ages under one week and deaths at ages 4 weeks to 1 year. Of all deaths at ages under one week, 49 per cent were due to congenital anomalies, anoxic and hypoxic conditions not elsewhere classified accounted for 16 per cent, immaturity and birth injuries 3 per cent.

Table XXXV Late Foetal deaths and deaths of infants under 1 year occurring in 1992 classified by cause and age

ICD-9 Codes	Cause of Death	Late Foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	—	—	—	—	—	—
Rem (000-139)	Other infective and parasitic diseases	—	1	1	—	8	10
320-322	Meningitis	—	—	—	—	1	1
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	—	2	—	1	4	7
520-579	Diseases of the digestive system	—	—	—	—	1	1
740-759	Congenital anomalies	39	46	47	14	24	131
736, 767	Birth injuries	—	—	—	—	—	—
765.1	Immaturity unqualified	—	4	2	—	1	7
768-769, 770.1, 770.7	Anoxic and hypoxic conditions N.E.C.	—	21	10	3	3	37
773, 774	Haemolytic disease of newborn	—	1	—	—	—	1
779	Other and ill-defined conditions originating in the perinatal period	83	1	—	—	—	1
798	Sudden death, cause unknown	—	—	2	3	52	57
Rem (001-999)	Other causes	163	36	17	7	18	78
	TOTAL	285	112	79	28	112	331

Late Foetal Deaths

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:

Year	Late Foetal Deaths
Average 1957-1966	1,215
Average 1967-1976	875
Average 1977-1986	607
1987	416
1988	386
1989	330
1990	327
1991	301
1992	285

The causes of late foetal deaths notified in 1992 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI

Table XXXVI Late Foetal deaths and rates* per 1,000 births by cause, 1992

ICD-9 Codes 740-779	Cause of death	Number of Late Foetal deaths	Rate per 1,000 total births
740	Anencephalus and similar anomalies	18	0.35
741	Spina bifida	4	0.08
742	Other congenital anomalies of nervous system	2	0.04
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	1	0.02
746	Other congenital anomalies of heart	4	0.08
753	Congenital anomalies of urinary system	2	0.04
758	Chromosomal anomalies	1	0.02
759	Other and unspecified congenital anomalies	7	0.14
762	Fetus or newborn affected by complications of placenta, cord and membranes	91	1.78
763	Fetus or newborn affected by other complications of labour and delivery	2	0.04
764	Slow foetal growth and foetal malnutrition	4	0.08
765	Disorders relating to short gestation and unspecified low birthweight	2	0.04
768	Intrauterine hypoxia and birth asphyxia	59	1.15
770	Other respiratory conditions of fetus and newborn	1	0.02
772	Foetal and neo-natal haemorrhage	1	0.02
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0.02
777	Perinatal disorders of Digestive System	1	0.02
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	0.02
779	Other and ill-defined conditions originating in the perinatal period	83	1.62
TOTAL		285	5.58

* For definition see page 37

Deaths classified as being due to placental and cord injuries to fetus accounted for almost one third (32%) of late foetal deaths. Deaths classified as being due to ill-defined conditions originating in the perinatal period accounted for 29 per cent of the total late foetal deaths, deaths due to intrauterine hypoxia and birth asphyxia were next at 21 per cent and congenital anomalies 14 per cent.

As can be seen from Table XXXVII 280 late foetal deaths in 1992 occurred in hospitals; this is equivalent to 98 per cent of the total number of late foetal deaths

Table XXXVII Late Foetal deaths notified in the year 1992 classified by period of gestation and place in which confinement occurred

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28–36 Weeks	131	—	—	131
37 Weeks and over	149	2	3	154
TOTAL	280	2	3	285

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1980 to 1992 compare as follows:

Table XXXVIII Perinatal and Late Foetal mortality rates* in Ireland† and neighbouring countries, 1980–1992

Year	Late Foetal mortality rate				Perinatal mortality rate			
	Ireland †	Northern Ireland	England and Wales	Scotland	Ireland †	Northern Ireland	England and Wales	Scotland
1980	9.1	9.2	7.2	6.7	14.8	15.6	13.3	13.1
1981	8.2	8.7	6.6	6.3	13.4	15.3	11.8	11.6
1982	8.0	6.9	6.3	5.8	13.5	13.3	11.3	11.5
1983	8.6	7.4	5.7	5.8	13.7	13.1	10.4	10.6
1984	8.4	5.9	5.7	5.8	13.7	10.8	10.1	11.0
1985	8.2	6.4	5.5	5.5	12.3	11.1	9.8	9.8
1986	7.8	4.4	5.3	5.8	11.9	9.5	9.6	10.2
1987	7.1	6.1	5.0	5.1	10.4	9.8	8.9	8.9
1988	7.0	5.0	4.9	5.4	11.3	9.3	8.7	8.9
1989	6.3	5.1	4.7	5.0	10.3	8.2	8.3	8.7
1990	6.1	4.4	4.6	5.3	10.2	7.6	8.1	8.7
1991	5.7	4.7	4.6	5.5	9.5	8.4	8.0	8.6
1992	5.5	4.9	4.3	5.4	9.3	8.2	7.6	9.0

* For definition see page 37

† Exclusive of Northern Ireland

Accidents, Poisoning and Violence

The number of deaths from external causes (numbers E800–E999) occurring in 1992 was 1,363 of which 984 were males and 379 were females. The corresponding figures for 1991 were 1,455, 1,025 and 430 respectively. As has been mentioned on page 9 deaths which have not been registered within one year of their occurrence have been excluded from the main body of this report. The exclusion of these cases may have a relatively more significant effect on the number of deaths classified to some external causes.

Table XXXIX Deaths from accidents, poisoning and violence, 1983 – 1992

ICD – 9 code	Cause of Death	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
E800–E807	Railway accidents	9	4	3	3	5	4	3	5	3	4
E810–E829	Road vehicle accidents	558	509	484	422	461	474	475	465	446	393
E850–E869	Accidental poisoning	32	37	32	35	37	33	16	22	44	29
E980–E982	Poisoning undetermined whether accidentally or purposely inflicted	10	11	13	15	7	17	19	9	9	4
E890–E899 E921, E923 E924	Accidents caused by fire explosion and burns	104	81	97	104	70	81	88	64	65	68
E910	Accidental drowning and submersion	83	78	59	65	62	61	80	72	69	58
E984	Drowning (submersion) undetermined whether accidentally or purposely inflicted	49	42	38	59	51	41	45	25	21	12
E880–E888	Accidental falls	267	247	285	312	292	250	302	285	269	242
Rem. (E800– E999)	Other accidents and external causes	199	195	201	241	259	200	218	221	183	190
E950–E959	Suicide and self inflicted injury	282	232	276	283	245	266	278	334	346	363
	TOTAL	1,539	1,436	1,488	1,539	1,489	1,427	1,524	1,502	1,455	1,363

As can be seen from Table XL there is an excess of male mortality from accidents which may be largely attributed to the category road vehicle accidents, followed by suicide and self-inflicted injury. At ages over 75 years, the excess of female deaths may be attributed to accidental falls. Almost half of these falls occurred in the home (Table XLI).

236 deaths resulted from accidents in the home, Table XLI, compared with 253 in 1991. 116 of these deaths were accidental falls, of which 65 per cent were in the 75 years and over age category. Accidents caused by fire and flames accounted for 59 deaths, 4 of which were in the under 4 age group. There were 16 deaths from accidental poisoning, all of which were persons aged 15 years and over.

Table XL Deaths from accidents, poisonings and violence in 1992 classified by age and sex

Cause of Death	ICD-9 Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Railway accidents												
M	E800-807	4	-	-	-	1	-	1	2	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents												
M	E810-829	274	1	2	17	95	46	31	23	22	15	22
F		119	-	5	7	24	14	7	9	15	17	21
Accidental poisoning												
M	E850-869	21	-	-	1	3	6	4	3	2	1	1
F		8	-	-	-	2	-	1	2	2	-	1
Accidental falls												
M	E880-888	125	-	1	1	3	8	11	14	15	19	53
F		117	-	1	1	-	-	-	5	4	8	98
Accidents caused by fire, explosion and burns												
M	E890,899,921,	40	1	-	2	5	-	4	1	6	10	11
F	E923,924	28	-	3	-	4	1	2	-	3	4	11
Accidental drowning and submersion												
M	E910	49	-	5	4	14	6	2	6	6	5	1
F		9	-	2	1	1	1	-	-	1	1	2
Suicide and self-inflicted injury												
M	E950-959	304	-	-	3	68	80	42	40	33	27	11
F		59	-	-	-	6	12	7	9	13	8	4
Injury undetermined whether accidentally or purposely inflicted												
M	E980-989	19	-	-	-	5	6	1	3	2	1	1
F		3	-	-	-	1	-	-	-	-	2	-
Other accidents and external causes												
M	Rem.	148	-	4	7	24	24	23	24	14	15	13
F	E800-999	36	-	2	2	2	3	7	3	6	2	9
TOTAL												
M		984	2	12	35	218	176	119	116	100	93	113
F		379	-	13	11	40	31	24	28	44	42	146

Table XLI Deaths due to accidents in the home in 1992 classified by cause and age group

Cause of Death	ICD-9 Code	All Ages	Under 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and over
Accidental poisoning by drugs, medicaments, biologicals, other solids and liquid substances												
M	E850-866	7	-	-	-	1	4	1	1	-	-	-
F		4	-	-	-	-	-	1	2	1	-	-
Accidental poisoning by gases and vapours												
M	E867-869	4	-	-	-	-	1	-	-	2	1	-
F		1	-	-	-	-	-	-	-	1	-	-
Accidental falls												
M	E880-888	57	-	-	-	-	2	2	6	6	12	29
F		59	-	1	-	-	-	-	3	3	6	46
Accident caused by fires and flames												
M	E890-899	32	1	-	2	-	-	4	1	6	10	8
F		27	-	3	-	4	1	2	-	3	4	10
Hunger, thirst, exposure, neglect												
M	E904	1	-	-	-	-	-	-	1	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation												
M	E911	10	-	1	-	1	-	2	3	3	-	-
F		8	-	-	-	1	-	1	2	1	1	2
Accidental mechanical suffocation												
M	E913	3	-	1	1	-	-	1	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Accident caused by hot substance or object, caustic or corrosive material and steam												
M	E924	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Accidents caused by electric current												
M	E925	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other and unspecified accidents												
M		15	-	2	2	3	-	1	1	3	1	2
F		8	-	1	1	-	-	-	-	2	-	4
TOTAL												
M		129	1	4	5	5	7	11	13	20	24	39
F		107	-	5	1	5	1	4	7	11	11	62

Uncertified Deaths

The number of cases in 1992 in which the cause of death was not certified by a medical practitioner was 2 which represents 0.01 per cent of the total deaths. In Table 23 uncertified deaths in 1992 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. Table XLII compares the percentages of deaths uncertified in each province for a number of years.

Table XLII Uncertified deaths as a percentage of the total in each Province, 1951 – 1992

Province	1951–60	1961–70	1971–80	1981–90	1991	1992
Leinster	3.1	1.0	0.3	0.0	0.03	0.00
Munster	8.1	2.9	0.4	0.0	0.01	0.01
Connacht	20.0	8.1	1.9	0.2	0.00	0.02
Ulster (part of)	13.8	4.7	0.9	0.1	0.00	0.00
TOTAL	8.5	3.1	0.6	0.1	0.02	0.01

Table XLIII Percentage of deaths uncertified by age groups in each Province in 1992

Province	All ages	Under 35	35–44	45–54	55–64	65–74	75 and over
Leinster	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Munster	0.01	0.00	0.00	0.00	0.00	0.00	0.02
Connacht	0.02	0.00	0.00	0.00	0.00	0.00	0.04
Ulster (part of)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL	0.01	0.00	0.00	0.00	0.00	0.00	0.01
Actual number of deaths uncertified	2	–	–	–	–	–	2

All the deaths uncertified were in the age group 75 years and over.

Inquests and Post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1992 was 3,320 compared with 3,411 in 1991.

Tables

Table 1 Estimated population in thousands in each year 1851*– 1992

Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1926	2,971	1,507	1,464
1852	4,927	2,413	2,514	1927	2,957	1,502	1,455
1853	4,807	2,358	2,449	1928	2,944	1,498	1,446
1854	4,704	2,311	2,393	1929	2,937	1,496	1,441
1855	4,638	2,281	2,357	1930	2,927	1,493	1,434
1856	4,594	2,261	2,333	1931	2,933	1,497	1,436
1857	4,540	2,234	2,306	1932	2,949	1,505	1,444
1858	4,506	2,217	2,289	1933	2,962	1,512	1,450
1859	4,471	2,199	2,272	1934	2,971	1,518	1,453
1860	4,428	2,179	2,249	1935	2,971	1,520	1,451
1861	4,393	2,164	2,229	1936	2,967	1,520	1,447
1862	4,377	2,158	2,219	1937	2,948	1,510	1,438
1863	4,328	2,134	2,194	1938	2,937	1,505	1,432
1864	4,263	2,103	2,160	1939	2,934	1,503	1,431
1865	4,223	2,084	2,139	1940	2,958	1,515	1,443
1866	4,163	2,051	2,112	1941	2,993	1,533	1,460
1867	4,130	2,033	2,097	1942	2,963	1,499	1,464
1868	4,109	2,022	2,087	1943	2,946	1,490	1,456
1869	4,090	2,012	2,078	1944	2,944	1,487	1,457
1870	4,062	1,996	2,066	1945	2,952	1,490	1,462
1871	4,042	1,986	2,056	1946	2,957	1,496	1,461
1872	4,023	1,975	2,048	1947	2,974	1,505	1,469
1873	3,989	1,955	2,034	1948	2,985	1,512	1,473
1874	3,966	1,944	2,022	1949	2,981	1,513	1,468
1875	3,951	1,940	2,011	1950	2,969	1,510	1,459
1876	3,949	1,942	2,007	1951	2,961	1,507	1,454
1877	3,956	1,947	2,009	1952	2,953	1,501	1,452
1878	3,952	1,948	2,004	1953	2,949	1,498	1,451
1879	3,939	1,944	1,995	1954	2,941	1,493	1,448
1880	3,891	1,920	1,971	1955	2,921	1,479	1,442
1881	3,847	1,901	1,946	1956	2,898	1,463	1,435
1882	3,808	1,882	1,926	1957	2,885	1,456	1,429
1883	3,745	1,853	1,892	1958	2,853	1,439	1,414
1884	3,703	1,834	1,869	1959	2,846	1,435	1,411
1885	3,671	1,820	1,851	1960	2,832	1,427	1,405
1886	3,642	1,808	1,834	1961	2,818	1,417	1,402
1887	3,600	1,788	1,812	1962	2,830	1,423	1,407
1888	3,554	1,766	1,788	1963	2,850	1,433	1,417
1889	3,516	1,748	1,768	1964	2,864	1,440	1,424
1890	3,482	1,733	1,749	1965	2,876	1,446	1,430
1891	3,449	1,718	1,731	1966	2,884	1,449	1,435
1892	3,408	1,697	1,711	1967	2,900	1,457	1,443
1893	3,382	1,684	1,698	1968	2,913	1,464	1,449
1894	3,362	1,675	1,687	1969	2,926	1,470	1,455
1895	3,333	1,662	1,671	1970	2,950	1,482	1,468
1896	3,314	1,653	1,661	1971	2,978	1,496	1,482
1897	3,298	1,646	1,652	1972	3,024	1,519	1,505
1898	3,283	1,640	1,643	1973	3,073	1,544	1,529
1899	3,265	1,631	1,634	1974	3,124	1,570	1,554
1900	3,234	1,616	1,618	1975	3,177	1,597	1,580
1901	3,213	1,607	1,606	1976	3,228	1,623	1,605
1902	3,200	1,603	1,597	1977	3,272	1,645	1,627
1903	3,185	1,599	1,586	1978	3,314	1,666	1,648
1904	3,175	1,597	1,578	1979	3,368	1,693	1,675
1905	3,165	1,594	1,571	1980	3,401	1,709	1,692
1906	3,160	1,593	1,567	1981	3,443	1,729	1,714
1907	3,151	1,589	1,562	1982	3,480	1,746	1,734
1908	3,145	1,588	1,557	1983	3,504	1,756	1,748
1909	3,142	1,589	1,553	1984	3,529	1,767	1,762
1910	3,139	1,588	1,551	1985	3,540	1,771	1,769
1911	3,132	1,586	1,546	1986	3,541	1,770	1,771
1912	3,120	1,581	1,539	1987	3,547	1,770	1,776
1913	3,103	1,572	1,531	1988	3,531	1,759	1,772
1914	3,092	1,568	1,524	1989	3,510	1,744	1,766
1915	3,068	1,546	1,522	1990	3,506	1,743	1,763
1916	3,068	1,549	1,519	1991	3,526	1,753	1,772
1917	3,065	1,551	1,514	1992	3,553	1,768	1,786
1918	3,066	1,553	1,513				
1919	3,102	1,598	1,504				
1920	3,103	1,598	1,505				
1921	3,096	1,599	1,497				
1922	3,022	1,529	1,493				
1923	3,014	1,526	1,488				
1924	3,005	1,521	1,484				
1925	2,985	1,512	1,473				

* For 1951 and subsequent years the figures relate to mid – April

Table 2 Estimated population by age 1987 to 1992 in thousands

Age Group	Persons						Males						Females					
	1987	1988	1989	1990	1991	1992	1987	1988	1989	1990	1991	1992	1987	1988	1989	1990	1991	1992
Under 1	61.3	57.3	53.4	51.7	53.0	52.3	31.2	29.2	27.3	26.6	27.4	26.9	29.0	28.0	26.0	25.1	25.7	25.5
1-4	252.0	246.4	239.9	230.5	220.7	217.3	130.8	126.7	122.5	117.7	113.2	111.4	124.3	119.7	116.4	112.8	107.5	105.9
5-9	352.0	349.3	341.6	328.7	318.5	311.0	180.4	178.9	175.6	169.0	163.3	159.7	171.6	170.4	166.0	159.7	155.2	151.2
10-14	347.1	340.9	339.6	343.7	348.3	350.6	178.1	174.9	174.0	176.4	178.9	180.1	169.0	166.0	165.6	167.2	169.4	170.5
15-19	329.4	330.0	327.2	328.3	335.0	334.0	168.1	167.5	165.4	167.3	171.4	171.1	161.2	162.5	161.8	161.0	163.6	162.8
20-24	286.4	278.8	270.4	265.8	266.6	276.6	144.9	141.4	137.8	135.8	136.5	142.0	141.6	137.4	132.6	130.0	130.1	134.6
25-29	256.1	251.0	246.5	246.1	246.3	247.0	127.3	123.7	120.5	120.4	120.7	121.5	128.8	127.2	126.0	125.7	125.7	125.5
30-34	245.4	243.6	242.1	243.2	249.1	251.9	123.0	121.4	119.3	119.7	123.2	124.6	122.4	122.2	122.8	123.5	125.9	127.3
35-39	231.7	235.5	236.3	237.9	237.9	241.1	117.1	118.9	119.2	119.7	118.7	119.8	114.5	116.6	117.0	118.2	119.2	121.3
40-44	202.8	209.2	216.3	221.9	225.7	228.1	103.3	106.3	109.5	112.0	113.9	114.6	99.5	102.8	106.8	109.9	111.8	113.6
45-49	161.9	168.2	172.1	177.8	187.8	199.2	83.1	86.0	87.7	90.6	95.4	101.3	78.8	82.2	84.4	87.1	92.3	97.8
50-54	150.8	149.3	151.0	154.4	156.8	158.8	76.7	76.1	76.6	78.2	79.9	81.1	74.1	73.3	74.4	76.2	76.9	77.7
55-59	140.1	141.9	141.3	141.5	142.5	144.9	69.8	70.9	70.9	71.1	71.7	72.8	70.3	70.9	70.4	70.4	70.9	72.1
60-64	139.3	136.2	135.4	134.4	134.6	134.3	66.6	65.3	65.0	64.9	65.6	66.0	72.6	70.9	70.4	69.5	69.0	68.3
65-69	129.1	132.9	133.3	132.3	130.8	129.7	60.8	62.3	62.4	61.9	61.0	60.3	68.3	70.6	71.0	70.4	69.8	69.4
70-74	111.1	107.7	107.5	107.8	109.3	110.3	50.4	48.8	48.7	48.9	49.2	49.6	60.7	58.9	58.8	59.0	60.1	60.7
75-79	78.0	81.6	83.3	84.5	84.1	83.8	33.9	35.4	35.8	35.9	35.7	35.3	44.1	46.2	47.5	48.5	48.4	48.4
80-84	43.7	43.9	45.3	47.1	49.3	51.5	16.4	16.5	17.2	18.0	19.0	20.1	27.3	27.4	28.2	29.1	30.3	31.5
85 and over	26.3	27.1	28.0	28.3	29.4	30.8	8.2	8.5	8.6	8.6	8.9	9.4	18.1	18.7	19.4	19.6	20.5	21.4
All ages	3,546.5	3,530.7	3,509.5	3,505.8	3,525.7	3,553.2	1,770.3	1,758.8	1,744.1	1,742.8	1,753.4	1,767.7	1,776.2	1,771.9	1,765.5	1,763.1	1,772.3	1,785.5

Table 3 Population by sex of each County and County Borough according to the Census of Population, 1991

Province, County or County Borough	Persons	Males	Females
TOTAL	3,525,719	1,753,418	1,772,301
LEINSTER	1,860,949	913,849	947,100
Carlow	40,942	20,785	20,157
Dublin*	1,025,304	492,432	532,872
of which			
Dublin Co. Borough	478,389	225,818	252,571
Dublin—Belgard	208,739	102,804	105,935
Dublin—Fingal	152,766	75,306	77,460
Dun Laoghaire—Rathdown	185,410	88,504	96,906
Kildare	122,656	62,207	60,449
Kilkenny	73,635	37,447	36,188
Laoighis	52,314	26,904	25,410
Longford	30,296	15,542	14,754
Louth	90,724	44,823	45,901
Meath	105,370	53,291	52,079
Offaly	58,494	29,892	28,602
Westmeath	61,880	31,006	30,874
Wexford	102,069	51,444	50,625
Wicklow	97,265	48,076	49,189
MUNSTER	1,009,533	507,095	502,438
Clare	90,918	46,367	44,551
Cork*	410,369	204,542	205,827
of which			
Cork County	283,116	143,196	139,920
Cork Co. Corough	127,253	61,346	65,907
Kerry	121,894	61,932	59,962
Limerick*	161,956	81,094	80,862
of which			
Limerick County	109,873	55,776	54,097
Limerick Co. Borough	52,083	25,318	26,765
Tipperary, N.R.	57,854	29,355	28,499
Tipperary, S.R.	74,918	38,067	36,851
Waterford*	91,624	45,738	45,886
of which			
Waterford County	51,296	26,021	25,275
Waterford Co. Borough	40,328	19,717	20,611
CONNACHT	423,031	214,131	208,900
Galway*	180,364	91,005	89,359
of which			
Galway County	129,511	66,724	62,787
Galway Co. Borough	50,853	24,281	26,572
Leitrim	25,301	13,203	12,098
Mayo	110,713	55,981	54,732
Roscommon	51,897	26,694	25,203
Sligo	54,756	27,248	27,508
ULSTER (part of)	232,206	118,343	113,863
Cavan	52,796	27,314	25,482
Donegal	128,117	64,817	63,300
Monaghan	51,293	26,212	25,081

* County and County Borough

Table 4 Marriages, births and deaths and natural increase (excess of births over deaths) 1864–1992

Period	Marriages	Births							Deaths			Natural increase
		Total			within marriage	outside marriage						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
1864–1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871–1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	33,387	32,768
1881–1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891–1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901–1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911–1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921–1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931–1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941–1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951–1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1961–1970	17,430	62,417	32,053	30,364	61,035	1,382	700	682	33,574	18,221	15,353	28,843
1971–1980	21,562	69,439	35,715	33,724	66,806	2,633	1,356	1,277	33,727	18,390	15,337	35,712
1981–1990	18,888	61,628	31,747	29,882	55,985	5,644	2,894	2,749	32,376	17,572	14,804	29,253
1983	19,467	67,117	34,642	32,475	62,565	4,552	2,369	2,183	32,976	18,026	14,950	34,141
1984	18,513	64,062	33,222	30,840	58,946	5,116	2,642	2,474	32,076	17,485	14,591	31,986
1985	18,791	62,388	32,068	30,320	57,106	5,282	2,720	2,562	33,213	18,201	15,012	29,179
1986	18,573	61,620	31,875	29,745	55,674	5,946	3,045	2,901	33,630	18,313	15,317	27,990
1987	18,309	58,433	29,931	28,502	52,086	6,347	3,236	3,111	31,413	17,002	14,411	27,020
1988	18,382	54,600	28,083	26,517	48,117	6,483	3,380	3,103	31,580	16,980	14,600	23,020
1989	18,174	52,018	26,754	25,264	45,347	6,671	3,372	3,299	32,111	17,058	15,053	19,907
1990	17,838	53,044	27,559	25,485	45,277	7,767	4,002	3,765	31,370	16,828	14,542	21,674
1991	17,441	52,718	27,122	25,596	43,806	8,912	4,579	4,333	31,305	16,603	14,702	21,413
1992	16,636	51,089	26,307	24,782	41,878	9,211	4,697	4,514	30,931	16,516	14,415	20,158

Note: The figures for the period 1864–1990 are annual averages.

Table 5 Marriage, birth, death and infant mortality rates and rate of natural increase, 1864 – 1992

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Within marriage per 1,000 population	Births outside marriage		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864–1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871–1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881–1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891–1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901–1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911–1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.86	4.86
1921–1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931–1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941–1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951–1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961–1970	6.05	21.67	21.19	0.48	2.21	1,056	11.66	24.83	10.01
1971–1980	6.77	21.75	20.93	0.82	3.77	1,059	10.57	15.91	11.18
1981–1990	5.38	17.54	15.94	1.61	9.16	1,062	9.22	9.23	8.33
1983	5.56	19.15	17.86	1.30	6.78	1,067	9.41	10.09	9.74
1984	5.25	18.15	16.70	1.45	7.99	1,077	9.10	9.63	9.06
1985	5.31	17.62	16.13	1.49	8.47	1,058	9.38	8.83	8.24
1986	5.25	17.40	15.72	1.68	9.65	1,072	9.50	8.88	7.91
1987	5.16	16.48	14.70	1.79	10.86	1,050	8.86	7.94	7.62
1988	5.21	15.46	13.63	1.82	11.87	1,059	8.94	8.86	6.52
1989	5.18	14.82	12.92	1.90	12.82	1,059	9.15	8.13	5.67
1990	5.09	15.13	12.93	2.22	14.64	1,081	8.95	8.18	6.18
1991	4.95	14.95	12.42	2.53	16.91	1,060	8.88	7.61	6.05
1992	4.68	14.38	11.78	2.59	18.03	1,062	8.71	6.48	5.7

Note: The figures for the period 1864 – 1990 are annual averages.

Table 6A Marriages* and the rates from the years 1971–1992 per 1,000 population

Year	Marriages*														
	Catholic					All Others					Total				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average															
1971–1980	4,416	4,446	7,300	4,577	20,739	162	208	284	171	824	4,577	4,653	7,584	4,748	21,562
1981–1990	2,581	4,267	7,385	3,476	17,730	234	306	389	229	1,159	2,848	4,451	7,686	3,902	18,888
1983	3,619	4,239	6,256	3,932	18,046	469	375	351	226	1,421	4,088	4,614	6,607	4,158	19,467
1984	2,716	3,926	7,014	3,732	17,388	233	311	337	244	1,125	2,949	4,237	7,351	3,976	18,513
1985	2,453	4,501	8,020	2,750	17,724	187	296	398	186	1,067	2,470	4,368	7,998	3,955	18,791
1986	1,949	4,099	7,606	3,823	17,477	209	307	396	184	1,096	2,158	4,406	8,002	4,007	18,573
1987	1,941	3,895	7,574	3,669	17,079	193	327	428	282	1,230	2,134	4,222	8,002	3,951	18,309
1988	1,929	3,968	7,574	3,676	17,147	235	319	460	221	1,235	2,164	4,287	8,034	3,897	18,382
1989	1,870	4,479	8,097	2,591	17,037	179	330	412	216	1,137	2,049	4,809	8,509	2,807	18,174
1990	1,468	4,700	7,762	2,480	16,626	197	368	455	192	1,212	2,172	4,278	7,758	3,630	17,838
1991	1,486	4,472	7,798	2,537	16,293	216	287	420	225	1,148	1,702	4,759	8,218	2,762	17,441
1992	1,308	3,112	7,384	3,451	15,255	286	315	529	251	1,381	1,594	3,427	7,913	3,702	16,636
Equivalent Annual Rate per 1,000 corresponding population															
Average															
1971–1980	5.8	5.9	9.6	6.0	6.8	4.1	5.2	7.1	4.3	5.2	5.7	5.8	9.5	5.9	6.7
1981–1990	3.1	5.1	8.9	4.2	5.3	5.3	7.0	8.9	5.2	6.6	3.2	5.1	8.8	4.4	5.4
1983	4.4	5.1	7.5	4.7	5.4	10.2	8.2	7.6	4.9	7.7	4.7	5.3	7.5	4.7	5.6
1984	3.3	4.7	8.4	4.5	5.2	4.9	6.6	7.1	5.2	5.9	3.3	4.8	8.3	4.5	5.2
1985	2.9	5.4	9.6	3.3	5.3	3.9	6.1	8.2	3.8	5.5	2.8	4.9	9.0	4.5	5.3
1986	2.3	4.9	9.1	4.6	5.2	4.2	6.2	8.0	3.7	5.5	2.4	5.0	9.0	4.5	5.2
1987	2.3	4.7	9.1	4.4	5.1	3.8	6.4	8.4	5.6	6.1	2.4	4.8	9.0	4.5	5.2
1988	2.3	4.8	9.1	4.4	5.2	4.6	6.2	8.9	4.3	6.0	2.5	4.9	9.1	4.4	5.2
1989	2.3	5.4	9.8	3.1	5.2	3.4	6.3	7.9	4.1	5.4	2.3	5.5	9.7	3.2	5.2
1990	1.8	5.7	9.4	3.0	5.0	3.7	6.9	8.5	3.6	5.7	2.5	4.9	8.9	4.1	5.1
1991	1.8	5.4	9.4	3.1	4.9	4.0	5.3	7.7	4.1	5.3	1.9	5.4	9.3	3.1	4.9
1992	1.6	3.7	8.8	4.1	4.6	1.3	5.9	9.9	4.7	6.5	1.8	3.9	8.9	4.2	4.7

* Marriages by Quarter of Registration

Table 6B Births and Deaths and the rates from the years 1971–1992 per 1,000 population

Year	Births					Deaths				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average										
1971–1980	17,335	18,050	17,398	16,656	69,439	9,682	8,306	7,366	8,373	33,727
1981–1990	15,506	15,898	15,503	14,621	61,628	9,303	7,783	7,115	8,174	32,376
1983	17,158	17,206	17,160	15,593	67,117	9,491	8,071	7,338	8,076	32,976
1984	16,453	15,785	16,349	15,475	64,062	9,013	8,090	6,995	7,978	32,076
1985	15,813	15,969	15,841	14,765	62,388	9,809	7,946	7,123	8,335	33,213
1986	15,452	16,187	14,414	14,567	61,620	10,531	7,964	7,287	7,848	33,630
1987	14,533	15,345	14,819	13,736	58,433	8,780	7,592	7,061	7,980	31,413
1988	13,795	14,307	13,863	12,635	54,600	8,985	7,580	7,165	7,850	31,580
1989	12,878	13,672	13,096	12,372	52,018	8,325	7,834	7,007	8,945	32,111
1990	12,806	13,908	13,430	12,900	53,044	8,957	7,374	7,031	8,008	31,370
1991	13,001	13,416	13,643	12,658	52,718	8,968	7,581	6,784	7,972	31,305
1992	12,869	13,397	13,053	11,770	51,089	8,725	7,290	7,119	7,797	30,931
Equivalent Annual Rate per 1,000 corresponding population										
Average										
1971–1980	21.7	22.6	21.8	20.8	21.7	12.1	10.4	9.2	10.5	10.6
1981–1990	17.7	18.1	17.7	16.6	17.5	10.6	8.9	8.1	9.3	9.2
1983	19.6	19.6	19.6	17.8	19.2	10.8	9.2	8.4	9.2	9.4
1984	18.6	17.9	18.5	17.5	18.2	10.2	9.2	7.9	9.0	9.1
1985	17.9	18.0	17.9	16.7	17.6	11.1	9.0	8.0	9.4	9.4
1986	17.5	18.3	17.4	16.5	17.4	11.9	9.0	8.2	8.9	9.5
1987	16.4	17.3	16.7	15.5	16.5	9.9	8.6	8.0	9.0	8.9
1988	15.6	16.2	15.7	14.3	15.5	10.2	8.6	8.1	8.9	8.9
1989	14.7	15.6	14.9	14.1	14.8	9.5	8.9	8.0	10.2	9.1
1990	14.6	15.9	15.3	14.7	15.1	10.2	8.4	8.0	9.1	8.9
1991	14.7	15.2	15.5	14.4	15.0	10.2	8.6	7.7	9.0	8.9
1992	14.5	15.1	14.7	13.3	14.4	9.8	8.2	8.0	8.8	8.7

Table 6C Marriages, Births and Deaths during each year 1986–1992, classified by Month and Quarter of Occurrence

Year	Month of Occurrence												Quarter ending the last day of				
	Jan.	Feb.	Mar.	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Mar.	June	Sept.	Dec.	Total
Marriages																	
1986	511	672	1,216	1,326	1,478	2,104	2,411	3,359	2,515	1,566	758	657	2,399	4,908	8,285	2,981	18,573
1987	588	686	893	1,257	1,584	2,067	2,526	3,118	2,681	1,698	642	569	2,167	4,908	8,325	2,909	18,309
1988	556	633	956	1,440	1,316	2,109	2,783	2,982	2,766	1,589	633	619	2,145	4,865	8,531	2,841	13,382
1989	465	498	1,086	1,262	1,352	2,195	2,556	2,939	3,014	1,550	610	647	2,049	4,809	8,509	2,807	18,174
1990	470	478	933	1,265	1,461	2,342	2,308	3,164	2,745	1,391	563	718	1,881	5,068	8,217	2,672	17,838
1991	423	485	794	1,231	1,379	2,149	2,232	3,384	2,602	1,565	589	608	1,702	4,759	8,218	2,762	17,441
1992	320	439	588	1,000	1,564	1,868	2,487	3,200	2,657	1,504	504	505	1,347	4,432	8,344	2,513	16,636
Births																	
1986	5,011	4,750	5,691	5,405	5,668	5,114	5,240	5,001	5,173	5,096	4,611	4,860	15,452	16,187	15,414	14,567	61,620
1987	4,897	4,581	5,055	5,069	5,210	5,066	5,142	4,790	4,887	4,705	4,352	4,679	14,533	15,345	14,819	13,736	58,433
1988	4,621	4,287	4,887	4,704	4,864	4,739	4,736	4,538	4,589	4,206	4,241	4,188	13,795	14,307	13,863	12,635	54,600
1989	4,248	3,948	4,682	4,408	4,829	4,435	4,485	4,302	4,309	4,107	3,956	4,309	12,878	13,672	13,096	12,372	52,018
1990	4,152	4,072	4,582	4,424	4,851	4,633	4,556	4,392	4,482	4,522	4,196	4,182	12,806	13,908	13,430	12,900	53,044
1991	4,395	4,116	4,490	4,460	4,687	4,269	4,612	4,534	4,497	4,438	4,066	4,154	13,001	13,416	13,643	12,658	52,718
1992	4,315	4,076	4,478	4,513	4,601	4,283	4,515	4,240	4,298	3,997	3,815	3,958	12,869	13,397	13,053	11,770	51,089
Deaths																	
1986	3,426	3,391	3,714	2,907	2,669	2,388	2,327	2,463	2,497	2,407	2,507	2,934	10,531	7,964	7,287	7,848	33,630
1987	3,202	2,779	2,799	2,664	2,554	2,374	2,314	2,382	2,365	2,540	2,479	2,961	8,780	7,592	7,061	7,980	31,413
1988	2,921	2,943	3,121	2,650	2,612	2,318	2,407	2,412	2,346	2,531	2,478	2,841	8,985	7,580	7,165	7,850	31,580
1989	2,765	2,530	3,030	2,763	2,616	2,455	2,360	2,381	2,266	2,496	2,518	3,931	8,325	7,834	7,007	8,945	32,111
1990	3,627	2,630	2,700	2,505	2,439	2,430	2,460	2,256	2,315	2,495	2,532	2,981	8,957	7,374	7,031	8,008	31,370
1991	3,114	2,940	2,914	2,640	2,551	2,390	2,296	2,291	2,197	2,574	2,599	2,799	8,968	7,581	6,784	7,972	31,305
1992	2,988	3,033	2,704	2,546	2,438	2,306	2,383	2,305	2,431	2,463	2,498	2,836	8,725	7,290	7,119	7,797	30,931

Table 7 Deaths from principal causes in Ireland and Northern Ireland, 1992 with rates per 100,000 population

ICD - 9 Code	Causes of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All Causes	30,931	870.5	14,988	926.1
001, 002	Typhoid and Paratyphoid fevers	—	—	—	—
004, 006	Shigellosis and amoebiasis	2	0.1	—	—
008, 009	Intestinal infectious diseases	7	0.2	—	—
010-012	Tuberculosis of respiratory system	36	1.0	8	0.4
013-018, 137	Other tuberculosis, including late effects	20	0.6	5	0.3
032	Diphtheria	—	—	—	—
033	Whooping cough	—	—	—	—
034	Streptococcal sore throat and scarlatina	—	—	—	—
036	Meningococcal infection	16	0.5	7	0.4
038	Septicaemia	39	1.1	14	0.9
045	Acute Poliomyelitis	2	0.1	—	—
055	Measles	—	—	—	—
070	Viral hepatitis	9	0.3	1	0.1
084	Malaria	2	0.1	—	—
090-097	Syphilis and its sequelae	—	—	—	—
Rem (001-139)	All other infective and parasitic diseases	37	1.0	8	0.4
140-208	Malignant neoplasms including neoplasms of lymphatic and haemtopoietic tissues: —	7,539	212.2	3,554	219.6
140-208 (except 201 and 204-208)	(a) Cancer	7,283	205.0	3,473	214.6
201, 204-208	(b) Hodgkins disease and leukaemia	256	7.2	81	5.0
230-234	Carcinoma in situ	1	0.0	—	—
210-229, 239	Benign neoplasms and neoplasms of unspecified nature	26	0.7	38	2.3
235-238	Neoplasm of uncertain behaviour	25	0.7	29	1.8
250	Diabetes mellitus	490	13.8	23	1.4
260-269	Nutritional Deficiencies	11	0.3	1	0.1
280-285	Anaemias	64	1.8	11	0.7
320-322	Meningitis	13	0.4	6	0.4
390-392	Acute rheumatic fever	2	0.1	4	0.2
393-398	Chronic rheumatic heart disease	57	1.6	58	3.6
401-405	Hypertensive disease	182	5.1	69	4.3
410-414	Ischaemic heart disease	7,725	217.4	4,313	266.5
420-429	Other forms of heart disease	1,882	53.0	544	33.6
430-438	Cerebrovascular disease	2,971	83.6	1,691	104.5

*Exclusive of Northern Ireland

Note - The classification of cause of death in this table is based on the Abbreviated List, 1975

Table 7 (contd.) Deaths from principal causes in Ireland and Northern Ireland, 1992 with rates per 100,000 population

ICD - 9 Code	Causes of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
487	Influenza	17	0.5	6	0.4
480-486	Pneumonia	1,763	49.6	1,547	95.6
490-493	Bronchitis	488	13.7	196	12.1
531-533	Peptic Ulcer	187	5.3	97	6.0
540-543	Appendicitis	3	0.1	—	—
550-553, 560	Intestinal obstruction and hernia	89	2.5	51	3.2
571	Chronic liver disease and cirrhosis	95	2.7	69	4.3
580-589	Nephritis, nephrotic syndrome and nephrosis	364	10.2	168	10.4
600	Hyperplasia of prostate	29	0.8	6	0.4
630-639	Pregnancy with abortive outcome	—	—	—	—
640-676	Other complications of pregnancy, childbirth and the puerperium	2	0.1	—	—
740-759	Congenital anomalies	222	6.2	78	4.8
760-763 767, 768	Birth injury, difficult labour and other anoxic and hypoxic conditions	15	0.4	14	0.9
764-766 769-779	Certain conditions originating in the perinatal period†	89	2.5	49	3.0
780-799	Senility without mention of psychosis ill-defined and unknown causes	197	5.5	46	2.8
800-999	Injury and poisoning	1,329	37.4	581	35.9
	All other diseases	4,884	137.5	1,697	104.9
	EXTERNAL CAUSES (included in the foregoing)				
E810-E825	Motor vehicle accidents	380	10.7	165	10.2
E800-E807 E826-E949	All other accidents	569	16.01	4	0.2
E950-E959	Suicide and self-inflicted injuries	363	10.2	107	6.6
E960-E999	All other external causes	51	1.4	305	18.8

*Exclusive of Northern Ireland

†Late Foetal deaths not included

Table 8 **Average annual number of deaths during the period 1864–1990 and the number of deaths in the years 1983–1992 classified by sex and age**

Period	All ages	Under 5 Years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85–94	95 and over
Males														
Average–														
1864–1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871–1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881–1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891–1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901–1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911–1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921–1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931–1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941–1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951–1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961–1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971–1980	18,390	742	74	61	127	154	242	397	1,158	2,902	5,224	5,196	1,992	126
1981–1990	17,572	395	51	49	135	160	260	387	908	2,488	5,226	5,457	1,932	123
1983	18,026	469	57	44	157	188	257	394	985	2,745	5,423	5,288	1,900	119
1984	17,485	427	53	59	138	141	258	390	956	2,594	5,204	5,312	1,824	129
1985	18,201	373	56	57	117	161	284	376	893	2,657	5,517	5,570	2,014	126
1986	18,313	367	55	58	139	147	244	384	891	2,539	5,524	5,781	2,048	136
1987	17,002	321	39	45	125	150	241	375	877	2,384	4,994	5,452	1,879	120
1988	16,980	346	44	42	142	131	265	327	830	2,324	5,115	5,389	1,908	117
1989	17,058	318	49	43	115	173	247	423	852	2,175	4,954	5,678	1,910	121
1990	16,828	305	35	35	109	145	254	404	798	2,204	4,710	5,691	2,020	118
1991	16,603	276	34	47	130	158	288	394	814	2,148	4,670	5,551	1,953	140
1992	16,516	233	34	35	126	159	298	383	846	1,936	4,653	5,700	1,987	126
Females														
Average–														
1864–1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871–1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881–1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891–1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901–1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911–1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921–1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931–1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941–1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951–1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961–1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	208
1971–1980	15,337	557	43	33	51	55	119	246	728	1,691	3,529	5,233	2,767	285
1981–1990	14,804	299	30	29	50	50	113	225	537	1,444	3,332	5,190	3,171	335
1983	14,950	369	28	24	50	60	124	215	561	1,549	3,394	5,190	3,056	330
1984	14,591	300	35	32	58	59	115	231	587	1,494	3,400	5,040	2,954	286
1985	15,012	300	27	31	42	50	112	232	500	1,492	3,459	5,190	3,254	323
1986	15,317	282	29	33	42	38	105	214	530	1,518	3,408	5,329	3,422	367
1987	14,411	242	29	27	42	41	103	225	495	1,354	3,269	5,039	3,228	317
1988	14,600	252	22	31	53	49	110	240	492	1,363	3,220	5,132	3,272	364
1989	15,053	214	22	30	46	51	98	221	511	1,316	3,336	5,400	3,419	389
1990	14,542	217	22	26	58	47	128	235	517	1,223	3,033	5,280	3,380	376
1991	14,702	201	24	25	49	44	118	254	492	1,174	3,096	5,270	3,509	446
1992	14,415	168	17	22	38	36	104	244	541	1,159	3,016	5,280	3,385	405

Table 8 (contd.) Average annual number of deaths for the period 1864 – 1990 and death rates for the years 1983 – 1992 classified by sex and age

Period	All ages	Under 5 Years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85–94	95 and over
Persons														
Average—														
1864–1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871–1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881–1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891–1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901–1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911–1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921–1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931–1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941–1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951–1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961–1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971–1980	33,727	1,299	117	94	179	209	361	642	1,880	4,593	8,653	10,429	4,760	411
1981–1990	32,376	694	81	79	185	210	374	611	1,445	3,932	8,555	10,647	5,103	458
1983	32,976	838	85	68	207	248	381	609	1,546	4,294	8,817	10,478	4,956	449
1984	32,076	727	88	91	196	200	373	621	1,543	4,088	8,604	10,352	4,778	415
1985	33,213	673	83	88	159	211	396	608	1,393	4,149	8,976	10,760	5,268	449
1986	33,630	649	84	91	181	185	349	598	1,421	4,057	8,932	11,110	5,470	503
1987	31,413	563	68	72	167	191	344	600	1,372	3,738	8,238	10,491	5,107	437
1988	31,580	598	66	73	195	180	375	567	1,322	3,687	8,335	10,521	5,180	481
1989	32,111	532	71	73	161	224	345	644	1,363	3,491	8,290	11,078	5,329	510
1990	31,370	522	57	61	167	192	382	639	1,315	3,427	7,743	10,971	5,400	494
1991	31,305	477	58	72	179	202	406	648	1,306	3,322	7,766	10,821	5,462	586
1992	30,931	401	51	57	164	195	402	627	1,387	3,095	7,669	10,980	5,372	531

* For the period 1864–1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

† For the period 1871–1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

Table 9 Average annual death rates for the period 1864 – 1990 and death rates for the years 1983 – 1992 per 1,000 corresponding population classified by sex and age

Period	All ages	Under 5 Years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
Males													
Average—													
1864–1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871–1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881–1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891–1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901–1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911–1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921–1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931–1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941–1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951–1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961–1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971–1980	11.51	4.38	0.43	0.37	0.84	1.24	1.25	2.43	7.35	19.98	49.49	118.50	261.64
1981–1990	10.01	2.38	0.29	0.28	0.80	1.13	1.06	1.84	5.70	17.97	46.63	111.41	251.22
1983	10.26	2.66	0.32	0.25	0.93	1.32	1.04	1.99	6.31	19.52	47.95	113.72	252.38
1984	9.90	2.46	0.29	0.33	0.81	0.98	1.03	1.91	6.08	18.50	46.05	112.30	244.13
1985	10.28	2.19	0.31	0.32	0.69	1.12	1.13	1.79	5.66	19.09	49.00	116.04	267.50
1986	10.35	2.21	0.31	0.32	0.82	1.02	0.97	1.79	5.64	18.43	49.34	118.56	272.69
1987	9.60	1.98	0.22	0.25	0.74	1.04	0.96	1.70	5.49	17.48	44.91	108.39	243.78
1988	9.65	2.22	0.25	0.24	0.85	0.93	1.08	1.45	5.12	17.06	46.04	103.83	238.24
1989	9.78	2.12	0.28	0.25	0.70	1.26	1.03	1.85	5.19	16.00	45.59	107.13	236.16
1990	9.66	2.11	0.20	0.20	0.65	1.07	1.06	1.74	4.73	16.21	42.51	105.58	248.60
1991	9.47	1.96	0.29	0.26	0.75	1.16	1.18	1.69	5.21	15.64	42.38	101.48	221.70
1992	9.34	1.68	0.21	0.19	0.74	1.12	1.21	1.63	4.64	13.95	42.34	102.89	224.79
Females													
Average—													
1864–1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871–1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881–1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891–1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901–1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911–1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921–1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931–1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941–1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951–1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961–1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971–1980	9.67	3.45	0.26	0.21	0.36	0.45	0.61	1.54	4.69	11.60	30.16	88.70	223.93
1981–1990	8.42	1.90	0.18	0.17	0.31	0.36	0.46	1.11	3.50	9.99	26.05	73.96	201.84
1983	8.55	2.20	0.16	0.14	0.31	0.43	0.51	1.14	3.73	10.52	26.77	79.69	210.31
1984	8.28	1.82	0.20	0.19	0.36	0.42	0.47	1.18	3.88	10.17	26.60	74.12	195.18
1985	8.49	1.86	0.16	0.18	0.26	0.35	0.45	1.15	3.30	10.23	26.96	75.33	210.41
1986	8.65	1.79	0.17	0.19	0.26	0.27	0.42	1.03	3.50	10.51	26.51	76.52	217.15
1987	8.11	1.58	0.17	0.16	0.26	0.29	0.41	1.05	3.24	9.48	25.34	70.57	195.86
1988	8.24	1.71	0.13	0.19	0.33	0.36	0.44	1.09	3.16	9.61	24.86	69.73	194.44
1989	8.53	1.50	0.13	0.18	0.28	0.38	0.39	0.99	3.22	9.35	25.70	71.33	196.29
1990	8.25	1.57	0.14	0.16	0.36	0.36	0.51	1.03	3.17	8.74	23.44	68.04	191.63
1991	8.30	1.51	0.15	0.15	0.30	0.34	0.47	1.10	2.91	8.39	23.83	69.96	192.92
1992	8.07	1.28	0.11	0.13	0.23	0.27	0.41	1.04	3.08	8.25	23.18	66.08	177.10

Table 9 (contd.) Average annual death rates for the period 1864 – 1990 and death rates for the years 1983 – 1992 per 1,000 corresponding population classified by sex and age

Period	All ages	Under 5 Years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
Persons													
Average—													
1864–1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871–1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881–1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891–1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901–1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911–1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921–1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931–1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941–1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951–1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961–1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971–1980	10.57	3.93	0.35	0.30	0.61	0.86	0.91	2.00	6.03	15.80	39.32	101.43	237.94
1981–1990	9.22	2.15	0.23	0.23	0.56	0.75	0.76	1.47	4.62	13.89	35.65	89.35	217.65
1983	9.41	2.44	0.24	0.20	0.63	0.88	0.78	1.58	5.04	14.91	36.75	92.48	224.27
1984	9.09	2.15	0.25	0.26	0.59	0.70	0.75	1.55	5.00	14.24	35.73	89.78	211.10
1985	9.38	2.03	0.24	0.25	0.48	0.74	0.79	1.48	4.50	14.55	37.26	92.04	228.68
1986	9.50	2.00	0.24	0.26	0.55	0.65	0.70	1.42	4.59	14.38	37.14	93.83	234.62
1987	8.86	1.79	0.19	0.21	0.51	0.67	0.69	1.38	4.39	13.38	34.30	86.20	210.80
1988	8.94	1.97	0.19	0.21	0.59	0.65	0.76	1.28	4.16	13.26	34.64	83.83	208.89
1989	9.15	1.82	0.21	0.21	0.49	0.83	0.71	1.42	4.22	12.62	34.43	86.14	208.54
1990	8.95	1.85	0.17	0.18	0.51	0.72	0.78	1.39	3.96	12.42	32.25	83.37	208.27
1991	8.88	1.74	0.18	0.21	0.53	0.76	0.82	1.40	3.79	11.99	32.34	81.12	205.71
1992	8.71	1.49	0.16	0.16	0.49	0.70	0.81	1.34	3.87	11.09	31.95	81.15	191.66

Table 10 Births and Deaths in each county and county borough in 1992 and the numbers relating to the marriage and deaths of infants

Area	Births (including births outside marriage)				Births outside marriage			
	Total number registered	Number transferred from area	Number transferred to area	Net Number	Total number registered	Number transferred from area	Number transferred to area	Net Number
TOTAL	51,089	28,989	28,989	51,089	9,211	4,161	4,161	9,211
Carlow	1	—	664	665	—	—	96	96
Dublin County Borough	18,434	12,023	276	6,687	4,563	2,208	24	2,379
Dublin Belgard	10	2	3,501	3,509	3	—	734	737
Dublin Fingal	6	—	2,558	2,564	—	—	376	376
Dun Laoghaire Rathdown	1,536	1,065	1,943	2,414	66	37	378	407
Kildare	79	9	2,027	2,097	5	—	349	354
Kilkenny	1,354	564	256	1,046	187	85	33	135
Laois	1,111	537	96	670	180	90	7	97
Longford	—	—	413	413	—	—	53	53
Louth	2,227	1,013	45	1,259	380	148	3	235
Meath	12	—	1,493	1,505	4	—	175	179
Offaly	3	—	842	845	2	—	119	121
Westmeath	1,123	576	407	954	195	110	58	143
Wexford	1,413	53	226	1,586	286	8	45	323
Wicklow	18	4	1,563	1,577	7	2	312	317
Clare	17	1	1,244	1,260	5	—	146	151
Cork County Borough	6,558	4,951	6	1,613	925	533	2	394
Cork County	34	—	4,167	4,201	18	—	440	458
Kerry	1,110	75	542	1,577	167	12	45	200
Limerick County Borough	3,667	2,920	11	758	625	346	3	282
Limerick County	8	3	1,638	1,643	3	—	176	179
Tipperary N.R.	4	—	859	863	3	—	120	123
Tipperary S.R.	1,052	243	195	1,004	212	46	29	195
Waterford County Borough	1,457	977	15	495	280	151	4	133
Waterford County	1	—	807	808	—	—	127	127
Galway County Borough	2,631	1,889	4	764	338	186	1	153
Galway County	1,802	1,317	1,452	1,937	176	130	142	188
Leitrim	1	—	331	332	—	—	16	16
Mayo	1,335	54	182	1,463	110	3	18	125
Roscommon	1	—	602	603	—	—	51	51
Sligo	1,198	485	33	746	138	48	7	97
Cavan	863	218	122	767	78	18	15	75
Donegal	1,604	3	170	1,771	207	—	25	232
Monaghan	419	7	299	711	48	—	32	80

resident population of each area, with corresponding particulars for births outside under one year of age.

Deaths				Deaths of infants (under one year)				Area
Total number regist- ered	Number trans- ferred from area	Number trans- ferred to area	Net Number	Total number regist- ered	Number trans- ferred from area	Number trans- ferred to area	Net Number	
30,931	6,935	6,935	30,931	331	192	192	331	TOTAL
268	18	159	409	—	—	4	4	Carlow
6,601	2,310	490	4,781	172	127	5	50	Dublin County Borough
350	154	550	746	1	—	30	31	Dublin Belgard
539	292	363	610	3	—	21	24	Dublin Fingal
1,061	380	638	1,319	14	9	14	19	Dun Laoghaire Rathdown
594	48	254	800	2	—	10	12	Kildare
681	142	91	630	5	3	2	4	Kilkenny
529	63	54	520	—	—	1	1	Laois
241	11	76	306	—	—	2	2	Longford
873	159	67	781	12	4	5	13	Louth
648	96	219	771	1	—	11	12	Meath
507	33	110	584	1	—	4	5	Offaly
550	92	87	545	5	3	7	9	Westmeath
951	34	68	985	5	—	2	7	Wexford
459	72	358	745	—	—	5	5	Wicklow
728	39	143	832	1	—	4	5	Clare
2,064	998	60	1,126	37	23	4	18	Cork County Borough
1,757	71	925	2,611	5	—	23	28	Cork County
1,408	38	89	1,459	7	—	4	11	Kerry
367	139	265	493	11	8	3	6	Limerick County Borough
1,104	381	188	911	5	2	6	9	Limerick County
489	27	95	557	1	—	4	5	Tipperary N.R.
725	49	92	768	4	—	3	7	Tipperary S.R.
540	274	28	294	7	6	2	3	Waterford County Borough
287	26	252	513	1	—	2	3	Waterford County
849	614	26	261	4	2	1	3	Galway County Borough
960	91	504	1,373	6	3	3	6	Galway County
266	15	139	390	—	—	2	2	Leitrim
1,192	36	140	1,296	4	—	—	4	Mayo
499	27	98	570	2	—	1	3	Roscommon
718	145	39	612	1	1	1	1	Sligo
514	26	101	589	4	—	4	8	Cavan
1,170	12	92	1,250	6	1	1	6	Donegal
442	23	75	494	4	—	1	5	Monaghan

Table 11 Marriages registered in, and Births and Deaths assigned to each County and County Borough, during 1992, showing separately births outside marriage and deaths from certain causes

Province, County or County Borough	Marriages	BIRTHS						DEATHS					
		Total (including outside marriage)			Outside marriage			Total			Under 1 Year	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total			
TOTAL	16,636	26,307	24,782	51,089	4,697	4,514	9,211	16,516	14,415	30,931	331	56	7,539
LEINSTER	8,725	14,328	13,463	27,791	3,070	2,882	5,952	7,452	7,080	14,532	198	25	3,803
Carlow	190	337	328	665	48	48	96	218	191	409	4	-	90
Dublin Co. Borough	2,672	3,512	3,175	6,687	1,248	1,131	2,379	2,272	2,509	4,781	50	12	1,311
Dublin Belgard	681	1,833	1,676	3,509	379	358	737	390	356	746	31	1	229
Dublin Fingal	602	1,336	1,228	2,564	198	178	376	312	298	610	24	1	176
Dun Laoghaire Rathdown	742	1,251	1,163	2,414	218	189	407	619	700	1,319	19	5	393
Kildare	506	1,029	1,068	2,097	176	178	354	449	351	800	12	-	207
Kilkenny	385	523	523	1,046	73	62	135	326	304	630	4	-	146
Laois	261	363	307	670	46	51	97	286	234	520	1	1	121
Longford	141	196	217	413	23	30	53	162	144	306	2	-	70
Louth	468	649	610	1,259	115	120	235	411	370	781	13	2	216
Meath	458	761	744	1,505	90	89	179	445	326	771	12	-	172
Offaly	290	445	400	845	63	58	121	329	255	584	5	1	147
Westmeath	328	480	474	954	66	77	143	324	221	545	9	-	120
Wexford	538	775	811	1,586	158	165	323	524	461	985	7	1	207
Wicklow	463	838	739	1,577	169	148	317	385	360	745	5	1	198
MUNSTER	4,723	7,328	6,894	14,222	1,123	1,119	2,242	5,188	4,376	9,564	95	17	2,225
Clare	442	659	601	1,260	81	70	151	471	361	832	5	3	178
Cork Co. Borough	824	824	789	1,613	204	190	394	537	589	1,126	18	3	279
Cork County	1,149	2,194	2,007	4,201	229	229	458	1,433	1,178	2,611	28	5	582
Kerry	551	828	749	1,577	117	83	200	841	618	1,459	11	1	312
Limerick Co. Borough	226	367	391	758	122	160	282	266	227	493	6	2	127
Limerick County	482	845	798	1,643	78	101	179	509	402	911	9	-	196
Tipperary N.R.	332	426	437	863	68	55	123	295	262	557	5	2	137
Tipperary S.R.	311	540	464	1,004	102	93	195	425	343	768	7	-	183
Waterford Co. Borough	177	230	265	495	56	77	133	140	154	294	3	1	87
Waterford County	229	415	393	808	66	61	127	271	242	513	3	-	144
CONNACHT	1,826	2,948	2,879	5,827	307	323	630	2,501	2,001	4,502	19	8	987
Galway Co. Borough	246	384	362	746	85	68	153	128	133	261	3	-	73
Galway County	480	991	946	1,937	80	108	188	779	594	1,373	6	4	291
Leitrim	115	175	157	332	6	10	16	212	178	390	2	2	94
Mayo	525	726	737	1,463	62	63	125	720	576	1,296	4	1	264
Roscommon	224	313	290	603	28	23	51	316	254	570	3	1	127
Sligo	236	359	387	746	46	51	97	346	266	612	1	-	138
ULSTER (PART OF)	1,362	1,703	1,546	3,249	197	190	387	1,375	958	2,333	19	6	524
Cavan	305	392	375	767	33	42	75	356	233	589	8	-	140
Donegal	783	929	842	1,771	120	112	232	725	525	1,250	6	5	270
Monaghan	274	382	329	711	44	36	80	294	200	494	5	1	114

Table 12 Marriage, birth and death rates and the proportions of births outside marriage in each County and County Borough and the death rates for some diseases in 1992

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			
		Total births per 1,000 population	Outside marriage % of total births	All causes	Tuber- culosis	Malignant neoplasms	Deaths under one year per 1,000 births
TOTAL	4.68	14.38	18.03	8.70	0.02	2.12	6.48
LEINSTER	4.65	14.82	21.42	7.75	0.01	2.03	7.12
Carlow	4.60	16.12	14.44	9.91	—	2.18	6.02
Dublin County Borough	5.54	13.87	35.58	9.92	0.02	2.72	7.48
Dublin Belgard	3.24	16.68	21.00	3.55	0.00	1.09	8.83
Dublin Fingal	3.91	16.65	14.66	3.96	0.01	1.14	9.36
Dun Laoghaire Rathdown	3.97	12.92	16.86	7.06	0.03	2.10	7.87
Kildare	4.09	16.96	16.88	6.47	—	1.67	5.72
Kilkenny	5.19	14.09	12.91	8.49	—	1.97	3.82
Laois	4.95	12.71	14.48	9.86	0.02	2.29	1.49
Longford	4.62	13.53	12.83	10.02	—	2.29	4.84
Louth	5.12	13.77	18.67	8.54	0.02	2.36	10.33
Meath	4.31	14.17	11.89	7.26	—	1.62	7.97
Offaly	4.92	14.33	14.32	9.91	0.02	2.49	5.92
Westmeath	5.26	15.30	14.99	8.74	—	1.92	9.43
Wexford	5.23	15.42	20.37	9.58	0.01	2.01	4.41
Wicklow	4.72	16.09	20.10	7.60	0.01	2.02	3.17
MUNSTER	4.64	13.98	15.76	9.40	0.02	2.19	6.68
Clare	4.82	13.75	11.98	9.08	0.03	1.94	3.97
Cork County Borough	6.42	12.58	24.43	8.78	0.02	2.18	11.16
Cork County	4.03	14.72	10.90	9.15	0.02	2.04	6.67
Kerry	4.49	12.84	12.68	11.88	0.01	2.54	6.98
Limerick County Borough	4.31	14.44	37.20	9.39	0.04	2.42	7.92
Limerick County	4.35	14.84	10.89	8.23	—	1.77	5.48
Tipperary N.R.	5.69	14.80	14.25	9.55	0.03	2.35	5.79
Tipperary S.R.	4.12	13.30	19.42	10.17	—	2.42	6.97
Waterford County Borough	4.35	12.18	26.87	7.23	0.02	2.14	6.06
Waterford County	4.43	15.63	15.72	9.92	—	2.79	3.71
CONNACHT	4.28	13.67	10.81	10.56	0.02	2.31	3.26
Galway County Borough	4.80	14.56	20.51	5.09	—	1.42	4.02
Galway County	3.68	14.84	9.71	10.51	0.03	2.23	3.10
Leitrim	4.51	13.02	4.82	15.29	0.08	3.69	6.02
Mayo	4.71	13.11	8.54	11.61	0.01	2.37	2.73
Roscommon	4.28	11.53	8.46	10.90	0.02	2.43	4.98
Sligo	4.28	13.52	13.00	11.09	—	2.50	1.34
ULSTER (part of)	5.82	13.88	11.91	9.97	0.03	2.24	5.85
Cavan	5.73	14.41	9.78	11.07	—	2.63	10.43
Donegal	6.06	13.72	13.10	9.68	0.04	2.09	3.39
Monaghan	5.30	13.75	11.25	9.56	0.02	2.21	7.03

Table 13 Deaths in 1992, classified by marital status and sex in certain age groups

Age group	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
ALL AGES	16,516	5,344	8,188	2,984	14,415	3,533	3,555	7,327
Under 15 years	302	302	-	-	207	207	-	-
15-19	126	125	1	-	38	37	1	-
20-24	159	152	7	-	36	31	5	-
25-29	166	121	45	-	48	30	18	-
30-34	132	74	57	1	56	23	32	1
35-39	174	76	98	-	92	27	63	2
40-44	209	81	126	2	152	36	113	3
45-49	361	101	258	2	256	40	205	11
50-54	485	148	329	8	285	44	228	13
55-59	752	249	464	39	458	75	303	80
60-64	1,184	369	742	73	701	128	373	200
65-69	1,954	587	1,171	196	1,234	237	543	454
70-74	2,699	801	1,492	406	1,782	396	584	802
75-79	2,995	890	1,488	617	2,503	578	567	1,358
80-84	2,705	727	1,174	804	2,777	665	332	1,780
85 and over	2,113	541	736	836	3,790	979	188	2,623

Table 14 Births and Deaths assigned to each Urban District, in 1992, classified by sex

Urban District	BIRTHS			DEATHS		
	Males	Females	Total	Males	Females	Total
TOTAL	1,471	1,320	2,791	849	790	1,639
Carlow	90	71	161	32	38	70
Athy	22	27	49	15	15	30
Naas	106	105	211	29	21	50
Longford	28	34	62	24	18	42
Ceannannus Mor	22	27	49	15	8	23
An Uaimh	47	42	89	39	20	59
Trim	13	7	20	8	4	12
Birr	23	13	36	16	16	32
Tullamore	56	53	109	34	33	67
Athlone	77	57	134	29	21	50
Enniscorthy	25	29	54	17	22	39
New Ross	28	33	61	15	19	34
Arklow	59	42	101	36	24	60
Wicklow	62	38	100	23	18	41
Ennis	61	85	146	42	45	87
Kilrush	7	6	13	11	16	27
Clonakilty	17	5	22	6	14	20
Cobh	39	37	76	29	20	49
Fermoy	17	19	36	19	17	36
Kinsale	7	11	18	9	12	21
Macroom	7	2	9	10	8	18
Mallow	45	36	81	31	24	55
Midleton	22	17	39	12	12	24
Skibbereen	4	7	11	8	5	13
Youghal	36	32	68	21	18	39
Killarney	30	29	59	30	29	59
Listowel	19	11	30	11	13	24
Nenagh	28	30	58	12	17	29
Templemore	6	6	12	3	3	6
Thurles	44	25	69	29	25	54
Carrick-on-Suir	29	28	57	19	21	40
Cashel	12	14	26	3	7	10
Tipperary	28	22	50	19	22	41
Dungarvan	28	25	53	18	15	33
Ballinasloe	28	17	45	12	11	23
Ballina	56	60	116	32	27	59
Castlebar	49	42	91	18	22	40
Westport	35	20	55	11	14	25
Cavan	22	31	53	13	14	27
Buncrana	16	16	32	16	10	26
Bundoran	20	10	30	9	6	15
Letterkenny	45	42	87	11	18	29
Carrickmacross	14	9	23	8	4	12
Castleblaney	11	6	17	14	13	27
Clones	12	16	28	15	11	26
Monaghan	19	26	45	16	20	36

Table 15 Births and Deaths classified by sex, in 1992, assigned to Principal Towns and Aggregate Urban and Rural Districts, showing separately Births outside marriage and deaths from Tuberculosis and Malignant Neoplasms

Area	BIRTHS						DEATHS				
	Total (including outside marriage)			Outside marriage			Total			Tuberculosis	Malignant neoplasms
	Total	Males	Females	Total	Males	Females	Males	Females	Total		
TOTAL	51,089	26,307	24,782	9,211	4,697	4,514	16,516	14,415	30,931	56	7,539
Dublin County Borough	6,687	3,512	3,175	2,379	1,248	1,131	2,272	2,509	4,781	12	1,311
Cork County Borough	1,613	824	789	394	204	190	537	589	1,126	3	279
Limerick County Borough	758	367	391	282	122	160	266	227	493	2	127
Waterford County Borough	495	230	265	133	56	77	140	154	294	1	87
Galway County Borough	746	384	362	153	85	68	128	133	261	-	73
Dun Laoghaire Rathdown	2,414	1,251	1,163	407	218	189	619	700	1,319	5	393
Municipal Boroughs:											
Drogheda	348	176	172	76	38	38	84	88	172	-	48
Sligo	226	100	126	50	20	30	68	72	140	-	36
Wexford	148	71	77	50	23	27	58	61	119	-	24
Clonmel	184	103	81	49	28	21	50	49	99	-	32
Kilkenny	166	90	76	40	23	17	46	70	116	-	32
Urban Districts:											
Dundalk	342	176	166	71	33	38	101	103	204	1	61
Bray	407	195	212	107	55	52	76	100	176	-	45
Tralee	217	124	93	64	42	22	51	46	97	-	15
Total above principal towns	14,751	7,603	7,148	4,255	2,195	2,060	4,496	4,901	9,397	24	2,563
Total other Urban Districts	2,791	1,471	1,320	667	359	308	849	790	1,639	2	385
All Boroughs and Urban Districts:											
Leinster	11,748	6,129	5,619	3,433	1,797	1,636	3,588	3,908	7,496	18	2,063
Munster	4,200	2,134	2,066	1,162	584	578	1,386	1,408	2,794	7	705
Connacht	1,279	652	627	262	138	124	269	279	548	-	143
Ulster (part of)	315	159	156	65	35	30	102	96	198	1	37
Total Boroughs and Urban Districts	17,542	9,074	8,468	4,922	2,554	2,368	5,345	5,691	11,036	26	2,948
All Rural Districts:Leinster	16,043	8,199	7,844	2,519	1,273	1,246	3,864	3,172	7,036	7	1,740
Munster	10,022	5,194	4,828	1,080	539	541	3,802	2,968	6,770	10	1,520
Connacht	4,548	2,296	2,252	368	169	199	2,232	1,722	3,954	8	844
Ulster (part of)	2,934	1,544	1,390	322	162	160	1,273	862	2,135	5	487
Total - Rural Districts	33,547	17,233	16,314	4,289	2,143	2,146	11,171	8,724	19,895	30	4,591

Table 16 Birth and Death Rates* in 1992 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of births outside marriage and the death rates from Tuberculosis and Malignant Neoplasms

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Births outside marriage as a % of total births	All causes	Tuber-culosis	Malignant neoplasms
TOTAL	14.38	18.03	8.71	0.02	2.12
Dublin County Borough	13.87	35.58	9.92	0.02	2.72
Cork County Borough	12.57	24.43	8.78	0.02	2.18
Limerick County Borough	14.44	37.20	9.39	0.04	2.42
Waterford County Borough	12.18	26.87	7.23	0.02	2.14
Galway County Borough	14.57	20.51	5.09	—	1.43
Dun Laoghaire Rathdown	12.92	16.86	7.06	0.03	2.10
Municipal Boroughs:					
Drogheda	14.48	21.84	7.16	—	2.00
Sligo	12.96	22.12	8.03	—	2.06
Wexford	15.39	33.78	12.37	—	2.50
Clonmel	17.00	26.63	9.15	—	2.97
Kilkenny	19.32	24.10	13.52	—	3.73
Urban Districts:					
Dundalk	13.13	20.76	7.83	0.04	2.34
Bray	16.09	26.29	6.96	—	1.78
Tralee	12.50	29.49	5.59	—	0.87
Total above Principal Towns	13.65	28.85	8.69	0.02	2.37
All other Urban Districts	12.62	23.90	7.41	0.01	1.74
All Boroughs and Urban Districts					
Leinster	13.87	29.22	8.85	0.02	2.44
Munster	12.54	27.67	8.35	0.02	2.11
Connacht	14.06	20.48	6.02	—	1.57
Ulster (part of)	10.75	20.63	6.76	0.03	1.26
Total — Boroughs and Urban Districts	13.47	28.06	8.48	0.02	2.26
All Rural Districts:					
Leinster	15.60	15.70	6.84	0.01	1.69
Munster	14.68	10.78	9.92	0.01	2.23
Connacht	13.56	8.09	11.79	0.02	2.52
Ulster (part of)	14.33	10.97	10.43	0.02	2.38
Total — Rural Districts	14.90	12.79	8.84	0.01	2.04

* 1991 Census of Population used for areas, scaled using the 1992 population estimate.

Table 17 Deaths occurring in 1992, classified by age of residents in the aggregate Urban Districts and in the aggregate Rural Districts

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
TOTAL	11,036	5,345	5,691	19,895	11,171	8,724	30,931	16,516	14,415
Under 1 year	131	84	47	200	112	88	331	196	135
1 Year	13	8	5	16	8	8	29	16	13
2 Years	6	5	1	15	5	10	21	10	11
3 "	-	-	-	8	4	4	8	4	4
4 "	6	3	3	6	4	2	12	7	5
1-4 "	25	16	9	45	21	24	70	37	33
5 "	1	-	1	8	6	2	9	6	3
6 "	3	1	2	5	3	2	8	4	4
7 "	5	5	-	4	4	-	9	9	-
8 "	4	2	2	9	6	3	13	8	5
9 "	4	2	2	8	5	3	12	7	5
5-9 "	17	10	7	34	24	10	51	34	17
10 "	2	2	-	8	6	2	10	8	2
11 "	4	3	1	3	1	2	7	4	3
12 "	-	-	-	10	5	5	10	5	5
13 "	8	5	3	9	6	3	17	11	6
14 "	2	-	2	11	7	4	13	7	6
10-14 "	16	10	6	41	25	16	57	35	22
15 "	8	3	5	15	12	3	23	15	8
16 "	6	4	2	19	16	3	25	20	5
17 "	9	6	3	20	15	5	29	21	8
18 "	12	10	2	28	24	4	40	34	6
19 "	13	9	4	34	27	7	47	36	11
15-19 "	48	32	16	116	94	22	164	126	38
20 "	12	11	1	26	18	8	38	29	9
21 "	18	15	3	27	20	7	45	35	10
22 "	14	11	3	30	28	2	44	39	5
23 "	10	9	1	19	13	6	29	22	7
24 "	18	16	2	21	18	3	39	34	5
20-24 "	72	62	10	123	97	26	195	159	36
25 "	19	14	5	17	14	3	36	28	8
26 "	15	10	5	22	18	4	37	28	9
27 "	19	14	5	25	19	6	44	33	11
28 "	20	15	5	23	20	3	43	35	8
29 "	25	19	6	29	23	6	54	42	12
25-29 "	98	72	26	116	94	22	214	166	48
30 Years	14	9	5	19	14	5	33	23	10
31 "	16	9	7	23	19	4	39	28	11
32 "	17	15	2	18	10	8	35	25	10
33 "	12	8	4	25	16	9	37	24	13
34 "	14	10	4	30	22	8	44	32	12
30-34 "	73	51	22	115	81	34	188	132	56
35 "	27	17	10	28	20	8	55	37	18
36 "	26	11	15	23	13	10	49	24	25
37 "	20	19	1	30	21	9	50	40	10
38 "	30	16	14	29	20	9	59	36	23
39 "	18	14	4	35	23	12	53	37	16
35-39 "	121	77	44	145	97	48	266	174	92
40 "	27	15	12	38	28	10	65	43	22
41 "	28	17	11	41	23	18	69	40	29
42 "	22	8	14	55	32	23	77	40	37
43 "	34	18	16	39	22	17	73	40	33

Table 17 Deaths occurring in 1992, classified by age of residents in the aggregate Urban Districts and in the aggregate Rural Districts — Continued

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
44 "	29	16	13	48	30	18	77	46	31
40-44 "	140	74	66	221	135	86	361	209	152
45 "	38	22	16	73	44	29	111	66	45
46 "	54	29	25	70	38	32	124	67	57
47 "	40	25	15	83	47	36	123	72	51
48 "	59	41	18	75	46	29	134	87	47
49 "	48	22	26	77	47	30	125	69	56
45-49 "	239	139	100	378	222	156	617	361	256
50 "	57	35	22	81	45	36	138	80	58
51 "	45	31	14	62	43	19	107	74	33
52 "	78	48	30	95	53	42	173	101	72
53 "	69	39	30	111	73	38	180	112	68
54 "	82	55	27	90	63	27	172	118	54
50-54 "	331	208	123	439	277	162	770	485	285
55 "	94	57	37	100	65	35	194	122	72
56 "	86	49	37	115	76	39	201	125	76
57 "	109	71	38	152	97	55	261	168	93
58 "	109	58	51	168	110	58	277	168	109
59 "	110	61	49	167	108	59	277	169	108
55-59 "	508	296	212	702	456	246	1,210	752	458
60 Years	143	87	56	172	95	77	315	182	133
61 "	122	77	45	208	143	65	330	220	110
62 "	157	92	65	210	141	69	367	233	134
63 "	185	111	74	251	156	95	436	267	169
64 "	167	101	66	270	181	89	437	282	155
60-64 "	774	468	306	1,111	716	395	1,885	1,184	701
65 "	186	97	89	349	234	115	535	331	204
66 "	218	122	96	350	229	121	568	351	217
67 "	239	143	96	382	246	136	621	389	232
68 "	247	155	92	452	293	159	699	448	251
69 "	294	158	136	471	277	194	765	435	330
65-69 "	1,184	675	509	2,004	1,279	725	3,188	1,954	1,234
70 "	306	175	131	507	333	174	813	508	305
71 "	268	145	123	521	334	187	789	479	310
72 "	370	215	155	630	395	235	1,000	610	390
73 "	329	176	153	586	361	225	915	537	378
74 "	314	164	150	650	401	249	964	565	399
70-74 "	1,587	875	712	2,894	1,824	1,070	4,481	2,699	1,782
75 "	336	163	173	612	364	248	948	527	421
76 "	375	190	185	716	435	281	1,091	625	466
77 "	355	174	181	763	419	344	1,118	593	525
78 "	392	183	209	771	446	325	1,163	629	534
79 "	401	179	222	777	442	335	1,178	621	557
75-79 "	1,859	889	970	3,639	2,106	1,533	5,498	2,995	2,503
80 "	400	193	207	777	434	343	1,177	627	550
81 "	351	147	204	821	433	388	1,172	580	592
82 "	361	141	220	756	405	351	1,117	546	571
83 "	333	129	204	722	391	331	1,055	520	535
84 "	335	115	220	626	317	309	961	432	529
80-84 "	1,780	725	1,055	3,702	1,980	1,722	5,482	2,705	2,777
85 "	291	97	194	570	268	302	861	365	496
86 "	275	95	180	553	250	303	828	345	483
87 "	245	86	159	443	207	236	688	293	395
88 "	226	65	161	419	163	256	645	228	417

Table 17 Deaths occurring in 1992, classified by age of residents in the aggregate Urban Districts and in the aggregate Rural Districts — Continued

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
89 "	193	61	132	378	154	224	571	215	356
85-89 "	1,230	404	826	2,363	1,042	1,321	3,593	1,446	2,147
90 Years	181	45	136	302	106	196	483	151	332
91 "	167	37	130	286	108	178	453	145	308
92 "	132	33	99	237	77	160	369	110	259
93 "	85	19	66	198	55	143	283	74	209
94 "	64	15	49	127	46	81	191	61	130
90-94 "	629	149	480	1,150	392	758	1,779	541	1,238
95 "	53	8	45	119	39	80	172	47	125
96 "	45	10	35	92	28	64	137	38	99
97 "	32	6	26	47	7	40	79	13	66
98 "	13	3	10	38	11	27	51	14	37
99 "	12	2	10	27	7	20	39	9	30
95-99 "	155	29	126	323	92	231	478	121	357
100 "	7	-	7	18	2	16	25	2	23
101 "	4	-	4	6	2	4	10	2	8
102 "	4	-	4	1	-	1	5	-	5
103 "	1	-	1	4	-	4	5	-	5
104 "	-	-	-	3	1	2	3	1	2
105 "	-	-	-	1	-	1	1	-	1
106 "	1	-	1	-	-	-	1	-	1
107 "	2	-	2	-	-	-	2	-	2
108 "	-	-	-	1	-	1	1	-	1
109 "	-	-	-	-	-	-	-	-	-
100 years and over	19	-	19	34	5	29	53	5	48

Table 18 Deaths occurring in 1992, classified by sex and age of residents in each Province, County and County Borough

Province, County or County Borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
TOTAL																				
Males	16,516	196	233	34	35	126	159	166	132	174	209	361	485	752	1,184	1,954	2,699	2,995	2,705	2,113
Females	14,415	135	168	17	22	38	36	48	56	92	152	256	285	458	701	1,234	1,782	2,503	2,777	3,790
Leinster																				
Males	7,452	123	139	17	17	61	75	92	82	90	115	195	248	381	567	939	1,154	1,302	1,134	844
Females	7,080	75	95	9	12	18	17	27	35	46	87	145	162	243	382	611	877	1,164	1,320	1,830
Munster																				
Males	5,188	49	57	9	13	39	58	42	28	52	58	108	143	231	392	614	903	941	846	654
Females	4,376	46	48	5	7	16	12	13	14	29	43	62	81	150	196	391	520	796	856	1,137
Connacht																				
Males	2,501	12	22	5	4	15	16	19	14	18	21	34	63	82	153	254	409	498	466	408
Females	2,001	7	13	3	3	2	5	6	2	9	16	29	29	47	83	143	268	370	421	552
Ulster (part of)																				
Males	1,375	12	15	3	1	11	10	13	8	14	15	24	31	58	72	147	233	254	259	207
Females	958	7	12	-	-	2	2	2	5	8	6	20	13	18	40	89	117	173	180	271
LEINSTER																				
Carlow																				
Males	218	2	3	-	1	3	7	4	-	3	5	6	4	8	19	38	34	26	32	25
Females	191	2	3	-	-	1	-	-	2	-	2	6	3	4	6	18	26	30	46	44
Dublin County Borough																				
Males	2,272	35	38	6	1	9	26	39	25	26	34	53	88	133	197	298	380	391	295	233
Females	2,509	15	19	3	3	7	3	11	12	17	24	38	55	96	151	213	309	425	465	658
Dublin Belgard																				
Males	390	19	22	2	5	8	3	8	10	8	10	22	17	21	38	55	43	51	37	30
Females	356	12	14	1	3	3	2	2	2	7	8	10	14	16	23	37	36	49	56	73
Dublin Fingal																				
Males	312	15	15	-	1	6	3	2	3	8	5	17	9	21	20	45	37	44	45	31
Females	298	9	11	-	-	-	-	1	2	3	7	8	9	19	10	22	33	47	57	69
Dun Laoghaire																				
Rathdown																				
Males	619	12	13	1	-	4	2	8	5	9	8	17	25	36	52	64	78	112	97	88
Females	700	7	9	1	-	1	2	6	4	3	8	20	16	23	35	51	89	111	123	198
Kildare																				
Males	449	2	5	4	1	3	6	7	5	4	9	16	21	19	38	39	70	68	92	42
Females	351	10	13	1	1	-	2	-	2	2	8	11	10	9	21	40	40	53	61	77
Kilkenny																				
Males	326	2	2	-	2	5	3	2	6	4	5	6	9	12	22	47	48	52	62	39
Females	304	2	2	-	-	-	1	2	1	3	2	7	3	6	7	22	38	50	76	84
Laois																				
Males	286	-	3	1	1	2	1	2	2	2	1	4	3	14	11	38	48	62	53	38
Females	234	1	1	1	1	-	-	-	-	1	4	3	6	6	15	28	33	43	43	49
Longford																				
Males	162	-	1	-	1	-	1	3	-	1	2	2	6	5	11	12	30	38	33	16
Females	144	2	2	-	1	-	-	1	-	1	1	4	-	1	5	11	15	31	26	45
Louth																				
Males	411	11	11	-	1	5	2	2	7	5	7	6	14	17	32	56	70	77	60	39
Females	370	2	2	-	1	2	-	-	-	3	6	3	11	12	25	28	54	69	64	90
Meath																				
Males	445	9	9	-	-	7	7	3	8	2	3	15	7	22	25	70	71	71	69	56
Females	326	3	7	-	1	2	1	1	2	2	6	5	6	17	14	34	40	52	51	85

Table 18 Deaths occurring in 1992, classified by sex and age of residents in each Province, County and County Borough — Continued

Province, County or County Borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
Offaly																				
Males	329	3	4	1	1	1	1	2	3	5	5	6	10	17	21	36	63	58	52	43
Females	255	2	2	-	-	-	1	-	-	1	2	7	7	5	18	20	40	44	45	63
Westmeath																				
Males	324	6	6	-	1	1	2	1	2	2	9	9	8	14	22	37	55	68	40	47
Females	221	3	3	1	-	-	1	-	2	1	1	3	3	7	13	23	25	32	48	58
Wexford																				
Males	524	4	4	2	1	5	7	5	6	7	6	5	22	19	33	66	69	109	93	65
Females	461	3	4	1	-	1	2	2	4	2	3	5	10	10	25	41	59	72	100	120
Wicklow																				
Males	385	3	3	-	-	2	4	4	-	4	6	11	5	23	26	38	58	75	74	52
Females	360	2	3	-	1	1	2	1	2	-	5	15	9	12	14	23	40	56	59	117
MUNSTER																				
Clare																				
Males	471	1	2	-	1	2	4	5	3	5	2	4	13	16	28	50	96	85	96	59
Females	361	4	4	1	1	2	2	2	1	3	1	7	3	10	16	36	43	62	72	95
Cork County Borough																				
Males	537	10	10	1	3	4	10	6	1	8	8	19	21	31	60	71	97	75	63	49
Females	589	8	8	2	-	-	2	-	-	5	7	8	11	21	33	57	72	107	108	148
Cork County																				
Males	1,433	17	20	4	4	7	16	9	6	17	20	26	41	66	106	166	240	245	238	202
Females	1,178	11	12	-	4	5	3	-	3	3	10	20	19	38	51	89	144	220	232	325
Kerry																				
Males	841	5	5	-	1	9	8	5	2	8	12	11	11	29	49	77	156	197	151	110
Females	618	6	6	-	-	2	-	3	5	4	4	8	12	18	18	56	71	114	145	152
Limerick County Borough																				
Males	266	4	4	1	1	-	5	3	3	3	1	12	10	17	28	40	45	32	32	29
Females	227	2	2	-	-	1	1	1	1	5	6	6	5	10	18	31	24	33	36	47
Limerick County																				
Males	509	6	7	-	-	5	2	7	6	1	4	14	11	22	34	54	93	91	107	51
Females	402	3	4	2	-	3	1	1	2	-	3	1	10	10	15	35	46	93	75	101
Tipperary, North Riding																				
Males	295	4	5	-	-	4	3	3	1	1	3	4	11	11	20	43	46	65	37	38
Females	262	1	1	-	-	-	1	1	-	2	2	3	5	10	13	22	34	45	51	72
Tipperary, South Riding																				
Males	425	-	1	2	2	6	3	1	-	2	1	6	15	18	37	58	72	81	59	61
Females	343	7	7	-	1	-	1	1	2	1	5	4	2	14	17	27	38	59	60	104
Waterford County Borough																				
Males	140	1	2	-	-	-	4	-	5	4	2	7	4	9	15	16	20	22	13	17
Females	154	2	2	-	1	-	-	1	-	2	3	1	6	14	9	18	18	23	30	26
Waterford County																				
Males	271	1	1	1	1	2	3	3	1	3	5	5	6	12	15	39	38	48	50	38
Females	242	2	2	-	-	3	1	3	-	4	2	4	8	5	6	20	30	40	47	67
CONNACHT																				
Galway County Borough																				
Males	128	1	5	-	-	2	-	2	2	4	1	2	9	6	7	15	16	21	14	22

Table 18 Deaths occurring in 1992, classified by sex and age of residents in each Province, County and County Borough — Continued

Province, County or County Borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
CONNACHT																				
Galway County Borough																				
Females	133	2	3	1	1	1	-	-	1	1	3	4	4	5	4	11	15	21	28	30
Galway County																				
Males	779	3	6	3	-	4	9	5	3	6	12	15	18	22	42	75	136	154	131	138
Females	594	3	5	2	1	-	3	1	-	5	6	11	7	14	31	35	81	105	120	167
Leitrim																				
Males	212	1	1	-	1	2	1	-	-	1	3	1	5	7	11	29	35	49	33	33
Females	178	1	2	-	-	-	-	-	-	-	2	1	1	5	11	12	25	41	26	52
Mayo																				
Males	720	4	5	2	3	3	6	9	7	3	3	11	15	24	39	55	111	149	161	114
Females	576	-	1	-	1	-	1	3	1	2	4	9	10	12	17	41	68	108	138	160
Roscommon																				
Males	316	3	3	-	-	2	-	1	1	-	2	3	7	10	27	37	51	56	64	52
Females	254	-	1	-	-	-	-	-	-	-	-	1	5	9	11	19	39	45	48	76
Sligo																				
Males	346	-	2	-	-	2	-	2	1	4	-	2	9	13	27	43	60	69	63	49
Females	266	1	1	-	-	1	1	2	-	1	1	3	2	2	9	25	40	50	61	67
ULSTER (part of)																				
Cavan																				
Males	356	5	7	1	-	5	1	1	3	4	2	5	7	13	10	39	58	69	69	62
Females	233	3	4	-	-	-	-	-	2	2	1	4	2	3	13	29	29	44	44	56
Donegal																				
Males	725	5	6	1	-	4	6	12	4	8	9	15	17	25	45	77	122	136	139	99
Females	525	1	4	-	-	1	-	2	2	3	4	11	8	13	15	42	66	93	103	158
Monaghan																				
Males	294	2	2	1	1	2	3	-	1	2	4	4	7	20	17	31	53	49	51	46
Females	200	3	4	-	-	1	2	-	1	3	1	5	3	2	12	18	22	36	33	57

Table 19 – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
	Total Deaths-all Causes	M	16,516	196	16	10	4	7	233	34	35
		F	14,415	135	13	11	4	5	168	17	22
001–139	1. Infectious and Parasitic Diseases	M	95	7	3	1	–	–	11	2	2
		F	75	3	–	–	–	–	3	–	1
001–009	Intestinal Infectious Diseases	M	2	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–
004	Shigellosis	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
006	Amoebiasis	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
009	Ill-defined Intestinal Infections	M	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–
010–018	Tuberculosis	M	30	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–
011	Pulmonary Tuberculosis	M	28	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
013	Tuberculosis of Meninges and Central Nervous System	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
018	Miliary Tuberculosis	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
020–027	Zoonotic Bacterial Diseases	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
027	Other Zoonotic Bacterial Diseases	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
030–041	Other Bacterial Diseases	M	30	6	3	1	–	–	10	2	2
		F	31	3	–	–	–	–	3	–	1
031	Diseased due to other Mycobacteria	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	11	5	2	–	–	–	7	2	2
		F	5	1	–	–	–	–	1	–	1
038	Septicaemia	M	13	1	–	1	–	–	2	–	–
		F	26	2	–	–	–	–	2	–	–
041	Bacterial Infection in Conditions classified elsewhere and of unspecified sites	M	4	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–
045–049	Poliomyelitis and other non-arthropod-borne Viral Diseases of Central Nervous System	M	7	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
045	Acute Poliomyelitis	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
047	Meningitis due to Enterovirus	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
049	Other Non-arthropod-borne Viral Diseases of Central Nervous System	M	4	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
050–057	Viral Diseases accompanied by Exanthem	M	3	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
053	Herpes Zoster	M	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
054	Herpes Simplex	M	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
070–079	Other Diseases due to Viruses and Chlamydiae	M	6	1	–	–	–	–	1	–	–
		F	6	–	–	–	–	–	–	–	–
070	Viral Hepatitis	M	4	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
079	Viral Infection in conditions classified elsewhere and of unspecified site	M	2	1	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–
080–088	Rickettsioses and other Arthropod-Borne Diseases	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
084	Malaria	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
100–104	Other Spirochaetal Diseases	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
100	Leptospirosis	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
110–118	Mycoses	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
117	Other Mycoses	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. – 9 code
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	
126 38	159 36	166 48	132 56	174 92	209 152	361 256	485 285	752 458	1,184 701	1,954 1,234	2,699 1,782	2,995 2,503	2,705 2,777	2,113 3,790	
–	2	4	4	3	4	3	4	2	6	10	7	21	7	3	001–139
1	1	–	3	2	1	2	3	1	5	4	13	14	8	13	001–009
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	1	2	1	2	004
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	006
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	009
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	2	1	1	7	4	10	3	–	010–018
–	–	–	–	–	–	–	1	–	3	–	3	2	–	1	
–	–	–	1	1	–	–	2	1	1	5	4	10	3	–	011
–	–	–	–	–	–	–	1	–	2	–	2	2	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	013
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	018
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	020–027
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	027
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	–	–	2	–	–	–	1	–	–	7	3	1	030–041
1	1	–	–	–	–	1	–	–	2	4	5	5	5	3	
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	031
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	036
–	1	–	–	–	–	–	–	–	1	–	–	5	3	1	038
–	–	–	–	–	–	–	–	–	2	4	5	5	5	3	
–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	041
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	2	1	1	–	–	–	–	–	–	–	1	–	045–049
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	045
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	047
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	049
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	050–057
–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	053
–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	054
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	2	–	–	–	–	1	–	1	070–079
–	–	–	1	–	–	–	–	–	–	–	1	1	1	2	
–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	070
–	–	–	1	–	–	–	–	–	–	–	1	1	–	2	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	079
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	080–088
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	084
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	100–104
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	100
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	110–118
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	117
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
130–136	Other Infectious and Parasitic Diseases	M	4	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–
130	Toxoplasmosis	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
135	Sarcoidosis	M	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
136	Other and Unspecified Infectious and Parasitic Diseases	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
137–139	Late Effects of Infectious and Parasitic Diseases	M	8	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
137	Late Effects of Tuberculosis	M	8	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
140–239	2.Neoplasms	M	4,100	–	2	1	–	2	5	6	4
		F	3,491	1	–	2	–	–	3	2	2
140–208	Malignant Neoplasms	M	4,078	–	1	1	–	2	4	6	4
		F	3,461	1	–	2	–	–	3	2	2
140–149	Malignant Neoplasm of Lip, Oral Cavity and Pharynx	M	88	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–
140	Malignant Neoplasm of Lip	M	5	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
141	Malignant Neoplasm of Tongue	M	19	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–
142	Malignant Neoplasm of Major Salivary Glands	M	11	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
143	Malignant Neoplasm of Gum	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
144	Malignant Neoplasm of Floor of Mouth	M	8	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
145	Malignant Neoplasm of Other and Unspecified Parts of Mouth	M	11	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
146	Malignant Neoplasm of Oropharynx	M	9	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
147	Malignant Neoplasm of Nasopharynx	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
148	Malignant Neoplasm of Hypopharynx	M	13	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
149	Malignant Neoplasm of Other and Ill-defined Sites within the lip, Oral Cavity and Pharynx	M	9	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
150–159	Malignant Neoplasm of Digestive Organs and Peritoneum	M	1,346	–	–	–	–	–	–	–	–
		F	1,060	–	–	–	–	–	–	–	–
150	Malignant Neoplasm of Oesophagus	M	160	–	–	–	–	–	–	–	–
		F	126	–	–	–	–	–	–	–	–
151	Malignant Neoplasm of Stomach	M	290	–	–	–	–	–	–	–	–
		F	147	–	–	–	–	–	–	–	–
152	Malignant Neoplasm of Small Intestine, including Duodenum	M	7	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
153	Malignant Neoplasm of Colon	M	357	–	–	–	–	–	–	–	–
		F	350	–	–	–	–	–	–	–	–
154	Malignant Neoplasm of Rectum, Rectosigmoid Junction and Anus	M	154	–	–	–	–	–	–	–	–
		F	94	–	–	–	–	–	–	–	–
155	Malignant Neoplasm of Liver and Intrahepatic Bile Ducts	M	55	–	–	–	–	–	–	–	–
		F	37	–	–	–	–	–	–	–	–
156	Malignant Neoplasm of Gallbladder and Extrahepatic Bile Ducts	M	22	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–
157	Malignant Neoplasm of Pancreas	M	196	–	–	–	–	–	–	–	–
		F	164	–	–	–	–	–	–	–	–
158	Malignant Neoplasm of Retroperitoneum and Peritoneum	M	6	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
159	Malignant Neoplasm of Other and Ill-defined sites within the Digestive Organs and Peritoneum	M	99	–	–	–	–	–	–	–	–
		F	94	–	–	–	–	–	–	–	–
160–165	Malignant Neoplasm of Respiratory and Intrathoracic Organs	M	1,108	–	–	–	–	–	–	–	–
		F	534	–	–	–	–	–	–	–	–
160	Malignant Neoplasm of Nasal Cavities, Middle Ear and Accessory Sinuses	M	4	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
161	Malignant Neoplasm of Larynx	M	44	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	130-136
-	-	-	2	1	1	1	1	-	-	-	-	-	-	1	130
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	135
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	135
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	136
-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	136
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	136
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	137-139
-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	137-139
-	-	-	-	-	-	-	-	-	-	-	3	4	-	1	137
-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	137
-	-	-	-	-	-	-	-	-	-	-	3	4	-	1	137
12	5	17	18	45	53	112	165	248	408	621	797	728	545	311	140-239
6	3	11	24	47	94	136	169	230	309	476	526	590	460	403	140-239
12	5	17	18	44	53	112	165	245	406	621	791	726	540	309	140-208
6	3	11	22	47	94	134	169	229	307	474	522	582	456	398	140-208
-	-	-	-	-	4	2	11	8	13	17	12	8	10	3	140-149
-	-	-	2	-	1	1	1	2	1	5	4	5	2	4	140-149
-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	140
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	140
-	-	-	-	-	1	-	4	3	3	5	2	-	1	-	141
-	-	-	-	-	-	1	1	2	-	2	3	-	-	1	141
-	-	-	-	-	-	1	-	1	2	2	3	-	1	1	142
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	142
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	143
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	-	-	-	-	1	-	1	1	2	-	3	-	-	144
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144
-	-	-	-	-	1	-	2	-	2	1	-	-	4	1	145
-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	145
-	-	-	-	-	1	-	1	2	1	-	2	2	-	-	146
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	146
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	147
-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	147
-	-	-	-	-	1	-	3	-	2	3	2	1	1	-	148
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	148
-	-	-	-	-	-	-	1	1	2	2	2	1	-	-	149
-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	149
-	1	1	2	14	20	38	68	92	131	197	256	234	185	107	150-159
-	1	-	1	3	22	31	40	45	73	130	176	199	173	166	150-159
-	-	-	-	-	2	10	13	14	15	21	30	32	19	4	150
-	-	-	-	-	1	-	5	6	11	18	17	28	21	19	150
-	-	-	-	2	5	8	9	22	24	46	64	47	36	27	151
-	-	-	-	2	5	6	6	2	8	19	30	24	28	17	151
-	-	-	-	-	1	-	-	-	1	-	2	1	1	1	152
-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	152
-	-	-	2	5	4	6	12	18	37	51	62	59	66	35	153
-	-	-	1	-	10	11	12	11	23	38	65	59	58	62	153
-	-	-	-	3	2	2	10	14	16	21	26	23	26	11	154
-	-	-	-	2	4	5	6	7	4	11	17	22	16	-	154
-	-	-	1	1	1	1	3	2	8	8	10	9	9	3	155
-	1	-	-	1	-	2	1	2	3	9	7	6	3	2	155
-	-	-	-	-	-	-	1	-	1	3	6	9	-	2	156
-	-	-	-	-	-	2	1	6	2	7	7	6	4	4	156
-	-	1	-	2	4	6	14	16	23	31	35	37	14	13	157
-	-	-	-	3	3	4	7	7	13	26	27	37	21	23	157
-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	158
-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	158
-	1	-	-	1	1	5	6	6	5	16	17	16	14	11	159
-	-	-	-	-	1	2	6	4	6	7	12	18	15	23	159
-	-	-	1	6	7	28	40	79	130	208	243	192	118	56	160-165
1	-	-	1	3	4	9	21	28	53	102	97	107	70	38	160-165
-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	160
-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	160
-	-	-	-	-	-	3	4	5	6	10	5	9	2	-	161
-	-	-	-	-	-	-	-	1	2	3	3	3	1	1	161

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
162	Malignant Neoplasm of Trachea, Bronchus and Lung	M	1,048	–	–	–	–	–	–	–	–
		F	511	–	–	–	–	–	–	–	–
162.0	Trachea	M	2	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
162.2	Main Bronchus	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
162.3	Upper Lobe, Bronchus or Lung	M	4	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
162.4	Middle Lobe, Bronchus or Lung	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
162.5	Lower Lobe, Bronchus or Lung	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
163	Malignant Neoplasm of Pleura	M	5	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
164	Malignant Neoplasm of Thymus, Heart and Mediastinum	M	7	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
170–175	Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	M	108	–	1	–	–	–	1	–	1
		F	736	1	–	–	–	–	1	–	–
170	Malignant Neoplasm of Bone and Articular Cartilage	M	18	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–
171	Malignant Neoplasm of Connective and other Soft Tissue	M	23	–	1	–	–	–	1	–	1
		F	24	1	–	–	–	–	1	–	–
172	Malignant Melanoma of Skin	M	25	–	–	–	–	–	–	–	–
		F	29	–	–	–	–	–	–	–	–
173	Other Malignant Neoplasm of Skin	M	36	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–
174	Malignant Neoplasm of Female Breast	F	658	–	–	–	–	–	–	–	–
175	Malignant Neoplasm of Male Breast	M	6	–	–	–	–	–	–	–	–
179–189	Malignant Neoplasm of Genitourinary Organs	M	709	–	–	–	–	–	–	–	–
		F	505	–	–	–	–	–	–	–	–
179	Malignant Neoplasm of Uterus, Part Unspecified	F	15	–	–	–	–	–	–	–	–
180	Malignant Neoplasm of Cervix Uteri	F	69	–	–	–	–	–	–	–	–
182	Malignant Neoplasm of Body of Uterus	F	60	–	–	–	–	–	–	–	–
182.0	Corpus Uteri, except Isthmus	F	60	–	–	–	–	–	–	–	–
183	Malignant Neoplasm of Ovary and other Uterine Adnexa	F	252	–	–	–	–	–	–	–	–
184	Malignant Neoplasm of other and Unspecified Female Genital Organs	F	22	–	–	–	–	–	–	–	–
185	Malignant Neoplasm of Prostate	M	495	–	–	–	–	–	–	–	–
186	Malignant Neoplasm of Testis	M	7	–	–	–	–	–	–	–	–
187	Malignant Neoplasm of Penis and other Male Genital Organs	M	7	–	–	–	–	–	–	–	–
188	Malignant Neoplasm of Bladder	M	107	–	–	–	–	–	–	–	–
		F	53	–	–	–	–	–	–	–	–
189	Malignant Neoplasm of Kidney and other and unspecified Urinary Organs	M	93	–	–	–	–	–	–	–	–
		F	34	–	–	–	–	–	–	–	–
190–199	Malignant Neoplasm of other and Unspecified Sites	M	375	–	–	–	–	1	1	3	2
		F	347	–	–	2	–	–	2	2	2
190	Malignant Neoplasm of Eye	M	6	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
191	Malignant Neoplasm of Brain	M	125	–	–	–	–	1	1	3	1
		F	74	–	–	–	–	–	–	2	2
192	Malignant Neoplasm of Other and Unspecified parts of Nervous System	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	1	–	–
193	Malignant Neoplasm of Thyroid Gland	M	10	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–
194	Malignant Neoplasm of other Endocrine Glands and Related Structures	M	6	–	–	–	–	–	–	–	–
		F	5	–	–	1	–	–	1	–	–
195	Malignant Neoplasm of other and Ill-defined Sites	M	27	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–
199	Malignant Neoplasm without Specification of Site	M	200	–	–	–	–	–	–	–	1
		F	219	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	5	7	25	36	71	124	198	232	181	113	56	162
1	-	-	1	3	4	9	19	26	51	98	91	103	68	37	162.0
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	162.0
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	162.2
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	162.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162.3
-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	162.3
-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	162.4
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	162.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162.5
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	162.5
-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	163
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	164
-	-	-	1	-	-	-	-	1	-	-	3	1	1	-	164
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	170-175
1	-	5	1	6	1	5	3	6	15	9	16	18	12	8	170-175
1	1	2	7	18	36	50	64	77	81	84	93	72	78	71	170
1	-	-	-	1	1	1	1	-	2	2	3	3	1	2	170
1	-	-	-	2	-	1	-	2	-	-	-	1	1	1	171
-	-	2	-	1	-	-	-	2	6	2	2	2	4	-	171
-	1	2	-	-	-	2	3	2	1	4	3	1	1	3	172
-	-	3	1	3	-	2	1	1	4	1	2	3	2	2	172
-	-	-	2	1	1	2	1	3	3	3	2	4	5	2	173
-	-	-	-	1	-	2	1	2	3	4	7	8	4	4	173
-	-	-	-	-	-	-	-	1	-	2	2	1	3	7	174
-	-	-	5	15	35	45	60	69	77	75	86	65	68	58	174
-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	175
-	-	1	2	1	2	15	10	15	44	90	143	157	138	91	179-189
-	-	3	4	14	11	26	25	37	60	72	68	89	46	50	179-189
-	-	-	-	2	-	-	1	-	2	1	3	4	2	-	179
-	-	1	1	11	4	8	3	7	4	11	7	8	2	2	180
-	-	-	1	-	-	1	3	5	3	7	10	12	9	9	182
-	-	-	1	-	-	1	3	5	3	7	10	12	9	9	182.0
-	-	2	2	1	6	15	16	21	44	44	31	37	18	15	183
-	-	-	-	-	-	-	-	-	2	2	3	5	4	6	184
-	-	-	-	-	-	-	2	4	21	58	100	119	113	78	185
-	-	-	2	-	-	2	-	-	-	-	1	1	-	1	186
-	-	-	-	-	-	1	-	-	-	-	1	4	1	-	187
-	-	-	-	1	1	-	1	5	7	15	26	22	20	9	188
-	-	-	-	-	-	-	1	2	2	4	7	15	6	16	189
-	-	1	-	-	1	12	7	6	16	17	15	11	4	3	189
-	-	-	-	-	1	2	1	2	3	3	7	8	5	2	189
1	1	2	5	7	11	14	20	31	47	50	60	67	33	20	190-199
2	-	2	4	3	12	8	10	23	23	53	55	58	49	39	190
-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	190
1	-	2	4	7	6	10	5	16	17	18	18	11	4	1	191
1	-	1	2	1	2	2	4	9	8	13	15	4	5	3	191
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	192
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	192
-	-	-	-	-	-	-	1	2	1	2	2	2	-	-	193
-	-	-	-	-	-	-	-	1	-	3	2	-	4	-	194
-	-	-	-	-	1	1	1	-	-	1	-	-	-	2	194
-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	195
-	-	-	-	-	-	-	3	1	1	3	6	5	6	2	195
-	-	-	-	-	1	-	2	2	2	-	4	3	6	8	199
-	1	-	-	-	4	3	9	11	28	25	32	48	23	15	199
1	-	1	2	2	9	6	3	10	10	35	32	46	34	28	199

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
200–208	Malignant Neoplasm of Lymphatic and Haematopoietic Tissue	M	344	–	–	1	–	1	2	3	1
		F	251	–	–	–	–	–	–	–	–
200	Lymphosarcoma and Reticulosarcoma	M	7	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	–	–
201	Hodgkin's Disease	M	9	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–
202	Other Malignant Neoplasm of Lymphoid and Histiocytic Tissue	M	112	–	–	–	–	–	–	–	–
		F	101	–	–	–	–	–	–	–	–
203	Multiple Myeloma and Immunoproliferative Neoplasms	M	66	–	–	–	–	–	–	–	–
		F	48	–	–	–	–	–	–	–	–
204	Lymphoid Leukaemia	M	55	–	–	–	–	1	1	3	–
		F	25	–	–	–	–	–	–	–	–
205	Myeloid Leukaemia	M	65	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–
206	Monocytic Leukaemia	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
208	Leukaemia of Unspecified Cell Type	M	29	–	–	1	–	–	1	–	–
		F	14	–	–	–	–	–	–	–	–
210–229	Benign Neoplasms	M	9	–	1	–	–	–	1	–	–
		F	13	–	–	–	–	–	–	–	–
211	Benign Neoplasm of other parts Digestive System	M	3	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
212	Benign Neoplasm of Respiratory and Intrathoracic Organs	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
216	Benign Neoplasm of Skin	M	2	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–
218	Uterine Leiomyoma	F	1	–	–	–	–	–	–	–	–
225	Benign Neoplasm of Brain and other parts of Nervous System	M	3	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
227	Benign Neoplasm of other Endocrine Glands and Related Structures	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
229	Benign Neoplasm of other and Unspecified Sites	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
230–234	Carcinoma in Situ	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
231	Carcinoma in Situ of Respiratory System	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
235–238	Neoplasms of Uncertain Behaviour	M	10	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–
237	Neoplasm of Uncertain Behaviour of Endocrine Glands and Nervous System	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
238	Neoplasm of Uncertain Behaviour of Other and Unspecified Sites and Tissues	M	9	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–
239	Neoplasm of Unspecified Nature	M	2	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
240–279	3.Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	M	319	3	2	–	–	–	5	3	2
		F	327	1	–	–	–	–	1	1	1
240–246	Disorders of Thyroid Gland	M	6	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–
242	Thyrotoxicosis with or without Goitre	M	3	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–
244	Acquired Hypothyroidism	M	3	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–
250–259	Diseases of other Endocrine Glands	M	243	1	–	–	–	–	1	–	–
		F	256	1	–	–	–	–	1	–	–
250	Diabetes Mellitus	M	239	–	–	–	–	–	–	–	–
		F	251	–	–	–	–	–	–	–	–
251	Other Disorders of Pancreatic Internal Secretion	M	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	1	–	–
252	Disorders of Parathyroid Gland	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
253	Disorders of the Pituitary Gland and its Hypothalamic Control	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
255	Disorders of Adrenal Glands	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
259	Other Endocrine Disorders	M	2	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
10	3	8	7	10	8	10	13	14	26	50	61	50	44	24	200-208
2	1	4	3	6	8	9	8	17	16	28	29	52	38	30	200
-	-	2	-	-	1	-	1	-	-	-	-	1	1	-	201
-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	202
-	-	3	-	1	-	-	-	-	2	1	1	-	1	-	203
-	-	2	1	1	1	2	1	-	1	5	-	1	1	2	204
1	-	1	5	6	4	5	4	6	9	18	26	14	9	4	205
-	1	1	-	4	4	-	5	12	9	15	12	19	13	6	206
-	-	-	-	-	-	-	4	3	7	10	12	8	14	8	207
-	-	-	-	-	-	1	-	3	3	3	6	11	10	11	208
5	1	-	1	-	-	1	1	-	4	6	12	12	5	3	209
1	-	-	1	1	1	1	-	1	-	2	4	5	4	4	210
4	1	1	1	3	3	3	2	2	3	13	8	8	8	5	211
1	-	1	1	-	2	5	2	-	3	1	6	10	4	3	212
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	213
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	214
-	-	1	-	-	-	1	1	3	1	2	2	7	6	4	215
-	-	-	-	-	-	-	-	1	-	1	1	3	4	4	216
-	-	-	-	-	-	-	-	3	-	-	3	-	2	-	217
-	-	-	2	-	-	1	-	1	-	1	2	3	2	1	218
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	219
-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	220
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	222
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	223
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	225
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	226
-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	227
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	228
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	229
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	231
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	232
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	233
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	234
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	235
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
-	-	-	-	1	-	-	-	-	1	-	2	2	2	2	237
-	-	-	-	-	-	-	-	-	2	1	2	5	2	3	238
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	239
-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	240
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	241
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	243
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	244
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	245
1	-	-	-	-	-	-	-	1	-	1	1	4	2	-	246
-	-	-	-	-	1	5	3	9	25	24	42	61	49	22	247
-	-	1	-	-	3	2	1	3	11	33	56	47	48	50	248
1	-	-	-	-	1	4	3	9	25	24	42	61	47	22	249
-	-	1	-	-	1	2	1	3	11	33	56	46	48	49	250
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	251
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	252
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	253
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	254
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	255
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	256
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	257
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	258
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	259

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed

Detailed I.C.D. - 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5-9	10-14
260-269	Nutritional Deficiencies	M	4	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
263	Other and Unspecified	M	3	-	-	-	-	-	-	-	-
	Protein-Calorie Malnutrition	F	4	-	-	-	-	-	-	-	-
264	Vitamin A Deficiency	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
268	Vitamin D Deficiency	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
270-279	Other Metabolic Disorders and	M	66	2	2	-	-	-	4	3	2
	Immunity Disorders	F	43	-	-	-	-	-	-	1	1
270	Disorders of Amino-Acid Transport	M	-	-	-	-	-	-	-	-	-
	and Metabolism	F	2	-	-	-	-	-	-	-	1
272	Disorders of Lipoid Metabolism	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
273	Disorders of Plasma Protein	M	6	-	-	-	-	-	-	-	-
	Metabolism	F	2	-	-	-	-	-	-	-	-
274	Gout	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
275	Disorders of Mineral Metabolism	M	3	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
276	Disorders of Fluid, Electrolyte and	M	12	1	-	-	-	-	1	-	-
	Acid-base Balance	F	12	-	-	-	-	-	-	-	-
277	Other and Unspecified Disorders of	M	18	1	2	-	-	-	3	3	2
	Metabolism	F	10	-	-	-	-	-	-	1	-
278	Obesity and other Hyperalimentation	M	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
279	Disorders involving the Immune	M	20	-	-	-	-	-	-	-	-
	Mechanism	F	10	-	-	-	-	-	-	-	-
280-289	4.Diseases of Blood and	M	45	-	-	-	-	-	-	-	-
	Blood-forming Organs	F	61	-	-	-	-	-	-	-	-
280	Iron Deficiency Anaemias	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
281	Other Deficiency Anaemias	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
282	Hereditary Haemolytic Anaemias	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
283	Acquired Haemolytic Anaemias	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
284	Aplastic Anaemia	M	8	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
285	Other and Unspecified Anaemias	M	9	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-
286	Coagulation Defects	M	5	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
287	Purpura and other Haemorrhagic	M	4	-	-	-	-	-	-	-	-
	Conditions	F	8	-	-	-	-	-	-	-	-
288	Diseases of White Blood Cells	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
289	Other Diseases of Blood and	M	8	-	-	-	-	-	-	-	-
	Blood-forming Organs	F	12	-	-	-	-	-	-	-	-
290-319	5.Mental Disorders	M	106	-	-	-	-	-	-	-	-
		F	132	-	-	-	-	-	-	1	-
290-294	Organic Psychotic Conditions	M	49	-	-	-	-	-	-	-	-
		F	94	-	-	-	-	-	-	-	-
290	Senile and Presenile Organic	M	48	-	-	-	-	-	-	-	-
	Psychotic Conditions	F	94	-	-	-	-	-	-	-	-
291	Alcoholic Psychoses	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
295-299	Other Psychoses	M	7	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
295	Schizophrenic Psychoses	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
296	Affective Psychoses	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
298	Other Nonorganic Psychoses	M	7	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
300-316	Neurotic Disorders, Personality	M	50	-	-	-	-	-	-	-	-
	Disorders and Other Nonpsychotic	F	23	-	-	-	-	-	-	-	-
	Mental Disorders										

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	260-269
-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	
-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	263
-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	264
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
1	3	6	5	3	5	5	2	3	2	3	4	2	3	10	270-279
2	3	6	1	2	2	-	1	-	3	3	3	4	3	8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	272
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	273
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	274
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	275
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	3	1	1	5	276
-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	
1	2	2	-	-	-	1	-	1	-	-	1	-	-	2	277
2	2	-	-	1	2	-	-	-	-	-	1	1	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	278
-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	
-	1	4	5	3	4	2	-	1	-	-	-	-	-	-	279
-	1	6	1	1	-	-	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	1	1	1	4	3	8	7	7	12	280-289
-	-	-	-	-	-	3	2	1	2	7	2	6	20	18	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	280
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	281
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	282
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	283
-	-	1	-	-	-	-	-	-	-	-	2	2	2	1	284
-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	
-	-	-	-	-	-	-	-	-	-	-	3	-	1	5	285
-	-	-	-	-	-	-	-	-	1	1	1	4	5	8	
-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	286
-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	
-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	287
-	-	-	-	-	-	-	-	-	-	2	-	1	4	1	288
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	2	-	-	1	2	2	289
-	1	6	3	4	5	8	4	6	1	3	-	1	3	2	
1	1	1	1	1	3	3	-	5	3	3	11	15	22	15	290-319
-	-	-	-	-	-	-	-	-	-	1	8	20	29	54	
-	-	-	-	-	-	-	-	-	-	2	7	13	16	11	290-294
-	-	-	-	-	-	-	-	1	1	-	5	17	24	46	
-	-	-	-	-	-	-	-	-	-	2	7	12	16	11	290
-	-	-	-	-	-	-	-	1	1	-	5	17	24	46	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	291
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	1	-	2	4	295-299
-	-	-	-	-	-	-	-	-	1	-	-	-	2	8	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	295
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	296
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	298
-	1	6	3	4	5	8	4	6	1	-	-	-	2	8	
1	1	1	1	1	2	2	-	4	1	1	3	2	4	-	300-316
-	-	-	-	-	-	-	-	-	-	-	2	3	3	-	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
301	Personality Disorders	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
303	Alcohol Dependence Syndrome	M	23	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–
304	Drug Dependence	M	10	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
305	Nondependent Abuse of Drugs	M	13	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
307	Special Symptoms or Syndromes not Elsewhere classified	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
308	Acute Reaction to Stress	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
310	Specific Nonpsychotic Mental Disorders following Organic Brain Damage	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
311	Depressive Disorder, not elsewhere Classified	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
315	Specific Delays in Development	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
317–319	Mental Retardation	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–
319	Unspecified Mental Retardation	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–
320–389	6.Diseases of the Nervous System and Sense Organs	M	282	4	1	2	–	1	8	2	3
		F	305	5	1	1	–	2	9	3	3
320–326	Inflammatory Diseases of the Central Nervous System	M	13	1	1	–	–	1	3	1	1
		F	8	1	–	–	–	–	1	1	–
320	Bacterial Meningitis	M	8	1	1	–	–	1	3	1	1
		F	2	–	–	–	–	–	–	1	–
322	Meningitis of Unspecified Cause	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
323	Encephalitis, Myelitis and Encephalomyelitis	M	2	–	–	–	–	–	–	–	–
		F	4	1	–	–	–	–	1	–	–
324	Intracranial and Intraspinal Abscess	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
330–337	Hereditary and Degenerative Diseases of the Central Nervous System	M	167	3	–	–	–	–	3	–	–
		F	199	3	1	1	–	–	5	2	1
330	Cerebral Degenerations usually manifest in childhood	M	1	1	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	1
331	Other Cerebral Degenerations	M	46	–	–	–	–	–	–	–	–
		F	95	–	1	–	–	–	1	1	–
332	Parkinson's Disease	M	72	–	–	–	–	–	–	–	–
		F	58	–	–	–	–	–	–	–	–
333	Other Extrapyramidal Disease and Abnormal Movement Disorders	M	4	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
334	Spinocerebellar Disease	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
335	Anterior Horn Cell Disease	M	40	2	–	–	–	–	2	–	–
		F	38	3	–	1	–	–	4	1	–
336	Other Diseases of Spinal Cord	M	2	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
340–349	Other Disorders of the Central Nervous System	M	88	–	–	2	–	–	2	1	1
		F	88	–	–	–	–	2	2	–	2
340	Multiple Sclerosis	M	12	–	–	–	–	–	–	–	–
		F	34	–	–	–	–	–	–	–	–
341	Other Demyelinating Diseases of Central Nervous System	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
342	Hemiplegia	M	28	–	–	–	–	–	–	–	–
		F	23	–	–	–	–	–	–	–	–
343	Infantile Cerebral Palsy	M	5	–	–	1	–	–	1	1	1
		F	4	–	–	–	–	2	2	–	–
344	Other Paralytic Syndromes	M	2	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
345	Epilepsy	M	35	–	–	1	–	–	1	–	–
		F	18	–	–	–	–	–	–	–	2
348	Other Conditions of Brain	M	4	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
350–359	Disorders of the Peripheral Nervous System	M	13	–	–	–	–	–	–	–	1
		F	9	1	–	–	–	–	1	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	303
-	-	2	-	3	4	3	2	4	3	-	-	2	-	-	304
-	-	-	-	1	1	2	-	4	-	-	1	3	2	-	305
-	1	4	3	-	1	1	-	-	-	-	-	-	-	-	307
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	308
-	-	-	-	1	-	4	2	2	-	1	2	-	1	-	310
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	311
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	315
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317-319
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	319
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	320-389
8	6	3	6	10	5	7	8	8	11	21	38	59	47	32	320-326
2	3	3	4	5	2	9	5	15	11	30	41	56	46	58	320
1	-	-	-	1	-	1	-	-	-	-	1	2	1	1	322
1	-	-	2	1	-	-	-	-	1	-	1	-	-	-	323
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	324
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	330-337
-	-	-	-	3	1	3	3	4	4	13	29	44	35	25	330
1	-	-	-	-	1	1	1	7	6	18	29	39	39	49	331
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	332
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	333
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	334
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	335
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	336
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	340-349
3	4	3	5	6	3	3	5	4	6	7	7	12	11	5	340
1	3	2	1	4	1	8	3	7	4	10	10	15	7	8	341
-	-	-	-	3	1	-	3	1	1	1	1	1	-	-	342
-	1	1	-	1	-	6	3	4	4	4	6	4	-	-	343
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	344
-	-	-	-	-	-	-	-	-	1	5	3	8	7	4	345
-	-	-	-	-	-	-	-	-	-	2	3	8	4	4	348
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	350-359
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	350
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	352
3	3	3	5	3	1	3	-	3	3	1	1	2	3	-	353
-	1	-	1	3	1	-	-	2	-	-	1	2	2	3	354
-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	355
4	2	-	1	-	1	-	-	-	1	1	1	-	-	1	356
-	-	1	1	-	-	-	1	1	-	2	1	1	-	-	357

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
357	Inflammatory and Toxic Neuropathy	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
358	Myoneural Disorders	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
359	Muscular Dystrophies and Other Myopathies	M	11	–	–	–	–	–	–	–	1
		F	5	1	–	–	–	1	–	–	–
360–379	Disorders of the Eye and Adnexa	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
365	Glaucoma	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
380–389	Diseases of the Ear and Mastoid Process	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
382	Suppurative and Unspecified Otitis Media	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
390–459	7.Diseases of the Circulatory System	M	7,391	2	–	–	–	–	2	2	2
		F	6,582	–	1	–	–	–	1	2	3
390–392	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
391	Rheumatic Fever with heart involvement	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
393–398	Chronic Rheumatic Heart Disease	M	18	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–
394	Diseases of Mitral Valve	M	9	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–
395	Diseases of Aortic Valve	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
396	Diseases of Mitral and Aortic Valves	M	4	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
397	Diseases of other Endocardial Structures	M	2	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
398	Other Rheumatic Heart Disease	M	3	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–
401–405	Hypertensive Disease	M	82	–	–	–	–	–	–	–	–
		F	100	–	–	–	–	–	–	–	–
401	Essential Hypertension	M	36	–	–	–	–	–	–	–	–
		F	33	–	–	–	–	–	–	–	–
402	Hypertensive Heart Disease	M	35	–	–	–	–	–	–	–	–
		F	46	–	–	–	–	–	–	–	–
403	Hypertensive Renal Disease	M	10	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–
404	Hypertensive Heart and Renal Disease	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
410–414	Ischaemic Heart Disease	M	4,575	–	–	–	–	–	–	–	–
		F	3,150	–	–	–	–	–	–	–	–
410	Acute Myocardial Infarction	M	3,482	–	–	–	–	–	–	–	–
		F	2,340	–	–	–	–	–	–	–	–
411	Other Acute and Subacute forms of Ischaemic Heart Disease	M	40	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–
412	Old Myocardial Infarction	M	7	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
413	Angina Pectoris	M	6	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
414	Other forms of Chronic Ischaemic Heart Disease	M	1,040	–	–	–	–	–	–	–	–
		F	787	–	–	–	–	–	–	–	–
415–417	Diseases of Pulmonary Circulation	M	31	1	–	–	–	–	1	–	–
		F	44	–	–	–	–	–	–	–	–
415	Acute Pulmonary Heart Disease	M	25	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	–	–	–
416	Chronic Pulmonary Heart Disease	M	6	1	–	–	–	–	1	–	–
		F	6	–	–	–	–	–	–	–	–
420–429	Other forms of Heart Disease	M	841	–	–	–	–	–	–	2	1
		F	1,041	–	1	–	–	–	1	1	2
420	Acute Pericarditis	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
421	Acute and Subacute Endocarditis	M	5	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
422	Acute Myocarditis	M	4	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	1	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	357
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	358
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	359
4	2	-	1	-	1	-	-	-	-	-	1	-	-	1	360-379
-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	365
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	380-389
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	382
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	390-459
4	6	6	19	32	60	140	206	328	539	939	1,301	1,443	1,282	1,080	390-392
2	2	1	7	14	24	56	56	133	214	454	802	1,225	1,486	2,100	391
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	393-398
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	394
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	395
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	396
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	397
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	398
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	401-405
-	-	-	-	2	-	1	1	1	5	6	18	17	18	13	401
-	-	-	-	-	1	-	-	2	6	3	8	12	28	40	402
-	-	-	-	1	-	-	-	1	1	1	7	8	9	8	403
-	-	-	-	-	1	-	-	-	1	-	4	3	10	14	404
-	-	-	-	1	-	1	1	-	3	4	10	6	5	4	410-414
-	-	-	-	-	-	-	-	-	4	3	1	3	13	22	410
-	-	-	-	-	-	-	-	-	1	-	1	3	4	1	411
-	-	-	-	-	-	-	-	2	1	-	2	5	4	4	412
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	413
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	414
-	1	2	8	21	45	108	168	238	420	674	864	843	698	485	415-417
-	1	-	1	2	2	21	28	82	136	281	474	622	680	820	415
-	-	-	6	14	32	76	122	162	321	536	698	646	526	343	416
-	1	-	1	1	2	18	22	65	97	229	375	477	502	550	420-429
-	-	-	-	-	1	4	2	2	4	8	5	8	4	2	420
-	-	-	-	1	-	-	1	-	2	2	1	2	1	4	421
-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	422
-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	
-	1	2	2	7	12	28	43	73	94	128	160	185	165	140	
-	-	-	-	-	-	3	5	17	36	48	98	142	176	262	
-	-	-	1	-	-	-	-	-	1	5	9	5	6	3	
1	-	-	-	1	-	-	-	1	2	4	2	14	7	10	
-	-	-	-	1	-	-	-	-	1	4	7	5	4	3	
1	-	-	-	1	-	-	-	1	2	2	1	12	7	10	
-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	
-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	
2	3	3	6	3	6	13	15	32	26	67	117	155	176	214	
-	1	-	3	4	7	3	7	12	21	36	72	168	245	458	
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	
-	-	-	-	-	2	1	-	-	1	-	-	2	-	-	
-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
423	Other Diseases of Pericardium	M	7	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
424	Other Diseases of Endocardium	M	66	–	–	–	–	–	–	–	–
		F	74	–	–	–	–	–	–	–	–
425	Cardiomyopathy	M	87	–	–	–	–	–	–	1	–
		F	42	–	–	–	–	–	–	–	2
426	Conduction Disorders	M	12	–	–	–	–	–	–	1	–
		F	11	–	–	–	–	–	–	–	–
427	Cardiac Dysrhythmias	M	176	–	–	–	–	–	–	–	1
		F	235	–	–	–	–	–	–	1	–
428	Heart Failure	M	366	–	–	–	–	–	–	–	–
		F	502	–	–	–	–	–	–	–	–
429	Ill–defined Descriptions and Complications of Heart Disease	M	116	–	–	–	–	–	–	–	–
		F	165	–	–	–	–	–	–	–	–
430–438	Cerebrovascular Disease	M	1,263	1	–	–	–	–	1	–	1
		F	1,708	–	–	–	–	–	–	1	1
430	Subarachnoid Haemorrhage	M	46	–	–	–	–	–	–	–	1
		F	89	–	–	–	–	–	–	–	–
431	Intracerebral Haemorrhage	M	130	1	–	–	–	–	1	–	–
		F	133	–	–	–	–	–	–	1	–
432	Other and Unspecified Intracranial Haemorrhage	M	10	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–
433	Occlusion and Stenosis of Precerebral Arteries	M	11	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
434	Occlusion of Cerebral Arteries	M	172	–	–	–	–	–	–	–	–
		F	251	–	–	–	–	–	–	–	–
435	Transient Cerebral Ischaemia	M	11	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
436	Acute but Ill–defined Cerebrovascular Disease	M	809	–	–	–	–	–	–	–	–
		F	1,090	–	–	–	–	–	–	–	–
437	Other and Ill–defined Cerebrovascular Disease	M	73	–	–	–	–	–	–	–	–
		F	114	–	–	–	–	–	–	–	1
438	Late Effects of Cerebrovascular Disease	M	1	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–
440–448	Diseases of Arteries, Arterioles and Capillaries	M	496	–	–	–	–	–	–	–	–
		F	417	–	–	–	–	–	–	–	–
440	Atherosclerosis	M	202	–	–	–	–	–	–	–	–
		F	206	–	–	–	–	–	–	–	–
441	Aortic Aneurysm	M	178	–	–	–	–	–	–	–	–
		F	104	–	–	–	–	–	–	–	–
442	Other Aneurysm	M	5	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–
443	Other Peripheral Vascular Disease	M	96	–	–	–	–	–	–	–	–
		F	76	–	–	–	–	–	–	–	–
444	Arterial Embolism and Thrombosis	M	5	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–
446	Polyarteritis Nodosa and Allied Conditions	M	4	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
447	Other Disorders of Arteries and Arterioles	M	6	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
448	Diseases of Capillaries	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
451–459	Diseases of Veins and Lymphatics, and other Diseases of Circulatory System	M	85	–	–	–	–	–	–	–	–
		F	81	–	–	–	–	–	–	–	–
451	Phlebitis and Thrombophlebitis	M	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
452	Portal Vein Thrombosis	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
453	Other Venous Embolism and Thrombosis	M	57	–	–	–	–	–	–	–	–
		F	61	–	–	–	–	–	–	–	–
454	Varicose Veins of Lower Extremities	M	3	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
456	Varicose Veins of Other Sites	M	3	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
458	Hypotension	M	2	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
459	Other Disorders of Circulatory System	M	18	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	1	-	-	-	1	2	-	3	-	-	423
-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	
-	-	1	2	2	-	-	1	4	1	8	15	15	11	6	424
-	1	-	-	1	1	-	1	3	1	4	8	21	21	12	
-	-	-	1	1	1	7	10	13	5	16	17	8	5	2	425
-	-	-	-	2	1	-	2	2	4	7	8	3	7	4	
1	-	-	-	-	-	-	1	-	-	1	-	1	3	4	426
-	-	-	1	1	1	-	-	-	-	1	1	1	1	4	
-	1	-	2	-	-	-	1	5	9	12	32	34	47	32	427
-	-	-	2	-	1	-	2	5	5	11	21	44	55	88	
-	1	-	1	-	-	4	1	7	10	22	42	75	84	119	428
-	-	-	-	-	1	1	2	1	6	10	32	66	125	258	
1	1	-	-	-	3	-	1	2	-	6	9	18	24	51	429
-	-	-	-	-	-	1	-	1	2	3	2	29	36	91	
2	1	-	3	4	6	9	15	37	51	130	198	299	267	239	430-438
1	-	-	3	5	10	22	17	23	37	94	196	315	416	567	
2	-	-	2	2	4	3	7	3	1	6	7	4	3	1	430
1	-	-	2	4	6	13	8	10	3	12	8	12	8	2	
-	-	-	-	1	1	4	3	11	6	19	20	33	17	14	431
-	-	-	1	-	2	4	4	2	9	11	19	30	25	25	
-	-	-	-	-	-	-	-	-	2	1	2	3	1	1	432
-	-	-	-	-	1	2	-	-	1	3	1	2	2	1	
-	-	-	-	1	-	-	-	-	2	3	2	2	1	-	433
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	1	3	6	9	13	30	39	35	34	434
-	-	-	-	-	-	2	-	1	3	11	20	38	56	120	
-	-	-	-	-	-	-	-	-	-	1	-	1	6	3	435
-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	
-	-	-	1	-	-	-	2	16	31	80	128	206	183	162	436
-	-	-	-	-	-	1	4	10	20	53	137	216	286	363	
-	-	-	-	-	-	1	-	1	-	6	9	11	21	24	437
-	-	-	-	1	-	-	1	-	-	3	9	13	35	51	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	438
-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	
-	1	1	-	-	2	5	5	18	25	46	78	97	106	112	440-448
-	-	-	-	2	2	5	3	4	4	17	34	68	96	182	
-	-	-	-	-	-	2	3	2	4	8	21	33	50	79	440
-	-	-	-	-	-	1	-	1	2	2	6	24	44	126	
-	-	1	-	-	1	2	2	13	18	27	37	35	30	12	441
-	-	-	-	1	1	1	2	2	1	9	17	29	24	17	
-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	442
-	-	-	-	-	1	2	1	1	-	1	1	1	1	-	
-	-	-	-	-	-	-	-	1	2	8	17	25	24	19	443
-	-	-	-	-	-	-	-	-	-	2	7	9	23	35	
-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	444
-	-	-	-	-	-	-	-	-	1	1	-	3	1	4	
-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	446
-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	
-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	447
-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	2	1	1	4	1	2	9	7	14	22	10	12	451-459
-	-	1	-	-	1	2	-	4	4	10	9	17	13	20	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	451
-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	452
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	1	4	1	2	5	5	9	17	4	7	453
-	-	1	-	-	1	2	-	2	3	8	9	14	7	14	
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	454
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	456
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	458
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	1	2	3	4	5	3	459
-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
460–519	8.Diseases of the Respiratory System	M	2,175	2	1	–	–	–	3	–	1
		F	1,930	5	1	–	–	–	6	1	2
460–466	Acute Respiratory Infections	M	1	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
463	Acute Tonsillitis	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
466	Acute Bronchitis and Bronchiolitis	M	1	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
470–478	Other Diseases of Upper Respiratory Tract	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
473	Chronic Sinusitis	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
478	Other Diseases of Upper Respiratory Tract	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
480–487	Pneumonia and Influenza	M	802	2	1	–	–	–	3	–	–
		F	978	1	–	–	–	–	1	–	1
480	Viral Pneumonia	M	2	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
481	Pneumococcal Pneumonia	M	115	1	–	–	–	–	1	–	–
		F	88	–	–	–	–	–	–	–	–
482	Other Bacterial Pneumonia	M	7	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
483	Pneumonia due to other Specified Organism	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
485	Bronchopneumonia Organism Unspecified	M	421	–	1	–	–	–	1	–	–
		F	566	1	–	–	–	–	1	–	1
486	Pneumonia, Organism Unspecified	M	252	1	–	–	–	–	1	–	–
		F	304	–	–	–	–	–	–	–	–
487	Influenza	M	4	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–
490–496	Chronic Obstructive Pulmonary Disease and Allied Conditions	M	1,165	–	–	–	–	–	–	–	1
		F	708	–	1	–	–	–	1	–	–
490	Bronchitis, not Specified as Acute or Chronic	M	15	–	–	–	–	–	–	–	–
		F	12	–	1	–	–	–	1	–	–
491	Chronic Bronchitis	M	141	–	–	–	–	–	–	–	–
		F	77	–	–	–	–	–	–	–	–
492	Emphysema	M	81	–	–	–	–	–	–	–	–
		F	36	–	–	–	–	–	–	–	–
493	Asthma	M	59	–	–	–	–	–	–	–	1
		F	67	–	–	–	–	–	–	–	–
494	Bronchiectasis	M	10	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–
495	Extrinsic Allergic Alveolitis	M	3	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
496	Chronic Airways Obstruction, not elsewhere classified	M	856	–	–	–	–	–	–	–	–
		F	504	–	–	–	–	–	–	–	–
500–508	Pneumoconioses and other Lung Diseases due to External Agents	M	22	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–
500	Coalworkers' Pneumoconiosis	M	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
501	Asbestosis	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
502	Pneumoconiosis due to other Silica or Silicates	M	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
507	Pneumonitis due to Solids and Liquids	M	15	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–
510–519	Other Diseases of Respiratory System	M	185	–	–	–	–	–	–	–	–
		F	224	4	–	–	–	–	4	1	1
510	Empyema	M	3	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
511	Pleurisy	M	8	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
512	Pneumothorax	M	3	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
513	Abscess of Lung and Mediastinum	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
514	Pulmonary Congestion and Hypostasis	M	21	–	–	–	–	–	–	–	–
		F	40	–	–	–	–	–	–	1	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
3	4	9	7	6	10	7	26	50	96	190	331	468	521	443	460-519
1	1	-	2	1	5	14	16	27	83	133	190	322	426	700	460-466
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	463
-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	466
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	470-478
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	473
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	478
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	480
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	481
-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	482
-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	483
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	485
2	-	3	-	2	4	-	5	3	9	20	52	70	116	134	486
1	-	-	2	-	2	3	1	4	9	14	32	81	133	282	487
-	-	3	2	1	-	1	3	4	11	14	30	47	63	72	490-496
-	-	-	1	1	-	-	-	-	-	1	-	2	1	1	490
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	491
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	492
-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	493
1	3	2	2	2	4	3	14	37	66	134	205	277	253	161	494
-	-	-	-	1	2	7	8	19	57	88	110	143	147	125	495
-	-	-	-	-	1	-	-	-	1	-	1	3	5	4	496
-	-	-	-	1	-	-	-	-	-	1	-	4	1	5	499
-	-	-	-	-	-	1	-	3	5	10	27	35	36	23	500
-	-	-	-	-	-	1	1	3	6	6	10	19	15	16	501
-	-	-	1	-	2	2	2	2	5	12	23	11	16	7	502
-	-	-	-	-	-	2	-	2	4	6	5	9	4	4	503
1	3	2	2	-	1	-	3	4	8	8	6	7	10	3	504
-	-	-	-	1	2	1	3	5	11	10	9	8	12	5	505
-	-	-	-	-	-	-	-	1	2	1	2	2	1	1	506
-	-	-	-	-	-	1	-	-	1	1	1	1	2	3	507
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	508
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	509
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	510
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	511
-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	512
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	513
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	514
-	1	1	-	-	-	-	1	-	-	-	5	-	2	5	515
-	-	-	-	-	-	1	-	-	-	1	-	4	2	4	516
-	-	-	-	-	1	1	2	1	8	18	23	45	49	37	517
-	-	-	-	-	-	2	2	3	6	14	20	35	51	85	518
-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	519
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	520
-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	521
-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	522
-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	523
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	524
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	525
-	-	-	-	-	-	1	1	-	1	2	1	3	9	3	526
-	-	-	-	-	-	-	-	-	1	-	3	4	8	23	527

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed

Detailed I.C.D. - 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5-9	10-14
515	Postinflammatory Pulmonary Fibrosis	M	24	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—
516	Other Alveolar and Parietoalveolar Pneumopathy	M	21	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—
518	Other Diseases of Lung	M	9	—	—	—	—	—	—	—	—
		F	12	2	—	—	—	—	2	—	—
519	Other Diseases of Respiratory System	M	94	—	—	—	—	—	—	—	—
		F	135	2	—	—	—	—	2	—	1
520-579	9.Diseases of the Digestive System	M	404	1	—	—	—	—	1	—	—
		F	430	—	—	—	—	—	—	—	—
520-529	Diseases of Oral Cavity, Salivary Glands and Jaws	M	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
522	Diseases of Pulp and Periapical Tissues	M	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
530-537	Diseases of Oesophagus, Stomach and Duodenum	M	117	—	—	—	—	—	—	—	—
		F	109	—	—	—	—	—	—	—	—
530	Diseases of Oesophagus	M	10	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—
531	Gastric Ulcer	M	24	—	—	—	—	—	—	—	—
		F	28	—	—	—	—	—	—	—	—
532	Duodenal Ulcer	M	48	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—
533	Peptic Ulcer, Site Unspecified	M	32	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	—	—	—	—
534	Gastrojejunal Ulcer	M	1	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—
535	Gastritis and Duodenitis	M	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—
536	Disorders of function of Stomach	M	2	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—
537	Other Disorders of Stomach and Duodenum	M	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—
540-543	Appendicitis	M	2	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—
540	Acute Appendicitis	M	2	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—
550-553	Hernia of Abdominal Cavity	M	8	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—
550	Inguinal Hernia	M	3	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
552	Other Hernia of Abdominal Cavity with obstruction, without mention of Gangrene	M	3	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—
553	Other Hernia of Abdominal Cavity without mention of obstruction or Gangrene	M	2	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—
555-558	Noninfective Enteritis and Colitis	M	46	—	—	—	—	—	—	—	—
		F	55	—	—	—	—	—	—	—	—
555	Regional Enteritis	M	1	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—
556	Idiopathic Proctocolitis	M	1	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—
557	Vascular Insufficiency of Intestine	M	33	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	—	—	—	—
558	Other Noninfective Gastroenteritis and Colitis	M	11	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—
560-569	Other Diseases of Intestines and Peritoneum	M	66	—	—	—	—	—	—	—	—
		F	114	—	—	—	—	—	—	—	—
560	Intestinal Obstruction without mention of Hernia	M	30	—	—	—	—	—	—	—	—
		F	40	—	—	—	—	—	—	—	—
562	Diverticula of Intestine	M	15	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—
564	Functional Digestive Disorders, not elsewhere classified	M	1	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—
566	Abscess of Anal and Rectal Regions	M	1	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—
567	Peritonitis	M	6	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—
568	Other Disorders of Peritoneum	M	1	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	1	-	2	1	6	4	8	2	515
-	-	-	-	-	-	-	-	1	1	2	-	4	4	2	
-	-	-	-	-	-	-	-	1	2	5	3	4	6	-	516
-	-	-	-	-	-	-	-	-	-	3	5	3	2	2	
-	-	-	-	-	-	-	-	-	-	3	-	2	2	2	518
-	-	-	-	-	-	-	-	-	1	1	-	5	2	1	
-	-	-	-	-	-	-	-	-	2	4	11	27	21	29	519
-	-	-	-	-	-	-	2	1	3	7	11	18	33	57	
-	2	3	1	6	5	11	11	27	26	55	62	64	68	62	520-579
-	-	3	-	-	4	8	10	12	15	37	57	95	81	108	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	520-529
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	522
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	3	1	2	7	11	22	26	23	21	530-537
-	-	-	-	-	-	2	3	2	2	5	14	29	20	32	
-	-	-	-	-	-	-	-	-	3	-	2	4	1	-	530
-	-	-	-	-	-	1	1	-	1	-	3	2	4	4	
-	-	-	-	-	-	2	-	-	1	2	9	3	3	4	531
-	-	-	-	-	-	1	-	-	1	1	4	10	5	6	
-	-	-	-	-	1	1	1	2	2	6	5	12	10	8	532
-	-	-	-	-	-	-	1	1	-	-	5	9	6	7	
-	-	-	-	-	-	-	-	-	1	3	5	6	8	9	533
-	-	-	-	-	-	-	1	1	-	3	2	4	2	13	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	534
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	535
-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	536
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	537
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	540-543
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	540
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	550-553
-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	
-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	550
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	552
-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	553
-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	
-	-	-	-	-	-	-	3	-	1	9	11	8	10	4	555-558
-	-	-	-	-	1	2	-	1	4	6	7	16	12	6	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	555
-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	556
-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	
-	-	-	-	-	-	-	1	-	-	7	9	6	7	3	557
-	-	-	-	-	1	-	-	-	3	4	5	14	7	5	
-	-	-	-	-	-	-	1	-	1	2	1	2	3	1	558
-	-	-	-	-	-	2	-	1	-	-	2	-	2	1	
-	-	1	-	3	2	-	1	2	4	10	7	8	9	19	560-569
-	-	-	-	-	-	-	3	2	3	9	15	28	22	32	
-	-	-	-	-	1	-	-	-	3	4	3	5	1	13	560
-	-	-	-	-	-	-	-	1	-	2	5	10	9	13	
-	-	-	-	-	-	-	-	-	1	1	2	3	4	4	562
-	-	-	-	-	-	-	-	1	2	2	8	8	7	10	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	564
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	566
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	1	-	2	-	-	-	1	-	-	-	-	1	1	567
-	-	-	-	-	-	-	1	-	1	2	-	3	2	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	568
-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. - 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5-9	10-14
569	Other Disorders of Intestine	M	12	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-
570-579	Other Diseases of Digestive System	M	164	1	-	-	-	-	1	-	-
		F	140	-	-	-	-	-	-	-	-
570	Acute and Subacute Necrosis of Liver	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
571	Chronic Liver Disease and Cirrhosis	M	60	-	-	-	-	-	-	-	-
		F	35	-	-	-	-	-	-	-	-
572	Liver Abscess and Dequelaes of Chronic Liver Disease	M	17	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
573	Other Disorders of Liver	M	5	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
574	Cholelithiasis	M	8	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-
575	Other Disorders of Gallbladder	M	4	1	-	-	-	-	1	-	-
		F	11	-	-	-	-	-	-	-	-
576	Other Disorders of Billiary Tract	M	7	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
577	Diseases of Pancreas	M	15	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
578	Gastrointestinal Haemorrhage	M	40	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
579	Intestinal Malabsorption	M	6	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
580-629	10.Diseases of the Genitourinary System	M	283	-	-	-	-	-	-	-	-
		F	294	-	-	-	-	-	-	-	1
580-589	Nephritis, Nephrotic Syndrome and Nephrosis	M	186	-	-	-	-	-	-	-	-
		F	178	-	-	-	-	-	-	-	1
581	Nephrotic Syndrome	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
582	Chronic Glomerulonephritis	M	5	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
583	Nephritis and Nephropathy, not specified as Acute or Chronic	M	9	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
584	Acute Renal Failure	M	9	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
585	Chronic Renal Failure	M	52	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-
586	Renal Failure, Unspecified	M	107	-	-	-	-	-	-	-	-
		F	102	-	-	-	-	-	-	-	1
587	Renal Sclerosis, Unspecified	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
589	Small Kidney of Unknown Cause	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
590-599	Other Diseases of Urinary System	M	65	-	-	-	-	-	-	-	-
		F	112	-	-	-	-	-	-	-	-
590	Infections of Kidney	M	15	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-
591	Hydronephrosis	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
592	Calculus of Kidney and Ureter	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
593	Other Disorders of Kidney and Ureter	M	6	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
595	Cystitis	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
596	Other Disorders of Bladder	M	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
598	Urethral Stricture	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
599	Other Disorders of Urethra and Urinary Tract	M	37	-	-	-	-	-	-	-	-
		F	71	-	-	-	-	-	-	-	-
600-608	Diseases of Male Genital Organs	M	32	-	-	-	-	-	-	-	-
600	Hyperplasia of Prostate	M	29	-	-	-	-	-	-	-	-
602	Other Disorders of Prostate	M	3	-	-	-	-	-	-	-	-
614-616	Inflammatory Disease of Female Pelvic Organs	F	3	-	-	-	-	-	-	-	-
614	Inflammatory Disease of Ovary, Fallopian Tube, Pelvix Cellular Tissue and Peritonuem	F	3	-	-	-	-	-	-	-	-

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	1	-	-	1	1	-	5	1	-	2	1	569
-	-	-	-	-	-	-	2	-	-	2	2	4	3	5	570-579
-	2	1	1	3	2	8	6	23	13	25	19	21	23	16	
-	-	3	-	-	3	4	4	6	6	17	19	20	25	33	570
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	571
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
-	-	1	-	2	2	6	3	15	8	8	8	5	2	-	572
-	-	2	-	-	3	3	3	3	3	8	4	3	1	2	
-	-	-	1	-	-	2	-	2	1	3	3	3	2	-	573
-	-	-	-	-	-	-	1	1	1	3	2	2	-	-	
-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	574
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
-	-	-	-	-	-	-	1	1	-	1	2	1	-	2	575
-	-	-	-	-	-	1	-	-	-	-	1	3	3	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	576
-	-	-	-	-	-	-	-	-	-	2	1	3	3	2	
-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	577
-	-	-	-	-	-	-	-	-	-	2	3	2	5	3	
-	1	-	-	1	-	-	1	2	-	4	-	1	3	2	578
-	-	1	-	-	-	-	-	1	1	-	5	2	3	2	
-	-	-	-	-	-	-	1	2	1	4	3	7	12	10	579
-	-	-	-	-	-	-	-	1	1	2	2	4	8	19	
-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	580-629
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	2	3	1	9	11	17	38	65	72	64	580-589
1	-	1	1	1	-	2	2	2	7	14	33	43	75	111	
-	-	1	-	-	2	2	1	6	7	12	23	47	44	41	581
1	-	1	-	-	-	-	1	2	4	6	16	29	53	64	
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	582
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	583
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	
-	-	-	-	-	1	1	-	-	1	1	1	3	1	-	584
1	-	-	-	-	-	-	-	-	1	-	2	2	3	2	
-	-	-	-	-	-	-	-	1	1	2	3	3	2	4	585
-	-	1	-	-	-	-	-	1	1	5	6	16	15	7	
-	-	-	-	-	-	-	-	2	1	-	2	9	12	18	586
-	-	-	-	-	1	1	-	4	3	5	10	26	23	34	
-	-	-	-	-	-	-	1	-	2	4	9	14	33	38	587
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	588
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	589
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	590-599
-	-	-	-	-	-	1	-	2	3	5	10	14	15	15	
-	-	-	1	1	-	1	1	-	3	8	16	14	21	46	590
-	-	-	-	-	-	-	-	1	2	1	1	4	4	2	
-	-	-	-	-	-	-	-	-	1	2	4	4	4	13	591
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	592
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	593
-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	
-	-	-	-	-	-	-	1	-	-	1	3	1	1	1	595
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	596
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	598
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	599
-	-	-	-	-	-	1	-	1	-	3	6	5	9	12	
-	-	-	1	-	-	1	-	-	2	5	8	9	15	30	600-608
-	-	-	-	-	-	-	-	1	1	-	5	4	13	8	
-	-	-	-	-	-	-	-	-	1	1	4	4	12	7	600
-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	602
-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	614-616
-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	614

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
617–629	Other disorders of female genital tract	F	1	–	–	–	–	–	–	–	–
620	Non Inflammatory disorders of Ovary, Fallopian tube and Broad Ligament	F	1	–	–	–	–	–	–	–	–
630–676	11. Complications of pregnancy, childbirth and the puerperium	F	2	–	–	–	–	–	–	–	–
640–648	Complications mainly related to pregnancy	F	1	–	–	–	–	–	–	–	–
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating Pregnancy, childbirth and the puerperium	F	1	–	–	–	–	–	–	–	–
670–676	Complications of the Puerperium	F	1	–	–	–	–	–	–	–	–
673	Obstetrical Pulmonary Embolism	F	1	–	–	–	–	–	–	–	–
680–709	12. Diseases of the skin and subcutaneous tissue	M	24	–	–	–	–	–	–	–	–
		F	42	–	–	–	–	–	–	–	–
680–686	Infections of skin and subcutaneous tissue	M	5	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
682	Other Cellulitis and Abscess	M	3	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
686	Other local infections of skin and subcutaneous tissue	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
690–698	Other inflammatory conditions of skin and subcutaneous tissue	M	2	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
694	Bullous Dermatoses	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
695	Erythematous Conditions	M	2	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
696	Psoriasis and similar disorders	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
700–709	Other diseases of skin and subcutaneous tissue	M	17	–	–	–	–	–	–	–	–
		F	32	–	–	–	–	–	–	–	–
707	Chronic ulcer of skin	M	17	–	–	–	–	–	–	–	–
		F	32	–	–	–	–	–	–	–	–
710–739	13. Diseases of the musculoskeletal system and connective tissue	M	63	2	–	–	–	–	2	–	–
		F	121	–	–	–	–	–	–	–	–
710–719	Arthropathies and related disorders	M	37	–	–	–	–	–	–	–	–
		F	89	–	–	–	–	–	–	–	–
710	Diffuse diseases of connective tissue	M	7	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–
714	Rheumatoid arthritis and other inflammatory Polyarthropathies	M	19	–	–	–	–	–	–	–	–
		F	45	–	–	–	–	–	–	–	–
715	Osteoarthritis and allied disorders	M	7	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–
716	Other and unspecified Arthropathies	M	3	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–
718	Other derangement of joint	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
720–724	Dorsopathies	M	8	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
720	Ankylosing Spondylitis and other inflammatory Spondylopathies	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
721	Spondylosis and allied disorders	M	5	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
722	Intervertebral disc disorders	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
725–729	Rheumatism, excluding the back	M	7	2	–	–	–	–	2	–	–
		F	3	–	–	–	–	–	–	–	–
725	Polymyalgia Rheumatica	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
728	Disorders of muscle, ligament and Fascia	M	3	2	–	–	–	–	2	–	–
		F	1	–	–	–	–	–	–	–	–
729	Other disorders of soft tissues	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
730–739	Osteopathies, chondropathies and acquired Musculoskeletal deformities	M	11	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–
730	Osteomyelitis, Periostitis and other infections involving bone	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
731	Osteitis deformans and Osteopathies associated with other disorders classified elsewhere	M	4	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	617-629
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	620
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	630-676
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	640-648
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	647
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	670-676
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	673
-	-	-	-	-	-	-	-	1	2	3	4	5	5	4	680-709
-	-	-	-	1	-	1	1	3	2	3	4	6	4	17	680-686
-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	680-686
-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	682
-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	686
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	686
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	690-698
-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	694
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	695
-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	696
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	700-709
-	-	-	-	1	-	1	1	-	1	1	3	4	4	4	707
-	-	-	-	-	-	-	-	-	1	1	3	4	4	4	710-739
-	-	-	-	1	1	-	2	3	3	7	10	11	14	9	710-739
-	-	1	-	1	-	-	2	7	7	9	21	16	29	28	710-719
-	-	-	-	1	-	-	1	2	2	6	5	7	9	4	710
-	-	1	-	1	-	-	2	7	6	7	17	14	20	14	710
-	-	-	-	1	-	-	1	2	1	1	1	-	-	-	714
-	-	1	-	1	-	-	1	6	2	2	-	1	1	1	714
-	-	-	-	-	-	-	-	-	-	5	3	4	3	4	715
-	-	-	-	-	-	-	1	1	4	4	14	11	6	4	715
-	-	-	-	-	-	-	-	-	1	-	-	1	5	-	716
-	-	-	-	-	-	-	-	-	-	-	3	2	11	6	716
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	718
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	718
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	720-724
-	-	-	-	-	-	-	-	1	1	-	2	2	1	1	720
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	721
-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	722
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	725-729
-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	725
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	728
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	729
-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	730-739
-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	730
-	-	-	-	-	-	-	-	-	1	1	3	1	7	12	731
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	731
-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
733	Other disorders of bone and cartilage	M	4	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–
737	Curvature of spine	M	2	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
740–759	14. Congenital anomalies	M	112	71	3	2	–	1	77	4	2
		F	110	60	4	3	1	2	70	3	3
740	Anencephalus and similar anomalies	M	5	5	–	–	–	–	5	–	–
		F	11	11	–	–	–	–	11	–	–
741.0	Spina Bifida with Hydrocephalus	M	3	2	–	–	–	–	2	–	–
		F	3	1	–	–	–	–	1	1	1
741.9	Spina Bifida without mention of Hydrocephalus	M	4	2	–	–	–	–	2	1	–
		F	3	2	–	–	–	–	2	–	–
742	Other congenital anomalies of Nervous System	M	14	6	1	1	–	–	8	–	–
		F	11	4	–	1	–	1	6	–	2
742.3	Congenital Hydrocephalus	M	3	3	–	–	–	–	3	–	–
		F	2	2	–	–	–	–	2	–	–
745	Bulbus Cordis anomalies and anomalies of Cardiac Septal Closure	M	11	4	–	–	–	1	5	–	–
		F	20	5	2	–	–	1	8	1	–
746	Other congenital anomalies of Heart	M	26	19	–	–	–	–	19	2	1
		F	15	10	1	1	–	–	12	1	–
747	Other congenital anomalies of Circulatory System	M	5	3	–	–	–	–	3	–	–
		F	4	4	–	–	–	–	4	–	–
748	Congenital anomalies of Respiratory System	M	6	6	–	–	–	–	6	–	–
		F	5	5	–	–	–	–	5	–	–
750	Other congenital anomalies of Upper Alimentary Tract	M	1	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–
751	Other congenital anomalies of Digestive System	M	4	2	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–
753	Congenital anomalies of Urinary System	M	8	7	–	–	–	–	7	–	–
		F	3	–	–	–	–	–	–	–	–
755	Other Congenital anomalies of limbs	M	1	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–
756	Other congenital Musculoskeletal anomalies	M	6	3	–	–	–	–	3	–	1
		F	8	4	–	–	–	–	4	–	–
757	Congenital anomalies of the Integument	M	1	1	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	1	–	–
758	Chromosomal Anomalies	M	9	5	1	–	–	–	6	–	–
		F	19	9	1	–	1	–	11	–	–
759	Other and unspecified congenital anomalies	M	8	5	1	–	–	–	6	1	–
		F	7	4	–	1	–	–	5	–	–
760–779	15. Certain conditions originating in the Perinatal period	M	64	64	–	–	–	–	64	–	–
		F	40	40	–	–	–	–	40	–	–
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	M	–	1	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	1	–	–
761	Fetus or newborn affected by maternal complications of pregnancy	M	1	1	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	1	–	–
762	Fetus or newborn affected by complications of placenta, cord and membranes	M	1	1	–	–	–	–	1	–	–
		F	2	2	–	–	–	–	2	–	–
764	Slow fetal growth and fetal malnutrition	M	1	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–
765	Disorders relating to short gestation and unspecified low birthweight	M	17	17	–	–	–	–	17	–	–
		F	16	16	–	–	–	–	16	–	–
768	Intrauterine Hypoxia and birth asphyxia	M	7	7	–	–	–	–	7	–	–
		F	2	2	–	–	–	–	2	–	–
769	Respiratory Distress Syndrome	M	21	21	–	–	–	–	21	–	–
		F	6	6	–	–	–	–	6	–	–
770	Other Respiratory conditions of fetus and newborn	M	5	5	–	–	–	–	5	–	–
		F	4	4	–	–	–	–	4	–	–
771	Infections specific to the Perinatal period	M	2	2	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–
772	Fetal and neonatal Haemorrhage	M	4	4	–	–	–	–	4	–	–
		F	2	2	–	–	–	–	2	–	–
773	Haemolytic disease of fetus or newborn due to Isoimmunization	M	1	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–
776	Haemolytic disease of fetus or newborn	M	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	1	–	–

List, 9th Revision, 1975) and by Sex and Age

[illegible]

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
777	Perinatal disorders of Digestive System	M	3	3	–	–	–	–	3	–	–
		F	2	2	–	–	–	–	2	–	–
778	Conditions involving the Integument and temperature regulation of fetus and newborn	M	1	1	–	–	–	–	1	–	–
		F	2	2	–	–	–	–	2	–	–
779	Other and ill-defined conditions originating in the perinatal period	M	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	1	–	–
780–799	16. Symptoms, signs and ill-defined conditions	M	94	38	2	1	–	–	41	–	–
		F	103	20	2	–	–	–	22	–	–
780–789	Symptoms	M	4	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
780	General Symptoms	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
785	Symptoms involving cardiovascular system	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
786	Symptoms involving respiratory system and other chest symptoms	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
787	Symptoms involving digestive system	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
788	Symptoms involving urinary system	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
789	Other symptoms involving abdomen and pelvis	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
790–796	Nonspecific abnormal findings	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
791	Nonspecific findings on examination of Urine	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
793	Nonspecific abnormal findings on radiological and other examination of body structure	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
797–799	Ill-defined and unknown causes of morbidity and mortality	M	89	38	2	1	–	–	41	–	–
		F	97	20	2	–	–	–	22	–	–
797	Senility without mention of psychosis	M	10	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–
798	Sudden death, cause unknown	M	41	37	2	1	–	–	40	–	–
		F	22	20	2	–	–	–	22	–	–
798.0	Sudden Infant Death Syndrome	M	40	37	2	1	–	–	40	–	–
		F	22	20	2	–	–	–	22	–	–
799	Other ill-defined and unknown causes of morbidity and mortality	M	38	1	–	–	–	–	1	–	–
		F	60	–	–	–	–	–	–	–	–
800–999	17. Injury and Poisoning	M	959	2	2	3	4	3	14	15	19
		F	370	–	4	5	3	1	13	4	6
800–804	Fracture of skull	M	97	–	–	–	–	–	2	2	4
		F	25	–	1	–	–	–	1	–	3
800	Fracture of vault of skull	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
801	Fracture of base of skull	M	7	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–
802	Fracture of face bones	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
803	Other and unqualified skull fractures	M	87	–	–	–	2	–	2	1	4
		F	21	–	1	–	–	–	1	–	3
804	Multiple fractures involving skull or face with other bones	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
805–809	Fracture of spine and trunk	M	27	1	–	–	–	1	2	2	–
		F	17	–	–	1	1	–	2	–	–
805	Fracture of vertebral column without mention of spinal cord lesion	M	16	1	–	–	–	1	2	1	–
		F	6	–	–	1	1	–	2	–	–
806	Fracture of vertebral column with spinal cord lesion	M	2	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–
807	Fracture of rib(s), sternum, larynx and trachea	M	8	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
808	Fracture of pelvis	M	1	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
809	Ill-defined fractures of trunk	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
810–819	Fracture of upper limb	M	2	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780-799
-	-	-	-	-	3	-	-	3	2	5	4	8	14	14	780-799
-	-	-	-	-	1	1	-	-	-	2	5	9	17	47	780-789
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	780-789
-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	780
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	780
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	785
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	785
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	786
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	786
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	787
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	787
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	788
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	789
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	789
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	790-796
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	790-796
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	791
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	793
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	793
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	793
-	-	-	-	-	2	-	-	3	2	4	4	6	13	14	797-799
-	-	-	-	-	-	1	-	-	-	2	5	9	14	44	797-799
-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	797
-	-	-	-	-	-	-	-	-	-	-	1	-	3	11	797
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	798
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	798
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	798.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	798.0
-	-	-	-	-	2	-	-	2	2	4	3	5	8	11	799
-	-	-	-	-	-	1	-	-	-	2	4	9	11	33	799
87	130	107	67	62	54	59	52	52	45	53	37	34	43	29	800-999
17	21	19	11	13	10	15	13	14	29	25	17	37	38	68	800-999
14	15	9	6	6	8	4	5	8	3	2	3	2	4	-	800-804
3	4	3	1	1	-	1	1	1	1	-	1	1	1	2	800-804
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	800
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	800
1	3	1	-	-	-	-	-	-	-	-	1	-	-	-	801
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	801
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	802
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	802
13	12	7	6	6	8	3	5	8	3	2	2	1	4	-	803
3	3	2	1	1	-	1	1	1	1	-	-	1	1	1	803
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	804
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	804
2	4	-	1	1	1	2	-	1	-	-	4	3	1	3	805-809
-	2	-	-	1	-	1	-	-	2	1	1	2	3	2	805-809
2	2	-	-	1	1	2	-	1	-	-	2	1	-	1	805
-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	805
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	806
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	806
-	1	-	1	-	-	-	-	-	-	-	2	1	1	2	807
-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	807
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	808
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	808
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	809
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	809
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	810-819
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	810-819

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
810	Fracture of clavical	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
812	Fracture of humerus	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
813	Fracture of radius and ulna	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
820–829	Fracture of lower limb	M	49	–	–	–	–	–	–	–	–
		F	87	–	–	–	–	–	–	–	–
820	Fracture of neck or femur	M	27	–	–	–	–	–	–	–	–
		F	65	–	–	–	–	–	–	–	–
821	Fracture of other and unspecified parts of femur	M	16	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	–
823	Fracture of tibia and fibula	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
827	Other, multiple and ill-defined fractures of lower limb	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
829	Fracture of unspecified bones	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
830–839	Dislocation	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–
839	Other, multiple and ill-defined dislocations	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–
850–854	Intracranial injury, excluding those with skull fracture	M	119	–	–	–	–	–	–	3	2
		F	30	–	–	–	1	–	1	–	2
851	Cerebral laceration and contusion	M	20	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	–	1
852	Subarachnoid, subdural and extradural haemorrhage, following injury	M	7	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–
853	Other and unspecified intracranial haemorrhage following injury	M	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
854	Intracranial injury of other and unspecified nature	M	89	–	–	–	–	–	–	3	–
		F	23	–	–	–	1	–	1	–	1
860–869	Internal injury of chest, abdomen and pelvis	M	193	–	–	–	1	–	1	4	2
		F	66	–	–	2	–	–	2	1	1
860	Traumatic pneumothorax and haemothorax	M	5	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
861	Injury to heart and lung	M	13	–	–	–	1	–	1	–	–
		F	1	–	–	–	–	–	–	–	–
862	Injury to other and unspecified intrathoracic organs	M	32	–	–	–	–	–	–	1	1
		F	4	–	–	–	–	–	–	–	–
863	Injury to gastrointestinal tract	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
864	Injury to liver	M	2	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
865	Injury to spleen	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
868	Injury to other intraabdominal organs	M	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
869	Internal injury to unspecified or ill-defined organs	M	136	–	–	–	–	–	–	3	1
		F	58	–	–	2	–	–	2	1	1
870–879	Open wound of head, neck and trunk	M	14	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–
873	Other open wound of head	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
874	Open wound of neck	M	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
875	Open wound of chest (wall)	M	4	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
879	Open wound of other and unspecified sites, except limbs	M	6	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
880–887	Open would of upper limb	M	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
880	Open wound of shoulder and upper arm	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
882	Open wound of hand except finger(s) alone	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	810
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	812
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	813
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	820-829
1	1	-	-	1	-	-	-	-	4	5	2	1	15	19	820
-	-	-	-	-	-	-	-	1	-	1	6	13	17	49	821
-	-	-	-	-	-	-	-	-	2	2	1	1	7	14	822
1	-	-	-	-	-	-	-	-	-	1	5	9	13	37	823
-	-	-	-	-	-	-	-	-	1	3	-	-	6	5	824
-	-	-	-	-	-	-	-	-	-	-	1	3	4	12	825
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	826
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	827
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	828
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	829
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	830-839
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	830
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	831
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	832
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	833
14	24	14	5	6	7	8	6	8	2	4	5	5	4	2	834-839
4	3	3	-	-	1	2	1	2	1	2	-	2	2	4	835
2	8	2	1	1	1	1	1	-	-	1	1	-	-	-	836
1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	837
1	-	-	1	-	-	-	-	1	1	-	-	2	-	-	838
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	839
-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	840
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	841
11	15	12	3	5	6	6	4	7	1	3	4	3	4	2	842
3	3	3	-	-	1	2	-	2	1	1	-	-	1	4	843
26	27	24	16	16	11	13	9	8	11	8	5	7	4	1	844-849
3	4	7	3	3	2	1	5	2	8	6	4	6	5	3	845
1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	846
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	847
-	-	4	2	2	1	1	-	-	-	1	-	1	-	-	848
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	849
3	2	-	-	4	3	5	2	1	3	1	4	1	1	-	850
-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	851
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	852
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	853
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	854
-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	855
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	856
1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	857
21	23	19	12	9	7	7	6	7	7	5	-	5	3	1	858
3	3	7	3	2	1	-	5	2	7	4	4	5	5	3	859
2	1	3	2	-	1	1	1	-	1	1	-	1	-	-	860-869
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	860
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	861
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	862
-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	863
1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	864
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	865
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	866
21	23	19	12	9	7	7	6	7	7	5	-	5	3	1	867
3	3	7	3	2	1	-	5	2	7	4	4	5	5	3	868
2	1	3	2	-	1	1	1	-	1	1	-	1	-	-	869-879
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	870
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	871
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	872
-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	873
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	874
1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	875
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	876
1	1	-	2	-	-	-	1	-	-	1	-	-	-	-	877
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	878
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	879-889
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	880
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	881
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	882
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	883

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
887	Traumatic amputation of arm and hand (complete) (partial)	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
890–897	Open wound of lower limb	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
897	Traumatic amputation of leg(s) (complete) (partial)	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
900–904	Injury to blood vessels	M	16	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
900	Injury to blood vessels of head and neck	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
901	Injury to blood vessels of thorax	M	13	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
903	Injury to blood vessels of upper extremity	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
905–909	Late effects of injuries, poisonings, toxic effects and other external causes	M	5	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
905	Late effects of musculoskeletal and connective tissue injuries	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
907	Late effects of injuries to the nervous system	M	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
908	Late effects of other and unspecified injuries	M	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
930–939	Effects of foreign body entering through orifice	M	20	–	–	2	1	–	3	–	–
		F	14	–	–	–	–	–	–	1	–
933	Foreign body in pharynx and larynx	M	20	–	–	2	1	–	3	–	–
		F	12	–	–	–	–	–	–	1	–
934	Foreign body in trachea, bronchus and lung	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
940–949	Burns	M	21	1	–	–	–	–	1	1	–
		F	14	–	1	1	1	–	3	–	–
945	Burns of lower limb(s)	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
948	Burns classified according to extent of body surface involved	M	1	–	–	–	–	–	–	1	–
		F	4	–	1	1	–	–	2	–	–
949	Burn, unspecified	M	19	1	–	–	–	–	1	–	1
		F	10	–	–	–	1	–	1	–	–
950–957	Injury to nerves and spinal cord	M	2	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–
952	Spinal cord lesion without evidence of spinal bone injury	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
953	Injury to nerve roots and spinal plexus	M	1	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–
958–959	Certain traumatic complications and unspecified injuries	M	6	–	–	–	–	–	–	–	2
		F	1	–	–	–	–	–	–	1	–
958	Certain early complications of trauma	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
959	Injury, other and unspecified	M	5	–	–	–	–	–	–	–	2
		F	1	–	–	–	–	–	–	1	–
960–979	Poisoning by drugs, medicaments and biological substances	M	26	–	–	–	–	–	–	–	–
		F	26	–	–	–	–	–	–	–	–
962	Poisoning by hormones and synthetic substitutes	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
965	Poisoning by analgesics, antipyretics and antirheumatics	M	7	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
966	Poisoning by anticonvulsants and anti-parkinsonism drugs	M	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
967	Poisoning by sedatives and hypnotics	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
968	Poisoning by other central nervous system depressants	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
969	Poisoning by psychotropic agents	M	10	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
971	Poisoning by drugs primarily affecting the autonomic nervous system	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
974	Poisoning by water, mineral and uric acid metabolism drugs	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
977	Poisoning by other and unspecified drugs and medicaments	M	7	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	887
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	890-897
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	897
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	900-904
-	4	4	-	-	1	-	-	2	-	2	1	-	2	-	900
-	-	2	-	-	1	-	1	-	-	-	1	1	-	-	901
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	903
-	3	2	-	-	1	-	-	2	-	2	1	-	2	-	905-909
-	1	-	-	-	1	-	1	-	-	-	1	1	-	-	905
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	907
-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	908
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	930-939
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	933
-	2	1	1	3	1	5	1	-	1	1	1	-	-	-	934
1	-	-	-	-	1	2	1	-	3	2	-	3	-	-	940-949
-	2	1	1	3	1	5	1	-	1	1	1	-	-	-	945
-	-	-	-	-	1	1	1	-	3	2	-	3	-	-	948
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	949
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	950-957
1	4	1	-	-	1	-	1	2	1	3	1	1	2	1	952
-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	953
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	958-959
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	958
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	959
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	960-979
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	962
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	965
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	966
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	967
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	968
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	969
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	971
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	974
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	977
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	977
1	-	-	1	-	-	2	1	2	-	3	-	1	-	-	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. – 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5–9	10–14
980–989	Toxic effects of substances chiefly nonmedicinal as to source	M	50	–	–	–	–	–	–	1	1
		F	26	–	1	–	–	–	1	–	–
980	Toxic effect of alcohol	M	3	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–
981	Toxic effect of petroleum products	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
984	Toxic effect of lead and its compounds (including fumes)	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
986	Toxic effect of carbon monoxide	M	27	–	–	–	–	–	–	–	–
		F	10	–	1	–	–	–	1	–	–
987	Toxic effect of other gases, fumes or vapours	M	9	–	–	–	–	–	–	1	1
		F	10	–	–	–	–	–	–	–	–
989	Toxic effect of other substances, chiefly nonmedicinal as to source	M	9	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
990–995	Other and unspecified effects of external causes	M	307	–	2	1	–	2	5	2	7
		F	49	–	1	1	–	–	2	1	–
991	Effects of reduced temperature	M	13	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–
992	Effects of heat and light	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
993	Effects of air pressure	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
994	Effects of other external causes	M	292	–	2	1	–	2	5	2	7
		F	45	–	1	1	–	–	2	1	–
996–999	Complications of surgical and medical care not elsewhere classified	M	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
997	Complications affecting specified body systems, not elsewhere classified	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
998	Other complications of procedures, not elsewhere classified	M	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
E800–E999	Supplementary classification of external causes of injury and poisoning (included in the foregoing)	M	984	2	2	3	4	3	14	15	20
		F	379	–	4	5	3	1	13	4	7
E800–E807	Railway accidents	M	4	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
E805	Hit by rolling stock	M	4	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
E810–E819	Motor vehicle traffic accidents	M	269	1	–	–	1	1	3	11	6
		F	111	–	–	2	2	1	5	2	5
E812	Other motor vehicle traffic accident involving collision with another motor vehicle	M	86	–	–	–	–	–	–	2	1
		F	43	–	–	–	1	–	1	1	1
E813	Motor vehicle traffic accident involving collision with other vehicle	M	21	–	–	–	–	–	–	3	3
		F	5	–	–	–	–	–	–	–	2
E814	Motor vehicle traffic accident involving collision with pedestrian	M	66	–	–	–	1	1	2	5	1
		F	39	–	–	2	1	1	4	1	2
E815	Other motor vehicle traffic accident involving collision on the highway	M	59	1	–	–	–	–	1	1	–
		F	14	–	–	–	–	–	–	–	–
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway	M	29	–	–	–	–	–	–	–	1
		F	8	–	–	–	–	–	–	–	–
E818	Other noncollision motor vehicle traffic accident	M	6	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
E819	Motor vehicle traffic accident of unspecified nature	M	2	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–
E826–E829	Other road vehicle accidents	M	5	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–
E826	Pedal cycle accident	M	3	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–
E828	Accident involving animal being ridden	M	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–
E829	Other road vehicle accidents	M	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–
E830–E838	Water transport accidents	M	24	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	4	2	3	2	5	4	3	3	5	6	2	5	1	1	980-989
4	2	2	2	4	-	1	1	1	3	2	-	-	3	-	
-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	980
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	981
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	984
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	2	2	1	4	3	1	2	2	2	1	3	-	1	986
-	1	1	1	2	-	-	-	-	2	1	-	-	1	-	
-	1	-	-	-	-	-	-	-	1	3	-	1	1	-	987
4	1	-	-	1	-	-	-	1	-	1	-	-	2	-	
-	1	-	1	-	1	1	2	1	-	1	-	1	-	-	989
-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	
22	42	41	31	23	15	19	25	18	16	16	12	4	7	2	990-995
1	4	4	4	1	3	4	1	4	6	5	2	4	1	2	
-	-	1	-	-	1	-	3	-	-	1	3	1	3	-	991
-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	992
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	993
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	42	40	31	23	14	19	22	17	16	15	8	3	4	2	994
1	4	4	4	1	2	4	1	4	6	5	2	4	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	996-999
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	997
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	998
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
87	131	109	67	64	55	63	53	53	47	54	39	38	46	29	E800-E999
18	22	20	11	13	11	15	13	14	30	25	17	38	39	69	
-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	E800-E807
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	E805
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41	54	31	14	15	14	14	8	12	9	10	5	10	9	3	E810-E819
10	11	9	4	4	3	3	6	3	12	7	7	9	7	4	
9	16	11	2	5	4	4	4	4	6	5	2	7	3	1	E812
2	6	4	1	1	-	2	3	-	4	3	5	6	1	2	
3	3	1	2	-	1	2	-	2	-	-	-	1	-	-	E813
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	
9	4	3	5	5	6	3	3	4	1	5	2	-	6	2	E814
2	3	-	1	1	2	-	1	2	8	2	-	3	5	2	
9	21	12	3	2	2	2	1	2	2	-	-	1	-	-	E815
3	-	3	2	2	1	-	1	1	-	1	-	-	-	-	
10	6	4	2	1	1	2	-	-	-	-	1	1	-	-	E816
3	2	2	-	-	-	1	-	-	-	-	-	-	-	-	
1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	E818
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	E819
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
1	2	1	-	-	1	-	1	1	-	-	-	-	-	-	E826-E829
-	-	-	-	1	1	-	-	1	-	3	-	-	1	-	E826
-	1	-	-	-	-	-	-	-	-	3	-	-	1	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E828
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E829
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	4	2	4	2	2	1	2	-	1	-	-	-	-	-	E830-E838
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed)

Detailed I.C.D. - 9 code	Cause of death		Age at								
			All Ages	Under 1 Year	1	2	3	4	Total under 5	5-9	10-14
E830	Accident to watercraft causing submersion	M	16	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-
E832	Other accidental submersion or drowning in water transport accident	M	7	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E838	Other and unspecified water transport accident	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E840-E845	Air and space transport accidents	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E841	Accident to powered aircraft, other and unspecified	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E850-E858	Accidental poisoning by drugs, medicaments and biologicals	M	8	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
E850	Accidental poisoning by analgesics, antipyretics, antirheumatics	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E852	Accidental poisoning by other sedatives and hypnotics	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E853	Accidental poisoning by tranquilizers	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E855	Accidental poisoning by other drugs acting on central and autonomic nervous systems	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E858	Accidental poisoning by other drugs	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E860-E869	Accidental poisoning by other solid and liquid substances, gases and vapours	M	13	-	-	-	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-
E860	Accidental poisoning by alcohol, not elsewhere classified	M	6	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
E868	Accidental poisoning by other utility gas and other carbon monoxide	M	6	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E869	Accidental poisoning by other gases and vapours	M	1	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-
E870-E876	Misadventures to patients during surgical and medical care	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1
E870	Accidental cut, puncture, perforation or haemorrhage during medical care	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1
E878-E879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
E878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation	M	5	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
E879	Other procedures, without mention of misadventure at the time of procedure as the cause of abnormal reaction of patient, or of later complication	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E880-E888	Accidental falls	M	125	-	-	1	-	-	1	-	1
		F	117	-	1	-	-	-	1	-	1
E880	Fall on or from stairs or steps	M	21	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
E881	Fall on or from ladders or scaffolding	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E882	Fall from or out of building or other structure	M	17	-	-	-	-	-	-	-	1
		F	1	-	1	-	-	-	1	-	-
E883	Fall into hole or other opening in surface	M	4	-	-	1	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	1
E884	Other fall from one level to another	M	14	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-
E885	Fall on same level from slipping, tripping or stumbling	M	35	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-
E886	Fall on same level from collision, pushing or shoving, by or with other person	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
E887	Fracture, cause unspecified	M	19	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-
E888	Other and unspecified fall	M	10	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
4	3	2	3	-	1	1	1	-	-	-	-	-	-	-	E830
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E832
-	1	-	1	2	1	-	1	-	1	-	-	-	-	-	E838
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E840-E845
1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	E841
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E850-E858
1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	E850
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E852
1	1	3	-	-	1	-	1	-	-	-	-	-	1	-	E853
-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	E855
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	E858
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E860-E869
-	1	1	2	2	1	1	1	2	-	1	-	-	-	-	E860
1	-	1	1	2	-	1	1	-	2	-	-	-	-	-	E868
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	E869
-	1	-	1	-	1	-	-	2	-	1	-	-	-	-	E870-E876
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E870
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	E878-E879
1	-	-	-	1	-	1	-	-	-	-	1	-	2	-	E878
-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	E879
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E880-E888
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E880
2	1	7	1	4	7	6	8	7	8	7	12	10	21	22	E881
-	-	-	-	-	-	2	3	2	2	1	7	16	23	59	E882
-	-	-	-	3	-	1	3	2	1	1	3	2	3	2	E883
-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	E884
2	1	3	1	-	3	2	1	-	2	-	1	-	-	-	E885
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E886
-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	E887
-	-	1	-	-	2	-	1	1	-	-	-	4	2	3	E888
-	-	-	-	-	-	-	1	1	-	-	1	4	5	14	E885
-	-	-	-	-	2	-	-	2	2	4	6	-	10	9	E886
-	-	-	-	-	-	-	-	1	-	1	3	6	5	21	E887
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E888
-	-	-	-	-	-	1	-	-	2	1	1	2	5	7	E889
-	-	-	-	-	-	-	-	-	-	-	1	5	10	17	E890
-	-	-	-	-	-	2	2	1	-	1	-	2	1	1	E891
-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	E892

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	3	-	-	-	4	-	1	2	4	8	2	6	3	2	E890-E899
3	1	-	1	2	-	-	-	1	2	3	1	1	7	2	
-	-	-	-	-	2	-	1	-	2	5	-	3	1	-	E890
3	1	-	1	2	-	-	-	1	1	2	-	1	4	1	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E891
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	1	1	-	-	2	1	E893
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	
-	-	-	-	-	-	-	-	1	1	1	2	2	-	1	E895
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	E898
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E899
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	2	2	1	1	1	-	1	4	2	2	-	E900-E909
-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	
-	-	-	-	1	1	-	1	-	-	-	2	1	2	-	E901
-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	E904
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	1	-	-	1	-	-	2	1	-	-	E906
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E907
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	8	6	1	3	3	9	3	5	5	4	2	-	-	1	E910-E915
1	1	-	1	-	1	2	-	-	4	3	-	5	-	-	
7	7	5	1	1	1	4	2	3	3	3	2	-	-	1	E910
-	1	-	1	-	-	-	-	-	1	1	-	2	-	-	
-	1	-	-	1	1	4	1	1	2	1	-	-	-	-	E911
1	-	-	-	-	1	2	-	-	2	2	-	3	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E912
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	E913
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	5	2	5	5	1	1	5	4	3	1	3	-	1	-	E916-E928
-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	
2	-	-	2	-	-	-	-	-	1	1	-	-	1	-	E916
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E917
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E918
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	2	1	3	1	1	2	3	2	-	2	-	-	-	E919
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E920
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E921
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	E922
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E923
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E924
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	E925
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E928
-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	E929
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	E930-E949
-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E932
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E935
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

Table 19 (contd.) – Deaths in 1992 classified by cause (International detailed

[illegible]

List, 9th Revision, 1975) and by Sex and Age

Death															Detailed I.C.D. - 9 code
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	E938
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E939
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
21	47	48	32	25	17	21	19	18	15	19	8	6	5	-	E950-E959
2	4	7	5	4	3	6	3	7	6	6	2	4	-	-	-
2	2	4	2	2	2	2	2	2	1	5	1	1	-	-	E950
1	1	2	2	2	1	3	2	3	2	3	-	2	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E951
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	2	1	1	1	2	1	-	-	-	-	1	-	-	E952
-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
9	22	21	11	10	8	8	9	7	6	6	2	2	2	-	E953
-	1	2	1	-	1	-	1	1	3	2	-	1	-	-	-
1	7	7	12	7	3	4	6	6	6	5	4	1	2	-	E954
1	1	1	2	1	1	3	-	3	1	1	2	1	-	-	-
7	13	7	5	2	3	4	1	2	1	2	1	1	1	-	E955
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	3	-	-	-	-	-	-	-	1	-	-	-	-	E956
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	E957
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	3	-	2	-	-	-	1	1	-	-	-	-	-	E958
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	3	3	2	-	2	1	-	-	1	2	1	1	-	E960-E969
-	-	3	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	E960
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E963
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E964
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	E965
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
2	1	1	1	1	-	1	-	-	-	-	-	1	-	-	E966
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1	1	1	1	-	-	-	-	-	-	1	1	-	1	-	E968
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E970-E978
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E970
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	4	3	3	1	-	2	1	-	2	1	-	-	-	1	E980-E989

Table 19a Deaths from External Causes in 1992 Classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E805	Hit by rolling stock, of which:	862	Injury to other and unspecified intrathoracic organs	1	—
		869	Internal injury to unspecified or ill-defined organs	2	—
		897	Traumatic amputation of leg(s) (Complete) (partial)	1	—
E812	Other motor vehicle traffic accident involving collision with another motor vehicle, of which:	410	Acute myocardial infarction	2	1
		801	Fracture of base of skull	3	1
		803	Other and unqualified skull fractures	13	2
		805	Fracture of vertebral column without mention of spinal cord lesion	3	4
		806	Fracture of vertebral column with spinal cord lesion	—	1
		807	Fracture of rib(s), sternum, larynx and trachea	2	1
		829	Fracture of unspecified bones	1	1
		851	Cerebral laceration and contusion	1	2
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	—	1
		853	Other and unspecified intracranial haemorrhage following injury	1	—
		854	Intracranial injury of other and unspecified nature	7	1
		861	Injury to heart and lung	2	1
		862	Injury to other and unspecified intrathoracic organs	5	1
		864	Injury to liver	—	1
		868	Injury to other intraabdominal organs	1	—
		869	Internal injury to unspecified or ill-defined organs	36	21
		873	Other open wound of head	1	—
		875	Open wound of chest (wall)	1	—
		879	Open wound of other unspecified sites, except limbs	—	1
		901	Injury to blood vessels of thorax	3	2
		949	Burn, unspecified	1	—
		959	Injury, other and unspecified	1	1
E813	Motor vehicle traffic accident involving collision with other vehicle, of which:	801	Fracture of base of skull	—	1
		803	Other and unqualified skull fractures	3	2
		804	Multiple fractures involving skull or face with other bones	1	—
		807	Fracture of rib(s), sternum, larynx and trachea	—	1
		851	Cerebral laceration and contusion	—	1
		854	Intracranial injury of other and unspecified nature	5	—
		862	Injury to other and unspecified intrathoracic organs	1	—
		869	Internal injury to unspecified or ill-defined organs	9	—
		901	Injury to blood vessels of thorax	2	—
E814	Motor vehicle traffic accident involving collision with pedestrian, of which:	428	Heart failure	—	1
		801	Fracture of base of skull	1	—
		803	Other and unqualified skull fractures	12	3
		805	Fracture of vertebral column without mention of spinal cord lesion	4	1
		806	Fracture of vertebral column with spinal cord lesion	1	—
		807	Fracture of rib(s), sternum, larynx and trachea	1	—
		808	Fracture of pelvis	—	1
		809	Ill-defined fractures of trunk	—	1
		821	Fracture of other and unspecified parts of femur	1	—
		829	Fracture of unspecified bones	1	—
		839	Other, multiple and ill-defined dislocations	—	1
		851	Cerebral laceration and contusion	1	—

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E814	Motor vehicle traffic accident involving collision with pedestrian	854	Intracranial injury of other and unspecified nature	16	6
		861	Injury to heart and lungs	1	—
		862	Injury to other and unspecified intrathoracic organs	1	—
		864	Injury to liver	1	—
		869	Internal injury to unspecified or ill-defined organs	21	25
		901	Injury to blood vessels of thorax	3	—
		959	Injury, other and unspecified	1	—
E815	Other motor vehicle traffic accident involving collision of the highway, of which:	410	Acute myocardial infarction	1	—
		415	Acute pulmonary heart disease	—	1
		800	Fracture of vault of skull	1	—
		803	Other and unqualified skull fractures	10	1
		804	Multiple fractures involving skull or face with other bones	—	1
		805	Fracture of vertebral column without mention of spinal cord lesion	3	—
		807	Fracture of rib(s), sternum, larynx and trachea	2	1
		828	Multiple fractures involving both lower limbs, lower with upper limb, and lowerlimb(s) with rib(s) and sternum	1	—
		851	Cerebral laceration and contusion	1	—
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	—
		854	Intracranial injury of other and unspecified nature	9	1
		860	Traumatic pneumothorax and haemothorax	1	—
		862	Injury to other and unspecified intrathoracic organs	3	1
		869	Internal injury to unspecified or ill-defined organs	23	6
		875	Open wound of chest (wall)	1	—
		901	Injury to blood vessels of thorax	1	2
		991	Effects of reduced temperature	1	—
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway, of which:	803	Other and unqualified skull fractures	7	3
		854	Intracranial injury of other and unspecified nature	3	3
		861	Injury to heart and lung	1	—
		864	Injury to liver	—	1
		865	Injury to spleen	1	—
		869	Internal injury to unspecified or ill-defined organs	13	1
		879	Open wound of other unspecified sites, except limbs	1	—
		901	Injury to blood vessels of thorax	2	—
E818	Other non collision motor vehicle traffic accident, of which:		Other	1	—
		803	Other and unqualified skull fractures	2	—
		853	Other and unspecified intracranial haemorrhage following injury	1	—
		854	Intracranial injury of other and unspecified nature	1	—
		862	Injury to other and unspecified intrathoracic organs	1	—
		869	Internal injury to unspecified or ill-defined organs	1	—
E819	Motor vehicle traffic accident of unspecified nature, of which:	803	Other and unqualified skull fractures	1	1
		854	Intracranial injury of other and unspecified nature	1	—
		907	Late effects of injuries to the nervous system	—	1
E826	Pedal cycle accident, of which:	803	Other and unqualified skull fractures	2	—
		851	Cerebral laceration and contusion	—	1
		854	Intracranial injury of other and unspecified nature	1	2
		869	Internal injury to unspecified or ill-defined organs	—	2

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E828	Accident involving animal being ridden, of which:	803 854	Other and unqualified skull fractures Intracranial injury of other and unspecified nature	1 —	2 1
E829	Other road vehicle accidents, of which:	854	Intracranial injury of other and unspecified nature	1	—
E830	Accident to watercraft causing submersion, of which:	994	Effects of other external causes	16	1
E832	Other accidental submersion or drowning in water transport accident, of which:	994	Effects of other external causes	7	—
E838	Other and unspecified water transport accident, of which:	994	Effects of other external causes	1	—
E841	Accident to powered aircraft, other and unspecified, of which:	869 949 994	Internal injury to unspecified or ill-defined organs Burn, unspecified Effects of other external causes	4 2 —	— — 1
E850	Accidental poisoning by analgesics, antipyretics antirheumatics, of which:	965	Poisoning by analgesics, antipyretics and antirheumatics	2	—
E852	Accidental poisoning by other sedatives and hypnotics, of which:	967	Poisoning by sedatives and hypnotics	—	1
E853	Accidental poisoning by tranquillizers, of which:	969	Poisoning by psychotropic agents	2	—
E855	Accidental poisoning by other drugs acting on central and autonomic nervous systems, of which:	966 968	Poisoning by anticonvulsants and anti-parkinsonism drugs Poisoning by other central nervous system depressants	— 1	1 —
E858	Accidental poisoning by other drugs, of which:	974 977	Poisoning by water, mineral and uric acid metabolism drugs Poisoning by other and unspecified drugs and medicaments Other	— 2 1	2 — —
E860	Accidental poisoning by alcohol, not elsewhere classified, of which:	933 980 991	Foreign body in pharynx and larynx Toxic effect of alcohol Effects of reduced temperature	4 1 1	1 1 —
E868	Accidental poisoning by other utility gas and other carbon monoxide, of which:	986	Toxic effect of carbon monoxide	6	1
E869	Accidental poisoning by other gases and vapours, of which:	987	Toxic effect of other gases, fumes or vapours	1	1
E870	Accidental cut, puncture, perforation or haemorrhage during medical care, of which:	998	Other complications of procedures, not elsewhere classified Other	— 1	1 1
E878	Surgical operation and other surgical procedures	427 827 997 998	Cardiac dysrhythmias Other, multiple and ill-defined fractures of lower limb Complications affecting specified body systems, not elsewhere classified Other complications of procedures, not elsewhere classified Other	1 1 1 — 2	— — — 1 2
E879	Other procedures, without mention of misadventure at the time of procedure, as the cause etc.	992	Effects of heat and light Other	1 —	— 1
E880	Fall on or from stairs or steps	800 803 805 839 851 852	Fracture of vault of skull Other and unqualified skull fractures Fracture of vertebral column without mention of spinal cord lesion Other, multiple and ill-defined dislocations Cerebral laceration and contusion Subarachnoid, subdural and extradural haemorrhage, following injury	1 8 2 — — 1	— 2 — 1 1 —

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E880	Fall on or from stairs or steps	854	Intracranial injury of other and unspecified nature	6	2
		869	Internal injury to unspecified or ill-defined organs	—	1
		933	Foreign body in pharynx and larynx	1	1
			Other	2	—
E881	Fall on or from ladders or scaffolding	803	Other and unqualified skull fractures	1	—
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	2	—
		869	Internal injury to unspecified or ill-defined organs	1	—
E882	Fall from or out of building or other structure, of which:	803	Other and unqualified skull fractures	5	1
		805	Fracture of vertebral column without mention of spinal cord lesion	1	—
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	—
		854	Intracranial injury of other and unspecified nature	2	—
		869	Internal injury to unspecified or ill-defined organs	7	—
		933	Foreign body in pharynx and larynx	1	—
E883	Fall into hole or other opening in surface, of which:	803	Other and unqualified skull fractures	—	1
		839	Other, multiple and ill-defined dislocations	1	—
		933	Foreign body in pharynx and larynx	1	—
		991	Effects of reduced temperature	2	—
E884	Other fall from one level to another, of which:	803	Other and unqualified skull fractures	2	—
		805	Fracture of vertebral column without mention of spinal cord lesion	1	—
		808	Fracture of pelvis	—	2
		813	Fracture of radius and ulna	—	1
		820	Fracture of neck of femur	3	15
		821	Fracture of other and unspecified parts of femur	—	4
		823	Fracture of tibia and fibula	—	1
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	—
		854	Intracranial injury of other and unspecified nature	3	1
		869	Internal injury to unspecified or ill-defined organs	2	1
		991	Effects of reduced temperature	—	1
E885	Fall on same level from slipping, tripping or stumbling, of which:	801	Fracture of base of skull	1	—
		802	Fracture of face bones	—	1
		803	Other and unqualified skull fractures	6	1
		807	Fracture of rib(s), sternum, larynx and trachea	1	—
		808	Fracture of pelvis	—	2
		812	Fracture of humerus	—	1
		820	Fracture of neck of femur	12	19
		821	Fracture of other and unsepcified parts of femur	8	8
		852	Subarachnoid, subdural and extradural harmorrhage, following injury	—	1
		854	Intracranial injury of other and unspecified nature	4	3
		863	Injury to gastrointestinal tract	1	—
E886	Fall on same level from collision, pushing or shoving, by or with other person, of which:	864	Injury to liver	—	1
		991	Effects of reduced temperature	1	—
			Other	1	—
E887	Fracture, cause unspecified, of which:	854	Intracranial injury of other and unspecified nature	1	—
		803	Other and unqualified skull fractures	—	1
		805	Fracture of vertebral column without mention of spinal cord lesion	2	—
		806	Fracture of vertebral column with spinal cord lesion	—	1

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E887	Fracture, cause unspecified, of which:	808	Fracture of pelvis	1	—
		812	Fracture of humerus	—	1
		820	Fracture of neck of femur	10	23
		821	Fracture of other and unspecified parts of femur	4	7
		823	Fracture of tibia and fibula	2	—
E888	Other and unspecified fall, of which:	803	Other and unqualified skull fractures	1	—
		810	Fracture of clavicle	1	—
		812	Fracture of humerus	1	1
		820	Fracture of neck of femur	2	8
		821	Fracture of other and unspecified parts of femur	1	1
		853	Other and unspecified intracranial haemorrhage following injury	1	—
		854	Intracranial injury of other and unspecified nature	2	—
		994	Effects of other external causes	—	1
E890	Conflagration in private dwelling, of which:	948	Other	1	—
		948	Burns classified according to extend of body surface involved	1	1
		949	Burn, unspecified	6	5
		986	Toxic effect of carbon monoxide	3	4
		987	Toxic effect of other gases, fumes or vapours	6	9
E891	Conflagration in other and unspecified building or structure, of which:	948	Other	1	—
		949	Burn, unspecified	1	—
E893	Accident caused by ignition of clothing, of which:	948	Burns classified according to extend of body surface involved	—	2
		949	Burn, unspecified	5	3
		986	Toxic effect of carbon monoxide	1	—
		986	Other	1	—
E895	Accident caused by controlled fire in private dwelling, of which:	949	Burn, unspecified	3	1
		986	Toxic effect of carbon monoxide	3	1
		986	Other	2	—
E898	Accident caused by other specified fire and flames, of which:	948	Burns classified according to extent of body surface involved	—	1
		986	Toxic effect of carbon monoxide	2	—
		987	Toxic effect of other gases, fumes or vapours	2	—
		987	Other	2	—
E899	Accident caused by unspecified fire, of which:	949	Burn, unspecified	1	—
E901	Excessive cold, of which:	991	Effects of reduced temperature	7	3
		991	Other	1	—
E904	Hunger, thirst, exposure, neglect, of which:	991	Effects of reduced temperature	1	—
		991	Other	1	—
E906	Other injury caused by animals	807	Fracture of rib(s), sternum, larynx and trachea	1	—
		854	Intracranial injury of other and unspecified nature	1	—
		862	Injury to other and unspecified intrathoracic organs	2	—
		869	Internal injury to unspecified or ill-defined organs	2	—
		869	Other	2	—
E907	Lightning, of which:	427	Cardiac dysrhythmias	1	—
E910	Accidental drowning and submersion, of which:	933	Foreign body in pharynx and larynx	1	—
		994	Effects of other external causes	47	9
		994	Other	1	—
E911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation, of which:	427	Cardiac dysrhythmias	—	1
		933	Foreign body in pharynx and larynx	11	8
		934	Foreign body in trachea, bronchus and lung	—	2
		993	Effects of air pressure	1	—
		993	Other	1	—

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation:	933	Foreign body in pharynx and larynx	—	2
E913	Accidental mechanical suffocation, of which:	861	Injury to heart and lung	1	—
		862	Injury to other and unspecified intrathoracic organs	1	—
		994	Effects of other external causes	5	—
E916	Struck accidentally by falling object, of which:	807	Fracture of rib(s), sternum, larynx and trachea	1	—
		862	Injury to other and unspecified intrathoracic organs	2	—
		869	Internal injury to unspecified or ill-defined organs	3	—
		879	Open wound of other unspecified sites, except limbs	1	—
		953	Injury to nerve roots and spinal plexus	1	—
		959	Injury, other and unspecified	1	—
E917	Striking against or struck accidentally by objects or persons, of which:	882	Open wound of hand except finger(s) alone	—	1
E918	Caught accidentally in or between objects, of which:	803	Other and unqualified skull fractures	1	—
E919	Accidents caused by machinery, of which:	801	Fracture of base of skull	1	—
		803	Other and unqualified skull fractures	3	—
		805	Fracture of vertebral column without mention of spinal cord lesion	—	1
		806	Fracture of vertebral column with spinal cord lesion	1	—
		854	Intracranial injury of other and unspecified nature	1	—
		862	Injury to other and unspecified intrathoracic organs	9	1
		887	Traumatic amputation of arm and hand (complete) (partial)	1	—
		901	Injury to blood vessels of thorax	1	—
		952	Spinal cord lesion without evidence of spinal bone injury	1	—
		959	Injury, other and unspecified	2	—
		994	Effects of other external causes	2	—
E920	Accidents caused by cutting and piercing instruments or objects, of which:	879	Open wound of other unspecified sites, except limbs	1	—
E921	Accident caused by explosion of pressure vessel, of which:	803	Other and unqualified skull fractures	1	—
E922	Accident caused by firearm missile, of which:	803	Other and unqualified skull fractures	1	—
		851	Cerebral laceration and contusion	2	—
		860	Traumatic pneumothorax and haemothorax	1	—
		869	Internal injury to unspecified or ill-defined organs	1	—
E923	Accident caused by explosive material, of which:	949	Burn, unspecified	—	1
E924	Accident caused by hot substance or object, caustic, or corrosive material and steam, of which:	945	Burn of lower limb(s)	1	—
E925	Accident caused by electric current, of which:	994	Effects of other external causes	4	—
E928	Other and unspecified environmental and accidental causes, of which:	854	Intracranial injury of other and unspecified nature	1	—
E929	Late effects of accidental injury, of which:	854	Intracranial injury of other and unspecified nature	1	—
		905	Late effects of musculoskeletal and connective tissue injuries	2	—
		907	Late effects of injuries to the nervous system	1	—
		908	Late effects of other and unspecified injuries	2	—

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E932	Hormones and synthetic substitutes, of which:	962	Poisoning by hormones and synthetics substitutes	—	1
E935	Analgesics, antipyretics and antirheumatics, of which:	965	Poisoning by analgesics, antipyretics and antirheumatics	—	1
E938	Other central nervous system depressants, of which:	969	Poisoning by psychotropic agents	1	—
E939	Psychotropic agents, of which:	969	Poisoning by psychotropic agents	1	1
E950	Suicide and self inflicted poisoning by solid or liquid substances, of which:	965	Poisoning by analgesics, antipyretics and antirheumatics	5	3
		967	Poisoning by sedatives and hypnotics	—	1
		969	Poisoning by psychotropic agents	6	3
		971	Poisoning by drugs primarily affecting the autonomic nervous system	1	—
		977	Poisoning by other and unspecified drugs and medicaments	5	11
		981	Toxic effect of petroleum products	1	—
		984	Toxic effect of lead and its compounds (including fumes)	1	—
		989	Toxic effect of other substances, chiefly non-medicinal as to source	9	5
			Other	—	1
E951	Suicide and selfinflicted poisoning by gases in domestic use, of which:	986	Toxic effect of carbon monoxide	1	—
E952	Suicide and selfinflicted poisoning by other gases and vapours, of which:	986	Toxic effect of carbon monoxide	11	3
E953	Suicide and selfinflicted injury by hanging, strangulation and suffocation, of which:	933	Foreign body in pharynx and larynx	1	—
		994	Effects of other external causes	125	13
E954	Suicide and self inflicted injury by submersion (drowning), of which:	994	Effects of other external causes	71	18
E955	Suicide and selfinflicted injury by firearms and explosives, of which:	801	Fracture of base of skull	1	—
		803	Other and unqualified skull fractures	3	—
		851	Cerebral laceration and contusion	15	—
		854	Intracranial injury of other and unspecified nature	14	—
		861	Injury to heart and lung	4	—
		862	Injury to other and unspecified intrathoracic organs	2	—
		864	Injury to liver	1	—
		868	Injury to other intraabdominal organs	2	—
		869	Internal injury to unspecified or ill-defined organs	3	—
		874	Open wound of neck	2	—
		875	Open wound of chest (wall)	2	—
		901	Injury to blood vessels of thorax	1	—
E956	Suicide and selfinflicted injury by cutting and piercing instruments, of which:	879	Open wound of other unspecified sites, except limbs	1	—
		880	Open wound of shoulder and upper arm	1	—
		900	Injury to blood vessels of head and neck	2	—
		903	Injury to blood vessels of upper extremity	1	—
E957	Suicide and selfinflicted injuries by jumping from high place, of which:	803	Other and unqualified skull fractures	1	—
		854	Intracranial injury of other and unspecified nature	1	—
		869	Internal injury to unspecified or ill-defined organs	1	—
E958	Suicide and selfinflicted injury by other and unspecified means, of which:	854	Intracranial injury of other and unspecified nature	2	—
		869	Internal injury to unspecified or ill-defined organs	5	1
		994	Effects of other external causes	2	—

Table 19a (contd.) Deaths from External Causes in 1992 classified by the Nature of the Injury or Poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E960	Fight, brawl, rape, of which:	803	Other and unqualified skull fractures	1	—
		854	Intracranial injury of other and unspecified nature	1	—
E963	Assault by hanging and strangulation	958	Certain early complications of trauma	1	—
		994	Effects of other external causes	—	1
E964	Assault by submersion (drowning), of which:	994	Effects of other external causes	1	—
E965	Assault by firearms and explosives, of which:	803	Other and unqualified skull fractures	—	1
		854	Intracranial injury of other and unspecified nature	—	1
		860	Traumatic pneumothorax and haemothorax	1	—
		862	Injury to other and unspecified intrathoracic organs	1	—
		879	Open wound of other unspecified sites, except limbs	1	—
E966	Assault by cutting and piercing instrument, of which:	860	Traumatic pneumothorax and haemothorax	2	—
		861	Injury to heart and lung	3	—
		862	Injury to other and unspecified intrathoracic organs	2	1
		874	Open wound of neck	1	—
E968	Assault by other and unspecified means, of which:	803	Other and unqualified skull fractures	1	—
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	—
		854	Intracranial injury of other and unspecified nature	4	1
		879	Open wound of other unspecified sites, except limbs	1	—
		986	Toxic effect of carbon monoxide	—	1
E970	Injury due to legal intervention by firearms, of which:	861	Injury to heart and lung	1	—
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted, of which:	965	Poisoning by analgesics, antipyretics and antirheumatics	—	1
		980	Toxic effect of alcohol	2	—
			Other	1	—
E984	Submersion(drowning), undetermined whether accidentally or purposely inflicted, of which:	994	Effects of other external causes	11	1
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted, of which:	803	Other and unqualified skull fractures	1	—
		854	Intracranial injury of other and unspecified nature	1	—
		862	Injury to other and unspecified intrathoracic organs	1	—
E987	Falling from high place, undetermined whether accidentally or purposely inflicted, of which:	854	Intracranial injury of other and unspecified nature	—	1
		869	Internal injury to unspecified or ill-defined organs	1	—
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted, of which:	869	Internal injury to unspecified or ill-defined organs	1	—

Table 20 – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Detailed I.C.D. – 9 code	Mortality List Number	Cause of death		Total	Uncertified
		TOTAL	M	16,516	2
			F	14,415	–
001–139	01–07	Infectious and Parasitic Diseases	M	95	–
			F	75	–
001–009	01	Intestinal Infectious Diseases	M	2	–
			F	7	–
010–018	02	Tuberculosis	M	30	–
			F	10	–
033	034	Whooping Cough	M	–	–
			F	–	–
036	036	Meningococcal Infection	M	11	–
			F	5	–
037	037	Tetanus	M	–	–
			F	–	–
038	038	Septicaemia	M	13	–
			F	26	–
050	041	Smallpox	M	–	–
			F	–	–
055	042	Measles	M	–	–
			F	–	–
084	052	Malaria	M	1	–
			F	1	–
REM (001–139)		Other infectious and parasitic diseases	M	38	–
			F	26	–
140–208	08–14	Malignant Neoplasms: –	M	4,078	–
			F	3,461	–
151	091	Of Stomach	M	290	–
			F	147	–
153	093	Colon	M	357	–
			F	350	–
154	094	Rectum, Rectosigmoid Junction and anus	M	154	–
			F	94	–
162	101	Trachea, Bronchus and Lung	M	1,048	–
			F	511	–
174	113	Female Breast	F	658	–
180	120	Cervix Uteri	F	69	–
204–208	141	Leukaemia	M	150	–
			F	79	–
REM (140–208)		Other Malignant Neoplasms	M	2,079	–
			F	1,553	–
250	181	Diabetes Mellitus	M	239	–
			F	251	–
261	191	Nutritional Marasmus	M	–	–
			F	–	–
262,263	192	Other protein-calorie malnutrition	M	3	–
			F	4	–
280–285	200	Anaemias	M	28	–
			F	36	–
320–322	220	Meningitis	M	9	–
			F	4	–
390–459	25–30	Diseases of the Circulatory System	M	7,391	2
			F	6,582	–
390–392	250	Acute Rheumatic Fever	M	–	–
			F	2	–
393–398	251	Chronic Rheumatic Heart Disease	M	18	–
			F	39	–
401–405	26	Hypertensive Disease	M	82	–
			F	100	–
410–414	27	Ischaemic Heart Disease	M	4,575	1
			F	3,150	–
(410)	270	(Acute Myocardial Infarction)	M	3,482	1
			F	2,340	–
430–438	29	Cerebrovascular Disease	M	1,263	–
			F	1,708	–
440	300	Atherosclerosis	M	202	–
			F	206	–
REM (390–459)		Other Diseases of the Circulatory System	M	1,251	1
			F	1,377	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Detailed I.C.D. – 9 code	Mortality List Number	Cause of death		Total	Uncertified
480–486	321	Pneumonia	M	798	–
			F	965	–
487	322	Influenza	M	4	–
			F	13	–
490–493	323	Bronchitis, Emphysema and Asthma	M	296	–
			F	192	–
531–533	341	Ulcer of Stomach and Duodenum	M	104	–
			F	83	–
540–543	342	Appendicitis	M	2	–
			F	1	–
571	347	Chronic Liver Disease and Cirrhosis	M	60	–
			F	35	–
580–589	350	Nephritis, Nephrotic Syndrome and Nephrosis	M	186	–
			F	178	–
600	360	Hyperplasia of Prostate	M	29	–
630–639	38	Abortion	F	–	–
640–646, 651–676	39	Direct Obstetric Deaths	F	1	–
740–759	44	Congenital Anomalies	M	112	–
			F	110	–
760–779	45	Certain conditions originating in the perinatal period*	M	64	–
			F	40	–
(767)	453	(Birth Trauma)	M	–	–
			F	–	–
780–799	46	Signs, symptoms and ill-defined conditions	M	94	–
			F	103	–
800–999	47–56	Injury and poisoning	M	959	–
			F	370	–
800–829	47	Fractures	M	175	–
			F	133	–
850–869, 950–957	49	Intracranial and Internal Injuries, including Nerves	M	314	–
			F	96	–
940–949	52	Burns	M	21	–
			F	14	–
960–989	53	Poisonings and Toxic effects	M	76	–
			F	52	–
REM (800–999)		Other Injuries and Poisonings	M	373	–
			F	75	–
REM (001–999)		All Other Diseases	M	1,965	–
			F	1,911	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)					
E800–E949	E47–E53	Accidents and Adverse Effects	M	638	–
			F	311	–
E810–E819	E471	Motor Vehicle Traffic Accidents	M	269	–
			F	111	–
E880–E888	E50	Accidental Falls	M	125	–
			F	117	–
E950–E959	E54	Suicide	M	304	–
			F	59	–
E960–E969	E55	Homicide	M	22	–
			F	6	–
REM (E800–E999)		All other External Causes	M	20	–
			F	3	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Carlow County		Dublin County Borough		Dublin Belgard		Dublin Fingal	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	218	–	2,272	–	390	–	312	–
		F	191	–	2,509	–	356	–	298	–
01–07	Infectious and Parasitic Diseases	M	1	–	24	–	7	–	4	–
		F	1	–	15	–	3	–	–	–
01	Intestinal Infectious Diseases	M	–	–	1	–	1	–	–	–
		F	–	–	2	–	–	–	–	–
02	Tuberculosis	M	–	–	9	–	–	–	1	–
		F	–	–	3	–	–	–	–	–
034	Whooping Cough	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	–	–	3	–	1	–	2	–
		F	–	–	1	–	1	–	–	–
037	Tetanus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
038	Septicaemia	M	–	–	3	–	1	–	–	–
		F	–	–	2	–	2	–	–	–
041	Smallpox	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
042	Measles	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
052	Malaria	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	Other infectious and parasitic diseases	M	1	–	8	–	4	–	1	–
		F	1	–	7	–	–	–	–	–
08–14	Malignant Neoplasms:–	M	52	–	626	–	111	–	92	–
		F	38	–	685	–	118	–	84	–
091	Of Stomach	M	7	–	40	–	8	–	8	–
		F	–	–	29	–	8	–	3	–
093	Colon	M	6	–	51	–	13	–	5	–
		F	8	–	62	–	13	–	11	–
094	Rectum, Rectosigmoid Junction and anus	M	1	–	35	–	2	–	4	–
		F	2	–	16	–	5	–	2	–
101	Trachea, Bronchus and Lung	M	7	–	188	–	29	–	34	–
		F	8	–	128	–	12	–	13	–
113	Female Breast	F	7	–	121	–	23	–	18	–
120	Cervix Uteri	F	–	–	15	–	–	–	3	–
141	Leukaemia	M	2	–	16	–	7	–	5	–
		F	–	–	16	–	2	–	2	–
	Other Malignant Neoplasms	M	29	–	296	–	52	–	36	–
		F	13	–	298	–	55	–	32	–
181	Diabetes Mellitus	M	5	–	39	–	8	–	3	–
		F	1	–	60	–	11	–	6	–
191	Nutritional Marasmus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
192	Other protein-calorie malnutrition	M	–	–	–	–	–	–	–	–
		F	–	–	1	–	–	–	–	–
200	Anaemias	M	–	–	7	–	–	–	–	–
		F	–	–	6	–	3	–	1	–
220	Meningitis	M	–	–	2	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
25–30	Diseases of the Circulatory System	M	88	–	943	–	132	–	117	–
		F	92	–	1,067	–	121	–	119	–
250	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–
		F	–	–	1	–	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	–	–	3	–	–	–	–	–
		F	–	–	8	–	5	–	1	–
26	Hypertensive Disease	M	1	–	20	–	1	–	3	–
		F	4	–	17	–	3	–	–	–
27	Ischaemic Heart Disease	M	56	–	607	–	76	–	79	–
		F	43	–	505	–	54	–	64	–
270	(Acute Myocardial Infarction)	M	45	–	404	–	56	–	55	–
		F	34	–	367	–	40	–	43	–
29	Cerebrovascular Disease	M	13	–	157	–	27	–	11	–
		F	28	–	258	–	31	–	27	–
300	Atherosclerosis	M	2	–	8	–	2	–	1	–
		F	–	–	15	–	1	–	3	–
	Other Diseases of the Circulatory System	M	16	–	148	–	26	–	23	–
		F	17	–	263	–	27	–	24	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Carlow County		Dublin County Borough		Dublin Belgard		Dublin Fingal	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	11	–	73	–	9	–	9	–
		F	8	–	115	–	15	–	15	–
322	Influenza	M	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–
323	Bronchitis, Emphysema and Asthma	M	7	–	49	–	10	–	5	–
		F	3	–	44	–	2	–	7	–
341	Ulcer of Stomach and Duodenum	M	–	–	15	–	1	–	1	–
		F	–	–	10	–	3	–	–	–
342	Appendicitis	M	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	–	–	12	–	3	–	2	–
		F	2	–	9	–	1	–	–	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	1	–	20	–	3	–	–	–
		F	3	–	28	–	1	–	3	–
360	Hyperplasia of Prostate	M	–	–	2	–	–	–	–	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	1	–	21	–	8	–	7	–
		F	2	–	16	–	13	–	11	–
45	Certain conditions originating in the perinatal period*	M	1	–	13	–	5	–	3	–
		F	–	–	5	–	–	–	3	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	4	–	8	–	6	–	3	–
		F	7	–	12	–	2	–	1	–
47–56	Injury and poisoning	M	21	–	117	–	34	–	24	–
		F	5	–	51	–	9	–	11	–
47	Fractures	M	3	–	18	–	6	–	–	–
		F	2	–	17	–	1	–	2	–
49	Intracranial and Internal Injuries, including Nerves	M	4	–	41	–	14	–	7	–
		F	2	–	14	–	2	–	6	–
52	Burns	M	–	–	3	–	–	–	2	–
		F	–	–	3	–	–	–	–	–
53	Poisonings and Toxic effects	M	2	–	14	–	–	–	1	–
		F	1	–	8	–	5	–	1	–
	Other Injuries and Poisonings	M	12	–	41	–	14	–	14	–
		F	–	–	9	–	1	–	2	–
	All Other Diseases	M	26	–	300	–	52	–	42	–
		F	28	–	384	–	54	–	37	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	7	–	82	–	21	–	13	–
		F	5	–	44	–	7	–	8	–
E471	Motor Vehicle Traffic Accidents	M	5	–	32	–	14	–	4	–
		F	2	–	13	–	3	–	5	–
E50	Accidental Falls	M	–	–	20	–	2	–	2	–
		F	2	–	18	–	–	–	2	–
E54	Suicide	M	14	–	33	–	8	–	10	–
		F	–	–	7	–	1	–	2	–
E55	Homicide	M	–	–	5	–	4	–	–	–
		F	–	–	1	–	1	–	1	–
	All other External Causes	M	–	–	2	–	1	–	1	–
		F	–	–	1	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Dun Laoghaire Rathdown		Kildare County		Kilkenny County		Laois County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	619	–	449	–	326	–	286	–
		F	700	–	351	–	304	–	234	–
01–07	Infectious and Parasitic Diseases	M	4	–	3	–	1	–	1	–
		F	7	–	1	–	–	–	–	–
01	Intestinal Infectious Diseases	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
02	Tuberculosis	M	2	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–
034	Whooping Cough	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
037	Tetanus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
038	Septicaemia	M	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
041	Smallpox	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
042	Measles	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
052	Malaria	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	Other infectious and parasitic diseases	M	1	–	2	–	1	–	–	–
		F	2	–	1	–	–	–	–	–
08–14	Malignant Neoplasms:–	M	194	–	108	–	74	–	72	–
		F	199	–	99	–	72	–	49	–
091	Of Stomach	M	15	–	8	–	6	–	3	–
		F	9	–	1	–	1	–	5	–
093	Colon	M	21	–	8	–	11	–	6	–
		F	20	–	10	–	10	–	4	–
094	Rectum, Rectosigmoid Junction and anus	M	8	–	7	–	3	–	2	–
		F	10	–	3	–	2	–	1	–
101	Trachea, Bronchus and Lung	M	49	–	33	–	11	–	20	–
		F	25	–	10	–	9	–	7	–
113	Female Breast	F	45	–	28	–	8	–	8	–
120	Cervix Uteri	F	2	–	1	–	3	–	–	–
141	Leukaemia	M	4	–	4	–	4	–	2	–
		F	6	–	–	–	2	–	1	–
	Other Malignant Neoplasms	M	97	–	48	–	39	–	39	–
		F	82	–	46	–	37	–	23	–
181	Diabetes Mellitus	M	5	–	11	–	7	–	7	–
		F	10	–	16	–	3	–	6	–
191	Nutritional Marasmus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
192	Other protein-calorie malnutrition	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
200	Anaemias	M	2	–	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	–
220	Meningitis	M	1	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	1	–
25–30	Diseases of the Circulatory System	M	259	–	207	–	155	–	116	–
		F	291	–	145	–	141	–	104	–
250	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	–	–	1	–	1	–	–	–
		F	2	–	1	–	1	–	1	–
26	Hypertensive Disease	M	4	–	1	–	–	–	1	–
		F	4	–	3	–	5	–	–	–
27	Ischaemic Heart Disease	M	162	–	119	–	98	–	70	–
		F	138	–	79	–	61	–	48	–
270	(Acute Myocardial Infarction)	M	114	–	97	–	74	–	57	–
		F	101	–	57	–	48	–	37	–
29	Cerebrovascular Disease	M	49	–	40	–	30	–	16	–
		F	83	–	39	–	45	–	30	–
300	Atherosclerosis	M	4	–	3	–	2	–	4	–
		F	10	–	–	–	2	–	1	–
	Other Diseases of the Circulatory System	M	40	–	43	–	24	–	25	–
		F	53	–	23	–	27	–	24	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Dun Laoghaire Rathdown		Kildare County		Kilkenny County		Laois County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	21	–	16	–	19	–	13	–
		F	35	–	14	–	20	–	13	–
322	Influenza	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	3	–	–	–
323	Bronchitis, Emphysema and Asthma	M	6	–	8	–	12	–	8	–
		F	5	–	5	–	10	–	6	–
341	Ulcer of Stomach and Duodenum	M	3	–	2	–	–	–	3	–
		F	3	–	4	–	3	–	–	–
342	Appendicitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	3	–	1	–	–	–	–	–
		F	5	–	2	–	–	–	1	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	5	–	7	–	6	–	2	–
		F	5	–	5	–	5	–	5	–
360	Hyperplasia of Prostate	M	2	–	1	–	–	–	–	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	5	–	4	–	2	–	1	–
		F	5	–	4	–	3	–	1	–
45	Certain conditions originating in the perinatal period*	M	2	–	1	–	–	–	–	–
		F	3	–	6	–	–	–	–	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	5	–	–	–	–	–	6	–
		F	2	–	3	–	–	–	8	–
47–56	Injury and poisoning	M	26	–	26	–	22	–	17	–
		F	20	–	10	–	8	–	4	–
47	Fractures	M	3	–	1	–	6	–	3	–
		F	8	–	1	–	2	–	1	–
49	Intracranial and Internal Injuries, including Nerves	M	13	–	14	–	8	–	4	–
		F	2	–	4	–	3	–	1	–
52	Burns	M	1	–	–	–	1	–	1	–
		F	1	–	2	–	1	–	–	–
53	Poisonings and Toxic effects	M	2	–	2	–	1	–	3	–
		F	7	–	1	–	–	–	1	–
	Other Injuries and Poisonings	M	7	–	9	–	6	–	6	–
		F	2	–	2	–	2	–	1	–
	All Other Diseases	M	76	–	54	–	26	–	40	–
		F	106	–	37	–	36	–	36	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	17	–	12	–	11	–	13	–
		F	16	–	9	–	6	–	3	–
E471	Motor Vehicle Traffic Accidents	M	6	–	9	–	5	–	6	–
		F	3	–	5	–	3	–	1	–
E50	Accidental Falls	M	5	–	–	–	2	–	2	–
		F	7	–	1	–	2	–	1	–
E54	Suicide	M	5	–	14	–	9	–	4	–
		F	5	–	1	–	2	–	1	–
E55	Homicide	M	3	–	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–
	All other External Causes	M	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Longford County		Louth County		Meath County		Offaly County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	162	–	411	–	445	–	329	–
		F	144	–	370	–	326	–	255	–
01–07	Infectious and Parasitic Diseases	M	1	–	2	–	1	–	–	–
		F	1	–	2	–	3	–	1	–
01	Intestinal Infectious Diseases	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
02	Tuberculosis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	1	–
034	Whooping Cough	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	1	–	–	–	–	–	–	–
		F	–	–	–	–	1	–	–	–
037	Tetanus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
038	Septicaemia	M	–	–	–	–	–	–	–	–
		F	1	–	1	–	1	–	–	–
041	Smallpox	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
042	Measles	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
052	Malaria	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	Other infectious and parasitic diseases	M	–	–	2	–	1	–	–	–
		F	–	–	1	–	1	–	–	–
08–14	Malignant Neoplasms: –	M	43	–	118	–	102	–	93	–
		F	27	–	98	–	70	–	54	–
091	Of Stomach	M	3	–	13	–	6	–	9	–
		F	1	–	7	–	4	–	1	–
093	Colon	M	3	–	8	–	7	–	7	–
		F	3	–	11	–	6	–	6	–
094	Rectum, Rectosigmoid Junction and anus	M	–	–	6	–	2	–	2	–
		F	–	–	3	–	–	–	–	–
101	Trachea, Bronchus and Lung	M	11	–	41	–	26	–	18	–
		F	4	–	14	–	9	–	2	–
113	Female Breast	F	5	–	14	–	18	–	11	–
120	Cervix Uteri	F	–	–	2	–	4	–	2	–
141	Leukaemia	M	2	–	3	–	4	–	4	–
		F	2	–	3	–	2	–	1	–
	Other Malignant Neoplasms	M	24	–	47	–	57	–	53	–
		F	12	–	44	–	27	–	31	–
181	Diabetes Mellitus	M	1	–	4	–	8	–	7	–
		F	3	–	4	–	6	–	7	–
191	Nutritional Marasmus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
192	Other protein-calorie malnutrition	M	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
200	Anaemias	M	–	–	–	–	–	–	1	–
		F	–	–	–	–	1	–	1	–
220	Meningitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
25–30	Diseases of the Circulatory System	M	70	–	162	–	206	–	134	–
		F	83	–	146	–	154	–	119	–
250	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	1	–
26	Hypertensive Disease	M	1	–	2	–	–	–	–	–
		F	1	–	4	–	4	–	3	–
27	Ischaemic Heart Disease	M	45	–	100	–	145	–	79	–
		F	36	–	82	–	92	–	47	–
270	(Acute Myocardial Infarction)	M	33	–	86	–	91	–	62	–
		F	27	–	76	–	49	–	37	–
29	Cerebrovascular Disease	M	19	–	31	–	33	–	21	–
		F	32	–	29	–	33	–	36	–
300	Atherosclerosis	M	–	–	2	–	6	–	–	–
		F	3	–	5	–	4	–	6	–
	Other Diseases of the Circulatory System	M	5	–	27	–	22	–	33	–
		F	11	–	26	–	21	–	26	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Longford County		Louth County		Meath County		Offaly County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	12	–	18	–	16	–	13	–
		F	9	–	42	–	16	–	18	–
322	Influenza	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
323	Bronchitis, Emphysema and Asthma	M	4	–	10	–	13	–	4	–
		F	2	–	3	–	3	–	3	–
341	Ulcer of Stomach and Duodenum	M	2	–	–	–	1	–	5	–
		F	–	–	2	–	4	–	6	–
342	Appendicitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	1	–	3	–	2	–	–	–
		F	–	–	1	–	1	–	1	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	1	–	4	–	1	–	3	–
		F	3	–	2	–	4	–	2	–
360	Hyperplasia of Prostate	M	1	–	–	–	1	–	–	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	1	–	–	–	–	–
44	Congenital Anomalies	M	1	–	2	–	4	–	–	–
		F	2	–	–	–	3	–	–	–
45	Certain conditions originating in the perinatal period*	M	–	–	7	–	4	–	3	–
		F	–	–	1	–	–	–	1	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	–	–	3	–	3	–	2	–
		F	–	–	3	–	9	–	2	–
47–56	Injury and poisoning	M	8	–	29	–	37	–	19	–
		F	1	–	10	–	7	–	5	–
47	Fractures	M	1	–	6	–	6	–	3	–
		F	–	–	2	–	3	–	4	–
49	Intracranial and Internal Injuries, including Nerves	M	3	–	9	–	20	–	8	–
		F	1	–	6	–	3	–	–	–
52	Burns	M	–	–	–	–	–	–	–	–
		F	–	–	1	–	1	–	–	–
53	Poisonings and Toxic effects	M	–	–	4	–	3	–	2	–
		F	–	–	1	–	–	–	–	–
	Other Injuries and Poisonings	M	4	–	10	–	8	–	6	–
		F	–	–	–	–	–	–	1	–
	All Other Diseases	M	16	–	49	–	46	–	45	–
		F	13	–	55	–	45	–	35	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	5	–	18	–	25	–	12	–
		F	1	–	10	–	7	–	4	–
E471	Motor Vehicle Traffic Accidents	M	2	–	11	–	16	–	5	–
		F	1	–	6	–	4	–	2	–
E50	Accidental Falls	M	–	–	3	–	4	–	3	–
		F	–	–	2	–	1	–	2	–
E54	Suicide	M	3	–	10	–	11	–	7	–
		F	–	–	1	–	–	–	1	–
E55	Homicide	M	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	All other External Causes	M	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Westmeath County		Wexford County		Wicklow County		Clare County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	324	—	524	—	385	—	471	—
		F	221	—	461	—	360	—	361	—
01–07	Infectious and Parasitic Diseases	M	1	—	2	—	1	—	2	—
		F	1	—	1	—	1	—	2	—
01	Intestinal Infectious Diseases	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	1	—
02	Tuberculosis	M	—	—	1	—	1	—	1	—
		F	—	—	—	—	—	—	1	—
034	Whooping Cough	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
036	Meningococcal Infection	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
037	Tetanus	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
038	Septicaemia	M	1	—	—	—	—	—	—	—
		F	1	—	1	—	1	—	—	—
041	Smallpox	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
042	Measles	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
052	Malaria	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
	Other infectious and parasitic diseases	M	—	—	1	—	—	—	1	—
		F	—	—	—	—	—	—	—	—
08–14	Malignant Neoplasms:—	M	75	—	118	—	106	—	113	—
		F	45	—	89	—	92	—	65	—
091	Of Stomach	M	4	—	6	—	7	—	7	—
		F	1	—	3	—	2	—	3	—
093	Colon	M	7	—	12	—	14	—	7	—
		F	2	—	8	—	5	—	7	—
094	Rectum, Rectosigmoid Junction and anus	M	3	—	4	—	2	—	5	—
		F	3	—	—	—	5	—	1	—
101	Trachea, Bronchus and Lung	M	22	—	37	—	33	—	19	—
		F	8	—	12	—	14	—	4	—
113	Female Breast	F	10	—	18	—	21	—	11	—
120	Cervix Uteri	F	—	—	3	—	1	—	2	—
141	Leukaemia	M	1	—	4	—	3	—	4	—
		F	—	—	2	—	—	—	2	—
	Other Malignant Neoplasms	M	38	—	55	—	47	—	71	—
		F	21	—	43	—	44	—	35	—
181	Diabetes Mellitus	M	1	—	17	—	8	—	11	—
		F	8	—	11	—	4	—	4	—
191	Nutritional Marasmus	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
192	Other protein-calorie malnutrition	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
200	Anaemias	M	—	—	1	—	—	—	1	—
		F	—	—	—	—	1	—	4	—
220	Meningitis	M	—	—	—	—	—	—	—	—
		F	—	—	1	—	—	—	—	—
25–30	Diseases of the Circulatory System	M	159	—	236	—	163	—	201	—
		F	121	—	211	—	163	—	180	—
250	Acute Rheumatic Fever	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
251	Chronic Rheumatic Heart Disease	M	—	—	1	—	—	—	1	—
		F	—	—	1	—	2	—	—	—
26	Hypertensive Disease	M	3	—	2	—	1	—	2	—
		F	1	—	2	—	3	—	2	—
27	Ischaemic Heart Disease	M	85	—	164	—	98	—	106	—
		F	48	—	104	—	88	—	74	—
270	(Acute Myocardial Infarction)	M	72	—	136	—	72	—	90	—
		F	36	—	72	—	74	—	58	—
29	Cerebrovascular Disease	M	27	—	36	—	27	—	36	—
		F	30	—	63	—	32	—	49	—
300	Atherosclerosis	M	4	—	2	—	—	—	8	—
		F	—	—	4	—	—	—	4	—
	Other Diseases of the Circulatory System	M	40	—	31	—	37	—	48	—
		F	42	—	37	—	38	—	51	—

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Westmeath County		Wexford County		Wicklow County		Clare County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	17	–	32	–	23	–	40	–
		F	8	–	42	–	27	–	42	–
322	Influenza	M	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
323	Bronchitis, Emphysema and Asthma	M	5	–	7	–	1	–	5	–
		F	6	–	5	–	1	–	2	–
341	Ulcer of Stomach and Duodenum	M	–	–	6	–	2	–	3	–
		F	–	–	4	–	1	–	–	–
342	Appendicitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	1	–	–	–	2	–	4	–
		F	2	–	–	–	–	–	–	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	3	–	7	–	11	–	12	–
		F	2	–	7	–	14	–	1	–
360	Hyperplasia of Prostate	M	1	–	1	–	–	–	1	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	1	–	2	–	3	–	2	–
		F	3	–	–	–	1	–	2	–
45	Certain conditions originating in the perinatal period*	M	4	–	1	–	1	–	–	–
		F	1	–	2	–	1	–	2	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	2	–	2	–	1	–	2	–
		F	1	–	5	–	3	–	4	–
47–56	Injury and poisoning	M	12	–	38	–	18	–	25	–
		F	4	–	14	–	9	–	11	–
47	Fractures	M	4	–	6	–	2	–	7	–
		F	2	–	6	–	3	–	5	–
49	Intracranial and Internal Injuries, including Nerves	M	1	–	16	–	7	–	7	–
		F	–	–	3	–	1	–	2	–
52	Burns	M	–	–	1	–	–	–	1	–
		F	–	–	3	–	–	–	–	–
53	Poisonings and Toxic effects	M	1	–	4	–	1	–	–	–
		F	–	–	1	–	1	–	2	–
	Other Injuries and Poisonings	M	6	–	11	–	8	–	10	–
		F	2	–	1	–	4	–	2	–
	All Other Diseases	M	41	–	54	–	45	–	49	–
		F	19	–	69	–	42	–	42	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	9	–	33	–	9	–	15	–
		F	5	–	14	–	8	–	9	–
E471	Motor Vehicle Traffic Accidents	M	4	–	18	–	3	–	5	–
		F	3	–	3	–	2	–	3	–
E50	Accidental Falls	M	1	–	3	–	2	–	5	–
		F	–	–	5	–	2	–	4	–
E54	Suicide	M	3	–	7	–	8	–	7	–
		F	–	–	–	–	1	–	1	–
E55	Homicide	M	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
	All other External Causes	M	–	–	–	–	–	–	3	–
		F	–	–	–	–	–	–	1	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Cork County Borough		Cork County		Kerry County		Limerick County Borough	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	537	—	1,433	—	841	1	266	—
		F	589	—	1,178	—	618	—	227	—
01–07	Infectious and Parasitic Diseases	M	6	—	9	—	3	—	2	—
		F	5	—	7	—	4	—	1	—
01	Intestinal Infectious Diseases	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	1	—	—	—
02	Tuberculosis	M	3	—	2	—	—	—	1	—
		F	—	—	1	—	—	—	—	—
034	Whooping Cough	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
036	Meningococcal Infection	M	1	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—
037	Tetanus	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
038	Septicaemia	M	—	—	4	—	—	—	—	—
		F	4	—	3	—	1	—	1	—
041	Smallpox	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
042	Measles	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
052	Malaria	M	1	—	—	—	—	—	—	—
		F	—	—	—	—	1	—	—	—
	Other infectious and parasitic diseases	M	1	—	3	—	2	—	1	—
		F	—	—	3	—	1	—	—	—
08–14	Malignant Neoplasms:—	M	140	—	325	—	191	—	76	—
		F	139	—	257	—	121	—	51	—
091	Of Stomach	M	10	—	22	—	9	—	1	—
		F	4	—	13	—	7	—	4	—
093	Colon	M	9	—	29	—	21	—	5	—
		F	12	—	27	—	8	—	5	—
094	Rectum, Rectosigmoid Junction and anus	M	8	—	13	—	2	—	3	—
		F	7	—	8	—	4	—	2	—
101	Trachea, Bronchus and Lung	M	50	—	67	—	42	—	22	—
		F	27	—	33	—	14	—	10	—
113	Female Breast	F	30	—	50	—	22	—	6	—
120	Cervix Uteri	F	1	—	4	—	2	—	3	—
141	Leukaemia	M	6	—	14	—	6	—	3	—
		F	1	—	8	—	5	—	1	—
	Other Malignant Neoplasms	M	57	—	180	—	111	—	42	—
		F	57	—	114	—	59	—	20	—
181	Diabetes Mellitus	M	5	—	10	—	8	—	2	—
		F	3	—	12	—	11	—	3	—
191	Nutritional Marasmus	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
192	Other protein-calorie malnutrition	M	—	—	—	—	—	—	—	—
		F	—	—	1	—	—	—	—	—
200	Anaemias	M	—	—	3	—	2	—	—	—
		F	—	—	3	—	1	—	—	—
220	Meningitis	M	—	—	1	—	—	—	—	—
		F	—	—	—	—	1	—	—	—
25–30	Diseases of the Circulatory System	M	244	—	693	—	397	1	108	—
		F	286	—	596	—	296	—	116	—
250	Acute Rheumatic Fever	M	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—
251	Chronic Rheumatic Heart Disease	M	—	—	1	—	2	—	—	—
		F	1	—	1	—	1	—	1	—
26	Hypertensive Disease	M	1	—	6	—	5	—	2	—
		F	5	—	10	—	7	—	2	—
27	Ischaemic Heart Disease	M	164	—	424	—	212	—	76	—
		F	147	—	277	—	127	—	51	—
270	(Acute Myocardial Infarction)	M	112	—	318	—	188	—	49	—
		F	95	—	204	—	99	—	29	—
29	Cerebrovascular Disease	M	39	—	114	—	75	—	11	—
		F	66	—	158	—	73	—	30	—
300	Atherosclerosis	M	11	—	54	—	10	—	2	—
		F	15	—	47	—	15	—	1	—
	Other Diseases of the Circulatory System	M	29	—	94	—	93	1	17	—
		F	52	—	103	—	73	—	31	—

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Cork County Borough		Cork County		Kerry County		Limerick County Borough	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	23	–	73	–	49	–	7	–
		F	42	–	86	–	47	–	15	–
322	Influenza	M	–	–	–	–	2	–	–	–
		F	–	–	1	–	–	–	1	–
323	Bronchitis, Emphysema and Asthma	M	7	–	32	–	12	–	4	–
		F	7	–	13	–	7	–	3	–
341	Ulcer of Stomach and Duodenum	M	1	–	10	–	5	–	3	–
		F	2	–	6	–	6	–	–	–
342	Appendicitis	M	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	4	–	5	–	1	–	2	–
		F	3	–	1	–	–	–	1	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	5	–	14	–	16	–	4	–
		F	5	–	11	–	12	–	2	–
360	Hyperplasia of Prostate	M	1	–	1	–	5	–	–	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	4	–	8	–	3	–	2	–
		F	5	–	7	–	3	–	1	–
45	Certain conditions originating in the perinatal period*	M	5	–	5	–	1	–	3	–
		F	2	–	4	–	2	–	–	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	–	–	10	–	10	–	–	–
		F	2	–	12	–	5	–	1	–
47–56	Injury and poisoning	M	31	–	81	–	42	–	18	–
		F	17	–	32	–	15	–	7	–
47	Fractures	M	6	–	21	–	12	–	4	–
		F	3	–	14	–	7	–	2	–
49	Intracranial and Internal Injuries, including Nerves	M	14	–	19	–	11	–	2	–
		F	4	–	8	–	3	–	2	–
52	Burns	M	–	–	2	–	–	–	1	–
		F	–	–	–	–	–	–	–	–
53	Poisonings and Toxic effects	M	1	–	6	–	3	–	1	–
		F	2	–	4	–	2	–	–	–
	Other Injuries and Poisonings	M	10	–	33	–	16	–	10	–
		F	8	–	6	–	3	–	3	–
	All Other Diseases	M	61	–	152	–	94	–	35	–
		F	71	–	129	–	87	–	25	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	23	–	59	–	26	–	7	–
		F	14	–	26	–	12	–	5	–
E471	Motor Vehicle Traffic Accidents	M	9	–	19	–	9	–	1	–
		F	2	–	10	–	–	–	2	–
E50	Accidental Falls	M	6	–	14	–	7	–	4	–
		F	4	–	13	–	8	–	2	–
E54	Suicide	M	9	–	20	–	16	–	7	–
		F	4	–	6	–	3	–	2	–
E55	Homicide	M	2	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–
	All other External Causes	M	–	–	4	–	1	–	3	–
		F	1	–	–	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Limerick County		Tipperary North Riding		Tipperary South Riding		Waterford County Borough	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	509	–	295	–	425	–	140	–
		F	402	–	262	–	343	–	154	–
01–07	Infectious and Parasitic Diseases	M	3	–	–	–	–	–	2	–
		F	2	–	3	–	1	–	–	–
01	Intestinal Infectious Diseases	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
02	Tuberculosis	M	–	–	–	–	–	–	1	–
		F	–	–	1	–	–	–	–	–
034	Whooping Cough	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
037	Tetanus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
038	Septicaemia	M	2	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–
041	Smallpox	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
042	Measles	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
052	Malaria	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	Other infectious and parasitic diseases	M	1	–	–	–	–	–	1	–
		F	1	–	1	–	1	–	–	–
08–14	Malignant Neoplasms:–	M	105	–	70	–	97	–	43	–
		F	91	–	67	–	86	–	44	–
091	Of Stomach	M	4	–	6	–	8	–	2	–
		F	2	–	1	–	5	–	3	–
093	Colon	M	7	–	6	–	5	–	5	–
		F	5	–	9	–	7	–	3	–
094	Rectum, Rectosigmoid Junction and anus	M	1	–	4	–	3	–	1	–
		F	4	–	–	–	1	–	1	–
101	Trachea, Bronchus and Lung	M	20	–	18	–	20	–	15	–
		F	18	–	17	–	9	–	6	–
113	Female Breast	F	13	–	11	–	19	–	10	–
120	Cervix Uteri	F	5	–	2	–	1	–	1	–
141	Leukaemia	M	5	–	2	–	4	–	1	–
		F	3	–	1	–	2	–	1	–
	Other Malignant Neoplasms	M	68	–	34	–	57	–	19	–
		F	41	–	26	–	42	–	19	–
181	Diabetes Mellitus	M	11	–	3	–	4	–	1	–
		F	4	–	3	–	4	–	3	–
191	Nutritional Marasmus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
192	Other protein-calorie malnutrition	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
200	Anaemias	M	1	–	–	–	–	–	–	–
		F	2	–	2	–	2	–	–	–
220	Meningitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
25–30	Diseases of the Circulatory System	M	245	–	134	–	218	–	55	–
		F	176	–	124	–	157	–	66	–
250	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	–	–	–	–	1	–	–	–
		F	1	–	–	–	2	–	1	–
26	Hypertensive Disease	M	1	–	2	–	1	–	–	–
		F	2	–	1	–	3	–	–	–
27	Ischaemic Heart Disease	M	158	–	81	–	147	–	39	–
		F	90	–	51	–	77	–	39	–
270	(Acute Myocardial Infarction)	M	115	–	57	–	115	–	23	–
		F	55	–	39	–	62	–	31	–
29	Cerebrovascular Disease	M	45	–	18	–	35	–	9	–
		F	49	–	28	–	45	–	16	–
300	Atherosclerosis	M	2	–	2	–	12	–	–	–
		F	6	–	3	–	9	–	1	–
	Other Diseases of the Circulatory System	M	39	–	31	–	22	–	7	–
		F	28	–	41	–	21	–	9	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Limerick County		Tipperary North Riding		Tipperary South Riding		Waterford County Borough	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	27	–	17	–	22	–	7	–
		F	16	–	16	–	26	–	9	–
322	Influenza	M	–	–	–	–	–	–	–	–
		F	–	–	3	–	–	–	–	–
323	Bronchitis, Emphysema and Asthma	M	10	–	5	–	7	–	2	–
		F	6	–	4	–	6	–	2	–
341	Ulcer of Stomach and Duodenum	M	1	–	6	–	2	–	–	–
		F	1	–	–	–	1	–	–	–
342	Appendicitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	1	–	–	–	1	–	1	–
		F	2	–	–	–	–	–	–	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	8	–	2	–	1	–	–	–
		F	7	–	6	–	4	–	–	–
360	Hyperplasia of Prostate	M	1	–	–	–	–	–	1	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	7	–	3	–	3	–	1	–
		F	4	–	–	–	4	–	–	–
45	Certain conditions originating in the perinatal period*	M	1	–	1	–	–	–	–	–
		F	–	–	1	–	2	–	2	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	–	–	1	–	–	–	–	–
		F	1	–	–	–	2	–	1	–
47–56	Injury and poisoning	M	22	–	20	–	23	–	9	–
		F	14	–	7	–	12	–	6	–
47	Fractures	M	6	–	2	–	2	–	1	–
		F	3	–	3	–	6	–	4	–
49	Intracranial and Internal Injuries, including Nerves	M	8	–	5	–	12	–	1	–
		F	7	–	1	–	4	–	–	–
52	Burns	M	–	–	2	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
53	Poisonings and Toxic effects	M	1	–	1	–	1	–	–	–
		F	2	–	1	–	–	–	1	–
	Other Injuries and Poisonings	M	7	–	10	–	7	–	7	–
		F	2	–	2	–	2	–	1	–
	All Other Diseases	M	66	–	33	–	47	–	18	–
		F	75	–	26	–	36	–	21	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	17	–	14	–	17	–	5	–
		F	13	–	4	–	11	–	5	–
E471	Motor Vehicle Traffic Accidents	M	12	–	4	–	8	–	1	–
		F	9	–	2	–	5	–	1	–
E50	Accidental Falls	M	3	–	3	–	3	–	–	–
		F	4	–	2	–	5	–	4	–
E54	Suicide	M	5	–	7	–	6	–	3	–
		F	2	–	2	–	1	–	1	–
E55	Homicide	M	1	–	–	–	–	–	–	–
		F	–	–	1	–	–	–	–	–
	All other External Causes	M	–	–	1	–	1	–	1	–
		F	–	–	–	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Waterford County		Galway County Borough		Galway County		Leitrim County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	271	–	128	–	779	–	212	1
		F	242	–	133	–	594	–	178	–
01–07	Infectious and Parasitic Diseases	M	–	–	2	–	3	–	2	–
		F	1	–	1	–	3	–	–	–
01	Intestinal Infectious Diseases	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	1	–	–	–
02	Tuberculosis	M	–	–	–	–	2	–	2	–
		F	–	–	–	–	1	–	–	–
034	Whooping Cough	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
037	Tetanus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
038	Septicaemia	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–
041	Smallpox	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
042	Measles	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
052	Malaria	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	Other infectious and parasitic diseases	M	–	–	1	–	1	–	–	–
		F	–	–	1	–	–	–	–	–
08–14	Malignant Neoplasms: –	M	80	–	29	–	165	–	49	–
		F	64	–	44	–	126	–	45	–
091	Of Stomach	M	9	–	5	–	13	–	3	–
		F	2	–	3	–	5	–	–	–
093	Colon	M	4	–	2	–	14	–	3	–
		F	5	–	6	–	18	–	5	–
094	Rectum, Rectosigmoid Junction and anus	M	3	–	–	–	8	–	1	–
		F	2	–	–	–	2	–	2	–
101	Trachea, Bronchus and Lung	M	18	–	9	–	32	–	8	–
		F	8	–	7	–	20	–	6	–
113	Female Breast	F	14	–	8	–	23	–	7	–
120	Cervix Uteri	F	2	–	1	–	3	–	1	–
141	Leukaemia	M	4	–	–	–	9	–	3	–
		F	3	–	2	–	3	–	–	–
	Other Malignant Neoplasms	M	42	–	13	–	89	–	31	–
		F	28	–	17	–	52	–	24	–
181	Diabetes Mellitus	M	2	–	–	–	11	–	3	–
		F	5	–	1	–	9	–	4	–
191	Nutritional Marasmus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
192	Other protein-calorie malnutrition	M	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
200	Anaemias	M	–	–	–	–	2	–	–	–
		F	–	–	–	–	2	–	–	–
220	Meningitis	M	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
25–30	Diseases of the Circulatory System	M	117	–	61	–	367	–	83	1
		F	107	–	51	–	266	–	75	–
250	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	1	–	–	–	1	–	–	–
		F	–	–	–	–	2	–	–	–
26	Hypertensive Disease	M	1	–	–	–	5	–	1	–
		F	–	–	–	–	1	–	1	–
27	Ischaemic Heart Disease	M	70	–	38	–	228	–	47	1
		F	46	–	20	–	126	–	34	–
270	(Acute Myocardial Infarction)	M	58	–	28	–	173	–	36	1
		F	38	–	10	–	97	–	27	–
29	Cerebrovascular Disease	M	25	–	8	–	56	–	16	–
		F	36	–	18	–	77	–	20	–
300	Atherosclerosis	M	2	–	1	–	9	–	6	–
		F	4	–	1	–	5	–	3	–
	Other Diseases of the Circulatory System	M	18	–	14	–	68	–	13	–
		F	21	–	12	–	55	–	17	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Waterford County		Galway County Borough		Galway County		Leitrim County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	16	–	8	–	62	–	20	–
		F	17	–	9	–	69	–	23	–
322	Influenza	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–
323	Bronchitis, Emphysema and Asthma	M	3	–	–	–	16	–	3	–
		F	3	–	4	–	9	–	2	–
341	Ulcer of Stomach and Duodenum	M	1	–	2	–	6	–	2	–
		F	–	–	3	–	6	–	–	–
342	Appendicitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	1	–
347	Chronic Liver Disease and Cirrhosis	M	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	3	–	2	–	7	–	4	–
		F	2	–	–	–	9	–	2	–
360	Hyperplasia of Prostate	M	–	–	–	–	4	–	–	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	–	–	1	–	5	–	–	–
		F	2	–	3	–	3	–	1	–
45	Certain conditions originating in the perinatal period*	M	–	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	1	–	2	–	4	–	–	–
		F	–	–	1	–	2	–	1	–
47–56	Injury and poisoning	M	20	–	4	–	44	–	11	–
		F	10	–	5	–	14	–	2	–
47	Fractures	M	3	–	1	–	10	–	1	–
		F	3	–	4	–	4	–	2	–
49	Intracranial and Internal Injuries, including Nerves	M	6	–	1	–	15	–	2	–
		F	3	–	–	–	3	–	–	–
52	Burns	M	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
53	Poisonings and Toxic effects	M	3	–	–	–	4	–	1	–
		F	3	–	–	–	2	–	–	–
	Other Injuries and Poisonings	M	8	–	1	–	14	–	7	–
		F	1	–	1	–	5	–	–	–
	All Other Diseases	M	26	–	17	–	82	–	33	–
		F	29	–	11	–	75	–	22	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	14	–	5	–	30	–	6	–
		F	6	–	4	–	9	–	2	–
E471	Motor Vehicle Traffic Accidents	M	6	–	1	–	15	–	2	–
		F	4	–	–	–	4	–	1	–
E50	Accidental Falls	M	2	–	1	–	5	–	–	–
		F	1	–	3	–	3	–	1	–
E54	Suicide	M	6	–	–	–	15	–	5	–
		F	4	–	1	–	5	–	–	–
E55	Homicide	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	All other External Causes	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Mayo County		Roscommon County		Sligo County		Cavan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	TOTAL	M	720	–	316	–	346	–	356	–
		F	576	–	254	–	266	–	233	–
01–07	Infectious and Parasitic Diseases	M	1	–	–	–	2	–	2	–
		F	–	–	1	–	–	–	–	–
01	Intestinal Infectious Diseases	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
02	Tuberculosis	M	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
034	Whooping Cough	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
036	Meningococcal Infection	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
037	Tetanus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
038	Septicaemia	M	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
041	Smallpox	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
042	Measles	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
052	Malaria	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
	Other infectious and parasitic diseases	M	–	–	–	–	1	–	2	–
		F	–	–	1	–	–	–	–	–
08–14	Malignant Neoplasms: –	M	149	–	73	–	86	–	82	–
		F	115	–	54	–	52	–	58	–
091	Of Stomach	M	9	–	5	–	6	–	7	–
		F	5	–	1	–	1	–	3	–
093	Colon	M	13	–	11	–	11	–	8	–
		F	14	–	8	–	11	–	7	–
094	Rectum, Rectosigmoid Junction and anus	M	8	–	4	–	1	–	–	–
		F	2	–	1	–	–	–	2	–
101	Trachea, Bronchus and Lung	M	32	–	17	–	12	–	23	–
		F	13	–	10	–	6	–	6	–
113	Female Breast	F	26	–	11	–	13	–	6	–
120	Cervix Uteri	F	1	–	–	–	1	–	1	–
141	Leukaemia	M	7	–	4	–	3	–	4	–
		F	1	–	–	–	1	–	–	–
	Other Malignant Neoplasms	M	80	–	32	–	53	–	40	–
		F	53	–	23	–	19	–	33	–
181	Diabetes Mellitus	M	14	–	1	–	7	–	3	–
		F	13	–	–	–	5	–	3	–
191	Nutritional Marasmus	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
192	Other protein-calorie malnutrition	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
200	Anaemias	M	2	–	–	–	1	–	2	–
		F	1	–	–	–	1	–	1	–
220	Meningitis	M	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–
25–30	Diseases of the Circulatory System	M	341	–	173	–	148	–	183	–
		F	300	–	132	–	127	–	118	–
250	Acute Rheumatic Fever	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	–	–	–	–	1	–	1	–
		F	2	–	1	–	–	–	2	–
26	Hypertensive Disease	M	6	–	1	–	2	–	2	–
		F	8	–	1	–	–	–	1	–
27	Ischaemic Heart Disease	M	187	–	120	–	71	–	117	–
		F	138	–	73	–	55	–	63	–
270	(Acute Myocardial Infarction)	M	144	–	99	–	66	–	92	–
		F	115	–	50	–	49	–	48	–
29	Cerebrovascular Disease	M	56	–	32	–	36	–	33	–
		F	65	–	34	–	35	–	30	–
300	Atherosclerosis	M	16	–	5	–	5	–	2	–
		F	10	–	5	–	2	–	1	–
	Other Diseases of the Circulatory System	M	76	–	15	–	33	–	28	–
		F	77	–	18	–	35	–	21	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Mayo County		Roscommon County		Sligo County		Cavan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	32	–	10	–	19	–	8	–
		F	28	–	25	–	18	–	3	–
322	Influenza	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
323	Bronchitis, Emphysema and Asthma	M	14	–	9	–	2	–	6	–
		F	5	–	5	–	4	–	2	–
341	Ulcer of Stomach and Duodenum	M	2	–	6	–	2	–	–	–
		F	2	–	5	–	4	–	1	–
342	Appendicitis	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	5	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	2	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	11	–	3	–	4	–	2	–
		F	8	–	2	–	6	–	7	–
360	Hyperplasia of Prostate	M	–	–	1	–	–	–	4	–
38	Abortion	F	–	–	–	–	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–	–	–	–	–
44	Congenital Anomalies	M	2	–	–	–	–	–	5	–
		F	2	–	2	–	1	–	2	–
45	Certain conditions originating in the perinatal period*	M	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
453	(Birth Trauma)	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	5	–	4	–	–	–	4	–
		F	5	–	–	–	–	–	3	–
47–56	Injury and poisoning	M	45	–	9	–	11	–	19	–
		F	17	–	3	–	6	–	12	–
47	Fractures	M	6	–	2	–	1	–	6	–
		F	7	–	–	–	1	–	5	–
49	Intracranial and Internal Injuries, including Nerves	M	9	–	1	–	5	–	3	–
		F	4	–	–	–	3	–	2	–
52	Burns	M	1	–	–	–	–	–	–	–
		F	–	–	1	–	–	–	–	–
53	Poisonings and Toxic effects	M	3	–	1	–	2	–	3	–
		F	2	–	–	–	–	–	3	–
	Other Injuries and Poisonings	M	26	–	5	–	3	–	7	–
		F	4	–	2	–	2	–	2	–
	All Other Diseases	M	96	–	25	–	62	–	36	–
		F	80	–	25	–	42	–	21	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)										
E47–E53	Accidents and Adverse Effects	M	29	–	7	–	8	–	13	–
		F	14	–	2	–	5	–	10	–
E471	Motor Vehicle Traffic Accidents	M	9	–	2	–	2	–	2	–
		F	4	–	–	–	2	–	2	–
E50	Accidental Falls	M	5	–	1	–	3	–	3	–
		F	6	–	–	–	2	–	5	–
E54	Suicide	M	18	–	2	–	3	–	7	–
		F	2	–	1	–	–	–	2	–
E55	Homicide	M	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–
	All other External Causes	M	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–

* Late Fetal Deaths not included

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified
	TOTAL	M	725	–	294	–
		F	525	–	200	–
01–07	Infectious and Parasitic Diseases	M	3	–	–	–
		F	4	–	3	–
01	Intestinal Infectious Diseases	M	–	–	–	–
		F	–	–	1	–
02	Tuberculosis	M	2	–	–	–
		F	–	–	–	–
034	Whooping Cough	M	–	–	–	–
		F	–	–	–	–
036	Meningococcal Infection	M	–	–	–	–
		F	–	–	–	–
037	Tetanus	M	–	–	–	–
		F	–	–	–	–
038	Septicaemia	M	–	–	–	–
		F	1	–	1	–
041	Smallpox	M	–	–	–	–
		F	–	–	–	–
042	Measles	M	–	–	–	–
		F	–	–	–	–
052	Malaria	M	–	–	–	–
		F	–	–	–	–
	Other infectious and parasitic diseases	M	1	–	–	–
		F	3	–	1	–
08–14	Malignant Neoplasms: –	M	158	–	63	–
		F	112	–	51	–
091	Of Stomach	M	17	–	4	–
		F	6	–	4	–
093	Colon	M	12	–	6	–
		F	9	–	5	–
094	Rectum, Rectosigmoid Junction and anus	M	2	–	6	–
		F	1	–	2	–
101	Trachea, Bronchus and Lung	M	48	–	17	–
		F	16	–	6	–
113	Female Breast	F	15	–	8	–
120	Cervix Uteri	F	2	–	–	–
141	Leukaemia	M	5	–	1	–
		F	4	–	2	–
	Other Malignant Neoplasms	M	74	–	29	–
		F	59	–	24	–
181	Diabetes Mellitus	M	11	–	1	–
		F	5	–	3	–
191	Nutritional Marasmus	M	–	–	–	–
		F	–	–	–	–
192	Other protein-calorie malnutrition	M	–	–	–	–
		F	–	–	–	–
200	Anaemias	M	2	–	–	–
		F	2	–	–	–
220	Meningitis	M	–	–	–	–
		F	–	–	–	–
25–30	Diseases of the Circulatory System	M	331	–	145	–
		F	228	–	104	–
250	Acute Rheumatic Fever	M	–	–	–	–
		F	–	–	–	–
251	Chronic Rheumatic Heart Disease	M	1	–	1	–
		F	1	–	–	–
26	Hypertensive Disease	M	1	–	3	–
		F	1	–	1	–
27	Ischaemic Heart Disease	M	218	–	89	–
		F	122	–	51	–
270	(Acute Myocardial Infarction)	M	201	–	64	–
		F	106	–	30	–
29	Cerebrovascular Disease	M	62	–	20	–
		F	54	–	29	–
300	Atherosclerosis	M	6	–	9	–
		F	8	–	12	–
	Other Diseases of the Circulatory System	M	43	–	23	–
		F	42	–	11	–

Table 20 (contd.) – Deaths of residents of each county and county borough in 1992 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of death		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified
321	Pneumonia	M	44	–	12	–
		F	70	–	7	–
322	Influenza	M	1	–	–	–
		F	2	–	–	–
323	Bronchitis, Emphysema and Asthma	M	8	–	2	–
		F	2	–	1	–
341	Ulcer of Stomach and Duodenum	M	5	–	6	–
		F	6	–	–	–
342	Appendicitis	M	–	–	–	–
		F	–	–	–	–
347	Chronic Liver Disease and Cirrhosis	M	3	–	–	–
		F	1	–	–	–
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	7	–	7	–
		F	2	–	3	–
360	Hyperplasia of Prostate	M	1	–	–	–
38	Abortion	F	–	–	–	–
39	Direct Obstetric Deaths	F	–	–	–	–
44	Congenital Anomalies	M	4	–	–	–
		F	2	–	2	–
45	Certain conditions originating in the perinatal period*	M	1	–	–	–
		F	–	–	–	–
453	(Birth Trauma)	M	–	–	–	–
		F	–	–	–	–
46	Signs, symptoms and ill-defined conditions	M	3	–	3	–
		F	4	–	1	–
47–56	Injury and poisoning	M	54	–	23	–
		F	8	–	4	–
47	Fractures	M	10	–	6	–
		F	4	–	2	–
49	Intracranial and Internal Injuries, including Nerves	M	17	–	7	–
		F	–	–	2	–
52	Burns	M	2	–	–	–
		F	1	–	–	–
53	Poisonings and Toxic effects	M	2	–	3	–
		F	1	–	–	–
	Other Injuries and Poisonings	M	23	–	7	–
		F	2	–	–	–
	All Other Diseases	M	89	–	32	–
		F	77	–	21	–
EXTERNAL CAUSES (INCLUDED IN THE FOREGOING)						
E47–E53	Accidents and Adverse Effects	M	42	–	14	–
		F	8	–	5	–
E471	Motor Vehicle Traffic Accidents	M	17	–	5	–
		F	–	–	4	–
E50	Accidental Falls	M	9	–	2	–
		F	4	–	1	–
E54	Suicide	M	12	–	10	–
		F	–	–	–	–
E55	Homicide	M	1	–	–	–
		F	–	–	–	–
	All other External Causes	M	–	–	–	–
		F	–	–	–	–

* Late Fetal Deaths not included

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts

DUBLIN COUNTY BOROUGH

Cause of Death		Mortality Code	Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ALL CAUSES			4,781	50	7	13	45	87	101	234	577	1,200	2,467
Infectious and parasitic diseases:-													
	M	01-07	24	2	1	1	1	3	1	1	1	7	6
	F		15	-	-	-	1	3	1	1	1	1	7
Intestinal infectious diseases													
	M	01	1	-	-	-	-	-	-	-	-	1	-
	F		2	-	-	-	-	-	-	-	-	-	2
Tuberculosis													
	M	02	9	-	-	-	-	1	-	-	-	6	2
	F		3	-	-	-	-	-	-	-	1	1	1
Whooping cough													
	M	034	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection													
	M	036	3	2	-	1	-	-	-	-	-	-	-
	F		1	-	-	-	1	-	-	-	-	-	-
Tetanus													
	M	037	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-
Septicaemia													
	M	038	3	-	1	-	-	-	-	-	-	-	2
	F		2	-	-	-	-	-	-	-	-	-	2
Smallpox													
	M	041	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-
Measles													
	M	042	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-
Malaria													
	M	052	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases													
	M		8	-	-	-	1	2	1	1	1	-	2
	F		7	-	-	-	-	3	1	1	-	-	2
Malignant neoplasms:-													
	M	08-14	626	-	1	1	4	7	17	42	115	208	231
	F		685	-	-	1	1	4	21	49	119	189	301
of stomach													
	M	091	40	-	-	-	-	-	-	2	11	15	12
	F		29	-	-	-	-	-	3	2	5	4	15
colon													
	M	093	51	-	-	-	-	-	1	1	10	16	23
	F		62	-	-	-	-	-	2	4	7	16	33
rectum, rectosigmoid junction and anus													
	M	094	35	-	-	-	-	-	-	2	7	12	14
	F		16	-	-	-	-	-	-	1	4	5	6
trachea, bronchus & lung													
	M	101	188	-	-	-	-	-	3	10	36	80	59
	F		128	-	-	-	-	-	1	7	18	45	57
female breast													
	M	113	-	-	-	-	-	-	-	-	-	-	-
	F		121	-	-	-	-	-	8	10	30	34	39
cervix uteri													
	M	120	-	-	-	-	-	-	-	-	-	-	-
	F		15	-	-	-	-	-	1	3	5	2	4
Leukaemia													
	M	141	16	-	1	1	3	-	1	1	2	3	4
	F		16	-	-	-	-	2	-	1	1	5	7

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

DUBLIN COUNTY BOROUGH

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Other malignant neoplasms												
M		296	-	-	-	1	7	12	26	49	82	119
F		298	-	-	1	1	2	6	21	49	78	140
Diabetes mellitus												
M	181	39	-	-	-	-	-	-	2	6	8	23
F		60	-	-	-	-	-	-	1	2	18	39
Nutritional marasmus												
M	191	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other protein-calorie malnutrition												
M	192	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-	1
Anaemias												
M	200	7	-	-	-	-	1	-	-	1	1	4
F		6	-	-	-	-	-	-	-	-	-	6
Meningitis												
M	220	2	-	1	-	-	-	-	1	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Diseases of the Circulatory system:-												
M	25-30	943	-	-	-	-	4	15	58	155	309	402
F		1,067	-	-	1	-	4	5	18	73	199	767
Acute rheumatic fever												
M	250	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	1	-	-
Chronic rheumatic heart disease												
M	251	3	-	-	-	-	-	-	-	1	1	1
F		8	-	-	-	-	-	-	1	1	2	4
Hypertensive disease												
M	26	20	-	-	-	-	-	-	-	3	8	9
F		17	-	-	-	-	-	1	-	1	2	13
Ischaemic heart disease												
M	27	607	-	-	-	-	2	9	46	112	206	232
F		505	-	-	-	-	1	1	13	44	119	327
- of which (Acute myocardial infarction)*												
M	(270)	404	-	-	-	-	-	5	34	63	142	160
F		367	-	-	-	-	1	1	11	33	90	231
Cerebrovascular disease												
M	29	157	-	-	-	-	1	4	6	19	51	76
F		258	-	-	-	-	-	1	2	12	39	204
Atherosclerosis												
M	300	8	-	-	-	-	-	-	1	1	-	6
F		15	-	-	-	-	-	-	-	1	-	14
Other diseases of circulatory system												
M		148	-	-	-	-	1	2	5	19	43	78
F		263	-	-	1	-	3	2	2	13	37	205
Pneumonia												
M	321	73	-	-	-	-	2	1	3	3	19	45
F		115	-	-	-	1	2	2	4	-	9	97
Influenza												
M	322	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-	1
Bronchitis, emphysema and asthma												
M	323	49	-	-	-	-	1	1	2	4	17	24
F		44	-	-	-	-	-	1	4	7	14	18
Ulcer of stomach and duodenum												
M	341	15	-	-	-	-	-	1	2	1	7	4
F		10	-	-	-	-	-	-	-	-	3	7
Appendicitis												
M	342	1	-	-	-	-	-	-	-	-	-	1

* Included in Mortality List Number 27

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

DUBLIN COUNTY BOROUGH

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Appendicitis												
F		-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis												
M	347	12	-	-	-	-	-	-	2	3	6	1
F		9	-	-	-	-	1	-	2	1	3	2
Nephritis, nephrotic syndrome and nephrosis												
M	350	20	-	-	-	-	1	-	2	1	4	12
F		28	-	-	-	-	1	-	-	1	4	22
Hyperplasia of prostate												
M	360	2	-	-	-	-	-	-	-	-	-	2
F		-	-	-	-	-	-	-	-	-	-	-
Abortion												
M	38	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Direct obstetric deaths												
M	39	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies												
M	44	21	13	-	2	2	2	-	-	1	-	1
F		16	7	1	1	-	-	1	2	-	3	1
Certain conditions originating in the perinatal period*												
M	45	13	13	-	-	-	-	-	-	-	-	-
F		5	5	-	-	-	-	-	-	-	-	-
(Birth trauma)®												
M	(453)	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Signs, symptoms and ill-defined conditions												
M	46	8	5	-	-	-	-	-	-	-	1	2
F		12	3	-	-	-	-	-	-	-	1	8
Injury and poisoning:-												
M	47-56	117	-	-	3	23	27	13	15	11	12	13
F		51	-	2	1	4	2	4	2	4	9	23
Fractures												
M	47	18	-	-	1	1	1	3	2	1	3	6
F		17	-	-	1	-	-	-	-	1	-	15
Intracranial and internal injuries, inc. nerves												
M	49	41	-	-	1	9	11	6	7	1	4	2
F		14	-	-	-	1	2	1	1	2	3	4
Burns												
M	52	3	-	-	-	1	-	-	1	-	1	-
F		3	-	1	-	-	-	-	-	-	-	2
Poisonings and toxic effects												
M	53	14	-	-	1	2	1	2	1	3	1	3
F		8	-	-	-	3	-	2	-	-	2	1
Other injuries and poisonings												
M		41	-	-	-	10	14	2	4	6	3	2
F		9	-	1	-	-	-	1	1	1	4	1
All other diseases												
M		300	2	-	-	5	16	11	11	28	79	148
F		384	-	1	2	3	6	6	10	39	69	248

* Late Foetal Deaths not included

® Included in Mortality List Number 45

DUBLIN COUNTY BOROUGH

[illegible]

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

REMAINING URBAN DISTRICTS

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ALL CAUSES		6,255	81	18	20	75	84	160	336	705	1,571	3,205
Infectious and parasitic diseases:-												
M	01-07	23	1	2	1	1	1	3	2	3	3	6
F		20	2	-	-	1	-	2	1	1	4	9
Intestinal infectious diseases												
M	01	-	-	-	-	-	-	-	-	-	-	-
F		2	-	-	-	-	-	-	1	-	-	1
Tuberculosis												
M	02	8	-	-	-	-	-	-	1	2	1	4
F		2	-	-	-	-	-	-	-	-	1	1
Whooping cough												
M	034	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection												
M	036	2	-	1	1	-	-	-	-	-	-	-
F		2	1	-	-	1	-	-	-	-	-	-
Tetanus												
M	037	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Septicaemia												
M	038	2	1	-	-	1	-	-	-	-	-	-
F		10	1	-	-	-	-	-	-	1	3	5
Smallpox												
M	041	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Measles												
M	042	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Malaria												
M	052	1	-	-	-	-	-	1	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases												
M		10	-	1	-	-	1	2	1	1	2	2
F		4	-	-	-	-	-	2	-	-	-	2
Malignant neoplasms:-												
M	08-14	858	-	2	3	3	8	21	74	148	300	299
F		779	-	-	2	1	4	35	85	129	229	294
of stomach												
M	091	53	-	-	-	-	-	1	7	7	23	15
F		38	-	-	-	-	-	2	5	-	15	16
colon												
M	093	81	-	-	-	-	1	2	7	11	31	29
F		74	-	-	-	-	-	2	6	11	25	30
rectum, rectosigmoid junction and anus												
M	094	33	-	-	-	-	-	1	2	8	15	7
F		31	-	-	-	-	-	1	4	2	6	18
trachea, bronchus & lung												
M	101	248	-	-	-	-	-	3	23	45	96	81
F		120	-	-	-	-	-	-	7	20	48	45
female breast												
M	113	-	-	-	-	-	-	-	-	-	-	-
F		158	-	-	-	-	-	14	30	34	35	45
cervix uteri												
M	120	-	-	-	-	-	-	-	-	-	-	-
F		13	-	-	-	-	-	4	4	1	4	-
Leukaemia												
M	141	25	-	1	1	3	2	1	1	3	5	8
F		19	-	-	-	-	-	1	2	1	3	12

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

REMAINING URBAN DISTRICTS

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Other malignant neoplasms												
M		418	-	1	2	-	5	13	34	74	130	159
F		326	-	-	2	1	4	11	27	60	93	128
Diabetes mellitus												
M	181	31	-	-	-	-	-	1	2	4	15	9
F		42	-	-	-	-	-	-	1	3	17	21
Nutritional marasmus												
M	191	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other protein-calorie malnutrition												
M	192	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-	1
Anaemias												
M	200	6	-	-	-	-	-	-	-	-	2	4
F		5	-	-	-	-	-	-	-	-	-	5
Meningitis												
M	220	1	-	-	1	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	1	-	-
Diseases of the Circulatory system:-												
M	25-30	1,299	1	-	1	4	6	27	88	196	395	581
F		1,465	-	-	-	1	1	15	22	74	316	1,036
Acute rheumatic fever												
M	250	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	1	-
Chronic rheumatic heart disease												
M	251	-	-	-	-	-	-	-	-	-	-	-
F		10	-	-	-	-	-	-	-	2	6	2
Hypertensive disease												
M	26	12	-	-	-	-	-	2	-	1	3	6
F		20	-	-	-	-	-	-	-	1	1	18
Ischaemic heart disease												
M	27	848	-	-	-	1	2	21	76	163	274	311
F		706	-	-	-	-	-	3	9	44	194	456
- of which (Acute myocardial infarction)*												
M	(270)	619	-	-	-	-	2	14	50	119	205	229
F		502	-	-	-	-	-	2	5	33	150	312
Cerebrovascular disease												
M	29	200	-	-	1	1	-	1	7	14	55	121
F		381	-	-	-	1	-	6	10	10	68	286
Atherosclerosis												
M	300	39	-	-	-	-	-	-	1	1	8	29
F		48	-	-	-	-	-	-	-	-	-	48
Other diseases of circulatory system												
M		200	1	-	-	2	4	3	4	17	55	114
F		299	-	-	-	-	1	6	3	17	46	226
Pneumonia												
M	321	132	1	1	-	1	4	2	2	8	26	87
F		207	1	-	1	-	-	-	-	8	20	177
Influenza												
M	322	-	-	-	-	-	-	-	-	-	-	-
F		2	-	-	-	-	-	-	-	-	1	1
Bronchitis, emphysema and asthma												
M	323	45	-	-	-	1	2	2	1	6	8	25
F		40	-	-	-	-	-	2	-	9	4	25
Ulcer of stomach and duodenum												
M	341	21	-	-	-	-	-	-	1	2	3	15
F		17	-	-	-	-	-	-	1	1	2	13
Appendicitis												
M	342	1	-	-	-	-	-	-	-	-	1	-

* Included in Mortality List Number 27

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

REMAINING URBAN DISTRICTS

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Appendicitis												
F		-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis												
M	347	17	-	-	-	-	-	3	3	7	4	-
F		12	-	-	-	-	-	3	-	3	5	1
Nephritis, nephrotic syndrome and nephrosis												
M	350	40	-	-	-	-	-	-	-	8	8	24
F		27	-	-	-	1	-	-	-	1	4	21
Hyperplasia of prostate												
M	360	5	-	-	-	-	-	-	-	-	-	5
F		-	-	-	-	-	-	-	-	-	-	-
Abortion												
M	38	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Direct obstetric deaths												
M	39	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies												
M	44	25	18	2	-	2	1	-	-	-	-	2
F		19	11	1	1	1	1	1	-	1	-	2
Certain conditions originating in the perinatal period*												
M	45	18	18	-	-	-	-	-	-	-	-	-
F		13	13	-	-	-	-	-	-	-	-	-
(Birth trauma)®												
M	(453)	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Signs, symptoms and ill-defined conditions												
M	46	20	8	3	-	-	-	1	-	1	1	6
F		19	4	1	-	-	-	-	1	-	-	13
Injury and poisoning:-												
M	47-56	164	-	2	6	40	31	18	19	17	19	12
F		92	-	1	3	10	10	3	7	15	7	36
Fractures												
M	47	29	-	-	1	6	4	2	2	3	3	8
F		36	-	1	1	2	1	1	1	2	3	24
Intracranial and internal injuries, inc. nerves												
M	49	52	-	-	4	18	6	6	5	6	4	3
F		17	-	-	-	5	1	-	2	2	-	7
Burns												
M	52	6	-	-	-	-	1	1	-	2	1	1
F		2	-	-	-	-	-	-	-	1	1	-
Poisonings and toxic effects												
M	53	10	-	-	-	1	4	1	1	-	3	-
F		14	-	-	-	1	2	-	2	5	2	2
Other injuries and poisonings												
M		67	-	2	1	15	16	8	11	6	8	-
F		23	-	-	2	2	6	2	2	5	1	3
All other diseases												
M		367	2	1	1	7	6	13	14	34	87	202
F		421	1	2	-	1	9	8	12	25	90	273

* Late Foetal Deaths not included

® Included in Mortality List Number 45

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

REMAINING URBAN DISTRICTS

Cause of Death		Mortality Code	Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
EXTERNAL CAUSES (included in the foregoing)													
Accidents and adverse effects													
M		E47-53	101	-	2	6	24	10	9	14	12	14	10
F			74	-	1	3	8	3	3	5	9	6	36
Motor vehicle traffic accidents													
M		E471	39	-	-	2	17	6	3	3	4	3	1
F			19	-	-	1	4	2	1	2	2	1	6
Accidental falls													
M		E50	25	-	-	1	1	2	1	3	5	4	8
F			35	-	1	1	-	-	-	2	2	2	27
Suicide													
M		E54	53	-	-	-	13	16	9	6	5	4	-
F			18	-	-	-	1	7	1	2	6	-	1
Homicide													
M		E55	8	-	-	-	2	1	1	-	-	2	2
F			1	-	-	-	-	1	-	-	-	-	-
All other external causes													
M			8	-	-	-	2	5	-	1	-	-	-
F			2	-	-	-	1	-	-	-	-	1	-

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

RURAL DISTRICTS

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ALL CAUSES		19895	200	45	75	239	231	366	817	1,813	4,898	11211
Infectious and parasitic diseases:-												
M	01-07	48	4	1	2	-	4	3	4	4	7	19
F		40	1	-	1	-	-	-	3	4	12	19
Intestinal infectious diseases												
M	01	1	-	-	-	-	-	1	-	-	-	-
F		3	-	-	-	-	-	-	-	-	1	2
Tuberculosis												
M	02	13	-	-	-	-	-	1	1	-	4	7
F		5	-	-	-	-	-	-	1	2	1	1
Whooping cough												
M	034	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection												
M	036	6	3	1	2	-	-	-	-	-	-	-
F		2	-	-	1	-	-	-	1	-	-	-
Tetanus												
M	037	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Septicaemia												
M	038	8	-	-	-	-	-	-	-	1	-	7
F		14	1	-	-	-	-	-	-	1	6	6
Smallpox												
M	041	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Measles												
M	042	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Malaria												
M	052	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-	1
Other infectious and parasitic diseases												
M		20	1	-	-	-	4	1	3	3	3	5
F		15	-	-	-	-	-	-	1	1	4	9
Malignant neoplasms:-												
M	08-14	2,594	-	1	6	10	20	59	161	388	904	1,045
F		1,997	1	2	1	7	25	85	169	288	578	841
of stomach												
M	091	197	-	-	-	-	-	6	8	28	72	83
F		80	-	-	-	-	-	2	5	5	30	38
colon												
M	093	225	-	-	-	-	1	6	10	34	66	108
F		214	-	-	-	-	1	6	13	16	62	116
rectum, rectosigmoid junction and anus												
M	094	86	-	-	-	-	-	4	8	15	20	39
F		47	-	-	-	-	-	1	4	7	4	31
trachea, bronchus & lung												
M	101	612	-	-	-	-	-	6	28	114	254	210
F		263	-	-	-	1	1	6	14	39	96	106
female breast												
M	113	-	-	-	-	-	-	-	-	-	-	-
F		379	-	-	-	-	5	28	65	82	92	107
cervix uteri												
M	120	-	-	-	-	-	-	-	-	-	-	-
F		41	-	-	-	-	2	10	4	5	12	8
Leukaemia												
M	141	109	-	-	1	6	2	4	7	8	35	46
F		44	-	-	-	2	1	3	5	3	7	23

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

RURAL DISTRICTS

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Other malignant neoplasms												
M		1,365	-	1	5	4	17	33	100	189	457	559
F		929	1	2	1	4	15	29	59	131	275	412
Diabetes mellitus												
M	181	169	-	-	-	1	-	-	3	24	43	98
F		149	-	-	-	-	1	1	1	9	54	83
Nutritional marasmus												
M	191	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other protein-calorie malnutrition												
M	192	3	-	-	-	-	-	-	-	-	1	2
F		2	-	-	-	-	-	1	-	-	1	-
Anaemias												
M	200	15	-	-	-	-	-	-	-	-	4	11
F		25	-	-	-	-	-	-	1	1	3	20
Meningitis												
M	220	6	1	1	1	1	-	-	-	-	1	1
F		3	-	-	1	-	-	-	-	-	1	1
Diseases of the Circulatory system:-												
M	25-30	5,149	1	-	3	6	15	50	200	516	1,536	2,822
F		4,050	-	1	4	3	3	18	72	200	741	3,008
Acute rheumatic fever												
M	250	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Chronic rheumatic heart disease												
M	251	15	-	-	-	-	-	-	1	1	6	7
F		21	-	-	-	-	-	1	2	4	7	7
Hypertensive disease												
M	26	50	-	-	-	-	-	-	2	2	13	33
F		63	-	-	-	-	-	-	-	6	8	49
Ischaemic heart disease												
M	27	3,120	-	-	-	-	6	36	154	383	1,058	1,483
F		1,939	-	-	-	1	-	-	27	130	442	1,339
- of which (Acute myocardial infarction)*												
M	(270)	2,459	-	-	-	-	4	27	114	301	887	1,126
F		1,471	-	-	-	1	-	-	24	96	364	986
Cerebrovascular disease												
M	29	906	1	-	-	2	2	5	11	55	222	608
F		1,069	-	-	2	-	3	8	27	38	183	808
Atherosclerosis												
M	300	155	-	-	-	-	-	-	3	4	21	127
F		143	-	-	-	-	-	-	1	2	8	132
Other diseases of circulatory system												
M		903	-	-	3	4	7	9	29	71	216	564
F		815	-	1	2	2	-	9	15	20	93	673
Pneumonia												
M	321	593	1	-	-	1	5	6	7	21	88	464
F		643	-	-	-	1	-	1	6	17	57	561
Influenza												
M	322	4	-	-	-	-	-	-	-	-	-	4
F		10	-	-	-	-	-	-	-	-	1	9
Bronchitis, emphysema and asthma												
M	323	202	-	-	1	3	1	1	5	18	62	111
F		108	-	1	-	-	-	-	4	15	29	59
Ulcer of stomach and duodenum												
M	341	68	-	-	-	-	-	-	1	3	20	44
F		56	-	-	-	-	-	-	2	2	10	42
Appendicitis												
M	342	-	-	-	-	-	-	-	-	-	-	-

* Included in Mortality List Number 27

Table 21 Deaths occurring in 1992, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining Urban Districts and Aggregate Rural Districts — Continued

RURAL DISTRICTS

Cause of Death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Appendicitis												
F		1	-	-	-	-	-	-	-	1	-	-
Chronic liver disease and cirrhosis												
M	347	31	-	-	-	-	1	1	4	13	6	6
F		14	-	-	-	-	1	-	4	2	4	3
Nephritis, nephrotic syndrome and nephrosis												
M	350	126	-	-	-	-	-	2	1	4	23	96
F		123	-	-	1	-	-	-	1	4	14	103
Hyperplasia of prostate												
M	360	22	-	-	-	-	-	-	-	2	4	16
F		-	-	-	-	-	-	-	-	-	-	-
Abortion												
M	38	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Direct obstetric deaths												
M	39	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	1	-	-	-	-
Congenital anomalies												
M	44	66	40	4	4	6	2	3	-	1	3	3
F		75	42	8	4	5	1	3	4	3	1	4
Certain conditions originating in the perinatal period*												
M	45	33	33	-	-	-	-	-	-	-	-	-
F		22	22	-	-	-	-	-	-	-	-	-
(Birth trauma)®												
M	(453)	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Signs, symptoms and ill-defined conditions												
M	46	66	25	-	-	-	-	2	-	4	7	28
F		72	13	1	-	-	-	-	-	-	6	52
Injury and poisoning:-												
M	47-56	678	2	10	25	154	116	85	77	69	59	81
F		227	-	10	6	24	18	16	19	24	26	84
Fractures												
M	47	128	1	3	6	30	11	12	7	12	10	36
F		80	-	2	1	7	3	1	2	2	7	55
Intracranial and internal injuries, inc. nerves												
M	49	221	-	1	7	64	42	28	24	23	14	18
F		65	-	3	4	8	10	5	6	9	9	11
Burns												
M	52	12	1	-	1	4	-	-	-	1	2	3
F		9	-	2	-	-	-	-	-	-	1	6
Poisonings and toxic effects												
M	53	52	-	-	1	7	7	8	8	7	8	6
F		30	-	1	-	5	3	6	5	4	2	4
Other injuries and poisonings												
M		265	-	6	10	49	56	37	38	26	25	18
F		43	-	2	1	4	2	4	6	9	7	8
All other diseases												
M		1,298	5	4	7	9	11	20	36	105	335	766
F		1,106	9	1	8	8	7	8	32	71	257	705

* Late Foetal Deaths not included

® Included in Mortality List Number 45

RURAL DISTRICTS

[illegible]

Table 22 Deaths of residents of each Province, County and County Borough in 1992, classified by place of occurrence

Province, County or County Borough	ALL AGES		Place of Occurrence							
	Males	Females	General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
			Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	16,516	14,415	3,637	3,705	172	179	6,774	5,701	5,933	4,830
Leinster	7,452	7,080	2,514	2,590	97	97	2,460	2,202	2,381	2,191
Munster	5,188	4,376	762	785	31	42	2,404	2,025	1,991	1,524
Connacht	2,501	2,001	263	238	31	31	1,230	1,013	977	719
Ulster (part of)	1,375	958	98	92	13	9	680	461	584	396
LEINSTER:										
Carlow	218	191	26	15	5	5	113	108	74	63
Dublin County Borough	2,272	2,509	1,213	1,272	32	36	465	512	562	689
Dublin Belgard	390	356	143	133	-	2	137	118	110	103
Dublin Fingal	312	298	166	145	7	16	51	46	88	91
Dun Laoghaire Rathdown	619	700	401	428	14	8	45	64	159	200
Kildare	449	351	83	77	4	1	211	167	151	106
Kilkenny	326	304	21	32	8	6	147	143	150	123
Laois	286	234	16	27	2	3	153	127	115	77
Longford	162	144	12	18	3	2	87	65	60	59
Louth	411	370	133	143	6	5	139	124	133	98
Meath	445	326	101	82	3	5	170	115	171	124
Offaly	329	255	28	21	1	3	164	116	136	115
Westmeath	324	221	41	32	6	2	168	120	109	67
Wexford	524	461	40	78	5	3	256	231	223	149
Wicklow	385	360	90	87	1	-	154	146	140	127
MUNSTER:										
Clare	471	361	47	48	3	1	262	210	159	102
Cork County Borough	537	589	206	197	2	2	160	196	169	194
Cork County	1,433	1,178	218	192	3	6	621	535	591	445
Kerry	841	618	43	52	5	14	481	323	312	229
Limerick County Borough	266	227	77	74	4	1	119	89	66	63
Limerick County	509	402	67	78	4	1	225	181	213	142
Tipperary N.R.	295	262	47	57	1	1	113	108	134	96
Tipperary S.R.	425	343	35	56	4	-	226	192	160	95
Waterford County Borough	140	154	5	7	3	7	64	76	68	64
Waterford County	271	242	17	24	2	9	133	115	119	94
CONNACHT:										
Galway County Borough	128	133	13	24	2	1	74	73	39	35
Galway County	779	594	149	118	15	19	301	226	314	231
Leitrim	212	178	18	15	-	2	118	101	76	60
Mayo	720	576	31	40	11	7	403	341	275	188
Roscommon	316	254	26	27	-	-	152	120	138	107
Sligo	346	266	26	14	3	2	182	152	135	98
ULSTER (part of):										
Cavan	356	233	38	31	4	3	177	111	137	88
Donegal	725	525	38	38	8	5	349	249	330	233
Monaghan	294	200	22	23	1	1	154	101	117	75

Table 23 Deaths of residents of each Province, County and County Borough in 1992, which were not medically certified, classified by age

[illegible]

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
TOTAL												
Tuberculosis, all forms	M	38	–	–	–	–	1	1	2	4	15	15
	F	18	–	–	–	–	–	–	1	3	6	8
Other Infective and Parasitic Diseases	M	57	7	4	4	2	7	6	5	4	2	16
	F	57	3	–	1	2	3	3	4	3	11	27
Malignant Neoplasms	M	4,078	–	4	10	17	35	97	277	651	1,412	1,575
	F	3,461	1	2	4	9	33	141	303	536	996	1,436
Ischaemic and other forms of Heart Disease	M	5,465	1	–	3	6	19	76	305	719	1,743	2,593
	F	4,274	–	1	3	3	4	17	63	262	884	3,037
Hypertensive Disease	M	82	–	–	–	–	–	2	2	6	24	48
	F	100	–	–	–	–	–	1	–	8	11	80
Cerebrovascular Disease	M	1,263	1	–	1	3	3	10	24	88	328	805
	F	1,708	–	–	2	1	3	15	39	60	290	1,298
Other Diseases of the Circulatory System	M	581	–	–	–	1	3	4	15	54	145	359
	F	500	–	–	–	–	1	5	10	17	71	396
Diseases of the Respiratory System	M	2,175	2	1	1	7	16	16	33	146	521	1,432
	F	1,930	5	1	3	2	2	6	30	110	323	1,448
Senility	M	10	–	–	–	–	–	–	–	–	1	9
	F	15	–	–	–	–	–	–	–	–	1	14
Other Diseases	M	1,808	183	16	16	32	40	55	72	167	372	855
	F	1,982	126	16	16	19	28	33	63	117	381	1,183
Injury and Poisoning	M	959	2	12	34	217	174	116	111	97	90	106
	F	370	–	13	10	38	30	23	28	43	42	143
ALL CAUSES	M	16,516	196	37	69	285	298	383	846	1,936	4,653	7,813
	F	14,415	135	33	39	74	104	244	541	1,159	3,016	9,070
LEINSTER												
Tuberculosis, all forms	M	18	–	–	–	–	1	1	–	1	9	6
	F	7	–	–	–	–	–	–	–	2	2	3
Other Infective and Parasitic Diseases	M	35	6	2	3	2	6	3	3	1	2	7
	F	30	1	–	1	2	3	3	3	2	5	10
Malignant Neoplasms	M	1,984	–	2	3	8	21	51	151	326	665	757
	F	1,819	–	1	3	5	19	78	169	292	492	760
Ischaemic and other forms of Heart Disease	M	2,351	1	–	–	1	11	45	160	349	766	1,018
	F	2,029	–	–	1	–	3	10	41	148	425	1,401
Hypertensive Disease	M	40	–	–	–	–	–	1	–	3	12	24
	F	54	–	–	–	–	–	1	–	5	7	41
Cerebrovascular Disease	M	537	–	–	1	2	3	7	15	46	136	327
	F	796	–	–	1	1	1	3	20	25	137	608
Other Diseases of the Circulatory System	M	219	–	–	–	1	2	1	7	34	54	120
	F	198	–	–	–	–	1	1	3	10	34	149
Diseases of the Respiratory System	M	956	1	–	1	5	12	11	17	69	247	593
	F	876	2	1	3	1	2	3	20	52	162	630
Senility	M	6	–	–	–	–	–	–	–	–	–	6
	F	5	–	–	–	–	–	–	–	–	–	5
Other Diseases	M	858	115	7	8	18	28	26	37	76	163	380
	F	1,098	72	10	11	9	21	21	39	70	202	643
Injury and Poisoning	M	448	–	5	18	99	90	59	53	43	39	42
	F	168	–	8	1	17	12	13	12	19	22	64
ALL CAUSES	M	7,452	123	16	34	136	174	205	443	948	2,093	3,280
	F	7,080	75	20	21	35	62	133	307	625	1,488	4,314

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
MUNSTER												
Tuberculosis, all forms	M	11	–	–	–	–	–	–	1	3	2	5
	F	6	–	–	–	–	–	–	1	1	2	2
Other Infective and Parasitic Diseases	M	16	1	–	1	–	1	2	1	3	–	7
	F	20	2	–	–	–	–	–	–	–	4	14
Malignant Neoplasms	M	1,240	–	1	5	7	8	30	77	211	456	445
	F	985	–	–	–	2	9	38	84	159	299	394
Ischaemic and other forms of Heart Disease	M	1,774	–	–	1	3	5	19	94	233	576	843
	F	1,337	–	–	2	2	1	5	15	74	272	966
Hypertensive Disease	M	21	–	–	–	–	–	1	2	1	6	11
	F	32	–	–	–	–	–	–	–	1	4	27
Cerebrovascular Disease	M	407	–	–	–	1	–	2	6	27	108	263
	F	550	–	–	1	–	2	10	16	19	93	409
Other Diseases of the Circulatory System	M	210	–	–	–	–	1	3	6	14	52	134
	F	185	–	–	–	–	–	2	2	6	24	151
Diseases of the Respiratory System	M	674	1	1	–	2	2	5	10	44	158	451
	F	618	3	–	–	1	–	3	8	38	97	468
Senility	M	3	–	–	–	–	–	–	–	–	–	3
	F	5	–	–	–	–	–	–	–	–	1	4
Other Diseases	M	541	45	4	3	7	7	18	28	58	129	242
	F	507	41	1	1	10	4	7	7	31	101	304
Injury and Poisoning	M	291	2	2	12	77	46	30	26	29	30	37
	F	131	–	1	8	13	11	7	10	17	14	50
ALL CAUSES	M	5,188	49	8	22	97	70	110	251	623	1,517	2,441
	F	4,376	46	2	12	28	27	72	143	346	911	2,789
CONNACHT												
Tuberculosis, all forms	M	6	–	–	–	–	–	–	1	–	1	4
	F	2	–	–	–	–	–	–	–	–	1	1
Other Infective and Parasitic Diseases	M	4	–	2	–	–	–	1	–	–	–	1
	F	3	–	–	–	–	–	–	–	–	–	3
Malignant Neoplasms	M	551	–	1	1	1	4	9	35	75	187	238
	F	436	1	–	1	1	2	17	34	59	145	176
Ischaemic and other forms of Heart Disease	M	848	–	–	1	1	2	6	32	87	247	472
	F	613	–	1	–	–	–	1	4	30	118	459
Hypertensive Disease	M	15	–	–	–	–	–	–	–	1	4	10
	F	11	–	–	–	–	–	–	–	–	–	11
Cerebrovascular Disease	M	204	1	–	–	–	–	1	2	10	53	137
	F	249	–	–	–	–	–	1	2	11	41	194
Other Diseases of the Circulatory System	M	106	–	–	–	–	–	–	2	4	31	69
	F	78	–	–	–	–	–	1	3	–	8	66
Diseases of the Respiratory System	M	379	–	–	–	–	2	–	3	18	78	278
	F	309	–	–	–	–	–	–	1	15	44	249
Senility	M	1	–	–	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	–	–	2
Other Diseases	M	263	11	5	4	4	3	7	4	21	53	151
	F	251	6	3	4	–	1	3	9	11	50	164
Injury and Poisoning	M	124	–	2	3	25	22	15	18	19	8	12
	F	47	–	2	1	6	5	2	5	4	4	18
ALL CAUSES	M	2,501	12	10	9	31	33	39	97	235	663	1,372
	F	2,001	7	6	6	7	8	25	58	130	411	1,343

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
ULSTER (PART OF)												
Tuberculosis, all forms	M	3	–	–	–	–	–	–	–	–	3	–
	F	3	–	–	–	–	–	–	–	–	1	2
Other Infective and Parasitic Diseases	M	2	–	–	–	–	–	–	1	–	–	1
	F	4	–	–	–	–	–	–	1	1	2	–
Malignant Neoplasms	M	303	–	–	1	1	2	7	14	39	104	135
	F	221	–	1	–	1	3	8	16	26	60	106
Ischaemic and other forms of Heart Disease	M	492	–	–	1	1	1	6	19	50	154	260
	F	295	–	–	–	1	–	1	3	10	69	211
Hypertensive Disease	M	6	–	–	–	–	–	–	–	1	2	3
	F	3	–	–	–	–	–	–	–	2	–	1
Cerebrovascular Disease	M	115	–	–	–	–	–	–	1	5	31	78
	F	113	–	–	–	–	–	1	1	5	19	87
Other Diseases of the Circulatory System	M	46	–	–	–	–	–	–	–	2	8	36
	F	39	–	–	–	–	–	1	2	1	5	30
Diseases of the Respiratory System	M	166	–	–	–	–	–	–	3	15	38	110
	F	127	–	–	–	–	–	–	1	5	20	101
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	–	3
Other Diseases	M	146	12	–	1	3	2	4	3	12	27	82
	F	126	7	2	–	–	2	2	8	5	28	72
Injury and Poisoning	M	96	–	3	1	16	16	12	14	6	13	15
	F	24	–	2	–	2	2	1	1	3	2	11
ALL CAUSES	M	1,375	12	3	4	21	21	29	55	130	380	720
	F	958	7	5	–	4	7	14	33	58	206	624
COUNTY CARLOW												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	1	–	–	–	–	–	–	–	–	–	1
	F	1	–	–	–	–	–	–	–	–	–	1
Malignant Neoplasms	M	52	–	1	–	–	–	–	2	10	22	17
	F	38	–	–	–	–	2	–	2	3	10	21
Ischaemic and other forms of Heart Disease	M	71	–	–	–	–	–	4	5	6	25	31
	F	55	–	–	–	–	–	–	1	2	17	35
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	–	1
	F	4	–	–	–	–	–	–	–	1	–	3
Cerebrovascular Disease	M	13	–	–	–	1	–	–	–	1	2	9
	F	28	–	–	–	–	–	–	3	1	6	18
Other Diseases of the Circulatory System	M	3	–	–	–	–	–	–	1	–	2	–
	F	5	–	–	–	–	–	–	1	–	1	3
Diseases of the Respiratory System	M	34	–	–	–	–	–	1	–	7	13	13
	F	24	–	–	–	–	–	–	–	2	3	19
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	22	2	–	–	1	–	–	1	1	7	10
	F	31	2	–	–	–	–	2	1	–	7	19
Injury and Poisoning	M	21	–	–	1	8	4	3	1	2	1	1
	F	5	–	1	–	1	–	–	1	1	–	1
ALL CAUSES	M	218	2	1	1	10	4	8	10	27	72	83
	F	191	2	1	–	1	2	2	9	10	44	120

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	9	–	–	–	–	1	–	–	–	6	2
	F	3	–	–	–	–	–	–	–	1	1	1
Other Infective and Parasitic Diseases	M	15	2	1	1	1	2	1	1	1	1	4
	F	12	–	–	–	1	3	1	1	–	–	6
Malignant Neoplasms	M	626	–	1	1	4	7	17	42	115	208	231
	F	685	–	–	1	1	4	21	49	119	189	301
Ischaemic and other forms of Heart Disease	M	697	–	–	–	–	3	11	50	121	233	279
	F	713	–	–	1	–	3	3	15	54	144	493
Hypertensive Disease	M	20	–	–	–	–	–	–	–	3	8	9
	F	17	–	–	–	–	–	1	–	1	2	13
Cerebrovascular Disease	M	157	–	–	–	–	1	4	6	19	51	76
	F	258	–	–	–	–	–	1	2	12	39	204
Other Diseases of the Circulatory System	M	69	–	–	–	–	–	–	2	12	17	38
	F	79	–	–	–	–	1	–	1	6	14	57
Diseases of the Respiratory System	M	265	–	–	–	–	3	2	7	19	81	153
	F	290	–	–	–	1	2	3	10	23	56	195
Senility	M	1	–	–	–	–	–	–	–	–	–	1
	F	1	–	–	–	–	–	–	–	–	–	1
Other Diseases	M	296	33	1	2	7	20	12	18	29	61	113
	F	400	15	2	3	3	8	7	13	27	68	254
Injury and Poisoning	M	117	–	–	3	23	27	13	15	11	12	13
	F	51	–	2	1	4	2	4	2	4	9	23
ALL CAUSES	M	2,272	35	3	7	35	64	60	141	330	678	919
	F	2,509	15	4	6	10	23	41	93	247	522	1,548
DUBLIN BELGARD												
Tuberculosis, all forms	M	1	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	6	1	1	–	–	1	1	1	–	–	1
	F	3	–	–	1	–	–	–	–	–	2	–
Malignant Neoplasms	M	111	–	–	–	–	6	6	15	25	27	32
	F	118	–	–	–	1	3	10	14	18	31	41
Ischaemic and other forms of Heart Disease	M	88	–	–	–	–	1	6	13	16	30	22
	F	81	–	–	–	–	–	1	4	11	14	51
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	1	–
	F	3	–	–	–	–	–	–	–	1	–	2
Cerebrovascular Disease	M	27	–	–	–	–	–	1	–	3	8	15
	F	31	–	–	–	–	–	–	3	1	5	22
Other Diseases of the Circulatory System	M	16	–	–	–	–	–	–	1	4	3	8
	F	6	–	–	–	–	–	–	–	1	2	3
Diseases of the Respiratory System	M	41	–	–	1	–	3	1	–	5	11	20
	F	36	–	–	–	–	–	–	1	1	7	27
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	65	18	2	2	2	1	–	3	3	14	20
	F	69	12	1	3	1	–	2	2	4	12	32
Injury and Poisoning	M	34	–	–	4	9	6	3	6	3	3	–
	F	9	–	1	–	3	1	2	–	2	–	–
ALL CAUSES	M	390	19	3	7	11	18	18	39	59	98	118
	F	356	12	2	4	5	4	15	24	39	73	178

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
DUBLIN FINGAL												
Tuberculosis, all forms	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	3	2	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	92	–	–	–	1	–	4	10	15	36	26
	F	84	–	–	–	–	–	9	9	15	19	32
Ischaemic and other forms of Heart Disease	M	92	–	–	–	–	–	–	9	12	27	44
	F	84	–	–	–	–	–	1	1	7	16	59
Hypertensive Disease	M	3	–	–	–	–	–	–	–	–	1	2
	F	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular Disease	M	11	–	–	–	–	–	–	–	–	2	9
	F	27	–	–	–	–	–	–	1	–	2	24
Other Diseases of the Circulatory System	M	11	–	–	–	–	–	–	–	5	–	6
	F	8	–	–	–	–	–	–	–	–	–	8
Diseases of the Respiratory System	M	30	1	–	–	–	–	1	–	3	7	18
	F	30	–	–	–	–	–	–	2	1	3	24
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	45	12	–	1	3	–	2	3	5	8	11
	F	54	9	1	–	–	2	–	4	4	12	22
Injury and Poisoning	M	24	–	–	–	5	5	6	3	1	1	3
	F	11	–	1	–	–	1	–	–	2	3	4
ALL CAUSES	M	312	15	–	1	9	5	13	26	41	82	120
	F	298	9	2	–	–	3	10	17	29	55	173
DUN LAOGHAIRE RATHDOWN												
Tuberculosis, all forms	M	2	–	–	–	–	–	–	–	1	–	1
	F	3	–	–	–	–	–	–	–	–	1	2
Other Infective and Parasitic Diseases	M	2	1	–	–	–	–	–	–	–	1	–
	F	4	–	–	–	1	–	1	–	1	–	1
Malignant Neoplasms	M	194	–	–	–	1	2	4	19	25	54	89
	F	199	–	–	1	–	1	5	26	35	46	85
Ischaemic and other forms of Heart Disease	M	186	–	–	–	–	2	3	17	42	48	74
	F	179	–	–	–	–	–	2	2	5	40	130
Hypertensive Disease	M	4	–	–	–	–	–	1	–	–	–	3
	F	4	–	–	–	–	–	–	–	–	–	4
Cerebrovascular Disease	M	49	–	–	–	–	–	1	2	2	11	33
	F	83	–	–	–	–	–	–	2	2	15	64
Other Diseases of the Circulatory System	M	20	–	–	–	–	–	1	–	3	2	14
	F	25	–	–	–	–	–	1	–	–	2	22
Diseases of the Respiratory System	M	68	–	–	–	1	1	1	–	6	14	45
	F	70	–	–	–	–	–	–	1	4	12	53
Senility	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	67	11	–	1	–	2	2	1	6	10	34
	F	113	7	2	–	–	7	1	3	8	22	63
Injury and Poisoning	M	26	–	1	–	4	6	4	3	3	2	3
	F	20	–	–	–	2	2	1	2	3	2	8
ALL CAUSES	M	619	12	1	1	6	13	17	42	88	142	297
	F	700	7	2	1	3	10	11	36	58	140	432

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY KILDARE												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	3	–	–	1	–	1	1	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Malignant Neoplasms	M	108	–	–	2	–	2	1	12	18	28	45
	F	99	–	1	1	–	2	8	8	12	30	37
Ischaemic and other forms of Heart Disease	M	150	–	–	–	–	–	5	14	21	43	67
	F	95	–	–	–	–	–	–	4	11	21	59
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	–	1
	F	3	–	–	–	–	–	–	–	2	–	1
Cerebrovascular Disease	M	40	–	–	–	–	1	–	2	3	6	28
	F	39	–	–	1	–	–	–	–	–	9	29
Other Diseases of the Circulatory System	M	16	–	–	–	–	–	–	–	2	5	9
	F	8	–	–	–	–	–	–	–	–	2	6
Diseases of the Respiratory System	M	54	–	–	–	1	1	–	2	2	16	32
	F	34	–	1	–	–	–	–	2	3	5	23
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	51	2	2	1	2	3	–	3	8	11	19
	F	62	10	1	–	–	–	–	5	2	12	32
Injury and Poisoning	M	26	–	1	1	6	4	6	4	3	–	1
	F	10	–	–	–	2	–	2	2	–	1	3
ALL CAUSES	M	449	2	3	5	9	12	13	37	57	109	202
	F	351	10	3	2	2	2	10	21	30	80	191
COUNTY KILKENNY												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	74	–	–	–	–	–	3	2	10	31	28
	F	72	–	–	–	1	1	2	7	7	20	34
Ischaemic and other forms of Heart Disease	M	117	1	–	–	–	–	4	10	15	36	51
	F	85	–	–	–	–	–	–	2	1	14	68
Hypertensive Disease	M	–	–	–	–	–	–	–	–	–	–	–
	F	5	–	–	–	–	–	–	–	–	1	4
Cerebrovascular Disease	M	30	–	–	–	–	1	–	–	1	8	20
	F	45	–	–	–	–	–	–	–	–	6	39
Other Diseases of the Circulatory System	M	8	–	–	–	–	–	–	–	1	4	3
	F	6	–	–	–	–	–	–	–	1	2	3
Diseases of the Respiratory System	M	47	–	–	–	–	1	–	1	3	9	33
	F	45	–	–	–	–	–	–	1	3	9	32
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	27	1	–	–	1	1	–	–	1	6	17
	F	38	2	–	–	–	–	3	–	–	6	27
Injury and Poisoning	M	22	–	–	2	7	5	2	2	3	1	–
	F	8	–	–	–	–	2	–	–	1	2	3
ALL CAUSES	M	326	2	–	2	8	8	9	15	34	95	153
	F	304	2	–	–	1	3	5	10	13	60	210

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and Over
COUNTY LAOIS												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	72	-	-	-	1	-	-	1	9	27	34
	F	49	-	-	-	-	-	2	6	6	9	26
Ischaemic and other forms of Heart Disease	M	90	-	-	-	-	-	-	3	10	28	49
	F	72	-	-	-	-	-	-	1	6	24	41
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	16	-	-	-	-	-	-	-	4	5	7
	F	30	-	-	-	-	-	1	-	1	9	19
Other Diseases of the Circulatory System	M	9	-	-	-	-	-	-	-	-	3	6
	F	2	-	-	-	-	-	-	-	1	1	-
Diseases of the Respiratory System	M	49	-	-	-	-	-	-	-	1	16	32
	F	41	-	-	-	-	-	-	-	2	11	28
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	30	-	1	1	-	1	-	-	1	4	22
	F	35	1	-	2	-	-	-	2	4	7	19
Injury and Poisoning	M	17	-	2	1	2	3	3	3	-	2	1
	F	4	-	-	-	-	-	2	-	1	-	1
ALL CAUSES	M	286	-	3	2	3	4	3	7	25	86	153
	F	234	1	-	2	-	-	5	9	21	61	135
COUNTY LONGFORD												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant Neoplasms	M	43	-	-	-	-	-	1	3	5	15	19
	F	27	-	-	-	-	1	2	3	-	8	13
Ischaemic and other forms of Heart Disease	M	50	-	-	-	-	-	-	-	7	17	26
	F	44	-	-	-	-	-	-	-	1	6	37
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	19	-	-	-	-	-	-	2	-	4	13
	F	32	-	-	-	-	-	-	-	-	3	29
Other Diseases of the Circulatory System	M	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	3	3
Diseases of the Respiratory System	M	24	-	-	-	-	-	1	-	1	4	18
	F	16	1	-	-	-	-	-	-	1	2	12
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	16	-	-	-	-	-	-	2	2	1	11
	F	16	1	-	1	-	-	-	1	2	4	7
Injury and Poisoning	M	8	-	1	-	1	3	1	1	1	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
ALL CAUSES	M	162	-	1	1	1	3	3	8	16	42	87
	F	144	2	-	1	-	1	2	4	6	26	102

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY LOUTH												
Tuberculosis, all forms	M	2	–	–	–	–	–	–	–	–	1	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	1	–	–	1	–
Malignant Neoplasms	M	118	–	–	–	–	–	3	6	20	43	46
	F	98	–	–	–	1	–	4	9	15	29	40
Ischaemic and other forms of Heart Disease	M	120	–	–	–	–	1	2	7	15	42	53
	F	101	–	–	–	–	–	–	2	10	25	64
Hypertensive Disease	M	2	–	–	–	–	–	–	–	–	1	1
	F	4	–	–	–	–	–	–	–	–	1	3
Cerebrovascular Disease	M	31	–	–	1	–	–	–	–	2	8	20
	F	29	–	–	–	1	–	1	2	2	2	21
Other Diseases of the Circulatory System	M	9	–	–	–	–	–	–	1	1	1	6
	F	12	–	–	–	–	–	–	–	1	–	11
Diseases of the Respiratory System	M	60	–	–	–	2	3	–	2	4	12	37
	F	70	–	–	1	–	–	–	1	5	13	50
Senility	M	1	–	–	–	–	–	–	–	–	–	1
	F	2	–	–	–	–	–	–	–	–	–	2
Other Diseases	M	39	11	–	–	–	–	2	2	4	12	8
	F	42	2	–	–	–	–	3	–	3	9	25
Injury and Poisoning	M	29	–	–	–	5	5	5	2	3	6	3
	F	10	–	–	–	–	–	–	–	1	2	7
ALL CAUSES	M	411	11	–	1	7	9	12	20	49	126	176
	F	370	2	–	1	2	–	9	14	37	82	223
COUNTY MEATH												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	1	–	–	–	–	1	–	–	–	–	–
	F	3	–	–	–	–	–	–	2	–	1	–
Malignant Neoplasms	M	102	–	–	–	–	2	–	9	11	40	40
	F	70	–	–	–	–	1	6	4	14	24	21
Ischaemic and other forms of Heart Disease	M	157	–	–	–	–	1	2	7	18	65	64
	F	110	–	–	–	–	–	1	2	12	24	71
Hypertensive Disease	M	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	–	–	1	3
Cerebrovascular Disease	M	33	–	–	–	–	–	–	1	1	8	23
	F	33	–	–	–	–	–	–	1	–	7	25
Other Diseases of the Circulatory System	M	16	–	–	–	–	–	–	–	–	7	9
	F	7	–	–	–	–	–	–	–	–	1	6
Diseases of the Respiratory System	M	61	–	–	–	1	–	–	–	5	13	42
	F	42	1	–	1	–	–	–	–	1	10	29
Senility	M	2	–	–	–	–	–	–	–	–	–	2
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	36	9	–	–	–	–	1	–	5	5	16
	F	50	2	2	–	2	1	1	2	3	5	32
Injury and Poisoning	M	37	–	–	–	13	7	2	5	7	3	–
	F	7	–	2	–	1	1	–	–	1	1	1
ALL CAUSES	M	445	9	–	–	14	11	5	22	47	141	196
	F	326	3	4	1	3	3	8	11	31	74	188

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and Over
COUNTY OFFALY												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	93	–	–	–	–	1	4	8	14	29	37
	F	54	–	–	–	–	–	3	7	10	19	15
Ischaemic and other forms of Heart Disease	M	103	–	–	–	–	1	3	4	14	31	50
	F	69	–	–	–	–	–	–	1	5	14	49
Hypertensive Disease	M	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	2	1
Cerebrovascular Disease	M	21	–	–	–	1	–	–	–	3	7	10
	F	36	–	–	–	–	–	–	1	2	7	26
Other Diseases of the Circulatory System	M	10	–	–	–	–	–	–	–	1	2	7
	F	11	–	–	–	–	–	–	1	–	1	9
Diseases of the Respiratory System	M	50	–	–	–	–	–	–	1	2	21	26
	F	42	–	–	–	–	–	–	–	2	10	30
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	33	3	1	–	–	–	–	–	2	7	20
	F	34	2	–	–	–	–	–	2	3	7	20
Injury and Poisoning	M	19	–	–	2	1	3	3	3	2	2	3
	F	5	–	–	–	1	–	–	2	–	–	2
ALL CAUSES	M	329	3	1	2	2	5	10	16	38	99	153
	F	255	2	–	–	1	–	3	14	23	60	152
COUNTY WESTMEATH												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	1	–	–	–	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–
Malignant Neoplasms	M	75	–	–	–	–	–	1	6	10	33	25
	F	45	–	–	–	–	1	1	4	6	14	19
Ischaemic and other forms of Heart Disease	M	116	–	–	–	–	–	2	6	15	37	56
	F	85	–	–	–	–	–	–	–	8	17	60
Hypertensive Disease	M	3	–	–	–	–	–	–	–	–	–	3
	F	1	–	–	–	–	–	–	–	–	–	1
Cerebrovascular Disease	M	27	–	–	–	–	–	–	–	2	7	18
	F	30	–	–	–	–	1	–	–	2	4	23
Other Diseases of the Circulatory System	M	13	–	–	–	–	1	–	1	2	2	7
	F	5	–	–	–	–	–	–	–	–	1	4
Diseases of the Respiratory System	M	49	–	–	–	–	–	4	2	5	11	27
	F	17	–	–	–	–	–	–	–	–	3	14
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	28	6	–	–	1	–	2	–	1	1	17
	F	33	3	–	1	1	–	–	2	4	7	15
Injury and Poisoning	M	12	–	–	1	1	2	2	2	1	1	2
	F	4	–	–	–	–	–	1	–	–	1	2
ALL CAUSES	M	324	6	–	1	3	3	11	17	36	92	155
	F	221	3	–	1	1	2	2	6	20	48	138

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY WEXFORD												
Tuberculosis, all forms	M	1	–	–	–	–	–	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	1	–	–	–	–	1	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Malignant Neoplasms	M	118	–	–	–	–	–	5	12	17	37	47
	F	89	–	–	–	1	3	2	8	17	19	39
Ischaemic and other forms of Heart Disease	M	190	–	–	–	1	2	2	9	21	67	88
	F	136	–	–	–	–	–	2	2	7	29	96
Hypertensive Disease	M	2	–	–	–	–	–	–	–	–	–	2
	F	2	–	–	–	–	–	–	–	–	–	2
Cerebrovascular Disease	M	36	–	–	–	–	–	1	1	2	5	27
	F	63	–	–	–	–	–	–	3	2	18	40
Other Diseases of the Circulatory System	M	8	–	–	–	–	–	–	1	1	4	2
	F	10	–	–	–	–	–	–	–	–	2	8
Diseases of the Respiratory System	M	71	–	–	–	–	–	–	2	4	11	54
	F	72	–	–	1	–	–	–	1	3	10	57
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	59	4	–	–	1	–	1	1	6	7	39
	F	74	3	–	–	1	1	–	1	4	21	43
Injury and Poisoning	M	38	–	–	3	10	8	3	1	1	4	8
	F	14	–	1	–	1	2	1	–	2	1	6
ALL CAUSES	M	524	4	–	3	12	11	13	27	52	135	267
	F	461	3	1	1	3	6	5	15	35	100	292
COUNTY WICKLOW												
Tuberculosis, all forms	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	106	–	–	–	1	1	2	4	22	35	41
	F	92	–	–	–	–	–	3	13	15	25	36
Ischaemic and other forms of Heart Disease	M	124	–	–	–	–	–	1	6	16	37	64
	F	120	–	–	–	–	–	–	4	8	20	88
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	–	1
	F	3	–	–	–	–	–	–	–	–	–	3
Cerebrovascular Disease	M	27	–	–	–	–	–	–	1	3	4	19
	F	32	–	–	–	–	–	–	2	–	5	25
Other Diseases of the Circulatory System	M	11	–	–	–	1	1	–	–	2	2	5
	F	8	–	–	–	–	–	–	–	–	2	6
Diseases of the Respiratory System	M	53	–	–	–	–	–	–	–	2	8	43
	F	47	–	–	–	–	–	–	1	1	8	37
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Other Diseases	M	44	3	–	–	–	–	4	3	2	9	23
	F	47	1	1	1	1	2	2	1	2	3	33
Injury and Poisoning	M	18	–	–	–	4	2	3	2	2	1	4
	F	9	–	–	–	2	1	–	3	–	–	3
ALL CAUSES	M	385	3	–	–	6	4	10	16	49	96	201
	F	360	2	1	1	3	3	5	24	26	63	232

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY CLARE												
Tuberculosis, all forms	M	2	–	–	–	–	–	–	–	–	1	1
	F	1	–	–	–	–	–	–	–	–	1	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–
Malignant Neoplasms	M	113	–	–	–	–	–	1	7	14	49	42
	F	65	–	–	–	–	1	2	4	16	18	24
Ischaemic and other forms of Heart Disease	M	146	–	–	–	–	1	–	3	19	45	78
	F	119	–	–	–	1	–	1	2	2	24	89
Hypertensive Disease	M	2	–	–	–	–	–	–	1	–	–	1
	F	2	–	–	–	–	–	–	–	–	–	2
Cerebrovascular Disease	M	36	–	–	–	–	–	1	–	–	8	27
	F	49	–	–	–	–	1	–	2	1	11	34
Other Diseases of the Circulatory System	M	17	–	–	–	–	–	–	1	1	5	10
	F	10	–	–	–	–	–	–	1	1	2	6
Diseases of the Respiratory System	M	74	–	–	–	–	–	1	1	4	15	53
	F	64	–	–	–	–	–	–	1	3	10	50
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	1	1
Other Diseases	M	56	1	1	–	–	–	1	3	5	21	24
	F	37	4	–	1	1	–	–	–	2	9	20
Injury and Poisoning	M	25	–	–	1	6	7	3	1	1	2	4
	F	11	–	–	1	2	1	1	–	1	2	3
ALL CAUSES	M	471	1	1	1	6	8	7	17	44	146	240
	F	361	4	–	2	4	3	4	10	26	79	229
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	3	–	–	–	–	–	–	–	–	1	2
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	3	–	–	1	–	–	1	–	–	–	1
	F	5	2	–	–	–	–	–	–	–	1	2
Malignant Neoplasms	M	140	–	–	1	1	1	5	14	35	47	36
	F	139	–	–	–	–	–	5	15	24	45	50
Ischaemic and other forms of Heart Disease	M	179	–	–	–	1	–	4	11	35	59	69
	F	188	–	–	–	–	–	2	2	13	49	122
Hypertensive Disease	M	1	–	–	–	–	–	1	–	–	–	–
	F	5	–	–	–	–	–	–	–	–	–	5
Cerebrovascular Disease	M	39	–	–	–	–	–	–	1	4	18	16
	F	66	–	–	–	–	–	2	–	2	10	52
Other Diseases of the Circulatory System	M	25	–	–	–	–	–	1	2	2	10	10
	F	27	–	–	–	–	–	–	–	1	4	22
Diseases of the Respiratory System	M	52	1	–	–	–	1	–	1	3	15	31
	F	77	–	–	–	–	–	1	1	6	11	58
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Other Diseases	M	64	9	–	–	3	1	3	4	9	14	21
	F	64	6	–	–	–	–	1	–	3	8	46
Injury and Poisoning	M	31	–	–	2	9	4	1	7	3	4	1
	F	17	–	–	2	2	–	1	1	5	1	5
ALL CAUSES	M	537	10	–	4	14	7	16	40	91	168	187
	F	589	8	–	2	2	–	12	19	54	129	363

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY CORK												
Tuberculosis, all forms	M	3	–	–	–	–	–	–	1	1	–	1
	F	2	–	–	–	–	–	–	1	–	1	–
Other Infective and Parasitic Diseases	M	6	–	–	–	–	–	–	–	2	–	4
	F	5	–	–	–	–	–	–	–	–	–	5
Malignant Neoplasms	M	325	–	1	3	3	–	10	17	59	122	110
	F	257	–	–	–	1	2	6	22	44	73	109
Ischaemic and other forms of Heart Disease	M	494	–	–	–	–	1	7	28	72	147	239
	F	359	–	–	1	–	–	1	2	22	69	264
Hypertensive Disease	M	6	–	–	–	–	–	–	1	–	2	3
	F	10	–	–	–	–	–	–	–	1	4	5
Cerebrovascular Disease	M	114	–	–	–	1	–	–	2	10	28	73
	F	158	–	–	1	–	–	3	7	5	27	115
Other Diseases of the Circulatory System	M	79	–	–	–	–	–	1	2	5	16	55
	F	69	–	–	–	–	–	–	1	1	4	63
Diseases of the Respiratory System	M	185	–	–	–	1	–	1	4	3	48	128
	F	155	1	–	–	–	–	–	2	6	29	117
Senility	M	2	–	–	–	–	–	–	–	–	–	2
	F	2	–	–	–	–	–	–	–	–	–	2
Other Diseases	M	138	16	1	1	1	2	9	6	10	36	56
	F	129	10	1	–	3	–	2	1	6	24	82
Injury and Poisoning	M	81	1	1	4	17	12	9	6	10	7	14
	F	32	–	–	2	4	1	1	3	4	2	15
ALL CAUSES	M	1,433	17	3	8	23	15	37	67	172	406	685
	F	1,178	11	1	4	8	3	13	39	89	233	777
COUNTY KERRY												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Other Infective and Parasitic Diseases	M	3	1	–	–	–	1	1	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	–	3
Malignant Neoplasms	M	191	–	–	–	–	2	8	6	29	73	73
	F	121	–	–	–	1	4	4	10	10	45	47
Ischaemic and other forms of Heart Disease	M	288	–	–	–	–	–	2	12	19	91	164
	F	190	–	–	–	–	–	–	2	6	37	145
Hypertensive Disease	M	5	–	–	–	–	–	–	–	–	2	3
	F	7	–	–	–	–	–	–	–	–	–	7
Cerebrovascular Disease	M	75	–	–	–	–	–	–	–	6	16	53
	F	73	–	–	–	–	1	1	–	5	9	57
Other Diseases of the Circulatory System	M	29	–	–	–	–	–	1	–	2	8	18
	F	26	–	–	–	–	–	–	–	1	4	21
Diseases of the Respiratory System	M	108	–	–	–	–	1	–	1	6	22	78
	F	82	1	–	–	–	–	–	3	5	10	63
Senility	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	99	4	–	–	–	–	1	3	14	17	60
	F	100	5	–	–	1	2	2	4	8	19	59
Injury and Poisoning	M	42	–	–	1	17	3	7	–	2	4	8
	F	15	–	–	–	–	1	1	1	1	3	8
ALL CAUSES	M	841	5	–	1	17	7	20	22	78	233	458
	F	618	6	–	–	2	8	8	20	36	127	411

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	2	–	–	–	–	–	–	–	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Malignant Neoplasms	M	76	–	–	1	–	1	2	5	8	29	30
	F	51	–	–	–	–	–	5	4	13	15	14
Ischaemic and other forms of Heart Disease	M	85	–	–	–	–	–	–	8	19	31	27
	F	78	–	–	–	–	1	–	2	7	18	50
Hypertensive Disease	M	2	–	–	–	–	–	–	–	–	1	1
	F	2	–	–	–	–	–	–	–	–	–	2
Cerebrovascular Disease	M	11	–	–	–	–	–	–	2	1	5	3
	F	30	–	–	–	–	–	2	3	1	9	15
Other Diseases of the Circulatory System	M	10	–	–	–	–	–	–	–	2	2	6
	F	6	–	–	–	–	–	1	–	–	2	3
Diseases of the Respiratory System	M	32	–	–	–	–	–	1	–	6	7	18
	F	34	1	–	–	–	–	1	–	5	5	22
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	30	4	–	–	1	1	–	5	3	10	6
	F	18	1	–	–	–	–	2	–	2	6	7
Injury and Poisoning	M	18	–	–	1	4	4	1	2	4	–	2
	F	7	–	–	–	2	1	–	2	–	–	2
ALL CAUSES	M	266	4	–	2	5	6	4	22	45	85	93
	F	227	2	–	–	2	2	11	11	28	55	116
COUNTY LIMERICK												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	3	–	–	–	–	–	–	–	1	–	2
	F	2	–	–	–	–	–	–	–	–	–	2
Malignant Neoplasms	M	105	–	–	–	1	2	1	8	16	32	45
	F	91	–	–	–	–	1	1	8	9	30	42
Ischaemic and other forms of Heart Disease	M	185	–	–	–	1	1	1	11	20	61	90
	F	116	–	–	1	1	–	–	2	8	18	86
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	–	1
	F	2	–	–	–	–	–	–	–	–	–	2
Cerebrovascular Disease	M	45	–	–	–	–	–	1	–	2	14	28
	F	49	–	–	–	–	–	1	–	3	3	42
Other Diseases of the Circulatory System	M	14	–	–	–	–	1	–	–	2	5	6
	F	9	–	–	–	–	–	–	–	–	1	8
Diseases of the Respiratory System	M	80	–	–	–	1	–	–	1	6	18	54
	F	62	–	–	–	–	–	1	–	2	10	49
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	54	5	–	–	–	2	1	2	8	14	22
	F	57	3	–	–	1	1	–	1	2	15	34
Injury and Poisoning	M	22	1	1	–	4	7	1	3	1	3	1
	F	14	–	1	1	2	1	–	–	1	4	4
ALL CAUSES	M	509	6	1	–	7	13	5	25	56	147	249
	F	402	3	1	2	4	3	3	11	25	81	269

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and Over
TIPPERARY, N.R.												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	1	–	1
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Malignant Neoplasms	M	70	–	–	–	1	–	1	6	8	30	24
	F	67	–	–	–	–	–	4	4	11	17	31
Ischaemic and other forms of Heart Disease	M	107	–	–	–	–	–	1	5	11	39	51
	F	88	–	–	–	–	–	–	1	2	16	69
Hypertensive Disease	M	2	–	–	–	–	–	–	–	1	–	1
	F	1	–	–	–	–	–	–	–	–	–	1
Cerebrovascular Disease	M	18	–	–	–	–	–	–	–	1	2	15
	F	28	–	–	–	–	–	–	3	1	8	16
Other Diseases of the Circulatory System	M	7	–	–	–	–	–	–	–	–	2	5
	F	7	–	–	–	–	–	–	–	1	1	5
Diseases of the Respiratory System	M	40	–	–	–	–	–	1	–	7	7	25
	F	35	–	–	–	–	–	–	–	2	7	26
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	31	4	1	–	–	1	–	2	2	5	16
	F	26	1	–	–	–	–	–	–	4	6	15
Injury and Poisoning	M	20	–	–	–	6	3	1	2	1	4	3
	F	7	–	–	–	1	1	–	–	1	1	3
ALL CAUSES	M	295	4	1	–	7	4	4	15	31	89	140
	F	262	1	–	–	1	1	4	8	23	56	168
TIPPERARY, S.R.												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–
Malignant Neoplasms	M	97	–	–	–	1	–	1	6	20	39	30
	F	86	–	–	–	–	1	3	3	17	24	38
Ischaemic and other forms of Heart Disease	M	163	–	–	1	–	–	1	7	19	54	81
	F	89	–	–	–	–	–	–	1	5	13	70
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	1	–
	F	3	–	–	–	–	–	–	–	–	–	3
Cerebrovascular Disease	M	35	–	–	–	–	–	–	–	3	9	23
	F	45	–	–	–	–	–	1	1	–	11	32
Other Diseases of the Circulatory System	M	19	–	–	–	–	–	–	1	–	2	16
	F	20	–	–	–	–	–	1	–	1	2	16
Diseases of the Respiratory System	M	54	–	–	–	–	–	–	2	4	16	32
	F	50	–	–	–	–	–	–	–	3	7	40
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	33	–	1	–	2	–	–	3	5	5	17
	F	37	7	–	–	1	–	–	–	2	7	20
Injury and Poisoning	M	23	–	–	3	6	1	1	2	4	4	2
	F	12	–	–	1	–	2	1	1	3	–	4
ALL CAUSES	M	425	–	1	4	9	1	3	21	55	130	201
	F	343	7	–	1	1	3	6	6	31	65	223

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	1	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	43	–	–	–	–	1	–	3	10	15	14
	F	44	–	–	–	–	–	4	7	10	13	10
Ischaemic and other forms of Heart Disease	M	43	–	–	–	1	2	2	5	9	13	11
	F	47	–	–	–	–	–	1	–	8	11	27
Hypertensive Disease	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular Disease	M	9	–	–	–	–	–	–	1	–	2	6
	F	16	–	–	–	–	–	–	–	1	2	13
Other Diseases of the Circulatory System	M	3	–	–	–	–	–	–	–	–	1	2
	F	3	–	–	–	–	–	–	–	–	1	2
Diseases of the Respiratory System	M	19	–	1	–	–	–	1	–	4	2	11
	F	23	–	–	–	–	–	–	–	3	3	17
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	12	1	–	–	–	–	2	–	1	1	7
	F	15	2	–	–	–	–	–	–	1	5	7
Injury and Poisoning	M	9	–	–	–	3	2	1	1	–	2	–
	F	6	–	–	1	–	1	–	–	–	1	3
ALL CAUSES	M	140	1	1	–	4	5	6	11	24	36	52
	F	154	2	–	1	–	1	5	7	23	36	79
COUNTY WATERFORD												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–
Malignant Neoplasms	M	80	–	–	–	–	1	1	5	12	20	41
	F	64	–	–	–	–	–	4	7	5	19	29
Ischaemic and other forms of Heart Disease	M	84	–	–	–	–	–	1	4	10	36	33
	F	63	–	–	–	–	–	–	1	1	17	44
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular Disease	M	25	–	–	–	–	–	–	–	–	6	19
	F	36	–	–	–	–	–	–	–	–	3	33
Other Diseases of the Circulatory System	M	7	–	–	–	–	–	–	–	–	1	6
	F	8	–	–	–	–	–	–	–	–	3	5
Diseases of the Respiratory System	M	30	–	–	–	–	–	–	–	1	8	21
	F	36	–	–	–	1	–	–	1	3	5	26
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	24	1	–	2	–	–	1	–	1	6	13
	F	24	2	–	–	3	1	–	1	1	2	14
Injury and Poisoning	M	20	–	–	–	5	3	5	2	3	–	2
	F	10	–	–	–	–	2	2	2	1	–	3
ALL CAUSES	M	271	1	–	2	5	4	8	11	27	77	136
	F	242	2	–	–	4	3	6	12	11	50	154

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
GALWAY COUNTY BOROUGH												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	2	–	2	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Malignant Neoplasms	M	29	–	–	–	–	–	1	4	6	9	9
	F	44	–	–	1	–	–	2	6	6	14	15
Ischaemic and other forms of Heart Disease	M	47	–	–	–	–	–	1	4	6	14	22
	F	24	–	–	–	–	–	–	–	–	3	21
Hypertensive Disease	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular Disease	M	8	–	–	–	–	–	–	1	–	2	5
	F	18	–	–	–	–	–	1	–	–	3	14
Other Diseases of the Circulatory System	M	6	–	–	–	–	–	–	–	–	3	3
	F	9	–	–	–	–	–	–	1	–	1	7
Diseases of the Respiratory System	M	17	–	–	–	–	1	–	1	–	2	13
	F	17	–	–	–	–	–	–	–	2	2	13
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	15	1	2	–	2	1	3	–	1	1	4
	F	15	2	–	1	–	–	1	1	1	3	6
Injury and Poisoning	M	4	–	–	–	–	2	–	1	–	–	1
	F	5	–	1	–	1	1	–	–	–	–	2
ALL CAUSES	M	128	1	4	–	2	4	5	11	13	31	57
	F	133	2	1	2	1	1	4	8	9	26	79
COUNTY GALWAY												
Tuberculosis, all forms	M	3	–	–	–	–	–	–	1	–	–	2
	F	1	–	–	–	–	–	–	–	–	–	1
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	–	2
Malignant Neoplasms	M	165	–	1	–	–	1	5	8	20	54	76
	F	126	–	–	–	–	1	7	11	19	40	48
Ischaemic and other forms of Heart Disease	M	274	–	–	–	1	–	4	18	23	83	145
	F	166	–	1	–	–	–	1	1	13	25	125
Hypertensive Disease	M	5	–	–	–	–	–	–	–	–	2	3
	F	1	–	–	–	–	–	–	–	–	–	1
Cerebrovascular Disease	M	56	–	–	–	–	–	1	1	2	17	35
	F	77	–	–	–	–	–	–	–	3	13	61
Other Diseases of the Circulatory System	M	32	–	–	–	–	–	–	1	–	7	24
	F	22	–	–	–	–	–	–	1	–	1	20
Diseases of the Respiratory System	M	126	–	–	–	–	–	–	1	6	24	95
	F	106	–	–	–	–	–	–	–	6	19	81
Senility	M	1	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	73	3	2	3	1	–	2	–	4	19	39
	F	79	3	1	3	–	–	2	2	3	17	48
Injury and Poisoning	M	44	–	–	–	11	7	6	3	9	4	4
	F	14	–	–	–	3	–	1	3	1	1	5
ALL CAUSES	M	779	3	3	3	13	8	18	33	64	211	423
	F	594	3	2	3	3	1	11	18	45	116	392

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY LEITRIM												
Tuberculosis, all forms	M	2	–	–	–	–	–	–	–	–	1	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	49	–	–	1	–	–	1	2	4	20	21
	F	45	1	–	–	–	–	2	2	10	10	20
Ischaemic and other forms of Heart Disease	M	53	–	–	–	–	–	1	–	5	19	28
	F	48	–	–	–	–	–	–	–	1	10	37
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	–	1
	F	1	–	–	–	–	–	–	–	–	–	1
Cerebrovascular Disease	M	16	–	–	–	–	–	–	–	1	5	10
	F	20	–	–	–	–	–	–	–	2	5	13
Other Diseases of the Circulatory System	M	13	–	–	–	–	–	–	–	1	3	9
	F	6	–	–	–	–	–	–	–	–	–	6
Diseases of the Respiratory System	M	47	–	–	–	–	–	–	–	3	10	34
	F	34	–	–	–	–	–	–	–	1	6	27
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Other Diseases	M	20	1	–	–	–	–	–	1	3	5	10
	F	21	–	1	–	–	–	–	–	2	5	13
Injury and Poisoning	M	11	–	–	–	3	–	2	3	1	1	1
	F	2	–	–	–	–	–	–	–	–	1	1
ALL CAUSES	M	212	1	–	1	3	–	4	6	18	64	115
	F	178	1	1	–	–	–	2	2	16	37	119
COUNTY MAYO												
Tuberculosis, all forms	M	1	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	149	–	–	–	1	1	1	8	18	50	70
	F	115	–	–	–	1	1	5	6	13	41	48
Ischaemic and other forms of Heart Disease	M	247	–	–	1	–	2	–	6	27	63	148
	F	200	–	–	–	–	–	–	3	9	41	147
Hypertensive Disease	M	6	–	–	–	–	–	–	–	–	1	5
	F	8	–	–	–	–	–	–	–	–	–	8
Cerebrovascular Disease	M	56	1	–	–	–	–	–	–	4	12	39
	F	65	–	–	–	–	–	–	2	1	6	56
Other Diseases of the Circulatory System	M	32	–	–	–	–	–	–	1	–	10	21
	F	27	–	–	–	–	–	–	1	–	3	23
Diseases of the Respiratory System	M	91	–	–	–	–	1	–	1	1	20	68
	F	62	–	–	–	–	–	–	–	3	6	53
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Other Diseases	M	93	3	–	1	1	1	–	3	7	9	68
	F	81	–	1	–	–	1	–	5	1	10	63
Injury and Poisoning	M	45	–	1	3	7	11	5	7	6	1	4
	F	17	–	–	1	–	2	1	2	2	2	7
ALL CAUSES	M	720	4	1	5	9	16	6	26	63	166	424
	F	576	–	1	1	1	4	6	19	29	109	406

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	73	–	–	–	–	–	–	7	15	22	29
	F	54	–	–	–	–	–	–	4	6	20	24
Ischaemic and other forms of Heart Disease	M	130	–	–	–	–	–	–	2	15	37	76
	F	89	–	–	–	–	–	–	–	5	19	65
Hypertensive Disease	M	1	–	–	–	–	–	–	–	–	1	–
	F	1	–	–	–	–	–	–	–	–	–	1
Cerebrovascular Disease	M	32	–	–	–	–	–	–	–	1	8	23
	F	34	–	–	–	–	–	–	–	5	3	26
Other Diseases of the Circulatory System	M	10	–	–	–	–	–	–	–	1	4	5
	F	8	–	–	–	–	–	–	–	–	1	7
Diseases of the Respiratory System	M	31	–	–	–	–	–	–	–	2	6	23
	F	37	–	–	–	–	–	–	1	2	5	29
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	30	3	–	–	–	1	1	–	1	8	16
	F	27	–	–	–	–	–	–	1	1	9	16
Injury and Poisoning	M	9	–	–	–	2	1	1	1	2	2	–
	F	3	–	1	–	–	–	–	–	1	–	1
ALL CAUSES	M	316	3	–	–	2	2	2	10	37	88	172
	F	254	–	1	–	–	–	–	6	20	58	169
COUNTY SLIGO												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Infective and Parasitic Diseases	M	2	–	–	–	–	–	1	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms	M	86	–	–	–	–	2	1	6	12	32	33
	F	52	–	–	–	–	–	1	5	5	20	21
Ischaemic and other forms of Heart Disease	M	97	–	–	–	–	–	–	2	11	31	53
	F	86	–	–	–	–	–	–	–	2	20	64
Hypertensive Disease	M	2	–	–	–	–	–	–	–	1	–	1
	F	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular Disease	M	36	–	–	–	–	–	–	–	2	9	25
	F	35	–	–	–	–	–	–	–	–	11	24
Other Diseases of the Circulatory System	M	13	–	–	–	–	–	–	–	2	4	7
	F	6	–	–	–	–	–	1	–	–	2	3
Diseases of the Respiratory System	M	67	–	–	–	–	–	–	–	6	16	45
	F	53	–	–	–	–	–	–	–	1	6	46
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	32	–	1	–	–	–	1	–	5	11	14
	F	28	1	–	–	–	–	–	–	3	6	18
Injury and Poisoning	M	11	–	1	–	2	1	1	3	1	–	2
	F	6	–	–	–	2	2	–	–	–	–	2
ALL CAUSES	M	346	–	2	–	2	3	4	11	40	103	181
	F	266	1	–	–	2	2	2	5	11	65	178

Table 24 – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and Over
COUNTY CAVAN												
Tuberculosis, all forms	M	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
Other Infective and Parasitic Diseases	M	2	—	—	—	—	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—
Malignant Neoplasms	M	82	—	—	1	1	—	2	1	7	32	38
	F	58	—	—	—	—	1	1	3	9	15	29
Ischaemic and other forms of Heart Disease	M	137	—	—	—	1	—	2	4	10	42	78
	F	82	—	—	—	—	—	—	—	1	22	59
Hypertensive Disease	M	2	—	—	—	—	—	—	—	—	—	2
	F	1	—	—	—	—	—	—	—	—	—	1
Cerebrovascular Disease	M	33	—	—	—	—	—	—	1	2	6	24
	F	30	—	—	—	—	—	—	—	1	8	21
Other Diseases of the Circulatory System	M	11	—	—	—	—	—	—	—	—	—	11
	F	5	—	—	—	—	—	—	1	—	2	2
Diseases of the Respiratory System	M	36	—	—	—	—	—	—	1	2	7	26
	F	10	—	—	—	—	—	—	—	1	3	6
Senility	M	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
Other Diseases	M	34	5	—	—	2	2	—	1	1	6	17
	F	35	3	1	—	—	—	1	1	1	7	21
Injury and Poisoning	M	19	—	2	—	2	2	2	3	1	4	3
	F	12	—	—	—	—	1	1	1	3	1	5
ALL CAUSES	M	356	5	2	1	6	4	6	12	23	97	200
	F	233	3	1	—	—	2	3	6	16	58	144
COUNTY DONEGAL												
Tuberculosis, all forms	M	3	—	—	—	—	—	—	—	—	3	—
	F	2	—	—	—	—	—	—	—	—	1	1
Other Infective and Parasitic Diseases	M	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	1	1	—
Malignant Neoplasms	M	158	—	—	—	—	2	3	11	22	52	68
	F	112	—	—	—	1	1	5	10	8	34	53
Ischaemic and other forms of Heart Disease	M	247	—	—	1	—	1	2	9	28	77	129
	F	153	—	—	—	—	—	1	2	7	34	109
Hypertensive Disease	M	1	—	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	—
Cerebrovascular Disease	M	62	—	—	—	—	—	—	—	2	16	44
	F	54	—	—	—	—	—	—	1	4	7	42
Other Diseases of the Circulatory System	M	21	—	—	—	—	—	—	—	2	4	15
	F	20	—	—	—	—	—	1	—	1	3	15
Diseases of the Respiratory System	M	101	—	—	—	—	—	—	2	8	23	68
	F	97	—	—	—	—	—	—	1	3	11	82
Senility	M	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	3
Other Diseases	M	78	5	—	—	1	—	4	2	8	18	40
	F	73	1	1	—	—	2	—	5	3	17	44
Injury and Poisoning	M	54	—	1	—	9	13	8	8	—	5	10
	F	8	—	2	—	—	1	—	—	—	—	5
ALL CAUSES	M	725	5	1	1	10	16	17	32	70	199	374
	F	525	1	3	—	1	4	7	19	28	108	354

Table 24 (contd.) – Deaths in 1992 Classified by Principal Groups of causes, sex and age, of residents in each County and County Borough

Cause of death		Age at Death										
		All Ages	Under 1 Year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and Over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1
Other Infective and Parasitic Diseases	M	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	1	–	1	–
Malignant Neoplasms	M	63	–	–	–	–	–	2	2	10	20	29
	F	51	–	1	–	–	1	2	3	9	11	24
Ischaemic and other forms of Heart Disease	M	108	–	–	–	–	–	2	6	12	35	53
	F	60	–	–	–	1	–	–	1	2	13	43
Hypertensive Disease	M	3	–	–	–	–	–	–	–	1	1	1
	F	1	–	–	–	–	–	–	–	1	–	–
Cerebrovascular Disease	M	20	–	–	–	–	–	–	–	1	9	10
	F	29	–	–	–	–	–	1	–	–	4	24
Other Diseases of the Circulatory System	M	14	–	–	–	–	–	–	–	–	4	10
	F	14	–	–	–	–	–	–	1	–	–	13
Diseases of the Respiratory System	M	29	–	–	–	–	–	–	–	5	8	16
	F	20	–	–	–	–	–	–	–	1	6	13
Senility	M	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–
Other Diseases	M	34	2	–	1	–	–	–	–	3	3	25
	F	18	3	–	–	–	–	1	2	1	4	7
Injury and Poisoning	M	23	–	–	1	5	1	2	3	5	4	2
	F	4	–	–	–	2	–	–	–	–	1	1
ALL CAUSES	M	294	2	–	2	5	1	6	11	37	84	146
	F	200	3	1	–	3	1	4	8	14	40	126

Table 25 Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause assigned to the Principal Towns, other Urban Districts and Rural Districts

Cause of Death	ICD-9 Code	TOTAL		Dublin County Borough and Dun Laoghaire Rathdown		Other County Boroughs		Remaining Principal Towns (c.f. Table 15)		Other Urban Districts		All Rural Districts	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES		125	71	33	14	14	2	7	3	5	6	66	46
M		94	41	15	7	8	6	4	1	4	2	63	25
F													
Enteritis and other diarrhoeal diseases													
M	008,009	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms													
M	010-018,137	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough													
M	033	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases													
M	001-007,020-027,030-032	1	6	1	2	-	-	-	-	-	-	-	4
F	034-136,138-139	1	2	-	-	-	2	-	-	-	-	1	-
Meningitis													
M	320-322	-	1	-	-	-	-	-	-	-	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system													
M	323-326	-	-	-	-	-	-	-	-	-	-	-	-
F		-	1	-	-	-	-	-	-	-	-	-	1
Influenza													
M	487	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia													
M	480-486	1	1	-	-	1	-	-	-	-	-	-	1
F		-	1	-	-	-	1	-	-	-	-	-	-
Bronchitis emphysema and asthma													
M	490-493	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of the respiratory system													
M	460-479,494-519	-	-	-	-	-	-	-	-	-	-	-	-
F		2	-	-	-	-	-	-	-	-	-	2	-
Diseases of the digestive system													
M	520-579	-	1	-	-	-	-	-	-	-	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-	-
Anencephalus													
M	740.0	5	-	2	-	-	-	-	-	-	-	3	-
F		11	-	1	-	2	-	1	-	-	-	7	-
Spina Bifida													
M	741	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus													
M	742.3	3	-	2	-	-	-	-	-	-	-	1	-
F		1	1	1	-	-	-	-	-	-	-	-	1
Congenital anomalies of heart													
M	745,746	1	3	-	-	-	-	-	-	1	2	-	1
F		3	2	-	-	2	-	-	-	-	-	1	2

Table 25 Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause assigned to the Principal Towns, other Urban Districts and Rural Districts — Continued

Cause of Death	ICD-9 Code	TOTAL		Dublin County Borough and Dun Laoghaire Rathdown		Other County Boroughs		Remaining Principal Towns (c.f. Table 15)		Other Urban Districts		All Rural Districts	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Other congenital anomalies													
M	740.1,740.2,742.0-742.2,	30	1	5	-	4	-	2	-	-	-	19	1
F	742.4-744,747-759	20	5	4	1	-	1	-	-	1	-	15	3
Conditions of placenta and cord													
M	762	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Immaturity, unqualified													
M	765.1	4	1	-	1	-	-	1	-	-	-	3	-
F		2	-	-	-	-	-	1	-	-	-	1	-
Birth injury and difficult labour													
M	763,767	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified													
M	768-769,	26	3	3	-	5	-	1	1	3	-	14	2
F	770.1,770.7	8	-	1	-	2	-	1	-	1	-	3	-
Haemolytic disease of newborn													
M	773-774	1	-	-	-	-	-	-	-	-	-	1	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*													
M		20	2	8	-	3	-	1	-	-	-	8	2
F		23	1	5	-	1	1	1	-	2	-	14	-
Convulsions													
M	780.3	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other causes													
M		33	52	12	11	1	2	2	2	1	4	17	33
F		23	28	3	6	1	1	-	1	-	2	19	18

* Late Foetal Deaths not included

Table 26 Infant Mortality - Deaths under one year,
(International

Cause of Death	ICD-9 Code	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
ALL CAUSES											
M		196	11	56	67	15	11	7	3	3	3
F		135	10	35	45	8	6	9	5	5	4
Enteritis and other diarrhoeal diseases											
M	008-009	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Whooping cough											
M	033	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases											
M	001-007,020-027,030-032	7	-	1	1	-	-	-	-	-	-
F	034-136,138-139	3	-	-	-	1	-	-	-	-	-
Meningitis											
M	320-322	1	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Pneumonia											
M	480-486	2	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Influenza											
M	487	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Bronchitis											
M	490-493	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other diseases of the respiratory system											
M	460-479,	-	-	-	-	-	-	-	-	-	-
F	494-519	4	-	2	2	-	-	-	-	-	-
Diseases of the digestive system											
M	520-579	1	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Congenital anomalies: Anencephalus and similar anomalies											
M	740	5	2	3	5	-	-	-	-	-	-
F		11	4	7	11	-	-	-	-	-	-
Spina bifida											
M	741	4	-	1	1	-	-	-	-	-	1
F		3	-	-	-	-	-	1	-	-	-
Other congenital anomalies of digestive system											
M	742	6	1	1	2	1	1	1	-	-	-
F		4	1	-	1	1	-	-	-	-	-
Congenital anomalies of eye											
M	743	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Congenital anomalies of ear face and neck											
M	744	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Bulbus cordis anomalies and anomalies of cardiac septal closure											
M	745	4	-	1	1	-	-	-	-	-	-
F		5	-	-	-	-	1	1	-	-	-
Other congenital anomalies of the heart											
M	746	19	-	4	4	-	2	2	-	1	-
F		10	-	1	1	1	-	-	3	1	1
Other congenital anomalies of circulatory system											
M	747	3	-	1	1	-	2	-	-	-	-
F		4	-	-	-	1	-	2	-	-	1

**in 1992, classified by sex, age and cause
Detailed List)**

[illegible]

Table 26 Infant Mortality - Deaths under one year, (International

[illegible]

**in 1992, classified by sex, age and cause
Detailed List)**

[illegible]

Table 26 Infant Mortality - Deaths under one year,
(International

Cause of Death	ICD-9 Code	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
Slow fetal growth and fetal malnutrition											
M	764	1	-	1	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight											
M	765	17	3	10	13	-	1	2	-	-	-
F		16	2	11	13	1	-	-	-	-	-
Disorders related to long gestation and high birthweight											
M	766	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Birth trauma											
M	767	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia											
M	768	7	2	3	5	-	-	1	-	-	-
F		2	-	1	1	-	-	1	-	-	-
Respiratory distress syndrome											
M	769	21	1	9	10	4	1	-	1	-	1
F		6	-	5	5	-	-	1	-	-	-
Other respiratory conditions of fetus and newborn											
M	770	5	-	2	2	-	-	-	-	-	-
F		4	-	1	1	-	1	-	-	-	1
Infections specific to the perinatal period											
M	771	2	1	-	1	-	-	-	-	1	-
F		-	-	-	-	-	-	-	-	-	-
Fetal and neo-natal haemorrhage											
M	772	4	-	1	1	1	-	-	1	-	-
F		2	-	-	-	1	-	-	-	-	-
Haemolytic disease of fetus or newborn due to isoimmunization											
M	773	1	-	1	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other perinatal jaundice											
M	774	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Endocrine and metabolic disturbances specific to the fetus and newborn											
M	775	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Haematological disorders of fetus and newborn											
M	776	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Perinatal disorders of the digestive system											
M	777	3	-	-	-	-	1	-	-	-	-
F		2	-	-	-	-	-	1	-	-	-
Conditions involving the integument and temperature regulation of fetus and newborn											
M	778	1	-	1	1	-	-	-	-	-	-
F		2	-	-	-	-	2	-	-	-	-
Other and ill-defined conditions originating in the perinatal period											
M	779	-	-	-	-	-	-	-	-	-	-
F		1	1	-	1	-	-	-	-	-	-

Table 26 Infant Mortality - Deaths under one year, (International

[illegible]

**in 1992, classified by sex, age and cause
Detailed List)**

[illegible]

Table 27A Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each Province

Cause of Death	ICD-9 Code	TOTAL		Leinster		Munster		Connacht		Ulster (part of)	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES											
M		125	71	82	41	34	15	4	8	5	7
F		94	41	54	21	32	14	3	4	5	2
Enteritis and other diarrhoeal diseases											
M	008,009	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms											
M	010-018,137	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Whooping cough											
M	033	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases											
M	001-007,020-027,030-032	1	6	1	5	-	1	-	-	-	-
F	034-136,138-139	1	2	1	-	-	2	-	-	-	-
Meningitis											
M	320-322	-	1	-	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system											
M	323-326	-	-	-	-	-	-	-	-	-	-
F		-	1	-	-	-	1	-	-	-	-
Influenza											
M	487	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Pneumonia											
M	480-486	1	1	-	1	1	-	-	-	-	-
F		-	1	-	-	-	1	-	-	-	-
Bronchitis emphysema and asthma											
M	490-493	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other diseases of the respiratory system											
M	460-479,494-519	-	-	-	-	-	-	-	-	-	-
F		2	-	1	-	1	-	-	-	-	-
Diseases of the digestive system											
M	520-579	-	1	-	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Anencephalus											
M	740.0	5	-	2	-	1	-	1	-	1	-
F		11	-	4	-	5	-	-	-	2	-
Spina Bifida											
M	741	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus											
M	742.3	3	-	3	-	-	-	-	-	-	-
F		1	1	1	-	-	1	-	-	-	-
Congenital anomalies of heart											
M	745,746	1	3	1	2	-	-	-	-	-	1
F		3	2	-	2	2	-	1	-	-	-
Other congenital anomalies											
M	740.1,740.2,742.0-742.2,	30	1	16	1	12	-	-	-	2	-
F	742.4-744,747-759	20	5	14	2	5	2	1	1	-	-
Conditions of placenta and cord											
M	762	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Immaturity, unqualified											
M	765.1	4	1	3	1	1	-	-	-	-	-
F		2	-	-	-	2	-	-	-	-	-
Birth injury and difficult labour											
M	763,767	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-

Table 27A Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each Province — Continued

Cause of Death	ICD-9 Code	TOTAL		Leinster		Munster		Connacht		Ulster (part of)	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Anoxic and hypoxic conditions not elsewhere specified											
M	768-769,	26	3	14	3	9	-	2	-	1	-
F	770.1,770.7	8	-	3	-	5	-	-	-	-	-
Haemolytic disease of newborn											
M	773-774	1	-	1	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*											
M	760,761,764,765.0,766,770.2-770.6,	20	2	16	1	4	1	-	-	-	-
F	770.8-770.9,770.0,771,772,775-779	23	1	15	-	7	1	1	-	-	-
Convulsions											
M	780.3	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other causes											
M		33	52	25	25	6	13	1	8	1	6
F		23	28	15	17	5	6	-	3	3	2

* Late Foetal Deaths not included

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough

[illegible]

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

[illegible]

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

[illegible]

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

[illegible]

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

[illegible]

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

Cause of Death	Carlow		Dublin County Borough		Dublin Belgard		Dublin Fingal		Dun Laoghaire Rathdown		Kildare		Kilkenny	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified														
M	-	-	3	-	1	-	-	1	-	-	-	-	-	-
F	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*														
M	-	-	6	-	4	-	-	-	2	-	1	-	-	-
F	-	-	2	-	-	-	2	-	3	-	5	-	-	-
Convulsions														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other causes														
M	1	1	10	7	3	5	3	3	2	4	1	-	1	-
F	-	-	2	5	2	4	4	-	1	1	3	-	-	-

* Late Foetal Deaths not included

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

Cause of Death	Laois		Longford		Louth		Meath		Offaly		Westmeath		Wexford	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified														
M	-	-	-	-	1	1	1	1	3	-	4	-	1	-
F	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*														
M	-	-	-	-	1	1	2	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Convulsions														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other causes														
M	-	-	-	-	2	2	1	1	-	-	-	1	1	1
F	-	1	-	1	-	1	-	2	-	1	3	-	-	1

* Late Foetal Deaths not included

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

Cause of Death	Wicklow		Clare		Cork County Borough		Cork County		Kerry		Limerick County Borough		Limerick County	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified														
M	-	-	-	-	3	-	3	-	-	-	2	-	-	-
F	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*														
M	-	-	-	-	2	-	-	1	-	-	1	-	1	-
F	1	-	-	-	1	-	3	-	2	-	-	-	-	-
Convulsions														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other causes														
M	-	-	1	-	-	1	3	6	-	1	-	-	1	2
F	-	-	-	1	1	-	-	1	2	1	-	-	-	1

* Late Foetal Deaths not included

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

Cause of Death	Tipperary N.R.		Tipperary S.R.		Waterford County Borough		Waterford County		Galway County Borough		Galway County		Leitrim	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified														
M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
F	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Convulsions														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other causes														
M	-	2	-	-	1	-	-	1	-	1	1	1	-	-
F	1	-	1	1	-	-	-	1	-	1	-	1	-	1

* Late Foetal Deaths not included

Table 27B Infant Mortality - Deaths at ages under 4 weeks, 4 weeks and under one year, in 1992, classified by sex and cause, assigned to each County and County Borough — Continued

Cause of Death	Mayo		Roscommon		Sligo		Cavan		Donegal		Monaghan	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Birth injury and difficult labour												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified												
M	-	-	1	-	-	-	-	-	1	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Haemolytic disease of newborn												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Other causes												
M	-	4	-	2	-	-	1	2	-	2	-	2
F	-	-	-	-	-	-	-	2	-	-	3	-

* Late Foetal Deaths not included

Table 28 Infant Mortality - Deaths of infants (born outside marriage), in 1992, classified by sex, age and cause

Cause of Death	ICD-9 Code	Total under 1 year	Days			Total under 4 weeks	Months		
			Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 mths	3 mths and under 6 mths	6 mths and under 12 mths
ALL CAUSES									
M		5	1	1	1	3	1	1	-
F		6	3	-	1	4	-	1	1
Enteritis and other diarrhoeal diseases									
M	008,009	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Tuberculosis, all forms									
M	010-018,137	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Whooping cough									
M	033	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Other infective and parasitic diseases									
M	001-007,020-027,030-032	-	-	-	-	-	-	-	-
F	034-136,138-139	-	-	-	-	-	-	-	-
Meningitis									
M	320-322	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system									
M	323-326	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Influenza									
M	487	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Pneumonia									
M	480-486	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	1
Bronchitis emphysema and asthma									
M	490-493	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Other diseases of the respiratory system									
M	460-479,494-519	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Diseases of the digestive system									
M	520-579	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Anencephalus									
M	740.0	-	-	-	-	-	-	-	-
F		1	1	-	-	1	-	-	-
Spina Bifida									
M	741	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Congenital hydrocephalus									
M	742.3	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Congenital anomalies of heart									
M	745,746	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Other congenital anomalies									
M	740.1,740.2,742.0-742.2,742.4-744,747-759	1	-	1	-	1	-	-	-
F		-	-	-	-	-	-	-	-
Conditions of placenta and cord									
M	762	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Immaturity, unqualified									
M	765.1	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-

Table 28 Infant Mortality - Deaths of infants (born outside marriage), in 1992, classified by sex, age and cause — Continued

Cause of Death	ICD-9 Code	Total under 1 year	Days			Total under 4 weeks	Months		
			Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 mths	3 mths and under 6 mths	6 mths and under 12 mths
Birth injury and difficult labour									
M	763,767	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Anoxic and hypoxic conditions not elsewhere specified									
M	768-769,	2	1	-	1	2	-	-	-
F	770.1,770.7	-	-	-	-	-	-	-	-
Haemolytic disease of newborn									
M	773-774	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Other conditions occurring in perinatal period*									
M	760,761,764,765.0,766,770.2-770.6,	1	-	-	-	-	1	-	-
F	770.8-770.9,770.0,771,772,775-779	2	2	-	-	2	-	-	-
Convulsions									
M	780.3	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-
Other causes									
M		1	-	-	-	-	-	1	-
F		2	-	-	1	1	-	1	-

* Late Foetal Deaths not included

Table 29 Late Foetal Deaths notified in 1992, classified by cause and age of mother at maternity

ICD-9 Codes 740-779	Cause of death	Age at Maternity								Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated	
	Anencephalus and similar anomalies	3	3	5	4	3	-	-	-	18
740.0	Anencephalus	3	3	5	4	3	-	-	-	18
	Spina Bifida	-	1	-	2	-	1	-	-	4
741.0	with Hydrocephalus	-	1	-	-	-	-	-	-	1
741.9	without mention of Hydrocephalus	-	-	-	2	-	1	-	-	3
	Other congenital anomalies of nervous system	-	-	-	2	-	-	-	-	2
742.0	Encephalocele	-	-	-	1	-	-	-	-	1
742.3	Congenital Hydrocephalus	-	-	-	1	-	-	-	-	1
	Bulbus cordis anomalies and anomalies of cardiac septal closure	-	-	-	-	-	1	-	-	1
745.5	Ostium secundum type atrial septal defect	-	-	-	-	-	1	-	-	1
	Other congenital anomalies of heart	1	-	1	1	1	-	-	-	4
746.9	Unspecified anomalies of heart	1	-	1	1	1	-	-	-	4
	Congenital anomalies of urinary system	-	-	1	-	1	-	-	-	2
753.0	Renal agenesis and dysgenesis	-	-	1	-	1	-	-	-	2
	Chromosomal anomalies	-	1	-	-	-	-	-	-	1
758.0	Down's syndrome	-	1	-	-	-	-	-	-	1
	Other and unspecified congenital anomalies	1	1	-	4	-	1	-	-	7
759.7	Multiple congenital anomalies, so described	1	1	-	3	-	-	-	-	5
759.9	Congenital anomaly, unspecified	-	-	-	1	-	1	-	-	2
	Fetus or newborn affected by complications of placenta, cord and membranes	4	13	27	25	20	2	-	-	91
762.0	Placenta praevia	-	-	-	1	-	-	-	-	1
762.1	Other forms of placental separation and haemorrhage	2	6	11	6	10	-	-	-	35
762.2	Other and unspecified morphological and functional abnormalities of placenta	1	1	6	8	3	1	-	-	20
762.3	Placental transfusion syndromes	-	-	2	-	2	-	-	-	4
762.4	Prolapsed cord	-	2	-	-	-	-	-	-	2

Table 29 Late Foetal Deaths notified in 1992, classified by cause and age of mother at maternity — Continued

ICD-9 Codes 740-779	Cause of death	Age at Maternity								Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated	
762.5	Other compression of umbilical cord	1	4	8	10	4	1	-	-	28
762.7	Chorioamnionitis	-	-	-	-	1	-	-	-	1
	Fetus or newborn affected by other complications of labour and delivery	-	-	1	-	-	1	-	-	2
763.1	Other malpresentations, malposition disproportion during labour and delivery	-	-	1	-	-	-	-	-	1
763.8	Other complications of labour and delivery	-	-	-	-	-	1	-	-	1
	Slow fetal growth and fetal malnutrition	-	-	2	1	1	-	-	-	4
764.0	"Light-for-dates" without mention of fetal malnutrition	-	-	1	1	-	-	-	-	2
764.9	Fetal growth retardation, unspecified	-	-	1	-	1	-	-	-	2
	Disorders relating to short gestation and unspecified low birthweight	-	-	-	1	1	-	-	-	2
765.1	Other preterm infants	-	-	-	1	1	-	-	-	2
	Intrauterine hypoxia and birth asphyxia	2	17	14	17	5	4	-	-	59
768.0	Fetal death from asphyxia or anoxia before onset of lab. or at unspecified time	2	17	11	16	5	4	-	-	55
768.1	Fetal death from asphyxia or anoxia during labour	-	-	3	1	-	-	-	-	4
	Other respiratory conditions of fetus and newborn	-	-	-	1	-	-	-	-	1
770.1	Massive aspiration syndrome	-	-	-	1	-	-	-	-	1
	Fetal and neonatal haemorrhage	-	-	1	-	-	-	-	-	1
772.0	Fetal blood loss	-	-	1	-	-	-	-	-	1
	Endocrine and metabolic disturbances specific to the fetus and newborn	-	-	-	-	-	1	-	-	1
775.0	Syndrome of "infant of a diabetic mother"	-	-	-	-	-	1	-	-	1
777.9	Perinatal disorders of digestive system	-	1	-	-	-	-	-	-	1
	Unspecified	-	1	-	-	-	-	-	-	1

Table 29 Late Foetal Deaths notified in 1992, classified by cause and age of mother at maternity — Continued

ICD-9 Codes 740-779	Cause of death	Age at Maternity								Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated	
	Conditions involving the integument and temp. regulation of fetus and newborn	-	-	1	-	-	-	-	-	1
778.0	Hydrops fetalis not due to isoimmunization	-	-	1	-	-	-	-	-	1
779.8	Other and ill-defined conditions originating in the perinatal period	5	14	24	21	14	5	-	-	83
	Other	-	-	1	-	-	-	-	-	1
779.9	Unspecified	5	14	23	21	14	5	-	-	82
	TOTAL	16	51	77	79	46	16	-	-	285

Table 30 Late Foetal Deaths notified in 1992, classified by cause and period of gestation

ICD-9 Codes 740-779	Cause of death	Period of gestation		
		28-36 weeks	37 weeks and over	Total
740	Anencephalus and similar anomalies	8	10	18
741	Spina Bifida	3	1	4
742	Other congenital anomalies of nervous system	-	2	2
745	Bulbus cordis anomalies and anomalies of cardiac Septal closure	-	1	1
746	Other congenital anomalies of heart	2	2	4
753	Congenital anomalies of urinary system	1	1	2
758	Chromosomal anomalies	-	1	1
759	Other and unspecified congenital anomalies	5	2	7
762	Fetus or newborn affected by complications of placenta cord and membranes	50	41	91
763	Fetus or newborn affected by other complications of labour and delivery	1	1	2
764	Slow fetal growth and fetal malnutrition	4	-	4
765	Disorders relating to short gestation and unspecified low birthweight	2	-	2
768	Intrauterine hypoxia and birth asphyxia	19	40	59
770	Other respiratory conditions of fetus and newborn	-	1	1
772	Fetal and neonatal haemorrhage	-	1	1
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	-	1
777	Perinatal disorders of digestive system	-	1	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	-	1
779	Other and ill-defined conditions originating in the perinatal period	34	49	83
TOTAL		131	154	285

Table 31 Late Foetal Deaths notified in 1992, classified by cause and number of previous children

ICD-9 Code	Cause of death	Number of previous children				
		0	1 or 2	3,4 or 5	6 or more	Total
740	Anencephalus and similar anomalies	8	8	2	-	18
741	Spina Bifida	1	2	1	-	4
742	Other congenital anomalies of nervous system	-	2	-	-	2
745	Bulbus cordis anomalies and anomalies of cardiac Septal closure	-	-	-	1	1
746	Other congenital anomalies of heart	2	2	-	-	4
753	Congenital anomalies of urinary system	1	-	1	-	2
758	Chromosomal anomalies	1	-	-	-	1
759	Other and unspecified congenital anomalies	2	5	-	-	7
762	Fetus or newborn affected by complications of placenta cord and membranes	35	30	25	1	91
763	Fetus or newborn affected by other complications of labour and delivery	-	1	1	-	2
764	Slow fetal growth and fetal malnutrition	2	1	1	-	4
765	Disorders relating to short gestation and unspecified low birthweight	1	1	-	-	2
768	Intrauterine hypoxia and birth asphyxia	31	21	3	4	59
770	Other respiratory conditions of fetus and newborn	-	-	1	-	1
772	Fetal and neonatal haemorrhage	1	-	-	-	1
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	-	1	-	1
777	Perinatal disorders of digestive system	1	-	-	-	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	-	-	-	1
779	Other and ill-defined conditions originating in the perinatal period	42	24	15	2	83
TOTAL		129	97	51	8	285

Table 32 Late Foetal Deaths notified in 1992, classified by age of mother, sex of foetus and period of gestation

Age of mother and sex of foetus		Period of gestation		
		28-36 weeks	37 weeks and over	Total
Under 20				
	Males	3	6	9
	Females	3	4	7
20-24				
	Males	12	14	26
	Females	11	14	25
25-29				
	Males	26	25	51
	Females	12	14	26
30-34				
	Males	21	23	44
	Females	10	25	35
35-39				
	Males	13	13	26
	Females	13	7	20
40-44				
	Males	3	2	5
	Females	4	7	11
TOTAL				
	Males	78	83	161
	Females	53	71	124

Table 33 Late Foetal Deaths notified in 1992, classified by age of mother and number of previous children

Previous children	Age at Maternity								Total
	Under 20	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated	
0	15	40	41	22	10	1	-	-	129
1	1	8	19	25	2	1	-	-	56
2	-	2	8	22	7	2	-	-	41
3	-	1	4	5	9	7	-	-	26
4	-	-	5	3	10	1	-	-	19
5	-	-	-	2	3	1	-	-	6
7	-	-	-	-	2	2	-	-	4
8	-	-	-	-	1	1	-	-	2
9	-	-	-	-	1	-	-	-	1
11 and over	-	-	-	-	1	-	-	-	1
TOTAL	16	51	77	79	46	16	-	-	285

Table 34 Deaths showing the numbers occurring in each Quarter in 1992 assigned to the Counties and County Boroughs

Province, County or County Borough	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	4,641	4,084	3,860	3,430	3,801	3,318	4,214	3,583	16,516	14,415
LEINSTER	2,065	1,968	1,739	1,680	1,721	1,634	1,927	1,798	7,452	7,080
Carlow	63	61	55	49	54	37	46	44	218	191
Dublin Co. Borough	596	667	525	567	562	606	589	669	2,272	2,509
Dublin Belgard	113	98	92	91	106	78	79	89	390	356
Dublin Fingal	89	96	71	67	84	59	68	76	312	298
Dun Laoghaire Rathdown	175	173	134	178	140	179	170	170	619	700
Kildare	128	99	116	82	91	75	114	95	449	351
Kilkenny	76	96	110	71	67	65	73	72	326	304
Laois	78	66	62	66	66	57	80	45	286	234
Longford	48	47	32	40	41	27	41	30	162	144
Louth	109	104	110	92	82	75	110	99	411	370
Meath	126	101	100	75	87	72	132	78	445	326
Offaly	103	73	68	62	73	43	85	77	329	255
Westmeath	93	56	76	52	73	59	82	54	324	221
Wexford	162	124	107	119	107	99	148	119	524	461
Wicklow	106	107	81	69	88	103	110	81	385	360
MUNSTER	1,477	1,278	1,213	1,035	1,190	976	1,308	1,087	5,188	4,376
Clare	132	105	95	88	122	80	122	88	471	361
Cork Co. Borough	145	179	133	127	109	136	150	147	537	589
Cork County	409	342	344	277	320	276	360	283	1,433	1,178
Kerry	248	166	194	153	214	139	185	160	841	618
Limerick Co. Borough	85	59	59	51	64	57	58	60	266	227
Limerick County	139	119	121	103	117	76	132	104	509	402
Tipperary N.R.	86	77	74	64	61	58	74	63	295	262
Tipperary S.R.	122	112	95	80	99	67	109	84	425	343
Waterford Co. Borough	33	49	36	26	26	37	45	42	140	154
Waterford County	78	70	62	66	58	50	73	56	271	242
CONNACHT	717	560	581	494	581	464	622	483	2,501	2,001
Galway Co. Borough	37	37	27	23	35	37	29	36	128	133
Galway County	211	157	191	157	186	137	191	143	779	594
Leitrim	67	51	46	50	50	35	49	42	212	178
Mayo	216	161	162	147	168	128	174	140	720	576
Roscommon	95	75	80	61	56	56	85	62	316	254
Sligo	91	79	75	56	86	71	94	60	346	266
ULSTER (PART OF)	382	278	327	221	309	244	357	215	1,375	958
Cavan	93	72	88	51	81	63	94	47	356	233
Donegal	203	165	175	126	166	116	181	118	725	525
Monaghan	86	41	64	44	62	65	82	50	294	200

Table 35 Deaths, by date of occurrence,

Date of occurrence	January			February			March		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	64	49	113	59	62	121	43	48	91
2nd	46	41	87	50	53	103	38	47	85
3rd	42	44	86	52	46	98	54	34	88
4th	46	43	89	63	71	134	40	46	86
5th	56	52	108	60	43	103	49	33	82
6th	41	55	96	63	59	122	41	49	90
7th	44	37	81	64	46	110	52	45	97
8th	50	31	81	60	55	115	51	47	98
9th	39	58	97	45	41	86	57	38	95
10th	43	44	87	61	38	99	46	42	88
11th	49	46	95	78	56	134	39	40	79
12th	58	47	105	62	58	120	37	41	78
13th	59	36	95	53	49	102	60	32	92
14th	55	48	103	48	55	103	63	36	99
15th	62	62	124	51	48	99	42	42	84
16th	52	30	82	45	55	100	46	44	90
17th	40	46	86	52	38	90	48	31	79
18th	67	43	110	43	50	93	44	33	77
19th	61	47	108	52	64	116	38	47	85
20th	42	54	96	52	50	102	47	49	96
21st	46	46	92	47	63	110	39	36	75
22nd	52	47	99	48	48	96	45	40	85
23rd	47	44	91	60	60	120	62	40	102
24th	61	48	109	47	56	103	40	33	73
25th	48	35	83	48	47	95	37	30	67
26th	50	61	111	50	47	97	50	44	94
27th	55	38	93	44	34	78	63	53	116
28th	49	33	82	50	37	87	43	30	73
29th	49	42	91	52	45	97	53	30	83
30th	64	40	104	-	-	-	56	27	83
31st	62	42	104	-	-	-	60	34	94
TOTAL	1,599	1,389	2,988	1,559	1,474	3,033	1,483	1,221	2,704

Date of occurrence	July			August			September		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	48	32	80	39	33	72	45	29	74
2nd	20	32	52	37	33	70	41	36	77
3rd	38	38	76	44	37	81	42	41	83
4th	40	29	69	41	32	73	31	42	73
5th	51	51	102	42	33	75	39	40	79
6th	43	39	82	41	38	79	40	31	71
7th	41	33	74	36	39	75	53	46	99
8th	38	35	73	42	36	78	39	45	84
9th	42	34	76	38	30	68	51	42	93
10th	45	32	77	40	34	74	50	38	88
11th	49	41	90	40	39	79	40	49	89
12th	47	42	89	38	35	73	42	44	86
13th	43	27	70	41	31	72	53	38	91
14th	42	35	77	41	33	74	34	41	75
15th	48	47	95	42	25	67	41	42	83
16th	46	36	82	50	42	92	44	27	71
17th	34	26	60	44	29	73	46	36	82
18th	30	36	66	35	26	61	48	41	89
19th	42	34	76	38	41	79	34	33	67
20th	33	34	67	38	45	83	33	39	72
21st	32	26	58	45	40	85	40	39	79
22nd	41	32	73	52	37	89	44	38	82
23rd	47	28	75	30	29	59	38	37	75
24th	49	30	79	42	35	77	45	33	78
25th	40	40	80	42	33	75	51	33	84
26th	38	31	69	43	33	76	57	39	96
27th	49	32	81	39	43	82	40	41	81
28th	51	42	93	47	35	82	43	31	74
29th	33	36	69	32	26	58	40	43	83
30th	36	44	80	30	37	67	44	29	73
31st	39	54	93	29	28	57	-	-	-
TOTAL	1,275	1,108	2,383	1,238	1,067	2,305	1,288	1,143	2,431

in each month during 1992

Date of occurrence	April			May			June		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	46	59	105	45	35	80	42	35	77
2nd	44	46	90	49	36	85	47	32	79
3rd	40	32	72	30	55	85	43	37	80
4th	38	32	70	43	42	85	37	43	80
5th	37	38	75	41	36	77	36	41	77
6th	52	40	92	37	31	68	39	28	67
7th	53	47	100	35	32	67	44	34	78
8th	55	45	100	42	39	81	41	52	93
9th	53	44	97	48	37	85	47	33	80
10th	52	43	95	38	35	73	41	34	75
11th	37	34	71	36	34	70	42	33	75
12th	40	38	78	38	40	78	45	39	84
13th	53	35	88	34	54	88	29	38	67
14th	48	37	85	44	46	90	44	48	92
15th	52	47	99	44	29	73	26	34	60
16th	49	32	81	48	44	92	39	29	68
17th	41	35	76	43	39	82	38	44	82
18th	44	43	87	48	34	82	42	40	82
19th	43	41	84	40	47	87	46	28	74
20th	62	41	103	57	26	83	49	32	81
21st	51	30	81	38	41	79	40	40	80
22nd	37	38	75	39	37	76	45	36	81
23rd	52	47	99	32	31	63	42	30	72
24th	54	40	94	38	44	82	40	35	75
25th	36	33	69	45	36	81	34	31	65
26th	33	40	73	40	31	71	41	40	81
27th	31	43	74	37	38	75	41	32	73
28th	36	31	67	49	26	75	52	31	83
29th	38	37	75	32	21	53	35	32	67
30th	47	44	91	46	34	80	40	38	78
31st	-	-	-	43	49	92	-	-	-
TOTAL	1,354	1,192	2,546	1,279	1,159	2,438	1,227	1,079	2,306

Date of occurrence	October			November			December		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	44	37	81	33	39	72	46	47	93
2nd	44	35	79	55	45	100	51	46	97
3rd	40	34	74	36	38	74	51	44	95
4th	39	41	80	40	34	74	51	31	82
5th	42	22	64	47	40	87	40	41	81
6th	40	35	75	47	42	89	52	38	90
7th	38	25	63	59	35	94	53	46	99
8th	34	36	70	49	30	79	45	46	91
9th	37	39	76	52	38	90	50	32	82
10th	41	39	80	45	28	73	45	37	82
11th	26	28	54	44	48	92	51	30	81
12th	42	31	73	43	32	75	50	49	99
13th	33	41	74	41	41	82	49	43	92
14th	41	37	78	34	42	76	42	38	80
15th	46	35	81	40	35	75	53	50	103
16th	44	34	78	44	52	96	35	47	82
17th	53	37	90	42	40	82	45	29	74
18th	45	35	80	43	45	88	67	38	105
19th	62	43	105	33	45	78	38	29	67
20th	40	28	68	56	40	96	41	45	86
21st	42	36	78	44	41	85	55	48	103
22nd	40	33	73	48	41	89	49	47	96
23rd	47	28	75	41	38	79	49	50	99
24th	64	38	102	44	36	80	49	31	80
25th	59	40	99	43	46	89	65	57	122
26th	55	48	103	44	40	84	61	46	107
27th	54	32	86	39	39	78	47	43	90
28th	37	31	68	33	34	67	56	41	97
29th	51	42	93	48	41	89	41	47	88
30th	47	44	91	51	35	86	47	43	90
31st	42	30	72	-	-	-	53	50	103
TOTAL	1,369	1,094	2,463	1,318	1,180	2,498	1,527	1,309	2,836

Table 36 Births showing the numbers in each Quarter in 1992, assigned to the Counties and County Boroughs

Province, County or County Borough	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	6,533	6,336	6,895	6,502	6,764	6,289	6,115	5,655	26,307	24,782
LEINSTER	3,573	3,444	3,709	3,583	3,688	3,383	3,358	3,053	14,328	13,463
Carlow	91	72	78	85	89	85	79	86	337	328
Dublin Co. Borough	877	796	921	832	851	793	863	754	3,512	3,175
Dublin Belgard	464	409	482	452	453	424	434	391	1,833	1,676
Dublin Fingal	332	318	349	342	360	308	295	260	1,336	1,228
Dun Laoghaire Rathdown	316	315	314	284	336	306	285	258	1,251	1,163
Kildare	230	264	258	291	293	283	248	230	1,029	1,068
Kilkenny	124	127	138	148	146	136	115	112	523	523
Laois	82	84	114	80	88	72	79	71	363	307
Longford	52	61	49	52	54	52	41	52	196	217
Louth	173	149	161	157	178	153	137	151	649	610
Meath	203	187	192	222	188	179	178	156	761	744
Offaly	120	105	120	92	91	102	114	101	445	400
Westmeath	113	122	125	127	136	124	106	101	480	474
Wexford	205	235	203	222	198	189	169	165	775	811
Wicklow	191	200	205	197	227	177	215	165	838	739
MUNSTER	1,803	1,782	1,931	1,809	1,868	1,754	1,726	1,549	7,328	6,894
Clare	162	164	164	165	170	148	163	124	659	601
Cork Co. Borough	185	203	207	198	220	200	212	188	824	789
Cork County	517	490	621	529	548	521	508	467	2,194	2,007
Kerry	226	206	208	195	207	175	187	173	828	749
Limerick Co. Borough	79	83	101	112	99	105	88	91	367	391
Limerick County	193	221	223	184	230	213	199	180	845	798
Tipperary N.R.	118	119	96	113	113	108	99	97	426	437
Tipperary S.R.	135	113	148	134	125	119	132	98	540	464
Waterford Co. Borough	68	81	56	75	58	58	48	51	230	265
Waterford County	120	102	107	104	98	107	90	80	415	393
CONNACHT	695	717	805	707	779	770	669	685	2,948	2,879
Galway Co. Borough	100	95	101	75	108	119	75	73	384	362
Galway County	223	257	291	231	249	230	228	228	991	946
Leitrim	34	40	51	32	51	44	39	41	175	157
Mayo	172	162	190	198	185	191	179	186	726	737
Roscommon	78	71	78	73	79	74	78	72	313	290
Sligo	88	92	94	98	107	112	70	85	359	387
ULSTER (PART OF)	462	393	450	403	429	382	362	368	1,703	1,546
Cavan	101	111	106	101	108	85	77	78	392	375
Donegal	260	196	234	221	235	222	200	203	929	842
Monaghan	101	86	110	81	86	75	85	87	382	329

Table 37 Births in 1992 by day of occurrence and mothers usual residence

Province, County or County Borough	Day of occurrence						
	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
TOTAL	8,190	8,086	7,702	6,280	5,815	7,059	7,957
LEINSTER	4,407	4,202	4,262	3,489	3,215	3,858	4,358
Carlow	107	95	107	100	72	90	94
Dublin County Borough	1,033	1,010	991	829	779	949	1,096
Dublin Belgard	566	553	576	392	391	489	542
Dublin Fingal	421	385	349	349	299	378	383
Dun Laoghaire Rathdown	419	355	343	289	274	361	373
Kildare	311	298	333	280	268	285	322
Kilkenny	156	156	181	129	129	137	158
Laois	107	87	91	97	82	95	111
Longford	77	61	67	39	49	57	63
Louth	186	213	222	145	140	158	195
Meath	211	242	244	204	154	209	241
Offaly	160	123	137	119	82	110	114
Westmeath	136	155	168	130	96	119	150
Wexford	269	251	212	192	206	200	256
Wicklow	248	218	241	195	194	221	260
MUNSTER	2,288	2,417	2,102	1,691	1,565	1,885	2,274
Clare	200	235	169	125	139	176	216
Cork County Borough	232	256	255	207	159	220	284
Cork County	651	758	700	450	428	563	651
Kerry	247	265	211	205	181	193	275
Limerick County Borough	133	143	101	88	90	86	117
Limerick County	284	288	217	167	198	225	264
Tipperary N.R.	149	141	134	127	81	125	106
Tipperary S.R.	155	133	151	154	121	123	167
Waterford County Borough	85	81	56	57	71	63	82
Waterford County	152	117	108	111	97	111	112
CONNACHT	967	947	869	690	650	826	878
Galway County Borough	125	127	105	87	85	115	102
Galway County	358	338	293	217	204	248	279
Leitrim	54	55	56	30	30	58	49
Mayo	228	225	208	188	181	203	230
Roscommon	100	98	88	67	67	84	99
Sligo	102	104	119	101	83	118	119
ULSTER (part of)	528	520	469	410	385	490	447
Cavan	118	132	122	90	106	98	101
Donegal	288	258	256	241	228	264	236
Monaghan	122	130	91	79	51	128	110

Table 38 Births, by date of occurrence,

Date of occurrence	January			February			March		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	56	71	127	69	51	120	54	56	110
2nd	75	69	144	55	48	103	78	58	136
3rd	98	79	177	89	82	171	76	80	156
4th	69	64	133	89	83	172	72	88	160
5th	55	44	99	68	71	139	92	81	173
6th	69	73	142	69	88	157	89	70	159
7th	71	76	147	72	67	139	56	55	111
8th	67	75	142	63	55	118	77	60	137
9th	91	72	163	60	64	124	83	84	167
10th	75	77	152	79	85	164	73	64	137
11th	55	53	108	94	85	179	70	79	149
12th	56	51	107	77	74	151	85	78	163
13th	82	74	156	88	81	169	73	81	154
14th	82	85	167	85	56	141	58	56	114
15th	55	81	136	46	57	103	65	56	121
16th	82	72	154	38	63	101	67	85	152
17th	77	80	157	88	69	157	54	74	128
18th	61	47	108	71	68	139	78	78	156
19th	66	48	114	76	90	166	88	83	171
20th	72	82	154	97	71	168	73	85	158
21st	71	73	144	70	82	152	53	57	110
22nd	73	68	141	54	70	124	57	56	113
23rd	73	85	158	42	40	82	74	65	139
24th	74	59	133	74	68	142	69	90	159
25th	53	52	105	90	70	160	87	78	165
26th	67	41	108	59	56	115	80	95	175
27th	85	69	154	89	98	187	79	73	152
28th	88	82	170	77	62	139	61	49	110
29th	77	75	152	49	45	94	43	55	98
30th	77	60	137	-	-	-	79	78	157
31st	59	67	126	-	-	-	102	86	188
TOTAL	2,211	2,104	4,315	2,077	1,999	4,076	2,245	2,233	4,478

Date of occurrence	July			August			September		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	81	83	164	57	76	133	70	67	137
2nd	90	87	177	49	49	98	73	82	155
3rd	82	79	161	57	52	109	102	60	162
4th	69	55	124	88	77	165	79	48	127
5th	38	47	85	78	71	149	56	50	106
6th	63	61	124	79	67	146	59	54	113
7th	87	76	163	75	61	136	68	57	125
8th	71	76	147	63	60	123	70	73	143
9th	76	88	164	56	55	111	77	86	163
10th	74	69	143	86	68	154	100	63	163
11th	67	71	138	76	65	141	73	84	157
12th	67	53	120	82	76	158	55	56	111
13th	64	70	134	90	76	166	53	42	95
14th	80	64	144	76	80	156	76	79	155
15th	87	90	177	59	60	119	84	77	161
16th	102	66	168	45	49	94	97	79	176
17th	65	80	145	74	66	140	74	79	153
18th	75	68	143	86	74	160	79	80	159
19th	64	55	119	79	78	157	52	60	112
20th	77	79	156	92	77	169	60	53	113
21st	72	84	156	72	72	144	61	84	145
22nd	76	64	140	65	52	117	93	76	169
23rd	98	59	157	61	56	117	101	80	181
24th	78	76	154	66	82	148	79	64	143
25th	64	55	119	75	82	157	84	66	150
26th	51	47	98	76	84	160	61	59	120
27th	83	70	153	77	48	125	57	62	119
28th	89	83	172	64	65	129	80	79	159
29th	102	76	178	50	52	102	86	82	168
30th	69	69	138	72	56	128	79	79	158
31st	78	76	154	62	67	129	-	-	-
TOTAL	2,339	2,176	4,515	2,187	2,053	4,240	2,238	2,060	4,298

in each month during 1992

Date of occurrence	April			May			June		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	83	89	172	95	51	146	58	64	122
2nd	84	96	180	61	53	114	83	69	152
3rd	66	69	135	42	59	101	88	76	164
4th	61	59	120	66	79	145	82	77	159
5th	59	53	112	73	92	165	77	73	150
6th	72	92	164	90	68	158	55	55	110
7th	70	76	146	73	83	156	55	53	108
8th	85	78	163	78	83	161	85	72	157
9th	73	76	149	62	56	118	72	100	172
10th	74	88	162	67	73	140	80	77	157
11th	69	64	133	87	70	157	92	67	159
12th	56	66	122	89	82	171	69	79	148
13th	86	64	150	104	89	193	57	50	107
14th	69	74	143	81	93	174	63	61	124
15th	92	67	159	62	81	143	83	64	147
16th	79	100	179	78	58	136	85	63	148
17th	72	72	144	59	52	111	78	67	145
18th	64	61	125	80	62	142	84	74	158
19th	68	43	111	70	82	152	76	74	150
20th	69	60	129	93	74	167	58	53	111
21st	85	71	156	96	95	191	64	54	118
22nd	85	95	180	72	73	145	75	69	144
23rd	87	75	162	66	56	122	67	79	146
24th	89	95	184	66	58	124	94	63	157
25th	76	62	138	85	63	148	83	62	145
26th	53	52	105	74	85	159	65	80	145
27th	83	71	154	87	80	167	67	51	118
28th	105	93	198	96	79	175	65	62	127
29th	77	79	156	83	68	151	95	82	177
30th	102	80	182	70	73	143	82	76	158
31st	-	-	-	60	66	126	-	-	-
TOTAL	2,293	2,220	4,513	2,365	2,236	4,601	2,237	2,046	4,283

Date of occurrence	October			November			December		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	78	87	165	38	42	80	79	80	159
2nd	81	78	159	62	51	113	104	63	167
3rd	58	64	122	68	65	133	59	58	117
4th	54	61	115	78	74	152	80	70	150
5th	62	75	137	63	81	144	47	51	98
6th	73	68	141	81	59	140	53	55	108
7th	97	62	159	50	48	98	79	57	136
8th	71	66	137	49	50	99	68	72	140
9th	71	67	138	81	61	142	67	68	135
10th	65	48	113	82	63	145	54	67	121
11th	50	41	91	79	83	162	62	61	123
12th	73	61	134	72	62	134	70	50	120
13th	65	59	124	81	78	159	59	48	107
14th	66	63	129	54	52	106	78	66	144
15th	63	59	122	51	36	87	76	78	154
16th	76	66	142	67	68	135	89	69	158
17th	55	46	101	70	74	144	79	89	168
18th	54	44	98	68	59	127	63	75	138
19th	63	65	128	58	76	134	55	43	98
20th	82	75	157	71	81	152	38	35	73
21st	69	67	136	58	45	103	78	80	158
22nd	79	70	149	62	48	110	64	56	120
23rd	80	57	137	75	45	120	67	67	134
24th	58	43	101	91	68	159	50	47	97
25th	58	46	104	64	71	135	37	44	81
26th	44	58	102	89	63	152	38	40	78
27th	70	57	127	55	62	117	48	52	100
28th	71	70	141	61	44	105	70	68	138
29th	74	73	147	59	53	112	70	74	144
30th	71	56	127	57	59	116	78	68	146
31st	60	54	114	-	-	-	71	77	148
TOTAL	2,091	1,906	3,997	1,994	1,821	3,815	2,030	1,928	3,958

Table 39 Births in 1992 in each County and County Borough showing place of occurrence and areas of normal residence

Area	Number Registered		Transferred from area		Transferred to area		Net Number	
	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary
TOTAL	50,874	215	28,972	17	28,972	17	50,874	215
Carlow	—	1	—	—	664	—	664	1
Dublin County Borough	18,404	30	12,022	1	276	—	6,658	29
Dublin Belgard	—	10	—	2	3,500	1	3,500	9
Dublin Fingal	—	6	—	—	2,556	2	2,556	8
Dun Laoghaire Rathdown	1,514	22	1,062	3	1,943	—	2,395	19
Kildare	67	12	9	—	2,027	—	2,085	12
Kilkenny	1,352	2	564	—	255	1	1,043	3
Laois	1,109	2	537	—	96	—	668	2
Longford	—	—	—	—	413	—	413	—
Louth	2,226	1	1,013	—	44	1	1,257	2
Meath	1	11	—	—	1,493	—	1,494	11
Offaly	2	1	—	—	842	—	844	1
Westmeath	1,123	—	576	—	407	—	954	—
Wexford	1,404	9	53	—	225	1	1,576	10
Wicklow	—	18	—	4	1,561	2	1,561	16
Clare	7	10	1	—	1,240	4	1,246	14
Cork County Borough	6,554	4	4,951	—	6	—	1,609	4
Cork County	12	22	—	—	4,166	1	4,178	23
Kerry	1,093	17	75	—	541	1	1,559	18
Limerick County Borough	3,667	—	2,920	—	10	1	757	1
Limerick County	—	8	—	3	1,638	—	1,638	5
Tipperary N.R.	—	4	—	—	857	2	857	6
Tipperary S.R.	1,047	5	240	3	195	—	1,002	2
Waterford County Borough	1,457	—	977	—	15	—	495	—
Waterford County	—	1	—	—	807	—	807	1
Galway County Borough	2,631	—	1,889	—	4	—	746	—
Galway County	1,794	8	1,316	1	1,452	—	1,930	7
Leitrim	—	1	—	—	331	—	331	1
Mayo	1,333	2	54	—	182	—	1,461	2
Roscommon	—	1	—	—	602	—	602	1
Sligo	1,198	—	485	—	33	—	746	—
Cavan	860	3	218	—	122	—	764	3
Donegal	1,601	3	3	—	170	—	1,768	3
Monaghan	418	1	7	—	299	—	710	1

* Including registered private maternity homes.

Table 40 Births in 1992, classified by sex and age of mother at maternity and showing the number of births outside marriage

Age of mother at maternity	Total Births (including Births outside marriage)			Births outside marriage		
	Total	Males	Females	Total	Males	Females
ALL AGES	51,089	26,307	24,782	9,211	4,697	4,514
15 and under	47	21	26	47	21	26
16	188	93	95	184	93	91
17	461	236	225	439	225	214
18	806	422	384	735	387	348
19	1,212	638	574	1,026	531	495
under 20	2,714	1,410	1,304	2,431	1,257	1,174
20	1,342	704	638	1,039	555	484
21	1,309	660	649	862	427	435
22	1,477	753	724	712	355	357
23	1,761	911	850	630	330	300
24	1,970	988	982	506	255	251
20-24	7,859	4,016	3,843	3,749	1,922	1,827
25	2,270	1,160	1,110	394	179	215
26	2,771	1,403	1,368	333	183	150
27	3,245	1,683	1,562	307	161	146
28	3,572	1,867	1,705	271	151	120
29	3,600	1,838	1,762	255	133	122
25-29	15,458	7,951	7,507	1,560	807	753
30	3,649	1,897	1,752	211	104	107
31	3,447	1,784	1,663	184	96	88
32	3,208	1,671	1,537	153	74	79
33	2,702	1,403	1,299	146	72	74
34	2,488	1,295	1,193	119	61	58
30-34	15,494	8,050	7,444	813	407	406
35	2,098	1,043	1,055	104	53	51
36	1,738	914	824	86	43	43
37	1,483	756	727	93	42	51
38	1,137	602	535	81	40	41
39	925	465	460	64	25	39
35-39	7,381	3,780	3,601	428	203	225
40	636	307	329	41	20	21
41	448	241	207	33	14	19
42	270	129	141	16	11	5
43	182	89	93	6	3	3
44	84	44	40	7	5	2
40-44	1,620	810	810	103	53	50
45	42	24	18	-	-	-
46	28	16	12	-	-	-
47	5	1	4	-	-	-
48	1	1	-	-	-	-
49	2	-	2	-	-	-
45-49	78	42	36	-	-	-
50 and over	1	-	1	-	-	-
Age not stated	484	248	236	127	48	79

Table 41A Total Births (including outside marriage), in 1992, classified by age of mother at maternity and county of normal residence

Province, County or County Borough	Under 20		20-24		25-29		30-34		35-39		40-44		45 & over		Age not stated		ALL AGES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL	1,410	1,304	4,016	3,843	7,951	7,507	8,050	7,444	3,780	3,601	810	810	42	37	248	236	26,307	24,782
LEINSTER	893	786	2,311	2,207	4,405	4,081	4,294	4,063	1,931	1,851	380	365	17	14	97	96	14,328	13,463
Carlow	19	18	54	59	108	90	84	91	53	51	15	15	-	2	4	2	337	328
Dublin Co. Borough	320	248	754	697	1,042	947	908	829	400	373	74	71	1	1	13	9	3,512	3,175
Dublin Belgard	103	105	299	225	601	549	540	513	230	234	51	42	3	1	6	7	1,833	1,676
Dublin Fingal	58	52	131	122	436	404	493	439	180	180	33	27	3	2	2	2	1,336	1,228
Dun Laoghaire																		
Rathdown	51	45	119	111	341	338	498	444	190	188	39	31	2	1	11	5	1,251	1,163
Kildare	56	67	148	154	338	335	320	334	133	145	27	29	2	1	5	3	1,029	1,068
Kilkenny	26	22	70	68	145	163	172	175	86	72	19	16	-	-	5	7	523	523
Laois	19	17	63	60	126	85	89	80	54	44	8	13	-	2	4	6	363	307
Longford	11	13	31	33	52	60	58	62	26	37	12	10	1	-	5	2	196	217
Louth	46	36	102	127	211	178	166	177	94	61	19	21	1	-	10	10	649	610
Meath	26	31	93	87	234	209	253	252	130	134	22	25	1	1	2	5	761	744
Offaly	19	18	76	75	135	114	127	119	64	53	17	13	1	-	6	8	445	400
Westmeath	29	22	79	101	141	134	144	122	66	73	11	10	-	1	10	11	480	474
Wexford	53	55	154	174	240	238	190	211	112	96	14	22	1	2	11	13	775	811
Wicklow	57	37	138	114	255	237	252	215	113	110	19	20	1	-	3	6	838	739
MUNSTER	334	327	1,074	1,021	2,260	2,167	2,238	2,026	1,067	992	231	251	13	10	111	100	7,328	6,894
Clare	17	18	81	69	193	192	189	178	129	102	36	30	4	2	10	10	659	601
Cork Co. Borough	42	54	183	147	273	261	202	215	96	82	19	17	-	-	9	13	824	789
Cork County	68	72	260	253	682	626	780	651	313	303	64	73	4	2	23	27	2,194	2,007
Kerry	41	25	112	92	239	220	255	256	142	112	30	34	1	1	8	9	828	749
Limerick Co. Borough	41	49	86	107	107	122	84	67	33	37	11	6	1	-	4	3	367	391
Limerick County	22	27	103	109	250	246	298	239	134	136	25	35	2	-	11	6	845	798
Tipperary N.R.	27	14	53	63	131	125	113	126	75	81	18	20	-	-	9	8	426	437
Tipperary S.R.	35	27	96	74	155	141	152	122	67	61	13	17	1	2	21	20	540	464
Waterford Co. Borough	20	18	39	54	83	107	47	59	32	22	3	3	-	-	6	2	230	265
Waterford County	21	23	61	53	147	127	118	113	46	56	12	16	-	3	10	2	415	393
CONNACHT	104	123	364	359	782	795	1,004	946	522	503	137	125	12	7	23	21	2,948	2,879
Galway																		
Co. Borough	25	21	62	62	97	102	125	111	54	51	14	10	2	1	5	4	384	362
Galway County	32	37	119	112	244	251	345	316	189	169	46	48	3	5	13	8	991	946
Leitrim	2	3	17	12	54	46	60	54	35	33	7	8	-	-	-	1	175	157
Mayo	25	34	87	102	200	200	241	231	125	142	41	26	4	1	3	1	726	737
Roscommon	8	9	30	26	91	84	103	104	64	47	14	18	2	-	1	2	313	290
Sligo	12	19	49	45	96	112	130	130	55	61	15	15	1	-	1	5	359	387
ULSTER (part of)	79	68	267	256	504	464	514	409	260	255	62	69	-	6	17	19	1,703	1,546
Cavan	15	11	39	55	125	94	133	112	67	77	9	12	-	2	4	12	392	375
Donegal	44	43	171	148	267	265	265	214	141	122	35	44	-	3	6	3	929	842
Monaghan	20	14	57	53	112	105	116	83	52	56	18	13	-	1	7	4	382	329

Table 41B Births outside marriage, in 1992, classified by age of mother at maternity and county of normal residence

Province, County or County Borough	Under 20		20-24		25-29		30-34		35-39		40-44		45 & over		Age not stated		ALL AGES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL	1,257	1,174	1,922	1,827	807	753	407	406	203	225	53	50	-	-	48	79	4,697	4,514
LEINSTER	820	731	1,226	1,157	569	500	260	282	139	150	36	29	-	-	20	33	3,070	2,882
Carlow	16	16	19	19	8	7	2	4	1	2	-	-	-	-	2	-	48	48
Dublin Co. Borough	298	237	516	473	249	224	113	125	56	57	13	10	-	-	3	5	1,248	1,131
Dublin Belgard	100	96	142	124	81	63	31	36	15	33	9	5	-	-	1	1	379	358
Dublin Fingal	55	48	67	61	44	37	18	23	13	7	1	2	-	-	-	-	198	178
Dun Laoghaire Rathdown	50	44	80	69	40	37	24	22	15	12	6	3	-	-	3	2	218	189
Kildare	54	64	70	71	30	18	14	17	5	4	3	3	-	-	-	1	176	178
Kilkenny	19	21	30	20	7	9	13	7	2	1	-	2	-	-	2	2	73	62
Laois	17	13	22	25	1	5	3	3	3	2	-	-	-	-	-	3	46	51
Longford	8	12	11	9	2	3	1	3	-	2	-	1	-	-	1	-	23	30
Louth	41	34	46	54	14	14	6	9	6	4	-	2	-	-	2	3	115	120
Meath	25	29	42	31	14	14	5	5	3	7	1	1	-	-	-	2	90	89
Offaly	16	16	26	27	13	10	6	2	2	2	-	-	-	-	-	1	63	58
Westmeath	23	18	25	44	10	9	2	1	3	2	-	-	-	-	3	3	66	77
Wexford	48	47	73	76	25	22	5	10	4	5	1	-	-	-	2	5	158	165
Wicklow	50	36	57	54	31	28	17	15	11	10	2	-	-	-	1	5	169	148
MUNSTER	296	295	482	473	174	165	100	85	43	54	9	16	-	-	19	31	1,123	1,119
Clare	15	17	36	23	15	14	10	11	3	1	1	2	-	-	1	2	81	70
Cork Co. Borough	40	53	104	73	31	28	18	20	9	7	1	2	-	-	1	7	204	190
Cork County	58	61	96	95	28	33	30	16	9	15	4	3	-	-	4	6	229	229
Kerry	33	19	44	32	25	15	5	8	8	6	-	2	-	-	2	1	117	83
Limerick Co. Borough	36	45	51	78	19	22	11	8	4	6	-	1	-	-	1	-	122	160
Limerick County	19	25	39	43	9	17	3	7	4	5	2	2	-	-	2	2	78	101
Tipperary N.R.	24	13	27	25	10	6	3	3	1	5	-	-	-	-	3	3	68	55
Tipperary S.R.	32	24	41	42	15	11	7	4	2	3	1	2	-	-	4	7	102	93
Waterford Co. Borough	20	16	16	37	11	16	5	4	3	2	-	-	-	-	1	2	56	77
Waterford County	19	22	28	25	11	3	8	4	-	4	-	2	-	-	-	1	66	61
CONNACHT	75	94	132	122	44	53	32	30	15	15	3	2	-	-	6	7	307	323
Galway																		
Co. Borough	24	16	34	29	15	14	8	7	3	1	1	1	-	-	-	-	85	68
Galway County	19	27	33	39	10	17	6	12	6	8	1	1	-	-	5	4	80	108
Leitrim	-	2	4	5	-	1	1	1	-	-	1	-	-	-	-	1	6	10
Mayo	16	27	25	24	12	8	7	2	2	2	-	-	-	-	-	-	62	63
Roscommon	5	7	15	9	3	5	3	-	2	2	-	-	-	-	-	-	28	23
Sligo	11	15	21	16	4	8	7	8	2	2	-	-	-	-	1	2	46	51
ULSTER (part of)	66	54	82	75	20	35	15	9	6	6	5	3	-	-	3	8	197	190
Cavan	14	6	11	16	4	5	3	5	-	1	-	1	-	-	1	8	33	42
Donegal	37	36	51	46	13	19	10	4	4	5	4	2	-	-	1	-	120	112
Monaghan	15	12	20	13	3	11	2	-	2	-	1	-	-	-	1	-	44	36

Table 42 Total Births in 1992, classified by age of mother

Age of mother at maternity	Number of previous liveborn children									
	Total	0	1	2	3	4	5	6	7	8
ALL AGES	51,089	17,864	14,452	9,232	4,774	2,196	1,072	510	284	165
15 and under	47	47	-	-	-	-	-	-	-	-
16	188	183	4	-	-	-	-	-	-	-
17	461	435	23	-	-	-	-	-	-	-
18	806	741	52	12	-	-	-	-	-	-
19	1,212	1,025	156	26	3	-	-	-	-	-
under 20	2,714	2,431	235	38	3	-	-	-	-	-
20	1,342	1,036	262	36	4	1	-	-	-	-
21	1,309	881	344	65	13	1	2	-	-	-
22	1,477	846	463	132	24	5	-	1	-	-
23	1,761	914	560	196	63	15	6	-	-	-
24	1,970	1,000	609	245	68	31	10	-	-	-
20-24	7,859	4,677	2,238	674	172	53	18	1	-	-
25	2,270	1,045	743	323	98	39	5	3	-	-
26	2,771	1,255	875	399	164	50	17	4	2	-
27	3,245	1,331	1,074	518	203	72	21	7	3	-
28	3,572	1,327	1,252	625	228	81	28	12	2	-
29	3,600	1,211	1,274	663	265	103	46	11	4	2
25-29	15,458	6,169	5,218	2,528	958	345	117	37	11	2
30	3,649	1,082	1,257	770	314	121	57	23	4	5
31	3,447	825	1,235	776	334	142	62	31	11	2
32	3,208	665	1,045	820	388	159	54	32	16	10
33	2,702	481	797	744	373	164	71	26	17	5
34	2,488	391	681	709	386	171	70	28	16	14
30-34	15,494	3,444	5,015	3,819	1,795	757	314	140	64	36
35	2,098	274	482	596	401	178	85	29	15	14
36	1,738	194	386	450	363	168	78	36	32	11
37	1,483	161	270	364	316	173	89	42	23	18
38	1,137	124	188	275	217	138	87	39	22	13
39	925	92	124	188	186	122	94	52	33	11
35-39	7,381	845	1,450	1,873	1,483	779	433	198	125	67
40	636	59	95	111	120	89	56	46	20	20
41	448	37	56	71	90	61	43	32	22	9
42	270	17	29	28	62	42	32	24	13	8
43	182	10	20	20	27	32	23	14	12	9
44	84	7	7	6	11	13	16	7	7	7
40-44	1,620	130	207	236	310	237	170	123	74	53
45	42	1	1	9	7	7	5	3	3	3
46	28	1	-	6	4	1	4	5	3	2
47	5	-	1	-	1	1	1	-	-	-
48	1	-	-	-	-	-	-	-	1	-
49	2	-	-	-	-	-	-	-	-	-
45-49	78	2	2	15	12	9	10	8	7	5
50 and over	1	-	-	-	-	-	-	-	-	-
Age not stated	484	166	87	49	41	16	10	3	3	2

at maternity and number of previous liveborn children

Number of previous liveborn children													Age of mother at maternity
9	10	11	12	13	14	15	16	17	18	19	20 and over	Not stated	
97	44	29	18	9	5	6	3	-	-	1	-	328	ALL AGES
-	-	-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	-	-	1	16
-	-	-	-	-	-	-	-	-	-	-	-	3	17
-	-	-	-	-	-	-	-	-	-	-	-	1	18
-	-	-	-	-	-	-	-	-	-	-	-	2	19
-	-	-	-	-	-	-	-	-	-	-	-	7	under 20
-	-	-	-	-	-	-	-	-	-	-	-	3	20
-	-	-	-	-	-	-	-	-	-	-	-	3	21
-	-	-	-	-	-	-	-	-	-	-	-	6	22
-	-	-	-	-	-	-	-	-	-	-	-	7	23
-	-	-	-	-	-	-	-	-	-	-	-	7	24
-	-	-	-	-	-	-	-	-	-	-	-	26	20-24
-	-	-	-	-	-	-	-	-	-	-	-	14	25
-	-	-	-	-	-	-	-	-	-	-	-	5	26
2	-	-	-	-	-	-	-	-	-	-	-	14	27
1	1	-	-	-	-	-	-	-	-	-	-	15	28
2	-	-	-	-	-	-	-	-	-	-	-	19	29
5	1	-	-	-	-	-	-	-	-	-	-	67	25-29
1	1	-	-	-	-	-	-	-	-	-	-	14	30
3	1	3	-	-	-	-	-	-	-	-	-	22	31
5	1	1	-	-	-	-	-	-	-	-	-	12	32
8	-	-	1	-	-	-	-	-	-	-	-	15	33
3	3	-	1	-	-	-	-	-	-	-	-	15	34
20	6	4	2	-	-	-	-	-	-	-	-	78	30-34
7	2	3	1	1	-	-	-	-	-	-	-	10	35
5	3	4	2	-	-	-	-	-	-	-	-	6	36
12	3	-	3	2	-	-	-	-	-	-	-	7	37
11	2	5	-	2	1	-	2	-	-	-	-	11	38
6	5	6	-	-	1	1	-	-	-	-	-	4	39
41	15	18	6	5	2	1	2	-	-	-	-	38	35-39
8	4	2	2	1	1	-	-	-	-	-	-	2	40
13	5	1	2	1	-	-	-	-	-	1	-	4	41
3	4	3	-	2	2	-	-	-	-	-	-	1	42
6	5	-	1	-	-	2	-	-	-	-	-	1	43
1	2	-	-	-	-	-	-	-	-	-	-	-	44
31	20	6	5	4	3	2	-	-	-	1	-	8	40-44
-	1	-	1	-	-	1	-	-	-	-	-	-	45
-	-	-	-	-	-	2	-	-	-	-	-	-	46
-	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	2	-	-	-	-	-	-	-	-	-	49
-	2	-	3	-	-	3	-	-	-	-	-	-	45-49
-	-	-	1	-	-	-	-	-	-	-	-	-	50 and over
-	-	1	1	-	-	-	1	-	-	-	-	104	Age not stated

Table 43 Births within marriage in 1992,classified

Age of mother at maternity	Births within marriage -											
	Total	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983	1982
ALL AGES	41,878	908	3,695	4,206	4,428	4,307	3,875	3,346	2,924	2,401	2,052	1,788
15 and under	-	-	-	-	-	-	-	-	-	-	-	-
16	4	-	2	-	-	-	-	-	-	-	-	-
17	22	7	10	1	-	-	-	-	-	-	-	-
18	71	21	37	8	-	-	-	-	-	-	-	-
19	186	43	83	33	13	2	-	-	-	-	-	-
under 20	283	71	132	42	13	2	-	-	-	-	-	-
20	303	65	130	63	23	7	1	-	-	-	-	-
21	447	79	164	106	51	26	8	1	-	-	-	-
22	765	91	247	185	109	75	29	9	2	-	-	-
23	1,131	94	301	266	214	114	74	41	11	1	-	-
24	1,464	84	338	345	287	185	110	63	20	13	1	-
20-24	4,110	413	1,180	965	684	407	222	114	33	14	1	-
25	1,876	68	293	386	399	294	178	122	70	25	11	2
26	2,438	73	322	423	486	387	277	187	136	78	30	5
27	2,938	53	306	427	493	493	411	285	176	127	67	33
28	3,301	40	255	390	528	530	430	350	301	178	123	72
29	3,345	45	206	358	418	475	453	402	312	244	168	109
25-29	13,898	279	1,382	1,984	2,324	2,179	1,749	1,346	995	652	399	221
30	3,438	33	200	302	352	421	420	435	346	263	227	143
31	3,263	18	163	217	256	343	407	364	338	295	271	191
32	3,055	14	142	162	221	265	300	282	328	305	271	249
33	2,556	12	113	122	129	182	204	208	242	236	221	256
34	2,369	17	87	106	113	144	190	177	165	201	207	190
30-34	14,681	94	705	909	1,071	1,355	1,521	1,466	1,419	1,300	1,197	1,029
35	1,994	12	82	76	83	109	113	115	147	120	155	185
36	1,652	7	57	53	70	68	89	83	113	103	95	113
37	1,390	8	46	46	43	51	61	75	88	80	67	84
38	1,056	5	37	35	36	48	38	56	39	38	40	59
39	861	3	14	30	37	24	21	33	29	38	35	43
35-39	6,953	35	236	240	269	300	322	362	416	379	392	484
40	595	5	15	19	17	11	12	27	26	14	21	23
41	415	4	12	10	11	12	18	6	8	18	10	10
42	254	-	6	4	7	7	1	6	7	5	8	5
43	176	-	2	3	3	7	5	4	5	3	2	2
44	77	2	-	2	-	3	2	1	-	3	3	-
40-44	1,517	11	35	38	38	40	38	44	46	43	44	40
45	42	-	-	-	-	-	-	1	3	-	3	1
46	28	1	-	-	-	-	-	-	1	-	-	-
47	5	-	-	-	-	-	-	-	-	-	-	-
48	1	-	-	-	-	-	-	-	-	-	-	-
49	2	-	-	-	-	-	-	-	-	-	-	-
45-49	78	1	-	-	-	-	-	1	4	-	3	1
50 and over	1	-	-	-	-	-	-	-	-	-	-	-
Age not stated	357	4	25	28	29	24	23	13	11	13	16	13

by age of mother at maternity and year of marriage

the year of marriage being:										Age of mother at maternity
1981	1980	1979	1978	1977	1976	1975	1970- 1974	1969 and earlier	Not stated	
1,469	1,234	993	752	627	530	401	1,010	138	794	ALL AGES
-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	2	16
-	-	-	-	-	-	-	-	-	4	17
-	-	-	-	-	-	-	-	-	5	18
-	-	-	-	-	-	-	-	-	12	19
-	-	-	-	-	-	-	-	-	23	under 20
-	-	-	-	-	-	-	-	-	14	20
-	-	-	-	-	-	-	-	-	12	21
-	-	-	-	-	-	-	-	-	18	22
-	-	-	-	-	-	-	-	-	15	23
-	-	-	-	-	-	-	-	-	18	24
-	-	-	-	-	-	-	-	-	77	20-24
-	-	-	-	-	-	-	-	-	28	25
2	-	-	-	-	-	-	-	-	32	26
11	2	1	-	-	-	-	-	-	53	27
41	21	-	-	-	-	-	-	-	42	28
62	44	7	5	-	1	-	-	-	36	29
116	67	8	5	-	1	-	-	-	191	25-29
108	82	26	10	3	2	-	-	-	65	30
127	98	63	30	13	-	1	-	-	68	31
168	119	97	54	26	7	-	-	-	45	32
185	135	107	70	55	25	8	2	-	44	33
194	160	131	92	77	48	22	19	-	29	34
782	594	424	256	174	82	31	21	-	251	30-34
170	157	148	110	63	54	37	30	-	28	35
146	137	114	108	77	68	66	63	-	22	36
100	89	101	87	103	86	53	103	-	19	37
53	74	80	74	76	68	64	113	4	19	38
46	55	51	47	50	66	54	166	1	18	39
515	512	494	426	369	342	274	475	5	106	35-39
21	29	34	28	33	40	44	146	15	15	40
19	12	12	14	22	31	27	134	15	10	41
8	5	3	10	13	15	12	93	29	10	42
2	5	7	8	9	5	8	67	24	5	43
1	2	2	-	4	7	2	30	12	1	44
51	53	58	60	81	98	93	470	95	41	40-44
-	-	1	1	1	-	1	16	12	2	45
1	-	3	-	-	1	-	14	6	1	46
-	-	-	-	1	-	-	1	3	-	47
-	-	-	-	-	-	-	-	1	-	48
-	-	-	-	-	-	-	-	2	-	49
1	-	4	1	2	1	1	31	24	3	45-49
-	-	-	-	-	-	-	-	1	-	50 and over
4	8	5	4	1	6	2	13	13	102	Age not stated

Table 44 First births within marriage in 1992, classified by age of mother at maternity and year of marriage

Age of mother at maternity	TOTAL	First births within marriage : the year of marriage being													
		1992	1991	1990	1989	1988	1987	1986	1985	1984	1983	1978-1982	1973-1977	1972 and earlier	Not stated
ALL AGES	11,682	652	2,850	2,809	2,045	1,300	717	388	245	140	91	218	31	5	191
15 and under	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2
17	20	7	9	1	-	-	-	-	-	-	-	-	-	-	3
18	57	19	29	5	-	-	-	-	-	-	-	-	-	-	4
19	124	37	66	10	2	-	-	-	-	-	-	-	-	-	9
Under 20	205	63	106	16	2	-	-	-	-	-	-	-	-	-	18
20	162	51	80	18	4	1	-	-	-	-	-	-	-	-	8
21	207	59	106	30	4	1	1	-	-	-	-	-	-	-	6
22	346	66	162	74	24	6	2	-	-	-	-	-	-	-	12
23	502	62	223	146	52	11	4	-	-	-	-	-	-	-	4
24	682	60	255	217	98	37	4	2	-	-	-	-	-	-	9
20-24	1,899	298	826	485	182	56	11	2	-	-	-	-	-	-	39
25	835	49	235	266	181	72	18	4	3	-	-	-	-	-	7
26	1,095	57	259	323	260	116	44	19	6	4	-	-	-	-	7
27	1,198	37	249	317	277	186	72	27	11	4	1	-	-	-	17
28	1,208	29	201	294	311	198	92	36	22	6	3	3	-	-	13
29	1,110	26	172	275	219	179	114	60	34	13	2	3	-	-	13
25-29	5,446	198	1,116	1,475	1,248	751	340	146	76	27	6	6	-	-	57
30-34	3,206	63	573	654	509	436	322	192	135	87	55	112	6	1	61
35-39	748	20	186	141	84	47	38	43	31	19	26	90	17	-	6
40-44	101	6	24	22	9	3	4	3	2	6	3	9	8	2	-
45-49	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	75	3	19	16	11	7	2	2	-	1	1	1	-	2	10

Table 45 Marriages registered in each

Province, County or County Borough	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presby- terian	Methodist	Jewish	Other religious denomina- tions	Civil marriages
TOTAL	16,636	15,255	1,381	521	98	35	-	32	695
LEINSTER	8,725	7,784	941	316	33	18	-	20	554
Carlow	190	179	11	8	-	-	-	-	3
Dublin County Borough	2,672	2,079	593	86	18	12	-	9	468
Dublin Belgard	681	662	19	13	3	-	-	3	-
Dublin Fingal	602	584	18	14	1	2	-	-	1
Dun Laoghaire Rathdown	742	677	65	56	6	2	-	1	-
Kildare	506	463	43	24	1	2	-	1	15
Kilkenny	385	367	18	9	-	-	-	-	9
Laois	261	244	17	12	-	-	-	1	4
Longford	141	132	9	6	-	-	-	-	3
Louth	468	448	20	4	2	-	-	2	12
Meath	458	446	12	8	-	-	-	-	4
Offaly	290	280	10	5	1	-	-	-	4
Westmeath	328	314	14	5	1	-	-	-	8
Wexford	538	507	31	23	-	-	-	1	7
Wicklow	463	402	61	43	-	-	-	2	16
MUNSTER	4,723	4,506	217	80	4	14	-	9	110
Clare	442	439	3	2	-	-	-	1	-
Cork County Borough	824	768	56	6	-	1	-	4	45
Cork County	1,149	1,097	52	44	1	3	-	-	4
Kerry	551	534	17	2	-	1	-	-	14
Limerick County Borough	226	200	26	2	2	-	-	3	19
Limerick County	482	471	11	5	-	1	-	-	5
Tipperary, N.R.	332	304	28	16	-	8	-	-	4
Tipperary, S.R.	311	301	10	2	-	-	-	-	8
Waterford County Borough	177	165	12	-	1	-	-	1	10
Waterford County	229	227	2	1	-	-	-	-	1
CONNACHT	1,826	1,770	56	38	1	-	-	-	17
Galway County Borough	246	240	6	-	-	-	-	-	6
Galway County	480	476	4	1	-	-	-	-	3
Leitrim	115	108	7	6	-	-	-	-	1
Mayo	525	499	26	20	1	-	-	-	5
Roscommon	224	223	1	-	-	-	-	-	1
Sligo	236	224	12	11	-	-	-	-	1
ULSTER (part of)	1,362	1,195	167	87	60	3	-	3	14
Cavan	305	275	30	19	5	-	-	1	5
Donegal	783	675	108	59	39	2	-	1	7
Monaghan	274	245	29	9	16	1	-	1	2

County and County Borough during 1992

Total marriages registered in the quarter ended the last day of				Marriages contracted between				Province, County or County Borough
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
1,594	3,427	7,913	3,702	16,417	75	80	64	TOTAL
949	1,970	3,905	1,901	8,604	40	51	30	LEINSTER
21	46	83	40	186	3	-	1	Carlow
308	604	1,177	583	2,633	14	17	8	Dublin County Borough
58	142	320	161	668	3	8	2	Dublin Belgard
75	134	247	146	595	3	3	1	Dublin Fingal
79	168	286	209	728	1	7	6	Dun Laoghaire Rathdown
67	84	221	134	500	2	4	-	Kildare
29	105	188	63	380	2	1	2	Kilkenny
37	55	124	45	260	-	-	1	Laois
13	35	68	25	137	2	1	1	Longford
55	104	224	85	465	3	-	-	Louth
40	110	213	95	451	2	2	3	Meath
16	87	135	52	289	-	-	1	Offaly
44	90	135	59	325	1	2	-	Westmeath
45	102	269	122	532	1	2	3	Wexford
62	104	215	82	455	3	4	1	Wicklow
214	1,031	2,335	1,143	4,667	18	20	18	MUNSTER
42	88	188	124	438	3	-	1	Clare
1	226	420	177	816	1	2	5	Cork County Borough
49	271	581	248	1,140	3	2	4	Cork County
2	118	302	129	546	1	3	1	Kerry
-	47	89	90	224	-	2	-	Limerick County Borough
1	135	230	116	476	1	3	2	Limerick County
34	72	165	61	322	3	4	3	Tipperary, N.R.
33	45	144	89	306	2	1	2	Tipperary, S.R.
24	-	100	53	174	2	1	-	Waterford County Borough
28	29	116	56	225	2	2	-	Waterford County
281	120	1,017	408	1,802	8	5	11	CONNACHT
31	-	153	62	243	1	-	2	Galway County Borough
76	-	263	141	473	3	1	3	Galway County
9	23	53	30	113	1	-	1	Leitrim
125	-	299	101	517	1	2	5	Mayo
14	48	119	43	221	2	1	-	Roscommon
26	49	130	31	235	-	1	-	Sligo
150	306	656	250	1,344	9	4	5	ULSTER (part of)
47	62	137	59	304	1	-	-	Cavan
78	183	374	148	769	8	2	4	Donegal
25	61	145	43	271	-	2	1	Monaghan

Table 46 Marriages registered in 1992 classified by Age of

Age of Groom	Age of Bride																		
	16 & under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
ALL AGES	12	54	113	224	426	698	1,003	1,518	1,738	1,861	1,858	1,578	1,380	1,000	812	526	366	326	215
16 & under	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	1	12	9	8	7	1	-	1	1	-	-	-	1	-	-	-	-	-	-
19	-	7	12	20	15	13	6	3	5	-	-	2	-	-	-	-	-	-	-
20	2	11	20	25	40	23	20	10	7	3	3	3	1	-	-	-	-	-	-
21	-	5	13	26	58	73	57	38	13	12	12	3	3	2	-	-	-	-	1
22	3	2	15	24	66	102	107	85	62	39	18	12	11	7	1	1	2	2	-
23	1	-	10	35	62	97	154	213	142	92	46	31	15	15	9	4	4	5	1
24	1	3	6	23	40	107	153	251	270	163	94	60	39	30	10	10	5	4	3
25	-	3	3	23	41	82	121	250	305	310	188	107	66	48	34	13	8	6	5
26	-	1	8	10	28	46	98	186	229	284	299	197	112	71	53	28	10	11	7
27	-	1	1	7	17	38	96	123	215	271	318	257	180	101	59	32	20	18	4
28	-	-	4	4	18	29	54	110	146	194	247	239	194	111	74	35	24	25	5
29	1	-	2	8	6	18	42	80	101	136	190	197	187	129	97	61	27	10	13
30	-	-	3	2	7	18	29	45	66	113	138	135	188	116	89	53	23	30	14
31	-	-	1	3	5	14	22	39	47	65	92	113	99	113	79	54	47	22	18
32	-	-	1	3	3	7	10	23	42	49	68	67	76	73	79	57	36	38	8
33	-	1	-	-	5	12	7	20	26	38	48	47	65	57	56	34	31	31	24
34	-	-	-	-	1	7	7	12	17	23	31	19	37	27	42	33	27	25	25
35	-	-	-	1	-	4	6	12	17	17	20	24	26	26	34	31	25	24	17
36	1	-	-	2	2	3	4	3	13	11	16	14	15	13	20	19	21	15	12
37	-	-	-	-	-	-	2	3	2	10	8	16	18	17	16	13	14	14	6
38	-	-	-	-	1	1	-	1	5	5	4	6	15	9	15	13	4	7	8
39	1	-	-	-	-	1	1	2	2	2	2	7	12	11	16	2	5	10	9
40	-	-	-	-	-	-	1	2	-	5	3	4	6	8	9	5	8	8	6
41	-	-	-	-	1	-	1	-	1	2	4	4	4	5	5	9	6	6	9
42	-	-	-	-	-	1	2	-	-	5	3	4	1	3	3	1	4	2	6
43	-	-	-	-	-	-	-	1	1	4	-	2	3	2	2	4	1	3	2
44	-	-	-	-	1	-	1	-	-	3	2	-	-	-	2	1	1	-	4
45	-	-	-	-	1	-	-	1	1	1	-	4	1	2	2	2	2	2	1
46	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	1	-	3
47	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	4	1	1	1
48	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	2	2	-
49	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1
50-54	-	-	-	-	-	-	-	-	-	1	3	1	2	1	3	2	6	3	1
55-59	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 & over	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	1	1	1	2	-	-	2	-	1	-	1	-	-	-

Groom and Bride in single years. All marriages

Age of Bride																						Age of Groom	
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated		ALL AGES
184	124	89	85	69	61	36	24	27	24	15	9	13	12	6	48	23	25	13	5	2	34	16,636	ALL AGES
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	16 & under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	317	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	560	22
2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	942	23
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,274	24
2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1,620	25
1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,682	26
9	2	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,776	27
5	-	3	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1,529	28
17	8	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,337	29
10	6	2	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,097	30
19	8	7	2	-	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	875	31
14	6	6	5	2	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	677	32
18	7	7	2	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	546	33
10	12	5	9	5	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	380	34
13	14	8	3	3	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	330	35
14	11	5	7	6	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	233	36
5	10	5	4	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	169	37
14	7	5	3	3	7	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	137	38
3	7	6	8	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	115	39
6	4	5	7	7	5	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	103	40
9	5	2	2	5	2	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	90	41
1	2	1	3	2	3	3	1	-	2	-	-	-	-	-	3	-	-	-	-	-	-	56	42
1	3	1	1	3	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	39	43
4	-	2	1	2	-	-	-	3	-	1	1	-	-	1	-	-	-	-	-	-	-	30	44
2	1	3	3	3	2	3	-	1	4	1	-	-	1	-	1	1	-	-	-	-	-	46	45
2	1	1	-	3	2	-	1	1	2	1	-	-	1	-	1	-	-	-	-	-	-	25	46
-	1	1	1	2	4	3	1	2	1	1	-	-	-	1	1	-	-	-	-	-	-	31	47
2	1	4	-	3	-	2	1	-	1	1	-	-	1	-	4	1	-	-	-	-	-	29	48
-	2	1	2	-	3	2	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	18	49
1	1	1	8	2	7	5	3	6	6	3	-	6	4	-	6	1	1	1	-	-	-	85	50-54
-	2	1	3	-	3	3	2	1	2	4	-	3	1	1	13	7	1	-	-	-	-	49	55-59
-	-	-	1	1	-	1	-	1	1	-	2	1	-	-	5	5	8	2	1	-	-	34	60-64
-	1	-	-	-	-	-	-	1	-	2	1	-	-	2	7	4	10	3	1	-	-	34	65-69
-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	3	4	3	2	-	-	17	70-74
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	4	1	2	-	13	75 & over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	35	Not stated

Table 47 Marriages registered in 1992 classified by age of

Age of Groom	Age of Bride																		
	16 & under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
ALL AGES	12	54	113	224	426	698	1,000	1,517	1,736	1,856	1,853	1,574	1,377	996	810	521	364	324	212
16 & under	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	1	12	9	8	7	1	-	1	1	-	-	-	1	-	-	-	-	-	-
19	-	7	12	20	15	13	6	3	5	-	-	2	-	-	-	-	-	-	-
20	2	11	20	25	40	23	20	10	7	3	3	3	1	-	-	-	-	-	-
21	-	5	13	26	58	73	57	38	13	12	12	3	3	2	-	-	-	-	1
22	3	2	15	24	66	102	107	85	62	39	18	12	11	7	1	1	2	2	-
23	1	-	10	35	62	97	154	213	142	92	46	31	15	15	9	4	4	5	1
24	1	3	6	23	40	107	153	251	270	163	94	59	39	29	10	10	5	4	3
25	-	3	3	23	41	82	120	250	304	310	187	107	66	48	34	13	8	6	5
26	-	1	8	10	28	46	98	186	229	283	299	197	112	71	53	28	10	11	7
27	-	1	1	7	17	38	95	123	215	269	317	257	180	101	59	32	20	18	4
28	-	-	4	4	18	29	53	110	146	194	247	239	194	110	74	35	24	25	5
29	1	-	2	8	6	18	42	80	100	136	190	197	187	129	97	61	27	10	13
30	-	-	3	2	7	18	29	45	66	113	138	135	188	116	89	52	22	30	14
31	-	-	1	3	5	14	22	39	47	65	92	112	99	113	79	53	47	22	18
32	-	-	1	3	3	7	10	23	42	49	68	67	76	72	79	57	36	38	8
33	-	1	-	-	5	12	7	20	26	38	48	47	65	57	56	34	31	31	23
34	-	-	-	-	1	7	7	11	17	23	31	19	37	27	42	33	27	25	24
35	-	-	-	1	-	4	6	12	17	17	20	23	26	26	34	31	25	24	17
36	1	-	-	2	2	3	4	3	13	11	16	14	15	13	19	19	21	15	12
37	-	-	-	-	-	-	2	3	2	9	8	16	18	17	16	12	13	14	6
38	-	-	-	-	1	1	-	1	5	5	4	6	15	9	15	13	4	7	8
39	1	-	-	-	-	1	1	2	2	2	2	7	12	11	16	2	5	10	9
40	-	-	-	-	-	-	1	2	-	5	3	4	6	8	9	5	8	8	6
41	-	-	-	-	1	-	1	-	1	2	4	4	4	5	5	9	6	6	9
42	-	-	-	-	-	1	2	-	-	5	3	4	1	3	3	1	4	2	6
43	-	-	-	-	-	-	-	1	1	4	-	2	3	1	2	4	1	3	2
44	-	-	-	-	1	-	1	-	-	2	2	-	-	-	2	1	1	-	4
45	-	-	-	-	1	-	-	1	1	1	-	4	-	2	1	2	2	2	1
46	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	2
47	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	3	1	-	1
48	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	2	2	-
49	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1
50-54	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	6	3	1
55-59	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	1	1	1	2	-	-	2	-	1	-	1	-	-	-

Groom and Bride in single years. First marriages only

Age of Bride																						Age of Groom	
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated		ALL AGES
178	116	83	79	63	52	23	18	19	17	9	5	6	7	4	22	8	4	2	2	-	33	16,417	ALL AGES
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	16 & under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	317	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	560	22
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	941	23
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,272	24
2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1,617	25
1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,681	26
9	2	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,772	27
5	-	3	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1,527	28
17	8	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,336	29
10	6	2	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,095	30
19	8	7	2	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	871	31
12	6	6	5	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	673	32
18	6	6	2	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	540	33
8	12	4	9	5	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	375	34
13	14	6	3	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	326	35
14	11	4	7	6	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	230	36
5	10	5	3	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	164	37
14	6	5	3	3	6	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	135	38
3	7	6	8	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	114	39
6	4	5	7	7	5	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	102	40
9	4	2	2	5	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	87	41
1	2	1	3	2	3	3	1	-	2	-	-	-	-	-	2	-	-	-	-	-	-	55	42
1	2	1	1	3	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	36	43
4	-	2	1	2	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	27	44
1	1	3	2	3	2	3	-	1	4	1	-	-	-	-	-	1	-	-	-	-	-	40	45
2	1	1	-	1	2	-	1	1	1	1	-	-	1	-	1	-	-	-	-	-	-	20	46
-	-	1	1	2	3	2	1	2	1	1	-	-	-	1	1	-	-	-	-	-	-	26	47
2	1	4	-	3	-	1	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	24	48
-	2	1	2	-	3	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	16	49
1	-	1	7	1	5	1	2	3	3	1	-	4	2	-	3	-	-	1	-	-	-	54	50-54
-	1	-	1	-	2	-	-	-	-	2	-	1	1	1	7	3	-	-	-	-	-	21	55-59
-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	2	1	-	-	-	-	12	60-64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-	7	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	75 & over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	34	Not stated

Table 48 Marriages registered in 1992 classified according to form of ceremony and age of Groom

Form of Ceremony	Age of Groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	127	3,038	7,402	3,270	851	247	117	74	42	73	14	15,255	28.8
Church of Ireland	4	73	238	122	29	14	5	3	1	12	20	521	30.4
Presbyterian	2	17	44	21	10	2	1	1	-	-	-	98	29.1
Other Religious denominations	1	17	30	8	6	4	-	-	1	-	-	67	28.8
Civil marriages	4	116	230	154	88	51	26	7	5	13	1	695	32.0
TOTAL	138	3,261	7,944	3,575	984	318	149	85	49	98	35	16,636	29.0

Table 49 Marriages registered in 1992 classified according to form of ceremony and age of Bride

Form of Ceremony	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	363	4,980	7,146	2,024	459	137	45	33	18	37	13	15,255	27.0
Church of Ireland	10	156	222	67	26	7	1	7	1	4	20	521	28.0
Presbyterian	4	37	37	14	3	2	1	-	-	-	-	98	26.7
Other Religious denominations	3	20	33	7	1	1	1	1	-	-	-	67	27.3
Civil marriages	23	190	239	133	62	25	7	7	4	4	1	695	29.1
TOTAL	403	5,383	7,677	2,245	551	172	55	48	23	45	34	16,636	27.1

Table 50 Marriages registered in 1992 classified by socio-economic group and age of Groom

Socio-economic Group of Groom	Age of Groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers													
Other agricultural occupations and fishermen	1	157	531	333	125	49	33	28	8	15	4	1,284	31.4
Higher professional	4	108	148	57	24	5	3	2	-	-	-	351	28.0
Lower professional	-	65	608	332	95	23	13	3	6	8	-	1,153	30.5
Employers and managers	-	99	417	278	77	44	7	6	4	3	1	936	30.5
Salaried employees	4	179	772	394	100	42	17	7	9	14	2	1,540	30.0
Intermediate non-manual workers	3	145	460	211	52	12	7	2	-	1	9	902	28.9
Other non-manual workers	9	403	980	441	101	25	9	8	4	7	4	1,991	28.6
Skilled manual workers	12	406	868	325	96	28	16	7	3	2	4	1,767	28.3
Other manual workers	21	943	2,277	884	209	53	26	10	6	7	6	4,442	28.3
Not stated	21	479	669	219	79	22	11	7	4	8	-	1,519	27.8
	63	277	214	101	26	15	7	5	5	33	5	751	28.5
TOTAL	138	3,261	7,944	3,575	984	318	149	85	49	98	35	16,636	29.0

Table 51 Marriages registered in 1992 classified by socio-economic group and age of Bride

Socio-economic Group of Bride	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	1	21	22	13	5	5	2	2	1	1	-	73	30.8
Other agricultural occupations and fishermen	2	24	28	14	1	1	-	-	-	-	-	70	26.7
Higher professional	-	79	393	112	15	6	2	-	-	-	7	614	28.3
Lower professional	5	474	1,466	530	132	32	14	14	2	1	5	2,675	28.5
Employers and managers	5	198	477	128	35	15	3	2	3	5	3	874	28.2
Salaried employees	-	149	339	99	16	1	-	-	-	1	7	612	27.4
Intermediate non- manual workers	70	2,010	2,885	833	188	40	12	7	5	4	6	6,060	26.9
Other non- manual workers	42	633	712	168	45	24	7	5	-	2	1	1,639	26.5
Skilled manual workers	11	274	294	81	17	7	-	1	-	2	-	687	26.6
Other manual workers	53	729	600	124	37	6	3	2	-	1	2	1,557	25.6
Not stated	214	792	461	143	60	35	12	15	12	28	3	1,775	26.3
TOTAL	403	5,383	7,677	2,245	551	172	55	48	23	45	34	16,636	27.1

Table 52 Marriages registered in 1992 classified by socio-economic group of Bride and Groom

Socio-economic Group of Groom	Socio-economic Group of Bride											
	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	TOTAL
Farmers, relatives assisting and farm managers	43	13	33	229	42	29	475	150	38	127	105	1,284
Other agricultural occupations and fishermen	1	19	5	36	11	7	99	40	15	53	65	351
Higher professional	1	2	267	321	90	56	307	44	16	13	36	1,153
Lower professional	2	5	37	413	43	37	256	48	36	26	33	936
Employers and managers	2	4	58	268	225	82	597	121	40	57	86	1,540
Salaried employees	1	1	28	152	69	126	340	72	29	43	41	902
Intermediate non- manual workers	5	3	41	287	80	64	964	169	77	153	148	1,991
Other non- manual workers	6	2	23	189	70	53	677	282	63	188	214	1,767
Skilled manual workers	6	15	92	628	197	134	1,780	482	281	444	383	4,442
Other manual workers	5	5	13	120	35	21	447	184	74	397	218	1,519
Not stated	1	1	17	32	12	3	118	47	18	56	446	751
TOTAL	73	70	614	2,675	874	612	6,060	1,639	687	1,557	1,775	16,636

Table 53 Marriages registered in 1992 classified by age and area of residence of Groom before marriage

Area of residence of Groom	Age of Groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
TOTAL	138	3,261	7,944	3,575	984	318	149	85	49	98	35	16,636	29.0
LEINSTER	73	1,629	3,751	1,651	448	146	87	38	21	58	18	7,920	29.0
Carlow	2	43	72	43	8	3	4	1	1	2	-	179	29.0
Dublin County Borough	13	456	1,154	509	139	47	32	6	6	14	4	2,380	29.1
Dublin Belgard	9	149	346	152	30	14	4	2	-	1	-	707	28.3
Dublin Fingal	3	107	273	111	28	10	7	1	1	3	-	544	28.8
Dun Laoghaire Rathdown	5	113	366	204	51	21	8	4	1	14	5	792	30.1
Kildare	8	105	208	86	27	10	2	4	2	4	1	457	28.8
Kilkenny	2	60	131	57	18	5	3	5	1	3	-	285	29.3
Laois	3	51	111	46	13	1	3	1	-	3	-	232	28.7
Longford	1	34	64	17	7	-	-	-	1	-	-	124	27.6
Louth	4	107	199	61	21	5	1	2	-	2	-	402	27.9
Meath	8	79	179	84	20	6	5	3	2	1	3	390	28.7
Offaly	5	80	116	43	17	2	3	-	-	2	2	270	27.9
Westmeath	2	66	133	58	20	7	2	2	-	3	1	294	29.1
Wexford	6	106	187	98	26	8	7	4	5	3	-	450	29.4
Wicklow	2	73	212	82	23	7	6	3	1	3	2	414	29.1
MUNSTER	22	810	1,937	816	230	71	30	29	12	24	1	3,982	29.0
Clare	3	65	172	62	21	10	8	3	-	1	1	346	29.3
Cork County Borough	1	146	346	116	20	10	4	5	-	3	-	651	28.4
Cork County	4	192	517	226	76	27	10	9	2	3	-	1,066	29.2
Kerry	-	89	181	85	26	10	1	5	1	3	-	401	29.4
Limerick County Borough	1	50	116	54	10	2	-	2	-	1	-	236	28.5
Limerick County	4	89	194	101	27	6	2	1	2	-	-	426	28.6
Tipperary, N.R.	4	47	109	58	13	2	2	2	4	5	-	246	30.0
Tipperary, S.R.	4	60	123	45	19	-	3	1	2	1	-	258	28.6
Waterford County Borough	1	41	69	16	13	1	-	-	-	3	-	144	28.4
Waterford County	-	31	110	53	5	3	-	1	1	4	-	208	29.3
CONNACHT	18	249	579	312	87	33	18	9	6	7	2	1,320	29.4
Galway County Borough	2	20	48	21	10	3	2	-	1	1	-	108	29.7
Galway County	7	94	208	111	24	9	5	3	-	4	-	465	29.1
Leitrim	3	8	42	22	7	2	-	1	-	-	-	85	29.5
Mayo	4	67	139	69	23	4	7	5	2	1	-	321	29.3
Roscommon	-	32	58	40	8	8	3	-	2	1	1	153	30.2
Sligo	2	28	84	49	15	7	1	-	1	-	1	188	29.7
ULSTER (part of)	17	263	458	182	57	21	6	4	5	3	2	1,018	28.3
Cavan	5	36	111	47	16	7	1	1	-	1	1	226	29.0
Donegal	9	177	237	95	35	9	3	2	4	-	1	572	27.9
Monaghan	3	50	110	40	6	5	2	1	1	2	-	220	28.6
IRELAND*	130	2,951	6,725	2,961	822	271	141	80	44	92	23	14,240	29.0
Northern Ireland	1	44	89	43	18	6	1	-	-	1	-	203	28.9
England and Wales	1	207	788	362	78	16	3	1	2	3	6	1,467	28.9
Scotland	-	4	29	20	4	1	-	-	-	-	2	60	29.6
Elsewhere	-	41	276	168	49	21	4	3	2	1	2	567	30.5
Not stated	6	14	37	21	13	3	-	1	1	1	2	99	29.7

* Exclusive of Northern Ireland

Table 54 Marriages registered in 1992 classified by age and area of residence of Bride before marriage

Area of residence of Bride	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
TOTAL	403	5,383	7,677	2,245	551	172	55	48	23	45	34	16,636	27.1
LEINSTER	191	2,699	3,720	1,051	279	91	37	26	12	26	18	8,150	27.1
Carlow	10	67	77	27	5	5	4	2	-	-	-	197	27.2
Dublin County Borough	31	730	1,130	332	102	27	14	13	4	3	3	2,389	27.5
Dublin Belgard	16	283	320	84	27	10	2	-	1	1	1	745	26.7
Dublin Fingal	5	175	251	69	23	3	2	2	1	1	-	532	27.3
Dun Laoghaire Rathdown	6	206	435	145	36	12	2	2	1	7	11	863	28.0
Kildare	16	163	202	46	12	7	1	1	-	1	-	449	26.5
Kilkenny	17	99	130	46	10	3	1	2	1	1	1	311	27.1
Laois	7	89	100	28	7	1	1	-	1	-	-	234	26.4
Longford	9	51	60	16	4	-	-	-	-	1	-	141	26.0
Louth	13	168	192	45	17	2	2	1	1	1	-	442	26.6
Meath	12	144	164	56	8	5	-	2	-	1	-	392	26.7
Offaly	13	110	102	27	4	4	-	-	-	1	-	261	25.9
Westmeath	15	94	150	32	4	3	1	-	-	2	2	303	26.6
Wexford	13	179	228	53	14	5	2	-	1	4	-	499	26.9
Wicklow	8	141	179	45	6	4	5	1	1	2	-	392	27.1
MUNSTER	94	1,395	1,885	539	121	38	10	10	4	14	2	4,112	27.0
Clare	10	122	166	35	17	2	1	1	-	1	-	355	26.8
Cork County Borough	5	244	356	78	7	9	-	-	1	3	-	703	26.8
Cork County	23	357	493	157	33	11	3	2	2	3	1	1,085	27.1
Kerry	12	131	186	68	18	8	1	-	-	-	-	424	27.3
Limerick County Borough	6	90	101	31	7	2	-	-	-	-	1	238	26.5
Limerick County	10	127	193	58	10	3	1	1	-	-	-	403	26.7
Tipperary, N.R.	9	87	122	27	12	-	2	1	1	2	-	263	27.2
Tipperary, S.R.	15	98	127	34	9	-	1	1	-	1	-	286	26.4
Waterford County Borough	3	73	47	14	2	2	-	1	-	1	-	143	26.1
Waterford County	1	66	94	37	6	1	1	3	-	3	-	212	28.1
CONNACHT	54	410	618	219	68	19	4	4	4	2	3	1,405	27.3
Galway County Borough	9	34	54	18	12	2	1	-	-	1	-	131	27.8
Galway County	19	159	184	74	20	5	-	3	-	1	-	465	27.0
Leitrim	4	19	38	14	5	-	-	1	-	-	-	81	27.8
Mayo	13	117	156	45	14	7	2	-	1	-	2	357	26.9
Roscommon	4	34	93	28	7	2	-	-	3	-	1	172	28.0
Sligo	5	47	93	40	10	3	1	-	-	-	-	199	28.0
ULSTER (part of)	49	442	425	132	35	11	1	3	-	-	2	1,100	26.1
Cavan	9	92	107	33	13	3	-	1	-	-	1	259	26.8
Donegal	30	264	218	68	16	7	1	2	-	-	1	607	25.8
Monaghan	10	86	100	31	6	1	-	-	-	-	-	234	26.3
IRELAND*	388	4,946	6,648	1,941	503	159	52	43	20	42	25	14,767	27.0
Northern Ireland	-	38	39	11	4	2	-	2	1	1	-	98	27.9
England and Wales	6	309	710	184	28	5	2	2	1	-	7	1,254	27.3
Scotland	-	6	21	7	1	-	-	-	-	-	-	35	28.4
Elsewhere	1	69	232	91	11	6	1	-	1	1	1	414	28.5
Not stated	8	15	27	11	4	-	-	1	-	1	1	68	27.7

* Exclusive of Northern Ireland

Table 55 Marriages registered in each county in 1992 classified by

Area of residence of Groom	Area of residence of Bride																			
	TOTAL	Car-low	Dubl-in C.B.	Dub. Bel.	Dub. Fin.	Dun Laog. Rdo-wn	Kild-are	Kilk-enny	Lao-is	Lon-gford	Lou-th	Mea-th	Offa-ly	Wes-tmea-th	Wex-ford	Wic-klow	Cla-re	Cork C. B.	Cork Co.	Ker-ry
TOTAL	16,636	197	2,389	745	532	863	449	311	234	141	442	392	261	303	499	392	355	703	1,085	424
Carlow	179	128	4	3	-	3	7	8	1	-	-	-	1	-	6	9	-	-	2	-
Dublin County Borough	2,380	7	1,730	156	102	122	29	7	6	3	9	24	6	5	15	19	6	13	12	8
Dublin Belgard	707	4	126	423	9	39	13	4	1	2	5	7	1	4	8	14	2	3	4	3
Dublin Fingal	544	1	130	14	326	13	1	2	1	-	6	9	2	2	2	2	2	3	2	3
Dun Laoghaire Rathdown	792	-	93	33	17	520	6	2	4	1	4	4	3	5	11	26	1	3	9	3
Kildare	457	9	31	19	3	4	310	6	9	4	3	7	6	3	9	8	2	1	3	1
Kilkenny	285	10	4	-	-	3	3	198	5	1	-	-	-	1	12	-	1	1	5	1
Laois	232	4	4	-	1	5	6	7	154	1	-	4	15	4	2	-	-	1	-	1
Longford	124	-	2	-	-	1	2	-	-	89	-	2	1	5	-	-	-	-	-	-
Louth	402	-	8	3	1	5	-	1	-	-	330	21	-	2	-	-	-	-	3	2
Meath	390	-	22	7	15	9	13	2	-	1	19	263	4	5	-	1	2	1	1	-
Offaly	270	-	9	2	1	-	7	5	18	3	1	3	170	13	4	1	1	1	1	-
Westmeath	294	3	8	2	3	1	3	3	1	9	1	1	13	214	-	1	2	1	-	1
Wexford	450	11	12	2	2	7	2	10	1	-	1	1	-	1	368	11	1	1	2	1
Wicklow	414	4	23	12	6	47	18	-	1	-	3	1	1	1	8	274	2	-	3	1
Clare	346	-	3	-	4	3	-	1	-	-	-	2	3	-	-	2	260	1	8	2
Cork County Borough	651	3	6	2	-	4	-	1	1	-	-	-	1	-	2	1	2	508	96	2
Cork County	1,066	2	9	3	1	4	3	2	3	2	1	2	-	5	4	3	2	115	821	20
Kerry	401	-	7	-	1	2	3	2	-	2	-	-	2	-	-	-	2	7	17	331
Limerick County Borough	236	-	3	-	-	2	2	-	-	-	-	1	1	-	-	-	7	4	8	3
Limerick County	426	1	6	3	-	2	3	2	-	-	1	2	2	1	-	-	25	5	21	19
Tipperary N.R.	246	-	2	-	1	1	2	6	8	-	-	-	8	-	3	3	5	1	4	4
Tipperary S.R.	258	2	4	-	-	2	1	10	3	-	1	1	2	2	1	-	1	2	7	1
Waterford County Borough	144	1	1	-	-	1	1	5	2	-	-	-	-	-	7	-	1	-	1	1
Waterford County	208	-	3	1	1	1	-	11	-	-	1	-	-	-	4	-	2	1	10	-
Galway County Borough	108	1	3	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Galway County	465	-	8	3	-	3	1	-	4	1	2	2	6	6	-	-	9	2	1	-
Leitrim	85	-	5	1	-	1	1	-	-	3	-	2	-	1	3	1	-	-	1	1
Mayo	321	-	4	3	2	-	-	-	-	-	-	-	-	4	1	1	2	1	1	-
Roscommon	153	-	3	1	1	3	-	-	2	3	-	1	3	4	-	-	1	-	1	1
Sligo	188	-	3	1	-	1	2	1	-	2	1	1	1	-	1	-	1	-	2	-
Cavan	226	1	3	2	-	1	1	1	-	4	2	12	-	2	-	1	1	-	1	1
Donegal	572	1	5	-	-	2	-	-	-	2	1	1	1	2	-	-	1	3	1	1
Monaghan	220	1	7	3	1	-	1	2	1	-	10	5	1	1	-	-	1	-	-	-
IRELAND*	14,240	194	2,291	700	499	812	441	299	226	133	402	380	255	294	471	378	345	679	1,048	412
Northern Ireland	203	1	12	4	1	4	1	1	1	1	24	1	1	1	3	-	4	-	3	2
England and Wales	1,467	2	34	13	18	18	6	7	7	5	7	5	1	4	18	8	5	11	21	8
Scotland	60	-	7	2	2	3	-	-	-	-	-	2	1	-	2	1	-	1	-	1
Elsewhere	567	-	33	20	11	19	1	2	-	1	7	4	3	3	3	5	1	12	13	1
Not stated	99	-	12	6	1	7	-	2	-	1	2	-	-	1	2	-	-	-	-	-

* Exclusive of Northern Ireland

area of residence of Bride and Groom before marriage

Area of residence of Bride																					
Li- me- rick C. B.	Li- me- rick Co.	Ti- pp N. R.	Ti- pp S. R.	Wa- ter- ford C. B.	Wa- ter- ford Co.	Gal- way C. B.	Gal- way Co.	Lei- trim	Ma- yo	Ros- com- mon	Sli- go	Ca- van	Do- ne- gal	M- on- ag- han	IRELA- ND*	Nth Irl	Eng & Wales	Scot	Else- where	Not stated	
238	403	263	286	143	212	131	465	81	357	172	199	259	607	234	14,767	98	1,254	35	414	68	
1	-	-	-	-	-	1	3	-	-	-	-	-	-	1	178	-	1	-	-	-	
6	1	10	5	3	3	3	10	3	11	7	7	9	10	4	2,371	3	3	-	1	2	
-	-	3	1	1	4	-	3	2	3	1	2	7	2	2	703	-	1	-	3	-	
-	1	-	3	-	-	-	2	-	2	3	1	4	2	-	539	1	1	-	-	3	
3	2	4	2	-	4	2	4	-	5	2	2	4	2	2	783	-	6	-	2	1	
-	3	1	3	-	-	1	2	1	2	-	-	-	-	1	452	-	1	-	3	1	
-	-	4	16	5	7	-	1	-	-	-	-	1	-	1	280	-	3	1	1	-	
3	-	8	4	-	-	-	2	-	2	-	-	-	-	-	228	-	2	-	2	-	
1	-	-	-	-	-	-	1	3	-	5	-	9	1	1	123	-	1	-	-	-	
1	2	-	-	-	-	-	2	-	-	-	1	3	1	12	398	3	1	-	-	-	
-	2	-	-	-	2	1	-	3	2	2	-	6	-	4	387	-	2	-	1	-	
-	1	10	-	-	1	-	6	1	1	2	1	1	-	-	264	-	4	-	-	2	
-	1	-	-	-	-	1	7	-	4	11	-	-	-	2	293	-	-	-	1	-	
-	3	-	2	3	3	-	-	-	-	-	2	1	1	-	449	-	1	-	-	-	
-	-	-	-	-	-	-	2	-	-	-	-	1	2	3	413	-	1	-	-	-	
14	22	4	2	-	1	2	6	-	2	1	-	-	1	-	344	-	1	-	1	-	
1	6	1	3	2	3	-	2	-	1	-	-	-	1	-	649	-	-	1	1	-	
3	21	9	6	-	8	1	2	1	2	-	2	2	1	1	1,061	-	4	-	1	-	
-	12	2	-	-	2	-	-	-	1	-	-	1	2	-	396	1	3	-	1	-	
167	29	6	2	-	-	-	-	-	-	-	1	-	-	-	236	-	-	-	-	-	
31	267	7	9	3	-	-	4	-	4	-	1	1	-	1	421	-	2	-	2	1	
-	8	172	10	-	-	-	6	-	1	-	-	-	-	1	246	-	-	-	-	-	
2	5	5	200	-	3	-	-	-	-	-	1	-	1	-	257	-	-	-	1	-	
-	-	-	-	103	19	-	-	-	1	-	-	-	-	-	144	-	-	-	-	-	
1	2	2	7	21	138	-	1	-	-	-	-	-	1	-	208	-	-	-	-	-	
-	-	1	-	-	-	74	16	-	2	-	1	2	2	-	107	-	1	-	-	-	
-	3	3	-	-	-	37	337	1	12	17	2	-	4	-	464	1	-	-	-	-	
-	-	1	-	-	-	-	1	38	1	4	8	7	2	-	82	-	2	-	-	1	
-	-	1	1	-	-	1	13	2	251	7	10	1	2	3	311	1	7	-	2	-	
-	-	-	1	-	-	1	6	5	9	98	7	-	1	-	152	-	1	-	-	-	
-	-	-	-	-	1	-	3	7	14	6	129	2	5	1	185	1	2	-	-	-	
1	2	-	-	-	-	-	1	5	-	1	4	165	-	8	220	2	2	-	2	-	
-	-	3	-	-	-	1	5	5	3	1	4	1	509	1	554	8	5	2	2	1	
-	-	-	1	-	-	1	-	-	-	-	2	15	-	164	217	1	1	-	1	-	
235	393	257	278	141	199	127	448	77	336	168	188	243	553	213	14,115	22	59	4	28	12	
-	1	-	1	-	2	-	1	2	1	1	1	6	37	11	129	71	3	-	-	-	
1	3	2	4	1	4	3	9	1	17	2	6	7	11	6	275	3	1,183	1	3	2	
1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	26	-	5	29	-	-	
1	6	4	3	-	7	1	6	1	2	-	3	1	3	1	178	2	3	1	383	-	
-	-	-	-	-	-	-	1	-	-	1	-	2	3	3	44	-	1	-	-	54	

* Exclusive of Northern Ireland

Table 56 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by age of Groom

Country of future permanent residence	Age of Groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Northern Ireland	3	37	82	27	19	6	1	-	-	1	-	176	28.8
England and Wales	2	248	891	381	85	19	5	2	2	3	9	1,647	28.8
Scotland	-	6	26	22	4	3	-	-	-	-	2	63	29.8
Europe (remainder)	-	23	98	47	14	6	3	1	1	-	-	193	30.2
U.S.A	-	34	191	90	31	9	2	2	2	1	1	363	30.0
Canada	-	4	27	18	5	1	-	-	-	-	-	55	29.7
Australia and New Zealand	-	7	63	31	5	3	-	-	1	-	-	110	29.9
Elsewhere	-	3	17	21	6	-	2	-	-	-	-	49	31.5
TOTAL	5	362	1,395	637	169	47	13	5	6	5	12	2,656	29.2

Table 57 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by age of Bride

Country of future permanent residence	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Northern Ireland	4	67	72	20	10	1	-	1	-	1	-	176	26.9
England and Wales	9	431	917	232	36	6	4	3	-	-	9	1,647	27.2
Scotland	1	12	36	11	1	-	-	-	-	-	2	63	27.5
Europe (remainder)	-	38	108	35	10	2	-	-	-	-	-	193	28.1
U.S.A	1	60	206	80	8	6	-	-	1	1	-	363	28.3
Canada	-	9	26	19	1	-	-	-	-	-	-	55	28.4
Australia and New Zealand	1	16	73	18	1	-	-	1	-	-	-	110	27.9
Elsewhere	-	4	27	12	5	1	-	-	-	-	-	49	29.6
TOTAL	16	637	1,465	427	72	16	4	5	1	2	11	2,656	27.5

Table 58 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of Groom

Country of future permanent residence	Farmer-s, relatives assisting and Farm managers	Other agricultural occupations & fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	TOTAL
Northern Ireland	13	5	15	11	11	11	20	28	49	10	3	176
England and Wales	6	11	250	134	197	94	125	139	553	112	26	1,647
Scotland	-	2	14	8	4	3	6	4	16	1	5	63
Europe (remainder)	3	4	25	28	28	5	18	12	60	2	8	193
U.S.A	1	6	37	23	34	23	35	32	149	14	9	363
Canada	-	1	7	7	6	6	5	8	11	3	1	55
Australia and New Zealand	2	1	15	7	8	7	13	10	46	1	-	110
Elsewhere	-	-	12	8	6	3	11	-	7	-	2	49
TOTAL	25	30	375	226	294	152	233	233	891	143	54	2,656

Table 59 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of Bride

Country of future permanent residence	Socio-economic Group of Bride											TOTAL
	Farmer-s, relatives assisting and farm manag-ers	Other agricult-ural occupations and fisherm-en	Higher profess-ional	Lower profess-ional	Emplo-yers and manag-ers	Salaried employ-ees	Inter-mediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	
Northern Ireland	-	-	8	30	10	5	67	12	10	22	12	176
England and Wales	2	2	137	398	155	81	598	127	52	37	58	1,647
Scotland	-	-	8	15	5	5	14	6	3	2	5	63
Europe (remainder)	-	-	14	53	18	8	60	10	11	6	13	193
U.S.A	-	1	24	112	27	14	75	70	10	13	17	363
Canada	-	-	5	17	3	4	18	6	1	-	1	55
Australia and New Zealand	-	1	8	35	5	6	31	11	5	2	6	110
Elsewhere	-	-	6	27	2	1	8	1	1	-	3	49
TOTAL	2	4	210	687	225	124	871	243	93	82	115	2,656

Table 60 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified by form of ceremony

Country of future permanent residence	Total Marriages	Form of Ceremony						
		Catholic	Church of Ireland	Presby-terian	Methodist	Jewish	Other religious denomina-tions	Civil marriages
Northern Ireland	176	140	19	11	2	-	1	3
England and Wales	1,647	1,534	77	8	5	-	2	21
Scotland	63	56	4	2	-	-	-	1
Europe (remainder)	193	161	13	-	-	-	1	18
U.S.A	363	341	11	3	-	-	-	8
Canada	55	48	2	1	-	-	-	4
Australia and New Zealand	110	92	9	1	-	-	-	8
Elsewhere	49	42	2	-	-	-	-	5
TOTAL	2,656	2,414	137	26	7	-	4	68

Table 61 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified according to the area of residence of Groom before marriage

Country of future permanent residence	Total	Area of residence of Groom						
		Dublin	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	176	3	4	1	1	18	140	9
England and Wales	1,647	66	69	68	41	27	1,351	25
Scotland	63	1	4	1	2	2	50	3
Europe (remainder)	193	19	15	10	5	1	143	-
U.S.A	363	24	24	18	15	9	256	17
Canada	55	12	1	1	-	-	41	-
Australia and New Zealand	110	11	4	10	4	2	74	5
Elsewhere	49	13	1	5	3	-	25	2
TOTAL	2,656	149	122	114	71	59	2,080	61

Table 62 Marriages registered in 1992 in which the future permanent residence was stated to be outside the country, classified according to the area of residence of Bride before marriage

Country of future permanent residence	Total	Area of residence of Bride						
		Dublin	Rest of Leinster	Munster	Connacht	Ulster (Part of)	Other countries	Not stated
Northern Ireland	176	10	31	5	3	51	72	4
England and Wales	1,647	146	122	100	67	41	1,155	16
Scotland	63	15	5	7	3	2	31	-
Europe (remainder)	193	46	27	24	8	1	87	-
U.S.A	363	47	29	28	17	16	215	11
Canada	55	18	7	5	-	-	25	-
Australia and New Zealand	110	22	12	20	4	2	47	3
Elsewhere	49	22	5	9	7	1	5	-
TOTAL	2,656	326	238	198	109	114	1,637	34

Appendix

Table A* Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1992, classified by principal groups of causes, sex and age

Cause of Death	Age at death																					
	Under one year	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 & over	All ages
ALL CAUSES																						
M	15	2	1	2	5	6	2	5	5	3	2	3	6	9	11	27	20	14	11	4	3	156
F	15	1	2	-	3	1	1	2	2	3	4	4	4	8	6	20	15	21	18	12	4	146
Infective and parasitic diseases																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms																						
M	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	3	4	3	1	-	-	16
F	-	1	-	-	1	-	-	-	1	2	3	2	1	4	3	5	5	5	2	-	-	35
Ischaemic and other forms of heart disease																						
M	-	-	-	-	-	-	-	-	1	2	-	-	5	7	6	14	8	8	5	2	2	60
F	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	5	9	9	5	5	2	42
Hypertensive disease																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	5
Cerebrovascular disease																						
M	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	6
F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	1	3	-	12
Other diseases of the circulatory system																						
M	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	4
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	3
Diseases of the respiratory system																						
M	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	3	2	1	12
F	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	2	4	3	1	16
Other diseases																						
M	14	-	-	1	1	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	24
F	15	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	3	1	-	24
Injury and poisoning																						
M	1	2	1	-	4	6	2	3	4	1	1	1	-	1	2	4	1	-	-	-	-	34
F	-	-	2	-	2	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	9

* See definition on page 9 - "issue of authority for registration"

Table B' Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1992, classified by principal groups of causes, sex and year of occurrence

Cause of Death	Year of occurrence											
	1991	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980 and earlier
ALL CAUSES												
M	11	55	17	17	10	1	4	2	7	1	2	29
F	17	38	18	12	9	7	4	3	2	4	6	25
Infective and parasitic diseases												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms												
M	2	4	1	1	-	-	2	-	3	-	-	3
F	3	8	6	4	2	3	1	2	-	2	2	2
Ischaemic and other forms of heart disease												
M	3	19	7	4	7	-	1	2	3	1	2	11
F	5	7	6	1	5	3	2	-	1	1	3	7
Hypertensive disease												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	1	2	-	-	-	1	-	-	-	-	-	1
Cerebrovascular disease												
M	2	2	-	1	-	-	-	-	-	-	-	1
F	1	4	-	2	-	-	1	-	-	-	-	4
Other diseases of the circulatory system												
M	-	1	-	1	1	-	-	-	1	-	-	-
F	-	1	1	-	-	-	-	-	-	-	-	1
Diseases of the respiratory system												
M	1	1	4	2	-	1	-	-	-	-	-	3
F	5	3	1	1	-	-	-	-	-	-	1	5
Other diseases												
M	1	5	5	8	1	-	1	-	-	-	-	3
F	1	5	4	4	2	-	-	1	1	1	-	5
Injury and poisoning												
M	2	23	-	-	1	-	-	-	-	-	-	8
F	1	8	-	-	-	-	-	-	-	-	-	-

* See definition on page 9 - "issue of authority for registration"

Table C' Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1992, classified by sex and age

Cause of Death	ICD-9 Code	Age at death										All ages
		0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 & over	
TOTAL												
M		4	4	8	7	2	1	3	5	-	-	34
F		2	2	1	2	1	1	-	-	-	-	9
Railway accidents												
M	E800-807	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents												
M	E810-829	2	2	2	-	-	-	1	2	-	-	9
F		2	-	-	1	-	-	-	-	-	-	3
Accidental poisoning												
M	E850-869	-	-	-	-	-	-	1	-	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-
Accidental falls												
M	E880-888	-	-	-	-	-	-	-	1	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-
Accidents caused by fire, explosion and burns												
M	E890-899,	-	-	-	-	-	-	-	-	-	-	-
F	E921,923,924	-	-	-	1	-	-	-	-	-	-	1
Accidental drowning and submersion												
M	E910	1	-	-	-	-	-	1	1	-	-	3
F		-	-	-	-	-	-	-	-	-	-	-
Suicide and self-inflicted injury												
M	E950-959	-	2	1	2	-	1	-	1	-	-	7
F		-	1	1	-	1	1	-	-	-	-	4
Injury undetermined whether accidentally or purposely inflicted												
M	E980-989	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other accidents and external causes												
M	R(E800-999)	1	-	5	5	2	-	-	-	-	-	13
F		-	1	-	-	-	-	-	-	-	-	1

* See definition on page 9 - "issue of authority for registration"

Table D* Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1992, classified by sex and year of occurrence

Cause of Death	ICD-9 Code	Year of occurrence											
		1991	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980 and earlier
TOTAL													
M		2	23	-	-	1	-	-	-	-	-	-	8
F		1	8	-	-	-	-	-	-	-	-	-	-
Railway accidents													
M	E800-807	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents													
M	E810-829	1	8	-	-	-	-	-	-	-	-	-	-
F		-	3	-	-	-	-	-	-	-	-	-	-
Accidental poisoning													
M	E850-869	-	1	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Accidental falls													
M	E880-888	-	-	-	-	-	-	-	-	-	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-	-
Accidents caused by fire, explosion and burns													
M	E890-899,	-	-	-	-	-	-	-	-	-	-	-	-
F	E921,923,924	-	1	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion													
M	E910	1	2	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Suicide and self-inflicted injury													
M	E950-959	-	6	-	-	1	-	-	-	-	-	-	-
F		1	3	-	-	-	-	-	-	-	-	-	-
Injury undetermined whether accidentally or purposely inflicted													
M	E980-989	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other accidents and external causes													
M	R(E800-999)	-	6	-	-	-	-	-	-	-	-	-	7
F		-	1	-	-	-	-	-	-	-	-	-	-

* See definition on page 9 - "issue of authority for registration"

